

CC
1
S3
Sec. A
Vol. 63-67
Index
A-E
TK

Section A of Science Abstracts

SECTION A, PHYSICS; SECTION B, ELECTRICAL ENGINEERING

abstracts

Physics Abstracts

Cumulative Author Index

1960-1964 : Part I

(VOLUMES 63-67).

Published by THE INSTITUTION OF ELECTRICAL ENGINEERS
Savoy Place, London, W.C. 2

In association with The Institute of Physics and the Physical Society
and The American Physical Society

FOREWORD

For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words, regardless of nationality (e.g. Van Vleck is listed as if written Vanvleck). Cross-references are included in appropriate places. Compound names are generally listed under the last component, unless hyphenated; exceptions to this rule are approximately cross-referenced.

All names are reproduced in the abstracts and the index with the same spelling as in the original articles; in the case of articles printed in Cyrillic characters, a letter-by-letter transliteration is given, in accordance with the scheme given on page iv. Russian authors' names may appear in Latin-alphabet publications in various forms, due to the use of different transliteration schemes; these names are reproduced as printed in the articles abstracted.

The numbers printed after the entries are the serial numbers of the abstracts, and the respective volumes are indicated by the initial number, giving the last digit of the year; thus "3=1234" means "Abstract 1234 of the 1963 volume"; "0=3456" means "Abstract 3456 of the 1960 volume".

June 1965

D. S. Hopper
Director, Science Abstracts

PHYSICS ABSTRACTS

CUMULATIVE AUTHOR INDEX

for 1960-64 is published in four parts:

Part I Letters A—E

Part II Letters F—K

Part III Letters L—R

Part IV Letters S—Z

Erratum

There are alphabetical errors occurring on the following pages:—

10-11 and 474

English Letters	Languages	Cyrillic Letters	English Letters	Languages	Cyrillic Letters
a	R S B	А а	p	R S B	П п
b	R S B	Б б	r	R S B	Р р
ch	R S B	Ч ч	s	R S B	С с
d	R S B	Д д	sh	R S B	Ш ш
e	R S B	Е е	shch	R	Щ щ
ë	R	Ё ё	sht	B	Ш ш
é	R	Э э	t	R S B	Т т
ê	R B	Ѣ ѣ	t'	R B	ТЬ ть
f	R S B	Ф ф	t'	S	Ѣ ѣ
g	R S B	Г г	th	R	Ө ө
i	R S B	И и	ts	R S B	Ц ц
ī	R	І і	t-s	R S B	ТС тс
ĩ	R B	Й й	u	R S B	У у
j	S	Ї ѳ	ũ	B	Ѥ ѥ
j'	S	Ѣ ѣ	ū	B	Ѧ ѧ
k	R S B	К к	v	R S B	В в
kh	R S B	Х х	y	S	Ј ј
l	R S B	Л л	ȳ	R	Ы ы
l'	R B	Љ љ	ÿ	R	Ѳ ѳ
l'	S	Љ љ	ya	R B	Ј ј
m	R S B	М м	yu	R B	Ю ю
n	R S B	Н н	z	R S B	З з
n'	R B	НѢ нѣ	zh	R S B	Ж ж
n'	S	НѢ нѣ	'	R	Ѥ ѥ
o	R S B	О о	'	R B	Ѧ ѧ

The use of l', n' and t' in Russian and Bulgarian (where they are not transliterations of a single letter, but merely l, n or t followed by the soft sign) is included to emphasize the fact that they are used for single letters only in Serbian.

Shch and sht invariably represent the letter Ш, in Russian and Bulgarian respectively, since the pairs of letters (Щщ in Russian and Шш in Bulgarian) seem never to occur consecutively in the respective languages.

The above table is reproduced, by permission, from the pamphlet "The Transliteration of Russian, Serbian and Bulgarian for Bibliographical Purposes" published by The Royal Society, Burlington House, London, W.1 (February, 1953, price 1s.0d.). It represents the system at present in use in "Science Abstracts" for the transliteration of the names of journals and the names of authors of articles abstracted.

- Aagard, R.L. Measurements of infrared radiation divergence in the atmosphere with the double-radiometer and the black ball, 0=14300
- Aagard, R.L. Measurements of the output from a ruby laser with a central hole in one of the end mirrors, 2=22014
- Aagard, R.L. Losses in a pulsed ruby laser, 3=16762
- Aagard, R.L. Determination of R_1 linewidths in ruby using a pulsed ruby laser, 4=10188
- Aagard, R.L. and Dufault, R.A. Ground-state population in an operating pulsed ruby laser, 4=16708
- Aagard, R.L., Chen, D. and Otto, G.N. Index of refraction measured by double-slit diffraction of coherent light from a gas laser, 4=21281
- Aagard, R.L. See Schuldt, S.B., 3=14332
- Aalberts, J.H. The influence of plastic deformation on the resistivity of ordered Au_3Cu , 2=8273
- Aalberts, J.H. and Verheijke, M.L. The solid solubility of nickel in silicon determined by neutron activation analysis, 3=3338
- Aaltonen, J. See Graeffe, G., 4=19738
- Aamodt, L.C. See Blinder, S.M., 2=3778
- Aamodt, R., Case, K.M., Rosenbaum, M. and Zweifel, P.F. Quasi-classical treatment of neutron scattering, 2=11947
- Aamodt, R.E. Model of an electrical discharge in a neutral gas, 3=9744
- Aamodt, R.E. and Case, K.M. Density in a simple model of the exosphere, 2=21672
- Aamodt, R.E. and Case, K.M. Useful identities for half-space problems in linear transport theory, 3=9375
- Aamodt, R.E. and Drummond, W.E. Non-linear coupling of plasma oscillations to transverse waves, 4=16501
- Aamodt, R.L., Brown, L.J. and Nichols, B.D. Thermionic emission from molybdenum in vapors of cesium and cesium fluoride, 2=13584
- Aargard, R.L., Dufault, R.A. and Schuldt, S.B. Angular distribution of light rays from a gas-discharge source, 3=16757
- Aaron, H.B. A study of the strain fields around intersecting slip planes in LiF by X-ray extinction contrast, 4=9972
- Aaron, R. Detection of an infinite anomalous threshold in the reaction $K^- + p \rightarrow \Sigma + \pi + \pi$, 3=12504
- Aaron, R., Amado, R.D. and Lee, B.W. Divergence of the Green's function series for rearrangement collisions, 1=427
- Aaron, R. and Klein, A. Convergence of the Born expansion, 0=16631
- Aaron, R. See Vaughn, M.T., 2=252
- Aarons, J., Basu, S., Kidd, W. and Allen, R. Very-low frequency modulation of discrete frequency solar noise bursts, 1=15549
- Aarons, J., Castelli, J.P. and Kidd, W. Cygnus rise and set measurements at v.h.f. and u.h.f. radio frequencies, 3=13712
- Aarons, J., Castelli, J.P., Straka, R.M. and Kidd, W.C. Observations on the solar eclipse of October 2 [1959], 0=6554
- Aarons, J., Gustafsson, G. and Egeland, A. Correlation of audio-frequency electromagnetic radiation with auroral zone micropulsations, 0=10437
- Aarons, J., Mullen, M. and Basu, S. Geomagnetic control of satellite scintillations, 3=21077
- Aarons, J., Whitney, H.E., Rogers, R.S., Thomson, J., Bournazel, J., Vassy, E., Hess, H.A., Rawer, K., Carrara, N., Checcacci, P., Landmark, B., Tröim, J., Hultqvist, B. and Liszka, L. Atmospheric phenomena noted in simultaneous observations of 1958 $\delta 2$ (Sputnik III), 2=4618
- Aarons, J. See Castelli, J.P., 1=6595
- Aarons, J. See Gustafsson, G., 1=15317
- Aarons, J. See Hultqvist, B., 0=2036
- Aarons, J. See Kidd, W., 2=13184
- Aarons, J. See Klobuchar, J., 2=6937
- Aaronson, H.I. On the growth mechanism of sideplates, 3=13534
- Aaronson, H.I. See Doman, H.A., 4=15494
- Aarseth, S. The rotation of a barred galaxy under gravitational forces, 1=12774
- Aarseth, S. The rotation of barred galaxies under gravitational forces. II, 1=18131
- Aarseth, S.F. Dynamical evolution of clusters of galaxies. I., 4=2380
- Aarts, J. and Bosch, G. Oscillator strengths for lines of Fe I, Mg I and Cs I, 4=28125
- Aarts, W.H. The epitaximeter: An instrument for process control by means of the continuous measurement of surface tension, 0=5002
- Aasa, E., Sundström, T., Bergman, O., Lindskog, J. and Sevier, K. A conversion electron study of the decay of Pb^{201} , 4=19737
- Aasa, E. See Brabec, V., 4=19735
- Aasa, E. See Hamilton, W.D., 3=651
- Aasa, E. See Scheuer, W., 4=22070
- Aasa, E. See Suter, T., 2=3531
- Aasa, E. See Suter, T., 3=24898
- Aasa, R. See Vänngård, T., 4=26434
- Ab, E.A., Andrianova, G.M., Plotnikov, R.I. and Khutsishvili, L.A. A portable accelerating tube with an ion source for a neutron generator, 2=7875
- Ab, E.A., Plotnikov, R.I. and Khutsishvili, L.A. Sorption of hydrogen by titanium and zirconium at low pressures, 0=6427
- Abadie, D. and Herman, L. Perturbation in the emission spectrum of the SO molecule, 4=12469
- Abadie, D. and Herman, R. Dissociation limits of the SO molecule, 4=6655
- Abagyan, G.V., Bayatyan, G.L., Matoyan, D.S. and Melikyan, E.G. A semiautomatic calculator of second differences, 4=16784
- Abagyan, L.P. Determination of the effect of the blocking of cross sections with allowance for the Doppler broadening of resonances in all energy regions, 4=6343
- Abagyan, S.A. and Subashiev, V.K. Structure of the conduction zone in GaP, 4=25900
- Abakarov, Dzh.I. and Seidov, Yu.M. Theory of the magnetic susceptibility of a polaron, 0=21023
- Abakarov, Dzh.I. and Seidov, Yu.M. Theory of the magnetic susceptibility of a polaron, 1=6247
- Abarbanel, S. The effect of molecule recapture on oscillatory free molecule flow, 2=5038
- Abarenkov, I.V. A polarizable point-lattice approximation in the theory of impurity centres in ionic crystals, 1=3663
- Abarenkov, I.V. and Brattsev, V.F. Method of the effective potential, 4=19926
- Abarenkov, I.V., Kristofel', N.N. and Petrashen', M.I. Calculation of the optical properties of small-radius electron centres in ionic crystals, 2=608
- Abarenkov, I.V. See Kiselev, A.A., 1=4999
- Abarenkov, I.V. See Petrashen', M.I., 1=14200
- Abarenkova, S.G. See Lebed', B.M., 4=30724
- Abashian, A., Booth, N.E. and Crowe, K.M. Possible anomaly in meson production in $p + d$ collisions, 0=20213
- Abashian, A., Booth, N.E., Crowe, K.M., Hill, R.E. and Rogers, E.H. Meson production in $p + d$ collisions and the $I = 0 \pi - \pi$ interaction. I. Measured momentum spectra of He^3 and H^3 nuclei from high-energy $p + d$ collisions, 4=6097
- Abashian, A. See Booth, N.E., 1=16846
- Abashian, A. See Booth, N.E., 1=16847
- Abashian, A. See Booth, N.E., 4=6099
- Abashian, A. See Booth, N.E., 4=6100
- Abashian, A. See Haddock, R.P., 0=2569
- Abasov, S.A. See Zhurkov, S.N., 3=16003
- Abate, E. Considerations on the limits of applicability of the method of atoms in molecules, 0=17798
- Abate, E., Bellini, G., Fiorini, E. and Ratti, S. Monte Carlo calculations on interactions of 300 MeV protons with carbon, 2=5920
- Abate, E. and Fabri, E. Use of an electronic computer for the construction of exact eigenfunctions of orbital angular momentum in L-S coupling, 0=1464
- Abate, E. and Haken, H. Exact treatment of a maser model, 4=30076
- Abate, J.E. The nature of astro Doppler velocity measurement, 2=15418
- Abaulina-Zavaritskaya, E.I. The electrical conductivity of germanium in high electric fields at low temperatures, 0=9964
- Abbakumov, V.G. Convective heating of a stationary layer of plates, 3=16826
- Abbar, C. Measurements on the rotational spectrum of sulphur chloride, 4=20071
- Abbasov, A.S., Nikol'skaya, A.V., Gerasimov, Ya.I. and Vasil'ev, V.P. Investigation of the thermodynamic properties of indium arsenide by the method of electromotive force, 4=25850
- Abbati Marescotti, P.P. A problem of neutron transport within a spherical medium, 3=12459
- Abbattista, N., Biasco, M., Mongelli, S., Romano, A., Waloschek, P. and Perez-Ferreira, E. Interactions of π^- -mesons of kinetic energy 915 MeV with carbon nuclei, 2=5951
- Abbattista, N. See Alitti, J., 2=16229
- Abbattista, N. See Alitti, J., 2=18156
- Abbattista, N. See Bidan, U., 2=11988
- Abbe, J.C. and Adloff, J.P. Mass-spectrometer study of a high-frequency electric discharge positive-ion source, 4=606

- Abbe, J.C. and Adloff, J.P. Ionization of gases by ions of energies from 200 to 1200 keV, 4=27488
- Abbel, R. Ferromagnetism of thin films, 4=4350
- Abbey, F. See Dowson, D.C., 3=12706
- Abbi, S.S. See Talwar, S.P., 0=7206
- Abbiss, C.P. See Huzan, E., 1=4971
- Abbondanza, G. See Califano, S., 3=25468
- Abbot, M.B. and Torbe, I. On flows and fronts in a stratified fluid, 3=9411
- Abbott, A.N. See Lavik, M.T., 1=14931
- Abbott, G.L. See Parker, W.J., 1=13006
- Abbott, W.N. and Chapman, S. On the aurora of 19 August 1950, photographed from Greece, 0=6469
- Abdala, J. Report on the Cajigal Observatory, 0=12239
- Abd El-Fattah El-Nadi. On the effect of ordinary light on small ion concentration, 0=18480
- Abdel-Fattah El-Nadi and Bessa, F.I. Small ion characteristics, 0=18479
- Abd el Haadi, K. See Barakat, N., 4=11349
- Abdel-Kerim Ibrahim Ali. See Ali Abdel-Kerim Ibrahim.
- Abdel Monem I. Kabil. See Ali Abdel-Kerim Ibrahim, 1=6823
- Abdel Monem I. Kabil. See Ali Abdel Kerim Ibrahim, 0=12401
- Abdel Monem I. Kabil. See Ali Abdel Kerim Ibrahim, 0=19043
- Abdel Rahim, A.M. and Moselhy, M.M. A nomographical method for calculation of structure factor amplitudes, 3=8830
- Abdelaziz, M.E. A high current radio frequency proton source with radial extraction, 2=11943
- Abdelkader, M.A. A proposed minimal principle governing electron dynamics, 4=3108
- Abdelkader, M.A. The Langmuir-Blodgett space-charge function for spheres, 4=8635
- Abdellatif, A.E.D. See Vilnat, J., 4=9642
- Abdi, W.H. On certain q-difference equations and q-Laplace transform, 2=15450
- Abdulgamidov, S.A. and Fridkin, V.M. A study of the photoconductivity and the photoelectric state in monocrystals of potassium dichromate, 4=30666
- Abdulgamidov, S.A. See Fridkin, V.M., 4=30665
- Abdullaev, A.M. See Azimov, S.A., 3=6108
- Abdullaev, A.M. See Azimov, S.A., 3=19737
- Abdullaev, G.B., Aliev, G.M. and Barkinkhoev, Kh. G. Thermal conductivity of selenium, 4=28386
- Abdullaev, G.B., Aliev, M.G. and Geller, I.Kh. The influence of impurity on the effect of a strong field in selenium rectifiers, 0=6125
- Abdullaev, G.B., Aliev, M.I. and Akhundova, S.A. On the influence of thallium on the thermal conductivity of polycrystalline selenium, 1=9989
- Abdullaev, G.B., Aliev, M.I. and Akhundova, S.A. On the influence of thallium on the thermal conductivity of polycrystalline selenium, 1=11170
- Abdullaev, G.B. See Akundov, G.A., 0=18054
- Abdullaev, G.B. See Akhundov, G.A., 4=1622
- Abdullaev, G.B. See Aliev, M.I., 0=6057
- Abdullaev, G.B. See Guseinov, G.D., 2=18712
- Abdullaev, G.B. See Guseinov, G.D., 2=23410
- Abdullaev, G.B. See Shakhhtakhtinskii, M.K., 3=24116
- Abdullaeva, Kh.M. See Ismailzade, I.G., 3=13397
- Abdullaeva, M. See Arifov, U.A., 4=8825
- Abdumalikov, A., Abdurazakov, A., Gromov, K., Zhelev, Zh., Lebedev, N., Dzhelepov, B. and Kudryavtseva, A. New Yb¹⁶² and Tm¹⁶² isotopes, 3=22345
- Abdurazakov, A., Gromov, K., Dalkhsuren, B., Dzhelepov, B., Levenberg, I., Murin, A., Norseyev, Yu., Pokrovsky, V., Chumin, V. and Yutlandov, I. The decay chain Yb¹⁶⁴ → Tm¹⁶⁴ → Er¹⁶⁴, 1=646
- Abdurazakov, A. See Abdumalikov, A., 3=22345
- Abdurazakov, A.A., Abdurazakova, F.M., Gromov, K. Ya. and Umarov, G. Ya. A new isotope Er¹⁵⁹, 2=5857
- Abdurazakov, A.A., Abdurazakova, F.M., Gromov, K. Ya. and Umarov, G. Ya. A new isotope Er¹⁵⁹, 3=4597
- Abdurazakov, A., Gromov, K. Ya., Dzhelepov, B.D. and Khalkin, V.A. Conversion electrons from the erbium fraction formed in spallation of tantalum, 3=10307
- Abdurazakov, A.A., Gromov, K. Ya., Dzhelepov, B.S., Norseev, Yu. V., Umarov, G. Ya. and Chumin, V.G. Regarding the 75 min ytterbium activity, 2=14025
- Abdurazakov, A.A., Gromov, K. Ya., Dzhelepov, B.S. and Umarov, G. Ya. Conversion electron spectrum of the dysprosium fraction from the spallation products of tantalum, 2=18302
- Abdurazakova, F.M. See Abdurazakov, A.A., 2=5857
- Abdurazakova, F.M. See Abdurazakov, A.A., 3=4597
- Abdusadykov, T. Luminescence centres in alkali-halide phosphors with large concentrations of the activator and of microdefects of the halide lattice, 0=4433
- Abduzhamilov, Sh., Azimov, S.A., Chernova, L.P., Chernov, G.M. and Chudakov, V.M. Azimuthal distribution of shower particles produced by cosmic-ray particles in photographic emulsions, 4=3520
- Abduzhamilov, Sh., Azimov, S.A., Chernova, L.P., Chernov, G.M. and Chudakov, V.M. Angular distributions of secondary particles from p-N collisions at 24 BeV, 4=25089
- Abe, H. Temperature dependence of E.S.R. linewidth in K₂CuCl₄·2H₂O, 1=20225
- Abe, H. and Koga, K. Resonance study of paramagnetic ions coexisting within ordered spin system in copper sulphate, 3=20644
- Abe, H., Konisi, G. and Ogimoto, T. Maximum analyticity in angular momentum and energy of the Bethe-Salpeter scattering amplitudes, 4=30188
- Abe, H., Matsuura, M., Yasuoka, H., Hirai, A., Hashi, T. and Fukuyama, T. Nuclear magnetic resonance of Fe⁵⁷ in nickel- and nickel-zinc-ferrites, 4=4426
- Abe, H. and Morigaki, H. Temperature dependence of line width in copper trichloroacetate monohydrate, 4=26391
- Abe, H. and Morigaki, H. Paramagnetic resonance study in manganese acetate tetrahydrate, 4=26413
- Abe, H., Morigaki, H. and Koga, K. Magnetostatic higher mode resonance in a paramagnet, 4=10243
- Abe, H., Morigaki, H. and Koga, K. Structures in low temperature paramagnetic resonance line of copper potassium chloride, 4=26390
- Abe, H., Morigaki, H., Matsuura, M., Torii, K. and Yamagata, K. Magnetic properties of manganese formate dihydrate, 4=26266
- Abe, H. and Shirai, H. Electron spin resonance of manganese in ammonium chloride, 1=14790
- Abe, H. See Amaya, K., 4=23073
- Abe, H. See Yasuoka, H., 3=18149
- Abe, H. See Yasuoka, H., 4=7354
- Abe, K., Kawamura, N., Sugawara, M. and Kimura, M. A slow expansion system for a betatron employing s. c. r. and s. r. couplings, 4=21607
- Abe, K. See Kimura, M., 3=22376
- Abe, K. See Shoda, K., 1=17082
- Abe, K. See Shoda, K., 2=426
- Abe, K. See Shoda, K., 2=12180
- Abe, K. See Shoda, K., 3=15172
- Abe, N. See Ogawa, I., 2=20039
- Abe, R. Ground state energy of Bose particle system, 0=2133
- Abe, R. Note on the "toron" formalism developed by Montroll and Ward, 0=4276
- Abe, R. Many-body pseudopotential for hard-sphere interaction, 0=12380
- Abe, R. Quantum-mechanical many-body problem with hard-sphere interaction, 0=12381
- Abe, R. Quantum mechanics of strongly interacting particles with an application to Lennard-Jones potential, 0=12382
- Abe, R. On the form factor of liquid He⁴ at absolute zero. I, 0=12546
- Abe, R. On the form factor of liquid He⁴ at absolute zero. II, 0=12547
- Abe, R. On the many-body pseudopotential for a system of hard-spheres, 0=14528
- Abe, R. Ground state energy of Bose system with Lennard-Jones potential, 0=14532
- Abe, R. On the Kirkwood superposition approximation, 0=14620
- Abe, R. Theoretical treatment of the movement of 180° domains in a BaTiO₃ single crystal, 0=18102
- Abe, R. Giant cluster expansion theory and its application to high temperature plasma, 0=18991
- Abe, R. Equation of state of classical electron gas, 0=20716
- Abe, R. Theoretical study on the properties of coercive field of BaTiO₃ single crystal, 1=8975
- Abe, R. Spin paramagnetism of an electron gas in a lattice of positive charges, 3=8381
- Abe, R. Nonlinear theory of Esaki effect in bismuth, 3=25353
- Abe, R. Cluster expansion theory for a system of random Ising spins, 4=20511
- Abe, R. Anomalous dispersion of coercive field at very low frequencies and a jerky wall motion in Rochelle salt, 4=26126
- Abe, R. Nonlinear theory of current saturation in piezoelectric semiconductors, 4=28542
- Abe, R. and Aizu, K. Mobility of ions in a system of interacting Bose particles, 1=10672

- Abe, R. See Fujita, S., 2=9206
 Abe, R. See Morita, T., 0=14537
 Abe, S. Morphology of SSC and SSC*, 0=1992
 Abe, S. See Fukushima, N., 0=18465
 Abe, S. See Nagata, T., 0=14169
 Abe, S. See Sato, T., 4=26786
 Abe, S. See Sato, T., 4=26792
 Abe, T. and Dhashi, T. Origin of round smooth pit on CP-4 etched germanium surfaces, 2=4369
 Abe, Y. Zeeman study on nuclear quadrupole resonances in AsI_3 and $\text{AsI}_3 \cdot 3\text{S}_8$, 0=686
 Abe, Y. Nuclear quadrupole resonance of N^{14} in ethylenediamine, 4=7359
 Abe, Y. Electron-hole exchange energy in shallow exciton, 4=28425
 Abe, Y., Abe, Y. and Kojima, S. Nuclear quadrupole resonance of nitrogen in hydrazine, 4=13354
 Abe, Y. and Kojima, S. Nuclear quadrupole resonance of nitrogen in ethylenediamine, 2=18487
 Abe, Y., Osaka, Y. and Morita, A. Collective excited states and dielectric constant in insulators, 3=2944
 Abe, Y., Sakashita, S. and Ono, Y. Effects of the magnetic field on the ionization front, 4=10874
 Abe, Y. See Abe, Y., 4=13354
 Abe, Y. See Katsura, S., 4=224
 Abe, Y. See Kikuchi, M., 2=10471
 Abe, Y. See Kikuchi, M., 2=18722
 Abe, Y. See Kikuchi, M., 2=23296
 Abe, Y. See Kikuchi, M., 4=4156
 Abe, Y. See Kikuchi, M., 4=4193
 Abe, Y. See Kikuchi, M., 4=4235
 Abe, Y. See Morita, A., 3=11022
 Abecasis, S., Boero, M., Bosch, H. and Mocoroa, A. Study on the isomeric state of Nb^{90} , 2=18262
 Abecasis, S.M. See Mocoroa, A.B., 2=18355
 Abel, J.E. and Reitzner, B. Apparatus for determining ignition times of explosives under vacuum and various cases, 3=18441
 Abel, J.L. See Chynoweth, A.G., 0=640
 Abel, W.G., Chisholm, J.H., Fleck, P.L. and James, J.C. Radar reflections from the Sun at very high frequencies, 2=9113
 Abel, W.R., Anderson, A.C. and Wheatley, J.C. Propagation of sound in He^3 , 2=7492
 Abel, W.R., Anderson, A.C. and Wheatley, J.C. Temperature measurements using small quantities of cerium magnesium nitrate, 4=14430
 Abele, M.K. Long-focus cameras for determining coordinates of faint artificial earth satellites, 0=18890
 Abeledo, C.R. and Selwood, P.W. Temperature dependence of spontaneous magnetization in superparamagnetic nickel, 1=6307
 Abeledo, C.R. and Selwood, P.W. Chemisorption of hydrogen on cobalt, 3=5163
 Abeledo, D., Choy, L., Ammar, R.G., Crayton, N., Levi Setti, R., Raymund, M. and Skjeggstad, O. Mesic decays of hyper-nuclei from K^- capture, III. Characteristics of the parent stars, 2=5791
 Abeledo, D. See Crayton, N., 2=3472
 Abeledo, D. See Crayton, N., 2=22718
 Abeles, B. Lattice thermal conductivity of disordered semiconductor alloys at high temperatures, 3=25207
 Abeles, B., Beers, D.S., Cody, G.D. and Dismukes, J.P. Thermal conductivity of Ge-Si alloys at high temperatures, 2=3855
 Abeles, B., Cody, G.D. and Beers, D.S. Apparatus for the measurement of the thermal diffusivity of solids at high temperatures, 0=16908
 Abeles, B. and Cohen, R.W. Ge-Si thermoelectric power generator, 4=8607
 Abeles, B. See Beers, D.S., 3=10611
 Abeles, B. See Cohen, R.W., 3=14510
 Abeles, B. See Rosi, F.D., 0=2915
 Abelès, F. The effect of dispersion in systems of thin dielectric films, 0=16885
 Abeles, F. The optical properties of certain thin metallic films in the near infrared, 2=6536
 Abelès, F. Optical properties of Au-Ni alloys, 3=8580
 Abelès, F. Methods for determining optical parameters of thin films, 4=18413
 Abelès, F. The effect of an abnormal skin in thin metallic films, 4=22834
 Abeles, F. and Bazin, C. Use of total reflection for the study of weakly absorbing thin films, 2=11487
 Abelès, F. and Dorel, F. The displacement with angle of incidence of the minimum of the reflection coefficient of silver in the ultraviolet region, 0=4394
 Abelès, F. and Thèye, M.-L. Simultaneous determination of the scattering parameter and the mean free path of conduction electrons in thin films, 3=15546
 Abellishvili, T.L. Neutron transfer in nuclear collisions, 1=19486
 Abellishvili, T.L. Theory of neutron transfer in nuclear collisions, 2=20682
 Abellishvili, T.L. Neutron transfer in nuclear collisions, 3=4654
 Abellishvili, T.L. Theory of neutron transfer in nuclear collisions, 3=8139
 Abellishvili, T.L., Gachechiladze, T.G. and Mdivani, O.M. Angular distribution of neutrons from $\text{C}^{13}(\text{d}, \text{n})\text{N}^{14}$, 0=11418
 Abellishvili, T.L. and Sitenko, O.H. Electric polarization of deuterons arising in the scattering of deuterons by a Coulomb field, 2=5953
 Abell, G.O. Evidence regarding second-order clustering of galaxies and interactions between clusters of galaxies, 2=7022
 Abell, G.O. See Minkowski, R., 4=23873
 Abella, I.D. Optical harmonic frequency ratio measurements, 2=22017
 Abella, I.D. Optical double-photon absorption in cesium vapor, 3=6359
 Abella, I.D. and Cummins, H.Z. Thermal tuning of ruby optical maser, 1=12488
 Abella, I.D. and Townes, C.H. Mode characteristics and coherence in optical ruby masers, 2=5468
 Abello, L. See Lapluye, G., 4=29115
 Abels, J.C. See Michels, A., 1=5294
 Abels, L.L. and Shaw, J.H. Study of the total absorptance near 4.5μ by two samples of Na_2O as their total pressures and Na_2O concentrations were independently varied, 3=14217
 Abel's, V.R. The theory of the anisotropy of coercive forces in single crystal disks, 1=10141
 Abel's, V.R. Groupings of magnetic domains in thin-sheet silicon iron, 2=8631
 Abel's, V.R. The grouping of magnetic regions in silicon iron sheet, 2=23660
 Abel's, V.R. Influence of the direction of demagnetization on the magnetic structure of crystals in sheet silicon steel, 3=13253
 Abel's, V.R. and Nikolaeva, E.L. Effect of the sample shape on the coercive force anisotropy of cold-rolled silicon iron, 2=8623
 Abel's, V.R. and Nikolayeva, E.L. Influence of the shape of a specimen on the anisotropy of coercive force in cold-rolled silicon iron, 2=23656
 Abel's, V.R. See Shur, Ya.S., 1=6296
 Abel'skii, Sh.Sh. and Irkhin, Yu. P. Scattering from spin imperfections and spontaneous hall effect in ferromagnetics, 4=6917
 Abel'skii, Sh.Sh. and Turov, E.A. A theory of the temperature dependence of the electrical and thermal conductivities of ferromagnetics at low temperatures, 1=6121
 Aben, H. The development of an oblique incidence method for photoelastic analysis, 4=110
 Aben, Kh.K. Theory of the imperfect circular polariscope, 3=1836
 Aben, Kh.K. Theory of the composite quarter-wave plate, 3=9627
 Aben, Kh.K. Phase plates in the measurement of phase difference, 3=14380
 Aben, Kh.K. Some problems of the superposition of two birefringent plates, 4=14407
 Aberhagen, A. and Keilhacker, M. Time- and space-resolved measurements of electron densities from the continuum emission of a theta pinch, 4=18955
 Abernethy, L.L., Ramsey, T.H., Jr. and Ross, J.W. Growth of yttrium iron garnet single crystals by the floating zone technique, 1=6499
 Abers, E. Dynamics of the π - ω resonance, 4=16954
 Abers, E., Zachariasen, F. and Zemach, C. Origin of internal symmetries, 4=3288
 Abers, E. and Zemach, C. Bootstraps and the pion-nucleon system, 3=24613
 Aberth, W. Molecular beam electron bombardment detector, 4=1326
 Aberth, W., Sunshine, G. and Bederson, B. Absolute measurement of total cross sections for the scattering of low energy electrons by argon, nitrogen and oxygen, 4=25568
 Abetti, G. Modern astronomy, 1=15397
 Abetti, G. See Ronchi, L.R., 4=15931
 Abgrall, Y. The O^+ states of O^{16} , 4=15147
 Abhirama Reddy, C. and Ramachandra Rao, B. Polarization characteristics of E_g -echoes at Waltair, 2=11804

- Abidi, S.T.H. and Mohanty, B.K. Production of Y^* in K^- capture in a two-nucleon system, 3=10170
- Abidi, S.T.H. See Deodhar, G.B., 1=2396
- Abidi, S.T.H. See Roy, C.L., 3=23084
- Abillon, J.M. Inelastic electron-proton and muon-proton scattering at the $3/2$ resonance in the isobaric model, 3=19611
- Abillon, J.M. Pion electroproduction at the $3/2$ resonance in the isobar model, 4=896
- Abillon, J.M. and Kessler, P. Bremsstrahlung in muon-proton scattering experiments, 1=16835
- Abillon, J.M. and Kessler, P. Bremsstrahlung in experiments on muon-proton scattering at high [momentum] transfer, 4=25126
- Abillon, J.M. See Juvet, B., 4=9262
- Abilov, G.S., Veselago, V.G. and Prokhorov, A.M. The transmission of electromagnetic waves through bismuth, 4=26177
- Abkevich, I.I. An energy barrier between the slow surface states and the bulk in germanium and silicon, 0=6113
- Abkevich, I.I. The distribution in relaxation time of slow traps on silicon and germanium surfaces, 0=7931
- Abkevich, I.I. See Kosman, M.S., 0=1637
- Abkowitz, M. and Honig, A. Electron paramagnetic resonance apparatus operating at liquid He^3 temperatures, 2=16083
- Ablekov, V.K. Some experimental studies of stimulated emission from a gas mixture, 2=15653
- Ablekov, V.K. Some experimental studies of stimulated emission from a gas mixture, 3=5465
- Ablekov, V.K. The use of the instrumental function of a double-beam interferometer for the analysis of the distribution of spectral line intensities, 4=21295
- Ablekov, V.K., Pesin, M.S. and Fabelinskii, I.L. Realization of a medium with a negative absorption coefficient, 0=19360
- Ablekov, V.K., Zaitsev, V.P. and Pesin, M.S. High-intensity mercury-zinc and mercury-cadmium lamps, 2=17633
- Ablov, A.V., Bersuker, I.B. and Gol'danskiĭ, V.I. Interpretation of resonant absorption of γ -quanta by certain complex compounds of iron, with allowance for the covalency of bonds and inductive effects, 4=9742
- Ablova, M.S. Microstructure of the indentations obtained during microhardness measurements on germanium, 1=20362
- Ablova, M.S. The anisotropy of microhardness in germanium, 2=2338
- Ablova, M.S. Microstructure of the indentations obtained during microhardness measurements on germanium, 2=8737
- Ablova, M.S. and Feoktistova, N.N. Anisotropy of the microhardness of InSb, 3=18217
- Ablova, M.S. and Feoktistova, N.N. Features of the anisotropy of the microhardness of germanium and silicon, 4=30778
- Ablova, M.S. and Regel', A.R. Microhardness of germanium of various conductivities, 2=16971
- Ablova, M.S. and Regl', A.R. Microhardness of germanium of various conductivities, 2=19023
- Ablov, C.M. Wave refraction at an interface, 0=12456
- Ablov, C.M. See Proctor, E.K., 4=3162
- Ablov, C.M. See Wise, H., 1=11615
- Ablov, C.M. See Wise, H., 4=2147
- Ablyayev, Sh.A. See Starodubtsev, S.V., 0=4745
- Aboav, D.A. See Andrade, E.N. de C., 4=23130
- Abolins, M., Lander, R.L., Mehlhop, W.A.W., Nguyen huu Xuong and Yager, P.M. Production of multimeson resonances by π^+p interaction and evidence for a $\pi-\omega$ resonance, 4=6128
- Abolins, Ya.Ya. See Gross, E.F., 0=20972
- Abonyi, I. A possible non-uniform motion of a free particle in its scalar proper field is taken into account, 0=16601
- Abonyi, I. Steady state solution of the relativistic Boltzmann transport equation, 0=18990
- Abonyi, I. Classical relativistic motion of a pole particle under the action of external and proper scalar fields, 1=15611
- Abonyi, I. The most probable speed and the mean momentum of a relativistic Maxwellian ensemble, 1=15708
- Abonyi, I. Basic equations of magnetofluid-dynamics in anisotropic media, 4=19171
- Abonyi, I. See Szabó, J., 1=16537
- Abou-Hadid, L. and Higgins, K. The equivalent two-body method for the hypertriton, 2=3418
- Abou-Hadid, L. See El Nadi, M., 3=12659
- Abou-Hadid, L.F. The effect of hard-core and three-body forces in the Δ -nucleon interaction, 3=19706
- Abou-Leila, H. Measurements of the periods of the levels of protactinium de-excited by γ transitions of 63 and 93 KeV, 4=25326
- Abou-leila, H., Foucher, R., De Pinho, A.G., Perrin, N. and Valdares, M. Some new results on the decay $Pe^{231}-Ac^{227}$, 4=17106
- Abou-Leila, H., Foucher, R. and Perrin, N. Measurement of the mean life of the first excited state of Gd^{152} , 4=17066
- Abov, J.G. See Lyashenko, B.G., 3=1355
- Abov, Y.G., Yermakov, O.N., Gulko, A.D., Krupchitsky, P.A. and Trostin, S.S. Beta decay asymmetry of Li^8 , Ag^{108} and Ag^{110} nuclei produced in the capture of polarized thermal neutrons, 2=14031
- Abov, Yu.B. See Lyashchenko, B.G., 3=13506
- Abov, Yu.G. Theory of neutron crystal monochromators (review), 4=17804
- Abov, Yu.G. and Averkin, B.A. Demountable end window proportional neutron counter, 2=7874
- Abov, Yu.G., Beketov, V.A., Gul'ko, A.D., Ermakov, O.N., Krupchitskii, P.A., Taran, Yu.V. and Shatlovskaya, N.S. Production of polarized neutrons by reflection from a cobalt mirror, 4=16903
- Abov, Yu.G., Belkin, B.F. and Krupchitskii, P.A. Heavy water reactor critical assembly experiments with rod-type fuel elements, 2=18371
- Abov, Yu.G. and Litvin, D.F. Experimental methods of neutron diffraction, 4=17829
- Abowitz, G. Ultrasonic attenuation in single-crystal cadmium, 3=12920
- Abowitz, G. and Gordon, R.B. Internal friction in liquid metals: mercury and mercury-thallium alloys, 2=15585
- Abowitz, G. and Gordon, R.B. Compressibility of liquid sodium-potassium alloys, 2=17446
- Abowitz, G. and Gordon, R.B. Compressibility of mercury alloys, 3=16604
- Abraham, A. Spin temperature and nuclear polarization, 0=8090
- Abraham, A. The possibility of observing cooperative phenomena in nuclear magnetism, 0=16182
- Abraham, A. The influence of ultrasonics on the emission and absorption of γ -rays without recoil, 0=20335
- Abraham, A. Nuclear ferromagnetism in a rotating frame of reference, 2=11815
- Abraham, A. The nuclear spin temperature and the Overhauser effect in metals, 2=18956
- Abraham, A. Some new schemes for dynamic nuclear polarization, 3=19078
- Abraham, A. Absolute measurement of the dynamic nuclear polarization in large targets, 4=19323
- Abraham, A. Double irradiation magnetic resonance methods in liquids and solids, 4=27669
- Abraham, A., Borghini, M., Catillon, P., Coustham, J., Roubeau, P. and Thirion, J. Scattering of 20 MeV polarized protons by a target of polarized protons and preliminary measurement of the parameter C_{na} , 3=2263
- Abraham, A., Borghini, M. and Chapellier, M. A new method of measuring nuclear dynamic polarization, 3=2365
- Abraham, A. and Boutron, F. Quadrupole moment of the first excited nuclear state of Fe^{57} , 1=13623
- Abrahám, A., Tauc, J. and Velický, B. Optical properties of liquid germanium, 3=14167
- Abraham, A. and Winter, J.M. Some experiments on the shapes of resonance lines in a rigid lattice, 0=4528
- Abraham, A. and Winter, J.M. A new method for the production of a beam of polarized particles, 2=22521
- Abraham, A. See Combrisson, J., 4=13340
- Abraham, A. See Landesman, A., 1=2769
- Abrahám, A. See Tauc, J., 0=2905
- Abrahám, A. See Tauc, J., 1=17772
- Abrahám, A. See Tauc, J., 2=2215
- Abrahám, A. See Tauc, J., 3=925
- Abraham, C. Model for lowering the nucleation field of ferromagnetic materials, 4=28795
- Abraham, C. and Aharoni, A. Linear decrease in the magnetocrystalline anisotropy, 1=1211
- Abraham, C. and Aharoni, A. Simple model for nucleation around dislocations, 3=5009
- Abraham, G. and Gupta, K.K. Pairing interaction in nuclei, 1=618
- Abraham, C.T. See Watanabe, S., 0=18999
- Abraham, D. See Poehler, T.O., 4=26087
- Abraham, F., Kidd, J., Koshiba, M., Levi Setti, R., Tsao, C.H. and Wolter, W. Energy spectrum of individual γ -rays at balloon altitude, 3=17379
- Abraham, F.F. Determination of long-wave atmospheric radiation, 0=14299
- Abraham, F.F. Evaporation of raindrops, 3=9040

- Abraham, F.F. and Kalbach, R.M. Proton-proton collisions at 19.8 GeV/c, 3=2259
 Abraham, G. Model study of water gravity waves generated by a moving circular low-pressure area, 3=16595
 Abraham, L. See Foltz, J.R., 3=15267
 Abraham, M., Dupuy, J., Guion, J. and Brenet, J. Relations between the entropy of fusion and the volume change on melting of some alkali halides, 2=19776
 Abraham, M., Chevillot, J.P. and Brenet, J. Principles of a wave theory of the liquid state, 3=14136
 Abraham, M., Jeffries, C.D. and Kedzie, R.W. Dynamic nuclear orientation of Co^{60} , 0=5655
 Abraham, M., Judd, B.R. and Wickman, H.H. Paramagnetic resonance of the tripositive curium ion in ethylsulfate and trichloride crystals, 3=13299
 Abraham, M. See Flotow, H.E., 3=17658
 Abraham, P.B. and Weiss, G. On the calculation of analytic functions of cyclic matrices, 2=11245
 Abraham, P.B. and Weiss, G.H. Analytic functions of continuant matrices, 3=10
 Abraham, P.B. and Weiss, G.H. Evaluation of certain sums arising in chemical physics, 3=21196
 Abraham, R.J. Solvent effects in nuclear magnetic resonance, 1=8139
 Abrahams, E. See Miller, A., 0=18013
 Abrahams, E. See Miller, A., 2=23281
 Abrahams, K. Proposal for an improved method to determine the spin of low energy neutron resonances, 3=12684
 Abrahams, K., Steinsvoll, O., Bongaarts, P.J.M. and de Lange, P.W. Reversal of the spin of polarized thermal neutrons without depolarization, 2=11961
 Abrahams, M.S. Effects of surface oxygen on the yield drop in InSb, 3=13353
 Abrahams, M.S. Deformation of germanium by rolling, 4=23153
 Abrahams, M.S., Braunstein, R. and Rosi, F.D. Thermal, electrical and optical properties of (In,Ga)As alloys, 0=2897
 Abrahams, M.S. and Ekstrom, L. Dislocations and brittle fracture in elemental and compound semiconductors, 1=2516
 Abrahams, M.S. and Leibmann, W.K. The dependence of the tensile behavior of InSb on temperature, strain-rate and oxygen content, 3=1223
 Abrahams, M.S. See Blanc, J., 4=10425
 Abrahams, M.S. See Rosi, F.D., 1=20386
 Abrahams, S.C. Liquid-helium goniometer-mounted cryostat for a single crystal automatic neutron diffractometer, 0=4614
 Abrahams, S.C. Crystal and magnetic structure of cupric fluoride dihydrate at 4.2°K, 2=2390
 Abrahams, S.C. Scale factors, form factors and bond lengths in orthorhombic sulfur, 2=8823
 Abrahams, S.C. Programmed electronic X-ray automatic diffractometer, 2=23835
 Abrahams, S.C. Absence of antiferromagnetism in molybdenum, 3=3141
 Abrahams, S.C. Goniometer-mounted evacuated furnace for single crystal neutron diffractometry, 3=11247
 Abrahams, S.C. Magnetic and crystal structure of titanium sesquioxide, 3=15862
 Abrahams, S.C. Absence of antiferromagnetism in palladium, 3=15913
 Abrahams, S.C. Evaluation of digital automatic diffractometer systems, 4=30838
 Abrahams, S.C., Bernstein, J. L., Sherwood, R. C., Wernick, J. H. and Williams, H. J. The crystal structure and magnetic properties of the rare-earth nickel (RNi) compounds, 4=30854
 Abrahams, S.C., Guttman, L. and Kasper, J.S. Neutron diffraction determination of antiferromagnetism in face-centered cubic (γ) iron, 2=21350
 Abrahams, S.C. and Knox, K. The hydrogen atom arrangement in ReH_2 , 4=29133
 Abrahams, S.C. and Prince, E. Crystal structure of cupric fluoride dihydrate at 298°K, 2=2389
 Abrahams, S.C. and Stockbridge, C.D. Whisker growth from quartz, 2=10804
 Abrahams, S.C. and Williams, H. J. Antiferromagnetic and crystal structure of lithium cupric chloride dihydrate, 4=7301
 Abrahams, S.C. See Cetlin, B.N., 3=25684
 Abrahams, S.C. See Cooper, A.S., 2=15013
 Abrahams, S.C. See Sime, J.G., 0=4659
 Abrahamson, A.A. Statistical electron density distributions and Thomas-Fermi-Dirac screening functions for neutral atoms, 1=11063
 Abrahamson, A.A. Repulsive interaction potentials between rare-gas atoms. Homonuclear two-center systems, 3=12782
 Abrahamson, A.A. Repulsive interaction potentials between rare-gas atoms. Heteronuclear two-center systems, 4=9673
 Abrahamson, A.A., Hatcher, R.D. and Vineyard, G.H. Interatomic repulsive potentials at very small and intermediate separations, 1=819
 Abrahamson, D.E. and Heinen, C. A nuclear induction head suitable for use with a spin generator, 2=22351
 Abrahamson, G.R. and Goodier, J.N. Penetration by shaped charge jets of nonuniform velocity, 3=11194
 Abrahamson, G.R. and Huber, G.B. Precision high-velocity detonating cord, 0=3313
 Abrahamson, P. See Eisemberg, Y., 1=16893
 Abramchik, M. and Maletskii, I. Multiresonance volume absorber, 0=6896
 Abramchik, M. and Maletskii, I. Influence of position on the action of spatial [sound] absorbers, 1=18518
 Abramenko, T.N. See Bul'ga, A.V., 3=19132
 Abramnikov, A.D. See Grizhko, V.M., 0=20472
 Abrami, A. Study of light curves of photometric binary systems at partial eclipses, 3=13906
 Abramov, A.I. Measurement of the angular distribution of neutrons elastically scattered by He^3 , 0=9367
 Abramov, A.I. A miniature ionization chamber with a He^3 pressure of 4 atmospheres, 2=1622
 Abramov, A.I. Measurement of inelastic neutron cross-sections for chromium iron, nickel, niobium and molybdenum nuclei at energies up to 2.6 MeV, 2=12201
 Abramov, A.I. Use of Ne^{21} in fast neutron spectrometry, 2=20370
 Abramov, A.I. Calculation of pulse spectrum shape for ionization chambers, 4=16728
 Abramov, A.I. and Iutkin, M.G. A measurement of the high-energy neutron spectrum in the reactor BR-5 using a ^3He ionization chamber, 1=19565
 Abramov, A.I. and Yutkin, M.G. The $\text{Ne}^{21}(n,\alpha)\text{O}^{18}$ reaction on slow neutrons, 2=472
 Abramov, A.I. and Yutkin, M.G. The $\text{Ne}^{21}(n,\alpha)\text{O}^{18}$ reaction on slow neutrons, 2=22826
 Abramov, A.I. See Stavitskii, Yu. Ya., 4=9219
 Abramov, A.P. See Tolstoi, N.A., 4=1767
 Abramov, O.V., Neymark, V.E. and Teumin, I.I. Problem of the peculiarities and mechanism of the effect of elastic vibrations on the process of crystallization in metals and alloys, 3=18248
 Abramov, O.V. and Teumin, I.I. The role by insoluble impurities in the crystallization of metals in an ultrasonic field, 4=26603
 Abramov, O.V. and Teumin, I.I. The role of cavitation phenomena during solidification of metals in an elastic vibrations field, 4=27372
 Abramov, V.A. and Kogan, V.I. Transfer of resonance impurity radiation in a rarefied plasma, 4=18859
 Abramov, Yu. Yu. See Benderskii, V.A., 4=26155
 Abramova, K.B. See Peregud, B.P., 1=5713
 Abramova, V.M. and Kirillov, P.L. Critical parameters of alkali metals, 2=17691
 Abramovich, L. Yu. Dropless archback on graphite and steel, 4=11560
 Abramovici, F. See Pekeris, C.L., 3=11850
 Abramov, W.A. and Tarassow, J.A. Nonequilibrium properties of an argon-caesium plasma, 4=27545
 Abramowitz, S. and Bauman, R.P. Measurement of infrared band contours in solution, 4=2690
 Abramowitz, S. and Broida, H.P. Vibration of methane in condensed oxygen, nitrogen and argon, 4=5183
 Abramowitz, S. and Broida, H.P. The 0-2 transition of CO in condensed oxygen, nitrogen, and argon, 4=25638
 Abramowitz, S. See Bauman, R.P., 4=5386
 Abramowitz, W. Phase distortion of reflected sonar pulses, 4=8341
 Abrams, I.J. See Sonett, C.P., 2=17213
 Abrams, I.J. See Sonett, C.P., 3=16297
 Abrams, R.H. and Jamerson, F.E. Thermionic emission of UC-Nb, 1=13102
 Abramson, E. and Caspari, M.E. Intensity dependence of X-ray induced strain and coloration in KCl at room temperature, 3=6545
 Abramson, E. See Avakian, P., 4=4313
 Abramson, E. See Kepler, R.G., 3=18041

- Abramson, I. S. and Malyavkin, L. P. A recording electrometer based on the EPP-09 electronic potentiometer, 4=14541
- Abramson, I. S. See Mogilevskii, A. N., 4=7796
- Abrikosov, A. A. Some properties of highly compressed matter. I, 1=17434
- Abrikosov, A. A. Some properties of highly compressed matter. II, 1=17435
- Abrikosov, A. A. Some properties of highly compressed matter. II, 2=23096
- Abrikosov, A. A. Green's function for electrons in a metal and analysis of the electron spectrum, 3=2745
- Abrikosov, A. A. The free carrier number in metals of the bismuth type at high temperatures, 3=25225
- Abrikosov, A. A. Permittivity of bismuth-type metals in the infrared region, 4=1444
- Abrikosov, A. A. Absence of superconductivity in metals of the bismuth type, 4=2920
- Abrikosov, A. A. The conductivity of highly compressed matter, 4=10019
- Abrikosov, A. A. Lower critical field of thin layers of superconductors of the second group, 4=18548
- Abrikosov, A. A. Surface superconductivity in strong magnetic fields, 4=29829
- Abrikosov, A. A. and Fal'kovskii, L. A. Raman scattering of light in superconductors, 1=14614
- Abrikosov, A. A. and Falkovskii, L. A. Theory of the electron energy spectrum of metals with a bismuth-type lattice, 3=2746
- Abrikosov, A. A. and Gor'kov, L. P. The problem of the Knight shift in superconductors [of small dimensions], 0=19552
- Abrikosov, A. A. and Gor'kov, L. P. Contribution to the theory of superconducting alloys with paramagnetic impurities, 1=18706
- Abrikosov, A. A. and Gor'kov, L. P. Spin-orbit interaction and the Knight shift in superconductors, 2=13503
- Abrikosov, A. A. and Gor'kov, L. P. Spin-orbit interaction and the Knight shift in superconductors, 3=5576
- Abrikosov, A. A. and Gor'kov, L. P. The nature of impurity ferromagnetism, 3=15765
- Abrikosov, A. A., Gor'kov, L. P. and Khalatnikov, I. M. Analysis of experimental data relating to the surface impedance of superconductors, 0=8930
- Abrikosov, A. A. and Khalatnikov, I. M. Scattering of γ -rays in liquid He³, 1=16735
- Abrikosov, A. A. and Khalatnikov, I. M. Scattering of γ -rays in liquid He³, 2=22471
- Abrikosov, N. K. and Zobnina, A. N. Compounds of tellurium and antimony with iodine, 4=1624
- Abrikosov, N. K. See Beglaryan, M. L., 0=6387
- Abrikosov, N. K. See Dudkin, L. D., 0=607
- Abrikosov, N. K. See Novikova, S. I., 4=1403
- Abrikosov, N. K. See Novikova, S. I., 4=1404
- Abrikosov, N. K. [Ed.]. Proceedings of the 4th All-Union Conference on Semiconductor Materials, 3=13056
- Abrosimov, A. T. A large-area scintillation counter for registering cosmic-ray particles, 4=16986
- Abrosimov, A. T., Bazilenskaya, G. A., Solov'eva, V. I. and Khristiansen, G. B. Very high-energy extensive air showers, 0=7433
- Abrosimov, A. T., Basilevskaya, G. A., Solovieva, V. I. and Khristiansen, G. B. Study of extensive air showers of superhigh energy, 0=11244
- Abrosimov, A. T. See Khristiansen, G. B., 3=4513
- Abrosimov, A. T. See Vernov, S. N., 1=3280
- Abrosimov, N. K. Cyclotron with an oblique accelerating gap, 0=9118
- Abrosimov, N. K., Kaminker, D. M., Petrov, I. A. and Sherman, S. G. On the theory of a channel made from magnetic quadrupole lenses for obtaining pure μ -meson beams of different energy, 4=14841
- Abrosimov, N. K. and Kocharov, G. E. Effect of source thickness on the shape of the energy and directional distributions of alpha-particles, 3=12525
- Abrosimova, L. N. See Pinsker, Z. G., 0=14010
- Abroyan, I. A. Emission of an oxide cathode under bombardment by positive ions, 0=10938
- Abroyan, I. A. Extraction of electrons from germanium by ions of caesium, potassium, lithium and hydrogen, 1=11966
- Abroyan, I. A. Conductivity induced in germanium by bombardment with potassium ions, 3=17851
- Abroyan, I. A. and Lavrov, V. P. Secondary emission of dielectrics and semiconductors when bombarded with potassium ions, 3=16978
- Abroyan, I. A. and Movnin, S. M. On the emission of oxide-coated cathodes, bombarded by charged particles, 1=11963
- Abroyan, I. A. and Zborovskii, V. A. Excitation of electrons in germanium by potassium ions, 3=858
- Abroyan, I. A. and Zborovskii, V. A. Excitation of electrons in germanium by potassium ions, 3=6588
- Abson, W. Semiconductor detectors of nuclear radiations, 4=19330
- Abt, H. A. and Golson, J. C. Colors and variability of magnetic stars, 2=19327
- Abt, H. A. and Hunter, J. H. Jr. Stellar rotation in galactic clusters, 3=3605
- Abubakar, I. Scattering of plane elastic waves at rough surfaces. I, 2=2814
- Abubakar, I. Disturbance due to a line source in a semi-infinite transversely isotropic elastic medium, 2=15675
- Abubakar, I. Motion of the surface of a transversely isotropic half-space excited by a buried line source, 3=194
- Abubakar, I. Scattering of plane elastic waves at rough surfaces. II, 3=3845
- Abulaffio, C. Anomalous level ordering in Mg²⁴ and Ne²², 4=27964
- Abuzeid, M. A., Aly, F. M., Antoufiev, Y. P., Baranik, A. T., Nower, T. M. and Sorokin, P. V. Investigation of the reaction Al²⁷(p, α^0)Mg²⁴ in the proton energy range 1-2.5 MeV, 3=19847
- Abuzeid, M. A., Antoufiev, Y. P., Baranik, A. T., El-Zaiki, M. I., Nower, T. M. and Sorokin, P. V. Investigation of elastic and inelastic scattering of protons from the nucleus Ne²², 4=9490
- Abuzeid, M. A., Antoufiev, Y. P., Baranik, A. T., El-Zaiki, M. I., Nower, T. M. and Sorokin, P. V. The reaction Al²⁷(d, α)Mg²⁵ in the deuteron energy range 1.5-2.6 MeV, 4=22177
- Accary, A. and Trouvé, J. New method for determination of diffusion activation energies: application to uranium monocarbide, 4=13665
- Accinni, F., Terrani, S. and Zorzoli, G. B. A new method for fast fission effect measurement, 2=16456
- Accinni, F. and Zorzoli, G. B. Analysis of a Lu-activation experiment for neutron temperature measurement, 3=22461
- Accountius, O. E. See Voruz, T. A., 4=12764
- Achari, R., Roussel, P. and Zamudio, C. J. Measurement of p- γ angular correlations in (d, p) stripping reactions with Be⁹ and Ca⁴⁰, 4=17184
- Achary, R. See Zamudio, J., 4=12263
- Acharya, A. See Sen Gupta, R. L., 1=5745
- Acharya, R. Some Borchers-type theorems in quantum field theory, 2=9761
- Acharya, R. Some considerations on "elementary" particles and bound states in strong interactions, 2=16147
- Acharya, R. Some consequences of "minimal" analyticity and unitarity in field theory, 3=10011
- Acharya, R. and Bhattacharjee, A. Exactly solvable cases of Regge poles from Mandelstam representation, 2=22445
- Acharya, R. and Sudarshan, E. C. G. "Front" description in relativistic quantum mechanics, 1=4764
- Acharya, R. See Bardakci, K., 1=18261
- Acharya, Y. V. G. Spectrum of axis-symmetric turbulence in a contracting stream, 0=2154
- Achenbach, J. D. Approximate transient solutions for the coupled equations of thermoelasticity, 4=8305
- Achenbach, J. D. and Chao, C. C. A three-parameter viscoelastic model particularly suited for dynamic problems, 2=19484
- Achiezer, A. I., Barjachtar, V. G. and Kapanov, M. I. Spin waves in ferromagnetics and antiferromagnetics, 4=7226
- Achina, M. See Tamai, T., 4=11369
- Achiwa, M. See Tamai, T., 3=23995
- Achter, M. R., Birks, L. S. and Brooks, E. J. Grain-boundary diffusion of zinc in copper measured by the electron-probe microanalyser, 0=1602
- Achyuthan, K. and Breazeale, M. A. Photoelastic constants of ammonium dihydrogen phosphate (adp), 1=12483
- Acioli, J. L. Decay of $\Lambda_0 \rightarrow n + \gamma$ through non local Fermi interactions due to vector mesons, 0=20235
- Acioli, J. L. and MacDowell, S. W. The K₁₃⁺ and K₁₃⁰ decay through a current of definite isotopic rank, 2=13872
- Acker, J. Van. See Van Acker, J.
- Ackerman, B. Some observations of water contents in hurricanes, 3=25882
- Ackerman, E., Anthony, A. and Oda, F. Corona-type loudspeaker for animal studies, 2=2845
- Ackerman, E. See Anthony, A., 0=806
- Ackerman, F. J. and Redlich, O. On the thermodynamics of solutions. IX. Critical properties of mixtures and the equation of Benedict, Webb, and Rubin, 3=16844
- Ackerman, J. A. Laser energy measuring device, 4=21673

- Ackerman, M., Drowart, J., Stafford, F.E. and Verhaegen, G. Mass spectrometric study of the gaseous molecules above AgSn, AuSn, and CuSn alloys, 2=8127
- Ackerman, M., Greene, E. F., Moursund, A. L. and Ross, J. Elastic and reactive scattering of K by HCl and HI in crossed molecular beams, 4=28289
- Ackerman, M., Stafford, F.E. and Drowart, J. Mass spectrometric determination of the dissociation energies of the molecules AgAu, AgCu, and AuCu, 1=3573
- Ackerman, M., Stafford, F.E. and Verhaegen, G. Studies of the vapors of the system Au-Cr and Au-Pd by mass spectrometry, 2=8128
- Ackerman, M. See Verhaegen, G., 3=740
- Ackermann, H. and Faissner, H. Fading in nuclear emulsions induced by acid agents, 2=3231
- Ackermann, P. See Berthet, C., 1=12311
- Ackermann, R.J. and Rauh, E.G. Vapour pressures of scandium, yttrium and lanthanum, 2=2937
- Ackermann, R.J., Rauh, E.G. and Thorn, R.J. Effect of oxygen on the vapor pressure of uranium, 3=3930
- Ackermann, R. J., Rauh, E. G. and Thorn, R. J. Thermodynamic properties of gaseous yttrium monoxide. Correlation of bonding in group III transition-metal monoxides, 4=12528
- Ackermann, T. Infrared spectra of solutions of DCl and NaOD in heavy water, 4=24218
- Ackermann, W. See Urbach, W., 2=20761
- Ackers, J.K. See Lee, E.W., 3=9899
- Acket, G.A. and Volger, J. Note on the conduction mechanism of vanadium sesquioxide, 2=10496
- Acket, G.A. and Volger, J. Measurements of the bulk-conductivity of slightly reduced rutile (TiO_x) parallel and perpendicular to the c-axis, 3=10842
- Acket, G. A. and Volger, J. Hall measurements on slightly reduced rutile (TiO_x), 4=15541
- Acket, G. A. and Volger, J. On electrical conduction in reduced rutile, 4=30628
- Ackland, R.G. See Buckland, N.M., 3=348
- Ackroyd, R.T., Burton, E.J. and Perks, M.A. A unified theory of interaction for two arbitrarily mixed multigroup arrays set in well defined and random reflectors, 1=17226
- Ackroyd, R.T. and Perks, M.A. Accuracy and scope of variational and difference solutions of the diffusion equations of reactor theory, 1=784
- Acloque, P. and Guillemet, C. The total reflection wave, 0=16814
- Acloque, P. and Guillemet, C. Method for the photoelastic measurement of stresses "in equilibrium in the thickness" of a plate. (particular cases of toughened glass and bent glass), 1=11725
- Acquista, N. See Mann, D.E., 1=4932
- Acrivos, A. Solution of the laminar boundary layer energy equation at high Prandtl numbers, 0=16677
- Acrivos, A., Shah, M.J. and Petersen, E.E. On the flow of a non-Newtonian liquid on a rotating disk, 0=10633
- Acrivos, A. and Taylor, T.D. Heat and mass transfer from single spheres in Stokes flow, 2=9423
- Acrivos, A. See Grove, A.S., 4=24141
- Acrivos, A. See Knott, R.F., 0=5201
- Acrivos, J.V. Application of the sideband technique to wide-line n. m. r. spectra, 2=11816
- Acton, L.W. Some relationships between short-wave fadeouts, magnetic crochets, and solar flares, 2=11128
- Acton, L. W., Chubb, T. A., Kreplin, R. W. and Meekins, J. F. Observations of solar X-ray emission in the 8 to 20 Å band, 4=2451
- Adachi, H. See Miyake, A., 1=2349
- Adachi, H. See Miyake, A., 1=10508
- Adachi, I. Quantitative measurement of aberration by Ronchi test, 1=1807
- Adachi, I. Quantitative measurement of aberration by Ronchi test, 1=8214
- Adachi, I. Frequency response of the optical system having periodic structure in the pupil, 2=15723
- Adachi, I. The recent history of grating interferometer and its applications, 2=22049
- Adachi, I. Study on the aberration and the response function of eye. I, 3=1564
- Adachi, I. Measurement of transfer function by the Ronchi test, 3=11625
- Adachi, I. Transfer function of the optical system having periodic structure in the pupil, 3=11892
- Adachi, I. The diffraction theory of the Ronchi test, 3=24052
- Adachi, I. The correction of spherical aberration by a concentric meniscus lens, 4=301
- Adachi, I., Masuda, T., Nakata, T. and Nishiyama, S. The testing of optical materials by the Twyman type interferometer, 2=22050
- Adachi, I., Masuda, T., and Nishiyama, S. A testing of optical materials by the Twyman type interferometer. I. The quality of fused silica, 2=7330
- Adachi, I. See Masuda, T., 2=14649
- Adachi, I. See Ronchi, L., 3=1563
- Adachi, I. See Ronchi, L., 3=16463
- Adachi, K. Magnetic anisotropy energy in nickel arsenide type crystals, 2=2278
- Adachi, K. Origin of magnetocrystalline anisotropy energy in pyrrhotite [Fe_7S_8], 4=10275
- Adachi, K. See Fukami, A., 3=18419
- Adachi, K. See Hirone, T., 3=1025
- Adachi, K. See Hirone, T., 3=22814
- Adachi, K. See Mikami, I., 0=21040
- Adachi, K. See Sato, K., 3=1004
- Adachi, M. and Tsujimoto, T. On the mechanical properties and structures of quenched titanium-aluminium-cobalt alloys, 3=18204
- Adachi, M. and Tsujimoto, T. On the aging behaviours and mechanical properties in titanium-aluminium-cobalt alloys, 3=18354
- Adachi, R. The motion of a pendulum whose supporting axis moves two dimensionally, 1=99
- Adachi, S. Impedance characteristics of a uniform current loop having a spherical core, 0=17113
- Adachi, T. Neutron detector for reactor control, 0=9384
- Adachi, T., Kawamura, R. and Kotani, T. The N/D method and the pion-pion scattering, 4=30187
- Adachi, T. and Nakai, S. Note on the forbidden processes of the leptonic decays, 1=1466
- Adachi, T., Ogawa, K., Wakabayashi, N., Tanaka, M., Murayama, T., and Miyoshi, K. The pulsed neutron generator, 2=16212
- Adachi, T. See Hori, S., 3=2728
- Adadurov, G.A. See Dremine, A.N., 0=3585
- Adair, A.M. and Hook, R.E. The appearance and return of a hydrogen yield point in iron, 2=21420
- Adair, A.M. and Hook, R.E. Yield points in iron upon re-application of load at low temperatures, 3=11150
- Adair, A.M. See Hook, R.E., 3=15485
- Adair, A.M. See Hook, R.E., 3=16005
- Adair, R. See Leipuner, L.B., 4=6131
- Adair, R.K. Capture in (K, p) atoms, 0=470
- Adair, R.K. Some considerations concerning final state interactions and the reaction $\text{K}_0^+ + p \rightarrow \lambda^0 + \text{P}^+ + \text{P}^0$, 1=16898
- Adair, R.K. The botany of strange particles, 3=4460
- Adair, R.K. Momentum of sigma-pion pairs from the capture of K^- mesons by light nuclei, 3=24801
- Adair, R.K. See Haas, R., 0=2684
- Adair, R.K. See Martin, H.J., 1=8514
- Adair, T.W., III, Squire, C.F. and Utley, H.B. High field solenoid magnet with liquid nitrogen cooling, 0=7193
- Adakhovskii, A.P. See Levchenko, A.A., 0=16352
- Ádám, A., Bod, L. and Pál, L. Measurement of thermal neutron diffusion parameters in water and in solid diphenyl with pulsed neutron source, 1=13445
- Ádám, A., Bod, L., Szabó, Z. and Szeghő, L. A pulsed (d, t) neutron source, 1=508
- Ádám, A., Hráskó, P., Pál, G. and Quittner, P. The mechanism of the (n, 2n) reaction, 4=9524
- Adam, A., Khrashko, P. and Kvittner, P. An ionization chamber for fast-neutron energy measurements, 3=24750
- Ádám, A., Pál, G., Pásztor, E. and Quittner, P. Use of the associated particle method in the case of a pulsed neutron source, 4=16910
- Ádám, A. and Verő, J. Sunrise effect on earth currents, 4=29342
- Adam, A. See Bizette, H., 1=10174
- Adam, E. Operational experience and technical development work at the Rossendorf research reactor, 3=25024
- Adam, G. and Müller, F.H. Temperature-frequency analysis of dielectric relaxation, 3=3993
- Adam, G.D., Standley, K.S. and Storey, B.E. Defects in ruby maser crystals, 3=22763
- Adam, G.D. See Standley, K.J., 3=22004
- Adam, H. Ultrahigh vacuum technique, 2=9322
- Adam, I. See Grigor'ev, E.P., 3=8052
- Adam, I. See Rzhizanka, I., 3=8010
- Ádám, J. The quenching of luminescence by infrared radiation, 2=8555
- Adam, J. and Cox, B. Neutron and fission fragment damage in zirconia, 0=2822

- Adam, J. and Cox, B. The irradiation-induced phase transformation in zirconia solid solutions, 0=21211
- Adam, J. and Cox, B. The irradiation-induced phase transformation in zirconia, 4=17776
- Adam, J., Ginot, P., Rebut, P. H. and Torossian, A. Experimental study of a tubular pinch discharge, 4=8741
- Adam, J. and Rogers, M. D. The crystal structure of ZrO_2 and HfO_2 , 0=3225
- Adam, J. and Rogers, M. D. X-ray diffraction studies of fission fragment damage in uranium carbide and nitride, 2=6326
- Adam, J. and Rogers, M. D. Radiation-induced phase change and recovery in ZrO_2 , 4=4512
- Adam, J. See Dunn, P. D., 2=19886
- Adam, J. See Gergely, G., 0=2963
- Adam, J. See Gergely, G., 0=8764
- Adam, J. See Gergely, G., 3=18037
- Adam, J. See Hooke, W. M., 3=5683
- Adam, J. See Rezanka, I., 1=19413
- Adam, J. See Rezanka, I., 2=9824
- Adam, J. See Rogers, M. D., 2=20691
- Adam, J. P. Calculation of higher-order spectral functions for an electron, 2=13768
- Adam, J. P. Radiative decay of pions, 2=18149
- Adam, J. P. and Juvet, B. Renormalization of a boson doublet interacting with a fermion doublet, 3=22068
- Adam, J. P. See Juvet, B., 4=3301
- Adam, M. G. A new determination of the centre to limb change in solar wave-lengths, 0=18774
- Adam, M. G. The observational tests of gravitation theory, 3=3717
- Adam, M. G. The pattern of magnetic fields in sunspots: an observational determination, 4=2428
- Adamchuk, V. K. and Berlaga, R. Ya. Current-induced photo-e.m.f. of lead sulphide layers, 3=17961
- Adamchuk, V. K. and Berlaga, R. Ya. Photoionization in the fundamental absorption region in cadmium selenide, 4=26143
- Adamchuk, Yu. V., Moskalev, S. S. and Pevzner, M. I. The total neutron cross-section of ^{237}Np between 2 and 10 000 eV, 1=19492
- Adamchuk, Yu. V. See Danelyan, L. S., 4=15226
- Adamchuk, Yu. V. See Moskalev, S. S., 4=19790
- Adamchuk, Yu. V. See Nemirovsky, P. E., 3=10199
- Adamchuk, Yu. V. See Pevzner, M. I., 0=4123
- Adamchuk, Yu. V. See Pevzner, M. I., 3=24956
- Adamcik, J. A. The water vapor content of the Martian atmosphere as a problem of chemical equilibrium, 3=23676
- Adamec, V. The anomalous and steady state conductivity of polytetrafluoroethylene under irradiation, 4=10103
- Adamec, V. Dielectric loss factor of polytetrafluoroethylene under irradiation, 4=20412
- Adamenko, I. I. See Golik, A. Z., 4=21106
- Adamesku, R. A. and Kudryavtsev, I. P. The effect of magnetic fields upon the recrystallization texture in silicon iron, 4=13536
- Adamov, I. Yu., Dushin, L. A., Kononenko, V. I. and Pavlichenko, O. S. Microwave radiation from a discharge induced without electrodes, 4=18443
- Adamov, M. N. An integral representation of dispersion formula for the hydrogen atom in the ground state, 0=15639
- Adamov, M. N. An integral representation of dispersion formula for the hydrogen atom in the ground state, 1=4898
- Adamov, M. N., Kagana, V. K. and Orlov, B. I. Dispersion formula for the electron in a potential box of finite depth and the optical polarizability of molecules, 1=17338
- Adamov, M. N., Kogan, V. K. and Orlov, B. I. New method of computing the optical polarizability of the hydrogen atom, 4=3776
- Adamov, M. N., Ob'edkov, V. D. and Evarestov, R. A. Interaction energy of charged particles with the H_2 molecule, 4=20043
- Adamov, M. N. and Zubkov, V. A. Remark on the variational calculations of the polarizability, 1=13922
- Adamov, V., Graudyn', L., Petrzhak, K. and Sorokina, A. Gamma-rays from inelastic scattering of 2.95 MeV neutrons in La^{139} , 2=1011
- Adamov, V. M., Kovalenko, S. S. and Petrzhak, K. A. Kinetic energy of the fragments emitted in the fission of U^{238} bombarded by 14.5 MeV neutrons, 2=16446
- Adamov, V. M., Kovalenko, S. S. and Petrzhak, K. A. Kinetic energy of the fragments emitted in the fission of U^{238} bombarded by 14.5 MeV neutrons, 3=6317
- Adamov, V. M. See Kovalenko, S. S., 4=3710
- Adamov, V. M. See Kovalenko, S. S., 4=9580
- Adamov, V. S. and Kantardzhyan, L. T. Luminescence of ionic forms of Uranin in liquid and solid solutions, 2=9284
- Adamov, V. S. and Kantardzhyan, L. T. Effect of reabsorption on the quenching of phosphorescence of molecules in an infinite plane-parallel layer of finite thickness, 3=3032
- Adamovich, M. I., Gorzhevskaya, E. G., Larionova, V. G., Panova, N. M., Popova, V. M., Kharlamov, S. P. and Yagudina, F. R. Investigation of the energy dependence of the cross-section for photoproduction of π^+ -mesons on hydrogen near the threshold, 2=5713
- Adamovich, M. I., Gorzhevskaya, E. G., Larionova, V. G., Panova, N. M., Popova, V. M., Kharlamov, S. P. and Yagudina, F. R. Investigation of the energy dependence of the cross-section for photoproduction of π^+ -mesons on hydrogen near the threshold, 3=4428
- Adamovich, M. I., Gorzhevskaya, E. G., Larionova, V. G., Popova, V. M., Kharlamov, S. P. and Yagudina, F. R. Photoproduction of charged π -mesons near the threshold, 0=13046
- Adamovich, M. I., Gorzhevskaya, E. G., Popova, V. M. and Yagudina, F. R. A method for the measurement of photoproduction of π^+ mesons on hydrogen close to threshold, 2=304
- Adamovich, M. I., Gorzhevskaya, E. G. and Yagudina, F. R. The photoproduction of π^+ mesons at angles 25-36° in the energy range 152-162 MeV, 3=2299
- Adamovich, M. I., Panova, N. M., Popova, V. M. and Yagudina, F. R. Ratio of cross-sections for production of negative and positive photo-mesons in beryllium, 1=17084
- Adamovich, V. K. Estimation of the neutron dose required to change the mechanical properties of pure metals, 4=13358
- Adamowicz, L. Antiferromagnetic superstructures in simple cubic lattices using the molecular field method, 3=3134
- Adamowicz, L. Molecular field treatment of some antiferromagnetic superstructures in a body-centred cubic lattice, 3=20621
- Adamowicz, L. Simplified molecular field theory applied to cubic antiferromagnetic lattices, 4=23024
- Adamowicz, T. See Woliński, W., 4=29800
- Adams, A., Jr. See Paananen, R. A., 4=16698
- Adams, A. N. and Bestul, S. M. Meridian observations of the moon, 1958-59, 1=4190
- Adams, A. R. and Spear, W. E. The charge transport in orthorhombic sulphur crystals, 4=30541
- Adams, A. R. See Spear, W. E., 3=14085
- Adams, B. High-energy accelerators for nuclear-physics research, 4=19137
- Adams, B., Batchelor, R. and Green, T. S. The energy dependence of the fission cross-sections of ^{238}U , ^{235}U and ^{239}Pu for neutrons in the energy range 12.6 to 20 MeV, 2=3636
- Adams, B. M., Eccleshall, D. and Yates, M. J. L. Heavy ion Coulomb excitation of Pd^{108} and Pd^{110} , 2=1818
- Adams, B. M. See Yates, M. J. L., 2=1819
- Adams, C. J. Ultrasonic attenuation characteristics of various steel alloys, 2=8161
- Adams, C. E. and Jackson, F. J. On the role of microbubbles in the nonlinear transmission of sound in liquids, 1=11812
- Adams, C. Q. A simple field detector for a d.c. permeameter, 0=19868
- Adams, C. R. High temperature stability of silica-base gels, 3=21010
- Adams, C. R. See Ibers, J. A., 1=5075
- Adams, D. M., Gebbie, H. A. and Peacock, R. D. Far-infrared absorption spectra of some complex halides of molybdenum and tungsten, 4=3877
- Adams, D. M., Goldstein, M. and Mooney, E. F. Far-infrared spectra of some anhydrous metal halides in the solid state, 4=7117
- Adams, E. Recent developments in soft magnetic alloys, 2=12700
- Adams, E. See Helms, H. H., Jr., 4=13222
- Adams, E. See Hubbard, W. M., 0=11823
- Adams, E. See Hubbard, W. M., 3=1000
- Adams, E. D. and Goodkind, J. M. Cryostat for investigations to temperatures below 0.02° K, 4=8534
- Adams, E. D. See Fairbank, W. M., 0=8884
- Adams, E. D. See Goodkind, J. M., 4=14479
- Adams, E. D. See Thomson, A. L., 3=1882
- Adams, E. H. See Lloyd, R. A., 1=18338
- Adams, E. N. Irreversible processes in isolated systems, 0=18986
- Adams, E. N. and Blount, E. I. Energy bands in the presence of an external force field. II. Anomalous velocities, 0=9881
- Adams, E. N. and Holstein, T. D. Quantum theory of transverse galvanomagnetic phenomena, 0=2842

- Adams, E.N. and Keyes, R.W. Galvanomagnetic phenomena in very strong magnetic fields, 2=16682
- Adams, E.N. See Haering, R.R., 0=4368
- Adams, E.N. See Haering, R.R., 1=19894
- Adams, E.W. and Huffaker, R.M. Application of ablation analysis to stony meteorites and the tektite problem, 2=15324
- Adams, E.W. and Huffaker, R.M. Parent body hypothesis for origin of tektites, 3=3562
- Adams, G.B., Jr. See Graven, W.M., 0=18411
- Adams, G.B., Jr. See Saloman, R.E., 0=4412
- Adams, H.D., Beyen, W.J. and Petritz, R.L. Photoconductivity research on Cu-Ge, 2=8407
- Adams, H.S., Fox, J.D., Heydenburg, N.P. and Temmer, G.M. Angular distributions of 4.43 MeV gamma radiation from $C^{12}(p, p'\gamma)C^{12}$, 2=1878
- Adams, H.S. See Hanson, A.R., 3=23859
- Adams, H.S. See Hanson, A.R., 4=24155
- Adams, I., AuCoin, T.R. and Mellichamp, J.W. Electrofluorescence of ruby powder, 2=4191
- Adams, I., AuCoin, T.R. and Wolff, G.A. Luminescence in the system Al_2O_3 -AlN, 3=10985
- Adams, I. and Mellichamp, J.W. Electrofluorescence of rare-earth-activated Al_2O_3 , 2=14756
- Adams, J.B. The Cern proton synchrotron, 0=7179
- Adams, J.B. The Cern Symposium 1956. I, 0=19811
- Adams, J.B. μ capture with six nucleon form factors, 2=11971
- Adams, J.B. Nuclear particle accelerators, 4=16566
- Adams, J.B., Ruderman, M.A. and Woo, C.-H. Neutrino pair emission by a stellar plasma, 3=7824
- Adams, J.M. and Heard, C.W. A tilting stage of the Vickers projection microscope, 3=8938
- Adams, J.Q. and Thomas, J.R. Electron paramagnetic resonance of a hydrazine radical ion, 4=2712
- Adams, K.H. See Brandt, R.C., 3=10676
- Adams, K.H. See Brandt, R.C., 3=10677
- Adams, L.H. and Davis, B.L. Rapidly running transitions at high pressure, 2=23806
- Adams, L.H. and Waxler, R.M. Temperature-induced stresses in solids of elementary shape, 1=15763
- Adams, L.H. See Davis, B.L., 3=20772
- Adams, L.H. See Davis, B.L., 4=17757
- Adams, L.H. See Waxler, R.M., 2=6547
- Adams, M.A. Design for an autographically recording tensile machine, 0=4550
- Adams, M.A. and Higgins, P.R.B. The hardening of copper by neutron irradiation, 1=1336
- Adams, M.A. and Murray, G.T. Direct observations of grain-boundary sliding in Bi-crystals of sodium chloride and magnesia, 2=14452
- Adams, M.A., Roberts, A.C. and Smallman, R.E. Yield and fracture in polycrystalline niobium, 0=16231
- Adams, M.A. See Smallman, R.E., 3=20755
- Adams, M.J. and Jacob, L. Electrical conductivity of strontium oxide, 0=20873
- Adams, N.I. and Schoefer, P.B. Continuous optical harmonic generation, 3=21506
- Adams, O.W. and Lykos, P.G. Open-and closed-shell s.c.f. method for conjugated systems, 1=9935
- Adams, O.W. and Lykos, P.G. An open shell self-consistent field method for aromatic and olefinic organic molecules, 4=25627
- Adams, R. J. and Harrison, L. G. Device to prepare sodium chloride of high reactivity and surface area by vacuum sublimation, 4=7761
- Adams, R. J., Weisbecker, H. L. and McDonald, W. J. The effect of abrasion on the specific surface area of metals and glass, 4=28984
- Adams, R.N. See Galus, Z., 2=23000
- Adams, R.N. See Ludwig, P., 2=19136
- Adams, R. O., Band, W., Ingram, G.R. and Perry, C. L. Cluster theory of saturated vapor of helium-isotope mixtures, 2=11418
- Adams, R.V. Infra-red absorption due to water in glasses, 1=17878
- Adams, R.V. Infra-red absorption and the structure of glasses, 1=20636
- Adams, W.H. On the solution of the Hartree-Fock equation in terms of localized orbitals, 1=4890
- Adams, W.H. Stability of Hartree-Fock states, 2=22879
- Adams, W.H. Orbital theories of electronic structure, 3=2600
- Adams, W.H. Hartree-Fock perturbation method, 3=3754
- Adams, W.H. Correlation effects in the alternant molecular orbital approximation, 3=19966
- Adamskaya, I. A. and Godunov, S. K. Method of spherical harmonics applied to the problem of critical parameters, 4=22260
- Adamski, J. See Raoult, G., 2=11750
- Adamski, L. See Chernevski, M., 4=6437
- Adamski, L. See Mikke, K., 2=296
- Adamski, P. and Kryszewski, M. Apparatus for measuring the dielectric constant of strongly conducting liquids, 4=24226
- Adamski, T. Some features of the precipitation of barium chromate by an extra-slow technique, 1=14978
- Adamski, T. Commination of crystal nucleation by a precipitation method, 3=20788
- Adamski, T. and Trojanowski, L. Possible radiation damage effects in barium chromate crystals, 3=13016
- Adamskii, V.B. Local invariance and the theory of compensating fields, 3=14021
- Adamsky, R. F. Preferred orientation and ordering in evaporated films of Fe, Ni, and Fe-Ni, 0=11861
- Adamski, R. F. and LeBlanc, R. E. A bridging phenomenon in growth of evaporated metal films, 4=20743
- Adamson, A.M., Duquesne, M. and Foucher, R. Internal conversion and L fluorescence in $Pa^{234}(UX_3)$, 3=7998
- Adamson, A.W. See Irani, R.R., 0=14634
- Adamson, J. The compensation of the effects of potential-gradient variations in the measurement of the atmospheric air-earth current, 1=20847
- Adamson, T.C., Jr. On the structure of plane detonation waves, 0=16772
- Adato, I. See Yatsiv, S., 4=1773
- Adawi, I. Variational approach to deviations from Ohm's law, 0=1624
- Adawi, I. Negative resistance and hot electrons, 1=11277
- Adawi, I. Incoming waves in final states in matrix elements for scattering problems, 4=14055
- Adawi, I. Theory of the surface photoelectric effect for one and two photons, 4=17527
- Adawi, I. Surface effect in secondary and photoelectric emission, 4=19090
- Adawi, I.A. Variational treatment of warm electrons in nonpolar crystals, 0=18009
- Adcock, B.D. and Plumtree, W.E.G. On excitation temperature measurements in a plasma-jet, and transition probabilities for argon lines, 4=12382
- Adda, Y., Azam, N., Donze, G., Mallen, J., Maurice, F. and Weisz, M. Contribution to the study of the segregation of impurities in commercial purity beryllium, 2=8210
- Adda, Y. and Kirianenko, A. Study of the self-diffusion of uranium in the α -phase, 2=18612
- Adda, Y. and Kirianenko, A. Lowering of the self-diffusion coefficients of uranium in the γ -phase by the addition of molybdenum zirconium or niobium, 2=18613
- Adda, Y., Kirianenko, A. and Mairy, C. A study of the self-diffusion of uranium in the β -phase, 0=11644
- Adda, Y., Kirianenko, A. and Mairy, G. Study of the self-diffusion of α -U, 2=606
- Adda, Y. and Philibert, J. Diffusion in the uranium-titanium systems, 1=982
- Adda, Y. See Brebec, G., 2=11230
- Adda, Y. See Calais, D., 4=1517
- Adda, Y. See Donze, G., 2=12455
- Adda, Y. See Donze, G., 2=19088
- Addad, J.P.C. Relaxation temperature T_1 of an anisotropic liquid, 3=21415
- Addamiano, A. and Aven, M. Some properties of zinc sulfide crystals grown from the melt, 0=1880
- Addamiano, A., Potter, R.M. and Ozarow, V. Photoluminescence of α -SiC, 3=25485
- Adde, R. and Petit, P. Electron spin resonance of irradiated sodium nitrate, 4=10329
- Adderley, E.E. The influence of the moon on atmospheric ozone, 3=13661
- Adderley, E.E. and Bowen, E.G. Lunar component in precipitation data, 3=3462
- Addey, A. The Wilson effect, 4=15942
- Addey, F. Solar activity during 1958, 0=12278
- Addey, F. Solar activity during 1959, 1=4197
- Addey, F. On observations of the transit of mercury 1960 November 7, 2=17255
- Addingley, C.G. and Gaze, R. Measurement of asbestos dust concentrations with the long-running thermal precipitator, 0=4743
- Addink, N.W.H. A note on the determination of the Avogadro number, 1=1678

- Addis, B. F. and Bishop, G. H. Technique for orientation of bi-crystal seeds, 4=23301
- Addiss, R. R. Jr. Oxidation of magnesium single crystals and evaporated films, 3=1335
- Addiss, R. R., Jr. Recrystallization of cadmium sulfide films, 4=20804
- Adel, A. The atmospheric windows at 6.3 μ and 16 to 24 μ , 2=11025
- Adel, A. and Epstein, E. S. Power-spectrum analysis of atmospheric ozone parameters, 0=12145
- Adelman, A. H. and Verber, M. Two-photon excitation of phosphorescence and fluorescence, 3=25490
- Adelman, A. H. See Verber, C. M., 3=19305
- Adelroth, K. E. See Liljegren, G., 4=990
- Adelsberger, U. See Scheibe, A., 0=2092
- Adelson, E. See Austin, A. E., 2=12741
- Adelson, E. See Austin, A. E., 3=23197
- Adelson, E. See Cloud, W. H., 1=1242
- Adelson, H. E., Bostick, H. A., Moyer, B. J. and Waddell, C. N. Use of the four-inch liquid hydrogen bubble chamber as a fast-neutron spectrometer, 0=2466
- Adem, J. On the theory of the general circulation of the atmosphere, 2=8961
- Ademollo, M., Bocciaolini, M., Caporizzo, G. D. and Mandò, M. On the $^{196}\text{Au}^m$ isomeric state, 0=17521
- Ademollo, M. and Chiuderi, C. Production of pion pairs in pion nucleus collisions and $\pi-\pi$ resonances, 2=20387
- Ademollo, M. and Gatto, R. Methods for determining the spin of Ξ , 4=3492
- Ademollo, M. and Gatto, R. Complete spin tests for fermions, 4=11902
- Ademollo, M. and Gatto, R. Weak non-leptonic interactions in the quark model, 4=25005
- Ademollo, M., Gatto, R. and Preparata, G. Tests for spin and parity of the B meson, 4=21917
- Adenis, D. J. P. and Couling, S. L. Formation of and recrystallization within {1012} twin bands in a polycrystalline magnesium alloy, 4=23307
- Ader, H. See Maille, C., 4=16130
- Ader, M. The application of photographic emulsions to measurements of gaps in particle tracks, 0=12770
- Ader, M. Some remarks on the radiations recorded in Ilford D₁ and K₀ emulsions during their exposure to 14 MeV neutron generators, 1=2227
- Ader, M. Residual presence of boron, sodium and potassium in heavy-metal radioactive α -ray sources, 1=7338
- Ader, M. Action of polonium α -particles on gelatine, 3=5170
- Ader, M. Some remarks on photographic emulsion, 3=19535
- Ader, M. Action of ionizing particles on the gelatine of photographic emulsions, 4=3267
- Ader, M. and Cabannes, M.-P. Some properties of particles of abnormally long range emitted by radioelements, 0=9542
- Ader, M. and Houard-Cabannes, M. P. Some aspects of tracks due to ionizing particles in photographic emulsions of low sensitivity, 1=16634
- Ader, M. and Houard-Cabannes, M. P. Some aspects of tracks due to ionizing particles in photographic emulsions of low sensitivity (continued), 1=16635
- Aderholz, M., Bondar, L., Brauneck, W., Deutschmann, M., Lengeler, H., Kaufmann, H., Kundt, U., Lanus, K., Leiste, R., Pose, R., Colley, D. C., Dodd, W. P., Musgrave, B., Simmons, J., Moebes, J., Nellen, B., Blobel, V., Butenschön, H., Von Handel, P., Schilling, P., Wolf, G., Brownlee, J. M., Butterworth, I., Campayne, F., Ibbotson, M., Saeed, M., Biswas, N. N., Goihl, K. H., Schmitz, N. and Weigl, J. The isospin and neutral decay of the f -meson, 4=21914
- Aderholz, M., Bondar, L., Brauneck, W., Lengeler, H., Thoma, C., Grote, C., Kaufmann, H., Lanus, K., Leiste, R., Pose, R., Colley, D. C., Dodd, W. P., Musgrave, B., Simmons, J., Böckmann, K., Moebes, J., Nellen, B., Paul, E., Winter, G., Blobel, V., Butenschön, H., Von Handel, P., Schilling, P., Wolf, G., Lohrmann, E., Brownlee, J. M., Butterworth, I., Campayne, F., Ibbotson, M., Saeed, M., Biswas, N. N., Goihl, K. H., Lüers, D., Schmitz, N. and Weigl, J. The observation of two $p\pi$ resonances, 4=21919
- Aderholz, M., Bondar, L., Deutschmann, M., Lengeler, H., Thoma, C., Kaufmann, H., Kundt, U., Lanus, K., Leiste, R., Pose, R., Colley, D. C., Dodd, W. P., Musgrave, B., Simmons, J., Böckmann, K., Winter, G., Blobel, V., Butenschön, H., Von Handel, P., Wolf, G., Lohrmann, E., Brownlee, J. M., Butterworth, I., Campayne, F., Ibbotson, M., Saeed, M., Biswas, N. N., Schmitz, N., Weigl, J. and Wolf, G. P. Elastic π^+p scattering at 4 GeV/c, 4=25151
- Ades, H. W. See Engström, H., 3=3657
- Adkins, C. J. The small-ion concentration and space charge near the ground, 0=781
- Adkins, C. J. Device for the stabilization of helium cryostat temperatures, 1=10631
- Adkins, C. J. On the energy gap in superconducting tin, 2=15855
- Adkins, C. J. Two-particle tunnelling between superconductors, 3=16864
- Adlam, J. H. and Allen, J. E. Collision-free hydromagnetic disturbances of large amplitude in a plasma, 0=10912
- Adlam, J. H. and Holmes, L. S. Production of millimicrosecond current pulses using a pressurized spark gap, 0=16967
- Adlam, J. H. and Holmes, L. S. An ultra-fast pinch experiment, 4=5640
- Adler, A., Palmai, M. and Perez-Mendez, V. 100 Mc/s tunnel-diode discriminator and pulse-shaper, 2=5276
- Adler, B. J. and Wainwright, T. E. Studies in molecular dynamics. II. Behavior of a small number of elastic spheres, 0=18993
- Adler, D. and Feinleib, J. Semiconductor-to-metal transition in V_2O_5 , 4=25993
- Adler, E. and Baer, H. G. Preferred directions in secondary recrystallized tapes with 50% Ni and Fe, 1=12536
- Adler, E. A magnetic diffusion after-effect in cubic face-centred Ni-Fe, 3=15853
- Adler, E. Nonlinear optical frequency polarization in a dielectric, 4=17548
- Adler, E. See Lavine, J. M., 4=8805
- Adler, F. T. Reactor kinetics: integral equation formulation, 2=3662
- Adler, F. T. and Naliboff, Y. D. A direct method for the evaluation of the resonance line shape functions, 2=3589
- Adler, F. T. See Murphy, A. T., 0=241
- Adler, H. Thermoluminescence of the rare earths in CaF_2 , 0=665
- Adler, H. The effect of α -particles and X-rays on coloured rocksalt, 1=1001
- Adler, L., Dwornik, E. J. and Rose, H. J., Jr. The detection of sulphur in contamination spots in electron probe X-ray micro-analysis, 2=10996
- Adler, I. and Massoni, C. J. Simple X-Y translation stage and indexing mechanism, 2=9232
- Adler, J. The stability of the one-dimensional laminar flame, 3=279
- Adler, J. and Spalding, D. B. One-dimensional laminar flame propagation with an enthalpy gradient, 1=16156
- Adler, J. and Woods, S. B. The effect of the martensitic transformation in sodium on the thermoelectric power, 2=12551
- Adler, J. G. and Rogers, J. S. Structure in the density of states of superconducting indium films, 3=24143
- Adler, J. G. See Rogers, J. S., 4=8578
- Adler, L. and Hiedemann, E. A. Determination of the non-linearity parameter B/A for water and m-xylene, 2=9275
- Adler, L. B. See Luker, J. A., 2=4538
- Adler, P. and Ohnesorge, A. A new and useful tank activation method for yield determination of Po-Be neutron sources, 4=19521
- Adler, P. N. and Margolin, H. The pressure-temperature diagram of solid thallium, 4=30806
- Adler, R., Ashkin, A. and Gordon, E. I. Excitation and amplification of cyclotron waves and thermal orbits in the presence of space charge, 1=8390
- Adler, R. and Wade, G. Beam refrigeration by means of large magnetic fields, 0=12637
- Adler, R. See Chidley, B., 0=2686
- Adler, R. P. I. and Wagner, C. N. J. X-ray diffraction study of the effects of solutes on the occurrence of stacking faults in silver-base alloys, 3=2811
- Adler, S. A generalized Ewald method for lattice sums, 1=19685
- Adler, S. B. and Johnson, R. S. New backscattering computation and tables for dielectric and metal spheres, 2=22337
- Adler, S. L. Theory of the valence band splittings at $k = 0$ in zincblende and wurtzite structures, 2=10350
- Adler, S. L. Quantum theory of the dielectric constant in real solids, 2=10549
- Adler, S. L. Theory of the range of hot electrons in real metals, 3=15462
- Adler, S. L. Polarization effects in high-energy weak interactions, 4=5955
- Adler, S. L. Tests of the conserved vector current and partially conserved axial-vector current hypotheses in high-energy neutrino reactions, 4=28015
- Adler, S. L. and Goldhaber, A. S. Use of the deuteron to provide a polarized proton target, 3=17269

- Adkins, C. J. Multi-particle tunneling between superconductors, 4=21419
- Adkins, J. E. Non-linear diffusion. I. Diffusion and flow of mixtures of fluids, 4=2628
- Adkins, J. E. Non-linear diffusion. II. Constitutive equations for mixtures of isotropic fluids, 4=2629
- Adkins, J. E. Non-linear diffusion. III. Diffusion through isotropic highly elastic solids, 4=25956
- Adey, A. W. and Heikkilä, W. J. Rocket electron density measurements at Fort Churchill, 1=7936
- Adgie, R. L. An attempt to detect the 327 Mc/s line of galactic deuterium, 1=18008
- Adhav, R. S. On the optical and electrical properties of semitransparent copper films, 1=1142
- Adhav, R. S. Wide angle spectroradiometer, 3=21542
- Adhav, R. S. and Kemp, J. G. Infrared radiometer, 3=7384
- Adhav, R. S. and Murphy, A. T. A portable spectro-radiometer, 3=24030
- Adhav, R. S. and Murphy, A. T. Omnidirectional photometer, 4=8369
- Adin, A. and Sabbah, B. Note on voltage-sensitive tunnel-diode discriminators, 4=21439
- Adirovič, E. I. Kinetics of impurity photoconductivity and a new method for the determination of the effective cross-sections of impurity centres, 1=6173
- Adirovich, E. I. Conductivity and voltage transfer coefficient of a semiconductor diode in the non-stationary regime, 0=4329
- Adirovich, E. I. Electric fields and currents in dielectrics, 0=16004
- Adirovich, E. I. A new method of determining the effective cross-sections of localized centres, 1=1100
- Adirovich, E. I. Kinetics of impurity photoconductivity and effective cross-sections of local centres, 1=1102
- Adirovich, E. I. The influence of field emission of electrons on the distribution of strong fields in solids, 1=3584
- Adirovich, E. I. A new method of determining the effective cross-sections of localized centres, 1=6174
- Adirovich, E. I. Laws of electron polarization and depolarization of crystals, 2=10550
- Adirovich, E. I. The anomalous Dember effect, 4=1675
- Adirovich, E. I. Blocking and diffusion photo-e.m.f., 4=4222
- Adirovich, E. I. and Fridkin, V. M. The reciprocity principle and quasistationary electron processes in photoelectrets, 2=2212
- Adirovich, E. I., Gubkin, A. N. and Kopylovskii, B. D. Measurement of short carrier lifetimes using the phase characteristic of the voltage transfer coefficient in a circuit with a p-n junction [diode], 2=23424
- Adirovich, E. I., Gubkin, A. N. and Kopylovskii, B. D. Measurement of short carrier lifetimes using the phase characteristic of the voltage transfer coefficient in a circuit with a p-n junction [diode], 3=6606
- Adirovich, E. I. and Kuznetsova, E. M. Concerning the possibility of an inverse distribution of electrons in degenerate semiconductors, 2=6435
- Adirovich, E. I. and Kuznetsova, E. M. Concerning the possibility of an inverse distribution of electrons in degenerate semiconductors, 2=10455
- Adirovich, E. I. and Kuznetsova, E. M. Effect of adhesion levels on the kinetics of electron processes in p-n transitions, 3=2865
- Adirovich, E. I. and Kuznetsova, E. M. Lifetime of non-equilibrium charge carriers in semiconductors with local levels, 3=8500
- Adirovich, E. I. and Yuabov, Yu. M. Silicon films with anomalously high photo-voltages, 4=22802
- Adirowitsch, E. I. Influence of field emission on the distribution of strong fields in solids, 0=1666
- Adirowitsch, E. I. The influence of field emission [from the cathode] on the distribution of strong fields in solids, 1=14565
- Aditya, P. K. A simple method for the energy estimation of electron pairs, 0=17313
- Aditya, P. K. Some observations on the energy spectrum of low energy bremsstrahlung from electrons of energy $< \sim 10^{12}$ eV, 1=13382
- Aditya, P. K. Multiple Coulomb scattering for very-high-energy particles, 4=11999
- Aditya, P. K., Bhatia, V. S. and Sood, P. M. On some causes of spurious scattering in nuclear emulsions, 3=24568
- Aditya, P. K. and Puri, R. K. Distortion and spurious scattering in nuclear emulsions, 4=27732
- Aditya, P. K. See Bøggild, J. K., 1=5778
- Aditya, P. K. See Bøggild, J. K., 4=9034
- Aditya, P. K. See Daniel, R. R., 0=20258
- Adkhamov, A. A. A contribution to the molecular-kinetic theory of sound absorption in dense gases and liquids, 4=5175
- Adlhart, O. See Gaulé, G. K., 4=14525
- Adlington, R. H. Acoustic-reflection losses at the sea surface, measured with explosive sources, 4=4751
- Adloff, J. P. See Abbe, J. C., 4=606
- Adloff, J. P. See Abbe, J. C., 4=27488
- Adloff, J. P. See Schwab, C., 3=932
- Adloff, J. P. See Schwab, C., 4=22855
- Admadzadeh, A. Emulsion and bubble-chamber statistics for the determination of track density, 2=11839
- Admiraal, L. J. See Pistorius, C. W. F. T., 3=9655
- Admiraal, P. S. See Koelmans, H., 0=8011
- Admiraal, P. S. See Van Houwelingen, D., 4=14562
- Admiraal, P. S. See Volger, J., 2=22126
- Ado, I. M. and Elian, V. V. Coherent radiation from the electrons in a synchrotron, 1=16459
- Ado, Yu. M. Particle storage in synchrotrons, 2=13620
- Ado, Yu. M., Belovintsev, K. A. and Stolyarov, S. N. Bremsstrahlung spectrum of 260 MeV electrons, 2=13767
- Ado, Yu. M. and Elyan, V. V. Absorption of photons from the bremsstrahlung of an accelerator in LiH, 3=14948
- Ado, Yu. M., Savell'eva, T. I. and Yablokov, B. N. Operation of a synchrotron with two internal targets, 1=4680
- Adolph, J., Baldinger, E. and Gränacher, I. Influence of the optical activation of trapped carriers of the S. C. L. C. in anthracene, 4=15571
- Adolph, J., Baldinger, E., Czaja, W. and Gränacher, I. Energy distribution of trapping centres for holes in anthracene, 4=1690
- Adomian, G. Linear stochastic operators, 3=14037
- Adonina, A. I. and Shcherbak, V. V. The diffraction of electromagnetic waves at grazing incidence on a plane metal grating with a screen and magnetodielectric, 4=14889
- Adonina, A. I. and Shcherbak, V. V. The equivalent boundary conditions at a metal grid, situated on the boundary between two magnetodielectrics, 4=14897
- Adonina, A. I. and Shestopalov, V. P. Diffraction of electromagnetic waves obliquely incident on a plane metallic grating with a dielectric layer, 4=8936
- Adonina, A. I. See Shestopalov, V. P., 0=11056
- Adorni, N. and Parmeggiani, A. Description of a device for the measurement with high precision of wall temperature using thermocouples, 3=11983
- Adriaens, W. H. T. See van Ruyven, L. J., 3=8534
- Adrian, F. J. Matrix effects on the electron spin resonance spectra of trapped hydrogen atoms, 0=7890
- Adrian, F. J. Analysis of the E.S.R. spectrum of NO₂ in solid argon, 2=10695
- Adrian, F. J. Effect of matrix interactions and buffer gases on the atomic nitrogen hyperfine splitting, 2=18420
- Adrian, F. J. Electric field gradient asymmetry in solid chlorine, 3=15411
- Adrian, F. J., Cochran, E. L. and Bowers, V. A. E.S.R. spectrum and structure of the formyl radical, 2=8124
- Adrian, F. J. and Karplus, M. β -proton hyperfine splittings in the vinyl radical, 4=25732
- Adrian, F. J. See Cochran, E. L., 1=6042
- Adrian, F. J. See Cochran, E. L., 2=3180
- Adrian, F. J. See Cochran, E. L., 2=12351
- Adrian, F. J. See Cochran, E. L., 4=12532
- Adrian, W. Nomographic solution of the formula for the range of light signals, 1=9234
- Adrianov, D. G. and Fistul, V. I. Magnetoresistance of degenerate n-type germanium and silicon, 3=20314
- Adrianov, V. I. and Polyak, G. L. Differential methods of radiative heat transfer study, 4=24427
- Adrianov, V. N. and Polyak, G. L. Differential methods for studying radiant heat transfer, 3=21608
- Adrianov, V. N. See Filimonov, S. S., 0=19497
- Adrianov, V. N. See Polyak, G. L., 3=18760
- Adrianov, V. N. See Polyak, G. L., 4=29779
- Adrianova, I. I. Frequency characteristics of diffraction light-modulators with ferroelectric ceramic sources of ultrasonic waves, 3=1833
- Adrianova, I. I. Study of a photoelectric light modulator, 3=16747
- Adrianova, I. I., Kokurina, M. V. and Popov, Yu. V. Complex wideband ultrasonic radiators for diffraction-type light modulators, 1=18612
- Adrianova, I. I., Popov, Yu. V. and Lapina, A. V. Amplitude and phase characteristics of an interference modulator of light, 1=2879
- Adrianova, I. I., Popov, Yu. V. and Rotenberg, B. A. Application of barium titanate piezoceramic transducers for studying ultrasound in diffraction-type light modulators, 1=18530

- Adrianova, I.I. See Popov, Yu.V., 0=12494
- Adrova, N.A., Andreev, V.N., Koton, M.M., Panov, Yu.N. and Musalev, N.S. Optical and scintillation properties of the oxydiazole-series compounds, 0=4447
- Adzerikho, K.S. and Samson, A.M. Effect of secondary absorption and emission processes on the intensity and polarization of luminescence. I. Solution of the transfer equation for polarized luminescence, 4=4283
- Adzerikho, K.S. and Samson, A.M. Effect of secondary processes of absorption and emission on the intensity and polarization of luminescence. II. Dependence of the intensity and degree of polarization on the properties of the substance and the direction of observation, 4=9685
- Adzerikho, K.S. See Samson, A.M., 2=14708
- Adzerikho, K.S. See Samson, A.M., 4=11367
- Aebischer, N. See Viénot, J.C., 2=10587
- Aebischer-Néoschil, Gaultier du Marache, Duffieux, P.M., Viénot, J.C. and Obert, W.J. Spectral analysis of photographic images, 0=19370
- Aéro, E.L. and Kuvshinskii, E.V. The fundamental equations of the theory of the elasticity of a medium of particles with rotary interactions, 0=21093
- Aéro, E.L. See Kuvshinskii, E.V., 4=10351
- Aérov, M.E., Nikitina, N.I., Trainina, S.S. and Gusev, I.V. Heat-mass exchange in a granular layer. IV. Local coefficients of heat-mass exchange in a layer of balls, 0=12514
- Aerts, E. Magneto-electrical field-effect measurements, 0=20883
- Aerts, E. Surface states of one-dimensional crystals. I, 1=7521
- Aerts, E. Surface states of one-dimensional crystals. II, 1=7522
- Aerts, E. Surface states of one-dimensional crystals. III, 1=7523
- Aerts, E., Amelinckx, S. and Vennik, J. Field effect measurements in a transverse magnetic field, 0=15920
- Aerts, E., Delavignette, P., Siems, R. and Amelinckx, S. Stacking fault energy in silicon, 2=23199
- Aerts, E., Delavignette, P., Siems, R. and Amelinckx, S. The stacking fault energy in silicon, 3=17764
- Aerts, E. See Art, A., 3=17765
- Aeschlimann, F. Extension of the functional theory to particles of spin $\frac{1}{2}$, 0=5487
- Aeschlimann, F. Extension of the functional theory of particles to the nucleon and photon, 0=5488
- Aeschlimann, F. The mean-wave in a system of particles in the functional theory, 0=17267
- Aeschlimann, F. On the systems of particles in the non-relativistic functional theory, 0=20081
- Aeschlimann, F. Barycentre in functional theory of particle systems, 1=7221
- Aeschlimann, F. The fusion of two particles in functional theory, 1=13295
- Aeschlimann, F. and Destouches, J.-L. Non-linear electro-magnetism and photons in the functional theory of particles, 0=3914
- Aeschlimann, R. and Bas, E.B. A universal emission electron microscope, 3=19356
- Aeschlimann, R. See Epprecht, W., 4=7520
- Aeuma, T. See Mamuro, T., 3=13688
- Afanas'ev, A.M. and Kagan, Yu. Singularities caused by electron-phonon interaction in the phonon dispersion law, 3=15430
- Afanas'ev, A.M. and Kagan, Yu. Theory of the hyperfine structure of Mössbauer lines in paramagnetic substances, 4=6688
- Afanas'ev, A.M. See Kagan, Yu., 2=2767
- Afanas'ev, A.M. See Kagan, Yu., 3=1727
- Afanas'ev, A.Ya. See Fakidov, I.G., 0=1612
- Afanas'ev, E.F. Diffraction of a nonstationary pressure wave on a moving plate, 3=1774
- Afanas'ev, I.I., Knyazyatov, A.S. and Fedorov, N.D. A pulse source of ions with small expenditure of gas, 3=4206
- Afanasev, I.I., Knyazyatov, A.S. and Fedorov, N.O. A pulse source of ions with small expenditure of gas, 3=21892
- Afanas'ev, I.I. See Mokievskii, V.A., 3=23404
- Afanas'ev, I.I. See Nastukha, A.I., 1=16432
- Afanas'ev, N.G. Double-focusing magnetic spectrometer, 2=13710
- Afanas'ev, N.G. and Dem'yanov, A.V. Electron beam current integrator, 3=14650
- Afanas'ev, N.G., Gordienko, A.G., Kolesnichenko, L.K., Vil'yams [Williams], A.P. and Sidorenko, L.I. Measurement and stabilization of the magnetic field of a powerful electro-magnet by the method of nuclear magnetic resonance, 2=5432
- Afanas'ev, N.H. and Dem'yanov, A.V. Current integrator of an electron beam, 4=3041
- Afanas'ev, O.A. See Shteinshleiger, V.B., 3=22002
- Afanas'ev, V.F., Paritskii, L.G., Prikot, N.F. and Rývkin, S.M. Effect of trapping levels on the lux-ampere characteristics of silicon, 4=10134
- Afanas'ev, V.F. See Maslova, L.V., 2=2348
- Afanas'ev, V.F. See Maslova, L.V., 2=6457
- Afanas'ev, V.N. Stabilization of the efficiency of a scintillation counter, 2=7790
- Afanas'ev, V.P. [Electronic] current stabilizer for a precision mass spectrometer [magnet], 1=4662
- Afanas'eva, E.A. and Konorova, E.A. Some special features of alpha-particle counting by means of type I diamonds, 4=9324
- Afanas'eva, E.A., Vinogradov, V.S. and Konorova, E.A. The dependence of current on temperature and voltage in pre-breakdown fields in KBr single crystals, 1=14392
- Afanas'eva, E.A. See Popov, N.A., 0=10882
- Afanas'eva, L.I. See Kunin, N.F., 2=21426
- Afanas'eva, M.A. See Malkovich, R.Sh., 1=17564
- Afanas'eva, N.A., Kamentsev, I.E. and Frank-Kamenetskii, V.A. Variation of the unit cell parameters of quartz from different sources, 0=14021
- Afanas'eva, V.I. Solar corpuscular streams and families of geomagnetic storms, 1=6652
- Afanas'eva, N.V. The ground states of bound paramagnetic rare-earth ions in an external magnetic field, 0=11946
- Afanas'eva, N.V. Nonfree paramagnetic rare earth ions with even number of electrons in an external magnetic field, 2=20905
- Afanas'eva, N.V. Nonfree paramagnetic rare earth ions with an odd number of electrons in an external magnetic field, 4=6693
- Afanas'yev, M.H. See Hordiyenko, A.H., 2=9675
- Afanas'yev, N.H., Vil'yams [Williams], A.P., Hordiyenko, A.H. and Sidorenko, L.I. A remote proton magnetometer, 2=5434
- Afanas'yev, V.D. See Walter, A.K., 4=6215
- Afanas'yeva, L.I. See Kunin, N.F., 0=15999
- Afanas'yev, V.D. See Klyucharev, V.A., 3=24873
- Affel, R.G. See Bettis, E.S., 0=13312
- Affleck, J. Magnetic anomaly trend and spacing patterns, 3=21073
- Afinoghenov, L.P. and Bacal, M. The stabilization of a microscopic electrically charged particle in a Millikan condenser in vacuum, 2=5595
- Afonin, A.A. and Granovskii, Ya.I. A certain model of $\pi\pi$ -interaction, 4=936
- Afonin, O.F., Gangrskii, Yu.P., Lemberg, I.K. and Nabichvrishvili, V.A. Cascade Coulomb excitation of rotational levels with 4^+ and 6^+ spins, 3=15098
- Afonin, O.F., Gangrskii, Yu.P., Lemberg, I.Kh, Nabichvrishvili, V.A. and Udralov, Yu.I. Investigation of Coulomb excitation of the first Mo^{92} level, 3=17409
- Afonin, I.P., Gavrilov, B.I., Zavoiskii, E.K., Karmanov, F.V., Maksimov, G.P., Plakhov, A.G., Cheremnykh, P.A. and Shapkin, V.V. The experimental plasma system S-1 with helical magnetic fields, 3=19283
- Afonina, L.N. See Chechernikov, V.I., 3=3146
- Afonina, L.N. See Chechernikov, V.I., 4=17626
- Afoshin, V.S. See Kirenskii, L.V., 3=18094
- Afremow, L.C. See Evans, M.V., 4=14361
- Afrosimov, V., Gordeev, Yu.S., Panov, M.N. and Fedorenko, N.V. Characteristic energy losses in single collisions of atomic particles, 4=12399
- Afrosimov, V.V., Gladkovskii, I.P., Gordeev, Yu.S., Kalinkevich, I.F. and Fedorenko, N.V. A method for investigating the flux of atoms emitted by a plasma, 1=9608
- Afrosimov, V.V., Gladkovskii, I.P., Gordeev, Yu.S., Kalinkevich, I.F., Petrov, M.P. and Fedorenko, N.V. Investigation of the flux of neutral atomic particles emitted by the plasma in the device "Alpha", 1=9609
- Afrosimov, V.V., Gladkovskii, I.P., Kalinkevich, I.F., Petrov, M.P. and Fedorenko, N.V. Investigation of a current of atomic particles emitted by a plasma, 4=8701
- Afrosimov, V.V., Gladkovskii, I.P., Kislyakov, A.I. and Petrov, M.P. Mass analysis of the neutral flux of atomic particles emitted by plasma in the alpha thermonuclear assembly, 3=24996
- Afrosimov, V.V., Glukhikh, V.A., Golant, V.E., Zaidel, A.N., Komar, E.G., Konstantinov, B.P., Malyshev, G.M., Malyshev, I.F., Monoszon, N.A., Stolov, A.M. and Fedorenko, N.V. Plasma investigation in the device "Alpha", 1=9602
- Afrosimov, V.V., Il'in, R.N., Oparin, V.A., Solov'ev, E.S. and Fedorenko, N.V. Ionization of argon by atoms and singly and doubly charged neon and argon ions, 2=153
- Afrosimov, V.V., Il'in, R.N., Oparin, V.A., Solov'ev, E.S. and Fedorenko, N.V. Ionization of argon by atoms and singly and doubly charged neon and argon ions, 3=365

- Afrosimov, V.V., Il'in, R.N. and Solov'ev, E.S. Capture of electrons by protons in inert gases, 0=16977
- Aftergut, S. and Brown, G.P. Electronic properties of phenazine, 1=10037
- Aftergut, S. and Brown, G.P. Electronic properties of imidazole, 1=17745
- Aftergut, S. and Brown, G.P. Electronic properties of organic compounds. I. Heterocyclic compounds, 4=26065
- Aftergut, S. See Brown, G.P., 2=10446
- Aftergut, S. See Brown, G.P., 3=10826
- Aftergut, S. See Brown, G.P., 4=26066
- Aftergut, S. See Gaynor, J., 3=19030
- Afzal, M. See Barua, A.K., 4=24264
- Agababov, S.G. Experimental determination of emissivity of Pt and Pt-Rh wires, 3=24100
- Agacy, R.L. The vibrational spectrum of a disordered linear system, 4=17343
- Agacy, R.L. and McCrea, W.H. A transformation of the de Sitter metric and the law of creation of matter, 2=9051
- Agayev, Ya., Emel'yanenko, O.V. and Nasledov, D.N. Investigation of the Nernst-Ettingshausen thermomagnetic effects in solid solutions of the system InSb-AlSb, 1=11267
- Agayev, Ya. and Nasledov, D.N. Some electrical properties of the AlSb-InSb system, 0=15943
- Agafonov, V.P., Govorkov, B.B., Denisov, S.P. and Minarik, E.V. Determination of the efficiency of recording of gamma-rays using bremsstrahlung and an energy filter, 3=24678
- Agahigian, H., Vickers, G.D., Roscoe, J. and Bishop, J. Homonuclear decoupling: $p^{31} - p^{31}$, 4=9770
- Agalarzade, P.S. and Semiletov, S.A. Production of thin films of indium antimonide by vacuum evaporation, 4=4658
- Aganova, E.V., Arkharov, V.I. and Polikarpova, I.P. The effect of combined beryllium and antimony additions upon the ageing of copper-silver alloys, 4=13484
- Agapkin, I.I. See Barmin, V.V., 4=14835
- Agapova, N.I., Paskar', B.L. and Fokin, L.R. Calculation of the thermodynamic properties of caesium vapour up to a temperature 1500°K and pressure 22 bars, 4=8246
- Agar, A.W. Accuracy of selected-area microdiffraction in the electron microscope, 0=7158
- Agar, A.W. Developments in electron microscopy, 4=2102
- Agar, A.W., Frank, F.C. and Keller, A. Crystallinity effects in the electron microscopy of polyethylene, 0=16340
- Agar, A.W. and Lucas, J.H. Use of a new heating stage for the electron microscope, 3=25793
- Agar, A.W. See Haine, M.E., 0=5864
- Agar, D., Plyler, E.K. and Tidwell, E.D. High resolution investigation of some infrared bands of carbon disulfide, 2=16525
- Agar, J.N. The rate of attainment of Soret equilibrium, 1=15857
- Agar, J.N. and Turner, J.C.R. Thermal diffusion in solutions of electrolytes, 0=6784
- Agarbichanu, I.I., Blaranu, L., Drăgănescu, V., Ionesco-Pallas, N.I., Komanichu, N. and Tatu, V. Determination of the nuclear magnetic moment of Hg^{199} from the hyperfine structure of the Hg I 5461 Å line, 1=19342
- Agarbichanu, I., Kukurzyanu, I., Popescu, I. and Vasiliu, V. Determination of the mean lifetime of excited states by a polarimetric method, 3=15287
- Agarbiceanu, I.I., Ionesco-Pallas, N., Drăgănescu, V., Comaniciu, N. and Tatu, V. Determination of the nuclear magnetic moment of Hg^{199} from the hyperfine structure of the Hg I line at 5461 Å, 0=5656
- Agârbiceanu, I.I., Popescu, I.M., Cucurezeanu, I. and Vasiliu, V. The study of the mercury level 7^3S_1 by the magneto-optical resonance method, 4=3794
- Agarwal, B.K. On the thickness of helium films, 0=7019
- Agarwal, B.K. See Chand, P., 2=13836
- Agarwal, B.K. See Gautam, V.P., 4=30272
- Agarwal, B.K. See Gupta, Y.M., 3=7923
- Agarwal, B.K. See Vishnoi, A.N., 2=15976
- Agarwal, D.B. Hall mobility of degenerate semiconductors, 1=11287
- Agarwal, D.B. Magnetoresistance in nondegenerate semiconductors considering electron-electron scattering, 2=627
- Agarwal, J.P. On generalized incompressible Couette flow in hydromagnetics, 2=11760
- Agarwal, J.P. and Jain, M.K. On the motion of viscoelastic electrically conducting liquid in the presence of magnetic field, 2=13671
- Agarwal, K.C. See Saksena, B.D., 3=13171
- Agarwal, P.D. Rigorous solution of eddy current losses in rectangular bar for single plane domain wall model, 0=10143
- Agarwal, P.D. and Graham, D.C. Effect of eddy currents on domain wall behavior configurations, wall motion, and loss for a domain model of cube-on-edge material, 0=10144
- Agarwal, S.P. See Pomerantz, M.A., 0=9480
- Agarwal, S.P. See Pomerantz, M.A., 0=11248
- Agarwal, S.P. See Pomerantz, M.A., 0=11261
- Agarwal, S.P. See Pomerantz, M.A., 0=15487
- Agarwal, S.P. See Pomerantz, M.A., 1=8525
- Agarwal, S.P. See Pomerantz, M.A., 2=22683
- Agarwala, R.P., Murarka, S.P. and Anand, M.S. Diffusion of chromium in aluminium, 4=22610
- Agarwala, R.P. See Hirano, K., 2=21057
- Agarwala, R.P. See Hirano, K., 2=23202
- Agarwala, R.P. See Murarka, S.P., 4=15492
- Agarwala, R.P. See Murarka, S.P., 4=30579
- Agarwala, U., Hunt, J.B. and Taube, H. Tracer experiments on the reaction of UH₃ with aqueous acid, 0=14103
- Agashe, V.V. Gamma irradiation of cuprous oxide rectifiers, 2=14572
- Agatsuma, T. See Jitsu, H., 4=23328
- Agatsuma, T. See Takasaki, H., 4=14400
- Agdur, B. Microwaves in plasma, 1=2987
- Agdur, B. Notes on waves in plasmas, 4=719
- Agdur, B., Bölling, G., Sellberg, F. and Ohman, Y. Scattering, absorption, and emission of light by thin metal wires, 3=13159
- Agdur, B. and Enander, B. Resonances of a microwave cavity partially filled with a plasma, 2=7736
- Agdur, B., Keržar, B. and Nygren, T. Variation of the electron density along a plasma column, 3=19204
- Agdur, B., Keržar, B. and Sellberg, F. Noise radiation and scattering from a cylindrical plasma column, 3=383
- Ageenov, V.I. See Feinberg, S.M., 3=10421
- Ageev, N.V., Glazunov, S.G., Petrova, L.A., Taresenko, G.N. and Grankova, L.P. Dislocations in titanium-molybdenum-iron-aluminium alloys, 4=25948
- Ageev, N.V. See Bykov, V.N., 0=3041
- Ageev, V.N., Balabanova, L.A. and Bredov, M.M. Investigation of the spectra of plasmons, 1=2385
- Ageev, V.N., Ionov, N.I. and Ustinov, Yu.K. The use of a time of flight mass spectroscopy for studying adsorption characteristics by the flash method, 4=17845
- Ageeva, L.E. See Tolstoi, N.A., 3=18030
- Ageeva, N.S. The propagation of a sound pulse in an underwater sound channel, 0=123
- Ageeva, N.S. Ultrasonic method for measuring the height of the liquid level in a vessel by means of flexural oscillations of a thin elastic strip, 1=2723
- Agekyan, T.A. General features of the evolution of rotating systems of gravitating bodies, 2=998
- Agekyan, T.A. Accounting for the multiplicity of star approach in the irregular force theory, 2=13139
- Agekyan, T.A. Accounting for the multiplicity of star approach in the irregular force theory, 2=17285
- Agekyan, T.A. Spherical star clusters in a quasistationary state, 3=16412
- Agekyan, T.A. Stability of clusters and groups of galaxies, 4=15927
- Agekyan, T.A. Spherical star clusters in a quasistationary state, 4=26917
- Agekyan, V.T., Gross, E.F., Zakharchenya, B.P. and Kaplyanskii, A.A. Piezomagneto-optical study of the quadrupole exciton transition in a Cu₂O crystal, 3=18001
- Agekyan, V.T. See Gross, E.G., 3=3005
- Agekyan, V.T. See Gross, E.F., 2=20972
- Agekyan, V.T. See Gross, E.F., 2=21245
- Agekyan, V.T. See Gross, E.F., 3=15650
- Agno, M. Low jitter pulse discriminator and shaper, 2=5271
- Agno, M. and Felici, C. A new type of fast amplifier, 2=22140
- Agno, M. and Felici, C. Photomultiplier gain stabilization
- Agno, M. and Frontali, C. Analysis of frequency distribution curves in overlapping Gaussians, 4=2520
- Ager, R., Cole, T. and Lambe, J. Coupling scheme for microwave cavities, 4=19211
- Aggarwal, K.G. The frequency spectra of one-dimensional lattices, 3=12912
- Aggarwal, P.S. and Biswas, A.B. Twinning in thiosalicylic acid crystals, 4=29033
- Aggarwal, P.S. and Goswami, A. Epitaxial growth of mercury sulphide on rock salt crystals, 3=16048
- Aggarwal, P.S. and Goswami, A. Structures of evaporated films of zinc sulphide and cadmium sulphide, 4=4670

- Aggarwal, R.R. Diffraction of light by ultrasonic waves, 0=14845
- Aggarwala, B.D. and Saibel, E. Tempering stresses in an infinite glass plate, 2=793
- Aggson, T. and Fretter, W.B. On the ionization by relativistic particles in xenon-helium mixtures, 2=11613
- Agîrbiceanu, I., Comaniciu, N. and Tatu, V. On the variation of the refractive index of air with pressure, 1=5296
- Agîrbiceanu, I., Drăgănescu, V. and Chetroui, A. The collimation of atomic beams, 1=5982
- Agirbiceanu, I., Ichimescu, A. and Vierosanu, I. The reflection and transmission spectra of thin films of silver submitted to heating, 4=1748
- Agîrbiceanu, I. Structure of dielectric thin films and their optical properties, 2=10580
- Agîrbiceanu, I., Cucurezeanu, I., Vasiliu, V. and Popescu, I. Influence of nitrogen on excited mercury atoms, 2=6090
- Agîrbiceanu, I. and Ichimescu, A. Observations on the ultra-violet absorption spectrum of Hg₂, 2=8102
- Agîrbiceanu, I.I. and Tatu, V. Decay period of Zn⁶⁵, 1=13689
- Agishev, A.Sh. Investigation of the rotational motion of molecules of a liquid by the method of nuclear magnetic resonance, 3=14143
- Agishev, A.Sh. Investigation of Brownian rotation of nonspherical liquid molecules by nuclear magnetic resonance, 4=11160
- Agishev, A.Sh. See Valiev, K.A., 4=29608
- Agishev, E.I. and Belyakov, Yu.I. Thermionic emission from nickel [and platinum] in the presence of haloids, 0=10936
- Agishev, E.I. and Belyakov, Yu.I. Non-stationary thermionic emission of nickel and tungsten in vacuo, 0=10972
- Agishev, E.I. See Belyakov, Yu.I., 0=12120
- Aglintsev, K.K. and Kasatkin, B.P. The shape of β -spectra at different depths of irradiated medium, 2=12158
- Aglintsev, K.K., Mitrofanov, V.V., Rimskii-Korsakov, A.A. and Smirnov, V.V. Angular distribution of photoelectrons ejected from Ag and Bi targets by Cs¹³⁷ gamma rays, 3=8204
- Agnetta, G., Garofano, T., Palma-Vittorelli, M.B. and Palma, M.U. Low-temperature optical absorption of ferrous fluosilicate crystals, 2=8522
- Agnew, J.T. See Dunn, M.G., 3=2666
- Agnew, L. See Elioff, T., 0=361
- Agnew, L. See Elioff, T., 3=586
- Agnew, L. See Stone, P.M., 2=18417
- Agnew, L.E., Jr., Elioff, T., Fowler, W.B., Lander, R.L., Powell, W.M., Segrè, E., Steiner, H.M., White, H.S., Wiegand, C. and Ypsilantis, T. Antiproton interactions in hydrogen and carbon below 200 MeV, 0=11172
- Agnihotri, O.P. Results of Fourier analysis and line breadth measurements on molybdenum filings, 3=16068
- Agnihotri, O.P. Study of cold work damage in silver filings, 3=18202
- Agnihotri, O.P. Release of lattice energy and annealing of dislocations in deformed silver, 3=22779
- Agnihotri, O.P. and Mitra, G.B. On the investigation of pure X-ray diffraction line breadths in deformed copper, 3=20208
- Agodi, A. and Eberle, E. An unified theory of direct reactions, 1=5880
- Agodi, A., Giordano, R. and Schiffrer, G. A D.W.B.A. analysis of the reaction Si²⁸(n, p)Al²⁸ with exchange interaction, 3=17482
- Agodi, A., Giordano, R. and Schiffrer, G. Analysis of direct (n, p) reactions, 4=9523
- Agodi, A., Giordano, R., Schiffrer, G. and Giannini, M. Numerical methods for D.W.B.A. calculations on (n, p) reactions, 4=6350
- Agodi, A. and Pappalardo, G. Statistical fluctuations of compound-nucleus level density and nuclear cross-sections, 3=24855
- Agodi, A., Pappalardo, G., Ricamo, R. and Vinciguerra, D. Fluctuations in nuclear reaction cross-sections, 2=12178
- Agodi, A. and Schiffrer, G. Finite range and exchange effects in the reaction ²⁸Si(n, p)²⁸Al, 4=9534
- Agodi, A. See Schiffrer, G., 2=20656
- Agostinelli, C. A remarkable class of ellipsoidal figures of revolution of a uniformly rotating self-gravitating magnetohydrodynamic fluid mass, 0=291
- Agostinelli, C. The equations of adiabatic magnetodynamic equilibrium of a uniformly rotating gravitating gaseous fluid mass, 0=5384
- Agostinelli, C. The adiabatic magnetodynamic equilibrium of a fluid gaseous gravitating mass in non-uniform rotation, 0=19914
- Agostinelli, C. The wave surface in magnetohydrodynamics. I, 1=4713
- Agostinelli, C. The wave surface in magnetohydrodynamics. II, 1=4714
- Agostinelli, C. On the magnetodynamic and adiabatic equilibrium of a gaseous mass with a uniform rotational and gravitational motion, 1=5567
- Agostinelli, C. The stability of stationary magneto-fluid dynamic motions. I, 2=1571
- Agostinelli, C. The stability of stationary magneto-fluid dynamic motions. II, 2=9700
- Agostinelli, C. On a magnetohydrodynamic explanation of the existence of the magnetic field of the earth and of the stars. I, 3=18567
- Agostinelli, C. The absolute spatio-temporal form of the equations of magnetofluidynamics, 3=21960
- Agostinelli, C. A theorem on the flux of energy during the motion of a fluid of high electrical conductivity in the presence of a magnetic field, 4=11780
- Agostinelli, C. Magnetohydrodynamic explanation of the existence of the magnetic field of the earth and the stars, 4=13856
- Agostinelli, C. Some considerations on the three body problem, 4=21063
- Agostino, E.De. See De Agostino, E.
- Agoston, G. See Thamm, F., 4=18442
- Agouridis, D.C. Self-sampling system for measurement of picosecond pulse characteristics, 3=5612
- Agouridis, D.C. See Torok, E.J., 4=26301
- Agranovič, V.M. and Ginzburg, V.L. Crystal optics with spatial dispersion and exciton theory, 4=10145
- Agranovich, V.M. Theory of circular dichroism in crystals, 0=18111
- Agranovich, V.M. Dispersion of electromagnetic waves in crystals, 0=19451
- Agranovich, V.M. Migration of energy of the electronic excitation by a virtual-exciton mechanism, 0=21011
- Agranovich, V.M. The problems of the defects in the process of exciton luminescence of molecular crystals, 1=3851
- Agranovich, V.M. Letter to the editor, 1=6225
- Agranovich, V.M. and Ginzburg, V.L. X-ray scattering in crystals with exciton formation, 2=586
- Agranovich, V.M. and Ginzburg, V.L. Crystal optics with allowance for spatial dispersion; exciton theory. I, 4=26163
- Agranovich, V.M. and Kaganov, M.I. The problem of the structure of exciton bands in anisotropic crystals, 2=20974
- Agranovich, V.M. and Kaganov, M.I. The problem of the structure of exciton bands in anisotropic crystals, 3=2767
- Agranovich, V.M. and Konobeev, Yu.V. The effect of re-absorption on the yield and duration of luminescence of molecular crystals. I, 0=1742
- Agranovich, V.M. and Konobeev, Yu.V. The theory of thermal conductivity of dielectrics below the Debye temperature, 1=14187
- Agranovich, V.M. and Konobeev, Yu.V. The theory of the edge of exciton absorption bands, 1=14224
- Agranovich, V.M. and Konobeev, Yu.V. The influence of the reabsorption of light on the spectral dependence of photoconductivity in molecular crystals, 2=6491
- Agranovich, V.M. and Konobeev, Yu.V. Reabsorption in crystals of a finite thickness. II, 2=6558
- Agranovich, V.M. and Konobeev, Yu.V. Diffusion of excitons in molecular crystals, 3=20139
- Agranovich, V.M. and Konobeev, Yu.V. Theory of the permittivity of crystals, 4=10090
- Agranovich, V.M. and Mikhlin, E.Ya. On a theory of swelling in porous materials, 2=21086
- Agranovich, V.M. and Mikhlin, E.Ya. Theory of swelling of porous materials, 3=2543
- Agranovich, V.M., Mikhlin, E.Ya. and Semenov, L.P. The kinetics of swelling of fissile materials caused by the production of a gaseous phase from a supersaturated solid solution, 4=9609
- Agranovich, V.M. and Rukhadze, A.A. A theory of absorption of light in crystals, 0=16041
- Agranovich, V.M. and Semenov, L.P. On the theory of the effect of irradiation on some properties of graphite, 2=20902
- Agranovich, V.M. and Semenov, L.P. On the theory of the effect of irradiation on some properties of graphite, 4=22648
- Agranovich, V.M. and Stavinskii, V.S. On the theory of the "second moment" in the nuclear model of Lane, Thomas and Wigner, 0=2619
- Agranovich, Z.S., Marchenko, V.A. and Shestopalov, V.P. The diffraction of electromagnetic waves from plane metallic lattices, 3=2124

- Agranovskaya, A.I. Physical-chemical investigation of the formation of complex ferroelectrics with the perovskite structure, 2=16777
- Agranovskaya, A.I. See Isupov, V.A., 2=18769
- Agranovskaya, A.I. See Isupov, V.A., 3=25390
- Agranovskaya, A.I. See Krainik, N.N., 0=7978
- Agranovskaya, A.I. See Smolenskii, G.A., 0=629
- Agranovskaya, A.I. See Smolenskii, G.A., 0=631
- Agranovskaya, A.I. See Smolenskii, G.A., 0=636
- Agranovskaya, A.I. See Smolenskii, G.A., 0=637
- Agranovskaya, A.I. See Smolenskii, G.A., 0=638
- Agranovskaya, A.I. See Smolenskii, G.A., 0=1698
- Agranovskaya, A.I. See Smolenskii, G.A., 0=6154
- Agranovskaya, A.I. See Smolenskii, G.A., 0=7974
- Agranovskaya, A.I. See Smolenskii, G.A., 0=16020
- Agranovskaya, A.I. See Smolenskii, G.A., 1=6195
- Agranovskaya, A.I. See Smolenskii, G.A., 1=12478
- Agranovskaya, A.I. See Smolenskii, G.A., 1=14560
- Agranovskaya, A.I. See Smolenskii, G.A., 2=2206
- Agranovskaya, A.I. See Smolenskii, G.A., 3=6614
- Agrawal, B.K. and Verma, G.S. Strain energy of dislocations in anisotropic crystals, 1=11190
- Agrawal, B.K. and Verma, G.S. Dislocation relaxation in zinc at low temperatures, 1=17535
- Agrawal, B.K. and Verma, G.S. Lattice thermal conductivity of ZnF_2 , CaF_2 , PbS and InSb at low temperatures, 2=16616
- Agrawal, B.K. and Verma, G.S. Dislocation contribution to the elastic constants of body-centred cubic crystals, 2=16943
- Agrawal, B.K. and Verma, G.S. Lattice thermal conductivity of solid helium, 3=321
- Agrawal, H.C. Heat transfer in laminar flow between parallel plates at small Péclet numbers, 0=6973
- Agrawal, H.C. A variational method for combined free and forced convection in channels, 2=15789
- Agrawal, J.P. See Saxena, S.C., 2=1206
- Agrawal, J.P. See Saxena, S.C., 2=19623
- Agrawal Krishna Bal. See Bal Krishna Agrawal.
- Agrawal, R.M., Asundi, R.K., Naik, R.C., Ramakrishnan, D. and Singh, S. Ultra-violet absorption spectra and higher excited states of Nd^{3+} in LaCl_3 at 77°K, 2=21247
- Agrawala, V.K. and Ramakrishnan, T.V. Neutron-proton interaction, 3=4398
- Agresta, J. and Borst, L. B. Space-dependent prompt kinetics of a subcritical reactor, 1=13882
- Agresta, J. See Tralli, N., 0=15616
- Agresta, J. See Tralli, N., 2=6016
- Agresta, J. See Waldinger, H., 4=19884
- Agrinier, B., Koechlin, Y., Parlier, B. and Catz, P. Variation of spark brilliance with ionization density along a particle track in a spark chamber, 3=19525
- Agrinier, B. and Raviart, A. Determination, to within 3×10^{-10} sec, of the instant of emission of a photon in the visible region, 1=6948
- Agron, P.A. See Burns, J.H., 3=12844
- Agron, P.A. See Levy, H.A., 0=3193
- Agron, P.A. See Levy, H.A., 0=4247
- Agron, P.A. See Levy, H.H., 3=16074
- Agroskin, L.S. and Korolev, N.V. Microscope-spectrophotometers, 0=3595
- Agroskin, L.S. and Korolev, N.V. A photometric attachment to a microscope, 4=14343
- Agt, T.W.J. van. See van Agt, T.W.J.
- Agu, B.N.C. See Matsukawa, E., 0=3816
- Aguilar, J. and Altés, M.C. Elastic scattering of 19.5 MeV deuterons in chloroform, 0=20461
- Aguilar, J., Burcham, W.E., Catalá, J., England, J.B.A., McKee, J.S.C. and Rotblat, J. The scattering of 38 MeV α -particles by C, N, O, F and Kr nuclei, 0=7583
- Aguilar, J., Burcham, W.E., England, J.B.A., García, A., Hodgson, P.E., March, P.V., McKee, J.S.C., Mosinger, E.M. and Toner, W.T. The scattering of 28.5 MeV ^3He particles by ^{12}C , ^{20}Ne and ^{40}Ar nuclei, 0=20463
- Aguilar, J., de la Cuadra, M. and Font, R. Study of neutron-proton scattering in photographic emulsions. I. Angular distribution of recoil protons scattered by neutrons of the reaction $\text{Li}^7(d, n)\text{Be}^8$, 1=16796
- Aguilar, J., England, J.B.A. and García, A. Inelastic scattering of He^3 and He^4 by carbon and neon, 3=12699
- Aguilar, J. and García, A. Polarization of a beam of 29 MeV He^3 particles on carbon targets, 2=3611
- Aguilar, J., García, A., England, J.B.A., Hodgson, P.E. and Toner, W.T. The elastic scattering of 29 MeV ^3He -particles by Cl, Kr and Xe, 1=12216
- Aguilar, J., Sánchez, A. and García, A. Interactions of a 29 MeV beam of He^3 particles with O^{16} . I. Elastic scattering $\text{He}^3 + \text{O}^{16}$, 4=9562
- Aguilar, J. See Catalá, J., 0=20468
- Aguilar, J. See Catalá, J., 1=17138
- Aguilar, J. See Catalá, J., 1=17150
- Aguilar, J. See Catalá, J., 2=3343
- Aguilar, J. See Catalá, J., 2=3612
- Aguilar, J. See Catalá, J., 2=5965
- Aguilar, J. See Catalá, J., 2=8008
- Aguilar, J. See Hodgson, P.E., 1=2228
- Aguilar, M., Sauras, E. and Gómez, M. On the existence of Panum's zones, 1=21127
- Aguilar, M., Sauras, E. and Gómez, M. Visual acuity in mesopic vision, 1=21128
- Agy, V. The types of blackout, their time variations, and the mechanisms producing them, 2=11808
- Agy, V. and Davies, K. Ionospheric investigations using the sweep-frequency pulse technique at oblique incidence, 0=3345
- Agy, V. and Davies, K. Worldwide patterns of ionospheric blackout occurrence, 3=5875
- Agy, V., Davies, K. and Salaman, R. An atlas of oblique-incidence ionograms (a digest), 2=4642
- Agy, V. See Zacharisen, D.H., 0=14252
- Agýbichanu, I., Kukurezyanu, I., Vasilu, V. and Popescu, P. Effect of nitrogen on excited mercury atoms, 2=14220
- Ahababian, N., Betev, B., Kavlov, S., Sándor, T. and Somogyi, A. On the daily variation of extensive air showers, 4=30289
- Aharoni, A. Some recent developments in micromagnetics at the Weizmann Institute of Science, 0=3003
- Aharoni, A. Reduction in coercive force caused by a certain type of imperfection, 0=11839
- Aharoni, A. On additivity of imperfections as means for domain nucleation, 1=6300
- Aharoni, A. Remanent state in one-dimensional micromagnetics, 1=11421
- Aharoni, A. Possibility of domain wall nucleation by thermal agitation, 2=12726
- Aharoni, A. Theoretical search for domain nucleation, 2=21315
- Aharoni, A. Complete eigenvalue spectrum for the nucleation in a ferromagnetic prolate spheroid, 3=23148
- Aharoni, A. Upper and lower bounds for the nucleation field in an infinite rectangular ferromagnetic cylinder, 3=23150
- Aharoni, A. One-dimensional theory of the parasitic paramagnetism term in the approach to saturation, 3=25511
- Aharoni, A. Contribution of line defects to the parasitic paramagnetism in the approach to magnetic saturation, 4=13111
- Aharoni, A. First approximation to magnetization curling in a chain of spheres, 4=13149
- Aharoni, A. Thermal agitation of single domain particles, 4=26297
- Aharoni, A., Ditkovsky, H., Frei, E.H. and Tzalmona, A. Transients in thermochromy of anils, 3=20979
- Aharoni, A., Frei, E.H., Scheidlinger, Z. and Schieber, M. Curie temperature of some garnets by the differential thermal analysis technique, 1=14749
- Aharoni, A., Frei, E.H. and Schieber, M. Curie point and origin of weak ferromagnetism in hematite, 2=16900
- Aharoni, A., Frei, E.H. and Shtrikman, S. Theoretical approach to the asymmetrical magnetization curve, 0=1785
- Aharoni, A., Frei, E.H. and Shtrikman, S. Theoretical approach to the asymmetrical magnetization curve, 0=3004
- Aharoni, A. and Neeman, E. Nucleation of magnetization reversal in iron whiskers, 4=7261
- Aharoni, A. and Sapozhnikov, D. Piezoelectricity in salicylidene aniline crystals, 4=22781
- Aharoni, A. and Schieber, M. Magnetic moment of lanthanum magneto-plumbite ferrite, 1=11452
- Aharoni, A. and Schieber, M. Magnetic moments of yttrium-iron garnets containing light rare earth ions, 2=2288
- Aharoni, A. See Abraham, C., 1=1211
- Aharoni, A. See Abraham, C., 3=5009
- Aharonov, Y., Bergmann, P. G. and Lebowitz, J. L. Time symmetry in the quantum process of measurement, 4=21035
- Aharonov, Y. and Bohm, D. Time in the quantum theory and the uncertainty relation for time and energy, 1=8052
- Aharonov, Y. and Bohm, D. Further considerations on electromagnetic potentials in the quantum theory, 1=12042
- Aharonov, Y. and Bohm, D. Remarks on the possibility of quantum electrodynamics without potentials, 2=9766
- Aharonov, Y. and Bohm, D. Further discussion of the role of electromagnetic potentials in the quantum theory, 3=14854
- Aharonov, Y. and Bohm, D. Answer to Fock concerning the time energy indeterminacy relation, 4=21034

- Aharonov, Y. See Bohm, D., 0=18950
- Ahearn, A.J. Mass spectrographic analysis of insulators using a vacuum spark positive ion source, 1=11640
- Ahearn, A.J. Mass spectrographic detection of impurities in liquids, 1=11641
- Ahearn, A.J. and Thurmond, C.D. Mass spectrographic detection of molecular species in group III-V compounds, 2=15128
- Ahern, S.A. Simple laboratory electromagnetic using aluminium foil magnetizing coils, 1=10762
- Ahern, S.A., Martin, M.J.C. and Sucksmith, W. The spontaneous magnetization of nickel + copper alloys, 0=1789
- Ahlborn, B. and Wienecke, R. Measurement of viscosity of carbon arc plasma in the temperature range from 5000° to 10 000°K, 2=19985
- Ahlborn, H. and Wassermann, G. Formation and orientation of tungsten whiskers, 1=15003
- Ahlburg, H. and Caines, R. Cubic cadmium sulfide, 2=10864
- Ahlburg, H. See Zallen, R., 0=11793
- Ahlers, G. Heat capacity of the γ -phase of He^4 , 4=11454
- Ahlers, G. Properties of He^4 near the γ phase, 4=21386
- Ahlers, G. Lattice heat capacity of solid hydrogen, 4=22491
- Ahlers, G. On the ortho-para conversion in solid hydrogen, 4=23621
- Ahlers, G. and Orttung, W.H. λ anomaly in the heat capacity of solid hydrogen at small molar volumes, 4=12644
- Ahlers, M. and Haasen, P. Orientation changes and multiple glide in silver single crystals, 3=5068
- Ahlf, J. See Schultze, G., 2=5814
- Ahlstrom, E., Matthei, W.G. and Gärtner, W.W. Use of surface-barrier photodiodes as fast response photocapacitors, 0=622
- Ahlstrom, E. and Gärtner, W.W. Silicon surface-barrier photocells, 2=18754
- Ahlstrom, E.R. See Gerber, E.A., 4=30096
- Ahlstrom, H.G., Mahaffey, D.W., Sanga, L. and Schoen, R.I. Observations of shock waves in an electrically driven shock tube, 4=24304
- Ahluwalia, H.S. Semidiurnal variation of cosmic rays on geomagnetically disturbed days, 2=18218
- Ahluwalia, H.S. and Dessler, A.J. Diurnal variation of cosmic radiation intensity produced by a solar wind, 2=16278
- Ahmad, H. See Chowdhry, A.M., 1=15781
- Ahmad, I. A model of the grain structure of tracks taking into account contact development, 0=12781
- Ahmad, I., Colle, P., Demers, P. and Demers, J. The nuclear emulsion considered as a generator of pulses, 0=12782
- Ahmad, I. and Demers, J. The effect of development on the structure of tracks and the fog in fine-grain emulsions, 0=5188
- Ahmad, I., Demers, P. and Meunier, J.L. Identification of particles in fine-grain emulsions, 0=197
- Ahmad, I. See Demers, P., 0=12783
- Ahmad, N. See Emeleus, K.G., 4=18722
- Ahmad, S. Thermodynamic foundations of information entropy theory, 2=21795
- Ahmad, S.I. Dielectric relaxation times of some disubstituted benzenes in solutions of hexane, 4=18214
- Ahmadzadeh, A. Modified Khuri series and its convergence for a single Yukawa potential, 4=11945
- Ahmadzadeh, A. Zero-energy intercepts of the ρ and R trajectories, the pn charge-exchange scattering, and the difference in pp and np total cross sections, 4=16821
- Ahmadzadeh, A. and Biswas, N.N. Velocity dependence of track density in propane and hydrogen bubble chambers, 1=7177
- Ahmadzadeh, A., Burke, P.G. and Tate, C. Regge trajectories for Yukawa potentials, 3=19568
- Ahmadzadeh, A. and Leader, E. Systematic approach to the analysis of NN and NN total cross sections, 4=19502
- Ahmadzadeh, A. and Sakmar, I.A. An approximation method for Regge trajectories and its implications on the spin 2 particle of the Chew-Frantschi diagram, 3=19572
- Ahmadzadeh, A. and Sakmar, I.A. Regge-pole hypothesis and π - p diffraction experiments, 4=9252
- Ahmadzadeh, A. and Sakmar, I.A. Phenomenological treatment of the ρ trajectory, 4=11946
- Ahmavaara, Y. Chirality invariance and the Lorentz group, 0=17208
- Ahmavaara, Y. Relativistic quantum theory as a group problem. I. General formalism, 2=4931
- Ahmavaara, Y. Relativistic quantum theory as a group problem. II. World geometry and the elementary particles, 2=11861
- Ahmavaara, Y. Relativistic quantum theory as a group problem. III. The interaction formalism, 3=2203
- Ahmavaara, Y. Relativistic quantum theory as a group problem. IV. Mathematical criticism of some current physical techniques, 3=4308
- Ahmed, H. and Beck, A.H.W. Thermionic emission from dispenser cathodes, 3=12235
- Ahmed, H. See Beck, A.H.W., 3=19302
- Ahmed, I. See Tallone, L., 2=22492
- Ahmed, M. and Tewary, V.K. Internal structure of planets, 2=15313
- Ahmed, S.J. and Halim, A. Total atmospheric ozone and geomagnetic activity, 2=2497
- Ahn, K.Y., Ansell, G.S., Barton, C.J. and Beam, W.R. Some structure-property relationships in thin magnetic films, 4=15640
- Ahn, K.Y. and Beam, W.R. Properties of molybdenum-Permalloy films, 4=13213
- Ahn, K.Y. See Beam, W.R., 3=25534
- Ahn, S.H. See Singletary, L.D., 4=1094
- Ahn, Y.-K. See Fan, L.-T., 2=15163
- Ahnström-Sandgren, B. See Ohman, Y., 1=15400
- Ahr, H. Growth of metal whiskers, 4=13553
- Ahrabi, R. and Klein, S. On the validity of the measurement of electron temperature in a flame by means of Langmuir probes in contact with a cold wall, 4=18934
- Ahrend, M. See Pohlmann, G., 0=1945
- Ahrenkiel, R.K. and Brown, F.C. Electron hall mobility in the alkali halides, 4=30644
- Ahrens, J. Negative ions and their importance for the analysis of residual gas, 3=21012
- Ahrens, L.H. Regularities involving ^3He and ^4He and their possible implications for nuclear structure, 2=1752
- Ahrens, L.H. Neutron numbers 98, 108 and 116, 3=12751
- Ahrens, T. Nuclear matrix element relations in the Fermi theory of beta decay, 0=11350
- Ahrens, T. Aether concept vs. special relativity, 2=2609
- Ahrens, T.J. and Katz, S. An ultrasonic interferometer for high-pressure research, 3=223
- Ahsanullah, A.K.M. and Qurashi, M.M. Investigation of fine structure in the steps observed in the intermolecular activation energy of viscous flow of ethylene glycol, 2=15567
- Ahsanullah, A.K.M. and Qurashi, M.M. A preliminary examination of the temperature variation of refractive index of water and its first derivative, 4=21125
- Ahsanullah, A.K.M. See Qurashi, M.M., 0=19480
- Ahsanullah, A.K.M. See Qurashi, M.M., 1=4324
- Ahsanullah, A.K.M. See Qurashi, M.M., 1=15780
- Ahsanullah, A.K.M. See Qurashi, M.M., 1=18643
- Ahsmann, G. See Haisma, J., 4=18718
- Ahsmann, G.J.M. Some remarks on the anode fall in the Faraday dark space, 3=4028
- Ahsmann, G.J.M. and v.Gelder, Z. The normal cathode fall for monocrystalline materials, 0=19633
- Ahuja, K.L. On the change of phase when both the phases have different thermal properties, 4=2887
- Ahuja, S.D.M. See Sundaresan, M.K., 2=16421
- Ai, B. and Lacoste, R. Variation of the number of discharges produced in an ionisation chamber as a function of the impedance of the source of supply, 4=11561
- Ai Bui. Generalization of the analogue method to the study of the phenomenon of ionization in insulating solids, 3=1939
- Aia, M.A., Mooney, R.W. and Hoffman, C.W.W. An X-ray study of pyrochlore fluoantimonates of calcium, cadmium, and manganese, 4=4603
- Aibers, Dzh.A. [Ibers, J.A.] and Vainshtein, B.K. An expanded table of atomic scattering amplitudes for electrons based on the statistical model including exchange, 0=16303
- Aibers, Dzh.A. [Ibers, J.A.]. See Vainshtein, B.K., 0=16302
- Aida, K. See Öse, M., 0=8394
- Aidarov, T.K. See Petrova, A.G., 3=25847
- Aiello, G., Palma, M. U. and Persico, F. Direct evidence for co-operative proton tunneling in the solid state, 4=28880
- Aigrain, P. "Helicons" in semiconductors, 3=6568
- Aigrain, P. [Ed.]. See Gibson, A.F. [Ed.], 0=20877
- Aigrain, P. See Gibson, A.F. [Eds.], 0=20878
- Aigrain, P. [Ed.]. See Gibson, A.F. [Ed.], 0=20879
- Aigrain, P. See Godefroy, L.R., 3=10609
- Aigrain, P. See Moch, P., 1=928
- Aigrain, P. See Pankove, J.I., 2=12587
- Aigrain, P. See Weulersse, P., 0=6423
- Aikens, R.S. See Powers, W.T., 3=9144
- Aikin, A.C. The sunrise absorption effect observed at low frequencies, 3=5882
- Aikin, A.C. See Nicolet, M., 0=14226
- Ailam (Volinez), G. and Gallily, I. Stability of an electrically charged droplet, 2=11345

- Ailam (Volinez), G. See Gallily, I., 2=11538
- Ailion, D. and Slichter, C. P. Study of ultraslow atomic motions by magnetic resonance, 4=20232
- Ailion, D. See Slichter, C. P., 4=28888
- Ailloud, M. See Tacussel, J., 1=15931
- Ainbinder, N. E. See Grechishkin, V. S., 2=2309
- Ainbinder, N. E. See Grechishkin, V. S., 2=10717
- Ainbinder, N. E. See Grechishkin, V. S., 4=20605
- Ainbinder, S. B. and Grinshtein, A. M. On the load-bearing capacity of a lubricating layer, 4=18149
- Ainbinder, S. B. and Klokova, E. F. Determination of forces of adhesion between solids, 4=1922
- Ainbinder, S. B. and Pranch, A. S. The effect of chemical affinity upon the adhesion of metals in friction, 4=10369
- Ainscough, J. B. Effect of adsorbent temperature on the Brunauer-Emmett-Teller surface area determined by Krypton adsorption at 77°K, 3=5145
- Ainslie, D. S. Electrification of conductors for demonstration experiments, 0=234
- Ainslie, D. S. Measurement of velocity of sound from resonance in open pipes, 0=2199
- Ainslie, D. S. Problems in electrostatics, 0=19589
- Ainslie, D. S. Rotating coil magnetometer for the measurement of the Earth's magnetic field, 1=5525
- Ainslie, D. S. Simplified bridge and resonant circuits for the measurement of resistance in absolute units, 2=1344
- Ainslie, D. S. Simple circuits for the measurement of magnetic field strength, inductance, and capacitance, 2=13519
- Ainslie, N., Pilkuhn, M. and Rupprecht, H. High-energy light emission from junctions in GaAs_xP_{1-x} diodes, 4=7183
- Ainslie, N. G., Blum, S. E. and Woods, J. F. On the preparation of high purity gallium arsenide, 2=19048
- Ainslie, N. G., Hoffman, R. E. and Seybolt, A. U. Sulfur segregation at α -iron grain boundaries. I, 1=3690
- Ainslie, N. G., Phillips, V. A. and Turnbull, D. Sulfur segregation at α -iron grain boundaries. II, 1=3691
- Ainslie, N. G. See Turner, W. J., 4=4296
- Ainslie, N. G. See Woods, J. F., 3=13416
- Ainsworth, J. See Lagow, H. E., 1=7927
- Ainsworth, J. E., Fox, D. F. and LaGow, H. E. Upper-atmosphere structure measurement made with the pitot-static tube, 2=2496
- Ainsworth, J. E. See Flanick, A. P., 1=8169
- Ainsworth, J. E. See Flanick, A. P., 1=10471
- Ainsworth, S. and Winter, E. An automatic recording polarization spectrofluorimeter, 4=14401
- Ainutdinov, M. S., Zombkovskii, S. M., Nikitin, S. Ya. and Selektor, Ya. M. A liquid-hydrogen bubble chamber with a diameter of 25 cm, 1=10818
- Ainutdinov, M. S., Zombkovskii, S. M., Nikitin, S. Ya. and Selektor, Ya. M. Elastic scattering of 7.2 BeV π^- -mesons on protons, 2=16234
- Ainutdinov, M. S., Zombkovskii, S. M., Nikitin, S. Ya. and Selektor, Ya. M. Elastic scattering of 7.2 BeV π^- -mesons on protons, 3=6058
- Ainutdinov, M. S., Zombkovskii, S. M., Nikitin, S. Ya., Selektor, Ya. M. and Grishin, A. F. $\pi\pi$ interaction in πp scattering at the energy of 7.2 BeV, 2=18167
- Ainutdinov, M. S., Zombkovskii, S. M., Nikitin, S. Ya., Selektor, Ya. M. and Grishin, A. F. $\pi\pi$ interaction in πp scattering at the energy of 7.2 BeV, 3=6053
- Ainutdinov, M. S., Zombkovskii, S. M., Nikitin, S. Ya., Selektor, Ya. M. and Shulyachenko, V. N. $\pi\pi$ interactions in the multiple production of pions in $\pi\pi$ collisions, 3=15018
- Ainutdinov, M. S., Zombkovskii, S. M., Nikitin, S. Ya., Selektor, Ya. M. and Shulyachenko, V. N. Multiple pion production in 7.2 BeV π^-p collisions, 3=24767
- Ainutdanov, M. S., Zombkovskii, S. M., Pletnikov, A. A., Selektor, Ya. M. and Shulyachenko, V. N. Elastic scattering of 3.5 GeV/c π^- -mesons by protons, 4=6115
- Ainutdinov, M. S., Zombkovskii, S. M., Selektor, Ya. M. and Shulyachenko, V. N. Study of $\pi\pi$ resonances in πp collisions for a momentum of the primary π^- -mesons of 3.5 BeV/c, 4=6126
- Ainutdinov, M. S., Zombkovskii, S. M., Selektor, Ya. M. and Shulyachenko, V. N. Inelastic interaction of 3.5 BeV/c π^- -mesons with protons, 4=25139
- Ainutdinov, M. S., Zombkovskii, S. M., Selektor, Ya. M. and Shulyachenko, V. N. $\pi^- + p \rightarrow 2\pi^- + 2\pi^+ + \pi^0 + n$ reaction with a 3.5 BeV/c primary π^- -meson pulse, 4=27881
- Ainutdinov, M. S. See Beketov, V. A., 2=22370
- Ainutdinov, M. S. See Selektor, Ya. M., 4=16769
- Airapetyants, A. V., Voitenko, R. M., Davydov, B. E. and Krentsel', B. A. The mechanism of conduction in organic semiconducting polymers, 3=20341
- Airapetyants, S. V. The direction of maximum thermoelectric efficiency in uniaxial crystals, 2=8448
- Airepetyants, S. V. and Bresler, M. S. Determination of the anisotropy of electrical conductivity of semiconductors by the four probes method, 0=572
- Airapetyants, S. V. and Shmelev, G. I. A method of growing homogeneous single crystals of alloyed semiconducting materials, solid solutions and intermetallic compounds of definite composition, given the composition of the melt, 0=12005
- Airey, J. See Rose, P. H., 4=29988
- Airoldi, G., Fuhrman, Z. and Germagnoli, E. Annealing of electron irradiated germanium, 0=4343
- Airoldi, G. and Pauthenet, R. Magnetic properties of the alloys Fe_{2-x}Ge and FeGe₂, 4=26309
- Aisenberg, S. The effect of helium on electron temperature and electron density in rare-gas lasers, 3=17091
- Aisenberg, S. Multiple probe measurements in high-frequency plasma lasers, 4=8971
- Aisenberg, S. The sticking coefficient, the optical transmission and the oxidation of thin metallic films, 4=20801
- Aisenberg, S., Statz, H. and Koster, G. F. Test of spin Hamiltonian for iron²⁺ in strontium titanate, 0=3133
- Aitchison, G. J., Thomson, J. H. and Weekes, K. Some deductions of ionospheric information from the observations of emissions from satellite 1957 α 2. II. Experimental procedure and results, 0=8396
- Aitchison, G. J. and Weekes, K. Some deductions of ionospheric information from the observations of emissions from satellite 1957 α 2. I, 0=8395
- Aitchison, I., Honeycombe, R. W. K. and Johnson, R. H. The thermal cycling of zirconium, 2=23883
- Aitchison, I. J. R. Extrapolation methods and the nucleon-deuteron breakup reaction, 3=17355
- Aitchison, I. J. R. Evidence relating to the existence of the f⁰ resonance, 3=22168
- Aitchison, I. J. R. Logarithmic singularities in processes with two final-state interactions, 4=11922
- Aitchison, I. J. R. and Kacser, C. Complex propagators in perturbation theory, 4=11873
- Aitchison, I. J. R. See Bonnevey, G., 1=19113
- Aitchison, R. E. Resistance between adjacent points of Liebman mesh, 4=24528
- Aitchison, R. E. See Mills, B. Y., 4=4932
- Aitchison, T. W., Bruce, J. W. and Winning, D. S. Vibration amplitude meter using moiré-fringe technique, 0=3581
- Aitken, A. H. See Manning, I., 2=14135
- Aitken, D. K., Heymann, F. F., Jennings, R. E. and Kalmus, P. I. P. The design and construction of a 29 MeV microtron, 1=9663
- Aitken, D. K., Jennings, R. E., Parsons, A. S. L. and Walker, R. N. F. Transition radiation in Čerenkov detectors, 4=3247
- Aitken, J. H. An electronic pulse multiplier for applications in nuclear physics, 2=9509
- Aitken, J. H. and Dixon, W. R. Studies of the (n, α) and (n, p) reactions in Si²⁸ at 14 MeV by a coincidence method, 2=20651
- Aitken, J. H. and Henry, W. H. A portable apparatus for measuring exposure in roentgens from strong γ -ray sources, 4=6262
- Aitken, J. H. See Dixon, W. R., 1=8747
- Aitken, J. H. See Dixon, W. R., 1=19062
- Aitken, K., Bickerton, R., Hardcastle, R., Jukes, J., Reynolds, P. and Spalding, I. Pinch stability: theory and experiments 4=8740
- Aitken, K. L., Bickerton, R. J., Ginot, P., Hardcastle, R. A., Malein, A. and Reynolds, P. The stability of linear pinch and hard-core discharges, 4=11651
- Aitken, K. L., Littler, D. J., Lockett, E. E. and Palmer, G. H. The pile-neutron absorption cross-section of samarium-149, 0=4125
- Aitken, M. J. Physics and archaeology, 1=6756
- Aitken, M. J. and Middlemas, N. Cu⁶⁵(γ , 3n) reaction and its bearing on the use of the Cu⁶³(γ , n)Cu⁶² reaction for bremsstrahlung monitoring, 0=5772
- Aitken, M. J. and Tite, M. S. A gradient magnetometer, using proton free-precession, 3=7671
- Aivazyan, G. M. See Shifrin, K. S., 4=14378
- Aivazjan, Ju. M. Equations of motion of charged bodies in the general theory of relativity, 2=21807
- Aivazyan, S. A. See Mustel', E. R., 2=962

- Aiya, S.V.C. Structure of atmospheric radio noise, 3=3470
- Aiyama, Y. See Tanaka, M., 4=3962
- Aiyama, Y. See Tanaka, M., 4=7620
- Aizawa, T. See Mutsuro, N., 3=19832
- Aizenberg, N.B. Penetration of electrons through a rectangular potential barrier with a small cylindrical inhomogeneity, 0=15334
- Aizu, H., Fujimoto, Y., Hasegawa, S., Koshiba, M., Mito, I., Nishimura, J. and Yokoi, K. Heavy primary cosmic radiations. Prince Albert project, 1=13548
- Aizu, H., Fujimoto, Y., Hasegawa, S., Koshiba, M., Mito, I., Nishimura, J., Yokoi, K. and Schein, M. Heavy nuclei in the primary cosmic radiation at Prince Albert, Canada. I. Carbon, nitrogen, and oxygen, 0=1338
- Aizu, H., Fujimoto, Y., Hasegawa, S., Koshiba, M., Mito, I., Nishimura, J., Yokoi, K. and Schein, M. The primary cosmic radiation at Prince Albert, Canada, 1=3316
- Aizu, H., Fujimoto, Y., Hasegawa, S., Koshiba, M., Mito, I., Nishimura, J., Yokoi, K. and Schein, M. Heavy nuclei in the primary cosmic radiation at Prince Albert, Canada. II, 1=3317
- Aizu, H., Mito, I., Fujimoto, Y., Hasegawa, S., Koshiba, M., Nishimura, J. and Yokoi, K. Heavy primary cosmic radiations observed on 11 Sept., 1957, at Prince Albert, Canada, 2=22664
- Aizu, H., Tamai, E., Koshiba, M. and Lohrmann, E. The heavy nuclei in the primary cosmic radiation at Sioux Falls, S.D., 2=20452
- Aizu, H. See Koshiba, M., 3=24815
- Aizu, K. Maximal weak interactions, 0=20034
- Aizu, K. Polarization, pyroelectricity, and ferroelectricity of ionic crystals, 2=23497
- Aizu, K. Parameter differentiation of quantum-mechanical linear operators, 3=16522
- Aizu, K. Ferroelectric transformations of tensorial properties in regular ferroelectrics, 4=12967
- Aizu, K. Reversal in optical rotatory power — "gyroelectric" crystals and the "hypergyroelectric" crystals, 4=13012
- Aizu, K. Evolution of cosmic rays in galaxies, 4=15907
- Aizu, K. Irregular ferroelectrics, 4=17517
- Aizu, K. Symmetries in the paraelectric phase-transformations of ferroelectric crystals, 4=29001
- Aizu, K., Dell' Antonio, G. and Siegert, A.J.F. Field operators for bosons with impenetrable cores. II. Equations of motion and general operator formalism, 4=16807
- Aizu, K. and Honda, T. On a possible small Pauli term in quantum electrodynamics, 0=20029
- Aizu, K. and Nakada, O. Perfectness of macrodomains of BaTiO₃ crystals, 1=14553
- Aizu, K. See Abe, R., 1=10672
- Ajdačić, V., Kurepa, M. and Lalovic, B. Semiconductor measures fluxes in operating cone, 2=12263
- Ajdačić, V. See Kulišić, P., 4=22155
- Ajdačić, V. See Slavić, I., 2=3222
- Ajdačić, V.S., Azuma, R.E. and Fleming, W.H. Measuring-in-core neutron fluxes with semiconductors, 3=22452
- Ajdačić, V.S., Cerineo, M.A., Dimitrijević, Z.D. and Milojević, A.A. Low pressure expansion cloud chamber, 1=13238
- Ajro, Y. See Amaya, K., 4=23073
- Ajzenberg-Selove, F., Cranberg, L. and Dietrich, F.S. Energy levels of Na²¹ and Mg²², 2=381
- Ajzenberg-Selove, F. and Dunning, K.L. Neutrons from the He³ bombardment of O¹⁶ and Mg²⁴, 0=15581
- Ajzenberg-Selove, F., Osgood, C.F. and Baker, C.P. Neutrons from the proton bombardment of Li⁶ and Li⁷, 0=4096
- Ajzenberg-Selove, F. and Stelson, P.H. Be⁹(α ,n)C¹² reaction and the parameters of the 7.66 MeV state of C¹², 0=17609
- Akabane, K. Solar radio emission at 9500 Mc/s. I. A polarimeter in the microwave region, 0=16524
- Akabane, K. Solar radio emission at 9500 Mc/s. II. Observation of the solar radio emission, 0=18644
- Akabane, K. and Cohen, M.H. Polarization measurements of Type III bursts and Faraday rotation in the corona, 1=2658
- Akahori, H., Kubozoe, M. and Kimura, H. A new electron microscope excited by both permanent magnets and electromagnets, 3=19355
- Akalaev, G. G., Vartanov, N. A. and Samoilov, P. S. Low energy γ -transitions in Pu²³⁸ and Pu²⁴⁰, 4=25329
- Akamatsu, K. See Matuzawa, T., 3=18478
- Akamatsu, T. Shock speed measurement by a modified streak camera, 4=24303
- Akamatsu, H. and Kuroda, H. Photoconduction in charge-transfer complexes, 4=7079
- Akamatsu, H. See Kuroda, H., 4=22909
- Akano, M. See Suzuki, R., 1=18711
- Akano, M. See Suzuki, R., 0=16948
- Akao, Y. and Ida, Y. Resonance of surface waves on a cylindrical plasma column, 3=19254
- Akao, Y. and Ida, Y. Electron density measurement of a plasma column by surface wave resonances, 4=27535
- Akasaka, K., Itoh, N. and Suita, T. Thermoluminescence of gamma-irradiated KCl, 2=12638
- Akasaka, K., Itoh, N. and Suita, T. Thermoluminescence of gamma-irradiated NaCl crystals, 3=11017
- Akasaka, K., Ohnishi, S., Suita, T. and Nitta, I. E. s. r. study of a single crystal of L-cystine dihydrochloride irradiated at low temperature, 4=20591
- Akasaki, I. See Arizumi, T., 2=19112
- Akasaki, I. See Arizumi, T., 2=23813
- Akasaki, I. See Arizumi, T., 3=8440
- Akasaki, I. See Arizumi, T., 3=13601
- Akasaki, I. See Arizumi, T., 4=1470
- Akasaki, I. See Arizumi, T., 4=7555
- Akasaki, I. See Arizumi, T., 4=13708
- Akashi, K., Saito, H. and Sugihara, M. Universal shock tube, 3=18902
- Akashi, M., Shimizu, K., Watanabe, Z., Ogata, T., Ogita, N., Misaki, A., Mito, I., Oyama, S., Tokunaga, S., Tamura, M., Fujimoto, Y., Hasegawa, S., Nishimura, J., Niu, K. and Yokoi, K. Observations on high energy jets and gamma-rays with large emulsion chambers, 2=12083
- Akashi, M. See Shoda, K., 2=12181
- Akashi, M. See Shoda, K., 3=4614
- Akashi, T. and Okado, T. Magnetic after effects in manganese zinc ferrites, 1=20136
- Akasofu, S. Magneto-hydrodynamic waves in the ionosphere, 0=8370
- Akasofu, S. On the ionospheric heating by hydromagnetic waves connected with geomagnetic micropulsations, 0=16439
- Akasofu, S. On the electric field of the polar magnetic storm, 0=18466
- Akasofu, S. and Chapman, S. The ring current, geomagnetic disturbance, and the Van Allen radiation belts, 1=21089
- Akasofu, S. and Chapman, S. The ring current and a neutral line discharge theory of the aurora polaris, 2=13044
- Akasofu, S.I. The ring current and the outer atmosphere, 0=14263
- Akasofu, S.I. Large-scale auroral motions and polar magnetic disturbances. I. A polar disturbance at about 1100 hours on 23 September 1957, 0=18467
- Akasofu, S.I. Thickness of an active auroral curtain, 1=21038
- Akasofu, S.I. Large-scale auroral motions and polar magnetic disturbances. II. The changing distribution of the aurora during large magnetic storms, 2=21666
- Akasofu, S.-I. On a self-consistent calculation of the ring current field, 3=5815
- Akasofu, S.I. The auroral rays, 3=11451
- Akasofu, S.-I. Deformation of magnetic shells during magnetic storms, 4=2319
- Akasofu, S.-I. The development of the auroral sub-storm, 4=23787
- Akasofu, S.I. The development of geomagnetic storms after a negative sudden impulse, 4=26871
- Akasofu, S.-I. A source of the energy for geomagnetic storms and auroras, 4=29338
- Akasofu, S.-I. and Cain, J.C. The magnetic field of the radiation belts, 3=16293
- Akasofu, S.I., Cain, J.C. and Chapman, S. The magnetic field of a model radiation belt, numerically computed, 2=13059
- Akasofu, S. Cain, J.C. and Chapman, S. The magnetic field of the quiet-time proton belt, 3=1492
- Akasofu, S.I. and Chapman, S. A neutral line discharge theory of the aurora polaris, 1=7943
- Akasofu, S.I. and Chapman, S. Some features of the magnetic storms of July 1859 and tentative interpretations, 2=921
- Akasofu, S.I. and Chapman, S. Large-scale auroral motions and polar magnetic disturbances. III. The aurora and magnetic storm of 11 February 1958, 2=21667
- Akasofu, S.I. and Chapman, S. A large change in the distribution of the auroras during the 11 February 1958 magnetic storm, 3=3020
- Akasofu, S.I. and Chapman, S. The lower limit of latitude (U.S. sector) of northern quiet auroral arcs, and its relation to Dst(H), 3=6995
- Akasofu, S.I. and Chapman, S. The development of the main phase of magnetic storms, 3=11469

- Akasofu, S.-I. and Chapman, S. Magnetic storms: the simultaneous development of the main phase (DR) and of polar magnetic substorms (DP), 3=21073
- Akasofu, S. I. and Chapman, S. On the asymmetric development of magnetic storm fields in low and middle latitudes, 4=26872
- Akasofu, S.-I., Chapman, S. and Venkatesan, D. The main phase of great magnetic storms, 3=25947
- Akasofu, S.I. and Kimball, D.S. The dynamics of the aurora. I. Instabilities of the aurora, 4=17926
- Akasofu, S.-I. and Lin, W.C. The magnetic moment of model ring current belts and the cutoff rigidity of solar protons, 3=13810
- Akasofu, S.I., Lin, W.C. and Van Allen, J.A. The anomalous entry of low-rigidity solar cosmic rays into the geomagnetic field, 4=3516
- Akasofu, S.-I. See Arnoldy, R.L., 3=13817
- Akasofu, S.I. See Wescott, E.M., 4=13863
- Akasofu, Syun-Ichi and Chapman, S. The enhancement of the equatorial electrojet during polar magnetic substorms, 4=2236
- Akasofu, S. J. See Rees, M. H., 4=7943
- Akatsuka, K. See Nakajima, K., 3=24480
- Akcasu, A.Z. Measurement of noise power spectra by Fourier analysis, 1=7970
- Akcasu, A.Z. and Dafes, A. A study of nonlinear reactor dynamics, 1=17202
- Akcasu, Z. General solution of the reactor kinetic equations without feedback, 0=13321
- Akchurin, R.Sh. See Karasik, A.A., 4=14858
- Akchurin, R.Sh. See Karasik, V.R., 3=19410
- Aked, A. Bruce, F.M. and Gordon, C. Some sparkover phenomena with enclosed gaps, 0=10887
- Akerib, R. Microwave breakdown of the atmosphere, 3=4096
- Akerib, R. Empirical relations for the energy levels of atoms and ions in an isoelectronic sequence, 3=17522
- Akerib, R. and Borowitz, S. Application of the impulse approximation to the scattering of electrons by atoms. I. Inelastic scattering by hydrogen atoms, 1=8822
- Akerlind, L. See Uhler, U., 1=19634
- Akerlind, L. Rotational analysis of the band systems of lanthanum oxide, 2=8090
- Akerlind, L. Rotational analysis of the blue-green and orange systems of scandium oxide, 2=10246
- Akerlind, L. Rotational analysis of the red and green-yellow systems of lanthanum oxide, 2=10247
- Akerlind, L. See Uhler, U., 0=1497
- Akerlof, C. W., Berkelman, K., Rouse, G. and Tigner, M. Neutron form factors from inelastic electron-deuteron scattering, 4=25206
- Akhbabayan, N. See Bozoki, G., 4=27926
- Akhachinskii, V.V. and Mashirev, V.P. An automatic method for maintaining equality of temperature between two media, 2=1302
- Akhadov, Ya.Yu. See Shakhparonov, M.I., 3=21386
- Akhezer, A.I. and Akhezer, I.A. The problem of coexistence of superconductivity and ferromagnetism, 3=16856
- Akhiezer, A. See Akhezer, A.I., II, 2=21851
- Akhiezer, A.I., Akhezer, I.A. and Pomeranchuk, I.Ya. On the theory of scattering of slow neutrons in a Fermi liquid, 1=18323
- Akhiezer, A.I., Akhezer, I.A. and Pomeranchuk, I.Ya. On scattering of slow neutrons in a Fermi liquid, 3=7863
- Akhiezer, A.I., Akhezer, I.A. and Sitenko, A.G. Contribution to the theory of plasma fluctuations, 1=18906
- Akhiezer, A.I., Akhezer, I.A. and Sitenko, A.G. Contribution to the theory of plasma fluctuations, 2=22236
- Akhiezer, A.I., Aleksin, V.F., Bar'yakhtar, V.G. and Peletminskii, S.V. Effect of radiative effects on electron relaxation and electric conductivity of a plasma in a strong magnetic field, 2=9585
- Akhiezer, A.I., Aleksin, V.F., Bar'yakhtar, V.G. and Peletminskii, S.V. Effect of radiative effects on electron relaxation and electric conductivity of a plasma in a strong magnetic field, 3=5671
- Akhiezer, A.I. and Bar'yakhtar, V.G. The theory of thermal conductivity of ferromagnetic dielectrics at low temperatures, 1=922
- Akhiezer, A.I., Bar'yakhtar, V.G. and Kaganov, M.I. Spin waves in ferromagnets and antiferromagnets. I, 1=7739
- Akhiezer, A.I., Bar'yakhtar, V.G. and Kaganov, M.I. Spin waves in ferromagnets and antiferromagnets. II, 1=11417
- Akhiezer, A.I., Bar'yakhtar, V.G. and Peletminskii, S.V. On the theory of relaxation processes in ferroelectrics at low temperatures, 0=4497
- Akhiezer, A.I., Bary'akhtar, V.G. and Peletminskii, S.V. Effect of radiation processes on transport phenomena in a plasma in a strong magnetic field, 3=14583
- Akhiezer, A.I., Bar'yakhtar, V.G. and Peletminskii, S.V. Coherent amplification of spin waves, 3=23208
- Akhiezer, A.I., Bar'yakhtar, V.G. and Peletminskii, S.V. Coherent amplification of spin waves, 4=4338
- Akhiezer, A.I., Kitsenko, A.B. and Stepanov, C.N. Interaction of charged-particle beams with low-frequency plasma oscillations, 2=201
- Akhiezer, A.I., Kitsenko, A.B. and Stepanov, C.N. Interaction of charged-particle beams with low-frequency plasma oscillations, 3=4171
- Akhiezer, A.I., Lyubarskii, G.Ya. and Polovin, R.V. Simple waves in magnetohydrodynamics, 0=9164
- Akhiezer, A.I., Lyubarskii, G.Ya. and Polovin, R.V. Stability conditions on the electron distribution function for a plasma, 1=18818
- Akhiezer, A.I., II, Akhezer, A. and Pomeranchuk, I.Ya. On the theory of scattering of slow neutrons in a Fermi liquid, 2=21851
- Akhiezer, A.N. Coupling of rectangular waveguides by means of a hole in the wide wall, 0=17109
- Akhiezer, A.N. Coupling of rectangular waveguides by means of a hole in the wide wall, 1=4725
- Akhiezer, I.A. Theory of the interaction of a charged particle with a plasma in a magnetic field, 1=18832
- Akhiezer, I.A. The development of fluctuations in a plasma with an unstable distribution function, 2=9609
- Akhiezer, I.A. The development of fluctuations in a plasma with an unstable distribution function, 3=5685
- Akhiezer, I.A. On the possibility of anomalous fluctuations in liquid helium II, 3=16850
- Akhiezer, I.A. Restrictions imposed on the Regge trajectory by maximal analyticity, 3=21250
- Akhiezer, I.A. Reflection of electromagnetic waves from a plasma, 4=16483
- Akhiezer, I. A. Interaction of charged particles with a turbulent plasma, 4=21503
- Akhiezer, I. A. On the interaction between charged particles and a turbulent plasma, 4=29944
- Akhiezer, I.A., Bar'yakhtar, V.G. and Peletminskii, S.V. The theory of low-temperature, high-frequency magnetic susceptibility of a ferroelectric, 1=14683
- Akhiezer, I.A. and Bolot, Yu. L. Theory of the interaction between charged particles and a nonequilibrium plasma, 4=19045
- Akhiezer, I.A., Danelya, I.A. and Tsintsadze, N.L. Theory of transformation and scattering of electromagnetic waves in a nonequilibrium plasma, 4=11626
- Akhiezer, I.A. and Peletminskii, S.V. Application of the quantum field theory methods in investigation of the thermodynamical properties of an electron and photon gas, 1=5236
- Akhiezer, I.A. and Polovin, R.V. Motion of a conducting piston in a magnetohydrodynamical medium, 0=9165
- Akhiezer, I.A. and Polovin, R.V. Theory of relativistic magnetohydrodynamic waves, 0=11028
- Akhiezer, I.A., Polovin, R.V. and Tsintsadze, N.L. Simple waves in the Chew-Goldberger-Low approximation, 0=9163
- Akhiezer, I.A. See Akhezer, A.I., 1=18323
- Akhiezer, I.A. See Akhezer, A.I., 1=18906
- Akhiezer, I.A. See Akhezer, A.I., 2=22236
- Akhiezer, I.A. See Akhezer, A.I., 3=7863
- Akhezer, I.A. See Akhezer, A.I., 3=16856
- Akhiyezer, A.Y., Lyubars'kii, H.Ya. and Polovin, R.V. Simple waves in magneto-hydrodynamics, 1=13168
- Akhiyezer, O.I. Theory of the electromagnetic properties of a system of many charged particles, 2=9581
- Akhiyezer, O.I. Collective oscillations in a mixture of Fermi and Bose liquids, 4=5096
- Akhiyezer, O.I. Amplification of collective oscillations in quantum liquids, 4=5097
- Akhiyezer, O.I. and Sytenko, O.H. Diffraction nuclear processes at high energies, 1=10997
- Akhmanov, S.A., D'yakov, Yu.E., Romanyuk, A.K. and Strukov, M.M. A stable band generator with a nonlinear reactance, 2=22147
- Akhmanov, S.A., Gvozdoval, S.D., Gorshkov, A.S. and Dmitriev, V.G. Nonlinear effects and parametric amplification in the wave interaction in waveguides with long electron streams, 3=21979
- Akhmanov, S.A. and Khoklov, R.V. Concerning the possibilities for amplification of light, 2=21987
- Akhmanov, S.A. and Khokhlov, R.V. Concerning the possibilities for amplification of light, 3=7301

- Akhmanov, S. A., Kovrigin, A. I., Khokhlov, R. V. and Chunayev, O. N. Coherent interaction length of light waves in a nonlinear medium, 4=5353
- Akhmanov, V. V. See Gurevich, I. I., 4=30246
- Akhmatov, A. P., Blinov, P. I., Bolotin, V. F., Borodin, A. V., Gavrin, P. P., Zavoiskii, E. K., Kovan, I. A., Oganov, M. N., Patrushev, B. I., Piskarev, E. V., Rusanov, V. D., Smolkin, G. E., Striganov, A. R., Frank-Kamenetskii, D. A., Cheremnykh, P. A., and Chikin, R. V. Magneto-acoustic resonance in a plasma, 1=4628
- Akhmatov, A. S. The physical basis of the fundamental law of surface friction, 4=10365
- Akhmedov, A. R. and Zaitsev, A. A. Noise in a gas discharge and instabilities of the column in a longitudinal magnetic field, 3=24285
- Akhmedov, A. R. and Zaitsev, A. A. Instability of a plasma in a magnetic field upon transition from low to high pressures, 4=5681
- Akhmedov, S. Sh. See Karasik, V. R., 3=19410
- Akhmedov, S. S. See Savitskii, E. M., 4=27612
- Akhmedov, S. Sh. See Karasik, A. A., 4=14858
- Akhmetzyanov, K. G. See Pozdnyak, N. Z., 4=25869
- Akhundov, G. A. Diffusion of components in Ti_2Se and InSe and rectification at the $\text{Se-Ti}_2\text{Se}$ and Se-InSe boundaries, 3=25293
- Akhundov, G. A., Abdullaev, G. B., Alieva, M. K. and Efetdinov, G. A. Preparation and investigation of the semi-conducting compounds Ag_2Te , Ag_2Se , SnTe and CdTe , 4=1622
- Akhundov, G. A. See Alieva, M. Kh., 4=1689
- Akhundov, G. A. See Guseinov, G. D., 2=18712
- Akhundov, G. A. See Guseinov, G. D., 2=23410
- Akhundov, G. A. See Ismailov, F. I., 4=28687
- Akhundov, T. S. See Rivkin, S. L., 4=2657
- Akhundov, T. S. See Rivkin, S. L., 4=29813
- Akhundova, S. A. See Abdullaev, G. B., 1=9989
- Akhundova, S. A. See Abdullaev, G. B., 1=11170
- Akiba, T. Photodisintegration of the deuteron at high energies, 1=9778
- Akiba, T. Two-nucleon potentials from dispersion relations, 2=11898
- Akiba, T. S-wave \bar{K} -N reactions and vector mesons by semi-phenomenological amplitudes, 3=10172
- Akiba, T. and Capps, R. H. S-wave K-N scattering amplitudes, 2=20422
- Akiba, T. and Sato, I. The dispersion relations for the scattering of photons from proton, 0=11130
- Akiba, T. and Takagi, F. Vector meson effects in kaon-nucleon scattering, 4=30273
- Akiba, T. See Kimura, M., 1=5909
- Akiba, T. See Kimura, M., 1=12194
- Akiba, T. See Ogura, S., 4=30226
- Akima, H. See Hirono, M., 1=15338
- Akimchenko, I. P. and Milevskii, L. S. Diffusion of antimony in germanium alloyed with aluminium, 1=988
- Akimchenko, I. P. and Milevskii, L. S. Diffusion of antimony in germanium alloyed with aluminium, 1=4989
- Akimchenko, I. P., Vavilov, V. S. and Plotnikov, A. F. Spectra and kinetics of the photoconductivity related to simple structural defects in germanium single crystals, 3=20409
- Akimchenko, I. P. See Shashkov, Yu. M., 0=4302
- Akimoto, K. and Sibley, W. A. Hardening of potassium chloride single crystals by quenching and irradiation, 3=16008
- Akimoto, K. See Sonoike, S., 1=14635
- Akimoto, K. See Sonoike, S., 3=23106
- Akimoto, S. Magnetic properties of $\text{FeO-Fe}_2\text{O}_3\text{-TiO}_2$ system as a basis of rock magnetism, 3=1497
- Akimoto, S. See Nagata, T., 1=12534
- Akimoto, S. See Syono, S., 3=11063
- Akimov, I. See Terenin, A., 1=6060
- Akimov, I. See Terenin, A., 2=6488
- Akimov, I. A. The effect of illumination on the contact potential of some semiconductors, 0=1626
- Akimov, I. A. Investigation of the internal photoeffect spectra in photochemically sensitive semiconductors, 2=21198
- Akimov, I. A. Investigation of the internal photoeffect spectra in photochemically sensitive semiconductors, 3=2969
- Akimov, I. A. Temperature dependence of the photoconductivity of dye-sensitized thallium iodide, 4=12993
- Akimov, I. A. and Putseiko, E. K. Photoelectric sensitivity spectra of semiconductors, determined by various methods, 2=23445
- Akimov, I. A. and Putseiko, E. K. Photoelectric sensitivity spectra of semiconductors, determined by various methods, 3=2967
- Akimov, I. A. See Baranov, E. V., 4=21324
- Akimov, I. A. See Kholmogorov, V. E., 2=21374
- Akimov, Yu. K. A coincidence circuit for small amplitude pulses, 0=5464
- Akimov, Yu. K., Butslov, M. M., Savchenko, O. V. and Soroko, L. M. Controlled luminescence camera with 2500 c.c. working volume of the scintillator, 2=20194
- Akimov, Yu. K., Komarov, V. I., Savchenko, O. V. and Soroko, L. M. Separation of particles according to ionization in several scintillation counters, 4=16731
- Akimov, Yu. K., Komarov, V. I., Marish, K. S., Savchenko, O. V. and Soroko, L. M. Search for anomalies in the spectrum of the H^3 nuclei emitted in the reaction $p + d \rightarrow \text{H}^3 + \pi^+ + \pi^0$ at a proton energy of 670 MeV, 2=287
- Akimov, Yu. K., Komarov, V. I., Savchenko, O. V. and Soroko, L. M. The separating of particles according to their ionization value in several scintillation counters, 1=1985
- Akimov, Yu. K., Komarov, V. I., Marish, K. S., Savchenko, O. V. and Soroko, L. M. $\pi - \pi$ anomalies in a spectrum of H^3 nuclei in the reaction $p + d \rightarrow \text{H}^3 + \pi^+ + \pi^0$ with 670 MeV protons, 2=7889
- Akimov, Yu. K., Komarov, V. I., Marish, K. S., Savchenko, O. V. and Soroko, L. M. Search for anomalies in the spectrum of the H^3 nuclei emitted in the reaction $p + d \rightarrow \text{H}^3 + \pi^0 + \pi^0$ at a proton energy of 670 MeV, 3=4390
- Akimov, Yu. K. and Kuznetsov, A. S. A twenty-channel amplitude analyser, 2=7542
- Akimov, Yu. K., Marish, K. S., Savchenko, O. V. and Soroko, L. M. Measurement of the polarization of deuterons in the reaction $p + p \rightarrow d + \pi^+$ at proton energies of 670 MeV, 0=9357
- Akimov, Yu. K., Marish, K. S., Savchenko, O. V. and Soroko, L. M. Measurement of the polarization of deuterons in the reaction $p + p \rightarrow d + \pi$ with 670 MeV protons, 0=11169
- Akimov, Yu. K., Savchenko, O. V. and Soroko, L. M. The reaction $d + d \rightarrow \pi^0 + \text{He}^4$ at a deuteron energy of 400 MeV, 0=15459
- Akimov, Yu. K., Savchenko, O. V. and Soroko, L. M. The reaction $p + d \rightarrow t + \pi^+$ at 670 MeV proton energy, 1=13410
- Akimov, Yu. K., Savchenko, O. V. and Soroko, L. M. Experimental verification of the charge invariance principle in the $d + d \rightarrow \text{He}^4 + \pi^0$ reaction for 400 MeV deuterons, 1=19287
- Akimov, Yu. K., Savchenko, O. V. and Soroko, L. M. Search for anomalies in the energy dependence of the cross-section of the reaction $p + p \rightarrow d + \pi^+$ near threshold of pion-pair production, 2=286
- Akimov, Yu. K., Savchenko, O. V. and Soroko, L. M. Experimental verification of the charge invariance principle in the $d + d \rightarrow \text{He}^4 + \pi^0$ reaction for 400 MeV deuterons, 2=22655
- Akimov, Yu. K., Savchenko, O. V. and Soroko, L. M. Search for anomalies in the energy dependence of the cross-section of the reaction $p + p \rightarrow d + \pi^+$ near threshold of pion-pair production, 3=4389
- Akimova, M. K., Blokhintsev, L. B. and Dolinsky, E. I. Angular distribution and polarization of the neutrons emitted in μ -capture in certain light nuclei, 1=5929
- Akimova, M. K., Blokhintsev, L. D. and Dolinsky, E. I. The angular distribution and polarization of the neutrons that are emitted in μ capture in certain light nuclei, 1=17134
- Akimova, M. K. See Strutinski, V. W., 0=9593
- Akimova, M. K. See Strutinski, V. M., 0=13286
- Akimovich, O. M. See Mikhailov, H. C., 3=21457
- Akimune, H. See Mori, I., 3=19285
- Akindinov, V. V. See Linkova, N. V., 0=13263
- Akinyan, S. T. See Mogilevsky, E. I., 1=18147
- Akinyan, S. T. See Mogilevsky, E. I., 2=15399
- Akischn, P. A. and Rambidi, N. G. Molecular structure studies on alkali halides in the vapour state by electron diffraction, 0=5992
- Akishin, A. I. Detection of ion beams by electron multipliers in mass spectrometry and nuclear physics, 0=3813
- Akishin, A. I. Electron multiplier for recording of flying-by charged particles, 2=22363
- Akishin, A. I. and Doktorov, Yu. A. Emission of charged particles by some substances under bombardment with brass and quartz grains, 4=8826
- Akishin, A. I. and Doktorov, Yu. A. On electrical breakdown in a high vacuum, 4=14602
- Akishin, A. I. and Vasil'ev, S. S. Emission of secondary electrons under the action of Li, B and N with energy up to 10 MeV, 0=267
- Akishin, A. I., Vasil'ev, S. S. and Isaev, L. N. Cathode sputtering of mica, fused quartz and glass by krypton ions, 4=12825

- Akishin, P. A., Gorokhov, L. N., Nikitin, O. T. and Khodeev, Yu. S. The use of a standard mass spectrometer in the investigation of the evaporation of low-volatile substances, 4=16564
- Akishin, P. A., Naumov, V. A. and Tatevskii, V. M. Electron diffraction investigation of the molecular structures of gallium and yttrium halides, 0=15774
- Akishin, P. A., Rambidi, N. G. and Zazorin, E. Z. Electron diffraction investigation of the molecular structures of the aluminum halides, 0=14007
- Akishin, P. A., Rambidi, N. G. and Zazorin, E. Z. An electron diffraction investigation of the structure of the phosphorus pentoxide molecule, 0=17855
- Akishin, P. A. and Vil'kov, L. V. On the possibility of nonplanar structures of some molecules with conjugated bonds, 2=22952
- Akishin, P. A., Vil'kov, L. V., Zazorin, E. Z., Rambidi, N. G. and Spiridonov, V. P. Electron diffraction investigation of the molecular structure of some gaseous oxides, 2=22951
- Akishin, P. A. See Panchenkov, G. M., 0=276
- Akishin, P. A. See Sidorov, L. I., 3=24113
- Akisue, O. See Tanaka, S., 4=17463
- Akita, K. See Fukushima, M., 4=26798
- Akita, K. See Hirao, K., 0=14195
- Akiyama, K. On the motion of the asteroid Hilda (153), 3=16361
- Akiyama, K. and Yamaguchi, J. Temperature distribution in silicon ingots during crystal growth, 2=14955
- Akiyama, K. and Yamaguchi, J. Dislocations in silicon single crystals grown by the floating zone method, 4=30563
- Akiyama, Y. Surface diffusiveness and phenomenological treatment of O^{17} nucleus, 1=3399
- Akiyoshi, T. See Katase, A., 2=20341
- Akiyoshi, T. See Sonoda, M., 2=5433
- Akiyoshi, Ts. See Seki, M., 4=15247
- Akkerman, A. F., Kaipov, D. K. and Shubnyi, Yu. K. Resonance scattering of gamma rays by Te^{124} nuclei, 1=16974
- Akkerman, A. F., Kochetkov, V. L., Chekanov, V. A., Suvorov, V. A. and Shtolts, A. K. Lifetime of the $4'(2310 \text{ keV})$ level in Ti^{48} , 4=9401
- Akkerman, A. F., Vil'kovskii, E. Ya., Kaipov, D. K. and Chekanov, V. N. Measurement of the lifetime of the $4'$ level (1281 keV) of the Cd^{114} nucleus by the resonance scattering method, 3=15149
- Akkerman, H. J. See Hollstein, V., 1=13215
- Aklonis, J. J. See Tobolsky, A. V., 4=28293
- Akoa, Y. See Ida, Y., 4=5624
- Akobjanoff, L. Quantum kinetics of black absorption and white scattering, 4=8441
- Akol'zina, L. A. Preconduction current pulses at reduced pressure, 0=1105
- Akon, C. D. and Iredale, T. The nuclear quadrupole and electron spin resonance spectra of some chlorine compounds including $(Me, PhN)(FeCl_2)$, 1=7808
- Akopyan, M. E., Balyakin, I. I. and Vilesov, F. I. The Mv-3 vacuum monochromator, 3=1818
- Akopyan, M. E., Vilesov, F. I. and Terenin, A. N. Mass-spectroscopic investigation of the dependence on the energy of excitation of the efficiency of photoionization of benzene derivatives, 2=156
- Akopyan, M. E., Vilesov, F. I. and Terenin, A. N. Mass-spectroscopic investigation of the dependence on the energy of excitation of the efficiency of photoionization of benzene derivatives, 2=9528
- Akopyan, M. E. See Vilesov, F. I., 3=24392
- Akpınar, S. The output distortion of a differential interval analyzer of universal design, 0=17183
- Akramov, G. Resonant damping of sound in a metal in a magnetic field, 3=20089
- Akriche, J. See Herman, L., 2=20878
- Akriche, J. See Herman, L., 3=11839
- Aksel'rod, M. M. See Tsidil'kovskii, I. M., 4=26004
- Aksenov, E. P. One class of periodic solutions in the restricted three-body problem, 1=17996
- Aksenov, E. P., Grebenikov, E. A. and Demin, V. G. General solution of the problem of motion of an artificial earth satellite in the normal gravitational field of the earth, 2=11180
- Aksenov, E. P., Grebenikov, E. A. and Demin, V. G. General solution of the problem of motion of an artificial earth satellite in the normal gravitational field of the earth, 2=21746
- Aksenov, E. P., Grebenikov, E. A. and Demin, V. G. Generalized problem of two fixed centres and its application in the theory of motion of artificial earth satellites, 3=16437
- Aksenov, G. I. and Drozdov, I. A. Microstructure of copper reduced from scale, 4=23526
- Aksenov, G. I. and Moshchanskii, V. A. Structure of the powder ring obtained from a specimen in the plane-stressed state, 4=23394
- Aksenov, G. I. and Orekhov, Yu. P. Investigation of magnetically soft powder metal alloys in the Fe-Si system, 3=3118
- Aksenov, G. I. and Sidnikhin, A. I. The nature of the inter-crystalline transition zones in metallic [alloy] polycrystals, 0=15849
- Aksenov, M. Ya. Improvement of the plate holder for the e.m. electron microscope, 2=21578
- Aksenov, S. I. Nuclear magnetic resonance shift in molybdenum, 0=2180
- Aksenov, S. I., Alfimenkov, V. P., Lushchikov, V. I., Ostanevich, Yu. M., Shapiro, F. L. and Yen Wu-Kuang. Observation of resonance absorption of gamma rays in Zn^{67} , 1=13633
- Aksenov, S. I. Structure of the nuclear magnetic resonance lines of the isotopes Cu^{63} and Cu^{65} in β -brass, 2=16938
- Aksenov, S. I. Structure of the nuclear magnetic resonance lines of the isotopes Cu^{63} and Cu^{65} in β -brass, 3=6765
- Aksenov, V. A., Brodskii, E. B., Bushuev, A. V. and Polikarpov, V. I. Gamma-radiation of Cs^{133} , 3=4594
- Aksenov, V. I. See Kuznetsov, V. A., 0=10355
- Akulenok, E. M. See Khaimov-Mal'kov, V. Ya., 4=24931
- Akulenok, E. M. See Zhmurova, Z. I., 4=29062
- Akulichev, V. A. and Il'ichev, V. I. Spectral indication of the origin of ultrasonic cavitation in water, 4=5143
- Akulov, N. S. Contribution to the theory of ferroelectric polarization curves, 0=10016
- Akulov, N. S. The statistical theory of dislocations, 4=22576
- Akulov, N. S. and Galenko, P. P. The theory of the nonelasticity of crystals in vibration, 2=4320
- Akulyonok, E. M. See Khaimov-Mal'kov, V. Ya., 3=20785
- Akundov, G. A., Abdullaev, G. B. and Guseinov, G. D. On some properties of thallium selenide single crystals, 0=18054
- Akuta, K. See Yoshiyama, Y., 4=8005
- Akutsu, J. A mechanism of the propagation of Geiger discharge in halogen-quenched G. M. counters, 2=5506
- Akutsu, J. On the avalanche breeding of Geiger discharge in halogen-quenched g. m. counters, 4=21697
- Akutsu, J. and Kanno, K. Relation between plateau and pulse size characteristics in organic gas-quenched g. m. counter tubes, 4=11847
- Akymovych, O. M. See Mykhailov, H. S., 2=11542
- Akymovych, O. M. See Mykhailov, H. S., 2=17518
- Alad'ev, A. T. Longevity of technical dielectrics working in high-frequency fields, 0=632
- Alad'ev, I. T. and Efimov, V. A. Intensification of heat exchange in electric fields, 4=5170
- Alad'ev, I. T. See Morozkin, V. I., 4=14457
- Aladzhahova, N. A. See Lazorenko-Manevich, R. M., 0=21281
- Aladzhahova, N. A. Trusov, G. N., 0=12106
- Alaeva, T. I. and Karasev, V. M. Determination of the quality of cavity resonators, 2=20173
- Alaga, G., Šips, L. and Tadić, D. Calculation of some relativistic corrections to the allowed and l -forbidden beta transitions, 1=13722
- Al Ali, N. S. See Fousek, J., 3=2960
- Al Ali, N. S. See Malek, Z., 4=4217
- Alam, M. See Franzen, W., 4=11812
- Alamichel, C., Assous, R. and Legay, F. Dispersion measurement in the infrared absorption bands of gases, apparatus and instrumental corrections, 3=14345
- Alapin, B. G. See Sukharevskii, B. Ya., 4=29023
- Alare, O. See Arell, A., 4=26545
- Al-Attar, Z., Barrault, M. R. and McChesney, M. Electronic conductivity of shock heated partially ionized argon in the presence of a magnetic field, 4=27225
- Alavi-Nejad, M. Amplitude of the daily variation of thickness of condensable water in the atmosphere, 3=11392
- Albada, G. B. van. See van Albada, G. B.
- Albano, V., Bellon, P. L. and Pompa, F. Crystallographic programmes for the IBM 1620 electronic computer. I. Correction of intensities, calculation of structure factors and bidimensional Fourier syntheses, 4=2051
- Albano, V., Bellon, P. L., Pompa, F. and Scatturin, V. Crystallographic programmes for the IBM 1620 electronic computer. II. Search for the molecular packing in crystals, 4=2052
- Albano, V., Bellon, P. L., Pompa, F. and Scatturin, V. Crystallographic programs for IBM 1620 computer. IV. Least squares refining of a crystal structure, 4=23372
- Albano, V. See Bellon, P. L., 3=23433
- Albano, V. See Pompa, F., 4=23373

- Albany, H.J. and Vandevyver, M. Effect of irradiation by fast neutrons on the thermal conductivity of silicon between 80° and 300°K, 4=4004
- Albany, H.J. See Vandevyver, M., 4=4005
- Albarède, R. See Labarre, J.F., 4=17307
- Albares, D.J., Krall, N.A. and Oxley, C.L. Rayleigh-Taylor instability in a stabilized linear pinch tube, 1=11948
- Albasiny, E.L., Bell, R.J. and Cooper, J.R.A. Integrals of triple products of associated Legendre functions, 4=27018
- Albasiny, E.L. and Cooper, J.R.A. A one-centre S.C.F. wave function, for the methane molecule, 1=19659
- Albasiny, E.L. and Cooper, J.R.A. The calculation of electronic properties of BH_4^- , CH_4 and NH_4^+ using one-centre self-consistent field wave functions, 3=22554
- Albasiny, E.L. and Cooper, J.R.A. Amendments to the calculated polarizabilities of BH_4^- , CH_4 and NH_4^+ , 4=3870
- Albenesius, E.L. Tritium as a product of fission, 0=461
- Albenesius, E.L. and Ondrejcin, R.S. Nuclear fission produces tritium, 0=20511
- Alber, R.A. See Smith, R.V., 2=17995
- Alberghini, J.E. and Steffen, R.M. Transverse polarization of K-conversion electrons following the beta decay of Hg^{203} , 0=4061
- Alberghini, J.E. and Steffen, R.M. β - γ directional correlations of Ga^{72} , La^{140} and Rb^{85} , 4=6280
- Albergotti, J.C. and Shearin, P.E. Coulomb excitation of Tc^{99} and Sm^{147} , 3=19782
- Alberigi, A., Bernardini, C. and Quercia, I.F. Proposal for an analog-to-digital electronic converter suited for nuclear pulse height analysis, 0=20004
- Alberigi-Quaranta, A., Bernardini, C., Infante, C. and Quercia, I.F. A logarithmic, constant percent error, pulse height analyzer, 0=20002
- Alberigi-Quaranta, A., De Pretis, M., Marini, G., Odian, A., Stoppini, G. and Tau, L. Photoproduction of muon pairs in carbon, 3=7879
- Alberigi Quaranta, A. and Martini, M. On a fast transistorized pulse amplifier, 3=21685
- Alberigi-Quaranta, A. and Martini, M. Fast transistorized amplifier with large dynamic range, 4=14548
- Alberigi Quaranta, A. and Pasquinelli, A. Some explanations on the subject of electronics, 3=24152
- Alberigi-Quaranta, A. and Righini, B. A new encoder, 3=16893
- Alberigi-Quaranta, A., Righini, B., Prodi, V. and Rimondi, O. On a 2π gas-flow counter for low-level counting, 2=5822
- Albers, C. Effect of photochemical processes on the luminescence properties of CdS single crystals, 3=3037
- Albers, C. On the determination of the formation and decomposition energies of the photochemical reaction product in CdS single crystals, 4=7771
- Albers, C. and Genzow, D. Photochemical reactions and temperature dependence of luminescence in CdS single crystals, 3=15705
- Albers, E.W., Harteck, P. and Reeves, R.R., Jr. Ortho and para-tritium, 3=12789
- Albers, E.W., Harteck, P. and Reeves, R.R. Ortho- and paratritium, 4=12470
- Albers, H. See Hälgl, W., 4=6426
- Albers, J.R. See Fano, U., 0=2513
- Albers, J.R. See Fano, U., 0=2515
- Albers, J.R. See Lewis, H.R., 0=5706
- Albers, K. The measurement of the temperature dependence of the luminescence of CdS, 0=4437
- Albers, K. The luminescence of cadmium sulphide single crystals above room temperature, 2=4169
- Albers, K. Some properties of mixed phosphors of the ZnCdS type, 2=6615
- Albers, K. See Wilke, K.T., 0=8017
- Albers, W. Diffusion of arsenic in germanium from the vapour phase, 1=7592
- Albers, W. Thermal conversion of germanium, 2=4019
- Albers, W. and Haas, C. Band structure and the mechanism of electrical conduction in transition metal compounds, 4=15517
- Albers, W., Haas, C., Ober, H., Schodder, G.R. and Wasscher, J.D. Preparation and properties of mixed crystals, $\text{SnS}_{(1-x)}\text{Se}_x$, 2=14940
- Albers, W., Haas, C. and Vink, H.J. Quenching effects and the determination of the existence region of semiconducting compounds, 4=13468
- Albers, W., Haas, C. and van der Maesen, F. The preparation and the electrical and optical properties of SnS crystals, 1=17760
- Albers, W., Haas, C., Vink, H.J. and Wasscher, J.D. Investigations on SnS , 1=17759
- Albers, W. See Wasscher, J.D., 3=20423
- Albers, W.A., Jr. Effective mobilities of surface carriers in germanium, 2=23342
- Albers, W.A., Jr. and Rickel, A.M. Investigation of some uncommon surface treatments on germanium, 2=21138
- Albers, W.A., Jr. and Thomas, J.E., Jr. Observations of surface transverse magnetoresistance effects on n-type germanium, 1=1049
- Albert, D. and Fährmann, K. Correction factors for thick gold and sulphur neutron probes, 3=25018
- Albert, L. and Jaenicke, W. Needle growth in the oxidation of copper. I, 0=6331
- Albert, L. and Jaenicke, W. Needle growth in the oxidation of copper. II, 0=13960
- Albert, L. and Jaenicke, W. Electron microscope charge images, 1=20705
- Albert, L. See Jaenicke, W., 2=17670
- Albert, M.P. and Combs, J.F. Thickness measurement of epitaxial films by the infrared interference method, 3=1650
- Albert, M.P. and Combs, J.F. Correction factors for radial resistivity gradient evaluation of semiconductor slices, 4=20350
- Albert, P. See Dimitrov, O., 0=2839
- Albert, P. See Fromageau, R., 4=13641
- Albert, P.A. and Carr, W.J., Jr. Temperature dependence of magnetostriction and anisotropy in MnBi , 1=6333
- Albert, R.D. (p,n) cross-section and proton optical-model parameters in the 4 to 5.5 MeV energy region, 0=434
- Albert, R.D., Anderson, J.D. and Wong, C. Evidence for the statistical model obtained from (p,n) spectra of the odd-even elements V, Mn, Co, Nb, Rh, and In, 1=696
- Albert, R.D., Bloom, S.D. and Glendenning, N.K. (p,n) angular distributions from mirror nucleus targets: C^{13} , B^{11} , and Be^9 , 1=7373
- Albert, R.D. and Hansen, L.F. 10 MeV proton reaction cross-sections for Cu^{63} and Cu^{65} , 1=3447
- Albert, R.D. and Hansen, L.F. 10 MeV proton reaction cross-sections compared with surface and volume absorption optical models of the nucleus, 1=12193
- Albert, R.D. See Fox, R., 1=2214
- Albert, R.D. See Fox, R., 1=4854
- Albert, R.D. See Hansen, L.F., 2=22813
- Albertoni, S., Bocchieri, P. and Loinger, A. New theorem in the classical ensemble theory, 0=16615
- Albertoni, S., Cercignani, C. and Gotusso, L. Numerical evaluation of the slip coefficient, 3=18841
- Alberts, H.L. See Alberts, L., 4=10268
- Alberts, L. and Alberts, H.L. The magnetostriction of polycrystalline cobalt, 4=10268
- Alberts, L., Bishop, J.E.L. and Lee, E.W. The behaviour of ferromagnetic sheets in alternating electric and magnetic fields. II. Measurements of the electrical resistance of iron strips from 0 to 30 Mc/s, 4=7236
- Alberts, L. and Lee, E.W. Magnetostriction in antiferromagnetic nickel oxide, 2=759
- Alberts, L. and Shepstone, B.J. The influence of temperature on the eddy current anomaly factor, 0=11847
- Alberts, L., Van Ryneveld, W.P. and Viljoen, P.E. The magnetic after-effect in pure iron at elevated temperatures, 4=17653
- Alberts, L. See Bishop, J.E.L., 3=831
- Alberts, L. See Lee, E.W., 2=10665
- Albertson, J. Von Neumann's hidden-parameter proof, 1=10425
- Albertson, J. Quantum-mechanical measurement operator, 3=5355
- Albertz, J. and Schultz, G. New methods of stereo-image production, 2=7318
- Albini, F. See Rand, S., 4=24630
- Albini, F.A. and Jahn, R.G. Reflection and transmission of electromagnetic waves at electron density gradients, 1=3057
- Albini, F.A. Scattering of a plane wave by an inhomogeneous sphere under the Born approximation, 2=22338
- Albini, F.A. and Nagelberg, E.R. Scattering of a plane wave by an infinite inhomogeneous, dielectric cylinder—an application of the Born approximation, 2=11794
- Albino, E., Bertero, M. and Viano, G.A. An analyticity test in the theory of complex angular momentum, 4=21810
- Albinsson, H. See Dubois, J., 3=17470
- Albiser, G. See Grange, J., 2=11372
- Al'bitskaya, E.A. See Sokolov, Yu.L., 3=21807
- Alblas, J.B. On the diffraction of sound waves in a heat-conducting viscous medium, 1=12946
- Alblas, J.B. On some linear extensions of Hooke's law, 2=4972

- Alblas, J.B. On the general theory of thermo-elastic friction, 2=5098
- Albon, N. Temperature fluctuations during growth and impurity segregation in InSb crystals, 2=21473
- Albon, N. The origin of dislocations during crystal growth, 3=20187
- Albon, N. Studies of the InSb crystal-melt interface, 4=10475
- Albon, N. and Dunning, W.J. Growth of sucrose crystals: determination of edge energy from the effect of added impurity on rate of step advance, 2=10788
- Albon, N. and Owen, A.E. The influence of twin structure on growth directions in dendritic ribbons of materials having the diamond or zinc-blende structures, 3=23411
- Albouy, G., Cohen, J.P., Gusakov, M., Poffé, N., Sergolle, H. and Valentin, L. Spallation of oxygen by 20 to 150 MeV protons, 3=4642
- Albouy, G., Cohen, J.P., Gusakov, M., Poffé, N., Sergolle, H. and Valentin, L. (p,3p3n) reactions between 30 and 150 MeV, 3=19852
- Albouy, G., Gusakov, M. and Poffé, N. Excitation functions for (p,xn) reactions on gold from 40 to 155 MeV, 2=1882
- Albouy, G., Gusakov, M., Poffé, N., Sergolle, H. and Valentin, L. (p, n) reactions at medium energies, 3=12677
- Albouy, G. and Valadars, M. The conversion electron spectrum (low energy) and the auger (L,M,N) spectra emitted during the β decay of protoactinium 233, 0=11371
- Albouy, G. and Valadars, M. The conversion electron spectrum emitted during the $\text{Pa}^{233} \rightarrow \text{U}^{233}$ transition, 0=15553
- Albouy, G. See Gusakov, M., 2=456
- Albouy, G. See Gusakov, M., 2=1881
- Albouy, G. See Poffé, N., 1=13804
- Albouy, G. See Poffé, N., 2=457
- Albouy, G. See Poffé, N., 3=12678
- Albouy, G. See Valentin, L., 4=6334
- Albouy, G. See Valentin, L., 4=30338
- Albrand, K. R. See Ebert, H., 4=8265
- Albrecht, A.C. "Forbidden" character in allowed electronic transitions, 0=15747
- Albrecht, A.C. Vibronic calculations in benzene, 0=15748
- Albrecht, A.C. On the assignment of the lowest triplet state in benzene, 0=17767
- Albrecht, A.C. On the theory of Raman intensities, 1=8841
- Albrecht, A.C. Polarizations and assignments of transitions: the method of photoselection, 1=17331
- Albrecht, A.C. Vibronic-spin-orbit perturbations and the assignment of the lowest triplet state of benzene, 3=2289
- Albrecht, A.C. See Dolan, E., 3=959
- Albrecht, A.C. See Dolan, E., 3=10989
- Albrecht, A.C. See Lomardi, J.R., 4=14167
- Albrecht, B. Effect of relaxation-time-dependent activation
- Albrecht, E.D. The plutonium-zinc system, 4=29018
- Albrecht, G. Crystal and molecular symmetry of tri-dipyridyl compounds of Ti and V, 2=23859
- Albrecht, G., Doenitz, F.-D., Kleinstück, K. and Betzl, M. Neutron diffraction of "hexagonal chromium", 4=2076
- Albrecht, G. and Ecker, G. Theory of a non-contracted positive column under the influence of negative ions, 3=1971
- Albrecht, G. and Ecker, G. The influence of negative ions on a positive column, 3=7495
- Albrecht, G. and Ecker, G. The positive column under the influence of negative ions, 4=473
- Albrecht, G., Ecker, G. and Müller, K.G. Theory of the contraction of a positive column, 3=1951
- Albrecht, G. See Weizel, W., 2=5312
- Albrecht, H. On the impulse reaction of the middle ear, 3=9299
- Albrecht, H.J. Analysis of ionospheric paths in long-range propagation, 0=15161
- Albrecht, H.O., Denison, W.C., Livingston, L.G. and Mandeville, C.E. Quenching effects and the afterglow of chlorophyll, 0=2177
- Albrecht, H.O. See Swann, C.P., 0=318
- Albrecht, J.W. Elastic and inelastic scattering cross-sections, 1=4768
- Albrecht, P. See Gobrecht, H., 2=6810
- Albrecht, R.W. Statistics of zero power nuclear reactors, 2=22870
- Albrecht, R.W. The measurement of dynamic nuclear reactor parameters using the variance of the number of neutrons detected, 3=2521
- Albrecht, R.W. Statistical uncertainties in pulsed neutron and excursion experiments, 4=19877
- Albridge, R.G. An electron spectrograph with pre-acceleration. The low-energy conversion and Auger electron spectra of Pa^{233} , 4=30218
- Albridge, R.G. and Hollander, J.M. The decay of neptunium-238, 1=5862
- Albridge, R.G. and Hollander, J.M. The K- and L-Auger spectrum of uranium, 1=19416
- Albridge, R.G., Hollander, J.M., Gallagher, C.J. and Hamilton, J.H. The energy levels of U^{233} , 1=19373
- Albridge, R.G. See Mehlhorn, W., 3=24865
- Albridge, R.G. See Mehlhorn, W., 4=16875
- Albridge, R.G. See Willard, D., 3=2409
- Albright, C.H., Blankenbecler, R. and Goldberger, M.L. Bound-state model of weak and strong interactions, 1=16680
- Albright, C.H., Haag, R. and Treiman, S.B. Renormalization of a parity non-conserving theory, 0=2483
- Albright, C.H. and McGlinn, W.D. Coupling constants and S-matrix zeros, 2=18075
- Albright, C.H. See McGlinn, W.D., 3=7790
- Albright, D.L. and Colligan, G.A. Crystallographic substructure of undercooled nickel specimens, 4=13652
- Albright, J.G. Theories for the experimental study of isothermal free diffusion in ternary liquid systems involving a chemical reaction, 4=8195
- Albritton, D.L. See Edwards, H.D., 3=21045
- Alburger, D.E. 7.656 MeV E0 transition in C^{12} , 0=405
- Alburger, D.E. Nuclear pair emission from the 7.656 MeV level in C^{12} , 0=9573
- Alburger, D.E. Isomeric transition in Pb^{206} , 0=9584
- Alburger, D.E. Gamma-ray-decay of the 7.66 MeV level of C^{12} , 1=10758
- Alburger, D.E. Gamma-ray decay of the 7.66 MeV level of C^{12} , 1=19363
- Alburger, D.E. Beta decay of B^{12} , 3=22326
- Alburger, D.E. Beta decay of Li^6 , 4=1039
- Alburger, D.E., Donovan, P. F. and Wilkinson, D. H. Beta decay of Li^8 , 4=1040
- Alburger, D.E., Gallmann, A. and Wilkinson, D.H. Decay schemes of C^{15} , N^{16} , and O^{18} , 0=2635
- Alburger, D.E. and Parker, P. D. Search for double gamma-ray emission from the first excited states of O^{16} and C^{12} , 4=25293
- Alburger, D.E. and Pixley, R.E. 9.0-MeV gamma-emitting level in C^{12} , 0=17558
- Alburger, D.E., Pixley, R.E., Wilkinson, D.H. and Donovan, P. Beta-decay of ^{14}N : conservation of spin and parity in ^{16}O , 1=9830
- Alburger, D.E. and Warburton, E.K. Magnetic pair spectrometer studies of electromagnetic transitions in C^{14} and N^{14} , 4=1009
- Alburger, D.E. and Wilkinson, D.H. Nonexistence of a 9.0 MeV level in C^{12} , 1=8619
- Alburger, D.E. See Donovan, P.F., 1=19387
- Alburger, D.E. See Frick, G., 4=6272
- Alburger, D.E. See Gallmann, A., 3=8132
- Alburger, D.E. See Warburton, E.K., 3=10251
- Alburger, D.E. See Warburton, E.K., 3=10252
- Alburger, D.E. See Warburton, E.K., 4=1008
- Alburger, D.E. See Warburton, E.K., 4=9384
- Alburger, D.E. See Warburton, E.K., 4=17027
- Alburger, D.E. See Wilkinson, D.H., 3=7986
- Alburger, D.E. See Wilkinson, D.H., 3=15138
- Alcock, A.J., Iannuzzi, M., Motz, H. and Walsh, D. Laser induced electron emission from tungsten points, 4=8811
- Alcock, C.B. and Grieve, P. A thermodynamic study of the compounds of uranium with silicon, germanium, tin and lead, 2=10908
- Alden, H.L. See Eichhorn, H., 0=12316
- Alden, T.H. Growth of seeded aluminium crystals of irregular shape, 1=1379
- Alden, T.H. The strain hardening of zinc single crystals in alternating tension and compression, 2=14896
- Alden, T.H. Growth of electron transparent silver platelets, 3=3273
- Alden, T.H. The hardening of cadmium crystals by cyclic strain, 3=13372
- Alden, T.H. Dynamic recovery and fatigue in some brittle crystals, 3=20749
- Alden, T.H. High-strength magnesium oxide, 3=25639
- Alden, T.H. Extreme latent hardening in compressed lithium fluoride crystals, 4=4474
- Alden, T.H. Latent hardening and the role of oblique slip in the strain hardening of rock-salt structure crystals, 4=23105
- Aldenkamp, A.A., Marks, C.P. and Zijlstra, H. Frictionless recording torque magnetometer, 0=9132

- Alder, B.J. Free volume theory for square-well potentials, 0=4242
- Alder, B.J. Studies in molecular dynamics. III. A mixture of hard spheres, 4=18093
- Alder, B.J. Triplet correlations in hard spheres, 4=18172
- Alder, B.J. and Christian, R.H. Destruction of diatomic bonds by pressure, 0=15767
- Alder, B.J. and Christian, R.H. Behavior of strongly shocked carbon, 2=4360
- Alder, B.J., Hoover, W.G. and Wainwright, T.F. Cooperative motion of hard disks leading to melting, 4=10409
- Alder, B.J., Vaisnys, J.R. and Jura, G. Penetration depth of surface effects in molecular crystals, 0=11555
- Alder, B.J. and Van Thiel, M. The melting line and inter-molecular potential of argon from shock compression, 4=15388
- Alder, B.J. and Wainwright, T.E. Phase transition in elastic disks, 2=17699
- Alder, B.J. See Hrostowski, H.J., 0=20986
- Alder, B.J. See Kobatake, Y., 2=15568
- Alder, G. and Reams, W. Heterogeneous nature of reaction in radiation-induced solid-state polymerization of acrylamide, 0=14135
- Alder, J.C. See Grin, G.A., 2=7536
- Alder, J.C. See Joseph, C., 3=2266
- Alder, J.C. See Vaucher, B., 2=20375
- Alder, K. On the theory of multiple Coulomb excitation with heavy ions, 4=21998
- Alder, K., Matthias, E., Schneider, W. and Steffen, R.M. Influence of a combined magnetic dipole and electric quadrupole interaction on angular correlations, 3=8025
- Alder, K. and Schucan, T.H. Exact calculation of inelastic electron scattering for monopole excitation, 3=12657
- Alder, K. and Winther, A. On the theory of multiple Coulomb excitation with heavy ions, 0=17487
- Alder, K. and Winther, A. On the angular distribution of γ -quanta in inelastic α -scattering, 2=20675
- Alderman, P.R.H., Owston, P.G. and Rowe, J.M. The crystal structure of the ethylene complex trans-[Pt(C₂H₄)(NH(CH₃)₂) Cl₂], 0=8235
- Alderson, J.E. and Williams, S.E. Luminescence in K₂Tl, 1=20006
- Alderson, J.E. A. and Dimond, R.K. Luminescence excitation spectra of pure and activated KCl, 4=7186
- Alderson, R.H. See Wroe, H., 0=1114
- Aldo, M. See Linnell, R.H., 2=10961
- Aldred, A.T., Filby, J.D. and Pratt, J.N. The vapour pressure of solid cadmium, 0=13472
- Aldred, A.T. and Myles, K.M. Thermodynamic properties of solid vanadium-chromium alloys, 4=22518
- Aldred, A.T. and Pratt, J.N. Thermodynamic properties of liquid silver-lead alloys, with an appendix on the vapour pressure of lead, 1=8111
- Aldred, A.T. and Pratt, J.N. Vapour pressure of liquid bismuth, 3=9662
- Aldred, A.T. and Pratt, J.N. Vapour pressure of liquid silver + bismuth alloys, 3=14422
- Aldred, A.T. See Myles, K.M., 4=10441
- Aldred, A.T. See Nevitt, M.V., 3=11055
- Aldred, A.T. See Pratt, J.N., 0=3678
- Aldrich, E.W. See Bridgeman, O.C., 2=22091
- Aldrich, R.W. and Holonyak, N., Jr. Two-terminal asymmetrical and symmetrical silicon negative resistance switches, 0=1649
- Alduseva, V.Ya. See Martynov, D.Ya., 2=4788
- Aleby, S., Bogren, H. and Innes, J. A cylindrical X-ray micro diffraction camera, 4=24776
- Alefeld, G. Dislocation-controlled amplitude dependent relaxation damping, 3=3215
- Alefeld, G. Activation energy and activation volume for small stresses and dislocation velocities, 3=5067
- Alefeld, G. Activation energy and volume of the elastic after effect in gold, 3=11140
- Alefeld, G. Sudden changes in experimental conditions during plastic deformation of solids, 3=13348
- Alefeld, G. Rate theory in solids at low temperatures, 4=20262
- Alègre, R. Application of the method of modulated incident flux to the study of the reflection of refractories and of the absorption of flames in the infrared, 0=2935
- Aleynikova, I.N. See Deryagin, B.V., 4=7695
- Alexandre Campos, V. See González Ibeas, J., 1=5242
- Alekhin, S.P. See Voronin, G.F., 3=15399
- Alekin, R.O., Klaas, Yu.A. and Chistovich, L.A. Human reaction time in the copying of aurally perceived vowels, 2=24198
- Alekna, V.P. See Senftle, F.E., 2=18878
- Aleksandrov, A.F. and Kuzovnikov, A.A. High-frequency conductivity of the positive column in neon, 4=5575
- Aleksandrov, A.Ia. Solution of axisymmetric problems of the theory of elasticity with the aid of relations between axisymmetric and plane states of stress, 2=17386
- Aleksandrov, A.P., Genkin, G.M., Gurevich, G.L. and Dubinin, V.I. The process of establishing magnetization precession in a ferrite at high power levels, 4=7309
- Aleksandrov, A.P., Khanin, Ya.I. and Yashchin, É.G. Observation of the spontaneous coherent radiation of a ferrite in a resonator, 1=1238
- Aleksandrov, A.Ya. Some interrelations between solutions of plane and of radially-symmetrical problems concerning infinite plates, 0=3473
- Aleksandrov, A.Ya. Some interrelations between solutions of plane and of axially-symmetrical problems; solutions of axially-symmetrical problems by means of analytic functions, 0=10624
- Aleksandrov, A.Ya. and Solov'ev, Yu.I. Generalization of the method for solution of axially-symmetrical problems in the theory of elasticity with the aid of analytic functions suitable for problems without the axial symmetry, 4=13371
- Aleksandrov, A.Yu., Delyagin, N.N., Mitrofanov, K.P., Polak, L.S. and Shpinel', V.S. Quadrupole interaction and isomeric shifts of the 23.8 keV gamma transition in Sn¹¹⁹ in organic tin compounds, 3=15415
- Aleksandrov, A.-Yu., Delyagin, N.N., Mitrofanov, K.P., Polak, L.S. and Shpinel', V.S. Effect of γ -radiation on the shape of Mössbauer resonance absorption spectra in tin-organic compounds, 3=17633
- Aleksandrov, A.Yu., Delyagin, N.N., Mitrofanov, K.P., Polak, L.S. and Shpinel', V.S. Quadrupole interaction and isomer shifts of the 23.8 keV gamma transition of the Sn¹¹⁹ nucleus in tin organic compounds, 4=28332
- Aleksandrov, B.N. Preparation of pure tin by multiple zone refining combined with prolonged vacuum heat treatment, 0=13962
- Aleksandrov, B.N. The zone refining of zinc and cadmium, 2=23825
- Aleksandrov, B.N. Effect of the size of samples of pure metals on their electrical resistance, 3=2851
- Aleksandrov, B.N. Effect of the dimensions and purity on the electrical resistance of metals in a longitudinal magnetic field at helium temperatures, 3=15554
- Aleksandrov, B.N. Dependence of the residual resistance of Sn, In, Pb, Cd and Zn on the amount and type of impurity, 3=25324
- Aleksandrov, B.N. and D'yakov, I.G. Variation of the electric resistance of pure metals with decrease of temperature, 3=2852
- Aleksandrov, B.N. and D'yakov, I.G. Zone refining of aluminium and lead, 3=23487
- Aleksandrov, B.N. and Kaganov, M.I. The resistance of thin single crystal wires, 2=2114
- Aleksandrov, B.N. and Kaganov, M.I. The resistance of thin single crystal wires, 2=23240
- Aleksandrov, B.N. and Vasil'yeva, N.M. Residual resistivity method of determining the purity of aluminium, 4=12852
- Aleksandrov, B.N., Verkin, B.I., Lifshits, I.M. and Stepanova, G.I. Possible causes of inhomogeneous distribution of impurities in a crystalline ingot, 0=1883
- Aleksandrov, B.N., Verkin, B.I. and Svecchkarev, I.V. Temperature dependence of the magnetic susceptibility of indium, lead and tin crystals, 0=21026
- Aleksandrov, B.P. and Andreev, G.A. Influence of impurities on the density of single crystals of LiF, 1=19768
- Aleksandrov, B.P. and Andreev, G.A. The formation of (OH)⁻ impurity during the growth of LiF crystals from the melt, 2=2079
- Aleksandrov, B.P. and Andreev, G.A. Influence of impurities on the density of single crystals of LiF, 2=3906
- Aleksandrov, D.D., Olendzkaya, N.F. and Ptitsyn, S.V. The electric strength of a high-voltage mercury tube, 0=12435
- Aleksandrov, E.B. Optical alignment of rubidium isotopes, 3=15295
- Aleksandrov, E.B. Quantum beats of resonance luminescence under modulated light excitation, 3=22491
- Aleksandrov, E.B. and Khodovoi, V.A. Detection of the K⁴⁰ isotope using optical alignment of the atoms, 3=15296
- Aleksandrov, E.B. and Khodovoi, V.A. Note on Dehmelt's experiment, 4=6486
- Aleksandrov, E.B., Konstantinov, O.V. and Perel, V.I. Conversion of the frequency of light modulation by means of parametric and double resonances, 4=21267

- Aleksandrov, E. B., Konstantinov, O. V., Perel', V. I. and Khodovoi, V. A. Modulation of scattered light by parametric resonance, 4=6499
- Aleksandrov, E. B. and Oksman, Ya. A. Investigation of the photodielectric effect at high frequencies, 2=17738
- Aleksandrov, E. B. See Oksman, Ya. A., 2=661
- Aleksandrov, E. G. Coherent excitation of states by electron impact, 4=25536
- Aleksandrov, G. N. Fundamental processes in the ionization zone of corona from leads at atmospheric pressure, 0=14992
- Aleksandrov, G. N. On the nature of current pulses of a negative corona, 4=482
- Aleksandrov, G. N. and Aleksandrova, N. P. Initial and critical field intensities at the surface of corona-forming conductors, 2=167
- Aleksandrov, I. A. Physical nature of the "rotation noise" of ship propellers in the presence of cavitation, 2=21984
- Aleksandrov, I. A. Some cavitation characteristics of ship propellers, 1=15806
- Aleksandrov, I. B., Kukaarenko, Yu. A. and Niukkanen, A. V. The transport equation of a non-ideal fermi-system, 3=21263
- Aleksandrov, I. V. The influence of the tunnel transition on the form of the line signal of nuclear magnetic resonance in crystals, 1=1279
- Aleksandrov, I. V. The influence of the tunnel transition on the form of the line signal of nuclear magnetic resonance in crystals, 1=6427
- Aleksandrov, I. V. On the theory of the hyperfine structure of electron spin resonance spectra, 1=13189
- Aleksandrov, I. V., Korst, N. N. and Sokolov, N. D. The effect of the mobility of protons on the width of nuclear magnetic resonance lines in crystals, 0=16189
- Aleksandrov, I. V. and Zhidomirov, G. M. Theory of spin-lattice relaxation in radicals in liquids, 2=60
- Aleksandrov, I. V. and Zhidomirov, G. M. Calculation of the spin-lattice relaxation time for radicals in molecular crystals, 2=777
- Aleksandrov, I. V. and Zhidomirov, G. M. Calculation of the spin-lattice relaxation time for radicals in molecular crystals, 2=23713
- Aleksandrov, I. V. and Zhidomirov, G. M. Theory of spin-lattice relaxation in radicals in liquids, 3=3817
- Aleksandrov, I. V. See Kazanskii, V. B., 4=1321
- Aleksandrov, K. S. An ultrasonic pulse method of measuring the elastic moduli of monoclinic crystals, 0=13896
- Aleksandrov, K. S. The wave surfaces for elastic waves in crystals, 0=17877
- Aleksandrov, K. S. The reflection of shear elastic waves from the interface of two anisotropic media, 3=21473
- Aleksandrov, K. S., Belikova, G. S., Ryzhenkov, A. P., Teslenko, V. R. and Kitaigorodskii, A. I. The elastic constants of molecular crystals. The elastic constants of naphthalene, 4=1957
- Aleksandrov, K. S., Gurovits, L. S. and Kamenskii, E. I. Effect of an intermediate layer on the frequency characteristics of ultrasonic delay lines, 1=16013
- Aleksandrov, K. S., Lundin, A. G. and Mikhailov, G. M. Positions of the hydrogen atoms in the structure of guanidinium aluminum sulfate hexahydrate, 1=4059
- Aleksandrov, K. S. and Ryabinkin, L. N. Elastic properties of ammonium dihydrogen phosphate and the Laval-Raman theory of elasticity, 2=16949
- Aleksandrov, K. S. and Ryabinkin, L. N. Elastic properties of ammonium dihydrogen phosphate and the Laval-Raman theory of elasticity, 2=18987
- Aleksandrov, K. S. and Ryzhova, T. V. The elastic properties of crystals, 2=4304
- Aleksandrov, K. S., Ryzhova, T. V. and Belikov, B. P. The elastic properties of pyroxenes, 4=20682
- Aleksandrov, K. S., Ryzhova, T. V. and Rostuntseva, A. I. Elastic properties of some sulphate heptahydrate crystals, 3=20690
- Aleksandrov, K. S. and Tropin, Yu. D. Formation of growth pyramids on the surfaces of iron whiskers, 4=29064
- Aleksandrov, K. S. See Chumakov, A. A., 0=13650
- Aleksandrov, K. S. See Gabuda, S. P., 4=10552
- Aleksandrov, K. S. See Kostin, N. F., 3=13408
- Aleksandrov, K. S. See Sil'vestrova, I. M., 0=13952
- Aleksandrov, K. S. See Talashkevich, I. P., 3=20686
- Aleksandrov, K. S. See Talashkevich, I. P., 4=17707
- Aleksandrov, L. A., Bogoroditskii, N. P., Lisker, K. E. and Fridberg, I. D. The temperature dependence of permittivity of ionic dielectrics over a wide range of temperatures, 0=13645
- Aleksandrov, L. A. See Bogoroditskii, N. P., 0=2918
- Aleksandrov, L. H. Damping capacity of tungsten, 3=13329
- Aleksandrov, L. N. Determination of the activation energy of the rearrangement processes during phase transformations in solid solutions, 0=1935
- Aleksandrov, L. N. Thermodynamics of isothermal transformations in ternary [steel alloy] systems, 2=8846
- Aleksandrov, L. N. The thermodynamics of isothermal transformations in three-component systems, 2=23874
- Aleksandrov, L. N. and Lyubov, B. Ya. A theoretical analysis of the decomposition kinetics of supersaturated solid solutions, 3=20907
- Aleksandrov, L. N. and Morduk, V. S. Kinetics of recrystallization in tungsten, 3=3333
- Aleksandrov, M. S. An "idk" instrument for measuring statistical characteristics of random voltages, 4=16388
- Aleksandrov, N. A. See Popov, L. E., 3=23317
- Aleksandrov, N. A. See Popov, L. E., 4=7379
- Aleksandrov, N. A. See Popov, L. E., 4=23102
- Aleksandrov, N. A. See Sukhovarov, V. F., 3=20722
- Aleksandrov, N. M. and Skripov, F. I. Structural investigations in crystals by the method of nuclear magnetic resonance, 3=13314
- Aleksandrov, N. M. and Skripov, F. I. Structure studies of crystals by the nuclear magnetic resonance method, 4=10336
- Aleksandrov, O. M. See Ivanov, V. E., 4=13716
- Aleksandrov, V. V., Pruzhinina, V. I., Rekov, A. I., Tarakanova, T. S. and Teplov, E. A. Some electrical properties of borosilico-carbides, 0=9972
- Aleksandrov, Yu. A., Andreev, V. N. and Bondarenko, I. I. On the question of antigravitation, 0=2503
- Aleksandrov, Yu. A., Anikin, G. V. and Soldatov, A. S. The small angle scattering of neutrons with energies 0.8 and 2.8 MeV, 2=460
- Aleksandrov, Yu. A., Anikin, G. V. and Soldatov, A. S. The small angle scattering of neutrons with energies 0.8 and 2.8 MeV, 3=4646
- Aleksandrov, Yu. A., Delone, N. B., Likhachev, V. M. and Gorbunkov, V. M. Image formation in photography of particle tracks in bubble chambers, 4=16768
- Aleksandrov, Yu. A., Delone, N. B., Likhachev, V. M. and Gorbunkov, V. M. Rate of growth and rate of ascent of bubbles in propane chamber, 4=16771
- Aleksandrov, Yu. A., Gorbunkov, V. M., Delone, N. B. and Likhachev, V. M. Pattern formation when photographing tracks in bubble chambers, 4=14988
- Aleksandrov, Yu. A. and Nechaev, Yu. I. Pulsed radiation source, 3=14939
- Aleksandrov, Yu. A., Nemilov, Yu. A., Nikitin, M. K. and Piskorz, Sh. Decay scheme for Eu^{147} , 2=13988
- Aleksandrov, Yu. A. and Nikitin, M. K. Investigation of the decay scheme of Eu^{148} , 3=8044
- Aleksandrov, Yu. A. and Shelihe, R. Decay scheme for Eu^{148} , 4=6291
- Aleksandrov, Yu. A., Voronov, G. S. and Delone, N. B. The rise of bubbles and the distortion of tracks in bubble chambers, 3=2177
- Aleksandrov, Yu. A., Voronov, G. S. and Delone, N. B. Sensitivity of liquid to radiation, 3=24560
- Aleksandrova, L. M. See Verbitskaya, T. N., 2=14615
- Aleksandrova, N. P. See Aleksandrov, G. N., 2=167
- Aleksandrovich, E. and Bartenbakh, M. Measurement of fast neutron flux distribution in the core of the VVR-C reactor using electrical conductivity changes in germanium, 2=8044
- Aleksandrovich, E. See Byshevski, V., 2=3675
- Aleksandrovich, E. G. B. and Sokovishin, V. A. Low-voltage neutron generators, 2=22541
- Aleksandrovskaya, A. M. and Godnev, I. N. A rough estimate of the frequencies of normal vibrations of hafnium halides, 1=2320
- Aleksandrovskaya, A. M. See Godnev, I. N., 1=14001
- Aleksandru, G. and Vasilevskaya, D. P. A magnetometer based on the Hall effect and operating on alternating current, 4=16608
- Aleksanyan, I. T. See Oding, I. A., 4=7416
- Aleksanyan, A. S., Alikhanyan, A. I., Gal'per, A. M., Kavalov, R. L., Kirillov-Ugryumov, V. G., Kotenko, L. P., Kuzin, L. A., Kuznetsov, E. P. and Merzon, G. I. Study of decays of k_0^0 -mesons into three neutral pions, 4=30270
- Aleksanyan, A. S., Alikhanyan, A. I. and Veremeev, M. M. Freon bubble chamber of 570 litre capacity, 3=2176
- Aleksashin, V. S. See Mikneev, V. S., 3=22898
- Alekseev, A. G., Gorellin, A. S., Mozarevskii, I. A., Mozin, I. V., Tarasov, B. I. and Trokhachev, G. V. The use of permalloy sensors for extensive magnetic measurements in the proton synchrotron, 4=14826

- Alekseev, A. G., Vasil'ev, M. P. and Mozin, I. V. An instrument for measuring the rate of change of the magnetic field in a proton synchrotron, 4=14837
- Alekseev, A. G., Vertsner, V. N., Kondrat'ev, Yu. N., Podushko, E. V. and Tikhomirov, G. P. An investigation of the catalysed crystallisation of glass, 4=13534
- Alekseev, A. G., Veselov, M. D., Mozalevskii, I. A., Rozhdestvenskii, B. V. and Trokhachev, G. V. Factory test magnetic measurements of the electromagnet blocks of the proton synchrotron, 4=14825
- Alekseev, A. I. Nonrelativistic solution of the Bethe-Salpeter equation, 0=9267
- Alekseev, A. I. Three-photon annihilation of positronium in the P-state, 0=11152
- Alekseev, A. I. Emission of Bremsstrahlung by fission fragments, 0=12898
- Alekseev, A. I. The application of the methods of quantum field theory in statistical physics, 2=4958
- Alekseev, A. I. The application of the methods of quantum field theory in statistical physics, 4=5081
- Alekseev, A. I., Vdovin, Yu. A. and Galitskii, V. M. Oscillation of photon density in a resonance medium, 4=11840
- Alekseev, A. S. Some converse problems in wave propagation theory. I. A spatial problem for waves of SH type [preliminary results], 3=11847
- Alekseev, A. S. Some converse problems in wave propagation theory. II. A spatial problem for waves of SH type, 3=11848
- Alekseev, A. S., Vol'vovskii, I. S., Ermilova, N. I., Krauklis, P. V. and Ryaboi, V. Z. The physical nature of various waves recorded in deep seismic sounding. III. Comparison of experimental and theoretical data, 4=26779
- Alekseev, B. A. See Dudarev, V. Ya., 3=4219
- Alekseev, E. S. See Ryabinin, Yu. N., 1=8883
- Alekseev, E. S. An estimate of an electronic transition in barium under pressure, 3=23372
- Alekseev, E. S. and Arkhipov, R. G. Electron transitions in a caesium and rubidium under [hydrostatic] pressure, 2=18549
- Alekseev, E. S. and Arkhipov, R. G. Electron transitions in caesium and rubidium under [hydrostatic] pressure, 2=23108
- Alekseev, N. I. and Kaminskii, D. L. The ionization of certain rare earth elements on the surfaces of tungsten, rhenium and iridium, 4=29983
- Alekseev, N. I. See Kaminskii, D. L., 4=12378
- Alekseev, N. V., Arifkhanov, U. R., Vlasov, N. A., Davydov, V. V. and Samoilov, L. N. A set-up for the investigation of fast-neutron polarization, 4=3414
- Alekseev, N. V., Arifkhanov, U. R., Vlasov, N. A., Davydov, V. V., Samoilov, L. N. Neutron polarization in the $T(d, n)He^4$ reaction, 4=30279
- Alekseev, N. V. and Evseev, A. M. Investigation of the structures of liquid alloys of Cd-Sn, 0=16691
- Alekseev, N. V., Gerassimov, Ya. I. and Evseev, A. M. Investigation of thermodynamic properties of liquid In-Bi alloys, 1=143
- Alekseev, N. V., Zherebtsova, K. I., Litvin, V. F. and Nemilov, Yu. A. Stripping reactions on Cu^{1+} , O^{16} , and Si^{28} , 1=17144
- Alekseev, P. G. See Fogel', V. O., 2=17676
- Alekseev, U. J. and Vitkevich, V. V. On the polarization of solar radio emission at 1.5 m wavelength, 1=15533
- Alekseev, V. A. and Borisov, V. L. Angular distribution of secondary electrons from an effective MgO emitter on a CuAlMg alloy base, 2=11702
- Alekseev, V. A. and Borisov, V. L. Angular distribution of secondary electrons from an effective MgO emitter on a CuAlMg alloy base, 2=13593
- Alekseev, V. A. See Kheiker, D. M., 0=12017
- Alekseev, V. A. See Kheiker, D. M., 3=23427
- Alekseev, V. M. A theorem in the theory of perturbed motion, 1=17995
- Alekseev, V. M. An estimate of the perturbations of hyperbolic motion in the three-body problem, 2=13092
- Alekseev, V. M. An estimate of the perturbations of hyperbolic motion in the three-body problem, 2=17227
- Alekseev, V. M. New examples of "capture" in the three-body problem, 3=1503
- Alekseev, V. M. Example of "exchange" in the problem of three bodies with a negative energy constant, 3=7162
- Alekseev, Yu. I., Babil, V. I., Vitkevitch, V. V., Gorelova, M. V. and Sukhovei, A. G. Observations of solar radio emission in the metre range during the total solar eclipse of February 15, 1961, 3=1539
- Alekseev, Yu. I. See Kokurin, Yu. L., 2=4637
- Alekseeva, E. P. Luminescence of LiF crystals activated by uranyl nitrate, 2=18861
- Alekseeva, E. S. See Berestnev, V. A., 1=20654
- Alekseeva, E. S. See Berestnev, V. A., 2=4481
- Alekseeva, K. I., Brikker, S. I., Grigorov, N. L., Murzin, V. S. and Savin, F. D. Investigation of pion production in interactions of [primary] cosmic-ray protons and alpha particles with carbon nuclei in the stratosphere, 0=9494
- Alekseeva, K. I., Gabuniya, L. L., Zhdanov, G. B., Zamchalova, E. A., Shcherbakova, M. H. and Tret'yakova, M. I. A study of the composition of primary cosmic rays at a height of 320 km, 3=2334
- Alekseeva, K. I., Gabuniya, L. L., Den Pken Su, Zhdanov, G. B. and Tret'yakova, M. I. A rare case of a high-energy nuclear interaction with an isotropic angular distribution of the secondary particles, 3=2428
- Alekseeva, K. I., Gabuniya, L. L., Den Pken Su, Zhdanov, G. B. and Tret'yakova, M. I. Case of a high-energy nuclear interaction with isotropic angular distribution, 3=19596
- Alekseeva, K. I., Gabuniya, L. L., Zhdanov, G. B., Soo, J. P. and Tret'yakova, M. I. High energy nuclear interaction with isotropic distribution of generated particles, 3=4535
- Alekseeva, K. I., Gabuniya, L. L., Zhdanov, G. B., Zamchalova, E. A., Tret'yakova, M. I. and Shcherbakova, M. N. The study of the composition of primary cosmic radiation at the altitude of 320 km, 2=20451
- Alekseeva, K. I., Gabuniya, L. L., Zhdanov, G. B., Zamchalova, E. A., Shcherbakova, M. N. and Tret'yakova, M. I. A study of the composition of primary cosmic rays at a height of 320 km, 3=22228
- Alekseeva, K. I. and Grigorov, N. L. Heavy nuclei flux in the primary cosmic radiation at a geomagnetic latitude of $31^\circ N$, 0=9486
- Alekseeva, K. I., Zhdanov, G. B., Tret'yakova, M. I. and Shcherbakova, M. N. The ionization-momentum relation for various types of particle in the relativistic region, 4=864
- Alekseeva, K. I., Zhdanov, G. B., Zamchalova, E. A., Tret'yakova, M. I. and Shcherbakova, M. N. A photographic emulsion study of the interaction between 8.7 BeV protons and quasi-free nucleons, 3=6001
- Alekseeva, M. I. The design of light filters made of correcting glass "NS" to provide a neutral spectra-transmission characteristic, 2=5159
- Alekseeva, N. A. See Kreimer, G. S., 3=11178
- Alekseeva, V. G. and Eliseev, P. G. Effect of bismuth on dislocation density in single crystal germanium, 0=1583
- Alekseeva, V. G., Karpova, I. V. and Kalashnikov, S. G. Recombination on atoms of gold in p-type germanium, 1=17685
- Alekseeva, V. G. See Karpova, I. V., 2=18675
- Alekseeva, V. G. See Karpova, I. V., 2=21131
- Alekseeva, V. G. See Zhdanova, N. G., 4=1684
- Alekseevskii, N. E., Bondar', V. V. and Polykarov, Yu. M. Superconductivity of electrodeposited copper-bismuth alloys, 0=10849
- Alekseevskii, N. E. and Egorov, V. S. Measurement of the resistance of single crystals in a pulsed magnetic field, 4=2928
- Alekseevskii, N. E. and Egorov, V. S. Galvanomagnetic properties of beryllium, 4=6920
- Alekseevskii, N. E. and Egorov, V. S. Magnetic breakdown in beryllium, 4=20325
- Alekseevskii, N. E., Egorov, V. S., Karstens, G. E. and Kazak, B. N. Galvanomagnetic properties of single crystals of transition metals, 3=4909
- Alekseevskii, N. E., Egorov, V. S. and Kazak, B. N. Galvanomagnetic properties of rhenium, 4=4123
- Alekseevskii, N. E., Fam Zui Khien, Shapiro, V. G. and Shpinel', V. S. Anisotropy of the Mössbauer effect in β -Sn single crystals, 3=2700
- Alekseevskii, N. E. and Gaidukov, Yu. P. The influence of plastic deformation on the anomalous behaviour of the resistance of gold at low temperatures, 0=2847
- Alekseevskii, N. E. and Gaidukov, Yu. P. The anisotropy of magnetoresistance and the topology of the Fermi surfaces of metals, 0=9939
- Alekseevskii, N. E. and Gaidukov, P. Anisotropy of the electrical resistance of Mg and Pt single crystals in a magnetic field at $4.2^\circ K$, 1=3726
- Alekseevskii, N. E. and Gaidukov, Yu. P. Fermi surface of lead, 1=17464
- Alekseevskii, N. E. and Gaidukov, Yu. P. The Fermi surface for tin, 2=3873
- Alekseevskii, N. E. and Gaidukov, Yu. P. Fermi surface in silver, 2=8190

- Alekseeski, N.E. and Gaidukov, Yu.P. Fermi surface of lead, 2=23117
- Alekseevskii, N.E. and Gaidukov, Yu.P. The Fermi surface for tin, 2=23119
- Alekseevskii, N.E. and Gaidukov, Yu.P. Fermi surface in silver, 3=6495
- Alekseevskii, N.E. and Gaidukov, Yu.P. Open cross-sections of cadmium, zinc and thallium Fermi surfaces, 3=17687
- Alekseevskii, N.E. and Gaidukov, Yu.P. Correction to the paper "Open cross-sections of cadmium, zinc and thallium Fermi surfaces", 3=25244
- Alekseevskii, N.E., Gaidukov, Yu.P., Lifshits, I.M. and Peschanskii, V.G. The Fermi surface of tin, 2=584
- Alekseevskii, N.E., Karstens, G. E. and Mozhaev, V. V. Investigation of the galvanomagnetic properties of Pd, 4=26012
- Alekseevskii, N.E. and Mikheeva, M.N. The critical currents in superconducting films of tin, 0=12562
- Alekseevskii, N.E. and Mikhailov, N.N. Superconducting solenoids containing Nb₃Sn for strong magnetic fields, 2=5240
- Alekseevskii, N.E. and Mikhailov, N.N. Superconducting solenoids containing Nb₃Sn for strong magnetic fields, 3=3968
- Alekseevskii, N.E. and Mikhailov, N.N. Superconductivity of some binary and ternary alloys, 3=16873
- Alekseevskii, N.E., Samsonov, G. V. and Shulishova, O. I. On the superconductivity of gallium nitride, 4=402
- Alekseevskii, N.E., Savitskii, E.M., Baron, V. V. and Efimov, Yu. V. The influence of alloying elements on the superconducting properties of the compound, 3=335
- Alekseevskii, N.E., Xien, P. Z., Shapiro, V. G. and Shipnel', V. S. Anisotropy of the Mössbauer effect in a single crystal of β -Sn, 4=25818
- Alekseevskii, V.P. A problem in the theory of jets, 1=8102
- Aleksenko, Yu.N. and Kakushadze, L.E. Radiation-induced changes in some physical properties of graphites of various degrees of graphitization, 1=17586
- Aleksev, N. V., Arifkhanov, U. R., Vlasov, N. A., Davydov, V. V. and Samoilov, L. N. Neutron polarization in the reactions $T(p, n)He^3$ and $D(d, n)He^3$, 4=6145
- Alekseyeva, N. A. See Kreymer, G. S., 4=26532
- Alekseyeva, V.G. and Nad', F. Ya. Kinetics of photoconductivity in n-type gold-doped germanium, 3=20411
- Alekseyevskii, N.E. and Kostina, T.I. Change of the concentration of current carriers in bismuth due to selenium admixtures, 2=3988
- Alekseyevskii, N.E. and Kostina, T.I. Change of the concentration of current carriers in bismuth due to selenium admixtures, 3=4904
- Aleksić, M. See Boreli, F., 4=9616
- Aleksić, N. R. See Popić, R. V., 4=21964
- Aleksin, V. F. Calculation of the magnetic field of the stellarator, 2=17849
- Aleksin, V. F. and Yashin, V.I. Investigation of the stability of a plasma by a generalized energy principle, 1=4602
- Aleksin, V. F. and Yashin, V.I. Stability of a plasma pinch with anisotropic particle velocity distribution and arbitrary current distribution, 1=18885
- Aleksin, V. F. See Akhiezer, A.I., 2=9585
- Aleksin, V. F. See Akhiezer, A.I., 3=5671
- Aleksin, V. F. See Pakhomov, V.I., 2=22210
- Alenitsyn, A. G. Raleigh waves in a nonhomogeneous elastic half-space, 4=8306
- Alenka, V. P. See Senftle, F. E., 0=4044
- Alentsev, M. N. A universal relationship between absorption luminescence spectra, and luminescence yield, 2=23584
- Alentsev, M. N. and Pakhom'ycheva, L. A. Concerning the relation between the absorption and luminescence spectra of complex molecules, 2=17475
- Alentsev, M. N. and Pakhom'ycheva, L. A. Relation between absorption and luminescence spectra and the anti-Stokes luminescence yield, 2=22941
- Aléonard, A. See Bertaut, E. F., 4=13267
- Aléonard, R. Paramagnetic study of yttrium and rare-earth ferrites of formula $5Fe_xO_{x+3}M_2O_3$, 1=20142
- Aléonard, R. and Barbier, J. C. A study of paramagnetism in rare earth garnets at high temperatures, 0=13739
- Aléonard, R., Bertaut, E. F., Montmory, M. C. and Pauthenet, R. Rare-earth ruthenates, 2=12695
- Aléonard, R. and Brissonneau, P. Direct measurement of the energy of a 180° Bloch wall, 2=16906
- Aléonard, R., Brissonneau, P. and Néel, L. New method to measure directly the 180° Bloch wall energy, 3=15802
- Aléonard, R. and Pauthenet, R. Magnetic properties of manganese niobate and of cobalt niobate, 1=2488
- Aléonard, R. and Pauthenet, R. Magnetic properties of gallates of rare earths at high temperatures, 3=6693
- Aléonard, R. See Bertaut, E. F., 2=6814
- Aleopard, R. See Bertaut, E. F., 4=28800
- Aléonard, S. See Bonnier, E., 4=17819
- Aléonard, S. See Bonnier, E., 4=25865
- Aler, G. A., Condit, R. E. and Karbon, J. A. Low-temperature internal friction peaks in gold, 3=3212
- Alers, G. A. Elastic moduli of vanadium, 0=16200
- Alers, G. A. and Fleury, P. A. Modification of the velocity of sound in metals by magnetic fields, 3=8356
- Alers, G. A. and Fleury, P. A. Strain amplitude of Mc/sec ultrasonic waves in solids, 4=26466
- Alers, G. A. and Swim, R. T. Oscillations in the velocity of sound in gold at high magnetic fields, 3=23138
- Alers, G. A. and Thompson, D. O. Dislocation contributions to the modulus and damping in copper at megacycle frequencies, 1=3955
- Alers, G. A. and Waldorf, D. L. Variation of the elastic moduli at the superconducting transition, 1=11884
- Alers, G. A. and Waldorf, D. L. Variation of the elastic moduli at the superconducting transition, 2=7508
- Alers, G. A., Neighbours, J. R. and Sato, H. Magnetic contributions to the elastic constants of nickel and an Fe-30% Ni alloy at high magnetic fields, 0=3065
- Alers, G. A., Neighbours, J. R. and Sato, H. Temperature dependent magnetic contributions to the high field elastic constants of nickel and an Fe-Ni alloy, 0=11874
- Alers, G. A. See Kamm, G. N., 4=13390
- Alers, G. A. See Neighbours, J. R., 0=523
- Alers, G. A. See Waldorf, D. L., 3=1212
- Alers, P. B. Faraday effect in cerium phosphate glasses at low temperatures, 0=2933
- Alers, P. B. Effects of gamma radiation on cerium-bearing phosphate glasses, 1=17870
- Alers, P. B. High-field optical magnetometer, 2=3129
- Alers, P. B. and Dolecek, R. L. Shift of the 3050 Å emission band of KCl:Ti with pressure, 2=21267
- Alers, P. B. and Dolecek, R. L. Pressure-effect model for a luminescence centre: KCl:Ti, 3=10992
- Alers, P. B. and Shannon, P. E. V. Effect of pressure on emission and absorption spectra of alkali halide phosphors, 4=28699
- Aleshin, K. P. See Sklyarevsky, V. V., 4=1348
- Aleshin, K. P. See Stepanov, E. P., 4=1347
- Aleshin, V. I. Self-oscillations of variable stars, 4=23853
- Aleskovskii, V. B. See Kalinkin, I. P., 2=4380
- Aleskovskii, V. B. See Kalinkin, I. P., 2=6768
- Aleskovskii, V. B. See Kalinkin, I. P., 3=18378
- Aleskovskii, V. B. See Kalinkin, I. P., 4=15819
- Aleskovskii, V. B. See Nikolaev, G. I., 4=18244
- Aleskovskii, Yu. M. Investigation of volume recombination in a caesium plasma, 3=24278
- Aleskovskii, Yu. M. and Granovskii, V. L. Recombination radiation of a caesium plasma in a homogeneous magnetic field, 1=18890
- Aleskovskii, Yu. M. and Granovskii, V. L. Recombination radiation of a caesium plasma in a homogeneous magnetic field, 3=411
- Aleskovskii, Yu. M. and Granovskii, V. L. Investigation of volume recombination in a helium plasma in a magnetic field, 3=14603
- Alessandrini, E. I. Effect of temperature and environment on the structure of thin single-crystal nickel films, 4=23585
- Alessandrini, E. I. and Freedman, J. F. The observation by electron diffraction of a 'superlattice' in annealed nickel single crystal films, 3=8835
- Alessandrini, E. I. See Rosenbaum, H. S., 0=212277
- Alessandrini, V. A. and Giambiagi, J. J. Jost functions for the harmonic oscillator, 4=2562
- Alessio, M., Allegri, L. and Bella, F. A CO₂ proportional counter of small volume and high efficiency for low level β -counting, 1=5610
- Alevra, A. See Ivanov, E., 3=8098
- Alevra, A. See Ivanov, E., 4=22035
- Alexakos, L. G. and Cornwell, C. D. Amplitude modulation method for producing sidebands in N.M.R. experiments, 3=19474
- Alexakos, L. G. and Cornwell, C. D. Collision-narrowing technique for n. m. r. studies of gases at moderate pressures, 4=3198
- Alexakos, L. G. and Cornwell, C. D. N.M.R. spectra of C1F₃ and C1F: Gaseous spectra and gas-to-liquid shifts, 4=30476
- Alexander, C. A., Ogden, J. S. and Levy, A. Transpiration study of magnesium oxide, 4=5474

- Alexander, E., Feldman, U. and Fraenkel, B. S. A method of differentiating between atomic spectra of high degrees of ionization, 4=25476
- Alexander, E. and Fraenkel, B. S. Vacuum ultraviolet spectrometer, 3=21546
- Alexander, E., Fraenkel, B. S., Feldman, U., Jacobs, A. and Makovsky, J. Review of the research in progress in the vacuum ultraviolet, 3=9593
- Alexander, E., Fraenkel, B. S., Perel, J. and Rabinovitch, K. Orientation dependence of K-absorption extended fine structure of a single crystal of germanium, 4=4258
- Alexander, E. and Steinberger, I. T. Electroluminescence emission spectra of ZnS single crystals, 3=6683
- Alexander, E. See Brafman, O., 4=22807
- Alexander, E. See Steiberger, I. T., 1=1190
- Alexander, E. J., McAlexander, J. C., Young, L. H. and Salhany, R. J. A permanent magnet twistor memory element of improved characteristics, 2=13640
- Alexander, F. B., Bird, V. R., Carpenter, D. R., Manley, G. W., McDermott, P. S., Peloke, J. R., Quinn, H. F., Riley, R. J. and Yetter, L. R. Spontaneous and stimulated infrared emission
- Alexander, G., Almeida, S. P. and Crawford, F. S., Jr. Experimental tests of the $\Delta I = 1/2$ rule, and the $\Delta S = +\Delta Q$ rule in three-body decays of neutral K mesons, 2=20413
- Alexander, G., Anderson, J. A., Crawford, F. S., Jr., Laskar, W. and Lloyd, L. J. Interaction of lambdas with protons, 2=3411
- Alexander, G., Avidan, J., Avni, A. and Yekutieli, G. Meson production in nucleus-nucleus collisions, 1=13459
- Alexander, G., Dahl, O. I., Jacobs, L., Kalbfleisch, G. R., Miller, D. H., Rittenberg, A., Schwartz, J. and Smith, G. Final-state interactions in the $\pi^- + p \rightarrow K + \bar{K} + N$ reaction, 3=7924
- Alexander, G., Eisenberg, Y. and Kessler, D. A possible explanation for the multi-nucleon K^- capture, 0=15438
- Alexander, G., Kalbfleisch, G. R., Miller, D. H. and Smith, G. A. Production of strange-particle resonant states by 2.1 BeV/c π^- mesons, 2=20427
- Alexander, G. and Shapira, A. Lifetime measurement of Σ^+ through its weak interaction, 4=19597
- Alexander, G. and Yekutieli, G. Nucleus-nucleus reaction cross section at high energy collisions, 1=5903
- Alexander, G. and Yekutieli, G. Competition between meson and baryon exchange in peripheral collisions, 3=22135
- Alexander, G. See Eisenberg, Y., 2=319
- Alexander, G. See K^- -collaboration, 0=1308
- Alexander, G. See K^- -Collaboration, 0=15430
- Alexander, G. See Eisenberg, Y., 0=20219
- Alexander, G. See Kalbfleisch, G. R., 3=17349
- Alexander, G. See Miller, D. H., 3=19698
- Alexander, G. See Smith, G. A., 4=21918
- Alexander, H. and Haasen, P. Dynamical recovery of germanium, 2=2330
- Alexander, H. and Mader, S. Electron microscope of observations of dislocations in germanium, 2=21040
- Alexander, H. See Peissker, E., 2=23189
- Alexander, H. See Schäfer, S., 4=20655
- Alexander, J. D. H., Bowen, P. J. and Heddle, D. W. O. Southern hemisphere observations of ultra-violet radiation from celestial objects. I. Experimental techniques and rocket payload technology, 4=26912
- Alexander, J. K. See Stone, R. G., 4=30977
- Alexander, J. K., Jr. See Lawrence, J. D., Jr., 3=23617
- Alexander, J. M. On complete solutions for frictionless extrusion in plane strain, 1=15764
- Alexander, J. M., Baltzinger, C. and Gazdik, M. F. Cross section and recoil studies of reactions of U^{238} with protons of 0.5 to 6.2 GeV, 3=8148
- Alexander, J. M. and Gazdik, M. F. Recoil properties of fission products, 0=20512
- Alexander, J. M., Gazdik, M. F., Trips, A. R. and Wasif, S. Kinetic energy release in 23-MeV deuteron fission of U^{238} , 3=10397
- Alexander, J. M. and Simonoff, G. N. Excitation functions for Tb^{149} from reactions between complex nuclei, 3=15119
- Alexander, J. M. and Simonoff, G. N. Average energy and angular momentum removed from Dy compound nuclei by neutrons and photons, 4=9571
- Alexander, J. M. and Sisson, D. H. Recoil range evidence for the compound-nucleus mechanism in reactions between complex nuclei, 3=6303
- Alexander, J. M. and Winsberg, L. Recoil studies of nuclear reactions induced by heavy ions, 1=2245
- Alexander, J. M. See Brewer, R. C., 1=1322
- Alexander, J. M. See Crespo, V. P., 3=22387
- Alexander, J. M. See Gilat, J., 4=22235
- Alexander, J. M. See Simonoff, G. N., 4=9572
- Alexander, J. M. See Simonoff, G. N., 4=22234
- Alexander, J. M. See Singh, S., 3=670
- Alexander, J. M. See Winsberg, L., 1=2244
- Alexander, J. M. See Yaffe, L., 3=22339
- Alexander, K. F. Isotope separation by thermal diffusion in the liquid phase, 1=3524
- Alexander, K. F. and Bredel, V. Production of short lived isomers by pulse activation with thermal neutrons, 0=17523
- Alexander, K. F. and Brinckmann, H. F. Triple isomerism in Ir^{164} , 1=8631
- Alexander, K. F. and Brinckmann, H. F. Activation cross-sections of Hf^{178m} (4.3 sec) and Hf^{179m} (18.6) for thermal neutrons, 2=14114
- Alexander, K. F. and Brinckmann, H. F. Determination of the activation cross-section of short-lived nuclear isomers for thermal neutrons, 4=9371
- Alexander, K. F., Brinckmann, H. F., Döna, F. and Kissener, H. R. Isomerism of In^{116} , 3=15112
- Alexander, K. F. See Gersch, H. U., 4=22154
- Alexander, L. E. and Smith, G. S. Single-crystal intensity measurements with the three-circle counter diffractometer, 3=1282
- Alexander, L. E. and Smith, G. S. Receiving aperture widths in single-crystal diffractometry, 4=26635
- Alexander, L. E. and Smith, G. S. Single-crystal diffractometry: the improvement of accuracy in intensity measurements, 4=30832
- Alexander, L. E., Smith, G. S. and Brown, P. E. Determination of the inherent reflecting range of a single crystal in diffractometry, 3=25694
- Alexander, L. E. See Ergun, S., 3=3298
- Alexander, L. E. See Smith, G. S., 3=18318
- Alexander, L. E. See Sumner, G. G., 4=23436
- Alexander, L. E. See Tiensu, V. H., 4=23384
- Alexander, M. See Salem, L., 4=6530
- Alexander, N. S. See Onwumechilli, C. A., 0=14175
- Alexander, N. S. See Onwumechilli, C. A., 0=14176
- Alexander, O. R. See Johns, D. H., 2=745
- Alexander, P. System for automatic recording of nuclear data, 2=9507
- Alexander, P. Properties of gamma transitions in the decays of Sm^{153} and Gd^{153} into Eu^{153} , 4=17100
- Alexander, P. and Boehm, F. Properties of nuclear energy levels in $Tm-169$, 3=19791
- Alexander, P., Boehm, F. and Kankeleit, E. Spin-23/2⁻ isomer of Lu^{177} , 4=9416
- Alexander, P. and Steffen, R. M. Determination of the nuclear matrix elements in the 2.31 MeV β transition of Sb^{124} through measurement of the β - γ (circularly polarized) angular correlation, 1=17035
- Alexander, P. and Steffen, R. M. Nuclear matrix elements in the first-forbidden beta decay of the Eu^{153} ground state, 3=2412
- Alexander, P. See Itzhaki, R. F., 2=4478
- Alexander, P. W., Lacey, A. R. and Lyons, L. E. Absorption and luminescence origins in anthracene crystals, 1=14644
- Alexander, R. See Ziemba, F. P., 2=18016
- Alexander, R. G. Anisotropy field measurements on Ni-Fe thin films, 0=3057
- Alexander, S. Relative signs of spin-spin interactions in nuclear magnetic resonance. II, 0=15760
- Alexander, S. Spin-spin interactions in nuclear magnetic resonance. Contact contribution, 1=3570
- Alexander, S. Exchange of interacting nuclear spins in nuclear magnetic resonance. I. Intramolecular exchange, 2=20865
- Alexander, S. Exchange of interacting nuclear spins in nuclear magnetic resonance. II. Chemical exchange, 2=20866
- Alexander, S. Erratum: Fast exchange width of nuclear magnetic resonance spectra, 4=20110
- Alexander, S. Fast-exchange width of nuclear magnetic resonance spectra, 3=22596
- Alexander, S. and Anderson, P. W. Interaction between localized states in metals, 4=12740
- Alexander, S., Corenzwit, E., Matthias, B. T., Shulman, R. G. and Wyluda, B. J. Knight shifts in niobium-molybdenum alloys, 3=8737
- Alexander, S. See Treves, D., 2=12666
- Alexander, T. K., Broude, C. and Litherland, A. E. The 3.06 and 3.85 MeV states in O^{17} , 4=19677
- Alexander, T. K. and Goulding, F. S. An amplitude-insensitive system that distinguishes pulses of different shapes, 2=5278
- Alexander, T. K. and Heywood, D. R. A twenty-Mc/s transistor decade scaler, 2=5274
- Alexander, T. K. and Robinson, L. B. Three dimensional coincidence analyser uses 900 addresses, 2=17751

- Alexander, T.K., Robinson, L.B. and McNaught, R.A. Transistor magnetic store multidimensional kicksorter, 2=9495
- Alexander, T.K. See Walker, W.H., 0=2683
- Alexander, W.M. Cosmic dust, 3=9164
- Alexander, W.M., McCracken, C.W. and LaGow, H.E. Inter-planetary dust particles of micron-size probably associated with the Leonid meteor stream, 2=6986
- Alexander, W.M. See McCracken, C.W., 2=24085
- Alexandrakis, G.C. and Dousmanis, G.C. Modulation of carrier surface lifetime and the time constants of surface states in Si, 3=25348
- Alexandrov, I.P. and Kikoin, I.K. I.V. Kurchatov (1903-1960), 0=19960
- Alexanian, C., Durif, S. and Soulé, J.L. The determination of specific surfaces and interfaces by small-angle scattering of X-rays. II. Experimental studies, 0=21222
- Alexeeva, V.G., Kalashnikov, S.G., Karpova, I.V. and Landsberg, E.G. Recombination properties of manganese and gold in germanium, 2=8398
- Alexeff, I. and Haerberli, W. Polarization in proton-proton scattering near 3.3 MeV, 0=7346
- Alexeff, I. and Jones, W.D. Direct measurement of ionic sound wave velocity, 4=19021
- Alexeff, I. and Neidigh, R.V. Observations of ionic sound waves in plasmas, 1=18861
- Alexeff, I. and Neidigh, R.V. Experimental observation of plasma electron pressure, 2=17819
- Alexeff, I. and Neidigh, R.V. Observation of ionic sound waves in gaseous discharge tubes, 3=4161
- Alexeff, I. and Neidigh, R.V. Observations of ionic sound waves in plasmas: their properties and applications, 3=5658
- Alexeff, I. and Neidigh, R.V. Observation of ionic sound waves in gaseous discharge tubes, 3=7457
- Alexeff, I. and Neidigh, R.V. A plasma flowmeter: the "plasma eater", 3=21802
- Alexeff, I., Neidigh, R.V., Peed, W.F., Shipley, E.D., and Harris, E.G. Hot-electron plasma by beam-plasma interaction, 3=16937
- Alexeff, I., Neidigh, R.V. and Shipley, E.D. Experiments concerning the magnetic confinement of a cold plasma, 3=9802
- Alexeff, I., Neidigh, R.V. and Shipley, E.D. Optimum energy for plasma confinement, 3=12176
- Alexopoulos, K.D. and Oswald, R.B., Jr. Recovery of γ -radiation damage in p-type indium antimonide, 4=10059
- Alexsandrov, Yu.A. and Bëmer, B. Angular correlations of the cascade gamma-rays emitted in the decay of Eu^{145} and Eu^{147} , 4=6237
- Alfandari, R. and Pauchard, R. Propagation of H modes in a ferrite-loaded rectangular waveguide with transverse magnetization, 1=3062
- Alfano, I. Apparent electrical resistivity in the presence of a curved boundary surface, 2=17775
- Alfant, S. See Hare, A.W., 2=6065
- Alfant, S. See Rough, F.A., 1=13905
- Alfaro, V. De. See De Alfaro, V.
- Alferov, V.I. and Bushmin, A.S. Electrical discharge in a supersonic air flow, 4=470
- Alferov, Zh.I., Gordeev, G.V. and Stafeyev, V.I. The temperature dependence of the breakdown voltage of germanium and silicon diodes, 1=6168
- Alferov, Zh.I. and Silina, E.V. The influence of the state of the surface on the breakdown voltage of silicon diodes, 0=6114
- Alferov, Zh.I. and Yaru, E.A. "Breakdown" of silicon alloy diodes in the forward direction, 0=9966
- Alferov, Zh.I., Zimogorova, N.S., Samolyanov, O.M. and Trukan, M.K. Photoelectric properties of heterojunctions in some semiconductors, 4=26070
- Alford, W.L. See Koehler, D.R., 0=13288
- Alff, C., Berley, D., Colley, D., Gelfand, N., Nauenberg, U., Miller, D., Schultz, J., Steinberger, J., Tan, T.H., Brugger, H., Kramer, P. and Plano, R. Production of pion resonances in $\pi^+ p$ interactions, 3=4432
- Alff, C., Berley, D., Colley, D., Gelfand, N., Nauenberg, U., Miller, D., Schultz, J., Steinberger, J., Tan, T.H., Brugger, H., Kramer, P. and Plano, R. Decays of the ω and η mesons, 3=4433
- Alff, C. and Wertheim, G.K. Hyperfine structure of Fe^{57} in yttrium-iron garnet from the Mössbauer effect, 1=9036
- Alfimenkov, V.P., Lebedev, N.A., Ostanevich, Yu.M., Ruskov, T., Strelkov, A.V. A study of the Mössbauer effect on Sm^{148} , 4=17068
- Alfimenkov, V.P. and Ostanevich, Yu.M. Methods and compilation of data on Mössbauer γ -transitions, 4=28321
- Alfimenkov, V.P., Ostanevich, Yu.M., Ruskov, T., Strelkov, A.V., Shapiro, F.L. and Yai'U-Guan [Yen Wu-kuang]. Mössbauer effect in $\text{Sm}_2^{148}\text{O}_3$, 2=14357
- Alfimenkov, V.P., Ostanevich, Yu.M., Ruskov, T., Strelkov, A.V., Shapiro, F.L. and Yai'U-Guan [Yen Wu-kuang]. Energy spectrum of resonance absorption in zinc oxide of the 92 keV γ -radiation from Zn^{67} , 2=14358
- Alfimenkov, V.P., Ostanevich, Yu.M., Ruskov, T., Strelkov, A.V., Shapiro, F.L. and Yai'U-Guan [Yen Wu-kuang]. Mössbauer effect in $\text{Sm}_2^{148}\text{O}_3$, 3=6459
- Alfimenkov, V.P., Ostanevich, Yu.M., Ruskov, T., Strelkov, A.V., Shapiro, F.L. and Yai'U-Guan [Yen Wu-kuang]. Energy spectrum of resonance absorption in zinc oxide of the 92 keV γ -radiation from Zn^{67} , 3=6480
- Alfimenkov, V.P. See Aksenov, S.I., 1=13633
- Alfimov, M.V., Buben, N.Ya., Pristupa, A.I. and Shamshev, V.N. Autogeneous cohesion of polyethylene under high pressure, 4=26526
- Alfintsev, G.A. and Ovsienko, D.E. An investigation of the growth mechanism of gallium crystals from the melt, 4=29050
- Alfintsev, G.A. See Ovsienko, D.E., 4=26605
- Alford, D., Garrett, F. and Sevin, L.J. Germanium field-effect transistors, 3=4017
- Alford, W.J. See Stephens, D.L., 4=20283
- Alford, W.L. and Koehler, D.R. Isomeric transition in Samarium-143, 3=6174
- Alford, W.L., Koehler, D.R. and Mandeville, C.E. Evidence for an isomeric state of Y^{90} , 1=12184
- Alford, W.L., Koehler, D.R. and Polk, R.G. Decay of neodymium 141, 3=17441
- Alford, W.L. See Koehler, D.R., 3=10287
- Alford, W.L. See Koehler, D.R., 4=19794
- Alford, W.P., Bilaniuk, O.M. and Marsh, B.B. Double pick-up of inequivalent nucleons in $\text{C}^{13}(\text{d}, \alpha)\text{B}^1$, 1=19504
- Alford, W.P. and French, J.B. Isotopic spin admixtures in $\text{Ge}^{66} \rightarrow \text{Ga}^{66} \rightarrow \text{Zn}^{66}$ β transitions, 1=5861
- Alford, W.P. See Griffin, E.E., 2=18320
- Alford, W.P. See Taketani, H., 2=1891
- Alford, W.P. See Taketani, H., 2=14084
- Alfred, L.C.R. Quantum-corrected statistical method for many-particle systems: the density matrix, 1=4276
- Alfred, L.C.R. Shells and electron groups in the Thomas-Fermi atom, 2=3684
- Alfredsson, B. and Johansson, T. The dependence of the bubble density for an ionizing particle on the temperature and pressure in a bubble chamber. I. Experimental procedure and results, 2=248
- Alfrey, G.F. and Taylor, K.N.R. Bombardment conductivity in synthetic zinc sulphide crystals, 0=18055
- Alfrey, G.F. and Wiggins, C.S. Carrier concentration and hole mobility in p-type gallium phosphide, 0=11713
- Alfrey, T., Jr and Lloyd, W.G. Kinetics of high-polymer reactions: effects of neighboring groups, 3=8949
- Al'tan, E.A. See Mes'kin, V.S., 1=7614
- Alfvén, H. Momentum spectrum of the Van Allen radiation, 0=779
- Alfvén, H. Cosmical electrodynamics, 0=16520
- Alfvén, H. On the theory of sunspots, 1=1641
- Alfvén, H. Momentum spectra of cosmic radiation, 1=2143
- Alfvén, H. Physics of plasma: experimental and technical, 1=5438
- Alfvén, H. Collision between a non-ionized gas and a magnetized plasma, 1=5447
- Alfvén, H. On the origin of cosmic magnetic fields, 1=8335
- Alfvén, H., Lindberg, L. and Mitlid, P. Experiments with plasma rings, 1=9612
- Alfvén, H. Filamentary structure produced by an electric current in a plasma, 2=1415
- Alfvén, H. Confined electron streams in a plasma, 2=3043
- Alfvén, H. On the theory of the outer Van Allen belt, 2=24053
- Alfvén, H. On the mass distribution in the solar system, 3=3543
- Alfvén, H. On the early history of the sun and the formation of the solar system, 3=13880
- Alfvén, H., Fälthammar, C.G., Johansson, R.B., Smars, E.A., Wilner, B. and Witalis, E. Gas insulation of a hot plasma: theory and experiment, 3=12198
- Alfvén, H. and Klein, O. Matter-antimatter annihilation and cosmology, 3=3532
- Alfvén, H. and Smars, E. Gas-insulation of a hot plasma, 1=1905
- Alfvén, H. and Wilcox, J.M. On the origin of the satellites and the planets, 3=3544
- Alger, R.S., Anderson, T.H. and Webb, L.A. Trapped radicals in irradiated n-propanol at 77°K, 1=11130
- Alger, R.S. See Jordan, R.D., 0=7892
- Algie, J.E., Downes, J.G. and Mackay, B.H. Electrical conduction in keratin, 0=11655

- Ali, A.W. See Berg, H.F., 2=3700
- Ali Abdel-Kerim Ibrahim. A graphical method for determining the coefficient of viscosity of Newtonian liquids using an oscillating cylinder viscometer. II, 0=16666
- Ali Abdel-Kerim Ibrahim. A graphical method for determining the coefficient of viscosity of non-elastic liquids. IV, 0=6732
- Ali Abdel-Kerim Ibrahim. The theory of an oscillating cylinder viscometer. IV, 1=6820
- Ali Abdel-Kerim Ibrahim. An exact graphical method for determining the coefficient of viscosity of non-elastic liquids, V, 1=6821
- Ali Abdel-Kerim Ibrahim. A method for measuring the dynamic viscosity and dynamic rigidity of viscoelastic liquids, 1=6822
- Ali Abdel-Kerim Ibrahim and Abdel Monem I.Kabiel. Experimental and theoretical investigations on the oscillating cylinder viscometer for Newtonian liquids, 0=12401
- Ali Abdel-Kerim Ibrahim and Abdel Monem I.Kabiel. On the oscillating cylinder viscometer, 0=19043
- Ali Abdel-Kerim Ibrahim and Abdel Monem I.Kabiel. A graphical method for determining the coefficient of viscosity of Newtonian liquids using an oscillating cylinder viscometer, 1=6823
- Ali Bulent Cambel. See Wendt, J.F., 3=9733
- Ali, H. A. and Tauber, G. E. Hartree-Fock fields and ionization potential for O^{15} for a general two-nucleon potential, 4=25251
- Ali, M.I. and Haque. Dispersion relations applied to π^-p scattering, 2=18166
- Ali, M.I., Hossain, A., Islam, M. and Sarker, A.Q. Elastic scattering of protons by He^3 and of neutrons by H^3 , 1=556
- Ali, M.I., Rahman, R., Masud, M. and Hossain, A. Decay modes of K^+ mesons, 2=18177
- Ali, M.I. and Sarker, A.Q. The elastic scattering of nucleons by He^4 , 2=20329
- Ali, S.A., Grenier, C.G. and Reynolds, J.M. Isothermal galvanomagnetic effects in zinc at low temperatures, 0=9944
- Ali, S.S. See Bodmer, A.R., 3=7940
- Ali-Zade, S.A., Gurevich, I.I., Dobretsov, Yu.P., Nikol'skii, B.A. and Surkova, L.V. Asymmetry of angular distribution of $\mu^+ \rightarrow e^+$ decay electrons in a 27 000 gauss magnetic field, 0=15378
- Ali-Zade, S.A., Gurevich, I.I. and Nikol'skii, B.A. Asymmetry in the angular distribution of electrons from $\mu-e$ decay in magnetic fields up to 35 000 oersted, 1=16832
- Ali-Zade, S.A. See Gurevich, I.I., 1=8468
- Alidieres, M., Aymar, R., Jourdan, P., Koechlin, F. and Samain, A. Behaviour of a plasma, produced by a button-type source in presence of a magnetic field, 3=9777
- Aliev, A. A. See Arifov, U. A., 4=8856
- Aliev, G. M. See Abdullaev, G. B., 4=28386
- Aliev, Kh. M. Explosion shock wave in brittle media, 3=23970
- Aliev, M. G. See Abdullaev, G. B., 0=6125
- Aliev, M.I. and Abdullaev, G.B. On the influence of added halogen on the thermal conductivity and diffusion in selenium, 0=6057
- Aliev, M. I. and Dzhangirov, A. Yu. Investigation of the thermal conductivity of $InSb-In_2Te_3$ alloys, 4=9870
- Aliev, M.I. See Abdullaev, G.V., 1=9989
- Aliev, M.I. See Abdullaev, G.B., 1=11170
- Aliev, N.A. and Ibragimov, N.I. The effect of tin and bismuth impurities on the thermal conductivity of selenium, 0=11589
- Aliev, V.I. See Kashkai, M.A., 1=5140
- Aliev, V.I. See Kashkai, M.A., 1=10384
- Aliev, Yu. F. See Lazarev, B. G., 3=16875
- Aliev, Yu. M. and Shister, A. R. Transport phenomena in a plasma in a strong magnetic field, *4=5601
- Alieva, A.G. and Pinsker, Z.G. An electron-diffraction study of Cu_3SbS_4 , 2=2393
- Alieva, M. Kh. and Akhundov, G. A. Kinetics of the photoconductivity of p-type $TlSe$ single crystals, 4=1689
- Alieva, M. K. See Akhundov, G. A., 4=1622
- Alieva, T.D. See Khalilov, A. Kh., 2=23601
- Alikhanian, A. I., Asatiani, T. L., Matevosian, E. M., Nazaryan, A. A. and Sharkhatunian, R. O. Observation of the tracks of fast particles in a two-electrode spark chamber located in a magnetic field, 4=9033
- Alikhanian, A.I., Asatiani, T.L., Matevosian, A.M. and Sharkhatunian, R.O. Momentum measurements of charged particles in a single gap spark chamber placed in a magnetic field, 3=17150
- Alikhanian, A. I., Vaiter, A. K., Garibyan, G. M., Grishaev, I. A., Lorikyan, M. P., Petrenko, V. V. and Fursov, G. D. Ionization energy losses by fast electrons in thin polyesterene layers, 4=20261
- Alikhanov, A.I., Babaev, A.I., Balats, M. Ya., Kaftanov, V.S., Landsberg, L.G., Lyubimov, V.A. and Obukhov, Yu. V. Further search for the $\gamma \rightarrow e + \gamma$ decay, 2=11969
- Alikhanov, A.I., Babaev, A.I., Balats, M. Ya., Kaftanov, V.S., Landsberg, L.G., Lyubimov, V.A. and Obukhov, Yu. V. Further search for the $\mu \rightarrow e + \gamma$ decay, 3=6024
- Alikhanov, A.I., Eliseev, G.P. and Lyubimov, V.A. Polarization of RaE electrons and time reversal invariance, 0=2644
- Alikhanov, A.I., Eliseev, G.P. and Lyubimov, V.A. Longitudinal polarization of β -electrons from Au^{198} , 1=3411
- Alikhanov, A.I., Eliseev, G.P. and Lyubimov, V.A. The energy dependence of the polarization of electrons and time parity, 0=4050
- Alikhanov, A.I., Galaktionov, Yu. V., Gorodkov, Yu. V., Eliseev, G.P. and Lyubimov, V.A. A measurement of the spirality of the μ -meson, 0=20176
- Alikhanov, A.I., Khriyanyan, A. V., Kosmachevsky, V. K., Avakyan, V. V., Gorodkov, Yu. V., Egiyan, K. Sh. and Nalbandyan, N. A. Studies of the nature and spectra of particles generated by high-energy nucleons, 0=9454
- Alikhanov, A.I. and Lyubimov, V.A. Possibility of determining the chirality of the muon by means of δ -electron cascades from magnetized iron, 0=13010
- Alikhanov, A.I. See Lyubimov, V.A., 0=15519
- Alikhanov, A.I. See Lyubimov, V.A., 2=13972
- Alikhanov, R. A. Neutron diffraction investigation of the antiferromagnetism of the carbonates of manganese and iron, 0=11851
- Alikhanov, R.A. A cryostat for neutron diffraction investigations, 0=12016
- Alikhanov, R.A. Antiferromagnetism in NiF_2 , 0=13852
- Alikhanov, R.A. The antiferromagnetism of $CoCO_3$, 1=3919
- Alikhanov, R.A. Antiferromagnetism of $NiCO_3$, 3=1115
- Alikhanov, R. A. A neutron diffraction study of solid oxygen, 4=7633
- Alikhanov, R. A. Neutron diffraction study of solid oxygen, 4=29127
- Alikhanov, S.G., Komin, A. V., Podlesnyi, G. G. and Khorasanov, G. L. Investigation of plasma diffusion in a magnetic field, 3=14592
- Alikhanov, S.G., Zakharov, V. E. and Khorasanov, G. L. Plasma diffusion in a magnetic field due to Coulomb collisions, 3=19239
- Alikhanov, S.G. See Demirkhanov, R.A., 3=7522
- Alikhanyan, A., Kirillov-Ugryumov, V. G., Kotenko, L. P., Kuznetsov, E. P. and Samoilov, A. V. Single scattering of 10-30 MeV μ^- -mesons on carbon, 0=9696
- Alikhanyan, A.I. The scattering of μ -mesons in various substances, 1=2124
- Alikhanyan, A.I., Arutyunyan, F. R., Ispiryan, K. A. and Ter-Mikaelyan, M. L. On a certain possibility of detecting high energy charged particles, 2=3295
- Alikhanyan, A. I., Arutyunyan, F. R., Ispiryan, K. A. and Ter-Mikaelyan, M. L. On a certain possibility of detecting high-energy charged particles, 3=4368
- Alikhanyan, A.I., Arutyunyan, F.R., Ispiryan, K.A. and Ter-Mikaelyan, M.L. A possible method for detecting high-energy charged particles, 4=5883
- Alikhanyan, A.I., Asatiani, T.L., Krishchyan, V.M., Matevosyan, E.M. and Sharkhatunyan, R.O. Polarisation of cosmic ray muons, 3=4519
- Alikhanyan, A.I., Asatiani, T.L., Krishchyan, V.M., Matevosyan, E.M. and Sharkhatunyan, R.O. Polarization of cosmic μ mesons, 3=24824
- Alikhanyan, A. I., Asatiani, T. L. and Matevosyan, E. M. A two-electrode spark chamber with a large discharge gap in a magnetic field, 4=788
- Alikhanyan, A.I., Asatiani, T.L., Matevosyan, E.M., Nazaryan, A.A. and Sharkhatunyan, R. O. Observation of fast-particle tracks in a two-electrode spark chamber in a magnetic field, 4=5917
- Alikhanyan, A.I., Asatiani, T.L., Matevosyan, E.M. and Sharkhatunyan, R.O. Investigation of the polarization of cosmic ray μ^+ mesons, 2=7918
- Alikhanyan, A.I., Asatiani, T.L., Matevosyan, E.M. and Sharkhatunyan, R.O. Investigation of the polarization of cosmic ray μ^+ -mesons, 3=6114
- Alikhanyan, A. I., Garibyan, G. M., Lorikyan, M. P., Val'ter, A. K., Grishaev, I. A., Petrenko, V. A. and Fursov, G. L. The energy loss of fast electrons by ionization in thin films, 4=3389
- Alikhanyan, A. I., Kheifets, S. A. and Esin, S. K. Accumulators of electrons and positrons, 4=14772
- Alikhanyan, A.I., Laziev, E. U. and Tumanyan, W.A. On a possible method of registration of high-energy neutrinos, 3=17242

- Alikhanyan, A.I. and Vaisenberg, A.O. New experimental data on μ mesons, 3=24755
- Alikhanyan, A.I. See Aleksanyan, A.S., 3=2176
- Alikhanyan, A.I. See Aleksanyan, A.S., 4=30270
- Alikhanyan, A.T. Polarization of cosmic ray μ -mesons, 1=3279
- Alimbarashvili, N.A. See Malkovich, R.Sh., 3=17790
- Alimov, Yu.I. See Skrotskii, G.V., 0=10196
- Aline, P.G., Novak, P.E. and Wolfe, B. On the fast effect in beryllium, 1=13817
- Aliotta, C.F. See Brock, G.E., 2=23192
- Alire, R.M. See Crosby, G.A., 1=6228
- Alishev, M.G. Forced convection of a compressible viscous gas near a heat source, 3=1854
- Alishouse, J. See Wark, D.O., 4=13797
- Alison, P. J. and Wilman, H. The different behaviour of hexagonal and cubic metals in their friction, wear and work hardening during abrasion, 4=13387
- Alisova, S. P., Budberg, P. B. and Shakhova, K. I. Crystal structure of the compound HfCr_2 , 4=30850
- Alitti, J., Alles-Borelli, V., Baton, J.P., Berthelot, A., Bidan, U., Daudin, A., Deler, B., Goussu, O., Jabiol, M.A., Levy, F., Lewin, C., Neveu-René, M., Rogozinski, A., Shively, F., Laberrigue-Frolow, J., Ouannès, O., Sené, M., Vigneron, L., Abbattista, N., Mongelli, S., Romano, A., Benedetti, E., Litvak, J., Puppi, G., Waloschek, P. and Whitehead, M. Diffraction scattering of 1.6 GeV/c π^- on p for small momentum transfer, 2=16229
- Alitti, J., Baton, J.P., Berthelot, A., Daudin, A., Deler, B., Goussu, O., Jabiol, M.A., Lewin, C., Neveu-René, M., Rogozinski, A., Shively, F., Laberrigue-Frolow, J., Ouannès, O., Sené, M., Vigneron, L., Abbattista, N., Mongelli, S., Romano, A., Waloschek, P., Alles-Borelli, V., Benedetti, E., Litvak, J., Puppi, G. and Whitehead, M. Investigation of resonant $\pi^- \pi$ interaction in the $J = 1$, $T = 1$ state, 2=18156
- Aliverti, G., Demichelis, F. and Lovera, G. γ -ray spectroscopy of artificial radionuclides collected by air filtration at the ground, 0=429
- Al-Jeboori, M.A., Bokhari, M.S., Strzałkowski, A. and Hird, B. Polarization in deuteron elastic scattering from carbon at 6 MeV, 0=15577
- Al-Jeboori, M.A. See Strzałkowski, A., 0=11401
- Al Jobory, M.I. See Turner, D.W., 3=7434
- Alkemade, C. T. See Hollander, T., 4=28267
- Alkemade, C. T. J. On the problem of Brownian motion of nonlinear systems, 0=8564
- Alkemade, C. T. J. On the excess photon noise in single-beam measurements with photo-emissive and photo-conductive cells, 0=14954
- Alkemade, C. T. J., van Kampen, N. G. and MacDonald, D. K. C. Non-linear Brownian movement of a generalized Rayleigh model, 3=5369
- Alkemade, C. T. J. See Bolwijn, P. T., 3=11908
- Alkemade, C. T. J. See Hollander, T., 4=2946
- Alkemade, C. T. J. See Smit, C., 3=7634
- Alkemade, C. T. J. See Smit, C., 4=6004
- Alkhazov, D. G., Gangrskii, Yu. P., Lemberg, I. Kh. and Udralov, Yu. I. Energy resolution of silicon p-n detectors in recording heavy ions, 4=11856
- Alkhazov, D. G., Grinberg, A. P., Gusinskii, G. M., Erokhina, K. I. and Lemberg, I. Kh. Lifetime of the first excited state of Mg^{24} , 0=2567
- Alkhazov, D. G., Grinberg, A. P., Gusinskii, G. M., Erokhina, K. I. and Lemberg, I. Kh. Coulomb excitation of aluminium, 0=2622
- Alkhazov, D. G., Grinberg, A. P., Gusinskii, G. M., Erokhina, K. I. and Lemberg, I. Kh. Coulomb excitation of odd-A nuclei by heavy ions, 0=7587
- Alkhazov, I. D. See Malkin, L. Z., 4=6387
- Alkhazov, I. D. See Malkin, L. Z., 4=6388
- Alkhazov, I. D. See Malkin, L. Z., 4=19837
- Al-Kital, R. A. and Peck, R. A., Jr. $\text{C}^{13}(n, \alpha)\text{Be}^8$ reaction induced by 14-MeV neutrons, 3=12691
- Alksne, A. Y. See Spreiter, J. R., 2=19269
- Alksnis, Ya. and Ulmanis, U. Scattering of Ce^{137} gamma-rays in lead, 0=13259
- Allab, M. D. See Moriamez, C., 3=21397
- Allaby, J. V., Ashmore, A., Diddens, A. N. and Eades, J. A measurement of the spin correlation coefficient C_{nn} in p-p scattering at 320 MeV, for 90° centre of mass scattering angle, 0=7347
- Allaby, J. V., Ashmore, A., Diddens, A. N., Eades, J., Huxtable, G. B. and Skarsvåg, K. Spin correlation measurements in p-p scattering at 382 and 320 MeV, 1=5725
- Allaby, J. V., Chisholm, A., Eades, J. and James, A. N. Spin correlation experiments in proton-proton scattering at 380 MeV, 3=7855
- Allaby, J. V., Chisholm, A., Eades, J. and Townes, B. M. Bound muon deca-rate anomaly, 2=10126
- Allaby, J. V., Gittelmann, B., Prepost, R., Ritson, D. M., Coward, D. H. and Richter, B. Search for an intermediate boson, 4=11976
- Allain, Y., Miedan-Gros, A. and Vivet, B. Servo magnetic balance, 3=19412
- Allain, Y. See Miedan-Gros, A., 4=7220
- Allais, M. L. A mechanical apparatus enabling the measurement by compensation of a Kerr constant, 0=19460
- Allais, M. L. Electrical birefringence of macromolecules. Measurements, by compensation, on specimens of desoxyribonucleic acid, 3=4792
- Allam, D. S. and Lee, W. H. Ultrasonic velocity in aqueous silver nitrate solution, 1=18407
- Allan, A. H. Sudden changes in amplitude and phase of 16 kc/s very low-frequency received in New Zealand, 4=7859
- Allan, A. H. Interfering radio signals on 18 kc/s received in New Zealand, 4=26803
- Allan, A. H., Crombie, D. D. and Penton, W. A. Long-path v.l.f.-frequency variations associated with the solar flare of 23 February 1956, 0=304
- Allan, D. L. An experimental test of the statistical theory of nuclear reactions, 1=8680
- Allan, D. L. An experimental test of the statistical theory of nuclear reactions, 1=9867
- Allan, D. L. A sonic spark chamber for a magnetic spectrograph, 4=11864
- Allan, D. W. On the behaviour of systems of coupled dynamos, 2=22306
- Allan, D. W. See Barnes, J. A., 2=20141
- Allan, D. W. See Haines, M. G., 3=4252
- Allan, H. R., Beamish, R. F., Bryant, D. A., Kasha, H. and Wills, R. D. An investigation of extensive air showers, using Cerenkov detectors, 1=577
- Allan, H. R., Beamish, R. F. W., Glencross, W. M., Thomson, D. M. and Wills, R. D. The distribution of energy in extensive air showers and the shower size spectrum, 2=13927
- Allan, J., Ekspong, G., Sällström, P. and Fischer, K. Pion-electron scattering at 16 GeV/c, 4=21903
- Allan, J., III. See Mukerjee, T., 4=28583
- Allan, J. W. S., Edels, J. and Whittaker, D. Post-arc temperature decay, 2=174
- Allan, R. R. Satellite orbit perturbations in vector form, 1=15574
- Allan, R. R. and Cook, G. E. The long-period motion of the plane of a distant circular orbit, 4=26977
- Allan, R. R. and Ward, G. N. Planetary equations in terms of vectorial elements, 3=21083
- Allan, R. S. and Mason, S. G. Particle behaviour in shear and electric fields. I. Deformation and burst of fluid drops, 2=9253
- Allan, R. S. and Mason, S. G. Particle behaviour in shear and electric fields. II. Rigid rods and spherical doublets, 2=9254
- Allan, R. S. and Mason, S. G. Particle motions in sheared suspensions. XIV. Coalescence of liquid drops in electric and shear fields, 2=12984
- Allan, T. D., Dehlinger, P., Gantar, C., Morelli, C., Pisani, M. and Harrison, J. C. Comparison of Graf-Askania and LaCoste-Romberg surface-ship gravity meters, 3=8995
- Allan, W. J. and Webb, W. W. Some observations on mechanisms of growth of metal whiskers, 0=18319
- Allanazarov, A. See Annaev, R. G., 0=13816
- Allard, E. M. Construction and utilization of pressure transducers, 1=9210
- Allard, G. See Combert-Farnoux, F., 1=6780
- Allard, J. Remarks on the physical possibilities of the square when visualized as a curvilinear curve, 3=1577
- Allard, J. The equation of a square in heat transfer, 4=21329
- Allard, J. F. See Berley, D., 4=9281
- Allard, J. G. See Etzel, H. W., 0=1594
- Allard, J. G. See Hughes, F., 2=4253
- Allard, J. L. and Russell, R. D. The electric potential in the region of a thin slit, 4=435
- Allard, N. A recording Fabry-Perot interferometer for the study of the green night-sky line, 0=16471
- Allardyce, B. W., Graham, W. R. and Hall, I. Cross-section fluctuations in the $\text{Al}^{27}(p, \alpha)\text{Mg}^{24}$ reaction, 4=15211
- Allas, R. G., Bercaw, R. W. and Shull, F. B. Polarization of protons in $\text{Be}^9(d, p)\text{Be}^{10}$, 2=18352
- Allas, R. G. and Shull, F. B. Polarization of protons in $\text{C}^{12}(d, p)\text{C}^{13}$, 0=2665

- Allas, R.G. and Shull, F.B. Polarization of protons in $C^{12}(d, p)C^{13}$, 2=3607
- Allas, R.G. See Segel, R.E., 3=17403
- Allavena, M. and Bratož, S. The calculation of anharmonic force-constants by a configuration-interaction method, 4=1238
- Allavena, M. and Bratož, S. Calculation of the force constants and of the infrared spectra of H_2O and D_2O molecules, 4=6596
- Allavena, M. See Bratož, S., 0=17836
- Allavena, M. See Bratož, S., 3=2632
- Allbutt, M. Cubic and octahedral etch pits in aluminium, 1=1365
- Allbutt, M. See Dell, R.M., 3=16473
- Allcock, G.M., Branigan, C.K., Mountjoy, J.C. and Helliwell, R.A. Whistler and other very low frequency phenomena associated with the high-altitude nuclear explosion on July 9, 1962, 3=16229
- Allcock, G.M. See Crombie, D.D., 4=13809
- Allcock, G.McK. The electron density distribution in the outer ionosphere derived from whistler data, 0=6449
- Allcock, G.McK. and Rodgers, M.F. Geomagnetic activity and the reception of whistlers in polar regions, 2=6917
- Allcock, G.R. Topics in the theory of dispersion relations, 0=3931
- Allcock, G.R. A space-time model of isospace, 1=19102
- Allcock, G.R. A geometrized class of Yang-Mills fields, 3=17187
- Allcock, G.R. and Kamal, A.N. The S wave pion-pion interaction, 1=7272
- Allcock, G.R. See Hooton, D.J., 0=4089
- Allday, W.J. and Raynor, J.B. A magnetic balance for measuring receding contact angles at liquid metal-solid interfaces, 2=21885
- Allredge, L.R. and Van Voorhis, G. Source of the great arctic magnetic anomaly, 2=17221
- Allegra, G. A simplified formula for the calculation of the X-ray intensity diffracted by a monodimensionally disordered structure, 1=20499
- Allegra, G. Calculation of the intensity of X-rays diffracted by monodimensionally disordered structures. I. Mathematical principles, 2=818
- Allegra, G. Calculation of the intensity of X-rays diffracted by structures showing monodimensional disorder. II. Application of the theory to some structural models with monodimensional disorder, 2=4502
- Allegra, G. Calculation of the intensity of X-ray diffractions by the structures exhibiting monodimensional disorder. III. Structural study of two different crystalline modifications of $TiCl_3$ which present monodimensional disorder, 2=12904
- Allegra, G. The calculation of the intensity of X-rays diffracted by monodimensionally disordered structures, 4=23387
- Allegra, G. and Perego, G. The crystal structure of the $KF_2Al(C_2H_5)_2$ complex, 3=11272
- Allegra, G. See Corradini, P., 2=10837
- Allègre, J. and Charwat, A. An experimental study of the interaction between a supersonic stream and a transverse sonic jet, 3=7229
- Allegri, L. See Alessio, M., 1=5610
- Allen, A.D. and Theophanides, T. Platinum (II) complexes: infrared spectra in the 300-800 cm^{-1} region, 4=25715
- Allen, B.C., Maykuth, D.J. and Jaffee, R.I. The effect of impurities and structure on the tensile transition temperature of chromium, 4=7424
- Allen, B.T. and Nebert, D.W. Hyperfine structure in the e.p.r. spectrum of the manganous ion in frozen solutions, 4=30735
- Allen, C. and Mackowiak, J. The application of the inert-marker technique to solid/solid and solid/liquid iron/zinc couples, 4=1515
- Allen, C.C. and Runyan, W.R. An a.c. silicon resistivity meter, 1=10651
- Allen, C.H. and Potter, A.C. Design and application of a semi-anechoic sound test chamber, 2=15711
- Allen, C.M. See Minamoto, M.T., 2=21172
- Allen, C.W. A sunspot cycle model, 0=16541
- Allen, C.W. Oscillator strengths of neutral atoms of the iron-group, 0=20590
- Allen, C.W. Solar ultraviolet and X-ray line emission, 2=15340
- Allen, C.W. Representative measurements in astronomy, 3=21079
- Allen, C.W. The sun's ionizing radiations, 4=17999
- Allen, C.W. M-Regions, 4=26946
- Allen, C.W. and Corliss, C.H. Absolute scale of oscillator strengths, 3=22470
- Allen, C.W. See Godoli, G., 4=26945
- Allen, D.A. An analysis of the radiation tracking transducer, 2=22011
- Allen, D.E. See Sakiotis, N.G., 2=13679
- Allen, E. Convenient color indices for near-white samples, 0=1048
- Allen, E. Simple graphical conversion of colorimetric ratios to chromaticity differences; application to determination of chromaticity difference for near-white samples, 3=21177
- Allen, E. Fluorescent white dyes: calculation of fluorescence from reflectivity values, 4=15610
- Allen, E.F., Jr. See Rosenberg, N.W., 3=25918
- Allen, E.F., Jr. See Rosenberg, N.W., 4=7876
- Allen, E.H.W. A new inferential-type flow meter with twin rotors, 0=4989
- Allen, F. The logarithmic order of the planets and their satellites, 4=17989
- Allen, F.G. Field emission from silicon and germanium; field desorption and surface migration, 1=18908
- Allen, F.G., Buck, T.M. and Law, J.T. p layers on vacuum heated silicon, 0=9967
- Allen, F.G. and Gobeli, G.W. Work function, photoelectric threshold and surface states of atomically clean silicon, 2=17872
- Allen, F.G. and Gobeli, G.W. Volume and surface effects in photoelectric emission from silicon, 3=9833
- Allen, F.G. and Gobeli, G.W. High vacuum deposition of cesium, 3=11844
- Allen, F.G. and Gobeli, G.W. Comparison of the photoelectric properties of cleaved, heated, and sputtered silicon surfaces, 4=14747
- Allen, F.G. See Gobeli, G.W., 1=1362
- Allen, F.G. See Gobeli, G.W., 2=17871
- Allen, F.G. See Gobeli, G.W., 4=14748
- Allen, F.J. and Futterer, A.T. Neutron transmission data, 4=6070
- Allen, G., Bianchi, U. and Price, C. Thermodynamics of elasticity of natural rubber, 4=7455
- Allen, G. and Connor, T.M. The measurement of nuclear relaxation times in polyethylene oxides and related polymers, 3=22592
- Allen, G., Gee, G. and Read, B.E. Stress relaxation in elastomers by visco-elastic mechanisms. I. Natural rubber at high rates of strain and low temperatures, 0=3160
- Allen, G. See Schwed, P., 0=9877
- Allen, G.F., Schurig, H., Slade, L. and Thomas, H.C. Development of a method for measuring ionic self-diffusion, 4=2667
- Allen, H.C., Jr. The structure of the vibrational-rotational bands of an asymmetric rotor, 1=7461
- Allen, H.C., Jr. and Olson, W.B. Sum rules for vibrational-rotational energy levels including centrifugal distortion, 2=18435
- Allen, H.C., Jr. and Plyler, E.K. Ethane carbon-carbon distance obtained from infrared spectra, 0=1513
- Allen, H.C., Jr. and Plyler, E.K. Some vibrational-rotational bands of deuterated methanes, 0=7761
- Allen, H.C., Jr. See Olson, W.B., 3=12855
- Allen, H.C., Jr. See Olson, W.B., 3=25083
- Allen, J. Coolant clean-up in DFR, 3=2541
- Allen, J. See Chasman, C., 4=5889
- Allen, J.A. Van. See Van Allen, J.A.
- Allen, J.E. and Apostolakis, A.J. Sea-level cosmic ray spectra at large zenith angles, 1=19323
- Allen, J.E., Apostolakis, A.J., Lee, Y.J., Major, J.V. and Ferreira, E.P. The interaction of π^- -mesons with complex nuclei in the energy range (100-800 MeV). I. The interaction lengths and elastic scattering of 88 MeV π^- -mesons in G5 emulsion, 0=20185
- Allen, J.E., Apostolakis, A.J., Lee, Y.J., Major, J.V. and Ferreira, E. The interactions of π^- -mesons with complex nuclei in the energy range (100-800) MeV. II. The interaction lengths and elastic scattering of 750 MeV π^- -mesons in G5 emulsion, 1=17136
- Allen, J.E., Bartoli, C., Brunelli, B., Nation, J.A., Rumi, B. and Toschi, R. Observations on an orthogonal pinch discharge (cariddi), 3=12169
- Allen, J.E., Boschi, A. and Magistrelli, F. The limiting current phenomenon in the presence of an azimuthal magnetic field, 3=7487
- Allen, J.E. and Coville, C. Reduction of gas density in an arc operating near the current limit, 3=4067
- Allen, J.E. and Magistrelli, F. The plasma-sheath transition in a magnetic field, 1=5454
- Allen, J.E. and Magistrelli, F. Production of continuous high-current discharges in gases, 2=19924

- Allen, J.E. and Magistrelli, F. Effect of an azimuthal magnetic field on the limiting current in the low-pressure mercury arc, 3=4068
- Allen, J.E., Martone, M.U. and Segre, S.E. Measurements on an orthogonal pinch discharge, 3=12168
- Allen, J.E. and Segre, S.E. The electric field in single-turn and multi-sector coils, 2=235
- Allen, J.E. and Segre, S.E. Strong ionizing front in a magnetic field, 4=18835
- Allen, J.E., Segre, S.E. and Turrin, A. The disposition of an ionized gas in a gravitational field, 4=8609
- Allen, J.E. and Turrin, A. The collection of positive ions by a probe immersed in a plasma, 4=8726
- Allen, J.E. See Adlam, J.H., 0=10912
- Allen, J.E. See Danysz, M., 3=22276
- Allen, J.E. See Danysz, M., 4=9364
- Allen, J.E. See Segre, S.E., 0=17019
- Allen, J.E. Sr. See Fletcher, E.R., 3=10232
- Allen, J.F. Film transfer in He II, 0=8866
- Allen, J.F. Helium II film flow, 0=8920
- Allen, J.F. Vorticity in the helium film, 4=21371
- Allen, J.H., Armstrong, E. and Young, W.H.B. A sampling directional current meter, 4=23724
- Allen, J.H., McKellar, J.F. and Pearce, V.F. The use of ignitrons for triggering flash photolysis lamps, 3=16759
- Allen, J.S., Burman, R.L., Herrmannsfeldt, W.B., Stühelin, P. and Braid, T.H. Determination of the beta-decay interaction from electric-neutrino angular correlation measurements, 0=1385
- Allen, J.S., Chatterjee, S., Ernest, L.E. and Yavin, A.I. Variable energy spiral ridge cyclotron, 0=15096
- Allen, J.S. See Brussel, M.K., 3=5787
- Allen, J.S. See Hafele, J.C., 4=25399
- Allen, J.W. The reverse characteristics of gallium arsenide p-n junctions, 0=4360
- Allen, J.W. Effect of electric fields on hydrogen-like excitons, 0=13629
- Allen, J.W. Gallium arsenide as a semi-insulator, 0=18041
- Allen, J.W. On a new mode of deformation in indium antimonide, 0=21116
- Allen, J.W. The diffusion of ionized impurities in semiconductors, 1=17566
- Allen, J.W. Long-range photo-effects in semi-insulators, 2=23452
- Allen, J.W. Crystal field theory and luminescence in zinc sulphide, 3=3054
- Allen, J.W. Luminescence in vanadium-activated zinc sulphide, 3=20530
- Allen, J.W. and Cherry, R.J. Space-charge currents in gallium arsenide, 1=5022
- Allen, J.W. and Cherry, R.J. Some properties of copper-doped gallium phosphide, 2=14554
- Allen, J.W. and Eagles, D.M. On the possibility of gradual phase transitions in solids, 1=7835
- Allen, J.W. and Gibbons, P.E. Breakdown and light emission in gallium phosphide diodes, 0=18042
- Allen, J.W. and Gibbons, P.E. Gallium phosphide diodes for the production of fast light pulses, 2=13453
- Allen, J.W. and Hodby, J.W. Infra-red absorption in gallium phosphide-gallium arsenide alloys. I. Absorption in n-type material, 3=20477
- Allen, J.W. and Moncaster, M.E. Injection electroluminescence in gallium arsenide-phosphide alloys, 3=11008
- Allen, J.W., Moncaster, M.E. and Starkiewicz, J. Electro-luminescent devices using carrier injection in gallium phosphide, 3=13221
- Allen, J.W. See Cherry, R.J., 2=12528
- Allen, J.W. See Cherry, R.J., 3=10810
- Allen, J.W. See Starkiewicz, J., 2=23621
- Allen, K.R. and Phillips, K. Investigation of electron avalanches in air using a cloud chamber, 0=16974
- Allen, K.R. and Phillips, K. Cloud chamber study of electron avalanche growth, 3=21711
- Allen, K.R. and Phillips, K. A study of the light emitted from the initial stages of a spark discharge, 4=14607
- Allen, K.R. and Phillips, K. Correlation of the formative time lags with the light emitted from spark discharges, 4=14608
- Allen, K.R. See Phillips, K., 0=5764
- Allen, K.W. Recent research in nuclear reactions using the Aldermaston tandem generator, 2=5906
- Allen, K.W. Polyhedral clathrate hydrates. VIII. The geometry of the polyhedra, 4=26681
- Allen, K.W., Almqvist, E. and Bigham, C.B. Energy levels of ${}^6\text{Li}$ and ${}^6\text{He}$ from a study of the ${}^7\text{Li}({}^3\text{He}, \alpha){}^6\text{Li}$ and ${}^7\text{Li}(t, \alpha){}^6\text{He}$ reactions, 0=15523
- Allen, K.W., Bomyer, P. and Perkin, J.L. The interaction of 14 MeV neutrons with uranium, 2=3637
- Allen, K.W., Eccleshall, D. and Yates, M.J.L. 1.12 MeV level in ${}^{18}\text{F}$, 0=5669
- Allen, K.W. and Jeffrey, G.A. On the structure of bromine hydrate, 3=18312
- Allen, L. The Zeeman effect of the arc and spark spectra of ytterbium and thulium, 2=20747
- Allen, L. and Heavens, O.S. Excitation transfer in the cesium-nitrogen system, 2=22901
- Allen, L. and Jones, D.G.C. An analysis of the granularity of scattered optical maser light, 4=8407
- Allen, L., Jr. See Holly, F.E., 1=21068
- Allen, L. Jr., Beavers, J.L. II, Whitaker, W.A., Welch, J.A. Jr and Walton, R.B. Project Jason measurement of trapped electrons from a nuclear device by sounding rockets, 0=10429
- Allen, L.C. Hartree-Fock equations with a perturbing field, 0=9734
- Allen, L.C. Wave functions and correlation energies for F , F^- and Ne , 1=5965
- Allen, L.C. Gaussian orbitals for many-electron molecular wave functions, 2=18438
- Allen, L.C. Binding of inert gas halogenide molecules, 3=4750
- Allen, L.C. A method for unravelling complex spectra, 3=5516
- Allen, L.C., Clementi, E. and Gladney, H.M. Pair correlation energies, 4=15832
- Allen, L.C., Gladney, H.M. and Glarum, S.H. Resolution enhancement for spectra of chemical and physical interest, 4=21293
- Allen, L.C. and Karo, A.M. Basic functions for AB initio calculations, 0=17821
- Allen, L.C. and Karo, A.M. Electronic structure of simple molecules, 3=12814
- Allen, L.C. See Karo, A.M., 0=1511
- Allen, L.C. See La Mar, G.N., 4=30477
- Allen, L.C. See Lohr, L.L., Jr., 4=3789
- Allen, L.R., Anderson, B., Conway, R.G., Palmer, H.P., Reddish, V.C. and Rowson, B. Observations of 384 radio sources at a frequency of 158 Mc/s with a long baseline interferometer, 3=7051
- Allen, L.R., Brown, R., Hanbury and Palmer, H.P. An analysis of the angular sizes of radio sources, 3=9279
- Allen, L.R., Palmer, H.P. and Rowson, B. New limits to the diameters of some radio sources, 1=1662
- Allen, L.R. See Kellermann, K.I., 3=1541
- Allen, M. and Saxl, E.J. An experiment offering varied experience: Conductivity changes of a germanium crystal under tension and illumination, 4=4150
- Allen, M.A., Biechler, C.S. and Maddix, H.S. R.F. coupling to an electron beam through a plasma, 4=19199
- Allen, M.A., Chorney, P. and Maddix, H.S. Stabilization of a hot-cathode P.I.G. discharge in a magnetic field, 3=21735
- Allen, M.A. and Kino, G.S. Interaction of an electron beam with a fully ionized plasma, 1=5441
- Allen, M.A. See Kino, G.S., 3=4134
- Allen, M.A. See Maddix, H.S., 4=20821
- Allen, N.L. Periodic magnetic field fluctuations in the sceptre discharge, 0=19636
- Allen, N.L. Magnetic configurations and the energy loss problem in the toroidal pinched discharge, 2=1441
- Allen, N.L. Townsend ionization coefficients in compressed nitrogen, 3=21708
- Allen, N.L., Balfour, D., Cloke, V.C., Green, L.A., Hemmings, R.F., Hughes, T.P., Hunt, S.E., Jordan, B., Liley, B.S., Payne, R.M., Read, J.E., Ware, A.A., Williams, R.V. and Young, K.M. The Sceptre IV toroidal discharge, 3=7596
- Allen, N.L., Balfour, D., Cloke, V.C., Hemmings, R.F., Hughes, T.P., Jordan, B., Liley, B.S., Mundy, H.B., Payne, R.M. and Ware, A.A. The associated electrical industries levitron, 4=5685
- Allen, N.L., Balfour, D., Green, L.A., Hemmings, R.F. and Ware, A.A. The disturbing magnetic fields caused by gaps in toroidal metal discharge tubes, 3=21813
- Allen, P. See Danysz, M., 4=9364
- Allen, P., Sr., Heeran, M. and Montwill, A. An example of the π^+ decay of a helium hypernucleus, 3=7976
- Allen, P., Sr. See Danysz, M., 3=22276
- Allen, P. See Fletcher, E.R., 3=10232

- Allen, P.E.M., Benson, S.W. and Copeland, C.S. Conductance of NaI-C₂H₅OH systems in the vicinity of the critical temperature, 2=17481
- Allen, P. G. W. and Lang, B. The determination of partial pressures with a simple omegatron, 4=2741
- Allen, P. H. G. Electric stress and heat transfer, 0=5256
- Allen, P. J. See Mayer, C.H., 3=18663
- Allen, P. S. and Seymour, E.F.W. Nuclear magnetic resonance in metals under anomalous skin effect conditions, 3=10673
- Allen, R. See Aarons, J., 1=15549
- Allen, R.A., Camm, J.C. and Keck, J.C. Radiation from hot nitrogen, 2=9319
- Allen, R.A., Keck, J.C. and Camm, J.C. Nonequilibrium radiation and the recombination rate of shock-heated nitrogen, 2=7566
- Allen, R. A., Taylor, R. L. and Textoris, A. Kramers' and line radiation from nitrogen and air shocks, 4=19943
- Allen, R. A. and Textoris, A. Evidence for the existence of N⁻ from the continuum radiation from shock waves, 4=21455
- Allen, R. A. See Hiscott, J. E., 4=19723
- Allen, R. A. See Keck, J. C., 4=9700
- Allen, R.B., Bernstein, H. and Kurtz, A.D. Effect of oxide layers on the diffusion of phosphorus into silicon, 0=6059
- Allen, R.C. The interaction of 0.15 to 1.0 MeV neutrons with U-238, U-235 and Pu-239, 0=13272
- Allen, R.C. See Hall, J.F., Jr., 1=10095
- Allen, R.D. Techniques for melting-point determination on an electrically heated refractory metal, 2=19779
- Allen, R.D., Glasier, L.F., Jr and Jordan, P.L. Spectral emissivity, total emissivity, and thermal conductivity of molybdenum, tantalum, and tungsten above 2300°K, 0=14876
- Allen, R.J. A demonstration of the magnetic mirror effect, 3=4194
- Allen, R.R. and Weber, M.J. Spin-lattice relaxation due to translational diffusion in LiBr, 3=18143
- Allen, R.R. See Weber, M.J., 3=8791
- Allen, R.R. See Weber, M.J., 3=23249
- Allen, R. T. and Feuer, P. Vibrational energy exchange for a Morse potential interaction, 4=19987
- Allen, T. and Ingram, D.J.E. E.S.R. studies on the semi-conductor theory of free electrons in large organic molecules, 1=11115
- Allen, T.K. and Bickerton, R.J. Experiments on the compression of plasma in cusp geometry, 1=18869
- Allen, T.K., McWhirter, R.W.P. and Spalding, I.J. Experiments on cusp compression, 3=12147
- Allen, T.K., Paulikas, G.A. and Pyle, R.V. Instability of a positive column in a magnetic field, 1=284
- Allen, T.L. Bond energies and the interactions between next-nearest neighbors. I. Saturated hydrocarbons, diamond, sulfanes, S₈, and organic sulfur compounds, 0=1512
- Allen, T.L. and Shull, H. The chemical bond in molecular quantum mechanics, 1=19647
- Allen, T.L. and Shull, H. Electron pairs in the beryllium atom, 3=12754
- Allen, T. L. See Cignitti, M., 4=25614
- Allen, V. R. and Fox, T. G. Viscosity-molecular weight dependence for short chain polystyrenes, 4=25798
- Allen, V. R. See Fox, T. G., 4=25799
- Allen, W.A., Meloy, G.E. and Rogers, J.W. Hypervelocity precision impact instrument, 0=12394
- Allen, W. A. and Rogers, J.W. Hugoniot curve determined by shock wave detachment from an infinite wedge, 1=5293
- Allen, W.B. and Latimer, P. Anomalous dispersion of β -carotene solutions, 2=2720
- Allen, W. B. and Westerfield, E. C. Digital compressed-time correlators and matched filters for active sonar, 4=8328
- Allen, W. B. See Stewart, J. L., 4=2672
- Allen, W.W. See Simmons, J.G., 3=13069
- Allenden, D. Two emission stabilizers for electron-bombardment furnaces, 0=4831
- Allenden, D. Diode leak-detector control unit, 2=1369
- Allenden, D. and Winkworth, R. A programmed control system for an automatic neutron spectrometer, 3=24753
- Allendorf, H. D. See Rosner, D. E., 4=26743
- Aller, L.H. Some aspects of ultraviolet satellite spectroscopy, 0=4913
- Aller, L.H. Compositions and mean atmospheric parameters of subdwarfs, 0=18785
- Aller, L.H. The transparency of space: Introductory report, 2=15299
- Aller, L.H. Anticipated spectra of planetary nebulae in the "satellite" ultraviolet, 2=17300
- Aller, L.H. and Chapman, S. Diffusion in the sun, 0=18766
- Aller, L. H., O'Mara, B. J. and Little, S. The abundances of iron and silicon in the sun, 4=29441
- Aller, L.H. See Liller, W., 3=21122
- Allerhand, A. and Gutowsky, H.S. Spin-echo N.M.R. studies of chemical exchange. I. Some general aspects, 4=30475
- Allerhand, A., and von Ragué Schleyer, P. Halide anions as proton acceptors in hydrogen bonding, 3=17555
- Allerhand, A. See Kuntz, I.D., Jr., 1=19669
- Alles, A. and Bergia, S. An attempt of determination of the f/d ratio for baryon-vector meson octet coupling from nucleon electromagnetic form factors, 4=11908
- Alles, W. Remark on the τ^+ meson decay, 0=17408
- Alles, W. Dispersion relation analysis of p-wave K-meson nucleon scattering, 1=12118
- Alles, W. The $\Sigma \rightarrow \Lambda + e + \nu$ decay as a test of the conserved vector current hypothesis, 3=7933
- Alles, W. and Tomasini, A. Application of fixed angle dispersion relations to proton-proton scattering, 0=2539
- Alles, W. and Tomasini, A. Application of fixed angle dispersion relations to nucleon-nucleon scattering in the triplet state, 0=2540
- Alles, W. A 45-fold $\frac{3}{2}^+$ baryon multiplet? 4=27782
- Alles, W. On the reaction $p + \bar{p} \rightarrow K_1^0 + K_2^0$ in Schwinger's $U_3 \otimes U_3$ symmetry, 4=30225
- Alles, W. and Boccaletti, D. Determination of the $\gamma\pi\rho$ coupling constant from a double photo-production experiment, 3=10072
- Alles, W. See Iztykson, C., 2=13868
- Alles-Borelli, V., Bergia, S., Ferreira, E.P. and Waloschek, P. Experimental results on pion production compared with predictions of the isobar model, 0=1303
- Alles-Borelli, V. See Alitti, J., 2=16229
- Alles-Borelli, V. See Alitti, J., 2=18156
- Alley, P. and Serin, B. Deviations from Matthiessen's rule in aluminum, tin, and copper alloys, 0=1613
- Alley, R.E., Jr. In-pile measurements of radiation effects in magnetic materials, 0=3071
- Alley, R.E. Jr. and Legg, V.E. Effects of hydrostatic pressure on the properties of magnetic materials, 0=10166
- Allofer, O.C. A new kind of cosmic-ray momentum spectrograph, 1=581
- Allgaier, R.S. Magnetoresistance in a multivalley model with $\langle 110 \rangle$ -ellipsoids of general shape, 0=1618
- Allgaier, R.S. Weak-field magnetoresistance in p-type lead telluride at room temperature and 77°K, 0=13616
- Allgaier, R.S. Valence bands in lead telluride, 1=16433
- Allgaier, R.S. Galvanomagnetic effects and band structure in PbS, PbSe, and PbTe, 3=868
- Allgaier, R.S. and Houston, B.B., Jr. Mobility studies in semiconductors with very high densities, 3=10829
- Allgaier, R.S. See Brebrick, R.F., 0=13617
- Allibone, T.E. and Chick, D.R. The basic physics of thermonuclear processes, 0=5836
- Allin, E.J. See Bhatnagar, S.S., 2=2721
- Allin, E.J. See Cho, C.W., 4=6578
- Allin, E.J. See Gush, H.P., 0=4196
- Allina, Z. See Otwinowski, W., 4=23692
- Allinson, D. L. See Mathews, J.W., 4=15821
- Allinson, J. D. See Rivière, J. C., 4=18274
- Allinson, J. D. See Riviere, J. C., 4=21193
- Allis, W.P. Plasma physics in the last 10 years, 3=9764
- Allis, W.P. and Buchsbaum, S.J. Coupling between electromagnetic and electron waves in a plasma, 3=12213
- Allis, W.P. See BenDaniel, D.J., 2=7621
- Allis, W.P. See BenDaniel, D.J., 2=11679
- Allis, W.P. See Papa, R.J., 2=3057
- Allison, D.C.S. and Dalgarno, A. Deactivation of metastable helium by proton impact, 3=4718
- Allison, D.C.S., McIntyre, H.A.J. and Moiseiwitsch, B.L. The elastic scattering of positrons by atomic hydrogen and helium, 2=1966
- Allinson, D.L. See Mathews, J.W., 3=20780
- Allison, F.E. and Schriempf, J.T. Explosively loaded metallic cylinders. II, 0=8582
- Allison, F.E. and Watson, R.W. Explosively loaded metallic cylinders. I, 0=8581
- Allison, G.M. See Mooradian, A.J., 0=5824
- Allison, H.W. Solubility and diffusion of zinc in gallium phosphide, 3=10686
- Allison, H.W. See Fuller, C.S., 3=6841
- Allison, H.W. See Fuller, C.S., 4=12726
- Allison, H.W. See Fuller, C.S., 4=15537
- Allison, J., Cullen, A.L. and Závody, A. A microwave plasma discharge, 2=7568

- Allison, J.B. and Becker, R.S. Effect of metal atom perturbations on the luminescent spectra of porphyrins, 0=10064
- Allison, J.W. Half-life of iridium 192, 0=13176
- Allison, J.W. Gamma-radiation absorption coefficients of various materials allowing for bremsstrahlung and other secondary radiations, 2=5599
- Allison, K. and Kamegai, M. Lithium ion sources, 1=16433
- Allison, R., Burns, J. and Tuzzolino, A. J. Absolute fluorescent quantum efficiency of sodium salicylate, 4=20505
- Allison, R. See Rieke, F.F., 3=8628
- Allison, R.W., Jr, Cork, B., Richter, R.M., Smith, J.F., White, G.E. and Zajec, E. Development of a 100 mA proton source and lens system for the bevatron Mark-II injector, 2=1533
- Allison, S.K. Classical analysis of the reaction $\text{Be}^6(\text{Li}^7, \text{Li}^8)\text{Be}^8$, 0=17611
- Allison, S.K. Measurements of atomic and ionic partial stopping powers for H and He beams in gaseous hydrogen, 4=25779
- Allison, S.K., Cuevas, J. and Garcia-Munoz, M. Experiments on charge-changing collisions of lithium ionic and atomic beams, 0=19625
- Allison, S.K., Cuevas, J. and Garcia-Munoz, M. Efficient production of multiply charged positive ions by low energy stripping in helium gas, 0=19626
- Allison, S.K., Cuevas, J. and Garcia-Munoz, M. Stopping power of gaseous hydrogen for charge-invariant atomic projectiles, 2=1968
- Allison, S.K., Cuevas, J. and Garcia-Munoz, M. Partial atomic stopping power of gaseous hydrogen for hydrogen beams. I, 2=18427
- Allison, S. K., Kamegai, M. and Morrison, G. C. Mechanisms of nuclear reactions between lithium nuclei, 4=22215
- Allison, S. K. See Cuevas, J., 4=25778
- Allison, S.K. See Meckbach, W., 4=1231
- Allkofer, O.C. Measurements of the momentum spectrum and of the positive excess of cosmic-ray particles at sea level, 0=9476
- Allmann, R., Baumann, I., Kutoglu, A., Rösch, H. and Hellner, E. The crystal structure of Patronite $\text{V}(\text{S}_2)_2$, 4=26677
- Allnatt, A.R. The concentration of impurities in the surface layers of an ionic crystal, 4=28449
- Allnatt, A.R. and Cohen, M.H. Statistical mechanics of defect containing solids. I. General formalism, 4=17418
- Allnatt, A.R. and Cohen, M.H. Statistical mechanics of defect-containing solids. II. Ionic crystals, 4=17419
- Allnatt, A.R. and Jacobs, P.W.M. The thermoelectric power of ionic crystals. I. Theoretical, 1=14527
- Allnatt, A.R. and Jacobs, P.W.M. A.C. polarization effects in the ionic conductivity of potassium chloride crystals, 2=2112
- Allnatt, A.R. and Jacobs, P.W.M. Conductance of potassium chloride in the solid state, 2=8300
- Allnatt, A.R. and Jacobs, P.W.M. The thermoelectric power of ionic crystals. II. Results for potassium chloride, 2=8455
- Allnatt, A.R. and Rice, S.A. On the dynamical theory of diffusion in crystals. V. Random-walk treatment of the heat of transport, 0=13497
- Allnatt, A.R. and Rice, S.A. On the kinetic theory of dense fluids. VII. The doublet distribution function for rigid spheres with an attractive potential, 1=10446
- Allnatt, A.R. See Rice, S.A., 1=4329
- Allnatt, A.R. See Rice, S.A., 1=10445
- Allport, J. J. and Rigby, E. B. Effect of a condensed phase on the electron density in a gas, 4=3019
- Allport, J.J. See Monson, P.R., 2=2769
- Allpress, J.G. and Wadsley, A.D. The crystal structure of caesium uranyl oxychloride $\text{Cs}_x(\text{UO}_2)\text{OCl}_x$ (X approximately 0.9), 4=7610
- Allred, J.C., Bendt, P.J. and Peterson, R.E. Critical measurements on $\text{UO}_2\text{-H}_3\text{PO}_4$ solutions, 0=13365
- Allred, J.C. and Carter, D.S. Kinetics of homogeneous power reactors of the LAPRE type, 0=13322
- Allred, J. C. See Ramer, C. E., 4=22644
- Allred, W. P. Crystal growth of III-V compounds, 4=29053
- Allred, W.P., Mefferd, W.L. and Willardson, R.K. The preparation and properties of aluminum antimonide, 0=4598
- Allsali, M.L.Yu. Effect of replacement of the base materials of phosphors on their luminescence properties, 2=14729
- Allsopp, H.L. and Gibbs, D.F. The electromechanical properties of barium titanate, 0=16028
- Allsworth, F.L. See Salmon, P.G., 3=22041
- Allton, E. A. Bremsstrahlung in electron-proton scattering, 4=25062
- Allum, F. R., Crawley, G. M. and Spicer, B. M. The emission of photoneutrons from natural lithium, 4=12201
- Allum, F. R., Quirk, T. N. and Spicer, B. M. Angular distributions of fast photoneutrons, 4=19746
- Allum, F.R. See Spicer, B.M., 0=4112
- Alluraiah, A. See Ramanadham, R., 2=17174
- Almanov, G.A., Dzhevakhishvili, L.Ya. and Ketiladze, G.D. Measurement of the e.p.r. spectrum of Teflon at helium temperatures, 3=20657
- Almássy, G. See Gergely, G., 0=8764
- Almazov, A.B. [Energy] spectrum of an ideal Fermi gas in a lattice, 0=11564
- Almazov, A.B. The frequency distribution function of vibrations of atoms in a crystalline lattice, 0=11565
- Almazov, A.B. The effect of short-range order on electrical properties of a substance, 1=7611
- Almazov, A.B. An expansion of quasi-particle dispersion laws in crystals in terms of theta-functions, 2=18508
- Almazov, A.B. An expansion of quasi-particle dispersion laws in crystals in terms of theta-functions, 2=23025
- Almazov, A.B. Normal modes of Ge and Si by theta-expansions, 3=4809
- Almazov, A.B. Theory of quasi-classical fermions in random fields and its application to electrons in glasses and inorganic polymers in bulk, 3=20918
- Almazov, V. Ya., Golutvin, I.A., Inkin, V.D., Karzhavin, Yu. A., Neustroev, V.D., Stepanov, V.D. and Chuvilo, I.V. A device for automatic measurement of chamber photographs, APS-1M, 3=17120
- Almazova, S.P. See Perel'gin, V.P., 2=16443
- Almazova, S.P. See Perel'gin, V.P., 3=6316
- Almeida, O.G. See Cassignol, E., 3=2941
- Almeida, S. P. and Lynch, G. R. A study of the $\text{K}^-\pi^+\pi^-$ state produced by K^-p at 1.5 GeV/c, 4=21934
- Almeida, S.P. See Alexander, G., 2=20413
- Almeleh, N. and Goldstein, B. Electron paramagnetic resonance of manganese in gallium arsenide, 3=3177
- Almeleh, N. See Goldstein, B., 3=20647
- Almén, O. and Bruce, G. Collection and sputtering experiments with noble gas ions, 2=3095
- Almén, O. and Bruce, G. Sputtering experiments in the high energy region, 2=3096
- Almén, O., Bruce, G. and Lundén, A. Electromagnetic isotope separator in Gothenburg, 0=19795
- Almén, O. and Nielsen, K.O. Systematic investigation of a magnetic ion source for an electromagnetic isotope separator, 0=19778
- Almén, O. See López, G., 2=5907
- Al'meneva, D.V. See Telesnin, R.V., 2=18898
- Almenningen, A., Bastiansen, O. and Haaland, A. Molecular structure of dicyclopentadienyl-beryllium $(\text{C}_5\text{H}_5)_2\text{Be}$, 4=22402
- Almenningen, A., Bastiansen, O., Hanson, H.P. and Traetteberg, M. Theoretical and experimental backgrounds in gas electron diffraction intensities, 2=22953
- Almer, H.E. Response of microchemical balances to changes in relative humidity, 1=103
- Almer, H.E., Bowman, H.A., Jensen, M.W., Macurdy, L.B., Peiser, H.S. and Wasko, B. A direct-reading two-knife 50-pound balance of high precision suitable for state weights and measures laboratories, 4=29505
- Almer, H.E., Macurdy, L.B., Peiser, H.S. and Weck, E.A. Weight calibration schemes for two knife-edge direct-reading balances, 2=9228
- Almodovar, I., Bielen, H. J., Frazer, B. C. and Kay, M. I. Neutron diffraction studies at the Puerto Rico Nuclear Center, 4=29102
- Almodovar, I., Cantarell, I. and Bielen, H. Detection of α -particles during irradiation with thermal neutrons in the reaction $\text{U}^{238}(\text{n}, \alpha)\text{Th}^{234}$, 4=15228
- Almodovar, I. See Cantarell, I., 4=8819
- Almodovar, I. See Kay, M. I., 4=10533
- Almodovar, I. See Macfarlane, R.D., 2=20652
- Almqvist, E., Bromley, D.A., Gove, H.E. and Litherland, A.E. Low levels of Al^{27} , 0=20347
- Almqvist, E., Bromley, D.A. and Kuehner, J.A. Resonances in C^{12} on carbon reactions, 0=13251
- Almqvist, E., Bromley, D.A. and Kuehner, J.A. Resonant reactions involving heavy ions, 1=8783
- Almqvist, E., Bromley, D.A., Kuehner, J.A. and Whalen, B. Spins and partial widths of quasimolecular resonances in $\text{C}^{12} + \text{C}^{12}$ interactions, 3=12704
- Almqvist, E., Broude, C., Clark, M.A., Kuehner, J.A. and Litherland, A.E. Atomic charge states in carbon of 10- to 40-MeV ions; application to tandem accelerators, 2=17906
- Almqvist, E. and Kuehner, J.A. Magnetic spectrometer measurements of levels of Ne^{20} , 1=16991

- Almqvist, E. and Kuehner, J.A. Magnetic spectrometer measurements of levels of Ne^{20} , 2=1809
- Almqvist, E. and Kuehner, J.A. 5.63 and 5.80 MeV levels of Ne^{20} ; de-excitation branching, 4=25298
- Almqvist, E., Kuehner, J.A., Vogt, E., McFerson, D. and Prentice, J.D. High spin resonances in $\text{C}^{12}(\text{C}^{12}, \alpha)\text{Ne}^{20}$, 4=22224
- Almqvist, E. See Allen, K.W., 0=15523
- Almqvist, E. See Bromley, D.A., 0=1398
- Almqvist, E. See Bromley, D.A., 0=5756
- Almqvist, E. See Bromley, D.A., 0=9648
- Almqvist, E. See Bromley, D.A., 1=2237
- Almqvist, E. See Bromley, D.A., 1=8754
- Almqvist, E. See Bromley, D.A., 1=8755
- Almqvist, E. See Bromley, D.A., 1=8782
- Almqvist, E. See Bromley, D.A., 1=11039
- Almqvist, E. See Clarke, R.L., 0=4098
- Almqvist, E. See Evans, J.E., 3=19771
- Almqvist, E. See Evans, J.E., 3=22422
- Almqvist, E. See Hird, B., 4=9396
- Almqvist, E. See Kuehner, J.A., 0=5753
- Almqvist, E. See Kuehner, J.A., 1=2235
- Almqvist, E. See Kuehner, J.A., 1=4875
- Almqvist, E. See Kuehner, J.A., 1=7323
- Almqvist, E. See Kuehner, J.A., 1=8758
- Almqvist, E. See Kuehner, J.A., 1=8759
- Almqvist, E. See Kuehner, J.A., 1=8784
- Almqvist, E. See Kuehner, J.A., 2=1813
- Almqvist, E. See Kuehner, J.A., 3=19889
- Almqvist, E. See Kuehner, J.A., 3=19891
- Almqvist, E. See Kuehner, J.A., 4=22201
- Almqvist, E. See Kuehner, J.A., 4=22202
- Almqvist, E. See Litherland, A.E., 1=13660
- Almqvist, E. See Litherland, A.E., 2=1812
- Almqvist, E. See Pearson, J.D., 4=15149
- Almqvist, E.A., Bromley, D.A., Kuehner, J.A. and Vogt, E.W. Search for proton size resonances, 1=8720
- Aloiso, C.J. Low temperature ultraviolet cell, 1=10594
- Alon, G.I. and Rausch, J.R. Variable resolution coincidence circuits for the nanosecond region using avalanche transistors, 4=9024
- Alpat'ev, Yu.S. and Chipak, N.I. A target-rotation device, 3=4414
- Alper, A.M., McNally, F.N., Doman, R.C. and Keihn, F.G. Phase equilibria in the system $\text{MgO}-\text{MgCr}_2\text{O}_4$, 4=20713
- Alper, S. Investigations on the identification of unstopped particles in nuclear emulsions. III. On mass estimation of non-stopped ionizing particles in nuclear emulsions, 1=404
- Alper, S., Ausländer, J., Bercea, C. and Friedländer, E. investigations on the identification of unstopped particles in nuclear emulsions. I. Estimation of ionization range from averages of characteristic quantities on two sections of the track, 1=402
- Alper, S., Balea, E., Friedländer, E. and Mayer, M. The nature of showers generated in lead by the penetrating component of cosmic rays, 1=572
- Al'per, Z. and Fridlender, E. A new method of determining the parameter of multiple Coulomb scattering, 1=13262
- Alperin, A.H. See Pickart, S.J., 4=20552
- Alperin, H.A. Neutron diffraction investigation of the magnetic structure of nickel oxide, 0=11919
- Alperin, H.A. Aspherical 3d electron distribution in Ni^{++} , 1=6103
- Alperin, H.A. The magnetic form factor of nickel oxide, 3=1104
- Alperin, H.A., Brown, P.J., Nathans, R. and Pickart, S.J. Polarized neutron study of antiferromagnetic domains in MnF_2 , 2=10684
- Alperin, H.A., Brown, P.J. and Nathans, R. Aspherical spin density in the ferrimagnetic compound Mn_2Sb , 3=15896
- Alperin, H.A. See Nathans, R., 3=1103
- Alperin, H.A. See Nathans, R., 3=15736
- Alperin, H.A. See Pickart, S.J., 3=15859
- Alperin, H.A. See Pickart, S.J., 4=28814
- Alperin, H.A. See Pickart, S.J., 4=28859
- Alperin, H.A. See Will, G., 4=13182
- Alperin, H.A. See Will, G., 4=15660
- Alpern, M. and Barr, L. Durations of the after-images of brief light flashes and the theory of the Broca and Sulzer phenomenon, 2=7078
- Alpern, M. and Sugiyama, S. Photoc driving of the critical flicker frequency, 1=21130
- Alpern, M. See Campbell, F.W., 2=21769
- Alperovich, L.A. See Troitskaya, V.A., 2=17219
- Al'perovich, L.I. Determination of oscillator strengths from the dispersion of light in the absorption bands of complex molecules in solution, 4=2681
- Al'perovich, L.I. Relation between the absorption and dispersion of light in concentrated fluorescent solutions of dyes, 4=2682
- Al'perovich, L.I. Use of layers of uneven thickness for measuring optical constants of liquids in the region of strong absorption, 4=8208
- Al'perovich, L.I. The effect of adsorption on the spectrum of light reflected from the free surface of concentrated dye solutions, 4=16119
- Al'perovich, L.I. and Korovina, V.M. Verification of the validity of the Kramers-Kronig dispersion relation in dilute solutions of anthracene, 3=16627
- Al'perovich, L.I., Sherbaf, I.D. and Marupov, R. The origin of luminescence of liquids under the action of hard radiations, 0=19158
- Al'perovich, L.V. See Troitskaya, V.A., 2=19235
- Alpert, D. Recent advances in ultra-high vacuum technology, 1=4382
- Alpert, D. See Schuemann, W.C., 4=18284
- Alpert, L. A note to the paper by C.B. Moore, B. Vonnegut, B.A. Stein and H.J. Survilas "Observations of electrification and lightning in warm clouds", 1=15236
- Alpert, N.L. Infrared filter grating spectrophotometers—design and properties, 2=17610
- Alpert, N.L., Behnke, F. and Strauss, P.A. A new infrared spectrometer in the 12.5-25 micron region, 0=2240
- Alpert, S.S. Nuclear moments and hyperfine structure of 13-year Eu^{153} , 3=7968
- Alpert, S.S., Lipworth, E., White, M.B. and Smith, K.F. Hyperfine structure and nuclear moments of $\text{RaE}(\text{Bi}^{210})$, 2=3465
- Al'pert, Ya.L. Investigation of the ionosphere and of the interplanetary gas with the aid of artificial satellites and space rockets, 1=9303
- Al'pert, Ya.L. Study of the ionosphere and interplanetary gas employing artificial earth satellites and space rockets, 2=8992
- Al'pert, Ya.L. Study of the ionosphere and interplanetary gas employing artificial earth satellites and space rockets, 2=19213
- Al'pert, Y.L., Gurevich, A.V. and Pitaevskii, L.P. Effects produced by an artificial satellite rapidly moving in the ionosphere or in an interplanetary medium, 4=2470
- Alphen, W.M. van. See van Alphen, W.M.
- Alpher, R.A. Experiments in magneto-fluid dynamics, 1=8381
- Alpher, R.A. Heat transfer in magnetohydrodynamic flow between parallel plates, 2=7437
- Alpher, R.A. Laboratory test of the Finlay-Freundlich red shift hypothesis, 4=27321
- Alpher, R.A., Hurwitz, H., Jr., Johnson, R.H. and White, D.R. Some studies of free-surface mercury magneto-hydrodynamics, 1=5548
- Alpher, R.A. and White, D.R. Visible continuum emission from shocked noble gases, 4=29678
- Alpher, R.A. See White, D.R., 3=23996
- Alpiar, R. A universal assessment programme for liquid moderated reactor cells, using IBM 7090 or stretch computers, 4=15260
- Alpiar, R.A. Sandpiper I (A comprehensive analysis programme for liquid moderated UO_2 lattices), 2=20710
- Alpiar, R.A. Redshank I and Greenshank I (comprehensive point reactivity programmes for liquid moderated UO_2 lattices), 4=6422
- Alpiar, R. Sandwich reactor lattices and Bloch's theorem, 3=12728
- Al'pin, L.M. A solution of the fundamental problem of resistivity logging, 4=29257
- Alpiner, B.P. See Dickerman, P.J., 3=8180
- Als-Nielsen, J. and Dietrich, O. Slow neutron cross sections for He^3 , B, and Au, 4=12083
- Alsford, R.W. See Hayes, R.E., 2=15661
- Al'shin, B.I. and Astrov, D.N. Magnetoelectric effect in titanium oxide Ti_2O_3 , 3=25369
- Alsop, L.E. Free spheroidal vibrations of the earth at very long periods. I. Calculation of periods for several earth models, 3=18468
- Alsop, L.E. Free spheroidal vibrations of the earth at very long periods. II. Effect of rigidity of the inner core, 3=18469

- Alsop, L.E., Giordmaine, J.A., Mayer, C.H. and Townes, C.H. Observations of discrete sources at 3 cm wavelength using a maser, 0=18626
- Alsop, L.E. and Kuo, J.T. The characteristic numbers of semi-diurnal earth tidal components for various earth models, 4=30918
- Alsop, M. See Butcher, E.G., 2=19501
- Alstad, J. and Legvold, S. Saturation magnetostriction constants of gadolinium, 4=22986
- Alstad, J. See Legvold, S., 3=20550
- Alster, J. See van Oostrum, K.J., 0=7566
- Alstad, J.K., Colvin, R.V. and Legvold, S. Single-crystal and polycrystal resistivity relationships for yttrium, 1=11261
- Alstad, J.K., Colvin, R.V., Legvold, S. and Spedding, F.H. Electrical resistivity of lanthanum, praseodymium, neodymium and samarium, 1=5003
- Alston, M., Alvarez, L.W., Eberhard, P., Good, M.L., Graziano, W., Ticho, H.K. and Wojcicki, S.G. Resonance in the $\lambda\pi$ system, 1=3240
- Alston, M., Alvarez, L.W., Eberhard, P., Good, M.L., Graziano, W., Ticho, H.K. and Wojcicki, S.G. Resonance in the $K-\pi$ system, 1=8502
- Alston, M.H., Alvarez, L.W., Eberhard, P., Good, M.L., Graziano, W., Ticho, H.K. and Wojcicki, S.G. Study of resonances of the $\Sigma-\pi$ system, 1=12126
- Alston, M.H., Barbaro-Galtieri, A., Rosenfeld, A.H. and Wojcicki, S.G. Search for Y_1^* resonances, 4=21944
- Alston, M.H., Braley, J.E. and White, P. Quest: An on-line event-processing routine, 3=7091
- Alston, M.H., Cundy, D.C., Evans, W.H., Newport, R.W. and Williams, P.R. A 10 in. diameter liquid hydrogen bubble chamber, 0=15200
- Alston, M.H. and Ferrer-Luzzi, M. Pion-hyperon resonances, 1=16866
- Alston, M.H. See Alvarez, L.W., 3=15039
- Alston, M.H. See Luzzi-Ferro, M., 3=15043
- Alston, M.H. See Wojcicki, S.G., 4=16966
- Alt, L.L., Ing, S.W. Jr and Laendle, K.W. Low-temperature deposition of silicon oxide films, 4=2118
- Altaiskii, Yu.M., Ezhov, N.M. and Sidiakin, V.G. A metal stop-cock for vacuum systems, 2=2800
- Altamari, L.A. See Leipziger, F.D., 1=20645
- Alte da Veiga, L.M.d'. See d'Alte da Veiga, L.M.
- Altemose, V.O. Helium diffusion through glass, 1=10010
- Altenburg, K. Velocity of sound and molecular structure. I. A general point of view on molecular kinetic theory calculations of the velocity of sound in liquids, 1=9389
- Altenburg, K. Velocity of sound and molecular structure. II. On the temperature dependence of the velocity of sound, 1=9390
- Altenburg, K. The critical parameter and the potential of the intermolecular forces, 2=8136
- Altenburg, K. The influence of molecular shape on the critical parameter, 2=8137
- Altenburg, K. Velocity of sound and molecular structure. III. The velocity of sound and the intermolecular potential energy, 1=9391
- Altenburg, K. Velocity of sound and molecular structure. IV. Velocity of sound and molecular data, 2=11371
- Altenburg, K. The dependence of some physical properties of branched alkanes on molecular shape, 4=9753
- Altenburg, K., Bethge, K. and Horn, G. Automatic timing with the suspended level viscometer, 2=7181
- Altenburg, K. See Holzmüller, W., 2=23023
- Altenhoff, W. and Mezger, P.G. Radio astronomical measurements at 1370 Mc/s to test a parametric pre-amplifier, 3=18649
- Altenmueller, O.H., Larsen, R.R. and Loew, G.A. Investigations of traveling-wave separators for the Stanford two-mile linear accelerator, 4=14775
- Altenpohl, D. and Post, W. Hydrated oxide films on aluminium. Their growth and their importance in electrolytic capacitors, 1=14964
- Alter, D. The evolution of the moon, 1=10378
- Alterman, E.B. See Harter, R.J., 4=20128
- Alterman, Z. Kelvin-Helmholtz instability in media of variable density, 1=11740
- Alterman, Z. Capillary instability of liquid jet, 1=11742
- Alterman, Z. Effect of magnetic field and rotation on Kelvin-Helmholtz instability, 1=15787
- Alterman, Z. Effect of surface tension of the Kelvin-Helmholtz instability of two rotating fluids, 1=15821
- Alterman, Z., Jarosch, H. and Pekeris, C.L. Oscillations of the earth, 0=8518
- Alterman, Z., Jarosch, H. and Pekeris, C.L. Propagation of Rayleigh waves in the earth, 1=9182
- Alterman, Z. and Kornfeld, P. Propagation of a pulse within a sphere, 4=7815
- Alterman, Z. and Kornfeld, P. Propagation of a pulse in a fluid sphere, 4=23703
- Alterman, Z. See Pekeris, C.L., 1=10302
- Alterman, Z. See Pekeris, C.L., 1=20797
- Alterman, Z. See Pekeris, C.L., 3=5466
- Alterman, Z. See Pekeris, C.L., 3=11850
- Alterovitz, S. See Feige, Y., 4=3378
- Altes, J.P.K. Use of an electronic analogue computer with resistance network analogues, 0=6543
- Altes, J.P.K., Dekker, L. and Gilissen, H.P.J. Use of an electronic analogue computer with resistance network analogues, 0=10467
- Altés, M.C. See Aguilar, J., 0=20461
- Altes, M.C. See Catalá, J., 1=17150
- Althoff, K. Photoproduction of positive pions between 200 and 260 MeV at fixed momentum transfer, 3=22166
- Althoff, K., Fischer, H. and Paul, W. Photoproduction of positive pions on hydrogen between 200 and 450 MeV. II. Magnetic spectrometer method, 3=22165
- Altick, P.L. Dipole polarizabilities of the alkaline earths, 4=12360
- Altick, P.L. and Glassgold, A.E. Correlation effects in atomic structure using the random-phase approximation, 4=9624
- Altman, A. and Macdonald, W.M. Charge dependent nuclear forces and the Fermi matrix element, 2=16284
- Altman, A., MacDonald, W.M. and Marion, J.B. Nucleon reduced widths and charge independence, 2=14082
- Altman, C. Structure, variations and measurements of the earth's ionosphere and exosphere, 1=10317
- Altman, C. and Cory, H. Absorption of audio-frequency electromagnetic waves traversing the ionosphere in the magneto-ionic mode, 2=17972
- Altman, C. and Cory, H. The transmission of audio frequency electromagnetic waves through the terrestrial ionosphere in the magneto-ionic mode, 3=12328
- Altman, E. See Rozen, S., 3=5613
- Altman, F.G. and Busch, K.H. Determination of the speed of passing vehicles by apparatus using [interrupted] light beams, 0=4986
- Altman, H.W. See Rubin, T., 2=10339
- Altman, H.W. See Rubin, T., 2=16610
- Altman, J.H. The measurement of r.m.s. granularity, 4=8462
- Altman, J.H. A simple non-recording microdensitometer, 4=16236
- Altman, J.H. See MacAdam, D.L., 3=18959
- Altman, L.J. See Hanna, M.W., 2=10701
- Altman, R.L. Thermodynamic functions of some gaseous diatomic halides of aluminum, boron and lithium, 0=963
- Altman, R.L. Thermodynamic properties of C_2 , 0=6836
- Altman, S.P. Orbital transfer for satellites, 2=11186
- Altmann, S.L. The crystallographic point groups as semi-direct products, 3=1276
- Altmann, S.L. Semidirect products and point groups, 4=10446
- Altmann, S.L. and Bradley, C.J. The band structure of hexagonal close-packed metals: zirconium, 2=20964
- Altmann, S.L. and Bradley, C.J. Fermi surface of zirconium, 4=28418
- Alton, G.D. See Truitt, J., 4=6869
- Altona, C. A versatile cooling technique for X-ray diffraction by single crystals at temperatures below 90°K, 4=30834
- Altschuler, H.M. Effect of long waveguides on the resonant frequencies of microwave cavities, 4=8946
- Al'tshuler, L.M. The problem of the zone of action of an uninsulated tube in a solid mass, 0=8817
- Al'tshuler, L.M. The method of the "supplementary layer" in Forchheimer problems, 0=8818
- Al'tshuler, L.M. The temperature field in a massive [block of matter] due to [heated] tubes, 0=12511
- Al'tshuler, L.V., Bakanova, A.A. and Trunin, R.F. Shock adiabates and zero isotherms of seven metals at high pressures, 2=6728
- Al'tshuler, L.V., Bakanova, A.A. and Trunin, R.F. Shock adiabates and zero isotherms of seven metals at high pressures, 3=6786
- Al'tshuler, L.V., Kormer, S.B., Bakanova, A.A., Petrunin, A.P., Funtikov, A.I. and Gubkin, A.A. Irregular conditions of oblique collision of shock waves in solid bodies, 2=2759
- Al'tshuler, L.V., Kormer, S.B., Bakanova, A.A., Petrunin, A.P., Funtikov, A.I. and Gubkin, A.A. Irregular conditions of oblique collision of shock waves in solid bodies, 3=1756

- Al'tshuler, L.V., Kormer, S.B., Bakanova, A.A. and Trunin, R.F. State equations of aluminium, copper and lead in the high-pressure region, 0=11550
- Al'tshuler, L.V., Kormer, S.B., Brazhnik, M.I., Vladimirov, L.A., Speranskaya, M.P. and Funtikov, A.I. Isentropic compressibility of aluminium, copper, lead and iron at high pressures, 0=11974
- Al'tshuler, L.V., Kuleshova, L.V. and Pavlovskii, M.N. Dynamic compressibility, equation of state and electrical conductivity of sodium chloride at high pressures, 0=20730
- Al'tshuler, L.V. and Petrunin, A.P. An X-ray investigation of the compressibility of light materials under the action of shock-wave impacts, 2=12847
- Al'tshuler, M.A. See Deryagin, B.V., 3=6906
- Altshuler, S. Effects of inelastic collisions upon electrical conductivity and electron heating in the lower ionosphere, 4=4810
- Altshuler, S. See Lynch, P.J., 2=20154
- Al'tshuler, S.A. Paramagnetic spin-lattice relaxation mechanism in ionic crystals at low temperatures, 3=25578
- Al'tshuler, S.A., Bashkirov, Sh.Sh. and Leushin, A.M. Theory of the acoustic paramagnetic resonance in crystals containing ions of the iron group, 2=767
- Al'tshuler, S.A., Bashkirov, Sh.Sh. and Zaripov, M.M. Paramagnetic resonance and spin-lattice relaxation of Ti^{3+} ions in corundum, 3=23237
- Al'tshuler, S.A., Kochelaev, B.I. and Leushin, A.M. Paramagnetic absorption of sound, 3=20097
- Al'tshuler, S.A. and Kozyrev, B.M. Electron paramagnetic resonance, 4=30729
- Al'tshuler, S.A. and Mineeva, R.M. Broadening of the paramagnetic resonance lines due to indirect exchange interactions, 3=20638
- Al'tshuler, S.A. and Zaripov, M.M. On the theory of paramagnetic resonance of Ti and Co ions in corundum, 1=20234
- Altshuler, T.L. Two-fluid manometer for helium vapour pressure measurement, 4=5483
- Al'tshuler, V.L., Pavlovskii, M.N., Kuleshova, L.V. and Simakov, G.V. Investigation of alkali-metal halides at high pressures and temperatures produced by shock compression, 3=18179
- Altstetter, C.J. See Gedwill, M.A., 4=23258
- Altstetter, C.J. See Gedwill, M.A., 4=26594
- Altstetter, C.J. See Wayman, C.M., 3=8890
- Alston, M.H. See Wojcicki, S.G., 4=25180
- Altunin, V.V. See Vukalovich, M.P., 4=5231
- Altunin, V.V. See Vukalovich, M.P., 4=24262
- Altunin, V.V. See Vukalovich, M.P., 4=29670
- Altynbaeva, S.S. Check of some equations relating thermal conductivity with other properties of a liquid, 4=11194
- Alumkal, A., Barkow, A.G., Kane, G., McDaniel, R.E. and O'Friel, Z. 8Li fragments associated with nuclear disintegration, 0=17575
- Alurkar, S.K. See Shirke, J.S., 3=13735
- Alvager, T. The high-frequency deflection method for measuring short half-lives. II. The electron coincidence spectrometer and related arrangements used in connection with the high-frequency deflection, time measuring instrument, 1=4835
- Alvåger, T. The empirical matrix element of the M4 transition in Xe^{135} , 1=5865
- Alvåger, T. and Hansen, N.J. Doping of crystals by ion bombardment to produce solid state detectors, 2=16096
- Alvåger, T. and Nilsson, A. Remarks on the velocity of radar waves near large masses, 4=29470
- Alvåger, T., Nilsson, A. and Kjellman, J. On the independence of the velocity of light of the motion of the light source, 4=18373
- Alvåger, T. and Ryde, H. Search for double-quantum emission in the decay of Xe^{131m} , 0=11373
- Alvåger, T. and Ryde, H. On the possibility of the detection of double quantum emission in atomic nuclei, with special application to the decay of Xe^{131m} , 1=5853
- Alvåger, T., Ryde, H. and Thieberger, P. Upper limit for double quantum emission from nuclear levels in K^{41} and Rb^{85} , 2=12175
- Alvåger, T. See Forsling, W., 1=19386
- Alvåger, T. See Forsling, W., 2=395
- Alvåger, T. See Johansson, B., 0=17518
- Alvåger, T. See Johansson, B., 0=20371
- Alvåger, T. See Ryde, H., 1=13732
- Alvåger, T. See Uhler, J., 2=5873
- Alvarez, J.H. Note on the design of a fluxmeter for magnetic field measurements by nuclear magnetic resonance, 4=14849
- Alvarez, L.W. Hodoscope design to minimize photomultiplier use, 0=5449
- Alvarez, L.W., Alston, M.H., Ferro-Luzzi, M., Huwe, D.O., Kalbfleisch, G.R., Miller, D.H., Murray, J.J., Rosenfeld, A.H., Shafer, J.B., Soomitz, F.T. and Wojcicki, S.J. 1660 MeV Y_1^* hyperon, 3=15039
- Alvarez, L.W. See Alston, M., 1=3240
- Alvarez, L.W. See Alston, M., 1=8502
- Alvarez, L.W. See Alston, M.H., 1=12126
- Alvarez, L.W. See Kalbfleisch, G.R., 4=27891
- Alvarez, L.W. See Maglič, B.C., 1=16840
- Alvarez, L.W. See Stevenson, M.L., 2=22606
- Alvarez, R., Bar-Yam, Z., Kern, W., Luckey, D., Osborne, L.S., Tazzari, S. and Fessel, R. Photoproduction of π mesons between 0.9 and 4.0 BeV, 4=25161
- Alvarez, R., Bar-Yam, Z., Kern, W., Luckey, D., Osborne, L.S., Tazzari, S. and Fessel, R. Evidence for two new resonances in the π -nucleon system, 4=25162
- Alvarez, R. See Michaëlis, R.E., 2=4585
- Alvarez, R.A., Brown, K.L., Panofsky, W.K.H. and Rockhold, C.T. Double focusing zero dispersion magnetic spectrometer, 0=9252
- Alvarez Rivas, J.L. and Rodriguez Mayquez, E. A new approach to the problem of neutron diffusion near boundaries by means of elementary diffusion theory, 4=9603
- Alverson, R.C., Gair, F.C. and Hook, J.F. Uncoupled equations of motion in nonhomogeneous elastic media, 4=2760
- Alves, M.P. See Gilly, L., 4=17189
- Alves, M.P. See Gilly, L.J., 3=22423
- Alves, P. See Gilly, L.J., 4=25436
- Alves, R.V. See Tochilin, E., 1=5736
- Alves Guimarães, M. About the energy parameters of the two-body interactions in the $(p_{1/2})^2$, $(p_{1/2} 2s_{1/2})$ and $(p_{1/2} d_{3/2})$ configurations, 4=17000
- Alvi, H. See Venugopal, V.R., 3=16379
- Alvial, G. Determination of the electric charge of a high-charged nucleus of the primary cosmic rays with nuclear emulsions, 1=13545
- Alvial, G. Determination of primary cosmic ray nuclei with Z greater than 26 in nuclear emulsions, 2=18202
- Alvial, G., Grimaldi, L., Riquelme, J., Silva, E. and Stantic, S. A method to determine the charge of nuclei with nuclear emulsions, 0=12729
- Alwar, R.S. Araldite used for model analysis of composite structures, 1=18332
- Aly, F.M. See Abuzeid, M.A., 3=19847
- Aly, F.M. See El-Nadi, A., 0=3885
- Aly, H.H. The hydrogen component in the primary cosmic radiation, 2=20476
- Aly, H.H. and Appa Rao, M.V.K. On the energy-dependence of fragmentation of cosmic ray nuclei in interstellar space, 3=15067
- Aly, H.H., Duthie, J.G.M. and Fisher, C.M. The analysis of 4.5 BeV negative pion interactions in nuclear emulsion, 0=20186
- Aly, H.H. and Fisher, C.M. The angular distribution of secondary π -mesons from 4.5 GeV π^- and 6 GeV proton interactions in emulsion, 0=15390
- Aly, H.H., Fisher, C.M. and Mason, A. Energy determination from the angular distribution of the secondary shower particles, 3=19733
- Aly, H.H., Kaplon, M.F. and Shen, M.L. The nature of the momentum spectrum of secondary shower particles from high-energy collisions. I, 4=19459
- Aly, H.H., Lurié, D. and Rosendorff, T. High-energy p - p and π - p scattering in Serber's model, 4=6048
- Aly, M.K., Evans, J.W. and Orrall, F.Q. A photometric study of the continuum and seventeen emission lines in the inner solar corona, 3=3577
- Aly, M.K., Evans, J.W. and Orrall, F.Q. Emission-line ratios in the solar corona, 3=18638
- Alyamovskii, S.I. See Gel'd, P.V., 0=18353
- Alyamovskii, V.N. Distribution functions of an electric microfield in an ionized gas, 2=17827
- Alyamovskii, V.N. Distribution functions of an electric microfield in an ionized gas, 3=5660
- Alyamovskii, V.N. and Kirzhnits, D.A. Collective excited states of heavy atoms, 4=19924
- Alyamovskii, V.N. and Kitaeva, V.F. Profile of the $H\beta$ hydrogen line in argon behind a shock wave, 0=15659
- Alyamovskii, V.N. See Sobolev, N.N., 0=973
- Alzetta, G., Minnaja, N. and Santucci, S. Piezoluminescence in zinc sulphide phosphors, 2=10635
- Alzetta, R., Ghirardi, G.C. and Rimini, A. Threshold effects in n - d scattering due to the existence of the d -neutron, 3=22137

- Alzmann, G. The mean number of β -disintegrations per fission of a U^{235} nucleus as a function of time, 2=10161
- Alzofon, F.E. Retardation and diffraction aspects of the conduction of heat in solids, 2=8181
- Amada, R.D. Soluble problems in the scattering from compound systems, 4=843
- Amadei, L. and Goetzberger, A. Molybdenum masking of ion bombardment doping of silicon, 4=26059
- Amadesi, P., Cambrisi, E. and Cavallini, A. Measurement of the neutron spectrum from radium D-beryllium with nuclear emulsions, 4=25115
- Amado, A. Morales y. See Morales y Amado, A.
- Amado, R.D. $V-\theta$ collisions in the Lee model, 1=7204
- Amado, R.D. New methods in direct interaction theory, 2=16429
- Amado, R.D. and Brueckner, K.A. Moment of inertia of interacting many-body fermion systems, 0=335
- Amado, R.D. and Holloway, L. Weak-interaction corrections to the electromagnetic interactions of leptons, 4=5961
- Amado, R.D. See Aaron, R., 1=427
- Amado, R.D. See Vaughn, M.T., 2=252
- Amaev, A.D. See Pravdyuk, N.F., 2=23765
- Amaglobeli, N.S., Golovin, B.M., Kazarinov, Yu.M., Medved', S.V. and Polev, I.M. Determination of the coupling constant of the π -meson-nucleon interaction from the cross-section for elastic scattering of neutrons by protons at energy 630 MeV, 0=9407
- Amaglobeli, N.S. and Kazarinov, Yu.M. Elastic scattering of 630 MeV neutrons by protons, 0=7352
- Amaglobeli, N.S., Kazarinov, Yu.M., Sokolov, S.N. and Silin, I.N. Determination of the pion-nucleon coupling constant from differential cross-sections for elastic $n-p$ scattering, 1=19246
- Amai, S. On observation in quantum mechanics, 4=51
- Amai, S. Theory of measurement in quantum mechanics, 4=2568
- Amai, S., Fukuda, H., Iso, G. and Sato, M. Hydrodynamical treatment of multiple meson production in high energy nucleon-nucleus collisions, 0=7395
- Amai, S., Murota, T. and Nishida, M. A remark on high energy phenomena, 0=11280
- Amai, S. See Nagata, S., 0=13105
- Amako, Y. and Giguère, P.A. A calculation of the H_2O_2 molecule by the LCAO-MO-SCF method, 2=10274
- Amaldi, E. Antiparticles, 1=16726
- Amaldi, E. Future development in Western Europe, 4=16567
- Amaldi, E. A general report on low energy nuclear physics, 4=16712
- Amaldi, E., Baroni, G., Bellettini, G., Castagnoli, C., Ferro-Luzzi, M. and Manfredini, A. Study of antiprotons with emulsion technique, 0=5561
- Amaldi, E., Baroni, G., Bradner, H., De Carvalho, J., Hoffman, L., Manfredini, A. and Vanderhaeghe, G. Search for Dirac magnetic poles, 2=22461
- Amaldi, E., Baroni, G., Manfredini, A., Bradner, H., Hoffman, L. and Vanderhaeghe, G. Search for Dirac magnetic poles, 3=14861
- Amaldi, U., Cocconi, V.T., Fazzini, T., Fidecaro, G., Ghesquiere, G., Legros, M. and Steiner, H. Antiproton-proton total cross-sections between 0.58 and 5.3 GeV/c, 2=22516
- Amaldi, U., Jr., Fazzini, T., Fidecaro, G., Ghesquiere, G., Legros, M. and Steiner, H. Deuteron and α -particle production in carbon and polyethylene by 26.6 GeV/c protons, 3=24717
- Amaldi, U., Jr., Fazzini, T., Fidecaro, G., Ghesquiere, C., Legros, M. and Steiner, H. The Cern separated low-momentum antiproton beam, 4=6054
- Amaldi, U., Jr. and Selleri, F. Nucleon-nucleon diffraction scattering, 3=4384
- Amaldi, U., Jr. and Selleri, F. Unitarity condition and connections between pion-pion and pion-nucleon scattering, 4=9247
- Amankulova, D.S., Vishnevskii, V.F., Zabudkina, N.G. and Ashlagina, E.V. A method of detecting tracks of particle in emulsion layers, 4=14994
- Amano, A. See Benson, S.W., 2=17080
- Amano, A. See Benson, S.W., 2=19139
- Amano, F. A new analytic method for the solution of two-dimensional multiregion reactor theory, 4=1124
- Amano, F. Efficiency of central control rod partially inserted into a cylindrical reactor. I, 4=1164
- Amano, F. An analytical approach for the combined age-diffusion equation, 4=22252
- Amano, H. Reactions of argon-40 with alpha-particles, 1=8776
- Amano, H. See Nakai, K., 2=20643
- Amano, H. See Porile, N.T., 3=17474
- Amano, H. See Tanaka, S., 1=2241
- Amano, H. See Tanaka, S., 1=8776
- Amano, H. See Tanaka, S., 1=8779
- Amano, H. See Tanaka, S., 1=12219
- Amano, H. See Tanaka, S., 1=12220
- Amano, T. Confinement of plasma particles in a corrugated magnetic field, 2=5345
- Amano, T. Gravitational instability in a cylindrical plasma in a magnetic field, 4=24705
- Amano, T. and Momota, H. Hydromagnetic local instability in an axially symmetric incompressible plasma, 4=24706
- Amano, Y. See Shinoda, G., 2=10913
- Amar, H. Properties of multidomain particles, 0=3047
- Amar, H. Energy of formation of a vacancy in copper, 2=6315
- Amar, H. and Drew, J.B. Mathematical treatment of competitive surface and volume diffusion processes, 4=12781
- Amar, V., Esteve, A. and Sona, P.G. Strong interaction symmetries: a model based on $SU(4)$, 4=9113
- Amar, V., Lucchini, M. and Marioni, C. S-wave amplitude for the $K-\pi$ system, 2=7900
- Amar, V., Lucchini, M. and Sona, P.G. Group properties of free-field equations, 3=12398
- Amar, V. and Pauri, M. On the Gürsey baryon equation, 0=2501
- Amar, V. and Pauri, M. On the $K^+ + n \rightarrow K^0 + p$ scattering amplitude poles, 1=16899
- Amat, G. On the form of the secular equation giving the vibration-rotation levels of a molecule with axial symmetry, 0=7742
- Amat, G., Arsac, A., Brochard, J., Brossel, J., Connes, P., Couture, L., Jacquinot, P. and Maréchal, A. Optics in France, 2=13427
- Amat, G. and Henry, L. K-type resonance and doubling in axially symmetric molecules, 1=8829
- Amat, G. and Nielsen, H.H. Higher-order rotation-vibration energies of polyatomic molecules. V, 2=20778
- Amat, G. See Andrade e Silva, M.H., 3=6400
- Amat, G. See Grenier-Besson, M.L., 1=17304
- Amat, G. See Grenier-Besson, M.L., 2=6141
- Amat, G. See Grenier-Besson, M.L., 2=20779
- Amat, G. See Henry, L., 1=4921
- Amat, G. See Henry, L., 1=5991
- Amat, G. See Pauthier, M., 2=10585
- Amateau, M.F. and Spretnak, J.W. Plastic deformation in magnesium oxide crystals subjected to rolling-contact stresses, 3=23321
- Amati, D. On the correspondence between resonance and S-matrix poles for broken symmetry, 4=9294
- Amati, D., Bacry, H., Nuyts, J. and Prentki, J. SU_4 and strong interactions, 4=30159
- Amati, D., Cini, M. and Stanghellini, A. Diffraction scattering in the multiperipheral model, 3=17222
- Amati, D., Cini, M. and Stanghellini, A. Diffraction scattering in the multiperipheral model, 4=3337
- Amati, D., Cottingham, W.N. and Vinh Mau, R. On the nucleon-nucleon potential, 2=22497
- Amati, D., Fierz, M. and Glaser, V. High-energy limit of scattering cross sections, 0=5502
- Amati, D., Foldy, L.L., Stanghellini, A. and Van Hove, L. Dominance of exchange amplitudes in elastic scattering, 4=21781
- Amati, D., Fubini, S., Stanghellini, A. and Tonin, M. A theoretical approach to high-energy pion phenomena, 1=19242
- Amati, D., Fubini, S., Stanghellini, A. Asymptotic properties of scattering and multiple production, 2=13748
- Amati, D., Leader, E. and Vitale, B. Theory of low energy nucleon-nucleon scattering. I, 0=15341
- Amati, D., Leader, E. and Vitale, B. Theory of low energy nucleon-nucleon scattering. II. High waves, 1=5717
- Amati, D., Leader, E. and Vitale, B. Theory of low energy nucleon-nucleon scattering. III. Partial wave integral equations for low orbital momentum amplitudes, 1=5718
- Amati, D., Leader, E. and Vitale, B. Low energy nucleon-nucleon interaction, 2=1681
- Amati, D., Leader, E. and Vitale, B. Theory of low-energy nucleon-nucleon scattering. IV. Numerical results for high partial waves ($l \geq 2$), 3=12453
- Amati, D., Prentki, J. and Stanghellini, A. Higher symmetries and Pomerancuk conditions, 3=5929
- Amati, D., Stanghellini, A. and Fubini, S. Theory of high-energy scattering and multiple production, 3=5943
- Amati, D., Stanghellini, A. and Vitale, B. Pion-hyperon scattering. Influence of nonsymmetric Λ and Σ interaction, 0=370
- Amati, D., Stanghellini, A. and Wilson, K. Theory of fermion Regge poles, 3=14878

- Amati, D. and Vitale, B. Some topics regarding the strong interactions of strange particles, 1=2018
- Amati, D., Vitale, B. and Stanghellini, A. Some considerations on the recently found evidence for a π A resonance, 1=3241
- Amati, L. See Panattoni, C., 1=10246
- Amatitslavskii, Ya. E. Light transmission method of obtaining a picture of Fresnel interference in white light, 3=19014
- Amato, G., Chesi, E. and Lambert, J. C. Multi-channel oscilloscope system, 3=19141
- Amato, G., Cooper, W. A., Kornelis, Y. and Naumann, L. Automatic gap counting, 3=17135
- Amato, G., Courant, H., Filthuth, H., Malamud, E., Petrucci, G., Segar, A. M., Toner, W. T. and Willis, W. A one-stage separated K-meson beam of 1.5 GeV/c momentum at the c.p.s., 3=17001
- Amato, I. and Colombo, R. L. Grain-boundary precipitates in over-sintered UO_2 , 4=7680
- Amato, I., Colombo, R. L. and Protti, A. M. Sintering of UO_2 in a carbon dioxide atmosphere, 4=4654
- Amato, I., Colombo, R. L. and Protti, A. M. On the activation energy of sintering non-stoichiometric uranium oxide, 4=20790
- Amatuni, A. Ts. Calculation of the ground state of an anti-ferromagnetic material with uniaxial anisotropy, 1=5068
- Amatuni, A. T. The possibility of obtaining polarized electrons, 3=12248
- Amatuni, A. Ts. A solution of the problem on transition radiation in the case of media similar to a plasma, 4=29921
- Amatuni, A. Ts. and Korkhmazyan, N. A. Transition radiation in the case of a diffuse boundary between two media, 1=19162
- Amaya, K., Ajiro, Y., Yasuoka, H., Abe, H., Matsuura, M. and Hirai, A. Nuclear magnetic resonances of Fe^{57} in Fe_4N and Mn^{55} in Mn_4N , 4=23073
- Amazeen, P. G. See Cahill, L. J., 3=18570
- Ambach, W. Importance of the extinction of radiation in glacier ice for studies of the interchange of energy, 3=25861
- Ambartsumian, V. A. On the problem of the mechanism of the origin of stars in stellar associations, 0=10513
- Ambartsumian, V. A. On the evolution of stellar systems, 1=8011
- Ambartsumian, V. A. Instability phenomena in systems of galaxies, 2=9096
- Ambartsumian, V. A. and Saakyan, G. S. The degenerate superdense gas of elementary particles, 1=19154
- Ambartsumyan, V. A. and Saakyan, G. S. The internal structure of hyperon configurations of stellar masses, 2=13144
- Ambartsumyan, V. A. and Saakyan, G. S. The internal structure of hyperon configurations of stellar masses, 2=17289
- Ambartsumyan, V. A. and Saakyan, G. S. Equilibrium configurations of superdense degenerate gas masses, 2=24141
- Ambasankaran, C. See Phillips, K., 0=7337
- Ambegaokar, V. Electromagnetic properties of insulators, II, 1=1118
- Ambegaokar, V. Green's functions in many-body problems, 4=14072
- Ambegaokar, V. and Baratoff, A. Tunneling between superconductors, 3=19103
- Ambegaokar, V. and Baratoff, A. Erratum: Tunneling between superconductors, 4=5505
- Ambegaokar, V. and Kadanoff, L. P. Electromagnetic properties of superconductors, 2=2953
- Ambegaokar, V. and Kohn, W. Electromagnetic properties of insulators. I, 0=5260
- Ambegaokar, V. and Tewordt, L. Theory of the electronic thermal conductivity of superconductors with strong electron-phonon coupling, 4=18328
- Ambegaokar, V. See Garofalo, F., 1=2517
- Ambegaokar, V. See Langer, J. S., 1=3617
- Ambegaokar, V. See Maradudin, A. A., 4=28351
- Amberg, C. H. See Little, L. H., 3=3359
- Amberg, C. H. See Seanor, D. A., 3=21285
- Amberg, S. L. See Benedict, M., 2=6067
- Ambiye, K. S. Y., Bhagwat, S. D., Joshi, M. C., Sharma, R. P. and Subbarao, B. N. Decay scheme of Eu^{156} , 1=17021
- Ambiye, K. S. Y., Joshi, M. C. and Thosar, B. V. Decay of Eu^{156} , 1=656
- Ambiye, S. Y. and Sharma, R. P. Decay of Rh^{106} , 2=5872
- Amblard, B., Borgeaud, P., Ducros, Y., Falk-Vairant, P., Lasker, W., Guisan, O., Sonderegger, P., Stirling, A., Yvert, M., Tranha, A. and Warshaw, S. E. Experimental test of dispersion relation in the GeV region, 4=21770
- Ambler, E. Methods of nuclear orientation, 1=4827
- Ambler, E. and Dove, R. B. Continuously operating He^3 refrigerator for producing temperatures down to $\frac{1}{4}^\circ\text{K}$, 1=10633
- Ambler, E., Dove, R. B. and Kaeser, R. S. A He^3 cryostat for performing experiments with oriented nuclei, 4=11442
- Ambler, E., Eisenstein, J. C. and Schooley, J. F. Traces of products of angular momentum matrices, 2=4913
- Ambler, E., Eisenstein, J. C. and Schooley, J. F. Traces of products of angular momentum matrices. II. Spherical basis, 2=19367
- Ambler, E., Hayward, R. W., Hoppes, D. D. and Hudson, R. P. Experiments on the β -decay of polarized nuclei, 0=9557
- Ambler, E. and Plumb, H. Use of carbon resistors as low temperature thermometers in the presence of stray r.f. fields, 0=19517
- Ambler, E. See Hoppes, D. D., 1=5859
- Ambler, J. F. R. and Slattery, G. F. New metallographic techniques for the examination of uranium, uranium alloys and uranium dioxide, 2=4441
- Amboss, K. The effect of the anode aperture in conical flow Pierce guns, 3=4191
- Ambrasas, V. See Lesauskis, V., 4=8962
- Ambrose, D. A simple glass-to-metal pressure-tight coupling, 3=11646
- Ambrose, T. P. See Paranjape, V. V., 4=17388
- Ambrosen, J. Time residence of radioactive debris in the stratosphere, 0=6487
- Ambrosino, G. See Blanc, D., 1=7162
- Ambrosino, G. See Cambou, F., 1=7168
- Ambrosini, G. See Rydell, N., 0=4143
- Ambrosino, G., Blanc, D., Cambou, F., Devillers, D., Reme, H. and Vedrenne, G. The reaction $\text{Si}^{28}(n, \alpha)\text{Mg}^{25}$ at 14.6 MeV, 2=7996
- Ambrosino, G., Cambou, F. and Crettez, J. P. Method of discrimination of neutrons and of γ -rays, 0=19990
- Ambrosino, G., Cambou, F. and Crettez, J. P. [Pulse] shape discrimination: application to the study of 14.5 MeV elastic neutron-proton scattering, 2=5516
- Ambrosino, G. See Blanc, D., 2=12202
- Ambrosino, G. See Cambou, F., 0=7245
- Ambrosio, A. See Baer, D., 2=2910
- Ambrosio de Libanati, N., Calais, D. and Lacombe, P. Secondary recrystallization and recrystallization after critical strain of high purity uranium, 4=2116
- Ambroziak, A. A semiconductor pulse counter, 2=7796
- Ambroziak, A. Semidistributed neuristor line using unijunction transistors, 4=22751
- Ambrozy, B., Faudrowicz, A., Jasiński, A., Kownacki, J., Lancman, H. and Ludziejewski, J. Measurement of the mean life of the first excited state of Na^{23} , 1=16995
- Ambrozy, B., Faudrowicz, A., Jasiński, A., Kownacki, J., Lancman, H. and Ludziejewski, J. Measurement of the mean life of the first excited state of Na^{23} , 2=1821
- Ambs, W. J. See Kruger, J., 0=740
- Ambs, W. J. See Kruger, J., 0=14982
- Amdur, I. An experimental approach to the determination of gaseous transport properties at very high temperatures, 2=2771
- Amdur, I. and Bertrand, R. R. Redetermination of the He-He interaction between 0.55 and 1.0 Å, 2=10220
- Amdur, I., Jordan, J. E. and Bertrand, R. R. Recent experimental results on elastic scattering of high velocity neutral beams: reliability of derived intermolecular potentials, 4=25777
- Amdur, I., Jordan, J. E. and Colgate, S. O. Scattering of high-velocity neutral particles, XI. Further study of the He-He potential, 1=8825
- Amdur, I., Longmire, M. S. and Mason, E. A. Scattering of high-velocity neutral particles. XII. He- CH_4 , He- CF_4 , CH_4 - CH_4 and CF_4 - CF_4 interactions, 1=14124
- Amdur, I. and Shuler, L. M. Diffusion coefficients of the systems CO-CO and CO- N_2 , 3=7232
- Ameen, D. L. and Wiederhold, P. R. Fast-acting superconducting power switches, 4=18627
- Ameer, G. and Benesch, W. Line strengths and widths in hydrogen iodide, 3=4749
- Ameer, G. See Babrov, H., 0=15788
- Ameer, G. A. and Benesch, W. M. Interferometrically controlled hydraulic wavelength drive, 1=4462
- Amelina, E. A., Segalova, E. E. and Rebinder, P. A. An induction period of structure formation during the hardening of gypsum hemihydrate, 3=8790
- Amelinckx, S. Mechanism for the growth of whiskers from solution on an impervious substrate, 0=4597
- Amelinckx, S. Radiation-induced precipitation sites in potassium chloride, 0=17978
- Amelinckx, S. The experimental observation of dislocations and radiation damage in crystals by surface methods and decoration techniques, 4=28468

- Amelinckx, S. Radiation effects in ionic crystals, 4=28496
- Amelinckx, S. and Delavignette, P. Observation of dislocations in non-metallic layer structures, 0=7886
- Amelinckx, S. and Delavignette, P. Dislocation loops due to quenched-in point defects in graphite, 0=17946
- Amelinckx, S. and Delavignette, P. Electron optical study of basal dislocations in graphite, 1=969
- Amelinckx, S. and Delavignette, P. Direct evidence for the presence of quarter-dislocations in talc monocrystals, 1=3674
- Amelinckx, S. and Delavignette, P. Electron microscope observation of dislocations in talc, 1=4985
- Amelinckx, S. and Delavignette, P. Multiple ribbons of partial dislocations in chromium chloride, 2=10391
- Amelinckx, S., Strumane, G. and Webb, W.W. Dislocations in silicon carbide, 0=13538
- Amelinckx, S. and Strumane, R. Geometry and kinetics of the polygonization of sodium chloride, 0=15854
- Amelinckx, S., Vennik, J. and Remaut, G. Electrical effects during cyclic stressing of sodium chloride, 0=7917
- Amelinckx, S. See Aerts, E., 0=15920
- Amelinckx, S. See Aerts, E., 2=23199
- Amelinckx, S. See Aerts, E., 3=17764
- Amelinckx, S. See Art, A., 3=12993
- Amelinckx, S. See Art, A., 3=17765
- Amelinckx, S. See Blank, H., 3=4874
- Amelinckx, S. See Blank, H., 3=13113
- Amelinckx, S. See Blank, H., 3=22847
- Amelinckx, S. See Cuypers, R., 1=2398
- Amelinckx, S. See DeCoster, M., 2=23167
- Amelinckx, S. See DeCoster, M., 3=8341
- Amelinckx, S. See DeCoster, M., 4=15404
- Amelinckx, S. See Delavignette, P., 0=17941
- Amelinckx, S. See Delavignette, P., 0=20815
- Amelinckx, S. See Delavignette, P., 1=7585
- Amelinckx, S. See Delavignette, P., 1=11217
- Amelinckx, S. See Delavignette, P., 1=12385
- Amelinckx, S. See Delavignette, P., 2=4398
- Amelinckx, S. See Delavignette, P., 2=6346
- Amelinckx, S. See Delavignette, P., 3=20622
- Amelinckx, S. See Delavignette, P., 4=22585
- Amelinckx, S. See Gevers, R., 2=6336
- Amelinckx, S. See Gevers, R., 4=1501
- Amelinckx, S. See Gevers, R., 4=13635
- Amelinckx, S. See Heerschap, M., 4=22588
- Amelinckx, S. See Marinković, V., 4=30563
- Amelinckx, S. See Pelsmaekers, J., 1=10470
- Amelinckx, S. See Pelsmaekers, J., 4=4039
- Amelinckx, S. See Pollak, H., 3=4602
- Amelinckx, S. See Pollak, H., 4=12586
- Amelinckx, S. See Pollak, H., 4=15405
- Amelinckx, S. See Remaut, G., 1=14933
- Amelinckx, S. See Remaut, G., 3=17667
- Amelinckx, S. See Remaut, G., 4=30809
- Amelinckx, S. See Ruedl, E., 1=11246
- Amelinckx, S. See Ruedl, E., 2=612
- Amelinckx, S. See Ruedl, E., 2=16661
- Amelinckx, S. See Ruedl, E., 4=4059
- Amelinckx, S. See Ruedl, E., 3=8437
- Amelinckx, S. See Ruedl, E., 3=17701
- Amelinckx, S. See Ruedl, E., 3=22767
- Amelinckx, S. See Ruedl, E., 4=12762
- Amelinckx, S. See Schüller, E., 1=8910
- Amelinckx, S. See Siems, R., 2=3927
- Amelinckx, S. See Siems, R., 2=12439
- Amelinckx, S. See Siems, R., 2=14427
- Amelinckx, S. See Siems, R., 3=16060
- Amelinckx, S. See Siems, R., 3=17734
- Amelinckx, S. See Siems, R., 4=9977
- Amelinckx, S. See Strumane, R., 4=1484
- Amelinckx, S. See Strumane, R., 3=22776
- Amelinckx, S. See van Landuyt, J., 4=10578
- Amelinckx, S. See Van Lierde, W., 2=12890
- Amemiya, A. Theory of a non-random degradation of linear chain molecules, 2=20896
- Amemiya, A. Further investigation on the non-random degradation on linear chain molecules, 3=8324
- Amemiya, A. and Inokuti, M. Mathematical considerations on chemical kinetics of radiation-induced polymerization, 1=20767
- Amemiya, A. See Okada, Y., 1=10103
- Amenitskii, A.N. See Morozkin, V.I., 4=14457
- Amenitskii, N.A., Noskova, R.I. and Salomonovich, A.E. Radio image of the moon at 8 mm, 0=18649
- Ament, W.S. Reciprocity and scattering by certain rough surfaces, 0=17107
- Ament, W.S., Katzin, J.C., Katzin, M. and Koo, B.Y.C. Impedance of a cylindrical dipole having a sinusoidal current distribution in a homogeneous anisotropic ionosphere, 4=24850
- Amer, S. Influence of wafer thickness and carrier recombination of the cutoff frequency of alloy-junction transistors, 2=10517
- Amer, S. Van Der Pauw's method of measuring resistivities on lamellae of non-uniform resistivity, 3=14467
- Amerighi, M. See Evans, D., 1=19267
- Amerighi, M.C., Di Corato, M. and Fedrighini, A. Constant sagitta measurements on protons in G5, K5 and L4 emulsions, 0=12776
- Amerighi, M.C. See Jones, B.D., 1=8500
- Ames, D.B. See Boucher, R.A., 1=7140
- Ames, D.P. See Irani, R.R., 2=1099
- Ames, I. and Christensen, R.L. Anomalous photoelectric emission from nickel, 4=3031
- Ames, I. and Seki, H. Elimination of the edge effect in superconducting indium and tin films, 4=24502
- Ames, I. See Christensen, R.L., 1=4429
- Ames, I. See Seki, H., 4=24470
- Ames, J. The correlation between frequency-selective fading and multipath propagation over an ionospheric path, 3=12330
- Ames, L.L., White, D. and Mann, D.E. Infrared absorption spectra of carbon suboxide and malononitrile in solid argon matrices, 3=10527
- Ames, O., Bernstein, A.M., Brennan, M.H., Haberstroh, R.A. and Hamilton, D.R. Spins and decay modes of certain neutron-deficient silver isotopes, 0=13171
- Ames, O., Bernstein, A.M., Brennan, M.H. and Hamilton, D.R. Magnetic moments of 69 min Ag^{104} and 27 min Ag^{104m} , 1=12148
- Ames, W.F. See De La Cuesta, S.H., 3=14393
- Amey, R.L. and Cole, R.H. Dielectric constants of liquefied noble gases and methane, 4=11209
- Amick, J.A. A review of "Electrofax" behavior, 0=4387
- Amick, J.A. A volume-charge capacitor model for "electrofax layers", 0=4388
- Amick, J.A., Cullen, G.W. and Gerlich, D. The stabilization of germanium surfaces by ethylation. II. Chemical analysis, 2=8336
- Amick, J.A. See Cullen, G.W., 2=8335
- Amick, J.A. See Gerlich, G., 2=8337
- Amick, J.A. See Roth, E.A., 2=23914
- Amick, J.L. See Kueth, A.M., 4=29658
- Amiel, S. Reactions of alpha particles with germanium-70 and zinc-70, 0=1421
- Amiel, S. and Peisakh, I. Use of delayed neutrons in activation analysis, 4=7801
- Amiel, S. and Winsberg, L. A possible geochemical application of krypton-85, 0=4777
- Amiel, S. See Sadeh, D., 4=15193
- Amiel, S. See Sonnino, T., 4=22065
- Amiell, J. See Mazza, M., 4=26547
- Amiet, J.P. A semi-phenomenological model of the nucleus based on the pion-nucleon interaction, 1=13601
- Amiet, J.-P. On the quantization of classical systems, 3=21239
- Amiet, J.-P. and Huguenin, P. Tensor-force and spin-orbit coupling in the framework of the Hartree-Fock theory, 3=22254
- Amigo, G. Variation of stereoscopic acuity with observation distance, 3=11635
- Amin, A.H. A study of the breakdown processes in long discharge tubes, 3=4098
- Aminian, O. Method of measuring the lifetime of an excited state of an atom, 3=12056
- Aminov, L.K. Theory of spin-lattice relaxation in paramagnetic ionic crystals, 2=14837
- Aminov, L.K. Theory of spin-lattice relaxation in paramagnetic ionic crystals, 3=6755
- Aminov, L.K. and Kochelaev, B.I. Spin-spin interaction via a phonon field in paramagnetic crystals, 2=14840
- Aminov, L.K. and Kochelaev, B.I. Effect of the spin-phonon interaction on the paramagnetic resonance spectrum, 2=21358
- Aminov, L.K. and Kochelaev, B.I. Effect of the spin-phonon interaction on the paramagnetic resonance spectrum, 3=3162
- Aminov, L.K. and Kochelaev, B.I. Spin-spin interaction via a phonon field in paramagnetic crystals, 3=6756
- Aminov, L.K. and Kochelaev, B.I. Spin-lattice interaction in crystals containing isolated paramagnetic complexes, 3=17647

- Aminov, L.K. and Morocha, A.K. The theory of spin-spin interactions in crystals containing rare-earth ions, 1=20243
- Aminov, L.K. and Morocha, A.K. The theory of spin-spin interactions in crystals containing rare-earth ions, 2=4272
- Amiot, P. The selection of stainless steels for use in liquid hydrogen bubble chambers, 0=17160
- Amiot, P. Device for thermal control of liquid hydrogen bubble chambers, 0=19570
- Amirkhanov, Kh.I., Bashirov, R.I. and Gadzhialiev, M.M. Quantum thermomagnetic Nernst-Ettinghausen effects in n-type InSb and InAs, 2=8364
- Amirkhanov, Kh.I., Bashirov, R.I. and Gadzhialiev, M.M. Quantum thermomagnetic Nernst-Ettinghausen effects in n-type InSb and InAs, 2=14557
- Amirkhanov, Kh. I., Bashirov, R. I. and Ismailov, Z. A. The Hall effect in indium antimonide in strong pulsed magnetic fields, 4=6977
- Amirkhanov, Kh.I., Bashirov, R.I. and Zakiev, Yu.É. Galvanomagnetic effects in n-type InSb in magnetic pulsed fields, 0=15956
- Amirkhanov, Kh.I., Bashirov, R.I. and Zakiev, Yu.É. Quantum galvanomagnetic effects in N-InAs, 2=4038
- Amirkhanov, Kh.I., Bashirov, R.I. and Zakiev, Yu.É. Quantum galvanomagnetic effects in n-InAs, 3=4925
- Amirkhanov, Kh.I., Bashirov, R.I. and Zakiev, Yu.É. Quantum oscillations of the magnetoresistance of n-type InSb in strong pulsed magnetic fields, 3=17888
- Amirkhanov, Kh. I., Bashirov, R. I. and Zakiev, Yu. E. Variation of the resistance of N-type indium arsenide in strong magnetic fields, 4=1612
- Amirkhanov, Kh.I. and Kerimov, A.M. Heat capacity C_v of water and water vapour at high temperatures and high pressures, 1=18395
- Amirkhanov, Kh.I. and Kerimov, A.M. Specific heats C_{vd} water and water vapour during phase changes with supercritical parameters, 2=13485
- Amirkhanov, Kh.I. and Kerimov, A.M. Specific heat C_v of water and water vapour at super-critical [values of the thermodynamic] parameters of state, 4=14467
- Amirkhanova, D.Kh. Thermomagnetic properties of gallium antimonide, 0=15954
- Amirkhanova, D.Kh. and Bashirov, R.I. The effect of a magnetic field on the thermal conductivity of indium antimonide, 0=15821
- Amirkhanova, D. Kh. and Bashirov, R.I. Nernst-Ettingshausen effect in n-InSb, 1=17629
- Amirkhanova, I.B., Borisov, A.V., Gverdtsiteu, I.G. and Kucherav, R.Ya. Concerning the possible causes of the difference between measurements of the ratio of equilibrium vapour measures of isotopes by differential and Rayleigh methods, 3=15307
- Amirov, R.Sh. See Linkova, N.V., 0=13263
- Amirthalangam, V. Crystallographic studies on sodium uranyl-8-quinolate, $\text{Na}_2\text{UO}_2(\text{C}_8\text{H}_6\text{NO}_3)_2$, 0=4647
- Amirthalangam, V. and Grant, D. F. The effects of errors in intensities on phase angles determined by the anomalous-dispersion method, 4=2005
- Amirthalangam, V., Muralidharan, K. V., Pal, R. N. and Padmanabhan, V. M. Crystal structure of cobalt complexes, 4=13537
- Amirthalangam, V., Padmanabhan, V.M. and Shankar, J. The crystal structure of bis-acetylacetone beryllium, 0=8238
- Amith, A. New parallel photoelectromagnetic effect, 0=1683
- Amith, A. Photoconductive and photoelectromagnetic lifetime determination in presence of trapping. I. Small signals, 0=2865
- Amith, A. Galvanomagnetic properties of semiconductor thin films and surface layers, 1=3723
- Amma, E.L. and Jeffrey, G.A. Study of the wurtzite-type compounds. V. Structure of aluminium oxycarbide, Al_2CO ; A short-range wurtzite-type superstructure, 1=4052
- Amma, E. L. See Tanaka, J., 4=2340v
- Amman, F. The KS-3 MeV Van de Graaff injector of the Frascati electron synchrotron, 2=5414
- Amman, F., Andreani, R., Bassetti, M., Bernardini, M., Cottoni, A., Corazza, G. V., Ferlenghi, E., Mango, L., Massarotti, A., Pellegrini, C., Placidi, M., Puglisi, M., Rezler, G. and Tazzioli, F. Progress report on the design of storage rings for high energy electrons and positrons (project Adone), 4=16582
- Amman, F., Bassetti, M., Bernardini, M., Corazza, G.F., Mango, L., Massarotti, A., Pellegrini, C., Placidi, M., Puglisi, M. and Tazzioli, F. The high-energy electron and positron storage rings under design at the Laboratori Nazionali di Frascati, 3=12267
- Ammann, E.O. Experimental verification of calculated matrix elements of the magnetic moment of ruby, 3=3165
- Ammann, E. O. See Harris, S. E., 4=29736
- Ammar, A. and Young, D. A. Electrical conduction in irradiated pyrolytic graphite, 4=10028
- Ammar, A. S. See Nasr, A. A., 4=27218
- Ammar, R., Levi Setti, R., Slater, W.E., Limentani, S., Schlein, P.E., and Steinberg, P.H. Final state interaction in ^3He decay, 0=415
- Ammar, R., Levi Setti, R., Slater, W.E., Limentani, S., Schlein, P.E. and Steinberg, P.H. Mesic decays of hypernuclei from K^- -capture. I. Binding energies, 0=13154
- Ammar, R.G. Hyperfragments produced by K^- capture in nuclear emulsion: π^0 decay modes, 0=13050
- Ammar, R.G. A possible method of specific charge identification from profile measurements in nuclear emulsions, 0=15210
- Ammar, R.G., Choy, L., Dunn, W., Holland, M., Roberts, J.H., Shipley, E.N., Crayton, N., Davis, D.H., Levi-Setti, R., Raymund, M., Skjeggstad, O. and Tomasini, G. Binding energies of hypernuclei with mass number $A > 5$, 3=10229
- Ammar, R.G., Crayton, N., Jain, K.P., Levi Setti, R., Mott, J.E., Schlein, P.E., Skjeggstad, O. and Srivastava, P.K. Search for Σ^- hyperfragments, 1=607
- charged mesic decay modes of $^3\text{H}_\Lambda$, $^4\text{H}_\Lambda$, $^4\text{He}_\Lambda$ and $^5\text{He}_\Lambda$, 1=5832
- Ammar, R.G., Dunn, W. and Holland, M. On the spin and building of ^3H , 3=4558
- Ammar, R.G., Holland, M., Roberts, J.H. and Shipley, E.N. An example of $^7\text{Be}_\Lambda$ decaying by π^- emission, 3=7974
- Ammar, R.G., Levi Setti, R., Slater, W.E., Limentani, S., Schlein, P.E. and Steinberg, P.H. Mesic decays of hypernuclei from K^- -capture. II. Branching ratios in the
- Ammar, R.G. See Abeledo, D., 2=5791
- Ammar, R.G. See Crayton, N., 2=3472
- Ammar, R.G. See Crayton, N., 2=22718
- Amme, R. C. Viscoelastic effect in gases, 4=29649
- Amme, R.C. and Legvold, S. Vibrational transitions and the intermolecular potential, 0=15787
- Amme, R. C. and Utterback, N. G. Effects of ion beam excitation on charge transfer cross-section measurements, 4=24590
- Amme, R.C. See Calvert, J.B., 0=19206
- Ammerlaan, C. A. J. Shaping of p-i-n detector pulses by R.C. networks, 4=27720
- Ammerlaan, C.A.J. and Mulder, K. The preparation of lithium drifted semiconductor nuclear particle detectors, 3=10007
- Ammerlaan, C.A.J., Rumphorst, R.F. and Koerts, L.A.Ch. Particle identification by pulse shape discrimination in the P-I-N type semiconductor detector, 3=17115
- Ammiraju, P. and Biswas, S.N. Theoretical analysis of absorption of slow π^- -mesons in light nuclei, 0=20505
- Amoignon, J. Performances of diffusion pumps in the ultra-vacuum field, 2=13384
- Amoignon, J. and Moreau, J. Ultra-high vacua and diffusion pumps. (Industrial production of a pressure of 4×10^{-10} torr), 1=2794
- Amonenko, V. M., Azhazha, V. M., Ivanov, V. E., Tikhinskii, G. F. and Vinkel', V. A. The deformation and fracture of rolled beryllium of various purities, 4=26498
- Amonenko, V. M., Blinkin, A. M. and Ivantsov, I. G. Self-diffusion in very dilute binary alloys. I. The effect of tin and antimony additions upon the self-diffusion of iron in the α -phase, 4=12794
- Amonenko, V.M., Ivanov, V.E., Tikhinskii, G.F. and Finkel', V.A. X-ray diffraction study of the solubility of impurities in beryllium, 3=20908
- Amonenko, V.M., Ivanov, V.E., Tikhinskii, G.F. and Finkel', V.A. Problem of the solubility of impurities in beryllium, 3=25272
- Amonenko, V.M., Ivanov, V.E., Tikhinskii, G.F., Finkel', V.A. and Shpagin, I.V. High-temperature polymorphism of beryllium, 3=3297
- Amonenko, V.M., Kruhl'kh, A.A. and Tykhinskii, H.F. The vacuum distillation of chromium, 2=12936
- Amonenko, V.M., Papirov, I.I., Tikhinskii, G. F. and Finkel, V.A. Study of beryllium whiskers. I. Production of whiskers and determination of their orientation, 3=18278

- Amonenko, V. M., Ryabchikov, L. M. and Tikhinskii, G. F. Effect of sorbed gases on the evaporation rate of zinc and magnesium, 4=14466
- Amonenko, V. M., Ryabchikov, L. N., Tikhinskii, G. F. and Finkel', V. A. Mechanism of evaporation of Be in a high vacuum, 0=3677
- Amonenko, V. M., Tikhinskii, G. F., Finkel', V. A., Azhazha, V. M. and Shpagin, I. V. Plastic deformation of textured beryllium, 1=12593
- Amonenko, V. M., Vasyutinskiy, B. M., Kartmazov, G. N., Smirnov, Yu. N. and Finkel', V. A. Tantalum structure at elevated temperatures, 4=23469
- Amonenko, V. M. See Ivanov, V. E., 1=12654
- Amonenko, V. M. See Ivanov, V. E., 2=8844
- Amonenko, V. M. See Ivanov, V. E., 2=21544
- Amomenko, V. M. See Popov, B. E., 1=6545
- Amoros, J. L. and Canut, M. L. Thermal agitation and diffuse scattering in molecular crystals, 4=23391
- Amorós, J. L., Canut, M. L., de Acha, A., Moreno, M. and Guibert, M. An X-ray diffractometer for single crystals, 1=1390
- Amorós, J. L., Carbonell, A. and Canut, M. L. A two-circle X-ray diffractometer for high and low temperatures and its use for absolute measurements of diffuse diffraction, 3=11245
- Amoros, J. L., Guibert, M., Canut, M. L. and Arrese, F. A vertical Weissenberg camera for high and low temperatures, 1=20455
- Amoros, J. L. See Annaka, S., 1=9969
- Amoros, J. L. See Canut, M. L., 1=9972
- Amorós, J. L. See Canut, M. L., 2=8160
- Amorós, J. L. See Canut, M. L., 3=25698
- Amorós, J. L. See Riaño, E., 2=8794
- Amos, A. T. Long wave theory of absorption and reflection in molecular crystals, 3=20428
- Amos, A. T. and Davison, S. G. Localized states in crystals with two kinds of atoms, 4=7399
- Amos, A. T. and Hall, G. G. Single determinant wave functions, 1=15679
- Amos, K. A. and McCarthy, I. E. Optical model in the interior of the nucleus, II, 4=6187
- Amos, T. and Snyder, L. C. Unrestricted Hartree-Fock calculations. I. An improved method of computing spin properties, 4=28174
- Amos, T. See Snyder, L. C., 4=25629
- Amosov, E. M. See Zakharova, M. I., 4=7486
- Amouyal, A., Benoist, P. and Horowitz, J. New method of determination of the thermal utilization factor of a [reactor] cell, 0=7659
- Amov, B. and Kamborov, Kh. On a method of rapid separation of the activity of the decay products of radon, thorium-B and the long-lived activity of the atmospheric aerosols by the analysis of the general α or β decay curves, 1=7337
- Amr El-Sayed, M. F. A nuclear method for determining very low vapor pressures, 0=19512
- Amram, Y. Digital data processing for nuclear physics experiments, 3=5325
- Amram, Y., Guillon, H., Hugot, C. and Thenard, J. Time of flight selector with electrostatic memory, 1=2931
- Amram, Y., Guillon, H. and Thenard, J. Multidimensional analysis of nuclear data, 2=10115
- Amrhein, E. M. and Dietzel, A. Experiments on the bending of microwaves by surface grids, 1=19034
- Amsden, A. A. and Harlow, F. H. Slip instability, 4=14108
- Amsel, G. Oxide stabilized surface barrier detectors, 2=3217
- Amsel, G. Study of the $C^{16} + d$ reaction by semiconductor detectors, 4=17187
- Amsel, G. The reduction of carbon contamination of targets used in electron microscopy, 4=17826
- Amsel, G. Microanalysis by nuclear reaction observations application to solid state physics, 4=20770
- Amsel, G., Baruch, P. and Smulkowski, O. An n-p junction used as a charged particle detector, 0=7247
- Amsel, G., Baruch, P. and Smulkowski, O. High resolution study of nuclear reactions by p-n junction detectors, 1=3086
- Amsel, G., Baruch, P. and Smulkowski, O. Heavy-particle detector using a silicon p-n junction, 1=5615
- Ansel, G. and Bishop, G. R. $T = 3/2$ level in F^{19} at 9.07 MeV, 1=10966
- Amsel, G. and Bishop, G. R. The 9.07 MeV level with $T = 3/2$ in F^{19} , 2=370
- Amsel, G. and Samuel, D. The mechanism of anodic oxidation, 3=13616
- Amsel, G. and Smulkowski, O. High resolution spectroscopy using p-n junctions applied to the study of nuclear reactions: The $O^{16}(d, \alpha)N^{16}$ reaction, 1=1991
- Amson, J. C. Method for the consistent transformation of physical equations into non-dimensionally parametric form, 1=5116
- Amster, A. B. Methods for the study of deflagration to detonation transition, 0=6999
- Amster, A. B. and Beauregard, R. L. Pressure sensing probes for detecting shock waves, 0=3583
- Amster, A. B., Kendall, P. A., Veillette, L. J. and Harrell, B. Continuous oscillographic method for measuring the velocity and conductivity of stable and transient shocks in solid cast explosives, 0=3584
- Amster, H. J. The Wigner-Wilkins calculated thermal neutron spectra compared with measurements in a water moderator, 0=12975
- Amster, H. J. Recursion method for calculating the spatial distribution of resonance absorptions, 2=13815
- Amster, H. J. and Gast, R. C. Analysis of a foil activation experiment for a D-D neutron source in water, 2=5650
- Amster, H. J. and Gast, R. C. The analysis of foil activation experiments in infinite homogeneous media, 2=5681
- Amstutz, G. C. See Petz, J. I., 1=5101
- Amtey, S. R. See Sharma, R. P., 4=19726
- Amundsen, T. and Olsen, T. Oscillatory thermal magnetoresistance in aluminium, 3=20123
- Amundsen, T. and Olsen, T. Thermal conductivity of niobium from 1.6°K to 15°K, 3=25215
- Amusya, M. Effective nucleon-nucleon interaction in nuclear matter, 4=27941
- Amus'ya, M. Ya. Dependence of the internal nuclear potential parameters on the particle number, 0=13102
- Amus'ya, M. Ya. The ground states of nuclei, I, 1=3391
- Amus'ya, M. Ya. Fermi systems with attractive and repulsive interactions, 1=16688
- Amus'ya, M. Ya. Single-particle Green's function for a Fermi system with attractive and repulsive interactions, 2=21853
- Amus'ya, M. Ya. Fermi systems with attractive and repulsive interactions, 2=22417
- Amus'ya, M. Ya. Optical potential of heavy nuclei, 3=4611
- Amus'ya, M. Ya. Single-particle Green's function for a Fermi system with attractive and repulsive interactions, 3=7147
- Amus'ya, M. Ya. See Yefimov, V. N., 4=29563
- An In. See Chang Li-ning, 3=24799
- an Nhan, Tran. See Tran an Nhan.
- Anacker, F. and Mannkopff, R. A reproducible 4000°K black radiator, 0=204
- Anacreon, R. See Kaufman, J. J., 4=1272
- Anacreon, R. E. See Edgell, W. F., 3=23883
- Agagnostidis, M., Colombiè, M. and Monti, H. Metastable phases in uranium-niobium alloys, 4=13609
- Anand, J. See Mani, H. S., 2=16469
- Anand, J. D. See Mitra, A. N., 3=14894
- Anand, M. S. See Agarwala, R. P., 4=22610
- Anand, M. S. See Murarka, S. P., 4=15492
- Anand, S., Singh, M. and Sood, B. S. Large angle Rayleigh scattering of 662 keV gamma-rays, 4=6006
- Anand, S., Singh, M. and Sood, B. S. Small angle scattering of low energy gamma-rays from atomic electrons, 4=19985
- Anand, S. See Singh, M., 4=17112
- Anand, S. See Singh, M., 4=22105
- Anand, S. P. S. Oscillatory model for radio source 3C273, 4=23953
- Anand, S. P. S. and Kushwaha, R. S. On the gravitational instability of an inhomogeneous medium, 2=4923
- Anand, S. P. S. and Kushwaha, R. S. The gravitational instability of a non-uniformly rotating, homogeneous and heat-conducting medium, 2=13249
- Anand, S. P. S. and Kushwaha, R. S. The magnetogravitational instability of homogeneous medium, 2=15292
- Anand, S. P. S. and Kushwaha, R. S. The magnetogravitational instability of non-uniformly rotating homogeneous and heat conducting medium, 3=1506
- Anand, S. P. S. and Kushwaha, R. S. The virial tensor equations for rotating configuration in hydromagnetics, 3=4255
- Anand, S. P. S. and Kushwaha, R. S. A virial theorem for plasmas, 3=7543
- Anand, S. P. S. and Kushwaha, R. S. The estimation of stellar magnetic fields by using virial theorem, 4=2345
- Anand, S. P. S. and Talwar, H. S. On the magnetogravitational instability of an inhomogeneous and rotating medium, 2=4924

- Anan'ev, L.M., Gorbunov, V.I. and Ch'êng Shên. Methods and instruments for measuring radii of equilibrium orbits in betatrons, 3=19388
- Anan'ev, Yu.A., Egorova, V.F., Mak, A.A., Prilezhaev, D.S. and Sedov, B.M. Operation of a four-level laser, 4=3230
- Anan'ev, Yu.A., Gribkovskii, V.P., Mak, A.A. and Stepanov, B.I. The characteristics of the four-level optical maser, 3=24517
- Anan'ev, Yu. A. and Korolev, E. A. Distribution of pumping radiation density in a laser crystal, 4=30087
- Anan'ev, Yu.A. and Mak, A.A. Limiting sensitivity of methods for recording time-resolved emission spectra, 3=14342
- Anan'eva, A.A., Strizhakov, B.V. and Ugryumova, M.A. Dielectric and piezoelectric properties of chemically pure barium titanate ceramic, 2=16790
- Anan'eva, A.A., Ugryumova, M.A. and Strizhkov, B.V. Some anomalous properties of chemically pure barium titanate ceramic, 2=14636
- Ananiades, C.S. and Dewdney, J.W. Transistor alpha-particle detector, 1=5795
- Anantakrishnan, S. V. and Setu Rao, D. Dipole moment of nitrogen dioxide and dinitrogen dioxide - the structure of the dimer, 4=28222
- Anantarama Sarma, Y., Sundaram, S. and Cleveland, F. F. Substituted methanes. XXXIII. Mean square amplitudes, rotational distortion constants, and shrinkage constants for CF_4 , CCl_4 , and CBr_4 , 4=22395
- Anantaraman, A.V. See Bhattacharyya, S.N., 2=17455
- Ananthakrishnan, N. and Srinivasan, R. Structure of L-cystine hydrobromide, 4=20767
- Ananthakrishnan, R. Light curves of meteors, 0=18709
- Ananthakrishnan, R. Distribution of heights of prominences, 1=7992
- Ananthakrishnan, R. Anomalies in the light curves of meteors resulting from fragmentation, 1=15434
- Ananthakrishnan, R. and Venkiteshwaran, S.P. Formation of rainbows in a vertically projected searchlight beam, 0=16473
- Ananthanarayanan, K. See Devanathan, V., 4=19552
- Ananthanarayanan, N.I. and Peavler, R.J. Room temperature decomposition of austenite in fifty percent nickel - fifty percent iron magnetic alloy tapes, 0=3274
- Ananthanarayanan, V. Polarization studies on the Raman spectra of cubic crystals. I. Sodium chlorate, 0=13689
- Ananthanarayanan, V. Raman spectra of crystalline double sulphates, 1=12499
- Ananthanarayanan, V. Raman spectra of crystalline double sulphates. II. Ammonium double sulphates, 2=6585
- Ananthanarayanan, V. Polarisation studies on the Raman spectra of cubic crystals. II. Calcium fluoride and potassium aluminium sulphate, 2=6586
- Ananthanarayanan, V. Thermodynamic properties of stannic chloride, bromide and iodide, 2=11420
- Ananthanarayanan, V. A comparative study of the Raman spectra of anhydrous sulphates and estimation of crystalline forces, 3=13186
- Anantharaman, T.R. Study of X-ray line-broadening due to plastic deformation in face-centered cubic metals, 1=7889
- Anantharaman, T.R. See Lele, S., 4=25951
- Anantharaman, T.R. See Ramakrishna Rao, M., 2=10958
- Anantharaman, T.R. See Rama Rao, P., 2=15107
- Anantharaman, T.R. See Rama Rao, P., 2=17014
- Anantharaman, T.R. See Rama Rao, P., 3=1231
- Anantharaman, T.R. See Rama Rao, P., 3=8418
- Anantharaman, T.R. See Rama Rao, P., 4=10568
- Anantharaman, T.R. See Ramesam, J., 2=12933
- Anantharaman, T.R. See Ramesam, J., 3=13542
- Anantharaman, T.R. See Rao, S.S., 3=25738
- Anantharaman, T.R. See Schubert, K., 1=6528
- Anantharaman, T.R. See Srinivasa Rao, S., 2=8847
- Anashkina, E.S. Range-energy relation of protons in Nikfi-Ya2 emulsion, 2=20340
- Anashkina, E.S. Angular distribution of photoneutrons from Bi^{209} , 4=3642
- Anashkina, E.S. Photoneutrons from In^{115} , 3=15175
- Anastasevich, N. S. The conditions for the onset of stable motion in a charged plasma, 4=24635
- Anastasevich, V.S. Equilibrium conditions for electron beams, 0=9084
- Anastasiadis, E. Growth kinetics of crystals of tin, 1=4021
- Anastasio, T.A. Use of optical density measurements of thin films to determine vapor distributions, 3=2034
- Anastasio, T. A. and Pokorski, R. G. High vacuum motor, 4=2743
- Anastasov, A. A solution of geodesical lines equations, 1=6774
- Anastassiades, M., Ilias, D. and Caroubalos, C. Ionospheric absorption and solar activity at middle latitudes, 1=20915
- Anastassiades, M., Ilias, D. and Iouleas, P. G. Results of ionospheric measurements made with a riometer, 2=11052
- Anastasiadis, M., Ilias, D., Caroubalos, C., Marcus, C. and Elias, D. P. Optical and ionospheric observations on the activity of the solar centre of September 1963, 4=23929
- Anatolović, B., Winterhalter, D. and Turk, M. Measurements of the yield and energy spectra of D-D neutrons by means of nuclear emulsions, 1=16915
- Anatychuk, L.I. See Pilat, I.M., 2=20949
- Anatychuk, L. I. See Pilat, I. M., 4=1592
- Anatychuk, L. I. See Pilat, I. M., 4=30530
- Anatychuk, L. I. See Pilat, I. M., 4=28555
- Anbar, M., Guttman, S. and Stein, G. Radiolysis of aqueous solutions highly enriched in O^{18} , 1=6577
- Anbar, M. and Neta, P. Retention of F^{18} produced by the $\text{F}^{19}(\text{n}, 2\text{n})$ reaction in fluoro-organic compounds, 3=5171
- Anbar, M. and Neta, P. Formation of F^{18} -labeled fluoro-organic compounds by the $\text{F}^{19}(\text{n}, 2\text{n})$ reaction, 3=6928
- Anbar, M. and Pecht, I. Hydrogen isotope effects in sonochemical reactions in water, 4=13745
- Ancell, J.E. Sound pressure spectra of a muted cornet, 0=16803
- Ancell, J.E. See Hardy, H.C., 1=16032
- Anenot, C. and Couture, L. Optical study of magnetically dilute chromium potassium alums at low temperature, 1=7710
- Ancker-Johnson, B. Injected plasmas in indium antimonide in the presence of longitudinal magnetic fields, 3=10821
- Ancker-Johnson, B. Some observations of growing oscillations in electron-hole plasma, 3=15591
- Ancker-Johnson, B. Hysteresis in the helical instability produced in electron-hole plasma, 4=4028
- Ancker-Johnson, B. Hysteresis in stability conditions of electron-hole plasma, 4=20252
- Ancker-Johnson, B. Some nonlinear properties of electron-hole plasmas sustaining the helical instability, 4=28562
- Ancker-Johnson, B., Cohen, R.W. and Glicksman, M. Properties of injected plasmas in indium antimonide, 2=2166
- Ancker-Johnson, B. and Drummond, J.E. Thermal pinching in electron-hole plasma, 3=25261
- Ancker-Johnson, B. and Drummond, J. E. Thermal pinching in electron-hole plasma. II., 4=6810
- Ancona, E., Boato, G. and Casanova, G. Vapour pressure of isotopic liquids. IV. CO , N_2 , O_2 above boiling-point, 2=13490
- Andelfinger, C. The development of a fast bubble chamber, 0=15202
- Andelfinger, C. See Fünfer, E., 0=1140
- Andelin, J.P., Jr. See White, R.L., 0=1540
- Ander, P. See Ise, N., 4=161
- Anderegg, M., Cornaz, P. and Borel, J. P. Paramagnetic resonance spectrometer in the 1000 Mc/s band using a tunnel diode, 4=5833
- Anderholm, N.C. See Peck, E.R., 2=10207
- Anderle, R.J. See Cohen, C.J., 0=18871
- Anderman, A.L. See Reiss, H., 1=8934
- Anders, E. A time scale for the mixing process in S-type stars, 0=13
- Anders, E. Extinct radioactivity and the prehistory of the solar system, 2=6998
- Anders, E. Comments on the origin of natural diamonds, 2=8761
- Anders, E. Meteorite ages, 2=24108
- Anders, E. Two meteorites of unusually short cosmic-ray exposure age, 3=3560
- Anders, E. Meteorites and the early history of the solar system, 4=7969
- Anders, E. and Stevens, C.M. Search for extinct lead 205 in meteorites, 1=15438
- Anders, E. See Fish, R.A., 1=2607
- Anders, E. See Goles, G.G., 1=14417
- Anders, E. See Goles, C.C., 1=15440
- Anders, E. See Goles, G.G., 2=4754
- Anders, E. See Lipschutz, M.E., 2=6775
- Anders, E. See Viste, E., 3=1515
- Anders, H., Maeder, D. and Wiskott, D. A preliminary study of a cathode-ray tube device for scanning spark chamber photographs, 3=19528
- Anders, O.U. and Meinka, W.W. Absolute (d, α)-reaction cross sections of zirconium, molybdenum, titanium, and sulfur, 1=722
- Anders, W.A. See Kulp, B.A., 3=25480
- Andersen, B., Skjeggstad, O. and Davis, D. H. Absorption of Σ^+ hyperons in photographic emulsion nuclei, 4=6207

- Andersen, C.A. See Raub, C.J., 3=21669
- Andersen, C.M., Halprin, A. and Primakoff, H. Determination of the two-photon decay rate of the η meson, 3=15024
- Andersén, E. Approach to the quantum mechanical many-body problem with strong two-particle interaction. II, 0=12883
- Andersén, E. On the line broadening of light in a random medium, 4=11321
- Andersén, E., Lagerqvist, A., Neuhaus, H. and Åslund, N. Bands of NiH and NiD in the violet region of the spectrum, 3=25103
- Andersen, E.J. See Lichtman, S.W., 3=13762
- Andersen, F. See Law, L.K., 4=4824
- Andersen, F. See Loomer, E.I., 2=9039
- Andersen, H. C. and Oppenheim, I. Modified Langevin equation for the description of Brownian motion, 4=2575
- Andersen, H. C., Oppenheim, I., Shuler, K. E. and Weiss, G. H. Exact conditions for the presentation of a canonical distribution in Markovian relaxation processes, 4=16060
- Andersen, H. H. and Nielsen, M. Thermoelectricity in gold at low temperatures, 4=1698
- Andersen, J. B. The radiation field from a vertical dipole on an inhomogeneous ground, 4=732
- Andersen, K. and Shuler, K. E. On the relaxation of the hard-sphere Rayleigh and Lorentz gas, 4=11108
- Andersen, K. See Bak, T.A., 2=6228
- Andersen, K. See Shuler, K.E., 2=15493
- Andersen, P. and Klewe, B. X-ray investigation of potassium tricyanomethanide (KC(CN)₃), 4=20761
- Andersen, S.L. Gamma-transitions in ³²S, 2=1883
- Andersen, S.L., Dørum, O., Gautvik, E. and Holtebekk, T. Resonance energies and half-widths for proton capture in sodium and phosphorus, 1=5915
- Andersen, S. L., Gjøtterud, K. and Ingebreetsen, F. Analysis of γ - γ angular correlation measurements in aligned nuclei, 4=22005
- Andersen, S.L., Haug, A., Holtebekk, J., Lønnsjø, O. and Nordhagen, R. Alpha particles from the proton bombardment of aluminium, 2=20612
- Andersen, S.L., Holtebekk, T., Lønnsjø, O. and Tangen, R. Resonances for proton capture in magnesium, 0=5744
- Andersen, T. Chemical effects of thermal neutron capture annealing by compression in neutron irradiated crystals, 4=6893
- Andersen, T., Bisgård, K.M. and Hansen, P.G. Low lying states of Th²²⁹, 1=19371
- Andersen, T. and Maddock, A.G. Chemical effects of radiative thermal neutron capture. XII. Annealing by compression, 3=25311
- Andersen, T. and Maddock, A. G. Chemical effects of radiative thermal neutron capture. XIII. Influence of crystal defects, 4=6892
- Andersen, W.H. and Hornig, D.F. The structure of shock fronts in various gases, 1=167
- Andersen, W.E. See Chaiken, R.F., 0=3309
- Anderson, A., Gebbie, H. A. and Walmsley, S. H. Far infra-red spectra of molecular crystals. I. Hydrogen and deuterium halides, 4=20444
- Anderson, A. and Walmsley, S. H. Far infra-red spectra of molecular crystals. III. Carbon dioxide, nitrous oxide and carbonyl sulphide, 4=20446
- Anderson, A., Walmsley, S.H. and Gebbie, H.A. Far infra-red spectra of crystalline hydrogen chloride and hydrogen bromide, 3=938
- Anderson, A. See Edmond, J.T., 3=10930
- Anderson, A. See Walmsley, S. H., 4=20445
- Anderson, A. C., Connolly, J. I. and Wheatley, J. C. Thermal boundary resistance between solids and helium below 1°K, 4=27404
- Anderson, A.C., Hart, H.R., Jr and Wheatley, J.C. Self-diffusion coefficient and nuclear susceptibility of liquid He³, 0=19542
- Anderson, A.C., Reese, W., Sarwinski, R.J. and Wheatley, J.C. Self-diffusion coefficient and nuclear susceptibility of liquid helium-three, 1=18691
- Anderson, A.C., Reese, W. and Wheatley, J.C. Magnetic properties of He³ at low temperatures, 2=17712
- Anderson, A.C., Reese, W. and Wheatley, J.C. Magnetic properties of He³ at pressures near the minimum in the melting curve, 2=19800
- Anderson, A.C., Reese, W. and Wheatley, J.C. Specific heat, entropy, and expansion coefficient of liquid helium-three, 3=12016
- Anderson, A.C., Reese, W. and Wheatley, J.C. Properties of He³ at pressures greater than the minimum in the melting curve, 3=14437
- Anderson, A. C., Reese, W. and Wheatley, J. C. Thermal conductivity of some amorphous dielectric solids below 1°K, 4=6758
- Anderson, A.C., Salinger, G.L., Steyert, W.A. and Wheatley, J.C. Specific heat and thermal boundary resistance of liquid He³, 1=8276
- Anderson, A.C., Salinger, G.L., Steyert, W.A. and Wheatley, J.C. Specific heat of He³ under pressure, 2=1322
- Anderson, A.C., Salinger, G.L. and Wheatley, J.C. Thermal conductivity of liquid He³, 1=11871
- Anderson, A.C., Salinger, G.L. and Wheatley, J.C. Transfer of heat below 0.15°K, 1=16141
- Anderson, A.C. and Sarwinski, R.J. Remanent magnetic fields in Nb-Zr superconducting solenoids, 3=14459
- Anderson, A.C. See Abel, W.R., 2=7492
- Anderson, A.C. See Abel, W.R., 4=14430
- Anderson, A.C. See Hulsizer, R.I., 0=9598
- Anderson, A.C. See Wheatley, J.C., 0=10245
- Anderson, A.D. A theory for close-in fallout from land-surface nuclear bursts, 1=20872
- Anderson, A.D. A simple model for atmospheric density variations from 200 to 800 km, 2=15260
- Anderson, A.D. On the inexactness of the 10.7-cm flux from the sun as an index of the total extreme ultraviolet radiation, 4=17914
- Anderson, A. D. and Griem, H. R. Continuum emission coefficients from the quantum defect method, 4=19942
- Anderson, A.D. See Faust, W.R., 3=81
- Anderson, A.D. See Kolb, A.C., 2=17840
- Anderson, A.E. The transmission secondary emission image intensifier and its application to low light level imaging, 1=3001
- Anderson, A.E. See Wachtel, M.M., 0=10757
- Anderson, A.G. Nonresonant nuclear spin absorption in lithium, sodium, and aluminum, 0=684
- Anderson, A.G. Nuclear spin absorption spectra in solids, 2=6699
- Anderson, A.G. and Hartmann, S.R. Nuclear magnetic resonance in the demagnetized state, 3=6760
- Anderson, A. G. and Hartmann, S. R. Nuclear magnetic spectra and relaxation in the demagnetized state, 4=26444
- Anderson, A.G. and Redfield, A.G. Nuclear spin-lattice relaxation in metals, 0=3140
- Anderson, A.G. See Hartmann, S.R., 3=23247
- Anderson, A.G. See Redfield, A.G., 0=8950
- Anderson, A.H., Crowther, T.S. and Raffel, J.I. Drive current margins for magnetic film memories, 3=14730
- Anderson, A.R. A calorimetric determination of the oxidation yield of the Fricke dosimeter at high dose rates of electrons, 2=9750
- Anderson, A.R. and Hart, E.J. Radiation chemistry of water with pulsed high intensity electron beams, 2=6894
- Anderson, B., Palmer, H.P. and Rowson, B. Brightness distribution of the radio source 14N5A, 2=21739
- Anderson, B. See Allen, L.R., 3=7051
- Anderson, C.A. and Thompson, T.J. Neutron-spectrometry units, 3=17291
- Anderson, C. A., Jr. and Thompson, T. J. Measurements of leakage-neutron energy spectra, 4=19916
- Anderson, C.D. Early work on the positron and muon, 2=276
- Anderson, C.D. See McKinney, C.M., 4=10690
- Anderson, C.E., Bromley, D.A. and Sachs, M. Simultaneous nuclide identification and energy measurement of nuclear reaction products, 2=5975
- Anderson, C.E., Knox, W.J., Quinton, A.R. and Bach, G.R. Nuclear fragments produced in the heavy ion bombardment of aluminum, 0=4104
- Anderson, C.E., Quinton, A.R., Knox, W.J. and Long, R. Apparatus for the investigation of heavy ion induced reactions, 1=733
- Anderson, C.E., Sachs, M., Ladenbauer-Bellis, I. and Preiss, L. Excitation functions for Li⁶ induced reactions on Au¹⁹⁷, 3=19888
- Anderson, C.E. See Broek, H.W., 0=20161
- Anderson, C.E. See Bromley, D.A., 2=1934
- Anderson, C.E. See Bromley, D.A., 2=9747
- Anderson, C.E. See Hubbard, E.L., 1=10749
- Anderson, C.E. See Knox, W.J., 1=734
- Anderson, C.E. See Ladenbauer, I.M., 1=12223
- Anderson, C.E. See Ladenbauer-Bellis, I.M., 2=3627
- Anderson, C.E. See Quinton, A.R., 0=664
- Anderson, C.E. See Quinton, A.R., 0=17636
- Anderson, C. H. See Baker, M. R., 4=12519

- Anderson, C.H. See Brooks, R.A., 3=19974
 Anderson, C.H. See Brooks, R.A., 4=30422
 Anderson, C.H. See Lawrence, T.R., 3=15337
 Anderson, D.C. On the temperature dependence of the thermal neutron flux kernel, 1=16807
 Anderson, D.C. and Shure, K. Thermal neutron flux distributions in metal-hydrogenous shields, 1=17237
 Anderson, D.E. See Edgecumbe, J., 4=24501
 Anderson, D.G., Dracass, J. and Flanagan, T.P. Luminescent glasses for use in the detection of nuclear radiation, 0=15192
 Anderson, D.G., Gerber, R.A. and Sauter, G.F. Method of producing extremely small holes in glass walls, 4=23992
 Anderson, D.H. Quadrupole coupling in lithium nitrate, 1=20280
 Anderson, D.H. Chemical shifts of Pb^{207} in Perovskite ferro-electrics, 4=20616
 Anderson, D.H., Frank, P.J. and Gutowsky, H.S. Electron spin resonance studies of semiquinones and the C-F bond, 0=4218
 Anderson, D.H. See Brown, T.H., 0=17778
 Anderson, D.L. The physical constants of sea ice, 1=1502
 Anderson, D.L. Love wave dispersion in heterogeneous anisotropic media, 2=19646
 Anderson, D.L. The plastic layer of the earth's mantle, 3=1419
 Anderson, D.L. Ion bombardment and its effects on the optical properties of metals, 4=20472
 Anderson, D.L. See Harkrider, D.G., 2=11444
 Anderson, D.W., Bureau, A.J., Cook, B.C., Griffin, J.E., McConnell, J.R. and Nybo, K.H. Photoneutron cross-section resonances in O^{16} , 3=17453
 Anderson, D.W. and McKenzie, J. A propane bubble chamber with mechanical expansion, 2=5545
 Anderson, E., Buckley, R.A., Hellowell, A. and Hume-Rothery, W. A determination of the melting point of element 43 (technetium), 0=20725
 Anderson, E. See Hume-Rothery, W., 0=21244
 Anderson, E.C. See Arnold, J.R., 3=10185
 Anderson, E.C. See Kerr, V.N., 2=3208
 Anderson, E.C. See Metzger, A.E., 3=21145
 Anderson, E.C. See Van Dilla, M.A., 2=19279
 Anderson, E.E. Some electrical and magnetic properties of garnets, 0=3093
 Anderson, E.E. See Cunningham, J.R., Jr., 1=6372
 Anderson, E.E. Molecular field model and the magnetization of YIG, 4=20559
 Anderson, E.E. and Cunningham, J.R., Jr. High-permeability garnets, 0=21056
 Anderson, E.E., Cunningham, J.R., Jr. and McDuffie, G.E. Magnetic properties of the mixed garnets $(3-x)Y_2O_3 \cdot xGd_2O_3 \cdot 5Fe_2O_3$, 0=3089
 Anderson, E.E., Cunningham, J.R., Jr., McDuffie, G.E., Jr., and Stauder, R.F. Magnetic effects of indium and gallium substitutions in yttrium iron garnet, 3=1048
 Anderson, E.E., Wessman, G.L. and Zumwalt, L.R. Fission product trapping-sorption of cesium by activated charcoal, 2=6857
 Anderson, E.E. See Cunningham, J.R., Jr., 0=10136
 Anderson, E.E. See McDuffie, G.E., Jr., 0=10137
 Anderson, E.M. and Zilitis, V.A. Oscillator strengths for sodium and potassium atoms calculated by a semiempirical method, 4=22307
 Anderson, E.M. and Zilitis, V.A. Semiempirical calculation of oscillator strengths for lithium, rubidium, and cesium atoms, 4=25501
 Anderson, E.M.S. See Hanson, J.A., 0=8452
 Anderson, E.M.S. See Hanson, J.A., 0=14351
 Anderson, E.M.S. See Hanson, J.A., 0=14352
 Anderson, E.M.S. See Hanson, J.A., 0=18562
 Anderson, E.W. See Bleser, E.J., 4=6675
 Anderson, E.W. See Bovey, F.A., 4=20103
 Anderson, E.W. See Bovey, F.A., 3=25158
 Anderson, E.W. See Douglass, D.C., 1=4330
 Anderson, E.W. See McCall, D.W., 0=3513
 Anderson, E.W. See McCall, D.W., 0=4246
 Anderson, E.W. See McCall, D.W., 1=4331
 Anderson, E.W. See McCall, D.W., 1=5273
 Anderson, E.W. See McCall, D.W., 1=15855
 Anderson, E.W. See McCall, D.W., 3=24499
 Anderson, E.W. See Meyer, S.L., 4=6089
 Anderson, E.W. See Rosen, J.L., 4=6365
 Anderson, E.W. See Rothberg, J.E., 4=6090
 Anderson, F. An experimental pitch indicator for training deaf scholars, 0=14332
 Anderson, F. Radio techniques of meteor observing, 4=7989
 Anderson, F. See Block, M.M., 0=1372
 Anderson, F. See Lodge, J., 0=20241
 Andersen, F.A. The infrared spectrum of CH_3D , 3=22587
 Anderson, F.R. Morphology of isothermally bulk-crystallized linear polyethylene, 4=7684
 Anderson, F.R. Internal morphology of bulk-crystallized polyethylene, 3=23368
 Anderson, F.R. Ion-bombardment etching of synthetic fibers. II, 3=23497
 Anderson, F.R. and Holland, V.F. Ion-bombardment etching of synthetic fibers, 0=17052
 Anderson, F.R. See Leonhard, F., 0=21262
 Anderson, G., Gocht, R. and Sirota, D. Spreading loss of sound in an inhomogeneous medium, 4=8346
 Anderson, G. See Chick, B., 0=2206
 Anderson, G.D. and Band, W. Compressible fluid flow and the theory of characteristics, 3=98
 Anderson, G.M. Theory of the diffuse double layer in liquids, 4=13733
 Anderson, G.R. and Person, W.B. Infrared studies of crystal benzene. V. Reflection spectrum and absolute intensities, 2=4149
 Anderson, G.R. See Person, W.B., 1=14029
 Anderson, G.R. See Wexler, S., 0=4733
 Anderson, G.R. See Wexler, S., 0=16388
 Anderson, G.S. Atom ejection in low energy sputtering of single crystals of f.c.c. metals and of Ge and Si, 2=13608
 Anderson, G.S. Atom ejection in low energy sputtering of single crystals of B.C.C. metals, 3=10704
 Anderson, G.S., Mayer, W.N. and Wehner, G.K. Sputtering of dielectrics by high-frequency fields, 3=450
 Anderson, G.S. and Wehner, G.K. Atom ejection patterns in single-crystal sputtering, 1=1929
 Anderson, G.S., Wehner, G.K. and Olin, H.J. Temperature dependence of ejection patterns in Ge sputtering, 4=6903
 Anderson, H. See Witzmann, H., 3=2925
 Anderson, H. See Witzmann, H., 3=8614
 Anderson, H. See Witzmann, H., 3=10993
 Anderson, H.L. Alpha particle thickness gauge using a solid state detector, 2=3421
 Anderson, H.L. and Barna, A. Spark chamber data-handling system using television cameras, 4=14992
 Anderson, H.L., Fujii, T., Miller, R.H. and Tau, L. Branching ratio of the electronic mode of positive pion decay, 0=17374
 Anderson, H.L., Hincks, E.P., Johnson, C.S., Rey, C. and Segar, A.M. The capture rate for muons in helium, 2=22830
 Anderson, H.L., Hincks, E.P., Johnson, C.S., Rey, C. and Segar, A.M. Energy spectra of neutrons emitted following π^- capture in C, Al, Cd, Pb, and U, 4=9546
 Anderson, H.L., Johnson, C.S. and Hincks, E.P. μ -mesonic X-ray energies and nuclear radii for fourteen elements from $Z = 12$ to 50, 3=15311
 Anderson, H.L., Johnson, C.S., Hincks, E.P., Raboy, S. and Trail, C.C. Determination of isotopic differences in mesic X-rays in calcium, 4=3823
 Anderson, H.L. See Johnson, C.S., 2=10230
 Anderson, H.L. See Parker, S., 4=9231
 Anderson, H.R. Sudden increase of cosmic-ray intensity, 0=1334
 Anderson, H.R. See Nebher, H.V., 1=2148
 Anderson, H.R. Mariner II: high-energy radiation experiment, 3=22231
 Anderson, H.R. See Nebher, H.V., 1=3342
 Anderson, H.R. See Neher, H.V., 2=16275
 Anderson, H.U. Mass spectrometric determination of ionization pressure gauge sensitivities, 3=23950
 Anderson, J., Danforth, W.E. and Williams, A.J., III. Work function and thermal desorption in the system thorium-on-rhenium, 3=21856
 Anderson, J.A., Bang, V.X., Burke, P.G., Carmony, D.D. and Schmitz, N. Experimental results on the $\pi-\pi$ cross section, 1=7273
 Anderson, J.A., Bang, V.X., Burke, P.G., Carmony, D.D. and Schmitz, N. Pion-pion interactions, 1=16867
 Anderson, J.A. See Alexander, G., 2=3411
 Anderson, J.A. See Stern, D., 4=25174
 Anderson, J.A. See Wolf, S.E., 1=16890
 Anderson, J.C. Internal ferromagnetic resonance in small cobalt particles, 0=8078
 Anderson, J.C. Internal ferromagnetic resonance and magnetostatic modes in nickel-iron alloys, 1=1252
 Anderson, J.C. Magnetic anisotropy in single-crystal nickel films, 1=12530

- Anderson, J.C. Internal ferromagnetic resonance, 3=23203
- Anderson, J.C. and Donovan, B. Internal ferromagnetic resonance in magnetite, 0=10199
- Anderson, J.C., Chasson, R.L., Liwshitz, M.P. and Suda, T. The solar cosmic-ray outburst of May 4, 1960, 1=13557
- Anderson, J.C., Chasson, R.L. and Maeda, K. Characteristics of solar-flare cosmic rays during IGY, 2=12022
- Anderson, J.C. and Schieber, M. Crystal growth in the system lithium oxide-boron trioxide-ferric oxide, 4=7560
- Anderson, J.C. and Schieber, M. Order-disorder transitions in heat-treated rock-salt lithium ferrite, 4=30803
- Anderson, J.C. See Birss, R.R., 4=4389
- Anderson, J.C. See Ghielmetti, H., 0=13093
- Anderson, J.C. See Heavens, O.S., 1=12664
- Anderson, J.C. See Logie, H.J., 1=14360
- Anderson, J.C. See Parzen, G., 3=5769
- Anderson, J.C. See Roederer, J.G., 0=20283
- Anderson, J.C. See Roederer, J.G., 0=20284
- Anderson, J.D., Gardner, C.C., McClure, J.W., Nakada, M.P. and Wong, C. Back-angle elastic scattering of 14.6 MeV neutrons from aluminum, copper and zirconium, 0=458
- Anderson, J.D. and Mark, H. The proton potential anomaly and (p, n) reactions, 3=19750
- Anderson, J.D. and Wong, C. Evidence for charge independence in medium weight nuclei, 1=16983
- Anderson, J.D. and Wong, C. The Livermore 90-inch-cyclotron neutron-time-of-flight facility, 2=13615
- Anderson, J.D. and Wong, C. Excited isobaric states in medium-A nuclei, 2=18249
- Anderson, J.D., Wong, C. and McClure, J.W. Isobaric states in nonmirror nuclei, 2=13940
- Anderson, J.D., Wong, C. and McClure, J. Energy levels in Si^{27} , Co^{56} and Zn^{63} , 2=18272
- Anderson, J.D., Wong, C. and McClure, J.W. Direct (p, n) reaction in medium A nuclei; a configuration-selective process, 3=10347
- Anderson, J.D. See Albert, R.D., 1=696
- Anderson, J.D. See Bauer, R.W., 4=3665
- Anderson, J.D. See Bauer, R.W., 3=10258
- Anderson, J.D. See Bauer, R.W., 3=24945
- Anderson, J.D. See Bauer, R.W., 4=27959
- Anderson, J.D. See Gardner, C.C., 2=3419
- Anderson, J.D. See Goldberg, M.D., 1=8520
- Anderson, J.D. See Stuart, T.P., 2=3580
- Anderson, J.D. See Wong, C., 0=1276
- Anderson, J.D. See Wong, C., 1=11010
- Anderson, J.D. See Wong, C., 2=18328
- Anderson, J.D. See Wong, C., 3=6255
- Anderson, J. E. Acoustical impedance characteristics of sintered stainless steel, 4=22487
- Anderson, J. E. and Slichter, W. P. Nuclear magnetic relaxation in camphor, 4=30741
- Anderson, J. E. and Smyth, C. P. Microwave absorption and molecular structure in liquids. LII. Charge-transfer complexes, 4=2699
- Anderson, J. H. See Horst, R.R., 2=16931
- Anderson, J. H. See Weil, J.A., 1=20201
- Anderson, J. H. See Wright, P.M., 3=8459
- Anderson, J. H., Jr. and Parks, G. A. The magnetic susceptibility of iron-magnesium titanates, 4=26271
- Anderson, J. K. See Heidberg, J., 4=28247
- Anderson, J. L. Riemannian geometry, 4=10052
- Anderson, J. L. Relativity principles and the role of coordinates in physics, 4=11045
- Anderson, J. L. Quantization of general relativity, 4=11058
- Anderson, J. L. Q-number coordinate transformations and the ordering problem in general relativity, 4=24035
- Anderson, J. L. See Krikorian, N. H., 4=1405
- Anderson, J.M. Ultimate and secondary electron energies in the negative glow of a cold-cathode discharge in helium, 0=9043
- Anderson, J.M. Cavity method suitable for measurement of high electron densities in plasmas, 1=13094
- Anderson, J.M. The Hall effect in the positive column of an electrical gaseous discharge in helium, 3=4033
- Anderson, J.M. The very early afterglow in gaseous helium, 3=4065
- Anderson, J. M. Hall effect and electron drift velocities in the plasma of the positive column, 4=29905
- Anderson, J.M. and Baldeschwieler, J.D. Use of spin inversion operators to describe properties of nuclear magnetic double-resonance spectra, 2=16554
- Anderson, J.M. and Baldeschwieler, J.D. Symmetry properties of double-resonance spectra, 3=13312
- Anderson, J. M. and Baldeschwieler, J. D. Nuclear magnetic double resonance spectrum of ammonia, 4=22423
- Anderson, J.M., Baldeschwieler, J.D., Dittmer, D.C. and Phillips, W.D. Long-range N^{14} coupling in ethyl ammonium ions, 3=12864
- Anderson, J.M. and Barry, J.N. Magnetic resonance in the nitrogen afterglow, 2=1211
- Anderson, J.M. and Burrows, J.R. Life-time of the metastable ^2P state of the nitrogen atom, 2=14203
- Anderson, J.M. and Harris, L.A. Negative glow plasma as a cathode for electron tubes, 0=15068
- Anderson, J. M. See Ernst, R., 4=24871
- Anderson, J.R. The adsorption of halogenes on metal films. I. Adsorption measurements and surface potentials for chlorine on nickel, 1=20688
- Anderson, J.R. Diode measurements with thick chloride layers on nickel, 2=23913
- Anderson, J.R. and Baker, B.G. The adsorption of xenon and hydrogen on evaporated films of tungsten and nickel, 2=10946
- Anderson, J.R. and Gani, M.S.J. Adsorption of halogens on metal films. II. Adsorption measurements and surface potentials for Cl_2 and TiCl_4 on titanium and some other metals, 2=19120
- Anderson, J.R. and Gold A.V. De Haas-Van Alphen effect and internal field in iron, 3=18060
- Anderson, J.R. See Chaikin, S.W., 2=1347
- Anderson, J.S., Bevan, D.J.M. and Burden, J.P. The behaviour of recoil atoms in ionic solids, 3=8475
- Anderson, J.S., Faulkner, E.A. and Klemperer, D.F. Analysis of composite spectral-sensitivity functions, 0=6130
- Anderson, J.S. and Klemperer, D.F. Photoelectric measurements on nickel and nickel oxide films, 0=19720
- Anderson, K.A. Luminescent effects in photomultiplier tube faces and Plexiglas Cerenkov detectors, 0=2462
- Anderson, K.A. Balloon observations of X-rays in the auroral zone. I, 0=14272
- Anderson, K.A. Secondary cosmic-ray photons below cascade energy, 1=12140
- Anderson, K.A. Relation on balloon X-rays to visible auroras in the auroral zone, 2=13049
- Anderson, K.A. Solar particles and cosmic rays, 2=13922
- Anderson, K.A., Anger, C.D., Brown, R.R. and Evans, D.S. Simultaneous electron precipitation in the Northern and Southern Auroral zones, 3=16237
- Anderson, K.A., Arnoldy, R., Hoffman, R., Peterson, L. and Winckler, J.R. Observations of low-energy solar cosmic rays from the flare of 22 August 1958, 0=9483
- Anderson, K. A. and DeWitt, R. Space-time association of auroral glow and X rays at balloon altitude, 4=2230
- Anderson, K.A. and Enemark, D.C. Observations of solar cosmic rays near the north magnetic pole, 1=13581
- Anderson, K.A. and Enemark, D.C. Balloon observations of X-rays in the auroral zone. II, 1=15307
- Anderson, K.A. and Winckler, J.R. Solar flare X-ray burst on September 28, 1961, 3=9220
- Anderson, K.A. See Brown, R.R., 3=23630
- Anderson, K.A. See Winckler, J.R., 3=9117
- Anderson, K.H. and Benson, S.W. Termination products and processes in the pyrolysis of dimethyl ether, 2=15126
- Anderson, K. H. and Benson, S. W. On the mechanism of the pyrolysis of neopentyl chloride, 4=2148
- Anderson, K. H. and Benson, S. W. Hydrogen-chloride-catalyzed pyrolysis of dimethyl ether and the use of HCl catalysis for diagnosis of complex chains, 4=2157
- Anderson, K. H. and Benson, S. W. Catalytic transfer by HCl in the pyrolysis of neopentane. The rate of dissociation of the neopentyl radical, 4=23633
- Anderson, K.H. See Benson, S.W., 0=1535
- Anderson, L.J. 108-216 Mc/s radio signals from satellite below the horizon, 1=16582
- Anderson, L.K. Observation of optical interaction with ferri-magnetic resonance, 3=6644
- Anderson, L.K. Microwave modulation of light using ferri-magnetic resonance, 3=14325
- Anderson, L. K. Photodiode detection, 4=19277
- Anderson, L. K. See DiDomenico, M., Jr., 4=30660
- Anderson, L.L. See Rohan, P., 3=12324
- Anderson, L.L. See Rohan, P., 3=14780
- Anderson, L.W. The Stark shift of the hyperfine structure of an atom with a $^2\text{S}_{1/2}$ ground state, 2=3694
- Anderson, L.W. An extension of Bloom's treatment of the spin relaxation in alkali metal vapors, 4=14223

- Anderson, L.W., Pipkin, F.M. and Baird, J.C., Jr. N^{14} — N^{15} hyperfine anomaly, 0=1482
- Anderson, L.W., Pipkin, F.M. and Baird, J.C., Jr. Precision determination of the hyperfine structure of the ground state of atomic hydrogen, deuterium, and tritium, 0=7725
- Anderson, L.W., Pipkin, F.M. and Baird, J.C., Jr. Hyperfine structure of hydrogen, deuterium, and tritium, 0=20543
- Anderson, L.W. and Ramsey, A.T. Effect of spin-exchange collisions on the optical orientation of atomic sodium, 2=1964
- Anderson, L.W. and Ramsey, A.T. Study of the spin-relaxation times and the effects of spin-exchange collisions in an optically oriented sodium vapor, 4=1230
- Anderson, L.W. See Cowan, D.L., 4=28898
- Anderson, L.W. See Ramsey, A.T., 4=22314
- Anderson, M.E. and Bond, W.H., Jr. Neutron spectrum of a plutonium-beryllium source, 3=15159
- Anderson, M.E., Pake, G.E. and Tuttle, T.R., Jr. Proton resonance shifts in diphenyl picryl hydrazyl, 1=878
- Anderson, M.E., Rhodes, R.S. and Pake, G.E. Proton resonance shifts and electron susceptibilities in 1,3-bisdiphenylene 2-phenyl allyl, 1=19668
- Anderson, M.E., Zandstra, P.J. and Tuttle, T.R., Jr. Proton resonance shifts in pyrene mononegative ion at 4.2°K, 1=880
- Anderson, N. Compression waves in a plasma in a static magnetic field, 0=15045
- Anderson, N. Equilibrium electron distributions in electric and magnetic fields, 1=11976
- Anderson, N. The orbit of a charged particle in a constant magnetic field and a sinusoidal electric field, 2=1562
- Anderson, N. Plasma oscillations in a magnetic field as an initial value problem, 2=5361
- Anderson, N.C. Comparative performance of cooled infrared photoconductors, 2=7457
- Anderson, N.G. The zonal ultracentrifuge. A new instrument for fractionating mixtures of particles, 3=7077
- Anderson, O.L. The Debye temperature of vitreous silica, 0=11580
- Anderson, O.L. A low temperature anomaly in silicon, 3=773
- Anderson, O.L. A simplified method for calculating the Debye temperature from elastic constants, 3=20110
- Anderson, O.L. See Runk, R.B., 4=6698
- Anderson, O.T., Liebenberg, D.H. and Dillinger, J.R. He II film profile and relative importance of height and surface pressure, 0=3697
- Anderson, P.B. See Kofstad, P., 2=8205
- Anderson, P.J. and Morgan, P.L. Effects of water vapour on sintering of MgO, 4=23546
- Anderson, P.L. See Bragg, R.H., 4=20781
- Anderson, P.W. Knight shift in superconductors, 0=231
- Anderson, P.W. Theory of dirty superconductors, 0=3704
- Anderson, P.W. Generalized B.C.S. states and aligned orbital angular momentum in the proposed low-temperature phase of liquid ^3He , 1=5391
- Anderson, P.W. Localized magnetic states in metals, 1=14666
- Anderson, P.W. Theory of flux creep in hard superconductors, 3=3952
- Anderson, P.W. Plasmons, gauge invariance, and mass, 3=9368
- Anderson, P.W. Concepts in solids, 4=9802
- Anderson, P.W. Exchange in insulators: superexchange, direct exchange, and double exchange, 4=22940
- Anderson, P.W. and Matthias, B.T. Superconductivity, 4=29828
- Anderson, P.W. and Morel, P. Generalized Bardeen-Cooper-Schrieffer states and aligned orbital angular momentum in the proposed low-temperature phase of liquid He^3 , 0=19540
- Anderson, P.W. and Morel, P. Generalized Bardeen-Cooper-Schrieffer states and the proposed low-temperature phase of liquid He^3 , 1=13038
- Anderson, P.W. and Rowell, J.M. Probable observation of the Josephson superconducting tunneling effect, 3=14462
- Anderson, P.W. and Suhl, H. Spin alignment in the superconducting state, 0=2286
- Anderson, P.W. and Thouless, D.J. Diffuseness of the nuclear surface, 2=18239
- Anderson, P.W. See Alexander, S., 4=12740
- Anderson, P.W. See Brueckner, K.A., 0=11124
- Anderson, P.W. See Klauder, J.R., 2=3181
- Anderson, P.W. See Morel, P., 2=5235
- Anderson, P.W. See Rowell, J.M., 3=24146
- Anderson, P.W. See Scalapino, D.J., 4=8562
- Anderson, P.W. See Wolff, P.A., 2=12683
- Anderson, Q.S. See Simmons, F.A., 2=2927
- Anderson, R. and Prausnitz, J.M. High precision, semimicro, hydrostatic calorimeter for heats of mixing of liquids, 2=1304
- Anderson, R. and Prausnitz, J.M. Spectroscopic evidence for complex formation between carbon tetrachloride and aromatic hydrocarbons, 3=25814
- Anderson, R., Schricker, D. and Patterson, J. R.F. excitation of a Hg-Tl mixture, 2=22907
- Anderson, R. and Stepp, E. Decay of intensity of certain Hg lines in an Hg-Ar discharge, 3=24236
- Anderson, R.A. Use of punched cards for personal reference files, 0=18896
- Anderson, R.A. and McFarland, R.H. Effects of added gases on the sensitized fluorescence spectrum of a Hg-Tl mixture, 0=15660
- Anderson, R.A. See Step, E.E., 4=28156
- Anderson, R.C., Cooke, G.M., Kenyon, L.C., Jr. and Mathiasen, R.L. The tensimeter, a new vacuum gauge, 1=10555
- Anderson, R.L. Germanium-gallium arsenide hetero-junctions, 0=18026
- Anderson, R.L., Turkot, F. and Woodward, W.M. Photoproduction of K^+ mesons from deuterium, 1=10925
- Anderson, R.L. Junctions between germanium and gallium arsenide, 2=23421
- Anderson, R.L. Experiments on Ge-GaAs hetero-junctions, 2=23437
- Anderson, R.L. Influence of phonon, photon, and electron wave vectors on some device characteristics, 3=4927
- Anderson, R.L., Gabathuler, E., Jones, D., McDaniel, B.D. and Sadoff, A.J. Photoproduction of K^+ mesons in hydrogen, 2=22625
- Anderson, R.L. and Gupta, S.N. Theory of mesons, baryons and resonances, 3=17294
- Anderson, R.L., Gupta, S.N. and Huschilt, J. Effect of pion-pion interaction on nuclear forces, 2=20273
- Anderson, R.L. and McDaniel, B.D. A sub-nanosecond time-of-flight circuit utilizing the inherent modulation of a synchrotron beam, 3=12051
- Anderson, R.L. and O'Rourke, M.J. A vapor-grown variable capacitance diode, 0=18024
- Anderson, R.L. and O'Rourke, M.J. Apparatus for determining the position of semiconductor junctions, 2=6474
- Anderson, R.S. See Jaseja, T.S., 2=2106
- Anderson, R.L. See Lopez, A., 4=28586
- Anderson, R.L. See O'Rourke, M.J., 0=18023
- Anderson, R.L. See Parker, R.L., 4=4559
- Anderson, R.N. See Knott, R.F., 0=5201
- Anderson, R.S. See Beasley, E.E., 4=20583
- Anderson, R.S. See Jaseja, T.S., 2=8126
- Anderson, R.S. See Jaseja, T.S., 2=14482
- Anderson, R.V. and Serbu, G.P. Airborne measurement of atmospheric conductivity in fifteen-day-old thermonuclear debris, 0=10402
- Anderson, R.W. and Bronisz, S.E. Twinning in tantalum, 0=18294
- Anderson, S. Lecture demonstration of optical properties of thin films of dielectrics and metals, 0=16868
- Anderson, S., Wiley, J.S. and Hendricks, L.J. Zone refining and chemical analysis of KCl and KBr, 0=8167
- Anderson, T.H. See Alger, R.S., 1=11130
- Anderson, T.P. See Cambel, A.B., 3=11816
- Anderson, T.P. See Latvala, E.K., 2=4872
- Anderson, T.P. See Porter, R.W., 4=5633
- Anderson, V.C. Digital array phasing, 0=14777
- Anderson, V.C. and Munson, J.C. Directivity of spherical receiving arrays, 3=18922
- Anderson, W., Bentley, R.E., Burton, L.K. and Greatorex, C.A. Detection of recently produced fission products in the atmosphere, 0=11330
- Anderson, W.A. Electrical current shims for correcting magnetic fields, 1=8369
- Anderson, W.A. Applications of modulation techniques to high resolution nuclear magnetic resonance spectrometers, 3=4281
- Anderson, W.A. and Freeman, R. Influence of a second radio-frequency field on high-resolution nuclear magnetic resonance spectra, 2=16555
- Anderson, W.A., Freeman, R. and Reilly, C.A. Assignment of n.m.r. spectra with the aid of double-quantum transitions, 4=1315
- Anderson, W.A. and Nelson, F.A. Removal of residual splitting in nuclear magnetic double resonance, 3=21999
- Anderson, W.A. See Bell, G.I., 3=45002
- Anderson, W.A. See Freeman, R., 3=2658
- Anderson, W.A. See Freeman, R., 3=22594

- Anderson, W.H. and Hornig, D.F. Structure of weak shock fronts in argon-helium mixtures, 1=8154
- Anderson, W.L. Fields of electric dipoles in seawater—the earth-atmosphere-ionosphere problem, 2=16061
- Anderson, W.P. and Kim, Y.B. Hard superconductivity: theory of the motion of Abrikosov flux lines, 4=21389
- Anderson, W.R. and Beriman, I.B. Radiant flux from a cylindrical distributed source, 1=16150
- Anderson, W.R. and Beriman, I.B. Effect of irradiation on liquid scintillators, 2=19570
- Andersson, C.I.G. Semianalytical and seminumerical calculations of optimum material distributions, 4=9599
- Andersson, G. Systematic trends in half-lives of beta-decaying nucleides, 1=9828
- Andersson, G. and Hagebö, E. $\beta^-/\text{I.T.}$ branching of $^{120\text{m}}\text{Te}$, 2=14024
- Andersson, G., Hedin, B. and Rudstam, G. The fringing field focusing radio-isotope separator at CERN. I. Design and construction, 4=30401
- Andersson, G. and Ringh, R. 39 min Au^{190} , 20 min Hg^{190} , and 10 min Hg^{189} , 1=13738
- Andersson, G. and Rudstam, G. Radio-isotope separation applied to the study of nuclear reactions, 4=30403
- Andersson, G., Rudstam, G. and Stenström, T. Recoil technique in cyclotron bombardments using powder targets, 1=2202
- Andersson, G. See Burgman, J.O., 0=19780
- Andersson, G. See Fink, R.W., 2=1851
- Andersson, G. See Gupta, R.K., 1=13758
- Andersson, G. See Jung, B., 0=7514
- Andersson, G. See Jung, B., 2=18305
- Andersson, G. See Karras, M., 3=659
- Andersson, G. See Rudstam, G., 4=30402
- Andersson, G. See Svedberg, J., 4=3573
- Andersson, I.Ö., Braun, J. and Söderlund, B. Hand monitor for simultaneous measurement of α and β contamination, 2=5531
- Andersson, I. and Hagström, S. Precision measurements of L levels in the elements ^{35}Br , ^{37}Rb , ^{55}Cs , and ^{56}Ba , 4=19951
- Andersson, I. See Siegbahn, K., 4=25066
- Andersson, K.E.B. Pressure drop in packed beds, 3=9419
- Andersson, K.E.B. Transition between packed and fluidized state, 3=9420
- Andersson, L.O. and Forslind, E. N.M.R. measurement of field gradients in the [100] direction from a substitutional ion in an NaCl-type crystal lattice, 3=18152
- Andersson-Lindström, G., Betz, G., Mausberg, W. and Rössle, E. Measurements of $\text{Si}(n, p)\text{Al}$ and $\text{Si}(n, \alpha)\text{Mg}$ reactions in the neutron energy range 5.2 to 9 MeV, 4=28045
- Andersson-Lindström, G. and Rössle, E. $\text{Si}(n, p)\text{Al}$ and $\text{Si}(n, \alpha)\text{Mg}$ reactions in the neutron energy range of 6-9 MeV, 3=19867
- Andersson, S. Structural and geometrical relations between α - and β -titanium, the ω -alloy phases, δ -titanium oxide and titanium monoxide, 0=16310
- Andersson, S. and Wadsley, A.D. The crystal structure of $\text{Na}_2\text{Ti}_2\text{O}_7$, 1=20557
- Andersson, S. and Jahnberg, L. Crystal structure studies on the homologous series $\text{Ti}_n\text{O}_{2n-1}$, $\text{V}_n\text{O}_{2n-1}$, and $\text{Ti}_{n-2}\text{Cr}_2\text{O}_{2n-1}$, 4=7647
- Andersson-Lindström, G. See Bormann, M., 0=13289
- Anderton, P. See Bigg, P.H., 4=11011
- Ando, K. Indirect transition in narrow junction of Ge-Si alloy, 1=14487
- Ando, K., Steele, M.C. and Lampert, M.A. Negative resistance in constricted semiconductors, 3=25334
- Ando, K. See Kamiya, Y., 1=12387
- Ando, K. See Steele, M.C., 5=8535
- Ando, R. Dielectric properties of KLiSO_4 , 2=16770
- Ando, R. See Asao, Y., 2=12498
- Ando, S. General theory of electrically conducting perfect gas flow past a three-dimensional thin body, 1=7133
- Ando, S. Some remarks on the magnetogasdynamic linearized theory, 1=12005
- Ando, S. Linearized theory of conducting two-dimensional gas flow in transverse magnetic field, 2=17935
- Ando, S. Paramagnetic resonance fine structures of optically aligned Cs^{133} , Rb^{87} and Rb^{85} vapour, 4=6471
- Ando, S. Paramagnetic resonance fine structures of optically aligned Rb^{87} and Rb^{85} vapour in the earth's magnetic field, 4=12374
- Ando, S. and Kubo, T. Alkali metal vapor magnetometer, 4=21616
- Ando, S., Kubo, T. and Taniguchi, I. Detection of optically polarized alkali-metal vapor, 4=3801
- Ando, S. See Yashima, H., 2=4673
- Ando, T. Properties of Fermion density matrices, 4=11117
- Ando, T. See Iijima, T., 4=1234
- Ando, T. See Koshino, S., 1=14408
- Ando, T. See Koshino, S., 1=14410
- Andon, R. J. L., Counsell, J. F., McKerrell, H. and Martin, J. F. Thermodynamic properties of phosphorus compounds. I. Entropy of phosphorus pentoxide, 4=9858
- Andon, R. J. L., Counsell, J. F., Martin, J. F. and Hedger, H. J. Thermodynamic properties of uranium compounds. I. Low-temperature heat capacity and entropy of three uranium carbides, 4=22498
- Andou, K. See Enjöji, H., 3=5656
- Andrä, H. J., Hashmi, C. M. H., Kienle, P. and Stanek, F. W. Mössbauer absorption of 77 keV gamma radiation by Au^{197} in metallic gold, 4=1349
- Andrä, W. The theory of magnetization reversals in thin films, 1=10159
- Andrä, W. On the theory of magnetization reversal of thin films. I. Nucleation in homogeneous material, 1=20098
- Andrä, W. Measurement of the saturation magnetization of a thin nickel film charged with hydrogen, 2=6670
- Andrä, W. Measurement of the saturation magnetization of a thin nickel film loaded with hydrogen, 2=14785
- Andrä, W. Magnetic behaviour of thin films, 2=14786
- Andrä, W. Effect of electrolytically deposited hydrogen on the magnetic properties of thin nickel films, 2=14787
- Andrä, W. Ferromagnetic thin layers. III. (5), Quasistatic remagnetization, 2=23668
- Andrä, W. The influence of cathodic hydrogen on the magnetic properties of thin nickel films, 3=1075
- Andrä, W. and Danan, H. Modification introduced into the law of approach to saturation of a polycrystalline ferromagnetic by the presences of a superposed uniaxial anisotropy, 2=12763
- Andrä, W., Frait, Z., Kambersky, V., Málek, Z., Rösler, U., Schüppel, W., Šuda, P., Valenta, L. and Vogler, G. Ferromagnetic thin films. I. Introduction, 2=10657
- Andrä, W., Greiner, C. and Schwab, W. Observation of magnetic domain structure during magnetization in alternating fields, and their relevance to reversal losses, 1=20088
- Andrä, W. and Kleinert, P. Induced magnetic anisotropy in thin nickel films, 4=7273
- Andrä, W., Málek, Z., Schüppel, W. and Stemme, O. "Spontaneous magnetic anisotropy" in polycrystalline thin films, 0=10153
- Andrä, W. and Müller-Pfeiffer, I. Temperature dependence of the crystalline magnetic anisotropy energy of thin electrolytically deposited nickel films, 4=7275
- Andrä, W. and Stemme, O. On the uniaxial magnetic anisotropy of thin electrolytically prepared layers, 1=6276
- Andrä, W. See Danan, H., 1=20100
- Andrä, W. See Danan, H., 4=10265
- Andrä, W. See Málek, Z., 0=6234
- Andrade, E.N. da C. A simple method of investigating the creep of metals under simple shear, 1=1326
- Andrade, E.N. da C. The validity of the $t^{1/3}$ law of flow of metals, 3=6794
- Andrade, E.N. da C. At apparatus for investigating flow of metals under simple shear, 3=11164
- Andrade, E.N. da C. Flow of cadmium under very small stresses, 3=13366
- Andrade, E.N. da C. Bath-tub vortex, 3=16593
- Andrade, E. N. de C. and Aboav, D. A. The flow of polycrystalline cadmium under simple shear, 4=23130
- Andrade, E.N. da C. and Jolliffe, K.H. The flow of polycrystalline metals under single shear. II, 0=8121
- Andrade, E.N. da C. and Jolliffe, K.H. The flow of polycrystalline metals under simple shear. III, 3=6793
- Andrade, E.N. de C. and Jones, W.J.D. The influence of grain size and surface conditions on the creep of polycrystalline metal under tension, 2=19000
- Andrade e Silva, J. The theory of systems of particles in the casual interpretation of wave mechanics, 1=1699
- Andrade e Silva, J., Fer, F., Leruste, P. and Lochak, G. Quantization stationarity and nonlinearity, 1=2705
- Andrade e Silva, J., Fer, F., Leruste, P. and Lochak, G. Exchanges of energy in quantized systems, 1=5214
- Andrade e Silva, J., Fer, F., Leruste, P. and Lochak, G. Non-linearity, limiting trajectories, and quantization, 1=5215
- Andrade e Silva, J., Fer, F., Leruste, P. and Lochak, G. Quantization, stationarity and nonlinearity, 1=15690
- Andrade e Silva, J., Fer, F., Leruste, P. and Lochak, G. Stability problems for systems with a large number of degrees of freedom, 2=11243

- Andrade e Silva, J. and Lochak, G. Thermodynamics of an isolated particle and a description of quantum transitions, 2=17369
- Andrade e Silva, J. and Lochak, G. Generalization of the McMillan-Veksler equation, 3=14691
- Andrade Silva, J. and Lochak, G. Can the energy imprecision be reduced on an internal target in an orbital accelerator? 3=24408
- Andrade e Silva, J. and Lochak, G. Irradiation of a target inside an orbital accelerator, 4=16580
- Andrade e Silva, M.H. and Amat, G. Theoretical study of the anomalous rotational structure of level 03^{11} in the rotation-vibration spectrum of $C^{18}O_2^{16}$, 3=6400
- Andramonov, V.S., Baryshev, N.S. and Aver'yanov, I.S. Effect of copper on properties of lead sulphide monocrystals, 3=15593
- André, G.O. Angular distribution of protons from $Li^6(d, p)Li^7$ and $Li^6(d, p)Li^{7*}$, 0=7575
- André, G.O. See van Beek, A.M.K., 1=8765
- André, J.P. and Grenier, P. Plastic deformation of imperfect monocrystals of α -uranium by rolling above $550^\circ C$, 3=13370
- André, J.P. and Lacombe, P. Activation energies for creep of polycrystalline uranium, 2=12856
- André, J.P. See Grenier, P., 4=23224
- André, K. See Jacobi, W., 3=25899
- André, S. and Depommier, P. Form factors of the β -spectra of In^{114} and Y^{90} , 4=30325
- André, S. and Huetz, M. Influence of the choice of equation of state on the determination of the molar heats of gas mixtures, 4=14210
- André, S. See Duclos, J., 1=18740
- Andre-Louisfert, J. The infrared absorption spectra of the harmonics and combinations of internal vibrations of calcite, dolomite, and magnesite between 1400 and $7000 cm^{-1}$, 1=17896
- André-Talamon, T. See de Beaumont, H., 2=11545
- André-Talamon, T. See de Beaumont, H., 2=17701
- Andreae, J.H., Bass, R., Heasell, E.L. and Lamb, J. Pulse techniques for measuring ultrasonic absorption in liquids, 0=16790
- Andreae, J.H. and Edmonds, P.D. Two megacycle ultrasonic interferometer, 2=1240
- Andreae, J.H. and Joyce, P.L. 30 to 230 megacycle pulse technique for ultrasonic absorption measurements in liquids, 2=21907
- Andreae, J.H., Joyce, P.L. and Oliver, R.J. Ultrasonic relaxation in liquid methylene chloride, 0=6791
- Andreae, J.H., Jupp, C. and Vincent, D.G. Compressional relaxation with a tuning fork, 0=5010
- Andreae, J.H. See Edmonds, P.D., 3=230
- Andreae, S.W. See Solomon, J., 4=3055
- Andreani, R. See Amman, F., 4=16582
- Andreassen, M. G. and Tanner, R. L. Radiation from a generalized antenna in a stratified medium, 4=30065
- Andreassi, G., Budini, P. and Furlan, G. Radiative corrections to pair annihilation total cross section, 2=22393
- Andreassi, G., Calucci, G., Furlan, G., Peressutti, G. and Cazzola, P. Radiative corrections to the total cross section for annihilation of a pair into photons, 3=2251
- Andreatch, P. See McSkimin, H.J., 2=13416
- Andreatch, P. Jr. See McSkimin, H.J., 3=11133
- Andreatch, P. Jr. See McSkimin, H. J., 4=23202
- Andreatch, P. See Sikorski, M.E., 2=6484
- Andreeff, A. Potential scattering cross-section of nuclides with $50 < A < 90$ for slow neutrons, 4=1084
- Andreen, C.J. Electron scattering experiments using an intermediate image beta-ray spectrometer, 3=5986
- Andreen, C.J., Parker, W. and Slätis, H. High efficiency small volume G-M detector, 2=16087
- Andreen, C.J., Parker, W. and Slätis, H. Electron scattering measurements using a double focusing beta-ray spectrometer, 3=12443
- Andreen, C.J. See Parker, W., 2=13595
- Andrescu, I., Besliu, C., Begliu, T., Ciudin, T., Constantinescu, A., Gherbanovski, C. and Păsărică, V. Inelastic π^- -nucleon interactions with two outgoing tracks at 7 GeV, 3=17311
- Andrescu, N. See Lăbuscă, E., 4=13242
- Andrescu, I., Angelescu, T., Besliu, C., Codită, V., Martalogu, N., Pirvu, V. and Gheordănescu, N. Depolarization of μ^- -mesons in Nikif emulsions subjected to a magnetic field of 10^4 Oe, 1=2076
- Andrescu, I., Besliu, C., Besliu, T., Ciudin, T., Constantinescu, A., Gherbanovski, C. and Pasarica, V. On the inelastic two prong pion-nucleon interactions at 7 GeV, 4=27880
- Andrescu, N. See Lăbuscă, E., 2=10674
- Andrescu, N. See Lăbuscă, E., 2=23935
- Andreeshev, E.A., Baronic, E.E., Kursanova, N.S. and Rozman, I.M. Pressed plastic scintillators with hetero-organic additives, 2=23610
- Andreeshev, E.A. and Rozman, I.M. The quantum yield of fluorescence of certain substances in polystyrene, 0=16098
- Andreesku, N. and Motosok, K. Effect of exposure in the nuclear reactor of the Institute of Applied Physics, Bucharest, on the magnetic properties of various ferrites, used in automatic installations, 2=21340
- Andreev, A. and Khalatnikov, I. Sound in helium II near absolute zero, 4=381
- Andreev, A.A. and Regel', A.R. Electrical conductivity of liquid selenium in strong electric fields, 1=4355
- Andreev, A. See Smolenskii, G.A., 3=11099
- Andreev, A.F. Theory of sound absorption in dilute solutions of He^3 in $He II$, 2=136
- Andreev, A.F. The anomalous reflection of sound from the surface of a metal at low temperatures, 2=23062
- Andreev, A.F. Theory of sound absorption in dilute solutions of He^3 in $He II$, 3=3943
- Andreev, A.F. The anomalous reflection of sound from the surface of a metal at low temperatures, 3=8355
- Andreev, A.F. The effect of conduction electrons on the Kapitza temperature jump, 3=15451
- Andreev, A. F. Stability of laminar flow of thin liquid layers, 4=2640
- Andreev, A. F. Singularity of thermodynamic quantities in phase transition points of the first kind, 4=8514
- Andreev, A. F. Properties of rotating liquid He in the vicinity of the λ -point, 4=18511
- Andreev, A. F. Thermal conductivity of the intermediate state of superconductors, 4=18558
- Andreev, A.P. The supercompression ratio in a fast Wilson cloud chamber, 2=1634
- Andreev, A.P. Addition of acetone to a diffusion chamber containing alcohol, 2=1639
- Andreev, A.P. and Bunyaev, V.I. Mirror diffusion chamber for operation in a magnetic field, 2=1638
- Andreev, A. P. and Dushin, N. V. Density distribution in diffusion chambers, 4=783
- Andreev, B.A. E.N. Lustig's comments on my article entitled "Fayes' gravity anomalies and isostasy", 2=23992
- Andreev, D.S., Erokhina, K.I. and Lemberg, I.Kh. Coulomb excitation of Ne^{21} , 2=13993
- Andreev, D.S., Erokhina, K.I. and Lemberg, I.Kh. Cascade excitation of the second rotational levels in separated tungsten isotopes, 2=16334
- Andreev, D.S., Grinberg, A.P., Erokhina, K.I. and Lemberg, I.Kh. Coulomb excitation of nuclear levels in P^{31} , S^{33} , Mn^{55} and Pr^{141} by Ne^{20} ions, 2=18267
- Andreev, D.S., Grinberg, A.P., Gusinskii, G.M., Erokhina, K.I. and Lemberg, I.Kh. Coulomb excitation of the first levels of even isotopes of chromium, selenium and neodymium, 4=13982
- Andreev, D.S., Vasil'ev, V.D., Gusinskii, G.M., Erokhina, K.I. and Lemberg, I.Kh. Investigation of Coulomb excitation of nuclear levels by means of multiply charged ions, 3=10237
- Andreev, E.M., Girshl, P., Zarubin, I.A., Kad'ykov, G.M., Korenchenko, S.M., Lachinov, V.M., Morozov, A.G., Nekrasov, K.G., Poze, R., Popov, M.I., Smirnov, V.V. and Tolstoi, I.S. Automatic processing of bubble-chamber pictures, 2=18041
- Andreev, E. P., Ankudinov, V. A. and Bobashev, S. V. Effective cross sections for the excitation of Balmer series hydrogen lines in collisions of singly charged helium and neon ions with hydrogen molecules, 4=22290
- Andreev, E. P. See Bobashev, S. V., 4=9656
- Andreev, G.A. Investigation of thermal breakdown of rock salt at constant voltage by means of oscillographic methods, 0=1711
- Andreev, G.A. and Zverev, V.A. A method for investigating the statistical properties of media containing random inhomogeneities using frequency-modulated sound, 2=23996
- Andreev, G.A. See Aleksandrov, B.P., 1=19768
- Andreev, G.A. See Aleksandrov, B.P., 2=2079
- Andreev, G.A. See Aleksandrov, B.P., 2=3906
- Andreev, G.A. See Vorob'ev, A.A., 0=16026
- Andreev, G. B., Deineko, A. S. and Malakhov, I. Ya. Elastic scattering of protons by B^{10} , 4=6329
- Andreev, G. B., Deineko, A. S., Malakhov, I. Ya., Sorokin, P. V. and Taranov, A. Ya. Preparation of thin Al_2O_3 films, 3=5147
- Andreev, I.S., Arzumanyan, G.B. and Zyrina, L.V. Regarding the possibilities of stimulating the electroluminescence properties of crystals, 2=16873

- Andreev, I. V. Theory of bremsstrahlung in the presence of a medium, 4=19478
- Andreev, L. A. and Paligé, Ya. The influence of deformation on the work function of monocrystalline molybdenum filaments, 2=1475
- Andreev, L. A. and Paligé, Ya. The influence of deformation on the work function of monocrystalline molybdenum filaments, 2=7636
- Andreev, L. A. and Paligé, Ya. Measurement of work function for electron escape during cold deformation of molybdenum and tantalum in ultra-high vacuum, 4=8796
- Andreev, L. A. See Zhukhovitskii, A. A., 2=15941
- Andreev, L. G. See Zherebin, E. A., 2=1697
- Andreev, M. and Borisov, M. Parametric ionic resonance in a plasma in magnetic field, 1=6096
- Andreev, N. S., Aver'yanov, V. I. and Voishvillo, N. A. Structural interpretation of anomalous scattering of visible light in sodium-borosilicate glasses, 0=16040
- Andreev, O. L., Kochin, A. E., Stukov, G. M. and Yaritsyna, I. A. Absolute measurement of the output of a neutron source by the method of activating golden foils, 4=16908
- Andreev, S. I. Shunts for recording millimicrosecond current pulses, 2=19836
- Andreev, S. I. The use of a spark discharge for obtaining intense light flashes of 10^{-7} – 10^{-8} second duration. III. Investigation of capillary and surface spark discharges in air and discharges damped by additive resistance, 3=11905
- Andreev, S. I. and Vanyukov, M. P. Applications of a spark discharge to obtain intense light flashes of length 10^{-7} – 10^{-8} sec. I. Investigation of electrical processes in a spark discharge of nanosecond duration, 2=9544
- Andreev, S. I. and Vanyukov, M. P. Apparatus for obtaining light flashes of 10^{-7} – 10^{-8} second duration, 2=19698
- Andreev, S. I., Vanyukov, M. P. and Komolov, A. B. Growth of the spark discharge canal for a discharge circuit with a rapidly increasing current, 2=22184
- Andreev, S. I. and Vanyukov, M. P. Criticism of the article by B. A. Demidov, Yu. F. Skachkov and S. D. Fanchenko "channel expansion in small intense sparks", 3=9749
- Andreev, S. I. and Vanyukov, M. P. The use of a spark discharge for obtaining intense light flashes of 10^{-7} – 10^{-8} second duration. II. Investigation of the optimum relationship between the energy of a spark discharge in air and the duration of the light flash, 3=21742
- Andreev, S. I. and Vanyukov, M. P. Investigation of the effect of after-illumination on the duration of ultra-short light flashes which arise during a spark discharge, 4=14609
- Andreev, S. I., Vanyukov, M. P. and Daniel', E. V. Increase in intensity and reduction in duration of the light flash emitted by a spark discharge, 3=14547
- Andreev, S. I., Vanyukov, M. P. and Daniel, E. V. Method for recording radiation spectra of the pulse discharge with time resolution of 10^{-8} sec, 4=315
- Andreev, S. I., Vanyukov, M. P. and Starovoitov, A. T. Investigation of the effect of an external magnetic field on the light characteristics of a pulsed discharge in helium, 3=1959
- Andreev, S. I., Vanyukov, M. P. and Starovoitov, A. T. Investigation of the effect of an external magnetic field on the light characteristics of a pulsed discharge in argon, 3=14540
- Andreev, V. N. The measurement of v_{eff} and $\sigma_f + \sigma_c$ of ^{235}U and ^{239}Pu for fast neutrons, 0=11456
- Andreev, V. N. The (n, α) reaction in Pu^{239} induced by thermal neutrons, 2=14115
- Andreev, V. N. Fine structure of nuclear mass occurring in α -decay, 2=16342
- Andreev, V. N. Fine structure of nuclear masses in α -decay, 3=6194
- Andreev, V. N. Fine structure of nuclear mass occurring in α -decay, 3=8026
- Andreev, V. N. Inelastic scattering of neutrons of the fission spectrum and neutrons with an energy of 0.9 MeV in U^{235} and Pu^{239} , 4=12237
- Andreev, V. N., Kazachkovskii, O. D. and Krasnoyarov, N. V. The behaviour of a reactor with temperature self-regulation, 2=8036
- Andreev, V. N. and Sirotkin, S. M. Search for H^5 in thermal neutron fission products of U^{235} , 4=19852
- Andreev, V. N. See Adrova, N. A., 0=4447
- Andreev, V. N. See Aleksandrov, Yu. A., 0=2503
- Andreev, V. N. See Barmin, V. V., 4=14835
- Andreev, V. N. See Vladimirovskii, V. V., 2=5977
- Andreev, V. N. See Vladimirovskii, V. V., 2=22856
- Andreev, V. S. The magnitude and visible manifestation of the propagating stress of surface-active media in submicro-cracks, 2=21444
- Andreev, V. V. and Kosevich, A. M. Quantum oscillations of the thermal conductivity of an electron gas in a magnetic field, 1=3614
- Andreev, V. V. and Kosevich, A. M. Contribution to the theory of the normal skin effect in a magnetic field at low temperatures, 3=2778
- Andreev, V. V. and Slezov, V. V. On the theory of heat conductivity of superconductors, 4=18557
- Andreev, V. V. See Kosevich, A. M., 0=11653
- Andreev, Yu. A. See Kovrigin, O. D., 4=1026
- Andreev, Yu. N. See Rusinov, L. I., 1=17013
- Andreev, Yu. Ya., Berlin, G. S. and Kotlyar, A. A. Electronic thermobalance, 2=19497
- Andreeva, G. A. Absorption and photoconductivity of activated amorphous selenium films, 2=16823
- Andreeva, I. A. See Likhtman, V. I., 1=14907
- Andreeva, I. A. See Likhtman, V. I., 1=20370
- Andreeva, I. A. See Kochanova, L. A., 4=10363
- Andreeva, L. I. and Stepanov, B. M. A two-channel electron multiplier, 3=4373
- Andreeva, L. I. and Stepanov, B. M. A photocell for the recording of high-intensity light beams, 3=23998
- Andreeva, M. G. Application of electron multipliers to increase the sensitivity of a mass spectrometer, 1=4663
- Andreeva, N. A., Grushevskaya, O. A. and Zhukovskii, V. I. Concerning ways and means of obtaining materials with a smoothed out temperature dependence of the dielectric constant, 2=14614
- Andreeva, N. S. Peculiarities of the diffraction of X-rays by oriented high-molecular substances, 3=13438
- Andreevskii, A. A. See Borishanskii, V. M., 3=16816
- Andreewsky, A. and Trocheris, M. Stability of a low pressure tubular plasma, 2=11673
- Andreichin, R. On various kinds of photoelectromotive forces in lead sulfide layers, 3=25417
- Andreichin, R. and Fileva, N. Transversal photovoltaic effect in evaporated layers of silver sulphide, 4=28650
- Andreichin, R. and Ivanova, H. On photoelectromotive forces in crystal-violet, 3=25418
- Andreichin, R. and Ivanova, H. Positive and negative photovoltaic effect in silver sulphide layers, 4=28647
- Andreichin, R. and Kekhlibarov, T. On the measurement of the short wave limit of solar u.v. radiation, 4=26794
- Andreichin, R. and Kolomiets, B. T. Photo-e.m.f. in arsenic chalcogenides, 2=18731
- Andreicin, R., Nikiforova, M., Ivanov, A. and Stanislavova, Yu. Transverse photovoltaic effect in mixed CdS – CdSe crystals, 4=12983
- Andreichin, R. and Stanislavova, Yu. Photoelectromotive forces in evaporated CdS layers and mixed CdS – CdSe semiconductors, 4=12982
- Andreichin, R. See Nadjakov, G., 4=30655
- Andrejev, E. M., Hirs, P., Kadikov, G. M., Korenchenko, S. M., Lachinov, V. M., Morozov, A. G., Nekrasov, K. G., Pose, R., Popov, M. I., Smirnov, V. V., Tolstoj, N. S. and Zarubin, I. A. Apparatus for automatic treatment of photographs obtained from bubble chambers, 2=3229
- Andrejtschin, R., Nikiforova, M., Ivanov, A. and Stanislavova, J. Vertical photovoltaic effect in the monocrystalline system CdSxSe_{1-x} , 3=23015
- Andrejtschin, R. See Nadjakov, G., 0=20929
- Andrejtschin, R. See Nadjakov, G., 0=20930
- Andrejtschin, R. See Nadjakov, G., 0=20931
- Andrellos, J. C. and Bro, P. The Hall effect reversal in neodymium ditelluride, 3=20340
- Andrenko, S. D. See Shestopalov, V. P., 0=15149
- Andreoletti, J. Necessary and sufficient condition for stability of a low-pressure plasma without magnetic surfaces, 3=14594
- Andreoletti, J. Variation of potential energy and the variational principles for the equilibrium and stability of a hot plasma in a strong magnetic field, 3=14596
- Andreoletti, J. On the expression, the validity and the application of a criterion of stability, 4=3008
- Andreoletti, J. Stationary state of a low-pressure plasma in the presence of an ambipolar electric field, 4=5590
- Andreoletti, J. Methods of systematic investigation of magnetic wells, 4=5671
- Andreoletti, J. Stability of plasma at a finite pressure, 4=24703
- Andres, G. See Ebel, H., 4=24780

- Andres, H. A method of measuring the complex dynamic elastic modulus, 0=1842
- Andres, H.G. and Brodhun, D. Accuracy of sound absorption coefficients in reverberation chambers, 1=16042
- Andres, K. The measurement of thermal expansion of metals at low temperatures, 2=7439
- Andres, K. Giant thermal expansion coefficients in rare earth metals at low temperatures, 3=15442
- Andres, K. The thermal expansion of molybdenum, tungsten, rhodium, platinum and cadmium at low temperatures, 4=9864
- Andres, K. The thermal expansion of some metals at low temperatures, 4=17370
- Andres, K. Thermal expansion of metals at low temperatures, 4=22503
- Andres, K. and Lüthi, B. Magnetostriction of yttrium iron garnet, 3=15852
- Andres, K., Olsen, J.L. and Rohrer, H. Mechanical effects at the superconducting transition, 2=7507
- Andres, K. and Rohrer, H. Thermal expansion at low temperatures, 2=3848
- Andres, K. See Olsen, J.L., 3=14461
- Andres, U.Ts. Equilibrium and motion of a sphere in a viscoplastic liquid, 0=19051
- Andres, U.Ts. Equilibrium and motion of a sphere in a viscoplastic liquid, 1=6826
- Andres, U. Ts., Polak, L. S. and Šyrovatskii, S. I. Electromagnetic expulsion of spherical body from a conducting fluid, 4=5783
- Andresciani, V. The photomagnetolectric effect and photoconductivity in semiconductors, 1=3794
- Andresciani, V. and Schippa, G. A device for orienting single crystals by X-ray diffraction, 1=9124
- Andresen, A. See Nathans, R., 0=4492
- Andresen, A. F. and Leciejewicz, J. A neutron diffraction study of Fe_2Se_8 , 4=28816
- Andresen, H.G. Electron paramagnetic resonance of manganese in TiO_2 , 1=1263
- Andresen, H.G. Hyperfine structure and g-tensor anisotropy of the paramagnetic resonances of manganese in TiO_2 , 1=14805
- Andresen, H.G. Phase-lock system for the general radio 1209-B oscillator, 3=14485
- Andresen, H. G., Welling, H. and Kellington, C. M. Line shapes of resonant harmonic frequency generation in ruby, 4=8999
- Andresen, H.G. See Ballato, A.D., 3=7172
- Andresen, H.G. See Möller, K.D., 3=2598
- Andresen, H.G. See Möller, K.D., 3=19959
- Andresen, H. G. See Welling, H., 4=19214
- Andress, B. Luminescence and absorption of ZnO crystals, 3=957
- Andress, B. and Mollwo, E. On the edge luminescence of zinc oxide, 0=6202
- Andrew, A. and Fitzpatrick, J.P. Velocity and impulse of an accelerated plasma, 1=9560
- Andrew, B.H., Branson, N.J.B.A. and Wills, D. Radio observations of the Crab Nebula during a lunar occultation, 4=30985
- Andrew, E.R. Nuclear magnetic resonance in solids, 0=4523
- Andrew, E.R. [Conf. rep.]. The tenth Colloque Ampere at Leipzig, September 1961, 2=1608
- Andrew, E.R. Nuclear magnetic resonance in solids containing small molecules, 2=8678
- Andrew, E.R. Some nuclear magnetic resonance studies with solids, 3=25584
- Andrew, E.R. Nuclear magnetic resonance investigation of solids, 3=25585
- Andrew, E.R., Bradbury, A., Eades, R.G. and Jenks, G.J. Fine structure of the nuclear magnetic resonance spectra of solids: chemical shift structure of the spectrum of phosphorous pentachloride, 1=6430
- Andrew, E.R., Bradbury, A., Eades, R.G. and Jenks, G.J. Nuclear magnetic resonance spectra of crystals rotated macroscopically; fine structure of the spectrum of phosphorous pentachloride, 1=10187
- Andrew, E.R., Bradbury, A., Eades, R.G. and Wynn, V.T. Nuclear cross-relaxation induced by specimen rotation, 3=20683
- Andrew, E.R. and Clough, S. [Conf. rep.]. Conference on Radio-spectroscopy of Solids, Bangor, September, 1961, 2=4238
- Andrew, E.R. and Eades, R.G. Possibilities for high-resolution nuclear magnetic resonance spectra of crystals, 3=14791
- Andrew, E.R., Eades, R.G., El Saffar, Z.M. and Llewellyn, J.P. Proton magnetic resonance at low temperatures of molecular solids containing CH_3 groups, 1=10197
- Andrew, E.R., Eades, R.G., Hennel, J.W. and Hughes, D.G. The magnetic resonances of ^{23}Na nuclei in monocrystalline sodium nitrate, 2=10724
- Andrew, E.R. and Jenks, G.J. The narrowing of nuclear magnetic resonance spectra by molecular rotation in solids. II. Further calculations for a system of reorienting nuclear pairs, 2=21385
- Andrew, E.R. and Swanson, K.M. An experimental study of the nuclear relaxation mechanism in several crystals, 0=11956
- Andrew, E.R., Swanson, K.M. and Williams, B.R. Angular dependence of nuclear spin-lattice relaxation time for several alkali halide crystals, 1=3942
- Andrew, E.R. and Tunstall, D.P. Spin-lattice relaxation in imperfect cubic crystals and in non-cubic crystals, 1=12565
- Andrew, E.R. and Tunstall, D.P. Anisotropy of chemical shift for some fluorine compounds, 3=25590
- Andrew, E.R. See Hennel, J.W., 1=14838
- Andrew, J. F. and Sato, S. Studies of Young's modulus of carbons at high temperature, 4=23131
- Andrew, K.F. See Gulbransen, E.A., 1=6502
- Andrew, K. F. See Gulbransen, E. A., 4=2875
- Andrew, K. F. See Gulbransen, E. A., 4=29211
- Andrew, K. L. See Humphreys, C. J., 4=28123
- Andrew, K.L. See Kaufman, V., 2=22031
- Andrew, K.L. See Reader, J., 0=4170
- Andrew, K. L. See Stanley, R. W., 4=16248
- Andrew, K.L. See Wilkinson, P.G., 3=13989
- Andrews, A.B. See Howell, B.F., Jr, 0=8350
- Andrews, A.D. and Rudkjøbing, M. Contours and equivalent widths of the CaII K line for OSAWA'S model atmospheres for A stars, 2=9085
- Andrews, A.L. and Buckingham, A.D. The effect of strong electric and magnetic fields on the depolarization ratios of gases, 1=15957
- Andrews, B. P. See Verheijen, F. J., 4=4987
- Andrews, C.L. Analog study of large-signal high-frequency diodes, 0=15069
- Andrews, D.J. See Rustgi, M.L., 1=553
- Andrews, D.J. See Zickendraht, W., 2=324
- Andrews, D.J. See Zickendraht, W., 2=1730
- Andrews, E.H. Cooling of a spinning thread-line, 0=6987
- Andrews, E.H. Crack propagation in a strain-crystallizing elastomer, 1=5084
- Andrews, E.H. Stresses at a crack in an elastomer, 1=6479
- Andrews, E.H. Spherulite morphology in thin films of natural rubber, 3=1343
- Andrews, E.H. A high-strain specimen stretching device for the Elmiskop I Electron Microscope, 3=18427
- Andrews, E.H. Conference on Optical Methods of Stress Analysis, Nottingham, April 1963, 3=18761
- Andrews, E.H. Spherulite morphology in ultra-thin films of natural rubber, 3=20919
- Andrews, F. See Henin, F., 1=5210
- Andrews, F.C. The Green's function of the Liouville equation, 1=4274
- Andrews, F.C. On the general theory of the approach to equilibrium. III. Inhomogeneous systems, 1=5211
- Andrews, F.C. On the classical Boltzmann equation for gases, 1=12923
- Andrews, F.C. Dynamical derivation of equilibrium correlations for dense fluids in statistical mechanics, 1=18284
- Andrews, F.C. Exact evolution of reduced distribution functions in a homogeneous dense classical fluid, 2=7177
- Andrews, F.C. Approach to equilibrium in a dense classical fluid, 2=7178
- Andrews, F.C. Evolution of reduced distribution functions for inhomogeneous dense classical fluids, 2=7179
- Andrews, F. C. Macroscopic approach to irreversible thermodynamics, 4=29542
- Andrews, G.J. Vibration isolation of a rigid body on resilient supports, 0=14707
- Andrews, H.L. Accelerators in biology and medicine, 1=10342
- Andrews, H. L. See Chin, G. Y., 4=13215
- Andrews, J.C. See Volpe, J.J., 0=13344
- Andrews, J.N. and Ubbelohde, A.R. Overvoltage and diffusion through iron and palladium, 0=8309
- Andrews, K.W. The structure of non-destructive testing, 1=6065
- Andrews, K.W. Tabulation of interplanar spacings of cementite Fe_3C , 3=13455
- Andrews, K.W. The structure of cementite and its relation to ferrite, 3=23447
- Andrews, K.W. X-ray diffraction examination, testing or control of materials, 4=13623

- Andrews, K.W. and Johnson, W. New method for the determination of grain or crystallite size from spotty diffraction rings, 0=6345
- Andrews, K.W. See Dyson, D.J., 4=17809
- Andrews, K.W. See Dyson, D.J., 4=26652
- Andrews, M. and Mugglestone, D. The automatic computation of solar atmospheric abundances: carbon abundance, 3=13884
- Andrews, P.A. See Morley, J.G., 4=13444
- Andrews, P.T. Thin silicon surface barrier counters, 2=9743
- Andrews, P.T., Clift, R.W., Green, L.L. and Sharpey-Schafer, J.F. The D.W.B.A. for $\text{Cr}^{52}(\text{d}, \text{p})\text{Cr}^{53}$ reactions with measured optical model parameters, 3=4665
- Andrews, P.T., Clift, R.W., Green, L. and Sharpey-Schafer, J.F. Proton elastic scattering from the chromium isotopes, 4=30336
- Andrews, P.T., Clift, R.W., Green, L.L., Sharpey-Schafer, J.F. and Maddison, R.N. Elastic scattering of deuterons from the chromium isotopes, 4=30348
- Andrews, P.T., Clift, R.W., Green, L.L. and Sharpey-Schafer, J.F. A study of the $\text{Cr}^{52}(\text{d}, \text{p})\text{Cr}^{53}$ reaction, 4=30353
- Andrews, R.D. See Rudd, J.F., 0=8257
- Andrews, R.D. See Williamson, S.J., 4=14402
- Andreychin, R., Kekhlibarov, T. and Mladenov, A.T. An instrument for the simultaneous recording of the radiation intensity of sunlight in different spectral regions, 4=15870
- Andreyev, D.S., Grinberg, A.P., Erokhina, K.I. and Lemberg, I.Kh. Coulomb excitation of the first levels of spherical even nuclei by multiply charged ions, 1=2243
- Andreyev, N.S. See Porai-Koshits, E.A., 0=10320
- Andreyeva, I.N. See Bryukhanova, L.S., 1=20383
- Andreyeva, I.N. See Bryukhanova, L.S., 2=6751
- Andreyev, V.V. See Kosevych, A.M., 2=6828
- Andriambololona, R. Calculation of the second coefficient and the Yukawa term in the normal product for the model of Nambu, 3=4340
- Andriambololona, R. Calculation of the meson-nucleon coupling constants, 4=19538
- Andriankin, E.I. Heat wave radiating energy from its front, 0=10798
- Andriankin, E.I. Converging waves in a plastic material, 0=12452
- Andriankin, E.I. Influence of radiative heat conduction on gas flow in strong explosions, 2=9295
- Andriankin, E.I. and Koryavov, V.I. A shock wave in a plastic medium with variable density, 0=993
- Andriankin, E.I. and Sayosov, Yu.S. The effect of an external magnetic field on a boundary layer in a plasma, 2=7611
- Andriankin, E.I. and Stepanov, Yu.S. Estimation of the impact penetration of meteorite particles, 4=7817
- Andriankin, E.I. See Bryukhanova, L.S., 1=20383
- Andriankin, E.I. See Zaidel', R.M., 1=16138
- Andrianov, A.M., Bazilevskaya, O.A. and Prokhorov, V.G. Investigation of pulse discharges in gases with a current of 500 kA, 1=9583
- Andrianov, A.M. See Artsimovich, L.A., 0=5317
- Andrianov, A.M. See Artsimovich, L.A., 0=5320
- Andrianov, A.M. See Bazilevskaya, O.A., 3=7561
- Andrianov, A.S. and Kats, M.L. Electro-X-ray luminescence of KBr crystals, 2=8575
- Andrianov, A.S. and Kats, M.L. Luminescence of alkali halide phosphors activated by antimony trichloride, 3=948
- Andrianov, D.G. See Fistul', V.I., 0=9959
- Andrianov, V.V. See Sychev, V.V., 4=14468
- Andrianov, Yu. G. See Safronov, Yu. P., 4=29236
- Andrianova, G.M. See Ab, E.A., 2=7875
- Andrianova, G.P., Bakeev, N.F. and Kargin, V.A. Effect of microscopic structures on the mechanical behaviour of crystalline polypropylene, 4=7447
- Andriesh, A.M. and Kolomiets, B.T. Local levels in glassy $\text{Te}_2\text{SeAs}_2\text{Te}_3$, 3=20418
- Andriesh, A.M., Kolomiets, B.T. and Nazarova, T.F. Effect of iodine and germanium impurities on the internal photoeffect spectrum of glassy TeAsSe_2 , 3=15635
- Andrieux, C. Crystallographic study of stalactite formation, 2=17028
- Andrieux, P. Production of an ionization gauge and power supply for ultra high vacuum, 2=13388
- Andrievskii, A.I., Dimarova, E.N. and Pidorya, M.M. Thermal conductivity of cuprous oxide monocrystals and polycrystals, 2=12392
- Andrievskii, A.I., Dimarova, E.N. and Pidorya, M.M. Thermal conductivity of cuprous oxide monocrystals and polycrystals, 2=14393
- Andrievskii, A.I. and Mocharnyuk, G.F. Observation of dislocations in single crystals of cuprous oxide, 3=22789
- Andrievskii, A.I. and Mocharnyuk, G.F. Revealing dislocations on cleavage planes of cuprous oxide, 4=22598
- Andrievskii, A.I., Mocharnyuk, G.F. and Pidorya, M.M. Thermal etching of cuprous oxide single crystals in vacuum, 4=1494
- Andrievskii, A.I. and Nabitovich, I.D. Structural changes in thin tungsten films, 0=12086
- Andrievskii, A.I. and Nabitovich, I.D. On the structure of the β -cubic modification of selenium, 1=10257
- Andrievskii, A.I., Nabitovich, I.D. and Voloshchuk, Ya.V. An electron-diffraction study of the structure of the layers of amorphous selenium, 1=11595
- Andrievskii, A.I., Nabitovich, I.D. and Voloshchuk, Ya.V. Structure of thin layers of semiconducting compounds of the A_3B_3 type in the amorphous state, 3=13461
- Andrievskii, A.I., Nabitovich, I.D. and Voloshchuk, Ya.V. An electron-diffraction study of the amorphous structures of compounds of Ga, In, and Sb with Se and Te, 3=20915
- Andrievskii, A.I., Nabitovich, I.D. and Voloshchuk, Ya.V. A method of correcting for the background in electron-diffraction measurements on amorphous substances, 3=20952
- Andrievskii, A.I., Sandulova, A.V. and Yurkevich, M.I. The diffusion of silver in cuprous oxide, 0=1639
- Andrillat, H. See Andrillat, Y., 1=15517
- Andrillat, H. See Chalonge, D., 4=4913
- Andrillat, Y. and Andrillat, H. A spectral study of some planetary nebulae in the photographic infrared, 1=15517
- Andrillat, Y. and Malaise, D. Spectrum of the comet Candy (1960 n), 2=11112
- Andrillat, Y. See Chalonge, D., 4=4913
- Androes, G.M. See Eastman, J.W., 2=8669
- Androes, G.M., Hammond, R.H. and Knight, W.D. Device for evaporating multiple films, 1=9162
- Androes, G.M. and Knight, W.D. Nuclear magnetic resonance in superconducting tin, 1=2922
- Andronik, I.K., Kot, M.V. and Emel'yanenko, O.V. Electrical properties of cadmium antimonide monocrystals at low temperatures, 2=641
- Andronik, I.K. and Kot, M.V. Electrical properties of CdSb monocrystals, 3=25356
- Andronik, I.K., Kot, M.V. and Emel'yanenko, O.V. Electrical properties of cadmium antimonide monocrystals at low temperatures, 2=8355
- Andronik, I.K. and Vot, M.V. Anisotropy of electrical properties of cadmium antimonide monocrystals, 0=15946
- Andronikashvili, E., Politov, N., Vorozheikina, L. and Getiya, M. Effects of radiation on the mechanical properties of ionic crystals, 4=10352
- Andronikashvili, E.L. Investigation of the thermal structure of helium II by scattering of cold neutrons, 2=15829
- Andronikashvili, E.L., Bibilashvili, M.F., Vardenga, G.L., Gvaladze, T.V., Javrishvili, A.K., Kazarov, R.E., Kuridze, R.V. and Khaldeeva, I.I. Angular distribution of the penetrating component of extensive air showers at the depth of 200 m.w.e., 3=4505
- Andronikashvili, E.L., Bibilashvili, M.F., Vardenga, G.D., Gvaladze, T.V., Dzhabrishvili, A.K., Kazarov, R.E., Kuridze, R.V. and Khaldeeva, I.V. Angular distribution of the penetrating component of extensive air showers at a depth of 200 metres water equivalent, 3=19731
- Andronikashvili, E.L. and Kazarov, R.E. An experimental investigation of the energy spectrum of the penetrating component of extensive air showers, 0=13087
- Andronikashvili, E.L. and Kazarov, R.E. Study of the energy spectrum of extensive air shower penetrating component, 1=2130
- Andronikashvili, E.L., Mamaladze, Yu.G., Matinyan, S.G. and Tsakadze, D.S. Properties of the quantized vortices generated by the rotation of helium II, 2=5230
- Andronikashvili, E.L. and Roinishvili, N.N. Transverse momentum component of strange particles produced in penetrating cosmic-ray showers, 1=574
- Andronikashvili, E.L. and Tsakadze, D.S. Experimental investigation of the harmonic oscillations of a disk in rotating helium II, 0=10827
- Andronikashvili, E.L. and Tsakadze, D.S. The propagation of oscillations along vortex lines in rotating helium II, 0=10828
- Andronikashvili, E.L., Tsakadze, D.S. and Bablidze, R.A. An investigation of rotating He II near the λ -point using second sound, 3=16851

- Andronikashvili, É. L., Tsakadze, Dzh. S. and Mesoed, K. B. Possibility of existence of Onsager-Feynman type vortices at temperatures above the λ point, 4=11448
- Andronov, A. A. and Trakhtengerts, V. Yu. Instability of one-dimensional packets and absorption of electromagnetic waves in a plasma, 4=5627
- Androsenko, A. L., Broder, D. L. and Lashuit, A. I. Gamma-rays accompanying the inelastic scattering of 3 MeV neutrons, 2=1898
- Androsenko, A. L., Broder, D. L. and Lashuk, A. I. Gamma rays accompanying the inelastic scattering of 3 MeV neutrons, 0=2682
- Androsyuk, N. H., Herasyutenko, N. L., Krolevets', K. M. and Safyan, D. I. Automatic flow refractometer, 3=21531
- Androulakis, J. G., Bamberger, J. A., Brown, D. P., Courtney, H. O., Culwick, B. B., Diener, J. J., Fowler, W. B., Goodzeit, C. L., Harush, J., Hart, E. L., Houtsager, H., Jensen, J. E., Kassner, D. A., Liverios, D. T., Louttit, R. J., Mo, S. C., Morris, T. W., Palmer, R. B., Pion, P. A., Rau, R. R., Rutan, R., Shutt, R. P., Sondericker, J. H., Thorndike, A. M., Tuttle, W. A., Winters, I. J., Woelfel, H., Wright, D. H., Yamamoto, S. S., Anderson, F., Courant, H. W. and Kraybill, H. L. Brookhaven National Laboratory 80" hydrogen bubble chamber status and plans, 3=17125
- Andrushko, A. F. Stacking faults in crystals of cadmium sulphide powders, 2=18592
- Andrushko, A. F. Orientation of the microcrystals in thin films of cadmium sulphide, 3=16021
- Andrushko, A. F. See Shalimova, K. V., 4=7477
- Andrushko, A. F. See Shalimova, K. V., 4=20803
- Andrussow, L. On the vaporization equilibrium. Systematic considerations and calculations by means of algebraic exponents, 0=5215
- Andrussow, L. The viscosity of macromolecules, 1=2729
- Andrussow, L. Temperature dependence of the permittivity, 1=8135
- Andruszkiewicz, J., Kuźma, W. and Polacki, Z. Plastic scintillators, 1=16615
- Andruszkiewicz, J. See Chomka, W., 2=605
- Andrychuk, D. A multi-image optical system, 4=27296
- Andryukhina, E. D., Grebenshchikova, S. E., Rabinovich, M. S., Raizer, M. D., Safronov, A. Ya. and Shpigel', I. S. Certain peculiarities of the induction discharges in gases, 0=16978
- Andryukhina, E. D., Safronov, A. Ya. and Shpigel', I. S. Characteristics of a fast vacuum valve, 2=7268
- Andryukhina, E. D. See Vasil'eva, M. Ya., 0=2369
- Andryushchenko-Lutsenko, N. I. See Vasil'ev, A. A., 4=14807
- Angel, D. W., Hunter, W. R., Tousey, R. and Hass, G. Extreme ultraviolet reflectance of LiF-coated aluminium mirrors, 1=16070
- Anet, F. A. L. Spin coupling between protons of different rings in aromatic compounds, 0=7809
- Anet, F. A. L., Bader, R. F. W. and Van der Auwera, A. M. Chemical evidence for a triplet ground state for methylene, 0=15711
- Anex, B. G. Ground state of the HeH^+ molecule ion, 3=12821
- Anex, B. G. and Simpson, W. T. Metallic reflection for molecular crystals, 0=17847
- Ang, C. Y. and Burkhammer, E. W. Sintering of high density uranium dioxide bodies, 1=20646
- Ang, D. D. and Knopoff, L. Diffraction of scalar elastic waves by a finite crack, 4=18317
- Ang Wang-Shou, Chang Huang-Ch'üch, Yang Ch'i Lêng. The construction and characteristics of a neutron diffractometer, 3=20819
- Angel, D. W. See Wilkinson, P. G., 2=22057
- Angel, Y. and Marie, G. Determining hysteresis loops using magnetic open circuits, 1=4690
- Angelakos, D. J. and Kumagai, N. High-frequency scattering by multiple spheres, 4=14894
- Angelescu, T. See Andreescu, I., 1=2076
- Angelosku, D. A. and Fogel, A. The influence of drying the nuclear plates using alcohol on the visible range of α -particles, 2=22375
- Angeli, I. Investigations on γ -radiation accompanying the bombardment of nucleus Na^{23} by α -particles of Po, 4=9569
- Angelini, T. See Canac, F., 4=5343
- Angell, C. A. and Tomlinson, J. W. Self-diffusion and electrical conductance measurements on solutions of cadmium in molten cadmium chloride, 2=15574
- Angell, C. L. See Wetliher, W., 4=12472
- Angell, J. K. Measurements of Lagrangian and Eulerian properties of turbulence at a height of 2500 ft, 4=10709
- Angello, S. J. See Herwald, S. W., 1=1099
- Angelo, N. D. See D'Angelo, N.
- Angelopoulos, M. The temperature distribution in a finite unsheathed cylinder with time dependent distribution of heat sources. Application to a very long fuel element, 0=1460
- Angelopoulos, M. On the calculation of the thermal utilization, 1=776
- Angelopoulos, M. The linear extrapolation length on the surface of an infinite plate [in a reactor cell], 1=13876
- Angelopoulos, M. The criticality condition of a cylindrical heterogeneous reactor, without reflector, in the multi-group theory, 1=17184
- Angelopoulos, M. Calculation of the linear extrapolation length on the surface of an assembly from an infinite plate with a "can" on both sides, 2=1944
- Angelopoulos, M. Flux distribution in a plane regularly stratified subcritical pile of finite height, 2=10165
- Anger, B. See Stoffregen, W., 3=13782
- Anger, C. D., Barcus, J. R., Brown, R. R. and Evans, D. S. Auroral zone X-ray pulsations in the 1- to 15-second period range, 3=13813
- Anger, C. D., Barcus, J. R., Brown, R. R. and Evans, D. S. Long-period pulsations in electron precipitation associated with hydro-magnetic waves in the auroral zone, 3=23631
- Anger, C. D. and Brown, R. R. Observations of the temporary presence of radioactive matter in the atmosphere, 1=15244
- Anger, C. D. See Anderson, K. A., 3=16237
- Anger, C. D. See Brown, R. R., 3=23630
- Anger, C. D. See Ehmert, A., 1=13583
- Anger, C. D. See Ehmert, A., 1=19310
- Anger, H. See Guennoc, H., 3=869
- Anger, H. O. and Davis, D. H. Gamma-ray detection efficiency and image resolution in sodium iodide, 4=19471
- Anger, J. See Fritz, B., 3=18005
- Angerer, L. Effect of some organic additives on conduction current and breakdown of insulating liquids, 4=5208
- Angerer, L. The influence of the constitution of oils upon their electrical properties, 4=14179
- Angerman, C. L. Transmission electron microscopy of uranium, 4=4058
- Angerman, C. L. The aging of aluminum-lithium alloys before and after neutron irradiation, 4=13472
- Angerth, B., Block, L., Fahleson, U. and Soop, K. Experiments with partly ionized rotating plasmas, 3=12118
- Angelescu, D. and Ausländer, J. S. Field curvature as a source of systematic errors in nuclear emulsion measurements, 3=12379
- Angelescu, D., Ausländer, J. S., Georgescu, I. I. and Vogel, A. A search for instrumental effects in the measurement of angular distributions in nuclear emulsions, 2=5557
- Angelescu, D. and Vogel, A. Abnormally long alpha-tracks, 3=22320
- Angelescu, D. and Vogel, A. Abnormally-long alpha-tracks, 3=22321
- Angino, E. See Greener, E. H., 2=8596
- Angino, E. E. Pressure effects on thermoluminescence of limestone relative to geologic age, 0=10087
- Angino, E. E. Some effects of pressure on the thermoluminescence of limestone, 0=10088
- Angle, J. Observation of a white-light flare, 1=18099
- Angleman, C. C. See Enge, H. A., 0=13238
- Angles, R. M. See Smart, R. F., 2=2401
- Angress, J. F. See Smith, S. D., 4=4274
- Angrist, S. W. Galvanomagnetic and thermomagnetic effects, 2=14486
- Angström, A. Absorption of solar radiation by atmospheric water vapor, 2=2481
- Angström, A. Radiation to actinometric receivers in its dependence on aperture conditions, 2=2485
- Ångström, A. Techniques of determining the turbidity of the atmosphere, 2=2488
- Ångström, A. Atmospheric turbidity, global illumination and planetary albedo of the earth, 3=6961
- Ångström, A. The parameters of atmospheric turbidity, 4=29296
- Ångström, A. K. and Drummond, A. J. Transmission of "cutoff" glass filters employed in solar radiation research. II, 0=16825
- Ångström, A. K. and Drummond, A. J. On the influence of thickness and temperature on the "cut-off" characteristics of glass filters, 0=19387
- Ångström, A. K. and Drummond, A. J. Fundamental principles and methods for the calibration of radiometers for photometric use, 2=19672
- Ångström, A. K. See Karoli, A. R., 0=14880

- Angulo, C.M. and Chang, W.S.C. The launching of surface waves by a parallel plate waveguide, 0=5411
- Angus, H.C. Surface films on precious-metal contacts, 2=4489
- Angus, J. C. New preparative technique for certain sulfides and other semiconducting compounds, 4=22723
- Aniansson, G. Thin CsI(Tl) scintillating layers produced by vacuum deposition, 2=3209
- Aniansson, G. Apparatus for measuring α -particle ranges in liquids, 2=3422
- Aniansson, G. The integral stopping power of liquid hydrocarbons for 5.3 MeV α -particles, 2=3423
- Anichkina, E. Yu. See Neimark, B.E., 4=15424
- Anicin, B. A. and Marsicanin, B. S. A study of the r.f. discharge in a single-turn coil, 4=18713
- Anikhindi, R.G. and Saxena, A.P. Chlorine filled ozoniser as a counter, 0=9228
- Anikiev, Yu.G. and Popov, B.N. Secondary emission of barium oxide, 2=1497
- Anikin, G.V. See Aleksandrov, Yu.A., 2=460
- Anikin, G.V. See Aleksandrov, Yu.A., 3=4646
- Anikin, I.N. and Shushkanov, A.D. The solubility of fluorite in aqueous solutions of electrolytes, 3=23874
- Anikin, V.I. See Averkov, S.I., 3=24032
- Anikin, V. I. See Averkov, S. I., 4=26893
- Anikina, M. Kh., Gogitidze, O. N., Zhuravleva, M. S., Kozlov, A. A., Kotlyarevskii, D. M., Manadzhavidze, Z. Sh., Mestvirishvili, A. N., Nyagu, D., Okonov, E. O., Petrov, N. I., Rozanova, A. M., Rusakov, V. A., Taktamyshev, G. G., Chkhaidze, L. V., Tszun-fan, U., [Wu Tsung-fang] and Tserelov, A. A. Observation of $K_2^0 \rightarrow \pi^+ + \pi^- + \pi^0$ decays, 4=3477
- Anikina, M. Kh., Nyagu, D.V., Okonov, E.O., Petrov, N.I., Rozanova, A.M. and Rusakov, V.A. An experimental investigation of some consequences of CP-invariance in K_2^0 -meson decays, 2=7898
- Anikina, M. Kh., Nyagu, D.V., Okonov, E.O., Petrov, N.I., Rozanova, A.M. and Rusakov, V.A. An experimental investigation of some consequences of CP invariance in K_2^0 -meson decays, 3=6071
- Anikina, M. Kh., Zhuravleva, M. S., Kotlyarevskii, D. M., Mandzhavidze, Z. Sh., Mestvirishvili, A. N., Neagu, D. V., Okonov, E. O., Petrov, N. I., Rusakov, V. A., Taktamyshev, G. G., Chkhaidze, L. V. and U Tszun-Fan [Yu Tsung-Fan]. Estimation of the relative probability for the $K_2^0 \rightarrow 3\pi^0$ decay, 4=12056
- Anikina, M. P., Ivanov, R. N., Kukavadze, G. M. and Ershler, B. V. The half-life of Sr^{86} and its yield from ^{235}U fission, 0=11363
- Anikin, M. P. See Gorshkov, V. K., 2=3635
- Anikina, M. P. See Ivanov, R. N., 0=11455
- Anikina, M. P. See Myasishcheva, G. G., 0=7616
- Anikina, M. P. See Tret'yakov, E. F., 0=11372
- Anishchenko, R. I. New method of solving the Thomas-Fermi-Dirac equation, 2=20733
- Anishchenko, V. N. See Parfenova, V. P., 4=17070
- Anisimov, A. I. and Vinogradov, N. I. Experimental determination of electron collision frequency in a dense plasma, 2=22228
- Anisimov, A. I., Vinogradov, N. I., Golant, V. E. and Konstantinov, B. P. Method of investigating the space distribution of electrons in a plasma, 1=293
- Anisimov, A. I., Vinogradov, N. I., Golant, V. E. and Konstantinov, B. P. Diffusion of charged particles in a dense plasma in a magnetic field, 3=14591
- Anisimov, G. M. and Teplyakov, V. A. Focusing by the accelerating field, 3=24402
- Anisimov, S. I. Attainment of oscillatory equilibrium behind a shock wave, 2=19599
- Anisimov, V. F. See Kushnir, Yu. M., 3=2035
- Anisimov, A. I., Budnikov, V. N., Vinogradov, N. I. and Golant, V. E. The reason for the anomalously fast decay of plasma in a magnetic field, 4=14644
- Anisimov, A. I., Vinogradov, N. I. and Golant, V. E. Resonator method study of plasma decay in a magnetic field, 4=18899
- Anisimov, A. I., Vinogradov, N. I. and Golant, V. E. Measurement of the volume removal coefficient for electrons in plasma decay in oxygen, 4=21495
- Anisimov, S. I. The strong discontinuity [at a shock front] in a non-ideal gas, 1=1764
- Anisimov, S. I. On the non-monotonic change of temperature and density behind the front of a strong shock wave in a gas, 4=18343
- Anisimov, S. I. and Khodyko, Yu. V. Flow of a gas with delayed vibration excitation around the forward critical point of a blunt body, 4=18227
- Anisimov, S. I. See Perel'man, T. L., 1=6704
- Anisimova, I. D. See Favorin, V. N., 2=16870
- Anisimova, I. D. See Kozina, G. S., 0=16112
- Anisimova, Yu. V. See Vystavkin, A. N., 1=4646
- Anisovich, V. A., Ansel'm, A. A. and Gribov, V. N. Contribution to the theory of the $\pi + N \rightarrow N + \pi + \pi$ and $\gamma + N \rightarrow N + \pi + \pi$ reactions near the threshold, 2=7888
- Anisovich, V. V. Resonance model for the $\pi + N \rightarrow \pi + \pi + N$ reaction at 300-450 MeV meson energies, 0=20191
- Anisovich, V. V. A resonance model for the reactions $N + \pi \rightarrow N + \pi + \pi$ and $\gamma + N \rightarrow N + \pi + \pi$, 1=19247
- Anisovich, V. V. Dispersion representation of the deuteron form factor, 2=3415
- Anisovich, V. V. Dispersion representation of the deuteron form factor, 3=4470
- Anisovich, V. V. K^+ $\rightarrow 3\pi$ decay and $\pi\pi$ interaction, 3=24786
- Anisovich, V. V. $K \rightarrow 3\pi$ -decay and the interaction between π -mesons at low energies, 4=25173
- Anisovich, V. V. and Ansel'm, A. A. Non-conservation of parity in processes of neutrino capture by protons and deuterons, 0=1269
- Anisovich, V. V., Ansel'm, A. A. and Gribov, V. N. On the theory of reactions with production of three low-energy particles, 3=550
- Anisovich, V. V., Ansel'm, A. A., Gribov, V. N. and Dyatlov, I. T. Anomalous thresholds and interaction in the final state, 3=2199
- Anisovich, V. V. and Dakhno, L. G. Angular distribution of three particles produced near the threshold, 3=22096
- Anisovich, V. V. and Dakhno, L. G. Three particle production near the threshold when two of the particles interact resonantly, 4=19441
- Anisovich, V. V. and Dakhno, L. G. On the problem of determining the character of low-energy pion interaction from the reactions $p + d \rightarrow He^3 + 2\pi$ and $\pi + N \rightarrow N + 2\pi$, 4=19554
- Anisovich, V. V. and Dakhno, L. G. Logarithmic singularities in the reactions $\pi^- + p \rightarrow n + \pi + \pi^+$ and $p + d \rightarrow He^3 + 2\pi$, 4=21898
- Anissimov, A. I., Boodnikov, V. N., Golant, V. E., Sheelin, V. N., Vinogradov, N. I. and Zhylinsky, A. P. Experimental investigation of charged particle diffusion in a magnetic field, 4=11599
- Ankenbrandt, C. M. and Lent, E. M. Increasing the light collection efficiency of scintillation counters, 3=19507
- Ankerman, P. W. and Rubega, R. A. Bistatic scattering from totally reflecting flat plates, 0=6879
- Ankermuller, F. See König, H., 1=15241
- Ankudinov, B. A., Kel'man, V. M. and Sysoeva, L. N. The acceleration of charged particles by varying magnetic fields, 4=15909
- Ankudinov, E. P. See Shvedov, V. P., 1=3400
- Ankudinov, V. A., Kel'man, V. M., Kresin, O. M. and Sysoeva, L. N. Motion of charged particles in a uniform magnetic field that increases linearly with time, 3=2092
- Ankudinov, V. A., Kel'man, V. M. and Sysoeva, L. N. Acceleration of charged particles by time-periodic magnetic fields, 4=5764
- Ankudinov, V. A. See Andreev, E. P., 4=22290
- Ankudinov, V. A. See Bobashev, S. V., 4=9656
- Ankudinov, V. A. See Fogel', Ya. M., 0=7079
- Annaev, R. G. and Allanazarov, A. Anisotropy of the galvanomagnetic effect in a crystal of n-type germanium at temperatures of the transitional region of conductivity, 0=13816
- Annagiev, M. Kh. See Ismailzade, I. G., 3=13397
- Annaka, S. Temperature diffuse scattering in Laue-Bragg spots, 2=17009
- Annaka, S. Intensity changes of diffracted and transmitted X-rays with temperatures in nearly perfect NaCl, 4=7642
- Annaka, S. and Amoros, J. L. On the X-ray temperature diffuse scattering of anthracene and stearic acid, 1=9969
- Anno, J. N. Secondary electron production from fission fragments emerging from thin layers of uranium dioxide, 2=11703
- Anno, J. N. Secondary electron production from alpha particles emerging from gold, 4=5700
- Anno, J. N. See Redmond, R. F., 3=4678
- Anno, T. Semiempirical calculation on the electron structure of the nitrogen-containing heterocyclic molecules. IV. Electronic structure of pyridine, 0=5967
- Anno, T. and Coulson, C. A. The structure of graphite, 1=20527
- Anno, T. and Sadô, A. Electronic states of p-benzoquinone. V. Vibrational analysis of the vapor absorption spectrum around 4500 Å region, 0=15706
- Anno, T. and Sadô, A. Electronic states of p-benzoquinone. VI. Molecular geometry in the excited electronic state of the 4500 Å absorption system as derived from the Franck-Condon principle, 0=15707

- Anno, T. and Sado, A. Semiempirical calculation on the lower electronic states of the benzene molecule, 4=3888
- Anokhin, B.G. See Medvedev, S.A., 2=14937
- Anokhin, B.G. See Medvedev, S.A., 2=19047
- Anokhina, I. N., Berzina, I. G., Berman, I. B. and Sokolov, L. S. The coefficient of linear expansion of KCl crystals irradiated by protons, 4=6752
- Anokhina, L. m. See Belov, S. V., 2=20533
- Anolick, E. S. See Singer, J., 0=3270
- Anoshina, N. P. See Teitelbaum, B. Ya., 4=23347
- Anoshkin, V. A., Golant, V. E., Konstantinov, B. P., Poloskin, B. P. and Shcherbinin, O. N. Microwave investigations of plasma in the apparatus "alpha", 1=4616
- Anquetil, C. Study of the AuCu₃ alloy, 2=10912
- Anquetil, M. C. Electrical resistivity of AuCu alloy, 3=10720
- Ansara, I. See Bonnier, E., 3=14152
- Ansari, R. On the phase-space integral, 2=7814
- Ansari, Z. A. Drift speed estimates from large moving irregularities in the F-region at College, Alaska, 3=18544
- Ansbacher, F. A note on the overlap integral of two harmonic oscillator wave functions, 0=522
- Ansell, G. S. and Lenel, F. V. Criteria for yielding of dispersion-strengthened alloys, 1=3970
- Ansell, G. S. See Ahn, K. Y., 4=15640
- Ansell, G. S. See Goodrich, R. S., Jr., 4=29163
- Ansell, G. S. See Hirschhorn, J. S., 4=26509
- Ansell, G. S. See Lenel, F. V., 4=7380
- Ansell, G. S. See Lenel, F. C., 4=7689
- Ansell, G. S. See Roblin, M. J., 3=17774
- Ansell, G. S. See Schindler, A. I., 0=3007
- Ansel'm, A. A. Some general properties of the photon propagation function in quantum electrodynamics, 0=12822
- Ansel'm, A. A. Solutions of equations for the meson-meson scattering amplitude in the asymptotic region, 1=4805
- Ansel'm, A. A. and Gribov, V. N. The possibility of determining the amplitude for charge exchange pion-pion scattering from an analysis of the $\pi^- + p = N + \pi^+ + \pi^-$ reactions near threshold, 0=9413
- Ansel'm, A. A. and Gribov, V. N. The possibility of determining the $\pi-\pi$ scattering amplitudes from the analysis of the $+p \rightarrow N + +$ reactions near threshold, 0=11211
- Ansel'm, A. A., Gribov, V. N., Danilov, G. S., Dyatlov, I. T. and Shekhter, V. M. The maximum value of the coupling constant in field theory, 1=19111
- Ansel'm, A. A., Gribov, V. N., Danilov, G. S., Dyatlov, I. T. and Shekhter, V. M. The maximum value of the coupling constant in field theory, 2=22456
- Ansel'm, A. A. and Shekhter, V. M. μ^+ -molecules, 3=2685
- Ansel'm, A. A. See Anisovich, V. V., 0=1269
- Ansel'm, A. A. See Anisovich, V. V., 2=7888
- Ansel'm, A. A. See Anisovich, V. V., 3=550
- Ansel'm, A. A. See Anisovich, V. V., 3=2199
- Ansel'm, A. A. See Azimov, Ya. I., 3=21249
- Ansel'm, A. A. See Azimov, Ya. I., 3=22092
- Ansel'm, A. A. See Azimov, Ya. I., 3=24653
- Ansel'm, A. I. and Askerov, B. M. Magnetothermal effects in semimetals in strong magnetic fields, 1=10032
- Ansel'm, A. I. and Askerov, B. M. The chemical potential and the criterion of degeneracy of conduction electrons in a strong magnetic field, 1=12427
- Ansel'm, A. I. and Askerov, B. M. Thermomagnetic effects in semiconductors in a strong magnetic field in the case of electron scattering on short-range potential, 2=6445
- Ansel'm, A. I. and Askerov, B. M. Longitudinal thermomagnetic effects in semiconductors in strong longitudinal magnetic fields, 2=21124
- Ansel'm, A. I. and Askerov, B. M. Longitudinal thermomagnetic effects in semiconductors in strong longitudinal magnetic fields, 3=2866
- Ansel'm, A. I. and Korovin, L. I. The calculation of the oscillator strength for transitions of impurity electrons in uniaxial crystals, 0=13510
- Ansel'm, A. I. and Lang, G. I. The theory of two-phonon scattering of conduction electrons in atomic crystals, 0=528
- Ansel'm, A. I. and Lang, I. G. Estimation of the role of many-phonon processes in the scattering of conduction electrons in atomic crystals, 1=6083
- Ansel'm, L. N. See Ksendzov, Ya. M., 3=20337
- Anselone, P. M. Convergence of the Wick-Chandrasekhar approximation technique in radiative transfer. II, 0=10619
- Anselone, P. M. Convergence of Chandrasekhar's method for the problem of diffuse reflection, 0=19003
- Anson, W. A. See Dewey, J. M., 4=2777
- Antal, J. and Künig, A. Combined vacuum meter for laboratory use, 0=5060
- Antal, J. J. See Borgonovi, G., 4=1381
- Antell, G. R. Chlorine and iodine as impurities in InAs and GaP, 0=17947
- Antell, G. R. Investigation of a method of growing crystals of GaP and GaAs from the vapour phase, 1=20418
- Antenen, K. The mechanism of some electrets, 0=18106
- Antes, H. W. Density changes on annealing cold-worked molybdenum, 4=23177
- Anthony, A., Ackerman, E. and Lloyd, J. A. Noise stress in laboratory rodents. I. Behavioral and endocrine response of mice, rats, and guinea pigs, 0=806
- Anthony, A. and Harclerode, J. E. Noise stress in laboratory rodents. II. Effects of chronic noise exposure performance and reproductive function of guinea pigs, 0=807
- Anthony, A. See Ackerman, E., 2=2845
- Anthony, A. M., Cabannes, F. and Renon, J. The electrical conductivity of frits based on lanthanum-zirconium oxide between 1000° and 1700°C, 4=25990
- Anthony, A. M., Kiyoura, R. and Sata, T. The equilibrium of uranium oxides between 1500 and 2000°K, 4=2140
- Anthony, A. M. and Renon, J. The electrical conductivity of a sintered mixture of 87% ZrO₂ - 13% La₂O₃ between 1200° and 1650°C, 3=17901
- Anthony, L. J. An annotated bibliography of articles on plasma physics and controlled thermonuclear research by U.K.A.E.A. staff, 1958 to 1962, 3=9766
- Anthrop, D. F. and Searcy, A. W. Sublimation and thermodynamic properties of zinc oxide, 4=29811
- Anthrop, D. F. See Davis, S. G., 1=4514
- Antier, G. See Grunberg, J. G., 1=21160
- Antikain, P. A. Determination of accumulated damage from fatigue tests, 3=25643
- Antipova, E. I. See Lozinskii, M. G., 2=23777
- Antipova, E. I. See Lozinskii, M. G., 3=3234
- Antipova-Karataeva, I. I. Investigation and interpretation of bands in the absorption spectra of crystals coloured with chromium ions, 0=4410
- Antler, M. Metal transfer and the wedge forming mechanism, 3=13385
- Antler, M., Auletta, L. V. and Conley, J. Automated contact resistance probe, 4=8587
- Antoine, J. P. Irreducible representations of the SU₃ group, 4=9111
- Antolković, B. A device for dip-angle measurement of tracks in nuclear emulsions, 1=13258
- Antolković, B. Protons from ³²S bombarded by 14.4 MeV neutrons, 2=3600
- Antolković, B. Protons from ³²S bombarded by 14.6 MeV neutrons, 3=19862
- Antolković, B., Pačić, M., Prelec, K. and Tomaš, P. Magnetic mass analysis of a 200 keV ion beam from a Cockcroft and Walton accelerator, 0=19829
- Antolković, B., Pačić, M., Turk, M. and Winterhalter, D. Influence of collimation on the energy spectrum of 2.7 MeV neutrons, 2=7876
- Antolković, B. See Pačić, M., 3=19652
- Antončik, E. The use of the repulsive potential in the quantum theory of solids, 0=2777
- Antončik, E. Approximate formulation of the orthogonalized plane-wave method, 0=2778
- Antončik, E. On the approximate formulation of the orthogonalized plane-wave method, 0=13521
- Antončik, E. A remark on the use of the repulsive potential, 1=17386
- Antončik, E. On the theory of surface states, 2=8203
- Antončik, E. On the theory of surface states of semiconductors with diamond structure, 2=23306
- Antončik, E. and Landsberg, P. T. Overlap integrals for Bloch electrons, 3=22684
- Antončik, E. See Tauc, J., 0=18120
- Anton'eva, N. M., Bashilov, A. A., Dzhelepov, B. S., Kaun, K. G., Meyer, A. F. A. and Smirnov, V. B. Radiations from Eu¹⁴⁶ and Eu¹⁴⁷, 1=13750
- Anton'eva, N. M., Bashilov, A. A. and Kulakovskii, E. K. Radioactive decay of Ag^{110m}, 0=7530
- Anton'eva, N. M. and Dzhelepov, B. S. Internal conversion coefficients of some transitions in Yb¹⁷¹, 3=8007
- Anton'eva, N. M., Nikitin, M. K. and Smirnov, V. B. Radiation from Pd¹⁰⁰, 4=22033
- Antoni, G. D. See Bendiscioli, G., 4=19334
- Antoniadis, C. See König, H. L., 2=11034

- Antoniak, C.E. See Marks, G.W., 3=10876
- Antoniev, N.M., Bashilov, A.A., Dzhelepov, B.S. and Sergienko, V.A. Decay of Gd^{146} and Eu^{146} , 0=4060
- Antonini, B., Felcher, G.P., Manzinger, F., Paoletti, A., Ricci, F.P. and Passari, L. Magnetism research with polarized neutrons at the Centro di Studi Nucleari Della Casaccia del C.N. E.N., Roma, Italy, 4=28794
- Antonini, B. and Paoletti, A. Neutron total cross section of benzene and diphenyl between 0.1 and 0.001 eV, 4=28238
- Antonini, J.F. Study of sulphur as an intrinsic and extrinsic semiconductor, 3=10829
- Antonio, G.F. Dell'. See Dell' Antonio, G.F.
- Antonione, C. and Ferro, A. On the correlation between the fatigue resistance and the magnetic properties, 3=23301
- Antonione, C., Gatta, G. Della and Venturello, G. Influence of small amounts of nitrogen on recovery and recrystallization of high-purity iron, 4=22565
- Antoniu, M. See Petrescu, V., 0=20950
- Antonjan, V.I. See Micaeljan, A.L., 4=3101
- Antonoff, M.M. See Englert, F., 4=15633
- Antonov, A. Kinetics of photodepolarization current in mono-crystal sulphur photoelectret, 4=4220
- Antonov, A. A possible explanation of phenomena in photo-electrets by means of their photodipole polarization, 4=26132
- Antonov, A. See Kashukeev, N., 2=10563
- Antonov, A. See Kashukeev, N., 2=10564
- Antonov, A. See Nadjakov, G., 3=25411
- Antonov, A. See Nadjakov, G., 2=10562
- Antonov, A. See Nadjakov, G., 4=25889
- Antonov, A.S. See Golovin, B.M., 0=10001
- Antonov, A.V., Granatkin, B.V., Merkul'ev, Yu.A., Puzanov, V.V. and Smolik, Ch.K. Investigation of neutron diffusion in water and ice at temperatures around 0° and -80°C, 3=4401
- Antonov, A.V., Granatkin, B.V., Merkul'ev, Yu.A. and Smolik, Ch.K. An investigation of the diffusion and thermalization of neutrons in water and ice by means of the pulse method within a large temperature range, 2=18126
- Antonov, A.V., Korshunov, Yu.V., Meleshko, E.A. and Panasyuk, V.S. Stabilization of the r.f. voltage applied to cyclotron dees, 1=4679
- Antonov, A.V., Korshunov, Yu.V., Meleshko, E.A. and Panasyuk, V.S. Automatic control the reactive parameters
- Antonov, I.V. and Vlasov, A.Ya. Temperature hysteresis of magnetization and magnetostriiction in nickel, 3=3101
- Antonov, R.A., Smorodin, Yu.A. and Tulinova, Z.I. Air showers at altitudes of 9-12km, 1=3284
- Antonov, R.A., Smorodin, Yu.A., and Tulinova, Z.I. Experimental data on development of extensive air showers in upper atmosphere, 3=6102
- Antonov, R.A., Smorodin, Yu.A. and Tulinova, Z.I. Altitude variation of vertical extensive atmospheric showers in the upper part of the atmosphere, 4=9333
- Antonov, R.A., Smorodin, Yu.A. and Tulinova, Z.I. Formation of high energy γ -quanta in extensive air showers with energies 10^{14} - 10^{15} eV in the upper third part of the atmosphere, 4=12089
- Antonov, S.M., Bogomolov, K.S., Kirilov, N.I., Ovechkis, N.S. and Uspenskii, V.I. Photographic methods used in obtaining the first photographs of the reverse side of the moon, 2=17245
- Antonov, V.A. Remarks on the problem of stability in stellar dynamics, 2=983
- Antonov-Romanovskii, V.V. The superlinear rise of photo-conductivity of a phosphor in the initial stages of excitation, 0=9986
- Antonov-Romanovskii, V.V. The initial stages of luminescence rise in phosphors with levels of several types, 0=10051
- Antonov-Romanovskii, V.V. The initial stages of decay in phosphors with levels of several types, 0=10056
- Antonov-Romanovskii, V.V. Steady-state luminescence of phosphors with several types of traps, 0=10071
- Antonov-Romanovskii, V.V. Some special cases of luminescence kinetics, 1=17907
- Antonov-Romanovskii, V.V. Final stages of luminescence decay in phosphors with levels of several kinds, 1=20026
- Antonov-Romanovskii, V.V. Phosphor glow curves when duration of electron stay in various kinds of traps is comparable, 2=709
- Antonov-Romanovskii, V.V. The application of diffusion theory to bimolecular reactions, 2=6358
- Antonov-Romanovskii, V.V. On the initial stages of luminescent build-up and decay in phosphors with traps of several types, 2=8565
- Antonov-Romanovskii, V.V. Kinetics of the luminescence of phosphors with several types of traps, 3=942
- Antonov-Romanovskii, V.V. Effective cross-sections for capture and recombination of free charges in solids, 3=20125
- Antonov-Romanovskii, V.V. Influence of an electric field on the effective cross-sections for recombination and capture, 3=20126
- Antonov-Romanovskii, V.V. Investigation of phosphors by the method of electron paramagnetic resonance, 4=1761
- Antonov-Romanovskii, V.V. and Dublin, V.G. Investigation of rare earth activated SrS phosphors by the method of electron paramagnetic resonance, 2=14730
- Antonov-Romanovskii, V.V., Dubinin, V.G., Prokhorov, A.M., Trapeznikova, Z.A. and Fok, M.V. Detection of the ionization of Eu^{++} in the phosphor SrS:Eu,Sm by the method of paramagnetic absorption, 0=13713
- Antonov-Romanovskii, V.V., Vinokurov, L.A. and Fok, M.V. On the anomalous storage of light sums in phosphors, 4=22927
- Antonov-Romanovskii, V.V. On the electroluminescence of powdered sinz sulphide layers, 0=6206
- Antonov-Romanovskii, V.V. Application of the diffusion theory to the bimolecular reactions, 2=2655
- Antonova, I.M. See Veselov, M.G., 2=513
- Antonova, L.A. See Ivanov-Kholodnyi, G.S., 1=10970
- Antonova, R.A., Barkhudarov, E.M., Zhvaniya, B.P. The interaction of shock waves, 4=21227
- Antonova, S.F., Vasilenko, S.S., Kaganskii, M.G. and Kaminskii, D.L. Positron spectrum of Eu^{152} and Eu^{152m} , 0=9566
- Antonova, S.F., Vasilenko, S.S., Kaganskii, M.G. and Kaminskii, D.L. Positron decay of Ir^{192} , 0=9567
- Antonova, S.F., Vasilenko, S.S., Kaganskii, M.G. and Kaminskii, D.L. Investigation of the γ -spectrum of Ce^{140} , 0=13210
- Antonowicz, K. Field homogenizing iron plates for nuclear spin resonance spectrometer, 1=1979
- Antonowicz, K. Formation of spin centres in carbons by oxidation, 2=12816
- Antonowicz, K. The interaction of strongly adsorbed oxygen with free spin centers in carbon, 4=20822
- Antony, G.W. The modal non-escape probability of neutrons for convex bodies, 0=12973
- Antoufiev, Y., Bondouk, I., Fickri, A., Machali, F. and Sorokin, P.V. Investigation of the reaction $Li^6(p, \alpha)He^4$ induced by polarized protons with energy 0.5-2MeV, 4=1074
- Antoufiev, Y.P., Badawy, O.E., El-Nadi, L.M., Darwish, D.A.E. and Sorokin, P.V. Energy levels of the Si^{28} nucleus, 4=22020
- Antoufiev, Y.P., Darwish, D.A.E., Badawy, O.E., El-Nadi, L.M. and Sorokin, P.V. Branching ratios of resonance levels in the Si^{28} nucleus, 4=30311
- Antoufiev, Y.P., El-Nadi, L.M., Darwish, D.A.E., Badawy, O.E. and Sorokin, P.V. Decay scheme of the Si^{28} nucleus, 3=19811
- Antoufiev, Y.P., El-Shesheni, M.M., Saad, H.R., Saleh, Z.A. and Sorokin, P.V. Investigation of the reaction $Li^6(d, \alpha)He^4$ at deuteron energy 1-2.5 MeV, 4=3690
- Antoufiev, Y.P. See Abuzeid, M.A., 3=19847
- Antoufiev, Y.P. See Abuzeid, M.A., 4=9490
- Antoufiev, Y.P. See Abuzeid, M.A., 4=22177
- Antropov, E.T., Sobolev, N.N. and Cheremisinov, V.P. Experimental determination of the matrix element of the electronic transition dipole moment for the β - and γ -band systems of nitric oxide. I, 4=22365
- Antropov, E.T. See Sobolev, N.N., 0=973
- Antropov, G.M., Belyaev, V.A. and Romanovskii, M.K. The behaviour of fast electrons in the electron model of a trap with magnetic stoppers [mirrors], 1=7061
- Antropov, G.P., Zisin, Iu.A., Kovrizhnikh, A.A. and Lbov, A.A. The $U^{238}(N, 2n)U^{237}$ cross-section at 15 MeV, 1=3454
- Antropov, G.P., Zysin, Yu.A., Kovrizhnykh, A.A. and Tsarev, V.P. A fast-neutron spectrometer, 2=20367
- Antsilevich, M.G. and Shevnnin, A.D. The question of geomagnetic observations by the first Soviet cosmic rocket, 1=6651
- Antsyferov, M.S. Electro-seismic effect, 2=23994
- Antsyferov, M.S., Antsyferova, N.G. and Kagan, Ya. Ya. A study of the propagation velocities and absorption of elastic waves in frozen sand, 4=26781
- Antsyferova, N.G. See Antsyferov, M.S., 4=26781
- Anttila, A. See Simons, L., 3=22307
- Anttila, A. See Simons, L., 4=12150
- Anttila, A. See Simons, L., 4=22030
- Antuf'ev, V.V., Vasil'ev, Ya.V., Votinov, M.P., Karitonova, O.K. and Kharitonov, E.V. Electron spin resonance in the titanium-system, 2=21375
- Antuf'ev, V.V., Votinov, M.P., Kuvshinskii, E.V. and Savin, A.G. Investigation of the ageing process in titanium containing ceramics by means of electron paramagnetic resonance, 1=12659

- Antuf'ev, Yu.N., Gonchar, V.Yu., Kopanets, E.G., L'vov, A.N. and Tsyt'ko, S.P. Two-crystal spectrometer and its use for investigating the (p, γ) reaction, 3=7746
- Antuf'ev, Yu.P., Val'ter, A.K., Gonchar, V.Yu., Kopanets, E.G., L'vov, A.N. and Tsyt'ko, S.P. Investigation of the levels of Cl^{35} , 2=16320
- Antuf'ev, Yu.P., Val'ter, A.K., Gonchar, V.Yu., Kopanets, E.G., L'vov, A.N. and Tsyt'ko, S.P. Radiative proton capture by S^{34} , 3=8087
- Antuf'ev, Yu.P., Val'ter, A.K., L'vov, A.N., Kopanets, E.G. and Tsyt'ko, S.P. Investigation of resonances at $E_p = 1375$ and 1500 keV in the $Si^{28}(p, \gamma)P^{30}$ reaction, 2=10104
- Antuf'ev, Yu.P., Val'ter, A.K., L'vov, A.N., Kopanets, E.G. and Tsyt'ko, S.P. Investigation of resonances at $E_p = 1375$ and 1500 keV in the $Si^{28}(p, \gamma)P^{30}$ reaction, 3=6246
- Antuf'ev, Yu.P. See Val'ter, A.K., 2=3576
- Antuf'ev, Yu.P. See Val'ter, A.K., 2=13997
- Antuf'ev, Yu.P. See Val'ter, A.K., 3=2456
- Antuf'ev, Yu.P. See Val'ter, A.K., 3=12586
- Antuf'ev, Yu.P. See Val'ter, A.K., 4=3565
- Antuf'iev, Yu.P., Bunduk, T., Fikri, A., Machali, F. and Sorokin, P.V. Investigation of the $Li^7(p, \alpha)He^4$ reaction induced by $0.5-2$ MeV polarized protons, 4=17128
- Antula, J. Statistical properties of silicon diodes in the barrier region with particular reference to "steep" p-n junctions. I. Breakdown voltage, 4=1632
- Antula, J. Statistical properties of silicon diodes in the barrier region with particular reference to "steep" p-n junctions. II. Barrier layer capacitance, 4=1633
- Antunes Gomes, J. P. See Horta dos Santos, J. J., 4=24237
- Anufriev, A.A. See Tolstoy, N.A., 1=20016
- Anufriev, B. F., Dokhnovskii, S. B., Zhurkin, B. G., Kopylovskii, B. D. and Penin, N. A. Transistorized current stabilizer for an electromagnet, 4=425
- Antun'ev, V.V., Vasil'ev, Ya.V., Votinov, M.P., Kharitonova, O.K. and Kharitonov, E.V. Electron spin resonance in the titanium oxygen system, 3=3178
- Antúnez, H.M. Determination of fission product background in the gamma coincidence technique for U^{235} activation measurements, 3=1397
- Antýchuk, L.I. See Pilat, I.M., 3=2740
- Anufriev, G.S., Zagulin, V.A. and Mamýrin, B.A. Cathode current stabilizer, 2=22149
- Anufriev, G. S. See Mamýrin, B. A., 4=430
- Anufrieva, E.V. The effect of vitrification on polarization of long-lived luminescence of organic substances, 1=14647
- Anufrieva, E.V., Vol'kenshtein, M.V. and Razgovorova, T.V. Study of vitrification by a luminescence method, 0=4680
- Anufrieva, E.V. and Zaitseva, A.D. Vitrification of polymers and phosphorescence, 2=15079
- Anwar, M. The time marker for Philips cyclotron, 2=22287
- Anwar, M. Masoud. See Masoud Anwar, M.,
- Anway, A.C. Empirical determination of total atmospheric refraction at centimeter wavelengths by radiometric means, 3=9949
- Anysas, J. A. and Companion, A. L. Crystal field splitting in potassium perchromate, 4=12566
- Anzai, S. See Kunitomi, N., 3=23469
- Anzai, S. See Kunitomi, N., 4=28771
- Anzai, T. Generation and detection of ultrasonic waves in solids by small barium titanate transducers, 1=206
- Anzai, T. See Sakurai, T., 0=14753
- Anzehofer, K. A program for plotting Fourier maps, 4=29075
- Anzenhofer, K. See Hoppe, W., 4=23367
- Anzick, W.J. See Seiler, R.F., 3=22414
- Anzon, Z.V. See Chasnikov, I. Ya., 4=3266
- Aoki, A. Angular correlation of the Mo^{95} gamma-gamma cascades, 1=13730
- Aoki, A. See Hayashi, T., 4=12146
- Aoki, A. See Kawamura, M., 1=16998
- Aoki, H. See Hayashi, S., 4=3756
- Aoki, H. See Yamaguchi, Y., 4=4497
- Aoki, H. See Yoshida, M., 3=6537
- Aoki, H. See Yoshida, M., 3=25666
- Aoki, I. Tetragonal distortion of the oxide spinels containing cobalt and manganese, 2=6760
- Aoki, I. and Fukunaga, Y. On tetragonalization of the spinel structure of Co Mn mixed oxides, 0=8216
- Aoki, M., Kawazu, A. and Yamada, T. Non linear photo-effects in silicon, 3=2979
- Aoki, M. See Kobayashi, S., 2=18684
- Aoki, M. See Kobayashi, S., 3=21969
- Aoki, M. See Rybka, V., 3=13002
- Aoki, S. Discussion of longitude differences of catalogues in view of determining Ephemeris time, 1=4202
- Aoki, S. Temperature and heat flow distribution in cylindrical fuel elements for reversed and parallel flow, 2=8046
- Aoki, S. Note on variability of the time standard due to the relativistic effect, 4=18004
- Aoki, S. See Ishida, K., 4=2379
- Aono, O. Fluctuations in a plasma. I. Ion-electron temperature relaxation, 2=1468
- Aono, O. Fluctuations in a plasma. II. The numerical factor in the Coulomb logarithm, 2=15935
- Aono, O. High-frequency conductivity of plasmas, 4=18971
- Aono, O. See Honda, N., 3=12103
- Aono, O. See Kihara, T., 2=191
- Aono, O. See Kihara, T., 3=12436
- Aono, O. See Kihara, T., 3=21758
- Aono, O. See Kihara, T., 4=494
- Aono, O. See Kihara, T., 4=27508
- Aono, S. Charge-transfer forces in molecular compounds, 0=13456
- Aono, S. On the geometrical structure of benzene-iodine complex, 0=15779
- Aono, S. Charge-transfer forces in molecular compounds. II. Benzene-iodine complex, 0=20685
- Aono, S. and Higuchi, J. Hyperconjugation and proton hyper-fine interaction angular dependence, 3=739
- Aono, S. and Oohashi, K. Electron spin resonance of the aromatic-alkali metal system, 3=25138
- Aono, S. See Higuchi, J., 0=4217
- Aono, Y., Hirao, K. and Miyazaki, S. Rocket observation of ion density, electron density and electron temperature in the ionosphere, 3=13702
- Aono, Y. and Kawakami, K. Cosmic rays observed by satellite 1958 alpha, 0=20298
- Aono, Y. See Ichimiya, T., 1=1535
- Aono, Y. See Ichimiya, T., 1=11648
- Aono, Y. See Miyazaki, S., 2=17154
- Aoyagi, K. The additional magnetic anisotropy induced by magnetic anneal in ferromagnetic face-centered cubic solid solutions. II. Crystal orientation dependence of the induced magnetic anisotropy in face-centered cubic nickel-cobalt and nickel-iron alloys, 1=17952
- Aoyagi, K. and Kuwabara, G. Optical properties of $KCl:Tl$ in the extreme ultraviolet region, 1=12494
- Aoyagi, K., Misu, A., Kuwabara, G. and Sugano, S. Optical studies of spin relaxation in the ground state of ruby in a strong magnetic field, 4=22886
- Aoyagi, K., Misu, A. and Sugano, S. Optical absorption lines of ruby in a strong magnetic field, 4=4271
- Aoyagi, K. and Sugihara, M. Magnetic anisotropy of Heusler single crystal, 1=20072
- Aoyagi, K. and Sugihara, M. Magnetic and structural studies on Mn-In system, 2=23685
- Aoyagi, K. See Kuwabara, G., 1=1181
- Aoyagi, K. See Kuwabara, G., 2=8427
- Aoyagi, K. See Yamamoto, M., 1=17951
- Aoyagi, K. See Yamamoto, M., 3=1041
- Apaev, B.A., Belous, M.V. and Permyakov, V.G. Calculation of the additive properties of alloys in quantitative phase analysis, 4=17749
- Apaev, B.A. and Sýsuev, Yu.A. The effect of plastic deformation on the phase composition of steel alloyed with Cr and Mn, 1=6456
- Apaev, B.A. and Yakovlev, B.M. Application of the magnetic phase analysis for separate determination of free and bound carbon, 1=15212
- Apalin, V.F., Dobrynin, Yu.P., Zakharova, V.P., Kutikov, I.E. and Mikaelyan, L.A. The mean number of neutrons emitted in ternary fission of U^{235} , 0=4137
- Apalin, V.F., Dobrynin, Yu.P., Zakharova, V.P., Kutikov, I.E. and Mikaelyan, L.A. The mean number of neutrons emitted in ternary fission of U^{235} , 2=1941
- Apalin, V.F., Dobrynin, Yu.P., Zakharova, V.P., Kutikov, I.E. and Mikaelyan, L.A. The number of neutrons emitted by the individual fragments from U^{235} fission, 3=12713
- Apalin, V.F., Gritsyuk, Yu.N., Kutikov, I.E., Lebedev, V.I. and Mikaelyan, L.A. On the number of neutrons emitted by U^{238} in the region of symmetrical fission, 2=20693
- Apalin, V.F., Gritsyuk, Yu.N., Kutikov, I.Y., Lebedev, V.I. and Mikaelyan, L.A. On the number of neutrons emitted by U^{238} in the symmetric fission region, 3=2509

- Apalin, V. F., Gritsyuk, Yu. N., Kutikov, I. E., Lebedev, V. I. and Mikaelyan, L. A. On the number of neutrons emitted by U^{238} in the region of symmetrical fission, 3=8151
- Apalin, V. F., Gritsyuk, Yu. N., Kutikov, I. E., Lebedev, V. I. and Mikaelyan, L. A. On the number of neutrons emitted by U^{234} and Pu^{240} in the symmetrical fission region, 3=10401
- Apalin, V. F., Gritsyuk, Yu. N., Kutikov, I. E., Lebedev, V. I. and Mikaelyan, L. A. Number of neutrons emitted in symmetric fissions of U^{234} and Pu^{240} , 3=17502
- Apalin, V. F., Gritsyuk, Yu. N., Kutikov, I. E., Lebedev, V. I. and Mikaelyan, L. A. Number of neutrons emitted by U^{235} fission fragments, 4=19853
- Apalin, V. F., Gritsyuk, Yu. N., Kutikov, I. E., Lebedev, V. I. and Mikaelyan, L. A. On the number of neutrons emitted by U^{235} fission fragments, 4=25442
- Apalin, V. F. See Spivak, P. E., 1=4791
- Apalin, V. F. See Spivak, P. E., 1=5900
- Apalin, V. F. See Spivak, P. E., 2=429
- Apalin, V. F. See Spivak, P. E., 2=22799
- Apalin, V. F., Kutikov, I. Ye., Lukashevich, I. I., Mikaelyan, L. A., Smirnov, G. V. and Spivak, P. Ye. Asymmetry in double mott electron scattering for energies from 45 to 245 keV, 2=11932
- Apanasevič, P. A. Absorption theory of intense radiation fluxes, 3=17555
- Apanasevich, P. A. Probability method of calculating absorption and emission properties, 2=14241
- Apanasevich, P. A. Absorption and transformation of powerful radiation fluxes. I. Density matrix equations and their application to an irradiation of the material with monochromatic radiation, 3=25085
- Apanasevich, P. A. and Kruglik, G. S. Angular distribution of resonance radiation from vapours, 2=15655
- Apanasevich, P. A. See Stepanov, B. I., 0=10050
- Apaydin, P. and King, R. Some observations on the frequency response of junction transistors, 4=7021
- Apel, G. See Burck, P., 4=20690
- Apelblat, A. and Pery, G. Total flow rates in an isotope separation system, 4=12414
- Apelt, C. J. See Thom, A., 1=9245
- Apers, D. See Crabs, L., 0=9921
- Apfel, H. Electrophoresis, a modern procedure for separation and analysis of heterogeneous substances. I. 3=16171
- Apfel, J. H. Acoustic thermometry, 2=11525
- Apfel, J. H. and Portis, A. M. Exciton-induced photoconductivity in Cu_2O , 1=17800
- Apgar, J., Lewin, G. and Mullaney, D. Selective pumping of light and heavy gases with a molecular pump, 2=19629
- Apin, A. Ya. See Voskoboinikov, I. M., 0=10814
- Apinit, S. See Sauka, Ya., 0=16329
- Apker, L. See Philipp, H., 0=17029
- Aplet, L. J. and Carson, J. W. A Faraday effect optical isolator, 4=21318
- Apling, A. See Vecht, A., 3=23396
- Aponte, J. D. and Korff, S. A. Effect of gaseous impurities on BF_3 proportional counters, 0=9231
- Apostol, A., Nicolae, M. and Pop, R. Preparation of a very finely grained nuclear emulsion, 3=24574
- Apostol, I. and Oncescu, M. Dependence of the intensity of neutron dose on the intensity of the γ -ray dose for industrial Po—Be sources, 2=22539
- Apostol, I. See Onescu, M., 2=9873
- Apostol, P. See Tutovan, V., 4=4359
- Apostolakis, A. J. See Allen, J. E., 0=20185
- Apostolakis, A. J. See Allen, J. E., 1=17136
- Apostolakis, A. J. See Allen, J. E., 1=19323
- Apostolescu, S. and Andreas, Gr. Use of the microtron as a pulsed source for neutron spectroscopy by the time-of-flight method, 3=22139
- Apostolescu, S. See Dragomiresku, D., 0=17625
- Apostolescu, S. See Teutsch, H., 1=3481
- Apostolescu, S. See Teutsch, H., 1=5954
- Apostolov, D. See Mitrani, L., 1=7301
- Apostolov, D. See Mitrani, L., 2=5767
- Apostolov, D. A. See Berlovich, E. E., 0=9586
- Appa Rao, M. V. K. Isotopic composition of the low-energy helium nuclei in the primary cosmic radiation, 1=10940
- Appa Rao, M. V. K. The $He^3/(He^3 + He^4)$ ratio in primary cosmic radiation, 2=16257
- Appa Rao, M. V. K. Isotopic analysis of primary cosmic radiation, 3=7947
- Appa Rao, M. V. K. Estimate of neutron albedo on the moon's surface resulting from cosmic radiation, 4=10879
- Appa Rao, M. V. K. On the modulation of cosmic-ray nuclei with $Z > 2$ during their propagation, 4=23828
- Appa Rao, M. V. K. and Kaplon, M. F. The influence of isotopic composition on the maximum in the cosmic ray energy spectra, 1=13549
- Appa Rao, M. V. K. and Kaplon, M. F. He^3 -nuclei in the primary cosmic radiation, 2=20453
- Appa Rao, M. V. K. and Kaplon, M. F. The influence of ionization loss on the shape of the differential primary cosmic ray energy-spectrum, 3=7948
- Appa Rao, M. V. K. and Lavakare, P. J. The abundance of tritons and deuterons in primary cosmic radiation, 3=2335
- Appa Rao, M. V. K. and Lavakare, P. J. Study of nuclear interactions produced by 275 MeV deuterons in nuclear emulsions, 3=24808
- Appa Rao, M. V. K. See Aly, H. H., 3=15067
- Apparao, K. V. S. R. See Ramakoteswara Rao, P., 4=30428
- Appel, H., Blatter, R. and Schopper, H. The circular polarization of gamma-rays following the beta-decay of Nb^{95} , 2=10076
- Appel, H. and Mayer, W. g-factor measurement on the first excited state of Fe^{56} using internal magnetic fields, 3=17407
- Appel, H. See Bowen, P. H., 3=8105
- Appel, H. See Bowen, P. H., 3=10349
- Appel, J. Phonon relaxation time and the variation of thermo-electric power of semiconductors by a magnetic field, 0=1692
- Appel, J. Thermal conductivity of semiconductors, 1=6077
- Appel, J. Electron-electron scattering and transport phenomena in nonpolar semiconductors, 1=8936
- Appel, J. Remark on the Seebeck coefficient of polar semiconductors, 1=14523
- Appel, J. Interband electron-electron scattering and transport phenomena in semiconductors, 2=8316
- Appel, J. Effect of spin-orbit coupling and other relativistic corrections on donor states in Ge and Si, 4=9898
- Appel, J. Effect of electron-electron scattering on the electrical and thermal conductivity of metals, 3=20265
- Appel, J. and Bray, R. Effect of hole-hole scattering on the mobility of p-type germanium, 2=18681
- Appel, J., Bray, R. and Wikner, E. G. Electron-electron scattering in semi-conductors: theory and experiment, 3=10732
- Appel, J. and Kurnick, S. W. Polaron band model and its application to Ce—S semiconductors, 1=17479
- Appel, J. and Teutsch, W. B. Electric dipole scattering in nonpolar semiconductors, 3=2872
- Appel, K. and Werner, E. Effective range theory and velocity dependent potentials, 3=623
- Appel, K. See Calais, J. L., 4=25870
- Appel, K. See Ladik, J., 4=20140
- Appel, K. See Ritter, Z. W., 1=12243
- Appeldoorn, J. K. See Gerrard, J. E., 2=19523
- Appelman, E. H. Half-lives of At^{211} and Bi^{207} , 1=634
- Appelt, G. and Hachenberg, O. Secondary electron emission of antimony-caesium and bismuth-caesium layers of various compositions, 0=12629
- Appelt, G. Secondary electron emission of Cs—Ge layers of various compositions, 2=7651
- Appen, A. A. and Gan' Fu-si. Electric properties of the aluminosilicate borosilicate and aluminoborosilicate glasses, 0=6152
- Apple, E. F. Effect of CdS addition in ZnS:Cu, In and ZnS:Ag, in phosphors, 0=11784
- Apple, E. F. Observations on the formation of color centers in calcium halophosphates, 3=22834
- Apple, E. F. and Prener, J. S. On the infrared emission in ZnS:Cu — Effect of sulfur pressure and aluminum, 0=11781
- Apple, E. F. See Halsted, R. E., 2=23593
- Apple, E. F. See Ishler, W. E., 3=3038
- Applebaum, P. S. See Lamb, W. R., 1=9432
- Applequist, J. On the helix-coil equilibrium in polypeptides, 3=10559
- Applequist, J. and Damle, V. Theory of the effects of concentration and chain length on helix-coil equilibria in two-stranded nucleic acids, 4=3943
- Appleton, A. S. and Waddington, J. S. The importance of shock wave profile in explosive loading experiments, 4=28939
- Appleton, E. Global morphology of the E- and F1-layers of the ionosphere, 0=21360
- Appleton, E. Radio and the ionosphere, 2=24030
- Appleton, E. Ionospheric consequences of the earth's orbital eccentricity, 3=13752
- Appleton, E. A seasonal anomaly in the ionospheric E-layer, 4=4814

- Appleton, E. and Lyon, A. J. Studies of the E layer of the ionosphere. I. Some relevant theoretical relationships, 0-766
- Appleton, E. and Lyon, A. J. Studies of the E-layer of the ionosphere. II. Electromagnetic perturbations and other anomalies, 1-20973
- Appleton, J. P. Structure of a Prandtl-Meyer expansion in an ideal dissociating gas, 3-21439
- Apstein, C. S. See Wachtman, J. B., Jr., 1-10204
- Aptekar', I. L. Constitution diagrams in systems with a body-centred cubic lattice and two types of long-range order (AB and A₃B), 3-3325
- Aptekar', I. L. Interrelationship between short and long-range order and the properties of alloys, 4-1980
- Aptekar', I. L. and Kamenetskaya, D. S. Thermodynamics of phase transitions in binary alloys, 2-12924
- Aptekar', I. L. and Kamenetskaya, D. S. Effect of pressure on the nucleation of centres of a new phase, 3-25663
- Aptekar', I. L. and Kamenetskaya, D. S. On the theory of phase changes in binary systems, 4-1977
- Aptekar', I. L. and Zusman, Sh. I. Magnetic and electrical properties and the equilibrium diagram of Fe-Al alloys with the approximate composition Fe₃Al, 3-3326
- Aptekar', L. L. and Gorbunov, V. I. A relationship between the degree of ordering in the α -phase and the α - γ transformation in Fe-Co-V alloys, 1-6532
- Aptekar', R. L. See Rusinov, L. L., 1-13733
- Apter, J., Roussel, J., Tissier, J. M. and Wahl, R. A 1000 channel time-of-flight analyser, 0-19996
- Apushkinskii, G. P. and Pariiskii, Yu. N. Observations of the Crab Nebula with the large [high resolution] radio telescope of the Pulkovo Observatory, 0-18668
- Aqua, E. N. See Ocken, H., 4-1502
- Aquilar, J. See Catalá, J., 2-1925
- Arabadzhi, V. I. and Rudik, K. I. The spectra of some noises of natural origin, 3-21503
- Arad (Huebschmann), B., Ben-David (Davis), G., Pelah, I. and Schlesinger, Y. Studies of highly excited nuclear bound levels using neutron capture gamma rays, 4-9386
- Arad (Huebschmann), B. See Ben-David (Davis), G., 4-21821
- Arafa, A. A., Shafie, I. S. and Sultan, F. S. A. Measurement of the thermoelectric power of lead sulphide, 1-6184
- Arafa, A. A., Sultan, F. S. A. and Shafie, I. S. On a thermistor-Pirani gauge of high sensitivity, 0-19231
- Aragaki, T. See Kawata, S., 2-5508
- Aragon de la Cruz, F. and Cowley, J. M. Structure of graphitic oxide, 3-5107
- Aragon de la Cruz, F. and Cowley, J. M. An electron diffraction study of graphitic oxide, 3-18331
- Arai, B. Lichtenberg figures observed on color negative films in low atmospheric pressure, 2-19930
- Arai, B. Lichtenberg figures observed on color negative films in low atmospheric pressure, 3-5597
- Arai, E. Time analysis by the Rossi- α method, 4-12325
- Arai, S. Energy losses of electrons passing through rare gases. II, 0-10970
- Arai, S. Energy losses of electrons passing through gases hydrogen, oxygen, nitrogen, air, carbon dioxide, methane and acetylene, 0-19764
- Arai, S. On the widths of energy loss lines in the discrete energy loss spectrum of electrons passing through aluminium foil, 1-14793
- Arai, S. Measurement of half-width of energy loss line in the energy loss spectra of 20 keV electrons passing through foils of aluminium and magnesium, 1-19759
- Arai, S. and Shida, S. Mercury photosensitized reaction of ethylene at high temperature, 3-8970
- Arai, S., Shida, S., Yamaguchi, K. and Kuri, Z. E.S.R. spectrum of electron irradiated cycloheptatriene. Cycloheptatrienyl radical, 3-4778
- Arai, S. I. Energy losses of electrons passing through rare gases. I, 0-10969
- Arai, T. Theorem on separability of electron pairs, 0-15770
- Arai, T. General analysis of various methods of atoms in molecules, 0-17834
- Arai, T. The study of the optical properties of conducting tin oxide films and their interpretation in terms of a tentative band scheme, 1-8959
- Arai, T. Optical absorption of heat treated silicon, 2-8539
- Arai, T. Exchange interaction and Heisenberg's spin Hamiltonian, 2-10645
- Arai, T. Automatic computation of electronic energies of diatomic molecules, 3-19970
- Arai, T. Temperature variation of optical absorption band produced by oxygen in silicon crystals, 3-23077
- Arai, T. Cluster expansion in the Heitler-London approach to many-electron problems, 4-17629
- Arai, T. Plasma oscillations in heavily doped n-type silicon, 4-22550
- Arai, T. and Lykos, P. Correlation energy and the one-center Coulomb repulsion integral [of a conjugated hydrocarbon], 3-22576
- Arai, T. See Ichijo, B., 1-4534
- Arai, T. See Ishiguro, K., 0-1623
- Arai, T. See Munesue, A., 4-17566
- Arai, T. See Munesue, S., 4-26192
- Arai, T. See Reich, A. D., 2-149
- Arai, T. and Madigan, J. R. Response of a thermocouple circuit to nonsteady currents, 1-8301
- Arai, Y. See Nagata, T., 4-2329
- Arai, S. and Dorfman, L. M. Pulse radiolysis studies. VI. The lifetimes of aromatic anions in the aliphatic alcohols, 4-30908
- Arajs, S. Electrical resistivities of [nickel-rich] nickel-niobium solid solutions, 1-3711
- Arajs, S. Paramagnetic susceptibility of polycrystalline thulium from 300 to 1500°K, 0-8030
- Arajs, S. Paramagnetic behavior of polycrystalline samarium from 300°K to 1400°K, 0-18169
- Arajs, S., Chessin, H. and Colvin, R. V. Lattice parameters and paramagnetic susceptibility of nickel-rich nickel-niobium solid solutions, 4-7221
- Arajs, S., Chessin, H., Colvin, R. V. and Dunmyre, G. R. Paramagnetism and lattice spacings of some cerium-rich cerium-europium alloys, 3-15757
- Arajs, S., Chessin, H. and Miller, D. S. First magnetocrystalline anisotropy constants of some iron-silicon alloys, 1-7747
- Arajs, S. and Colvin, R. V. Paramagnetism of polycrystalline gadolinium, terbium, and dysprosium metals, 1-6259
- Arajs, S. and Colvin, R. V. Magnetic susceptibility of gadolinium and dysprosium sesquioxides at elevated temperatures, 2-16894
- Arajs, S. and Colvin, R. V. Paramagnetism of polycrystalline nickel, 4-1804
- Arajs, S. and Colvin, R. V. Thermal conductivity and Lorenz function of gadolinium between 5° and 310°K, 4-12661
- Arajs, S. and Colvin, R. V. Paramagnetic susceptibility of Eu₂O₃ from 300° to 1300°K, 4-15624
- Arajs, S. and Colvin, R. V. Ferromagnetic-paramagnetic transition in iron, 4-26304
- Arajs, S. and Colvin, R. V. Electrical resistivity of high purity iron from 300 to 1300°K, 4-30611
- Arajs, S., Colvin, R. V., Chessin, H. and Peck, J. M. Paramagnetic behavior of iron-rich iron-vanadium alloys, 2-12739
- Arajs, S., Colvin, R. V. and Peck, J. M. Paramagnetic susceptibility of polycrystalline praseodymium metal, 1-10129
- Arajs, S. and Miller, D. S. Spontaneous magnetizations of some gadolinium alloys, 0-3011
- Arajs, S. and Miller, D. S. Paramagnetic susceptibilities of Fe and Fe-Si alloys, 0-11809
- Arajs, S. and Miller, D. S. Magnetic behaviour of polycrystalline neodymium, holmium, and erbium from 300 to 1500°K, 0-11810
- Arajs, S. See Chessin, H., 3-11030
- Arajs, S. See Colvin, R. V., 3-10722
- Arajs, S. See Chessin, H., 4-10490
- Arajs, S. See Chessin, H., 4-26273
- Arajs, S. See Colvin, R. V., 2-7734
- Arajs, S. See Colvin, R. V., 4-9872
- Arajs, S. See Colvin, R. V., 4-10027
- Arakawa, E. T., Davis, N. O. and Birkhoff, R. D. Temperature and thickness dependence of transition radiation from thin silver foils, 4-22551
- Arakawa, E. T., Davis, N. O., Emerson, L. C. and Birkhoff, R. D. The angular and spectral distribution of transition radiation from thin silver foils, 4-22552
- Arakawa, E. T., Emerson, L. C., Hammer, D. C. and Birkhoff, R. D. Transition radiation and optical bremsstrahlung from electron-bombarded thin gold foils, 3-20536
- Arakawa, E. T., Herickhoff, R. J. and Birkhoff, R. D. Detection of plasma radiation from electron-bombarded Al and Mg foils, 4-17407
- Arakawa, E. T. See Carter, J. G., 4-8422
- Arakawa, E. T. See Frank, A. L., 2-14752
- Arakawa, E. T. See Hammer, D. C., 4-8444
- Arakawa, E. T. See Strickler, T. D., 4-28117
- Arakawa, H. Cosmic-ray intensities and liquid-water content in the atmosphere, 0-7440
- Arakawa, T. Axial field splitting parameter for Mn⁺⁺ in MnSiF₆·6H₂O, MnTiF₆·6H₂O and MnSnCl₆·6H₂O, 2-21366

- Arakawa, T. On axial field splitting parameter for Mn^{++} in fluosilicate type crystal, 2=21368
- Arakawa, T. Paramagnetic resonance of Mn^{++} in $MgTiF_6 \cdot 6H_2O$, 2=21369
- Arakelyan, M.A. Application of the probability method to the determination of absorption-line profiles, 2=957
- Araki, G., Mano, K. and Ohta, M. Isotope shift of He 2P, 0=1470
- Araki, G., Mano, K. and Ohta, M. $2^3,^1P$ state of helium atom, 0=20547
- Araki, G., Ohta, M. and Mano, K. Triplet intervals of helium, 0=2711
- Araki, H. On asymptotic behavior of vacuum expectation values at large space-like separation, 1=2008
- Araki, H. Hamiltonian formalism and the canonical commutation relations in quantum field theory, 1=4753
- Araki, H. Generalized retarded functions and analytical function in momentum space in quantum field theory, 1=4755
- Araki, H. On the connection of spin and commutation relations between different fields, 1=7184
- Araki, H. Wightman functions, retarded functions and their analytic continuations, 2=1059
- Araki, H. A generalization of Borchers' theorem, 3=11690
- Araki, H. A lattice of Von Neumann algebras associated with the quantum theory of a free Bose field, 4=3275
- Araki, H. Von Neumann algebras of local observables for free scalar field, 4=9042
- Araki, H. and Burgoyne, N. Properties of the momentum space analytic function, 1=446
- Araki, H., Hepp, K. and Ruelle, D. On the asymptotic behaviour of Wightman functions in space-like directions, 2=16108
- Araki, H., Haag, R. and Schroer, B. The determination of a local or almost local field from a given current, 1=5632
- Araki, H. and Woods, E.J. Representations of the canonical commutation relations describing a nonrelativistic infinite free Bose gas, 3=14056
- Araki, H. and Wyss, W. Representations of canonical anti-commutation relations, 4=21054
- Araki, H. and Yanase, M.M. Measurement of quantum mechanical operators, 0=18951
- Araki, H. See Nishi, M., 1=14044
- Araki, H. See Sugata, E., 4=15820
- Araki, T. Propagation of weak hydromagnetic shock waves in the exosphere and geomagnetic variations due to high altitude nuclear explosion, 4=23776
- Araki, T. See Finney, J.J., 3=8866
- Araki, Y. See Yamaguchi, Y., 0=18472
- Araki, Y. See Ohta, K., 2=18919
- Aramaki, S. On the cut-off theory in quantum field theory, 0=12812
- Aramaki, S. Dispersion relations and high energy limits in quantum field theory, 0=20075
- Aramaki, S. Dispersion relations and high energy limits in quantum field theory. II, 1=12066
- Aramaki, S. High energy limit of vertex function in quantum field theory, 1=13274
- Aramaki, S. Dispersion relations and high energy limits in quantum field theory. III, 1=16719
- Aramaki, S. Zeros of scattering amplitude and consistency of dispersion relation, 3=564
- Aramaki, S. On the forward peak of scattering in the high-energy limit, 4=5965
- Aramaki, S. and Osawa, T. On the existence of poles in the unphysical sheet, 3=10015
- Aramu, F. and Manca, P. The semiconducting properties of iron telluride, 4=28565
- Aranow, R.H. The statistical mechanics of micelles, 4=7790
- Aranow, R.H. and Witten, L. A theory of Schaefer's expansion patterns, 2=1128
- Aranow, R.H. and Witten, L. Effect of diffusion on interfacial Taylor instability, 3=11789
- Arapova, E.Ya. Investigation of activatorless ZnS sublimate phosphors, 2=21270
- Arapova, E.Ya. Luminescence of self-activated, sublimated, zinc sulphide phosphor, 3=8623
- Arase, E.M. On the discrimination factor for a continuous distribution of noise sources, 4=18359
- Arase, E.M. Mutual radiation impedance of square and rectangular pistons in a rigid infinite baffle, 4=27256
- Arase, E.M. and Hatcher, R.D. Frequency distribution and the specific heat of NaCl at low temperatures, 1=2378
- Arase, E.M., Hatcher, R.D. and Neuberger, J. Frequency distribution and the specific heat of NaCl, 3=25188
- Arase, E.M. See Arase, T., 3=14254
- Arase, T. and Arase, E.M. Directivity index of a three-dimensional array of directional sources, 3=14254
- Arase, T. See Brockhouse, B.N., 3=2708
- Arata, H. See Kobayashi, A., 1=1048
- Arata, H. See Kobayashi, A., 2=3894
- Arata, H. See Oda, Z., 2=23333
- Arata, H. See Sato, Y., 4=28471
- Arata, Y., Shimizu, H. and Fujiwara, S. Analysis of the N.M.R. spectra of acrylic acid and ethyl acrylate, 1=20254
- Arata, Y., Shimizu, H. and Fujiwara, S. Magnetic resonance of strongly coupled nuclear spin systems. I. Refined analysis of complicated n.m.r. spectra, 2=14326
- Arata, Y. See Ariyasu, T., 2=3051
- Arata, Y. See Nishiguchi, K., 2=9572
- Arata, Y. See Nishiguchi, K., 2=22213
- Arata, Y. See Okada, M., 4=14774
- Araújo, J.M. Collective vibrations of closed-shell nuclei, 0=4019
- Aravamudan, G., Murthy, G.S. and Ramaseshan, S. An apparatus for low and high temperature optical goniometry of hygroscopic crystals, 4=30841
- Arbel, A.F. The current routing amplifier: a novel circuit element, 2=9498
- Arbel, E. and Felsen, L.B. Theory of radiation from sources in anisotropic media. I. General sources in stratified media, 4=721
- Arbel, E. and Felsen, L.B. Theory of radiation from sources in anisotropic media. II. Point source in infinite, homogeneous medium, 4=722
- Arbell, H. and Halperin, A. Thermoluminescence of ZnS single crystals, 0=4464
- Arbell, H. See Halperin, A., 1=6230
- Arbman, E., Bjørnholm, S. and Nielsen, O.B. Levels in Th^{228} excited in the electron capture decay of Pa^{228} , 1=4832
- Arbman, E. and Håller, I.B. On the decay of barium 129, 1=5870
- Arbman, E. and Jung, B. Improved automatic operation of a double focusing iron-yoke β -spectrometer, 2=2991
- Arbogast, C.L. See Smith, J.F., 0=1840
- Arbrun, J.N. See Biquard, J.N., 3=10592
- Arbuckle, J. and Parthé, E. The crystal structures of Sc_5Si_3 , Sc_5Ge_3 , La_5Ge_3 , and Ce_5Ge_3 , 3=8842
- Arbusov, B.A., Logunov, A.A., Tavkhelidze, A.N. and Faustov, R.N. The asymptotic behaviour of the scattering amplitudes and the renormalisation group method, 2=22450
- Arbusov, B.A. The asymptotic behaviour of the photon propagator in quantum electrodynamics, 0=3915
- Arbusov, B.A. Possibility of a geometrical interpretation of weak lepton interactions, 4=19405
- Arbusov, B.A., Barbashov, B.M., Logunov, A.A., Nguyen Van Hieu, Tavkhelidze, A.N., Faustov, R.N. and Filipov, A.T. Regge poles and perturbation theory-II, 3=14891
- Arbusov, B.A., Filippov, A.T. and Khrustalev, O.A. On the correlation between the exact solution and the perturbation theory series in the case of Schrödinger equation with singular potential, 4=14048
- Arbusov, B.A., Kladnitskaya, E.N., Penev, V.N. and Faustov, R.N. Elastic scattering of Λ -hyperons and K_1^0 -mesons on hydrogen, 2=13888
- Arbusov, B.A., Kladnitskaya, E.N., Penev, V.N. and Faustov, R.N. Elastic scattering of Λ -hyperons and K_1^0 -mesons on hydrogen, 3=6086
- Arbusov, B.A., Logunov, A.A., Filippov, A.T. and Khrustalev, O.A. The Fredholm method in the relativistic scattering problem, 4=19434
- Arbusov, B.A., Logunov, A.A., Tavkhelidze, A.N. and Faustov, R.N. Regge poles and the Bethe-Salpeter equation, 3=22087
- Arbusov, B.A., Logunov, A.A., Tavkhelidze, A.N., Faustov, R.N. and Filipov, A.T. Regge poles and perturbation theory, 3=4347
- Arbusov, B.A., Logunov, A.A., Tavkhelidze, A.N., Faustov, R.N. and Filippov, A.T. The quasi-optical model and the asymptotic behaviour of the scattering amplitude, 4=11909
- Arbusov, B.A., Nguyen Van Kheu and Faustov, R.N. Ke_4 decays and the isoscalar pion-pion resonance at low energy, 3=22193
- Arbusov, B.A., Tavkhelidze, A.N. and Faustov, R.N. On the fermion mass problem in the γ^5 invariant model of quantum field theory, 1=19083
- Arbusov, M.P. and Gitgarts, M.I. A study of thermal expansion in the solid solution and precipitation phase of the alloy EI-437A, 3=2735
- Arbusov, M.P. and Gitgarts, M.I. Problem of the quantitative precipitation of phases by anodic dissociation, 3=8913

- Arbuzov, M.P. and Pavlyukov, A.A. An X-ray study of the structure of the Anko-4 alloy at 750-900°C, 4=17806
- Arbuzov, M.P. and Varfolomeev, N.M. The effect of deformation on the location of the Curie point of cementite, 4=13167
- Arbuzov, M.P. and Zelenkov, I.A. Structure of Ni_3Al alloys with additions of a third element, 4=23459
- Arbuzov, M.P. and Zelenkov, I.A. A study of the thermal expansion of Ni_3Al containing additions of a third element, 4=25864
- Arbuzova, I.A. and Khandros, L.G. Anomalous elongation and decrease in resistance to plastic deformation in a copper-aluminum-nickel alloy undergoing martensitic transformation, 4=20702
- Arbuzova, I.A., Kurdyumov, G.V. and Khandros, L.G. Growth of elastic crystals of the martensitic γ' phase under the influence of external stresses, 2=23824
- Arcan, L. See Bircă-Gălăţeanu, D., 1=6017
- Arcangeli, R. See Blanc, D., 4=30228
- Arcas, P., Haeusler, C., Joffrin, C., Meyer, C., Nguyen van Thanh and Barchewitz, P. High-resolution infrared spectroscopy; application to the study of some simple molecules, 3=24023
- Arcas, P., Haeusler, C., Meyer, C., Nguyen van Thanh, and Barchewitz, P. Vibration-rotation spectrum of gaseous allene. Study of parallel band ($\nu_1 + \nu_2$) A 5947 cm^{-1} , 4=30450
- Arceuduc, J.P. Cios. See Lenoble, J., 4=4772
- Arcese, A. A note on Poisson branching processes with reference to photon-electron converters, 4=19085
- Archambault, Y., Descoubes, J.P., Priou, M., Omont, A. and Pébay-Peyroula, J.C. Study by electron bombardment of the lifetime and hyperfine structure of the D levels sodium and caesium, 1=17260
- Archard, G.D. Trajectory plotting in electron guns, 0=5354
- Archard, G.D. Fifth order spherical aberration of magnetic lenses, 0=19746
- Archard, G.D. Back scattering of electrons, 1=12078
- Archard, G.D., Gair, F.C. and Hirst, W. The elastohydrodynamic lubrication of rollers, 1=15785
- Archard, G.D. and Mulvey, T. The present state of quantitative X-ray microanalysis. II. Computational methods, 3=25856
- Archard, J.F. Single contacts and multiple encounters, 1=11522
- Archard, J.F. and Kirk, M.T. Lubrication at point contacts, 1=14930
- Archbold, E. Frequency dividing circuit and phase comparator, 2=7539
- Archbold, E. and Gebbie, H.A. The use of a Michelson interferometer to determine luminescence spectra of optical maser
- Archenhold, W.F., Brown, A.C. and Thompson, J.E. Stabilized torque magnetometer, 0=3828
- Archenhold, W.F., Sandham, H.F. and Thompson, J.E. Rotational hysteresis loss in grain-oriented silicon-iron, 0=8044
- Archer, D.H. See Detig, R.H., 3=9477
- Archer, G. See Hildebrand, J.H., 2=7193
- Archer, R.D. and Mitchell, W.N. Oxygen contamination and "pure" manganese sulfide, 3=25554
- Archer, R.J. Determination of the properties of films on silicon by the method of ellipsometry, 2=19110
- Archer, R.J., Koyama, R.Y., Loebner, E.E. and Lucas, R.C. Optical absorption, electroluminescence, and the band gap of BP, 4=22848
- Archer, R.J., Leite, R.C.C., Yariv, A., Porto, S.P.S. and Whelan, J.M. Electron-hole and electron-impurity band tunneling in GaAs luminescent junctions, 3=20543
- Archer, R.R. Small vibrations of thin incomplete circular rings, 1=5319
- Archer, S., Baldwin, J.E., Edge, D.O., Elsmore, B., Scheuer, P.A.G. and Shakeshaft, J.R. Studies of radio sources at 159 Mc/s 1=18135
- Archer, S. See Edge, D.O., 0=829
- Archibald, P.C., Conger, R.L., Sharp, R.W. and Tomlinson, J.L. High speed magnetooptical measurements on films, 0=12666
- Archundia, C. See Moreno y Moreno, A., 4=25215
- Arcimovič, L.A. [L.A. Artsimovich]. State of research on controlled thermonuclear reactions, 4=6404
- Arcipiani, B., Ricabarra, D. and Ricabarra, G.H. A note on the measurement of the U^{238} cadmium ratio, 3=8166
- Ard, W.B., Becker, M.C., Dandl, R.A., Eason, H.O., England, A.C. and Kerr, R.J. Neutron production from a steady-state, hot-electron, deuterium plasma, 3=19913
- Ard, W.B., England, A.C., Dandl, R.A. and Kerr, R.J. Determination of electron density and energy distribution in a very hot electron plasma, 4=18929
- Ard, W.B. See Becker, M.C., 3=12209
- Ard, W.B., Jr. See Hasty, T.E., 0=2825
- Ardashev, I.V. See Samoilovich, D.M., 3=4303
- Ardell, A.J. On the calculation of melting temperatures for low-temperature phases of polymorphic metals, 3=21613
- Ardell, A.J. See Barrett, C.R., 4=15693
- Ardenne, M.v. See v.Ardenne, M.
- Ardenne, M.von. See von Ardenne, M.
- Ardente, V. Remarks on the slow neutron scattering by organic molecules, 4=28237
- Arditi, I. See Pannetier, G., 4=12443
- Arditi, M. The effect of buffer gases on the shift of line widths and frequencies in hyperfine transitions of the ground state of alkali atoms, 0=17701
- Arditi, M. Application of the principles of double resonance to the realization of atomic clocks, 1=15776
- Arditi, M. and Carver, T.R. Pressure, light, and temperature shifts in optical detection of 0-0 hyperfine resonance of alkali metals, 2=524
- Arditi, M. See Ruhla, C., 4=22135
- Arduini, C. Molecular diffusion in the upper atmosphere, 4=4779
- Arduino, H.A., Guerri, J.C. and Levialdi, A. Relation between the decrease of quantum yield and the law of emission of zinc silicate activated by manganese, 0=4453
- Arduino, H.A., Guerri, J.C., Levialdi, A. and Majlis, N. Fluorescence, phosphorescence and "reduction" of a sample of willemite activated with manganese, 1=14639
- Arecchi, F.T. Fast coincidences with slow scintillators, 0=2460
- Arecchi, F.T., Cavallert, G., Gatti, E. and Redaelli, G. On the operation of the discharge chamber, 1=12038
- Arecchi, F.T., Cavallert, G., Gatti, E. and Svelto, V. Signal to noise ratio and resolving time in pulse amplifier for nuclear detectors, 1=7010
- Arecchi, F.T., Cavalleri, G., Principi, P. and Redaelli, G. Experiments with different gas mixtures in the light chamber, 3=17152
- Arecchi, F.T., De Matteis, A. and Gatti, E. Statistical limits in timing with slow scintillators, 1=7171
- Arecchi, F.T. and Sona, A. Enhancement of the He-Ne laser output during the afterglow, 3=14801
- Arecchi, F.T. and Sona, A. Long distance interferometry with a He-Ne laser, 4=21309
- Aref'ev, A.V. See Voronkov, R.M., 3=5727
- Aref'ev, G.G. Determination of the corrections in beta measurements, 2=1827
- Aref'ev, I.M. and Malyshev, V.I. Investigation of the hydrogen bond of hydrogen halides, 3=2629
- Arefev, I.M. See Myasnikova, T.P., 4=28668
- Aref'ev, A.V. See Voronkov, R.M., 4=622
- Arefyev, A.V., Bayukov, Yu. D., Zaitsev, Yu. M., Kosodaev, M.S., Leksin, G.A., Osipenko, V. T., Suchkov, D.A., Telenkov, V.V. and Fedorov, V.B. Determination of the cross-section of pion-pion interaction from the reaction $\pi^- + p \rightarrow \pi^- + \pi^+ + n$ at small momentum transfer to the nucleon, 4=6109
- Arell, A. Direct determination of the transition energies of NH_4Cl at 183.1°C and NH_4Br at 137.2°C, 0=16334
- Arell, A. Transition energy of KNO_3 at the transition $I \rightleftharpoons II$, 2=12878
- Arell, A. Transition energy and temperature of AgNO_3 at the transition $I \rightleftharpoons II$, 2=16975
- Arell, A. and Alare, O. Direct determination of the transition energy of NH_4I at the transition $I \rightleftharpoons II$, 4=26545
- Arell, A. and Varteva, M. Transition energies and temperatures of RbNO_3 at the transitions $II \rightleftharpoons III$ and $III \rightleftharpoons IV$, 2=8762
- Arell, A. and Varteva, M. Transition energy and temperature of TlNO_3 at the transition $I \rightleftharpoons II$, 3=11197
- Arell, A. See Hovi, V., 0=18372
- Arellano, M.E. Ramirez de. See Ramirez de Arellano, M.E.
- Arenberg, D.L. The gated modulator—a new way to measure sound velocities in small samples, 3=18938
- Arend, H. On the photosensitivity of minute single crystals of BaTiO_3 , 0=4726
- Arend, H., Čierný, V. and Coufova, P. The influence of oxygen non-stoichiometry on the hysteresis loops of BaTiO_3 , 2=671
- Arend, H. and Coufova, P. On the compensation of heterovalent ferric ions in the lattice of barium titanate single crystals, 3=11196
- Arend, H. See Coufova, P., 1=14327
- Arend, H. See Coufova, P., 1=17873
- Arend, H. See Coufova, P., 2=8830
- Arend, H. See Coufova, P., 2=16787
- Arend, H. See Coufova, P., 4=30807
- Arend, H.T. On the preparation of BaTiO_3 single crystals by an evaporation method, 1=14988

- Arend, H.T. and Coufová, P. On colour changes in BaTiO₃ single crystals in hydrogen atmospheres at high temperatures, 0=4297
- Arend, I. See Chomse, H., 2=8562
- Arends, C.B. Elastic modulus measurements at high audio frequencies using a vibrating reed, 2=2311
- Arends, C.B. General solution to the problem of the effect of neighboring groups in polymer reaction, 3=8950
- Arends, C.B. Kinetic retardation in the quarternization of poly (4-vinylpyridine), 4=7741
- Arends, J. and Dekker, A.J. Paramagnetic resonance of F-centers in mixed KCl-RbCl crystals, 4=20315
- Arends, J., Dekker, A.J. and Perdok, W.G. Color centers in quartz produced by crushing, 4=6883
- Arendt, P.R. Measurement of ionospheric electron content regardless of approximations, 3=11434
- Arendt, P.R. The non-relativistic Doppler shift in the ionosphere, 3=13722
- Arendt, P.R. Measurement of ionospheric electron content with a single satellite frequency, 3=13736
- Arendt, P.R. and Soicher, H. Radio horizon distribution variation on 108 megacycles per second measured with satellite signals, 3=12322
- Arendt, P.R. See Hutchinson, H.P., 0=14314
- Arens, H. Villard effect. VI, 3=3900
- Arenstein, M. Instability in crystals and thermal expansion coefficients, 4=9865
- Arenstein, M., Hatcher, R.D. and Neuberger, J. Equation of state of certain ideal lattices, 3=25204
- Arenstein, M., Hatcher, R.D. and Neuberger, J. Equation of state of alkali halides (NaCl), 3=25205
- Arenstorf, R.F. New regularization of the restricted problem of three bodies, 4=2610
- Arents, J. See Gilson, B.R., 3=12837
- Aretov, G.N., Komel'kov, V.S., Pergament, M.I., Tserevitinov, S.S. and Vasiliev, V.I. The structure of plasmoids of coaxial injector, 4=19069
- Aretov, G.N., Vasil'ev, V.I., Komel'kov, V.S., Pergament, M.I. and Tserevitinov, S.S. The structure of plasma blobs from a coaxial injector, 4=27506
- Argan, P.E., Bendiscioli, G., Piazzoli, A., Bisi, V., Ferrero, M.I. and Piragino, G. Photoproduction of π^+ mesons in He⁴, 3=4425
- Argan, P.E., Gigli, A., Picasso, E., Bisi, V., Piragino, G., Bendiscioli, G. and Piazzoli, A. Diffusion cloud chambers for use with electron synchrotrons of 1100 MeV at Frascati and of 100 MeV at Turin, 1=13242
- Argan, P.E. and Piazzoli, A. Some possible consequences of the existence of the states H⁺ and H⁰, 3=19714
- Argano, E. See della Porta, P., 2=846
- Argemi, L.H. An auroral luminous emission observed in the antarctic during periods of P.C.A: The P.C.G. (Polar Cap Glow), 4=30938
- Argence, E. Geometrical optics of the ionosphere (application to certain geophysical problems), 2=15226
- Argence, E. Ionospheric Faraday effect, 4=13841
- Argence, E., Eyfrig, R., Hess, H.A., Paul, A. and Rawer, K. Equivalent thickness of the outer ionosphere obtained by evaluation of Faraday records, 4=13845
- Argence, E., Harnischmacher, E., Hess, H.A. and Rawer, K. On the calculation of the Faraday effect relative to the ionosphere, 1=377
- Argence, E. and Rawer, K. Determination of upper ionosphere parameters from the Faraday effect, 3=16272
- Argent, B.B. See Brinson, G., 3=13362
- Argent, B.B. See Chadwick, G.A., 1=15158
- Argent, B.B. See Chadwick, G.A., 2=6837
- Argent, B.B. See Kudielka-Artner, E., 3=1126
- Argent, B.B. See Pearcey, B.J., 3=20724
- Argent, B.B. See Videira, F.H.M., 1=15131
- Argon, A.S. Surface cracks on glass, 0=10274
- Argon, A.S. Distribution of cracks on glass surfaces, 0=10275
- Argon, A.S. Cross-slip in ionic [KCl] crystals, 2=14894
- Argon, A.S. and Orowan, E. Lattice rotation at slip band intersections, 2=2089
- Argous, J.P. See Thouvenin, J., 4=16176
- Argue, A.N. Photographic photometry with the Cambridge Schmidt telescope. I. Three-colour survey of the Praesepe region, 1=9280
- Argue, G.R., Mercer, E.E. and Cobble, J.W. An ultrasensitive thermistor microcalorimeter and heats of solution of neptunium, uranium and uranium tetrachloride, 2=1305
- Argyle, B.E. and Charap, S.H. Magnetization of Permalloy at low temperatures, 4=13210
- Argyle, B.E., Charap, S.H. and Pugh, E.W. Deviations from T^{3/2} law for magnetization of ferrometals: Ni, Fe, and Fe + 3% Si, 4=7274
- Argyle, B.E. See McGuire, T.R., 3=3080
- Argyle, B.E. See McGuire, T.R., 3=15743
- Argyle, B.E. See Pugh, E.W., 1=6275
- Argyle, B.E. See Pugh, E.W., 2=12684
- Argyle, P.E. The automatic guider of the Dominion Astrophysical Observatory, 0=12243
- Argyres, P.N. Quantum theory of transport in a magnetic field, 0=4284
- Argyres, P.N. Derivation of the Boltzmann transport equation for inelastic collisions, 1=18321
- Argyres, P.N. Theory of tunneling and its dependence on a longitudinal magnetic field, 2=12413
- Argyres, P.N. Statistical mechanical theory of resonance, 3=21254
- Argyres, P.N. Quantum theory of kinetic equations for electrons in phonon fields, 4=4012
- Argyres, P.N. and Kelley, P.L. Theory of spin resonance and relaxation, 4=14914
- Argyres, P.N. and Roth, L.M. Theory of electrical conduction in high magnetic fields, 0=11652
- Argyres, P.N. See Horing, N.J., 3=10632
- Arias, A. Semiautomatic modulus-of-rupture tester for operation in vacuum or inert atmospheres, 3=23361
- Arias, D. See Levi, L., 4=26107
- Ari Ben-Menahem. Radiation of seismic surface-waves from finite moving sources, 1=20796
- Aries, R. and Labin, E. Silicon in infrared optics, 0=14809
- Arif-Uz-Zaman. Calculation of the fermion mass in nonlinear spinor theory, 1=7191
- Arif-Uz-Zaman. Covariant polarization analysis of spin 1 particles, 2=18085
- Arifkhanov, U.R., Makarov, M.M., Perfilov, N.A. and Shamov, V.P. Fragment production by 100 MeV protons, 0=13234
- Arifkhanov, U.R. See Alekseev, N.V., 4=3414
- Arifkhanov, U.R. See Alekseev, N.V., 4=6145
- Arifkhanov, U.R. See Alekseev, N.V., 4=30279
- Arifov, U.A., Ayukhanov, A.Kh. and Aliyev, A.A. Angular distribution of scattered secondary ions in the case of bombardment of light targets by heavy ions, 4=8856
- Arifov, U.A., Ayukhanov, A.Kh. and Gruich, D.D. On the question of the scattering of slow alkali ions from the surface of metals, 0=19802
- Arifov, U.A., Ayukhanov, A. Kh., Shustrov, V.A., Khasanov, R.M. and Poltoratskii, V.I. The cathodic sputtering of tungsten with potassium ions, 4=19127
- Arifov, U.A., Ayukhanov, A.Kh., Stardubtsev, S.V. and Khadzhimukhamedov, Kh.Kh. A technique for investigating secondary processes caused by ions at a high-temperature target in the presence of thermionic emission, 0=7167
- Arifov, U.A., Flyants, N.N. and Ayukhanov, Kh. On certain properties of secondary ion-neutral-particle emission, 2=13603
- Arifov, U.A., Flyants, N.N. and Ayukhanov, Kh. On certain properties of secondary ion-neutral-particle emission, 2=17892
- Arifov, U.A., Flyants, N.N. and Ayukhanov, A. Kh. Some characteristics of secondary ion and neutral emission, 4=8844
- Arifov, U.A., Gruich, D.D., Mirrakhimova, Kh. and Muzhavirov, S.Z. Investigation of secondary processes arising from fast neutral atoms in alkali metals, 2=15949
- Arifov, U.A., Gruich, D.D., Mirrakhimova, Kh. and Muzhavirov, S.Z. Investigation of secondary processes arising from fast neutral atoms in alkali metals, 2=17875
- Arifov, U.A. and Kasymov, A.Kh. A method of investigating the secondary electron energy distribution when a metal is bombarded by electrons, 3=12240
- Arifov, U.A. and Khadzhimukhamedov, Kh.Kh. On the question of the neutralization of fast positive ions on the surface of a metal, 0=19808
- Arifov, U.A. and Khadzhimukhamedov, Kh. Kh. Investigation of the dependence of the components of secondary ion emission on the energy and type of ions and material of the target, 4=8845
- Arifov, U.A. and Khadzhimukhamedov, Kh.Kh. Investigation of scattering of alkali metal ions from metal surfaces, 4=8854
- Arifov, U.A. and Rakhimov, R.R. Investigation of the dependence of ion-electron emission on certain parameters of the target and the bombarding ions, 0=19805
- Arifov, U.A., Rakhimov, R.R. and Dzharakulov, Kh. Secondary emission for bombardment of molybdenum by neutral atoms and ions of argon, 2=13591

- Arifov, U. A., Rakhimov, R. R., Abdullaeva, M. and Gaipov, S. Electron emission of metals under bombardment by light ions, 4=8825
- Arifov, U. A., Rakhimov, R. R. and Dzburakulov, Kh. Secondary emission for bombardment of molybdenum by neutral atoms and ions of argon, 2=17876
- Arifov, U. A., Rakhimov, R. R. and Khozinskii, O. V. Electron emission from metals under bombardment by inert gas ions in the energy range up to 50 keV, 4=8824
- Arifov, U. A. and Tashkanova, D. A. Secondary electron emission during the bombardment of a sodium layer by argon ions, 0=19728
- Ariga, S. See Mohri, A., 4=8785
- Arikawa, T. Perfect focusing mass spectrometer, 3=24390
- Arikawa, T., Higaki, H., Kaneko, S., Iwata, G. and Miyamoto, G. A study of perfect focusing mass spectrometer, 2=20056
- Arima, A. Nuclear binding energies and low-lying energy levels in the $2s_{1/2}$ and $1d_{3/2}$ shells, 0=13138
- Arima, A. Spin-orbit splitting and tensor force, 0=17465
- Arima, A. Residual interaction and the deformation of nuclei, 1=8556
- Arima, A. and Terasawa, T. Spin-orbit splitting and tensor force. II, 1=3386
- Arima, A. See Hamamoto, I., 2=22707
- Arima, A. See Noya, H., 0=11300
- Arima, J. See Taira, S., 4=23097
- Arima, Y. See Yonezawa, T., 0=14257
- Aripov, R. A., Grishin, V. G., Sil'vestrov, L. V. and Strel'tsov, V. N. Scattering of 7-8 GeV π^- -mesons by nucleons with high momentum transfer, 2=1718
- Aripov, R. A., Grishin, V. G., Sil'vestrov, L. V. and Strel'tsov, V. N. Scattering of 7-8 GeV π^- -mesons by nucleons with high momentum transfer, 3=600
- Aripov, R. A., Grishin, V. G., Sil'vestrov, L. V. and Strel'tsov, V. N. Charge exchange between 7-8 BeV π_0 -mesons and protons, 3=2303
- Aristov, A. V. and Sveshnikov, B. Ya. The determination of the frequency of transition between different states of activator molecules in organic phosphors, 2=6625
- Aristov, A. V. and Sveshnikov, B. Ya. The determination of the frequency of transition between different states of activator molecules in organic phosphors, 2=8581
- Aristov, A. V. and Sveshnikov, B. Ya. Effect of temperature on the kinetics of α -phosphorescence of organic substances, 3=3063
- Aristov, A. V. and Sveshnikov, B. Ya. Temperature quenching of the β -phosphor-escence of organic phosphors, 3=10999
- Arisawa, K., Hirose, H., Ishikawa, M., Harada, T. and Wada, Y. Mechanical dispersions in polycarbonate, 4=4687
- Aristov, A. V. An approach to the problem of phosphorescence under anti-stokes excitation, 4=10232
- Aristov, A. V. and Sveshnikov, B. Y. On the existence of several metastable states of the activator molecule in organic phosphors, 4=190
- Ariya, S. M. and Bogdanova, N. I. Electric conductivity of some oxides of titanium and vanadium, 0=6128
- Ariya, S. M. and Brach, B. Ya. Electrical conductivity of ferrous oxide at high temperatures, 4=25989
- Ariya, S. M. and Golomolzhina, M. V. Infrared spectra of titanium and vanadium oxides in the crystalline state, 3=20491
- Ariya, S. M. and Grossmann, G. The magnetic susceptibility of solid solutions of vanadium dioxide in titanium dioxide, 0=18166
- Ariya, S. M. and Soboleva, M. S. The lattice energies of oxides, 1=19684
- Ariya, S. M. and Soboleva, M. S. The lattice energies of oxides, 2=8147
- Ariya, S. M. See Grossmann, G., 1=1214
- Ariyama, K. See Suzuki, H., 1=19758
- Ariyama, K. See Suzuki, H., 3=6504
- Ariyama, M. See Kohra, K., 3=1294
- Ariyasu, T., Arata, Y. and Okada, M. Dynamic behaviors of plasma in a linear pulse discharge, 2=3051
- Arizumi, T. and Akasaki, I. On the structural properties of vapor-deposited germanium layers, 2=19112
- Arizumi, T. and Akasaki, I. Etch patterns in germanium, 2=23813
- Arizumi, T. and Akasaki, I. Etch patterns and dislocation etch pits on germanium with KI-I₂ redox system, 3=8440
- Arizumi, T. and Akasaki, I. Etch patterns and the mechanism of etching of germanium by iodine vapor, 3=13601
- Arizumi, T. and Akasaki, I. Thermodynamics of impurity doping reactions in vapor growth of Ge, 4=1470
- Arizumi, T. and Akasaki, I. A supplement to "Thermodynamics of impurity doping reactions in vapor growth of Ge", 4=13708
- Arizumi, T., Akasaki, I. and Nishinaga, T. Experimental studies of impurity doping in vapor growth of Ge, 4=7555
- Arizumi, T. and Wada, T. Frequency shift of a tunnel-diode microwave oscillator, 4=15551
- Arkad'eva, E. N. Effect of capture levels on the kinetics of impurity photoconductivity in semiconductors, 3=15628
- Arkad'eva, E. N., Kasymova, R. S. and Ryvkin, S. M. The kinetics of induced impurity photoconductivity in cadmium telluride, 1=19904
- Arkad'eva, E. N., Kasymova, R. S. and Ryvkin, S. M. The kinetics of induced impurity photoconductivity in cadmium telluride, 2=4063
- Arkad'eva, E. N., Paritskii, L. G. and Ryvkin, S. M. Investigation of the kinetics of infrared impurity photoconductivity in CdS, induced by preliminary illumination, 0=15985
- Arkad'eva, E. N., Paritskii, L. G. and Ryvkin, S. M. A method of long-wavelength photoelectric "Sounding" of local levels in semiconductors, 2=21125
- Arkad'eva, E. N., Paritskii, L. G. and Ryvkin, S. M. A method of long-wavelength photoelectric "sounding" of local levels in semiconductors, 3=2878
- Arkad'eva, E. N. and Ryvkin, S. M. Study of trapping levels in polycrystalline Sb₂S₃ and in single crystals of Se by the method of thermo-stimulated current, 0=6134
- Arkad'eva, E. N. and Ryvkin, S. M. Study of the trapping levels in polycrystalline Sb₂S₃ by the method of thermo-stimulated current, 0=6135
- Arkad'eva, E. N. and Ryvkin, S. M. Induced infrared photosensitivity in certain semiconductors, 0=18061
- Arkhangel'skaya, E. D., Zaripov, M. M., Pol'skii, Yu. E., Stepanov, V. G., Chirkin, G. K. and Shekun, L. Ya. Investigation of the electron paramagnetic resonance of Cr³⁺ in K₂Zn(SO₄)₆·6H₂O, 3=18130
- Arkhangelskaya, V. A. Thermoluminescence of activated CaF₂, SrF₂, and BaF₂ single crystals. I. Classification of the capture levels and the recombination nature of thermoluminescence, 4=28728
- Arkhangel'skaya, V. A., Vainberg, B. I. and Razumova, T. K. A reflectometer, based on a CaSO₄:Mn phosphor, for use in the vacuum ultraviolet region, 0=16829
- Arkhangel'skaya, V. A. See Kazachevskaya, T. V., 4=7880
- Arkhangel'skaya, V. A. See Kazachevskaya, T. V., 4=15879
- Arkhangel'skii, K. V. The dispersion of the dielectric constant in the critical region of binary liquid systems, 2=15611
- Arkhangel'skii, M. E. Action of sound on the process of diffusion from a liquid to a gel, 0=8816
- Arkhangel'skii, M. E. Accelerating action of sound on the development of a photographic emulsion, 1=16127
- Arkhangel'skii, M. E. Variation in the diffusion coefficient of a heterogeneous system under the action of ultrasound, 2=23975
- Arkhangel'skii, M. E. The sonographic characteristics of certain photosensitive materials, 4=288
- Arkhangel'skii, M. E. Conversion of ultrasonic surface oscillations into rotational and translational motion of an adjacent body, 4=11275
- Arkhangel'skii, M. E. Effects of ultrasound on exposed and unexposed film, 4=14412
- Arkhangel'skii, M. E. Softening of the photosensitive layer in the direct method of visualization, 4=27343
- Arkhangel'skii, M. E. and Pinus, G. N. Investigation of the effect of ultrasonic oscillations on the diffusion of an electrolyte in a gelatin gel, 1=4106
- Arkhangelskii, Yu. A. On the theorem of Poincaré concerning a motion of a rigid body in a Newtonian force field, 3=23818
- Arkhangel'skii, Yu. A. Algebraic integrals in the problem of motion of a rigid body in a Newtonian field of force, 3=23822
- Arkhangel'skii, Yu. A. On the algebraic and single-valued integrals in the problem of motion of a rigid body in the Newtonian force field, 4=14094
- Arkharov, V. I. On the influence of the complexity of the "elementary act" on the temperature dependence of the velocity of the atomic movement process in the solid phase and on the magnitude of the apparent activation energy, 0=4265
- Arkharov, V. I. A more precise formulation of the theory of the localized character of the chemical reaction during reactive diffusion in solids. I. Partial delocalization of the reaction in phases of the substitutional type with linear concentration gradient, 1=984
- Arkharov, V. I. A more precise formulation of the theory of the localized character of the chemical reaction during reactive diffusion in solids. II. Conditions of the maximum degree of localization of the reaction at the boundaries of the phase of the substitutional type, 1=14290

- Arkharov, V.I. The problem of the thermodynamic treatment of internal adsorption in solids, 3=1383
- Arkharov, V.I. The problem of simulating the structure of crystal boundaries, 3=3283
- Arkharov, V.I. Regions of coherent rearrangement in a crystal lattice resulting from phase transformations in solids, 3=3284
- Arkharov, V.I. Comment on the article by Zav'yalov and Bruk "Redistribution of components before decomposition of solid solutions", 4=26543
- Arkharov, V.I. and Blankova, E.B. On the structural characteristics of [surface] scale which are utilized in studies of the mechanism of reactive diffusion, 1=14291
- Arkharov, V.I. and Blankova, E.B. Investigation of reactive diffusion in binary metal-gas systems. IV, 1=14292
- Arkharov, V.I., Borisov, B.S. and Vangengeim, S.D. Determination of the nature of the grain boundaries from the X-ray scattering pattern, 1=15115
- Arkharov, V.I., Borisov, B.S. and Vangengeim, S.D. The effect of intercrystallite internal adsorption on X-ray diffractograms, 2=8802
- Arkharov, V.I., Borisov, B.S. and Vangengeim, S.D. Manifestation of intercrystalline internal adsorption in an X-ray scatter pattern, 2=23934
- Arkharov, V.I., Borisov, B.S., Vangengeim, S.D. and Sokolova, G.K. Investigation of the relationship between the internal adsorption and the electrical resistance of alloys, 0=14064
- Arkharov, V.I., Klotzman, S.M. and Timofeev, A.N. The influence of minor impurities on the diffusion coefficient in polycrystalline materials. II, 0=4303
- Arkharov, V.I., Klotzman, S.M., Timofeev, A.N. and Trakhtenberg, I.Sh. Diffusion properties of the monochalcogenides of transition metals. II. Self-diffusion in polycrystals, 3=20221
- Arkharov, V.I., Klotzman, S.M. and Timofeev, A.N. The use of radioactive indicators in solving the problem of internal adsorption in solid bodies, 0=11647
- Arkharov, V.I. and Konev, V.N. Investigation of reactive diffusion in metalcomposite gas systems. I. General considerations, 0=17973
- Arkharov, V.I., Konev, V.N. and Gerasimov, A.F. Investigation of reactive diffusion in "metal-composite gas" systems. IV. The molybdenum-nitrogen-carbon system, 1=14310
- Arkharov, V.I., Konev, V.N. and Pavlova, V.P. Investigation of reactive diffusion in "metal-composite gas" systems. V. The chromium-sulphur-nitrogen system, 1=14311
- Arkharov, V.I. and Korendyaseva, Z.V. Regions of coherent rearrangement of a crystal lattice during the martensitic transformation in carbon steel, 2=23875
- Arkharov, V.I. and Kuznetsov, E.N. Problem of the shape and dimensions of regions of the coherence rearrangement of a crystal lattice during ordered allotropic transformations, 4=26542
- Arkharov, V.I. and Shangareev, F.L. Investigation, by means of narrow primary X-ray beams, of the recrystallization of pure Cu[99.99%], 0=1912
- Arkharov, V.I. See Aganova, E.V., 4=13484
- Arkhipov, R.G. An inequality for the effective mass in metals with a low-density carrier current, 3=2773
- Arkhipov, R.G. An inequality for the effective mass in metals with a low-density carrier current, 3=8408
- Arkhipov, R.G., Kechin, V.V., Likhter, A.I. and Pospelov, Yu. A. Galvanomagnetic effects in graphite and the deformation of the electron spectrum of graphite under pressure, 4=1562
- Arkhipov, R.G. and Shal'nikov, A.I. Motion of charges in liquid helium II, 0=8865
- Arkhipov, R.G. and Vereshchagin, L.F. Plastic deformation in a gravitating sphere, 4=11141
- Arkhipov, R.G. See Alekseev, E.S., 2=18549
- Arkhipov, R.G. See Alekseev, E.S., 2=23108
- Arkhipov, V.M. The interference-modulation method, 0=10771
- Arkhipov, V.M. Trial construction of an interference spectrometer with selective amplitude modulation, 2=19712
- Arkhipov, V.N. The influence of a magnetic field on the stability of a boundary layer, 0=7202
- Arkhipova, E.N. See Frisman, E.V., 0=12498
- Arkhipova, I.A. See Rzhzanov, A.V., 2=10465
- Arkhipova, I.A. See Rzhzanov, A.V., 2=18676
- Arkhipova, I.A. See Rzhzanov, A.V., 2=23337
- Arkhipova, V.P. Photometry of the continuous spectrum of P Cyg type stars, 3=11571
- Arking, A. Electromagnetic effects of the nucleon spin-orbit interaction, 1=19180
- Arking, A. Non-grey convective planetary atmospheres, 3=16346
- Arking, A. See Bradley, R.C., 0=17043
- Arking, A. and Herring, J. The contribution of absorption lines to the opacity of matter in stellar interiors, 4=10819
- Arkhipov, V.A. The absolute intensity of the 2.5 MeV ^{140}La gamma-radiation, 0=7321
- Arkosi, K., Holló, M. and Katona, J. Electron-microscopic investigation of Al_2O_3 and MnO_2 films on aluminium surfaces, 2=4493
- Arkosi, K. and Morlin, Z. Electron-microscopic investigations on NaCl crystals, 0=16366
- Arkovenko, G.I. See Vasil'ev, D.M., 0=10264
- Arkypova, A.M., Feborus, H. A. and Fursenko, V.D. Investigation of the phenomenological quantum yield of the internal photoeffect in single-crystal CdS, 4=1681
- Arlt, G. Hall effect four-pole with high efficiency, 1=14497
- Armand, G., Le Quinio, R. and Prevot, F. The proton synchrotron "Saturne" vacuum chamber, 0=2412
- Armand, G. and Lutz, J. The proton synchrotron "Saturne". Magnet construction and assembly, 0=2412
- Armand, J. See Borot, M., 4=19133
- Armand, M. and Martinot-Lagarde, P. Laser effect on mercury vapour in a helium-mercury mixture, 4=14938
- Armand, M. See Convert, G., 4=21679
- Armand, M. See Convert, G., 4=27684
- Armand, N.A. The propagation of surface electromagnetic waves along a multi-wire system, 0=9212
- Armand, N.A. Diffraction of radio waves around the earth through inhomogeneous atmospheric layers, 3=19457
- Armand, Y. See Arnaud, P., 2=1985
- Armani, R.J. See Doerner, R.C., 2=5985
- Armbruster, J.C., Azou, P. and Bastien, P. An absolute viscometric method, 0=10632
- Armbruster, P. Ionization of the inner electron shells in the stopping of fission fragments, 2=5307
- Armbruster, P. Mass separator for the mass separation of fission products, 2=12238
- Armbruster, P., Hovestadt, D., Meister, H. and Specht, H. J. Determination of the mean primary charge of U^{235} fission products, 4=22247
- Armbruster, P. and Meister, H. Chain length measurements for the beta-decay of the fission products in the thermal fission of U^{235} , 3=2510
- Armbruster, P. See Hovestadt, D., 4=17092
- Armbruster, R. See Gorodetzky, S., 0=7560
- Armbruster, R. See Gorodetzky, S., 0=11321
- Armbruster, R. See Gorodetzky, S., 0=13150
- Armbruster, R. See Gorodetzky, S., 1=7360
- Armbruster, R. See Gorodetzky, S., 1=13736
- Armbruster, R. See Gorodetzky, S., 1=17062
- Armbruster, R. See Gorodetzky, S., 2=376
- Armbruster, R. See Gorodetzky, S., 2=5283
- Armbruster, R. See Gorodetzky, S., 2=9502
- Armbruster, R. See Gorodetzky, S., 3=5607
- Armbruster, R. See Gorodetzky, S., 3=19810
- Armbruster, R. See Metzger, G., 4=30016
- Armeanu, V., Diamandescu, E., Hornar, S. and Marinescu, L. Chemical temperature indicators, 3=9640
- Armendarez, P. X. and Forster, L.S. Intercombination spectra of chromium acetylacetonate crystals at low temperatures, 4=10170
- Armenteros, R., Coombes, C.A., Cork, B., Lambertson, G.R. and Wenzel, W.A. Antiproton-proton cross sections at 1.0, 1.25 and 2.0 BeV, 0=17338
- Armenteros, R. See d'Andiau, C., 3=17328
- Armenteros, R. See Ghesquiere, C., 4=19575
- Armington, A. See Dillon, G., 3=1265
- Armington, A. F. and Moates, G. H. Some experiments relating to the zone refining of tin, 4=29061
- Armington, A. F., Potter, W. D. and Tanner, L. E. Single-crystal boron films on silicon, 4=15818
- Armington, J.C. Chromatic and short term dark adaptation of the human electroretinogram, 0=2060
- Armington, J.C., Tepas, D.I., Kropfl, W.J. and Hengst, W.H. Summation of retinal potentials, 1=11665
- Armington, J.C. See Biersdorf, W.R., 0=817
- Armistead, W. H. and Stookey, S. D. Photochromic silicate glasses sensitized by silver halides, 4=29202
- Armitage, B.H. and Meads, R.E. Energy levels of B^{10} . I. The reactions of $\text{B}^{10}(\text{p}, \text{p}')\text{B}^{10}$, $\text{B}^{10}(\text{d}, \text{d}')\text{B}^{10}$ and $\text{C}^{12}(\text{d}, \alpha)\text{B}^{10}$, 2=16312
- Armitage, B.H. and Meads, R.E. The 5.18 MeV state in B^{10} , 2=18251

- Armitage, B.H. and Meads, R.E. Levels in B^{10} above 5.16 MeV observed by proton and deuteron inelastic scattering, 4=17022
- Armitage, B.H., Montague, J.H., Siddiq, A.K.M. and Meads, R.E. Levels in Al^{27} below 2.21 MeV, 4=9398
- Armitage, C.H. See Revolinsky, E., 4=27429
- Armitage, J. See Mertz, L., 3=16771
- Armitage, W.K., Kelly, P.M. and Nutting, J. Structural changes during the ageing of copper-2% beryllium alloys, 4=7482
- Armitage, W.K. and MacConaill, A. Variations in diffraction camera factor for the Siemens Elmiskop I, 4=23517
- Armoudian, G.A. See Minami, S., 4=27851
- Armsbruster, R. See Gorodetzky, M.S., 3=24344
- Armstrong, A.H., Frye, G.M., Jr and Rosen, L. Adaptation of a commercial domestic refrigerator for development of nuclear emulsions, 0=15212
- Armstrong, A.H., Gammel, J., Rosen, L. and Frye, G.M., Jr. Angular and energy distributions of neutrons from the interaction of 14 MeV neutrons with Li^6 and Li^7 , 4=17142
- Armstrong, A.H., Harrison, F.B., Heckman, H.H. and Rosen, L. Charged particles in the inner Van Allen radiation belt, 1=15335
- Armstrong, A.H. and Rosen, L. Mechanism of the $Zn^{64}(n,p)Cu^{64}$ reaction at incident neutron energies of 8 and 14 MeV, 0=20500
- Armstrong, A.H. See Heckman, H.H., 2=17202
- Armstrong, B.H. Use of fractional parentage coefficients in the calculation of photoelectric cross sections, 0=7687
- Armstrong, B.H. A maximum opacity theorem, 2=21728
- Armstrong, B.H. Anomalous solutions to the Dirac and Schrödinger equations for the Coulomb potential, 3=16525
- Armstrong, B.H. Empirical analysis of the H^- photodetachment cross section, 3=19180
- Armstrong, B.H. Apparent positions of photoelectric edges and the merging of spectrum lines, 4=12389
- Armstrong, B.H. Broadening of Balmer lines for high quantum number, 4=22289
- Armstrong, B.H. and Meyerott, R.E. Absorption coefficients for high-temperature nitrogen, oxygen and air, 0=7120
- Armstrong, B.H. and Power, E.A. Acceptable solutions and boundary conditions for the Schrödinger and Dirac equations, 3=10444
- Armstrong, B.H., Sokoloff, J., Nicholls, R.W., Holland, D.H. and Meyerott, R.E. Radiative properties of high temperature air, 2=9318
- Armstrong, B.H. See Kelly, P.S., 3=4708
- Armstrong, B.H. See Kelly, P.S., 4=12373
- Armstrong, B.H. See Weisner, J.D., 4=9629
- Armstrong, C. See Hill, R.S., 2=2816
- Armstrong, D.A. Hydrogen formation in γ -irradiated hydrogen chloride, 2=19165
- Armstrong, D.A. See Rumfeldt, R.C., 4=23680
- Armstrong, D.B. See Champlin, K.S., 4=28541
- Armstrong, D.D. and Blair, A.G. Splitting of single-particle states in Sc^{40} , 4=22026
- Armstrong, D.D. See Day, R.B., 4=25312
- Armstrong, E. See Allen, J.H., 4=23724
- Armstrong, E.B. The temperature in the atmospheric region emitting the nightglow O I 5577 line and in regions above faint auroral arcs, 0=6477
- Armstrong, E.B. Line width of O I 5577 of the night sky and of aurorae, 0=16463
- Armstrong, E.B. Observations of luminous clouds produced in the upper atmosphere by exploding grenades. II. Emission of AIO bands from sunlit clouds, 4=2224
- Armstrong, E.B. Observations of luminous clouds produced in the upper atmosphere by exploding grenades. III. Continuous spectra from night-time glows, 4=2225
- Armstrong, G. See Brook, M., 2=6914
- Armstrong, G.T. and Jessup, R.S. Combustion calorimetry with fluorine: constant pressure flame calorimetry, 0=7007
- Armstrong, G.T. and Marantz, S. Heats of formation of two isomers of difluorodiazine, 3=8960
- Armstrong, H.L. Possible use of Newton's first law in defining intervals of time, 0=4985
- Armstrong, H.L. Statement of the second law of thermodynamics, 0=16926
- Armstrong, H.L. Alternative derivation of some thermodynamic formulas, 0=16927
- Armstrong, H.L. Comment on multilayer dielectric filters, 1=231
- Armstrong, H.L. Representation of products of inertia, and an extension of that concept, 4=27120
- Armstrong, H.L. and Hancock, J. Electroluminescence of organic dielectrics, 4=22938
- Armstrong, J., Bloembergen, N. and Gill, D. Linear effect of applied electric field on nuclear quadrupole resonance, 1=14837
- Armstrong, J., Bloembergen, N. and Gill, D. Linear effect of electric field on the Cl^{35} quadrupole interaction in paradichlorobenzene, 1=17351
- Armstrong, J. See Benedek, G.B., 1=6432
- Armstrong, J.A., Bloembergen, N., Ducuing, J. and Pershan, P.S. Interactions between light waves in a nonlinear dielectric, 2=19665
- Armstrong, J.A., Nathan, M.I. and Smith, A.W. Harmonic generation in GaAs injection lasers, 3=24515
- Armstrong, J.A. and Smith, A.W. Interferometric measurement of linewidth and noise in GaAs lasers, 4=24913
- Armstrong, J.A. See Benedek, G.B., 4=6646
- Armstrong, J.A. See Smith, A.W., 4=14941
- Armstrong, J.C. and Quisenberry, K.S. Analysis of some deuteron-induced reactions in oxygen-18, 1=7399
- Armstrong, J.C. See Figuera, A.S., 3=24929
- Armstrong, J.C. See Latorre, V., 3=19508
- Armstrong, J.C. See Young, F.C., 3=17465
- Armstrong, J.C., Jr. See Hicks, H.G., 3=688
- Armstrong, J.C., Jr. See Levy, H.B., 1=17167
- Armstrong, J.C., Jr. See Stevenson, P.C., 0=4139
- Armstrong, J.F., George, D.W., Heffernan, L.P. and Messerle, H.K. Current-voltage characteristics of high temperature gases at high pressure, 4=18685
- Armstrong, J.L. See Kruger, O.L., 4=8489
- Armstrong, N.H.K. and Emeleus, K.G. Negative glow oscillations, 3=7479
- Armstrong, N.H.K. See Coulter, J.R.M., 1=5432
- Armstrong, P.E. and Brown, H.L. Dynamic Young's modulus measurements above 1000°C on some pure polycrystalline metals and commercial graphites, 4=30788
- Armstrong, P.E. See Brown, H.L., 3=20693
- Armstrong, P.J. See Preston, M.A., 2=22698
- Armstrong, R., Codd, L., Douthwaite, R.M. and Petch, N.J. The plastic deformation of polycrystalline aggregates, 2=6733
- Armstrong, R. See Conrad, H., 1=3986
- Armstrong, R.A. and Szabo, A. Relaxation in ruby, 0=18215
- Armstrong, R.A. See Hobson, J.P., 4=7716
- Armstrong, R.A. See Khan, I.H., 3=7645
- Armstrong, R.J. and Nicholls, N.S. Deuterium as a filling for high-voltage thyratrons, 0=7153
- Armstrong, R.J. and Wharton, A.E.B. Effects of the high-altitude thermonuclear explosion of July 9, 1962, 0900 ut, observed at Jamaica, 3=16265
- Armstrong, R.L. Molecular rotation in rare-gas crystals, 2=14360
- Armstrong, R.W. On size effects in polycrystal plasticity, 1=14887
- Armstrong, R.W., Faust, J.W., Jr and Tiller, W.A. A structural study of the compound $AgSbTe_2$, 0=21202
- Armstrong, R.W., Hirth, J.P. and Pound, G.M. A discussion of "Self-diffusion and inter-diffusion in gold nickel alloys": a correlation with absolute rate theory, 1=980
- Armstrong, R.W. and Horne, G.T. Fatigue behaviour in shear of oriented magnesium single crystals, 3=13338
- Armstrong, R.W. and Schultz, J.M. X-ray interference fringes in Berg-Barrett micrographs, 4=30864
- Armstrong, R.W. See Feisel, D.H., 4=22604
- Armstrong, W.A. and Humphreys, W.G. The response to 14 MeV neutrons of some chemical dosimeter systems, 4=25118
- Armstrong, W.J. The diffusivity of arsenic in silicon, 3=10689
- Armstrong, W.M. and Irvine, W.R. Creep deformation of non-stoichiometric uranium dioxide, 3=25632
- Armstrong, W.M., Irvine, W.R. and Martinson, R.H. Creep deformation of stoichiometric uranium dioxide, 3=8773
- Arnal, F. See Dupouy, G., 4=21571
- Arnal, R. and Beuchot, G. A 110 Mc/s phase detector, 4=29851
- Arnason, G. The stability of nongeostrophic perturbations in a baroclinic zonal flow, 4=10702
- Arnaud, F.J. Ohmic heating transformers, 2=19831
- Arnaud, F.J. See Sealey, W.C., 3=12189
- Arnaud, J. and Doeblner, A.O. Study of the noise in crossed-field guns, 2=3080
- Arnaud, M. and Cahen, O. A study of magnetic focusing systems, 0=15106
- Arnaud, P. and Armand, Y. Free $\nu(OH)$ vibrations in ethylenic primary alcohol derivatives, 2=1985
- Arnaud, P. See Montagné, M., 4=9752

- Arndt, R. The glow-to-arc transition on easily vaporized cathodes, 1=5433
- Arndt, R. and Niggl, A. X-ray crystallographic studies on antimony sulphur iodide, 4=20757
- Arndt, R. See Hines, R.L., 0=13569
- Arndt, R. See Primas, H., 0=7236
- Arndt, R.A. and Damask, A.C. Kinetics of carbon precipitation in irradiated iron. III. Calorimetry, 4=15736
- Arndt, R.A. and Fujita, F.E. Isochronal differential micro-calorimeter, 3=21606
- Arndt, R.A. and Hines, R.L. Radiation enhancement of bulk diffusion in 10% Zn-90% Cu by 30 keV Ne⁺ ion bombardment, 1=14322
- Arndt, R.A. See MacGregor, M.H., 4=25079
- Arndt, U.W. Analogue and digital single-crystal diffractometers, 4=30837
- Arndt, U.W., North, A.C.T. and Phillips, D.C. Adaptation of a linear diffractometer to measure three X-ray reflections quasi-simultaneously, 4=23405
- Arndt, U.W. and Phillips, D.C. The linear diffractometer, 2=10814
- Arndt, U.W. and Phillips, D.C. Conference on X-ray Diffractometry, London, November 1962, 3=13429
- Arndt, U.W. and Willis, B.T.M. Automatic neutron diffractometer for three-dimensional structure-factor determination, 3=12475
- Arndt, U.W. and Willis, B.T.M. A programmed multi-channel neutron diffractometer installation, 4=7600
- Arnell, S.E. Proton capture in A⁴⁰, 1=8727
- Arnell, S.E. Radiative proton capture by Cr⁵⁰, Cr⁵², Cr⁵³ and Cr⁵⁴, 2=7981
- Arnell, S.E. New energy levels in K³⁷, 4=19684
- Arnell, S.E. and Nadjakov, E.G. Thermal neutron capture gammas measured with a three crystal pair spectrometer with internal target, 4=9161
- Arnell, S.E. and Persson, P.O. Gamma rays from proton bombardment of A⁴⁰, 4=19685
- Arnell, S.E. and Persson, P.O. The Fe⁵⁵ (p, γ) Co⁵⁷ reaction, 4=19783
- Arnell, S.E. and Sterner, S. Deexcitation and spin of the 3.56 MeV level in Na²¹, 4=12143
- Arnell, S.E. and Sterner, S. Energy levels of Mn⁵¹, 4=19688
- Arnell, S.E. and Sterner, S. A search for positron branching in the Mn⁵¹(β^+)Cr⁵¹ transition, 4=19718
- Arnell, S.E. and Sterner, S. An investigation of the Cr⁵² (p, γ) Mn⁵³ reaction, 4=19782
- Arnell, S.E. and Sterner, S. Tentative level schemes of Mn⁵¹ and Mn⁵³, 4=22027
- Arnell, S.E. and Tripathi, K.C. The A³⁸ (p, γ) K³⁹ reaction, 4=19686
- Arnell, S.E. and Wernbom, E. Positron branching ratios in the decays of F¹⁷, Na²¹, Al²⁵ and Al^{26m}, 4=6273
- Arnell, S.E. and Wernbom, E. Resonance energies for proton capture in Ne²¹ and Ne²², 3=4634
- Arnell, S.E. and Wernbom-Selin, E. Capture and inelastic scattering of protons by Ne²¹, 4=19768
- Arneodo, C.A. Investigations on the operation of a natural circulation water loop under supercritical pressure and temperature conditions for nuclear reactors, 2=12257
- Arneodo, R. The absorption of ZnO crystals in the infra-red, 0=2945
- Arnett, F.W., Millhiser, D.R. and Probert, W.H. Experimental determination of the bulk density of boiling liquid oxygen, 4=11432
- Arnette, T.I., Blosser, H.G., Gordon, M.M. and Johnson, D.A. Cyclotron programs for a small computer, 5=5770
- Arnette, T.I. See Blosser, H.G., 3=5786
- Arney, G.D., Jr. See Potter, J.L., 4=14677
- Arnheim, W. See Kwei, T.K., 3=2821
- Arnold, S.J., Ogryzlo, E.A. and Witzke, H. Some new emission bands of molecule oxygen, 4=20056
- Arnkar, H.J. The electromigration of radioactive ions in fused salts. Application to the separation of isotopes, 0=4718
- Arnkar, H.J. An anisotropy effect in diffusion under electric field, 2=17448
- Arnkar, H.J. Use of an electric field to separate the recoil products from the (n, γ) reactions with bromine and iodine, 3=8110
- Arnkar, H.J. and Lal, A. An isotope effect in the collection on charged plates of (n, γ) recoil products of bromine, 1=13818
- Arnkar, H.J. and Mehta, O.P. Kinetics of adsorption of iodide and sulphate ions on copper, 1=20685
- Arnkar, H.J. and Mehta, O.P. Surface self-diffusion of iodide ions in thin films, 4=15489
- Arnkar, H.J. and Nene, M.G. Suppression of the discharge in iodine vapour due to radio-iodine (¹³¹I), 3=14553
- Arnkar, H.J. and Nene, M.G. Corona pressure and positive Joshi effect, 3=19207
- Arnkar, H.J., Rami Reddy, G. and Chakravarty, S.N. Photosensitivity and Joshi effect in counters, 2=3190
- Arnold, See Yarnell, J., 0=8919
- Arnold, A.J.P.T. See Van Beelen, H., 3=17027
- Arnold, A.J.P.T., See van Beelen, H., 4=8898
- Arnold, C.B. See Bair, M.E., 1=8018
- Arnold, C.B. See Cook, J.J., 1=43
- Arnold, E.D. Effect of uranium recycle of transuranic element buildup, 0=13364
- Arnold, G. and Nereson, N. Neutron coherent scattering amplitudes for Cd and Eu, 2=2385
- Arnold, G. and Nereson, N. Erratum: neutron coherent scattering amplitudes for Cd and Eu, 2=15011
- Arnold, G. and Nereson, N. Neutron coherent-scattering amplitudes of Ga, In, As, and Sb, 3=25201
- Arnold, G. See Schuler, H., 2=3015
- Arnold, G. See Schüler, H., 2=20880
- Arnold, G. See Schtfler, H., 3=12873
- Arnold, G. See Schüler, H., 3=25149
- Arnold, G. See Schüler, H., 4=25755
- Arnold, G.P. See Nereson, N.G., 2=21334
- Arnold, G.P. See Nereson, N.G., 4=22983
- Arnold, G.P. See Olsen, C.E., 2=12667
- Arnold, G.P. See Roof, R.B., Jr., 2=10832
- Arnold, G.W. and Compton, W.D. Radiation effects in silica at low temperatures, 0=2834
- Arnold, G.W. and Compton, W.D. Threshold energy for lattice displacement in -Al₂O₃, 0=6045
- Arnold, G.W. See Compton, W.D., 0=7903
- Arnold, G.W., Jr. See Compton, W.D., 2=12478
- Arnold, G.W. Jr. Defects in natural and synthetic quartz, 0=16117
- Arnold, H. Calorimetry of liquid-crystalline substances. I. An adiabatic precision calorimeter for the determination of heat capacities and latent heats of condensed substances, 4=18475
- Arnold, H., Demus, D. and Sackmann, H. Isomorphic relationship between crystalline-liquid phases. VI. Texture of crystalline-liquid phases, 3=24107
- Arnold, H. See Van Oers, W.T.H., 4=9309
- Arnold, H.R. Comments on a paper "Collisional detachment and the formation of an ionospheric" by E.T. Pierce, 4=17948
- Arnold, J.R. Liquid scintillation counting of tritium, 4=15178
- Arnold, J.R., Honda, M. and Lal, D. Record of cosmic-ray intensity in the meteorites, 2=2527
- Arnold, J.R., Metzger, A.E., Anderson, E.C. and van Dilla, M.A. Gamma rays in space, Ranger 3, 3=10185
- Arnold, J.R. See Honda, M., 2=2528
- Arnold, J.R. See Lal, D., 0=11282
- Arnold, J.R. See Metzger, A.E., 3=21145
- Arnold, J.W., McCoubrey, J.C. and Ubbelohde, A.R. Efficiencies of additives in the transfer of vibrational energy in ethylene and nitrous oxide, 0=7817
- Arnold, K. A further development of the theory of the level surfaces of the earth's gravitational field, 2=15174
- Arnold, K.M. and Mayburg, S. Cylindrical GaAs laser diode, 4=3223
- Arnold, K.W., Britton, R.B., Zanon, S.C. and Denholm, A.S. Electrical breakdown between a sphere and a plane in vacuum, 4=18752
- Arnold, K.W. and von Engel, A. Hybrid cathode spots of arcs, 3=4070
- Arnold, K.W. and von Engel, A.H. Emission processes at the cathodes of vacuum arcs, 4=18780
- Arnold, K.W. See Britton, R.B., 3=12097
- Arnold, K.W. See von Engel, A., 0=19645
- Arnold, K.W. See von Engel, A., 2=3019
- Arnold, K.W. See von Engel, A., 2=13555
- Arnold, L. Aeroelasticity, 0=16724
- Arnold, M., Hodgson, P.E., Shaw, D.F. and Skyrme, D.M. The interaction of 40-160 MeV neutrons with helium nuclei, 1=558
- Arnold, R.C. Bound states and Regge trajectories in a vector meson exchange model. I. Application to the K \bar{K} system, 4=21745
- Arnold, R.C. and Sakurai, J.J. Vector mesons and the KN, KN interactions, 3=4458
- Arnold, R.C. See Kruse, U.E., 0=2579

- Arnold, R.R. and Parker, R.J. Resistance to deformation of aluminium and some aluminium alloys. Its dependence on temperature and rate of deformation, 1=20347
- Arnold, W.H. Jr. Two group calculation of prompt neutron lifetime, 0=12988
- Arnold, W.H., Jr. Age in D_2O-H_2O mixtures, 1=3191
- Arnold, W.H., Jr. Fit of Yankee startup experiment data to a simple reactor analysis model, 3=2520
- Arnol'dov, M.N. See Subbotin, V.I., 2=15769
- Arnoldy, R. See Anderson, K.A., 0=9483
- Arnoldy, R. See Winkler, J.R., 0=8402
- Arnoldy, R.L., Hoffman, R.A. and Winckler, J.R. Observations of the Van Allen radiation regions during August and September 1959. I, 0=14267
- Arnoldy, R.L., Hoffman, R.A. and Winckler, J.R. Solar cosmic rays and soft radiation observed at 5 000 000 km from earth [in the space probe Pioneer V], 1=20949
- Arnoldy, R.L., Hoffman, R.A. and Winckler, J.R. Observation of the Van Allen radiation regions during August and September, 1959. IV. The outer-zone electrons, 3=3515
- Arnoldy, R.L., Hoffman, R.A., Winckler, J.R. and Akasofu, S.-I. Observations of the Van Allen radiation regions during August and September 1959. V. Visual auroras, high-altitude X-ray bursts and simultaneous satellite observations, 3=13817
- Arnoldy, R.L. See Hoffman, R.A., 2=6958
- Arnoldy, R.L. See Hoffman, R.A., 3=13818
- Arnoldy, R. L. See Winckler, J. R., 4=29319
- Arnott, R. See Dwight, K., 0=2300
- Arnott, R.J. and Wold, A. The preparation and crystallography of FeNiN and the series $Fe_x-Ni N$, 1=20554
- Arnott, R. J., Wold, A. and Rogers, D. B. Electron ordering transitions in several chromium spinel systems, 4=15407
- Arnott, R.J. See Goodenough, J.B., 0=11830
- Arnott, R.J. See Larson, E.G., 3=13078
- Arnott, R.J. See Rogers, D.B., 3=12934
- Arnott, R.J. See Ferretti, A., 1=7846
- Arnott, R.J. See Goodenough, J.B., 1=14670
- Arnott, R.J. See Wold, A., 2=12697
- Arnott, R.J. See Wold, A., 3=16018
- Arnout, R. See Daymezon, P., 3=21392
- Arnous, E. Corrections to the Coulomb interaction in non-local electrodynamics, 1=16649
- Arnous, E. New type of interaction in the non-local theory of the meson field, 1=16695
- Arnous, E., Heitler, W. and O'Raifeartaigh, L. On a convergent non-local field theory. II, 0=15234
- Arnous, E., Heitler, W. and Takahashi, Y. On a convergent non-local field theory. I, 0=15233
- Arnous, E. and Héno, Y. Theory of radiative transitions: general formulae and applications to resonance scattering and multiple scattering (excitation transfers), 0=15515
- Arnowitz, R. Gravitation from a field theoretical viewpoint, 4=24037
- Arnowitz, R. and Deser, S. The spin-statistics theorem, 2=20232
- Arnowitz, R. and Deser, S. Note on uniqueness of canonical commutation relations, 3=14028
- Arnowitz, R. and Deser, S. Conditions for flatness in general relativity, 3=23750
- Arnowitz, R. and Deser, S. Interaction between gauge vector fields, 4=9046
- Arnowitz, R., Deser, S. and Misner, C.W. Dynamical structure and definition of energy in general relativity, 0=2106
- Arnowitz, R., Deser, S. and Misner, C.W. Canonical variables for general relativity, 0=6660
- Arnowitz, R., Deser, S. and Misner, C.W. Energy and the criteria for radiation in general relativity, 0=10579
- Arnowitz, R., Deser, S. and Misner, C.W. Finite self-energy of classical point particles, 0=10583
- Arnowitz, R., Deser, S. and Misner, C.W. Consistency of the canonical reduction of general relativity, 0=16586
- Arnowitz, R., Deser, S. and Misner, C.W. Note on positive-definiteness of the energy of the gravitational field, 0=18910
- Arnowitz, R., Deser, S. and Misner, C.W. Gravitational-electromagnetic coupling and the classical self-energy problem, 0=18935
- Arnowitz, R., Deser, S. and Misner, C.W. Interior Schwarzschild solutions and interpretation of source terms, 0=18936
- Arnowitz, R., Deser, S. and Misner, C.W. Canonical variables, expression for energy, and the criteria for radiation in general relativity, 1=61
- Arnowitz, R., Deser, S. and Misner, C.W. Wave zone in general relativity, 1=4249
- Arnowitz, R., Deser, S. and Misner, C.W. Heisenberg representation in classical general relativity, 1=5192
- Arnowitz, R., Deser, S. and Misner, C.W. Coordinate invariance and energy expressions in general relativity, 1=8047
- Arnowitz, R. and Mazo, J. Global symmetry resonance in pion-hyperon scattering, 2=3395
- Arnowitz, R.L. and Fickler, S.I. Quantization of the Yang-Mills field, 2=20275
- Arns, R.G., Chen, C.H., Sund, R.E. and Wiedenbeck, M.L. Energy levels of As^{77} , 3=7996
- Arns, R.G., Riggs, R.D. and Wiedenbeck, M.L. Decay of Re^{186} , 0=5733
- Arns, R.G. and Wiedenbeck, M.L. Energy levels of Re^{187} , 1=620
- Arns, R.G. See Martin, M.B., 1=5866
- Arns, R.G. See Sund, R.E., 0=9572
- Arns, R.G. See Yin, L.I., 2=16351
- Arns, U. Measurement of absolute vibration amplitudes, without reference to stationary points, at low frequencies, 4=5264
- Arnstein, R. See Light, J.C., 3=2667
- Arntz, F.O. and van Vliet, K.M. Secondary emission of thin self-supported films of MgO, 2=9624
- Arnulf, A. Measurement of absorption of [atmospheric] mists and fogs between 0.38 and 10 μ , 3=1436
- Arnulf, A., Bricard, J., Cure, E. and Veret, C. Study of the transmission of light by mist and fog, 1=9189
- Arnulf, A. and Dupuy, O. Contribution to the study of microfluctuations of the accommodation of the eye, 1=21136
- Arnulf, A., Dupuy, O. and Flamant, F. The influence of visual acuity of slight variations in the power of the eye or of the correcting glasses, 1=1617
- Arnulf, A. See Fleury, P., 1=1803
- Arnush, D. Electromagnetic scattering from a spherical non-uniform medium. I. General theory, 4=14892
- Aroeste, H. See Jameson, W.J., Jr, 0=4244
- Aroesty, J., Bellman, R., Kalaba, R. and Ueno, S. Invariant imbedding and rarefied gas dynamics, 4=228
- Aron, J.C. On the hydrodynamic representation of the Feynmann and Gell-Mann equation, 1=5648
- Aron, J.C. On a physical model of the quantum wave, 1=5649
- Aron, J.C. On the relation between diffusion theory and non-relativistic quantum mechanics, 1=5650
- Aron, J.C. On the introduction of statistical ideas in the quantum mechanics of particles with spin, 1=5651
- Aron, J.C. On the hydrodynamic representation of the Feynmann and Gell-Mann equation, and on a physical model for the quantum wave, 1=5652
- Aron, P. M., Kostochkin, O. I., Petrzhak, K. A. and Shpakov, V. I. Probabilities of delayed neutron emission from halogens, 4=22248
- Aron, P.R. Magnetization and a superconducting solenoid, 4=11748
- Aron, P.R. and Hitchcock, H.C. Critical currents of superconducting Nb-25 at.% Zr in high magnetic fields, 2=15851
- Aron, P. R. See Wolgast, R. C., 4=11484
- Aron, W. See Pratt, R.H., 4=17254
- Aron, W. See Pratt, R.H., 4=17255
- Aronin, L. R. See Levine, E. D., 4=20647
- Aronov, A. G. Oscillations of the optical absorption coefficient in crossed electric and magnetic fields, 4=1708
- Aronov, D.A. See Avak'yants, G.M., 1=17768
- Aronova, P.N. See Startsev, V.I., 1=1330
- Aronowitz, L. See Duclos, D. P., 4=5642
- Arons, A.B. Structure, methods, and objectives of the requires freshman calculus-physics course at Amherst College, 0=26
- Arons, A. B. and Bork, A.M. Newton's laws of motion and the 17th century laws of impact, 4=14091
- Arons, A.B. See Brockhurst, R.R., 1=6889
- Arons, M.E. A statistical model, including new particle resonances, as applied to $\bar{\Lambda}-p$ annihilation, 3=2324
- Aronson, A. and Clayton, J.C. Thermodynamic properties of nonstoichiometric urania-thoria solid solutions, 0=6382
- Aronson, J.R., Lord, R.C. and Robinson, D.W. Far infrared spectrum and structure of disiloxane, 0=20635
- Aronson, J. R., McLinden, H. G. and Gielisse, P. J. Low-temperature far-infrared spectra of germanium and silicon, 4=26197
- Aronson, S. and Clayton, J.C. Thermodynamic properties of nonstoichiometric urania-zirconia solid solutions, 1=14193
- Aronson, S., Rulli, J.E. and Schaner, B.E. Electrical properties of nonstoichiometric uranium dioxide, 1=17641
- Aronson, S., Schweitzer, D. G. and Singer, R.M. Properties of irradiated and periodically annealed graphite, 4=9615

- Aronson, S., Schweitzer, D. G., Singer, R. M. and Davis, J. G. Electrical properties of irradiated and periodically annealed graphite, 4=30605
- Aronson, S. See Schweitzer, D. G., 4=20270
- Aronsson, B. The crystal structure of Ru_2B_3 , 0=18349
- Aronsson, B. and Lundgren, G. X-ray investigations on Me-Si-B systems (Me = Mn, Fe, Co). I. Some features of the Co-Si-B system at 1000°C. Intermediate phases in the Co-Si-B and Fe-Si-B systems, 0=18359
- Aronstein, T. See White, H.S., 3=24562
- Aronzon, N.Z. Investigation of the arc extinction process in a chamber in which air blowing is present, 2=19926
- Arora, O.P. and Metzger, M. Effect of vacancy condensation on the corrosion susceptibility of subgrain boundaries in aluminum, 1=959
- Arora, R. P. See Swarup, P., 4=22758
- Aroyan, G.F. The technique of spatial filtering, 0=14813
- Aroyan, G. F. Comments on the article "Cirrus infrared reflection measurements", 4=10713
- Arp, F. The compensation of the influence of the aperture with the television technical scanning of picture receivers, 4=11495
- Arp, F. The direct conversion of heat into electric energy by means of thermionic converters, 4=24541
- Arp, H. Southern hemisphere photometry. VIII. Cepheids in the Small Magellanic Cloud, 0=18831
- Arp, H. Transformation of photographic magnitudes, 1=7971
- Arp, H. U-B and B-V colors of black bodies, 1=8002
- Arp, H. Supernova in NGC 7331, 1=8005
- Arp, H. Stellar content of galaxies, 1=18133
- Arp, H. Polarization of a filament which connects two galaxies, 3=7039
- Arp, H.C. and Kraft, R.P. A comparison of cepheids in the small Magellanic Cloud with those in the vicinity of the sun, 1=5159
- Arp, V., Edmonds, D. and Petersen, R. Hyperfine coupling in CoFe and CoNi alloys as determined by heat capacity measurements, 0=517
- Arp, V. See Harden, J. L., 4=11460
- Arp, V. See Kropschot, R.H., 2=11554
- Arp, V.D. and Kropschot, R.H. Simple adiabatic demagnetization apparatus, 1=10632
- Arp, V.D., Kropschot, R.H., Wilson, J.H., Love, W.F. and Phelan, R. Superconductivity of Nb_3Sn in pulsed fields of 185 kilo-gauss, 1=9513
- Arpigny, C. The spectrum of the polar aurora. I. Atomic identifications, 1=9202
- Arpigny, C. Approximate evaluation of the Fermi-Dirac functions, 4=2597
- Arpigny, C. and Woszczyk, A. Emission mechanism of the NH_2 radical in comets, 2=13116
- Arpigny, C. See Greenstein, J.L., 2=15322
- Arpigny, C. See Swings, P., 2=17263
- Arpigny, C. See Woszczyk, A., 2=13115
- Arrak, A. Turbidity effect in spectrum line photometry, 3=1842
- Arrago, L.R. The propagation of heavy impurities in the atmosphere when the wind varies with height, 4=4765
- Arraudeau, J.-P. See Giguère, P.-A., 4=13040
- Arrechi, F.T., Gatti, E. and Zaglio, E. A new method for timing scintillation pulses, 0=17191
- Arregger, C. E. Educational exhibits, 4=21001
- Arrese, F. See Amoros, J.L., 1=20455
- Arrhenius, G., Raub, C. J., Hamilton, D. C. and Matthias, B. T. Inducement of superconductivity by variation of structural parameters, 4=5515
- Arrhenius, S. An ellipsoid fluorimeter, 2=2457
- Arridge, R.G.C. Contact electrification and polarization of nylon threads, 0=7056
- Arridge, R. G. C., Baker, A. A. and Cratchley, D. Metal coated fibres and fibre reinforced metals, 4=23547
- Arroe, H. and Cornwall, J.M. Isotope shift in the Mo spectrum, 0=5884
- Arrott, A. and Coles, B.R. Antiferromagnetism of α -Mn and its alloys, 1=6379
- Arrott, A. and Noakes, J.E. Saturation magnetization and Curie points in dilute alloys of iron, 0=3015
- Arrott, A. See Freeman, M.W., 0=12214
- Arrott, A. See Haakana, C.H., 3=14710
- Arrott, A. See Kimball, C., 3=15907
- Arrott, A. See Noakes, J. E., 4=13186
- Arrott, A. See Overhauser, A.W., 0=11910
- Arrott, A. See Sato, H., 0=3014
- Arrott, A. See Sato, H., 3=1001
- Arrott, A. See Zimmerman, J. E., 4=13270
- Arrott, A.S. See Cooper, H.W., 2=2291
- Arroyo, M.López. See López Arroyo, M.
- Arsac, A. See Amat, G., 2=13427
- Arsac, J. Atmospheric scintillation observed with centimetric waves, 0=16474
- Arsac, J. and Simon, J.C. Representation of a physical phenomenon by sums of translated functions, 0=18569
- Arsac, J., Tremblay, R. and Simon, J.C. Wave propagation, tropospheric forward scatter, 3=5204
- Arsac, J. See Bellier, M., 3=18612
- Arschinkow, I., Zarnoretschki, O. and Peschew, P. Influence of copper and nickel additions magnetic parameter of γ - Fe_2O_3 , 4=28815
- Arsenault, R.J. Comments on the yield point in iron, 4=4469
- Arsenault, R.J. Low-temperature creep of alpha iron, 4=17731
- Arsenault, R. J. Reply to discussion of "Comments on the yield point in iron", 4=23163
- Arsenault, R. J. and Weertman, J. Incubation creep effect in alpha iron, 4=1946
- Arsen'ev, Yu.D. and Averin, E.K. Approximate determination of the optimum thermodynamic cycle of a nuclear power station, 3=6321
- Arsen'ev, Yu.I., Glagolev, V.M., Eliseev, G.A. and Cheverev, N.S. Interaction of a plasma with an electromagnetic field in a cavity resonator, 3=12136
- Arsen'eva-Geil', A.N. and Dzheleпова, N.B. Methods of obtaining high stress sensitivity in PbS, 3=18176
- Arsen'eva-Geil', A.N. and Van Bao-Kun' [Wang Pao-K'un]. Properties of photoemission from indium arsenide, 1=13107
- Arsen'eva-Geil', A.H. and Van Bao-Kun' [Wang Pao-K'un]. Properties of photoemission from indium arsenide, 1=16380
- Arsen'eva-Geil', A.N. and Van Bao-kun'. [Wang Pao-k'un]. Photo-emission from gallium arsenide, 2=11696
- Arsen'eva-Geil', A.N. and Van Bao-kun'. [Wang Pao-k'un]. Photo-emission from gallium arsenide, 2=13587
- Arsen'eva-Geil', A.N. See Van Bao-kun', 2=11697
- Arsen'eva-Geil', A.N. See Van Bao-kun', 2=13588
- Arsenin, V. V. Stability of electromagnetic perturbations propagating across the magnetic field in an inhomogeneous plasma, 4=2982
- Arsenin, V.V. Oscillations of a dilute plasma with an arbitrary degree of inhomogeneity, 4=8750
- Arsenin, V. V. Beam instability of a charged non-uniform plasma, 4=24699
- Arsen'yev, Yu.D. Dual cycle boiling water reactors, 0=11469
- Arshinov, A.A. and Musin, A.K. Equilibrium ionization in dispersed systems, 3=21696
- Arslambekov, V. A. See Smirnov, G. V., 4=20362
- Arslanov, Kh.A. See Protopopov, Kh.V., 1=4348
- Art, A., Aerts, E., Delavignette, P. and Amelinckx, S. The stacking-fault energy in germanium, 3=17765
- Art, A., Gevers, R. and Amelinckx, S. The determination of the type of stacking faults in face centered cubic alloys by means of contrast effects in the electron microscope, 3=12993
- Art, A. and Ponslet, A. Growth of twinning in thin film silver crystals, 1=14950
- Art, A. See Gevers, R., 4=1501
- Artacho, E., Rufián, E. and Montes, J. Design and construction of miniature fission chambers, 4=21883
- Artacho Savirón, E. and Montes Ponce de León, J. Determination of the fast flux in the JEN-1 nuclear reactor, 2=3665
- Artamonov, O. M., Berlaga, R. Ya. and Vinogradov, M. G. Effect of ion bombardment on the electric and photoelectric properties of lead sulphide, 4=4162
- Artamonov, O.M. and Strakhov, L.P. Generation of e.m.f.'s in lead sulphide films on bombardment with slow electrons, 0=15897
- Artamonova, K.P., Gustova, L.V., Podkopaev, Yu.N. and Chubinskii, O.V. The gamma spectrum of Na^{24} in the 2.5-5.5 MeV energy range, 1=17063
- Artandi, C. and Stonehill, A.A. Rigid vinyl film dosimeter, 1=399
- Artemenko, G. A., Boitovych, I. D. and Mýkhailov, G. O. Static characteristics of film cryotrons, 4=415
- Artemenkov, L.I. and Babýkin, M.V. Study of the time resolution of spark counters, 2=1624
- Artemenkov, L.I. and Babýkin, M.V. An analyzer for time measurements by means of spark counters, 4=14960
- Artemenkov, L.I. See Golovin, I.N., 2=7632
- Artem'ev, A.V. See Radzievskii, V.V., 2=24189
- Artem'ev, V.V. Cells for scintillation counters, 2=22361

- Artem'ev, V. V. Determination of the background in measurements of activities of 10^{-11} to 10^{-13} curies, 4=3235
- Artemov, A. D. See Malyshov, I. F., 4=14801
- Artemov, K. P., Gol'dberg, V. Z. and Rubakov, V. P. Elastic and inelastic scattering of alpha-particles by Al^{27} , 4=3698
- Artemov, K. P., Kalinin, S. P. and Samoilov, L. N. [Elastic] scattering of 5-10 MeV protons on He^3 , 0=9359
- Artemov, K. P. and Vlasov, N. A. Charged products of the reactions $He^4 + d$ (20 MeV), 1=16913
- Artemov, K. P., Vlasov, N. A. and Samoilov, L. N. Polarization of neutrons from the $T(p,n)He^3$ reaction and protons from the $He^3(n,p)T$ reaction, 0=9362
- Arterburn, D. R. See Wallick, G. C., 2=7176
- Arthaber, J. M. See Straub, H. W., 4=24343
- Arthur, G. and Priest, J. H. Small high-temperature vacuum furnace, 1=4507
- Arthur, P., Jr. See Swoboda, T. J., 1=6272
- Arthur, J. R., Jr. Surface structure and surface migration of germanium by field emission microscopy, 4=29175
- Arthur, J. R., Jr. and Hansen, R. S. Study of the adsorption of hydrogen, ethane, ethylene, and acetylene on iridium by field emission microscopy, 2=15099
- Arthur, J. S., Henry, J. C., Pettengill, G. H. and Sebring, P. B. The millstone radar in satellite and missile tracking, 2=13202
- Arthur, P., Jr. See Chesnut, D. B., 2=14827
- Arthurs, A. M. The mathematical equivalence of the Born approximation and the method of impact parameters, 1=18282
- Arthurs, A. M. and Dalgarno, A. The mobilities of ions in molecular gases, 0=19620
- Arthurs, A. M. and Dalgarno, A. The theory of scattering by a rigid rotator, 0=20609
- Arthurs, A. M. and Holt, A. R. Rotating coordinates in scattering theory, 4=5022
- Arthurs, A. M. and Lewis, J. T. Rotating coordinates in scattering theory, 3=51
- Arthurs, A. M. and Moiseiwitsch, B. L. The K-shell ionization of atoms by high-energy electrons, 0=7684
- Artiges, J. C. and Brun, J. C. Fast coincidence circuits using transistors in the avalanche region, 1=16225
- Artley, J. L., Pilkington, T. C. and Wooten, F. T. Prediction of Curie temperatures in ternary Fe-Co-Ni alloys, 3=11025
- Artman, J. O. and Foner, S. Domain configurations in cubic crystals of positive anisotropy with superimposed uniaxial anisotropy, 0=13795
- Artman, J. O. and Murphy, J. C. Symmetry considerations in the spectrum of ruby, 3=13183
- Artman, J. O. and Murphy, J. C. Hemihedral field effects in the spectrum of ruby, 4=26219
- Artman, J. O. and Murphy, J. C. Lattice sum evaluations of ruby spectral parameters, 4=28306
- Artman, J. O., Murphy, J. C., Kohn, J. A. and Townes, W. D. Effects of polytypism on the electron paramagnetic resonances of $K_3Co(CN)_6$ and other spectroscopic implications, 0=13877
- Artmann, J. Specific heats behind a strong shock front in helium in equilibrium, 3=16699
- Artmann, J. See Fucks, W., 3=16698
- Artna, A. and Johns, M. W. The decay of Er^{171} , 2=1838
- Artna, A. and Law, M. E. The decay of Pm^{149} , 1=640
- Artna, A. See MacArthur, D., 3=649
- Artobolevskii, I. I. A class of curves belonging to a connecting-rod system, 0=15553
- Artobolevskii, I. I. Linearly skirting curves of connecting rods in mechanisms with a translational couple, 1=18330
- Artobolevskii, I. I. Linearly skirting curves of connecting rods in an ellipsograph with four links, 1=18331
- Artobolevskii, I. I. Linearly skirting curves of connecting rods in mechanisms with a translational couple, 2=2659
- Artobolevskii, I. I. Linearly skirting curves of connecting rods in an ellipsograph with four links, 2=2660
- Artsimovich, L. A. The magnetic flux in a contracting cylinder, 1=7045
- Artsimovich, L. A. On the passage of high current through a plasma in the presence of a longitudinal magnetic field, 1=9579
- Artsimovich, L. A. An analysis of the equation of plasma column contraction if the presence of an external magnetic field, 1=9580
- Artsimovich, L. A. [S]. Research on controlled thermonuclear reactions in the USSR, 1=5949
- Artsimovich, L. A. Controlled nuclear fusion research, September 1961: Review of experimental results, 3=15251
- Artsimovich, L. A. 22nd Congress of the Communist Party of the USSR and problems of Soviet physics, mathematics and astronomy, 3=21185
- Artsimovich, L. A. Present state of research in controlled thermonuclear reactions, 3=22442
- Artsimovich, L. A., Andrianov, A. M., Bazilevskaya, O. A., Prokhorov, Yu. G. and Filippov, N. V. An investigation of high-current pulsed discharges, 0=5320
- Artsimovich, L. A., Andrianov, A. M., Dobrokhoto, E. I., Lukyanov, S. Yu., Podgornyi, I. M., Sinitsyn, V. I. and Filippov, N. V. High-energy radiation from pulsed discharges, 0=5317
- Artsimovich, L. L. and Nedospasov, A. V. Radial plasma distribution in a positive column in magnetic field, 3=19240
- Artsimovich, L. L., Nedospasov, A. V. and Sobolev, S. S. Positive mercury column in a longitudinal magnetic field, 4=29953
- Artshishevskii, M. A. and Selisskii, Ya. P. The effect of neutron irradiation on the electric and magnetic properties of some ordering alloys, 2=8269
- Artshishevskii, M. A. and Selisskii, Ya. P. The effect of neutron irradiation on the electrical and magnetic properties of certain ordering alloys, 2=23233
- Artus, H., Fricke, G. and von Stein, D. E. Production of Be^7 by the nuclear photoeffect of beryllium, boron and carbon, 4=12202
- Artyukhina, N. M. and Kholopov, P. N. List of novae recommended for the determination of coordinates and proper motions, 3=9230
- Aruja, E. A humidity and temperature controlled specimen holder for a focusing X-ray diffraction camera, 2=21497
- Aruja, E., Welch, J. H. and Gutt, W. X-ray analysis technique for very high temperatures, 0=4607
- Arunachalam, V. S. and Tangri, K. The deformation stacking faults in f.c.c. metals: the case of thorium, 3=12990
- Arunachalam, V. S. See Asundi, M. K., 2=19097
- Arunasalam, V. and Trimmer, J. D. Pulse conduction in decaying plasma, 1=8327
- Arushanov, G. G. Possible role of vector mesons in elastic scattering of high-energy π -mesons and protons, 3=15023
- Arushanov, G. G. See Azimov, S. A., 5=19227
- Arustamova, M. E., Kanetzyan, A. R., Sarinyan, M. G., Toshiyan, R. T., Tumahyan, V. A. and Tumanyan, E. R. Production of hyper-nuclei by 8.8 BeV protons, 3=24849
- Arustamova, M. E. See Tumanyan, V. A., 2=354
- Arutyunian, F. R. and Tumanian, V. A. The Compton effect on relativistic electrons and the possibility of obtaining high energy beams, 3=14934
- Arutyunyan, F. P. See Arutyunyan, V. M., 4=9154
- Arutyunyan, F. R. Determination of charged particle mass from scattering and residual range in multiplate cloud chambers, 0=9309
- Arutyunyan, F. R., Gol'dman, I. I. and Tumanyan, V. A. Polarization phenomena in the Compton effect for a moving electron and the possibility of obtaining beams of polarized γ -quanta, 4=3369
- Arutyunyan, F. R. and Tumanyan, V. A. Compton effect on relativistic electrons and the possibility of obtaining beams of hard γ -quanta, 4=869
- Arutyunyan, F. R. See Alikhanyan, A. I., 2=3295
- Arutyunyan, F. R. See Alikhanyan, A. I., 3=4368
- Arutyunyan, F. R. See Alikhanyan, A. I., 4=5883
- Arutyunyan, N. Kh. and Manukyan, M. M. The indentation of a rigid wedge into a semiplane under conditions of steady creep, 3=3228
- Arutyunyan, N. Kh. and Manukyan, M. M. The contact problem in the theory of creep with frictional forces taken into account, 4=23103
- Arutyunyan, V. M. Photoproduction of π^0 -mesons at high energies, 2=13848
- Arutyunyan, V. M. Photoproduction of π^0 -mesons at high energies, 3=6037
- Arutyunyan, V. M., Arutyunyan, F. P., Isiryan, K. A. and Tumanyan, V. A. The scattering of light by light, 4=9154
- Arutyunyan, V. M., Goldman, I. I. and Nagorskii, G. A. Regge poles for scattering on a δ -potential, 4=3341
- Arutyunyan, V. M. and Muradyan, R. M. Scattering of Dirac particles in the second Born approximation, 0=9269
- Arutyunyan, V. M. See Kerimov, B. K., 1=4860
- Arvia, A. J. and de Cusminsky, J. B. Galvanostatic studies on fluorine evolution on carbon electrodes, 2=8920
- Arvia, A. J. See Cracco, F., 3=2671
- Arvieu, R. Description of the spherical heavy nuclei by a model of interacting quasi-particles. Application to the isotopes of tin, 4=6179
- Arvieu, R., Baranger, E., Vénérioni, M., Baranger, M. and Gillet, V. Description of the nuclei $Z = 50$ using a model of interacting quasi-particles, 3=17380

- Arvieu, R. and Vénéroni, M. On the first excited states of spherical even-even nuclei, 1=7318
- Arvieu, R., Salusti, E. and Vénéroni, M. Quasi-particles in interaction and vibrational model in nickel isotopes, 4=17053
- Arvieu, R. and Vénéroni, M. Quasi-particles and collective states of spherical nuclei, 0=7453
- Arvieu, R. and Vénéroni, M. Calculation of the levels of the lead isotopes of $A < 207$, 3=19797
- Arvieu, R. See Vénéroni, M., 0=11308
- Arvin, C. See Pietri, G., 0=19726
- Arvin, M.J. Electrical conductivity and thermoelectric power of indium oxide, 3=2918
- Arya, A.P. Gamma-gamma directional correlations in Cs^{133} , 1=7351
- Arya, A.P. Gamma-gamma directional correlations in Nd^{147} , 1=8649
- Arya, A.P. Gamma-gamma directional correlations in Rh^{105} , 3=7997
- Arya, A.P. See Nagarajan, M.A., 4=9556
- Arýnov, A. Outflow of a gas from a container with walls enclosing a small angle $2\theta_0$, 0=93
- Arythunyan, V.M. Photoproduction of strange particles, 3=15041
- Arzamanova, I. G., Gur'yanova, E. N. and Gol'dshtein, I. P. Determination of thermodynamic constants by the method of di-electrometric titration, 4=23626
- Arzeliès, H. Relativistic kinematics, 0=10571
- Arzeliès, H. Relativistic dynamics and its applications. I. Dynamics of a slowly accelerated particle. Application to interaction phenomena between electric charges (relativistic electromagnetism), 0=10572
- Arzeliès, H. Relativistic dynamics and its applications. II. Problems of motion in the dynamics of a slowly accelerated particle, 0=10573
- Arzeliès, H. Conducting or polarizable media in motion, 0=19888
- Arzhanov, A.S. See Gordov, A.N., 1=5381
- Arzumanov, A.A., Meshcherov, R.A., Mironov, E.S., Nemenov, L.M., Ribin, S.N. and Kholmovskii, J.A. Extraction of a beam and energy regulation in the cyclotron with azimuthally varying magnetic field, 2=7686
- Arzumanov, A.A., Meshcherov, R.A., Mironov, E.S., Nemenov, L.M., Rybin, S.N. and Kholmovskii, Yu.A. Tests on particle acceleration and ion yield of a variable energy cyclotron with an azimuthally varying magnetic field, 2=13619
- Arzumanov, A.A., Meshcherov, R.A., Mironov, E.S., Nemenov, L.M., Ribin, S.N. and Kholmovskii, Yu.A. Beam extraction and energy regulation in a cyclotron with an azimuthally varying magnetic field, 2=20076
- Arzumanov, A.A., Meshcherov, R.A., Mironov, E.S., Nemenov, L.M., Rybin, S.N. and Kholmovskii, Yu.A. Tests on particle acceleration and ion yield of variable energy cyclotron with an azimuthally varying magnetic field, 3=9888
- Arzumanov, A.A., Venikov, N.I., Mironov, E.S. and Nemenov, L.M. An iron current canal for charged particle extraction and injection, 2=7673
- Arzumanyan, G.B. See Andreev, I.S., 2=16873
- Asaad, A.S. See Divari, N.B., 0=18722
- Asaad, W.N. Relativistic calculation of the K-LL Auger spectrum, 0=7718
- Asaad, W.N. Relativistic K electron wave functions by the variational principle, 1=2274
- Asaad, W.N. Intensities of the K-LL Auger lines, 3=17523
- Asaad, W.N. Calculation of Auger spectra in $j-j$ coupling, 3=17524
- Asada, E. See Suzuki, Y., 2=2267
- Asada, T., Masuda, M., Okumura, M. and Okuma, J. Decay properties of $\text{ZnS}(\text{Ag})$ phosphors, 0=21009
- Asada, T., Saito, H., Omura, K., Oku, T. and Oka, M. Annealing of γ -ray damage in germanium, 1=7609
- Asada, T., Sugihara, K., Nakatsuka, T. and Takeda, Y. A.C. type ear oximeter, 1=21113
- Asada, T. See Matuzawa, T., 3=18478
- Asahi, T. Application of the method of transfer-matrix to two- and three-dimensional lattices with defects, 4=1371
- Asahi, T. See Hori, J., 4=12606
- Asai, H. Study of the hydration-dehydration in polyelectrolyte solutions by the ultrasonic technique, 1=15865
- Asai, J. See Tao, K., 2=11805
- Asai, K. On the anomalous dispersion of n-primary alcohols, 0=20960
- Asai, K. See Okuda, A., 2=14472
- Asai, K. See Yamashita, A., 4=4199
- Asakawa, T. The effect of heat treatment on the minority carrier lifetime in silicon, 1=19861
- Asakura, S. See Oosawa, F., 2=7049
- Asakura, T. See Kubota, H., 2=13429
- Asakura, T. See O'Neill, E.L., 1=12965
- Asami, M. and Takano, F. Notes on the theory of Meissner effect, 1=8281
- Asanabe, S. Semiconducting properties of SnSe_2 and GeSe_2 , 2=2174
- Asanabe, S. and Okazaki, A. Electrical properties of germanium selenide GeSe , 1=8953
- Asanabe, S., Shinoda, D. and Sasaki, Y. Semimetallic properties of $\text{Co}_{1-x}\text{Fe}_x\text{Si}$ solid solutions, 4=17486
- Asanabe, S. See Fujino, Y., 4=29012
- Asanabe, S. See Shinoda, D., 4=20357
- Asano, G. See Shichijō, Y., 4=23021
- Asano, S. Photoconductivity of Cu-activated cadmium sulphide-selenide, 1=14506
- Asano, S. and Koyama, K. Photoconductive behaviour of Ag-activated cadmium sulphide-selenide, 2=18739
- Asano, S. and Nakao, Y. Voltage dependence of electroluminescence of $\text{ZnS}(\text{S}:\text{Se})$: Cu phosphors, 3=13218
- Asano, S. and Nakao, Y. Electroluminescent properties of phosphors of the type $\text{Zn}(\text{S}:\text{Se})$: Cu, 4=15619
- Asano, T. See Wada, Y., 1=2502
- Asano, Y. The four-dimensional Maxwell equations and other formulae in any system of units, 4=3105
- Asanov, R.A. Beta decay of spin-3/2 particles, 0=2502
- Asanuma, M. The ferromagnetism of the compound $\gamma\text{-FeSn}$, 1=11430
- Asanuma, M. The recovery of initial magnetic susceptibility in pure nickel, 1=11442
- Asanuma, M. The magnetic properties of Mn-Sn-C alloys, 1=14688
- Asanuma, M. Magnetic properties of B8 type compounds in manganese-tin system, 1=20150
- Asanuma, M. The magnetic properties of B8 type structure compounds in transition elements-tin systems, 2=10638
- Asanuma, M. See Sato, N., 4=17701
- Asanuma, M. See Tsushima, K., 1=2481
- Asao, Y., Sawada, S., Hatta, I. and Shirai, Y. Quasi-static switching current in NaNO_2 , 4=10114
- Asao, Y., Yoshida, I., Ando, R. and Sawada, S. The electrical resistivities of NaNO_2 and KNO_3 crystals, 2=12498
- Asao, Y. See Hatta, I., 4=1664
- Asao, Y. See Nomura, S., 1=14552
- Asao, Y. See Sawada, S., 2=2207
- Asao, Y. See Sawada, S., 2=4092
- Asao, Y. See Sawada, S., 4=28631
- Asaro, F., Bjørnholm, S. and Perlman, I. Decay scheme of Fm^{265} , 4=9462
- Asaro, F., Michel, M.C., Thompson, S.G. and Perlman, I. The alpha decay scheme of 152 years $\text{Am}^{242\text{m}}$, 2=1831
- Asaro, F., Perlman, I., Rasmussen, J.O. and Thompson, S.G. Isomers of Am^{242} , 0=20372
- Asaro, F., Stephens, F.S., Hollander, J.M. and Perlman, I. Anomalous electric dipole conversion coefficients in odd-mass isotopes of the heavy elements, 0=5708
- Asaro, F., Thompson, S.G., Stephens, F.S. and Perlman, I. Decay scheme of E^{253} , 1=8660
- Asaro, F. See Bjørnholm, S., 3=15129
- Asaro, F. See Flamm, E., 3=4607
- Asaro, F. See Perlman, I., 2=18268
- Asaro, F. See Siegbahn, K., 3=6211
- Asaro, F. See Stephens, F.S., 0=13184
- Asatiani, T. L., Krishchyan, V. M. and Sharkhatunyan, R. O. Polarization of cosmic ray μ^+ -mesons, 4=9331
- Asatiani, T. L., Krishchyan, V. M. and Sharkhatunyan, R. O. Polarization of cosmic ray muons of various energies, 4=27929
- Asatiani, T.L. See Alikhanian, A.I., 3=17150
- Asatiani, T. L. See Alikhanian, A.I., 4=9033
- Asatiani, T.L. See Alikhanyan, A.I., 2=7918
- Asatiani, T.L. See Alikhanyan, A.I., 3=4519
- Asatiani, T. L. See Alikhanyan, A. I., 4=788
- Asatiani, T. L. See Alikhanyan, A.I., 4=5917
- Asatiani, T.L. See Alikhanyan, A.I., 3=6114
- Asatiani, T.L. See Alikhanyan, A.I., 3=24824
- Asaturov, A. A., Komarova, V. A., Rybalko, F. P. and Volkov, S. D. Moments of plastic microstrains [curves], 4=26491
- Asavinei, I., Burlaku, I., Grigoresku, L., Lazarovich, K. and Onchesku, M. 4π proportional counter with gas flow for the calibration of radioactive isotopes, 4=9006

- Asawa, C.K. and Satten, R.A. Direct optical detection of the ground-state population changes of neodymium in ethyl-sulfate crystals, 2=21238
- Asawa, C.K. and Satten, R.A. An optical double resonance method of measuring paramagnetic relaxation, 3=24490
- Asawa, C.K. See Devor, D.P., 2=20144
- Asawa, C.K. See D'Haenens, I.J., 3=2143
- Asawa, C.K. See Maiman, T.H., 1=11391
- Asay, J. See Gabrysh, A.F., 3=11362
- Asayama, K. Nuclear magnetic resonance study in Cu-Ni alloy, 4=7346
- Asayama, K. and Itoh, J. Nuclear spin-lattice relaxation in Nb metal, 2=18957
- Asayama, K., Kobayashi, S. and Itoh, J. Nuclear magnetic resonance of Cu-Ni alloys, 3=15959
- Asayama, K. See Itoh, J., 3=15960
- Asayama, K. See Kobayashi, S., 4=7347
- Asayama, K. See Masuda, Y., 4=20619
- Asbrink, S., Blomqvist, G. and Westman, S. Crystallographic calculations using an electronic digital computer. II. Calculation of structure factors, 0=8201
- Asbrink, S. See Westman, S., 0=8200
- Ascarelli, G. Interaction of high-energy phonons in germanium, 1=1058
- Ascarelli, G. Low-field breakdown in n-type germanium, 1=19855
- Ascarelli, G. Low-field breakdown in n-type germanium, 3=857
- Ascarelli, G. and Brown, F.C. Cyclotron resonance in AgBr, 2=23140
- Ascarelli, G. and Brown, S.C. Recombination of electrons and donors in n-type germanium, 1=1055
- Ascarelli, G. and Brown, S.C. Majority carrier recombination in n-type germanium, 2=23323
- Ascarelli, G. and Rodriguez, S. Recombination of electrons and donors in n-type germanium, 1=19856
- Ascarelli, G. and Rodriguez, S. Recombination of electrons and donors in semiconductors, 2=8310
- Ascarelli, G. and Rodriguez, S. Recombination of electrons and donors in n-type germanium. G, 2=16701
- Ascarì, A. A precautionary calculation of the reactor start-up incident, 0=2699
- Ascarì, A., Horn, G. and Pedretti, E. The first start-up of the Sorin "Avogadro RSI" reactor, 0=2700
- Asch, A.E. and Hall, G.L. Quantum theory of the residual electrical resistivity of disordered alloys, 4=4109
- Asch, G. The variation of the factors g and g' in the alloys Fe-Ni as a function of concentration, 0=3108
- Asch, G. MnAu₂ magnetic resonance, 0=13864
- Asch, G. Calculation of a law of variation of charge on electrets, 4=1667
- Asch, G., Fontanel, M. and Mesnard, G. Magnetic resonance study of irradiated Rochelle salt, 3=20654
- Asch, G. See Meyer, A.J.P., 1=6332
- Asche, M. and Eckart, F. Influence of hydrogen atmosphere on the photoconductivity of CdS single crystals, 2=648
- Asche, M. and Eckart, F. The influence of hydrogen on the photoconductivity of single crystals of cadmium sulphide, 2=649
- Asche, M. and Möhling, W. Piezoresistance measurements on n-type silicon, 4=1621
- Aschenbrand, L. See Marmo, F.F., 1=6612
- Aschenbrand, L.M. See Marmo, F.F., 1=6608
- Aschenbrand, L.M. See Marmo, F.F., 1=6609
- Aschenbrand, L.M. See Marmo, F.F., 1=6610
- Aschenbrand, L.M. See Marmo, F.F., 2=4688
- Aschenbrand, L.M. See Pressman, J., 1=6611
- Aschenbrand, L.M. See Pressman, J., 1=10324
- Aschenbrenner, B.C. Surveying and mapping of the moon from an orbiter, 2=4732
- Ascher, M. Explicit solutions of the one-dimensional heat equation for a composite wall, 0=19481
- Ascoli, A. Neutron-bombardment-enhanced segregation in Cu-Ni alloys 3=10719
- Ascoli, A., Belloni, M. G. and Queirolo, G. T. Rehomogenisation kinetics of irradiation-segregated Cu-Ni, 4=22645
- Ascoli, A. and Damask, A.C. Migration energy of a vacancy adjacent to an impurity, 2=3935
- Ascoli, A., Germagnoli, E., Schiavini, G. M. and Villa, C. Zone-refining of tracer-doped copper, 4=23336
- Ascoli, A., Odescalchi, M. U. and Schiavini, G. M. Extension of a simple method for crystal growth, 0=3174
- Ascoli, R. Poles in production cross sections, 1=5672
- Ascoli, R. Analytic properties of production amplitudes as functions of two momentum transfers, 1=5673
- Ascoli, R. On the application of Glaser's results to study analytic properties of physical amplitudes, 2=20256
- Ascoli, R., Bottino, A. and Molinari, A. Unitarity of the S-matrix and analyticity. I, 1=5683
- Ascoli, R. and Minardi, E. Lee model with complex energy eigenvalues, 0=12857
- Ascoli, R. and Minguzzi, A. Analyticity properties of production amplitudes, 0=11081
- Ascoli-Bartoli, U. and De Angelis, A. Interferometric study of a r.f. discharge, 4=18714
- Ascoli-Bartoli, U., De Angelis, A. and Martellucci, S. Wavelength dependence of the refractive index of a plasma in the optical region, 1=5473
- Ascoli-Bartoli, U., de Angelis, A. and Martellucci, S. Schlieren photography of an r.f. plasma, 3=4146
- Ascoli-Bartoli, U. and Martellucci, S. Schlieren photography of an orthogonal pinch, 3=7585
- Ascoli-Bartoli, U., Martellucci, S. and Mazzucato, E. Some contributions to ruby laser light source to the study of the plasma refractivity, 4=18882
- Ascoli-Bartoli, U., Martellucci, S. and Mazzucato, E. Development of Schlieren technique in plasma diagnostics by using a pulsed ruby-laser, 4=18900
- Ascoli-Bartoli, U., Martellucci, S. and Mazzucato, E. Experimental detection of plasma turbulence by shadowgraph technique, 4=18924
- Ascoli-Bartoli, U. and Rasetti, F. Measurement of the refractive index of a plasma in the optical region, 0=3778
- Asdente, M. Fermi surface for the 3d band of chromium, 2=20966
- Asdente, M. and Friedel, J. Calculation of the resistivity of spherical cavities in Cu, 0=4318
- Asdente, M. and Friedel, J. 3d band structure of Cr, 1=17446
- Asdente, M. and Friedel, J. Erratum: 3d band structure of Cr, 2=14407
- Asdente, M. See Tosi, M.P., 0=4306
- Aseev, G.G. See Safronov, B.G., 2=9304
- Aseev, G.G. See Safronov, B.G., 2=17927
- Aseev, G.G. See Sinel'nikov, K.D., 2=9586
- Asfeld, R. See Meyer, A.J.P., 2=18893
- Asfour, F., Bondouk, I., Gontchar, V. J., Loutsik, V. A., Machali, F. and Zaloubovsky, I. I. The polarization of protons from ¹²C(d,p)¹³C reaction, 4=22174
- Ash, E. A. Compression and reflection of Brillouin beams, 4=3042
- Ash, E. A. Limiting-current densities in the presence of a magnetic field, 4=11705
- Ash, E. A. See King, G., 3=14645
- Ash, E. A. See Solymar, L., 3=5705
- Ash, M. Bang-bang control of boiling moderator nuclear reactors, 3=19906
- Ash, R. and Barrer, R.M. Permeation of hydrogen through metals, 0=20848
- Ash, R. and Barrer, R.M. Diffusion with a concentration discontinuity: the hydrogen-palladium system, 1=17555
- Ash, R., Barrer, R.M. and Nicholson, D. The theory of transient flow with adsorption, in long, single capillaries, 4=5140
- Ash, R., Barrer, R.M. and Petropoulos, J. H. Diffusion in heterogeneous media: properties of a laminated slab, 4=12777
- Ash, R., Barrer, R.M. and Pope, C.G. Flow of adsorbable gases and vapours in a microporous medium. I. Single sorbates, 3=3823
- Ash, R., Barrer, R.M. and Pope, C.G. Flow of adsorbable gases and vapours in a microporous medium. II. Binary mixtures, 3=3824
- Ash, R. and Grove, D.M. Low-pressure gas flow in consolidated porous media. I. Flow through a porous ceramic, 1=18447
- Ashbee, K. H. G. Stacking faults in uranium dioxide, 4=25953
- Ashbee, K.H.G. and Eeles, W. T. Epitaxial growth of rutile on oxidation of titanium carbide, 3=11241
- Ashbee, K.H.G. and Smallman, R.E. Epitaxial growth of rutile thin films on titanium carbide single crystals, 3=5092
- Ashbee, K. H. G. and Smallman, R. E. The fracture of titanium dioxide single crystals with particular reference to non-stoichiometry, 4=13443
- Ashbee, K.H.G. and Smallman, R.E. The plastic deformation of titanium dioxide single crystals, 3=23328
- Ashbee, K. H. G., Smallman, R. E. and Williamson, G. K. Stacking faults and dislocations in titanium dioxide, with special reference to non-stoichiometry, 4=6862
- Ashbridge, J. A 100 Mc/s grounded grid oscillator for use with an r.f. ion source, 4=29852
- Ashbrook, J. The lunar straight wall, 0=10491

- Ashburn, E.V., Lee, J.P. and Francis, R.N. Observations of the changes in the earth's magnetic field induced by the high-altitude nuclear explosion of July 9, 1962, 3=23650
- Ashby, D.E.T.F. A simple theory of wall evaporation in a pulsed gas discharge, 3=21720
- Ashby, D. E. T. F. The flow of high energy plasma in a magnetic guide field, 4=18824
- Ashby, D.E.T.F., Holmes, L.S. and Kasha, M.A. A multi-coil magnetic probe, 3=16954
- Ashby, D.E.T.F. and Jephcott, D.F. Measurement of plasma density using a gas laser as an infrared interferometer, 3=19276
- Ashby, D.E.T.F., Roberts, K.V. and Roberts, S.J. Experimental and theoretical observations on a fast linear pinch, 1=16335
- Ashby, M.F. Internally oxidized copper-based alloys, 4=7616
- Ashby, M.F. and Brown, L.M. Diffraction contrast from spherically symmetrical coherency strains, 3=20702
- Ashby, M. F. and Brown, L.M. On diffraction contrast from inclusions, 4=4643
- Ashby, M. F. and Brown, L.M. Diffraction contrast from coherency strains, 4=7661
- Ashby, M.F. and Smith, G.C. Direct electron microscopy of thin foils of internally oxidized dilute copper, 1=4986
- Ashby, N. Relativistic theory of the spherical electrostatic analyzer, 0=2389
- Ashby, V.J., Catron, H.C., Goldberg, M.D., Hill, R.W., Le Blanc, J.M., Newkirk, L.L., Stoering, J.P., Taylor, C.J. and Williamson, M.A. Li^0 and $\text{Li}^+(n, \text{zn})$ cross sections, 3=8112
- Ashby, W.R., Von Foerster, H. and Walker, C.C. Instability of pulse activity in a net with threshold, 3=7061
- Ashcraft, T.L., Riney, J. and Hackerman, N. Electrostatic voltmeter for the measurement of surface potentials, 3=7419
- Ashcroft, K. and Lees, J. Deformation and pressure calibration in the tetrahedral anvil apparatus, 4=4441
- Ashcroft, N.W. The Fermi surface of aluminium, 4=6792
- Ashcroft, N.W. The fermi surface of aluminium, 3=20133
- Ashcroft, N.W. See Hooton, D.J., 3=10336
- Ashe, J.B. and McCrary, J.H. Method for determining the photo-peak efficiency of scintillation counters, 1=9705
- Asher, H., Dodin, L. and Mulholland, H.P. Improved design for an auto-focus range-finder, 0=14859
- Ashford, J.R. Some statistical aspects of dust counting, 0=8326
- Ashford, J.R. See Fay, J.W.J., 0=6422
- Ashford, J.R. See Fay, J.W.J., 0=8327
- Ashida, M. See Uyeda, N., 4=13555
- Ashinuma, K. See Honjo, G., 3=18414
- Ashinuma, K. See Takahashi, N., 2=848
- Ashinuma, K. See Takahashi, N., 3=443
- Ashirov, A., Rumanova, I.M. and Belov, N.V. Crystal structure of $\text{Mg}[\text{B}_3\text{O}_3(\text{OH})_5] \cdot 5\text{H}_2\text{O}$, 2=12917
- Ashirov, A., Rumanova, I.M. and Belov, N.V. Crystal structure of $\text{Mg}[\text{B}_3\text{O}_3(\text{OH})_5] \cdot 5\text{H}_2\text{O}$, 2=19082
- Ashirov, A., Rumanova, I.M. and Belov, N.V. Crystal structure of hydroboracite $\text{CaMgB}_3\text{O}_{11} \cdot 6\text{H}_2\text{O} = \text{CaMg}[\text{B}_3\text{O}_4(\text{OH})_5]_2 \cdot 3\text{H}_2\text{O}$, 3=8861
- Ashirov, A. See Rumanova, I.M., 4=23429
- Ashkenas, H. See Wegener, P.P., 2=2748
- Ashkenazi, E.K. Anisotropy in the strength of construction material (Reply to a letter of E.I. Brainin), 2=4340
- Ashkin, A., Boyd, G.D. and Dziedzic, J.N. Observation of continuous optical harmonic generation with gas masers, 3=21507
- Ashkin, A. and Gershenzon, M. Reflection and guiding of light at p-n junctions, 3=23042
- Ashkin, A. and White, L.D. Partition noise in electron beams at microwave frequencies, 0=15074
- Ashkin, A. See Adler, R., 1=8390
- Ashkin, A. See Gordon, E.I., 1=10785
- Ashkin, A. See Nelson, D.F., 3=20514
- Ashkin, J. Pion-nucleon scattering, 0=5588
- Ashkin, J. Strange particles, 0=5619
- Ashkin, J., Fazzini, T., Fidecaro, G., Goldschmidt-Clermont, Y., Lipman, N.H., Merrison, A.W. and Paul, H. A new measurement of the mean life of the positive pion, 0=15389
- Ashkin, J., Fazzini, T., Fidecaro, G., Lipman, N.H., Merrison, A.W. and Paul, H. Search for the decay $\mu \rightarrow e + \gamma$ and observation of the decay $\mu \rightarrow e + \nu + \bar{\nu} + \gamma$, 0=13005
- Ashkin, J., Fazzini, T., Fidecaro, G., Merrison, A.W., Paul, H. and Tollestrup, A.V. The electron decay mode of the pion, 0=367
- Ashlagina, E.V. See Amankulova, D.S., 4=14994
- Ashley, E.J. See Bennett, H.E., 2=23537
- Ashley, E.J. See Bennett, H.E., 3=11929
- Ashley, E.J. See Bennett, H.E., 3=20443
- Ashley, E. J. See Donovan, T.M., 4=7133
- Ashley, E. J. See Donovan, T.M., 4=28690
- Ashley, J. C. and Ritchie, R. H. Photon emission from irradiated dielectric slabs, 4=26231
- Ashley, J. C. See Ritchie, R. H., 4=25913
- Ashley, K. L. and Milnes, A. G. Double injection in deep-lying impurity semiconductors, 4=12875
- Ashman, L.E. See Preston, J., 9=3682
- Ashmore, A., Cocconi, G., Diddens, A.N. and Wetherell, A.M. Total cross-sections of protons with momentum between 10 and 28 GeV/c, 1=3185
- Ashmore, A., Diddens, A.N. and Huxtable, G.B. A measurement of the spin correlation coefficient C_{KP} in p-p scattering at 382 MeV, for 90° centre-of-mass scattering angle, 0=5559
- Ashmore, A., Range, W.H., Taylor, R.T., Townes, B.H., Castillejo, L. and Peierls, R.F. A determination of the e pion-nucleon coupling constant from n-p scattering at 350 MeV, 2=18118
- Ashmore, A. See Allaby, J.V., 0=7347
- Ashmore, A. See Allaby, J.V., 1=5725
- Ashner, J.D. See Carruthers, J.R., 4=4056
- Ashour, A.A. and Ferraro, V.C.A. Induction of electric currents in a uniform anisotropic ionosphere, 3=9073
- Ashour, A. A. and Ferraro, V. C. A. The induction of electric currents in an anisotropic ionosphere with a belt of high conductivity running along the equator, 4=23800
- Ashraf El-Bayoumi, M. and Kasha, M. Energy transfer in hydrogen-bonded n-heterocyclic complexes and their possible role as energy sinks, 1=11136
- Ashton, F. The range-energy relation for high energy μ -mesons, 1=9792
- Ashton, F., MacKeown, K., Ramana Murthy, P. V., Pattison, J. B. M. and Wolfendale, A. W. The charge ratio of cosmic ray muons at large zenith angles, 4=970
- Ashton, F., Nash, W.F. and Wolfendale, A.W. The momentum spectrum of cosmic rays at a depth of 38 metres water equivalent underground, 0=9477
- Ashton, F. and Wolfendale, A.M. The momentum spectrum of cosmic ray muons at a zenith angle of 80° , 3=10193
- Ashton, F., Wolfendale, A.W. and Nash, W.F. The momentum spectrum of cosmic rays underground at a depth of 38 m. water equivalent, 0=9458
- Ashton, F. and Wolfendale, A.W. The momentum spectrum of cosmic ray muons at an angle of 80° to the zenith at sea level, 3=10194
- Ashwin, B.S., Hagyard, T., Saunders, I.C.B. and Young, T.E. Viscometers having damped torsional oscillation, 1=107
- Ashworth, D.R. See Hedley, J.A., 2=3925
- Asik, J.R. See Yelon, A., 2=8624
- Asimov, R. Precision lattice parameter measurements of cold-worked metals, 0=4619
- Asimov, R. Clustering kinetics in binary alloys, 3=13536
- Asimov, R.M. Quenched-in resistivity in dilute alloys, 4=12848
- Asimovskii, E. I. See Scheindlin, A. E., 4=24622
- Asimovskii, E. I. See Scheindlin, A. E., 4=24666
- Asimovskii, E. I. See Shpil'rain, E. E., 2=2708
- Asimovskii, E. I. See Shpil'rain, E. E., 2=17693
- Ask, L. Relative intensities of gamma rays from the reaction $\text{F}^{19}(\text{p}, \alpha\gamma)\text{O}^{16}$, 1=19467
- Ask, L., Erlandsson, B., Persson, B. and Valli, K. A three crystal pair spectrometer, 1=19064
- Askarian, G. A. Directed coherent radiation due to breakdown near the track of an ionizing particle, 4=681
- Askaryan, G. On the nature of the external radiation belt of the earth, 1=3313
- Askar'yan, G.A. Radiation of volume and surface compression waves during impingement of a non-relativistic electron stream at the surface of a dense medium, 0=12447
- Askaryan, G.A. Axial stability and localization of constrictions of quasi-neutral plasma accelerated by electro-magnetic fields, 0=15017
- Askar'yan, G.A. Electromagnetic radiation caused by the diffusion of electrons, 1=3053
- Askaryan, G.A. On the behaviour of small plasma bunches in a waveguide and their interaction with the conducting walls, 1=10718
- Askaryan, G.A. Self-acceleration of a flux of charged particles by induction, 1=16280
- Askar'yan, G.A. Excess negative charge of an electron-photon shower and the coherent radio emission from it, 1=19316
- Askar'yan, G.A. Effect of external fields on the motion and growth of bubbles in boiling liquids, 2=48

- Askar'yan, G.A. Acceleration of ionized gas clouds with proper magnetic field scattering and electron flux, 2=3148
- Askar'yan, G.A. Diamagnetic perturbations in media caused by intense ionizing radiation, 2=4722
- Askar'yan, G.A. Radiation from the ionized region of a spark discharge, 2=5311
- Askaryan, G.A. Excess negative charge of electron-photon shower and the coherent radiation originating from it. Radiorecording of showers under the ground and on the moon, 2=12072
- Askar'yan, G.A. Stabilization of plasmoids, 2=13573
- Askar'yan, G.A. Cherenkov and transition radiation from electromagnetic waves, 2=16182
- Askar'yan, G.A. Interaction of laser radiation with vibrating surfaces, 2=16816
- Askar'yan, G.A. Effect of the gradient of a strong electromagnetic ray on electrons and atoms, 2=17965
- Askar'yan, G.A. Excess negative charge of an electron-photon shower and the coherent radio emission from it, 2=22679
- Askar'yan, G.A. Diamagnetic perturbations in media caused by [intense] ionizing radiation, 2=24087
- Askar'yan, G.A. Effect of external fields on the motion and growth of bubbles in boiling liquids, 3=123
- Askar'yan, G.A. Acceleration of ionized gas clouds with proper magnetic field scattering the electron flux, 3=2113
- Askar'yan, G.A. Effect of the gradient of a strong electromagnetic ray on electrons and atoms, 3=5834
- Askar'yan, G.A. Cherenkov and transition radiation from electromagnetic waves, 3=5881
- Askar'yan, G.A. Interaction of laser radiation with vibrating surfaces, 3=6647
- Askar'yan, G.A. Reflection of radiation from a moving plasma in a semiconductor carrying a current in a magnetic field, 3=17827
- Askar'yan, G.A. Projection of plasmoids through magnetic fields (magnetodynamic traps), 3=21784
- Askar'yan, G.A. Radiowave emission due to the modulation of an intense light beam in a medium, 4=3137
- Askar'yan, G.A. Excitation and dissociation of molecules in high intensity light beams, 4=15387
- Askar'yan, G.A. Diminution of the penetrating capacity of intense light by scattering at refracting haloes in an optically disturbed medium near an inhomogeneity, 4=18409
- Askar'yan, G.A., Delone, N. B. and Rabinovich, M. S. The influence of intense light on matter and beams of particles in a magnetic trap, 4=18966
- Askar'yan, G.A., Iovnovich, M. L., Levin, M. L. and Rabinovich, M. S. Transport and containment of moving plasma concentrations (high frequency and magnetic plasma wave-guides), 3=12174
- Askar'yan, G.A., Kotenko, L. P., Kuznetsov, E. P. and Samoilov, A. V. Some experiments with metastable liquids in an X-ray beam, 0=20104
- Askar'yan, G.A. and Moroz, E. M. Evaporation pressure of a body in a radiation beam, 3=19062
- Askar'yan, G. A., Prochorov, A. M., Chanturya, G. F. and Shipulo, G. P. The beam of an optical maser in a liquid, 4=2895
- Askaryan, G.A. and Rabinovich, M.S. A resonance method for localising and heating a plasma by means of a varying electromagnetic pressure, 1=10713
- Askerov, B.M. Thermomagnetic effects in degenerate semiconductors and in metals in magnetic fields of arbitrary strength, 2=6443
- Askerov, B.M. The Nernst-Ettingshausen effect in a strong magnetic field allowing for mixed [impurity and phonon] scattering [of carriers in semiconductors], 2=6444
- Askerov, B.M. See Ansel'm, A.I., 1=10032
- Askerov, B.M. See Ansel'm, A.I., 1=12427
- Askerov, B.M. See Ansel'm, A.I., 2=6445
- Askerov, B.M. See Ansel'm, A.I., 2=21124
- Askerov, B.M. See Ansel'm, A.I., 3=2866
- Askew, J. R. and Brissenden, R. J. Some improvements in the discrete ordinate method of B. G. Carlson for solving the neutron transport equation, 4=6075
- Askew, R. F. and Batson, A. P. Energy spectrum of the photo-neutrons from gold, 1=2205
- Askill, J. and Tomlin, D. H. Self-diffusion in molybdenum, 3=17787
- Askne, J. See Rydbeck, O. E. H., 4=27667
- Askochenskii, A. A. and Perekalina, T. M. Natural ferromagnetic resonance in a nickel-iron ferrite single crystal, 3=3156
- Askochinskii, A. A. See Perekalina, T. M., 1=20092
- Aslam Khan, M. MgH and MgD bands at 2819A and 2702A, 1=11101
- Aslam Khan, M. A new band system in CdH and CdD, 3=2612
- Aslam Khan, M. Ultra-violet spectrum of MgH and MgD, 3=25100
- Aslam Khan, M. SrH and SrD bands at 2927 A and 2928 A, 3=25106
- Aslam Khan, M. Extension of the $C^{\infty} \rightarrow X^{\infty}$ system of SrD, 3=25107
- Aslanian, J., Cailat, R., Salesse, M. and Weil, L. Contribution to the study of the aggregation of helium from measurements of the specific heat of irradiated beryllium oxide, 1=18693
- Aslanian, J. and Weil, L. Procedure for cooling samples in calorimetry at very low temperatures, 1=2917
- Aslanian, J. and Weil, L. Contribution of specific heat measurements below 4° K to the observation of helium diffusion after annealing in irradiated beryllium oxide, 3=15509
- Aslanov, I. A. A spectrograph for measuring solar rotation, 2=4711
- Aslanov, S. K. The motion of a rhombiform profile with velocity not exceeding the velocity of sound, 1=10532
- Aslanyan, V. M. and Vol'kenshtein, M. V. Optical activity and intermolecular interaction, 0=3542
- Aslund, N. See Andersén, E., 3=25103
- Aslund, N. See Edvinsson, G., 4=1258
- Aslund, N. R. D. and Cronhjort, B. T. Evaluation of spectrochemical data using digital techniques, 4=26770
- Ašner, A. and Mosig, R. A d.c. magnet power supply for 125 V, 500 A with controlled silicon rectifiers, 3=19137
- Asnin, V. M. and Rogachev, A. A. Dependence of the forbidden bandwidth of germanium on the carrier density, 3=20539
- Aso, K. and Miyahara, S. The crystal structure and magnetic property of $GdCoO_3$, 4=26649
- Aso, Y. A method of solving Oseen's equation by means of generalized Green's formula, 4=29584
- Aspden, R. G. Source of (001) [100] primaries in 3 Pct Si-Fe alloys, 4=7672
- Aspden, R. G. See Facaros, G., 2=12701
- Aspelund, O. A fast time-to-pulse height converter, 3=19150
- Aspinall, A., Brown, G. and Haigh, J. G. B. Level densities of medium mass nuclei, 4=17008
- Aspinall, A., Brown, G. and Warren, S. E. Nuclear energy levels of Fe^{54} and Fe^{56} , 3=19779
- Asplund, I., Strömberg, L. G. and Weidling, T. Mixing ratios of 2 + -2 + transitions in even-even nuclei in the mass region $A = 122-128$, 1=5863
- Asplund, I. and Wiedling, T. Zero-spin excited state in Asplund, I. and Wiedling, T. Angular correlation measurements on Xe^{128} , 0=5721
- Asplund-Nilsson, I., Condé, H. and Starfelt, N. Average number of prompt neutrons emitted in the spontaneous fission of U^{233} and Pu^{240} , 3=12707
- Asplund-Nilsson, I., Condé, H. and Starfelt, N. An absolute measurement of ν of Cf^{252} , 3=24988
- Asprey, L. B. See McDowell, R. S., 2=16523
- Asribekov, V. E. The shell model and the shift of single-particle levels in nuclei of the "core + nucleon" type due to the addition of a pair of nucleons, 2=360
- Asribekov, V. E. The choice of invariant variables for the "many-tail" amplitudes, 2=9786
- Asribekov, V. E. On the kinematics of many-tails, 2=16143
- Asribekov, V. E. The shell model and the shift of single-particle levels in nuclei of the "core + nucleon" type due to the addition of a pair of nucleons, 2=22724
- Asribekov, V. E. The choice of invariant variables for the "many-tail" amplitudes, 3=5935
- Asribekov, V. E. Choice of invariant variables and analytical properties of many-point functions, 3=10064
- Asribekov, V. E. Analytic properties of the amplitudes of feynman diagrams of the type of "many-tails" with a single closed loop, 3=14866
- Asribekov, V. E. Second-type singularities of Feynman graphs, 4=27740
- Assadi, P. and De Rango, C. On the natural epitaxy of uranium dioxide and fluorite, 4=2040
- Asselmeyer, F. and Bienert, W. X-ray crystallographic investigation of mechanically and thermally worked (100) faces of rocksalt, 0=8213
- Asselmeyer, F., Höhn, K. and Zott, H. A simple recording instrument for total pressures of 1-45 torr, 2=7171
- Asselmeyer, F. and Riedel, H. Resistance of polished rock salt surfaces to water vapour, 0=1901
- Asselmeyer, F. and Walter, H. Measurement of the light scattered from the worked (110) face of rock salt, 2=8491

- Assenheim, H.M. The interpretation of spectra in electron spin resonance investigations, 3=24493
- Assenheim, J.G. See Clark, D.E., 0=6068
- Assonova, E.A. See Lozinskii, M.G., 2=23777
- Assonova, E.A. See Lozinskii, M.G., 3=3234
- Assour, J.M. See Harrison, S.E., 4=10335
- Assour, J.M. See Harrison, S.E., 4=26392
- Assous, R. See Alamiche, C., 3=14345
- Assovskaya, A.S. and Ivanova, N.S. Production of nuclear fragments in photographic emulsion by 80 MeV positive pions, 1=17135
- Assur, K.P. See Likhachev, V.A., 4=28376
- Astaf'ev, V.A. Momentum spectrum of π -mesons from $\pi^+ + p \rightarrow 2\pi^+ + n$, 0=13034
- Astakhov, A.V. The problem of proving double dispersion relations, 0=15290
- Astakhov, A.V. The problem of proving double dispersion relations, 1=5669
- Astakhov, E. Ya. See Malyshev, I. F., 4=14800
- Astapchik, S.A. See Bodyako, M.N., 2=19095
- Astarita, G. Diffusion phenomena in a liquid flowing along a solid surface, 2=9267
- Astbury, A., Auerbach, L.B., Cutts, D., Esterling, R.J., Jenkins, D.A., Lipman, N.H. and Shafer, R.E. Muon capture in oxygen, 4=28052
- Astbury, A., Bartley, J.H., Blair, I.M., Kemp, M.A.R., Muirhead, H. and Woodhead, T. The angular distribution of the neutrons arising from the nuclear capture of polarized muons, 2=10129
- Astbury, A., Blair, I.M., Hussain, M., Kemp, M.A.R. and Muirhead, H. Capture rates for negative muons in light elements, 2=1702
- Astbury, A., Blair, I.M., Hussain, M., Kemp, M.A.R., Muirhead, H. and Voss, R.G.P. Angular distribution of neutrons following the nuclear capture of polarized muons, 0=2687
- Astbury, A. and Crowe, K.M. Search for neutrino-induced reactions, 4=6314
- Astbury, A., Hattersley, P.M., Hussain, M., Kemp, M.A.R. and Muirhead, H. A note on the Fermi-Teller "Z-law," 1=8472
- Astbury, A., Hattersley, P.M., Hussain, M., Kemp, M.A.R., Muirhead, H. and Woodhead, T. The depolarization of negative muons in light elements, 2=1701
- Astbury, A., Kemp, M.A.R., Muirhead, H., Voss, R.G.P. and Woodhead, T. A measurement of the total cross-section for the production of neutral pions in proton-proton collisions at 383 MeV, 2=1708
- Astbury, N. F. A plasticity model, 4=23137
- Astheimer, L. See Schwochau, K., 3=16609
- Astheimer, R.W., DeWaard, R. and Jackson, E.A. Infrared radiometric instruments on Tiros II, 2=1028
- Astheimer, R. W. and Weiner, S. Solid-backed evaporated thermopile radiation detectors, 4=18484
- Asti, G., Colombo, M. and Levialdi, A. Evidence of different dynamic magnetization mechanisms in hard ferrites, 4=28832
- Astier, A. The proton synchrotron "Saturne". Experiments with a cloud chamber carried out by the Physics-Laboratory of Ecole Polytechnique, 0=2412
- Astier, A. Resonances of particles with strong interaction, 4=19569
- Astier, A., Blaskovic, L., DeCourreges, M.M., Equer, B., Lloret, A., Rivet, P. and Siadu, J. K_2^0 disintegrations in a Wilson cloud-chamber, 2=22614
- Astier, A. See d'Andlau, C., 3=17328
- Astier, A. See Ghesquiere, C., 4=19575
- Astier, R. See Meyer, Y., 4=13098
- Astill, C. J., Eastwood, T. A., Walker, D. A. S. and Wuschke, E. E. An automatic sample changer for α -, β - and γ -active sources, 4=25330
- Astin, A.V. The unit of electric current, 3=21189
- Astling, E.G. and Horn, L.H. Some geographical variations of terrestrial radiation measured by Tiros II, 4=17920
- Astner, G., Bergström, I., Eriksson, L., Fägerquist, U., Holm, G. and Persson, Å. A hindered E2 ground state transition in Po^{207} , 3=19798
- Astoin, N., Granier, J. and Cordier, M. Absorption spectra in the far ultraviolet of gaseous and solid methyl and ethyl iodide and ethyl bromide, 1=855
- Aston, G.H. See Barnard, G.P., 1=8405
- Aston, J.G. Rotational transitions in mixed crystals and surface films, 2=8765
- Aston, J. G., Tomezsko, E. S. J. and Fisher, R. A., Jr. Partial molal enthalpies of adsorption of hydrogen and oxygen on platinum and on carbon-supported platinum, 4=26721
- Aston, J.G. See Chon, H., 2=8889
- Aston, J.G. See Fritz, J.J., 1=10630
- Aston, J.G. See Fritz, J.J., 1=11866
- Aston, J.G. See Fritz, J.J., 3=9665
- Aston, J.G. See Mitacek, P., 3=12924
- Aston, J.G. See Mitacek, P., Jr., 1=17418
- Astrahan, M.M. See Serrell, R., 2=15455
- Astrahantzev, S. M. and Konnov, Yu. I. Structural transformation in nickel-chromium alloy (80 Ni/20 Cr) under irradiation, 4=1996
- Aström, B. Scintillation spectrometer with constant relative channel width, 0=17280
- Aström, B. See Atterling, H., 0=7591
- Aström, B. See Fields, P.R., 0=7498
- Aström, B. See Forsling, W., 1=19386
- Aström, B. See Uhler, J., 3=12644
- Åstrom, E. On the electromagnetism behaviour of a plasma, 2=1428
- Åstrom, E. Plasma oscillations, 2=5359
- Aström, H.U. Anelasticity of nitrogen in α -iron, 0=6296
- Aström, H.U. Measurements on the contribution of thermal lattice defects to structural energy and expansion in pure metals, 1=14289
- Åström, H.U. Isothermal measurements on the release of stored energy in irradiated graphite, 2=3973
- Åström, H.U. Isothermal measurements on the release of stored energy from reactor-irradiated and cold-worked molybdenum, 4=15506
- Astrov, D.N. On the magnetoelectric effect in antiferromagnetics, 1=1244
- Astrov, D.N. Magnetoelectric effect in chromium oxide, 1=20160
- Astrov, D.N. and Borovik-Romanov, A.S. A precision mercury manometer, 1=4299
- Astrov, D.N., Kytin, G.A. and Orlova, M.P. Shift of the Curie points of the carbonates of manganese and cobalt, when strongly compressed, 2=18926
- Astrov, D.N., Novikova, S.I. and Orlova, M.P. Shift of the Curie temperature during uniform compression of manganese and cobalt fluorides, 0=8073
- Astrov, D.N. and Voronel', A.V. A regulating bellows valve for operation at pressures of up to 150 atm., 4=16134
- Astrov, D.N. See Al'shin, B.I., 3=25369
- Astrov, D.N. See Orlova, M. P., 4=21341
- Astrue, R.W. See Sato, H., 2=12657
- Astrue, R.W. See Sato, H., 2=23662
- Astrue, R.W. See Sato, H., 3=15830
- Astrue, R. W. See Sato, H., 4=13159
- Astwood, P. and Prutton, M. The influence of crucible material upon the magnetic anisotropy of evaporated permalloy films, 3=11057
- Asundi, M.K., Arunachalam, V.S. and Tangri, K. Lattice strains in β' quenched uranium, 2=19097
- Asundi, R.K. [Ed.]. Symposium on spectroscopy, 2=13449
- Asundi, R.K. [Ed.]. Symposium on spectroscopy, 2=17606
- Asundi, R.K. Electron path length in collision experiments, 3=21704
- Asundi, R. K. Ionization cross-section near the threshold for the rare-gases, 4=11521
- Asundi, R.K. and Craggs, J.D. Electron capture and ionization phenomena in SF_6 and C_2F_6 , 4=16436
- Asundi, R. K. and Craggs, J. D. Measurement of electron attachment and ionisation cross sections in carbon dioxide, 4=24565
- Asundi, R. K., Craggs, J. D. and Kurepa, M. V. Electron attachment and ionization in oxygen, carbon monoxide and carbon
- Asundi, R. K. and Dixit, R. M. Fluorescence spectrum of uranyl ion in neutron irradiated caesium uranyl nitrate, 4=15612
- Asundi, R. K. and Dixit, R. M. Fluorescence spectrum of di-caesium and uranyl nitrate, 4=17595
- Asundi, R.K. and Kurepa, M.V. The calibration of the electron energy scale for ionization potential measurements, 3=9719
- Asundi, R.K. and Kurepa, M.V. Ionization cross sections in He, Ne, Ar, Kr and Xe by electron impact, 3=19173
- Asundi, R.K., Ramakoteswara Rao, P. and Brody, J.K. Rotational analysis of $^{65}Cu^{35}Cl$ bands, 2=1983
- Asundi, R.K. See Agrawal, R.M., 2=21247
- Asundi, R.K. See Ramakoteswara Rao, P., 2=10252
- Asundi, R.K. See Ramakoteswara Rao, P., 2=10253
- Asundi, R.K. See Ramakoteswara Rao, P., 2=22964
- Asunmaa, S. and Baak, T. Irradiation of glass films with a 100 kV electron beam, 2=10927
- Asunmaa, S.K. Silver-activated nitrocellulose as recording material for X-ray microscopy, 0=21254
- Aswegen, J.S.T. van. See van Aswegen, J.T.

- Asyee, J. Boiling experiments in connection with the Halden boiling water reactor cores, 0=4142
- Ata, H.O.K. See Schubert, K., 1=6528
- Atabaeva, E. Ya. See Itskevich, E.S., 4=10044
- Atabek, B.H. See Lundgren, T.S., 1=12008
- Atack, D. and Tabor, D. The friction of wood, 0=8137
- Atack, D. See May, W.D., 0=3477
- Atack, D. See May, W.D., 3=16564
- Ataev, O.M. Determination of the number of collisions in the ionosphere, 0=3349
- Ataka, Y. The pion-nucleon s-wave scattering, the structure of the nucleon and the composite model of baryons and mesons, 0=20203
- Ataka, Y. Soluble examples in field theory with Fermi interactions, 1=12064
- Ataka, Y. The composite model of mesons as a limit of meson theory, 1=13457
- Ataka, Y. Some remarks on the Fermi-Yang model, 1=16856
- Ataka, Y. Remarks on the correspondence between field theories with Yukawa and Fermi interactions, 2=11897
- Ataka, Y. Pion decay and the experimental determination of the renormalization constants, 3=17306
- Ataka, Y. Some remarks on pion decay, 4=16927
- Atakhodzhaev, A. K., Faizullaev, Sh. F. and Osmanov, S. A. Effect of temperature on the rotational mobility of the molecules of the isomers cresole and toluidine, 4=25700
- Atakhodzhaev, A. K., Tikhvatullin, F. Kh., Rozhdestvenskii, M. N., Egamkulov, A. and Yarmukhametov, G. D. Study of the rotational mobility and rigidity of some molecules with two benzol rings, 4=25694
- Atakhodzhaev, A. K. and Vuks, M. F. Reorientation of molecules in liquids and comparison of the relaxation times, 3=21302
- Atakhodzhaev, A. K., Vuks, M. F. and Plaksina, K. V. Broadening of the scattering line and the orientational relaxation time of solutions, 0=3530
- Atakhodzhaev, A. K. See Sidorova, A. I., 4=27182
- Atal, B.S. A semi-empirical method of calculating reverberation chamber coefficients from acoustic impedance values, 0=16807
- Atal, B.S. See Schroeder, M.R., 3=1765
- Atal, B.S. See Schroeder, M.R., 4=5349
- Atalla, M.M. and Soshea, R.W. Hot-carrier triodes with thin-film metal base, 3=20366
- Atalla, M.M. and Tannenbaum, E. Impurity redistribution and junction formation in silicon by thermal oxidation, 0=15936
- Atalla, M.M. See Spitzer, W.G., 2=18747
- Atanasii, G. The role of radio-carbon C^{14} in the ionization of the air of grottoes, 1=5850
- Atanasii, G. On the radiochronology of certain natural sediments, 4=4745
- Atanasii, G. Archeomagnetism and dating by means of C^{14} , 4=26877
- Atanasii, G., Neştianu, T. and Bucur, I. The magnetic declination in Transylvania, 1=6647
- Atanasii, G. and Pătraşcu, S. A null method for the measurement of the temperature dependence of magnetic moment, 0=9133
- Atanasii, G. and Pătraşcu, S. A null method for the measurement of the temperature dependence of magnetic moment, 0=19869
- Atanasii, G., Zugrăvescu, D. and Bucur, I. Contributions to the geomagnetic study of Transylvania. Annual survey, 1956, 1=1575
- Atanasii, G., Zugrăvescu, D., Bucur, I. and Nestianu, T. Some contributions to the study of the earth's magnetic field in Transylvania, 1=1574
- Atanasii, M. Considerations on the general theory of the constraints of a solid body, 4=102
- Atanasii, M. See Voinea, R., 4=101
- Atanasov, A.A. The theory of the scattering of slow neutrons by a parallel-sided crystal specimen, 2=816
- Atanasov, A.A. The theory of the scattering of slow neutrons by a parallel-sided crystal specimen, 2=8813
- Atanassov, A. Refraction of cold neutron sheaves, 4=29085
- Atanassov, A.A. On the passage of slow neutrons through a crystal plate, 1=7251
- Aten, A. C. and Haanstra, J. H. Electroluminescence in tellurium-doped cadmium sulphide, 4=28724
- Aten, A. C., Van Doorn, C. Z. and Vink, A. T. Direct and phonon-assisted optical transitions in zinc telluride, 3=10968
- Aten, A.H.W., Jr. Abundances of even-mass isobars, 0=7705
- Aten, A.H.W., Jr. The influence of magic numbers on the shape of the fission yield curve, 2=12229
- Aten, A.H.W., Jr and Funke-Klopper, A.G. A short-lived heavy isotope of lutetium, 0=20385
- Aten, A.H.W., Jr and Heijenbrok, M.G.J. Sources of quasi-monoenergetic gamma radiation, 2=5611
- Aten, A.H.W., Jr, Jeertje, I. and de Jong, W.M.C. Measurements of low level environmental radiation by means of Geiger Müller counters with observations in the Amsterdam area, 1=17708
- Aten, A.H.W., Jr and Langelaar, J. Sources of quasi-monoenergetic γ -radiation. II, 3=24680
- Aten, A.H.W., Jr and Pieterse, A.C. Dose distribution of gamma radiation in cylindrical volumes of water, 0=15558
- Aten, A.H.W., Jr and Wolzak, G. Gamma rays of promethium-152, 0=7537
- Aten, A.H.W., Jr. See Brinkman, G.A., 3=17111
- Aten, A.H.W., Jr. See Brinkman, G.A., 4=3588
- Aten, A.H.W., Jr. See Brinkman, G.A., 4=6261
- Aten, A.H.W., Jr. See Heertje, I., 2=16209
- Aten, A.H.W., Jr. See Heertje, I., 4=17170
- Aten, A.H.W., Jr. See Heertje, I., 4=22170
- Aten, A.H.W., Jr. See Heertje, I., 4=28047
- Aten, A.H.W., Jr. See Heertje, I., 4=30341
- Aten, A.H.W., Jr. See Ythier, C., 0=20384
- Aten, C. F. See Beuer, S.H., 4=3887
- Aten, J.B.T. and Schouten, A. Ultra-violet absorption optical system with photoelectric recording for a Phywe ultracentrifuge, 1=11835
- Athavale, V.N. See Chiplonkar, M.W., 0=1987
- Athay, R.G. The equilibria and ultraviolet spectra of H, He I, and He II in the solar atmosphere, 0=12280
- Athay, R.G. Rocket and satellite observations of the solar ultra-violet spectrum, 0=16545
- Athay, R.G. A model of the chromosphere from radio and optical data, 0=18630
- Athay, R.G. Phenomena of the solar atmosphere, 0=18743
- Athay, R.G. H β , H γ and K profiles in chromospheric spicules, 0=18761
- Athay, R.G. Sources of solar ultraviolet radiation, 1=15487
- Athay, R.G. The Doppler cores of strong Fraunhofer lines, 2=4763
- Athay, R.G. Line broadening in chromospheric spicules, 2=4786
- Athay, R.G. The solar chromosphere, 3=1523
- Athay, R.G. Excitation of chromospheric He I, 3=13889
- Athay, R.G. Depth of formation of Mg I lines in the solar atmosphere, 4=4910
- Athay, R.G. The challenge of chromospheric physics, 4=29454
- Athay, R.G. and House, L.L. Departures from thermodynamic equilibrium in chromospheric Mg I, Ca I and O I, 2=15353
- Athay, R.G. and House, L.L. Excitation of chromospheric Mg I, 3=11543
- Athay, R.G. and Hyder, C.L. Coronal ionization by two-step collision processes, 3=9211
- Athay, R.G. and Johnson, H.R. The excitation of He I in the solar spectrum, 0=6602
- Athay, R.G. and Moreton, G.E. Impulsive phenomena of the solar atmosphere. I. Some optical events associated with flares showing explosive phase, 1=7989
- Athay, R.G. and Zirker, J.B. Ionization and excitation equilibrium of CA II in the solar atmosphere, 2=19311
- Athay, R.G. See House, L.L., 1=5155
- Athenstaedt, H. Ferroelectric and piezoelectric properties of biologically significant substances, 1=17831
- Atherton, N.J. See Richards, E.W.T., 2=3460
- Atherton, N.J. See Richards, E.W.T., 4=1217
- Atherton, N.M. and Whiffen, D.H. An electron spin resonance study of a γ -irradiated single crystal of glycollic acid, 0=20666
- Atherton, N.M. and Whiffen, D.H. Electron resonance study of the carboxylate hydroxy methyl radical ion, 1=2346
- Atkins, E.A. and Chapman, J.H. Satellite measurements and radio break-through, 4=4797
- Atkins, G.R., Evans, D.S., Simenhoff, J. and Weinberg, I. The solar eclipse of 1963 January 25, 3=3564
- Atkins, K.R. Ions in liquid helium, 0=2285
- Atkins, K.R. The nature of ions in liquid helium, 4=29817
- Atkins, K.R., Donovan, R. and Walmsley, R.H. Low-temperature impurity conduction in n-type silicon, 0=9968
- Atkins, K.R. and Flicker, H. Velocity of sound in liquid He³ at high pressures, 0=2281
- Atkins, K.R. See Everitt, C.W.F., 3=318
- Atkins, K.R. See Pollack, S.R., 2=6283
- Atkins, W.W. See Hall, D.A., 2=2670
- Atkinson, D. Prediction of pion phase shifts, 3=2311

- Atkinson, D. Removal of the divergence in zero momentum-transfer dispersion relations, 4=5942
- Atkinson, D. Calculation of the pion nucleon mass ratio from dispersion relations, 4=6094
- Atkinson, D. Antibound states of the pion-pion system, 4=16934
- Atkinson, G., Kor, S. K. and Jones, R. L. Pulse apparatus for the measurement of ultrasonic absorption in solutions from 1 to 60 Mc, 4=29626
- Atkinson, H. H. A new type of high vacuum gauge, 4=18282
- Atkinson, J. H., Hess, W. N., Perez-Mendez, V. and Wallace, R. 5 BeV neutron cross sections in hydrogen and other elements, 1=12206
- Atkinson, J. H. and Perez-Mendez, V. Gas Čerenkov counters, 0=2461
- Atkinson, J. R., Greer, J. R. and Wyllie, G. Scattering of electrons and positrons by xenon and mercury, 0=9652
- Atkinson, J. R., McFarlane, W., Reid, J. M. and Swinbank, P. A γ -ray collimator and expansion chamber for use with the 340 MeV electron synchrotron, 0=17286
- Atkinson, J. R. and Rigg, S. Design of irradiation experiments, 2=10425
- Atkinson, J. R. and Rigg, S. Design of irradiation experiments, 2=12483
- Atkinson, M. P. See Bane, W. T., 0=7051
- Atkinson, M. P. See Barber, D. L. A., 0=3646
- Atkinson, R. d'E. General relativity in Euclidean terms, 3=7107
- Atkinson, R. d'E. A euclidean re-statement of general relativity, 3=23757
- Atkinson, R. d'E. An energy-momentum tensor for collapsing stars, 4=26901
- Atkinson, W. See Hudson, G. E., 4=5007
- Atkinson, W. R., See Beehler, R. E., 3=11749
- Atkinson, W. R. See Bonanomi, J., 4=24006
- Atlan, H. Study of the transmission of light by suspensions of large coloured particles, 3=9621
- Atlas, D. Indirect probing techniques, 3=5188
- Atlas, D. and Glover, K. M. Back-scatter by dielectric spheres with an without metal caps, 4=14895
- Atlas, D. and Ludlam, F. H. Multi-wavelength radar reflectivity of hailstorms, 2=2479
- Atlas, D. and Wexler, R. Back-scatter by oblate ice spheroids, 3=9934
- Atlas, D. See Glover, K. M., 4=8950
- Atlas, D. See Willis, J. T., 4=17884
- Atlas, N. N., Dobrolyubov, G. N., Zaitsev, A. A., Levintov, I. I., Savinov, E. G., Sokolov, V. P., Stasevich, B. M. and Trostin, I. S. Beam-extraction system of the cyclotron at the Institute of Theoretical and Experimental Physics, 2=20075
- Atneosen, R. A., Wilson, H. L., Sampson, M. B. and Miller, D. W. Energy dependence of elastic and inelastic scattering of alpha particles by C^{12} and the $C^{12}(\alpha, p)N^{15}$ reaction, 4=25435
- Ato, Y., Huzimura, R. and Oishi, M. Radioactive self-luminous compounds. IV. Comparison of relative luminescence efficiencies of radioluminescence and photoluminescence of various phosphors, 4=7169
- Ato, Y. Huzimura, R., 0=11687
- Ato, Y. See Huzimura, R., 2=10463
- Ato, Y. See Huzimura, R., 4=26233
- Atoda, T., Higashi, I., Takahashi, Y., Sasa, Y. and Kobayashi, M. Studies on uranium carbides. (II) X-ray analysis of uranium carbides, 2=10867
- Atoji, M. Slow-neutron scattering cross sections of terbium, ytterbium and lutetium, 1=2219
- Atoji, M. Neutron diffraction studies of CaC_2 , YC_2 , LaC_2 , CeC_2 , TbC_2 , YbC_2 : LuC_2 , and UC_2 , 2=4419
- Atoji, M. Neutron diffraction studies of higher carbides of heavy metals, 3=1328
- Atoji, M. Slow-neutron cross sections of hafnium, 4=29111
- Atoji, M. and Rundle, R. E. Neutron diffraction study on tungsten bronzes Na_xWO_3 ($x = 0.9 \sim 0.6$), 0=6361
- Atoji, M., Schirber, J. E. and Swenson, C. A. Crystal structure of β -Hg, 0=3220
- Atoji, M. and Williams, D. E. Neutron-diffraction studies of La_2C_3 , Ce_2C_3 , Pr_2C_3 , and Tb_2C_3 , 2=4420
- Ator, J. T. Image-velocity sensing with parallel-slit reticles, 4=5410
- Atrashkevich, V. I. See Khristiansen, G. B., 3=4513
- Atrashkevich, V. I. See Vernov, S. N., 2=20462
- Atroshchenko, L. V. See Palatnik, L. S., 4=2066
- Atroshchenko, L. V. See Palatnik, L. S., 3=13513
- Atsarkin, V. A. Paramagnetic resonance of the Cr^{3+} ion in spinel, 3=3171
- Atsarkin, V. A., Gerasimova, É. A., Matveeva, I. G. and Frantsesson, A. V. Paramagnetic resonance of Cr^{3+} in magnesium tungstate, 3=15939
- Atsarkin, V. A. and Mazel, E. Z. Effect of heat treatment on the minority-carrier lifetime in silicon, 1=1064
- Atsarkin, V. A. and Mazel, E. Z. Effect of heat treatment on the minority-carrier lifetime in silicon, 1=6153
- Atsarkin, V. A., Zhabotinskii, M. E. and Frantsesson, A. V. Obtaining maximum sensitivity in a radio spectroscopy for the observation of electron paramagnetic resonance, 3=21992
- Atta, C. M. van. See van Atta, C. M.
- Atta, L. C. van. See van Atta, L. C.
- Attard, A. E. and Azároff, L. V. Liquid-nitrogen cryostat for single-crystal X-ray diffraction, 0=12015
- Attard, A. E. and Azároff, L. V. Electron density distribution in indium antimonide, 3=11260
- Attard, A. E. See Southgate, P. D., 3=10663
- Attarian, V., Szwarc, H. and Ter Minassian, L. The distribution of activation energies for kinetic phenomena, 3=8947
- Atterling, H. The acceleration of heavy ions in the Stockholm 225 cm cyclotron, 0=9123
- Atterling, H. Beam-transport system for the Berkeley 88-inch cyclotron, 3=5791
- Atterling, H. and Forsling, W. Light polonium isotopes from carbon ion bombardments of platinum, 0=7589
- Atterling, H., Forsling, W. and Åström, B. Neutron-deficient polonium isotopes from neon ion bombardments of wolfram, 0=7591
- Atterling, H. and Lindström, G. The 225 cm cyclotron at the Nobel Institute of Physics, Stockholm, 0=9122
- Atterling, H. See Fields, P. R., 0=7498
- Attermo, R. See Ostberg, G., 2=4460
- Attia, E. A. See Kamel, R., 0=21125
- Attia, E. A. See Kamel, R., 2=4335
- Attia, E. A. See Kamel, R., 4=23290
- Attix, F. H. See Ritz, V. H., 2=17987
- Attix, F. H. See Schulman, J. H., 1=1994
- Attree, R. W., Cabell, M. J., Cushing, R. L. and Pieroni, J. J. A calorimetric determination of the half-life of thorium-230 and a consequent revision to its neutron capture cross-section, 2=5834
- Attwood, C. F. See Sheridan, K. V., 3=1538
- Attwood, S. S. Radio-wave propagation between world wars I and II, 2=16046
- Atwater, H. A. Apparent distortion of relativistically moving objects, 2=2857
- Atwater, H. A. Electron spin resonance of $CaF_2:H$, 4=13319
- Atwell, R. E. See Spencer, H. E., 4=14414
- Atwood, J. R. See Smith, B. H., 4=16618
- Atwood, M. R. and Hai Vu. Fine structure in the pressure induced band in the fundamental vibration rotation band of the hydrofluoric acid molecule, 4=17284
- Atwood, M. R. See Shang Yi Ch'en, 1=19591
- Atwood, M. R. See Vu, H., 3=17572
- Atwood, M. R. See Vu, H., 4=3855
- Atwater, H. A. Dislocation theory of formation of small-angle boundaries, 0=549
- Atwater, H. A. Microwave measurement of semiconductor carrier lifetimes, 0=9954
- Atwood, M. and Vu Hai. Perturbation of the band of the first harmonic in the vibration-rotation spectra of HCl in condensed state, 0=15702
- Atwood, M. R. See Vu, H., 4=25634
- Au, R. See Spence, R. D., 4=28899
- Au, W. W. S. and Lomon, E. L. π - π scattering in the boundary-condition model, 4=9245
- Au, W. W. S. and Lomon, E. L. Pion-pion amplitudes from the boundary condition model, 3=19676
- Au, W. W. S. See Lomon, E. L., 4=25134
- Aub, M. R. and Zienau, S. Studies on the retarded interaction between neutral atoms. I. Three-body London-van der Waals interaction of neutral atoms, 0=20581
- Auberger, M. and Rinehart, J. S. Method for measuring attenuation of ultrasonic longitudinal waves in plastics and rocks, 1=1786
- Auberger, M. and Rinehart, J. S. Ultrasonic attenuation of longitudinal waves in plastics, 1=2822
- Auberger, M. See Rinehart, J. S., 20925
- Aubert, B., Behr, L., Brisson, V., Mittner, P., Petiau, P., Calimani, E., Ciampolillo, S., Filippi-Filosofo, C., Leardini, M. and Sconza, A. Direct observation of the decay mode $K_S^0 \rightarrow \pi^0 \pi^0 \pi^0$, 4=25175
- Aubert, B., Behr, L., Lowys, J. P., Mittner, P. and Pascaud, C. Further results on the $\Delta Q = \Delta S$ rule in K_S^0 decay and $K_S^0 - K_L^0$ mass, 4=21930

- Aubert, B., Brisson, B., Hennessy, J., Mittner, P., Six, J., Baglin, C., Bloch, M., Bressy, A., Hennessy, J., Lagarrigue, A., Mittner, P., Orkin-Lecourtois, A., Rançon, P., Rousset, A. and Sauteron, X. Leptonic decay of Λ^0 and Σ -hyperons, 2=18187
- Aubert, B., Brisson, B., Hennessy, J., Mittner, P., Six, J., Baglin, C., Bloch, M., Bressy, A., Hennessy, J., Lagarrigue, A., Mittner, P., Orkin-Lecourtois, A., Rançon, P., Rousset, A. and Sauteron, X. Leptonic decay of Λ^0 Σ -hyperons, 2=22647
- Aubert, B., Courant, H., Filthuth, H., Segar, A. and Willis, W. Low energy separated beam at the cern P.S. 3=17333
- Aubert, B. See Loria, A., 2=1714
- Aubert, M. The geometrical representation of certain irreversible phenomena, 1=15717
- Aubert, M., Clerc, G. and Gilbert, D. Portable apparatus for measurement of very slow terrestrial variations, 3=1478
- Aubert, M. and Cornou, M. Contribution to the study of non-quasistatic compressions, 2=19585
- Aubert, M. and de Beaumont, H. Contribution to Nernst's principle for fluids, 2=4977
- Aubret, C. See Dumas, J.C., 3=12057
- Aubrey, J.E. Cyclotron resonance in lead, 0=20784
- Aubrey, J.E. Cyclotron resonance in bismuth. II, 2=2071
- Aubrey, J.E., Gubler, W., Henningsen, T. and Koenig, S.H. Piezo-resistance and piezo-Hall effect in n-type silicon, 3=15582
- Aubrun, J.N. A spectrograph with frequency modulation for nuclear magnetic resonance in ferromagnetics, 1=16603
- Aubrun, J.N. An alternative theorem on real passive networks, 3=5602
- Aubrun, J.N. Nuclear magnetic resonance of metallic cobalt, 3=23259
- Aubrun, J.N. and Hervé, J. An experimental study of the influence of an external magnetic field on the nuclear resonance of powdered metallic cobalt, 2=18959
- Aubrun, J.N. See Herve, J., 3=3193
- Aubrun, J.N. See Hervé, J., 2=12831
- Aubrun, M. Equation of the plane trajectories of paramagnetic particles conveyed by a fluid in a magnetic field, 3=17036
- Aubry, M. Partial reflections in the D-region of the ionosphere observed at French Port (Archipelago of Kerguelen), 3=16268
- Aucamp, A. L., Koen, J. W., Mayer, M. A., Van Der Walt, J. J. and Wolmarans, N. S. The use of ferrite memory cores with multi-wire spark chambers, 4=16775
- Auchampaugh, G.F. See Bowman, C.D., 3=12709
- Auchampaugh, G.F. See Bramblett, R.L., 3=10329
- Auch, K. and Landwehr, G. Oscillatory magnetoresistance changes in Bi_2Te_3 at low temperatures, 4=6947
- Auch, K. See Justi, E., 4=4121
- Auchampaugh, G.F. See Bowman, C.D., 4=9481
- Auclair, J.M. A study of the variation with incident neutron energy of the relative probability of ternary fission with the emission of a long-range α -particle, 0=9700
- AuCoin, T.R. See Adams, I., 2=4191
- AuCoin, T.R. See Adams, I., 3=10985
- AuCoin, T.R. See Shappirio, J.R., 4=9950
- Aucouturier, M. and Lacombe, P. Evidence from radioactive tracers on the relationship between α and β cobalt, 3=1257
- Aucouturier, M. See Grilhe, J., 3=11198
- Aucouturier, M. See Guiraldenq, P., 2=6368
- Audran, M. Rapid method of measurement of low frequency impedances, 2=22128
- Audran, R., Engelen, M. and Jouy, A.D. Granulometric analysis of photographic emulsions, 2=7414
- Auer, H., Gerold, V., Haberkorn, H. and Zürn, W. The mechanical properties of aluminium-zinc and aluminium-silver alloys, 4=30768
- Auer, P.L. Potential distributions in a low-pressure thermionic converter, 1=1911
- Auer, P.L. The role of ion currents in the formation of space charge sheaths in a low pressure arc, 2=1410
- Auer, P.L. Adiabatic electron fluid in the presence of strong space-charge forces, 2=19942
- Auer, P.L. The space charge sheath in low pressure arcs, 3=4057
- Auer, P.L. Large amplitude wave motion in thermal plasmas, 4=18970
- Auer, P.L. and Hurwitz, H. Jr. Positive column formation in ion sources employing surface ionization, 0=10973
- Auer, P.L., Hurwitz, H., Jr. and Kilb, R.W. Low Mach number magnetic compression waves in a collision-free plasma, 1=11957
- Auer, P.L., Hurwitz, H., Jr. and Kilb, R.W. Large-amplitude magnetic compression of a collision-free plasma. II. Development of a thermalized plasma, 2=9578
- Auer, P.L. and Nation, J.A. Magneto-compressional disturbance in a tepid plasma, 2=1431
- Auer, P.L. and Nation, J.A. Magneto-compressional disturbance in a tepid plasma, 2=11652
- Auer, P.L. and Tamor, S. Statistical mechanics of the non-uniform gas, 0=18973
- Auerbach, E.H. and Brown, G.E. Photon-proton scattering in the GeV region, 3=24725
- Auerbach, E.H. and Margolis, B. Optical model for the pion-nucleon resonances, 4=3459
- Auerbach, E.H. and Moore, S.O. Calculations of inelastic scattering of neutrons by heavy nuclei, 4=28039
- Auerbach, E.H. and Porter, C.E. Optical model analysis of heavy ion scattering, 4=22196
- Auerbach, K. See Bodendstedt, E., 3=2391
- Auerbach, K. See Bodendstedt, E., 2=12136
- Auerbach, K. See Bodendstedt, E., 2=16300
- Auerbach, K. See Körner, H.J., 3=12560
- Auerbach, L. More Christiansen filters, 0=19385
- Auerbach, L.B., Elioff, T., Johnson, W.B., Lach, J., Wiegand, C.E. and Ypsilantis, T. Study of pion-pion interactions from pion production by pions, 2=20393
- Auerbach, L.B., Esterling, R.J., Hill, R.E., Jenkins, D.A., Lach, J.T. and Lipman, N.H. Measurement of the μ^- capture rate in He^3 , 3=22160
- Auerbach, L.B. See Astbury, A., 4=28052
- Auerbach, L.B. See Bernardini, G., 1=5702
- Auerbach, L.B. See Wiegand, C.E., 2=11962
- Auerbach, N. and Talmi, I. Proton-neutron interactions, spin gaps and Mo^{93} , 4=19690
- Auerbach, N. and Talmi, I. Isomerism in Po^{211} and Po^{212} , 4=25325
- Auerbach, T. The Milne problem with a polynomial source, 2=7111
- Auffray, J.P. Deuteron electric quadrupole moment, 1=5790
- Auffray, J.P. Magnetic susceptibility of the hydrogen molecule, 2=10233
- Auffray, J.P. Electron phase waves in the beryllium atom, 4=3786
- Auffray, J.P. Calculation of the properties of the helium atom by phase mechanics, 4=22293
- Auffray, J.P. Phase mechanics: the excited helium atom, 4=17242
- Auffray, J.P. and Cooley, J.W. Nuclear spin-spin interaction energy in the hydrogen molecule, 1=7493
- Auffray, J.P. and Cooley, J.W. Oscillator frequency and vibrational quanta in the hydrogen molecule, 1=17306
- Auffray, J.P. and Percus, J. The eigen-state of atomic helium, 2=18412
- Auffray, J.P., Percus, J.K. and Ross, G.G. Calculation of electrostatic interactions in atoms, 2=16465
- Auffray, J.P. and Sobol, M. The movement of the electrons of atomic helium in physical space, 4=3778
- Auffray, J.P. and Sobol, M. Introduction to phase mechanics: the helium atom, 4=12357
- Auffray, J.P. and Sobol, M. Phase mechanics: quantal potentials in the helium atom, 4=12358
- Auffray, J.P. See Stephen, M.J., 0=2746
- aufm Kampe, H.J., Smith, M.E. and Brown, R.M. Winds between 60 and 110 kilometers, 3=9033
- Augard, R. See Lallemand, A., 0=18591
- Augason, G. C. See Lumb, D.R., 4=27312
- Augenstein, L.G. See Carter, J.G., 3=18052
- Augenstein, L.G. See Weinberg, C.J., 2=14758
- August, L.S. and Friichtenicht, J.F. Gamma rays from Ga^{68} decay and half-life of the 54 keV level of Zn^{68} , 1=648
- Augustine, F. and Hale, D.R. Topography and etch patterns of synthetic quartz, 0=16285
- Augustson, R. H. See Yergin, P. F., 4=25374
- Augustyniak, W.M. See Logan, R.A., 1=10054
- Aukerman, L.W. Electron irradiation of indium anti-monide, 0=1670
- Aukerman, L.W. Electron irradiation of indium arsenide, 0=1671
- Aukermann, L.W. Radiation effects and annealing of n-type GaAs, 2=23387
- Aukerman, L.W., Davis, P. W., Graft, R. D. and Shilliday, T. S. Radiation effects in GaAs, 4=6899
- Aukerman, L.W. and Graft, R.D. Annealing of electron-irradiated GaAs, 2=21005
- Aukerman, L.W. and Willardson, R.K. High temperature Hall coefficient in GaAs, 0=9973
- Aukrust, E. and Muan, A. Thermodynamic properties of Pd-Pe alloys in the temperature range 1200-1460°C, 2=15140

- Aukrust, E. and Muan, A. Thermodynamic properties of solid solutions with spinel-type structure. I. The system $\text{Co}_3\text{O}_4\text{-Mn}_2\text{O}_3$, 4=22517
- Auld, B.A. Finite amplitude electromagnetic waves in gyromagnetic media, 0=10190
- Auld, B.A. Walker modes in large ferrite samples, 0=16142
- Auld, B.A. Saturation effects in ferrite frequency doublers operating in the uniform precession mode, 2=3155
- Auld, B.A. Couplings of electromagnetic and magnetostatic modes in ferrite-loaded cavity resonators, 3=14777
- Auld, B.A. Coupling of electromagnetic and magnetostatic waves in ferrite waveguides, 4=725
- Auld, B.A., DiDomenico, M., Jr. and Pantell, R.H. Traveling-wave harmonic generation along nonlinear transmission lines, 3=4277
- Auld, B.A. and Eidson, J.C. Coupling of electromagnetic and quasi-static modes in plasma-loaded waveguides, 3=9935
- Auld, B.A. and Holmes, C.H. Even and odd instabilities in coupled ferrite spheroids, 3=15926
- Auld, B.A., Shaw, H.J. and Winslow, D.K. Traveling-wave frequency doubling in ferrites, 1=5588
- Auld, B.A., Tokheim, R.E. and Winslow, D.K. Pumping effects contributing to the excitation of phonon instabilities in ferromagnetic insulators, 3=23178
- Auld, B.A. See Comstock, R.L., 1=6408
- Auld, B.A. See Comstock, R.L., 3=13293
- Auld, B.A. See Hatfield, W.B., 3=24466
- Auld, B.A. See Hatfield, W.B., 4=30047
- Auld, B.A. See Roberts, R.W., 2=13680
- Auld, B.A. See Tokheim, R.E., 4=13255
- Auletta, L.V. See Intler, M., 4=8587
- Auleytner, J. Determination of the orientation of mosaic blocks by means of a fine-focus X-ray tube, 0=16288
- Auleytner, J. X-ray investigation of disturbance fields due to individual dislocations in Si and Ge, 1=17537
- Auleytner, J. and Hörnfeldt, O. Investigation of the Fermi level position in doped silicon and n-CdTe using electron spectroscopy, 3=2758
- Auleytner, J. and Kofakowski, B. Microscopic observations of the surface of InSb monocrystals, 0=13930
- Auleytner, J. and Lidén, B. The structure of silicon and germanium bremsstrahlung isochromats, 3=8611
- Auleytner, J. and Pawłowska, M. Dynamical effects of X-ray interference in natural NaCl crystal from Wieliczka, 2=6860
- Auleytner, J. and Zielińska-Rohoznińska, E. Oscillating film method and its application in the study of dynamic effects in X-ray scattering in a crystal lattice, 4=1451
- Auleytner, J. See Lidén, B., 3=4919
- Auleytner, J. See Noreland, E., 3=25472
- Auleytner, J. See Szarras, S., 3=8819
- Aulhorn, V. O., Bevilacqua, L. L. and Knorn, M. G. A compressor for valuable gases, 4=20999
- Aull, L.B., Reinhardt, G.C. and Whitehead, W.D. Fast photo-neutrons from tantalum and gold, 0=5777
- Auluck, F.C. and Nayyar, N.K. The stability of a gravitating cylinder in the presence of magnetic fields, 0=12687
- Auluck, F.C. and Nayyar, N.K. On the stability of a gravitating cylinder in the presence of a magnetic field, 1=16529
- Auluck, F.C. and Nayyar, N.K. The stability of a self-gravitating fluid sphere in presence of a magnetic field, 1=19001
- Auluck, F.C. See Kothari, D.S., 2=21725
- Auluck, F.C. and Verma, Y.K. On the magnetogravitational instability of a homogeneous medium in nonuniform and nonsteady rotation, 3=9159
- Auman, J. See Gray, L., 3=15042
- Auphan, M. Magneto-optical properties of gadolinium, 1=19954
- Auphan, M. Image converter tube using a photoconductive electron target and a sorting mirror, 4=360
- Auphan, M., Boutry, G. A., Brisot, J. J., Dermont, H., Perilhou, J. and Pietri, G. An image converter for the infrared using the juxtaposition of a photoconductive and a photomissive layer: the "SERVAL", 4=5368
- Aurela, A. On the geometrical error when measuring directional intensities of cosmic rays by means of counter telescopes, 3=15055
- Aurela, A. See Hovi, V., 0=11263
- Aurela, A. See Hovi, V., 0=13091
- Aurell, C.G. Physical equations from the conceptual point of view, 3=13985
- Aurich, D. and Detert, K. Recrystallization textures in rolled transformer sheet, 3=16098
- Aurich, F., Kleinknecht, H. P., Renz, A., Schuegraf, K. and Seiler, K. Highly pure germanium—surface conductivity and carrier lifetime, 4=1603
- Auriol, A. and Balazard, J. Similarity of inviscid hypersonic flows near the stagnation point of a blunt obstacle, 1=9413
- Aurivillius, B. and Fang, P.H. Ferroelectricity in the compound $\text{Ba}_2\text{Bi}_4\text{Ti}_3\text{O}_{18}$, 2=12570
- Aurivillius, B. and Jonsson, I. The crystal structure of the monoclinic modification of $\text{BiO}(\text{HCrO}_4)$, 2=23855
- Aurivillius, B. See Fang, P.H., 2=12569
- Aurouet, C. See Poivilliers, J., 3=4300
- Ausburn, K.J. Charged particle trajectories in static electric and magnetic fields, 2=225
- Ausburn, K.J. Visual and photographic study of electron beams, 4=8830
- Ausburn, K.J. See Milner, C.J., 1=11973
- Auskern, A. and Osawa, Y. Xenon diffusion in uranium carbide powder, 3=2834
- Auskern, A.B. and Belle, J. Oxygen ion self-diffusion in uranium dioxide, 2=3944
- Auskern, A.B. and Belle, J. Uranium ion self-diffusion in UO_2 , 2=3949
- Ausländer, D. See Maxim, I., 1=3891
- Ausländer, J. and Georgescu, I. On the vapour pressure of polonium at room temperature, 1=1850
- Ausländer, J. See Alper, S., 1=402
- Ausländer, J. See Auslender, I., 2=9884
- Ausländer, J. See Khulubei, Kh., 3=6029
- Ausländer, J.A. See Angheliescu, D., 3=12379
- Ausländer, J.S., Labău, V. and Meitert, S. An upper limit for the vapour pressure of bismuth (ThC) at room temperature, 1=179
- Ausländer, J.S. See Angheliescu, D., 2=5557
- Auslender, J.S. See Hulubei, H., 3=10142
- Auslander, L. and Trent, H.M. On the realization of a linear graph given its algebraic specification, 1=12732
- Auslender, I. See Khulubei, Kh., 2=9884
- Auslender, I. See Khulubei, Kh., 3=6029
- Ausloos, P. and Gorden, R., Jr. Hydrogen formation in the γ radiolysis of ethylene, 2=2453
- Ausloos, P. and Gorden, R., Jr. Effect of electrical fields in the gamma radiolysis of propane, 4=29233
- Ausloos, P., Gorden, R., Jr. and Lias, S.G. Effect of pressure in the radiolysis and photolysis of methane, 4=17870
- Ausloos, P. and Lias, S. Gas-phase radiolysis of propane, 2=17097
- Ausloos, P. and Lias, S. G. Proton-transfer reactions between H_3^+ and saturated hydrocarbons, 4=23622
- Ausloos, P., Lias, S. G. and Gorden, R., Jr. Effect of additives on the ionic reaction mechanism in the radiolysis of methane, 4=7774
- Ausloos, P. See Borkowski, R. E., 4=13712
- Ausloos, P. See Doepker, R. D., 4=28271
- Ausloos, P. See Lias, S.G., 2=19166
- Ausloos, P. See Stief, L.J., 2=15160
- Ausloos, P. See Rebbert, R.E., 2=23968
- Ausloos, P.J. and Lias, S.G. Radiolysis of methane, 3=16182
- Ausloos, P.J. See Borkowski, R.P., 3=8978
- Ausloos, P.J. See Borkowski, R.P., 3=23550
- Ausloos, P.J. See Sandoval, I.B., 3=18457
- Aussenberg, F. See Gross, F., 3=25412
- Aussenegg, F. A simple method for the determination of h [Planck's constant], 2=4906
- Aussenegg, F. See Gross, F., 3=17788
- Aussenegg, F. See Gross, F., 4=2927
- Aussenegg, F. See Gross, F., 4=20408
- Aust, K.T. Relative energies of tilt-type subboundaries in aluminium, 0=7897
- Aust, K.T. See Westbrook, J. H., 4=2014
- Aust, K.T. See Westbrook, J. H., 4=28963
- Aust, R.B. and Drickamer, H.G. Carbon: a new crystalline phase, 3=18229
- Aust, R. B., Samara, G. A. and Drickamer, H. G. Effect of pressure on the properties of TCNQ and its complexes, 4=30602
- Austerman, S.B. Compact high-temperature vacuum furnace, 1=13018
- Austerman, S.B. Sub-crystal formation in BeO crystals at high temperature, 3=2818
- Austerman, S.B., Berlincourt, D.A. and Krueger, H.H.A. Polar properties of BeO single crystals, 3=10884
- Austern, N. Direct reaction theories, 1=8670
- Austern, N. Presentation of Newtonian mechanics, 1=11717
- Austern, N. Optical model wave functions for strongly absorbing nuclei, 1=19422
- Austern, N. See Halbert, E.C., 1=19430

- Austern, N., Drisko, R. M., Halbert, E. C. and Satchler, G. R. Theory of finite-range distorted-waves calculations, 4=9467
- Austern, N., Drisko, R. M., Rost, E. and Satchler, G. R. Distorted-waves theory of double-excitation by inelastic scattering, 3=661
- Austern, N. and Iano, P. Variational calculations with repulsive core potentials, 0=20309
- Austern, N. and Rost, E. Evaluation of the interaction effect in n-p capture, 0=7377
- Austern, N. See Rost, E., 0=20426
- Austern, N. See Wackman, P. H., 2=9986
- Austerweil, V. G. Selectivity and ionophoresis in ion exchangers, 2=17090
- Austin, A. E., Adelson, E. and Cloud, W. H. Magnetic structures of Mn_2As and $Mn_2Sb_{0.7}As_{0.3}$, 2=12741
- Austin, A. E., Adelson, E. and Cloud, W. H. Magnetic structures of chromium-modified Mn_2Sb , 3=23197
- Austin, A. E. and Richard, N. A. Grain-boundary diffusion, 1=11224
- Austin, A. E. and Richard, N. A. Grain-boundary diffusion of gold in copper, 3=2824
- Austin, A. E. See Cloud, W. H., 1=1242
- Austin, A. E. See Wood, V. E., 3=2820
- Austin, B. J., Heine, V. and Sham, L. J. General theory of pseudo-potentials, 2=16464
- Austin, I. G. Infrared Faraday rotation in InAs and InP, 0=20919
- Austin, I. G. Infrared Faraday rotation and free carrier absorption in Bi_2Te_3 , 1=1146
- Austin, I. G. The effect of pressure on the metal-to-insulator transition in V_2O_5 , 3=1254
- Austin, I. G., Gebbie, H. A. and Morin, I. Absorption of coesite [SiO_2] in the wavelength region 5-22 microns, 2=4130
- Austin, I. G. See Gebbie, H. A., 1=6160
- Austin, R. W. See Boileau, A. R., 4=23756
- Austin, R. W. See Tyler, J. E., 4=23723
- Austin, S. M., Barschall, H. H. and Shamu, R. E. Scattering of neutrons by α particles, 2=13808
- Austin, S. M., Darden, S. E., Okazaki, A. and Wilhelm, Z. The polarization of neutrons from the $Li^7(p,n)Be^7$ reaction. II, 1=5912
- Austin, S. M., Salmon, G. L., Clegg, A. B., Foley, K. J. and Newton, D. Reactions induced in ^{12}C by nucleons of energy 120-150 MeV, 2=18318
- Austin, S. M., Salmon, G. L., Rowe, D. J., Clegg, A. B., Newton, D. and Foley, K. J. The $^{12}C(n,np)^{11}B$, $^{12}C(p,pn)^{11}C$ and $^{12}C(p,p)^{11}B$ reactions induced by nucleons of 120-150 MeV, 2=1870
- Austin, W. E. See Elton, R. C., 4=29439
- Auten, B. H. See Hickernell, F. S., 2=13683
- Auth, J. The influence of temperature and environmental conditions on the photoelectromagnetic effect in CdS, 2=650
- Auth, J. Investigation of the P.E.M. effect and the property of holes in CdS, 2=8442
- Auth, J. Speculation on the role of hot electrons in the anomalous P.E.M. effect, 2=8443
- Auth, J., Hornung, H. and Thiessen, K. The influence of the lifetime of minority charge carriers on the switching behaviour of germanium point contact diodes, 4=10081
- Auth, J., Krenzke, G. and Niekisch, E. A. A study of the field effect in CdS single crystals, 0=6118
- Auth, J., Niekisch, E. A. and Puff, H. The infrared quenching of the photoconductivity of CdS single crystals, 0=2910
- Authier, A. Experimental evidence for double refraction of X-rays, 1=3031
- Authier, A. How to obtain the intrinsic diffraction profiles of X-rays by reflection and by transmission, 1=6511
- Authier, A. Observation of dislocations in silicon using the anomalous transmission of X-rays, 1=14278
- Authier, A. Study of the anomalous transmission of X-rays in crystals of silicon. I. Perfect crystals, 1=15048
- Authier, A. Study of the anomalous transmission of X-rays in crystals of silicon. II. Application to imperfect crystals, 1=15049
- Authier, A. An experimental study, by transmission, of the integrated absolute reflections of X-rays, 1=20486
- Authier, A. The separation of waves in the neighbourhood of total reflection of X-rays, 2=814
- Authier, A. Path of X-rays in a perfect crystal [set] near total reflection, 3=11253
- Authier, A. and Lallemand, P. Observation by X-ray topography of damage caused by irradiation by protons, 2=23147
- Authier, A., Lallemand, P. and Pfister, J. C. Effects of proton irradiation on the properties of silicon, 4=1544
- Authier, A. and Lang, A. R. Three-dimensional X-ray topographic studies of internal dislocation sources in silicon, 4=22597
- Authier, A., Malgrange, C. and Petroff, J. F. Study of defects in LiF by the Lang method, 4=1460
- Authier, A. and Pétroff, J. F. X-ray topographic study of dislocations and ferroelectric domains in glycine sulphate, 4=25943
- Authier, A. and Rimsky, A. Achievement of a translation motion for the study of dislocations by the Lang method, 4=1488
- Authier, A. See Lefèvre, F., 0=21186
- Authier, B., Blamont, J., Carpentier, G. and Herse, M. Measurement of the temperature of the ionosphere using the vibrational spectrum of the $X^2\Sigma^+ \rightarrow A^2\Sigma^+$ transition of the AlO molecule, 4=2289
- Autler, S. E. Superconducting electromagnets, 0=7029
- Autler, S. H., Rosenblum, E. S. and Goen, K. H. High-field superconductivity in niobium, 3=19114
- Autler, S. H. See Kleiner, W. H., 4=11462
- Autler, S. H. See Rosenblum, E. S., 4=18590
- Autonès, P., Poinsignon, J., Rousseau, J. and Teiger, J. Trigger circuits for a spark chamber, 4=9028
- Autones, P., Bareyre, P., Gaillard, J. M., Robert, G. and Seige, R. A large spark chamber for polarization measurements, 4=9031
- Autrum, H. Phasic and tonic responses of the tympanal organs of the tettigonia viridissima grasshopper, 1=21125
- Auvil, P. and Lovelace, C. π p phenomenology, (300-1300) MeV, 4=25149
- Auvil, P. R., Jr. Effects of phonon pulses on the energy gap in a superconductor, 4=11459
- Auvray, J. and Estrade-Szwarckopf, H. Measurement of the nuclear relaxation time for a non-recurrent adiabatic change, 4=16677
- Auvray, J. See Legrand, A. P., 3=21406
- Auvray, J. See Legrand, A. P., 4=27198
- Auxier, J. A. See Strickler, T. D., 0=12944
- A-u-Zaman. See Liu, Y. S., 2=18164
- Auzins, P., Orton, J. W. and Wertz, J. E. Electron spin resonance studies of impurities in II-VI compounds, 4=26377
- Auzins, P. See Orton, J. W., 0=6270
- Auzins, P. See Orton, J. W., 0=15513
- Auzins, P. See Orton, J. W., 1=17536
- Auzins, P. See Orton, J. W., 4=3542
- Auzins, P. See Wertz, J. E., 0=21075
- Auzins, P. See Wertz, J. E., 1=3653
- Auzins, P. See Wertz, J. E., 2=3907
- Auzins, P. See Wertz, J. E., 2=12479
- Auzins, P. See Wertz, J. E., 3=22717
- Avae, V. N., Egorov, Yu. A. and Moiseev, G. G. The relaxation length for neutrons with energies greater than 1.5 MeV in iron, 4=21867
- Avakian, P., Abramson, E., Kepler, R. G. and Caris, J. C. Indirect observation of singlet-triplet absorption in anthracene crystals, 4=4313
- Avakian, P. and Smakula, A. Growth of cesium chloride crystals from solution and melt, 0=18306
- Avakian, P. and Smakula, A. Color centers in cesium halide single crystals, 1=992
- Avakian, P. and Wolf, H. C. The temperature dependence of the energy transfer in anthracene-tetracene mixed crystals, 2=4182
- Avakian, P. See Kepler, R. G., 3=18041
- Avakian, V. V. See Khirmian, A. V., 2=12081
- Avakov, G. V. Electron-electron scattering and quantum electrodynamics at small distances, 0=9337
- Avakov, G. V. and Ter-Martirosyan, K. A. Test of quantum electrodynamics in electron scattering, 0=3916
- Avakyan, R. O., Bayatyan, G. L., Vishnevskii, M. E. and Pushkin, E. V. Measurement of the longitudinal polarization of electrons emitted in the β -decay of Au^{199} , 1=19391
- Avakyan, R. O., Bayatyan, G. L., Vishnevskii, M. E. and Pushkin, E. V. Measurement of the longitudinal polarization of electrons emitted in the β -decay of Au^{199} , 2=22764
- Avakyan, R. V. and Radionava, E. A. The special features of differential intensity thresholds for a brief sound signal, 3=18676
- Avakyan, V. V. See Alikhanov, A. I., 0=9454
- Avakyan, V. V. See Khirmian, A. V., 2=13924
- Avakyan, V. V. See Khirmian, A. V., 3=2158
- Avakyan, V. V. See Khirmian, A. V., 3=6097
- Avakyan, V. V. See Khirmian, A. V., 4=5994
- Avakyan, V. V. See Khirmian, A. V., 4=5995

- Avak'yants, G.M. Properties of germanium in a strong electric field, 0=15932
- Avak'yants, G.M., Aronov, D.A. and Karageorgii-Alkalaev, P.M. The problem of reverse volt-amp characteristics of semiconductor diodes, 1=17768
- Avan, L., Avan, M., Fain, J. and Bertin, P.Y. Conditions for the use of "included targets" in nuclear emulsions in the measurement of simple scattering and multiple Coulomb scattering, 2=22372
- Avan, L. and Dubois, C. Investigation of the sensitivity of nuclear emulsions at the temperatures of liquid nitrogen and liquid helium, 1=1998
- Avan, L. and Gaillard, G. Possibility of a study of radioactive deposits by the nuclear emulsion method, 4=25216
- Avan, L. and Gaillard, G. Application of the photographic emulsion method to the study of the presence of α -emitters in natural atmospheres, 4=25217
- Avan, L. and Keller, P. Estimation of uranium and thorium in radioactive ores by γ -spectrometry, 1=7926
- Avan, M., Fain, J., Hugon, L. and Bertin, P.Y. Experimental method for the determination of the effective cross-sections for simple scattering as a function of the atomic number Z using nuclear emulsions, 1=8750
- Avan, M. See Avan, L., 2=22372
- Avasthi, M.N. See Singh, N.L., 3=22539
- Avdeenko, A.A. See Shklyarevskii, I.N., 0=3635
- Avdeev, V.I. Magnitude of nuclear polarization in the transient Overhauser effect, 1=6425
- Avdeev, V.I. Effect of an acceptor impurity on the rate of relaxation of the donor electrons in semiconductors, 2=8315
- Avdonin, V.I. Measurement of the velocity of acoustic waves in saturated steam, 1=201
- Avdeev, V.I. Effect of an acceptor impurity on the rate of relaxation of the donor electrons in semiconductors, 2=10456
- Avdeev, V.I. Relaxation rate of donor electrons in compensated semiconductors, 3=25219
- Avdonin, N.A. On a two layer thermoconvective problem, 4=2868
- Avdonin, V.I. and Novikov, I.I. The propagation of sound in saturated vapours of liquids, 2=11427
- Aven, M. and Cook, D.M. Some electrical properties of zinc telluride-cadmium sulfide heterojunctions, 1=14483
- Aven, M. and Cusano, D.A. Injection electroluminescence in ZnS and ZnSe, 4=13088
- Aven, M. and Garwacki, W. Epitaxial growth and properties of ZnTe-CdS heterojunctions, 3=23419
- Aven, M., Marple, D.T.F. and Segall, B. Some electrical and optical properties of ZnSe, 1=17763
- Aven, M. and Parodi, J.A. Study of the crystalline transformations in ZnS:Cu, ZnS:Ag and ZnS:Cu, Al, 0=11998
- Aven, M. and Segall, B. Carrier mobility and shallow impurity states in ZnSe and ZnTe, 3=10843
- Aven, M. See Addamiano, A., 0=1880
- Aven, M. See Lorenz, M.R., 3=25268
- Aven, M. See Potter, R.M., 3=13207
- Avera, C.B., Jr. Simple flow regulator for extremely low gas flows, 1=18489
- Averbach, B.L. and Rosenfield, A.R. Reply to comments by Koppenaal on initial yielding in f.c.c. metals, 3=11152
- Averbach, B.L. See Dupouy, J.M., 1=20617
- Averbach, B.L. See Hilliard, J.E., 0=16344
- Averbach, B.L. See Hirano, K., 1=17559
- Averbach, B.L. See Hirano, K., 2=23202
- Averbach, B.L. See Hirano, K., 3=13006
- Averbach, B.L. See Hirano, K., 4=6874
- Averbach, B.L. See Hirano Ken-Ichi, 4=12801
- Averbach, B.L. See Eordon, M.J., 0=19501
- Averbach, B.L. See Houska, C.R., 0=18374
- Averbach, B.L. See Houska, C.R., 3=13505
- Averbach, B.L. See Kaplow, R., 3=14704
- Averbach, B.L. See Nagorsen, G., 1=7890
- Averbach, B.L. See Rosenfield, A.R., 1=3971
- Averbach, B.L. See Rosenfield, A.R., 2=8706
- Averbach, B.L. See Rosenfield, A.R., 4=4529
- Averbach, B.L. See Wagner, W.J., Jr., 2=10761
- Averbakh, E.M. See Ugai, Ya.A., 2=16719
- Averbakh, E.M. See Ugai, Ya.A., 2=18699
- Averbakh, E.M. See Ugai, Ya.A., 3=15597
- Averbakh, E.M. See Ugai, Ya.A., 3=20346
- Averbakh, E.M. See Ugai, Ya.A., 3=22956
- Averbuch, P. Quadrupole interaction in cold worked copper, 1=14834
- Averbuch, P. Mathematical representation of properties related to distortion in a cold-worked body, 2=4336
- Averbuch, P., de Bergevin, F. and Müller-Warmuth, W. The influence of lattice deformations on the nuclear magnetic resonance of metallic copper, 0=4527
- Averbuch, P., Ducros, P. and Paré, X. Nuclear magnetic resonance of protons in chabazite, 0=4535
- Averbuch, P. and Proctor, W.G. Saturation effects of ultrasonics on nuclear magnetisation in solids, 3=25588
- Averbuch, P. See Fert, A., 4=26451
- Averchenkov, V. Ya. and Veretennikov, A.I. Total cross sections of U^{235} and Th^{232} for 2 to 8 MeV neutrons, 4=12238
- Averchenkov, V. Ya. See Veretennikov, A.I., 1=4541
- Averchenkov, V. Ya. See Veretennikov, A.I., 2=12210
- Averchenkov, V. Ya. See Veretennikov, A.I., 2=18094
- Averell, J.A. See Chretien, M., 2=22610
- Averell, J.P. See Chretien, M., 3=24787
- Avericheva, V.E. See Savintsev, P.A., 0=3265
- Averin, E.K. See Arsen'ev, Yu.D., 3=6321
- Averin, V. G., Lobikov, E. A. and Nastyukha, A. I. The measurement of the electron density distribution in the "Beta" toroidal discharge, 4=24683
- Averin, V.G., Mazing, M.A. and Pisanko, A.I. A spectroscopic investigation of a toroidal discharge, 2=170
- Averin, V.G., Mazing, M.A. and Pisanko, A.I. A spectroscopic investigation of a toroidal discharge, 2=22189
- Averin, V. G., Mazing, M. A. and Pisanko, A. I. An investigation of the oscillation of spectral line intensities in a toroidal discharge with a weak magnetic field, 4=14651
- Averin, V. G., Mazing, M. A. and Pisanko, A. I. A spectroscopic investigation of a toroidal discharge, 4=18865
- Averina, A.P. The omegatron as a meter of partial pressures in high-vacuum systems, 3=3841
- Averina, L. N., Kerner, B. I., Nikulina, R. A., Sokolovskaya, T. I. and Tsirlin, Yu. A. Light collection in scintillators, 4=7168
- Averk'eva, G.K. See Ozolin'sh, G.V., 3=20836
- Averk'eva, G.K. See Ozolin'sh, G.V., 4=4606
- Averkin, A.A. and Bogomolov, V.N. An apparatus for the investigation of galvanomagnetic effects under hydrostatic pressure, 1=14372
- Averkin, A.A. and Bogomolov, V.N. A high pressure chamber, 3=7078
- Averkin, A.A., Dombrovskaya, I.G. and Moizhes, B.Ya. Variation of the forbidden-band width of PbSe with pressure, 3=17889
- Averkin, A. A., Ilisavsky [Ilisavnskii] and Regel, A.R. The effect of elastic strain on the electric properties of PbTe, PbSe, PbS, Bi₂Te, and Bi₂Se₃, 3=10832
- Averkin, A.A., Kasimov, S. and Nensberg, E.D. Pressure dependence of the electrical properties of PbTe and PbS, 3=22948
- Averkin, A.A., Moizhes, B.Ya. and Smirnov, I.A. Change of electrical properties of PbSe with pressure, 2=2167
- Averkin, A.A., Sergeeva, V.M. and Shelykh, A.I. The influence of omnidirectional pressure on the electrical resistance and thermoelectric power of In₂Te₃, 0=13615
- Averkin, A.A. See Smirnov, I.A., 2=23401
- Averkin, B.A. See Abov, Yu.G., 2=7874
- Averkov, S.I., Anikin, V.I., Ryadov, V.Ya. and Furashov, N.I. Vacuum spectrometer for the far infrared, 3=24032
- Averkov, S. I., Anikin, V. I., Ryadov, V. Y. and Furashov, N. I. An astronomical station for observations in the far infrared spectral region, 4=26893
- Avery, A.F. The prediction of neutron attenuation in iron-water shields, 2=20712
- Avery, A. F. and Butler, J. The calculation of fast neutron spectra for pressure vessel damage studies, 4=30235
- Avery, D.H. and Backofen, W.A. Fatigue hardening in alloys of low stacking-fault energy, 3=20736
- Avery, D.H. and Backofen, W.A. Cross slip in easy glide, 4=7423
- Avery, H. E. and Bradley, J. N. Shock wave studies in nitrogen + hydrogen systems. II. Thermal decomposition of hydrazine, 4=23650
- Avery, H. E. and Bradley, J. N. Shock wave studies in nitrogen + hydrogen systems. III. Thermal decomposition of ammonia, 4=23651
- Avery, H.E., Bradley, J.N. and Tuffnell, R. Shock wave studies in nitrogen + hydrogen systems. I. Emission spectrum of the NH radical, 4=17320
- Avery, R. Two-group diffusion theory for a ring of cylindrical rods, 0=12954
- Aver'yanov, A. G. See Ivakin, B. N., 4=7814
- Aver'yanov, I.R., Kasatkin, A.M., Liventsov, A.V., Markov, M.N., Merson, Ya.I., Shamilev, M.R. and Shervinskii, V.E. Measurement of earth's thermal radiation into space by a high-altitude unmanned geophysical station during the total solar eclipse of 15 February, 1961, 3=23566

- Aver'yanov, I.S., Baryshev, N.S., Baru, V.G. and Yudina, G.I. Some data on preparation of lead sulphide monocrystals, 3=18262
- Aver'yanov, I.S. See Andramonov, V.S., 3=15593
- Aver'yanov, I.S. See Baryshev, N.S., 3=2977
- Aver'yanov, N.E. See Sivkov, A.A., 4=11312
- Aver'yanov, V.I. See Andreev, N.S., 0=16040
- Avetikov, V.G., Zlatkis, A.S., Mashkovets, M.D. and Rozenberg, N.Yu. A study of dielectric losses and permittivity of some ceramics at very high frequencies, 1=3800
- Aveyard, S. See Sharpe, R.S., 3=13496
- Avez, A. Global properties of periodic closed space-times, 0=16566
- Avez, A. Monochromatic waves in general relativity, 1=15646
- Avez, A. Monochromatic waves and Doppler effect in general relativity, 2=9164
- Avez, A. On a stationary world-model without global space-like sections, 2=17351
- Avez, A. On the determination of stationary Ds^2 , 4=8046
- Avezard, L. See Kobrynski, M., 2=2842
- Avidan, J. See Alexander, G., 1=13459
- Avidan, J. See Imaeda, K., 4=21973
- Avient, B.W.E., Goddard, J. and Wilman, H. An experimental study of friction and wear during abrasion of metals, 1=1353
- Avient, B.W.E. and Wilman, H. New features of the abrasion process shown by soft metals; the nature of mechanical polishing, 2=23795
- Avignon, P., Deschamps, Y. and Rosier, L. Polarization of neutrons from the reaction $D(d, n)He^3$ for a deuteron energy of 5.5 MeV, 2=482
- Avignon, Y. Scintillation of 169 Mc/s solar radiation, 1=15541
- Avignon, Y., Boischot, A. and Simon, P. Characteristics of an exceptional solar emission at 169 Mc/s, observed on 4 November, 1957, 0=4848
- Avignon, Y., Boischot, A. and Simon, P. Interferometric observations at 169 Mc/s of R-regions, the sources of noise storms, 1=6736
- Avignon, Y. and Le Squeren-Malinge, A.M. Dimensions of the quiet sun on 169 Mc/s, 2=9080
- Avignon, Y. and Pick-Gutmann, M. Relations between the emission of cosmic rays from the sun and bursts of type IV, 0=4858
- Avignon, Y., Tropé-Martres, M.J. and Gutmann-Pick, M. Identification of a class of solar flares responsible for polar ionospheric absorptions, 3=16376
- Avignon, Y., Martres, M.J. and Pick, M. Identification of the class of chromospheric eruptions associated with cosmic ray emissions and radio activity, 4=15946
- Aviles, J.B., Jr. N-body Bose system with a finite number of states. I. Irreducible representations, 3=11724
- Avinor, M. Visible emission of nickel-activated CaS, 0=6193
- Avinor, M. Gold-activated (Zn, Cd)S phosphors, 0=16096
- Avinor, M. Effect of aluminium on the green emission of cadmium sulphide, 1=1177
- Avinor, M., Carmi, A. and Weinberger, Z. Nickel-activated calcium and strontium sulfide phosphors, 3=4170
- Avinor, M. and Meijer, G. Emission of activated cadmium selenide phosphors, 0=10058
- Avinor, M. and Meijer, G. Vanadium activated zinc and cadmium sulphide and selenide phosphors, 0=11785
- Avinor, M. See Meijer, G., 0=13715
- Avinur, P. and Nir, A. Separation factor of tritiated water in fractional distillation, 1=2306
- Avis, G. G. See Boesman, W. C., 4=20805
- Avivi, P., Ben-Yosef, N., Deutsch, F. and Kaufman, A.S. Slow expansion of a plasma column without the application of a magnetic field, 4=8668
- Avivi, P., Ben-Yosef, N., Deutsch, F. and Kaufman, A.S. Slow expansion of a plasma column without the application of a magnetic field, 4=8669
- Avivi, P., Ben-Yosef, N., Deutsch, F. and Kaufman, A.S. Slow expansion of a plasma column without the application of a magnetic field, 4=11634
- Avivi, P. and Deutsch, F. A possible deviation from Paschen's law in hydrogen at low temperature, 4=479
- Avivi, P. See Deutsch, F., 3=5646
- Avivi, P. See Hooke, W.M., 3=5683
- Avivi, P. See Hooke, W.M., 4=8781
- Avivi, P. See Ofer, S., 0=17920
- Avkyan, V. V. See Khriymyan, A. V., 4=968
- Avni, A., Friedmann, M. and Kessler, D. Model for hyperfragment production, 4=30304
- Avotina, M.P. See Grigor'ev, E.P., 0=20315
- Avotina, M.P. See Grigor'ev, E.P., 2=13953
- Avraamov, Yu.S., Belyakov, L.N. and Livshits, B.G. Internal friction peaks in Ni-Cr based solid solutions, 0=1933
- Avraamov, Yu. S. See Morgner, V., 4=20660
- Avrahami, M. and Steiger, N.H. Adsorption and coadsorption studies at ionized surface layers by means of α -disintegration recoils, 4=8192
- Avrahami, M. See Kebarle, P., 3=8971
- Avramenko, V.P. and Sinyakov, O.V. Investigation of the electrical properties of certain mixed ferrites, 2=8294
- Avramenko, V.P. See Sinyakov, E.V., 1=10081
- Avramenko, V.P. See Sinyakov, E.V., 1=11329
- Avramesco, A. See Mandel, J., 2=1093
- Avramescu, A. Diffusion phenomena in closed systems characterized by means of a time constant, 3=1640
- Avrett, E.H. Particle motion in the equatorial plane of a dipole magnetic field, 2=7717
- Avrett, E.H. and Krook, M. The temperature distribution in a stellar atmosphere, 3=13905
- Avrett, E.H. and Krook, M. A rapidly convergent iterative procedure for the calculation of the temperature-pressure relation in a stellar atmosphere, 4=2352
- Avrett, E.H. and Loeser, R. A simple and accurate method for the evaluation of the Milne integrals, 4=14
- Avrett, E.H. See Carrier, G.F., 1=15751
- Avril, M. See Pages, A., 4=16720
- Avvakumov, E.G. See Kirgintsev, A.N., 3=23389
- Avvakumov, V.I. Dynamical nature of the Jahn-Teller effect and its influence on the paramagnetic resonance of Cu^{2+} , 0=11943
- Avvakumov, V.I. Distortion of the complexes $Cr^{3+}(H_2O)_6$ and $Ni^{2+}(H_2O)_6$ and splitting of the spin levels of Cr^{3+} and Ni^{2+} by the Jahn-Teller effect, 3=10452
- Avvakumov, V.I., Garif'yanov, N.S., Koz'yev, B.M. and Tishkov, P.G. Paramagnetic resonance and paramagnetic relaxation in solutions of iron-group salts, 0=8085
- Avvakumov, V.I., Garif'yanov, N.S., Salikhov, S.G. and Semenova, E.I. Paramagnetic resonance in the salts $TiCl_3 \cdot 6H_2O$ and $Ti_2(SO_4)_3 \cdot 4H_2O$, 2=10706
- Avvakumov, V.I., Garif'yanov, N.S. and Semenova, E.I. Electron paramagnetic resonance and paramagnetic relaxation in liquid and supercooled solutions of Ti^{3+} salts, 1=18433
- Avzyanov, V. S. See Barsukov, O. A., 4=12318
- Awamura, K. See Doke, T., 2=7787
- Awane, K. See Ohkura, H., 1=11233
- Awane, K. See Ohkura, H., 1=11236
- Awano, M. Precisionization of gas thermometry, 2=5208
- Awaya, T. See Huang, K.K., 3=19843
- Awaya, Y. and Tendow, Y. Decay of Zr^{90} and gamma-rays of Zr^{97} and Zr^{99} , 4=22069
- Awaya, Y. See Yagi, K., 3=12583
- Awazu, K. See Hata, T., 4=16224
- Awazu, K. See Nakada, M., 4=28876
- Awe, O. The fading of radio waves reflected from the ionosphere at oblique incidence, 1=20934
- Awe, O. The fading of radio waves weakly scattered at vertical incidence from heights near 90 km, 1=20936
- Awunor-Renner, E.R.T., Blaskovitch, L., French, B.R., Ghesquiere, C., de Minvielle-Devaux, I.B., Neale, W.W., Pelletier, C., Rivet, P., Sahiar, A.B. and Skillicorn, I.O. An experiment on nuclear interactions of high energy (10-100 GeV), 0=15497
- Axe, J.D. and Dieke, G.H. Calculation of crystal-field splittings of Sm^{3+} and Dy^{3+} levels in $LaCl_3$ with inclusion of J mixing, 3=2692
- Axe, J.D., Ru-tao Kyi and Stapleton, H.J. Paramagnetic resonance in tetravalent Pa^{231} , 0=10235
- Axe, J.D. and Sorokin, P.P. Divalent rare earth spectra selection rules and spectroscopy of $SrCl_2: Sm^{2+}$, 3=13204
- Axe, J.D., Stapleton, H.J. and Jeffries, C.D. Paramagnetic resonance hyperfine structure of tetravalent Pa^{231} in Cs_2ArCl_6 , 1=6420
- Axe, J. D. and Weller, P. F. Fluorescence and energy transfer in $Y_2O_3:Eu^{3+}$, 4=20489
- Axe, J.D. See Sorokin, P.P., 3=23052
- Axe, J.D. See Stevenson, M. J., 4=3226
- Axe, J.D., Jr. Two-photon processes in complex atoms, 4=30372
- Axe, J.D., Jr. Radiative transition probabilities within $4f^n$ configurations: the fluorescence spectrum of europium ethysulfate, 3=25482
- Axe, J. D., Jr. See Sorokin, P. P., 4=19304
- Axel, P. Electric dipole ground-state transition width strength function and 7H MeV photon interactions 2=10082
- Axel, P. The production and use of high-resolution gamma rays, 3=17232

- Axel, P., Min, K., Stein, N. and Sutton, D.C. New resonances in photon transition strength functions, 3=15173
- Axel, P. See Euthymiou, P., 2=22734
- Axel, P. See Jamnik, D., 0=3950
- Axel, P. See O'Connell, J.S., 2=10081
- Axel, P. See Shirley, D.A., 1=11147
- Axel, P. See Sunyar, A.W., 1=3404
- Axel, P. See Tipler, P.A., 3=10322
- Axelrad, D.R. A high temperature furnace for studies of the mechanical properties of materials up to 2100°C, 3=7378
- Axelrod, E.H. See Horne, R.A., 4=15833
- Axelrod, N.A. Pseudowindow for use in production of ultrahigh vacuum with vacuum ultraviolet and soft X-ray monochromators, 4=24778
- Axelrod, N.N. Ultrahigh-vacuum valve, 0=3575
- Axelrod, N.N. Spectrophotometric attachment for the vacuum ultraviolet, 1=10593
- Axelrod, N.N. Simple method for the determination of overlapping orders, 2=1275
- Axelrod, N.N. Microwave line source for vacuum ultraviolet, 3=11922
- Axelrod, N.N. and Givens, M.P. Optical measurement of the plasma frequency and $M_{2,3}$ band of chromium, 0=20981
- Axelsson, B. See Beckman, O., 0=9760
- Axen, D. See Erdman, K.L., 4=5491
- Axen, D. See Erdman, K.L., 4=14224
- Axen, D.A. See Erdman, K.L., 4=21164
- Axen, D.A. See Warren, J.B., 4=3496
- Axensten, S., Johansson, C.M. and Lindgren, I. Nuclear spins of the bismuth isotopes Bi^{199} , Bi^{200} , Bi^{201} and Bi^{202} , 0=5652
- Axensten, S., Liljegren, G. and Lindgren, I. Nuclear spin measurements on neutron-deficient tellurium isotopes, 2=3461
- Axensten, S. and Olsmats, C.M. Nuclear spins of neutron-deficient polonium isotopes, 2=347
- Axensten, S. See Olsmats, C.M., 2=523
- Axford, R.A. Heat conduction in internally cooled nuclear reactors, 0=12515
- Axford, T.H. The energy spectrum of fission neutrons slowing down in carbon, 4=6073
- Axford, T.H., Hines, K.C. and Pollard, J.P. Neutron slowing-down spectra in beryllium and beryllium oxide, 4=21876
- Axford, W.I. A boundary layer problem in which the external flow has a free surface, 1=113
- Axford, W.I. Ionization fronts in interstellar gas. The structure of ionization fronts, 1=2597
- Axford, W.I. Axisymmetric stagnation point flow in magneto-hydrodynamics, 2=5449
- Axford, W.I. Note on a problem of magnetohydrodynamic stability, 2=13665
- Axford, W.I., Fejer, J.A. and Hines, C.O. A comprehensive model of auroral and geomagnetic disturbances, 2=15270
- Axford, W.I. The interaction between the solar wind and the earth's magnetosphere, 3=9134
- Axford, W.I. The formation and vertical movement of dense ionized layers in the ionosphere due to neutral wind shears, 3=13753
- Axford, W.I. Rotation of the magnetosphere, 4=7933
- Axford, W.I. Viscous interaction between the solar wind and the earth's magnetosphere, 4=15897
- Axford, W.I. The initial development of HII regions, 4=17888
- Axford, W.I. The stability of ionization fronts, 4=29416
- Axford, W.I., Dessler, A.J. and Gottlieb, B. Termination of solar wind and solar magnetic field, 3=16368
- Axford, W.I. and Hines, C.O. A unifying theory of high-latitude geophysical phenomena and geomagnetism storms, 2=889
- Axford, W.I. and Hines, C.O. On the thinness and orientation of auroral arcs, 2=19239
- Axford, W.I. and Hines, C.O. Comments on "A hydromagnetic theory of geomagnetic storms" by J.H. Piddington, 4=26873
- Axford, W.I. and Reid, G.C. Polar-cap absorption and the magnetic storm of February 11, 1958, 2=21644
- Axford, W.I. and Reid, G.C. Increases in intensity of solar cosmic rays before sudden commencements of geomagnetic storms, 3=17376
- Axilrod, B.M. Comments on the Rosen interaction potential of two helium atoms, 3=10507
- Axon, H.J. Dendritic structure in the nedagolla ataxite, 3=7027
- Axon, H.J. See Buckley, R.A., 1=15161
- Axon, M. and Magarshack, J.M. Method of measuring the angular deflexion in a dynamometer, 0=8591
- Axtmann, R.C. and Bridgwater, J. Energy deposition by fast neutrons: NO_2 production in liquid air, 3=8976
- Axtmann, R.C. See Hahn, O.J., 4=27865
- Axton, E.J. Neutron-source calibrations: a review, 1=13455
- Axton, E.J. An absolute calibration of the National Bureau of Standards Thermal Neutron Flux, 3=19651
- Axton, E.J. and Cross, P. The establishment of an absolutely calibrated neutron source, 2=3355
- Axton, E.J., Cross, P. and Robertson, J.C. Improvements in the manganese bath technique for the calibration of neutron
- Axton, E.J. and Dale, J.W.G. Emission of neutrons from radium sources, 4=25102
- Axton, E.J. and Ryves, T.B. Dead-time corrections in the measurement of short-lived radionuclides, 3=17119
- Ayachit, V.G. See Kher, V.G., 4=16452
- Ayant, Y. On the nuclear magnetic resonance line width for the water in zeolites, 3=11126
- Ayant, Y. Theory of linewidths of two-quanta transitions, 3=20668
- Ayant, Y. Some properties of crystalline levels in cubic crystals, 4=28866
- Ayant, Y. and Belorizky, E. Hyperfine structure of praseodymium in solids, 1=19979
- Ayant, Y. and Belorizky, E. Some properties of the Γ_8 level in cubic symmetry, 3=15669
- Ayant, Y., Belorizky, E., Pare, X. and Rosset, J. Nuclear magnetic resonance proton linewidth of water in zeolites, 4=30481
- Ayant, Y., Belorizky, E. and Rosset, J. Some properties of the crystalline levels Γ_8 in cubic symmetry, 2=16622
- Ayant, Y., Belorizky, E. and Rosset, J. Interpretation of the magnetic susceptibility of uranium oxysulphide, UOS, at high temperatures, 3=15760
- Ayant, Y., Buisson, R., Descamps, D. and Soutif, M. Study of a cross-relaxation maser, 1=10787
- Ayant, Y., Ducros, P., Pare, X. and Soutif, M. Double quanta nuclear magnetic resonance in the zeolites, 4=1903
- Ayant, Y. and Thomas, J. Anisotropy of the Landé factor of ytterbium in a garnet type gallate, 0=10189
- Ayant, Y. and Thomas, J. Theoretical study of the magnetic properties of rare earth ions in the structure of garnet, 3=13281
- Ayant, Y. and Thomas, J. Theoretical study of the quenching of the magnetic moments of rare earth ions in gallates with the garnet structure, 4=28763
- Ayant, Y. See Belorizky, E., 4=28881
- Ayant, Y. See Dreyfus, B., 0=11585
- Aycoberry, C., Brin, A., Delobbeau, F. and Veyrie, P. Pinch effect of metal plasmas obtained by exploding wires, 3=4139
- Ayer, F. See Crittenden, R., 4=21939
- Ayer, F. See Pickup, E., 0=17405
- Ayer, F.II. See Bolze, E.M., 3=4301
- Ayer, F.II. See Pickup, E., 3=4302
- Ayer, J.E. and Polorny, G.J. Radiation resistant, remotely operated, high capacity spring balance, 1=15774
- Aylett, B.J. Robust and sensitive spoon gauge, 0=16664
- Aylmore, D.W. and Jepson, W.B. Technique using ^{85}Kr -labelled krypton for surface area measurements, 1=5246
- Aylmore, L.A.G. See La Mer, V.K., 2=13491
- Aylmore, L.A.G. See La Mer, V.K., 4=8518
- Aymar, R. See Alidieres, M., 3=9777
- Aynard, R. Atomic radii of the elements. Elements characterized by their s and p electrons of the outer shells 1, 2, 3 and 4, 0=11477
- Aynard, R. Atomic radii of the elements. Elements characterized by their d and f electrons of the inner shells (3 to 7), 0=11478
- Aynard, R. Atomic numbers of the elements, 0=11479
- Aynard, R. First ionization potential of elements characterized by their electrons of the outer shells (1 to 7), 1=13955
- Aynard, R. First ionization potential of elements characterized by their s and p electrons of the outer shells (1 to 7). Values calculated from the expression $E(s, p)$ and corresponding curves, 1=13956
- Aynard, R. First ionization potential of elements characterized by their f, d and s electrons of the inner shells (3 to 7), 1=13957
- Aynard, R. Diamagnetic susceptibilities of the elements. Elements characterized by paired s electrons in the outer shells (1 to 6), 3=1119
- Aynard, R. Paramagnetic susceptibility of the elements. Elements characterized by unpaired d and f electrons in the outer shells, 3=1123
- Aynbinder, B.Yu. See Iveronova, V.I., 4=3974

- Ayphassorho, M. C. and Loup, M. P. X-rays produced by electron bombardment of the anode in a high-tension gas discharge of the Penning configuration, 4=21468
- Ayres, R., Hornyak, W. F., Chan, L. and Fann, H. A new semi-empirical mass formula, 2=5787
- Ayres, R. U. Distribution functions and quantum statistics, 1=78
- Ayres, R. U. Acceleration of rigid, conducting, diamagnetic bodies by a magnetic field, 1=11932
- Ayub, S. M. The proton as a fundamental particle, 1=7237
- Ayub, S. M. Exchange forces in nuclei, 3=15068
- Ayukawa, T. The effect of surface anisotropy on the spontaneous magnetization of ferromagnetic thin films, 3=15535
- Ayukhanov, A. K. and Iskhakov, G. I. Use of mass-spectrometer of the dynamic type for investigating secondary processes, 0=19809
- Ayukhanov, A. Kh. See Arifov, U. A., 0=7167
- Ayukhanov, A. Kh. See Arifov, U. A., 0=19802
- Ayukhanov, A. Kh. See Arifov, U. A., 2=13603
- Ayukhanov, A. Kh. See Arifov, U. A., 2=17892
- Ayukhanov, A. Kh. See Arifov, U. A., 4=8844
- Ayukhanov, A. Kh. See Arifov, U. A., 4=8856
- Ayukhanov, A. Kh. See Arifov, U. A., 4=19127
- Ayukhanov, A. Kh. See Moroz, L. P., 4=8821
- Ayurzanain, B. A. See Vlasov, A. Ya., 3=11053
- Azam, M. N. and Dickinson, H. Time-lags in the intrinsic electrical breakdown of glass, 0=8979
- Azam, M. N. and Dickinson, H. Time lags in the electrical breakdown of glass immersed in water, 1=17851
- Azam, M. N. and Lehmann, J. Application of the thin film technique to the electron microscope study of uranium-molybdenum two-phase alloys, 3=5154
- Azam, N., Bouleau, M. and Jacquet, P. A. A simple electrolytic method for preparing thin metal foils for direct examination in the electron microscope, 1=7891
- Azam, N. See Adda, Y., 2=8210
- Azam, N. See Lehmann, J., 4=7518
- Azarbayejani, G. H. See Kikuchi, C., 3=1192
- Azarkh, Z. M. See Sof'ina, V. V., 0=14024
- Azároff, L. V. Role of crystal structure in diffusion. I. Diffusion paths in closest-packed crystals, 1=12397
- Azároff, L. V. Role of crystal structure in diffusion. II. Activation energies for diffusion in closest-packed structures, 1=12398
- Azároff, L. V. Theory of extended fine structure of X-ray absorption edges, 4=15579
- Azároff, L. V. Role of X-ray intensities in crystal perfection studies, 4=22593
- Azároff, L. V. and Corvin, I. Crystal structure of potassium ozonide, 3=16071
- Azároff, L. V. and Das, B. N. X-ray K absorption spectra of Cu-Ni alloys, 4=17562
- Azároff, L. V. See Attard, A. E., 0=12015
- Azároff, L. V. See Attard, A. E., 3=11260
- Azároff, L. V. See Klems, G. J., 4=13758
- Azároff, L. V. See Mohanty, G. P., 0=21193
- Azároff, L. V. See Mohanty, G. P., 1=20538
- Azarraga, L. See Kleiner, M., 3=3060
- Azbel', M. Ya. Quantum oscillations of thermodynamic properties for an arbitrary Fermi surface, 1=3643
- Azbel', M. Ya. A new resonance effect in metals at high frequencies, 1=3649
- Azbel', M. Ya. Quasiclassical quantization in the neighbourhood of singular classical trajectories, 1=18280
- Azbel', M. Ya. On the possibility of determining the correlation function for a Fermi liquid in metals, 1=19752
- Azbel', M. Ya. Combined resonance in metals, 2=23698
- Azbel', M. Ya. Static skin effect for currents in a strong magnetic field and the resistance of metals, 3=25223
- Azbel', M. Ya. Quantization of quasi-particles with a periodic dispersion law in a strong magnetic field, 3=25247
- Azbel', M. Ya. Resistance of thin plates and wires in a magnetic field, 4=441
- Azbel', M. Ya. The production of low temperatures by means of the de Haas-Van Alphen effect, 4=2903
- Azbel', M. Ya. Quantum oscillations at high temperatures, 4=9928
- Azbel', M. Ya. Energy spectrum of conductivity electrons in a magnetic field, 4=17398
- Azbel', M. Ya. and Begiashvili, G. A. The width of the cyclotron resonance line in semimetals and the determination of the correlation function for bismuth, 2=12408
- Azbel', M. Ya. and Begiashvili, G. A. The width of the cyclotron resonance line in semimetals and the determination of the correlation function for bismuth, 3=6507
- Azbel', M. Ya. and Gurzhi, R. N. The electric conductivity of thin samples and the possibility of determining the mean free path of electrons in metals, 2=16680
- Azbel', M. Ya. and Gurzhi, R. N. The electric conductivity of thin samples and the possibility of determining the mean free path of electrons in metals, 3=3682
- Azbel', M. Ya. and Gurzhi, R. N. The electric conductivity of thin samples and the possibility of determining the mean free path of electrons in metals, 3=6561
- Azbel', M. Ya. and Kaner, E. A. The experimental study of cyclotron resonance in metals, 1=955
- Azbel', M. Ya. See Gurzhi, R. N., 0=9947
- Azbel', M. Ya. See Gurzhi, R. N., 3=25245
- Azbel', M. Ya. See Lifshitz, I. M., 3=15477
- Azbel', M. Ya. See Rozentsveig, L. N., 1=671
- Azéma, J. L. The influence of ionizing radiations on spark breakdown at atmospheric pressure, 0=7106
- Azen, R. S. See Shimanskaya, N. P., 0=10073
- Azer, N. Z. and Chao, B. T. A mechanism of turbulent heat transfer in liquid metals, 1=18645
- Azer, N. Z. and Chao, B. T. Turbulent heat transfer in liquid metals—fully developed pipe flow with constant wall temperature, 2=5202
- Azhazha, V. M., Gindin, I. A. and Starodubov, Ya. D. Previous deformations at 4.2° and 300°K compared as to their influence on the creep characteristics of nickel at 700°C, 4=13429
- Azhazha, V. M., Gindin, I. A., Starodubov, Ya. D. and Shapoval, B. I. Influence of deformation at low temperatures on creep and damping capacity of copper, 4=23147
- Azhazha, V. M., Gumenyuk, V. S. and Popov, B. E. Extension of the application range of a high-frequency oscillator type LGZ-10, 4=14556
- Azhazha, V. M. See Amonenko, V. M., 1=12593
- Azhazha, V. M. See Amonenko, V. M., 4=26498
- Azhazha, V. M. See Gindin, I. A., 2=21432
- Azhgirei, L. S., Kumeikin, Yu. P., Meshcheryakov, M. G., Nurusev, S. B. and Stoletov, G. D. Nucleon-nucleon scattering amplitudes and complexity of the spin-orbit interaction potential between nucleons and nuclei, 3=17265
- Azhgirei, L. S. P-p scattering phase shifts at 435 MeV energy, 4=9196
- Azhgirei, L. S., Klepikov, N. P., Kumeikin, Yu. P., Meshcheryakov, M. G., Nurusev, S. B. and Stoletov, G. D. Phenomenological analysis of p-p interaction at 657 MeV, 1, 4=6042
- Azhgirei, L. S., Kumeikin, Yu. P., Meshcheryakov, M. G., Nurusev, S. B., Stoletov, G. D. and Khuan De-Tsyan. Excitation of C^{12} nuclei with 660 MeV protons, 3=4630
- Azhgirei, L. S., Kumeikin, Yu. P., Meshcheryakov, M. G., Nurusev, S. B., Stoletov, G. D. and Khuan De-Tsyan [Huang Tieh-Ch'iang]. Small-angle elastic scattering of 660 MeV protons on carbon nuclei, 3=22374
- Azhgirei, L. S. and Nurusev, S. B. Determination of the parameters of the generalized diffraction model of the nucleus at 600 MeV, 4=1061
- Azhgirei, L. S. and Nurusev, S. B. Real part of the amplitude for elastic pp forward scattering, 4=3408
- Azhgirei, L. S., Vzorov, I. K., Zrellov, V. P., Meshcheryakov, M. G., Neganov, B. S., Ryndin, R. M. and Shabudin, A. F. Interaction between 660 MeV protons and atomic nuclei and the nuclear internal momentum distribution of nucleons, 0=13231
- Azhgirei, L. S., Klepikov, N. P., Kumeikin, Yu. P., Meshcheryakov, M. G., Nurusev, S. B. and Stoletov, G. D. pp-phase shifts at 660 MeV, 3=24723
- Azhgirei, L. S., Klepikov, N. P., Kumeikin, Yu. P., Meshcheryakov, M. G., Nurusev, S. B. and Stoletov, G. D. A further investigation of pp-phase shifts at 657 MeV, 4=16889
- Azhgirei, L. S., Kumeikin, Yu. P., Meshcheryakov, M. G., Nurusev, S. B., Stoletov, G. D. and Huang De-Tsang. Small-angle elastic scattering of protons on carbon nuclei at 660 MeV, 3=15189
- Azhgirei, L. S., Vzorov, I. K., Zrellov, V. P., Meshcheryakov, M. G., Neganov, B. S., Ryndin, R. M. and Shabudin, A. F. Nuclear interactions of 660 MeV protons and the momentum distribution of nucleons in nuclei, 0=5742
- Azhzoha, V. M. See Gindin, I. A., 2=16959
- Azim, K. A. See Barakat, N., 3=9395
- Azimkhodzhaev, Kh. E. Generation of current pulses by polycrystalline films of CdS, 4=26148
- Azimov, S. A., Abdullaev, A. M., Mjalkovskij, V. M. and Julašbaev, T. S. Investigation of a dependence of the average fraction of energy imparted to the neutral pions on the primary energy, 3=6108

- Azimov, S.A., Abdullaev, A.M., Myalkovskii, V.M. and Yuldashbaev, T.S. Investigation of the fraction of energy transferred to π^0 -mesons as a function of the primary energy in the 10^{11} - 10^{12} eV region, 3=19737
- Azimov, S.A., Arushanov, G.G., Zainutdinov, Kh., Karimov, R., Masagutov, V.S. and Esterlis, M.Kh. Scattering of 1-5 BeV/c μ -mesons in lead, 1=19227
- Azimov, S.A., Chernova, L.P., Chernov, G.M., Chudakov, V.M. and Nikishin, B.K. Investigation of azimuthal effects at multiple particle production, 2=281
- Azimov, S.A., Do In Seb, Kirillova, L.F., Khabibullina, E.M., Tsyanov, E.N., Shafranov, M.G., Shakhbazyan, B.A. and Yuldashev, A.A. Elastic scattering of 2.8 BeV protons on protons, 2=9845
- Azimov, S.A., Do In Seb, Kirillova, L.F., Khabibullina, E.M., Tsyanov, E.N., Shafranov, M.G., Shakhbazyan, B.A. and Yuldashev, A.A. Elastic scattering of 2.8 MeV protons on protons, 3=6007
- Azimov, S.A., Gulyamov, U.G., Karimova, R. and Rakhimbaev, B.G. Anomalous decays of hyperfragments, 0=13157
- Azimov, S.A., Gulyamov, U.G. and Rakhimbaev, B.G. Investigation of hyperfragments, 4=27948
- Azimov, S.A., Kratenko, Yu.P., Khavin, L.S., Yuldashev, A.A. and Karimov, R. On the absorption of high-energy nuclear-active particles in air and in a dense absorber, 1=3274
- Azimov, S.A., Teshabaev, K.T., Chernova, L.P., Chernov, G.M. and Chudakov, V.M. Angular distribution of shower particles in nuclear interactions of fast nucleons with heavy emulsion nuclei, 1=16936
- Azimov, S.A. and Yuldashbaev, T.S. Investigation of the formation of the soft component using Cerenkov counters, 1=3273
- Azimov, S.A. See Abduzhamilov, Sh., 4=3520
- Azimov, S.A. See Abduzhamilov, Sh., 4=25089
- Azimov, Ya.I. Creation of π^- mesons in weak interactions, 2=3383
- Azimov, Ya.I. Creation of π -mesons in weak interactions, 3=4429
- Azimov, Ya.I. Influence of the spin on the position of Regge poles, 3=5955
- Azimov, Ya.I. The influence of the spin on the position of the Regge poles, 3=19575
- Azimov, Ya.I. and Anselm, A.A. Regge poles and asymptotic behaviour of amplitudes in perturbation theory, 3=21249
- Azimov, Ya.I., Ansel'm, A.A. and Shekhter, V.M. The Regge pole trajectories for weak coupling, 3=22092
- Azimov, Ya.I., Ansel'm, A.A. and Shekhter, V.M. Analytic properties of Regge pole trajectories, 3=24653
- Azimov, Ya.I. and Shekhter, V.M. On some processes involving high energy neutrinos, 1=19173
- Azimov, Ya.I. and Shekhter, V.M. On some processes involving high energy neutrinos, 2=22482
- Aziz, A.K., Hurwitz, H. and Sternberg, H.M. Energy transfer to a rigid piston under detonation loading, 1=4371
- Aziz, E. See Wassef, E.G.T., 1=6679
- Aziz, K. See Rosenberg, B., 4=28653
- Aziz, N.E.A., Rogowski, F. and Steiner, O. On the calculation of the structure of free molecules from electron diffraction patterns, 3=12790
- Azmanov, M. and Katsev, A. Effect of copper ions on physical ripening of silver bromide photographic emulsions, 4=5403
- Azori, M. See Kargin, V.A., 4=15842
- Azou, P. See Armbruster, J.C., 0=10632
- Azou, P. See Bastien, P., 4=4440
- Azou, P. See Leleux, F., 4=29711
- Azou, P. See Plusquellec, J., 2=23204
- Azou, P. See Pointu, P., 2=2346
- Azou, P. See Pointu, P., 4=1930
- Azovskii, Yu. S., Guzhovskii, I. T., Dushin, L. A., Pribezentsev, V. I. and Churaev, V. Microwave methods for the determination of plasmoids, 4=5630
- Azovskii, Yu. S., Guzhovskii, I. T., Mazalov, Yu. P., Mank, V. V., Safronov, B. G. and Churaev, V. A. A conical induction source of plasma clusters, 4=24717
- Azovskii, Yu. S., Guzhovskii, I. T., Safronov, B. G. and Churaev, V. A. Conical plasmoid source, 3=14567
- Azovskii, Yu. S., Guzhovskii, I. T. and Safronov, B. G. A conical electrode source of plasma blobs with pulsed gas injection, 4=21546
- Azovskii, Yu. S., Guzhovskii, I. T. and Safronov, B. G. The measurement of the energy of plasma blobs by thermal probes, 4=24669
- Azovskii, Yu. S. See Safronov, B. G., 2=9304
- Azovskii, Yu. S. See Safronov, B. G., 2=17927
- Azovskii, Yu. S. See Sinel'nikov, K. D., 2=9586
- Azovskii, Yu. S. See Sinel'nikov, K. D., 4=24684
- Azpeitia, A. G. and Newell, G. F. Theory of oscillation type viscometers. III. A thin disk, 0=16669
- Azpeitia, A. G. and Newell, G. F. Theory of oscillation type viscometers. IV. A thick disk, 0=16670
- Azpiroz Yoldi, M. A formula of geometric optics, 2=15721
- Azrt, R. See Nava, R., 4=17353
- Azuma, K., Ohta, K. and Tomita, T. The crystal structure of SiC 39 H, 4=4621
- Azuma, M. Effect of the lattice on the internal dielectric constant, 3=13104
- Azuma, M. Screened Coulomb potential in KCl crystal, 4=15556
- Azuma, M. and Ebata, T. On the scattering of K^+ by nucleon at low energies, 1=13505
- Azuma, M. See Morita, A., 3=2869
- Azuma, M. See Morita, A., 4=4250
- Azuma, R. E. See Ajdačić, V. S., 3=22452
- Azuma, R. E. See Currie, W. M., 2=5277
- Azuma, R. E. See Lewis, G. M., 2=3378
- Azuma, R. E. See Lewis, G. M., 0=3996
- Azuma, R. E. See Lewis, G. M., 1=5771
- Azuma, S. Energy spectrum and scattering problem in quantized field theory, 1=10856
- Azuma, S. Phase shift and identities in quantized field theory, 1=12065
- Azuma, S. Energy spectrum and determinant method in quantized field theory, 2=5562
- Azuma, T., Kanno, T. and Hirota, T. Simple electromanometer utilizing the CdS photoconductive cell, 1=18340
- Azuma, Y. See Nakajima, K., 3=24480
- Azumi, T., and McGlynn, S. P. Polarization of the luminescence of phenanthrene, 3=3062
- Azumi, T. and McGlynn, S. P. Delayed fluorescence of solid solutions of polyacenes, 3=20535
- Azumi, T. and McGlynn, S. P. Delayed fluorescence of solid solutions of polyacenes. II. Kinetic considerations, 4=4318
- Azumi, T. and McGlynn, S. P. Delayed fluorescence of solid solutions of polyacenes. IV. The origin of excimer fluorescence, 4=10234
- Azumi, T. See McGlynn, S. F., 4=8214
- Azziz, N. Nuclear matter properties, 4=25256

- Baade, W. and Swope, H.H. The draco system, a dwarf galaxy, 1=12772
- Baadsgaard, H., Campbell, F.A., Follinsbee, R.E. and Cumming, G.L. The Bruderheim meteorite, 2=4755
- Baak, T. See Asunmaa, S., 2=10927
- Baarli, J. An experimental study of gamma-ray backscattering using scintillation gamma-ray spectroscopy, 1=10869
- Baars, J. W. M. On the diffraction of sound waves by a circular disc, 4=27263
- Baart, E., Green, L.L. and Willmott, J.C. An investigation of the levels of P^{30} , 1=8576
- Baart, E.E., Green, L.L. and Willmott, J.C. The energy levels of ^{26}Al in the region of 2 MeV, 0=9530
- Baart, E.E., Green, L.L. and Willmott, J.C. An investigation of the $^{29}\text{Si}(p,\gamma)^{30}\text{P}$ reaction, 2=5915
- Baazov, N.G. and Mandzhavidze, A.G. On the method of the measurement of the degree of polarization of neutron beams, 3=6014
- Bába, A. See Tamáßsy-Lentei, L., 3=22541
- Baba, C.V.K. and Bhattacharjee, S.K. Polarization correlation measurements on Eu^{154} , 1=10956
- Baba, C.V.K., Ewan, G.T. and Suarez, J.F. Beta-decay matrix elements in the decay of Pm^{148} , 3=8043
- Baba, C.V.K., Ewan, G.T. and Suárez, J.F. Levels in Sm^{148} fed in the decay of Eu^{148} , 3=15117
- Baba, C.V.K., Ewan, G.T. and Suárez, J.F. Levels in Sm^{148} fed in the beta-decay of Pm^{148} and Pm^{149} , 3=15116
- Baba, C.V.K. See Bhattacharjee, S.K., 4=3612
- Baba, C.V.K. See Hansen, P.G., 3=22314
- Baba, C.V.K. See Vandenbosch, S.E., 3=10315
- Baba, H. Some effects of zinc atmospheres on zinc sulfide, 3=13084
- Baba, H., Matsuyama, A. and Kokubun, H. Three types of acid-base interaction in an aprotic solvent as revealed by electronic absorption spectroscopy, 4=29209
- Baba, H. and Suzuki, S. Electronic structure and spectrum of acetanilide, 0=15705
- Baba, H. and Suzuki, S. Electronic spectra and hydrogen bonding. I. Phenol and naphthols, 1=17329
- Baba, H. and Suzuki, S. Electronic spectra of substituted anthracenes. Evidence for appearance of the $^1\text{L}_b$ transition, 1=19640
- Baba, H. See Kumagi, H., 3=460
- Baba, H. See Suzuki, S., 3=8287
- Baba, P.D., Gyorgy, E.M. and Schmettler, F.J. Two-phase ferrites for high-speed switching, 3=15872
- Babad-Zakhryapin, A. A., Gorbunov, N.S. and Izvekov, V.I. Experimental techniques of low-energy electron diffraction, 4=7664
- Babad-Zakhryapin, A. A. See Gert, L.M., 4=22607
- Babad-Zakhryapin, A.A. See Izvekov, V.I., 2=6369
- Babad-Zakhryapin, A.A. See Izvekov, V.I., 3=22807
- Babaev, A.I., Balats, M.Ya., Kaftanov, V.S., Landsberg, L.G., Lyubimov, V.A. and Obukhov, Yu.V. Search for the $\mu^+ \rightarrow e^+ + e^-$ decay, 2=18147
- Babaev, A.I., Balats, M.Ya., Kaftanov, V.S., Landsberg, L.G., Lyubimov, V.A. and Obukhov, Yu.V. Search for the $\mu^+ \rightarrow e^+ + e^+ + e^-$ decay, 3=6025
- Babaev, A.I., Balats, M.Ya., Kaftanov, V.S., Landsberg, L.G., Lyubimov, V.A. and Obukhov, Yu.V. Further search for the $\mu^+ \rightarrow e^+ + e^+ + e^-$ decay, 3=17298
- Babaev, A.I. and Landsberg, L.G. Gas Cherenkov counter, 4=16744
- Babaev, A.I. See Alikhanov, A.I., 2=11969
- Babaev, A.I. See Alikhanov, A.I., 3=6024
- Babak, V.G., Ignatovich, V.K. and Fradkin, E.S. Asymptotic value for the interaction cross-section for two Fermi particles in the e^4 -approximation, 4=16808
- Babáková, R. The diffraction pattern of Ge (111)-asymmetrical Bragg case, 3=5098
- Babala, D. Two-quantum annihilation of polarized positrons 1=13402
- Babala, D. On the determination of the transfer function through a "nonlinear" measurement, 4=17233
- Babala, D. and Voríšek, M. The interaction of foils activated by thermal neutrons, 2=20347
- Babala, D. and Vorzhishek, M. Calculation and measurement of some corrections in activation with thermal neutrons, 4=4727
- Babala, D. See Vorzhishek, M., 4=3427
- Babareko, A. A. and T'ao Tsu-Ts'ung. Substructure of filed niobium, 4=23194
- Babaréko, A.A. See Guseva, L.N., 0=1910
- Babaréko, A.A. See Guseva, L.N., 1=10268
- Babayan, C.P., Grigorov, N.L., Dubrov, M.M., Mishchenko, L.S., Murzin, V.S., Sarycheva, L.I., Sobiniakov, V.A. and Rapoport, I.D. A study of the interaction of 10^{11} - 10^{12} eV particles with iron and graphite nuclei, 1=3271
- Babayan, C.P. See Grigorov, N.L., 2=16254
- Babayan, C.P. See Grigorov, N.L., 3=10197
- Babayan, C.P. See Grigorov, N.L., 4=19627
- Babayan, H.P., Bejadjan, N.G., Babecki, Ya.S., Buja, Z.A., Grigorov, N.L., Loskiewicz, J., Massalski, J., Oles, A., Tret'yakova, C.A. and Shestoporov, V.Ya. Mountain-altitude studies of the interaction of high-energy particles with atomic nuclei, 3=6103
- Babayan, Kh.P., Babetzki, Ya.S., Boyadzhyan, N.G., Buya, Z.A., Grigorov, N.L., Loskevich, E.S., Mamidzhanyan, Z.A., Massal'skii, E.I., Oles', A.A., Tret'yakova, Ch.A. and Shesterperov, V.Ya. Investigation of interaction of high-energy particles with atomic nuclei at mountain altitudes, 3=19595
- Babayan, Kh.P., Boyadzhyan, N.G., Grigorov, N.L., Tret'yakova, Ch.A. and Shestoporov, V.Ya. Large ionization bursts and the spectrum of nuclear-active particles at mountain altitudes, 3=22237
- Babayan, Kh. P., Boyadzhyan, N. G., Grigorov, N. L., Mamidzhanyan, E. A., Tret'yakova, Ch. A. and Shestoporov, V. Ya. Energy spectrum of nuclear-active particles in extensive air showers, 4=3509
- Babayan, Kh. P., Boyadzhyan, N. G., Grigorov, N. L., Mamidzhanyan, E. A., Tret'yakova, Ch. A. and Shestoporov, V. Ya. A study of "young" high-energy electron-photon air showers, 4=19618
- Babayan, Kh. P., Boyadzhyan, N. G., Mamidzhanyan, E. A., Grigorov, N. L., Tret'yakova, Ch. A. and Shestoporov, V. Ya. Nuclear-active particles in "Young" atmospheric showers, 4=12090
- Babayan, Kh.P. and Marutyan, N.A. Interaction of a high-energy multicharged particle with a photographic emulsion nucleus, 3=24985
- Babayan, Kh.P., Sarinyan, M.G. and Tumanyan, E.R. Investigation of a high-energy interaction in a nuclear emulsion, 0=9496
- Babayan, Kh. P. See Grigorov, N. L., 4=27927
- Babb, A.L. See Waldorf, D.M., 3=25813
- Babb, A.L. See Waldorf, D.M., 4=14168
- Babb, A.L. See Waldorf, D.M., 4=15835
- Babb, S.E., Jr. Melting curves of tin and selenium to 10 000 bar, 2=19778
- Babb, S.E., Jr. Values of the Simon constants, 3=16833
- Babb, S.E., Jr. Parameters in the Simon equation relating pressure and melting temperature, 3=19068
- Babb, S. E., Jr. Simple high pressure valves, 4=24000
- Babb, S. E., Jr and Scott, G. J. Rough viscosities [of pressure-transmitting fluids] to 10 000 bars, 4=23999
- Babb, S.E., Jr. See Bowles, B.F., 3=23371
- Babb, S.E., Jr. See McDaniel, M.L., 2=19777
- Babb, S. E., Jr. See Reeves, L. E., 4=23998
- Babb, S.E., Jr. See Scott, G.J., 1=12728
- Babbitt, R.W. See Malinofsky, W.W., 1=6356
- Babbitt, R.W. See Malinofsky, W.W., 2=12696
- Babbitt, R.W. See Malinofsky, W.W., 4=13244
- Babenco, A. Use of the side-band method in high-resolution nuclear magnetic resonance spectroscopy, 2=22350
- Babenco, A., Rotaru, M. and Weiner, M. Second-order moment of n.m.r. spectra in solids, 4=4417
- Babenco, A. See Corciovei, A., 4=9943
- Babenco, A. See Corciovei, A., 4=12845
- Babenco, A. See Corciovei, A., 4=17424
- Babenco, A. See Corciovei, A., 4=25999
- Babcock, G. C. and Bergman, T. G. Determination of the constancy of the speed of light, 4=11319
- Babcock, G.D. See Mitchell, E.N., 3=11084
- Babcock, H.W. Test for polarization in the integrated light of sunspots, 1=1639
- Babcock, H.W. The topology of the Sun's magnetic field and the 22-year cycle, 1=5149
- Babcock, H.W. The magnetism of the sun, 2=15349
- Babcock, H.W. Control of a ruling engine by a modulated interferometer, 2=19724
- Babcock, H.W. Concentration of elements over the surface of a magnetic star, 3=11564
- Babcock, H.W. Instrumental recording of astronomical seeing, 3=25964
- Babcock, H.W. See Howard, R., 0=9
- Babcock, H.W. See Howard, R., 0=14429
- Babcock, K.R. See Cloud, W.H., 2=12689
- Babcock, R. and Riemersma, H. Operation of a superconducting solenoid in a 400-MeV proton flux, 3=3970

- Babcock, R.V. An explanation of the superior radiation resistance of P-type base Si solar cells, 2=4077
- Babecki, J., Buja, Z., Massalski, J. and Nizioł, B. Energy spectrum of photons from decay of π^0 -mesons generated in nuclear interactions at the altitude of 3200 m above sea level, 4=19628
- Babecki, J. See Grigorov, N.L., 3=10197
- Babecki, Ya.S. See Babayan, H.P., 3=6103
- Babei, N. See Petrescu, V., 0=20950
- Babel, D. See Rüdorff, W., 2=23853
- Babel, D. and Rüdorff, W. Crystal structure of MoBr₃, 4=17812
- Babeliowsky, T.P.J.H. Mass spectrometric determination of the heat of vaporization of some solid elements, 3=1876
- Babeliowsky, T.P.J.H. Measurement of chemical equilibrium with the mass spectrometer and the influence of residual gases, 3=3379
- Babeliowsky, T.P.J.H. Influence of residual gases on the measurement of chemical equilibria at high temperatures with the Knudsen method, 3=18437
- Babeliowsky, T.P.J.H. Heat of sublimation of CaO, 3=19075
- Babeliowsky, T.P.J.H. and Boelrijk, N.A.I.M. Negative temperature coefficients of ion-molecule reactions in the ionization chamber of the mass spectrometer. Statistical calculations based on an experimental model for the variation of the microscopic reaction cross-section with relative velocity, 3=16156
- Babeliowsky, T.P.J.H., Boerboom, A.J.H. and Kistemaker, J. Mass spectrometric determination of the heat of vaporization of CaO, 3=1875
- Babeliowsky, T.P.J.H. See Tasman, H.A., 2=19627
- Babenko, K.I. and Voskresenskii, G.P. A numerical method for calculation of space supersonic flow of gas round bodies, 4=14256
- Babenko, N.P., Bibichev, B.A., Konstantinov, I.O. and Nemilov, Yu.A. Neutron polarization in the $C^{12}(d,n)N^{13}$ reaction, 3=22417
- Babenko, N.P., Konstantinov, I.O. and Nemilov, Yu.A. Angular distribution of the polarization of neutrons from the $C^{12}(d,n)N^{13}$ reaction, 4=6371
- Babenko, N.P., Konstantinov, I.O., Moskhalev, A.P., Nemilov, Yu.A. Polarization of neutrons from the reaction $D(d,n)He^3$, 4=30277
- Babenko, N.S. See Koronkevich, V.P., 2=5184
- Babenko, S.A. See Golyk, O.Z., 1=12871
- Babenko, V.P. and Baisa, D.F. A method of measuring nuclear quadrupole resonance spectra at low temperatures, 4=14919
- Babenko, V.P. and Baisa, O.F. The method for measuring spectra of nuclear quadrupole resonance at low temperatures, 3=24503
- Babenko, V.P., Brodin, M.S. and Soskin, M.S. Cryostat for dispersion measurements at low temperatures, 3=3874
- Babenko, V.P., Brodin, M.S. and Soskin, M.S. A cryostat for dispersion measurements at low temperatures, 3=11902
- Baberman, A.S., Krushinskaya, N.P. and Proskurnin, M.A. Effect of solid substances on the process of decomposition of CCl_4 in aqueous solution induced by gamma radiation, 0=18441
- Baberman, A.S. See Yurin, V.A., 2=14622
- Baberman, A.S. See Yurin, V.A., 3=17937
- Babetski, S.Yu., Buja, Z.A., Grigorov, N.L., Loskevich, E.S., Massal'ski, E.I., Oles', A.A. and Shestoporov, V.Ya. Investigation of large-ionization bursts produced by cosmic-ray particles at sea level, 1=19314
- Babetski, S.Yu., Buja, Z.A., Grigorov, N.L., Loskevich, E.S., Massal'ski, E.I., Oles', A.A. and Shestoporov, V.Ya. Investigation of large-ionization bursts produced by cosmic-ray particles at sea level, 3=4487
- Babetski, Ya.S., Buja, Z.A., Grigorov, N.L., Loskevich, E.S., Massal'ski, E.I., Oles', A.A., Shestoporov, V.Ya. and Fisher, S. Nuclear-active particles in air showers, 2=331
- Babetski, Ya.S., Buja, Z.A., Grigorov, N.L., Loskevich, E.S., Massal'ski, E.I., Oles', A.A., Shestoporov, V.Ya. and Fisher, S. Nuclear-active particles in air showers, 2=22675
- Babetski, Ya., Buja, Z., Massal'ski, E. and Nizioł, B. Energy spectrum of photons from reactions in graphite, 4=27928
- Babetski, Ya.S. See Babayan, Kh.P., 3=19595
- Babetski, Ya.S. See Vernov, S.N., 0=9466
- Babich, I.L. and Kondilenko, I.I. Intermolecular interaction and shift of the oscillation frequency of molecules in Raman spectra, 4=12420
- Babich, I.L., Kondilenko, I.I. and Strizhevskii, V.L. Intermolecular interaction and Fermi resonance in Raman spectra, 3=10487
- Babich, I.L., Kondilenko, I.I. and Strizhevskii, V.L. Investigation of the scattering power of molecules in the liquid state during Raman scattering of light, 3=21372
- Babich, V.M. Fundamental solutions of the dynamical equations of elasticity for nonhomogeneous media, 2=15519
- Babich, V.M. and Rusakova, N.Ya. Propagation of Raleigh waves along the surface of a non-uniform elastic body which has an arbitrary shape, 4=18319
- Babichev, A.P. and Fedorov, N.D. Acceleration of ions at "subharmonics" in a cyclotron, 4=14786
- Babichev, A.P., Karchevskii, A.I. and Muromkin, Yu.A. Helical instability of a toroidal discharge in a varying magnetic field, 3=1960
- Babichev, A.P., Karchevskii, A.I., Muromkin, Yu.A. and Sokol'skii, V.V. Formation of a current channel in a gas discharge in a weak magnetic field, 2=3026
- Babichev, A.P., Karchevskii, A.I., Muromkin, Yu.A. and Sokol'skii, V.V. Formation of a current channel in a gas discharge in a weak magnetic field, 3=1958
- Babichev, A.P., Karchevskii, A.I. and Muromkin, Yu.A. Some of the special features of a toroidal discharge, 4=24682
- Babichev, A.P., Karchevskii, A.I., Muromkin, Yu.A. and Sokol'skii, V.V. Investigation of the configuration of an intense discharge in weak constant and in alternating outer magnetic fields, 3=12089
- Babichev, A.P., Karchevskii, A.I., Muromkin, Yu.A. and Sokol'skii, V.V. On the mechanism of the high-current gas discharge in a weak magnetic field, 3=2108
- Babichev, A.P., Venikov, N.I., Knyazyatov, A.S., Meshcherov, R.I., Mironov, E.S., Nemenov, L.M., Fedorov, N.D. and Kholmovskii, Yu.A. Control of the shape of the magnetic field intensity of a cyclotron, 2=22286
- Babichev, A.P., Venikov, N.I., Knyazyatov, A.S., Meshcherov, R.I., Mironov, E.S., Nemenov, L.M., Fedorov, N.D. and Kholmovskii, Yu.A. Control of the shape of the magnetic field intensity of a cyclotron, 3=21913
- Babichev, M.A. See Khrushchov, M.M., 0=13917
- Babicheva, M.I. See Vanicheva, G.V., 4=17743
- Babii, V.I. See Alekseev, Yu.L., 3=1539
- Babikov, V.V. The cross-section for formation of the compound nucleus in the interaction of atomic nuclei, 0=7588
- Babikov, V.V. A theory of Bremsstrahlung from nonrelativistic electrons, 1=7228
- Babikov, V.V. The compound nucleus formation time and the γ -radiation from interacting nuclei, 2=16378
- Babikov, V.V. γ -radiation from a compound nucleus with a large angular momentum, 2=16379
- Babikov, V.V. The compound nucleus formation time and the γ -radiation from interacting nuclei, 3=6216
- Babikov, V.V. γ -radiation from a compound nucleus with a large angular momentum, 3=6217
- Babikov, V.V. Resonance model of nn interactions and its application to nucleus, 3=19621
- Babikov, V.V. and Kogan, V.I. Radiative heat transfer from a dense high-temperature plasma, 1=7052
- Babilon, C.F. See Lyst, J.O., 2=21448
- Babin, L. Ruptures of metastable liquid phase states of very small volume, 3=16837
- Babitt, D.G. A summation procedure for certain Feynman integrals, 3=7088
- Babkin, V.S. and Kozachenko, L.S. Pre-detonation mechanism of flame propagation in roughened tubes, 0=10809
- Babkin, G.I. Calculation of energy of activation of fission fragments, 4=19849
- Babkoff, H. and Sutton, S. Perception of temporal order and loudness judgments for dichotic clicks, 3=13951
- Bablidze, R.A. Supercritical oscillation conditions in He II, 3=16852
- Bablidze, R.A., Tsakadze, J.S. and Chanishvili, G.V. Shift of the λ -point in rotating liquid helium, 4=16315
- Bablidze, R.A. See Andronikashvili, E.L., 3=16851
- Babloyantz, A. Rotational effect on the thermodynamic properties of isotopes, 0=20606
- Babloyantz, A. and Bellemans, A. Statistical mechanics of solid and liquid mixtures of ortho- and para-hydrogen. II, 1=15846
- Babloyantz, A. See Bellemans, A., 0=8655
- Babrov, H., Ameer, G. and Benesch, W. Molecular collision cross sections from infrared absorption measurements, 0=15788
- Babrov, H.J. Instrumental effects in infrared gas spectra and spectroscopic temperature measurements, 1=4378
- Babrov, H.J. Error in integrated transmittance due to the spectrometer slit function, 2=17620
- Babrov, H.J. Experimental and theoretical infrared spectral absorbance of HCl at various temperatures, 3=18661
- Babrov, H.J. and Tourin, R.H. Methods for predicting infrared radiance of flames by extrapolation from laboratory measurements, 3=11992

- Babrov, H. J. Strengths and self-broadened widths of the lines of the hydrogen bromide fundamental band, 4=12452
- Babrov, H. J. See Maclay, G. J., 4=17895
- Babrov, H. J. See Malkmus, W., 4=17282
- Babrov, H. J. See Tourin, R. H., 2=19618
- Babu, P., Cowsik, R. and Pal, Y. Neutral pion production by 17 GeV negative pions in carbon, 4=928
- Babu, P. and Pal, Y. Hyperon effect in the high energy μ -meson spectrum at sea level, 2=12078
- Babu Rao, P. and Sreerama Murty, K. Potential constants of VOCl_3 , 0=5900
- Babu Rao, P. and Sreeramamurty, K. Potential constants of certain planar XY_2Z molecules, 1=9922
- Babu Rao, P. and Sreeramamurty, K. F-G matrix elements for pyramidal XY_2Z molecules, 1=13982
- Babu, S. K. Measurement of partial birefringence of pleochroic minerals, 3=922
- Babushkin, F. A. Correction to finite nuclear size in the isotopic shift, 2=16322
- Babushkin, F. A. Radiation transitions in a relativistic treatment, 3=2549
- Babushkin, F. A. Correction to finite nuclear size in the isotopic shift, 3=6182
- Babushkin, F. A. Isotopic shift of spectral lines, 3=25040
- Babushkin, F. A. Atomic nucleus deformations in calculations of the isotopic shift of spectral lines, 4=6463
- Babushkin, F. A. The identity of methods for computation of the isotopic shift in spectral lines, 4=15267
- Babushkin, F. A. Isotopic shift in X-ray spectra, 4=19940
- Babushkin, V. I. See Mchedlov-Petrosyan, O. P., 3=18269
- Babushkina, N. A. An anomaly in the magnetoelectric properties of gadolinium, 4=22671
- Babushkina, N. A. See Kikoin, I. K., 1=1237
- Babushkina, N. A. See Kikoin, I. K., 1=17622
- Babuška, I., Vitásek, E. and Kroupa, F. Some applications of the discrete Fourier transform to problems of crystal lattice deformation. I, 1=17500
- Babuška, I., Vitásek, E. and Kroupa, F. Some applications of the discrete Fourier transform to problems of crystal lattice deformation. II, 1=17501
- Băbuția, I. See Borneas, M., 0=72
- Băbuția, I. See Borneas, M., 0=73
- Băbuția, I. See Borneas, M., 0=8640
- Băbuția, I. See Borneas, M., 0=8648
- Băbuția, I. See Borneas, M., 0=14613
- Băbuția, I. See Borneas, M., 0=19087
- Băbutia, I. See Borneas, M., 1=15822
- Babych, I. L. See Kondylenko, I. I., 2=8098
- Babykin, M. V., Gavrin, P. P., Zavoiskii, E. K., Rudakov, L. I. and Skoryupin, V. A. Turbulent heating of a plasma, 3=1987
- Babykin, M. V., Gavrin, P. P., Zavoiskii, E. K., Rudakov, L. I. and Koryupin, V. A. S. Trapping and containment of a turbulently heated plasma in a mirror system, 3=16948
- Babykin, M. V., Gavrin, P. P., Zavoisky, E. K., Rudakov, L. I. and Skoryupin, V. A. and Sholin, G. V. Some new results on the turbulent heating of a plasma, 4=16464
- Babykin, M. V., Plakhov, A. G., Skachkov, Y. F. and Shapkin, V. V. Parallel-plate spark counters for measuring short time intervals, 0=3886
- Babýkin, M. V., Zavoiskii, E. K., Rudakov, L. I. and Skoryupin, V. A. Observation of instabilities in ion double beams during a turbulent heating of the plasma, 3=16985
- Babýkin, M. V., Zavoiskii, E. K., Rudakov, L. I. and Skoryupin, V. A. Absorption by a plasma of the energy of varying large-amplitude electromagnetic fields, 4=8779
- Babýkin, M. V. See Artemenkov, L. I., 2=1624
- Babýkin, M. V. See Arlemenkov, L. I., 4=14960
- Bacal, M. Optical system for the localization of microscopic particles in the Millikan vacuum condenser, 2=9375
- Bacal, M. Direct transformation of heat into electric energy. Studies concerning the magnetic triode, 4=11505
- Bacal, M. The cut-off characteristics of plane magnetrons, 4=16544
- Bacal, M. and Dobretov, L. N. The physical principles of Millikan's condenser method [of e/m measurement] in a vacuum, 2=5594
- Bacal, M. See Afinoghenov, L. P., 2=5595
- Bacastow, R., Elioff, T., Larsen, R., Wiegand, C. and Ypsilantis, T. Measurement of the branching ratio for pion beta decay, 3=17307
- Bacchella, G. L. Developments and future aims of neutron diffraction, 0=4604
- Bacchella, G. L. and Finot, M. A study of the magnetic structure of FeCr_2O_4 , 4=28833
- Bacchella, M. See K⁻-collaboration, 0=1308
- Bacchilega, A. and Gondi, P. Dislocation characteristics and work-hardening phenomena during the plastic deformation in monocrystalline germanium, 4=13405
- Bacci, C., Penso, G., Salvini, G., Wattenberg, A., Mencuccini, C., Querczoli, R. and Silvestrini, V. Photoproduction and neutral decay modes of the η particle, 3=22187
- Bacconnet, E., Debieesse, J. and Klein, S. Production of an alternating e.m.f. in an ionized gas subjected to acoustic waves, 3=19181
- Bacconnet, E. See Debieesse, J., 4=12914
- Bach, D. R., Bunch, S. I., Cerbone, R. J. and Slovacek, R. E. Prompt neutron decay constants in multiplying hydrogenous media, 2=6040
- Bach, G. Determination of the characteristic dimensions of the distribution of spheres from the distribution of circles in a section, 4=2099
- Bach, G. On the distribution in cutting a sphere into transparent sections of finite thickness, 0=5157
- Bach, G. G. See Khare, H. C., 4=27833
- Bach, G. R. See Anderson, C. E., 0=4104
- Bach, G. R. See Morris, J. C., 4=14652
- Bach, H. The formation of brookite in thin TiO_2 layers, 4=13505
- Bach, I. See Gobrecht, H., 2=4122
- Bach, R. L. See Hubbell, J. H., 0=16916
- Bachelet, F. Colloquium on the effects of the solar activity on the cosmic ray intensity at the earth, 2=338
- Bachelet, F. Cosmic rays and the physical state of interplanetary space, 4=17996
- Bachelet, F., Balata, P., Conforto, A. M., Iucci, N. and Marini, G. The cosmic ray storm of May 11, 1959, 0=2609
- Bachelet, F., Balata, P., Conforto, A. M. and Marini, G. Cosmic ray and geomagnetic disturbances from July 1957 to July 1958. I. The cosmic ray events and their correlation with the geomagnetic events, 0=15490
- Bachelet, F., Balata, P., Conforto, A. M. and Marini, G. Cosmic ray and geomagnetic disturbances from July 1957 to July 1958. II. The geomagnetic events, 0=15491
- Bachelet, F., Balata, P., Conforto, A. M. and Marini, G. Cosmic ray and geomagnetic disturbances from July 1957 to July 1958. III. The correlation with solar radio bursts, 1=16926
- Bachelet, F., Balata, P., Conforto, A. M. and Marini, H. N-component intensity from July 1957 to July 1958 and geomagnetic and solar activity, 1=3344
- Bachelet, F., Balata, P., Dyring, E. and Iucci, N. On the multiplicity effect in a standard cosmic-ray neutron monitor, 4=16988
- Bachelet, F., Balata, P. and Iucci, N. Spectral variation of primary cosmic rays during Forbush decreases, 3=7959
- Bachelet, F., Conforto, A. M. and Iucci, N. Intensity variation of the total component in Rome, from 1954 to 1957, 1=2150
- Bachelier, D., Bernas, M., Brissaud, I., Detraz, C. and Radvanyi, P. Study of the Ca^{40} , B^{11} and B^{10} nuclei by means of the (p, d) reaction at 155 MeV, 4=19780
- Bachelier, D., Bernas, M., Brissaud, I., Detraz, C., Ganguly, N. K. and Radvanyi, P. Indications of the structure of O^{16} from the (p, d) reaction at 155 MeV, 4=12222
- Bacher, A. D. See Tombrello, T. A., 3=12521
- Bachkovski, I. Resolving power in X-ray spectroscopy, 4=24779
- Bachkovský, J. Selection of crystals for X-ray spectroscopy, 2=14977
- Bächler, W., Clary, R. and Forth, H. Development of diffusion pumps, 4=18259
- Bachman, A. H. See Samios, N. P., 2=20392
- Bachmann, I. G. and Zemann, J. The crystal structure of linarite, $\text{PbCuSO}_4(\text{OH})_2$, 0=12052
- Bachmann, H. R. Martensite transformation at low temperatures, 4=10416
- Bachmann, L. Evaporation by electron bombardment for high resolution shadowing of electron microscope specimens, 2=10957
- Bachmann, L. Shadow-casting using very high melting metals, 3=18417
- Bachmann, L. and Hayek, K. The thickness of electron microscope evaporated films for improving the contrast, 2=12954
- Bachmann, L. and Hayek, K. Shadowing of electron microscopic preparations with metals of very high melting point, 2=15119
- Bachmann, L. and Hayek, K. A decoration method of high resolution for electron-microscopic examination of crystal surfaces, 2=15120
- Bachmann, L., Orr, W. H., Rhodin, T. N. and Siegel, B. M. Determination of surface structure using ultra-high vacuum replication, 0=14046
- Bächtold, H. See Feichtinger, H., 2=21603

- Bachynski, M.P. Propagation at oblique incidence over cylindrical obstacles, 0=12669
- Bachynski, M.P. Plasma physics—an elementary review, 2=5327
- Bachynski, M.F. and Cloutier, G.G. Free-space microwave techniques for plasma measurements, 4=27536
- Bachynski, M.P. and Graf, K.A. Electromagnetic properties of finite plasmas, 4=18871
- Bachynski, M.P., Johnston, T.W. and Shkarofsky, I.P. Universal representation of electromagnetic parameters in presence of d.c. magnetic fields, 1=16313
- Bachynski, M.P. See Cloutier, G.C., 4=3153
- Bachynski, M.P. See French, I.P., 1=18857
- Bachynski, M.P. See Graf, K.A., 1=18865
- Bachynski, M.P. See Graf, K.A., 2=17834
- Bachynski, M.P. See Neugebauer, F.E.J., 0=12697
- Bachynski, M.P. See Shkarofsky, I.P., 2=3007
- Bacigalupi, R.J. Effect of magnetic field on iron whisker growth, 3=13422
- Bacigalupi, R.J. See Spakowski, A.E., 4=4566
- Baciu, G. Betatron electron injector at the Institute of Atomic Physics of Bucharest, 3=7664
- Baciu, G. Methods of covering with a semiconducting layer using dioxide of tin, 0=21251
- Baciu, G. Efficiency of betatron operation, 3=21915
- Baciu, G. The electron injection process in the betatron, 4=16597
- Baciu, G., Minetti, B., Molino, C., Pasqualini, L. and Piragino, G. Experimental arrangements for studying (γ , Tn) reactions with the 31 MeV betatron belonging to C.S.F.B. at Turin, 4=22106
- Baciu, G. See Ciorascu, F., 2=20084
- Baciu, G. See Stoicovici, E., 2=22288
- Bäck, A. A new test bench for measuring optical transfer functions of aerial camera lenses, 3=14385
- Bäck, A. See Djurle, E., 1=13003
- Back, R.A. Combination reactions of imino radicals in the flash photolysis of isocyanic acid, 4=22430
- Back, R.A. and Walker, D.C. Photochemistry in the photo-ionization region. I. Apparatus and techniques, 3=3404
- Back, R.A., Woodward, T.W. and McLaughlan, K.A. Absolute yields in the γ -radiolysis of gases, 2=19164
- Back, R.A. See Walker, D.C., 3=13618
- Backenstoss, G., Geibel, J.A., Hyams, B.D., Mühner, W., Reale, A., Stierlin, U. and Zavattini, E. Forward production of photons from 9 GeV π -p interactions, 4=16939
- Backenstoss, G., Hyams, B.D., Knop, G., Marin, P.C. and Stierlin, U. Helicity of μ mesons from π -mesons stopped in light elements and insulators, 1=8477
- Backenstoss, G., Hyams, B.D., Knop, G., Marin, P.C. and Stierlin, U. Helicity of μ mesons from π -meson decay, 1=8478
- Backenstoss, G., Hyams, B.D., Knop, G., Marin, P.C. and Stierlin, U. The scattering of 8 GeV/c μ -mesons on electrons, 2=22549
- Backenstoss, G., Hyams, B.D., Knop, G., Marin, P.C. and Stierlin, U. Scattering of 8-GeV μ mesons on electrons, 3=10139
- Backenstoss, G., Hyams, B.D., Knop, G. and Stierlin, U. A total absorption scintillation detector for electrons, photons and other particles in the GeV region, 3=10097
- Backenstoss, G., Hyams, B.D., Knop, G. and Stierlin, U. Properties of a total absorption scintillation detector for particles in the GeV region, 3=17101
- Backenstoss, G. See Brix, P., 2=14230
- Backenstoss, G. See Quitmann, D., 4=15310
- Backenstoss, G.K., Frauenfelder, L., Hyams, B.D., Koester, L.J., Jr and Marin, P.C. An investigation of the stability of nucleons, 0=15337
- Bäcklin, A. See Bäckström, G., 0=5712
- Bäcklin, A. See Bäckström, G., 2=20313
- Bäcklund, N.G. An experimental investigation of the electrical and thermal conductivity of iron and some dilute iron alloys at temperatures above 100°K, 2=2111
- Backman, M.E. Form for the relation between stress and finite elastic and plastic strains under impulsive loading, 4=24125
- Backofen, W.A. See Avery, D.H., 3=20736
- Backofen, W.A. See Avery, D.H., 4=7423
- Backofen, W.A. See Chin, G.Y., 4=23123
- Backofen, W.A. See Chin, G.Y., 4=30765
- Backofen, W.A. See English, A.T., 4=23343
- Backofen, W.A. See Hosford, W.F., Jr, 0=18253
- Backofen, W.H. See Holt, D.L., 3=23337
- Bäckström, G. A device for the precision measurement of an inhomogeneous magnetic field, 0=19865
- Bäckström, G. The potential use of Compton scattered gamma rays for nuclear excitation experiments, 3=24857
- Bäckström, G., Bäcklin, A., Holmberg, N.E. and Bergkvist, K.E. A magnetic spectrometer for neutron capture experiments, 2=20313
- Bäckström, G., Bergman, O., Burde, J. and Lindskog, J. The decay of Au^{194} , 0=7523
- Bäckström, G., Lindskog, J., Bergman, O., Bashandy, E. and Bäcklin, A. Contributions to the decay of Tb^{160} to Dy^{160} , 0=5712
- Bäckström, G., Lindskog, J. and Lindström, J.O. Double internal conversion, 3=6170
- Bäckström, G. and Marklund, I. The decay of As^{76} to Se^{76} , 1=662
- Bäckström, G. See Bergman, O., 4=27982
- Bäckström, G. See de Croës, M., 0=13204
- Bäckström, G. See Grabowski, Z., 3=2388
- Bäckström, G. See Kern, J., 1=654
- Bäckström, G. See Suter, T., 2=3531
- Backus, G. Linearized plasma oscillations in arbitrary electron velocity distributions, 0=12622
- Backus, G.E. Linearized plasma oscillations in arbitrary electron distributions, 1=4624
- Backus, G.E. The propagation of short elastic surface waves on a slowly rotating earth, 3=195
- Backus, G., Lenard, A. and Kulsrud, R. Remarks on the adiabatic invariance of the orbital momentum of charged particles, 1=16410
- Backus, J. Studies of cold cathode discharges in magnetic fields, 0=1115
- Backus, J. Vibrations of the reed and the air column in the clarinet, 1=9452
- Backus, J. Small-vibration theory of the clarinet, 3=9562
- Backus, J. Acoustical investigations of the clarinet, 3=16713
- Backus, J. and Huston, N.E. Ion energies in a cold cathode discharge in a magnetic field, 0=5275
- Backus, M.M. See Gilbert, F., 3=1416
- Bacon, A.E. See Schofield, T.H., 0=16281
- Bacon, A.E. See Schofield, T.H., 1=20610
- Bacon, B.M. See Barfield, W.D., 2=3608
- Bacon, D.J., Heckscher, F. and Crocker, A.G. Crystallographic angles for mercury, bismuth, antimony and arsenic, 4=23457
- Bacon, G.E. Thermal motion in crystals and molecules, 0=21153
- Bacon, G.E. Radiation damage in graphite, 1=3701
- Bacon, G.E. A neutron-diffraction study of very pure chromium, 2=10678
- Bacon, G.E. The magnetic structure of AuMn, 2=10683
- Bacon, G.E. The study of line-profiles in X-ray diffraction patterns of graphite, 2=23831
- Bacon, G.E. Recent progress in neutron diffraction, 3=1289
- Bacon, G.E. and Crangle, J. Chemical and magnetic order in platinum-rich Pt + Fe alloys, 3=8696
- Bacon, G.E. and Curry, N.A. A study of 4,4'-dichloro diphenyl sulphone by neutron diffraction, 0=4660
- Bacon, G.E. and Curry, N.A. The water molecules in $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$, 2=4430
- Bacon, G.E. and Dyer, R.F. Neutron diffraction instruments at a high-flux nuclear reactor, 0=3199
- Bacon, G.E. and Wilson, S.A. The unit cell dimensions of Pt, Fe alloys, 3=25745
- Bacon, J. and Gillespie, R.J. Analysis of carbon-13 satellites in the n.m.r. spectra of oxalyl fluoride and oxalyl chloride/fluoride, 3=15374
- Bacon, J., Gillespie, R.J. and Quail, J.W. The nuclear magnetic resonance spectrum of sulphur tetrafluoride, 3=17613
- Bacon, J., Gillespie, R.J. and Quail, J.W. Quadrupole relaxation for a spin $I = 3/2$. The F^{19} n.m.r. spectra of BF_3 and ClO_4F , 4=9768
- Bacon, J.F., Hasapis, A.A. and Wholley, J.W., Jr. Viscosity and density of molten silica and high silica content glasses, 0=18383
- Bacon, J.F., Veltri, R.D. and Whittier, J.Y. High temperature vacuum furnace with metallic sheet resistance elements, 4=2746
- Bacon, M.D. and Dean, P. Vibrational spectrum of a two-dimensional disordered lattice, 2=14370
- Bacon, M.D., Dean, P. and Martin, J.L. Defect modes in two-component chains, 2=16596
- Bacon, M.D. See Dean, P., 3=10582
- Bacon, M.D. See Dean, P., 3=22638
- Bacon, N.E. See Webb, E.K., 2=21788
- Bacon, R. Growth, structure, and properties of graphite whiskers, 0=6333

- Bacon, T. C., Hopkins, H. W. K., Robinson, D. K., Salant, E. O., Engler, A., Fish, H. E., Meltzer, C. M. and Westgard, J. B. Observation of the $p + d \rightarrow \Lambda + \Sigma^+ + \pi^+$, 4=21854
- Bacon, W.E. See Fozard, J.L., 0=3365
- Bacquet, G., Gautier, P. and Santouil, A. First order optics of thin magnetic cylindrical lenses, 1=9641
- Bacquet, G. and Santouil, A. A mirror electron microscope, 3=4199
- Bacry, H. Electric and magnetic multipole moments in special relativity, 1=15621
- Bacry, H. The precession of the spin of particles in an arbitrary field, 1=19100
- Bacry, H. On the composition of relativistic momenta in compound models, 3=5342
- Bacry, H. A covariant position operator. Application to a system of two particles, 3=18699
- Bacry, H. Multipole moments in special relativity. Application to X-ray scattering by a particle having an arbitrary magnetic moment, 3=23749
- Bacry, H. Position and polarization operators in relativistic and nonrelativistic mechanics, 4=8062
- Bacry, H. and Mandelbrojt, J. An approach to nucleon-anti-nucleon phenomena using the Bogoliubov transformation. I, 2=9837
- Bacry, H., Nuyts, J. and Van Hove, L. Basic SU_3 triplets with integral charge and unit baryon number, 4=21750
- Bacry, H. See Amati, D., 4=30159
- Bacsó, J. See Szalay, A., 2=5618
- Bączynski, A. Photoconductivity of polycrystalline systems of cadmium sulphide, 3=905
- Bączynski, A., Bissinger, J., Czajkowski, M. and Walentynowicz, E. Photo-activation of cadmium sulphide, 4=28639
- Bączynski, A. and Czajkowski, M. On the metastable state of dye molecules, 0=3537
- Baczynski, A. and Czajkowski, M. The concentration dependence of luminescence spectra of organic phosphors, 1=2762
- Bączynski, A. and Czajkowski, M. On the photoconductivity of polycrystalline cadmium sulfide layers, 3=904
- Baczynski, A., Czajkowski, M. and Trawinski, S. On the fluorescence of fluorescein in methyl methacrylate, 1=9398
- Badachhape, S.B. and Goswami, A. A new type of spinel from cuprous chloride, 3=1326
- Badachhape, S.B. and Goswami, A. Structure of evaporated tin sulphide, 3=1327
- Badachhape, S. B. and Goswami, A. An electron diffraction study of thallium iodide, 4=4627
- Badachhape, S. B. and Goswami, A. Electron diffraction study of evaporated films of tin sulphide (-ous), 4=29189
- Badalian, A.M. and Baz, A.I. On the mechanism of photonuclear reactions, 1=8687
- Badalov, N.B., Vasilenko, S.S., Kaganskii, M.G., Kaminskii, D.L. and Nikitin, M.K. Positron decay of Re^{182} , 3=22347
- Badalov, N. B., Vasilenko, S. S., Kaganskii, M. G. and Kaminskii, D. L. Positron spectrum of Ag^{110m} , 4=6283
- Badalyan, A.M. Nuclear recoil in the equivalent photon method, 2=430
- Badalyan, A.M. Nuclear recoil in the equivalent photon method, 3=666
- Badalyan, A.M. Polarization calculation by the equivalent photon method, 3=2237
- Badalyan, A.M. and Baz, A.I. The mechanism of photonuclear reactions, 1=17076
- Badalyan, A.M. and Chzhou Guan-chzhao [Chou Kuang-chao]. Production of an electron-positron pair by a neutrino in the field of a nucleus, 0=12913
- Badalyan, A.M. and Smorodinskii, Ya. A. The Weizsäcker-Williams relation for matrix elements, 2=4937
- Badalyan, G. V. Production of constant magnetic fields of prescribed forms by means of a magnetic system without manifest poles, 4=651
- Badalyan, G.V. A study of fast deuterons at 3200 m above sea level, 0=2611
- Bădănoiu, M. See Stoicovici, E., 2=22288
- Badar, L. See Deall, L., 3=11652
- Bădăraș, E., Grumăzescu, M. and Matei, L. Correlation between the coefficients of acoustic absorption measured in impedance tubes and in scattered fields, 2=5113
- Bădăraș, E., Guirgea, Gh. and Grumăzescu, M., The effect of absorbent walls of a closed space on the uniformity of the sound field, 1=1792
- Bădăraș, E. and Hagiescu-Miriste, M. The energies of positive ions at the cathode of a mercury glow discharge, 0=19638
- Badarau, E. and Hagiescu-Miriste, M. The kinetics of positive ions at the cathode of a luminescent discharge in mercury vapour, 1=1893
- Badareu, E. and Ciobotaru, D. The determination of the charge-exchange cross-section in Ne and Xe glow discharges, 3=19219
- Badareu, E. and Ciobotaru, D. Resonant charge transfer in monatomic gases, 4=11516
- Badareu, E., Matei, L. and Serban, T. Dichroic colour centres in KCl:LiCl single crystals, 3=17794
- Badareu, E. and Popescu, I. Some problems regarding the phenomena occurring at the cathode of the glow discharge, 0=19639
- Badareu, E., Popescu, I., Ghită, C. and Zamfir, O. Investigations on the caesium-mercury diode, 4=29976
- Badareu, E., Popescu, I. and Iova, I. Studies on the clarification of the mechanism of the double-cathode effect, 0=7081
- Badareu, E., Popescu, I. and Iova, I. Processes in the cathode region of anomalous glow discharges in helium, 2=1407
- Badareu, E., Popescu, I. and Zamfir, O. Some data on caesium thermionic converter with mercury and xenon mixtures, 4=21450
- Badareu, E. and Popovici, C. On luminescent discharges in a butane-bromine mixture, 2=6883
- Badareu, E., Ștefănescu, D. and Popovici, C. Effect of the high frequency discharge on butane, 2=21588
- Badareu, E. and Wächter, F. On the contribution of photons to the electron emission from the cathode in the mercury vapour glow discharge, 1=9531
- Badareu, E. and Wächter, F. Electron emission through photon discharge, 3=7632
- Badawy, O.E. See Antoufiev, Y.P., 3=19811
- Badawy, O. E. See Antoufiev, Y. P., 4=22020
- Badawy, O. E. See Antoufiev, Y. P., 4=30311
- Baddiel, C. See Janz, G. J., 4=18204
- Bade, W.L. Stagnation-point heat transfer in a high-temperature inert gas, 2=5065
- Badenko, I.I., Berlovich, E.E. and Fleischer, V.G., Slow electrons in beta-decay of P^{32} , 3=10286
- Badenko, L.A. See Konstantinov, B.P., 1=14307
- Bader, C.J. and Ellis, D.M. Instrument for observation of magnetization vector position in thin magnetic films, 3=6709
- Bader, C.J. See Ellis, D.M., 4=3086
- Bader, M. Preliminary Explorer 12 data on protons below 20 keV, 3=7954
- Bader, M. and Savage, F. Momentum accommodation above the sputtering threshold, 4=19123
- Bader, M.G. See Wilkins, B.J.S., 3=1359
- Bader, R.F.W. The use of the Hellmann-Feynman theorem to calculate molecular energies, 1=823
- Bader, R.F.W. An interpretation of potential interaction constants in terms of low-lying excited states, 1=13998
- Bader, R.F.W. Vibrationally induced perturbations in molecular electron distributions, 2=14292
- Bader, R.F.W. On the evaluation of certain two- and three-center molecular integrals occurring in electrostatic calculations, 3=6374
- Bader, R.F.W. The forces operative in homonuclear diatomic molecules, 3=25079
- Bader, R.F.W. and Jones, G.A. The electron density distributions in hydride molecules. I. The water molecule, 3=12843
- Bader, R.F.W. and Jones, G.A. Electron-density distributions in hydride molecules. The ammonia molecule, 3=17587
- Bader, R. F.W. and Jones, G. A. The electron density distributions in hydride molecules. III. Hydrogen fluoride, 4=1263
- Bader, R.F.W. and Westland, A.D. The electronic spectra of $MoCl_3$ and $NbCl_5$, 2=2002
- Bader, R.F.W. See Anet, F.A.L., 0=15711
- Bădescu, A., Kalinkina, O.M., Mitrofanov, K.P., Sorokin, A.A., Forafontov, N.V. and Shpinel', V.S. Decay scheme of Te^{131m} , 1=13694
- Badessa, R.S., Kent, R.L., Nowell, J.C. and Searle, C.L. A Doppler-cancellation technique for determining the altitude dependence of gravitational red shift in an earth satellite, 0=12361
- Badgley, R. W. and Uhrig, R. E. Power-spectral-density measurements in a subcritical nuclear reactor, 4=22271
- Badhwar, G.D. and Daniel, R.R. Some remarks concerning energy dependence of the intensities of nuclei of helium-3, lithium, beryllium and boron in the galactic cosmic radiation, 4=6157

- Badhwar, G.D., Daniel, R.R. and Vijayalakshmi, B. The production of radio isotopes in collisions of cosmic ray nuclei with hydrogen in space and the effect of their decay on the composition of the radiation observed near the earth, 3=619
- Badilian, B. See Degrois, M., 2=5013
- Badilian, B. See Degrois, M., 2=11370
- Badilian, B. See Degrois, M., 2=11455
- Badilian, B. See Degrois, M., 2=15587
- Badilian, B. See Degrois, M., 4=11311
- Badilian, B. See Degrois, M., 4=14117
- Badiyan, E.E. See Pines, B. Ya., 4=7440
- Badkas, D.J. See Govinda Raju, G.R., 4=18746
- Badkas, D.J. See Govindaraju, G.R., 3=379
- Badkas, D.J. See Hubli, S.S., 2=15865
- Badley, J.H. See Tunnicliffe, D.D., 0=16924
- Badoual, R. and Giacomo, P. An electric simulator for the study of the optical behaviour of the stratification of dielectric thin films, 4=21306
- Badoz, J., Billardon, M. and Mathieu, J.P. Photoelectric methods of measuring circular dichroism, 1=10609
- Badoz, J. See Briat, B., 3=19026
- Badoz, J. See Wayland, H., 0=5186
- Badrinathan, C. See Kondaiah, E., 1=17124
- Badrinathan, C. See Lingappa, N., 3=639
- Bady, I. and Collins, T. Dielectric constant and loss tangent of microwave ferrites at elevated temperatures, 3=22978
- Bady, I., Collins, T., DeBitetto, D.J. and du Pré, F.K. Ferrimagnetic linewidth of single crystals of barium ferrite ($\text{BaFe}_{12}\text{O}_{19}$), 1=4779
- Bady, I. and McCall, G. Ferromagnetic resonance due to magnetic fields generated by displacement currents in ferrites, 1=6396
- Bady, I. and Schlömann, E. Spin wave excitation in planar ferrites, 2=12748
- Bady, I. See Schlömann, E., 3=11096
- Badzioch, S. Collection of gas-borne dust particles by means of an aspirated sampling nozzle, 0=8325
- Badzioch, S. See Godridge, A.M., 3=8980
- Baé, P. and Guillien, R. Dielectric phenomena of seignette [Rochelle] salt, 3=23001
- Baelde, A. See Polder, D., 3=13099
- Baender, R.G. See Kycia, T.F., 0=9431
- Baenziger, N.C. and Hegenbarth, J. J. Gadolinium and dysprosium intermetallic phases. III. The structures of Gd_2Al_2 , Dy_2Al_2 , Gd_2Ge_3 , Dy_2Ge_3 and DyAl_3 , 4=23442
- Baenziger, N.C. and Hegenbarth, J. J. Crystal structure of diammonium croconate and molecular orbital calculations on the croconate ion, 4=29149
- Baenziger, N.C. and Moriarty, J.L., Jr. Gadolinium and dysprosium intermetallic phases. I. The crystal structures of DyGa and GdPt and their related compounds, 2=15042
- Baenziger, N.C. and Moriarty, J.L., Jr. Gadolinium and dysprosium intermetallic phases. II. Laves phases and other structure types, 2=15043
- Baenziger, N.C. See Eyring, L., 2=4418
- Baér, A. Rotary pumps in special materials for corrosive products, 2=13385
- Baer, D. and Ambrosio, A. Heat conduction in a semi-infinite slab with sublimation at the surface, 2=2910
- Baer, E. and Carter, D.R. Rate of spherulitic crystallization with chain folds in polyoxymethylene, 4=23620
- Baer, E. See McCormick, J.L., 3=12009
- Baer, F. Integration with the spectral vorticity equation, 4=23736
- Baer, G., Ganz, D. and Thomas, H. Secondary recrystallization in vacuum annealed silicon iron, 0=10285
- Baer, H.G. See Adler, E., 1=12536
- Baer, R. and Dean, C. Nuclear quadrupole resonances using impurity molecules as probes, 0=4539
- Baer, S. On the application of Bethe's method to the grand canonical ensemble for a fluid, 2=13305
- Baer, S. On a hole theory of fluids from molecular distributions, 3=16576
- Baer, S. and Lebowitz, J.L. Convergence of fugacity expansion and bounds on molecular distributions for mixtures, 4=21773
- Baer, S. See Naim, A.B., 4=8171
- Baer, W. See Klein, D., 0=13275
- Baer, W. See Klein, D., 0=13339
- Baer, W.S. and Dexter, R.N. Electron cyclotron resonance in CdS, 4=28431
- Baer, Y., Busch, G., Fröhlich, C. and Steigmeier, E. Thermal conductivity, electrical conductivity, Hall effect, thermopotential and specific heat of Ag_2Se , 3=2926
- Bærentzen, J. and Rudkjøbing, M. Curves of growth of an iron multiplet for Osawa's model atmospheres for a stars, 4=15920
- Baerg, A.P. and Bartholomew, R.M. Note on the thermal neutron capture cross section of Cs^{133} , 1=7388
- Baerg, A.P., Bartholomew, R.M., Brown, F., Katz, L. and Kowalski, S.B. The angular distribution of photofission fragments, 0=1451
- Baerg, A.P. and Bowes, G.C. Search for the (n, t) reaction at 14 MeV in some medium weight nuclei, 1=7391
- Baerg, A.P., Meghir, S. and Bowes, G.C. Extension of the efficiency tracing method for the calibration of pure β -emitters, 4=19709
- Baertschi, P. and Stuber, F. Mass spectrometric determination of deuterium in helium, 4=2174
- Baev, G., Samardjiev, D., Hristoskov, L. and Yuskiselieva, L. Observation of fleeting shadows during the solar eclipse of February 15, 1961, 4=29299
- Baev, I. A. Measurement of the minority carrier lifetime and diffusion coefficient in InSb by the moving-light-spot method, 4=30537
- Baez, A.V. Graphical derivation of the inverse-square law of gravitation from an elliptic orbit and Kepler's law of areas, 0=3426
- Baez, A.V. A self-supporting metal Fresnel zone-plate to focus extreme ultra-violet and soft X-rays, 0=19444
- Baez, A.V. Fresnel zone plate for optical image formation using extreme ultraviolet and soft X radiation, 1=4448
- Baffier, N. See Goffin, J., 1=15093
- Bagae, V.S., Basov, N.G., Vul, B.M., Kopëlovskii, B.D., Krokhin, O.N., Markin, E.P., Popov, Yu.M., Khvoshchev, A.N. and Shotov, A.P. Gallium-arsenide P-N junction semiconductor laser, 4=3224
- Bagae, V.S., Proshko, G.P. and Shotov, A.P. Infrared absorption in highly-doped germanium, 3=15679
- Bagae, V.S. See Vul, B.M., 3=23122
- Bagae, V.S. and Moiseev, N.N. Three problems concerning oscillations of viscous liquids, 4=18164
- Baganoff, D. Pressure gauge with one-tenth microsecond risetime for shock reflection studies, 4=16006
- Baganoff, D. See Roshko, A., 2=1186
- Bagai, S.K., Das Gupta, A. and Guruswamy, S. Standard procedure for particle size determination of subsieve size mine dust by the microscope, 3=14088
- Bagariatskii, B.A. The zenith-angle distribution function of auroral protons, 0=795
- Bagariatskii, B.A. See Krassovsky, V.I., 0=4808
- Bagaryatskii, B.A. Radar reflections from aurorae, 2=9021
- Bagaryatskii, Yu.A. An X-ray investigation of aging in aluminium alloys. V. The use of special types of photograph to elucidate the peculiarities of the structure of alloys, 0=14003
- Bagaryatskii, Yu.A. An X-ray investigation of aging in aluminium alloys. VI. Methods of calculating diffuse scattering, 0=14004
- Bagaryatskii, Yu.A. X-ray investigation of aging of aluminium alloys. VII. On the structure of the Guinier-Preston zones in aluminium-copper alloys, 0=14005
- Bagaryatskii, Yu.A. A method of interpreting photographs of diffuse scattering from crystals of the hexagonal system, 1=20514
- Bagaryatskii, Yu.A. Dimensions of spots on single-crystal X-ray photographs, and their relationship to block size, disorientation and to dispersion of lattice parameters, 3=20826
- Bagaryatskii, Yu. A. Analysis of the Laue interference function, 4=20750
- Bagaryatskii, Yu.A. and Kolontosova, E.V. Rapid method of growing single crystals of Al and its alloys by recrystallization, 1=20435
- Bagaryatskii, Yu.A. and Lukanina, I.G. X-ray diffraction study of the initial stage of decomposition of a Fe-Ni-Al solid solution, 3=20909
- Bagaryatskii, Yu.A. and Nosova, G.I. $\beta \rightarrow \omega$ transformation in titanium alloys during quenching: A singular kind of martensitic transformation, 3=8892
- Bagaryatskii, Yu.A. and Travina, N.T. Orientations of new phases produced in nickel-beryllium and copper-beryllium ageing alloys, 3=16099
- Bagaryatskii, Yu.A. and Tyapkin, Yu.D. More on X-ray diagrams with satellites, 1=15122

- Bagaryatskii, Yu.A. and Tyakpin, Yu.D. Fresh structural data on the decomposition of supersaturated solid solutions of titanium in nickel and nichrome, 1=15133
- Bagaryatskii, Yu.A. and Tyapkin, Yu.D. Simple device for eliminating the influence of the $K\alpha_2$ component in x-ray back-reflection photographs of single crystals, 3=18291
- Bagaryatskii, Yu.A. See Tyapkin, Yu.D., 3=13507
- Bagchi, R.N. See Ghosh, U.S., 3=12285
- Bagchi, R.N. See Ghosh, U.S., 4=19247
- Bagdasarov, Kh.S. See Bazhulin, P.A., 4=28727
- Bagdasarov, Kh.S. See Khaimov-Mal'kov, V.Ya., 3=20785
- Bagdasarov, Kh.S. See Khaimov-Mal'kov, V.Ya., 4=24931
- Bagdasarov, Kh.S. See Zhmurova, Z.I., 4=29062
- Bagdasarov, Yu.E. Approximate solution of two-layer problems of non-stationary heat conduction, 4=5415
- Bagdasarov, Yu.E. and Kazachkovskii, O.D. Calculation of the non-stationary temperature field in a reactor channel and the thermoelastic stress in the shell of the heat-producing element, 3=4681
- Bagdasarov, Yu.E., Kazachkovskii, O.D., Pinkhasik, M.S. and Pyshin, V.K. Investigation of non-stationary regimes of natural circulation in multi-stream nuclear reactor circuits, 4=25456
- Bagdasar'yan, Kh.S., Sinitsyna, Z.A. and Muromtsev, V.I. Two-quantum photochemistry. Evidence of participation in reactions of molecules at the second triplet level, 4=10647
- Bagdasar'yan, Z.A. See Piskunov, A.K., 0=21077
- Bagdasar'yan, Kh.S. See Tunitskii, N.N., 4=6663
- Bagdk'lyants, G.O. See Kr'ylova, T.N., 1=10091
- Bagge, E. Non-relativistic quantum mechanics of spatially extended elementary particles, 3=7767
- Bagge, E. A quantum mechanics of spatially extended elementary particles, 3=21232
- Bagge, E. The two-zone reactor, 4=1138
- Bagge, E. Isotope separation by the molecular beam chopper method, 4=30400
- Bagge, E. and Binder, O. A lunar cosmic ray intensity variation, 1=3353
- Bagge, E. and Binder, O. A lunar cosmic ray intensity variation. II, 2=12049
- Bagge, E. See Richter, G., 3=19859
- Bagge, V.E., Engel, H. and Locke, G. Study of a 100 MW two-zone reactor, 4=1139
- Bagguley, D.M.S. Electron-phonon interactions, 0=6013
- Bagguley, D.M.S., Flaxen, D.W. and Stradling, R.A. Anisotropic phonon scattering of electrons in germanium, 2=14422
- Bagguley, D.M.S. and Heath, M. Ferromagnetic resonance in nickel-copper alloys, 1=9047
- Bagguley, D.M.S., Robinson, M.L.A. and Stradling, R.A. Cyclotron resonance in p-type InSb at millimetre wavelengths, 4=1447
- Bagguley, D.M.S. and Stradling, R.A. Cyclotron resonance at 4 mm wavelength, 2=2151
- Bagguley, D.M.S., Stradling, R.A. and Whiting, J.S.S. Cyclotron resonance over a wide temperature range. I. Germanium, 1=14237
- Bagguley, D.M.S., Stradling, R.A. and Whiting, J.S.S. Cyclotron resonance over a wide temperature range. II. Silicon, 1=14238
- Bagin, V.I. The possibility of developing an alternating field method for determining the ferromagnetic composition of rocks, 3=13847
- Bagin, V.M. Theory of steady progressive waves on the surface of a fluid of infinite depth, 4=139
- Baginski, H.P. and Lochte-Holtgreven, W. Magnetic fields on rotating plasmas under quasi-stationary conditions, 2=15915
- Baglai, R.D. and Sitnikov, L.S. Silicon voltage stabilizers under power balance conditions, 4=426
- Bagley, E.B. Hooke's law in shear and polymer melt fracture, 0=13903
- Bagley, E.B. and Birks, A.M. Flow of polyethylene into a capillary, 0=8605
- Bagley, E.B., Rudin, A., Schreiber, H.P. and Hutton, J.F. Fracture of liquids in shear, 4=27151
- Bagley, F.D. See Smith, G.G., 1=10293
- Baglin, A. The propagation of waves in a partially ionised medium, 0=19705
- Baglin, A. Wave propagation in a partially ionized medium, 2=7612
- Baglin, A. Influence of β -capture on model zero-temperature stars, 4=29377
- Baglin, C., Bloch, M., Brisson, V., Hennessy, J., Lagarrigue, A., Mittner, W., Musset, P., Orkin-Lecourtois, A., Rancou, P., Rousset, A., Saruis, A.M., Sauteron, X. and Six, J. Measurements of the branching ratios of K^0 and Λ^0 , 1=9764
- Baglin, C., Brisson, V., Rousset, A., Six, J., Bingham, H., Nikolic, M., Schultze, K., Henderson, C., Miller, D.J., Stannard, F.R., Elliot, R.T., Rangan, L.K., Haatuft, A. and Myklebost, K. Proton spectra in Λ^0 beta decay, 4=3487
- Baglin, C. See Aubert, B., 2=18187
- Baglin, C. See Aubert, B., 2=22647
- Baglin, C. See Bellière, J., 3=24775
- Baglin, C. See Bellini, G., 2=22573
- Baglin, C. See Bellini, G., 3=7899
- Baglin, C. See Di Corato, M., 2=22627
- Baglin, C. See Fretter, W.B., 3=2301
- Baglin, J.E.E. and Spicer, B.M. Photodisintegration of Ca^{40} , 4=22115
- Baglin, J.E.E., Thompson, M.N. and Spicer, B.M. Photodisintegration of Al^{27} . I. Photoneutron cross section, 1=5890
- Baglin, J.E.E., Thompson, M.N. and Spicer, B.M. Photodisintegration of Al^{27} . II. Theoretical, 1=5891
- Baglin, J.E. See Spicer, B.M., 0=4112
- Baglin, J.E.E. See Thies, H.H., 0=5769
- Bagot, C.H. See Huxley, L.G.H., 0=8995
- Bagotskaya, I.A. A study of the influence of structure of the double electrical layer on the electrochemical desorption reaction, 2=17091
- Bagrov, V.G. See Ternov, I.M., 4=11967
- Bagrowski, J. and Lauriente, M. Electroless Ni-Co-P films with uniaxial anisotropy, 3=20602
- Bagrowski, J. See Lauriente, M., 2=12655
- Bagrowski, J. See Lauriente, M., 2=19764
- Bagrowski, J. See Lauriente, M., 4=26707
- Bahadur, J. and Madan, M.P. The third virial coefficient and the force between molecules, 1=14130
- Bahadur, K. Measurements of field ion currents, 1=1923
- Bahadur, K. and Sastry, P.V. Thin films of silver-cadmium alloy, 0=12045
- Bahadur, K. and Sastry, P.V. A high temperature diffraction adaptor for the RCA EMU-2A electron microscope, 1=7893
- Bahadur, K. and Sastry, P.V. On the extra reflections in electron diffraction patterns from thin evaporated films of some of the face-centred cubic metals, 1=20665
- Bahadur, K. and Sastry, P.V. Electron diffraction study of thin films of silver-cadmium alloy, 2=10910
- Bahadur, K., Sastry, P.V. and Malhotra, G.L. On the origin of stacking faults in polycrystalline thin evaporated films of some face-centred cubic metals, 3=2813
- Bahcall, J. and Curtis, R.B. The mass of the muon's neutrino, 1=16750
- Bahcall, J. See Layzer, D., 2=8056
- Bahcall, J.N. Theory of bound-state beta decay, 1=17017
- Bahcall, J.N. Virial theorem for many-electron dirac systems, 1=19103
- Bahcall, J.N. Beta decay in stellar interiors, 2=13146
- Bahcall, J.N. Exchange and overlap effects in electron capture and in related phenomena, 3=1038
- Bahcall, J.N. Electron capture and nuclear matrix elements of Be^7 , 3=2404
- Bahcall, J.N. The exclusion principle and photobeta reactions in nucleogenesis, 3=3529
- Bahcall, J.N. Overlap and exchange effects in beta decay, 3=10283
- Bahcall, J.N. Effect of exchange on L to K capture ratios, 3=15131
- Bahcall, J.N. Effect of exchange on M/L electron capture ratios, 3=22324
- Bahcall, J.N. Electron capture in stellar interiors, 4=10813
- Bahcall, J.N. Solar neutrinos. I. Theoretical, 4=20918
- Bahcall, J.N. Solar neutrino cross sections and nuclear beta decay, 4=22100
- Bahcall, J.N., Fowler, W.A., Iben, I., Jr and Sears, R.L. Solar neutrino flux, 3=13879
- Bahcall, J.N. and Frautschi, S.C. Neutrino astronomy and intermediate bosons, 4=26962
- Bahcall, J.N. and Wolf, R.A. Terminating the proton-proton chain at high densities, 4=17977
- Bahcall, J.N. See Parker, P.D., 4=17976
- Bahcall, J.N. See Peterson, V.L., 4=2342
- Bahe, L.W. See Dannhauser, W., 4=18213
- Bahethi, O.P. and Saxena, S.C. Morse potential parameters for helium, 4=9713

- Bahethi, O. P. and Saxena, S. C. Morse potential parameters for hydrogen, 4=29665
- Bahethi, O. P. See Saxena, S. C., 4=8241
- Bahng, J. and Schwarzschild, M. The temperature fluctuations in the solar granulation, 1=15467
- Bahng, J. and Schwarzschild, M. Lifetime of solar granules, 1=15468
- Bahng, J. and Schwarzschild, M. Hydrodynamic oscillations in the solar chromosphere, 3=13887
- Bahng, J.D. See Rogerson, J.B., 0=10761
- Bahr, G. F., Sackerlotzky, O. and Zeitler, E. Electromagnetic exposure system for Siemens electron microscope, 4=11713
- Bahr, G.F. See Zeitler, E., 2=7164
- Bahrov, M.M. Measurements of the diffusion coefficient of nitrogen in liquid oxygen, 2=9266
- Bahrov, M.M. See Dolhopolov, D.H., 2=9265
- Bai, A. S. See Lainer, D. I., 4=15808
- Bai, C. Lakshmi. See Lakshmi Bai, C.,
- Bai Chong Z'yong. See Z'yong Chong Bai.
- Baibakov, B. I. See Sevastyanov, B. K., 4=26264
- Baiborodin, Yu. V., Broude, V. L., Kravchenko, V. I. and Soskin, M. S. The possibility of obtaining a sequence of powerful isolated pulses from a ruby optical quantum generator, 4=24927
- Baiborodov, Yu. T., Ioffe, M. S., Petrov, V. M. and Sobolev, R. I. An adiabatic trap with a hybrid magnetic field, 4=5644
- Baibuz, V. F. Molecular interactions and thermodynamic properties of gases at high temperatures, 4=24256
- Baicker, J.A. Dark current in photomultipliers, 1=2998
- Baicker, J.A. Recombination and trapping in normal and electron-irradiated silicon, 3=8510
- Baicker, J.A. and Faughnan, B.W. Radiation-induced changes in silicon photovoltaic cells, 3=912
- Baicker, J.A., Flicker, H. and Vilms, J. Proton induced lattice displacements in silicon, 3=13023
- Baicker, J.A. and Jones, K.W. Polarization of neutrons from the reactions $Li^7(p,n)Be^7$ and $D(d,n)He^3$, 0=17589
- Baidedaev, A. and Senkevich, A. A. Vibrational relaxation in gases, 4=11245
- Baier, H. See Paul H., 4=1041
- Baier, O. and Elbel, F. Dederon tape belts for van de Graff generators, 4=29858
- Baier, V.I. Electron-electron scattering cross-section at high energies, 0=11145
- Baier, V.M. and Sýnakh, V.S. The formation of bimuonium in electron-positron collisions, 3=2292
- Baier, V.N. High-energy interactions between electrons and positrons, 3=24692
- Baier, V.N. and Kheifets, S.A. High-energy electron-electron scattering, 1=16759
- Baier, V.N. and Kheifets, S.A. Behaviour of the cross-section of electromagnetic production of particles at the threshold, 1=19094
- Baier, V.N. and Khriplovich, I. B. A scheme of weak interactions with neutral currents, 1=19121
- Baier, V. N. and Khriplovich, I. B. Neutrino radioactivity and its role in astrophysical processes, 4=10818
- Baier, V.N. and Sokolov, V.V. The participation of π^0 -mesons in electromagnetic processes, 2=5629
- Baier, V.N. and Sýnakh, V.S. The formation of bimuonium in electron-positron collisions, 2=3372
- Baierlein, R. F., Sharp, D.H. and Wheeler, J.A. Three-dimensional geometry as carrier of information about time, 2=13259
- Baijal, J. S., Diaz, J. A., Kaplan, S. N. and Pyle, R. V. Atomic capture of μ^- -mesons in chemical compounds, 4=9682
- Baikov, I.S. Polarization of internal-conversion electrons emitted after β -decay of oriented nuclei, 1=3423
- Baikov, I.S. and Ramazashvili, R.R. Temperature relaxation of charged particles in plasma, 4=11591
- Baikov, V.I. and Rozov, S.P. A high-temperature vacuum vessel, 2=17627
- Baikov, V.I. See Vasilevskii, K.P., 2=6158
- Bailey, A.I. Friction and adhesion of clean and contaminated mica surfaces, 1=11520
- Bailey, A.I. Recent work on solid friction at the research laboratory for the physics and chemistry of solids, 1=11521
- Bailey, A. J. See Coleby, B., 4=5732
- Bailey, C. A. Calorimetric determination of the energy difference between the first excited state and the ground state in cerium magnesium nitrate, 4=12641
- Bailey, C.A. The specific heat of cerium magnesium nitrate below 10^0 K, 0=20750
- Bailey, D.K. Time variations of the energy spectrum of solar cosmic rays in relation to the radiation hazard in space, 2=9960
- Bailey, D.K. The detection and study of solar cosmic rays by radio techniques, 2=12019
- Bailey, D.K. Polar-cap absorption, 4=26845
- Bailey, D.K. and Harrington, J.M. A survey of polar cap absorption events (solar proton events) in the period 1952 through 1960, 2=12031
- Bailey, D.K. and Pomerantz, M.A. The cosmic ray increase of 17 July 1959, 0=11275
- Bailey, D.K. See Reid, G.C., 4=17937
- Bailey, D.M. See Kirkpatrick, M.E., 2=10879
- Bailey, D.M. See Meyerhoff, R.W., 1=10245
- Bailey, D. T. See Ingraham, R. L., 4=30220
- Bailey, G.C. and Williams, C.M. Apparatus for in-pile Hall coefficient and conductivity measurements, 2=5250
- Bailey, G.C. and Williams, C.M. In-pile Hall coefficient and conductivity measurements on zone-refined, p-type silicon, 3=17867
- Bailey, G.M. and Hebbard, D. F. Non-resonant radiation from the $N^{14}(p,\gamma)$ reaction, 4=9507
- Bailey, H.R. Heat conduction from a cylindrical source with increasing radius, 0=6968
- Bailey, H.R. Conduction-convection from a cylindrical source with increasing radius, 1=4492
- Bailey, H.R. and Gogarty, W.B. Numerical and experimental results on the dispersion of a solute in a fluid in laminar flow through a tube, 2=19547
- Bailey, H.R. and Larkin, B.K. Remarks on some criteria for the in situ combustion of crude oil, 0=14106
- Bailey, J. See Zioc, K., 2=18169
- Bailey, J. A. and Singer, A. R. E. Effect of strain rate and temperature on the resistance to deformation of aluminium, two aluminium alloys, and lead, 4=28931
- Bailey, J.E. Electron microscope observations on the annealing processes occurring in cold-worked silver, 0=20822
- Bailey, J.E. Electron microscope studies of dislocations in deformed zirconium, 3=10674
- Bailey, J.E. The dislocation density, flow stress and stored energy in deformed polycrystalline copper, 3=11158
- Bailey, J.E. Electron microscope observations on the precipitation of zirconium hydride in zirconium, 3=11294
- Bailey, J.E. The effect of impurity on the dislocation arrangement in deformed polycrystalline zirconium, 3=17745
- Bailey, J.E. Electron microscope studies of precipitation in the zirconium hydrogen system, 3=20905
- Bailey, J. E. On the oxidation of thin films of zirconium, 4=4696
- Bailey, J. E. The monoclinic-tetragonal transformation and associated twinning in thin films of zirconia, 4=23298
- Bailey, J.E. and Hirsch, P.B. The dislocation distribution, flow stress and stored energy in cold-worked polycrystalline silver, 0=20813
- Bailey, J.E. and Hirsch, P.B. The recrystallization process in some polycrystalline metals, 2=8856
- Bailey, J.M. and Gwathmey, A.T. Dislocation arrays in depth and recrystallization produced by surface deformation of single crystals of copper at high temperature, 0=3172
- Bailey, J. M. and Hughes, V. W. Muonium and positronium physics, 4=25129
- Bailey, J. R. Residual gas spectra in high and very high vacuum systems, 4=21188
- Bailey, L.E. Crossed electric and magnetic field multi-channel ion analyzer, 0=19798
- Bailey, L.E. Fluorescent yield in the phosphor NE-102 for X-rays from 4 to 17 KeV, 3=25494
- Bailey, N.A., Grainger, R.J. and Mayer, J.W. Capabilities of lithium drifted p-i-n junction detectors when used for gamma-ray spectroscopy, 1=12075
- Bailey, P.C. Absorption and reflectivity measurements on some rare earth iron garnets and α -Fe₂O₃, 0=10045
- Bailey, P.T. Preparation of rectangular prismatic specimens of bismuth telluride and attachment of fine potential leads, 2=5252
- Bailey, P.T. See Pratt, G.W., Jr., 3=25503
- Bailey, R. L. and Sanders, J. H. The amplitude fluctuations of optical maser light, 4=24902
- Bailey, R.L. See Schmitt, H.W., 0=17626
- Bailey, R.T. See Long, D.A., 3=14170
- Bailey, S.M. Yield ratios for the isomeric pair $Sc^{44m,44}$ formed in (α , n) reactions, 1=11038
- Bailey, S.W. See Smith, J.V., 3=25715

- Bailey, T.L. See Vance, D.W., 3=21893
- Bailey, V.A. Some methods for studying wave-propagation in a uniform magneto-ionic medium, 0=1210
- Bailey, V.A. The steady-state universe and the deduction of continual creation of matter, 0=3405
- Bailey, V.A. Some possible effects caused by strong gyro-waves in the ionosphere. I, 0=6454
- Bailey, V.A. Existence of net electric charges on stars, 0=10512
- Bailey, V.A. A unified theory of terrestrial and solar magnetization, the outer Van Allen Belt and high energy primary cosmic rays, 0=18473
- Bailey, V.A. Net electric charges on stars, galaxies and "neutral" elementary particles, 0=18789
- Bailey, V.A. Existence of net electric charges on stars, 1=5147
- Bailey, V.A. Apparent steady component of the interplanetary magnetic field, 1=5148
- Bailey, V.A. Existence of net electric charges on stars, 1=9285
- Bailey, V.A. Measurement of the net electric charge on the Sun by means of the artificial planet "Pioneer V", 1=10386
- Bailey, V.A. The interplanetary magnetic field, 4=4882
- Bailey, V.A. New evidence that the sun carries a large net negative electric charge, 4=15937
- Bailey, V.A. The sun's electrical charge, 4=23905
- Bailey, V.A. See Motz, L., 1=9285
- Bailey, V.A. See Taylor, N.W., 2=15295
- Bailey, V.A.; Cahill, L.J., Jr. Comment on a paper by L.J. Cahill and P.G. Amazeen, "The boundary of the geomagnetic field"; and reply, 4=7934
- Baillie, A. and Bryant, R. Osculating elements derived from the modified Hansen theory for the motion of an artificial satellite, 0=18883
- Baillie, A. See Musen, P., 0=8531
- Baillie, A. See Upton, E., 0=2090
- Baillie, A.E. See Musen, P., 2=11182
- Bailin, D. Electromagnetic corrections to muon and beta decays when mediated by a vector boson, 4=21887
- Bailin, D. Radiative decay of the muon via W-boson, 4=25122
- Bailitis, E. Charge transport with artificial fibres in Van de Graaff generators, 1=9650
- Bailitis, E. Limiting action of the main field to the charge transport in an electrostatic generator, 4=24537
- Bailleul-Langlais, J. Thermocouples, 1=4501
- Bailliar, J.P. On the grain density of tracks in nuclear emulsions, 0=196
- Baillie, L.A. Determination of liquid scintillation counting efficiency by pulse height shift, 1=13217
- Baillie, L.A. Determination of liquid scintillation counting efficiency by pulse-height shift, 4=9008
- Baillon, P. See Ghesquiere, C., 4=19575
- Bailly, F. Thermodynamic interpretation of the properties of the Matano interface in an interdiffusion, 4=12783
- Bailly, F., Cohen-Solal, G. and Marfaing, Y. Preparation and control of structures with variable width of forbidden bands, 4=1508
- Bailly, F. See Cohen-solal, G., 4=4225
- Baily, N.A. and Brown, G.C. The relative stopping powers of pure gases to that of air, 0=352
- Baily, N.A. and Hoalst, K.M. Dosimetry of space radiations, 3=24557
- Baily, N.A. and Kramer, G. The lithium-drifted silicon p-i-n junction as an X-ray and gamma-ray dosimeter, 4=19475
- Baily, N.A., Robertson, G.D. and Cleary, F.W. A radiographic inspection device using solid-state p-i-n junction detectors, 4=30010
- Baily, N.A. See Grainger, R.J., 4=19332
- Bailyn, M. Exchange and correlation effects in electron-phonon scattering in normal metals, 0=6014
- Bailyn, M. Transport in metals. II. Effect of the phonon spectrum and umklapp processes at high and low temperatures, 0=17888
- Bailyn, M. The phonon drag component of the thermoelectric power of the alkali metals at low temperatures, 0=20760
- Bailyn, M. Appearance and effect of the Debye-Waller factor in the transport coefficients of simple normal metals, 1=4974
- Bailyn, M. Maximum variational principle for conduction problems in a magnetic field, and the theory of magnon drag, 2=16677
- Bailyn, M. See Franzak, E., 2=16676
- Baimukhanov, B.B. See Kim, E.I., 2=11518
- Bain, W.C. The azimuth distributions of oblique reflections from meteor trails and its relation to meteor radiant distributions, 0=14391
- Bain, W.C. Irregular fading of satellite transmissions, 1=6754
- Bain, W.F. Possible effects of magnetic field alignment on meteoric ionization, 2=11165
- Bainbridge, A.E. Tritium in the North Pacific surface water, 3=24888
- Bainbridge, A.E., Suess, H.E. and Friedman, I. Isotopic composition of atmospheric hydrogen and methane, 2=2466
- Bainbridge, I.F. See Polmear, I.J., 0=21240
- Bainbridge, J. Gas imperfections and physical conditions in gaseous spheres of lunar mass, 2=19326
- Bainbridge, J.G., Warren, E. and Wiggins, K.E. Inexpensive blood pressure transducer, 2=4886
- Bainbridge, N.W. See Nordon, P., 3=9017
- Baines, D.C. Direct recording of rapidly varying physical parameters, 2=17407
- Baines, M.J. Transport properties of thin metallic films, 1=14365
- Bainov, M.A. See Rybalko, F.P., 1=10231
- Bair, E.J. See Current, J.H., 0=10778
- Bair, E.J. See Hanes, M.H., 3=8308
- Bair, E.J. See Fitzsimmons, R.V., 4=10648
- Bair, J.K. Levels in N^{14} at 11.74 and 11.82 MeV, 1=7325
- Bair, J.K., Cohn, H.O. and Willard, H.B. Level structure of N^{14} , 0=17499
- Bair, J.K., Edge, R.D. and Willard, H.B. Reaction $C^{14}(p,n)N^{14}$, 0=17583
- Bair, J.K., Jones, C.M. and Willard, H.B. Neutrons from the proton bombardment of Li^6 , Li^7 , Be^9 , B^{11} and O^{18} , 4=19524
- Bair, J.K. and Willard, H.B. Level structure in Ne^{20} and Si^{30} from the reactions $O^{18}(\alpha,n)Ne^{21}$ and $Mg^{26}(\alpha,n)Si^{29}$, 2=22735
- Bair, J.K. See Cohn, H.O., 1=7387
- Bair, J.K. See Ford, J.L.C., Jr., 4=25389
- Bair, J.K. See Powers, D., 4=22181
- Bair, J.K. See Willard, H.B., 4=21858
- Bair, L.R. See Glass, C.A., 0=157
- Bair, M.E., Cook, J.J., Cross, L.G. and Arnold, C.B. Recent developments and observations with a ruby maser radiometer, 1=8018
- Bair, M.E. See Cook, J.J., 1=43
- Bairamashvili, I.A. See Tabadze, F.N., 4=132
- Baird, D. See Buhrer, C.F., 3=5536
- Baird, D.H. See Buhrer, C.F., 3=23050
- Baird, D.H. See Nickerson, J., 4=10445
- Baird, D.H. See Palilla, F.C., 3=13217
- Baird, D.L. and McKinney, C.M. Investigation of the line-and-cone underwater sound transducer, 3=206
- Baird, G.E. and Biedenharn, L.C. On the representations of the semisimple lie groups. II, 4=5011
- Baird, J.C. Oxygen-17 hyperfine structure in electron paramagnetic resonance, 3=6353
- Baird, J.C. and Thomas, J.R. Electron paramagnetic resonance spectra of some disubstituted nitric oxides, 2=2733
- Baird, J.C., Jr. See Anderson, L.W., 0=1482
- Baird, J.C., Jr. See Anderson, L.W., 0=7725
- Baird, J.C., Jr. See Anderson, L.W., 0=20543
- Baird, J.C. See Bird, G.R., 4=22379
- Baird, J.C. See Hijikata, K., 2=8110
- Baird, J.D. and Jamieson, A. The effects of carbon, nitrogen and manganese on the high temperature tensile properties of iron, 4=26515
- Baird, J.D. and MacKenzie, C.R. Effects of nitrogen and manganese on the deformation substructure of iron strained at 20°, 225°, and 450°C, 4=23161
- Baird, J.D. See Covington, A.K., 3=3344
- Baird, J.G. See Curl, R.F., Jr., 1=3536
- Baird, J.R. and Coleman, P.D. Bunching an electron beam by deflection modulation, 4=19198
- Baird, K.M. Interference comparator for the calibration of line standards directly in terms of standard wavelengths, 1=9359
- Baird, K.M. Optics in Canada, 2=13423
- Baird, K.M. Interference comparators for line standards, 3=13988
- Baird, K.M. New techniques in interferometric metrology at the National Research Council of Canada, 0=16661
- Baird, K.M. and Howlett, L.E. The international length standard, 3=13987
- Baird, K.M. and Smith, D.S. Primary standard of length, 2=11240
- Baird, K.M., Smith, D.S. and Hart, K.H. Vacuum wavelengths of Kr^{86} , Hg^{198} and Cd^{114} , 3=12763

- Baird, K.M., Taylor, M.J. and Turner, R. Construction of a gaseous optical maser using Brewster angle windows, 3=19498
- Baird, K.M. See Hart, K.H., 1=9306
- Baird, K.M. See Smith, D.S., 3=11924
- Baird, K.M. See Turner, R., 4=24898
- Baird, M.H.I. The stability of inverse bubbles, 1=15829
- Baird, Q.L., Nall, J.C., Haynes, S.K. and Hamilton, J.H. A Moussa-Bellicard type iron-free double-focusing beta-ray spectrometer, 2=20314
- Baird, Q.L. See Nall, J.C., 0=11369
- Bairiot, H. Thermal cycling of α -uranium, 0=13570
- Baisa, D. F. and Prykhot'ko, A. F. Temperature dependence [4.2°-300°K] of the frequency of nuclear quadrupole resonance of Cl^{35} and Cu^{63} in certain compounds, 4=26458
- Baisa, D. F. See Babenko, V. P., 4=14919
- Baisa, O. F. See Babenko, V. P., 3=24503
- Balukov, Yu. D., Kozodaev, M. S., Markov, A. A., Sinaev, A. A. and Tiapkin, A. A. Multichannel pair gamma spectrometer. I. Calculation of the basic parameters of the gamma spectrometer, 1=19167
- Balukov, Yu. D., Kozodaev, M. S., Markov, A. A., Sinaev, A. N. and Tiapkin, A. A. Multichannel pair gamma spectrometer. II. Description of a 12-channel spectrometer, 1=19168
- Bajaj, K. K. See Kawatra, M. P., 2=5355
- Bajeu, G. and Comsa, G. Ions of H_3^+ and H_2D^+ in an omegaatron, 2=22177
- Băjeu, G., Comsa, G. and Gelberg, A. Mass spectrometer of the omegaatron type, 2=7679
- Bajon, J. See Dupin, P., 2=1606
- Bajon, J. See Hoffman, J. C., 3=12060
- Bajorek, A. and Kraśnicki, S. Scattering of thermal neutrons on CH_3NH_2 molecules in the liquid state, 3=2652
- Bajwa, G. S. See Blackwell, H. E., 4=14686
- Bajwa, G. S. See Blackwell, H. E., 4=14687
- Bak, B., Christensen, D., Dixon, W. B., Hansen-Nygaard, L. and Rastrup-Andersen, J. Benzene ring distortion by one substituent. Microwave determination of the complete structure of benzonitrile, 3=2640
- Bak, B. and Hansen-Nygaard, L. Molecular structure correlations, 0=15776
- Bak, M. A., Bugorkov, S. S., Il'inskaya, T. A., Petrov, Iu. G., Petrzhak, K. A., Solntsev, V. M., Sorokina, A. V. and Ushatskii, V. N. The yields of ^{103}Ru and ^{106}Ru in the fast-neutron fission of ^{235}U and ^{239}Pu , 2=1939
- Bak, M. A., Petrzhak, K. A. and Chen' Tya-Mei [Ch'ên T' a Mei]. The (n,2n) and (γ ,n) reactions on Au^{197} , 2=16417
- Bak, M. A. See Petrzhak, K. A., 4=12291
- Bak, T. A. Phonons and phonon interactions, 4=30505
- Bak, T. A. and Andersen, K. Dissociation of diatomic molecules considered as diffusion in phase space, 2=6228
- Bak, T. A. and Lebowitz, J. L. Dissociation of diatomic molecules, 3=6422
- Bak, T. A. and Lebowitz, J. L. Impulsive collision model for the dissociation of diatomic molecules, 3=20027
- Bak, T. A. See Nielsen, S. E., 4=25744
- Bak, T. A. See Prigogine, I., 0=3296
- Bakaev, I. I., Zalesskii, Yu. G., Nazarov, N. I., Ukrainskii, A. M. and Tolok, V. T. Ionic cyclotron resonance in a moving plasma, 4=2996
- Bakaev, I. I., Zalesskii, Yu. G., Nazarov, N. I., Ukrainskii, A. M. and Tolok, V. T. Ionic cyclotron resonance in a moving plasma, 4=19006
- Bakaev, I. I. See Sinel'nikov, K. D., 0=10924
- Bakai, A. F. See Volkov, D. V., 3=19574
- Bakakin, G. N. and Lyubchenko, A. The substructure of a case-hardened layer, 3=1247
- Bakakin, V. V. and Belov, N. V. Crystal structure of paracelsian, 1=15106
- Bakakina, V. V. Some results of a spectroscopic study of v.h.f. pulse discharges in a restricted discharge gap, 1=4907
- Bakaleev, V. P. The possibility of solving nonlinear problems of heat conduction, 2=9427
- Bakal'ková, O. See Mašin, A., 1=20364
- Bakamjian, B. Relativistic particle dynamics, 1=5200
- Bakanov, S. P. On the molecular flow of gases through a porous partition, 0=14686
- Bakanov, S. and Derjaguin, B. V. The motion of a small particle in a non-uniform gas mixture, 1=11634
- Bakanov, S. P. and Deryagin, B. V. The state of a gas moving in the vicinity of a solid surface, 1=18445
- Bakanov, S. P. and Deryagin, B. V. The state of a gas moving in the vicinity of a solid surface, 2=1172
- Bakanov, S. P. and Deryagin, B. V. The behaviour of small aerosol particles in a nonuniformly heated gaseous mixture, 4=7782
- Bakanov, S. P., Rukhadze, A. A. and Sandomirskii, V. B. The theory of expansion of a gas bubble in a viscous liquid, 2=9251
- Bakanov, S. P. See Derjaguin, B. V., 1=10494
- Bakanov, S. P. See Derjaguin, B. V., 3=5173
- Bakanov, S. P. See Deryagin, B. V., 3=152
- Bakanov, S. P. See Deryagin, B. V., 3=5453
- Bakanov, S. P. See Deryagin, B. V., 3=7230
- Bakanov, S. P. See Deryagin, B. V., 4=10658
- Bakanov, S. P. See Martynov, G. A., 4=10656
- Bakanova, A. A. See Al'tshuler, L. V., 2=2759
- Bakanova, A. A. See Al'tshuler, L. V., 2=6728
- Bakanova, A. A. See Al'tshuler, L. V., 3=1756
- Bakanova, A. A. See Al'tshuler, L. V., 3=6786
- Bakanova, A. A. See Al'tshuler, L. V., 0=11550
- Bakardjiev, S. See Nadjakov, E., 2=22200
- Bakeev, N. F. See Andrianova, G. P., 4=7447
- Baker, A. Relativistic high-energy approximation for elastic scattering of dirac particles, 4=15022
- Baker, A. See Selove, W., 2=22578
- Baker, A. A. See Arridge, R. G. C., 4=23547
- Baker, A. A. See Meleka, A. H., 1=14900
- Baker, A. C. and Morris, W. C. Deposition of metallic films by electron impact decomposition of organometallic vapors, 1=11596
- Baker, A. J. See Brandon, D. G., 2=23170
- Baker, A. N. See Brand, F. A., 0=13635
- Baker, A. R. A measurement of the neutron-proton capture cross-section, 0=7378
- Baker, B. G. See Anderson, J. R., 2=10946
- Baker, B. O. A secondary emission cathode, 4=19091
- Baker, B. O. and Cook, K. G. A high power gas discharge switch, 3=4082
- Baker, C. An electron microscope study of quenched graphite, 3=17741
- Baker, C., Chou, Y. T. and Kelly, A. The stacking-fault energy of graphite, 2=3926
- Baker, C. and Kelly, A. Energy to form and to move vacant lattice sites in graphite, 2=10371
- Baker, C. and Kelly, A. Electron microscope studies of radiation damage in graphite, 3=17705
- Baker, C. See Williamson, G. K., 1=10001
- Baker, C. E. and Brokaw, R. S. Thermal conductivities of gaseous H_2O , D_2O , and the equimolar H_2O - D_2O mixture, 4=14209
- Baker, C. E., McGuire, J. M. and Muschlitz, E. E., Jr. Low-energy collision cross sections of H^+ and OH^+ ions in oxygen, 3=4012
- Baker, C. P. See Ajzenberg-Selove, F., 0=4096
- Baker, C. P. See Baker, E. W., 0=7548
- Baker, C. P. See Donovan, P. F., 4=22188
- Baker, D. A gauge for the precision measurement of the thickness of germanium and silicon wafers, 0=6722
- Baker, D. An all metal high vacuum valve, 2=15663
- Baker, D. A. Second-order electric field due to a conduction current, 4=11762
- Baker, D. A. Trapping of a charged particle in a static magnetic field, 4=19164
- Baker, D. A. and Hammel, J. E. Rotating plasma experiment. II. Energy measurements and the velocity limiting effect, 2=1456
- Baker, D. A. and Hammel, J. E. Demonstration of classical plasma behaviour in a transverse magnetic field, 2=17823
- Baker, D. A., Hammel, J. E. and Ribe, F. L. Rotating plasma experiments. I. Hydromagnetic properties, 2=1455
- Baker, D. C. and Gledhill, J. A. Possible ionospheric effect of a high-altitude nuclear explosion, 4=13836
- Baker, D. D. Determination of far-field characteristics of large underwater sound transducers from near-field measurements, 3=1778
- Baker, D. D. and McCormack, K. Computation of farfield characteristics of a transducer from nearfield measurements made in a reflective tank, 3=14257
- Baker, D. E. See Spogen, L. R., 1=1603
- Baker, D. J., Jr., Bedo, D. E. and Tomboulou, D. H. Continuous photoelectric absorption cross section of helium, 2=529
- Baker, D. J., Jr. and Tomboulou, D. H. Photoelectric K-absorption cross section of lithium, 3=704
- Baker, D. J. and Wyatt, C. L. Irradiance linearity corrections for multiplier phototubes, 4=11699
- Baker, D. J. See Haycock, O. C., 0=6448
- Baker, E. B. Two synthesizer nuclear spin decoupling; INDO spectra of $\text{C}^{13}\text{F}_3\text{COOH}$ and $\text{CF}_3\text{C}^{13}\text{OOH}$, $\text{N}^{14}\text{H}_4^+$, and $(\text{CH}_3)_4\text{Si}^{29}$, 2=23004

- Baker, E.B. and Burd, L.W. Frequency-swept and proton-stabilized n.m.r. spectrometer for all nuclei using a frequency synthesizer, 3=12332
- Baker, E.B., Burd, L.W. and Root, G.N. Two synthesizer nuclear spin decoupling; INDOR spectroscopy, 3=12333
- Baker, E.W. and Katcoff, S. Interactions of 1.0, 2.0, and 3.0 BeV protons with Ag and Br in nuclear emulsion, 1=11015
- Baker, E.W. and Katcoff, S. Fission of Ag and Br in nuclear emulsion by 1.0-3.0 BeV protons, 2=10158
- Baker, E.W., Katcoff, S. and Baker, C.P. Energy and angular distributions of alpha particle from reactions of high-energy protons with Ag and Br nuclei, 0=7548
- Baker, F.A. Nonproportionality in the Bayard-Alpert ionization gauge, 0=19225
- Baker, F.A. and Giorgi, T.A. Sorption and desorption of gas in a hot-cathode ionization gauge, 0=16746
- Baker, F.H. Pupillary response to double-pulse stimulation: a study of nonlinearity in the human pupil system, 4=10973
- Baker, F.S. and Brink, G.O. Adsorption of potassium beams on surfaces, 2=21570
- Baker, G.A., Jr. An implicit, numerical method for solving the n-dimensional heat equation, 0=3668
- Baker, G.A., Jr. Note on the solution of the neutron diffusion problem by an implicit numerical method, 0=5567
- Baker, G.A., Jr. Stopping of π -minus and K-minus mesons on hydrogen in nuclear emulsion, 0=5592
- Baker, G.A., Jr. One-dimensional order-disorder model which approaches a second-order phase transition, 1=9149
- Baker, G.A., Jr. Application of the Padé approximant method to the investigation of some magnetic properties of the Ising model, 1=17946
- Baker, G.A., Jr. Relationship between velocity-dependent potentials and hard-core potentials, 3=2216
- Baker, G.A., Jr. Further applications of the Padé approximant method to the Ising and Heisenberg models, 3=5005
- Baker, G.A., Jr. Ising model with a long-range interaction in the presence of residual short-range interactions, 3=12899
- Baker, G.A., Jr. Certain general order-disorder models in the limit of long-range interactions, 2=15061
- Baker, G.A., Jr. Divergence and summability of the many-fermion perturbation series, 3=21262
- Baker, G.A., Jr., Ford, K.W. and Porter, C.E. Optimal accuracy rocket trajectories, 0=911
- Baker, G.A., Jr., Gammel, J.L. and Hill, B.J. Study of the perturbation series for the ground-state energy of a many-fermion system, 4=2595
- Baker, G.A., Jr., Gammel, J.L., Hill, B.J. and Wills, J.G. Exact numerical solution of a three-body ground-state problem, 2=7832
- Baker, G.A., Jr., Hill, B.J. and McKee, R.J., Jr. Study of the perturbation series for the ground state of a many-fermion system. II, 4=27107
- Baker, G.A., Jr., McCarthy, I.E. and Porter, C.E. Application of the phase space quasi-probability distribution to the nuclear shell model, 0=17470
- Baker, G.A., Jr. and Oliphant, T.A. An implicit, numerical method for solving the two-dimensional heat equation, 0=3667
- Baker, G.A., Jr., Rushbrooke, G.S. and Gilbert, H.E. High-temperature series expansions for the spin- $\frac{1}{2}$ Heisenberg model by the method of irreducible representations of the symmetric group, 4=28788
- Baker, G.S. Dislocation mobility and damping in LiF, 2=12434
- Baker, G.S. Internal friction of LiF and NaCl, 2=21408
- Baker, G.S. Dislocation motion and asymmetric resonance peaks, 3=1220
- Baker, G.S. See DeVries, K.L., 3=23333
- Baker, G.S. See DeVries, K.L., 3=23334
- Baker, G.S. See Gabrysh, A.F., 0=17979
- Baker, G.S. See Huber, R.J., 2=678
- Baker, G.S. See Huber, R.J., 2=2315
- Baker, G.S. See Seely, J.L., 2=18985
- Baker, G.S. See Vanfleet, H.B., 3=10692
- Baker, H.D. Initial stages of dark and light adaptation, 3=5297
- Baker, H.D. See Rushton, W.A.H., 4=26996
- Baker, J. See Lambe, J., 0=536
- Baker, J. See Terhune, R.W., 1=11490
- Baker, J.A. and Peters, C.W. Mode selection and enhancement with a ruby laser, 3=7316
- Baker, J.C., Beard, D.B. and Young, J.C. Self-consistent method for determining the boundary shape between a plasma and a magnetic field, 4=16490
- Baker, J.C. See Beard, D.B., 1=4609
- Baker, J.C. See Beard, D.B., 1=7084
- Baker, J.C. See Beard, D.B., 2=19943
- Baker, J.G. Planetary telescopes, 3=9141
- Baker, J.G. See Curl, R.F., Jr., 1=3536
- Baker, J.G. See Favero, P., 0=20628
- Baker, J.G. See Favero, P., 0=20629
- Baker, J.M., Hayes, W. and Jones, D.A. Paramagnetic resonance of impurities in CaF_2 , 0=6267
- Baker, J.M., Hayes, W. and O'Brien, M.C.M. Satellite lines in the paramagnetic resonance spectra impurities in calcium fluoride, 0=8088
- Baker, J.M. and Hurrell, J.P. Fluorine electron nuclear double resonance (ENDOR) in calcium fluoride, 4=4425
- Baker, J.M., Hurrell, J.P. and Williams, F.I.B. Electron nuclear double resonance in calcium fluoride containing divalent europium, 4=26449
- Baker, J.M., Lourens, J.A.J. and Stevenson, R.W.H. Antiferromagnetism of mixed crystals of zinc and manganese fluoride, 1=9046
- Baker, J.M., Lourens, J.A.J. and Stevenson, R.W.H. The Neel temperature of mixed crystals of zinc and iron group fluorides, 3=1055
- Baker, J.M. and Rubins, R.S. Electron spin resonance in two groups of lanthanon salts, 2=4257
- Baker, J.M. and Williams, F.I.B. Electron spin resonance in two salts containing gadolinium, 2=4256
- Baker, J.M. and Williams, F.I.B. Electron nuclear double resonance of the divalent europium ion, 2=10715
- Baker, J.M. See Jones, D.A., 0=6263
- Baker, K.D. and Currie, B.W. An observation of noctilucous clouds in Western Canada, 1=20838
- Baker, K.D. See Ulwick, J.C., 3=5213
- Baker, L., Jr., Mouradian, E.M. and Bingle, J.D. Determination of the total emissivity of polished and oxidized uranium surfaces, 3=14413
- Baker, L.R. A two-channel, recording autocollimator, 3=16746
- Baker, M. and Blankenbecler, R. Unitarity and high-energy inelastic scattering, 3=560
- Baker, M. and Glashow, S.L. The $K^+ \rightarrow \pi^+ + e^+ + e^-$ decay, 2=20409
- Baker, M. and Glashow, S.L. Formal similarities of weak, strong and electromagnetic interactions, 3=2195
- Baker, M. and Glashow, S.L. Spontaneous breakdown of elementary particle symmetries, 3=5925
- Baker, M., Johnson, K. and Lee, B.W. Broken symmetries and zero-mass bosons, 4=9084
- Baker, M. and Muzinich, I.J. Forward pion-pion scattering in the $\lambda\phi^4$ theory, 4=6108
- Baker, M. and Zachariasen, F. Coupled integral equations for the nucleon and pion electromagnetic form factors, 0=12844
- Baker, M. and Zachariasen, F. Pion-pion scattering in the ϕ^4 theory, 0=13028
- Baker, M. See Johnson, K., 4=9055
- Baker, M.R., Anderson, C.H. and Ramsey, N.F. Nuclear magnetic antishielding of nuclei in molecules. Magnetic moments of F^{19} , N^{14} , and N^{15} , 4=12519
- Baker, M.R., Nelson, H.M., Leavitt, J.A. and Ramsey, N.F. Nuclear magnetic interactions in hydrogen fluoride, 1=2347
- Baker, M.R. See Leavitt, J.A., 1=19661
- Baker, M.R. See McLachlan, A.D., 1=19651
- Baker, M.R. See Nelson, H.M., 1=7492
- Baker, N. and Kippenhahn, R. Investigations of rotating stars. III. Meridional circulations in the case of non-rigid rotation, 0=2086
- Baker, N. and Kippenhahn, R. The pulsations of models of δ Cephei stars, 2=7013
- Baker, P.S. and Collins, T.L. Natural abundances of Er^{172} and Yb^{167} , 2=8070
- Baker, R.G., Brandon, D.G. and Nutting, J. The growth of precipitates, 0=20825
- Baker, R.C. and Strome, W.M. Magnetic disturbance from a high-altitude nuclear explosion, 3=23648
- Baker, R.G. and McNeill, K.G. Yield and angular distribution of fast photoneutrons, 1=8688
- Baker, R.G. and McNeill, K.G. Angular distribution of fast photoneutrons, 1=17073
- Baker, R.G. See Boniszewski, T., 3=25282
- Baker, R.G. See Younger, R.N., 3=18358
- Baker, R.G. See Younger, R.N., 3=18385
- Baker, R.M.L. Jr. Effect of accommodation on the transitional aerodynamic drag of meteorites, 0=12268
- Baker, R.M.L., Jr. See Makemson, M.W., 4=13912

- Baker, S.C. A transistor coincidence-discriminator circuit for 10^{-8} -second pulses, 2=2985
- Baker, S.C. Stigmatic Ebert-type plane grating mounting, 4=11342
- Baker, S.C. Atomic emission spectroscopy, 4=15263
- Baker, S.C. Spectroscopic estimation of d.c. arc electrode vapor-jet velocities, 4=29894
- Baker, S.C., Jackson, H.G. and Mack, D.A. Transistor counting systems for scintillation detectors, 1=2936
- Baker, S.C., Kerns, Q.A., Kirsten, F.A., Mack, D.A. and Nunamaker, T.A. Test routines and monitoring for a large counter experiment, 2=2986
- Baker, S.C., Kirsten, F.A., Mack, D.A. and Wiegand, C. An electronic data-acquisition system for use with a complex nuclear physics experiment, 2=2987
- Baker, S.D. See McIntyre, J.A., 0=2671
- Baker, S.D. See McIntyre, J.A., 1=8545
- Baker, S.D. See McIntyre, J.A., 2=3621
- Baker, S.D. See Wang, K.H., 2=16438
- Baker, S.I. See Kaiser, W.C., 2=18000
- Baker, T.W. Interatomic distances in the intermetallic compounds $MgBe_{13}$ and $CaBe_{13}$, 2=10877
- Baker, T.W. and Baldock, P.J. High temperature phase transformation in beryllia, 2=14924
- Baker, T.W. See Bellamy, B., 2=17019
- Baker, T.W. See Thomas, D.K., 0=7010
- Baker, W.A.D. See Thornton, E., 3=168
- Baker, W.E. Axisymmetric modes of vibration of thin spherical shell, 2=2805
- Baker, W.E. and Compton, D.M.J. Radiotracer studies of the incorporation of iodine into vapor-grown Ge, 0=17966
- Baker, W.E. and Compton, D.M.J. Incorporation of As into vapor-grown Ge, 0=17967
- Baker, W.E. and Compton, D.M.J. Incorporation of Au into vapor-grown Ge, 1=1060
- Baker, W.F. A computer program to optimize magnets in a beam transport system, 3=16986
- Baker, W.F., Cool, R.L., Jenkins, E.W., Kycia, T.F., Lindenbaum, S. J., Love, W.A., Lüers, D., Niederer, J.A., Ozaki, S., Read, A. L., Russell, J.J. and Yuan, L.C.L. Particle production by 10-30 BeV protons incident on Al and Be, 2=20627
- Baker, W.F., Cool, R.L., Jenkins, E.W., Kycia, T.F., Phillips, R.H. and Read, A.L. K^+p and K^-p total cross-sections in the momentum range 3-19 BeV/c, 3=10169
- Baker, W.F., Jenkins, E.W., Read, A.L., Cocconi, G., Cocconi, V.T. and Orear, J. Elastic $p-p$ cross sections at high-momentum transfers, 3=7854
- Baker, W. F., Jenkins, E. W., Read, A. L., Cocconi, G., Cocconi, V. T., Krisch, A. D., Orear, J., Rubinstein, R., Scarl, D. B. and Ulrich, B. T. Large angle $p-p$ elastic scattering at 30 BeV, 4=25093
- Baker, W. F. See Cocconi, G., 4=9193
- Baker, W.F. See Edelstein, R.M., 1=7394
- Baker, W.P. Simple, high-sweep-speed, single stroke oscilloscope, 0=3797
- Baker, W.P. Influence of the ambient medium on the electric strength of insulation in the presence of high energy discharges, 3=17946
- Baker, W.P. and Rollinson, W. The estimated lives of some common insulating materials under conditions of discharge, 3=16899
- Baker, W.P. and Waddington, F.B. Dielectric measurements on the thin films by means of electrodes coated with irradiated silicone rubber, 0=5259
- Baker, W.R. See Halbach, K., 3=4157
- Baker, W.R. See Hubbard, E.L., 1=10749
- Baker, W.R. See Kunkel, W.B., 3=16934
- Baker, W.R. See Wilcox, J.M., 3=1967
- Bakewell, H.P., Jr. Longitudinal space-time correlation function in turbulent airflow, 3=18839
- Bakewell, H. P., Jr. Narrow-band investigations of the longitudinal space-time correlation function in turbulent airflow, 4=8227
- Bakh, N.A. See Naryadchikov, D.I., 3=4280
- Bakhareva, I.F. The non-linear thermodynamics of irreversible processes, 1=4516
- Bakhmat, A., Belogurov, V., Gromov, K., Zhelev, Zh. and Pelekis, L. Investigation of the gamma-ray spectrum of Eu^{148} , 3=10265
- Bakhmat, A., Belogurov, V. and Pelekis, L. Gamma-rays of Ag^{108} , 2=20565
- Bakhrakh, L.E., Denisov, Yu.I. and Kir'yashkin, S.I. Some characteristics of ion focusing of electron beams, 3=21875
- Bakhrakh, L.E. and Medoks, V.G. Effect of thermal velocity upon blurring of electron beams, 3=19335
- Bakhrakh, L. E. and Turlov, P. A. Ion focusing of a hollow cylindrical electron beam, 4=589
- Bakhru, H. and Mukherjee, S.K. Decay of Cu^{64} , 4=15187
- Bakhru, H. and Mukherjee, S. K. Radioactive decay of Lu^{178} , 4=25356
- Bakhru, H. See Ganguly, A.K., 3=9869
- Bakhru, K. See Satyanarayana, R., 0=6461
- Bakhshiev, N.G. Universal molecular interactions and their effect on the position of the electronic spectra of molecules in two-component solutions. I. Theory (liquid solutions), 1=19644
- Bakhshiev, N.G. Dielectric effects and the electronic spectra of polyatomic organic molecules in solutions, 2=14294
- Bakhshiev, N.G. Universal molecular interactions and their effect on the position of electronic spectra of molecules in two-component solutions. II. Phthalimide derivatives (in liquid solutions), 2=18472
- Bakhshiev, N.G. Universal molecular interactions and their effect on the position of electronic spectra of molecules in two-component solutions. IV. Dependence on the magnitude of the Stokes shift in the solvent luminescence spectrum (liquid solutions), 2=21913
- Bakhshiev, N.G. Universal intermolecular interactions and their effect on the position of electron spectra of molecules in two-component solutions. V. Dependence of spectra on the electrical properties, dimensions and structure of the examined molecules, 3=2605
- Bakhshiev, N.G. Universal intermolecular interactions and their effect on the position of electron spectra of molecules in two-component solutions. VI. Dipole moments and structure of molecules of some phthalimide derivatives in the ground and first excited electron states, 3=4739
- Bakhshiev, N.G. Spectroscopic method for determining dipole moments of polyatomic molecules in the ground and excited states, 3=22529
- Bakhshiev, N.G. Influence of the solvent on the intensity and position of bands in the electronic spectra of molecules, 4=6517
- Bakhshiev, N. G. Universal intermolecular interactions and their effect on the position of the electronic spectra of molecules in two-component solutions. VII. Theory (general case of an isotropic solution), 4=29633
- Bakhshiev, N.G., Girin, O.P. and Libov, V.S. Relation between the observed and the true absorption spectra in a condensed medium, 3=18986
- Bakhshiev, N.G., Girin, O.P. and Libov, V.S. Relation between the observed and true absorption spectra of molecules in a condensed medium. I. Universal influence of the effective (internal) field, 3=19958
- Bakhshiev, N.G., Girin, O.P. and Libov, V.S. Relation between the observed and true absorption spectra of molecules in a condensed medium. II. Methods of determining the correction for the universal effect of an effective (internal) field, 3=25077
- Bakhshiev, N. G., Girin, O. P. and Libov, V. S. Relation between the observed and true absorption spectra of molecules in a condensed medium. III. Determination of the influence of an effective (internal) field according to the models of Lorentz and Onsager-Böttcher, 4=3831
- Bakhshiev, N.G., Klochkov, V.P., Neporent, B.S. and Cherkasov, A.S. Absorption and fluorescence spectra of vapours of anthracene and its derivatives, 2=21947
- Bakhshiev, N. G. and Pribytkova, N. N. A spectroscopic method for determining the density and thickness of layers of strongly absorbing substances, 4=13679
- Bakhshiev, N.G. See Girin, O.P., 3=22521
- Bakhshiev, N. G. See Libov, V. S., 4=22397
- Bakhshiev, N.G. See Libov, V.S., 4=30455
- Bakhshiev, N.G. See Neporent, B.S., 3=1703
- Bakhtin, V.D. See Zagorodnov, O. G., 4=19236
- Bakhtin, V.I. A method of automatic compensation in measuring low gas pressures, 1=4298
- Bakhtiozin, R.A. See Gorbis, Z.R., 2=19587
- Bakin, K. Measurement of the dielectric constants of various materials at centimetre wavelengths, 4=5531
- Bakis, R. See Sholtz, P.N., 2=4892
- Bakish, R. On etching effects in tantalum, 0=13969
- Bakken, J. A. Small-time solution of snowplough equations for a plasma accelerator, 4=11650
- Bakken, J. A. Calculations on shock tubes with current crowbarring, 4=29700
- Bakken, J. A., Dysthe, K. and Følness, J. Experimental results on a coaxial electromagnetic shock tube, 4=18334

- Bakken, J.A. and Følles, J. Experimental work with a plasma gun, 3=19238
- Bakken, J.F., Hess, R. and Sunier, J.W. γ - γ polarization angular correlations and disintegration scheme for Nd-144, 3=12633
- Bakker, C. See Wanmaker, W.L., 0=4441
- Bakker, C.A.P. See Beek, W.J., 4=16071
- Baklanov, E.V. Radiation of electromagnetic waves from a system of semi-infinite layers, 4=19237
- Baklanov, O.G. See Kirenskiĭ, L.V., 2=14817
- Baklanovskaya, V.F. Numerical solution of the one-dimensional problem for equations of the non-stationary filtration type, 2=21886
- Bakore, P.V. See Gandhi, J.M., 4=21
- Bakos, J., Erdőkúrti, Z. and Kántor, K. Universal mechanical assembly for laboratory purposes, particularly for optical and semiautomatic measurements, 2=11233
- Bakos, J. and Kántor, K. Light diffraction on slits in case of light sources of finite extension, 2=1277
- Bakos, J. and Kántor, K. The spatial distribution of fringe visibility in the Michelson interferometer, 2=7388
- Bakos, J. and Kántor, K. Spatial distribution of interference pattern visibility in Michelson interferometers, 2=11489
- Bakos, J., Kántor, K. and Varga, P. On the interference in Michelson interferometers in the case of extended light sources, 2=11490
- Bakov, A.T., Belov, S.P., Kazanskii, Yu.A. and Popov, V.I. Comparison of gamma-ray spectra from capture of thermal and fast neutrons, 3=22409
- Bakov, A.T., Belov, S.P., Kazanskii, Yu.A. and Popov, V.I. Emission of γ -rays from radiative capture in iron, 2=20638
- Bakov, A.T. and Kazanskii, Yu.A. γ -rays from radiative capture of fast neutrons in manganese and copper, 4=19798
- Bakr, M.H.S. See Omar, H.M., 4=28058
- Bakradze, R.V. and Rom-Krichevskaya, I.A. Etch figures on cadmium selenide crystals, 3=3262
- Bakradze, R.V. and Rom-Krichevskaya, I.A. Detecting dislocations in cadmium sulphide and zinc sulphide single crystals, 4=1496
- Bakshi, P.M. and Mahanthappa, K.T. Expectation value formalism in quantum field theory. I, 3=7782
- Bakshi, P.M. and Mahanthappa, K.T. Expectation value formalism in quantum field theory. II, 3=7783
- Bakshiev, N.G. Universal effect of the internal field and the position of the electron spectra of molecules in solutions, 3=21373
- Bakshiev, N.G. See Neporent, B.S., 0=15784
- Baksht, F.G. The Faraday effect of free carriers in Bi_2Te_3 in a weak magnetic field, 1=14577
- Baksht, F.G. Compensation of electron space charge in vacuum thermoelements, 3=9867
- Baksht, F.G. Transit-time oscillations in an electron-ion stream, 4=8765
- Baksht, F.G. On the theory of a diode filled with a low-density plasma, 4=21574
- Baksht, F.G. Stability of a Maxwellian plasma, 4=24711
- Baktavatsalou, M. Application of the Foldy-Wouthuysen transformation to several cases of electron interaction with an electromagnetic field, 1=13283
- Baktavatsalou, M. On a generalization of the Foldy-Wouthuysen transformation to particles of any spin with no external field and some applications, 1=13290
- Baktavatsalou, M. Study of the physical interpretation of operators in the relativistic quantum mechanics of particles with spin, 4=9063
- Baktavatsalou, M. The position operator of charged particles of spin 0 or $\hbar/2$ placed in a constant magnetic field, 4=14046
- Baktavatsalou, M. Cayley transformation generalizing the Foldy-Wouthuysen and Cini-Touschek transformations, 2=19369
- Bakule, R. Measurement of dielectrical permittivity of glow discharge, 3=19216
- Bakule, R., Sicha, M., Vessely, V. and Kracík, J. The complex conductivity of the plasma of a d.c. glow discharge in Ne, 1=16287
- Bakulin, E.A. and Stepin, E.V. Source for isotopic analysis of chlorine, 2=1527
- Bakulina, I.N. and Ionov, N.I. Determination of the ionization potential of uranium by a surface ionization method, 0=10874
- Bakulina, I.N. and Ionov, N.I. The determination of the electron affinity of copper, silver and gold atoms by the surface ionization method, 4=18678
- Bakumenko, V.L., Kozina, G.S. and Favorin, V.N. Study of evaporated electroluminescent films of $\text{A ZnS: Cu, Mn phosphor}$, 4=13087
- Bakushinskiĭ, A.B. See Lyubimov, V.N., 3=22997
- Bakuto, I.A. See Nekrashevich, I.G., 3=7473
- Bal Krishna Agrawal and Verma, G.S. Lattice thermal conductivity at low temperatures, 2=10341
- Balabanov, E.I., Berlin, A.A., Parini, V.P., Tal'roze, V.L., Frankevich, E.L. and Cherkashin, M.I. Electrical conductivity of polymers with conjugated bonds, 1=3728
- Balabanov, E.M. and Smirnov, Yu.S. A symmetrical cascade generating circuit compared with the normal type, 4=16575
- Balabanov, E.M. and Vasil'ev, G.A. Travelling wave cascade generator—a new high-voltage source for accelerators, 2=9658
- Balabanov, S. See Nadjakov, G., 0=19706
- Balabanov, S. See Nadjakov, G., 0=20929
- Balabanov, S. See Nadzhakov, G., 1=12372
- Balabanov, S. See Nadzhakov, G., 2=6401
- Balabanov, S. See Nadzhakov, G., 4=4219
- Balabanov, S. See Nadzhakov, G., 4=23604
- Balabanova, L.A., Bredov, M.M. and Kotov, B.A. Spectra of plasmons in indium and in indium antimonide, 2=12407
- Balabanova, L.A., Bredov, M.M. and Kotov, B.A. Spectra of plasmons in indium and in indium antimonide, 2=14418
- Balabanova, L.A. See Ageev, V.N., 1=2385
- Balabanova, V.N. Capability of certain substances to crystallize supercooled fog, 4=7836
- Balabanova, V.N. and Zhigalovskaya, T.N. Use of silver iodine in the crystallization of supercooled water, 3=11398
- Balabanova, V.N. and Zhigalovskaya, T.N. Dispersed state of a silver iodide aerosol, 2=23976
- Balachandran, A.P. The K-meson-pion scattering, 2=7901
- Balachandran, A.P. On the value of the axial vector renormalization in β -decay, 2=7942
- Balachandran, A.P. Uniqueness of the partial-wave amplitudes, 4=847
- Balachandran, A.P. Certain questions of consistency in S-matrix theory, 4=9132
- Balachandran, A.P. Some inequalities for the forward scattering amplitude, 4=15025
- Balachandran, A.P. Boundary conditions for a partial-wave amplitude, 4=18073
- Balachandran, A.P. and Deshpande, N.G. Some remarks on Sakurai's theory of strong interactions, 1=16679
- Balachandran, A.P., Freund, P.G.O. and Schumacher, C.R. Asymptotic behaviour of electromagnetic form factors, 4=16886
- Balachandran, A.P. and Pietschmann, H. On a possible $\Xi\pi$ resonance, 2=22651
- Balachandran, A.P. and Pietschmann, H. On the isovector form factors of the nucleon, 3=17259
- Balachandran, A.P. and Pietschmann, H. The present status of the new resonances, 3=24670
- Balachandran, A.P. and Pietschmann, H. Sum rules for nucleon form factors, 4=3395
- Balachandran, A.P. and Ranganathan, N.R. A note on scattering and production amplitudes, 0=17260
- Balachandran, A.P. and Ranganathan, N.R. A note on the relative parity $p_{\pi\pi}$, 0=17412
- Balachandran, A.P. and Ranganathan, N.R. On a model for Ξ decays, 1=9774
- Balachandran, A.P. and Venkatesan, K. A note on the non-leptonic decay modes of the Ξ -hyperon, 4=9300
- Balachandran, A.P. See Bhamathi, G., 1=9768
- Balachandran, A.P. See Ramakrishnan, A., 1=13370
- Balachandran, A.P. See Ramakrishnan, A., 1=16881
- Balachandran, A.P. See Ramakrishnan, A., 2=12002
- Balachandran, A.P. See Ramakrishnan, A., 2=13886
- Balachandran, A.P. See Ramakrishnan, A., 2=13887
- Balachandran, A.P. See Ramakrishnan, A., 2=20431
- Balachandran, A.P. See Ramakrishnan, A., 2=22563
- Balachandran, C.G. Ultrasonic velocities in aqueous electrolyte solutions, 0=16769
- Balachandran, C.G. and Bhandari, P.S. Sound absorption properties of porous materials, 3=23983
- Balachandran, C.G. and Krishnan, P.V. Studies on diffusion of sound in a reverberation chamber, 4=14284
- Baladin, M.P., Borisov, N.G., Wang Young-Chang, Kukhareva, R.P., Moiseenko, V.A., Snyatkov, V.I., Soloviev, M.I. and Chuvilo, I.V. A 2-metre propane bubble chamber, 3=17126
- Baladin, Yu.F. Investigation of the long-time effect of thermal cycling stresses at high temperatures, 2=21447
- Baladine, M.P. See Laberrigüe-Frolow, J., 1=7281
- Balai, N. and Bloch, R.J.K. Magnetic properties of irradiated Sa-212B pressure-vessel steel, 3=11037

- Balain, K.S., Grenier, C.G. and Reynolds, J.M. Effect of uniform compression on the Ettingshausen-Nernst effect in zinc at low temperatures, 0-13582
- Balakin, V.B. Method of numerical calculation of the discontinuous gasdynamic equation, 3=23918
- Balakina, L.M. and Vvedenskaya, A.V. Variation of the elastic parameters and the density of matter at the boundary of the earth's core, 3=13645
- Balakina, L.M. See Shevelév, A.K., 0=716
- Balakrishna, S. Ultrasonic velocities in rocks: some special features of Indian granite, 0=2201
- Balakrishna, S. and Johnson, P.V. Nuclear explosions and the gravity-time curve, 2=12988
- Balakrishnan, M. See Lingappa, N., 3=639
- Balalaev, V.A., Dzhelepov, B.S., Medvedev, A.I., Meshter, A. and Uchevatkin, I.F. Refinement of the information on the $0^+ - 0^+$ transition in Ce^{140} , 3=17415
- Balalaev, V.A., Dzhelepov, B.S., Medvedev, A.I., Meshter, A. and Uchevatkin, I.F. Half-life periods of the ground state and the isomeric state of Lu^{174} , 4=22078
- Balalaev, Yu. F. and Bokshtein, S. Z. Ultrasonic heating for attaining high temperatures in studies of heat treatment of metals and alloys, 4=11398
- Balamuth, L. Ultrasonics and dentistry, 3=16714
- Balandin, M.P., Ivanov, O.I., Moiseenko, V.A. and Sokolov, G.L. The investigation of the absorption of 40-70 MeV π^+ and π^- mesons in carbon nuclei with the aid of a propane bubble chamber, 4=17180
- Balandin, M.P. See Laberrig-Frolova, J.V., 0=9994
- Balandin, Yu. F. and Bratukhina, V.A. Investigation of the initial stage of thermal fatigue by the microhardness measurement method, 2=23794
- Balandina, J. M. See Gringauz, K. L., 4=7901
- Balandina, S. M. See Gringauz, K. I., 4=7982
- Balandina, S. M. See Gringauz, K. I., 4=13931
- Balandina, S. M. See Gringauz, K. L., 4=15881
- Balarama Rao, P. and Ramachandra Rao, B. Seasonal and diurnal variation of the drift and anisotropy parameters of the irregularities in the E- and F-regions of the ionosphere, 3=13751
- Balarama Rao, P. and Ramachandra Rao, B. Height variation of drift and anisotropy of the ionospheric irregularities, 4=17939
- Balarama Rao, P. and Ramachandra Rao, B. Effect of magnetic activity on drift and anisotropy of the E- and the F- region irregularities, 4=20872
- Balarama Rao, P. and Ramachandra Rao, B. Drift and anisotropy of the irregularities in the lower F-region under magnetically active conditions, 4=13851
- Balarin, M. The deformability of neighbouring ions concerning a note in the work of R. Hosemann; an X-radiographical proof of the "pointstructure" of electrons, 0=7880
- Balarin, M. A generalization of Slater's mean exchange potential in Hartree-Fock equations for multicentre problems, 0=8558
- Balarin, M. Electron energy levels in crystals. I. Thallium-activated alkali halides, 1=3621
- Balarin, M. The theory of Tl^{1+} activated crystal phosphors, 2=856
- Balarin, M. Focusing conditions for elastic atomic collisions in graphite, 2=12487
- Balarin, M. A possibility for distinguishing between focusing and channeling, 4=25980
- Balarin, M., Birgellner, H. and Müller, H. Activation energy and frequency coefficient of exoelectron emission, 4=11688
- Balarin, M. and Hilbert, F. Effect of energetic ions on metal surfaces, 2=1523
- Balarin, M., Molchanov, V.A. and Tel'kovskii, V.G. Anisotropy of the coefficient of cathode disintegration and the focused collisions in monocrystals, 3=7658
- Balarin, M. and Zetzsche, A. Determination of the activation energy of the mobility of lattice defects through warming linearly with time, 3=6509
- Balarin, M. and Zetzsche, A. Evaluating the recovery curves obtained by heating linearly with time for non-unimolecular processes, 4=9940
- Balarin, M. See Hauser, O., 3=4894
- Balaš, J. and Hanuška, A. Some problems in plane photoelasticity, 4=5117
- Balashko, Yu. G. and Barit, I. Ya. Scattering of deuterons by deuterium and tritium at low energies, 0=2600
- Balashko, Yu. G., Barit, I. Ya., Dul'kova, L. S. and Kurepin, A. B. Elastic scattering of protons by tritium at energies below the threshold of the (p, n)-reaction, 4=25211
- Balashko, Yu. G., Barit, I. Ya. and Goncharov, Yu. A. Scattering of protons on tritons at small energies, 0=13073
- Balashko, Yu. G. and Kurepin, A. B. Phase shift analysis of elastic scattering of proton on tritium near the threshold of the $\text{T}(p, n)\text{He}^3$ reaction, 3=22130
- Balashov, D. B. See Ryabinin, Yu. N., 1=6685
- Balashov, D. B. See Semerchan, A. A., 3=3443
- Balashov, D. B. See Volarovich, M. P., 1=6904
- Balashov, D. B. See Voronov, F. F., 1=1292
- Balashov, I. F., Vanyukov, M. P., Muratov, V. R. and Nilov, E. V. Image-converter recording of spark-discharge spectra resolved in time and along the channel cross-section, 1=4456
- Balashov, I. F., Vanyukov, M. P., Muratov, V. R. and Nilov, E. V. Registration of time-resolved contours of spectral lines by means of an electron-optical converter, 2=1272
- Balashov, V. V. The phase factors for the transition from "particle" to "hole" states in the nuclear-shell theory, 0=9498
- Balashov, V. V. Nuclear forces and levels of the lithium isotopes, 0=9499
- Balashov, V. V. Relation between the collective and shell descriptions of dipole excitations of atomic nuclei, 2=7964
- Balashov, V. V. Relation between the collective and shell descriptions of dipole excitations of atomic nuclei, 3=6137
- Balashov, V. V. Collective dipole excitations of atomic nuclei, 3=7979
- Balashov, V. V. The mechanism of inelastic scattering of γ -quanta on nuclei, 3=17449
- Balashov, V. V. An experimental possibility of studying the mechanism of the (t, d) reaction, 4=3696
- Balashov, V. V. Nature of collective dipole excitations of nuclei, 4=19659
- Balashov, V. V., Beliaev, V. B., Eramjian, R. A. and Kabachnik, N. M. Resonance mechanism of neutron emission in muon capture reaction in oxygen, 4=22163
- Balashov, V. V., Belyaev, V. B. and Zakhar'ev, B. N. Dipole excitations of nuclei according to the superfluid model, 2=16308
- Balashov, V. V., Belyaev, V. B. and Zakhar'ev, B. N. Dipole excitations of nuclei according to the superfluid model, 3=6157
- Balashov, V. V. and Boyarkina, A. N. Quasi-elastic scattering of fast protons and the hole excitation spectrum in the N^{14} nucleus, 2=20611
- Balashov, V. V. and Boyarkina, A. N. Quasi-elastic scattering of fast protons and the hole excitation spectrum in the N^{14} nucleus, 3=8086
- Balashov, V. V. and Boyarkina, A. N. Spectroscopic approach to the description of the interaction of high-energy nucleons with light nuclei, 4=3647
- Balashov, V. V. and Chernov, V. M. Effect of phonon excitations of nuclei on the characteristics of the giant photoabsorption resonance, 2=20595
- Balashov, V. V. and Chernov, V. M. Effect of phonon excitations of nuclei on the characteristics of the giant photoabsorption resonance, 3=8078
- Balashov, V. V. and Eltekov, V. A. Method for separating the relative motion of two nucleons in oscillator potential well, 0=11283
- Balashov, V. V. and Fetisov, V. N. Role of nucleon clusters in deep photo-disintegration of light nuclei, 1=19441
- Balashov, V. V. and Fetisov, V. N. Theory of photodisintegration of light nuclei with emission of fast deuterons, 4=3634
- Balashov, V. V., Neudachin, V. G. and Smirnov, Yu. F. Structure of light nuclei, 3=7963
- Balashov, V. V., Neudachin, V. G., Smirnov, Yu. F. and Yudin, N. P. Reduced widths for nucleon association in the shell model of the nucleus, 0=9545
- Balashov, V. V., Shevchenko, V. G. and Yudin, N. P. Two-body forces and the giant resonance in photonuclear reactions, 1=19442
- Balashov, V. V., Shevchenko, V. G. and Yudin, N. P. Giant resonance in Pb^{208} photodisintegration, 2=3550
- Balashov, V. V., Shevchenko, V. G. and Yudin, N. P. Giant resonance in Pb^{208} photodisintegration, 3=4619
- Balashov, V. V. and Tulinov, A. V. Giant resonance of spin-wave excitation in atomic nuclei, 3=2378
- Balashova, N. A. and Zhmakin, G. G. The effect of thermal and mechanical treatments of a surface on the magnitude of adsorption of ion on platinum, 2=12950
- Balasubrahmanyam, K. and Nanis, L. Raman spectrum of the liquid $\text{PbCl}_2 - \text{KCl}$ system, 4=18205

- Balasubrahmanyam, V.K., Ganguli, S.M., Gokhale, G.S., Kameswara Rao, N., Kunte, P.K., Menon, M.G.K. and Swami, M.S. The flux of primary protons and helium nuclei near the geomagnetic equator, 2=20448
- Balasubramanian, A.P. See Pandya, N.S., 2=21024
- Balasubramanian, A.P. See Pandya, N.S., 4=2022
- Balasubramanian, A.P. See Pandya, N.S., 4=17789
- Balasubramanian, C. See Venkateswarlu, K., 1=14033
- Balasubramanian, C. See Venkateswarlu, K., 2=6134
- Balasubramanian, C. See Venkateswarlu, K., 2=10236
- Balasubramanian, K. See Krishnan, R.S., 0=4421
- Balasubramanian, K. See Krishnan, R.S., 4=13063
- Balasubramanian, K. See Krishnan, R.S., 4=26199
- Balas, N.L. and Bertotti, B. Inertial rotation in a weak gravitational field, 3=9331
- Balata, P. See Bachelet, F., 0=2609
- Balata, P. See Bachelet, F., 0=15490
- Balata, P. See Bachelet, F., 0=15491
- Balata, P. See Bachelet, F., 1=3344
- Balata, P. See Bachelet, F., 1=16926
- Balata, P. See Bachelet, F., 3=7959
- Balata, P. See Bachelet, F., 4=16988
- Balats, L.Ya. See San'ko, L.A., 0=9470
- Balats, M.Ya., Kondrat'ev, L.N., Landsberg, L.G., Lebedev, P.I., Obukhov, B.V. and Pontekorvo [Pontecorvo], B. Intensity of non-radiative transitions in μ -mesic atoms, 0=20567
- Balats, M.Ya., Krivitskii, V.V., Leksin, G.A. and Trebukhovskii, Yu.V. Making of scintillators by pressing, 2=16863
- Balats, M.Ya., Lebedev, P.I. and Obukhov, Yu.V. Production of K^+ mesons by cosmic-ray protons at 3250 m above sea level, 0=9493
- Balats, M.Ya. See Alikhanov, A.I., 2=11969
- Balats, M.Ya. See Alikhanov, A.I., 3=6024
- Balats, M.Ya. See Babaev, A.I., 2=18147
- Balats, M.Ya. See Babaev, A.I., 3=6025
- Balats, M.Ya. See Babaev, A.I., 3=17298
- Balatz, M.Ya., Kondrat'ev, L.N., Landsberg, L.G., Lebedev, P.I., Obukhov, Yu.V. and Pontekorvo, B. [Pontecorvo]. Radiationless transitions in heavy μ -mesic atoms, 1=4919
- Balazard, J. See Aurio, A., 1=9413
- Balázs, B. and Pál, G. The interpretation of cosmology, 1=9249
- Balázs, L., Hárzy, M. and Szabó, J. Remark on the decay of the light intensity from electroluminescent cells, 3=4993
- Balázs, L.A.P. Shape-independent theory of high-energy nucleon-nucleon scattering, 1=16772
- Balázs, L.A.P. Dispersion-theoretical fitting of nucleon-nucleon scattering, 2=9836
- Balázs, L.A.P. Low-energy pion-pion scattering, 3=2313
- Balázs, L.A.P. $I=\frac{1}{2}$, $J=\frac{1}{2}$ state in πN scattering with the nucleon as a bound state, 3=2314
- Balázs, L.A.P. Low-energy pion-pion scattering. II. 3=10157
- Balázs, L.A.P. Pion resonances, Regge poles, and the Chew-Frautschi saturation principle, 3=15014
- Balázs, L.A.P. Low-momentum-transfer pion-pion scattering, 4=940
- Balázs, L.A.P. Simple $\pi\pi$ self-consistent calculation using the strip approximation, 4=21901
- Balazs, N.L. Validity of the nonlinear Poisson-Boltzmann equation, 1=16301
- Balazs, N.L. Differential rotation in slowly dissipating systems, 2=1105
- Balazs, N.L. Thomas-Fermi theory of the atom as a solution of the density-matrix hierarchy, 4=17238
- Balazs, N.L. and Mould, R.A. Thomas-Fermi theory of excited atomic states, 4=28105
- Balberg, J. See Weiss, S.Z., 4=22531
- Balcarczyk, L., Kim, K.H. and Lanzel, E. Measurement of the F^{18} activity in the core of a water-cooled reactor, 2=20718
- Balcarczyk, L. and Lanzel, E. The effect of light on the test results of volumetric determinations of CO_2 in atmospheric air samples, 4=4755
- Balcarczyk, L. and Lanzel, E. Production of a carrier-free F^{18} source, 4=6266
- Balcarczyk, L. and Lanzel, E. Influence of air filtering on the measured values of carbon dioxide, 4=29269
- Balcarczyk, L., Lanzel, E., Stetter, G. and Selner, P. The effect of temperature on the test results of volumetric determinations of CO_2 in atmospheric air samples, 4=4756
- Balchan, A.S. A radiographic study of shock-loaded iron, 3=9549
- Balchan, A.S. and Drickamer, H.G. High pressure high temperature optical device, 0=8798
- Balchan, A.S. and Drickamer, H.G. High pressure electrical resistance cell, and calibration points above 100 kilobars, 1=8288
- Balchan, A.S. and Drickamer, H.G. Effect of pressure on the resistance of iodine and selenium, 1=10050
- Balchan, A.S. and Drickamer, H.G. Effect of pressure and temperature on the absorption spectra of four alkali halide phosphors, 1=11364
- Balchan, A.S. and Drickamer, H.G. Effect of pressure on the charge transfer spectra of heavy transition metal hexahalide complexes, 1=11367
- Balchan, A.S. and Drickamer, H.G. The effect of pressure and temperature on the absorption edges of three silver halides, 2=2229
- Balchan, A.S. See Stager, R.A., 2=23877
- Balchan, A.S. See Suchan, H.L., 0=4405
- Balchin, N.C. The friction of clean metals immersed in liquid sodium, 3=1249
- Balchin, N.C. and Mordike, B.L. Semi-automatic control of vacuum pumping systems, 1=6913
- Balcomb, J.D. The cross-correlation method of measuring system dynamic response, 4=19866
- Balcomb, J.D., Demuth, H.B. and Gyftopoulos, E.P. A cross-correlation method for measuring the impulse response of reactor systems, 2=6027
- Balcombe, R.J. The magneto-resistance of aluminium, 3=25332
- Baldassarre, F., Caforio, A., Ferraro, D., Ferilli, A., Merlin, M., Perkins, D.H., Semeraro, S., Cpmbe, J.C., Gibson, W.M., Lock, W.O., Bonetti, A., Di Corato, M., Fedrighini, A., Herz, A.J., Sichirollo, A.E., Tallone, L., Vegni, G. and Villar, E. Observations on the long-range interactions of pions, I. Preliminary results on the coherent production of two charged pions by pions at 14 GeV, 1=16862
- Baldassarre, F., Caforio, A., Ferraro, D., Ferilli, A., Merlin, M., Semeraro, S., Fisher, C.M., Gibson, W.M., Mason, A., Venus, W., Evans, D., Hossain, A., Lock, W.O., Votruba, M.F., Wataghin, A., Kasim, M.M., Shaukat, M.A., Bonetti, A., Fedrighini, A., Herz, A.J., Pelosi, V., Sichirollo, A.E., Tallone, L. and Vegni, G. Observations on the production of two charged pions by negative pions at 14, 16 and 17 GeV, 2=22562
- Baldassarre, F. See Evans, D., 2=22492
- Baldeschwieler, J.D. Quadrupole relaxation effects in nuclear magnetic double resonance, 1=6044
- Baldeschwieler, J.D. Double resonance spectra of N^{14} and N^{15} ammonium ion, 2=2022
- Baldeschwieler, J.D. Density matrix description of nuclear magnetic double resonance, 4=9772
- Baldeschwieler, J.D. and Pimentel, G.C. Light-induced cis-trans isomerization of nitrous acid formed by photolysis of hydrazoic acid and oxygen in solid nitrogen, 0=21288
- Baldeschwieler, J.D. See Anderson, J.M., 2=16554
- Baldeschwieler, J.D. See Anderson, J.M., 3=12864
- Baldeschwieler, J.D. See Anderson, J.M., 3=13312
- Baldeschwieler, J.D. See Anderson, J.M., 4=22423
- Baldeschwieler, J.D. See Barfield, M., 4=12517
- Baldeschwieler, J.D. See Flynn, G.W., 3=6420
- Baldeschwieler, J.D. See Flynn, G.W., 3=8298
- Baldeschwieler, J.D. See Flynn, G.W., 3=15385
- Baldeschwieler, J.D. See Fulton, R.L., 1=9954
- Baldeschwieler, J.D. See Gordon, S.L., 4=24870
- Baldeschwieler, J.D. See Nageswara Rao, B.D., 3=2662
- Baldeschwieler, J.D. See Nageswara Rao, B.D., 3=2663
- Baldeschwieler, J.D. See Nageswara Rao, B.D., 4=9774
- Baldeschwieler, J.D. See Noggle, J.H., 2=16559
- Baldeschwieler, J.D. See Rigden, J.S., 2=2020
- Baldeweg, F. See Hryniewicz, A.Z., 4=3584
- Baldin, A.M. Dispersion-relations analysis of the π -meson photoproduction data in the threshold region, 0=9423
- Baldin, A.M. Optical anisotropy of atomic nuclei, 0=9653
- Baldin, A.M. Polarizability of nucleons, 0=17326
- Baldin, A.M. The non-physical region in the dispersion relations for the photoproduction of π -mesons, 0=20208
- Baldin, A.M., Goldanskij, W.I. and Rosental, I.L. [Translated from the Russian by J. Schintlmeister]. Kinematics of nuclear reactions, 4=12193
- Baldin, A.M. and Govorkov, B.B. Investigation of dispersion relations for the photoproduction of pions, 0=1300
- Baldin, A.M. and Govorkov, B.B. A check of dispersion relations for photoproduction of π -mesons, 0=5595
- Baldin, A.M. and Komar, A.A. Symmetry of strongly interacting systems with hypercharge $Y=0$, 3=556
- Baldin, A.M. and Komar, A.A. Hypercharge and degeneracy with respect to isotopic spin, 3=4431

- Baldin, A.M. and Lebedev, A.I. A peculiarity of the photo-production of π^0 mesons at threshold, 2=5712
- Baldin, A.M. and Lebedev, A.I. A peculiarity of the photo-production of π^0 mesons at threshold, 3=2298
- Baldin, A.M. and Lebedev, A.I. Study of the pion photoproduction process on the basis of dispersion relations, 3=7880
- Baldin, A.M. and Nguen-Van-Kh'eu. One possibility of determining the magnetic moments of unstable vector particles, 2=20282
- Baldin, A.M. and Nguen-Van-Kh'eu. One possibility of determining the magnetic moments of unstable vector particles, 3=5973
- Baldin, A.M. and Semenko, S.F. Contribution to the theory of optical anisotropy of atomic nuclei, 0=20482
- Baldin, S.A., Gabrilovskii, V.V. and Chukreev, F.E. Scintillation in helium at high pressures due to alpha-particles, 0=8668
- Baldinger, E. Critical remarks on tunnel diode amplifiers, 2=23425
- Baldinger, E. Tunnel diodes in fast circuits, 3=17917
- Baldinger, E. and Czaja, W. Stabilized power supply of high quality employing transistors, 1=13052
- Baldinger, E. and Czaja, W. On the energy expended per electron-hole-pair produced in p-n junction-detectors, 2=6478
- Baldinger, E., Czaja, W. and Gutmann, J. Temperature effects in silicon p-n junction detectors, 2=9744
- Baldinger, E., Czaja, W. and Gutmann, H. An accurate determination of the energy per electron-hole pair in Si counter, 3=10859
- Baldinger, E., Gutmann, J. and Matile, G. Remarks on the charge losses in barrier-layer counters, 4=14967
- Baldinger, E., Santschi, P. and Wehrli, P. High speed transistorized scale-of-two, 0=17192
- Baldinger, E. and Spycher, U. Observations on the determination of the resistance of tuned diodes, 2=16739
- Baldinger, E. and Spycher, U. A simple circuit for the determination of tunnel diode parameters, 2=22135
- Baldinger, E. and Spycher, U. Determination of the parameters of tunnel diodes, 3=25384
- Baldinger, E., Spycher, U. and Bossart, R. Tunnel diode scaler, 2=22136
- Baldinger, E. See Bilger, H., 3=25307
- Baldinger, E. See Adolph, J., 4=1690
- Baldinger, E. See Adolph, J., 4=15571
- Baldini, G. Ultraviolet absorption of solid argon, krypton, and xenon, 3=2998
- Baldini, G. 1s-2p transition of H and D in solid argon, 4=30503
- Baldini, G., Dalla Croce, L. and Fieschi, R. X-ray induced conversion in the absorption bands of additively coloured KCl, 1=17580
- Baldini, G. and Knox, R.S. Xenon impurity states in solid argon, 4=1721
- Baldo Ceolin, M., Caforia, A., Fabbri, O., Farina, F., Ferilli, A., Miara, G. and Schneps, J.E. π^- production in emulsion by 1.1 GeV/c K $^-$ mesons, 1=551
- Baldo-Ceolin, M., Caforio, A., Farini, F., Ferilli, A. and Miari, G. Interactions of 1.16 GeV/c K $^-$ in nuclear emulsions, 1=10926
- Baldo-Ceolin, M. See Camerini, U., 0=381
- Baldo-Ceolin, M. See Deka, G.C., 1=5930
- Baldo-Ceolin, M. See Ely, R.P., 2=18173
- Baldo-Ceolin, M. See Ely, P.P., 2=22613
- Baldock, P., McLaren, J.R., Hedger, H. J. and Briggs, G. A ternary compound in the U-Fe-C system, 2=12923
- Baldock, P.J. See Baker, T.W., 2=14924
- Baldoni, B., Focardi, S., Hromadnik, H., Monari, L., Saporetti, F., Femino, S., Mezzanares, F., Bertolini, E. and Gialanella, G. Proton-proton interaction at 560 MeV, 3=5998
- Baldoni, B. and Sarais, A. M. A rotational-optical model analysis of fast-neutron scattering by U^{238} nucleus, 4=28038
- Baldrey, J.A. See Joyce, B.D., 2=21494
- Baldweg, F. and Schlott, K. Energy measurement in the cyclotron beam at the Rossendorf Central Institute for nuclear physics, 4=5730
- Baldwin, B. A. See Ware, W. R., 4=17271
- Baldwin, B.S. See Heaslet, M.A., 3=18894
- Baldwin, D.E. Close collisions in a plasma, 3=5650
- Baldwin, D.E. Perturbation method for waves in a slowly varying plasma, 4=18985
- Baldwin, D.E. See Hirshfield, J.L., 1=4608
- Baldwin, D.H. See De Hoff, R.T., 2=17058
- Baldwin, G.C. See Kimel, W.R., 0=15630
- Baldwin, H.W. and Taube, H. Flow adaptation of the isotopic dilution method for the study of ionic hydration, 0=14123
- Baldwin, J.A., Jr. Reversible flux as a source of irreversible noise in multipath cores, 2=11754
- Baldwin, J.A., Jr. Electron paramagnetic resonance investigation of the vacancy in diamond, 3=17710
- Baldwin, J.A., Jr and Rogers, J.L. Inhibited flux — a new mode of operation of the three-hole memory core, 0=2423
- Baldwin, J.E. Thermal radiation from the moon and the heat flow through the lunar surface, 1=15423
- Baldwin, J.E. Galactic background surveys and the galactic halo, 1=18186
- Baldwin, J.E. The galactic radio spectrum and the energy spectrum of cosmic-ray electrons, 2=24175
- Baldwin, J.E. and Leslie, P.R.R. Radio emission from the Cygnus loop, 0=18664
- Baldwin, J.E. and Shakeshaft, J.R. Radio emission from the direction on the supergalaxy, 1=18194
- Baldwin, J.E. See Archer, S., 1=18135
- Baldwin, J.E. See Edge, D.O., 0=829
- Baldwin, J.E. See Pauliny-Toth, I. I. K., 1=10398
- Baldwin, J.E. See Turtle, A.J., 3=7050
- Baldwin, J.P. Hysteresis in superconducting phase transitions in tin films, 3=9687
- Baldwin, J.P. Critical fields and hysteresis effects in tin films, 4=18609
- Baldwin, K. and Balwanz, W. Plasma diagnostics in supersonic flow containing cesium and potassium, 4=18905
- Baldwin, K.M., Bassett, O.E., Hawthorne, E.I. and Langberg, E. Telecommunications during re-entry, 2=4885
- Baldwin, L.V. Heat loss from hot wires in rarefied gases, 2=5200
- Baldwin, M.E. See Wigen, P.E., 3=15839
- Baldwin, M.G. and Morrow, J.C. Dielectric behavior of water adsorbed on alumina, 2=8892
- Baldwin, N. L. See Gantzel, P. K., 4=23491
- Baldwin, R.L. See Kirkwood, J.G., 0=19105
- Baldwin, R.L. See LaBar, F.E., 3=6933
- Baldwin, S.A. and Man'ko, V.I. Polarization of protons in scattering by C^{12} , 0=13232
- Baldwin, T. O. and Tompson, C.W. X-ray characteristic temperatures of some II-VI ionic compounds, 4=28372
- Bale, H.D. and Schmidt, P.W. Small angle X-ray scattering from aluminum hydroxide gels. II, 0=3332
- Bale, H. D. See Mitchell, E. N., 4=28532
- Bale, H. D. See Rausch, W. V., 4=21098
- Balea, E. and Friedlander, E. Measurements on a nuclear interaction of energy $\sim 4 \cdot 10^{11}$ eV, 1=573
- Balea, E., Friedländer, E., Oncescu, M., Potoceanu, C. and Sahini, M. High energy nuclear interactions of heavy cosmic ray primaries, 0=20307
- Balea, E., Friedländer, E. and Potoceanu, C. On the azimuthal distribution of meson jets, 0=20270
- Balea, E., Friedländer, E. and Potoceanu, C. The azimuthal distribution of meson jets, 1=570
- Balea, E., Friedländer, E.M., Potoceanu, C. and Sahini, M. Angular distribution of jets produced by heavy primaries, 1=569
- Balea, E., Friedländer, E.M., Potoceanu, C. and Sahini, M. On the mechanism of fast deuteron production in proton-nucleus collisions, 2=18325
- Balea, E., Friedländer, E.M., Potoceanu, C. and Sahini, M. Angular distribution of jets produced by heavy primary cosmic-ray nuclei, 2=20479
- Balea, E. See Alper, S., 1=572
- Balea, E. See Hulubei, H., 4=942
- Balea, E. See Hulubei, H., 4=30257
- Balea, O. and Friedlander, E. On the behaviour of the soft component of cosmic rays under thick lead layers, 1=13566
- Balea, O. See Bozoki, G., 2=336
- Balea, O. See Bozoki, G., 2=22684
- Balea, O. See Hulubei, H., 4=942
- Balea, O. See Mihul, A., 4=30257
- Balea, O., Batagui, M., Mihul, A. and Potoceanu, C. A device for the determination of track ionization in bubble chambers, 3=17134
- Balebanov, V.M., Glasko, V.B., Groshev, A.L., Kuznetsov, V.V., Shveshnikov, A.G. and Semashko, N.N. Investigation of the motion of discrete charged particles in goffered magnetic fields, 4=8903
- Balebanov, V. M., Glasko, V. B., Groshev, A. L., Kuznetsov, V. V., Shveshnikov, A. G. and Semashko, N. N. Investigation of the motion of discrete charged particles in corrugated magnetic fields, 4=29938

- Balebanov, V. M., Volkov, B. I., Glasko, V. B., Groshev, A. L., Kuznetsov, V. V., Sveshnikov, A. G. and Semashko, N. N. Motion of the individual charged particles in a magnetic field which increases towards the periphery, 4=534
- Balebanov, V. M., Volkov, B. I., Glasko, V. B., Groshev, A. L., Kuznetsov, V. V., Sveshnikov, A. G. and Semashko, N. N. Motion of individual charged particles in a screw-symmetrical magnetic field, 4=11646
- Balebanov, V. M., Volkov, B. I., Glashko, V. B., Groshev, A. L., Kuznetsov, V. V., Sveshnikov, A. G. and Semashko, N. N. Motion of individual charged particles in a screw-symmetric magnetic field, 4=29939
- Balent, R. See Dieckamp, H. M., 1=15580
- Balescu, R. Irreversible processes in ionized gases, 0=3776
- Balescu, R. Irreversible processes in a plasma, 0=10616
- Balescu, R. Approach to equilibrium of a quantum plasma, 1=2961
- Balescu, R. Transport equation of a plasma, 1=5449
- Balescu, R. Irreversible processes in a quantum plasma, 1=9540
- Balescu, R. The statistical thermodynamics of the approach of equilibrium of a plasma, 1=9541
- Balescu, R. On the approach to non-equilibrium stationary states and the theory of transport coefficients, 1=12828
- Balescu, R. Some comments on the statistical mechanics of irreversible processes in gases, 3=3827
- Balescu, R. Kinetic equation for an unstable plasma, 3=21833
- Balescu, R. and De Gottal, P. Correlation effects on the transport coefficients of a plasma, 2=1417
- Balescu, R. and Kuszell, A. Kinetic equation for an inhomogeneous plasma far from equilibrium, 4=27509
- Balescu, R. and Taylor, H. S. Binary correlations in ionized gases, 1=2962
- Balescu, R. See Prigogine, I., 0=10614
- Balescu, R. See Prigogine, I., 0=10615
- Balescu, R. See Prigogine, I., 1=5205
- Balescu, R. See Prigogine, I., 1=9352
- Balescu, R. See Prigogine, I., 1=9353
- Balestrini, S. J. and White, F. A. Workable magnetic shim to correct second-order aberration in a mass spectrometer, 0=12651
- Balezin, S. A. See Yandushkin, K. N., 3=16175
- Balfe, J. D. Moon camera values of $\Delta T = ET - UT$, 3=21093
- Balfe, J. D. Nonuniform and uniform scales of time, 4=8012
- Balfour, D. and Menzies, D. C. The photodisintegration of nitrogen, 0=11438
- Balfour, D. See Allen, N. L., 3=7596
- Balfour, D. See Allen, N. L., 3=21813
- Balfour, D. See Allen, N. L., 4=5685
- Bali, L. M. and Vachaspati. Transformation laws of velocity and acceleration of a particle according to relativistic conformal transformations and physical interpretation of the latter, 2=15469
- Balian, R. The level density of a system of interacting nucleons in a shell, 0=4028
- Balian, R., Bloch, C. and De Dominicis, C. Formulation of statistical mechanics in terms of occupation numbers of quantized states, 0=10603
- Balian, R., Bloch, C. and De Dominicis, C. Formulation of statistical mechanics in terms of occupation numbers. I, 1=12810
- Balian, R., Bloch, C. and De Dominicis, C. Formulation of statistical mechanics in terms of occupation numbers. II, 1=18289
- Balian, R. and de Dominicis, C. The one-particle Green's function in statistical quantum mechanics, 0=11101
- Balian, R. and De Dominicis, C. Expression of thermodynamical quantities in terms of a distribution function for quasi-particles, 0=12371
- Balian, R. and De Dominicis, C. Expression of thermodynamic variables in terms of a distribution function of quasi-particles, 0=18980
- Balian, R. and de Dominicis, C. A generating function method for eliminating anomalous diagrams in statistical mechanics, 4=11102
- Balian, R. and Gillet, V. P. Direct-interaction ejection in the $Be^9(n, 2n)Be^8$ reaction, 0=17628
- Balian, R. and Gillet, V. Direct interaction in the reaction $Be^9(n, 2n)Be^8$, 1=13816
- Balian, R. and Langer, J. S. Analytic properties of the partition function near the normal-to-superconducting phase transition, 4=2917
- Balian, R. and Mehta, M. L. The singularities of the t-matrix after a canonical transformation, 2=11889
- Balian, R. and Mehta, M. L. The singularities of the T-matrix after a canonical transformation, 3=10053
- Balian, R., Nosanow, L. H. and Werthamer, N. R. Difficulty in the method of Green's functions for a many-body system, 2=17376
- Balian, R. and Werthamer, N. R. Superconductivity with pairs in a relative p wave, 3=21655
- Balian, R. L. and Gillet, V. P. Calculation of the direct interaction in the reaction $Be^9(n, 2n)Be^8$, 0=9669
- Balicki, M. Absence of irradiation growth in alpha-uranium above $430^\circ C$, 0=13938
- Baliga, S. P. and Thambyahpillai, T. The apparent sidereal daily variation of cosmic ray intensity during the recent sunspot minimum, 0=20292
- Balin, G. P. The effect of ultraviolet radiation and temperature on luminescence of $CdCl_2:MnCl_2$ and $CdCl_2:MnCl_2:Pb_2$ phosphors, 0=4436
- Balin, W. L. Phase transformation at high temperatures in hafnia and zirconia, 3=25654
- Balinkin, I. See Traub, A. C., 1=10356
- Balint, V. See Hulubei, H., 4=942
- Balint, V. See Mihul, A., 4=30257
- Balique, O. See Trompette, J., 0=8189
- Balk, M. See Schubert, K., 1=5098
- Balk, P. and Peterson, E. L. Properties of HF- H_2O_2 treated germanium surfaces, 4=9910
- Balk, P. See Benson, G. C., 1=3589
- Balk, P. See Benson, G. C., 1=20265
- Balkanski, M. The present state of the exciton problem, 0=13522
- Balkanski, M. Present state of the exciton problem, 1=14222
- Balkanski, M., Bardeleben, J. and Bogenschütz, A. F. Study of the electronic exchange at the semiconductor-non-aqueous electrolyte interface, 1=1483
- Balkanski, M. and Besson, J. M. Double phonon processes in cadmium sulfide, 1=17401
- Balkanski, M., Da Silva, E. and Nazarewicz, W. Spectroscopy of point defects, 4=1469
- Balkanski, M. and des Cloizeaux, J. Band structure of CdS, 1=3619
- Balkanski, M. and des Cloizeaux, J. Band structure of wurtzite-type crystals; intrinsic optical transitions in CdS, 1=17445
- Balkanski, M. and des Cloizeaux, J. Excitons in crystals of the wurtzite type, 1=17472
- Balkanski, M. and Hopfield, J. J. The Faraday rotation due to free electrons in CdS, 2=16806
- Balkanski, M., Moch, P. and Parisot, G. Infrared spectra of the lattice vibrations of nickel fluoride, 4=26208
- Balkanski, M., Moch, P. and Shulman, R. G. Optical absorption spectrum of NiF_2 , 4=17578
- Balkanski, M. and Nazarewicz, W. Single phonon absorption bands in fast neutron irradiated silicon, 2=16598
- Balkanski, M. and Nazarewicz, W. Single phonon absorption bands in fast neutron irradiated silicon, 3=23044
- Balkanski, M. and Nazarewicz, W. Single phonon-absorption bands in fast-neutron-irradiated silicon, 4=9836
- Balkanski, M. and Nazarewicz, W. Localized vibration due to boron and lithium in the silicon lattice, 4=17345
- Balkanski, M., Nazarewicz, W. and da Silva, E. Optical absorption due to the introduction of carbon into the silicon lattice, 1=2440
- Balkanski, M. and Nusimovici, M. Interaction of a radiation field with the lattice vibrations at the critical points of the Brillouin zone of silicon, 4=22895
- Balkanski, M., Nusimovici, M. and le Toullec, R. Interaction of the radiation field with single or multiple phonons in wurzite or blende type structures, 4=25837
- Balkanski, M. See Moch, P., 1=928
- Balkanski, M. See Nazarewicz, W., 2=17583
- Balkanski, M. See Nazarewicz, W., 4=9836
- Balkanski, M. See Sébenne, C., 4=28550
- Balkanski, M. See Sébenne, C., 4=29194
- Balkanski, M. See Weulersse, P., 0=6423
- Balklav, A. Reduction of observations with a two-aerial interferometer, 2=24165
- Balklav, A. Examination of the spatial frequency spectrum of N-antennae interferometers, 4=26966
- Ball, A. R. See Cocking, S. J., 4=21095
- Ball, G. C. See Davies, J. A., 4=22652
- Ball, C. J. On stress-aided cross-slip of dislocations, 1=1331
- Ball, G. L. See Zweifel, P. F., 2=13809
- Ball, H. Intensity of ZnS phosphors during short-period excitation, 2=16860

- Ball, I.D.L. Temperature measurement techniques described, 3=1858
- Ball, J. B., Fulmer, C. B. and Bassel, R. H. Scattering of 22.5-MeV protons from zirconium and the symmetry term in the nuclear optical potential, 4=25391
- Ball, J.B., Fulmer, C.B. and Goodman, C.D. (p,d), (p,t), and (p, α) reactions to the same final states in Fe⁵⁶ and in Zr⁹⁰, 3=15196
- Ball, J.B. and Goodman, C.D. Experimental study of the mechanism of (p,t) reactions at 22 MeV, 0=17592
- Ball, J.B. and Goodman, C.D. Evidence for nuclear distortion in the iron region, 2=1756
- Ball, J.B. See Goodman, C.D., 0=9615
- Ball, J.B. See Goodman, C.D., 2=1885
- Ball, J.B. See Goodman, C.D., 2=1886
- Ball, J.B. See Goodman, C.D., 2=9729
- Ball, J.B. See Goodman, C.D., 2=18322
- Ball, J. B. See Sweet, R. F., 4=12151
- Ball, J.G. See Carrea, A.J., 0=8275
- Ball, J.J. See Mann, D.E., 1=4932
- Ball, J.S. Effect of the pion-pion resonance on the negative-positive ratio, 0=17401
- Ball, J.S. Application of the Mandelstam representation to photo-production of pions from nucleons, 2=1706
- Ball, J.S. and Frazer, W.R. Possible explanation of the higher pion-nucleon and K⁻p resonances in terms of inelastic thresholds, 1=16864
- Ball, J.S., Frazer, W.R. and Nauenberg, M. Scattering and production amplitudes with unstable particles, 3=562
- Ball, J.S. and Wong, D.Y. $N\bar{N} \leftrightarrow \pi\pi$ amplitude and the electromagnetic structure of the nucleon, 1=3176
- Ball, J.S. and Wong, D.Y. Solutions of the pion-pion partial wave dispersion relations, 2=3285
- Ball, J.S. and Wong, D.Y. Effects of the ρ meson on nucleon form factors, 3=14970
- Ball, J.S. and Wong, D.Y. Composite particle model for the nucleon and the (3,3) resonance, 4=9248
- Ball, L.M. See Vachaspati, 1=15623
- Ball, M., Hutchings, M. T., Leask, M. J. M. and Wolf, W. P. Antiferromagnetic ordering in dysprosium aluminium garnet, 4=20566
- Ball, M., Leask, M.J.M., Wolf, W.P. and Wyatt, A.F.G. Thermal properties of dysprosium aluminium garnet near the Néel temperature, 3=15436
- Ball, M., Wolf, W. P. and Wyatt, A. F. G. Magnetic transitions in dysprosium aluminium garnet, 4=13264
- Ball, M., Wolf, W. P. and Wyatt, A. F. G. Magnetisation of a highly anisotropic antiferromagnet, 4=23029
- Ball, M. See Wolf, W.P., 3=1052
- Ball, M. A. and McLachlan, A. D. Time-dependent Hartree-Fock theory. II. The electron-pair bond, 4=20026
- Ball, M. A. See McLachlan, A. D., 4=9791
- Ball, M. A. See McLachlan, A. D., 4=30406
- Ball, N., Garibotti, C., Giambiagi, J.J. and Pignotti, A. Relativistic pion-nucleon scattering with the determinantal method, 1=13482
- Ball, N.A. See Dean, L.W., III, 2=7305
- Ball, R. See Holland, L., 0=8783
- Ball, R.M. Reactivity and kinetic relations for reactors, 3=17507
- Ball, R. M. Noise results on 'Yankee', 'Savannah' and 'Con Ed' reactors, 4=19879
- Ball, W. and Lauterjung, K.H. Energies of neutrons from the capture of negative μ -mesons by lead nuclei, 0=1292
- Ball, W.P., Booth, R. and MacGregor, M. Temperature coefficients of scintillating systems, 0=17141
- Ball, W.P. See MacGregor, M.H., 3=12683
- Balla, D. See Brandt, N.B., 3=24158
- Balladore, J. L. See Perrot, M., 4=23560
- Ballam, J., Hang, J., Scandrett, J.H. and Walker, W.D. 460 MeV negative pion scattering from neutrons in a propane bubble chamber, 0=2576
- Ballam, J. See Blumenthal, R. B., 4=9473
- Ballam, J. See Chu, E.L., 3=19377
- Ballam, J. See Crittenden, R.R., 1=5741
- Ballance, J. O., Roberts, W. K. and Tarbell, D. W. A study of cryopump configurations in free-molecular-flow regions, 4=11264
- Ballantine, D. See Shinohara, Y., 2=14337
- Ballantyne, J.M. Demonstration of magnetic domain-wall storage and logic, 2=13636
- Ballard, S.S. and Marquis, D.C. Optical and infrared systems on the Atlantic missile range, 3=18666
- Ballard, S.S. and Wolfe, W.L. Recent developments in infrared technology, 2=22001
- Ballard, S.S. See McCarthy, K.A., 0=15822
- Ballard, S.S. See Wolfe, W.L., 0=14808
- Ballario, C., De Marco, A., Fortune, R.D. and Verkerk, C. The relativistic increase of the specific primary ionization in helium, 1=8407
- Ballario, M.C. A statistical study of the dimensions of bright flares in hydrogen-light observed at Arcetri, Capri Svezia, Hawaii, Macmath, Mitaka, and U.S. Naval Observatory, 1=2622
- Ballario, M.C. Correction factors for the passage from apparent area to the corrected area of bright flares in hydrogen light, 1=7998
- Ballario, M.C. On the inclination of H α solar flares, 3=13893
- Ballario, M.C. Broadening and asymmetry of the H α emission line in a loop structure flare due to complex Doppler shifts, 4=4915
- Ballario, M.C. Broadening and asymmetry of the Balmer series lines in a loop-model flare, 4=13937
- Ballato, A.D. Comments on the properties of triglycine sulfate, 2=679
- Ballato, A.D. and Andresen, H.G. Frequency control, 3=7172
- Ballato, A.D. See Bechmann, R., 2=21393
- Ballensiefen, G. and Wagner, D. Specific heat in constant coupling approximation, 4=30522
- Ballensiefen, G. See Kohlhaas, R., 1=11436
- Ballentine, L. E. Critical behaviour of a two-dimensional non-planar Ising lattice, 4=22955
- Ballentine, L.E. and Betts, D.D. Monolayer adsorption with attractive lateral interaction on a square lattice, 3=3367
- Ballentyne, D.W.G. Crystal structure and electroluminescence in ZnS, 0=4454
- Ballentyne, D.W.G. Electroluminescence — a disorder phenomenon, 0=18151
- Ballentyne, D.W.G. Infra-red emission and electroluminescence in zinc sulphide phosphors, 1=17919
- Ballentyne, D.W.G. On the behaviour of electroluminescent phosphors on irradiation with ultra-violet, 2=4190
- Ballentyne, D.W.G. Electroluminescence, 2=18880
- Ballentyne, D. W. G., Dev, I. and Ray, B. Electroluminescence in the system ZnS-ZnSe, 4=10226
- Ballentyne, D.W.G. and Ray, B. Electroluminescence and crystal structure in the alloys system ZnS-CdS, 1=9012
- Ballentyne, D.W.G. and Ray, B. Electroluminescence in ZnS (Cu) phosphors prepared by the iodine transport method, 3=11010
- Ballerini, L. See Scandone, F., 0=2226
- Ballestero, R. See Salomon, M., 4=19466
- Ballestracci, R., Bertaut, E.F. and Pauthenot, R. Magnetic properties and structure of uranium oxysulphide (UOS), 3=13283
- Ballestracci, R. See Broquetas Colominas, C., 4=29116
- Ballhausen, C.J. The intensity and rotatory strength of the spin-forbidden Co(III) absorption band, 3=22557
- Ballhausen, C.J. See Gray, H.B., 2=6570
- Ballhausen, C. J. See Hare, C. R., 4=13051
- Ballhausen, C. J. See Hare, C. R., 4=13064
- Balli, D., Georgiu, Z. and Stadnikova, T. Total neutron effective cross-sections for As, Se, Sb and Te in the energy region 0.0027-0.0100 eV, 2=20630
- Balli, D., Iliesku, N. and Iorgulescu, Sh. Effect of proton irradiation on the K-absorption edge of nickel, 2=14698
- Balli, D. and Myuller, L. Investigation of the main X-ray K-absorption edge in selenium, 0=20734
- Balli, E. The ratio of areas of (solar) filaments to those of prominences, 2=4790
- Balli, E. Observations of sunspots in 1961, 4=7984
- Balli, E., Gökdoğan, N., Hotinli, M., Kandel, R., Kiral, A. and Pecker, J.C. Determination of abundances in the solar photosphere. Graphical aids in general, and particularly for the case of iron, 1=18082
- Ballieu, J. Application of the angular momentum method to a classical scattering problem, 4=24846
- Ballif, J. R. and Venkateswaran, S. V. An explanation for the observed correlation between the hydroxyl and sodium emissions of the night sky, 3=3511
- Ballif, J.R. and Venkateswaran, S.V. On the temporal variations of the OH nightglow, 3=9101
- Ballif, J. R. and Venkateswaran, S.V. The sodium night-glow, 4=2227
- Balligand, P. Reactor incidents at Saclay, 0=9717
- Ballik, E.A. Optical maser frequency stabilisation and precise wavelength measurements, 3=22022
- Ballik, E. A. Determination of optical maser cavity Q, 4=19268

- Ballik, E.A. Inherent spectral purity of optical masers, 4=19283
 Ballik, E.A. and Ramsay, D.A. Ground state of the C_2 molecule, 0=4215
 Ballik, E.A. and Ramsay, D.A. The $A' \ ^3\Sigma_g^- - X' \ ^3\Pi_u$ band system of the C_2 molecule, 3=8250
 Ballik, E.A. and Ramsay, D.A. An extension of the Phillips system of C_2 and a survey of C_2 states, 3=8251
 Ballik, E.A. See Javan, A., 2=5155
 Balling, L.C., Hanson, R.J. and Pipkin, F.M. Frequency shifts in spin-exchange optical pumping experiments, 4=9654
 Ballinger, E.R., Harris, P.S., Carr, L., Hiebert, R. and Larkins, J. Body Na^{24} activity as a measure of neutron dose, 3=21151
 Balling, L.C. and Pipkin, F.M. Spin exchange in a cesium-electron system, 4=30391
 Ballini, R. Examples of the use of a multiparametric recording device, 4=19324
 Ballini, R., Cassagnou, Y. and Jeronymo, J. M.F. Two dimensional analysis of the time of flight of neutrons of several tens of KeV energy and the energy of γ -rays emitted in coincidence, 2=9874
 Ballini, R., Cassagnou, Y., Lévi, C. and Papineau, L. Time of flight spectrometry of the neutrons from the (p, n) reaction on vanadium, 1=695
 Ballini, R. and Pomelas, E. Time measurement in the nanosecond region: a time-to-pulse height convertor and coincidence circuits, 1=18738
 Ballini, R. and Pomelas, E. Measurement of pulses by semi-conductors and saturated photomultipliers, 2=2983
 Ballini, R., Pomelas, E. and Saunier, N. "Two-dimensional" registering of coincidences between junction and photomultiplier, 3=19157
 Ballini, R. and Saunier, N. Measurement of coincidences from Li^6 reactions with Li^6 and Be^9 , 4=17202
 Ballini, R. and Shfroth, S.M. Detection of low energy neutrons with a NaI(Tl) crystal and time of flight, 1=513
 Ballman, A.A., Porto, S.P.S. and Yariv, A. Calcium niobate $Ca(NbO_3)_2$ - a new laser host crystal, 4=3215
 Ballman, A.A. See King, J.C., 2=21481
 Ballman, A.A. See Laudise, R.A., 1=14966
 Ballman, A.A. See Lineares, R.C., 3=1264
 Ballman, A.A. See Van Uitert, L.G., 2=6609
 Ballmoos, F. Von. See Von Ballmoos, F.
 Ballofet, G. A contribution to a study of light sources for the far ultraviolet and their application to spectrochemical analysis, 1=16088
 Ballofet, G. High frequency vacuum spark as a source of light in the extreme u.v., 4=29758
 Ballofet, G. and Manescu, I. Preliminary observations on the emission of a vacuum spark source in the 0.5 to 2.2 Å region, 4=29890
 Ballofet, G., Romand, J. and Vodar, B. Emission spectrochemical analysis in the far ultraviolet of powders containing the following elements: germanium, arsenic, selenium, bromine, tin, antimony, tellurium, 0=16397
 Ballofet, G., Romand, J. and Vodar, B. An emission source of continuous spectrum extending from the visible to the extreme ultraviolet, 1=16089
 Ballofet, G. See Romand, J., 0=6428
 Ballofet, G. See Schwob, J.L., 1=17262
 Ballot, J. L., Dumontet, P., Picinbono, B. and Saya, F. Theoretical study of a simple model of the Be^9 and N^{14} stripping reaction, 4=15230
 Ballou, N.E. See Freiling, E.C., 3=6190
 Balluffi, R. W. On dislocation short-circuiting models for recently observed diffusivities of iron, nickel, and cobalt solutes in aluminium, 4=1506
 Balluffi, R.W. and Ruoff, A.L. Enhanced diffusion during plastic deformation, 3=8447
 Balluffi, R.W. and Ruoff, A.L. On strain-enhanced diffusion in metals. I. Point defect models, 3=15505
 Balluffi, R.W. and Simmons, R.O. Changes in macroscopic shape, lattice parameters, and density in crystals due to point defects, 1=2388
 Balluffi, R.W. and Thomson, R.M. Kinetic theory of dislocation climb. II. Steady state edge dislocation climb, 2=8219
 Balluffi, R. W. See Beaman, D.R., 4=15469
 Balluffi, R.W. See Darby, J.B., Jr, 1=7598
 Balluffi, R.W. See Heitmann, W.E., 1=12377
 Balluffi, R.W. See Killpatrick, D.H., 3=12999
 Balluffi, R.W. See Minch, R.B., 3=13356
 Balluffi, R.W. See Parsons, J.R., 3=6553
 Balluffi, R.W. See Parsons, J.R., 4=17461
 Balluffi, R.W. See Ruoff, A.L., 3=22802
 Balluffi, R. W. See Ruoff, A. L., 4=1523
 Balluffi, R.W. See Simmons, R.O., 0=4294
 Balluffi, R.W. See Simmons, R.O., 0=4315
 Balluffi, R.W. See Simmons, R.O., 2=3903
 Balluffi, R.W. See Simmons, R.O., 3=8420
 Balluffi, R.W. See Simmons, R.O., 3=8428
 Balluffi, R.W. See Simmons, R.O., 0=13548
 Balluffi, R. W. See Simmons, R. O., 4=30554
 Balluffi, R.W. See Thomson, R.M., 2=8218
 Bally, D. Total reflection effect in Soller-type collimators, 4=3432
 Bally, D. and Benes, L. The K-absorption spectrum of neutron irradiated nickel, 0=13471
 Bally, D., Benes, L., Iliescu, N. and St.Iorgulescu. K absorption spectra of the elements, Zn, As, Se, Zr, Si, Mo having been irradiated by neutrons, 2=23583
 Bally, D., Benes, L., Iliescu, N., Iorgulescu, S. and Olteanu, I. Characteristics of a universal X-ray tube, 2=7698
 Bally, D. and Glodeanu, A. A study of the magnetic properties of some Cu-Ni-Fe alloys, 1=3886
 Bally, D. and Müller, L. The fine structure of the K absorption edge of nickel and of iron in Ni-Fe alloys at low temperatures, 0=518
 Bally, D. and Müller, L. Influence of chemical and intermetallic bonding on the X-ray K absorption spectrum of selenium, 2=23582
 Bally, D., Tarinã, E. and Pirlogea, P. Optical characteristics of a mechanical neutron monochromator with helical slots, 1=7254
 Bally, D., Tarinã, E., Todireanu, S. and Olteanu, I. The neutron crystal spectrometer of the Institute of Atomic Physics - Bucharest, 0=15370
 Bally, D., Todireanu, S. and Ripeanu, S. The total cross section of aluminium for neutrons of energies from 0.003 eV to 0.009 eV, 2=7995
 Bally, D., Todireanu, S., Ripeanu, S. and Belloni, M.G. Total reflection of neutrons from metallic mirrors, 2=20352
 Bally, D., Todireanu, S., Tarinã, E. and Olteanu, I. A plane-crystal and bent-crystal high resolving-power neutron spectrometer, 0=11186
 Balmer, J.R. See Bruce, J.H., 3=16898
 Balodis, M., Bondarenko, V., Prokof'ev, P. and Sermons, G. Focusing of a broad electron beam in a beta-ray spectrograph, 4=27575
 Balogh, A. Some properties of the characteristic equations of torsional vibrations, 1=8170
 Balogh, T. See Berényi, D., 4=9005
 Balsara, E.M. See Naik, Y.G., 0=4979
 Balser, K. See Fengel, D., 3=25799
 Balser, K. See Fengel, D., 4=2101
 Balser, M. and Pannell, J.H. Early synchrotron radiation resulting from the July 9 high-altitude nuclear detonation, 4=2250
 Balser, M. and Smith, W.B. Some statistical properties of pulsed oblique h.f. ionospheric transmissions, 3=5860
 Balser, M. and Wagner, C.A. Measurements of the spectrum of radio noise from 50 to 100 cycles per second, 0=12712
 Balser, M. and Wagner, C.A. Observations of earth-ionosphere cavity resonances, 1=2567
 Balser, M. and Wagner, C.A. Diurnal power variations of the earth-ionosphere cavity modes and their relationship to worldwide thunderstorm activity, 2=9715
 Balser, M. and Wagner, C.A. On frequency variations of the earth-ionosphere cavity modes, 3=12326
 Balser, M. and Wagner, C.A. Effect of a high-altitude nuclear detonation on the earth-ionosphere cavity, 4=2278
 Bal'shin, M. Yu. The surface tension at the surface and at the grain boundaries of metals and its relationship to their deformability during creep and sintering, 4=10361
 Bal'shin, M. Yu. Some remarks on the article "Calculation of surface tension and some other characteristics of solids and liquids", 4=10595
 Bal'shin, M. Yu. On the relationship between the porosity, the contact cross-section, and the properties of powdered materials, 4=23542
 Balsley, B.B. See Bowles, K.L., 4=2295
 Balsley, B.B. See Bowles, K.L., 0=18490
 Balta, P. See Oprea, F., 2=6465
 Baltay, C., Courant, H., Fickinger, W.J., Fowler, E.C., Kraybill, H.L., Sandweiss, J., Sanford, J.R., Stonehill, D.L. and Taft, H.D. Production of hyperons in hydrogen by positive pions, 1=16906
 Baltay, C., Fowler, E.C., Sandweiss, J., Sanford, J.R. and Taft, H.D. Observation of production of a $\Xi^- + \Xi^+$ pair, 2=12013

- Baltay, C., Sandweiss, J., Sanford, J., Brown, H., Webster, M. and Yamamoto, S. The separated beam at the A.G.S. performance with antiprotons and π^- mesons, 3=16999
- Baltay, C., Sandweiss, J., Taft, H.D., Culwick, B.B., Fowler, W.B., Kopp, J.K., Louttit, R.I., Sanford, J.R., Shutt, R.D., Stonehill, D.L., Stump, R., Thorndike, A.M. and Webster, M.S. Observation of the production of a Ξ^0 particle, 3=24805
- Baltay, C., Sandweiss, J., Taft, H., Culwick, B., Fowler, W.B., Kopp, J.K., Louttit, R.I., Sanford, J.R., Shutt, R.D., Thorndike, A.M. and Webster, M.S. Production of hyperon resonances in $\Lambda^0 + \bar{\Lambda}^0 + \pi^+ + \pi^-$ final states, 3=22209
- Baltay, C. See Brown, H.N., 2=12013
- Baltay, C. See Stonehill, D., 1=12102
- Baltensperger, W. On the influence of exchange on superconductivity in an alloy with a transition metal, 0=8959
- Baltensperger, W. Short-range spin susceptibility of superconductors, 4=18552
- Baltensperger, W. and de Graaf, A.M. Long range interactions between magnetic moments in semiconductors, 1=6252
- Baltensperger, W. and Strässler, S. Superconductivity in antiferromagnets, 3=9681
- Baltensperger, W. See Chevalier, J., 2=4214
- Baltensperger, W. See Quattropiani, A., 2=6293
- Baltensperger, W. See Daunt, S.G., 2=17725
- Balthesen, E. Disaccommodation and frequency dependence of the magnetic aftereffect at high temperatures in iron-silicon alloys. II. Experimental studies, 4=7260
- Balthesen, E. See Dietze, H.D., 3=1042
- Baltrukonis, J.H., Gottenberg, W.G. and Schreiner, R.N. Dynamics of a hollow, elastic cylinder contained by an infinitely long rigid circular-cylindrical tank, 1=1777
- Baltrukonis, J.H., Gottenberg, W.G. and Schreiner, R.N. Axial-shear vibrations of an infinitely long composite circular cylinder, 1=18505
- Baltz, C., Sandweiss, J., Taft, H.D., Culwick, B.B., Fowler, W.B., Kopp, J.K., Louttit, R.I., Sanford, J.R., Shutt, R.P., Stonehill, D.L., Thorndike, A.M. and Webster, M.S. Investigation of Y^* and \bar{Y}^* production in reactions of the type $\bar{p} + p \rightarrow Y + \bar{Y} + \pi$, 4=3484
- Baltz, A. Rotation of image and selected area diffraction-pattern in the RCA-EMU 3 electron microscope, 2=8902
- Baltz, A. Electron microscope study of the roughness of Permalloy films using surface replication, 2=12658
- Baltz, A. Influence of vacuum conditions on epitaxially grown Permalloy films, 3=16047
- Baltz, A. and Doyle, W.D. Effect of crystallite size and orientation on the magnetization ripple in permalloy films, 4=23001
- Baltz, A. See Schoening, F.R.L., 2=10783
- Baltz, A. See Vook, R.W., 4=23492
- Baltzer, P.K. Contribution to magnetic anisotropy from cations which locally distort the crystal lattice, 3=1012
- Baltzer, P.K. and Wojtowicz, P.J. On the origin of low moments in chromium-containing spinels, 0=3079
- Baltzinger, C. See Alexander, J.M., 3=8148
- Baltzinger, C. See Pérey, M., 3=3354
- Balwanz, W. See Baldwin, K., 4=18905
- Balwit, J.S. See Lawton, E.J., 0=16176
- Balwit, J.S. See Lawton, E.J., 0=16177
- Balyaev, B.N., Mal'tseva, N.S., Mekhedov, V.N., Ming Nam Buk [Min Nam Buk] and Szymchak, R.A. Production of At^{209} and At^{207} by high-energy proton bombardment of Bi and Pb, 3=15203
- Balyakin, I.L. See Akopyan, M.E., 3=1818
- Balyasnyĭ, N.D. and Nazarov, I.M. Statistics of operations of differential counting devices, 2=22142
- Balyasnyĭ, N.D., Vasilenko, V.N., Kogan, R.M. and Fridman, Sh.D. Gamma-ray spectrum method of discovering radium dispersion halos, 4=2182
- Balyavichus, M. Z., Radvilavichus, Ch. V. and Bolotin, A. B. The Clebsch-Gordan coefficients of the groups D_4 , 4=21040
- Balyavichus, M. L. See Bolotin, A. B., 4=1247
- Balygin, I.E. Electric breakdown of titanium-containing ceramics with a dielectric permeability of 80, 0=1713
- Balygin, I.E. The migration of silver on the surface of ceramic dielectrics, 1=6187
- Balygin, I.E. The penetration of silver into amorphous and crystalline quartz under the action of a constant voltage, 1=12404
- Balygin, I.E. Transformations of amorphous quartz to crystalline quartz during the thermal diffusion of silver, 3=13396
- Balygin, I.E. Some post-breakdown processes in air, 0=16994
- Balygin, I.E. Changes in the structure of amorphous quartz on heating in hydrogen, 3=20917
- Balzarotti, A., Chiarotti, G. and Frova, A. Study of the fast-states structure at the surface of n-type germanium, 3=6584
- Balzer, R. and Bharucha, D. A fast coincidence stage with tunnel diodes, 4=5901
- Bam-Zelikovich, G.M. Motion of an axisymmetric stream of gas of low conductivity in an axisymmetric magnetic field, 0=11027
- Bamberg, E.A. and Dresvin, S.V. Temperature of torch discharge stabilized by an air current, 3=21727
- Bamberg, E.A. and Dresvin, S.V. Determination of certain parameters of a high-frequency ring discharge, 3=21728
- Bamberger, J.A. See Androulakis, J.G., 3=17125
- Bame, S.J., Conner, J.P., Brumley, F.B., Hosteler, R.L. and Green, A.C. Neutron flux and energy spectrum above the atmosphere, 3=15066
- Bame, S.J., Conner, J.P., Hill, H.H. and Holly, F.E. Protons in the outer zone of the radiation belt, 3=11457
- Bame, S.J., Jr., Haddad, E., Perry, J.E., Jr., Smith, R.K. and Swartz, B. Counter telescope measurement of neutron flux, 0=20163
- Bamford, C.R. A study of the magnetic properties of iron in relation to its colouring action in glass. I. Iron in sodium borate glasses melted under oxidizing conditions, 1=14684
- Bamford, C.R. A study of the magnetic properties of iron in relation to its colouring action in glass. II. Iron in sodium borate glasses melted under reducing conditions, 1=14685
- Bamford, C.R. and Charnock, H. An apparatus for measuring magnetic susceptibility of glasses up to their annealing temperatures, 1=16485
- Bán, M.I., Fényi, Sz. and Gilde, F.J. Calculation of overlap integrals in transitions metal cyano complexes, 3=10529
- Ban, M.I., Gilde, F.J. and Horvath, J.I. Contributions to the general theory of LCAO-MO method, 1=7479
- Bán, M.I. See Gilde, F.J., 1=3620
- Ban, N.T., Randall, C.M. and Montgomery, D.J. Effect of isotopic mass on viscosity of molten lithium, 3=125
- Ban Yui-chan. See Wang Yung-ch'ang.
- Banaigs, J., Duflo, J., Goldzahl, L., Mouëllic, B., Delorme, C., Kiessler, R. and Michaelis, E.G. Construction of spark chambers with transparent metallic mesh [electrodes], 4=16774
- Banaigs, J., Eberhard, P., Goldzahl, L. and Hara, E. Elastic scattering of 1.12, 1.17, 1.33 and 2.62 MeV γ -rays, 0=9656
- Banaigs, J. See Duboc, J., 1=13226
- Banasevich, S.N., Lur'e, B.G. and Murin, A.N. Determination of the effective charge of calcium ions in $NaCl-CaCl_2$ mixed crystals, 0=6062
- Banasevich, S.N. See Murin, A.N., 1=14314
- Banasevich, S.N. See Murin, A.N., 2=604
- Banasevich, S.N. See Murin, A.N., 2=3938
- Banashek, E.I., Rubinchik, S.M., Sokolov, V.A. and El'kind, S.A. The arrangement and method of thermostatically controlling an oven up to 1400°C, 4=16280
- Banaugh, R. P. Application of integral representations of displacement potentials in elasto-dynamics, 4=27126
- Banaugh, R. P. and Goldsmith, W. Diffraction of steady acoustic waves by surfaces of arbitrary shape, 4=2791
- Banbury, P.C., Barnes, G.A., Haneman, D. and Mitchell, E.W.J. The attainment of clean surfaces by breaking crystals in ultra-high vacuum, 1=6146
- Banbury, P.C., Davies, E.A. and Green, G.W. Studies of cleaved germanium surfaces, 3=10782
- Banbury, P.C. See Grimshaw, J.A., 4=22646
- Banbury, P.C. See Lindley, D.H., 0=4345
- Banbury, P.C. See Lindley, D.H., 1=1052
- Banbury, P.C. See Lindley, D.H., 3=22925
- Bancie-Grillot, M. New investigations on the two fluorescent emission bands in zinc sulphide activated with copper, 2=12624
- Bancie-Grillot, M. and Grillot, E. Constitution of the two types of copper luminescence centres in zinc sulphide, 2=10622
- Bancie-Grillot, M., Gross, E.F., Grillot, E. and Razbirine, B.S. Influence of temperature on the two series of spectral bands in the low temperature green fluorescence of pure cadmium sulphide, 0=11775
- Bancie-Grillot, M., Levialdi, A. and Grillot, E. Mechanism of the penetration of foreign atoms into a crystalline solid. Example of the activation of zinc sulphide and cadmium sulphide phosphors, 2=6621
- Bancie-Grillot, M. See Bansi-Griio, M., 0=1744
- Bancie-Grillot, M. See Bansi-Griio, M., 0=1745
- Bancie-Grillot, M. See Grillot, E., 1=7666
- Bancie-Grillot, M. See Grillot, E., 1=7667

- Bancie-Grillot, M. See Grillot, E., 2=8559
 Bancie-Grillot, M. See Grillot, E., 3=10986
 Bancie-Grillot, M. See Grillot, E., 4=1441
 Bancie-Grillot, M. See Gross, E., 0=18123
 Bancroft, G.F. [Ed] 1963 transitions of the Tenth National Vacuum Symposium of the American Vacuum, 4=16153
 Bancroft, J.L., Hollas, J.M. and Ramsay, D.A. The absorption spectra of HNO and DNO, 2=10257
 Band, H.E. Some aspects of the splitting of ionic energy levels in crystals, 4=22467
 Band, I.M. Calculations of the spectrum of the $_{86}\text{Rn}^{218}$ nucleus, 4=6247
 Band, I.M., Kharitonov, Yu.I. and Sliv, L.A. Four and more nucleons outside closed shells. Po^{212} spectrum, 2=13998
 Band, I.M., Kharitonov, Yu.I. and Sliv, L.A. Many-nucleon system in the shell-model potential, 4=21977
 Band, I.M., Sliv, L.A. and Kharitonov, Yu.I. Correlation of motion of four nucleons in the Po^{212} nucleus, 2=377
 Band, I.M., Sliv, L.A. and Kharitonov, Yu.I. Correlation of motion of four nucleons in the Po^{212} nucleus, 3=640
 Band, W. New look at the theory of electron-phonon resonance. II, 0=527
 Band, W. Studies in the theory of shock propagation in solids, 0=12453
 Band, W. and Duvall, G.E. Physical nature of shock propagation, 1=15933
 Band, W. Forced vibrations of a harmonic lattice in quantum mechanics, 2=19422
 Band, W. See Adams, R.O., 2=11418
 Band, W. See Anderson, G.D., 3=98
 Bandeen, W.R., Conrath, B.J. and Hanel, R.A. Experimental confirmation from the Tiros VII meteorological satellite of the theoretically calculated radiance of the earth within the 15-micron band of carbon dioxide, 4=13766
 Bandeen, W.R., Hanel, R.A., Licht, J., Stampf, R.A. and Stroud, W.G. Infrared and reflected solar radiation measurements from the Tiros II meteorological satellite, 2=2574
 Bandeen, W.R. and Otterman, J. Temperature correction in the rocket-grenade experiment due to the finite-amplitude-propagation effect, 0=14197
 Bandeen, W.R. See Hanel, R.A., 3=16435
 Bander, M. Photoproduction of intermediate vector bosons, 3=10074
 Bander, M. Final state interaction corrections to inelastic nucleon-nucleon scattering, 3=12451
 Bander, M. Low-energy neutron-neutron scattering parameters, 4=19525
 Bander, M. and Feinberg, G. μ -meson decay into three electrons, 0=15377
 Bander, M. and Shaw, G.L. Self-consistent calculation of the ρ -meson Regge pole, 4=21924
 Bando, H., Murota, T. and Nagata, S. Effective Hamiltonian and energy gap in infinite nuclei, 3=10213
 Bandō, H. See Marumori, T., 2=20488
 Bandō, H. See Nagata, S., 4=30294
 Bando, M. See Nakazawa, K., 3=19550
 Bandō, Y. The formation of superstructure of Fe_3Ni in fine particles, 2=4465
 Bando, Y. The magnetization of face centred cubic iron-nickel alloys in the vicinity of the Invar region, 4=22989
 Bando, Y. See Kachi, S., 3=8897
 Banduryn, S.I. See Kargin, V.A., 4=15842
 Bandy, A., Devlin, J.P., Burger, R. and McCoy, B. Infrared techniques for fused salts, 4=27181
 Bandyopadhyay, B.K. See Ghosh, S., 4=28050
 Bandyopadhyay, G. General static spherically symmetric solution of the "weaker" equations of Einstein's unified theory, 0=14507
 Bandyopadhyay, P. Models of the lower ionosphere as may be inferred from absorption results, 0=4801
 Bandyopadhyay, P. The early morning E2-layer and some evidence of pre-sunrise F-layer "splitting", 0=14234
 Bandyopadhyay, P. Electron distribution in the F-layer of the ionosphere over Haringata (Calcutta) on quiet and disturbed days, 0=16452
 Bandyopadhyay, P. A structural model for positrons, 4=11979
 Bandyopadhyay, P. and Chatterjee, S.K. Decay of ionization below the F-layer at night, 1=20983
 Bandyopadhyay, P. and Chatterjee, S.K. Vertical transport of electrons during pre-sunrise F-layer "splitting", 2=19224
 Bandyopadhyay, P. and Montes, H. Some aspects of E_0 ionization of the magnetic equatorial region, 4=2294
 Bandyopadhyay, P. See Datta, S., 0=16448
 Bandyopadhyay, P. See Ochs, G.R., 3=16226
 Bandzaitis, A.A. and Yutsis, A.P. Forms and methods of derivation of formulae for the Clebsch-Gordan coefficients, 4=66
 Bandzaitis, A.A., Yu. Savukinas, A. and Yutsis, A.I. The reflection symmetry in quantum mechanics, 4=27069
 Bandzaitis, A.A., Vizbaraitė, J.I. and Yutsis, A.P. General consideration of the interaction operator matrix element of two atomic electrons, 4=1186
 Bandzaitis, A.A., Karosene, A.V., Savukinas, A.Yu. and Yutsis, A.P. Quantities from the theory of moment of momentum with negative parameters, representing quantum numbers of moment of momentum, 4=14051
 Bandzaitis, A.A. See Yutsis, A.P., 2=16466
 Bandzaitis, A.A. See Yutsis, A.P., 4=63
 Bandzaitis, A.A. See Yutsis, A.P., 4=64
 Bandzaitis, A.A. See Yutsis, A.P., 4=65
 Bandzaitis, A.A. See Yutsis, A.P., 4=1187
 Bandzaitis, A.A. See Zhukauskas, K.P., 4=21039
 Bane, W.T. and Atkinson, M.P. Evaluation of approximate methods of applying binary scale factors in pulse-counting systems of measurement, 0=7051
 Banège-Nia, A., Basquin, F. and Morand, G. Luminescent, low-pressure discharge in air between some acid solutions and a metallic cathode, 4=24606
 Banerjee, E. See Nguyen-Hoe, 4=25481
 Banerjee, A.K. See Sivaraman, K.R., 3=18514
 Banerjee, B. and Biswas, S.N. Boson-pair terms of the charged current in the schizon theory of weak interactions, 2=16140
 Banerjee, B. and Gupta, K.K. Energy levels of iodine nuclei, 2=1804
 Banerjee, B. and Gupta, K.K. The energy levels of iodine isotopes in the unified model, 2=7931
 Banerjee, B. See Sienko, M.J., 2=2266
 Banerjee, B.B. Experimental study of duration of contact of a transversely impinging load on cantilever, 4=27242
 Banerjee, B.C. and Walker, P.L., Jr. Interaction of evaporated carbon films with nickel, 2=4490
 Banerjee, B.C. and Walker, P.L., Jr. Electron microscopic investigation on the structure and topography of electro-deposited nickel, 2=17063
 Banerjee, B.C. See Walker, P.L., 3=16031
 Banerjee, B.K. Structure of fluoride containing oxide glass in relation to the possible role of fluoride ion in the vitreous matrix, 0=21218
 Banerjee, B.R., Capenos, J.M., Hauser, J.J. and Hirth, J.P. Dislocation interaction in b.c.c. stainless steel, 1=7584
 Banerjee, B.R., Lenhart, R.E. and Robinson, W.H. Small angle X-ray scattering from MnS in silicon steels, 2=12703
 Banerjee, B.R., Hauser, J.J. and Capenos, J.M. Etch-shadow extraction replica in fracture studies, 3=16007
 Banerjee, B.R. See Capenos, J.M., 1=7892
 Banerjee, D. See Dutta, A.K., 4=25259
 Banerjee, D. See Dutta, A.K., 4=25260
 Banerjee, H. Scattering of a longitudinally polarised electron beam by a uniform magnetic field, 0=7155
 Banerjee, H. Effects of screening and multiple scattering of primary electrons on the polarisation of bremsstrahlung, 1=13387
 Banerjee, H. Circular polarization of bremsstrahlung from longitudinally polarized primary electrons, 1=16745
 Banerjee, H. On a composite model of pion, 2=5704
 Banerjee, H. The role of π_{γ_5} -gauge invariance in a nonlinear model of elementary particles, 2=9808
 Banerjee, H. Remark on the conservation of the axial vector current, 2=13730
 Banerjee, H. Leptonic decay of hyperons, 2=16244
 Banerjee, H. Remarks on the analytic continuation of the partial-wave amplitude, 3=24639
 Banerjee, K. and Srivastava, S.N. Statistical structure of anthrone, 1=9143
 Banerjee, K.N. On the effect of mutual reaction of the galvanometer and seismometer in the response characteristics of electromagnetic seismographs, 3=5183
 Banerjee, M.K. Intermediate coupling calculations in the 2s-1d shell, 1=8575
 Banerjee, M.K. and Levinson, C.A. New methods in nuclear structure calculations, 3=12552
 Banerjee, M.K., Levinson, C.A. and Meshkov, S. Calculations of energy spectra of nuclei in the 2s, 1d shell, 3=12553
 Banerjee, M.K. See Mukherjee, P.N., 0=7161
 Banerjee, M.K. See Nagarajan, M.A., 0=17598

- Banerjee, P. and Zeh, H.D. Determination of the configuration mixing in RaE from the β^- -decays $\text{Pb}^{210} \rightarrow \text{Bi}^{210} \rightarrow \text{Po}^{210}$, 0=13144
- Banerjee, R. L. Anomalies in the Compton scattering of X-rays by silicon, 4=26671
- Banerjee, S. On the smoothness of Bp, Bn graphs, 0=17479
- Banerjee, S.B. See Deb, K.K., 1=14035
- Banerjee, S. K. An attempt to observe the basal plane anisotropy of haematite, 4=10276
- Banerjee, S. K. A suggested explanation for the unusual magnetic properties of Mn_2Ge_2 , 4=23020
- Banerjee, S. K. and Khastgir, S. R. Conditions of reflection of radio-waves from the ionosphere and their polarization characteristics for zero collisional frequency, 4=8953
- Banerjee, S. K. and Khastgir, S. R. On the polarization of radio-waves travelling through the ionosphere, 4=8954
- Banerjee, S. K. and Khastgir, S. R. Analytical expressions for refractive and absorption indices, polarization parameters and the limiting polarization characteristics of the down-coming radio-wave, 4=14911
- Banerjee, S. K. and Khastgir, S. R. Evaluation of the polarization parameters for radio wave propagation through the ionosphere by the method of parallelogram, 4=14912
- Banerjee, S. P. Graphical determination of Bp, Bn. II, 0=17478
- Banerji, A. C. and Srivastava, K. M. Radial oscillations of variable magnetic star and the origin of the planetary system, 3=18596
- Banerji, B. K. Surface tension of a solid, 4=17835
- Banerji, R. B. Anisotropy in ionospheric diffraction and its effect on drift measurement, 1=2566
- Banerji, S. Rotation in cosmological models with continuous creation, 4=17962
- Banerji, S. See Raychaudhuri, A. K., 4=10780
- Banewicz, J. J., Heidelberg, R. F. and Lindsay, R. High-temperature magnetic susceptibility of sintered αMnS , 0=4471
- Banfi, C. Expression for electrical energy in dispersive media, 2=15991
- Banford, A. P. and Stafford, G. H. The feasibility of a superconducting proton linear accelerator, 1=18955
- Bang, J. On the angular distribution of the scattered particles in Coulomb excitation, 0=12853
- Bang, V. X. See Anderson, J. A., 1=7273
- Bang, V. X. See Anderson, J. A., 1=16867
- Bang, W. B. and Carpenter, G. B. The crystal structure of boron trifluoride dihydrate, 4=23423
- Banis, T. Ya. and Pozhela, Yu. K. Determination of inertia of carrier heating in semiconductors, 4=22714
- Banis, T. Ya., Pozhela, Yu. K. and Repshas, K. K. Possibility of measuring the relaxation of heating of current carriers in semiconductors, 4=1579
- Banis, T. Ya., Vebra, A. I., Dieniene, M. V. and Pozhela, Yu. J. Measurement of semiconductor electrical conductivity in high microwave fields, 4=1580
- Banister, J. R. Separation of magnetic driving and ohmic heating, 0=14984
- Banister, J. R. and Davis, H. L. Descent of particles and molecules through the upper atmosphere, 2=4622
- Banister, J. R. See Beckner, E. H., 4=21525
- Bankoff, S. G. On Taylor instability of plane surfaces, 0=67
- Bankoff, S. G. Bubble dynamics at the surface of an exponentially heated plate, 3=12004
- Bankoff, S. G. and Rosler, R. S. Constant-temperature hot-film anemometer as a tool in liquid turbulence measurements, 3=3790
- Bankoff, S. G. See Skinner, L. A., 4=8513
- Bankoff, S. G. See Skinner, L. A., 4=18170
- Banks, E., Riederman, N. H., Schleuning, H. W. and Silber, L. M. Preparation and properties of thin ferrite films, 1=6350
- Banks, E., Robbins, M. and Tauber, A. Fluoride ion compensated substitutions of bivalent cations in $\text{BaFe}_{12}\text{O}_{19}$ and other hexagonal oxides, 3=1013
- Banks, E. See Black, J., 3=874
- Banks, E. See Jaffe, P. M., 4=10222
- Banks, E. See Kunmann, W., 2=12744
- Banks, E. See Mandel, G., 0=13698
- Banks, E. See Robbins, M., 3=15877
- Banks, E. See Robbins, M., 3=18222
- Banks, E. See Rubinstein, M., 0=2823
- Banks, E. See Tauber, A., 2=2369
- Banks, P. M. and Busch, H. F. A step-frequency pulse experiment with high-frequency antipodal and circulating signals, 3=19464
- Bannenberg, J. G. and Insinger, F. G. Ballista or ball-throwing device for momentum and density measurements in a rotating plasma, 4=21516
- Bannenberg, J. G., Insinger, F. G., Rasmussen, C. E. and Kistemaker, J. Measurements on a rotating plasma, 4=18922
- Bannerman, D. E. See Lanter, R. J., 2=18136
- Bannerman, R. C., Pitcher, H. H. W. and Richmond, R. Analysis of the results of reactivity change measurements on plutonium-uranium fuel elements, 4=30364
- Bannik, B. P. and Bunyatov, S. A. Hyperfragments from σ_k stars, 0=2626
- Bannik, B. P., Gal'per, A. M., Grishin, V. G., Kotenko, L. P., Kuzin, L. A., Kuznetsov, E. P., Merzon, G. I., Podgoretskii, M. I. and Sil'vestrov, L. V. Elastic scattering of 2.8 and 6.8 BeV/c π^- -mesons on carbon, 2=3602
- Bannik, B. P., Gal'per, A. M., Grishin, V. G., Kotenko, L. P., Kuzin, L. A., Kuznetsov, E. P., Merzon, G. I., Podgoretskii, M. I. and Sil'vestrov, L. V. Elastic scattering of 2.8 and 6.8 BeV/c π^- -mesons on carbon, 3=2481
- Bannik, B. P. and Grishin, V. G. Interference between Coulomb and nuclear scattering at high energies, 0=20429
- Bannik, B. P., Grishin, V. G., Dan'ysh, M. Ya., Lyubimov, V. B. and Podgoretskii, M. I. Elastic scattering of 8.7 BeV protons on photographic emulsion nuclei, 0=7546
- Bannik, B. P., Grishin, V. G. and Sil'vestrov, L. V. Elastic scattering of 8.7 BeV protons on the nuclei of photographic emulsions, 1=19451
- Bannik, B. P., Grishin, V. G. and Sil'vestrov, L. V. Elastic scattering of 8.7 BeV protons on the nuclei of photographic emulsions, 3=4633
- Bannik, B. P. and Podgoretskii, M. I. Fast method of track scanning of photo-emulsions, 4=16781
- Bannister, E. See Monchamp, R. R., 0=3550
- Bannister, F. J. See Watt, D. E., 2=10152
- Bannister, G. H. See Hickman, B. S., 4=4092
- Bannister, G. H., Burnett, R. C. and Murray, J. R. Ageing and hardness characteristics of certain thorium alloys, 0=18284
- Bannister, G. H. and Thomson, J. R. The body-centred-cubic to face-centred-cubic phase transformation in thorium and some thorium-rich alloys, 4=29020
- Bannister, W. J. and Kay, R. H. A circuit to operate a thermoelectric "cold" stimulator, 3=9699
- Banno, N. See Yamaguchi, Y., 0=18472
- Bannochie, J. G. A laboratory demonstration fuel cell, 4=29862
- Bannock, R. R. Molecular sieve pumping, 2=15658
- Baños, A. Jr. and Vernon, R. Large amplitude waves in a collision-free plasma. I. Single pulses with isotropic pressure, 0=12623
- Banos, C. J. See Focas, J. H., 4=15930
- Bános, G., Gombay, L. and Hevesi, I. Preparation of photocells from pressed CdSe powder, 1=7665
- Banos, G. See Xanthakis, J., 3=13885
- Bansal, G. D. See Narasimhan, V., 4=18376
- Bansal, R. C. See Manning, D. L., 2=17093
- Bansal, R. K. and French, J. B. Even-parity-hole state in $f_{7/2}$ -shell nuclei, 4=30310
- Bansal, R. K. and Sudarshan, E. C. G. Reduction of cartesian tensors and its application to stochastic dynamics, 2=21785
- Bansal, T. D. Equipment for the determination of thermal conductivity of insulating materials, 3=11977
- Bansal, T. D. Evaluation of real and effective thermal conductivity values, 4=8472
- Bansal, T. D. and Srivastava, O. N. L. Wheel cock for microflow of liquids, 1=2740
- Bansi-Griio [Bancie-Grillot], M. See Griio [Grillot], E., 2=10527
- Bansi-Griio [Bancie-Grillot], M., Gross, E. F., Griio [Grillot], E. and Razbirin, B. S. Studies of linear fluorescence and absorption of pure cadmium sulphide crystals at the temperature of 4.2°K, 0=1744
- Bansi-Griio, M., [Bancie-Grillot], Gross, E. F., Griio, E. [Grillot] and Razbirin, B. S. The effect of temperature on two series of bands in the green fluorescence spectrum of pure cadmium sulphide at low temperatures, 1=11396
- Bansi-Griio [Bancie-Grillot], M. See Gross, E. F., 0=1745
- Bansi-Griio, M. See Gross, E. F., 2=6571
- Bansiger, K. G. and Iyengar, I. Photoelastic dispersion in barite, 0=6170
- Bansiger, K. G. and Iyengar, K. S. Piezo-optic birefringence in NaCl structure crystals. II. Applications, 2=12580
- Bansiger, K. G. and Schneider, E. E. Studies on the substructure of real crystals by optical and magnetic resonance methods, 2=3929

- Bansigir, K.G. and Schneider, E.E. Absorption of M and R centres in the F band region of coloured alkali halides, 2=23220
- Bansigir, K.G. See Hyder, S.B., 3=17779
- Bansigir, K.G. See Hyder, S.B., 4=2020
- Banta, H.E. See Moak, C.D., 4=19138
- Banus, M.D. and Gatos, H.C. Distribution of sulfur in InSb single crystals, 3=2790
- Banus, M.D., Hanneman, R.E., Mariano, A.N., Warekoi, E.P., Gatos, H.C. and Kafalas, J.A. High-pressure tetragonal phase of InSb, 3=20771
- Banus, M.D., Hanneman, R.E., Strongin, M. and Goen, K. High-pressure transitions in $A^{(II)}B^{(VI)}$ compounds: indium telluride, 4=10429
- Banus, M.D., Reed, T.B., Gatos, H.C., Lavine, M.C. and Kafalas, J.A. Nb₃N: a β -tungsten structure superconducting compound, 2=17729
- Banus, M.D. See Hanneman, R.S., 4=17758
- Banus, M.D. See Kafalas, J.A., 3=3253
- Banus, M.D. See Nye, S.D., 4=16325
- Banwell, C.N. and Primas, H. On the analysis of high resolution nuclear magnetic resonance spectra. I. Methods of calculating n.m.r. spectra, 3=15381
- Bányai, L. and Brindus, L. The single-electron density matrix and the exclusion principle, 3=23794
- Bányai, L. See Ciobanu, G., 4=6909
- Banyard, K.E. Diamagnetism as a test of wave functions for some simple molecules, 0=17795
- Banyard, K.E. Diamagnetic susceptibility of Ne, NH₃ and CH₄, 1=8870
- Banyard, K.E. "Floating" hydrogen densities in some molecules of the type XH_n, 1=11102
- Banyard, K.E. Radial distribution of electrons in the ammonia and hydrogen sulfide molecules, 2=12307
- Banyard, K.E. and March, N.H. The electron distribution in the ammonium ion, 1=20547
- Bao-Khan'-Lin' [Pao-Han-lin'] and Lun'kin, Yu.P. Vibrational relaxation behind a shock wave, 3=23969
- Bao Shchi-mao. See Litovchenko, V.G., 2=21132
- Bao-Syue-Sin' [Pao-Hsueh-Hsin], Bokshtein, B.S. and Zhukhovitskii, A.A. Diffusion in multiphase systems, 1=17557
- Bapat, N.J. See Bhide, V.G., 1=11340
- Bapat, N.J. See Bhide, V.G., 3=10878
- Bappu, M.K.V., Bhatnagar, A. and Punetha, L.M. The influence of superflares on the H α striation pattern, 3=16378
- Bappu, M.K.V. and Sinwhal, S.D. Polarization measures of Comet Arend-Roland (1956h) and Comet Mrkos (1957d), 0=18728
- Baptista, A. and Baptista, N.R. The determination of Bragg's angle from X-ray precession photographs and the applications of the expressions derived, 2=23842
- Baptista, A.M. and Gomes Da Silva, J. Oxidation efficiency for P³² beta-radiation of a Fricke dosimeter, 3=7830
- Baptista, N.R. See Baptista, A., 2=23842
- Baqi Bég, M.A. High-energy pion-nucleus scattering, 1=524
- Baqi Bég, M.A. On the distinguishability of equivalent potentials, 1=7211
- Baqi Bég, M.A. Correspondence between τ and η decays, 2=20412
- Baqi Bég, M.A. Electromagnetic induction of neutral lepton currents, 4=819
- Baqi Bég, M.A. Contribution of charged vector bosons to the photon propagator, 4=21732
- Baqi Bég, M.A. and De Celles, P.C. K- π resonance and lifetime of the K' particle, 1=5776
- Baqi Bég, M.A. and DeCelles, P.C. P-wave interactions in τ decay, 2=5732
- Baqi Bég, M.A. and DeCelles, P.C. K- π resonance and lifetime of the K' particle, 1=9767
- Baqi Bég, M.A. and DeCelles, P.C. Current conservation and $\Delta T = \frac{1}{2}$ rule in θ decay, 2=22617
- Bär, F., Huber, W., Handschig, G., Martin, H. and Kuhn, H. Nature of the free electron model. The case of the polyenes and polyacetylenes, 0=4235
- Bär, F. See Kuhn, H., 0=4234
- Bar, V. See Steinberger, I.T., 1=1190
- Bara, J., Hryniewicz, A.Z., Kulgawczuk, D.S. and Lizurej, H. Apparatus for the investigation of the Mössbauer spectra at room temperature, 3=575
- Barabanenkov, Yu.N. Hydrodynamic analysis of the compression of a rarefied plasma in an axially-symmetric magnetic field, 0=2367
- Barabanenkov, Yu.N. Change in the momenta of charges colliding in a magnetic field, 3=4253
- Barabanenkov, Yu.N. Solution of the kinetic equation for a plasma in a variable magnetic field, 0=9033
- Barabanenkov, Yu.N. The possibility of self-oscillation of charge in crossed fields, 0=10931
- Barabanenkov, Yu.N. Coulomb scattering of charges in a strong magnetic field, 0=19683
- Barabanenkov, Yu.N. Change in the momenta of charges colliding in a magnetic field, 1=18989
- Barabanov, I.R. See Doroshenko, G.G., 4=16917
- Barabaschi, S. and Pulacci, A. The control system of the Ispra-1 reactor, 2=8042
- Barabash, L.Z. See Boiko, S.N., 4=14805
- Barabash, L.Z. See Lebedev-Krasin, Yu. M., 4=14809
- Barabash, L.Z. See Vladimirovskii, V.V., 4=14839
- Barabash, L.Z. See Vladimirovskii, V.V., 4=14840
- Barabash, L.Z. See Vodop'yanov, F.A., 4=14810
- Barabashov, N.P. The structure of the lunar surface and a study of the first photographs of the reverse side of the moon, 2=17250
- Barabashov, N.P. and Garazha, V.I. Some remarks on the dust and haze formations on Mars, 1=18039
- Barabashov, N.P. and Garazha, V.I. The microstructure of the lunar surface, 2=24089
- Barabashov, N.P. The structure of the lunar surface and a study of the first photographs of the reverse side of the moon, 3=9175
- Barabashov, N.P. and Chekirda, A.T. A study of the rocks most closely resembling the surface constituents of the moon, 0=18696
- Barabashov, N.P., Ezerskii, V.I. and Fedorets, V.A. Color contrasts of the lunar surface, 0=18695
- Barabashov, N.P. and Lipskii, Yu.N. First results of photographing the side of the moon invisible from the earth, 0=6568
- Barach, J.P. Interaction between a magnetic field and an electrically produced shock wave, 2=1190
- Barach, J.P. and Lee, J.H. Flux transport by a shock plasma, 4=29918
- Barach, J.P. and Sivinski, J.A. Luminous front thickness in electric shock tubes, 4=18842
- Barach, J.P. and Sivinski, J.A. Precursor arc in an electric shock tube, 4=27251
- Baradzei, L.T., Rubtsov, V.I., Smorodin, Y.A., Solov'yov, M.V. and Tolkachev, B.V. Production of the electron-photon component in the interaction of particles of energies 10^{12} to 10^{14} eV with light nuclei in atmosphere, 3=4538
- Baradzei, L.T., Rubtsov, V.I., Smorodin, Y.A., Solov'ev, M.V. and Tolkachev, B.V. Electron-photon component from the interaction of 10^{12} - 10^{14} eV particles with light nuclei in the atmosphere, 3=19725
- Baradzei, L.T., Solov'ev, M.V., Tulinova, Z.I. and Filatova, L.I. Momentum spectrum of particles of the hard component of Baradzei, L.T., Rubtsov, V.I., Smorodin, Y.A., Soloviev, M.V. and Tolkachev, B.V. Absorption of high-energy nucleons in the atmosphere, 1=3291
- Baraff, G.A. Correlation and quantum corrections in the Thomas-Fermi model of the atom, 1=13916
- Baraff, G.A. Distribution functions and ionization rates for hot electrons in semiconductors, 3=6573
- Baraff, G.A. Maximum anisotropy approximation for calculating electron distributions; application to high field transport in semiconductors, 4=8114
- Baraff, G.A. Spectral shape and attenuation length for hot electrons in the presence of finite absorption, 4=25880
- Baraff, G.A. and Borowitz, S. Green's function method for quantum corrections to the Thomas-Fermi model of the atom, 1=5960
- Baraff, G.A. and Buchsbaum, S.J. Anisotropic electron distribution and the d.c. and microwave avalanche breakdown in hydrogen, 3=12072
- Baraff, G.A. See Smith, G.E., 4=28399
- Barakat, N., Mohamed, A.A.A., El Bialy, A. and Azim, K.A. Interferometric evaluation of thickness of Canada balsam and collodion films and its relation to concentration of solutions, 3=9395
- Barakat, N. and Mokhtar, S. On the factors contributing to the formation of multiple-beam Fizeau fringes, 3=9607
- Barakat, N. and Mokhtar, S. Experimental determination of phase change at reflection from glass-metallic layer interface using a Koster interference comparator, 3=24044
- Barakat, N., Mokhtar, S. and Abd el Haadi, K. On the determination of the relative phase change at reflection air-metal and its variation with thickness for silver layers, 4=11349

- Barakat, R. Total illumination in a diffraction image containing spherical aberration, 1=4437
- Barakat, R. The intensity distribution and total illumination of aberration-free diffraction images, 1=18547
- Barakat, R. Solution of the Luneberg apodization problems, 2=5149
- Barakat, R. Application of apodization to increase two-point resolution by the Sparrow criterion. I. Coherent illumination, 2=5150
- Barakat, R. Computation of the transfer function of an optical system from the design data for rotationally symmetric aberrations. I. Theory, 2=19683
- Barakat, R. and Morello, M.V. Computation of the transfer function of an optical system from the design data for rotationally symmetric aberrations. II. Programming and numerical results, 2=19684
- Barakat, R. Theory of the coherency matrix for light of arbitrary spectral bandwidth, 3=5507
- Barakat, R. Stochastic generalization of the Green-Wolf complex scalar potential of electromagnetic theory, 3=5816
- Barakat, R. Diffraction of plane waves by an elliptic cylinder, 4=5322
- Barakat, R. Diffraction of plane waves by a slit between two different media, 4=5812
- Barakat, R. Numerical results concerning the transfer functions and total illuminance for optimum balanced fifth-order spherical aberration, 4=8381
- Barakat, R. Application of the sampling theorem to optical diffraction theory, 4=18421
- Barakat, Richard and Barakat, Robert. Optical studies of the diffraction of water waves by circular and thin elliptic cylinders, 0=8633
- Barakat, R. and Houston, A. Reciprocity relations between the transfer function and total illuminance. I, 4=2817
- Barakat, R. and Houston, A. Modulation of square-wave objects in incoherent light. I, 4=5392
- Barakat, R. and Houston, A. Line spread function and cumulative line spread function for systems with rotational symmetry, 4=18386
- Barakat, R. and Houston, A. Diffraction effects of coma, 4=27290
- Barakat, R. and Lev, D. Transfer functions and total illuminance of high numerical aperture systems obeying the sine condition, 3=5512
- Barakat, R. and Levin, E. Application of apodization to increase two-point resolution by the Sparrow criterion. II. Incoherent illumination, 3=5511
- Barakat, R. and Levin, E. Diffraction of plane electromagnetic waves by a perfectly conducting cylindrical lamina, 4=27647
- Barakat, R. and Morello, M.V. Computation of the total illuminance (encircled energy) of an optical system from the design data for rotationally symmetric aberrations, 4=11330
- Barakat, R. and Newman, A. Measurement of the total illuminance in a diffraction image. I. Point sources, 4=5367
- Barakat, R., Newman, A. and Humphreys, R. Measurement of the total illuminance in a diffraction image. II. Line sources, 4=29737
- Barakat, Robert. See Barakat, Richard, 0=8633
- Barakat, R.G. Transient diffraction of scalar waves by a fixed sphere, 0=2208
- Barakat, R.G. Propagation of acoustic pulses from a circular cylinder, 2=2825
- Barakos, P.A. Experimental determination of compressional velocity for the bottom layer by the dispersion method, 3=6950
- Baram, A.A. The extraction of impurities from polyethylene in an ultrasonic field, 1=20638
- Baram, A.A. The extraction of impurities from polyethylene in an ultrasonic field, 2=6841
- Baram, A.A. and Kokushkin, O.A. Operating characteristics of an acoustic siren, 3=21496
- Baramidze, G.A., Gurgenishvili, G.E. and Khutsishvili, G.R. The quantum theory of cyclotron resonance in a degenerate band, 3=20150
- Baran, J. and Kolos, W. Vibrational constants for the ground state of the hydrogen molecule, 2=12314
- Baran, J., Semkowicz, A. and Zakrzewski, J. New accelerating voltage stabilizer for a U-120 type cyclotron, 3=14694
- Baran, W. Calculation of attraction and adhesion forces for magnetized bodies of square shape, 2=17929
- Baran, W. Determination of the pull of magnets with hard magnetization, 4=27607
- Baran, W., Breuer, W., Fahlenbrach, H. and Janssen, K. Some investigations on iron-cobalt permanent magnet alloys of the Vicalloy II type, 1=6343
- Baran, W. See Fahlenbrach, H., 4=23010
- Bărnănescu, G. Evaluation of some thermodynamic magnitudes in relation to conventionally chosen origins, 2=22104
- Baranger, E. and Chong Wan Lee. Spurious states arising from the centre-of-mass motion of a nucleus, 1=3394
- Baranger, E. See Arvieu, R., 3=17380
- Baranger, M. Extension of the shell model for heavy spherical nuclei, 0=20317
- Baranger, M. Self-consistent field theory of nuclear shapes, 1=7316
- Baranger, M. An extension of the shell model for heavy spherical nuclei, 1=8548
- Baranger, M. Reformulation of the theory of pairing correlations, 3=11727
- Baranger, M. Theory of finite nuclei, 4=12093
- Baranger, M. A reformulation of the theory of pairing correlations, 4=24487
- Baranger, M. and Mozer, B. Light as a plasma probe, 1=10696
- Baranger, M. See Arvieu, R., 3=17380
- Baranger, M. See Davies, K.T.R., 3=557
- Baranger, M. See Griem, H.R., 2=3698
- Baranger, M. See Kumar, K., 4=15127
- Baranger, M. See Mozer, B., 0=10870
- Baranik, A.T. See Abuzeid, M.A., 3=19847
- Baranik, A.T. See Abuzeid, M.A., 4=9490
- Baranik, A.T. See Abuzeid, M.A., 4=22177
- Baranne, A. Primary focus correction in a Ritchie-Chrétien telescope, 4=23831
- Baranne, A. See Dufay, J., 2=19287
- Baranne, A. See Dufay, J., 3=5246
- Baranov, A.G. A method to verify experimentally that the speed of light is independent of the velocity of the source, 1=18558
- Baranov, A.I., Blinov, V.A., Lepenv, G.P. and Selitskii, Yu.A. Vacuum evaporation of materials onto thin organic films, 3=25773
- Baranov, A.I. See Kreimer, G.S., 1=6468
- Baranov, B.V. and Goryunova, N.A. Preparation of homogeneous solid solutions in the AlSb-InSb, 0=10328
- Baranov, E.V. and Akimov, I.A. Photoconductivity of photographic layers at 10^{10} c/s, 4=21324
- Baranov, E.V., Kholmogorov, V.E. and Terenin, A.N. Photo-induced electronic paramagnetic resonance signals in zinc oxide, 3=6751
- Baranov, E.V. See Kholmogorov, V.E., 4=7325
- Baranov, I.A. and Kazarinov, N.M. Surface-barrier silicon counters in neutron and fission-fragment beams, 4=14671
- Baranov, I.A., Protopopov, A.N. and Eismont, V.P. Anisotropy of U^{238} fission induced by 3 MeV neutrons, 2=509
- Baranov, I.A., Protopopov, A.N. and Eismont, V.P. Comparison of the kinetic energy of the fission fragments of U^{238} bombarded by neutrons with energies 5 and 15 MeV, 2=14154
- Baranov, I.A., Protopopov, A.N. and Eismont, V.P. Anisotropy of U^{238} fission induced by 3 MeV neutrons, 2=22859
- Baranov, I.A. See Protopopov, A.N., 0=11454
- Baranov, I.A. See Protopopov, A.N., 0=13304
- Baranov, P.S., Slovokhotov, L.I., Sokol, G.A. and Shtarkov, L.N. Elastic scattering of 247 MeV γ -quanta on hydrogen, 2=3301
- Baranov, P.S., Slovokhotov, L.I., Sokol, G.A. and Shtarkov, L.N. A differential method for the determination of the efficiency of a gamma-counter, 2=20297
- Baranov, P.S., Slovokhotov, L.I., Sokol, G.A. and Shtarkov, L.N. Elastic scattering of 247 MeV γ -quanta on hydrogen, 3=4371
- Baranov, S.A., Kulakov, V.M., Samoilov, P.S., Zelenkov, A.G. and Rodionov, Yu.F. Investigation of radioactive decay of Np^{237} , 2=3500
- Baranov, S.A., Kulakov, V.M. and Belenky, S.N. Fine structure of α -radiation on Pu^{239} , 3=10319
- Baranov, S.A., Kulakov, V.M. and Belen'kii, S.N. Fine structure of Pu^{239} alpha-radiation, 3=15160
- Baranov, S.A., Kulakov, V.M., Samoilov, P.S., Zelenkov, A.G., Rodionov, Yu.F. and Pirozhkov, S.V. Fine structure of the Pa^{231} α -radiation and the energy level scheme of the Ac^{227} nucleus, 2=3501
- Baranov, S.A., Kulakov, V.M., Samoilov, P.S., Zelenkov, A.G. Rodionov, Yu.F. and Pirozhkov, S.V. Fine structure of the Pa^{231} α -radiation and the energy level scheme of the Ac^{227} nucleus, 3=24220

- Baranov, S.A., Kulakov, V.M., Samoilov, P.S., Zelenkov, A.G. and Rodionov, Yu. F. Investigation of radioactive decay of Np^{237} , 3=4605
- Baranov, S.A., Kulakov, V.M., Zelenkov, A.G. and Shatinskii, V.M. Investigation of α -decay of Am^{241} , 3=2421
- Baranov, S.A., Kulakov, V.M., Zelenkov, A.G. and Shatinsky, V.M. α -decay of Am^{241} , 3=15162
- Baranov, S.A., Kulakov, V.M. and Shatinskii, V.M. New data on α -decay of americium isotopes, 4=9461
- Baranov, S.A., Kulakov, V.M. and Shatinsky, V.M. New data on Am^{243} and Am^{241} α -decays, 4=28004
- Baranov, S.A., Polevoi, R.M., Rodionov, U.F. and Shishkin, G.V. Nuclear energy levels of Tu^{169} , 0=7479
- Baranov, S.A., Polevoi, R.M., Rodionov, Yu. F., Shishkin, G.V. and Shubko, V.M. Radioactive decay of Th^{231} , 2=16344
- Baranov, S.A., Samoilov, P.S., Rodionov, Yu. F., Belen'kii, S.N. and Pirozhkov, S.V. Energy levels of the U^{232} nucleus, 2=3490
- Baranov, S.A., Samoilov, P.S., Rodionov, Yu. F., Belen'kii, S.N. and Pirozhkov, S.V. Energy levels of the U^{232} nucleus, 3=4581
- Baranov, S.A. and Zelenkov, A.G. Alpha-ray spectroscopy (survey), 2=5755
- Baranov, S.A., Zelenkov, A.G. and Kulakov, V.M. Investigation of the fine structure of alpha-radiation from U^{234} and U^{235} , 2=14018
- Baranov, V. and Naudy, H. Numerical calculation of the formula of reduction to the magnetic pole, 4=15893
- Baranov, V.B. On the derivation of the equations of anisotropic magnetohydrodynamics, 3=21955
- Baranov, V.B. and Liubimov, G.A. Form of the generalized Ohm's law in a completely ionized gas, 2=22311
- Baranov, V.B., Liubimov, G.A. and Khu Iu'ni'. Calculations of the boundary layer on a dielectric flat plate in a flow of incompressible anisotropically-conducting fluid, in the presence of a uniform magnetic field, 4=8919
- Baranov, V.F. Double-focusing beta spectrometer without iron, 1=4651
- Baranov, V.I., Gromov, K.Ya., Dzhelepov, B.S., Z'iyong Chong Bai, Malysheva, T.V., Morozov, V.A., Khotin, B.A. and Chumin, V.G. New iridium and platinum isotopes: Ir^{184} and Pt^{187} , 2=14053
- Baranova, R.V. and Pinsker, Z. G. Study of the copper-tellurium system in thin films, 4=30880
- Baranova, R.V. See Kurdyumova, R.N., 1=20536
- Baranova, V.I. and Golovin, S.A. Effect of quenching temperature on damping capacity and electrical resistivity of iron-molybdenum alloys, 4=1949
- Baranova, V.I. See Krishtal, M.A., 3=5060
- Baranova, V.I. See Krishtal, M.A., 4=20268
- Baranovskii, V.I. and Gorodinskii, G.M. Determination of the number of disintegration events in electron-capture materials by means of a 4 π scintillation counter, 2=14010
- Baranovskii, V.I. and Murin, A.N. Calculation of the yield cross-sections for spallation reactions, 3=8058
- Baranovskii, V.I. See Murin, A.N., 0=7604
- Baranowski, B. Temperature-dependence of the high hydrogen concentration in nickel layers, 0=6426
- Baranowski, B. Irreversible processes in gases with internal degrees of freedom in weakly coupling approximation, 1=15955
- Baranowski, B. The temperature dependence of electrical resistance for nickel hydride, 4=17466
- Baranowski, B. and Czarnota, I. The enthalpy of desorption for nickel hydride, 4=23649
- Baranowski, B. and Ronotowski, T. Cross effects in many-component fluid systems with an antisymmetric pressure tensor, 4=21072
- Baranowski, B. and Smialowski, M. Charging of nickel films with hydrogen evolved electrolytically in the presence of catalytic poisons, 0=8311
- Baranowski, B. and Smialowski, M. Some remarks on "A note on nickel hydride", 2=15028
- Baranskii, K.N., Shustin, O.A., Velichkina, T.S. and Yakovlev, I.A. Frequency dependence of sound absorption in Rochelle salt near its upper Curie point, 3=2726
- Baranskii, K.N. See Shustin, O.A., 1=19704
- Baranskii, P.I. The nature of the volume-gradient e.m.f. developed in germanium in the presence of a current, 0=11690
- Baranskii, P.I. The volume gradient Thomson effect, 0=11732
- Baranskii, P.I. Volume-gradient phenomena and the limits of applicability of the probe compensation method for measuring the electrical conductivity of semi-conductors, 1=17644
- Baranskii, P.I. Volume-gradient phenomena and the problem of the fulfillment of the second thermoelectric relation, 1=17812
- Baranskii, P.I. Carrier density dependence of the thermal e.m.f. in n- and p-germanium, 2=2197
- Baranskii, P.I. The volume-gradient effects in semi-conductors, 2=23262
- Baranskii, P.I., Dzyubenko, G.M. and Konoplyasova, N.S. An experimental study of the volume gradient e.m.f. appearing in germanium in the presence of a current, 1=12435
- Baranskii, P.I., Dzyubenko, G.M. and Konoplyasova, N.S. An experimental study of the volume gradient e.m.f. appearing in germanium in the presence of a current, 1=14439
- Baranskii, P.I. and Kurilo, P. M. Investigation of the symmetry properties of iso-energy surfaces in n-type germanium by means of Hall measurements, 4=30545
- Baranskii, P.I. and Kurilo, P.M. Dependence of the bulk Peltier effect on the gradient of the specific resistance, 0=11733
- Baranskii, P.I. and Tomkevich, S.L. Bridgman effect in bismuth telluride crystals, 0=20944
- Baranskii, P.I. and Vinetskii, R.M. Dependence of the Hall coefficient of p-germanium on the strength of the magnetic field, 2=14533
- Baranskii, P.I. and Vinetskii, R.M. Dependence of the Hall coefficient of p-germanium on the strength of the magnetic field, 2=18674
- Baranskii, P.I. Non-calorimetric method for measuring the relative values of Peltier's coefficient on the boundary of a metal with metals or semiconductors, 1=14533
- Baranskii, P.I. and Kurilo, P.M. Concentration dependence of the Hall coefficient in p-germanium, 4=12901
- Barantsev, R.G. Plane wave scattering by a double periodic surface of arbitrary shape, 2=5089
- Barantsev, R.G. The asymptotic law of smoothing out of the discontinuity in a monatomic gas, 2=13359
- Barantsev, R.G. A method of separating variables in the problem of scattering on a body of arbitrary shape, 3=5366
- Barantsev, R.G. The asymptotic law of smoothing out of the discontinuity in a monatomic gas, 3=5488
- Barantsev, R. G. The method of integral instantaneous kinetic equations, 4=2719
- Barantseva, I. G. See Marchenko, V. I., 4=30527
- Barantseva, I.G. See Neshpor, V.S., 3=25213
- Bárány, N. Considerations regarding the possible use of some optical elements, 0=2233
- Bárány, N. Micrometer adjustment of mirrors and prisms, 0=12397
- Bárány, N. Deflection disk as a vision-influencing phenomenon, 2=7073
- Barash, L.F. See Okaya, A., 3=487
- Barashenkov, V.S. The interaction of K-mesons, pions, nucleons and hyperons, 0=1288
- Barashenkov, V.S. Non-elastic collisions of fast π -mesons with nucleons and peripheral ($\pi\pi$) interactions, 0=7408
- Barashenkov, V.S. Angular asymmetry in π - π collision and the π - π interaction, 0=15396
- Barashenkov, V.S. Inelastic interactions of π -mesons with nucleons at 6.8 GeV, 1=2082
- Barashenkov, V.S. Interaction cross-sections of high-energy particles, 1=8492
- Barashenkov, V.S. Pion interaction in Fermi statistical theory, 1=16859
- Barashenkov, V.S. Interaction of π -mesons in the Fermi statistical theory, 1=19239
- Barashenkov, V.S. Interaction of π -mesons in the Fermi statistical theory, 3=4438
- Barashenkov, V.S. Small angle elastic scattering of high-energy particles, 4=3350
- Barashenkov, V.S. Inelastic interactions between high-energy particles, 4=3351
- Barashenkov, V.S. Elastic interactions of high energy particles, 4=5972
- Barashenkov, V.S., Beliakov, V.A., Glagolev, V.V., Dalkhazhav, N., Yao Tsing Se, Kirillova, L.F., Lebedev, R.M., Maltsev, V.M., Markov, P.K., Shafranov, M.G., Tolstov, K.D., Tsyganov, E.N. and Wang Shou Feng. Mechanism of interaction of fast protons with nucleons and nuclei, 0=4088
- Barashenkov, V.S., Belyakov, V.A., Van Shu-Fen' [Wang Shu-Fen], Glagolev, V.V., Dolkhazhav, N., Kirillova, L.F., Lebedev, R.M., Maltsev, V.M., Markov, P.K., Tolstov, K.D., Tsyganov, E.N., Shafranov, M.G. and Yao Tsin-Se [Yao Ch'ing-Hsieh]. The interaction between fast nucleons and nuclei in the NKFI-R photographic emulsion, 0=3966

- Barashenkov, V.S., Belyakov, V.A., Wang Shu-Fên, Glagolev, V.V., Dolkhazhiv, N., Kirillova, L.F., Lebedev, R.M., Mal'tsev, V.M., Markov, P.K., Tolstov, K.D., Tsyganov, E.N., Shafranov, M.G. and Yao Ch'ing-Hsieh. The interaction between fast nucleons and nuclei in the NIKFI-R photographic emulsion, 2=1869
- Barashenkov, V.S., Blokhintsev, D.I., Mihul, E.K., Patera, J. and Semashko, G.L. Pole theory of Λ -hyperon production in π^-p interactions at high energies, 4=3488
- Barashenkov, V.S., Blokhintsev, D.I., Patera, I. and Semashko, G.L. The analysis of the recoil proton momentum spectrum in inelastic π^-p interactions at 7 GeV, 4=21900
- Barashenkov, V.S., Blokhintsev, D.I., Van Zhun [Wang Jung], Mikhail, E.K., Khuan tszu-chzhan' [Huang Tsu-chan] and Khu Shi-ke [Hu Shih-ko']. Inelastic high energy pion-nucleon interactions, 2=7884
- Barashenkov, V.S., Blokhintsev, D.I., Van Zhun [Wang Jung], Mikhail, E.K., Khuan tszu-chzhan' [Huang Tsu-chan] and Khu Shi-Ké [Hu Shih-ko']. Inelastic high-energy pion-nucleon interactions, 3=6040
- Barashenkov, V.S., Boyadgiev, A.V., Kulyukina, L.A. and Maltsev, V.M. Cascade interactions of high-energy particles with nuclei, 4=25367
- Barashenkov, V.S. and Huan Nen-Ning. Nucleon interaction cross-sections at 9 GeV energy, 0=11158
- Barashenkov, V.S. and Kaiser, H.J. Electric and magnetic polarisabilities of the nucleons and pions, 4=6034
- Barashenkov, V.S., Kaiser, H.J., Kapuścik, E.E. and Kwieciński, J.S. A semi-phenomenological description of Compton scattering on spin $\frac{1}{2}$ systems, 4=11958
- Barashenkov, V.S., Kaiser, H.J. and Ogreba, A.A. Electric and magnetic polarizabilities of the nucleon, 1=13404
- Barashenkov, V.S., Kaiser, H.J. and Ogreba, A.A. Elastic scattering of γ -quanta by a particle with spin $\frac{1}{2}$, 3=571
- Barashenkov, V.S., Kaiser, H.J. and Van-Pei. Theory of peripheral interactions of fast particles, 2=9778
- Barashenkov, V.S. and Mal'tsev, V.M. Resonance interactions of pions, 0=11212
- Barashenkov, V.S. and Maltsev, V.M. Multiple production of nonstable particles in pion nucleon collisions, 0=15312
- Barashenkov, V.S. and Maltsev, V.M. Production of deuterons in the interaction of fast nucleons with nuclei, 2=16391
- Barashenkov, V.S. and Mal'tsev, V.M. Particle production at very high energies, 3=4366
- Barashenkov, V.S. and Maltsev, V.M. Effective cross section for reaction $(p, p\pi^+)$, 3=4635
- Barashenkov, V.S. and Mal'tsev, V.M. Mechanism of interaction of fast particles with nuclei, 4=898
- Barashenkov, V.S. and Maltsev, V.M. Cross-sections for elementary particle interactions, 4=3361
- Barashenkov, V.S., Maltsev, V.M. and Huang Tzu-chang. Cross-sections for strange particle production. II, 3=19700
- Barashenkov, V.S., Maltsev, V.M. and Mihul, E.K. Central and peripheral collisions between fast nucleons. I, 0=3964
- Barashenkov, V.S., Mal'tsev, V.M. and Mikhail, E.K. Theoretical interpretation of inelastic $p-p$ and $p-n$ collisions at 9 ReV, 0=11168
- Barashenkov, V.S., Maltsev, V.M. and Mikhail, E.K. Mechanism of interaction of fast nucleons with nuclei, 1=9849
- Barashenkov, V.S., Mihul, E.K. and Huang Tzu-Tzan. Cross section for strange particle generation, 1=16909
- Barashenkov, V.S. and Patera, J. Cross sections for antinucleon production, 4=30222
- Barashenkov, V.S. and Syan' Din Chan [Hsien Ting Ch'ang]. The real part of the elastic scattering amplitude at high energies, 0=20193
- Barashenkov, V.S., Van-Pei [Wang P'ei] and Mal'tsev, V.M. Momentum distribution of particles created in inelastic $n-n$ collisions at 9 BeV, 0=9350
- Barashenkov, V.S., Van Shu-Fen and Tolstov, K.D. Collisions of 9 GeV protons with nuclei, 1=3441
- Barashenkov, V.S. See Blokhintsev, D.I., 0=2582
- Barashenkov, V.S. See Blokhintsev, D.I., 4=6032
- Barashenkov, V.S. See Blokhintsev, D.I., 0=11155
- Barashenkov, V.S. See Blokhintsev, D.L., 1=2047
- Barat, J., Lequeux, J. and LeRoux, E. Preliminary observations of the polarization of radio sources at a wavelength of 21 cm, 1=4221
- Barat, M. Determination of static pressures in turbulent flow, 2=9240
- Barat, M. and Baudon, J. Study of the discrete energy losses of a fast proton beam passing through a gaseous target, 4=11517
- Barat, M., Baudon, J. and Septier, A. Energy losses of fast (80 keV) rare gas ions in collisions with rare gas atoms. (Helium and neon), 4=24594
- Barat, M., Baudon, J. and Septier, A. Loss of energy suffered by fast ions (80 KeV) of rare gases after collision with atoms of rare gases (argon, krypton, xenon), 4=27478
- Barath, F.T. [Ed.]. Symposium on radar and radiometric observations of Venus during the 1962 conjunction, 4=13946
- Barath, F.T., Barrett, A.H., Copeland, J., Jones, D.E. and Lilley, A.E. Mariner II: preliminary reports on measurements of Venus: microwave radiometers, 3=18618
- Barath, F.T., Barrett, A.H., Copeland, J., Jones, D.E. and Lilley, A.E. Mariner 2 microwave radiometer experiment and results, 4=13954
- Baratoff, A. See Ambegaokar, V., 3=19103
- Baratoff, A. See Ambegaokar, V., 4=5505
- Baratov, D.G. See Demirkhanov, R.A., 4=14699
- Baratov, D.G. See Demirkhanov, R.A., 4=19100
- Barau, A.K. Unlike molecular interactions from viscosity and inter-diffusion, 0=15786
- Bar-Avraham, E. and Lindeman, H. Variations on the muon flux caused by Forbush events, 3=12531
- Baravian, G. See Godard, J., 2=13548
- Baravian, G. See Godart, J., 3=4024
- Barb, D., Ursu, I., Bologa, M. and Rézvantsé, R. Simultaneous isotopic exchange and catalytic oxidation of hydrogen on nickel-chromium trioxide, 4=7758
- Barbanis, B. An application of the third integral in the velocity space, 3=1504
- Barbanis, B.S. See Goudas, C.L., 3=18647
- Barbariol, I. See Cocco, A., 3=8550
- Barbaro-Galtieri, A., Barkas, W.H., Heckman, H.H., Patrick, J.W. and Smith, F.M. Apparent violation of the $\Delta s = \Delta Q$ rule by leptonic Σ^+ decay, 2=20434
- Barbaro-Galtieri, A., Hussain, A. and Tripp, R.D. Investigation of $K^+ \pi^-$ and $K^+ p$ interactions, 4=6132
- Barbaro-Galtieri, A., Manfredini, A., Quassiat, B., Castagnoli, C., Gainotti, A. and Ortalli, I. Experimental results on the proton-nucleus collisions at 27 GeV in emulsion, 1=17102
- Barbaro-Galtieri, A., Smith, F.M. and Patrick, J.W. Investigation of Y_0^* production by K^+ at rest in emulsion, 4=3485
- Barbaro-Galtieri, A. See Alston, M.H., 4=21944
- Barbaro-Galtieri, A. See Baudinet-Robinet, Y., 2=13798
- Barbaro-Galtieri, A. See Castagnoli, C., 1=12088
- Barbaro-Galtieri, A. See Kalbfleisch, G.R., 4=27891
- Barbashov, B.M. Dynamic resonances in solutions of the Low equation for some field theory models, 2=20224
- Barbashov, B.M. Dynamic resonances in solutions of the low equation for some field theory models, 3=7760
- Barbashov, B.M. and Efimov, G.V. The Green's function in the model of scalar charged mesons with a fixed source, 0=5505
- Barbashov, B.M. and Efimov, G.V. A method for solving field theory problems involving a stationary nucleon, 0=20015
- Barbashov, B.M. and Efimov, G.V. A model of local field theory with finite charge renormalization, 1=19086
- Barbashov, B.M. and Efimov, G.V. Properties of a solution of the Low equation for a local field theory model, 2=9804
- Barbashov, B.M. and Efimov, G.V. A note on nonrenormalized theories, 3=2184
- Barbashov, B.M. and Efimov, G.V. Properties of a solution of the low equation for a local field theory model, 3=5964
- Barbashov, B.M. See Arbuzov, B.A., 3=14891
- Barbashov, B.M. See Blokhintsev, D.I., 4=6032
- Barbashov, B.M. See Blokhintsev, D.I., 0=11155
- Barbashov, B.M. See Blokhintsev, D.L., 1=2047
- Barbé, G. The sudden onset of easterly winds in winter in the middle and higher stratosphere and the progressive extension of the change northwards from 20° to 50° latitude in the neighbourhood of the Paris meridian, 1=20823
- Barbé, G. On the existence of different stratospheric air masses above tropospheric jet currents, 1=20826
- Barbe, G. The influence of tropospheric jet currents on the fallout of radioactive particles and a possible mechanism for the vertical transfer of stratospheric air, 1=20871
- Barbé, R. See Lehmann, J.C., 4=9359
- Barber, A.C. and Morton, P.H. Superconducting Nb₃Sn strip, 3=21664
- Barber, C.R. Resistance thermometers for low temperatures, 1=4504
- Barber, C.R. The establishment of a practical scale of temperature for the range 10-90°K, 2=11519
- Barber, C.R. Conference on the measurement of high temperatures, London May 1964, 4=27360
- Barber, C.R. and Hall, J.A. Progress in platinum resistance thermometry, 2=9437

- Barber, C.R. and Horsford, A. The determination of the boiling and triple points of equilibrium hydrogen and its vapour pressure-temperature relation, 4=5478
- Barber, C.R., Quinn, T.J., Power, E.B. and Holloway, W.J. A full-radiator lamp designed to replace the tungsten strip lamp as a pyrometric standard, 4=24336
- Barber, D. and Moule, G.L. Observations at 610 megacycles/sec of the radiation from Jupiter, 4=2458
- Barber, D., Sutcliffe, H.K. and Watkins, C.D. Some radar observations of meteors and aurorae at 300 and 500 Mc/s using a large radio telescope. I. Observations of meteors, 2=24172
- Barber, D., Sutcliffe, H.K. and Watkins, C.D. Some radar observations of meteors and aurorae at 300 and 500 Mc/s using a large radio telescope. II. Observations of the aurora borealis, 2=24173
- Barber, D.J. Growth of aluminium whiskers by vapour condensation, 2=14962
- Barber, D.J. Etching of dislocations in sodium chloride crystals, 3=1258
- Barber, D.J. A new etchant for revealing defect structures in aluminium, 3=4876
- Barber, D.J. Preparation of peritectic-type intermetallic compounds by a modified Czochralski method, 4=13525
- Barber, D.J. and Gillett, B.A. The preparation of single crystals of super-purity aluminium by sand-casting, 2=14957
- Barber, D.J. and Jones, B.K. Impurity distributions in zone-refined aluminium, 4=4540
- Barber, D.L.A. and Atkinson, M.P. Method of measuring displacement using optical gratings, 0=3646
- Barber, D.R. Variable brightness of comet Burnham (1959k) and auroral activity, 1960 April 27-30, 1=2606
- Barber, D.R. Apparent solar control of the effective capacity of a 110 V 170 AH lead-acid storage battery in an 11-year cycle, 3=1927
- Barber, D.R. Optical evidence of the lunar atmospheric tide, 3=6988
- Barber, M., Cuthbert, J., Farren, J. and Linnett, J.W. A mass spectrometer for studying chemical reactions, 3=21902
- Barber, M., Farren, J. and Linnett, J.W. Mass spectrometric sampling through a small hole in the adiabatic flow region, 3=21441
- Barber, M.R. and Sanders, K.F. The calculation of electrostatic electron-gun performance, 0=17037
- Barber, N.F. and Crombie, D.D. V.L.F. reflections from the ionosphere in the presence of a transverse magnetic field, 0=15164
- Barber, N.F. See Munk, W.H., 3=16203
- Barber, P.B., Gaskell, C.S., Looms, J.S.T., Swift, D.A. and Tozer, B.A. Electrical breakdown in a shocked gas, 2=9555
- Barber, P.B., Looms, J.S.T., Swift, D.A. and Tozer, B.A. Impulse breakdown between co-axial electrodes at low pressure, 4=11555
- Barber, P.B., Looms, J.S.T., Swift, D.A. and Tozer, B.A. Shock-controlled spread of an impulsive discharge, 4=21478
- Barber, P.B., Pilcher, M.L., Swift, D.A. and Tozer, B.A. Impulse discharges in crossed electric and magnetic fields, 4=18923
- Barber, P.B., Swift, D.A. and Tozer, B.A. Time resolved Schlieren and interferometer studies of a low pressure discharge, 3=9739
- Barber, R.C., Bishop, R.L., Cambey, L.A., McLatchie, W. and Duckworth, H.E. Some atomic masses and neutron separation energies for isotopes of tin and antimony, 3=714
- Barber, R.C., Cambey, L.A., Ormrod, J.H., Bishop, R.L. and Duckworth, H.E. Some precision mass differences between tin isotopes, 2=20760
- Barber, R.C., Bishop, R.L., McLatchie, W., Van Rookhuyzen, P. and Duckworth, H.E. Neutron separation energies for zirconium and the $Zr^{90}-Nb^{90}$ and $Nb^{94}-Zr^{94}$ decay energies, 3=12627
- Barber, R.C., Duckworth, H.E., Hogg, B.G., Macdougall, J.D., McLatchie, W. and Van Rookhuyzen, P. The mass effect corresponding to the onset of nuclear deformation in the region $N \approx 90$, 4=25257
- Barber, R.C., McLatchie, W., Bishop, R.L., Van Rookhuyzen, P. and Duckworth, H.E. Neutron separation energies for tellurium and the $I^{130}-Te^{130}$ and $Te^{132}-Sb^{133}$ decay energies, 3=22336
- Barber, R.C., McLatchie, W., Bishop, R.L. and Macdougall, J.D. Some new mass comparisons involving isotopes of Ti, V, Zn, Ge, and Se, 4=12413
- Barber, R.C. See Bishop, R.L., 4=3535
- Barber, R.C. See Cambey, L.A., 4=8859
- Barber, R.C. See Isenor, N.R., 0=11494
- Barber, R.C. See McLatchie, W., 4=19638
- Barber, R.C. See McLatchie, W., 4=25253
- Barber, W.A. and Sloan, C.L. Solubility of calcium carbide in fused salt systems, 2=1143
- Barber, W.C., Berthold, F., Fricke, G. and Gudden, F.E. Nuclear excitation by scattering of 40-MeV electrons, 1=681
- Barber, W.C. and George, W.D. Neutron yields from targets bombarded by electrons, 0=4109
- Barber, W.C., Goldemberg, J., Peterson, G.A. and Torizuka, Y. Study of nuclear magnetic transitions by inelastic electron scattering, 3=10332
- Barber, W.C. and Gudden, F.E. Inelastic electron scattering from carbon, 0=449
- Barber, W.C. and Vanhuysse, V.J. Photoprotons from medium and heavy elements, 0=11432
- Barber, W.C. and Vanhuysse, V.J. Photoprotons from Nb^{93} , 1=13771
- Barber, W.C. and Wiedling, T. Electrodintegration of Ta and Au nuclei, 0=20473
- Barber, W.C. See Dodge, W.R., 2=20592
- Barber, W.C. See Goldemberg, J., 3=15181
- Barber, W.C. See Goldemberg, J., 4=19672
- Barber, W.C. See Goldemberg, J., 4=19760
- Barber, W.C. See Lewis, F.H., Jr., 3=19769
- Barber, W.C. See Peterson, G.A., 1=19285
- Barber, W.C. See Peterson, G.A., 2=22658
- Barber, W.C. See Vanhuysse, V.J., 1=13770
- Barbetta, M.G., Depietri, C., Lovera, G. and Fedeli, R.P. Angular distribution of meson showers produced by heavy ($Z \geq 2$) cosmic-ray primaries, 1=5804
- Barbey, P. and Geneux, E. Hyperfine structure of the $8^3P_{3/2}$ state of caesium 133, 3=12757
- Barbiellini, G., Bologna, G., Diambri, G. and Murtas, G.P. Experimental evidence for a quasi-monochromatic bremsstrahlung intensity from the Frascati 1-GeV, electron synchrotron, 2=20302
- Barbiellini, G., Bologna, G., Diambri, G. and Murtas, G.P. Production of a quasi-monochromatic γ -ray beam from multi-GeV electron accelerators, 2=13755
- Barbiellini, G., Bologna, G., Diambri, G. and Murtas, G.P. Measurement of the polarization of the Frascati 1-GeV electron synchrotron γ -ray beam from a diamond crystal radiator, 3=5980
- Barbiellini, G., Bologna, G., Diambri, G. and Murtas, G.P. Crystal method for measuring the linear polarization of photons in the multi-GeV region, 3=17234
- Barbier, C. See Delmau, J., 4=28261
- Barbier, D. Auroral activity at low latitudes, 0=6468
- Barbier, D. Researches on the 6300 line of the night airglow, 0=18516
- Barbier, D. Systematic variations of the intensity of the principal radiations of the light of the night sky at the Haute-Provence observatory, 0=21383
- Barbier, D. Origin of [OI] 5577 in nightglow and in aurora, 1=1555
- Barbier, D. Emission of the red line of the night sky and the properties of the F-layer of the ionosphere, 1=21027
- Barbier, D. The intensity variations of the 6300 Å line of the nightglow, 2=909
- Barbier, D. Airglow and earth storm, 2=13040
- Barbier, D. Study of the F region from the red band of the night sky, 3=13774
- Barbier, D. Comparison of photometric and ionospheric observations of the F-layer, 4=7926
- Barbier, D., Fafiotte, M. and Weill, G. Aerial mission for the study of the aurora and the night sky in regions of high latitude, 3=5223
- Barbier, D. and Glaume, J. Contribution to the study of the structure of the layer emitting the 5577 line in the night sky, 0=21385
- Barbier, D. and Glaume, J. Correlations between intensities of various radiations of the night atmospheric luminescence, 1=4131
- Barbier, D. and Glaume, J. The 6300 and 5577 Å radiations due to oxygen in the luminescence from the night sky at a low latitude station, 1=15301
- Barbier, D. and Glaume, J. Nocturnal F layer in the intertropical region and its relations with the 6300 Å airglow emission, 2=15244
- Barbier, D. and Mayot, M. A new solution to a transfer problem, 0=14550
- Barbier, D. and Morguleff, N. Narrow-band photoelectric spectrometry of early-type stars, 4=26910
- Barbier, D. and Morguleff, N. Eruptions of potassium in type G and K dwarf stars, 4=29386

- Barbier, D., Roach, F.E. and Steiger, W.R. The summer intensity variations of [OI] 6300 Å in the tropics, 2=15247
- Barbier, D., Weill, G., Daguilleon, J. and Marsan, J. Emission of the red line from the night sky in the inter-tropical zone, 1=7942
- Barbier, D., Weill, G. and Glaume, J. Emission of the red line of nightglow in Africa, 2=2510
- Barbier, D. See Roach, F.E., 2=17181
- Barbier, D. See Roach, F.E., 3=11454
- Barbier, J.C. Study of the addition of thermal-fluctuations after-effect and creeping ["reptation"], 1=7748
- Barbier, J.C. and Ferlin-Guion, B. Magnetic anisotropy of the demagnetized state, 2=12705
- Barbier, J.C. See Aléonard, R., 0=13739
- Barbier, M., Dowell, J.D., Kalmus, P.I.P., Leontic, B., Lundby, A., Meunier, R., Petrucci, G., Solinas, L., Stroot, J.P. and Szeptycka, M. Design and performance of a small-angle, high-intensity secondary particle beam from the cern proton synchrotron, 3=17002
- Barbier, M., Lapostolle, P., Morpurgo, M. and Vogt-Nilsen, N. On the design of an isochronous cyclotron meson factory, 3=5778
- Barbier, M. and Schoch, A. Study of two-dimensional non-linear oscillations by means of an electromechanical analogue model, applied to particle motion in circular accelerators, 0=19835
- Barbier, R. See Danan, H., 1=17939
- Barbieri, L.J., Webster, J.W. and Ken Tang Chow. Plutonium recycle in the Calder Hall type reactor, 0=13366
- Barbour, I.M. The electroproduction of a pion from a nucleon, 3=10145
- Barbour, I.M., Bietti, A. and Touschek, B.F. A remark on the neutrino theory of light, 3=16724
- Barbour, J.M. Comment on "aid to music composition employing a random probability system", 2=2840
- Barbour, J.P., Charbonnier, F.M., Dolan, W.W., Dyke, W.P., Martin, E.E. and Trolan, J.K. Determination of the surface tension and surface migration constants for tungsten, 0=7839
- Barbour, J.P. See Dyke, W.P., 0=9068
- Barbott, I. M. and Nishimura, K. A note on an isoscalar K \bar{K} resonance, 4=949
- Barbrow, L.E. Memorandum on a procedure for obtaining spectral radiant intensities of tungsten-filament lamps, 400-700 m, 0=205
- Bărbulescu, A. See Rosenberg, M., 2=10519
- Bărbulescu, D. See Iliescu, G., 0=10132
- Barcala, J. See Casas, J., 0=14796
- Barcala, J. See Casas, J., 0=16815
- Barchenko, P.Ya. See Suprunenko, V.A., 2=15924
- Barchewitz, M. and Gautier, M. Multilayer filter systems used in the infrared, 0=14841
- Barchewitz, P. See Arcas, P., 3=24023
- Barchewitz, P. See Arcas, P., 4=30450
- Barchewitz, P. See Haessler, C., 1=16076
- Barchewitz, P. See Haessler, C., 3=19983
- Barchewitz, P. See Joffrin-Graffouillere, C., 3=11916
- Barchewitz, P. See Legay, F., 0=16820
- Barchewitz, P. See Legay, F., 3=25108
- Barchewitz, P. See Meyer, C., 4=25658
- Barchewitz, P. See Nguyen-Van-Thanh, 2=18463
- Barchugov, V. V. See Frid, E.S., 4=21882
- Barchuk, I.F., Belykh, G.V., Golyskin, V.I. and Ogorodnik, A.F. Spectrum of γ -rays from the horizontal channel of the reactor VVR-M, 2=14170
- Barchuk, I.F., Byelykh, H.V., Holyskin, V.I. and Ohorodnyk, A.F. Magnetic spectrometer with an inhomogeneous field, 2=18104
- Barchuk, I.F., Pasechnik, M.V. and Tsibul'ko, Iu.A. Gamma-ray spectra excited by the inelastic scattering of fast neutrons by Mg, Al, Fe, Cu, Sn, and Sb, 0=9679
- Barchuk, I.F., Pasechnik, M.V. and Tsibul'ko, Yu.A. Gamma spectra due to inelastic scattering of neutrons, 1=12204
- Barchuk, I.F. See Pasichnyk, M.V., 2=18387
- Barchuk, I. F. See Pasechnik, M. V., 4=1149
- Barchukov, A.I. and Prokhorov, A.V. Details of a 2.5 to 5 mm radiospectroscope, 0=1227
- Barchukov, A. I. and Prokhorov, A. M. Investigation of disk resonators at super-high frequency, 4=682
- Barcilon, V. Role of the Ekman layers in the stability of the symmetric regime obtained in a rotating annulus, 4=21074
- Barclay, A. and Donaldson, J.D. Improved attachment for high temperature single-crystal X-ray work, 1=11552
- Barclay, L.W. Variations in the relation between sunspot number and I_{F2} , 3=3503
- Barclay, L.W. Slide rule for the calculation of ionospheric absorption loss and of maximum usable frequencies in the lower ionosphere, 3=24483
- Barclay, L.W. See Piggott, W.R., 1=16562
- Barclay, L.W. See Piggott, W.R., 3=13720
- Barcus, J.R. and Brown, R.R. Electron precipitation accompanying ionospheric current systems in the auroral zone, 3=1473
- Barcus, J.R. See Anger, C.D., 3=13813
- Barcus, J.R. See Anger, C.D., 3=23631
- Barcus, J.R. See Brown, R.R., 4=2231
- Barcus, J.R. See Brown, R.R., 4=10747
- Barcus, J.R. See Brown, R.R., 4=30944
- Barcus, J.R. See Green, J.R., 0=13081
- Barcus, J.R. See Green, J.R., 1=13559
- Barcus, J.R. See Green, J.R., 2=9955
- Barcy, H. Thomas's classical theory of spin, 3=5329
- Bardadin, M. and Michejda, L. Observation of the pion production by a Λ hyperon, 4=9295
- Bardakci, K. Complex angular momentum in field theory, 2=20258
- Bardakci, K. N/D method for complex partial waves, 3=10057
- Bardakci, K. and Acharya, R. Canonical variables in relativistic quantum theory, 1=18261
- Bardakci, K., Bolsterli, M. and Suura, H. Bethe-Salpeter equation for triplet amplitude in intermediate-vector-boson theory of weak interactions, 4=11919
- Bardakci, K. and Geffen, D. A. Singularities of a relativistic scattering amplitude in the complex angular momentum plane, 4=3338
- Bardakci, K. and Sudarshan, E.C.G. Local fields with terminating expansions, 1=19131
- Bardakci, K. See Sudarshan, E.C.G., 2=251
- Bardasis, A. and Schrieffer, J.R. Excitons and plasmons in superconductors, 1=4530
- Bardasis, A. and Schrieffer, J.R. Lifetime effects in condensed fermion systems, 1=13037
- Bardasis, A. and Schrieffer, J.R. Erratum: Lifetime effects in condensed fermion systems, 2=5225
- Bardeau, H. and Picca, R. Cathode with an oxide core heated by high frequency induction, 2=11690
- Bardeau, H. and Picca, R. Study of an electron source with an oxide core heated by high-frequency induction, 3=9832
- Bardeen, J. Tunnelling from a many-particle point of view, 1=5395
- Bardeen, J. Quantization of flux in a superconducting cylinder, 1=16196
- Bardeen, J. Review of the present status of the theory of superconductivity, 2=7496
- Bardeen, J. Theory of superconductivity, 0=10833
- Bardeen, J. Tunneling into superconductors, 3=1894
- Bardeen, J. Closing speech, 3=2861
- Bardeen, J. Critical fields and currents in superconductors, 3=5584
- Bardeen, J. Developments of concepts in superconductivity, 3=12025
- Bardeen, J. Superconductivity, 4=8552
- Bardeen, J. and Rickayzen, G. Ground-state energy and Green's function for reduced Hamiltonian for superconductivity, 0=10838
- Bardeen, J.M. See Chandrasekhar, B.S., 2=6657
- Bardeleben, J. See Balkanski, M., 1=1483
- Bardell, P.R. International Conference on Components and Materials used in Electronic Engineering—London, June 1961, 2=143
- Barden, R.G. Resiliently isolated pressure pickup to record explosive disturbances, 1=12841
- Barden, S.E. See Jewitt, P.A., 0=6699
- Bardes, R. and Owen, G.E. Angular distributions of the $\text{Be}^{(d,n)}\text{B}^{10}$ neutrons, 0=20457
- Bardet, R., Consoli, T. and Geller, R. Experimental results on plasma acceleration by gradients of static magnetic and electromagnetic fields, 4=19054
- Bardet, R., Consoli, T. and Geller, R. Continuous acceleration of plasma in gradients of electromagnetic and magnetostatic fields. Experimental results, 4=21550
- Bardet, R., Consoli, T., Geller, R., Parlange, F. and Weill, M. Progressive wave plasma accelerator. Theoretical study, 4=27558
- Bardin, B. M. and Rickey, M. E. Kinematic method for determination of accelerator beam energies, 4=21600
- Bardin, B.M. See Lind, D.A., 3=5749

- Bardin, R.K., Barnes, C.A., Fowler, W.A. and Seeger, P.A. ft value of O^{14} and the universal Fermi interactions, 1=645
- Bardin, R.K., Barnes, C.A., Fowler, W.A. and Seeger, P.A. ft value of O^{14} and the universality of the Fermi interaction, 2=18290
- Bardina, N.G. and Lukovtsev, P.D. Investigation of the mechanism of rectification in an oxidized zirconium electrode, 1=20747
- Bardócz, A. Theory of operation and constructional principles of a high-precision spectroscopic spark source, 0=5169
- Bardócz, A. A new high precision system for time resolved spectroscopy, 3=1813
- Bardocz, A., Vanyek, U.M. and Voros, T. Wavelength shift of spectrum lines in spark spectra, 1=3511
- Bardócz, A., Vörös, T. and Vanyek, U.M. The time variation of spectral line broadening and ion concentration in spark discharges, 3=2553
- Bardon, M., Franzini, P. and Lee, J. Mott scattering of polarized muons, 2=13833
- Bardos, A.M., Bardos, D.I. and Beck, P.A. The effective atomic radius of silicon in ternary Laves phase alloys, 4=7645
- Bardos, D. See Spiegel, F.X., 4=7602
- Bardos, D.I. See Bardos, A.M., 4=7645
- Bårdsen, K. See Trefall, H., 4=2233
- Bardsley, C.J. See Taylor, T.C., 2=9462
- Bardsley, J.N., Herzenberg, A. and Mandl, F. The dissociation of hydrogen molecules by resonant electron scattering, 4=25748
- Bardsley, W. The electrical effects of dislocations in semiconductors, 1=6136
- Bardsley, W., Boulton, J.S. and Hurle, D.T.J. Constitutional supercooling during crystal growth from stirred melts. III. The morphology of the germanium cellular structure, 3=13415
- Bardsley, W., Callan, J.M., Chedzey, H.A. and Hurle, D.T.J. Constitutional supercooling during crystal growth from stirred melts. II. Experimental: gallium-doped germanium, 3=13414
- Bardsley, W., Cockayne, B., Green, G.W. and Hurle, D.T.J. Cellular structure in calcium tungstate, 3=25665
- Bardsley, W., Hurle, D.T.J. and Mullin, J.B. Problems associated with distribution coefficient and solid solubility determinations using crystal growth techniques, 2=10382
- Bardsley, W. See Cockayne, B., 4=30817
- Barducci, L. Loudness function and differential sensitivity of the intensity, 1=6667
- Barducci, L., Nuovo, M. and Verdini, L. The Bordoni effect in silver-gold alloys, 1=6448
- Barducci, L. and Pisent, G. Experimental investigation on the flexural natural frequencies of prismatic bars as a function of the thickness/length ratio, 0=14706
- Bardwick, J., Lambert, J.M. and Parkinson, W.C. The University of Michigan 83-inch cyclotron. IV. The external beam handling system, 3=5744
- Bar-Eli, K. and Klein, F.S. A kinetic method for measuring solubilities of gases in liquids, 2=2713
- Bar-Eli, K. and Tuttle, T.R., Jr. Electron spin resonance of amine solutions of alkali metals, 4=18216
- Bar-Eli, K. See Ottolenghi, M., 4=21156
- Bare, D.W., Gibson, E.D. and Carlson, O.N. Structures in chromium-nickel alloys at high temperature, 4=26538
- Bareham, F.R. Choice of frequency for eddy-current tube testing, 0=10460
- Barella, D. See Deacon, R.F., 2=22006
- Barenblatt, G.I. Stable cracks developed in brittle substances under destructive loading, 0=1869
- Barenblatt, G.I. and Cherepanov, G.P. Brittle cracks under longitudinal shear, 2=19014
- Barenblatt, G.I. and Salganik, R.L. On the wedging of brittle bodies. Self-oscillations during wedging, 4=13384
- Barenblatt, G.I., Salganik, R.L. and Cherepanov, G.P. The nonstationary propagation of cracks, 3=18215
- Barenblatt, G.I. and Zel'dovich, Ya.B. Stability of flame propagation, 1=1473
- Barenblatt, G.I. and Zheltov, Yu.P. Fundamental equations for the flow of homogeneous fluids through fissured rocks, 0=12407
- Barenblatt, G.I. See Ishlinskii, A.Yu., 2=21858
- Barenblatt, G.I. See Ishlinskii, A.Yu., 3=1644
- Barenblatt, G.I. See Zel'dovich, Ya.B., 2=15123
- Barenblatt, G.I. See Zel'dovich, Ya.B., 3=8957
- Barer, R. A new micrometer microscope, 0=19384
- Barer, R. Applications of interference microscopy, 1=16068
- Barer, R. Expanding horizons in the applications of optical microscopy, 3=1803
- Bareyre, P., Bricman, C., Valladas, G., Villet, G., Bizard, J. and Seguinot, J. Pion-nucleon interactions between $T_{lab} = 300$ and $T_{lab} = 700$ MeV, 4=15096
- Bareyre, P., Detoeuf, J.F., Smith, L.W., Tripp, R.D. and Van Rossum, L. Polarization in proton-beryllium and proton-proton scattering at 1.7 GeV, 1=13418
- Bareyre, P. See Autones, P., 4=9031
- Barfield, M. and Baldeschwieler, J.D. Relative signs of H-H, H-F, and F-F coupling constants by nuclear magnetic double resonance, 4=12517
- Barfield, M. and Grant, D.M. The dependence of geminal proton spin-spin coupling constants on electron delocalization in molecules, 2=3784
- Barfield, M. and Grant, D.M. Valence-bond calculation of geminal spin-spin coupling constants in substituted methanes, 2=14301
- Barfield, M. and Grant, D.M. The effect of hyperconjugation on the geminal spin-spin coupling constant, 3=22520
- Barfield, R.N. See Brown, N.L., 0=8968
- Barfield, W.D., Bacon, B.M. and Biedenharn, L.C. Deuteron stripping by heavy nuclei, 2=3608
- Barfield, W.D. See Rabson, T.A., 1=665
- Barford, J. An automatic recording differential dilatometer, 3=21277
- Barford, N.C. Low-temperature bubble chambers, 1=4749
- Barford, N.C. The most probable path of a scattered particle, 1=10853
- Barford, N.C., Palmer, R.B. and Tallini, B. The radiative capture of protons by neutrons at 50 MeV, 2=284
- Barge, D.A. See Madey, R., 0=15218
- Barger, J.E. and Hunt, F.V. Solid-core probe hydrophone, 4=27270
- Barger, R.L. and Broida, H.P. Absorption spectrum of carbon vapor in solid argon at 4° and 20° K, 2=22976
- Barger, R.L., Broida, H.P., Estlin, A.J. and Radford, H.E. Optical detection of microwave transitions in electronically excited CN produced by a chemical reaction, 3=6390
- Barger, R.L. and Kessler, K.G. Correction for systematic wavelength shifts in atomic beam devices, 0=5168
- Barger, R.L. and Kessler, K.G. Sealed-off Hg^{198} atomic-beam light source, 0=10758
- Barger, R.L. and Kessler, K.G. Kr^{86} and atomic-beam-emitted Hg^{198} wavelengths, 1=10464
- Barger, V. $K^0 \rightarrow \gamma + \gamma$ decay mode, 4=16963
- Barger, V. and Kazes, E. $K_1^0 - K_2^0$ mass difference, 1=16887
- Barger, V. and Kazes, E. $\pi^+ - \pi^0$ mass difference, 3=15002
- Barger, V. and Kazes, E. $K^0 - \bar{K}^0$ mass difference. II, 3=15027
- Barger, V. and Kazes, E. Neutral scalar theory with recoil, 4=848
- Barger, V. and McCliment, E. ρ -exchange mechanism for the reaction $\pi^+ p \rightarrow \omega N_{3/2}^{*++}$, 4=19558
- Bargmann, V. On the representations of the rotation group, 3=7096
- Bargmann, V. Note on Wigner's theorem on symmetry operations, 4=24066
- Bargmann, V., Goldberger, M.L., Treiman, S.B., Wheeler, J.A. and Wightman, A. To Eugene Paul Wigner on his sixtieth birthday, 3=3700
- Bargmann, V. and Moshinsky, M. Group theory of harmonic oscillators. I. The collective modes, 0=20082
- Bargmann, V. and Moshinsky, M. Group theory of harmonic oscillators. II. The integrals of motion for the quadrupole-quadrupole interaction, 1=5695
- Bariaud, A., Korman, M., Lecoustey, P., Lecegard, J., Luc, H. and Tachon, J. Study of the transfer of a plasma jet across a magnetic barrier, 3=9800
- Bariaud, P., Chantret, F., Pouget, R. and Rimsky, A. A new mineral species: "Chervette", lead pyrovanadate $Pb_2V_2O_7$, 4=2075
- Bariaud, A., Coutant, J., Druaux, J. and Prevot, F. Annular ion source in crossed fields, 4=19115
- Bariaud, A., Gravier, R., Korman, M., Luc, H., Renaud, C. and Tachon, J. Confinement of a hot electron plasma in a mirror machine, DECA 1, 4=29956
- Barlaud, A. See Becherer, R., 4=27498
- Barlaux, D. See Ponslet, A., 4=17780
- Barinov, V.M. See Rudnevskii, N.K., 3=24255
- Barinova, E.S. See Samoilovich, D.M., 3=2180
- Barinova, E.S. See Samoilovich, D.M., 3=4303
- Barinskii, R.L. Experimental investigation and calculation of the L absorption spectra of noble gases, 3=8189
- Barinskii, R.L. and Malyukov, B.A. Interpretation of the K absorption spectra of sulfur in molecules and crystals in terms of the Stark effect in excitons, 3=23097

- Barinskii, R.L. and Nadzhakov, E.G. Calculation of the charge of atoms in molecules from the K absorption spectra, 2=14209
- Barinskii, R.L. See Nadzhakov, E.G., 0=7720
- Barinskii, R.L. See Nadzhakov, E.G., 2=14693
- Barinskii, R.L. See Narbutt, K.I., 2=17108
- Barinskii, R.L. See Narbutt, K.I., 0=8343
- Barinsky, R.L. and Nadzhakov, E.G. Estimation of charge and type of chemical bond of osmium in compounds by L_{III} absorption spectra, 0=20672
- Barish, B.C., Kurz, R.J., McManigal, P.G., Perez-Mendez, V. and Solomon, J. Pion production by negative pions, 1=8486
- Barish, B.C. See Devlin, T.J., 0=11206
- Barish, C., Kurz, R.J., Perez-Mendez, V. and Solomon, J. Inelastic π^- -p interactions in the energy region of 310 to 454 MeV, 4=25138
- Barit, I.Ya., Podgoretskii, M.I. and Shapiro, F.L. Some possible applications of resonance scattering of γ -radiation, 0=9523
- Barit, I.Ya. See Balashko, Yu.G., 0=2600
- Barit, I.Ya. See Balashko, Yu.G., 0=13073
- Barit, I.Ya. See Balashko, Yu.G., 4=25211
- Barjachtar, V.G. See Achiezer, A.I., 4=7226
- Barjon, R., Flamant, Y. and Lachkar, J. Fast discriminator used in time-of-flight fast neutron spectrometry, 3=19145
- Barjon, R., Flamant, Y., Perchereau, J. and Rode, A. Time of flight spectrometer for 15 MeV neutrons scattered by carbon, 2=9866
- Barjon, R., Flamant, Y., Perchereau, J. and Rode, A. Scattering of 15 MeV neutrons by carbon: study of the neutrons of the (α, n) decay of C^{13} , 2=18329
- Barjon, R., Flamant, Y. and Rode, A. Simultaneous multi track time-of-flight spectrometry of fast neutrons; application to (d, n) and (n, n') neutrons, 4=16916
- Barjon, R. and Lachkar, J. Low-voltage supply with transistorized servomechanism, 2=11573
- Barjon, R., Lambert, M. and Schmouker, J. (p, γ) reactions on Mg^{25} and Mg^{26} isotopes, 0=9630
- Barjon, R., Lambert, M. and Schmouker, J. Differential cross-section of the reaction $C^{13}(He^3, \alpha)C^{12}$ at 1.8 MeV, 1=725
- Barjon, R., Lambert, M. and Schmouker, J. Differential cross-section of the reaction $C^{13}(He^3, \alpha)C^{12}$ at 1.8 MeV, 1=13856
- Barkalov, I.M., Gol'danskii, V.I., Enikolopov, N.S., Terekhova, S.F. and Trofimova, G.M. Specific nature of the radiation-induced polymerization in the solid phase during irradiation, 3=6925
- Barkan, S. Stopping power of C for ^{210}Po α -particles, 1=12132
- Barkan, S. Branching ratio of α and β emissions from $^{212}Bi(ThC)$, 1=12165
- Barkan, S. On the determination of stopping power of a mixture where a gradient of temperature exists, 3=22046
- Barkan, S. Differential energy loss measurements for α -rays in metal foils, 4=3499
- Barkan, S. Tests of the operation at low pressure of a cloud chamber containing helium, 4=19338
- Barkan, S. See Leroy, J.L., 3=19654
- Barkas, W. Information content of particle tracks, 2=246
- Barkas, W.H. The range-energy relation in nuclear emulsions, 0=195
- Barkas, W.H. The production and use of beams of particles from high-energy accelerators, 0=12654
- Barkas, W.H. Equipment and methods for automatic track analysis, 0=12784
- Barkas, W.H. Nuclear research emulsions. I. Techniques and theory, 4=11865
- Barkas, W.H., Dyer, J.N. and Heckman, H.H. Resolution of the Σ^- mass anomaly, 3=24800
- Barkas, W.H., Dyer, J.N., Mason, G.J., Nickols, N.A. and Smith, F.M. Decay measurements on emulsion on particles of negative strangeness, 2=314
- Barkas, W.H. and von Friesen, S. High-velocity range and energy-loss measurements in Al, Cu, Pb, U and emulsion, 1=13421
- Barkas, W.H. See Barbaro-Galtieri, A., 2=20434
- Barkas, W.H. See Heckman, H.H., 0=4105
- Barkas, W.H. See Heckman, H.H., 0=12772
- Barkas, W.H. See Hla Shwe, 2=3374
- Barkas, W.H. See Nickols, N.A., 3=10138
- Barkas, W.H. See Patrick, J.W., 2=11843
- Barkdoll, R.O. See Bradfield, W.S., 2=15817
- Barkemeyer, H. See Kallmann, H., 1=6181
- Barkemeyer, H.R. See McAleer, W.J., 2=10793
- Barker, A.S., Jr and Tinkham, M. Far-infrared ferroelectric vibration mode in $SrTiO_3$, 2=6524
- Barker, A.S., Jr. Infrared lattice vibrations and dielectric dispersion in corundum, 4=4256
- Barker, A.S., Jr. Infrared lattice vibrations in calcium tungstate and calcium molybdate, 4=25841
- Barker, A.S., Jr and Hopfield, J.J. Coupled-optical-phonon-mode theory of the infrared dispersion in $BaTiO_3$, $SrTiO_3$, and $KTaO_3$, 4=28670
- Barker, A.S., Jr and Tinkham, M. Far-infrared dielectric measurements on potassium dihydrogen phosphate, triglycine sulfate, and rutile, 3=15687
- Barker, B.A. and Latorre, V.R. Articulation effectiveness measure applied to processed speech, 3=21154
- Barker, E.F. Elementary analysis of the gyroscope, 1=1719
- Barker, F.C. Calculation of splitting of $3s_{1/2}$ neutron levels, 0=20342
- Barker, F.C. Two-nucleon interaction from doublet splittings, 1=7308
- Barker, F.C. Positive parity states of Be^9 and C^{13} , 1=19362
- Barker, F.C. Electric-dipole giant-resonance energy, 2=12107
- Barker, F.C. Ground-state correlations in O^{16} , 2=12116
- Barker, F.C. Levels of N^{15} near 7 MeV excitation. II, 3=22293
- Barker, F.C., Bradford, E. and Tassie, L.J. The 9.63 MeV state of C^{12} , 0=20348
- Barker, F.C., Symons, G.D., Tanner, N.W. and Treacy, P.B. Levels of N^{15} near 7 MeV excitation, 3=22292
- Barker, F.C. and Tassie, L.J. Effects of centre-of-mass motion in the nuclear shell model on scattering problems, 1=8559
- Barker, F.C. and Treacy, P.B. Nuclear levels near thresholds, 3=660
- Barker, J.A. The tunnel theory of fluids: the 12:6 fluid, 1=12867
- Barker, J.A. Statistical mechanics of almost one-dimensional systems, 2=17372
- Barker, J.A. Structure of simple fluids: tunnel model, 2=21892
- Barker, J.A. Statistical mechanics of almost one-dimensional systems. II, 4=29547
- Barker, J.A. and Everett, D.H. High temperature adsorption and the determination of the surface area of solids, 2=21572
- Barker, J.A., Fock, W. and Smith, F. Calculation of gas transport properties and the interaction of argon atoms, 4=18240
- Barker, J.A. and Linton, M. Second virial coefficients of mixed hydro-carbon vapors. Principle of congruence, 3=14205
- Barker, J.A. and Monaghan, J.J. Virial coefficients for square-well potentials, 2=15638
- Barker, J.A. and Monaghan, J.J. Fourth virial coefficients for the 12-6 potential, 2=15639
- Barker, J.J. The efficiency of composite fins, 0=12510
- Barker, J.J. See Rosen, S., 3=25747
- Barker, J.R. Conducting analogs of a magnetic field, 0=1095
- Barker, J.R. See Kovattana, T., 0=16963
- Barker, L.M. and Hollenbach, R.E. System for measuring the dynamic properties of materials, 4=20632
- Barker, L.M., Lundergan, C.D. and Herrmann, W. Dynamic response of aluminum, 4=15700
- Barker, R.C. and Brownell, R.M. Direct-current measurements on tape-wound cores, 0=10130
- Barker, R.C. See Brownell, R.M., 1=6302
- Barker, R.C. See Miller, J.C., 3=15874
- Barker, R.E. Jr. An approximate relation between elastic moduli and thermal expansivities, 3=11130
- Barker, R.E., Jr and Thomas, C.R. Glass transition and ionic conductivity in cellulose acetate, 4=7735
- Barker, R.S., Harrison, T.K., Richardson, D.A. and Rimmer, R. Absorption spectrum of γ -irradiated lead silicate glass, 1=17886
- Barker, R.S., Richardson, D.A., McConkey, E.A.G. and Rimmer, R. Gamma irradiation of lead silica glass, 0=16074
- Barker, R.S., Richardson, D.A., McConkey, E.A.G. and Yeadon, R.E. Radiation-induced defects in lead silicate glass, 1=6119
- Barker, W.A. Thermodynamics and statistical mechanics of a three-level maser, 1=16551
- Barker, W.A. Dynamic nuclear polarization, 2=22711
- Barker, W.A. and Keating, J.D. Optical and cross relaxation maser level populations by partial distribution, 2=16016
- Barker, W.A. and Keating, J.D. Optical and cross relaxation maser level populations by partial distribution, 3=7732
- Barker, W.A., Mohan Lal Narchal, Misra, S., Bevol, A.J., Haas, F.X., Birbeck, C.M., Kuehne, B.M. and Witte, J.C. Low-temperature dynamic nuclear polarisation, 4=27945
- Barker, W.A. See Breitbart, M.D.S., 4=17004
- Barker, W.A. See Keating, J.D., 3=9993
- Barker, W.A. See Lal Narchal, M., 3=22490
- Barker, W.A. See Obermoeller, W.C., 3=15439
- Barker, W.W. See Rae, A.I.M., 2=10829
- Barkhard, E.L. See Billington, D.S., 0=20849

- Barkhatov, A. N. and Cherkashin, Yu. N. Deformation of a beam of sound by an internal wave at the boundary between two liquids, 4=2789
- Barkhatov, A. N., Cherkashin, Yu. N. and Yashkov, B. Ya. Acoustic intensity measurements in a laminar medium bounded by a periodic surface, 2=5119
- Barkhatov, A. N. and Myasnikov, S. P. Experimental investigation of the field in one instance of antiwaveguide propagation of sound, 1=16018
- Barkhatov, A. N. and Shmelev, I. I. Experimental investigations into the waveguide propagation of sound in laminar-inhomogeneous media, 0=19270
- Barkhatova, K. A. The motion of galactic clusters, 2=4826
- Barkhudarov, E. M. See Antonova, R. A., 4=21227
- Barkinkhoev, Kh. G. See Abdullaev, G. B., 4=28386
- Barkov, L. M., Makarin, V. K. and Mukhin, K. N. Measurement of the slowing down of neutrons in the energy range 1.46-0.025 eV in water, 0=3973
- Barkov, L. M., Makarin, V. K. and Mukhin, K. N. Measurement of the diffusion length of thermal neutrons in ice, 0=7362
- Barkov, L. M. and Mukhin, K. N. The slowing down of fission neutrons in water, 0=3972
- Barkov, L. M., Mukhin, K. N., Ogursov, V. V., Romantseva, A. S., Svetolobov, I. A., Chueva, S. A., Shlyapnikov, R. S., Likhachev, M. F., Stavinskii, V. S. and Strunov, L. N. On the problem of D^+ -meson, 3=6080
- Barkov, L. M., Mukhin, K. N., Tel'nov, A. V. and Shlyapnikov, R. S. A high-speed double-action gas valve for a bubble chamber, 1=10817
- Barkov, L. M. and Samoilovich, D. M. The development of nuclear emulsions, 1=7180
- Barkov, L. M. and Samoilovich, D. M. The development of nuclear emulsions, 1=10821
- Barkov, L. M., Venediktov, A. P. and Mukhin, K. N. The slowing down of fission neutrons in uranium-water media, 0=3974
- Barkov, V. I. Non-conservative radiative transfer in a uniform medium, 1=2720
- Barkov, V. I. Radiation transfer in a homogeneous sphere with a central point source, 3=19061
- Barkov, A. G., Chamany, B., Haskin, D. M., Jain, P. L., Lohrmann, E., Teucher, M. W. and Schein, M. Nuclear interactions of protons, neutrons, and shower particles of very high energy in nuclear emulsion, 1=7238
- Barkov, A. G., Edmund, C. E., Penaranda, F. E., Kane, G. and O'Friel, Z. The energy spectrum of neutrons from stopped π^- interactions in emulsions, 3=17312
- Barkov, A. G., Karioris, F. G. and Stoffels, J. J. X-ray diffraction analysis of aerosols from exploding wires, 4=10659
- Barkov, A. G. See Alumkal, A., 0=17575
- Barkov, A. G. See Cuevas, J. E., 3=6038
- Barkov, A. G. See Kane, G., 3=7846
- Barlarin, M. Electron energy levels in crystals. II. Series of homologous activators, 1=11177
- Barledzh, S. [Buralge, S. R.] and Kérom, E. [Carome, E. F.]. Absorption of ultrasonic waves in ethyl acetate, 1=2823
- Barlett, B. E. See Trainor, A., 1=10234
- Barlier, F. See Kovalevsky, J., 1=6749
- Barlier, F. See Muller, P., 1=6752
- Barloutaud, M. See Bruge, G., 4=17194
- Barloutaud, R., Cardin, L., Derem, A., Gensollen, C., Lévêque, A., Louedec, C., Meyer, J. and Tycho, D. Pion-proton scattering at 600 MeV, 3=7904
- Barloutaud, R., Choquet-Louedec, C., Derem, A., Heughebaert, J., Lévêque, A. and Meyer, J. π^+ -p elastic scattering at 820, 900 and 1050 MeV, 2=16231
- Barloutaud, R., Choquet, C., Gensollen, C., Heughebaert, J., Lévêque, A., Meyer, J. and Viale, G. Pion production by positive pions at 820 and 900 MeV, 2=22560
- Barloutaud, R., Cotton, E., Picou, J. L. and Quidort, J. Resonant absorption without nuclear recoil of the 23.8 keV γ -ray from Sn^{119} , 0=5661
- Barloutaud, R., Faraggi, H., Rosen, L. and Shafroth, S. M. The production and detection of polarized deuterons, 1=13527
- Barloutaud, R., Grjebine, T., Lehmann, P., Lévêque, A., Quidort, J. and Temmer, G. M. Coulomb excitation of Pt^{194} and Pt^{195} , 0=13145
- Barloutaud, R., Heughebaert, J., Lévêque, A., Louedec, C., Meyer, J. and Tycho, D. Single-pion production in π^+ -p collisions at 820, 900 and 1050 MeV, 3=7888
- Barloutaud, R., Heughebaert, J., Lévêque, A., Meyer, J. and Omnes, R. Evidence for a $T = 1$ pion-pion resonance at 575 MeV, 2=5711
- Barloutaud, R., Heughebaert, J., Lévêque, A., Meyer, J. and Omnes, R. Two pion resonance at 575 MeV, 2=9893
- Barloutaud, R., Lévêque, A., Lehmann, P. and Quidort, J. Collective levels in the even-even nuclei between the masses 182 and 206, 0=9536
- Barloutaud, R., Picou, J. L. and Tzara, C. Resonant scattering of 23.8 keV γ -rays emitted without recoil from Sn^{119} , 0=9662
- Barloutaud, R. See Goldring, G., 2=20514
- Barloutaud, R. See Grard, F., 2=1715
- Barloutaud, R. See Grard, F., 2=22513
- Barloutaud, R. See Lehmann, P., 0=9502
- Barloutaud, R. See Muller, A., 4=25148
- Barloutaud, R. See Tombrello, T. A., 0=13228
- Barloutaud, R. See Tzara, C., 0=11560
- Barloutaud-Crut, M., Bruge, G., Faivre, J. C., Faracci, H. and Saudinos, J. Excitation of the states termed "two-phonon" in Fe^{56} , Fe^{58} , Ni^{58} , Ni^{60} by the inelastic scattering of 44 MeV α -particles, 3=24864
- Barloutaud-Crut, M., Bruge, G., Faivre, J. C., Faraggi, H. and Saudinos, J. Collective levels in even-even nuclei excited in α -particle scattering, 4=19660
- Barlow, A., Jr. Classical distribution of a mutually interacting system of particles, 3=9358
- Barlow, A. J. and Lamb, J. The visco-elastic behaviour of lubricating oils under cyclic shearing stress, 0=8597
- Barlow, A. J. See Tasköprüllü, N. S., 1=5277
- Barlow, C. A., Jr. and Macdonald, J. R. Discreteness-of-charge adsorption micropotentials. I. Infinite imaging, 4=15829
- Barlow, C. A., Jr. See Einspruch, N. G., 2=2837
- Barlow, C. A., Jr. See Macdonald, J. R., 2=15154
- Barlow, C. A., Jr. See Macdonald, J. R., 3=24328
- Barlow, C. A., Jr. See Macdonald, J. R., 4=14559
- Barlow, D. and Beattie, I. R. Self-diffusion of sodium ions in analcite and anhydrous analcite, 2=8248
- Barlow, H. E. M. Power transmitted by a medium of complex wave impedance, 4=5801
- Barlow, H. E. M. Microwave propagation in a waveguide containing a semiconductor to which is applied a steady transverse magnetic field, 4=5826
- Barlow, H. E. M. Hall-effect reinforcement of high-frequency fields in semiconductors, and some applications, 4=12868
- Barlow, H. M. Microwave power measurements, 3=12042
- Barlow, H. M. See Hill, J. J., 3=9689
- Barlow, J., Booth, P. S. L., Carroll, L. J., Court, G. R., Davies, J. D., Edwards, D. N., Johnson, R. G. and Wormald, J. R. The momentum spectrum of electrons from muon decay, 4=25123
- Barlow, J., Sens, J. C., Duke, P. J. and Kemp, M. A. R. Evidence for giant resonance excitation induced by the capture of muons in O^{18} , 4=17034
- Barlow, R. B., Jr. See Jeppesen, M. A., 2=4571
- Barmatz, M. See Finch, R. D., 4=18520
- Barmby, D. S. See Bostwick, L. G., 3=18367
- Barmin, A. A. Surfaces of discontinuity with emission or absorption of energy in magnetohydrodynamics, 1=16521
- Barmin, A. A. Study of discontinuity surfaces with energy release (or absorption) in magnetohydrodynamics, 4=673
- Barmin, A. A. and Gogosov, V. V. A problem concerning a piston in magneto-hydrodynamics, 1=356
- Barmin, V. V., Bysheva, G. K., Tumanov, G. K., Agapkin, I. I., Andreev, V. N., Veselov, M. A., Gol'din, L. L., Luzin, V. N., Radkevich, I. A., Sokolovskii, V. V. and Stadnikov, A. G. Investigation and compensation of the magnetic field's horizontal component in a proton synchrotron for small induction values, 4=14835
- Barmin, V. V., Dolgolenko, A. G., Krestnikov, Yu. S., Meshkovskii, A. G. and Shebanov, V. A. An investigation of charge-exchange $\pi + p \rightarrow n + \pi^0$ and $\pi + p \rightarrow n + \eta (\eta \rightarrow 2\gamma)$ reaction in 1.55-4.5 BeV/c region, 4=12039
- Barmin, V. V., Dolgolenko, A. G., Krestnikov, Yu. S., Meshkovskii, A. G. and Shebanov, V. A. Search for the $\omega \rightarrow e^+ + e^-$ decay, 4=12054
- Barmin, V. V., Dolgolenko, A. G., Krestnikov, Yu. S., Meshkovskii, A. G., Nikitin, Yu. P. and Shebanov, V. A. Evidence for $\omega \rightarrow \pi^0 + \gamma$ decay, 4=3471
- Barmin, V. V., Dolgolenko, A. G., Krestnikov, Yu. S., Meshkovskii, A. G., Nikitin, Yu. P. and Shebanov, V. A. Evidence for the $\omega \rightarrow \pi^0 + \gamma$ decay, 4=9269
- Barmin, V. V., Kanavets, V. P. and Morozov, B. V. Polarization of cosmic-ray μ^+ -mesons, 1=19324
- Barmin, V. V., Krestnikov, Yu. S., Kuznetsov, E. V., Meshkovskii, A. G., Nikitin, Yu. P. and Shebanov, V. A. π^0 -meson production in a nuclear Coulomb field, 3=15007
- Barmin, V. V., Krestnikov, Yu. S., Kuznetsov, E. V., Meshkovskii, A. G. and Shebanov, V. A. Search for resonances in the $K^0 \bar{K}^0$ pair-production reaction, 3=24792

- Barmin, V. V., Krestnikov, Yu. S., Kuznetsov, E. V., Meshkovskii, A. G., Nikitin, Yu. P. and Shebanov, V. A. New data on the production of neutral pions in the Coulomb field of the nucleus, 4=932
- Barmin, V. V., Krestnikov, Yu. S., Pershin, I. I., Rummyantseva, V. P., Shalamov, Ya. Ya. and Shebanov, V. A. Asymmetry in the decay of Λ^0 -hyperons generated by 2.8 BeV/c negative pions, determined by observations in a freon bubble chamber, 1=19273
- Barmin, V. V. See Pershin, I. I., 2=3227
- Barna, A. A transistorized photomultiplier dynode voltage regulator, 4=8818
- Barna, A. Temperature regulator for a 9 liter liquid hydrogen bubble chamber, 4=16770
- Barna, A. and Marshall, J. H. 50-nanosecond printed circuit linear gate using transistors, 4=21712
- Barna, A., Marshall, J. H. and Sands, M. A nanosecond coincidence circuit using transistors, 1=1875
- Barna, A., Marshall, J. H. and Sands, M. A multifold coincidence-veto circuit using transistors, 2=5268
- Barna, A. See Anderson, H. L., 4=14992
- Barnaal, D. and Lowe, I. J. Effects of rotating magnetic fields on free-induction decay shapes, 4=4420
- Barnaal, D. E. See Lowe, I. J., 3=9961
- Barnaby, B. E., Madey, T. E., Petrauskas, A. A. and Coomes, E. A. Adsorption and migration of Sr on W, 4=23611
- Barnaby, C. F. The energy loss of singly charged heavy relativistic particles in an organic material, 1=10900
- Barnaby, C. F. and Barton, J. C. Performance of large area scintillation counters, 1=396
- Barnaby, C. F. and Barton, J. C. Ageing of plastic scintillators, 2=11831
- Barnaby, C. F. See Barton, J. C., 2=16092
- Barnaby, C. F. See Barton, J. C., 4=29965
- Barnard, A. C. L., Bashkin, S., Broude, C. and Hornback, C. E. Capture and inelastic scattering of protons by silicon 30, 1=5914
- Barnard, A. C. L., Jones, C. M. and Phillips, G. C. The scattering of He^3 by He^4 , 4=12082
- Barnard, A. C. L., Jones, C. M. and Weil, J. L. Elastic scattering of 2-11 MeV protons by He^4 , 4=12001
- Barnard, A. C. L. and Kim, C. C. Elastic scattering and reactions of protons on argon-40, 2=3562
- Barnard, A. C. L., Mani, G. S. and Forsyth, P. D. Gross properties of levels in A^{38} with excitation near neutron separation energies, 2=1795
- Barnard, A. C. L. See Carlson, R. R., 1=7370
- Barnard, A. C. L. See Clegg, T. B., 4=12004
- Barnard, A. C. L. See Jones, W. M., 0=20143
- Barnard, A. C. L. See Jones, W. M., 1=9619
- Barnard, A. C. L. See Kim, C. C., 2=3563
- Barnard, A. C. L. See Mani, G. S., 2=1794
- Barnard, A. C. L. See Rout, V. M., 2=5535
- Barnard, A. J. and Cormack, G. D. Luminosity structures of plasmas in electromagnetic shock tubes, 4=18827
- Barnard, A. J., Cormack, G. D. and Simpkinson, W. V. Spectroscopic studies of helium and argon plasmas produced by electromagnetically driven shock waves, 2=11640
- Barnard, A. J. See Cormack, G. D., 2=17760
- Barnard, E., Khan, N. A., McLatchie, R. C. F., Poole, M. J. and Tait, J. H. Time dependent neutron spectra in graphite, 4=12016
- Barnard, G. See DeMaria, A. J., 3=12348
- Barnard, G. See DeMaria, A. J., 3=21469
- Barnard, G. P., Aston, G. H. and Marsh, A. R. S. Effects of variations in the ambient air on the calibration and use of ionization dosimeters, 1=8405
- Barnard, G. R. and McKinney, C. M. Scattering of acoustic energy by solid and air-filled cylinders in water, 1=4413
- Barnard, R. D. Some physical properties of the γ and δ phases in the U-Zr system, 2=620
- Barnard, R. D. See Bates, L. F., 1=10025
- Barnard, R. D. See Bates, L. F., 1=17609
- Barnes, B. T. Disturbance of a low-pressure discharge by a probe, 3=368
- Barnes, B. T. Intensities of $\lambda 1850$ and $\lambda 2537$ in low-pressure mercury vapor lamps with rare gas present, 0=9768
- Barnes, C., Jr. Comment on paper by Henry G. Booker, "A local reduction of F-region ionization due to missile transit", 1=20985
- Barnes, C. A. See Bardin, R. K., 1=645
- Barnes, C. A. See Bardin, R. K., 2=18290
- Barnes, C. A. See Nordberg, M. E., 0=5692
- Barnes, C. A. See Nordberg, M. E., 1=639
- Barnes, C. A. See Nordberg, M. E., Jr., 2=3508
- Barnes, C. R. and Geesner, C. R. Silicon nitride thin film dielectric, 0=4376
- Barnes, C. W. A new method for obtaining flow signals from the electromagnetic flow meter, 0=6768
- Barnes, C. W., Jr. See Geppert, D. V., 2=12532
- Barnes, D. See Carder, B., 3=9004
- Barnes, D. C. and Warner, E. A kinematic specimen goniometer stage for the Siemens electron microscope, 2=14973
- Barnes, D. J. The use of Zener diodes as voltage controlled capacitors, 3=25380
- Barnes, D. J. Ultrasonic excitation of nuclear magnetic resonance of the copper-63 and copper-65 nuclei in a single crystal of copper, 4=17694
- Barnes, D. W. and Schatz, P. N. Optical constants and absolute intensities from infrared reflection measurements. The $6.6\text{-}\mu$ band of liquid CS_2 and the $13\text{-}\mu$ doublet liquid CCl_4 , 3=16624
- Barnes, E. See Williams, L. S., 0=6533
- Barnes, E. E. and Simpson, W. T. Correlations among electronic transitions for carbonyl and for carboxyl in the vacuum ultraviolet, 3=22583
- Barnes, F. See Buck, A., 3=19217
- Barnes, F. S. On the modulation of optical masers, 2=19703
- Barnes, F. S. The choice of a molecule for a beam frequency standard, 3=12882
- Barnes, F. S. See Lang, K. R., 4=8662
- Barnes, F. S. See Turner, W. R., 4=6666
- Barnes, G. Physics in auto accidents, 0=6705
- Barnes, G. New type of cold cathode vacuum gauge for the measurement of pressures below 10^{-3} mm Hg, 0=12438
- Barnes, G. Erroneous readings of large magnitude in Bayard-Alpert ionization gauge and their probable cause, 0=19226
- Barnes, G., Gaines, J. and Kees, J. Relative sensitivity and pumping rate of the Redhead magnetron gauge, 2=21954
- Barnes, G. A. See Banbury, P. C., 1=6146
- Barnes, G. T. Phase transitions in water sorbed in silica gel, 3=19069
- Barnes, G. T. Phase transitions in water sorbed on ice forming nuclei, 4=13539
- Barnes, G. T., Katz, U. and Sanger, R. Ice forming activity and the surface properties of nucleating materials, 2=14947
- Barnes, G. T. and Sanger, R. An investigation into the mechanism of ice crystal nucleation by proton spin resonance spectroscopy, 2=6784
- Barnes, J. A., Allan, D. W. and Wainwright, A. E. The ammonia beam maser as a standard of frequency, 2=20141
- Barnes, J. A. See Bonanomi, J., 4=24006
- Barnes, J. C. Uni-axial pantograph, 1=4183
- Barnes, J. C. See Kulkarni, P. V., 4=10744
- Barnes, J. F. An experimental investigation of heat transfer from the inside surface of a hot smooth tube to air, helium and carbon dioxide, 2=9419
- Barnes, J. F. and Cowan, R. D. Atomic binding energies from a modified Thomas-Fermi-Dirac theory, 4=1196
- Barnes, J. F. and Tredgold, R. H. Field-dependent electron mobility in ionic crystals, 1=1022
- Barnes, J. F. and Tredgold, R. H. On the change of activation energy with impurity concentration in semiconductors, 2=629
- Barnes, K. J. Choice of electromagnetic form factors, 2=18106
- Barnes, K. J. Speculations on μ -meson form factors, 3=7875
- Barnes, K. J. Proton-antiproton annihilation into electrons and muons, 3=14985
- Barnes, L. J. and Dillinger, J. R. Thermal boundary resistance between some superconducting and normal metals, 3=19108
- Barnes, M. W. and Noyce, R. H. Inert enclosed pump for shaped flow of ultraclean solutions, 1=12859
- Barnes, M. W. See Ruthberg, S., 3=10958
- Barnes, M. W. See Ruthberg, S., 3=25463
- Barnes, R. A. See Gallagher, P. B., 4=2269
- Barnes, R. C. See Cooke-Yarborough, E. H., 0=11328
- Barnes, R. F. See Cote, R. E., 4=22161
- Barnes, R. G. and Graham, T. P. Nuclear magnetic resonance in chromium metal, 2=12832
- Barnes, R. G., Jones, W. H., Jr. and Graham, T. P. Large anisotropic Knight shifts in intermetallic compounds, 1=9069
- Barnes, R. G., Kankeleit, E., Mossbauer, R. L. and Poindexter, J. M. Electronic shielding of the crystalline field in thulium ethyl sulfate, 4=3965
- Barnes, R. G., Mossbauer, R. L., Kankeleit, E. and Poindexter, J. M. Electronic shielding by closed shells in salts of thulium, 4=30497

- Barnes, R.G. and Segel, S.L. Pure nuclear quadrupole resonances in paramagnetic iron-group halides, 0=687
- Barnes, R.G. and Segel, S.L. Nuclear magnetic resonance of Cl^{35} in paramagnetic FeCl_2 , 3=5049
- Barnes, R.G., Segel, S.L. and Jones, W.H., Jr. Nuclear quadrupole resonance and bonding in solid layer type metal halides, 2=4294
- Barnes, R. G. See Borsa, F., 4=20155
- Barnes, R.G. See Hultsch, R.A., 2=10415
- Barnes, R.G. See Jones, W.H., Jr, 1=7799
- Barnes, R.G. See Jones, W.H., Jr, 2=4287
- Barnes, R.G. See Jones, W.H., Jr., 4=7339
- Barnes, R.G. See Torgeson, D.R., 2=23720
- Barnes, R.G. See Yamaka, E., 2=8668
- Barnes, R. G. See Yamaka, E., 4=23057
- Barnes, R. P., Jr. and Beyer, R. T. Ultrasonic absorption in water at finite amplitudes, 4=24209
- Barnes, R.S. The formation of internal gas bubbles in solids, 0=8259
- Barnes, R.S. The generation of vacancies in metals, 0=17956
- Barnes, R.S. The behaviour of point defect clusters in irradiated metals, 2=6317
- Barnes, R.S. Clusters of point defects in irradiated metals, 2=12416
- Barnes, R.S. The migration of large clusters of point defects in irradiated materials, 3=22728
- Barnes, R.S. A theory of swelling and gas release for reactor materials, 4=19903
- Barnes, R.S. and Mazey, D.J. The spontaneous fragmentation of thorinite on heating, 0=4579
- Barnes, R.S. and Mazey, D.J. The nature of radiation-induced point-defect clusters, 1=1002
- Barnes, R.S. and Mazey, D.J. Stress-generated prismatic dislocation loops in quenched copper, 3=10671
- Barnes, R.S. and Mazey, D.J. The migration and coalescence of inert gas bubbles in metals, 3=25314
- Barnes, R.S. and Redding, G.B. The behaviour of helium atoms injected into beryllium, 0=20827
- Barnes, R.S. See Churchman, A.T., 0=8265
- Barnes, R. S. See Hansson, B., 4=12776
- Barnes, R.S. See Mazey, D.J., 3=4870
- Barnes, R.S. See Rich, J.B., 2=4338
- Barnes, R.S. See Silk, E.C.H., 0=19979
- Barnes, R.S. See Silk, E.C.H., 1=19784
- Barnes, R.S. See Westmacott, K.H., 1=966
- Barnes, R.S. See Westmacott, K.H., 1=17511
- Barnes, R.S. See Westmacott, K.H., 2=23179
- Barnes, R.S. See Westmacott, K.H., 3=6520
- Barnes, R.S. See Westmacott, K.H., 3=17706
- Barnes, R.S. See Westmacott, K.H., 3=22785
- Barnes, S.C. Twinning in copper electrodeposits, 0=18295
- Barnes, S.W., Rose, B., Giacomelli, G., Ring, J., Miyake, K. and Kinsey, K. Pion-proton scattering below 150 MeV. I, 0=3986
- Barnes, S.W., Winick, H., Miyake, K. and Kinsey, K. Pion-proton scattering below 150 MeV. II, 0=3987
- Barnes, V.E., Bugg, D.V., Dodd, W.P., Kinson, J.B. and Riddiford, L. Peripheral collisions and the $(3/2, 3/2)$ resonance in the reaction $p + p \rightarrow n + p + \pi^+$ at 970 MeV, 2=285
- Barnes, V.E., Connolly, P.L., Crennell, D.J., Culwick, B.B., Delaney, W.C., Fowler, W.B., Hagerty, B.E., Hart, E.L., Horwitz, N., Hough, P.V.C., Jensen, J.E., Kopp, J.K., Lai, K.W., Leitner, J., Lloyd, J.L., London, C.W., Morris, T.W., Oren, Y., Palmer, R.B., Prodel, A.C., Radojčić, D., Rahm, D.C., Richardson, C.R., Samios, N.P., Sanford, J.R., Shutt, R.P., Smith, J.R., Stonehill, D.E., Strand, R.C., Thorndike, A.M., Webster, M.S., Willis, W.J. and Yamamoto, S.S. Observation of a hyperon with strangeness minus three, 4=16969
- Barnes, V. E. See Bugg, D.V., 4=15055
- Barnes, W.S. See McDaniel, E.W., 2=3101
- Barnes, W. S. See Martin, D. W., 4=11536
- Barnett, C.F., Dunlap, J.L., Edwards, R.S., Haste, G.R., Postma, N., Ray, J.A., Reinhardt, R.G., Schill, W.J., Warner, R.M. and Wells, E.R. Lifetimes of fast ions in the plasma of d.c.x., 1=16349
- Barnett, C.F., Dunlap, J.L., Edwards, R.S., Haste, G.R., Ray, J.A., Reinhardt, R.G., Schill, W.J., Warner, R.M. and Wells, E.R. Energy distributions of protons in d.c.x., 2=15929
- Barnett, C. F., Rankin, M. and Ray, J. A. Formation of neutral atomic hydrogen beams, 4=11526
- Barnett, C. F. and Ray, J. A. The dissociation cross section of H_2 in hydrogen gas, 4=25749
- Barnett, C.F. See Dunlap, J.L., 3=12196
- Barnett, C.F. See Haste, G.R., 2=9595
- Barnett, D.M. and Roberts, J.M. A discussion of the importance of line tension on Cottrell's theory of the sharp yield point, 4=7382
- Barnett, G.D. and Miller, A. Oriented tungsten deposition, 2=10806
- Barnett, H.M. Evidence for a new phase boundary in the ferroelectric lead zirconate-lead titanate system, 2=17039
- Barnett, J.D., Bennion, R. B. and Hall, H. T. High pressure X-ray diffraction studies on barium, 4=4596
- Barnett, J. D., Bennion, R. B. and Hall, H. T. X-ray diffraction studies on tin at high pressure and high temperature, 4=10555
- Barnett, J. D. and Hall, H. T. High pressure-high temperature, X-ray diffraction apparatus, 4=10519
- Barnett, J.D. and Harris, F.S., Jr. Test of the effect of edge parameters on small-angle fresnel diffraction of light at a straight edge, 2=13458
- Barnett, J.D. See Hall, H.T., 3=6817
- Barnett, M. P. Mechanized molecular calculations - the polyatom system, 4=12435
- Barnett, M. P. See Csizmadia, I. G., 4=25653
- Barnett, M.P. See Hirschfelder, J.O., 1=4098
- Barnett, M. P. See Moskowitz, J.W., 4=1285
- Barnett, M.P. See Wait, S.C., Jr, 0=5905
- Barnfield, R.W., Farmer, B.W., Hobbs, L.C.W., Nelson, R.S. and Thompson, M.W. A 100 keV heavy ion accelerator for the study of irradiation damage, 2=11734
- Barnier, Y., Pauthenet, R. and Rimet, G. The temperature dependence of the crystal anisotropy constants and spontaneous magnetization of hexagonal cobalt, 1=14695
- Barnier, Y., Pauthenet, R. and Rimet, G. The field dependence of the magnetization of single-crystal cobalt, 1=14699
- Barnier, Y., Pauthenet, R. and Rimet, G. Study of the process of changing the axis of easy magnetization of cobalt, 1=20069
- Barnier, Y. See Pauthenet, R., 3=1141
- Bärnighausen, H. Preparation, lattice constants and space groups of LiEuO_2 , 4=4611
- Bärnighausen, H. and Brauer, G. New europium oxide Eu_2O_4 and the isotypic compound Eu_2SrO_4 , 3=5104
- Bärnighausen, H., von Volkmann, T. and Jander, J. Correction to the crystal data of nitrogen selenide $(\text{NSE})_x$, 2=17018
- Barnothy, J. M. Astronomical consequences of the Fib theory, 4=23825
- Barnothy, J. M. and Barnothy, M. F. The fib theory and its influence on astronomical observation methods, 4=7951
- Barnothy, M. F. See Barnothy, J. M., 4=7951
- Barns, R. L. See Dodd, D. M., 4=15857
- Barnstedt, G. Evaluation of the contrast transmission function of photographic objectives, 2=5196
- Baro, R. See Luzzati, V., 2=5425
- Baro, R. See Luzzati, V., 4=10515
- Bärödy, I. I. See Levy, J. C., 4=30752
- Baroff, J.H. and Fulton, T. Spin-one multipion resonances and their possible role in distinguishing between the μ -meson and the electron, 3=24771
- Baron, A. See Le Bot, Jean., 1=14535
- Baron, J.R. Thermal diffusion effects in mass transfer, 4=5221
- Baron, N. and Cohen, B.L. Activation cross-section survey of deuteron-induced reactions, 3=10382
- Baron, P. Apparatus for the integration of acoustic intensity. Application to the measurement of noise from machines, 0=14767
- Baron, R. Pressure dependence of the n.m.r. chemical shifts in cesium and rubidium halides, 3=8731
- Baron, R., Mayer, J. W. and Marsh, O. J. Current voltage characteristics of large double injection in Si P-I-N structures, 4=15549
- Baron, S. See Wachspress, E.L., 2=10170
- Baron, V.V. See Alekseevskii, N.E., 3=335
- Baron, V.V. See Savitskii, E.M., 3=5137
- Baron, V. V. See Savitskii, E. M., 4=27612
- Baronat, C. N. See Hoppmann, W. H., II, 4=21079
- Barone, A. and Fanti, F. An experimental contribution to the investigation of an ultrasonic field by means of an optical method, 1=18532
- Barone, A., Pisent, G. and Sette, D. Ultrasonic velocity in supercooled liquids, 0=6789
- Barone, S.R. Resonances of the Fabry-Perot laser, 3=9590
- Baroni, E.E., Kilin, S.F., Kovyrzina, K.A., Rozman, I.M. and Shoniya, V.M. On the decay time of plastic scintillators, 2=21278

- Baroni, E.E., Rozman, I.M. and Shoniya, V.M. Light collection in plastic scintillators, 2=19689
- Baroni, E.E. See Andreeshev, E.A., 2=23610
- Baroni, E.E. See Selinov, I.P., 1=17010
- Baroni, G., Bellettini, G., Castagnoli, C., Ferro-Luzzi, M. and Manfredini, A. Proton and antiproton diffraction scattering on complex nuclei, 0=12924
- Baroni, G., Castagnoli, C., Manfredini, A. and Rossi, V. Inelastic scattering of antiprotons between 30 and 250 MeV, 0=15357
- Baroni, G. See Amaldi, E., 0=5561
- Baroni, G. See Amaldi, E., 2=22461
- Baroni, G. See Amaldi, E., 3=14861
- Baroni, G. See Baudinet-Robinet, Y., 2=13798
- Baroni, G. See Galtieri, A.B., 1=12089
- Baroody, E.M. Theory of displacement cascades in compounds, 0=2820
- Baroody, E.M. Differential and transport cross-sections for classical scattering by repulsive potentials, 1=14131
- Baroody, E.M. Focusing collisions in a linear chain of atoms, 1=17588
- Baroody, E.M. Classical scattering by some important repulsive potentials, 2=19385
- Baroody, E.M. Stopping by elastic collisions of particles from a unidirectional plane source, 4=22637
- Bar-Or, A. See Wynblatt, P., 4=30871
- Barr, A. D. S. and Duthie, T. Influence of cross-section distortion on the bending vibration of thin-walled beams of H section, 4=29685
- Barr, D.W., Browne, C.I. and Gilmore, J.S. Interpretation of experimental (n,2n) excitation functions, 1=11019
- Barr, E.J. See Kramer, H.H., 1=10586
- Barr, E.S. Historical survey of the early development of the infrared spectral region, 0=154
- Barr, E.S. Anniversaries in 1960 of interest to physicists, 0=6640
- Barr, E.S. Anniversaries in 1961 of interest to physicists, 1=5179
- Barr, E.S. Concerning the naming of the "practical" electrical units, 1=10647
- Barr, E.S. Men and milestones in optics. I. George Gabriel Stokes, 2=5132
- Barr, E.S. Anniversaries in 1962 of interest to physicists, 2=11236
- Barr, E.S. Anniversaries in 1963 of interest to physicists, 3=5311
- Barr, E.S. Anniversaries in 1964 of interest to physicists, 4=14003
- Barr, J. and Dickinson, H.O. Electrokinetic measurements on silver, silver bromide and silver sulphide, 2=1381
- Barr, L. See Alpern, M., 2=7078
- Barr, L.W., Hoodless, I.M., Morrison, J.A. and Rudham, R. Effects of gross imperfections on chloride ion diffusion in crystals of sodium chloride and potassium chloride, 1=14323
- Barr, L.W., Koffyberg, F.P. and Morrison, J.A. A note on the reaction of NaCl crystals with atmospheric gases, 2=4400
- Barr, L.W. and Morrison, J.A. Formation of cavities on dislocations in crystals of NaCl and KCl, 0=11622
- Barr, L.W. See Inman, M.C., 0=17971
- Barr, N.F., Stark, M. and Laughlin, J.S. A comparison of two fluorimeters designed to measure the radiation-induced fluorescence of silver-activated glass rods, 1=5707
- Barr, W. See McLean, S., 1=18635
- Barr, W. See Meleka, A.H., 0=19712
- Barr, W. See Meleka, A.H., 1=14900
- Barr, W.L. Method for computing the radial distribution of emitters in a cylindrical source, 2=17595
- Barr, W.L. and Gardner, A.L. A scanning Fabry-Perot interferometer, 2=114
- Barr, W.L. See Gardner, A.L., 2=17821
- Barrachin, B. and Weill, A.R. Crystalline texture of a thick deposit of hard chromium, 3=25782
- Barracough, C. G. and Ng, C. F. Linear antiferromagnetism in copper bromide and copper chloride, 4=20565
- Barragán, A. Tables of values of angular momenta and electric quadrupole moments of states associated with the quadrupole-quadrupole interaction in a harmonic oscillator, 1=13625
- Barragán, A. and Solt, J. Tables of energy versus magnetic field strength for He³, 0=7176
- Barrand, P. and Leak, G.M. On the density of dislocation atmospheres, 3=13333
- Barrand, P. and Leak, G.M. Precipitation and the deformation damping peak in iron alloys, 4=28962
- Barrand, P., Leak, G.M. and Rosenfield, A.R. 250° internal friction peak in iron, 3=23300
- Barrans, J. See Mathis, R., 4=25714
- Barras, H., Philip, R. and Rivoira, R. Adsorption and condensation of residual gas on thin films cooled in vacuum, 2=23917
- Barras, H., Philip, R. and Rivoira, R. Phenomena observed at low temperatures during the production of metallic thin films, 3=3358
- Barrar, B. Some remarks on the motion of a satellite of an oblate planet, 1=4225
- Barrat, J.P. Magnetic resonance line width of the 6 ³P₁ state or mercury and multiple scattering of 2537 Å photons, 0=17659
- Barrat, J.P. Study of the multiple coherent scattering of light from optical resonance. Application to the 6 ³P₁ level of mercury. II. Theoretical study, 0=20548
- Barrat, J.P. Study of the multiple coherent scattering of the light from optical resonance. Application to the mercury 6 ³P₁ transition. III. Experimental results, 0=20549
- Barrat, J.P. On the effect of a nuclear electric dipole moment on the energy levels of an atom in a uniform electric field, 1=796
- Barrat, J.P. Density matrix formalism applied to light beat experiments, 1=17276
- Barrat, J.P. and Butaux, J. Measurement of the lifetime of the 5³P₁ state of cadmium by the magnetic resonance method, 2=3706
- Barrat, J.P. and Chantepie, M. A study of the effect of coherent multiple scattering on the F = $\frac{1}{2}$ hyperfine component of the 2537 Å line of Hg¹⁹⁹, 4=17249
- Barrat, J.P. and Cohen-Tannoudji, C. A study of optical pumping in terms of the density matrix, 1=7441
- Barrat, J.P. and Cohen-Tannoudji, C. Broadening and displacement of magnetic resonance lines caused by optical pumping, 1=7442
- Barrat, J.P. and Cohen-Tannoudji, C. Optical pumping and the density matrix formalism, 1=13963
- Barrat, J.P. and Cohen-Tannoudji, C. Enlargement and displacement of magnetic resonance radiation caused by an optical excitation, 1=13964
- Barrat, J.P., Leclerc, D. and Ribault, M. Experimental study of the modulation of light at the fundamental frequency in a double resonance experiment, 4=9639
- Barrat, J.P. and Salliot, P. A measurement of the Landé g-factor for the 5³P₁ level of cadmium, 4=17246
- Barrat, J.P. See Barrat, M., 4=3787
- Barrat, J.P. See Cagnac, B., 0=1472
- Barrat, M. and Barrat, J. P. Measurement of Landé factors and lifetimes of excited levels of cadmium produced by electron impact, 4=3787
- Barrat, M. and Pebay-Peyroula, J.C. Magnetic resonance of atomic levels of cadmium excited by electron bombardment, 0=17663
- Barraud, A. The behaviour of high resistivity gallium arsenide under high electric fields, 3=17876
- Barraud, A. Study of gallium arsenide with a view to its application as a particle detector, 4=9013
- Barraud, A. See Nguyen, Van Dong, 0=4338
- Barraud, A. See van Dong, N., 0=6110
- Barraud, J. Principles of X-ray crystallography, 1=9121
- Barrault, M. R., Labat, J., Ohlendorf, W. and Prasad, A. N. Magnetic-probe studies of azimuthal pinch discharges in hydrogen, 4=21524
- Barrault, M. R., Labat, J. and Prasad, A. N. Experimental errors in magnetic probe studies, 3=24299
- Barrault, M. R. See Al-Attar, Z., 4=27225
- Barreau, P. See Bellicard, J.B., 0=17613
- Barreau, P. See Bellicard, J.B., 1=13778
- Barreau, P. See Bellicard, J., 2=372
- Barreau, P. See Bellicard, J., 2=20515
- Barreau, P. See Blum, D., 3=22300
- Barreau, P. See Blum, D., 4=17052
- Barreau, P. See Sherman, N. K., 4=19747
- Barrer, R.M. Stabilization of lattices by sorbed and included molecules, 1=9171
- Barrer, R.M. Two-phase flow of adsorbed vapors, 3=25779
- Barrer, R. M. Diffusion in porous media, 4=126
- Barrer, R.M., Barrie, J.A. and Rogers, M.G. Permeation through a membrane with mixed boundary conditions, 3=5418
- Barrer, R.M., Bartholomew, R.F. and Rees, L.V.C. Ion exchange in porous crystals. I. Self- and exchange-diffusion of ions in chabazites, 3=6534

- Barrer, R.M., Bartholomew, R.F. and Rees, L.V.C. Ion exchange in porous crystals. II. The relationship between self- and exchange- diffusion coefficients, 3=10685
- Barrer, R.M. and Coen, P.J. Dielectric properties of some synthetic minerals, 4=7030
- Barrer, R.M. and Peterson, D.L. Intracrystalline sorption by synthetic mordenites, 4=26725
- Barrer, R.M. and Petropoulos, J.H. Diffusion in heterogeneous media: lattices of parallelepipeds in a continuous phase, 1=19799
- Barrer, R.M. and Rees, L.V.C. Self- and exchange diffusion coefficients, 4=30572
- Barrer, R.M. and Stuart, W.I. Ion exchange and the thermodynamics of intracrystalline sorption. I. Energetics of occlusion of argon and nitrogen by faujasite-type crystals, 0=8333
- Barrer, R.M. and Stuart, W.I. Ion exchange and the thermodynamics of intracrystalline sorption. II. Entropy of occlusion of argon and nitrogen by faujasite-type crystals, 0=8334
- Barrer, R.M. and Wasilewski, S. Apparatus for measurement of sorption of reactive condensable vapours up to 350°C, 0=18451
- Barrer, R.M. See Ash, R., 0=20848
- Barrer, R.M. See Ash, R., 1=17555
- Barrer, R.M. See Ash, R., 3=3823
- Barrer, R.M. See Ash, R., 3=3824
- Barrer, R.M. See Ash, R., 4=5140
- Barrer, R.M. See Ash, R., 4=12777
- Barrett, A.H. Microwave absorption and emission in the atmosphere of Venus, 0=16535
- Barrett, A.H. Microwave absorption and emission in the atmosphere of Venus, 1=2659
- Barrett, A.H. Observations of radio sources at 1.8-cm wavelength, 2=4849
- Barrett, A.H. Millimeter-wave radio source in Taurus, 2=13182
- Barrett, A.H. Microwave spectral lines as probes of Planetary atmospheres, 3=18599
- Barrett, A.H. and Chung, V.K. A method for the determination of high-altitude water-vapor abundance from ground-based microwave observations, 3=9020
- Barrett, A.H., Meeks, M.L. and Weinreb, S. High-resolution microwave spectra of H and OH absorption lines of Cassiopeia A, 4=23949
- Barrett, A.H. See Barath, F.T., 3=18618
- Barrett, A.H. See Barath, F.T., 4=13954
- Barrett, A.H. See Howard, W.E. III, 3=3623
- Barrett, A.H. See Staelin, D.H., 4=13959
- Barrett, B. and Barton, G. Two-photon decay rates of the π^0 and η mesons, 3=12480
- Barrett, B. and Barton, G. Goldberger-Treiman formulae with Regge phase shifts, 3=24759
- Barrett, B. and Barton, G. A dynamical calculation of the $\eta \rightarrow 3\pi$ decay rate, 4=9259
- Barrett, C.R., Ardell, A.J. and Sherby, O.D. Influence of modulus on the temperature dependence of the activation energy for creep at high temperatures, 4=15693
- Barter, C.R. and Blanke, W.W. A platinum resistance thermometer for use at high temperatures, 1=1843
- Barrett, C.S. Bismuth at low temperature, 0=18379
- Barrett, C.S. The structure of bismuth at low temperatures, 1=1395
- Barrett, C.S., Cucka, P. and Haefner, K. The crystal structure of antimony at 4.2, 78 and 298°K, 3=18308
- Barrett, C.S., Graham, C.D. Jr and Lommel, J.M. Discussion of "orientation of recrystallized grains in strained aluminium single crystals", 0=21156
- Barrett, C.S. and Meyer, L. X-ray diffraction study of solid argon, 4=29094
- Barrett, C.S., Mueller, M.H. and Heaton, L. Germanium as a neutron monochromator, 3=23428
- Barrett, C.S., Mueller, M.H. and Hitterman, R.L. Crystal structure variations in alpha uranium at low temperatures, 3=6841
- Barrett, C.S. See Cucka, P., 2=21515
- Barrett, C.S. See Meyer, L., 4=23247
- Barrett, E.B., Whitmer, R.F. and Tetenbaum, S.J. Nonlinear interaction of an electromagnetic wave with a plasma layer in the presence of a static magnetic field. III. Theory of mixing, 4=24656
- Barrett, E.B. See Tetenbaum, S.J., 4=24657
- Barrett, E.B. See Whitmer, R.F., 1=3067
- Barrett, E.B. See Whitmer, R.F., 2=7615
- Barrett, H.H. Dielectric breakdown of single-crystal strontium titanate, 4=20422
- Barrett, J. and Mansell, A.L. Ultraviolet absorption spectra of the molecules H_2O , HDO and D_2O , 0=15736
- Barrett, J.H. See Ellis, S.C., 3=7742
- Barrett, J.J. and Weber, A. Temperature dependence of optical harmonic generation in KDP and ADP crystals, 3=20453
- Barrett, M.J. Radiation of an extended source, 3=2522
- Barrett, P. See Nagle, D.E., 2=4216
- Barrett, P.H., Grant, R.W., Kaplan, M., Keller, D.A. and Shirley, D.A. Electron transfer in dilute gold alloys, 3=25220
- Barrett, P.H. and Shirley, D.A. Hyperfine structure in Europium metal, 3=17631
- Barrett, R.C. Pairing energies of heavy nuclei, 2=20495
- Barrett, R.C. The scattering of neutrons by polarized deformed nuclei, 4=12234
- Barrett, W.A. Demagnetization of twistor bits, 1=7124
- Barrett, W.A. Measurement of [ferromagnetic] film relaxation time, 3=15923
- Barribe, A. See Blanc, D., 2=1346
- Barrie, J.A. See Barrer, R.M., 3=5418
- Barrie, J.A. See Michaels, A.S., 3=11305
- Barrie, J.A. See Michaels, A.S., 3=11306
- Barrie, R. and Burgess, R.R. Drift velocity of hot electrons in n-type germanium, 2=21130
- Barrie, R. and Nishikawa, K. Phonon broadening of impurity spectral lines. II. Application to silicon, 4=4276
- Barrie, R. See Colbow, K., 3=23080
- Barrie, R. See Nishikawa, K., 3=20457
- Barrington, A.E. Sensitivity of an ion pump leak detector, 3=1742
- Barrington, A.E. High vacuum with sputter-ion pumps, 4=8261
- Barrington, A.E. See Ryder-Smith, S.C., 0=8980
- Barrington, E.P., Pope, A.L. and Story, J.S. The data in the Winfrith Nuclear Data Library: July, 1963, 4=17214
- Barrington, R.E. and Belrose, J.S. Preliminary results from the very-low frequency receiver aboard Canada's "Alouette" satellite, 3=21056
- Barrington, R.E., Belrose, J.S. and Keeley, D.A. Very-low-frequency noise bands observed by the Alouette 1 satellite, 4=13835
- Barrington, R.E. and Nishizaki, T. The hydrogen ion effect in whistler dispersion, 1=1549
- Barrington, R.E. and Nishizaki, T. Whistler dispersion and exospheric hydrogen ions, 1=15238
- Barrington, R.E. and Thompson, W.E. Whistlers and magnetic activity, 2=17144
- Barrington, R.E. and Thrane, E. The determination of D-region electron densities from observations of cross modulations, 2=4645
- Barrington, R.E., Thrane, E.V. and Bjelland, B. Diurnal and seasonal variations in D-region electron densities derived from observations of cross modulation, 3=9084
- Barriol, J. The electronic structure of graphite, 1=3623
- Barriol, J. Properties of pure liquids relative to cohesion, 4=24157
- Barriol, J. and Daum, A. The calculation of atomic polarization in the case of polar molecules, 2=8074
- Barriol, J. and Weisbecker, A. Contribution to J. Duclaux's theory of a real gas, 0=19196
- Barriol, M. See Deviot, B., 3=22988
- Barriol, R. and Gosse, J. Rapid experimental determination of the thermal properties of a solid electrical conductor, 2=23068
- Barron, D.W. The "waveguide mode" theory of radio wave propagation when the ionosphere is not sharply bounded, 0=19949
- Barron, D.W. The numerical solution of differential equations governing the reflexion of long radio waves from the ionosphere. IV, 1=16593
- Barron, D.W. and Budden, K.G. The numerical solution of differential equations governing the reflexion of long radio waves from the ionosphere. III, 0=7233
- Barron, D.W. See Farley, D.T., 1=16314
- Barron, D.W. See Rishbeth, H., 0=16453
- Barron, T.H.K. Long-wave optical vibrations in simple ionic crystals, 1=14165
- Barron, T.H.K., Berg, W.T. and Morrison, J.A. On the heat capacity of crystalline magnesium oxide, 0=7849
- Barron, T.H.K. and Fischer, G. Brillouin zones and crystal structure factors, 0=20717
- Barron, T.H.K. and Klein, M.L. Thermal and elastic properties of crystals at low temperatures, 2=20915
- Barron, T.H.K. and Klein, M.L. On the strain dependence of the vibrational frequency distributions of simple lattices, 3=20081

- Barron, T.H.K., Klein, M.L., Leadbetter, A.J., Morrison, J.A. and Salter, L.S. Analysis of thermal expansion measurements — interpretation of Debye-Waller factors for simple crystals — lattice dynamics of anharmonic crystals near $T = 0$, 4=17366
- Barron, T.H.K., Leadbetter, A.J. and Morrison, J.A. The thermal properties of alkali halide crystals. IV. Analysis of thermal expansion measurements, 4=20222
- Barron, T.H.K. and MacDonald, D.K.C. Problems of currents in magnetic fields, 0=9935
- Barron, T.H.K. and Morrison, J.A. Properties of alkali halide crystals at low temperatures, 0=1556
- Barron, T.H.K. and Morrison, J.A. The thermal properties of alkali halide crystals. III. The inversion of the heat capacity, 0=20745
- Barros, F. de S., Forsyth, P.D., Jaffe, A.A. and Taylor, I.J. Some (t, d) reactions in light nuclei at 5.5 MeV, 1=8785
- Barros, F. de S., Forsyth, P.D., Jaffe, A.A. and Taylor, I.J. An investigation of some (t, d) reactions in light nuclei at 5.5 MeV, 1=9887
- Barros, F. de S., Zory, P. and Campbell, L.E. The hyperfine structure of Fe^{57} in $\text{FeC}_2\text{O}_4 \cdot 2\text{H}_2\text{O}$, 4=9812
- Barros, F. de S. See Forsyth, P.D., 0=5754
- Barros, F. de S. See Jaffe, A.A., 1=731
- Barros, F. de S. See Muto, J., 0=20462
- Barros, F. de S. See Taylor, I.J., 0=11422
- Barros, S.L. de S. See Binnie, D.M., 1=8476
- Barrow, B.B. and Maitland, R. Transients in logarithmic count-rate and period meters, 1=2932
- Barrow, B.B. and Maitland, R. Transients in logarithmic count-rate and period meters, 1=4545
- Barrow, C., Guest, G.H. and Riddiford, L. A liquid hydrogen-deuterium target for use with the Birmingham 1 GeV proton synchrotron, 3=14692
- Barrow, C.H. Magnetic field of Jupiter, 1=2660
- Barrow, C.H. Recent radio observations of Jupiter at decimeter wavelengths, 2=13177
- Barrow, C.H. 38-Mc/s radiation from Jupiter, 3=9269
- Barrow, C.H. Polarization of 16 Mc/s radiation from Jupiter, 4=23939
- Barrow, G.M. See Bell, C.L., 0=2739
- Barrow, R.F. The heat of sublimation and energy of dissociation of thallous chloride, 0=19511
- Barrow, R.F. Dissociation energies of the gaseous monohalides of boron, aluminium, gallium, indium and thallium, 1=17365
- Barrow, R.F. and Deutsch, E.W. Rotational analysis of the $^3\Sigma^- - ^3\Sigma^-$ system of SeO , 3=4758
- Barrow, R.F. and Deutsch, E.W. Rotational analysis of the $A^3\Sigma^- - X^3\Sigma^-$ system of SeO , 3=25105
- Barrow, R.F., Deutsch, J.L., Lagerqvist, A. and Westerlund, B. Rotational analysis of the E-X system of silicon monosulphide, 2=6145
- Barrow, R.F., Deutsch, J.L. and Travis, D.N. Rotational analysis of absorption bands of lead monoxide, 1=14006
- Barrow, R.F., Dixon, R.N., Lagerqvist, A. and Wright, C.V. Rotational analysis of the absorption spectrum of carbon monosulphide, 1=6003
- Barrow, R.F., Fry, P.W. and Le Bary, R.C. Rotational analysis of bands of the absorption spectrum of PbS , 3=10511
- Barrow, R.F., Gissane, W. J. M., Le Bary, R.C., Rose, G. V. M. and Ross, P. A. Rotational analysis of some singlet transitions in the spectrum of gaseous scandium monofluoride, 4=20061
- Barrow, R.F., Gissane, W. J. M. and Travis, D.N. Electronic spectra of some gaseous diatomic compounds of gold, 4=22352
- Barrow, R.F. and Ketteringham, J.M. Triplet splitting in the ground state $X^2\Sigma^-_g$ of S_2 , 3=10525
- Barrow, R.F., Kopp, I. and Merrer, A.J. Rotational analysis of the $A^2\Sigma^+ - X^2\Sigma^+$, $B^2\Sigma^+ - X^2\Sigma^+$ systems of SnF , 2=10244
- Barrow, R.F., Kopp, I. and Scullman, R. Singlet electronic states of aluminium monofluoride, 3=25090
- Barrow, R.F. and Travis, D.N. The electronic spectrum of the AlAu molecule, 3=10505
- Barrow, R.F., Travis, N. and Wright, C.V. Excited electronic states of lithium and sodium molecules, 0=17765
- Barrow, R.F. See Deutsch, J.L., 2=20799
- Barrow, R.F. See Gissane, W. J. M., 4=6558
- Barrow, R.F. See Johns, J.W.C., 0=9818
- Barrow, R.F. See Ketteringham, J.M., 4=9728
- Barrow, R.F. See Le Bary, R.C., 3=22543
- Barrow, R.F. See Meakin, J.E., 2=10264
- Barrow, R.F. See Morgan, E., 0=7754
- Barrow, R.F. See Richards, W.G., 4=20015
- Barrow, R.F. See Richards, W.G., 4=20050
- Barrows, A.W. and Howard, R.J. Method to measure super-saturation in vapors, 2=5538
- Barrows, E.C. See Norton, K.A., 3=12321
- Barry, A.L. and Edwards, W.D. Circuit to facilitate the measurement by the fourprobe method of the resistivity of silicon in the range 0.002 to 10000 ohm cm, 2=7530
- Barry, B.E. and Brown, A.F. Self diffusion in silver during torsional deformation, 4=9989
- Barry, D. and Roberts, R.W. Useful technique for growing large single-crystal Yig, 1=1544
- Barry, G. Ray tracings of acoustic waves in the upper atmosphere, 4=7875
- Barry, G.H. and Widdess, P.R. The effect of a solar flare on the frequency of high-frequency ground backscatter, 3=507
- Barry, J. See Brown, F., 3=19858
- Barry, J. See Meijer, P.H.E., 2=19454
- Barry, J.F. The cross section of the $^{58}\text{Ni}(n,p)^{58}\text{Co}$ reaction for neutrons in the energy range 1.6 to 14.7 MeV, 3=8117
- Barry, J.F. The cross section of the reaction $^6\text{Li}(n,p)^6\text{He}$ in the neutron energy range 3.5 to 14.8 MeV, 3=24953
- Barry, J.F. The radiative capture cross section of ^{197}Au for neutrons in the energy range 0.12-1.8 MeV, 4=30342
- Barry, J.F., Batchelor, R. and Macefield, B.E.F. Neutrons from the reactions between tritium and helium-3, 1=19293
- Barry, J.F., Bunce, J.L. and Perkin, J.L. The radiative capture cross-section of ^{238}U for neutrons in the energy range 0.3 to 4.0 MeV, 2=473
- Barry, J.F., Bunce, J. and White, P. H. Cross section for the reaction $^{238}\text{U}(n, \gamma)^{239}\text{U}$ in the energy range 0.12-7.6 MeV, 4=30343
- Barry, J.F., Coleman, R.F., Hawker, B.E. and Perkin, J.L. Cross sections for some (n,pn) reactions with heavy nuclides, 0=1446
- Barry, J.F., O'Connor, L.P. and Perkin, J.L. The radiative capture cross-section of ^{232}Th for neutrons in the energy range 300 to 1200 keV, 0=5800
- Barry, J.H. See Tanaka, T., 2=23805
- Barry, J.N. See Anderson, J.M., 2=1211
- Barry, T.I. and Klier, K. γ -irradiation of zinc oxide and its effect on adsorbed layers, 2=12949
- Barry, T. I. and Moore, W. J. Amethyst: optical properties and paramagnetic resonance, 4=25975
- Barry, T.I. and Stone, F.S. The reactions of oxygen at dark and irradiated zinc oxide surfaces, 0=8303
- Barschall, H.H. See Austin, S.M., 2=13808
- Barschall, H.H. See Fossan, D.B., 1=11020
- Barschall, H.H. See Holbrow, C.H., 3=12669
- Barschall, H.H. See Johnsrud, A.E., 0=2680
- Barschall, H.H. See May, T.H., 3=19636
- Barsell, A. See Dickerman, C.E., 4=17227
- Barsella, B. and Fabri, E. Angular momenta in relativistic three-body systems, 2=13742
- Barsella, B. and Fabri, E. Angular momenta in relativistic many-body problems, 3=72
- Barsella, B. and Rosati, S. On the effect of n-p tensor forces in ^3H , 1. 1=13634
- Barsh, M.K. See Chaiken, R.F., 0=3309
- Barshauskas, K. See Eidukas, D., 4=1631
- Barshauskas, K. See Eidukas, D., 4=1640
- Barshauskas, K. See Kukshas, B., 4=3119
- Barshauskas, K. See Lesauskis, V. P., 4=749
- Barshauskas, K. See Okunis, Yu., 4=2002
- Barshauskas, K.I. See Eidukas, D.Yu., 3=24194
- Barshauskas, K.M. See Paulauskas, V. K., 4=290
- Barshauskas, K.N. See Lesauskis, V. P., 4=758
- Barshay, S. Low-type integral equations for the absorption and production of K mesons, 0=3999
- Barshay, S. Interaction between a pair of K^+ mesons, 0=17415
- Barshay, S. Possible method for determining the parity of the cascade hyperon, 0=17423
- Barshay, S. The linear $\text{K}\pi$ interaction and the relative $\Sigma-\Lambda$ parity, 2=306
- Barshay, S. Theory of p-wave $\pi-\Lambda$ resonance, 2=11985
- Barshay, S. Theory of the pionic decay of sigma hyperons in the bound state model, 2=12007
- Barshay, S. On resonances in a system of coupled two-particle channels, 3=10040
- Barshay, S. Production of a strangeness-3 baryon in antiproton-deuterium and K^- -proton collisions, 4=9286
- Barshay, S. An extension of Adair's analysis: a method for determining spins and parities of excited baryons, 4=11952
- Barshay, S. An extension of Adairs' analysis — a method for determining spins and parities of excited baryons, 4=21765

- Barshay, S. Test of normal statistics for K mesons, 4=21925
- Barshay, S. and Iso, C. Interference effects in the decay of neutral K mesons: $K^0 \rightarrow \tau + \tau + \gamma$, 2=9914
- Barshay, S. and Kawaguchi, M. Possible method for isolating the K^* -exchange contribution to the reaction $\gamma + p \rightarrow K^* + \Lambda$, 4=21931
- Barshay, S., Nauenberg, U. and Schultz, J. Σ -radiative decay as a method of determining the angular momentum of the Σ -pionic decay, 4=15107
- Barshay, S. and Pendleton, H., III. π - Λ resonance and the sigma hyperon, 1=8491
- Barshay, S. and Pendleton, H.N. The Y_0^{**} , the π'^0 , and the bound state model, 2=1710
- Barshay, S. and Schwartz, M. Theory of Σ -hyperon decays, 0=15442
- Barshay, S. and Temmer, G. M. Geometric test of the isospin multiplet nature of nuclear analog states, 4=27958
- Barshenkov, V. S., Mal'tsev, V. M. and Mikhul, E. K. The mechanism of the interaction of fast nucleons with nuclei, 3=2461
- Barsis, A. P. and Johnson, M. E. Prolonged space-wave fadeouts in tropospheric propagation, 3=5856
- Barson, C. W. and Gough, V. E. Measurement of strain of materials of large extensibility, 2=7152
- Barson, F., Dyett, M. J., Karan, C. and Mutter, W. E. A controlled diffusion process for indium in n-type germanium, 0=15933
- Barston, E. M. Variational technique for determining dispersion relations in plasma systems, 3=19243
- Barston, E. M. Comments on gas-solid suspensions at high temperatures, 4=27470
- Barsukov, K. A. The Doppler effect in an anisotropic and gyrotropic medium, 0=9190
- Barsukov, K. A. Transition radiation in waveguides, 0=11019
- Barsukov, K. A. Transit radiation in a plate placed in a waveguide, 1=375
- Barsukov, K. A. Certain features of the Doppler effect in anisotropic media, 2=20161
- Barsukov, K. A. Longitudinal instability of a beam moving in a cylindrical resonator, 4=3057
- Barsukov, K. A. On the radiation from a charge moving in an inhomogeneous magnetoactive medium, 4=19194
- Barsukov, K. A. and Bolotovskii, B. M. Radiation emitted by fast particles in a nonstationary inhomogeneous medium, 4=3366
- Barsukov, K. A. and Kolomenskii, A. A. Longitudinal stability of a charged beam circulating in a medium, 4=3056
- Barsukov, K. A. and Kolomenskii, A. A. Doppler effect in an electron plasma in a magnetic field, 0=9052
- Barsukov, K. A. See Nar'yshkina, L. G., 3=24477
- Barsukov, O. A. and Avzyanov, V. S. Metal/hydrogenous shielding of neutron point sources, 4=12318
- Barsukov, Yu. K. Investigation of the p-n junction for high current densities, 0=6102
- Barta, G. The connection between the eccentricity of the geomagnetic field and the triaxiality of the earth, 2=4691
- Barta, J. Theorems on the oscillations of systems with finite degrees of freedom, 3=7086
- Barta, T. See Szabó, F., 4=1157
- Bartarūnas, J. V. See Mauza, E. V., 4=1355
- Bartashevs'kiy, E. L., Kolomoitsev, F. I., Kodzhespirov, F. F., Pogorel's'kiy, A. E., Sivtsev, D. S. and Yakunin, O. Y. Connection of the saturation magnetization with the parameters of ferrites used in superhigh-frequency technique, 4=7287
- Barte, W. See Elder, T., 3=5804
- Barte, W. See Elder, T., 3=15790
- Bartel', I. See Sharfenberg, R., 4=13457
- Bartelink, D. J. Interaction of a drift current with transverse waves in a solid state plasma, 4=20253
- Bartelink, D. J., Moll, J. L. and Meyer, N. I. Hot-electron emission from shallow p-n junctions in silicon, 3=13087
- Bartelink, D. J. See Moll, J. L., 4=7003
- Bartell, L. S. Effect of specimen delocalization in electron diffraction studies of gas molecules, 0=5990
- Bartell, L. S. Electron diffraction study of monomethyl- and dimethylphosphine, 0=5991
- Bartell, L. S. On the effect of intramolecular van der Waals forces, 0=5997
- Bartell, L. S. Secondary isotope effects in molecular structure, 2=20762
- Bartell, L. S. Calculation of mean atomic positions in vibrating polyatomic molecules, 3=15328
- Bartell, L. S. Resonance energies from Pauling bond orders, 4=6544
- Bartell, L. S. and Betts, J. F. A radiotracer study of an optical method for measuring adsorption, 1=15185
- Bartell, L. S. and Bonham, R. A. Structure of isobutylene, 0=5989
- Bartell, L. S. and Brockway, L. O. Electron diffraction study of the structure of trimethylphosphine, 0=4241
- Bartell, L. S. and Churchill, D. Polarimetric determination of absorption spectra of thin films on metal. I. Interpretation of optical data, 2=5165
- Bartell, L. S. and Gavin, Jr., R. M. Effects of electron correlation in X-ray and electron diffraction, 4=30390
- Bartell, L. S. and Kohl, D. A. Structure and rotational isomerization of free hydrocarbon chains, 4=6623
- Bartell, L. S. and Kuchitsu, K. Derivation of physically significant nonbonded interaction constants in hydrides by a modified Urey-Bradley analysis, 2=20770
- Bartell, L. S. and Kuchitsu, K. Significance of bond lengths determined by electron diffraction, 2=22960
- Bartell, L. S., Kuchitsu, K. and DeNeui, R. J. Equilibrium bond lengths in methane and deuteromethane as determined by electron diffraction and spectroscopic methods, 0=20693
- Bartell, L. S., Kuchitsu, K. and DeNeui, R. J. Mean and equilibrium molecular structures of methane and deuteromethane as determined by electron diffraction, 1=17370
- Bartell, L. S. See Bonham, R. A., 0=15778
- Bartell, L. S. See Kuchitsu, K., 2=1981
- Bartell, L. S. See Kuchitsu, K., 2=14243
- Bartell, L. S. See Kuchitsu, K., 2=14244
- Bartell, L. S. See Kuchitsu, K., 2=22959
- Bartell, L. S. See Shibata, S., 4=25707
- Bartels, H., Bortfeldt, J. and Berg, K. H. The ignition process of wire explosions, 3=4102
- Bartels, H., Gansauge, P. and Kuhlmei, H. Magnetic compression in high-density gases, 3=7557
- Bartels, H. and Meiners, D. A new form of coil for the θ -pinch, 3=19264
- Bartels, H. and Zwicker, H. Determination of line form from the line contour of self-reversing lines. I. Theory of the method, 2=7364
- Bartels, J. The July 1959 events and associated phenomena. Introduction, 1=18085
- Bartels, J. The previous history of space research, 2=24186
- Bartels, J. Discussion of time-variations of geomagnetic activity, indices Kp and Ap, 1932-1961, 3=16308
- Bartels, J. Suggested effect of the moon on the geomagnetic disturbance and its statistical background, 4=2327
- Bartenbach, M., Tomczak, Z. and Kolodziejczak, J. In-pile thermoelectric power measurements of germanium bombarded by fast neutrons, 3=10898
- Bartenbach, M. See Buras, B., 4=12898
- Bartenbakh, M. See Aleksandrovich, E., 2=8044
- Bartenev, G. M. and El'kin, A. I. Friction properties of rubber-like polymers at low temperatures, 4=7398
- Bartenev, G. M. and Lavrent'ev, V. V. A friction law for elastic surface contacts, 2=2666
- Bartenev, G. M. and Lavrent'ev, V. V. A friction law for elastic surface contacts, 2=9222
- Bartenev, G. M. and Motorina, L. I. Influence of thermal processing on the strength and structure of glass fibres, 4=23154
- Bartenev, G. M. and Razumovskaya, I. V. Theoretical strength and critical rupture stress of solids, 0=16233
- Bartenev, G. M. and Razumovskaya, I. V. Theoretical strength and critical rupture stress of solids, 1=6466
- Bartenev, G. M. and Razumovskaya, I. V. Time dependence of the strength of brittle bodies in surface-active media, 3=25642
- Bartenev, G. M. and Remizova, A. A. The effect of impurities on the process of premelting, 3=21324
- Bartenev, G. M. and Zelenev, Yu. V. Low-temperature relaxation processes in rubbery polymers, 4=15713
- Bartenev, L. S., Glebovich, G. V. and Ptitsyn, K. N. Ultrahigh-speed pulse oscillograph, 3=1914
- Barter, C. F. See Camp, P. R., 4=20731
- Barth, C. A. and Patapoff, M. Laboratory spectra of the ultraviolet oxygen airglow, 3=6989
- Barth, C. A. Three-body reactions, 4=23783
- Barth, C. A. and Hildebrandt, A. F. The 5577 Å airglow emission mechanism, 1=21019
- Barth, C. A. and Kaplan, J. The ultraviolet spectrum of the oxygen afterglow and the night airglow, 0=5954
- Barth, C. A. and Suess, H. E. The formation of molecular hydrogen through photolysis of water vapor in the presence of oxygen, 0=3319
- Barth, C. A. See Hildebrandt, A. F., 2=3792
- Barth, C. A. See Kaplan, J., 1=1525
- Barth, C. A. See Kaplan, J., 2=15252
- Barth, H. Analysis of real structure of single crystals, 0=4628

- Barth, H. The use of monochromatic X-ray for the precision measurement of lattice parameters, 1=15034
- Barth, E. See Brill, R., 0=12020
- Barthel, J., Kunze, J. and Scharfenberg, R. Iron distribution and substructure in cellular grown aluminium single crystals, 4=29090
- Barthel, J. and Scharfenberg, R. On decanting, 4=29040
- Barthel, J.R. The microwave diagnosis of a column of ionized gas, 3=4136
- Barthel, J.R. and Lykoudis, P.S. Magneto-fluid-dynamic problem of a shock wave attached to a cone, 2=3142
- Barthel, J.R. and Sowle, D.H. A mechanism of injection of solar plasma into the magnetosphere, 4=20857
- Barthère, J., Dugas, J. and Durandeau, P. Spherical aberration coefficient of asymmetrical magnetic electron lenses, 0=12639
- Barthere, J. See Durandeau, P., 0=19745
- Barthle, R.C. See Eshleman, V.R., 0=4871
- Barthle, R.C. See Eshleman, V.R., 1=15331
- Barthold, W. Solution of the Boltzmann equation for a shock wave using the Burnett approach for the distribution function, I, 3=14244
- Barthold, W. Solution of the Boltzmann equation for a shock wave using the Burnett expression for the distribution function, 3=21478
- Bartholin, F., Tinland, B., Bernheim, A., Bami-Dépaux, B., Bermond, J. and Perez, V. V. Reaction cross-section of 3 GeV/c antiprotons with complex nuclei, 4=12216
- Bartholin, F., Tinland, B., Bernheim, A., Bami-Dépaux, B., Bermond, J. and Perez, V. Interaction cross-section of antiprotons of momentum 3 GeV/c with complex nuclei, 4=15207
- Bartholin, F. See Tinland, B., 4=6146
- Bartholomay, A.F. Physico-mathematical foundations of reaction rate theory, 3=3382
- Bartholomew, C.Y., Cassidy, G. and LaPadula, A.R. Cleanup rates of trace amounts of radioactive krypton in various noble gas discharges, 2=5323
- Bartholomew, C.Y. and La Padula, A.R. Penetration depth investigation of gas cleanup with radioactive tracers, 0=9003
- Bartholomew, C.Y. and LaPadula, A.R. Penetration of krypton ions into molybdenum in a glow discharge, 4=27581
- Bartholomew, G.A. Internal pair angular correlation spectrometer for determination of γ -ray multi-polarities, 0=15319
- Bartholomew, G.A. Anomalous intensities of primary neutron capture γ -rays, 1=8738
- Bartholomew, G.A., Campion, P.J. and Robinson, K. A study of methods for obtaining high resolution with a pair spectrometer, 0=2632
- Bartholomew, G.A., Knowles, J.W. and Lee-Whiting, G.E. Precision measurement in gamma-ray spectroscopy, 1=2030
- Bartholomew, G.A. and Vervier, J.F. Spins of levels in N^{15} , Fe^{57} , Cu^{64} , Zr^{92} and Hg^{200} by neutron capture γ -ray directional correlations, 4=9393
- Bartholomew, G.A. See Knowles, J.W., 1=8739
- Bartholomew, G.A. See Vervier, J.F., 1=8609
- Bartholomew, H. See Bernstein, L., 4=10581
- Bartholomew, R.F. See Barrer, R.M., 3=6534
- Bartholomew, R.F. See Barrer, R.M., 3=10685
- Bartholomew, R.M. See Baerg, A.P., 0=1451
- Bartholomew, R.M. See Baerg, A.P., 1=7388
- Bartholomeyczuk, W. Use of the Wollaston prism as beam-splitter in shearing interferometers, 1=2880
- Bartholomeyczuk, W. Calibration of step filters with a recording measuring apparatus, 2=7360
- Bartholomeyczuk, W. Photographic measurement of the spectral transmission of a step-wedge, 2=9394
- Bartholomeyczuk, W. Lummer-Waetzmann interferometer as a differential interferometer, 3=263
- Bartini, G.R., Dukova, E.D., Korshunov, I.P. and Chernov, A.A. Stepped surface relief of β -methyl naphthalene crystals grown from solution, 4=20732
- Bartis, F.J. Beta decay of carbon 10 and the cluster model, 4=3598
- Bartke, J. Interactions of 16 GeV/c π^- mesons in hydrogen leading to the production of strange particles, 3=15012
- Bartke, J., Böck, R., Budde, R., Cooper, W.A., Filthuth, H., Goldschmidt-Clermont, H., Grard, F., MacLeod, G.R., Minguzzi-Ranzi, A., Montanet, L., Moorhead, W.G., Morrison, D.R.O., Nilsson, S., Peyrou, C., Powell, B.W., Trembley, J., Wiskott, D., Bertanza, I., Franzinetti, C., Manelli, I., Silvestrino, V., Brautti, G., Ceschia, M. and Chervosani, L. Charged hyperon production by 16 GeV/c π^- mesons, 1=8513
- Bartke, J., Budde, R., Cooper, W.A., Filthuth, H., Goldschmidt-Clermont, Y., MacLeod, G.R., De Marco, A., Minguzzi-Ranzi, A., Montanet, L., Morrison, D.R.O., Nilsson, S., Peyrou, C., Sosnowski, R., Bigi, A., Carrara, R., Franzinetti, C., Mannelli, I., Brautti, G., Ceschia, M. and Chervosani, L. Hyperon and kaon production by 16 GeV/c negative pions on protons, 2=13883
- Bartke, J., Ciok, P., Gierula, J., Holyński, R., Miesowicz, M. and Saniewska, T. The angular distribution of secondary particles in high energy nuclear collisions with heavy nuclei of photographic emulsion, 0=13082
- Bartke, J., Ciok, P., Gierula, J., Holyński, R., Miesowicz, M. and Saniewska, T. The angular distribution of secondary particles in high-energy nuclear collisions with heavy nuclei of photographic emulsion, 1=3262
- Bartke, J., Cooper, W.A., Czapp, B., Filthuth, H., Goldschmidt-Clermont, Y., Montanet, L., Morrison, D.R.O., Nilsson, S., Peyrou, C., Sosnowski, R., Bigi, A., Carrara, R., Franzinetti, C. and Mannelli, I. Hyperon and kaon production by 24.5 GeV/c protons on protons, 3=22206
- Bartke, J., Czachowska, Z., Holyński, R. and Rybicki, K. Some examples of interactions of very high energy protons with heavy nuclei of photographic emulsions, 1=13550
- Bartkowska, J. Derivatives of the power of an optical system with respect to its components, curvatures, thicknesses, separations and refractive indices, 2=2867
- Bartkowska, J. Derivatives of the intersection length of a given optical system with respect to its constructional data: radii or curvatures, lens thicknesses, air spaces and refractive indices, 2=9372
- Bartkowska, J. Derivative of the magnification of any optical system, 3=24008
- Bartkowski, Z. General consideration of the catacaustic of surfaces of revolution, 1=18563
- Bartkowski, Z. The diacaustic, 2=9363
- Bartkus, A.T. Approximate solution of some combinatorial problems in linear programming by means of the method of dichotomy, 4=27013
- Bartky, I.R. Recalculation of the molecular constants of $Ga^{69}Cl^{35}$, 1=857
- Bartky, I.R. and Giauque, W.F. The low temperature heat capacity and entropy of thallous chloride, 0=1066
- Bartl, W. and Weinzierl, P. Experimental investigation on the limits of time resolution of scintillation counters, 3=12373
- Bartleson, C.J. Memory colors of familiar objects, 0=184
- Bartleson, C.J., Jenneiah, R.H. and Woodbury, W.W. Visual contrast in photographic prints, 3=14382
- Bartlett, A.A. Compton effect: historical background, 4=11954
- Bartlett, A.A. Compton effect: a simple laboratory experiment, 4=11955
- Bartlett, A.A., Ristinen, R.A. and Bird, R.P. A new double focusing Beta spectrometer and the empirical optimization of its performance, 3=4378
- Bartlett, A.A., Shafer, H. and Keith, J.R. Measurement and control of the magnetic field in a beta spectrometer, 4=27831
- Bartlett, A.A., Wilson, J.H., Lyle, O.W., Jr, Wells, C.V. and Kraushaar, J.J. Compton effect: an experiment for the advanced laboratory, 4=11956
- Bartlett, A.A. See Kilwer, J.K., 4=9400
- Bartlett, A.A. See Ristinen, R.A., 3=19812
- Bartlett, A.A. See Wilson, R.R., 2=7929
- Bartlett, B.E. See King, R.E.J., 1=7653
- Bartlett, B.M. Simple constant-temperature laboratory crystallizer, 1=2527
- Bartlett, D., Devons, S. and Sachs, A.M. Search for the decay mode: $\mu \rightarrow e + \gamma$, 2=13830
- Bartlett, J.F. See Morris, D., 3=18656
- Bartlett, J.H. The restricted problem of three bodies, 4=18122
- Bartlett, J.T. and Mitchell, J.W. The generation of dislocation loops at the surfaces of crystals of silver bromide, 0=20807
- Bartlett, J.T. and Mitchell, J.W. Dislocations with Burgers vectors of a $\langle 100 \rangle$ in crystals of silver bromide, 0=20816
- Bartlett, J.T. and Mitchell, J.W. Interactions between dislocations with Burgers vectors at 120° in crystals of silver bromide, 1=3670
- Bartlett, J.T., van den Heuvel, A.P. and Mason, B.J. The growth of ice crystals in an electric field, 4=13540
- Bartlett, J.W. See Yerazunis, S., 2=19388
- Bartlett, N.R. See White, C.T., 2=7075
- Bartlett, R.W. Growth kinetics of discontinuous thermal oxide films; aluminum, 4=29041
- Bartley, J.H. See Astbury, A., 2=10129

- Bartley, S.H. and Nelson, T.M. Equivalence of various pulse-to-cycle fractions in producing critical flicker frequency, 0=3383
- Bartley, S.H. and Nelson, T.M. A further study of pulse-to-cycle fraction and critical flicker frequency. A decisive theoretical test, 1=6669
- Bartley, S.H. See Mackavey, W.R., 2=2584
- Bartnovskii, O.A. See Gabovich, M.D., 0=14985
- Bartoli, C. and Green, T.S. Flip instability of plasma in the theta pinch, 4=5641
- Bartoli, C. See Allen, J.E., 3=12169
- Bartolini, W. See Jones, I.R., 3=7867
- Bartolini, W. See Passell, L., 1=10896
- Barton, B. L. and Fraenkel, G. K. Signs of the isotropic hyperfine splittings in the electron spin resonance spectrum of the dihydropyrazine cation radical, 4=25728
- Barton, B. L. and Fraenkel, G. K. Electron spin resonance spectra of methyl-substituted dihydropyrazine cations and related radicals, 4=28256
- Barton, C. J. See Ahn, K. Y., 4=15640
- Barton, G. Lee model with single boson oscillator, 0=20040
- Barton, G. Notes on the static parity non-conserving internucleon potential, 1=5681
- Barton, G. Amplitude parity and radiative effects in pion systems, 3=10141
- Barton, G., Brink, D. M. and Delves, L. M. Quadrupole enhancement in O^{17} and F^{17} , 0=4021
- Barton, G. and Kacser, C. Some analytic properties of a decay amplitude with final state interactions. I. The vertex diagrams in $K \rightarrow 3\pi$ decay, 1=16880
- Barton, G. and Kacser, C. Some analytic properties of a decay amplitude with final state interactions. II. The single-loop four-point diagrams in $K \rightarrow 3\pi$ decay, 2=313
- Barton, G. and Kacser, C. Intrinsic structure and low-energy $\pi-\pi$ scattering in $K^+ \rightarrow 3\pi$ decay, 2=13835
- Barton, G., Kacser, C. and Rosen, S. P. Isotopic spin in $K \rightarrow 3\pi$, 3=12501
- Barton, G. and Rosen, S. P. Dalitz plot for the decay $\eta \rightarrow \pi^+ \pi^- \pi^0$, 2=13867
- Barton, G. See Barrett, B., 3=24759
- Barton, G. See Barrett, B., 4=9259
- Barton, G. See Barrett, G., 3=12480
- Barton, G. W. See Jackson, D. D., 4=24461
- Barton, G. W., Jr. and Barton, S. H. Forms of sounds as shown on an oscilloscope by roulette figures, 4=10950
- Barton, G. W., Jr., Tolman, L. F. and Roulette, R. E. Fast magnetic field sweep, 0=19867
- Barton, G. W., Jr. See Klein, M. P., 3=19473
- Barton, G. W., Jr. See Klein, M. P., 4=24859
- Barton, J. C. Simple core scaling circuits, 0=20000
- Barton, J. C. Resonant scattering of antineutrinos, 1=483
- Barton, J. C. Intensity of the cosmic radiation at great depths underground, 1=19321
- Barton, J. C. Multitrack recording on magnetic tape, 2=9751
- Barton, J. C. Interactions of high energy muons, 4=25125
- Barton, J. C., Barnaby, C. F. and Jasani, B. M. An investigation of noise in venetian blind photomultipliers, 4=29965
- Barton, J. C., Barnaby, C. F., Jasani, B. M. and Thompson, C. W. Large area liquid scintillation and Cerenkov counters, 2=16092
- Barton, J. C. and Crispin, A. Simple logarithmic pulse height analysers, 2=22139
- Barton, J. C., Lewis, F. A. and Woodward, I. Hysteresis of the relationships between electrical resistance and the hydrogen content of palladium, 3=22896
- Barton, J. C. and Michaelis, E. G. Multiple Geiger counter coincidences due to gamma radiation, 1=5809
- Barton, J. C. See Barnaby, C. F., 1=396
- Barton, J. C. See Barnaby, C. F., 2=11831
- Barton, J. W. See Yurko, G. A., 0=4648
- Barton, J. W. See Yurko, G. A., 3=8845
- Barton, L. A. See Bube, R. H., 0=2908
- Barton, L. E. See Jones, J. L., 4=10689
- Barton, M. Q. Measurement of betatron oscillation frequencies in the cosmotron, 1=3028
- Barton, M. Q., Cottingham, J. G. and Tranis, A. Damping of a resistive wall beam instability in the cosmotron, 4=19150
- Barton, P. W., Hughes, E. J. and Johnson, A. A. Yielding in copper single crystals having diameters in the range 50μ to 150μ , 4=20652
- Barton, P. W. See Johnson, A. A., 4=23157
- Barton, R. The obtaining of a beam of monoenergetic protons using a [2 MeV] Van de Graaff [accelerator] and the study of the resonance capture of 1-2 MeV protons by Mg^{25} and Mg^{26} , 0=1175
- Barton, R., McPherson, R., Bell, R. E., Frisken, W. R., Link, W. T. and Moore, R. B. Observation of delayed proton radioactivity, 4=6275
- Barton, R. See Graham, R. L., 2=15872
- Barton, R. See Weaver, R. S., 2=14004
- Barton, R. W. A versatile ballistic pendulum, 4=11132
- Barton, S. H. See Barton, G. W., Jr., 4=10950
- Barton, S. S., Jones, R. A. and Thyne, D. E. The initial rate of decomposition of water vapor by an electrical discharge, 4=26759
- Bartoš, O. Fracture of polymer melts at high shear stress, 4=28974
- Bartošek, V. The cooling of a hot wire in subsonic flow, 0=3666
- Bartošek, V. The burn-up of natural uranium in a homogeneous reactor, 2=6068
- Bartoshek, V. Reactor transients during loading, 4=22266
- Bartov, A. V., Zavoiskii, E. K. and Frank-Kamenetskii, D. A. Magnetoacoustic resonance in strong magnetic fields, 1=18859
- Bartov, A. V., Zavoiskii, E. K. and Frank-Kamenetskii, D. A. Magneto-acoustic resonance in strong magnetic fields, 2=22222
- Bartov, A. V., Zavoiskii, E. K., Kovan, I. A., Patrushev, B. I., Rusanov, V. D. and Frank-Kamenetskii, D. A. Experimental study of magneto-acoustic resonance, 4=8778
- Bartram, R. and Spruch, L. Bounds on the elements of the equivalent network for scattering in waveguides. II. Application to dielectric obstacles, 0=9214
- Bartram, R. and Spruch, L. Bounds on elements of the S matrix for elastic scattering: one-dimensional scattering, 2=9793
- Bartram, R. See Spruch, L., 0=9213
- Bartram, R. H. See Gamble, F. T., 4=17676
- Bartram, S. F. See Juenke, E. F., 4=23499
- Bartsch, G. The effect of traces of magnesium on the resistance changes resulting from the tempering of Al-Zn alloys, 4=12725
- Bartsch, J., Bondar, L., Brauneck, W., Deutschmann, M., Eickel, K., Grote, C., Kaufmann, H., Lanius, K., Leiste, R., Posé, R., Colley, D. C., Dodd, W. P., Musgrave, B., Simmons, J., Böckmann, K., Nellen, B., Blobel, V., Butenschön, H., Von Handel, P., Knies, G., Schilling, P., Wolf, G., Brownlee, J. M., Butterworth, I., Campayne, F. I., Ibbotson, M., Saeed, M., Biswas, N. N., Liders, D., Schmitz, N. and Weigl, J. Evidence for an isoscalar $\rho\pi$ resonance at 975 MeV, 4=30264
- Bartsch, J., Deutschmann, M., Eickel, K., Lengeler, H., Thoma, C., Kaufmann, H., Kundt, U., Lanius, K., Leiste, R., Pose, R., Colley, D. C., Dodd, W. P., Musgrave, B., Simmons, J., Höhne, D., Paul, E., Blobel, V., Butenschön, H., Von Handel, P., Schilling, P., Wolf, G., Brownlee, J. M., Butterworth, I., Campayne, F., Ibbotson, M., Saeed, M., Biswas, N. N., Schmitz, N. and Weigl, J. On the production of the $3/2 \ 3/2$ isobar in $4 \text{ GeV}/c \ \pi^+ p$ interactions, 4=21920
- Bartschat, A. See Gobrecht, H., 0=642
- Bartschat, A. See Gobrecht, H., 0=1715
- Bartulovich, J. J. Modified ultracentrifuge synthetic boundary centerpiece for some polydisperse systems, 3=3420
- Bartuška, P. Recrystallization curves of nickel, 4=26604
- Bartuška, P. Dependence of cell size on degree of deformation in polycrystalline nickel, 4=26522
- Bartz, A. M. and Ruhl, H. D. A two-wavelength two-frequency ratio recording infrared spectrometer analyzer, 3=24027
- Bartz, G. Depth of focus of the electron-optical image [formed] by electrostatic immersion objectives, 0=19748
- Bartz, K. W. See Stehling, F. C., 1=8135
- Baru, V. G. and Khmel'nitskaya, E. M. Recombination processes in synthetic PbS monocrystals, 2=23402
- Baru, V. G. and Khmel'nitskaya, E. M. Recombination processes in synthetic PbS monocrystals, 3=6598
- Baru, V. G. See Aver'yanov, I. S., 3=18262
- Barua, A. K. Force parameters for some nonpolar molecules on the exp 6-8 model, 0=1515
- Barua, A. K. Thermal conductivity and Eucken type correction for binary mixtures of N_2 with some rare gases, 1=248
- Barua, A. K. Intermolecular potential of helium, 1=8863
- Barua, A. K. Thermal conductivity and Eucken-type factor for the binary mixtures H-He, H-Ne, H-Kr and H-Xe, 1=8166
- Barua, A. K., Afzal, M., Flynn, G. P. and Ross, J. Viscosity of hydrogen, deuterium, methane, and carbon monoxide from -50° to 150°C below 200 atmospheres, 4=24264

- Barua, A.K. and Chakraborti, P.K. Krypton-krypton molecular interaction, 1=17288
- Barua, A.K. and Chakraborti, P.K. Measurement of the thermal conductivity of singly and doubly dissociating nitrogen peroxide, 2=13374
- Barua, A. K. and Chatterjee, S. Repulsive energy between hydrogen and helium atoms, 4=19992
- Barua, A. K. and Das Gupta, A. Pressure dependence of the viscosity of superheated steam, 4=5236
- Barua, A. K. and Saran, A. The difference in the intermolecular potentials of H_2 and D_2 , 4=9792
- Barua, A.K. See Srivastava, B.N., 0=3562
- Barua, A.K. See Srivastava, B.N., 1=9926
- Barua, A.K. See Srivastava, B.N., 1=10549
- Barua, A.K. See Srivastava, B.N., 1=12673
- Barua, A.K. See Srivastava, I.B., 1=14123
- Barua, A.K. See Srivastava, K.P., 0=14691
- Baruch, P. Mobility of radiation-induced defects in germanium, 1=8902
- Baruch, P. The effect of radiation on semiconductors: recombination centres introduced into germanium by 2 MeV electrons, 1=17680
- Baruch, P. The use of the electron accelerator in solid state physics, 2=6391
- Baruch, P. Effects of irradiation of semiconductors, 4=1535
- Baruch, P. The effects of radiation on semiconductors: survey of the effects, 4=10040
- Baruch, P. The mobility of point defects in germanium, 4=30553
- Baruch, P., Constantin, C., Pfister, J.C. and Saintesprits, R. Vacancy enhanced diffusion in silicon. Effects of irradiation and of chemical impurities, 2=12458
- Baruch, P. and Pfister, J. C. Accelerated diffusion in silicon, 4=9995
- Baruch, P. See Amsel, G., 0=7247
- Baruch, P. See Amsel, G., 1=3086
- Baruch, P. See Amsel, G., 1=5615
- Baruch, P. See Pfister, J.C., 3=22825
- Baruch-Weill, M. Contribution to the study of some properties of vitreous silica in contact with aqueous solutions: behaviour of suspensions, electrokinetic mobilities, 0=4744
- Barulin, Yu.I. See Fridkin, V.M., 3=5544
- Barulin, Yu.N. See Fridkin, V.M., 3=20417
- Barulin, Yu.N. See Fridkin, V.M., 3=23006
- Barut, A.O. Virtual particles, 2=13744
- Barut, A.O. Formulation of the scattering functions in terms of the unitary representations of the inhomogeneous Lorentz group, 2=16171
- Barut, A.O. Analyticity in angular momentum of the relativistic many-channel S matrix from dispersion relations and unitarity, 3=2217
- Barut, A.O. Crossing symmetry in S-matrix theory, 3=10058
- Barut, A.O. On the symmetry of elementary particles. II, 3=17169
- Barut, A.O. A symmetry group containing both the Lorentz group and SU_3 , 4=19388
- Barut, A.O. Dynamical symmetry group based on Dirac equation and its generalization to elementary particles, 4=24976
- Barut, A.O. The framework of S-matrix theory, 4=27819
- Barut, A.O. and Calogero, F. Singularities in angular momentum of the scattering amplitude for a class of soluble potentials, 3=2213
- Barut, A. O. and Dilley, J. Behavior of the scattering amplitude for large angular momentum, 4=2569
- Barut, A.O. and Dilley, J. Nucleon and the pion-nucleon trajectory. Determination of the pion-nucleon coupling constant, 4=19565
- Barut, A.O. and Fronsdal, C. Spin-orbit correlations in μ^-e and e^-e^+ scattering, 1=486
- Barut, A.O. and Leiser, M. Note on gauge transformations in quantum mechanics, 1=64
- Barut, A.O. and Mullen, G.H. Action principle for higher order Lagrangians with an indefinite metric, 3=3752
- Barut, A.O. and Mullen, G.H. Quantization of two-component higher order spinor equations, 3=4322
- Barut, A.O., Muzinich, I. and Williams, D.N. Construction of invariant scattering amplitudes for arbitrary spins and analytic continuation in total angular momentum, 3=10059
- Barut, A.O. and Ruei, K.H. Extra solutions of the dispersion relations and resonance scattering, 1=3133
- Barut, A.O. and Ruei, K.H. Analytical properties of S matrix and uniqueness of the scattering potential, 1=4772
- Barut, A.O. and Ruei, K.H. Kinematical and dynamical resonances, 1=7218
- Barut, A.O. and Ruei, K.H. Nature of the resonance in the static pion-nucleon scattering in one-meson approximation, 2=7886
- Barut, A.O. and Samiullah, M. The Kemmer β -formalism for particles of spin one-half, 0=20050
- Barut, A. O. and Samiullah, M. Connection between the relativistic and nonrelativistic form of the nucleon-nucleon amplitude, 4=27837
- Barut, A.O. and Unal, B.C. Amplitudes and crossing relations in isospin, 3=12402
- Barut, A.O. and Zwanziger, D.E. Complex angular momentum in relativistic S-matrix theory, 2=18081
- Barut, A.O. See Zeleny, W.B., 1=3128
- Barwood, I.F. and Butcher, B.R. The $\alpha \rightarrow \beta$ phase transformation in uranium, 3=25652
- Bar'yakhtar, V.G. Theory of magnetic-moment relaxation in ferromagnetic dielectrics, 0=8062
- Bar'yakhtar, V.G. and Kaganov, M.I. Uniform and nonuniform resonances in a plasma, 3=9821
- Bar'yakhtar, V.G. and Makarov, V.I. Concerning the oscillations of the tunnel current in a magnetic field, 3=13025
- Bar'yakhtar, V. G. and Makhmudov, Z. Z. On coherent amplification of spin waves by a beam of charged particles, 4=28792
- Bar'yakhtar, V.G. and Maleev, S.V. The scattering of slow neutrons in ferrites and antiferromagnetics, 2=752
- Bar'yakhtar, V.G. and Maleev, S.V. Inelastic scattering of slow neutrons in substances with helical magnetic structure, 3=18097
- Bar'yakhtar, V.G. and Peletminskii, S.V. A contribution to the theory of relaxation of the magnetic moment in ferromagnetics, 1=3921
- Bar'yakhtar, V.G. and Savchenko, M.A. Relaxation processes in antiferromagnetics with helical structure, 3=18106
- Bar'yakhtar, V. G. and Shishkin, L. A. The theory of magnetization of ferromagnets with two magnetic sublattices, 4=26289
- Bar'yakhtar, V.G. and Urushadze, G.I. Theory of relaxation processes in ferromagnetic dielectrics with a weak magnetic anisotropy at low temperatures, 0=11878
- Bar'yakhtar, V.G. and Urushadze, G.I. Scattering of spin waves and phonons on impurities in ferrite dielectrics, 1=3884
- Bar'yakhtar, V.G. See Akhiezer, A.I., 0=4497
- Bar'yakhtar, V.G. See Akhiezer, A.I., 1=922
- Bar'yakhtar, V.G. See Akhiezer, A.I., 1=7739
- Bar'yakhtar, V.G. See Akhiezer, A.I., 1=11417
- Bar'yakhtar, V.G. See Akhiezer, I.A., 1=14683
- Bar'yakhtar, V.G. See Akhiezer, A.I., 2=9585
- Bar'yakhtar, V.G. See Akhiezer, A.I., 3=5671
- Bar'yakhtar, V.G. See Akhiezer, A.I., 3=14583
- Bar'yakhtar, V.G. See Akhiezer, A.I., 3=23208
- Bar'yakhtar, V. G. See Akhiezer, A.I., 4=4338
- Bar'yakhtar, V.G. See Maleev, S.V., 3=23182
- Bar'yakhtar, V. G. See Peletminskii, S. V., 4=30727
- Bar'yakhtar, V. G. See Savchenko, M. A., 4=7295
- Bar'yakhtar, V.H. and Popov, V.O. The thermodynamics of [uniaxial] antiferromagnetics in a magnetic field, 2=12800
- Bar-Yam, Z. See Alvarez, R., 4=25161
- Bar-Yam, Z. See Alvarez, R., 4=25162
- Baryshev, A.I. Damping of phase oscillations resulting from the interaction of particles with an accelerating system, 4=11764
- Baryshev, A.I. and Kheifets, S.A. Effect of electron accelerator beam on its accelerating system, 3=19376
- Baryshev, A.I. and Kheifets, S.A. Effect of induced voltage on phase oscillations of particle bunches in an accelerator, 3=24397
- Baryshev, A.I. See Kheifets, S.A., 2=1543
- Baryshev, N.S. Illumination recombination of holes and electrons in PbS, PbSe, PbTe, 1=14472
- Baryshev, N.S. Illumination recombination of holes and electrons in PbS, PbSe, PbTe, 1=17746
- Baryshev, N.S. and Aver'yanov, I.S. Photoelectric properties of synthetic PbS monocrystals, 3=2977
- Baryshev, N.S. and Uritskii, Z.I. Theory of interband recombination collisions in semiconductors, 2=8314
- Baryshev, N.S. and Uritskii, Z.I. Theory of impact recombination in semiconductors with an impurity band, 4=1567
- Baryshev, N.S. See Andramonov, V.S., 3=15593
- Baryshev, N.S. See Aver'yanov, I.S., 3=18262
- Baryshova, N.M. and Ushakov, V.N. Measurement of the velocity of a stream issuing from the jet of a high-vacuum pump, 2=1214

- Barz, A. and Herrwerth, F. A fast electrometer-amplifier for partial pressure gauges, 4=18292
- Barz, H. U. Theoretical studies of the zero [energy] reactor, 4=1159
- Barz, H. W. Effect of active nucleons on the stripping process with deuterons, 4=19816
- Barzdo, B. F. See Kanicheva, I. R., 4=8835
- Barzdo, B. F. See Shul'man, A. R., 4=9935
- Barzdo, B. F. See Shul'man, A. R., 4=9936
- Barzilai, G. and Gerosa, G. A modal solution for a rectangular guide loaded with longitudinally magnetized ferrite, 4=726
- Bas, E. B. Physical principles of electron microscopical imaging methods, 0=15077
- Bas, E. B. Introduction to problems arising in the production of ultra-high vacua, 1=5301
- Bas, E. B. and Gaydou, F. A tele-focus electron gun and its applications, 0=2393
- Bas, E. B. and Preuss, L. Observations on the relativistic electron optics of an immersion lens, 4=597
- Bas, E. B. and Preuss, L. Cardinal elements of an electrostatic immersion objective, 4=24745
- Bas, E. B., Preuss, L. and Schneider, W. On the relativistic electron optics of an electrostatic accelerator, 0=15091
- Bas, E. B. See Aeschlimann, R., 3=19356
- Bas, E. B. See Epprecht, W., 4=7520
- Bas, J. Le. See Le Bas, J.
- Basaev, V. P. See Bashuk, R. P., 1=14996
- Basak, B. S. and Basak, M. G. Crystal structure of 1,2-cyclopentenophenanthrene, 0=16332
- Basak, M. G. See Basak, B. S., 0=16332
- Basalaev, M. I. and Basalaeva, N. Ya. Vacuum flowmeter, 1=4394
- Basalaev, M. I. See Voronkov, R. M., 3=5727
- Basalaev, M. I. See Voronkov, R. M., 4=622
- Basalaeva, N. Ya. See Basalaev, M. I., 1=4394
- Baschant, E. See Neumann, A. W., 2=23962
- Baschek, B. Abundance of Na and Mg in metal and Ap stars, 4=29381
- Baschek, B., Kegel, W. and Traving, G. Solar and stellar oscillator strengths of Fe II, 3=9201
- Baschek, B. and Traving, G. Computation programme for the quantitative analysis of stellar spectra, 2=7015
- Bascó, J. See Csikai, J., 3=10360
- Basco, N., Callear, A. B. and Norrish, R. G. W. Fluorescence and vibrational relaxation of nitric oxide studies by kinetic spectroscopy, 1=14007
- Basco, N., Callear, A. B. and Norrish, R. G. W. Vibrational relaxation of nitric oxide and carbon monoxide, studied by kinetic spectroscopy, 2=20817
- Bascomb, C. L. and Pritchard, D. T. A Cartesian hydrometer and its application to sedimentation analysis, 5=7167
- Bash, F. N., Drake, F. D., Gundermann, E. and Heiles, C. E. 10-cm observations of Jupiter, 1961-1963, 4=23937
- Bashandy, E. Energy dependent instrumental time delays in millimicrosecond delayed coincidence experiments, 1=1873
- Bashandy, E. Methods for the measurement of sub-nanosecond life-times of low-energy nuclear levels, 2=5817
- Bashandy, E. Experimental determination of the absorption coefficients of gamma rays through different barriers, 2=13759
- Bashandy, E. Shielding properties of different types of concrete, 2=14177
- Bashandy, E. Determination of the half-lives of the first excited states in thallium 203 and thallium 201 applying the third moment method, 4=22047
- Bashandy, E., El-Farrash, A. H. and El-Nesr, M. S. Internal conversion coefficients of the transitions in W^{182} , 4=15167
- Bashandy, E. and El-Nesr, M. S. Further studies on the decay of Yb^{175} , 2=5852
- Bashandy, E. and El-Nesr, M. S. Conversion coefficient measurement of the 426 keV pure E2 transition in Hg^{196} , 2=10059
- Bashandy, E. and El-Nesr, M. S. A measurement of the lifetime of the first excited state in Er^{160} , 2=13986
- Bashandy, E. and El-Nesr, M. S. Retarded electric dipole transitions, 2=14043
- Bashandy, E. and El-Nesr, M. S. Lifetime measurements of the first excited states in Os^{186} and Os^{188} , 2=16325
- Bashandy, E. and El-Nesr, M. S. The half-life of the 152 keV transition in ^{182}W , 3=657
- Bashandy, E. and El-Nesr, M. S. Shape of beta spectra of once-forbidden transitions in the decays of ^{170}Tm , ^{186}Re and ^{188}Re , 4=3616
- Bashandy, E. and El-Nesr, M. S. Beta-gamma directional correlation in the decay of Hg^{203} , 4=6296
- Bashandy, E. and El-Nesr, M. S. Lifetime measurements of the 113 keV first excited level in Hf^{177} , 4=22045
- Bashandy, E., El-Nesr, M. S. and Pancholi, S. C. Half-lives of the 67.7, 100 and 222 keV transitions in W^{182} , 3=10272
- Bashandy, E., El-Nesr, M. S. and Sundström, T. Coincidence studies on the decay of Hf^{175} , 2=5863
- Bashandy, E., Gerholm, T. R. and Lindskog, J. A delayed coincidence measurement of the 2.9×10^{-10} sec-half-life of the 279 keV first excited state in thallium 203, 0=15539
- Bashandy, E. and Lindskog, J. A measurement of the lifetime of the first excited state in Ti^{200} , 0=7478
- Bashandy, E. See Bäckström, G., 0=5712
- Bashandy, E. See El-Nesr, M. S., 2=3522
- Bashandy, E. See El-Nesr, M. S., 2=5845
- Bashandy, E. See El-Nesr, M. S., 2=7947
- Bashandy, E. See El-Nesr, M. S., 2=10041
- Bashandy, E. See El-Nesr, M. S., 2=14005
- Bashandy, E. See El-Nesr, M. S., 2=14040
- Bashandy, E. See El-Nesr, M. S., 3=4575
- Bashandy, E. See El-Nesr, M. S., 3=4598
- Bashandy, E. See El-Nesr, M. S., 3=4599
- Bashandy, E. See El-Nesr, M. S., 4=9457
- Bashandy, E. See Gerholm, T. R., 2=10060
- Bashandy, E. See Lindskog, J., 0=11387
- Bashara, N. M. A survey of conduction mechanisms in very thin films, 4=22661
- Bashara, N. M. and Weitzkamp, L. A. Conduction in very thin films at high electric fields, 4=26009
- Basharinov, A. E., Vetukhnovskaya, N., Kuz'min, A. D., Kutuza, B. G. and Salomonovich, A. E. Measurements at 8 mm of the brightness temperature of the illuminated side of Venus, 4=29475
- Bashforth, G. R., Swarup, D., Sehgal, S. D., Chandrasekhar, V. and Mullick, P. C. A note on the effect of rare earth additions to aluminium under vacuum, 2=17032
- Bashilov, A. A., Larionov, O. V., Nikitin, M. K. and Smirnov, V. B. Formation of Eu^{145} in spallation of tantalum, 2=16413
- Bashilov, A. A. See Anton'eva, N. M., 0=7530
- Bashilov, A. A. See Anton'eva, N. M., 1=13750
- Bashilov, A. A. Antonieva, N. M., 0=4060
- Bashirov, R. I. See Amirkhanova, D. Kh., 0=15821
- Bashirov, R. I. See Amirkhanova, D. Kh., 1=17629
- Bashirov, R. I. See Amirkhanov, Kh. I., 2=4038
- Bashirov, R. I. See Amirkhanov, Kh. I., 2=8364
- Bashirov, R. I. See Amirkhanov, Kh. I., 2=14557
- Bashirov, R. I. See Amirkhanov, Kh. I., 3=4925
- Bashirov, R. I. See Amirkhanov, Kh. I., 3=17888
- Bashirov, R. I. See Amirkhanov, Kh. I., 4=1612
- Bashirov, R. I. See Amirkhanov, Kh. I., 4=6977
- Bashkin, S. Deficiency of metals in population II stars, 3=13908
- Bashkin, S., Hart, V. P. and Seale, W. A. Bombardment of C^{12} by Li^6 ions, 3=8136
- Bashkin, S., Kavanagh, R. W. and Parker, P. D. Search for Li^6 , 0=2660
- Bashkin, S. and Meinel, A. B. Laboratory excitation of the emission spectrum of a nova, 4=15922
- Bashkin, S., Meinel, A. B., Malmberg, P. R. and Tilford, S. G. Optical atomic spectroscopy with a Van De Graaff accelerator, 4=22285
- Bashkin, S. and Ophel, T. R. Gamma rays from the $^{27}Al(p,\gamma)$ reaction, 1=17097
- Bashkin, S. and Ophel, T. R. A liquid air trap for nuclear spectroscopy, 2=16100
- Bashkin, S. and Peaslee, D. C. Production of the rare light elements, 2=4718
- Bashkin, S. See Barnard, A. C. L., 1=5914
- Bashkin, S. See Berkowitz, E., 3=685
- Bashkin, S. See Wallerstein, G., 4=20895
- Bashkurov, N. M. A generalization of Fedorov's stereohedra method, 0=16250
- Bashkurov, Sh. Sh. Paramagnetic lattice relaxation time for salts of paramagnetic ions in the S-state, 1=3927
- Bashkurov, Sh. Sh. and Kopvillem, U. Kh. Spin-spin interaction of nuclei of paramagnetic ions through the phonon field, 3=17648
- Bashkurov, Sh. Sh. See Al'tshuler, S. A., 2=767
- Bashkurov, Sh. Sh. See Al'tshuler, S. A., 3=23237
- Bashkurov, Sh. Sh. See Valiev, K. A., 0=2436
- Bashlachev, Yu. A., Voitonis, V. V. and Yakovlev, V. F. An interferometer with two generating crystals, 3=16719
- Bashlykov, S. N. See Meerson, G. A., 3=7079
- Bashmakov, V. I. and Soldatov, V. P. Some properties of the boundaries of residual twin crystals, 4=10454

- Bashmakov, V.I. See Kosevich, V.M., 0=13936
 Bashmakov, V.I. See Kosevich, V.M., 0=18272
 Bashmakov, V.I. See Kosevich, V.M., 1=4010
 Bashmakov, V.I. See Kosevich, V.M., 2=4334
 Bashmakov, V.I. See Kosevich, V.M., 2=8770
 Bashshaliev, A.A. The effect of halogens on thermal conductivity of selenium, 0=546
 Bashuk, R.P., Basaev, V.P., Tsadkina, R.B. and Faivusovich, S.A. Hydrothermal synthesis of corundum with impurities, 1=14996
 Bashuk, R.P., Vol'pert, E.G. and Tsigler, I.N. Annealing boules of synthetic corundum, 1=20324
 Basikhin, Yu.V. See Bondarev, D.E., 3=20613
 Basila, M.R. Hydrogen bonding interaction between adsorbate molecules and surface hydroxyl groups on silica, 1=20691
 Basila, M.R. An infrared study of a silica-alumina surface, 3=11313
 Basila, M.R. and Crable, G.F. Variation of the intensity of the methyl symmetrical bending vibration in paraffins, 1=11093
 Basila, M.R. See Saier, E.L., 2=10248
 Basila, M.R. See Saier, E.L., 4=25692
 Basile, L.J. Effect of styrene monomer on the fluorescence properties of polystyrene, 2=12633
 Basile, L.J. and Weinreb, A. Transfer of excitation energy in solid solutions of anthracene-polystyrene and 9,10-diphenylanthracene-polystyrene, 0=20998
 Basile, R. Injection of very heavy ions in the 2-metre Orsay cyclotron, 1=16458
 Basile, R. and Lagrange, J.M. Study of a source of multicharged ions for a cyclotron, 2=20037
 Basile, R. and Lagrange, J.M. Relation between cathode temperature and arc voltage, 3=19365
 Basile, R. and Lagrange, J.M. Study of the energy balance in a reflex discharge, 4=27494
 Basilevskaya, G.A. See Abrosimov, A.T., 0=11244
 Basilevskii, L.N. See Shishokin, V.P., 2=23792
 Basin, Yu.G. See Yakovlev, K.A., 2=19871
 Basina, A.S., Dzhelepov, B.S. and Chikhladze, V.A. Conversion electron spectrum of $\text{Lu}^{167} + \text{Yb}^{167}$, 2=16365
 Basina, A.S., Gromov, K.Ya. and Dzhelepov, B.S. Conversion electron spectrum of the dysprosium fraction from spallation of tantalum, 2=14050
 Basina, A.S., Gromov, K.Ya., Dzhelepov, B.S. and Morozov, V.A. Conversion electron spectrum of the holmium fraction formed in the proton bombardment of Ta, 3=6208
 Basina, A.S. and Morozov, V.A. On the 106 keV transition in Tm^{167} , 2=14042
 Basinski, J., Bok, B.J. and Gottlieb, K. Optical identifications of southern radio sources, 1=18199
 Basinski, S.J. See Basinski, Z.S., 4=9971
 Basinski, S.J. See Bland, J.A., 1=20552
 Basinski, Z.S. The deformation of face-centred cubic metals at low temperatures, 0=1851
 Basinski, Z.S. Thermally activated glide in face-centred cubic metals and its application to the theory of strain hardening, 0=21114
 Basinski, Z.S. The influence of temperature and strain rate on the flow stress of magnesium single crystals, 1=1314
 Basinski, Z.S. The instability of plastic flow of metals at very low temperatures. II, 1=1318
 Basinski, Z.S. Stereo-electron microscopy of dislocation networks, 3=20193
 Basinski, Z.S. and Basinski, S.J. Dislocation distributions in deformed copper single crystals, 4=9971
 Basinski, Z.S. and Christian, J.W. The influence of temperature and strain rate on the flow stress of annealed and decarburized iron at subatmospheric temperatures, 1=1315
 Basinski, Z.S., Dove, D.B. and Mooser, E. Interacting partial dislocations in GaSe, 3=10662
 Basinski, Z.S., Dove, D.B. and Mooser, E. Relationship between structures and dislocations in GaS and GaSe, 2=8231
 Basinski, Z.S., Dugdale, J.S. and Guban, D. The strain dependence of the residual resistivity of potassium, 0=20870
 Basinski, Z.S., Dugdale, J.S. and Howie, A. The electrical resistivity of dislocations, 4=6843
 Basinski, Z.S. and Verdini, L. The change of volume produced by martensitic transformation in lithium and sodium, 0=21188
 Basinski, Z.S. See Nabarro, F.R.N., 4=28924
 Baskin, M.L., Tret'yakov, V.I. and Chaporova, I.N. Diffusion of tungsten in tungsten, tantalum and titanium monocarbides and in solid solutions TiC-WC and TiC-WC-TaC, 3=25295
 Baskin, M. L., Tumanov, V. I. and Funke, V. F. The elastic modulus of cobalt-bonded tungsten carbides, 4=28986
 Baskin, M. L. See Pivovarov, L. Kh., 4=22592
 Baskmakov, V.I. See Kosevich, V.M., 2=21465
 Baskova, K.A., Dzhelepov, B.S. and Komissarova, Z.A. Positron annihilation in sulphur, selenium and silicon, 1=19755
 Baskova, K.A., Vasil'ev, S.S., No Sen.Chan [No Seng Ch'ang] and Shavtvalov, L.Ya. Decay scheme for Br^{78} , 2=3518
 Baskova, K.A., Vasil'ev, S.S., No Sen-chen [No Seng-Ch'ang] and Shavtvalov, L.Ya. Investigation of some radioactive nuclei in the region of the filled $1f_{7/2}$ shell, 2=10042
 Baskova, K.A., Vasil'ev, S.S., No Sen'Chan [No Seng Ch'ang] and Shavtvalov, L.Ya. Decay scheme for Br^{78} , 3=2407
 Baskova, K.A., Vasil'ev, S.S., No Sen' Chan [No Seng-Ch'ang] and Shavtvalov, L.Ya. Investigation of some radioactive nuclei in the region of the filled $1f_{7/2}$ shell, 3=6192
 Basler, R. P. Radio wave absorption in the auroral ionosphere, 4=4801
 Basler, R. P. An isolated observation of the synchrotron radiation associated with the July 9 nuclear explosion, 4=7854
 Basler, R.P. and DeWitt, R.N. The heights of ionospheric irregularities in the auroral zone, 2=9024
 Basler, R.P., DeWitt, R.N. and Reid, G.C. Radiation information from 1958 $\frac{1}{2}$, 0=14477
 Basler, R.P., Dyce, R.B. and Leinbach, H. High-latitude ionization associated with the July 9 explosion, 3=16267
 Basler, R. P. See Leinbach, H., 4=2272
 Basov, N. G. and Bogdankevich, O. V. Recombination radiation of GaAs and Ge on excitation by fast electrons, 4=4298
 Basov, N. G., Bogdankevich, O. V. and Devyatkov, A. G. Excitation of a semiconductor laser by fast electrons, 4=21684
 Basov, N.G. and Karlov, N.V. Wide-band radiometer, 2=7459
 Basov, N.G. and Krokhin, O.N. Production of negative-temperature states by electron excitation in a gas mixture, 1=17278
 Basov, N.G. and Krokhin, O.N. Population inversion in a discharge in a mixture of two gases, 2=16468
 Basov, N.G. and Krokhin, O.N. Population inversion in a discharge in a mixture of two gases, 3=7467
 Basov, N. G. and Krokhin, O. N. Transformation of strong monochromatic radiation into electric current, 4=442
 Basov, N. G. and Krokhin, O. N. Conditions for heating up of a plasma by the radiation from an optical generator, 4=11645
 Basov, N. G. and Krokhin, O. N. Optical excitation of semiconductors, 4=24910
 Basov, N.G., Krokhin, O.N., Lisitsyn, L.M., Markin, E.P. and Osipov, B.D. Negative conductivity with induced transitions, 2=652
 Basov, N.G., Krokhin, O.N., Lisitsyn, L.M., Markin, E.P. and Osipov, B.D. Negative conductivity with induced transitions, 2=23474
 Basov, N.G., Krokhin, O.N., Oraevskii, A.N., Strakhovskii, G.M. and Chikhachev, B.M. Possible investigation of relativistic effects with the aid of molecular and atomic frequency standards, 3=21214
 Basov, N.G., Krokhin, O.N. and Popov, Yu.M. Semiconductor amplifiers and generators with carriers having negative effective mass, 1=1097
 Basov, N.G., Krokhin, O.N. and Popov, Yu.M. Obtaining a negative temperature state in p-n junctions of degenerate semiconductors, 2=645
 Basov, N.G., Krokhin, O.N. and Popov, Yu.M. The possibility of use of indirect transitions to obtain negative temperature in semiconductors, 1=5013
 Basov, N.G., Krokhin, O.N. and Popov, Yu.M. Generation, amplification, and detection of infrared and optical radiation by quantum-mechanical systems, 1=9681
 Basov, N.G., Krokhin, O.N. and Popov, Yu.M. Use of indirect transitions in semiconductors for the determination of states with negative absorption coefficients, 1=19848
 Basov, N.G., Krokhin, O.N. and Popov, J.M. Negative absorption coefficient at indirect transitions in semiconductors, 3=2863
 Basov, N.G., Lisitsyn, L.M. and Osipov, B.D. Application of an optical quantum generator for excitation of recombination luminescence in semiconductors, 3=20538
 Basov, N.G., Markin, E. P. and Mash, D. I. Some characteristics of a neon-helium laser, 4=8983
 Basov, N. G., Markin, E. P. and Nikitin, V. V. Investigation of the output power of a neon-helium laser as a function of various parameters, 4=11826
 Basov, N.G. and Oraevskii, A.N. The absolute stability of a molecular oscillator using a beam of ammonia molecules, 0=1201

- Basov, N.G. and Oraevskii, A.N. Use of slow molecules in a maser, 0=11040
- Basov, N.G. and Oraevskii, A.N. Emission of molecules in a mixed energy state, 2=16572
- Basov, N.G. and Oraevskii, A.N. Emission of molecules in a mixed energy state, 3=6442
- Basov, N.G. and Oraevskii, A.N. Attainment of negative temperatures by heating and cooling a system, 3=23782
- Basov, N. G., Oraevsky, A. N., Strakhovsky, G. M. and Tatarenkov, V. M. Molecular maser with two resonators in series, 4=8968
- Basov, N.G. and Osipov, B.D. Emission line of transition $F = 5/2 \rightarrow 3/2$, $J = 1$, $K = 1$ in the rotational spectrum of $\text{CH}_3\text{I}^{127}$ molecule, 0=491
- Basov, N.G., Osipov, B.D. and Khvoshchev, A.N. Recombination radiation from indium antimonide in an avalanche test, 2=643
- Basov, N.G., Osipov, B.D. and Khvoshchev, A.N. Recombination radiation from indium antimonide in an avalanche test, 3=4924
- Basov, N.G., Vul, B.M. and Popov, Yu.M. Quantum-mechanical semiconductor generators and amplifiers of electromagnetic oscillations, 0=11046
- Basov, N.G. and Zuev, V.S. A molecular generator with an ND_3 molecular beam, 2=9708
- Basov, N.G., Zuev, V.S. and Kryukov, P.G. Enhancement of the pulse power of a ruby optical maser by modulation of the Q-factor of the resonator, 3=522
- Basov, N.G., Zuev, V.S. and Kryukov, P.G. Enhancement of the pulse power of a ruby optical maser by modulation of the Q-factor of the resonator, 3=7740
- Basov, N.G., Zuev, V.S. and Kryukov, P.G. Increase of power of the impulse optical quantum generator on ruby by modulation of the resonator quality factor, 3=17073
- Basov, N. G. See Bagaev, V.S., 4=3224
- Basov, N.G., Krochin, O.N. and Popov, J.M. Production of states with negative temperature at p-n junction of degenerate semiconductors, 3=4928
- Basov, N.G., Osipov, B.D. and Hwoschtschew, A.N. Recombination radiation of indium antimonide in strong electric fields, 3=4923
- Basri, S.A. A method for the dynamic determination of the elastic, dielectric, and piezoelectric constants of quartz, 1=5041
- Bass, A.M. Absorption spectrum of the "pink" afterglow of nitrogen in the vacuum ultraviolet, 4=12461
- Bass, A.M. and Broida, H.P. A spectrophotometric atlas of the spectrum of CH from 3000 Å to 5000 Å, 1=14042
- Bass, A.M. and Broida, H.P. Vacuum ultraviolet absorption spectra of oxygen in liquid and crystalline argon and nitrogen, 4=16116
- Bass, A.M. and Garvin, D. Analysis of the hydroxyl radical vibration rotation spectrum between 3900 Å and 11 500 Å, 2=20821
- Bass, A. M. and Garvin, D. On the concentrations of vibrationally excited O_2 formed in the flash photolysis of NO_2 , 4=23675
- Bass, A.M. and Kessler, K.G. Large-aperture grating spectrograph utilizing commercial camera components, 0=159
- Bass, A. M., Kuebler, N. A. and Nelson, L. S. Observation of FeO in absorption by flash heating and kinetic spectroscopy, 4=22359
- Bass, A.M. and Mann, D.E. Absorption spectrum of CF_2 trapped in an argon matrix, 2=18492
- Bass, A. M. See Dhumwad, R. K., 4=9741
- Bass, A.M. See Kostkowski, H.J., 2=8091
- Bass, C. D., Lynds, L., Wolfram, T. and DeWames, R. E. Vibrational analysis of substituted and perturbed molecules. II. Planar XY_3 molecules; application to BCl_3 - HBCl_2 - DBCl_2 , 4=22372
- Bass, C.D. See Lynds, L., 4=17302
- Bass, F.G. The theory of galvanomagnetic effects in semiconductors and metals situated in a strong electrical field, 1=7616
- Bass, F.G. and Blank, A.Ya. Theory of wave conversion and scattering on plasma fluctuations, 3=14614
- Bass, F. G., Blank, A. Ya. and Kaganov, M. I. Galvanomagnetic phenomena in a variable electromagnetic field, 4=5798
- Bass, F.G., Braude, S.Ya., Kaner, E.A. and Men', A.V. Fluctuations of electromagnetic waves in the troposphere in the presence of separation boundaries, 2=6921
- Bass, F.G. and Kaganov, M.I. Raman scattering of electromagnetic waves in ferromagnetic dielectrics [ferrites], 0=9210
- Bass, F.G., Kaganov, M.I. and Yakovenko, V.M. Cherenkov radiation and supplementary waves in dielectric, 3=17240
- Bass, F.G., Khankina, S.I. and Yakovenko, V.M. Energy loss of a charge moving in vacuum over a plasma, 3=14746
- Bass, F. G. and Men', A. V. Spatial correlation of traveling wave fluctuations in an unbounded turbulent medium, 4=11276
- Bass, F.G. See Kaner, E.A., 0=299
- Bass, F.H. Effect of regions of inapplicability of geometrical optics on wave scattering occurring at fluctuations of the dielectric constant, 2=20167
- Bass, J. The existence of turbulent solutions of the hydrodynamic equations, 1=15797
- Bass, J. and Lazarus, D. Effect of pressure on mobility of interstitial carbon in iron, 3=20234
- Bass, J.C. and Wilson, M.G.F. Cyclotron wave interaction in spatially periodic electrostatic quadrupole fields, 2=9631
- Bass, L. On the stochastic equation for the energy loss of fast electrons in matter, 0=2529
- Bass, L. The motion of test charges in rapidly oscillating electromagnetic fields, 2=22309
- Bass, L. Heat balance of the earth, 4=4739
- Bass, L. Spontaneous dissolution of metals in polar electrolytes, 4=2656
- Bass, L. Exchange currents at liquid electrodes, 4=20834
- Bass, M., Franken, P.A., Hill, A.E., Peters, C.W. and Weinreich, G. Optical mixing, 2=9388
- Bass, M., Franken, P.A., Ward, J.F. and Weinreich, G. Optical rectification, 3=5537
- Bass, R. A theoretical analysis of the mechanical relaxation of single-crystalline ice, 0=10265
- Bass, R., Bonner, T.W. and Haenni, H.P. Cross-section for the $\text{Be}^0(n, \alpha)\text{He}^4$ reaction, 1=5921
- Bass, R., Häenni, H.P., Bonner, T.W. and Gabbard, F. Disintegration of K^{39} by fast neutrons, 2=3599
- Bass, R. and Saleh, F.M. Coincidence study of the $\text{K}^{39}(n, p\gamma)\text{A}^{39}$ and $\text{K}^{39}(n, \alpha\gamma)\text{Cl}^{34}$ reactions, 3=8115
- Bass, R. See Andreev, J.H., 0=16790
- Bass, R. See Davis, E.A., 1=19487
- Bass, R. See Davis, E.A., 4=3672
- Bass, R. See Davis, E.A., 4=28046
- Bass, R.F. See Cleland, J.W., 2=20992
- Bass, R.F. See Cleland, J.W., 3=20173
- Bass, R.F. See Mallard, W.C., 3=6538
- Bass, S.T. and Soulati, J. The effect of graphite absorption using vacuum cup electrodes by spark techniques, 3=13631
- Bassali, W.A. Stresses due to a free circular hole in an infinite thin isotropic plate under certain normal loadings, 0=6708
- Bassali, W.A. Torsion of beams whose sections are bounded by certain quartic curves, 0=12390
- Bassali, W.A. The transverse flexure of a thin circular plate subject to parabolic loading over a concentric ellipse, 0=19024
- Bassali, W.A. and Gorgui, M.A. Flexural problems of circular ring plates and sectorial plates. I, 0=6712
- Bassali, W.A. and Hanna, N.O.M. Bending of curvilinear and rectilinear polygonal plates symmetrically loaded over a concentric circle, 1=1715
- Bassani, C., Camagni, P. and Pace, S. Diffusion of cobalt and silver in ordered and disordered CuZn, 1=10009
- Bassani, F. and Brust, D. Effect of alloying and pressure on the band structure of germanium and silicon, 3=22682
- Bassani, F. and Celli, V. Energy-band structure of solids from a perturbation of the "empty lattice", 1=19735
- Bassani, F. and Liu, L. Electronic band structure of gray tin, 4=6791
- Bassani, F., Robinson, J., Goodman, B. and Schrieffer, J.R. Projected wave-field approach to the many-electron problem in solids, 2=20957
- Bassani, F. and Yoshimine, M. Electronic band structure of group IV elements and of III-V compounds, 3=10625
- Bassani, F. See Brust, D., 2=21117
- Bassani, F. See Knox, R.S., 1=17444
- Bassani, F. See Phillips, J.C., 3=17865
- Bassani, F. See Robinson, J.E., 2=23110
- Bassani, G. See Colli, L., 2=22922
- Bassani, G., Colli, L., Cristofori, F., Franceschetti, M.O., Frigerio, G.E. and Sona, P.G. Production of a beam of hydrogen atoms in the excited metastable state $2S$. I. 3=2584
- Bassani, G., Colli, L., Gadioli, E. and Iori, I. The (n, d) reaction on Fe^{54} , 2=20646
- Bassani, G. See Kavaloski, C.D., 4=1073

- Bassel, R.H. and Bender, R.S. The Oak Ridge relativistic isochronous cyclotron. Addendum. Some recent results of orbit studies, 1=1940
- Bassel, R.H., Bender, R.S. and Innes, J.G. Analyzing methods for O.R.I.C. magnetic fields, 3=5764
- Bassel, R.H. and Drisko, R.M. Optical model analyses of heavy ion scattering, 1=8780
- Bassel, R.H. and Gerjuoy, E. Distorted wave method for electron capture from atomic hydrogen, 0=5869
- Bassel, R.H., Satchler, G.R. and Drisko, R.M. Elastic and inelastic scattering of carbon from carbon, 4=22198
- Bassel, R.H., Satchler, G.R., Drisko, R.M. and Rost, E. Analysis of the inelastic scattering of alpha particles. I, 3=6294
- Bassel, R.H. See Ball, J.B., 4=25391
- Bassel, R.H. See Davies, K.T.R., 3=19828
- Bassel, R.H. See Drisko, R.M., 3=2455
- Bassel, R.H. See Drisko, R.M., 3=22361
- Bassel, R.H. See Drisko, R.M., 4=22175
- Bassel, R.H. See McDaniels, D.K., 2=22850
- Bassel, R.H. See Satchler, G.R., 3=19764
- Bassett, D.C. Surface detachment from polyethylene crystals, 1=20407
- Bassett, D.C. Detachment replication—diffraction and structural information from macroscopic polymer specimens, 3=20967
- Bassett, D.C., Frank, F.C. and Keller, A. Some new habit features in crystals of long chain compounds. III. Direct observations on unflattened monolayer polyethylene crystals, 4=4517
- Bassett, D.C., Frank, F.C. and Keller, A. Some new habit features in crystals of long chain compounds. IV. The fold surface geometry of monolayer polyethylene crystals and its relevance to fold packing and crystal growth, 4=4518
- Bassett, D.C., Frank, F.C. and Keller, A. Evidence for distinct sectors in polymer single crystals, 0=4667
- Bassett, D.C. and Keller, A. Some new habit features in crystals of long chain compound. II. Polymers, 1=7841
- Bassett, D.C. and Keller, A. On the habits of polyethylene crystals, 2=23811
- Bassett, D.W. Thermal rearrangement of a perfectly ordered tungsten surface, 3=18376
- Bassett, D.W. and Robertson, A.J.B. Torsion balance measurements with molecular beams, 0=7824
- Bassett, G.A. The plasticity of alkali halide crystals, 0=21127
- Bassett, G.A. and Edeleanu, C. Etching of strained aluminium, 0=21173
- Bassett, G.A. and Edeleanu, C. Pitting of aluminium at grain boundaries after ageing, 1=2520
- Bassett, G.A., Forty, A.J. and Tubbs, M.R. The decomposition of crystals of alkali halides in the beam of an electron microscope, 3=17808
- Bassett, G.A. and Keller, A. Low-angle scattering in an electron microscope: application to polymers, 4=23410
- Bassett, G.A., Menter, J.W. and Pashley, D.W. Electron optical studies of imperfect crystals and their surfaces, 1=2554
- Bassett, G.A. and Pashley, D.W. The growth, structure, and mechanical properties of evaporated metal films, 0=21246
- Bassett, I.G. and Eastmond, E.J. Echolocation: measurement of pitch versus distance for sounds reflected from a flat surface, 4=21246
- Bassett, I.M. Towards a method for the accurate solution of the Schrödinger wave equation in many variables. I. Formulation of the method for an eigen value problem without symmetry conditions, 0=4940
- Bassett, I.M. Towards a method for the accurate solution of the Schrödinger wave equation in many variables. II. A simple numerical illustration, 0=4941
- Bassett, I.M. Towards a method for the accurate solution of the Schrödinger wave equation in many variables. III. Application of the general method to the wave equation without spatial symmetry, 0=4942
- Bassett, O.E. See Baldwin, K.M., 2=4885
- Bassett, W.A. See Takahashi, T., 4=30802
- Bassetti, M. Photoproduction of neutral vector mesons, 1=16823
- Bassetti, M. See Amman, F., 3=12267
- Bassetti, M. See Amman, F., 4=16582
- Bassetto, A. On the momentum distribution of secondaries in high-energy collisions, 4=21798
- Bassi, A. and Camona, G. Metallographic observations on annealing and high temperature processing of Zircaloy-2, 4=26534
- Bassi, A., Camona, G., Dassu, G. and Piazzesi, G. A metallographic technique for revealing and observing dislocation etch pits in 18-8 type stainless steel, 2=17057
- Bassi, A., Camona, G., Dassu, G. and Piazzesi, G. Microfractographic observations on sintered uranium dioxide, 3=3240
- Bassi, A. and Corsetti, C. Contribution to the study of the structure of metallic uranium, 1=6485
- Bassi, G. A new approximation for the atomic scattering factor, 2=19073
- Bassi, G. See Bertaut, F., 4=1853
- Bassi, G. See Bertaut, E.F., 4=13267
- Bassi, G. See Bertaut, E.F., 4=28839
- Bassi, G. See Coing-Boyat, J., 3=18327
- Bassi, G. and Hugo, J.P. Etch pits in zinc, 0=556
- Bassi, I.W. See Natta, G., 0=4670
- Bassi, I.W. See Natta, G., 0=4671
- Bassi, I.W. See Natta, G., 0=4672
- Bassi, P., Cano, R., Focardi, S., Michelini, G.G.A. and Saporetto, F. Three liters liquid hydrogen bubble chamber, 1=13243
- Bassi, P., Ferretti, B., Venturini, G., Bertolini, G.C., Cappellani, F., Mandl, V., Restelli, G.B. and Rota, A. The reaction $\text{Be}^7(n, \alpha)\text{He}^4$ and parity conservation in strong interactions, 2=14111
- Bassi, P., Ferretti, B., Venturini, G., Bertolini, G.C., Cappellani, F., Mandl, V., Restelli, G.B. and Rota, A. The reaction $^7\text{Be}(n, \alpha)^4\text{He}$ and parity conservation in strong interactions, 3=17480
- Bassi, P.S. See Rastogi, R.P., 3=11206
- Bassichis, W.H. Generalization of the Bogolyubov method applies to mixtures to Bose-Einstein particles 4=16054
- Bassichis, W.H. and Foldy, L.L. Analysis of the Bogolyubov method applied to a simple Boson model, 4=8105
- Bassler, H. D.C. conductivity of liquid hydrocarbons, 4=16123
- Basso, M. See Kronenberg, S., 2=1495
- Basso, P. and Ghilardotti, G. Long term reactivity changes in natural uranium graphite lattices, 2=10190
- Basso, P., Montagnini, B. and Pierpaoli, V. Variational calculations of the extrapolation length of some fuel elements, with application to the thermal utilization factor, 4=9611
- Bassompierre, A. Electronic paramagnetic relaxation at liquid helium temperatures, 0=6255
- Bassompierre, A. Influence of ferromagnetic resonance on the electrical resistance of metals, 1=2401
- Bassompierre, A. The action of the conduction electrons of the magnetization of ferromagnetic metals of the iron group, 2=10647
- Bassompierre, A. and Pescia, J. The theory of paramagnetic resonance with an amplitude modulated radio-frequency field, 2=20168
- Bassompierre, A. See Cohen-Solal, G.W., 4=25651
- Bassompierre, A. See Grivet, P., 2=14859
- Bassompierre, G. See Gorodetzky, S., 0=11321
- Bassompierre, G. See Gorodetzky, S., 0=11322
- Bassompierre, G. See Gorodetzky, S., 0=17597
- Bassompierre, G. See Gorodetzky, S., 1=7326
- Bassompierre, G. See Gorodetzky, S., 3=15231
- Bassompierre, G. See Gorodetzky, S., 2=484
- Bassompierre, G. See Gorodetzky, S., 2=485
- Basson, J.K. A detector for intermediate energy neutrons, 3=17293
- Basson, J.K. and Dennis, J.A. Measurement of the energy response of a B^{10} shielded U^{235} fission chamber, 3=690
- Bastai, A., Bertocchi, L., Fubini, S., Furlan, G. and Tonin, M. On the treatment of singular Bethe-Salpeter equations, 4=9098
- Bastai, A., Bertocchi, L., Furlan, G. and Tonin, M. On the solutions of the Bethe-Salpeter equation, 4=9099
- Bastai, A., Bertocchi, L. and Tonin, M. Regge trajectories in the weak-coupling limit, 3=22089
- Bastard, C. Calculation of the proportion of forbidden collisions in elastic π^-p scattering at energies between 300 MeV and 9 GeV, 3=7903
- Bastard, C., Grea, J., Lafoucrière, J. and Philbert, G. Calculation of the proportion of forbidden collisions in interactions between a π -meson and bound proton at an energy of 5.0 GeV, 2=5715
- Bastard, C. and Lafoucrière, J. Resolving power and luminosity of a β -spectrograph, using a magnetic field varying as R^{-1} , 1=7098
- Bastard, C., Lafoucrière, J. and Margrita, R. Study of the characteristics of a beta spectrograph using a magnetic field with R constant, 0=19756

- Baštecká, J. Interaction of dislocation loop with free surface, 4=25933
- Baštecká, J. and Kroupa, F. Elastic interaction of dislocation loops and point defects, 4=25919
- Bastiansen, O., Fritsch, F. N. and Hedberg, K. Least-squares refinement of molecular structures from gaseous electron-diffraction sector microphotometer data. III. Refinement of cyclopropane, 4=20036
- Bastiansen, O. See Almenningsen, A., 4=22402
- Bastiansen, O. See Almenningsen, A., 2=22953
- Bastide, A. B. See Rose, P. H., 1=9645
- Bastide, R. P. See Brooks, N. B., 4=450
- Bastide, R. P. See Brooks, N. B., 4=21581
- Bastide, R. P. See Brooks, N. B., 4=29987
- Bastide, R. P. See Purser, K. H., 4=12542
- Bastide, R. P. See Rose, P. H., 0=19830
- Bastide, R. P. See Rose, P. H., 1=9644
- Bastide, R. P. See Rose, P. H., 2=5387
- Bastide, R. P. See Rose, P. H., 4=29988
- Bastide, R. P. See Rose, P. H., 4=30399
- Bastide, R. P. See Wittkower, A. B., 2=11723
- Bastide, R. P. See Wittkower, A. B., 3=9870
- Bastide, R. P. See Wittkower, A. B., 4=8869
- Bastien, P. See Armbruster, J. C., 0=10632
- Bastien, P. and Azou, P. with Sepaser, M., Wehr, J. and Montel, R. Ultrasonic determination of the elastic and inelastic properties of solids, 4=4440
- Bastien, P., Ferro-Luzzi, M. and Rosenfeld, A. H. Sigma decay modes of pion-hyperon resonances, 1=12104
- Bastien, P. and Pointu, P. Determination of glide elements of hexagonal metals by the asterism of Laue spots, and the application to the study of the deformation at high temperatures, 2=4317
- Bastien, P. and Pointu, P. Modes of deformation of beryllium at high temperature and recrystallization after twinning, 2=6836
- Bastien, P. and Portevin, P. A. A method of measuring the rate of recrystallization of metals during thermal deformation, 2=12930
- Bastien, P. See Berge, J. P., 1=10932
- Bastien, P. See Leleux, F., 4=29711
- Bastien, P. See Plusquellec, J., 2=23204
- Bastien, P. See Pointu, P., 1=11516
- Bastien, P. See Pointu, P., 2=2346
- Bastien, P. See Pointu, P., 4=1930
- Bastien, P. L., Berge, J. P., Dahl, O. I., Ferro-Luzzi, M., Miller, D. H., Murray, J. J., Rosenfeld, A. H. and Watson, M. B. Decay modes and width of the meson, 2=22608
- Bastien, P. L. and Berge, J. P. K^-p interactions near 760 MeV/c, 3=15030
- Bastin, E. W. The idea of size in large-scale physics, 1=18005
- Bastin, J. A. An extension of the Newtonian law of gravitation, 0=16569
- Bastin, J. A. Interpretation of cosmology, 1=1629
- Bastin, J. A., Gear, A. E., Jones, G. O., Smith, H. J. T. and Wright, P. J. Spectroscopy at extreme infra-red wavelengths. III. Astrophysical and atmospheric measurements, 4=17896
- Bastin, J. A., Mitchell, E. W. J. and Whitehouse, J. Use of an integrating sphere to distinguish between absorption and scattering in solids, 0=5134
- Bastin, J. A., See Gear, A. E., 3=9170
- Bastin-Schoffier, G. Precise measurements of some alpha ray energies in the thorium X (radium 224) decay scheme, 2=18278
- Bastin-Schoffier, G., Chin Fan Leang and Walen, R. J. Nuclear levels of radium 223 (ACX) observed from disintegration of Thorium 227 (radioactinium), 4=30330
- Bastin-Schoffier, G., Leang, C. F. and Walen, R. J. α -spectrography of Ra²²⁶ and Rn levels, 4=17075
- Bastin-Schoffier, G. and Walen, R. J. Improvement of the background in spectrography and propagation of sources, 0=9551
- Bastin-Schoffier, G. See Walen, R. J., 0=11340
- Bastin-Schoffier, G. See Walen, R. J., 0=20377
- Bastin-Schoffier, G. See Walen, R., 2=379
- Bastin-Schoffier, G. See Walen, R. J., 2=14020
- Baston, A. H., Lisle, J. C. and Tuckey, G. S. G. Thermal neutron cross-section measurements on ¹⁷⁵Lu and ¹⁷⁶Lu, 2=3596
- Basu, A. Determination of Bp, Bn in the region: $Z = 49$ to $Z = 54$, 0=17477
- Basu, B. and Patro, A. P. Gamma spectrum and coincidence studies of Ru¹⁰⁰, 2=5871
- Basu, B. and Patro, A. P. Disintegration of rhodium 97, 2=16357
- Basu, B. and Patro, A. P. Decay of In¹⁰⁷ and gamma spectrum of Cd¹⁰⁷, 3=19819
- Basu, B. See Dutt, P. K., 2=20036
- Basu, B. See Patro, A. P., 2=16358
- Basu, B. See Patro, A. P., 2=18293
- Basu, B. See Patro, A. P., 2=20554
- Basu, B. K. and Elbaum, C. Dislocations in recrystallized aluminium crystals, 4=20280
- Basu, D. Radio astronomy and its influence on cosmological theories, 4=29469
- Basu, D., Jancel, R. and Kahan, T. Electronic distribution function of an anisotropic, inhomogeneous plasma in an alternating electric field, 3=7517
- Basu, D., Jancel, R. and Kahan, T. The electron distribution function of an anisotropic inhomogeneous Lorentzian plasma in the presence of multiple modulated electric fields, 4=14625
- Basu, D., Mukherjee, S. C. and Sil, N. C. Double electron capture of alpha particles passing through helium, 4=24571
- Basu, D. See Das Gupta, M. K., 3=9262
- Basu, D. See Das Gupta, M. K., 3=16377
- Basu, D. See Das Gupta, M. K., 4=20943
- Basu, G. and Belford, R. L. Nature of the visible charge-transfer bands of K₂Fe(CN)₆, 3=3011
- Basu, J. Microwave method for determining the electron density and collision frequency in a transient plasma, 3=1994
- Basu, J. See Nicoll, G. R., 2=3017
- Basu, M. S. See Choudhury, A. K., 4=24015
- Basu, N. and Sinha, M. S. New evidence for a particle of mass ~ 525 me, 0=5574
- Basu, N. and Sinha, M. S. Anomalous scattering of low energy mu-mesons in copper, 0=7399
- Basu Nitima. See Nitima Basu.
- Basu, S. Ionization in seeded detonation waves, 0=12103
- Basu, S. Free-electron model and doublet splitting in aromatic hydrocarbon ions, 4=28236
- Basu, S. and Castelli, J. Occultations of the Crab nebula by the solar corona in June 1962, 3=13936
- Basu, S. See Aarons, J., 1=15549
- Basu, S. See Aarons, J., 3=21077
- Basu, S. See Chakravorty, A., 0=20980
- Basu, S. See Chowdhury, M., 0=11545
- Basu, S. See Chowdhury, M., 1=14089
- Basu, S. P. On heat transfer in nucleate boiling, 4=27170
- Basuli, S. Note on the symmetrical bending of nonhomogeneous cylindrical shell of variable thickness, 3=89
- Baszynski, J. Electric conductivity of NiFe₂O₄ ferrite, 2=14506
- Baszynski, J. Ferrimagnetics of composition MnFe_{1-x}Cr_xO₄ and MnFe_{2-x}Al_xO₄ with $0 < x < 2$, 4=30721
- Bat, G. A. and Kudrin, L. P. Angular and energy distribution of fission neutrons, 0=7640
- Bat', G. A. and Zaretskii, D. F. Effective boundary conditions in the theory of neutron diffusion (a review), 0=9368
- Bata, L. See Pal, L., 0=5825
- Bata, L. See Pal, L., 1=13875
- Batagui, M. See Balea, O., 3=17134
- Batagui, M. See Bozoki, G., 2=336
- Batagui, M. See Bozoki, G., 2=22684
- Batailler, G. The effect of the percentage harmonic of the stimulating wave on the average luminescence from an electroluminescent cell, 2=23618
- Batailler, G. and Pragout, J. Electroluminescent cell in a self-oscillating circuit, 2=5265
- Batailler, G. and Pragout, J. Luminance of an electroluminescent cell fed by superposed sinusoidal voltages, 4=17591
- Batalin, S. S., Kaipov, D. K. and Chekanov, V. N. A fast coincidence circuit for slow scintillators, 3=24200
- Batalin, V. A. See Malyshev, I. F., 4=14800
- Batalin, V. A. See Pasechnik, M. V., 4=19787
- Batalin, V. A. See Vladimirovskii, V. V., 4=14840
- Batalin, V. A. See Vladimirovskii, V. V., 4=18600
- Batalina, E. P. See Dyad'kin, I. G., 2=9855
- Batana, A. and Cohan, N. V. On the application of two simple approaches of "atoms in molecules", 2=6180
- Batana, A. and Cohan, N. V. Approximate natural spin orbitals for the B state of the hydrogen molecule, 4=6567
- Batanov, G. M. Secondary emission of glass No. 46 bombarded with positive ions, 1=1909
- Batanov, G. M. Secondary emission of glass No. 48 bombarded with positive ions, 1=4638
- Batanov, G. M. Secondary electron (ion-electron) emission from single crystals of NaCl and KCl under bombardment by lithium and potassium ions, 1=11965

- Batanov, G.M. Secondary ion (ion-ion) emission from single crystals of sodium chloride under bombardment by lithium ions, 1=13129
- Batanov, G.M. Emission of charged particles by alkali-halide crystals on bombardment with potassium ions, 3=5723
- Batanov, G.M. Emission of charged particles by alkali-halide crystals on bombardment with potassium ions, 2=20051
- Batanov, G.M. and Petrov, N.N. On the expulsion of electrons from glass by ions of helium and argon, 0=10939
- Batarchukova, N.R., Kartashev, A.I. and Kirichenko, A.P. An optical method for filtering the green line of Hg^{198} , 2=19708
- Bataruchkova, N.R., Kartashev, A.I. and Kirichenko, A.P. A method for obtaining interference with a great path difference, 3=16797
- Batarunas, I.V. See Karpus, A.S., 4=1434
- Batarunas, I.V. See Karpus, A.S., 4=1590
- Batarunas, I.V. See Mauza, F.B., 4=1339
- Batarunas, I.V. See Mauza, E.V., 4=20175
- Batchelder, L. Reciprocal of the mean free path, 4=14321
- Batchelor, R., Ferguson, A.J., Gove, H.E. and Litherland, A.E. Gamma rays from the 4.24 MeV state in Mg^{24} , 0=11363
- Batchelor, R., Gilboy, W.B., Purnell, A.D. and Towle, J.H. Improvements in the fast neutron time of flight technique using pulse shape discrimination in an organic phosphor, 1=5734
- Batchelor, R., Gilboy, W.B., Parker, J.B. and Towle, J.H. The response of organic scintillators to fast neutrons, 2=5524
- Batchelor, R. and Towle, J.H. The application of the optical model to the neutron interactions of Li^6 and Li^7 , 3=2469
- Batchelor, R. and Towle, J.H. The interactions of neutrons with Li^6 and Li^7 between 1.5 and 7.5 MeV, 4=1089
- Batchelor, R. and Towle, J.H. Secondary neutron spectra from neutron induced reactions with $Li-6$ and $Li-7$, 4=9531
- Batchelor, R. See Adams, B., 2=3636
- Batchelor, R. See Barry, J.F., 1=19293
- Batchelor, R. See Bromley, D.A., 0=1398
- Batchelor, R. See Deuchars, W., 3=24742
- Batchelor, R. See Ferguson, A.J., 1=8756
- Batchelor, R. See Gove, H.E., 1=13792
- Batchelor, R. See Litherland, A.E., 1=3465
- Batdorf, R.L., Chynoweth, A.G., Dacey, G.C. and Foy, P.W. Uniform silicon p-n junctions. I. Broad area breakdown, 0=11703
- Batdorf, R.L., Dacey, G.C., Wallace, R.L. and Walsh, D.J. Esaki diode in InSb, 0=11714
- Batdorf, R.L. See Lee, C.A., 4=17395
- Bate, D.G. and Saxe, R.F. Production of a pulsed magnetic field using an electrolytic capacitor bank, 0=17065
- Bate, G. Angular variation of the magnetic properties of partially aligned $\gamma-Fe_2O_3$ particles, 1=6310
- Bate, G. The Preisach diagram and interaction fields for assemblies of $\gamma-Fe_2O_3$ particles, 2=12720
- Bate, G. Statistical stability of the Preisach diagram for particles of $\gamma-Fe_2O_3$, 2=14772
- Bate, G. and Spiliotis, D.E. Hard magnetic films of Co-Ni-P, 3=15835
- Bate, G., Spiliotis, D.E. and Morrison, J.R. Static magnetization reversal in thin films of Co-Ni-P, 4=13171
- Bate, G. and Taylor, K.N.R. Production and properties of thin layers of indium antimonide, 0=9975
- Bate, G.L. Student experiment on the measurement of nuclear excitation functions, 2=14129
- Bate, G.L., Chaudhry, R. and Huizenga, J.R. Fission fragment angular distributions and cross sections for deuterium-induced fission, 3=19898
- Bate, G.L. and Huizenga, J.R. Fission and reaction cross sections in the uranium region with 4- to 12-MeV protons, 4=12289
- Bate, L.C. See Lyon, W.S., 1=12185
- Bate, N.W. and Hartley, M.G. Applications of secondary-emission at cathode-ray tube screens, 3=24351
- Bate, P.A.T. The acoustics of woodwind instruments. I., 3=216
- Bate, P.A.T. The acoustics of woodwind instruments. II., 3=217
- Bate, R.T. and Beer, A.C. Influence of conductivity gradients on galvanomagnetic effects in semiconductors, 1=7620
- Bate, R.T. Evidence for a selenium donor level above the principal conduction band edge in GaSb, 2=2162
- Bate, R.T. and Beer, A.C. Galvanomagnetic effects in semiconductors containing impurity gradients, 2=23278
- Bate, R.T., Bell, J.C. and Beer, A.C. Influence of magnetoconductivity discontinuities on galvanomagnetic effects in indium antimonide, 1=7650
- Bate, R.T., Martin, B. and Hille, P.F. Size effects in the resistivity of indium wires at 4.2°K, 3=20273
- Bate, R.T. and Willardson, R.K. Hall coefficient and magnetoresistance in semiconducting diamond, 0=6116
- Bate, R.T. See Duga, J.J., 2=8394
- Bate, R.T. See Simon, R., 1=1838
- Bateman, P.J. Thermoelectric power generation, 2=22159
- Bateman, R., Finney, J.W., Smith, E.K., Tveten, L.H. and Watts, J.M. IGY observations of F-layer scatter in the Far East, 0=9222
- Bateman, S.K. See Holland, L., 0=14087
- Bateman, S.K. The formation of luminescent films by evaporation, 2=719
- Bateman, T., Mason, W.P. and McSkimin, H.J. Third-order elastic moduli of germanium, 1=7810
- Bateman, T.B. Elastic moduli of single-crystal zinc oxide, 3=1213
- Bateman, T.B. See Mason, W.P., 3=13063
- Bateman, T.B. See Mason, W.P., 4=6724
- Bateman, T.B. See Mason, W.P., 4=20200
- Bateman, T.B. See Mason, W.P., 4=20201
- Bateman, T.B. See Spencer, E.G., 3=25601
- Batenin, I.V., Il'ina, V.A., Kritskaya, V.K., Kurdyumov, G.V. and Sharov, B.V. The influence of neutron irradiation on crystal fine structure and the properties of metals and alloys, 1=3698
- Batenin, I.V., Il'ina, V.A., Kritskaya, V.K. and Sharov, B.V. The problem of the influence of neutron irradiation on the fine crystal structure of metals and alloys, 0=1917
- Batenin, V.M. See Scheindlin, A.E., 4=24666
- Bates, B. See Bradley, D.J., 4=18895
- Bates, B. See Bradley, D.J., 4=21289
- Bates, C.A. The effects of distortion on the spectra of a Cu^{2+} ion in a tetrahedral crystal field, 4=12571
- Bates, C.A. The spin-orbit coupling of a 4p electron in $CuIII$, 2=4276
- Bates, C.A., Moore, W.S., Standley, K.J. and Stevens, K.W.H. Paramagnetic resonance of a Cu^{2+} ion in a tetrahedral crystal field, 2=4254
- Bates, C.A. and Stevens, K.W.H. The band structure of body-centred cubic transition metals, 2=6300
- Bates, C.H., White, W.B., Roy, R. New high-pressure polymorph of zinc oxide, 3=3254
- Bates, C.W., Jr. Tunneling current in Esaki diodes, 1=3780
- Bates, D.R. Electron capture in fast collisions, 0=475
- Bates, D.R. Some problems concerning the terrestrial atmosphere above about the 100 km level, 0=10403
- Bates, D.R. Discussion of a paper by F.D. Stacey, "The possible occurrence of negative nitrogen ions in the atmosphere", 0=16422
- Bates, D.R. Further discussion of paper by F.D. Stacey, "The possible occurrence of negative nitrogen ions in the atmosphere", 0=16424
- Bates, D.R. Collisions involving the crossing of potential energy curves, 0=20577
- Bates, D.R. Excitation of the 1s-2p transition of atomic hydrogen by proton and alpha-particle impact, 1=3516
- Bates, D.R. Distortion approximation to cross-sections for excitation of 1s-2p transition of hydrogenic ions by bare nuclei, 2=1961
- Bates, D.R. Dielectric recombination to normal nitrogen and oxygen ions, 2=15889
- Bates, D.R. Resonance effects in atom-atom collisions, 3=6364
- Bates, D.R. Electron-ion recombination, 4=24558
- Bates, D.R. and Boyd, A.H. Effect of Coulomb repulsion between charged atomic systems on excitation and ionization cross sections, 2=9532
- Bates, D.R. and Boyd, A.H. Effect on symmetrical resonance charge transfer cross sections of change in relative motion during encounter, 3=1938
- Bates, D.R., Cook, C.J. and Smith, F.J. Classical theory of ion-molecule rearrangement collisions at high impact energies, 4=9793
- Bates, D.R. and Kingston, A.E. Recombination through electron-electron collisions, 1=18774
- Bates, D.R. and Kingston, A.E. Properties of a decaying plasma, 3=21779
- Bates, D.R. and Kingston, A.E. Collisional-radiative recombination at low temperatures and densities, 4=8682
- Bates, D.R. and Kingston, A.E. Recombination and energy balance in a decaying plasma. I. H-H⁺-e plasma, 4=18808
- Bates, D.R. and Kingston, A.E. Recombination and energy balance in a decaying plasma. II. He-He⁺-e plasma, 4=18809

- Bates, D.R., Kingston, A.E. and McWhirter, R.W.P. Recombination between electrons and atomic ions. I. Optically thin plasmas, 2=11620
- Bates, D.R., Kingston, A.E. and McWhirter, R.W.P. Recombination between electrons and atomic ions. II. Optically thick plasmas, 3=364
- Bates, D.R. and Lynn, N. Electron capture of the accidental resonance type, 0=8997
- Bates, D.R. and McCarroll, R. Charge transfer, 2=12276
- Bates, D.R. and McDowell, M.R.C. Recombination in the ionosphere during an eclipse, 0=775
- Bates, D.R. and McDowell, M.R.C. Atmospheric helium, 0=782
- Bates, D.R. and McDowell, M.R.C. Escape of helium, 0=18503
- Bates, D.R. and Nicolet, M. Ion-atom interchange, 0=14200
- Bates, D.R. and Nicolet, M. Rate of ion-atom interchange, 1=20890
- Bates, D.R. and Patterson, T.N.L. An estimate of the temperature in the exosphere, 2=4680
- Bates, D.R. and Patterson, T.N.L. Hydrogen atoms and ions in the thermosphere and exosphere, 2=4682
- Bates, D.R. and Patterson, T.N.L. Helium ions in the upper atmosphere, 3=3482
- Bates, D.R. and Williams, D.A. Low energy collisions between hydrogen atoms and protons, 4=15303
- Bates, H.F. The slant E_s echo—a high frequency auroral echo, 1=15319
- Bates, H.F. Very-low-frequency effects from the November 20, 1961, Polar-cap absorption event, 3=509
- Bates, H.F. The height of F-layer irregularities in the arctic ionosphere, 0=10422
- Bates, H.F. Direct h.f. backscatter from the F region, 0=15173
- Bates, H.F. Correction to the paper, "The height of F-layer irregularities in the Arctic ionosphere", 0=16445
- Bates, J.L. Thermal conductivity of UO_2 improves at high temperatures, 1=14191
- Bates, J.L., Christensen, J.A. and Roake, W.E. Fission products and plutonium migrate in uranium dioxide fuel, 2=12235
- Bates, L.F. and Barnard, R.D. The electrical resistivities and magnetic susceptibilities of some stable and metastable uranium-molybdenum alloys, 1=10025
- Bates, L.F. and Barnard, R.D. The electrical and magnetic properties of the uranium-niobium system, 1=17609
- Bates, L.F. and Carey, R. Domain tube structures in silicon iron, 0=16135
- Bates, L.F. and Carey, R. Domain patterns on "cube-textured" silicon-iron sheet, 1=1222
- Bates, L.F. and Carey, R. Domain observations on a nickel-iron thin film, 2=14780
- Bates, L.F. and Clow, H. The thermomagnetic behaviour of pure nickel ferrite, 0=6229
- Bates, L.F. and Clow, H. The analysis of thermomagnetic measurements in weak fields, 0=13787
- Bates, L.F. and Craik, D.J. The domain structure of cobalt crystals, 3=1063
- Bates, L.F., Craik, D.J., Griffiths, P.M. and Isaac, E.D. The domain structure of magnetoplumbite, 0=10151
- Bates, L.F., Craik, D.J. and Isaac, E.D. Domain structures and coercivity of Alcomax III, 2=10656
- Bates, L.F., Craik, D.J. and Rushton, S. Slow magnetization reversals in cobalt films, 2=21327
- Bates, L.F. and Davis, P.F. Direct measurement of domain wall energy, 0=4488
- Bates, L.F. and Pacey, A.J. The thermomagnetic behaviour of cobalt ferrite, 1=9035
- Bates, L.F. and Pacey, A.J. Magnetothermal measurements on gadolinium, 2=739
- Bates, L.F. and Sansom, D.J. Magnetothermal effects in iron and silicon-iron, 0=4487
- Bates, L.F. and Spivey, S. Bitter figure observations on gadolinium, 4=22985
- Bates, L.F. and Unstead, P.B. The magnetic susceptibility of some carbides of uranium and thorium, 4=17627
- Bates, L.R. and Pacey, A.J. The analysis of magnetothermal measurements, 3=466
- Bates, P., Cawley, S. and Danyluk, S.S. Solvent dependence of proton-proton coupling constants in substituted vinyl silanes, 4=20109
- Bates, R.H.T. Random errors in aperture distributions, 0=5418
- Bates, R.L. See Eisenman, W.L., 3=14414
- Bates, T. and Douglas, R.W. The absorption bands of Cr^{3+} ions in solutions, crystals and glasses, 0=10041
- Bates, W.J. Conference on Optical Instruments and Techniques—London 11-14 July 1961, 1=18585
- Bateson, S. Dynamics of crack propagation in glass, 1=14919
- Batha, H.D. See Hasselman, D.P.H., 3=20708
- Bathier, M. See Dubois, E., 2=17868
- Batifol, E. and Durauffourg, G. Determination of the diffusion coefficient of arsenic in germanium by measurement of the thermoelectric voltage, 1=17553
- Batist, R.De. See De Batist, R.
- Batiz-Hernandez, H. See Bernheim, R.A., 4=25741
- Batkin, S. and Ansberry, M. Effect of auditory deprivation, 4=15986
- Baton, J.P. See Alitti, J., 2=16229
- Baton, J.P. See Alitti, J., 2=18156
- Batova, G.A. See Deryagin, B.V., 4=10658
- Batra, D.P. See Katti, M.R., 3=12812
- Batra, D.P. See Katti, M.R., 3=22537
- Batrak, E.N. A model for the colour and luminescence centres in quartz, 0=18135
- Batrak, E.N. Thermal emission and decolorization in X-irradiated quartz, 0=18154
- Batrakov, G.F., Mis'kevich, O.R. and Troinar, E. Measurements of the surface tension between superconducting and normal phases, 2=15856
- Batrakov, G.F., Mis'kevich, O.R. and Troinar, E. Measurement of the surface tension between superconducting and normal phases, 3=5594
- Batsanov, S.S. See Mazalov, L.N., 1=3818
- Batschelet, E. and Grün, F. Numerical calculation of the diffusion evaporation with a convection term, 0=19108
- Batsford, K.O. and Thomas, D.J.D. Defects in vapour-grown silicon layers, 3=804
- Batskikh, G.I. See Rubchinskii, S.M., 4=14797
- Batskikh, G.I. See Vasil'ev, A.A., 4=14807
- Batson, A.P., Culwick, B.B., Hill, J.G. and Riddiford, L. Proton-proton interactions at 970 MeV, 0=1279
- Batson, A.P., Culwick, B.B., Klepp, H.B. and Riddiford, L. Proton-deuteron interactions at 970 MeV, 0=9356
- Batson, A.P. See Askew, R.F., 1=2205
- Batson, A.P. See Warren, H.D., 4=6322
- Batsonov, S.S. Relationship between refractivity and ionization potentials of atoms, 0=2321
- Batt, A. and Post, B. A procedure for parameter refinement in simple structures, 3=8834
- Batt, A.P. See Birks, L.S., 3=23559
- Batt, A.P. See Birks, L.S., 4=28663
- Batt, L. and Benson, S.W. Pyrolysis of di-tertiary butyl peroxide: temperature gradients and chain contribution to the rate, 2=6872
- Batt, L. See Flowers, M., 3=5164
- Battaglia, A., Gozzini, A. and Iannuzzi, M. Millimetre wave absorption oxygen, 3=23938
- Battaglia, A., Gozzini, A. and Polacco, E. On some phenomena related to the saturation of rotational resonances in the microwave spectrum of OCS, 0=5918
- Battaglia, A., Gozzini, A. and Polacco, E. A new method of modulation of molecular absorption in microwave spectroscopy; study of the $J = 0 \rightarrow 1$ transition of OCS, 1=14019
- Battaglia, A., Iannuzzi, M. and Polacco, E. A new Zeeman spectrograph for centimetre wavelengths, 3=21983
- Battaglia, A., Iannuzzi, M. and Polacco, E. The molecular Landé factor of the H_2O molecule, 3=22562
- Battan, L.J. A survey of recent cloud physics research in the Soviet Union, 4=10711
- Battan, L.J. and Herman, B.M. Backscattering of 3.21-centimeter radiation by water bubbles, 2=160
- Battan, L.J. and Herman, B.M. The radar cross sections of 'spongy' ice spheres, 3=9041
- Battan, L.J. See Herman, B.M., 1=19032
- Battan, L.J. See Herman, B.M., 2=2478
- Battan, L.J. See Herman, B.M., 4=14896
- Battelli, O. See Molina, F., 2=11048
- Battelli, O. See Molina, F., 2=19214
- Batter, J.F. See Clarke, E.T., 4=3372
- Batterman, B.W. Effect of long wavelength harmonics on double crystal diffractometer measurements, 1=7858
- Batterman, B.W. Imaginary part of X-ray scattering factor for germanium. Comparison of theory and experiment, 1=11559
- Batterman, B.W. Effect of thermal vibrations on diffraction from perfect crystals. I. The case of anomalous transmission, 2=12903
- Batterman, B.W. Effect of thermal vibrations on diffractions from perfect crystals. II. The Bragg case of reflection, 2=18521

- Batterman, B.W. An effect of dynamical diffraction in fluorescent X-ray scattering, 3=10972
- Batterman, B.W. Effect of dynamical diffraction in X-ray fluorescence scattering, 4=10509
- Batterman, B.W. Redetermination of the temperature dependence of X rays anomalously transmitted through germanium, 4=20455
- Batterman, B.W. and Chipman, D.R. Vibrational amplitudes in germanium and silicon, 2=18522
- Batterman, B.W., Chipman, D.R. and DeMarco, J.J. Absolute measurement of the atomic scattering factors of iron, copper, and aluminum, 1=7433
- Batterman, B.W. See Chipman, D.R., 3=11252
- Batterman, B.W. See Patel, J.R., 3=23098
- Batterman, B.W. See Treuting, R.G., 3=18337
- Bathyan, I. and Demers, P. The size of grains during precipitation of nuclear emulsions, 1=9708
- Bathyan, I., Silva de Stuardo, E., Tsai-Chu and Willot-Chemel, B. Study of knock-on electrons produced by protons of 26 GeV energy in a nuclear emulsion, 3=4387
- Battin, R.H. and Laning, J.H., Jr. A navigation theory for sound-trip reconnaissance missions to Venus and Mars, 2=11183
- Battino, R. See Weissman, S., 4=3859
- Battino, R. See Wood, S.E., 0=10668
- Battocletti, J.H. and Hershberger, W.D. Resonance in the positive column of a low-pressure arc discharge, 2=17803
- Battrick, J.R. See Hill, R.M., 2=2871
- Battut, R., Berthet, G., Grenier, J. and Imbaud, J.P. Application of the inverted overhauser effect to the detection of free radicals, 4=25733
- Battut, R., Berthet, G. and Imbaud, J.P. Dynamic nuclear polarization in weak fields (78 G), for solutions of semiquinones, 1=18432
- Batty, C.J. The loading of nuclear emulsions with water, 0=17168
- Batty, C.J. Total and absorption cross section for high energy pions, 1=3210
- Batty, C.J. The scattering of high energy nucleons by complex nuclei, 1=5902
- Batty, C.J., Gilmore, R.S. and Stafford, G.H. Measurement of the polarization in proton-proton scattering at 30 and 50 MeV, 3=22123
- Batty, C.J., Griffiths, R.J. and Gibbons, P.E. Some results using bulk ionisation semi-conductor detectors, 3=5903
- Batty, C.J., Stafford, G.H. and Gilmore, R. Measurement of the polarization in 50 MeV proton-proton scattering at 45° (c.m.), 2=22517
- Batty, C.J., Stafford, G.H. and Gilmore, R.S. Excitation of isobaric states in (p, n) reactions at 30 and 50 MeV, 4=3653
- Batty, C.J., Stafford, G.H. and Gilmore, R.S. Measurement of the cross-section for proton-proton scattering at 90° (c.m.) between 20 and 50 MeV, 4=11990
- Batueva, E.N. See Kataev, G.A., 4=20399
- Baturicheva, Z.B. See Startsev, V.I., 0=13712
- Baturin, V.A. See Scheindlin, A.E., 4=24666
- Baturins'ka, N.L. See Hratsians'kij, M.M., 3=20913
- Batusov, Yu.A., Bogachev, N.P., Bunyatov, S.A., Sidorov, V.M. and Yarba, V.A. Production of charged meson by 290 MeV π^- -mesons on hydrogen, 0=20214
- Batusov, Yu.A., Bogachev, N.P., Sidorov, V.M. and Chulli, I. Meson production by 280 MeV π^+ -mesons on photo-emulsion nuclei, 0=2586
- Batusov, Yu.A., Bunyatov, S.A., Do In Seb, Sidorov, V.M. and Yarba, V.A. Investigation of the low energy $\pi^+\pi^-$ interaction by the Chew and Low method, 4=6111
- Batusov, Yu.A., Bunyatov, S.A., Sidorov, V.M. and Yarba, V.A. $\pi^- \rightarrow \pi^0$ charge exchange cross section from analysis of $\pi^- + p \rightarrow \pi^- + \pi^+ + n$ at 290 MeV, 0=20192
- Batusov, Yu.A., Bunyatov, S.A., Sidorov, V.M. and Yarba, V.A. Formation of charged mesons by 245 MeV π^- -mesons on hydrogen, 1=2083
- Batusov, Yu.A., Bunyatov, S.A., Sidorov, V.M. and Yarba, V.A. Production of charged mesons by 290 MeV π^- mesons on hydrogen, 1=16849
- Batusov, Yu.A., Bunyatov, S.A., Sidorov, V.M. and Yarba, V.A. Ratio of $\pi N \rightarrow \pi\pi N$ reaction cross-sections at 290 MeV and $\pi\pi$ interactions, 2=310
- Batusov, Yu.A., Bunyatov, S.A., Sidorov, V.M. and Yarba, V.A. Ratio of $\pi N \rightarrow \pi\pi N$ reaction cross-sections at 290 MeV and $\pi\pi$ interactions, 3=4439
- Batusov, Yu.A., Bunyatov, S.A., Sidorov, V.M. and Yarba, V.A. The $\pi^- + p \rightarrow \pi^+ + \pi^- + n$ reaction at an energy 240 MeV, and $\pi\pi$ -interaction, 3=17318
- Batusov, Yu.A., Bunyatov, S.A., Sidorov, V.M. and Yarba, V.A. Double charge exchange of π^- -mesons, 4=19549
- Batyev, E.G. Temperature dependence of the gap in a superconductor, 3=21657
- Batyev, E.G., Patashinskii, A.Z. and Pokrovskii, V.L. Phase transition in superconductors, 4=27414
- Batyev, E.G., Patashinskii, A.Z. and Pokrovskii, V.L. Behavior of thermodynamic quantities near the λ -curve, 4=29822
- Batyev, E.G. and Pokrovskii, V.L. The interaction of electrons with the lattice oscillations in a normal metal, 4=12607
- Batygin, V.V. and Toptygin, I.N. Inelastic collisions between fast polarized particles and atoms, 0=9751
- Batyrev, V.A. X-ray spectroscopic investigation of intermetallic compounds in the Cu-Zn system, 3=5134
- Batyrev, V.A. and Bogdanov, V.G. Vacuum X-ray spectrometer with ionization recording, 3=4234
- Batyrev, V.A. See Borovskii, I.B., 2=16842
- Batzel, R.E. Radioactivity associated with underground nuclear explosions, 1=15217
- Batzer, T.H. and Ryan, J.F. Some new techniques in ultra-high vacuum, 4=18296
- Bauch, H. The special position of periodic short pulses in the sensitivity to loudness, 0=18536
- Bauche, J., Blaise, J. and Fred, M. Ground-state multiplets of the arc spectrum of plutonium, 4=1213
- Bauche, J., Blaise, J. and Fred, M. Second system of the arc spectrum of plutonium. New pair levels in spectra I and II, and the ionization potential of Pu I, 4=3798
- Bauche, J. and Judd, B.R. Hyperfine structure of Pu I, 4=9647
- Bauche, J. See Blaise, J., 1=16965
- Baucom, H.H., Jr. Nuclear data for reactor studies, 1=11048
- Baucom, H.H., Jr. See MacDonald, R.N., 3=17510
- Baudeau, M. See Gasc, C., 2=19032
- Baudelet, B. See Taurel, L., 3=10921
- Bauder, U. Propagation of slow electric waves in a low-pressure plasma with metallic boundary, 4=11628
- Bauder, U. Propagation of slow electromagnetic waves in metal-guided low-pressure plasma, 4=18891
- Baudet, J. Magnetic study of the localized chemical bond, 1=14079
- Baudet, J. Weak temperature-independent paramagnetism, 2=6655
- Baudet, J., Cabaret, F., Tillieu, J. and Guy, J. Table of two-centre integrals. II, 1=7451
- Baudet, J., Guy, J. and Tillieu, J. Calculation of the principal magnetic susceptibilities of the benzene molecule, 1=19657
- Baudet, J. See Guy, J., 1=7483
- Baudin, G. and Hénon, G. Mutual influences in the spectrography of solutions of Fe, Ni, Cr and Ti, taken two at a time, 0=8339
- Baudin, G. and Vo-Dinh, M. Mutual spectroscopic influences in solutions of the elements Fe, Ni, Cr, Ti taken three by three, 0=10378
- Baudinet, Y. See Morand, M., 1=7361
- Baudinet-Robinet, Y., Donneaux, E., Robaye, G. and Winand, L. Angular distribution of tritons emitted in the $\text{Li}^{(n,t)}\text{He}^4$ reaction, 4=17158
- Baudinet-Robinet, Y., Morand, M., Tsai-Chü, Castagnoli, C., Dascola, G., Mora, S., Barbaro-Galtieri, A., Baroni, G. and Manfredini, A. Experimental results on proton-nucleon collisions at 27 GeV, 2=13798
- Baudinet-Robinet, Y. See Morand, M., 0=7581
- Baudoin, R. See Renaud, P., 2=856
- Baudon, J. See Barat, M., 4=11517
- Baudon, J. See Barat, M., 4=24594
- Baudon, J. See Barat, M., 4=27478
- Bauer, A. Temperature measurements on a luminous arc discharge by means of radiation measurements, 0=19520
- Bauer, A. The field arc theory for cold evaporated cathodes. I, 2=172
- Bauer, A. Field arc theory for cold evaporated cathodes. II, 2=17808
- Bauer, A. Magnetic contraction of arcs of medium current intensities, 3=7486
- Bauer, A. An approximate solution of the Elenbaas-Heller differential equation, 3=21753
- Bauer, A. and Bellet, J. Rotation spectrum of SO_2 at millimeter wavelengths (6 and 2.2 mm), 4=28227
- Bauer, A., Bellet, J., Pouzet, P. and Rémy, A. Rotation spectrum of SO_2 in the 4 mm and 8 mm regions, 4=9748
- Bauer, A., Cook, M.A. and Keyes, R.T. Detonation-generated plasmas, 1=12915
- Bauer, A. and Schulz, P. Constricted high pressure xenon discharges at high current densities, 0=1707

- Bauer, A. A. See DeMastry, J. A., 4=9613
- Bauer, A. A. See Klein, M. J., 4=7679
- Bauer, B. B. Phasor analysis of some stereophonic phenomena, 1=21116
- Bauer, B. B. A century of microphones, 2=15698
- Bauer, C. A. The helium contents of metallic meteorites, 4=10887
- Bauer, C. L. and Gordon, R. B. Dislocation damping effects in rock salt, 0=11973
- Bauer, C. L. and Gordon, R. B. Mechanism for dislocation pinning in the alkali halides, 2=6331
- Bauer, C. L. and Gordon, R. B. Structure sensitivity of F-center generation by X-rays at low temperatures, 2=10421
- Bauer, C. L. See Fiore, N. F., 4=23150
- Bauer, C. L. See Koss, D. A., 2=21035
- Bauer, C. L. See Wolfe, R. L., 4=12768
- Bauer, E. Interpretation of low-energy electron diffraction patterns of adsorbed gases, 1=11598
- Bauer, E. Low energy electron reflection microscopy, 3=25791
- Bauer, E. The scattering of infrared radiation from clouds, 4=13794
- Bauer, E. and Browne, H. N. Elastic scattering of electrons by the many-electron atom, 4=25550
- Bauer, E. and Carlson, D. J. MIE scattering calculations for micron size alumina and magnesia spheres, 4=22845
- Bauer, E. and Cummings, F. W. De-excitation of molecular vibration by collision, 2=6237
- Bauer, E. and Salkoff, M. Three-body recombination of oxygen atoms, 0=20679
- Bauer, E. See Browne, H. N., 3=22496
- Bauer, E. See Turner, G., 3=20929
- Bauer, G. Measurement of absorption, transmission and scattering. I. General, 0=163
- Bauer, G. Characteristic factors for diffuse reflection, 0=19362
- Bauer, G. Reflection measurements on open cavities, 2=5138
- Bauer, G. T. A new measuring system for quantum efficiency measurements of luminescent substances, 0=19393
- Bauer, G. T. Measurement of the absorption coefficient of phosphors consisting of microcrystalline grains, 3=4980
- Bauer, G. T. Some optical properties of luminescent films consisting of microcrystalline grains, 4=26167
- Bauer, G. V. T. See Gergely, G., 3=18037
- Bauer, H. H. and Elving, P. J. The faradaic admittance of electrochemical processes. I. Apparatus suitable for phase angle measurement, 0=14119
- Bauer, H. H., Smith, D. L. and Elving, P. J. The faradaic admittance of electrochemical processes. II. Experimental test of the theoretical equations, 0=14120
- Bauer, H. J. The deposition by evaporation of narrow strips, 3=6885
- Bauer, H. J. Measurement of the electrical resistance and magnetization between 4° and 300° K of nickel electrolytically treated with hydrogen, 4=6929
- Bauer, H. J., Geissler, K. and Juergens, W. Curie temperature of thin nickel films, 4=26320
- Bauer, H. J., Kneser, H. O. and Sittig, E. The propagation of sound waves in partially dissociated N_2O_4 and N_2O_3 , 0=20598
- Bauer, H. J. and Liska, E. Vibrational relaxation in CO_2 -He mixtures, 4=14213
- Bauer, H. J. and Roesler, H. Vibrational relaxation in binary mixtures of diatomic gases, 4=28285
- Bauer, H. J. and Schmidbauer, E. Influence of electrolytic charging of hydrogen on the magnetization of nickel, 2=738
- Bauer, H. J. See v. Aufschnatter, S., 4=22623
- Bauer, J. The influence of electric fields on the viscosity of dipolar gases, 1=18440
- Bauer, J. and Schneider, J. The distribution of current density in a cylindrical conductor of elliptic cross-section for axial direction of alternating current, 1=18747
- Bauer, J. Theory of the differential equation of the parabolic cylinder, 2=19366
- Bauer, J. On the theory of the hermitian differential equation, 4=12
- Bauer, J. The temperature distribution in an elliptical cylinder under the influence of a periodically fluctuating temperature field, 4=349
- Bauer, J. and Pfeiffer, E. A hydrodynamical analogue for the skin-effect in elliptical cylinders, 1=10490
- Bauer, K. The imaging and examination of surfaces through exploration with slow electrons, 4=10570
- Bauer, M. See Canuto, V., 4=12111
- Bauer, M. E. and Nosanow, L. H. Phase transitions in one-dimensional order-disorder systems: application to helix-random-coil transition in polymers, 2=16576
- Bauer, M. E. and Nosanow, L. H. Simple model for the helix-random coil transition in polypeptides, 3=8322
- Bauer, R. and Rozwadowski, M. New photoelectric method of measuring the degree of polarization of light, 1=18623
- Bauer, R. and Rozwadowski, M. A new type of fluorometer-measurements of decay periods of fluorescence of acridine yellow solutions as a function of concentration, 0=3538
- Bauer, R. and Szczurek, T. Depolarization of fluorescence of dye solutions by thermal motion of the molecules, 3=139
- Bauer, R. K. Polarization and decay of fluorescence of solutions, 3=23993
- Bauer, R. K. and Lew, H. Rotational constants and electric dipole moment of NaF, 3=22550
- Bauer, R. K. and Lew, H. Supplementary note to "rotational constants and electric dipole moment of NaF", 4=22367
- Bauer, R. W., Anderson, J. D., and Christensen, L. J. Lifetimes of excited nuclear states using delayed-reaction gamma rays, 3=10258
- Bauer, R. W., Anderson, J. D. and Christensen, L. J. Scattering of 14 MeV neutrons from nitrogen and oxygen, 3=24945
- Bauer, R. W., Anderson, J. D. and Christensen, L. J. Elastic scattering of 14 MeV neutrons from nickel, 4=3665
- Bauer, R. W., Anderson, J. D. and Wong, C. A search for an excited state of B^0 near 1.7 MeV, 4=27959
- Bauer, R. W. and Deutsch, M. Nuclear orientation of Mn^{56} , 0=4076
- Bauer, R. W. and Deutsch, M. Nuclear polarization of Co^{55} , 0=11307
- Bauer, R. W. and Deutsch, M. Nuclear g values of the first excited states of Sm^{152} , Gd^{154} and Gd^{156} , 2=1822
- Bauer, R. W. and Deutsch, M. Magnetic moments of the first excited 2^+ states in Sm^{152} , Gd^{154} , and Gd^{156} , 3=628
- Bauer, R. W., Deutsch, M., Mutchler, G. S. and Simons, D. G. Nuclear orientation of Mn^{54} and Mn^{52m} , 0=20326
- Bauer, R. W., Grodzins, L. and Wilson, H. H. Decay of Tl^{199} and Au^{199} , 3=658
- Bauer, R. W. See Deutsch, M., 1=594
- Bauer, R. W. See Deutsch, M., 1=8549
- Bauer, R. W. See Grodzins, L., 2=1775
- Bauer, R. W. See Grodzins, L., 2=1776
- Bauer, S. H. and Aten, C. F. Absorption spectra of polyatomic molecules at high temperatures. II. Benzene and perfluorobenzene. Kinetics of the pyrolysis of benzene, 4=3887
- Bauer, S. H., Herzberg, G. and Johns, J. W. C. The absorption spectrum of BH and BD in the vacuum ultraviolet, 4=25636
- Bauer, S. H., Ino, T. and Porter, R. F. Molecular structure of lithium chloride dimer. Thermodynamic functions of Li_2X ($X = Cl, Br, I$), 0=17854
- Bauer, S. H., Kiefer, J. H. and Loader, B. E. A study of the emission intensities of Cr lines from shocked gases containing $Cr(CO)_6$, 1=13933
- Bauer, S. H. and Kimura, K. Design and characteristics of parallel incidence electron diffraction apparatus, 3=444
- Bauer, S. H. and Tsang, S. C. Mechanism for vibrational relaxation at high temperatures, 3=8236
- Bauer, S. H. See Cowperthwaite, M., 2=12347
- Bauer, S. H. See Duff, R. E., 2=12348
- Bauer, S. H. See Kimura, K., 4=5703
- Bauer, S. H. See Kimura, K., 4=6603
- Bauer, S. H. See LaVilla, R. E., 0=15775
- Bauer, S. H. See LaVilla, R. E., 4=6590
- Bauer, S. H. See Lifshitz, A., 3=16160
- Bauer, S. H. See Lifshitz, A., 4=1318
- Bauer, S. H. See Tsang, W., 2=12349
- Bauer, S. J. Inferred temperature variations at the F_2 peak, 0=14255
- Bauer, S. J. On the structure of the topside ionosphere, 2=17175
- Bauer, S. J. Helium ion belt in the upper atmosphere, 3=9072
- Bauer, S. J. and Bourdeau, R. E. Upper atmosphere temperatures derived from charged particle observations, 2=15209
- Bauer, S. J. and Daniels, F. B. Measurements of ionospheric electron content by the lunar radio technique, 0=10415
- Bauer, S. J. and Jackson, J. E. Rocket measurement of the electron-density distribution in the topside ionosphere, 2=19216
- Bauer, S. J. See Bourdeau, R. E., 2=8993
- Bauer, S. J. See Daniels, F. B., 0=16773
- Bauer, S. J. See Jackson, J. E., 2=11063
- Bauer, S. J. See Jackson, J. E., 2=19217
- Bauer, W., DeFord, J. W., Koehler, J. S. and Kauffman, J. W. Low-temperature annealing spectrum of electron-irradiated gold and cadmium, 3=2846
- Baumann, G., Braun, H. and Cüer, P. Non-mesonic decay of two hyperfragments, 1=19350

- Bauer, W. and Sosin, A. Threshold displacement energies and subthreshold displacements in copper and gold near 10°K, 4=12827
- Bauer, W. and Sosin, A. Point defect studies in gold by electron irradiation at low temperatures. I. Threshold displacement energy and displacement cross section, 4=25922
- Bauer, W. and Sosin, A. Point defect studies in gold by electron irradiation at low temperatures. II. Resistivity recovery spectrum from 15 to 240°K, 4=30600
- Bauerle, J.E. Analysis of "immersed" thermocouple error, 1=8259
- Bäuerlein, R. Measurement of the energy of formation of a lattice defect by electron irradiation in some $A^{III}B^V$ compounds, 0=4290
- Bäuerlein, R. Investigations of the healing process for Frenkel defects in indium arsenide, 2=6319
- Bäuerlein, R. The measurement of short carrier lifetimes in semiconductors, 2=21127
- Bäuerlein, R. Measurement of the energy of displacement, by electron bombardment, of lattice atoms in $A^{III}B^V$ compounds, 4=12554
- Bäuerlein, R. Displacement thresholds in semiconductors, 4=30594
- Baugh, C. W. See Ogland, J. W., 4=19310
- Baughan, E.C. The repulsion energies in ionic compounds. II. Lattice energies of some metallic nitrides, 0=13483
- Baughan, E.C. Ionization potentials, electron affinities and screening constants: a simple theory, 2=6086
- Baughan, E.C. Ionization potentials, electron affinities and screening constants. II. Interpretation of screening constants and application to atomic radii and energy levels, 3=15272
- Baughan, E.C. Ionization potentials, electron affinities and screening constants. III. The irregular doublet law, 3=25039
- Baughan, E. C. Constant energy differences in atomic structure, 4=3769
- Baughan, E. C. Ionization potentials, electron affinities and screening constants. IV. Wave-mechanical refinement and diamagnetic susceptibilities, 4=6458
- Baughman, G. L. See Fontijn, A., 3=16904
- Baulch, D.L. and Duncan, J.F. Beta recoil from solid surfaces, 2=15106
- Baum, A.I. Observation of dislocations in tellurium, 0=17928
- Baum, B. A., Gel'd, P. V. and Suchil'nikov, S. I. Electrical conductivity of liquid chromium silicides, 4=11212
- Baum, B. A. See Kurochkin, K. T., 4=21111
- Baum, E. Derivation of the Sprung equation from thermodynamic principles, 2=8958
- Baum, E. See Nobe, K., 1=6571
- Baum, F.J. and Billmeyer, F.W., Jr. Automatic photometer for measuring the angular dissymetry of light scattering, 1=4431
- Baum, F.J. and Darnell, F.J. Birefringence studies in electroluminescent zinc sulfide, 2=10632
- Baum, H. See Brümmer, O., 4=7118
- Baum, J.H. See Boley, F.L., 2=330
- Baum, J.H. See Boley, F.L., 2=9954
- Baugnet, J.M. See Willis, A.H., 1=12235
- Baum, L. See Fluornoy, J.M., 2=14479
- Baum, L.H. See Flournoy, J.M., 0=19522
- Baum, L.H. See Siegel, S., 0=7796
- Baum, L.H. See Siegel, S., 1=8861
- Baum, P.M. See Robinson, C.S., 3=4421
- Baum, R.L. See Redfield, D., 1=3816
- Bauman, C. A. See Watson, K., 4=2865
- Bauman, E. See Mohanty, A., 3=11293
- Bauman, J.H. Simple a.c. bridge with polarity reversal of d.c. output at null point, 3=7412
- Bauman, R. P. and Abramowitz, S. Crystal chopper for the Perkin-Elmer double-pass monochromator, 4=5386
- Bauman, R.P. and Considine, J.P. Derivation of interelectronic screening parameters from statistical considerations, 1=7428
- Bauman, R.P. and Thomson, E. Solvent effects on carbonyl bands in infrared spectra, 3=8283
- Bauman, R. P. See Abramowitz, S., 4=2690
- Bauman, R.P. See Considine, J.P., 3=10438
- Bauman, R.P. See Mandel, G., 0=13698
- Baumann, F. Photoeffect in thin metal films, 0=9074
- Baumann, F. Photoelectric measurements on highly disordered films of Sn, Pb and Cd, 1=16383
- Baumann, G., Braun, H. and Cüer, P. Hyperfragments produced by 25 GeV protons in emulsion nuclei, 2=10000
- Baumann, G., Braun, H. and Cüer, P. Emission of Li^8 and Li^9 nuclei in the interactions of 25 GeV protons with heavy nuclei in G₅ emulsions, 2=10108
- Baumann, G., Braun, H. and Cüer, P. The emission of Be^8 nuclei in interactions of 25 GeV protons with the heavy nuclei of a nuclear emulsion, 2=12189
- Baumann, G., Braun, H. and Cüer, P. Hyperfragments produced by 17 GeV/c π^- -mesons in G₅ emulsion nuclei, 2=18347
- Baumann, G., Braun, H. and Cüer, P. Emission of Li^8 and Li^9 nuclei produced by a beam of 17 GeV/c π^- -mesons in heavy emulsion nuclei, 2=20661
- Baumann, G., Braun, H. and Cüer, P. Mesonic hyperfragments produced in interactions of 1.5 GeV/c K^- mesons with the nuclei of nuclear emulsion, 3=10226
- Baumann, G., Braun, H. and Cüer, P. General study of hyperfragments produced in interactions of 1.5 GeV/c K^- mesons with emulsion nuclei, 3=15089
- Baumann, G., Braun, H. and Cüer, P. Study of the properties and mechanism of emission of hyperfragments produced by 25 GeV/c protons in the nuclei of an ion track emulsion, 3=19756
- Baumann, G., Braun, H. and Cüer, P. Mesic hyperfragments produced in the interactions of π^- mesons of 17.2 GeV/c with the nuclei of ionographic emulsion, 3=19872
- Baumann, G., Braun, H. and Cüer, P. Determination of the spin of several light hyperfragments. ($\Lambda^3H^3 - \Lambda^3H^4 - \Lambda^3Li^9$), 3=22277
- Baumann, G., Braun, H. and Cüer, P. Some rare examples of non-mesonic hyperfragments, 4=12120
- Baumann, G., Braun, H. and Cüer, P. Mesic disintegration in some types of hyperfragments produced in interactions of various energetic particles with nuclei of nuclear emulsion, 4=17178
- Baumann, G., Gerber, J.P., Braun, H. and Cüer, P. Production rate and nature of hypernuclei produced in interaction of 3 GeV/c K^- mesons with photographic emulsion nuclei, 4=17176
- Baumann, G. See Braun, H., 1=19477
- Baumann, G. See Braun, H., 2=22816
- Baumann, G. See Harmsen, D.M., 4=19806
- Baumann, G. See Massue, J.P., 4=17181
- Baumann, G. See Poubeau, P., 3=19536
- Baumann, I. See Allmann, R., 4=26677
- Baumann, K. Quantum theory of transport coefficients. II, 3=23804
- Baumann, K., Eder, G., Sexl, R. and Thirring, W. On field theories with degenerate ground states, 2=1047
- Baumann, K., Freund, P.G.O. and Thirring, W. On the Fermi-Yang theory of the pions, 1=5747
- Baumann, K. and Höld, A. On the renormalization of beta coupling, 0=20031
- Baumann, K. and Ranninger, J. Quantum theory of transport coefficients. I., 3=751
- Baumann, K. and Sexl, R. A one-dimensional field theory with degenerate vacuum, 1=15678
- Baumann, K. and Thirring, W. The two-body problem in the extreme relativistic limit, 1=447
- Baumann, K. C. See Cohen, A., 4=23971
- Baumann, M. Relaxation times for disorienting mercury atoms in the metastable 6^3P_2 state by shocks, 3=15301
- Baumann, N.P. Determination of diffusion coefficients for thermal neutrons in D₂O at 20, 100, 165, and 220°C, 3=2270
- Baumann, N. P. See Honeck, H. C., 4=3421
- Baumann, W., Urtiew, P.A. and Oppenheim, A.K. On the influence of type diameter on the development of gaseous detonation, 2=6884
- Baumann, W. and Wagner, H.G. Influence of the fresh gas stream upon the acceleration of flames and the onset of detonations, 2=12965
- Baumeister, P. The transmission and degree of polarization of quarter-wave stacks at non-normal incidence, 2=121
- Baumeister, P.W. Optical absorption of cuprous oxide, 1=2441
- Baumeister, P.W. Methods of altering the characteristics of a multilayer stack, 2=22046
- Baumeister, P.W. Interference coatings for astronomical optical instruments, 4=23833
- Baumeister, P.W., Jenkins, F.A. and Jeppesen, M.A. Characteristics of the phase-dispersion interference filter, 0=175
- Baumert, W. See Gengnagel, H., 4=636
- Baumgaertner, F. A history of the discovery of artificial elements, 4=11001
- Baumgardner, J.B. See Lynch, F. J., 4=12595
- Baumgardt, E. Pyrometric measurement of the absolute visual threshold, 1=6681

- Baumgardt, E. Preliminary conditions in twilight vision, 3=16464
 Baumgardt, E. and Hillmann, B. Duration and size as determinants of peripheral retinal response, 1=4155
 Baumgärtel, K. and Kolb, W. Remark about the measurement of beryllium 7, 3=25905
 Baumgärtel, K. and Richter, E. F. Measurement of the coefficient of friction of metals and plastics, 4=7400
 Baumgärtel, K. and Wallis, G. Strong non-stationary shock waves with energy losses in the front, 3=9544
 Baumgartner, E., Brown, L., Huber, P., Rudin, H. and Striebel, H. R. Source of polarized deuterons and the verification of alignment with the $T(d,n)He^4$ reaction, 0=17431
 Baumgartner, E., Durisch, J., Gleyvod, R. and Huber, P. Measurement of the polarization strength of copper and zirconium for d, d-neutrons of 3.4 MeV, 2=20632
 Baumgartner, E. See Durisch, J., 3=22392
 Baumgartner, E. See Galli, R., 1=16443
 Baumgartner, E. See Gleyvod, R., 3=22393
 Baumgartner, E. See Huber, P., 2=20631
 Baumgartner, E. See Rudin, H., 1=7288
 Baumgartner, E. See Schaller, L., 2=5304
 Baumgartner, E. See Schaller, L., 3=12081
 Baumgartner, E. See Seiler, F., 3=676
 Baumgartner, E. See Striebel, H. R., 2=22528
 Baumgärtner, F. and Reichold, P. Chemistry in nuclear processes. II. Application of uranium fission to the synthesis of carrier-free ruthenocene (Ru^{100}), 1=20736
 Baumgärtner, F. and Reichold, P. Chemistry in nuclear processes. IV. Application of uranium fission to the synthesis of molybdenum-99 hexacarbonyl, 2=1942
 Baumgärtner, F. See Kienle, P., 2=21593
 Baumgärtner, F. See Kienle, P., 2=21594
 Baumgartner, W. V. X-ray spectrometry extends film-badge dosimetry, 0=19977
 Bauminger, R., Cohen, S. G., Marinov, A. and Ofer, S. Study of the internal fields acting on iron nuclei in iron garnets, using the recoil-free absorption in Fe^{57} of the 14.4 keV gamma radiation from Fe^{57m} , 1=7769
 Bauminger, R., Cohen, S. G., Marinov, A. and Ofer, S. Hyperfine interactions in the ground state and first excited state of Dy^{161} in dysprosium iron garnet, 1=11454
 Bauminger, R., Cohen, S. G., Marinov, A. and Ofer, S. Nuclear moments of states of Dy^{161} , 2=1777
 Bauminger, R., Cohen, S. G., Marinov, A. and Ofer, S. Studies of the internal fields acting on nuclei in ferrimagnetic and paramagnetic solids, using recoil-free resonance absorption (Mössbauer effect), 3=994
 Bauminger, R., Cohen, S. G., Marinov, A., Ofer, S. and Segal, E. Study of the low-temperature transition in magnetite and the internal fields acting on iron nuclei in some spinel ferrites, using Mössbauer absorption, 1=9037
 Bauminger, R., Cohen, S. G., Marinov, A. and Ofer, S. Mössbauer effect experiments in Jerusalem, 4=12581
 Bauminger, R., See Ofer, S., 0=17920
 Bäumlér, P. Investigation of the total reflection of centimetre waves, 3=19444
 Bäumlér, P., Blum, W. and Deyda, H. Measurement of the complex dielectric constant of Rochelle salt at 10 Gc/s in relation to the temperature, 4=26127
 Baumy, A., LeMeilleur, F. and Scherer, M. Concerning a sonic detector for spark chambers, 4=27729
 Baun, W. L. and Fischer, D. W. Association of carbon atoms from graphite in a radio-frequency spark, 2=166
 Baun, W. L., Hodgson, F. N. and Desjardins, M. Mass-spectrographic study of molecular carbon ions formed in a spark source, 4=9782
 Baun, W. L. and Renton, J. J. A true focusing attachment for the X-ray diffractometer, 3=25690
 Baur, A. and Lecocq, A. Experimental determination of the entropy of beryllium hydroxide, 4=2146
 Baur, E. A determination in advance of the position of the next sunspot minimum, 1=9269
 Baur, F. Recent calculations of the next sunspot minimum, 3=9203
 Baur, H. Interaction with its surroundings of a system specified by three classes of states, 2=15461
 Baur, H. On the algebra of charge like properties, 4=19377
 Baur, R. and Gerold, V. The existence of a metastable miscibility gap in aluminium-silver alloys, 2=15067
 Baur, W. H. The crystal structure of pure [Edel-] amblygonites $LiAlPO_4(OH, F)$, 0=4649
 Baur, W. H. Distorted co-ordination polyhedra in heteropolar crystal structures and the electrostatic valence rule of Pauling, 2=12919
 Baur, W. H. Crystal chemistry of hydrated salts. Crystal structure of $MgSO_4 \cdot 4H_2O$ (Leonhardtite) and $FeSO_4 \cdot 4H_2O$ (Rozenite), 2=21524
 Baur, W. H. Determination of the crystal structure of melanterite, $FeSO_4 \cdot 7H_2O$, 3=6850
 Baur, W. H. On the crystal chemistry of salt hydrates. II. A neutron diffraction study of $MgSO_4 \cdot 4H_2O$, 4=23455
 Baur, W. H. On the crystal chemistry of salt hydrates. III. The determination of the crystal structure of $FeSO_4 \cdot 7H_2O$ (Melanterite), 4=29117
 Baurand, H. and Lefevre, S. Some intrinsic properties of dissipative multipoles at high frequencies, 4=19197
 Baurer, T. Construction and calibration of Bass-Kessler grating spectrograph, 3=16772
 Baus, R. A. See Lockhart, L. B., Jr., 0=14322
 Bausch, W. and Schubert, R. Low reflection sound measuring rooms, 0=5104
 Bauser, H. and Lüty, F. Formation by X-rays of anion vacancies in KBr crystals doped with impurity ions, 2=2077
 Bautin, A. V. See Pustovoit, V. I., 4=18036
 Bautista, R. G. and Margrave, J. L. The heat of sublimation of calcium chloride, 4=5475
 Bautista, R. G. See Blue, G. D., 3=21638
 Bautz, L. P. See Osterbrock, D. E., 4=2357
 Bauwens, J. C. and Homès, G. A. The appearance of surface cracks in polyvinyl chloride under tension, 0=10273
 Bauwens, J. C. and Homès, G. A. On the viscosity of high polymers, 3=7203
 Bauwens, J. C., Homès, G. A. and Pankowski-Fern, R. On the propagation of deformation bands in homogeneous isotropic material, 0=6300
 Baux, M., Couderc, J. J. and Nguyen Quat-Ti. Study of the structure of thin films of bismuth and antimony deposited by thermal evaporation on cleavage faces of bismuth and antimony, 3=16136
 Baveja, K. D. Electrical resistivities of metals by the method of magnetic damping, 1=16206
 Baveja, K. D. Dynamic method of measuring torsional modulus of elasticity, 2=8698
 Baverstock, D. See Butcher, B. R., 2=4452
 Bawtree, E. How the fluepipe speaks. I, 2=17569
 Bawtree, E. How the fluepipe speaks. II, 2=17570
 Bawtree, E. How the fluepipe speaks. III, 2=17571
 Bawtree, E. How the fluepipe speaks. IV, 2=17572
 Bawtree, E. Flue pipes, 3=215
 Baxi, M. R. S. Vibratory Brownian motion, 3=54
 Baxshiev, N. G., Girin, O. P. and Libov, V. S. Observation and correction of the absorption spectrum of liquid $CHCl_3$ and CCl_4 in the region 740-810 cm^{-1} , 3=23884
 Baxter, A. M., McIntyre, K. G., Shute, G. G. and Robson, D. Angular correlations for $C^{12}(p, p')C^{12}$ in a resonance-free region, 4=17124
 Baxter, A. M. See McKenna, V. R., 1=10970
 Baxter, J. A., Fanning, L. E. and Swartz, H. A. Liquid scintillation solvent systems: water content and related counting efficiencies, 4=22058
 Baxter, L., II. Physical dimensions of spectrum levels and of spectral densities of acoustic power, energy and related quantities, 3=18907
 Baxter, R. J. Statistical mechanics of a one-dimensional Coulomb system with a uniform charge background, 4=77
 Baxter, R. J. Many-body functions of a one-dimensional gas, 4=8238
 Baxter, R. J. On the equilibrium properties of a two dimensional system of particles with a repulsive radial interaction, 4=16051
 Baxter, R. J. Direct correlation functions and their derivatives with respect to particle density, 4=24083
 Baxter, W. J. and Wilks, J. Instabilities in the internal friction of some specimens of copper, 2=8712
 Baxter, W. J. and Wilks, J. An internal friction peak in copper, 2=10736
 Baxter, W. J. and Wilks, J. The effect of annealing on the Bordoni Peak in aluminium, 4=1927
 Baxter, W. M. Sunspots and the "Wilson effect", 0=8499
 Bay, Z. and Farago, P. S. Remarks on coincidence experiments with visible light, 3=21512
 Bay, Z., McLernon, F. D. and Newman, P. A. Fast counting of alpha particles in air ionization chambers, 2=5754

- Bay, Z. and Newman, P.A. Comparison of the ionization produced in air by alpha particles near 5 MeV and by beta particles, 1=16268
- Bay, Z., Newman, P.A. and Seliger, H.H. Absolute measurement of W for Po^{210} alpha particles in air, nitrogen and carbon dioxide, 1=18760
- Bay, Z. and Pearlstein, R.M. Search for a slow component in alpha ionization, 3=9724
- Bay, Z. and Seliger, H.H. Collection of ions produced by alpha particles in air, 0=19612
- Bayadssyan, N.G. See Grigorov, N.L., 3=10197
- Bayatyan, G.L. See Abagyan, G.V., 4=16784
- Bayatyan, G.L. See Avakyan, R.O., 1=19391
- Bayatyan, G.L. See Avakyan, R.O., 2=22764
- Bayazitov, M.I. See Kochnov, B.E., 4=26541
- Bayer, E., Hellwege, K.H. and Schaack, G. Ultrasonic modulation of the sharpness of resonance of a ruby laser, 3=19486
- Bayer, E., Hellwege, K.H. and Schaack, G. Low-frequency modulation of the emission of a ruby laser, 4=3217
- Bayer, G. New perovskite-type compounds A_2BTeC_6 , 4=26665
- Bayer, H. The propagation of electromagnetic waves between two plane parallel conducting plates under special conditions in the region of the cut-off frequency, 4=30058
- Bayer, M.E. Shadow microscopy using a spherical reflecting surface, 2=13443
- Bayer, M.E. See Meyer-Arendt, J.R., 3=1788
- Bayer, R., Červená, J. and Schäferlingová, W. Diffusion parameters of thermal neutrons in diphenyl, 2=9857
- Bayer, R. High-level linear 0.1 μsec gate circuit for pulse-height analysers, 3=12053
- Bayer, R.W. and Edgell, W.F. ν_1 band of methylacetylene, 3=4770
- Bayer, V.N. and Kheifets, S.A. Electron-electron scattering cross-section taking into account hard-photon radiation, 3=24694
- Bayer, Z. Contribution to the analytical method for investigating complicated thermal cycles, 4=8528
- Bayer-Helms, F. Hyperfine structure of $^{86}\text{Kr}^{83}$, 0=1483
- Bayer-Helms, F. Analysis of line profiles. I, 3=14340
- Bayer-Helms, F. On the analysis of line profiles: halfwidths from Voigt functions, 3=18988
- Bayer-Helms, F. Analysis of line profiles. II. Evaluation of recorded intensity distributions of a Fabry-Pérot interferometer, table of distribution functions, 4=2828
- Bayer-Helms, F. Analysis of line profiles. III, 4=8411
- Bayes, J.H. and Scott, W.T. Billiard-ball collision experiment, 3=11654
- Bayes, K.D. A study of the CN emission from active nitrogen flames, 1=14045
- Bayes, K.D., Becker, K.H. and Welge, K.H. Radiative intensity of high power flash discharged in the spectral region 1250-1340 Å, 2=11629
- Bayes, K.D. and Kistiakowsky, G.B. On the mechanism of the Lewis-Rayleigh nitrogen afterglow, 0=7758
- Bayes, K.D., Kivelson, D. and Wong, S.C. Measurement by cyclotron resonance of molecular cross-sections for elastic collisions with 295°K electrons, 2=22947
- Bayes, K.D. See Kivelson, D., 3=22462
- Bayet, M. Extension of the concept of effective cross-section, 0=10604
- Bayet, M. Nuclear physics. [Physique nucléaire], 0=19956
- Bayh, W. See Möllenstedt, G., 2=11711
- Bayh, W. See Möllenstedt, G., 2=22260
- Bayh, W. Measurement of the continuous phase shift of electron waves in field free space using the magnetic vector potential of a tungsten coil, 2=22271
- Bayh, W. See Möllenstedt, G., 1=18934
- Bayhurst, B.P. See Cowan, G.A., 3=15243
- Bayhurst, B.P. See Prestwood, R.J., 1=3452
- Baylac, P. See Larroque, P., 3=16057
- Bayle, A., Espiard, J., Breton, C., Capet, M. and Herman, L. The Echelle spectrograph "R.E.O.S.C.", type HA, 3=7341
- Bayle, D. A study of a symmetrical representation of the laws of electromagnetism, 1=16495
- Bayle, P., Blanc, D., Le Strat, J., Renaud, Y., Scoarnec, L. and Waguët, P. The use of a radio-isotope for the study of the chemical kinetics of incandescent lamps containing iodine vapour, 4=26741
- Bayles, B. See Galasso, F., 4=5524
- Bayles, B.J. See Colligan, G.A., 2=23816
- Bayley, F.J., Milne, P.A. and Stoddart, D.E. Heat transfer by free convection in a liquid metal, 2=1295
- Bayley, F.J. See Cox, M., 0=6825
- Bayley, H.G. Gelatin as a photoelastic material, 0=907
- Bayley, R.T. and Holzapfel, L. Investigation of the X-ray induced luminescence of quartz, 2=6602
- Bayley, R.T., Holzapfel, L. and Lehmann, J. Investigations on the luminescence of quartz activated by X-rays, 1=6227
- Bayley, S.T. A study of shadowing for high resolution electron microscopy, 3=18416
- Baylin, G.J. See Sanders, A.P., 1=1954
- Bayly, J.G., Duret, M.R., Poulsen, N.B. and Tomlinson, R.H. The Xe^{136} yield in thermal fission of Pu^{239} , 1=17178
- Bayly, J. G., Kartha, V. B. and Stevens, W. H. The absorption spectra of liquid phase H_2O , HDO and D_2O from 0.7 μ to 10 μ , 4=11199
- Baym, G. Inconsistency of cubic boson-boson interactions, 0=5482
- Baym, G. Thermodynamic Green's function methods in neutron scattering by crystals, 1=2369
- Baym, G. Field-theoretic approach to the properties of the solid state, 1=14175
- Baym, G. Self-consistent approximations in many-body systems, 2=19455
- Baym, G. Spurious states in calculations of collective excitations in nuclei, 2=20507
- Baym, G. Direct calculation of electronic properties of metals from neutron scattering data, 4=28352
- Baym, G. and Kadanoff, L.P. Conservation laws and correlation functions, 1=15744
- Baym, G. and Mermin, N.D. Determination of thermodynamic Green's functions, 1=4779
- Baym, G. and Sessler, A.M. Perturbation-theory rules for computing the self-energy operator in quantum statistical mechanics, 3=23786
- Bayman, B.F. A derivation of the pairing-correlation method, 0=5492
- Bayman, B. F. Exterior wave functions for the triton ground state, 4=25210
- Bayman, B.F., Brady, F.P. and Sherr, R. (p, α) reaction and seniority in the $i_{7/2}$ shell, 1=19462
- Bayman, B.F., Reiner, A.S. and Sheline, R.K. Levels in Zr^{90} : theoretical, 0=1364
- Bayman, B.F. and Silverberg, L. On the coupling of $A j = \frac{3}{2}$ particle to nuclear quadrupole surface oscillations, 0=11287
- Bayman, B.F. See McCullen, J.D., 4=16998
- Bayman, S. F., McCullen, J.D. and Zamick, L. Beta-decay transition probabilities and magnetic moments in the $i_{7/2}$ shell, 4=6270
- Baynham, A.C., Gibson, A.F. and Granville, J.W. On the dielectric constant of germanium at microwave frequencies, 0=7976
- Baynham, A.C. and Paige, E.G.S. Anisotropy of the energy distribution function of hot holes in germanium, 3=25342
- Baynton, P.L. See Elyard, C.A., 0=21216
- Baysung Hsu. The surface structure of paper under rolling pressure, 3=13553
- Baysung Hsu. Light scattering and pore surface in paper under dynamic compression, 4=10591
- Baysung Hsu. A dynamic flexural rigidity apparatus with electrostatic excitation, 4=13364
- Bayukov, Yu.D., Birger, N.G., Leksin, G.A. and Suchkov, D.A. On the character of πN and pp -scattering in the range of large momentum transfer, 3=7911
- Bayukov, Yu.D. and Leksin, G.A. Possibility of obtaining information on the π - π interaction from nuclear reactions, 0=15399
- Bayukov, Yu.D., Leksin, G.A. and Shalamov, Ya. Ya. Elastic scattering of 2.8 BeV/c π -mesons on neutrons, 2=311
- Bayukov, Yu.D., Leksin, G.A. and Shalamov, Ya. Ya. Investigation of the $\pi^+ + n \rightarrow \pi^0 + n + m\pi^0$ reaction with a 2.8 BeV/c π^- -meson beam, 2=5722
- Bayukov, Yu.D., Leksin, G.A. and Shalamov, Ya. Ya. The scattering of high-energy π -mesons at large angles, 2=5726
- Bayukov, Yu.D., Leksin, G.A. and Shalamov, Ya. Ya. Elastic scattering of 2.8 BeV/c π -mesons on neutrons, 2=22591
- Bayukov, Yu.D., Leksin, G.A. and Shalamov, Yu. Ya. Investigation of the $\pi^+ + n \rightarrow \pi^0 + n + m\pi^0$ reaction with a 2.8 BeV/c π^- -meson beam, 3=4440
- Bayukov, Yu.D., Leksin, G.A. and Shalamov, Ya. Ya. The scattering of high-energy π -mesons at large angles, 3=4443
- Bayukov, Yu.D., Leksin, G.A. and Suchkov, D.A. A study of the characteristics of triggered spark counters, 2=20188
- Bayukov, Yu.D., Leksin, G.A., Suchkov, D.A., Shalamov, Ya. Ya. and Shebanov, V.A. Backward elastic scattering of 2.8 BeV/c π^- -mesons on neutrons, 1=19257

- Bayukov, Yu.D., Leksin, G.A., Suchkov, D.A., Shalamov, Ya. Ya. and Shebanov, V.A. Backward elastic scattering of $2.8 \text{ BeV}/c \pi^-$ -mesons on neutrons, 2=22600
- Bayukov, Yu.D., Leksin, G.A., Suchkov, D.A. and Telenkov, V.V. Some characteristics of spark chambers, 3=24541
- Bayukov, Yu.D., Leksin, G.A., Suchkov, D.A. and Telenkov, V.V. Spark chambers with small amount of material along the tracks, 3=24563
- Bayukov, Yu. D. See Arefyev, A. V., 4=6109
- Baz, A.I. Threshold effects in nuclear reactions, 0=7542
- Baz, A.I. Resonance effects in the scattering of particles near a reaction threshold, 0=11393
- Baz, A.I. Threshold effects in high energy reactions, 0=20041
- Baz, A.I. Threshold states of nuclei, 1=8571
- Baz, A.I. Allowance for unstable final particles in nuclear reactions, 1=8672
- Baz', A.I. Energy dependence of cross-sections near the "threshold" for unstable particle production, 1=19158
- Baz, A.I. On the existence of light nuclei with large proton or neutron excess, 1=19337
- Baz', A.I. Energy dependence of cross-sections near the "threshold" for unstable particle production, 3=4367
- Baz, A. I. Particular case of the three-body problem, 4=11082
- Baz', A.I., Gol'danskii, V.I. and Zel'dovich, Ya. B. Undiscovered isotopes of light nuclei, 1=11084
- Baz', A.I., Puzikov, L.D. and Smorodinskii, Ya. A. Reconstruction of the scattering matrix near the threshold, 2=16174
- Baz', A.I., Puzikov, L.D. and Smorodinskii, Ya. A. Reconstruction of the scattering matrix near the threshold, 3=5956
- Baz', A.I., Vaks, V.G. and Larkin, A.I. K-meson-hyperon resonances, 2=22589
- Baz, A.I., Vaks, C.G. and Larkin, A.I. On K-meson-hyperon resonances, 3=2320
- Baz', A.I., Vaks, V.G. and Larkin, A.I. K-meson-hyperon resonances, 3=7912
- Baz, A.I. See Badalian, A.M., 1=8687
- Baz', A.I. See Badalyan, A.M., 1=17076
- Bazan, C. Statical charges of deformed polymer, 0=16008
- Bazanov, V.G. See Nikitin, E.N., 2=8453
- Bazanov, V.G. See Nikitin, E.N., 2=14593
- Bazanov, V.G. See Nikitin, E.N., 3=24159
- Bažanski, S. Lagrange function for the motion of charged particles in general relativity theory. II, 0=4936
- Bažanski, S. See Plebański, J., 0=6662
- Bazaron, U.B. See Pil'shchikov, A.I., 2=16929
- Bazaron, U.B. See Pil'shchikov, A.I., 2=18935
- Bazarov, I.P. A contribution to the theory of melting, 1=3611
- Bazarov, I.P. A contribution to the theory of melting, 1=9984
- Bazarov, I.P. The theory of a crystal, 1=19682
- Bazarov, I.P. On the theory of the crystal, 2=12360
- Bazarov, I.P. The Vlasov equation for a crystal, 3=17639
- Bazazyants, N.O. and Gordeev, I.V. The excitation functions of the individual levels of the nuclei U^{235} , U^{233} and Pu^{239} taking into account the competition between the inelastic scattering of neutrons and fission, 3=6184
- Bazelyan, E. M. The measurement of space charge in the initial stages of a positive long spark, 4=18766
- Bazelyan, E. M. and Stekol'nikov, I. S. The alteration of the mechanism of the long spark by an artificial injection of space charge into the insulating gap, 4=27502
- Bazer, J. Survey of propagation phenomena, linear and nonlinear, in an infinitely conducting compressible fluid, 4=16631
- Bazer, J. and Hurley, J. Geometrical hydromagnetics, 3=9917
- Bazer, J. and Karp, S.N. Propagation of plane electromagnetic waves past a shoreline, 2=16067
- Bazer, J. See Ericson, W.B., 0=15133
- Bazarzhapov, A. D. Determination of the components of the total vector of solar magnetic field strength by means of an electric computer, 4=13929
- Bazhanov, E.B. Spectrum of photo-protons produced by gamma rays in the narrow 82-89 MeV energy range, 0=9657
- Bazhanov, E.B. Yield curves of photoprotons from the nucleus C^{12} , 0=11434
- Bazhanov, E.B. and Kul'chitskii, L.A. Investigation of high-energy protons emitted in the photodisintegration of Li^6 , 1=4856
- Bazhanov, E. B., Komar, A. P. and Kulikov, A. V. Li^6 and Co^{60} photoneutrons, 4=22109
- Bazhanova, A.E., Karpukhin, V. T., Karkhov, A.N. and Pistunovich, V.I. Cyclotron and thermal radiations of plasma in Ogra, 3=12202
- Bazhanova, A.E. and Shafranov, V.D. Radiation by a charge which is moving in a plasma near cyclotron resonance, 3=19255
- Bazhanova, A.E. See Trubnikov, B.A., 1=7056
- Bazhanova, N. P. Secondary electron emission of the barium oxide-tungsten system at low primary-electron energies, 4=582
- Bazhanova, N.P., Belevskii, V.P. and Bazhanov, H.P. Secondary electron emission of the oxides of barium and yttrium for low energies of primary electrons, 2=1498
- Bazhanova, N.P., Belevskii, V.P. and Fridrikhov, S.A. Secondary electron emission of the oxides of barium and yttrium for low energies of primary electrons (1-100 eV), 2=7653
- Bazhanova, N.P. and Fridrikhov, S.A. A method of investigation secondary electron emission of dielectrics for low-energy primary electrons, 2=1489
- Bazhanova, N.P. and Fridrikhov, S.A. A method of investigation secondary electron emission of dielectrics for low energy primary electrons, 2=7654
- Bazhanova, N.V. Dependence on temperature and spontaneous magnetization of the Hall constant in ferronickel alloys, 4=12858
- Bazhanova, N.V. The relationship between the Hall constant and the electrical resistivity of iron-nickel alloys, 4=26011
- Bazhenov, N.M., Bykov, M.I., Volkova, L.A. and Vol'kenshtein, M.V. Photoelastic effect in polymethyl methacrylate, polybutyl methacrylate and polyvinyl acetate, 0=5187
- Bazhenov, N.M. See Bolotina, I.A., 0=8258
- Bazhenov, V. A. and Kytmanov, A. V. Symmetry of the piezoelectric parameters [of woods], 4=22783
- Bazhenov, V.V. and Labzin, V.A. Growing monocrystals of zinc and a zinc-tin alloy with prescribed basal plane orientation, 3=5088
- Bazhenova, T. V. Variation of the velocity of the flow of gas behind the discontinuity in a shock tube, 4=11290
- Bazhenova, T. V. and Lobastov, Yu. S. Measurements of ionization relaxation time behind shock waves in air, 4=448
- Bazhenova, T. V. and Lobastov, Yu. S. Effect of the ionization of impurities on the absorption of radio waves by the gas behind the discontinuity in a shock tube, 4=11291
- Bazhenova, T. V. and Naboko, I. M. On the speed of physical and chemical transformations of CO_2 molecules caused by shock waves at temperatures 2000 to 4000°K, 4=12529
- Bazhenova, T. V. and Predvoditelev, O. A. Physical properties of air behind direct density discontinuities and behind reflected shock waves for equilibrium and frozen dissociation, 4=16170
- Bazhenova, T.V. See Salamandra, G.D., 0=14108
- Bazhulin, P.A. The study of rotation and vibration-rotation spectra of gases by the method of Raman scattering of light, 3=19963
- Bazhulin, P.A. and Lazarev, Yu.A. Investigation of the Raman spectra in gases at low pressures using a photoelectric method, 0=17746
- Bazhulin, P. A., Myasnikova, T. P. and Rakov, A. V. Investigation of the vibrational spectra of some ferroelectrics by the method of Raman scattering of light, 4=1717
- Bazhulin, P. A., Malyshev, V. I., Markin, A. S., Rakov, A. V. and Bagdasarov, Kh. S. Study of the luminescence spectra and generation of various CaF_2 crystals with U^{3+} impurity ions, 4=28727
- Bazhulin, P.A. and Smirnov, V.N. Studies of the temperature dependence of the infrared absorption band intensities in liquids, 0=3534
- Bazhulin, P.A. and Sushchinskii, M.M. Methods of measuring line intensity in Raman spectra, 1=2859
- Bazhulin, P.A. See Smirnov, V.N., 0=3568
- Bazian, S. See Hirsch, A. A., 4=13680
- Bazilevskaya, O.A. See Andrianov, A.M., 1=9583
- Bazilevskaya, G. A., Krasotkin, A. F. and Charakhch'yan, A. N. The energy spectrum and total number of X-ray photons in extensive cosmic-ray air showers, 4=19619
- Bazilevskaya, G.A. See Abrosimov, A.T., 0=7433
- Bazilevskaya, G.A. See Gorchakov, E.V., 2=11129
- Bazilevskaya, G.A. See Gorchakov, E.V., 2=20474
- Bazilevskaya, O.A., Andrianov, A.M., Demichev, V.F. and Vasiljev, V.I. Investigation of an impulsive discharge [plasma] in a hollow cylindrical gas sheath, 3=7561
- Bazilevskaya, O.A. See Artsimovich, L.A., 0=5320
- Bazilevskii, L.N. See Shishokin, V.P., 2=8756
- Bazilevskiy, L. N. See Shishokin, V. P., 4=13424
- Bazin, A.P. Effect of the bremsstrahlung radiation from a 25-MeV betatron and of 14-MeV neutrons on the electrical conductivity of polymeric dielectrics, 3=20378
- Bazin, C. Application of phase changes produced by total internal reflection in weakly absorbing thin films, 3=5527

- Bazin, C. See Abeles, F., 2=11487
- Bazin, J. See Setton, R., 2=12546
- Bazin, M. See Pine, J., 4=6005
- Bazin, M. See Pine, J., 4=6102
- Bazin, M. J. and Pine, J. Photoproduction of π^+ mesons from hydrogen, 4=931
- Bazley, E. N. See Evans, E. J., 1=12957
- Bazley, N. W. Lower bounds for eigenvalues with application to the helium atom, 0=17654
- Bazley, N. W. and Fox, D. W. A procedure for estimating eigenvalues, 2=13236
- Bazley, N. W. and Fox, D. W. Lower bounds for eigenvalues of Schrödinger's equation, 1=15686
- Bazley, N. W. and Fox, D. W. Lower bounds for energy levels of molecular systems, 3=25084
- Bazley, N. W. and Fox, D. W. Error bounds for expectation values, 4=11083
- Bazzard, G. H. Short-term differences in the behaviour of two daily indices of solar activity during the I.G.Y. 0=18646
- Bazzard, G. H. Enhancement of ionization in the E-layer due to solar flares during the International Geophysical Year, 1=7937
- Bazzard, G. H. A study of the variations in a daily ionospheric index of solar activity, 1=20975
- Bazzard, G. H. and Minnis, C. M. The geographical distribution of the harmonics of the annual variation in the critical frequency of the F2-layer at noon, 2=901
- Bazzard, G. H. See Minnis, C. M., 0=6452
- Bazzard, G. H. See Minnis, C. M., 0=14230
- Bazzard, G. H. See Minnis, C. M., 0=16454
- Bazzard, G. H. See Minnis, C. M., 0=18500
- Bazzard, G. H. See Minnis, C. N., 0=21357
- Bazzard, G. H. See Minnis, C. M., 1=1660
- Beach, L. A., Shapiro, P., O'Rourke, R. C., Faust, W. R. and Lepson, B. Solutions of the constant velocity transport problem, 0=12960
- Beacom, S. E. and Riley, B. J. Tracer follows leveler in electroplating bath, 0=14125
- Beadle, R. See Kelliher, M. G., 0=19824
- Beaglehole, D. Polarization of electrons in beta decay of thallium-204, 0=5704
- Beagley, B. and Edington, J. W. Conference on inorganic and inter-metallic crystals, Birmingham, April 1963, 3=25683
- Beagley, B. and Small, R. W. H. Electron density in long carbon-carbon bonds, 4=4595
- Beahn, T. J. See Condell, W. J., 2=7170
- Beal, B. T., Brewer, D. F., Hatton, J. and Richards, M. G. Nuclear magnetic susceptibility of liquid He^3 , 4=14480
- Beal, B. T., Giffard, R. P., Hatton, J., Richards, M. G. and Richards, P. M. Spin relaxation in solid ^3He : observation of exchange bottleneck, 4=18522
- Beal, J. B., Jr. See Hilton, A. R., Jr., 1=6007
- Beal, M. T. Electrical resistivity of metallic alloys as a function of ordering, 1=17600
- Béal, M. T. The electrical resistivity of alloys of the type Cu_3Au as a function of ordering, 1=19827
- Beal, M. T. Variation of thermoelectric power of metallic alloys of the β -CuZn type as a function of ordering, 1=19913
- Beal, M. T. Study of the electrical resistivity due to atomic disorder near the point of an order transition, 2=15059
- Beal, M. T. Order effects in metallic alloys, 3=8901
- Béal, M. T. Long-range effects of short-range ordering in alloys of the type CuZn , 4=10411
- Béal, M. T. Resistivity anomalies of dilute alloys of noble metal matrices and magnetic impurities, 4=28523
- Béal, M. T. and Friedel, J. Relation between local order and interference effects in electrical resistivity for metallic alloys, 4=25998
- Beale, G. E., Jr and Broida, H. P. Spectral study of a visible, short-duration afterglow in nitrogen, 0=1522
- Beale, J. R. A. Acoustoelectric effects with hypersonic waves of large amplitude, 4=28364
- Beale, J. S., Jr. See Harmer, D. E., 4=10650
- Beall, E. F., Cork, B., Murphy, P. G. and Wenzel, W. A. Properties of a spark chamber, 1=13264
- Beall, E. F., Cork, B., Keefe, D., Murphy, P. G. and Wenzel, W. A. Asymmetry parameters in the decays $\Sigma^+ \rightarrow p + \pi^0$ and $\Lambda^0 \rightarrow p + \pi^-$, 1=19277
- Beall, E., Cork, B., Keefe, D., Murphy, P. and Wenzel, W. Asymmetry parameters for the hyperon decays $\Lambda \rightarrow p + \pi^-$ and $\Sigma^+ \rightarrow p + \pi^0$, 2=16245
- Beall, E. F., Cork, B., Keefe, D., Murphy, P. G. and Wenzel, W. A. Hyperon decay parameters and the KAN parity, 3=6083
- Beall, E. F., Cork, B., Murphy, P. G., Wenzel, W. A., Johnson, C. M. P. and Koester, L. J., Jr. Polarization in π^-p scattering between 500 and 940 MeV, 2=11992
- Beall, E. F., Holley, W., Keefe, D., Kerth, L. T., Thresher, J. J., Wang, C. L. and Wenzel, W. A. Cylindrical spark chamber array used for the measurement of angle, range and polarization in a study of K^-p interactions, 3=24790
- Beall, W. H. Statistical analysis of degradation in scanned image systems, 4=27295
- Beals, R. J. See Bernstein, L., 1=4970
- Beam, B. H. Analysis of solar energy conversion using thin dielectric films, 4=18659
- Beam, J. E. and Davis, H. L. Energy levels of a slightly asymmetric top, 0=20603
- Beam, J. E. See Davis, H. L., 1=7457
- Beam, W. R. and Ahn, K. Y. A new magnetic-film dispersion measurement, 3=25534
- Beam, W. R. See Ahn, K. Y., 4=13213
- Beam, W. R. See Ahn, K. Y., 4=15640
- Beam, W. R. See Siegle, W. T., 4=28798
- Beaman, D. R., Balluffi, R. W. and Simmons, R. O. Measurement of equilibrium vacancy concentrations in dilute aluminum-silver alloys, 4=15469
- Beament, J. W. L. and Machin, K. E. Thermostat suitable for controlling air temperature, particularly in biological research, 0=5221
- Beamish, R. F. See Allan, H. R., 1=577
- Beamish, R. F. W. See Allan, H. R., 2=13927
- Beams, J. W. Molecular pumping, 0=2187
- Beams, J. W. Ultrahigh-speed rotation, 2=15523
- Beams, J. W. Some interferometer techniques for observing sedimentation, 3=8979
- Beams, J. W. Double magnetic suspension, 4=3096
- Beams, J. W., Boyle, R. D. and Hexner, P. E. Magnetically suspended equilibrium ultracentrifuge, 1=10289
- Beams, J. W. and Clarke, A. M. Magnetic suspension balance method for determining densities and partial specific volumes, 2=17403
- Beams, J. W., Spitzer, D. M., Jr and Wade, J. P., Jr. Spinning rotor pressure gauge, 2=7265
- Beams, J. W. See Hexner, P. E., 2=4521
- Beams, J. W. See Hexner, P. E., 3=8942
- Beams, J. W. See Robinson, T. K., 3=7374
- Bean, B. R. and Dutton, E. J. Concerning radiosondes, lag constants, and radio refractive index profiles, 2=5480
- Bean, B. R., Dutton, E. J., Lane, J. A. and Sweezy, W. B. A radio-meteorological study. III. A new turbulence parameter, 4=3183
- Bean, B. R., Fehlhaber, L. and Grosskopf, J. A comparative study of the correlation of seasonal and diurnal cycles of transhorizon radio transmission loss and surface refractivity, 3=513
- Bean, B. R., Frank, V. R. and Lane, J. A. A radiometeorological study. II. An analysis of v. h. f. field strength variations and refractive index profiles, 4=3182
- Bean, B. R. and Horn, J. D. Radio-refractive-index climate near the ground, 0=3357
- Bean, B. R., Horn, J. D. and Ozanich, A. M., Jr. Climatic charts and data of the radio refractive index for the United States and the world, 1=15240
- Bean, B. R., Horn, J. D. and Riggs, L. P. Refraction of radio waves at low angles within various air masses, 0=15155
- Bean, B. R., Riggs, L. P. and Horn, J. D. Synoptic study of the vertical distribution of the radio refractive index, 0=4821
- Bean, B. R. and Thayer, G. D. C.R.P.L. Exponential Reference Atmosphere, 0=21322
- Bean, B. R. and Thayer, G. D. Comparison of observed atmospheric radio refraction effects with values predicted through the use of surface weather observations, 3=21055
- Bean, B. R., Thayer, G. D. and Cahoon, B. A. Methods of predicting the atmospheric bending of radio rays, 1=20870
- Bean, B. R. See Lane, J. A., 4=3181
- Bean, B. R. See Sweezy, W. B., 3=9948
- Bean, C. P. Magnetization of hard superconductors, 2=13507
- Bean, C. P. Magnetic behavior of high-field superconductors, 4=11468
- Bean, C. P., DeBlois, R. W. and Nesbitt, L. B. Eddy-current method for measuring the resistivity of metals, 0=1088
- Bean, C. P., Doyle, M. V. and Pincus, A. G. Synthetic high-field, high-current superconductor, 2=22119
- Bean, C. P. and Doyle, V. Superconductors as permanent magnets, 3=338
- Bean, C. P. and Doyle, M. V. Superconductors as permanent magnets, 3=14464

- Bean, C.P. and Jacobs, I.S. Magnetization of a dilute suspension of a multidomain ferromagnetic, 0=11843
- Bean, C.P. and Livingston, J.D. Superparamagnetism, 0=4470
- Bean, C.P. and Livingston, J.D. Surface barrier in type-II superconductors, 4=11469
- Bean, C.P., Livingston, J.D. and Rodbell, D.S. The anisotropy of very small cobalt particles, 0=13809
- Bean, C.P. and Rodbell, D.S. Magnetic disorder as a first-order phase transformation, 2=8618
- Bean, C.P. and Rodbell, D.S. Magnetic disorder as a first order phase transition, 3=1002
- Bean, C.P. and Schmitt, R.W. The physics of high-field superconductors, 3=12021
- Bean, C.P. See DeBlois, R.W., 0=3031
- Bean, C.P. See Jacobs, I.S., 4=17637
- Bean, C.P. See Livingston, J.D., 0=2999
- Bean, C.P. See Livingston, J.D., 1=14178
- Bean, C.P. See Rodbell, D.S., 2=12641
- Bean, R.J., Gilbert, R.P. and Kendall, H. On a two-dimensional free-boundary problem, 1=18360
- Beaney, J.A. See Cadwell, D.O., 4=15091
- Beard, J. On the tensor form of dispersion in porous media, 1=15834
- Beard, C.I. Statistics of phase quadrature components of microwave fields transmitted through a random medium, 3=7694
- Beard, C.I., Kays, T.H. and Twersky, V. Mid-field forward scattering, 2=20152
- Beard, C.I. See Massey, J.T., 1=4930
- Beard, D.B. High nuclear excitation as a nuclear force probe, 0=406
- Beard, D.B. Absence of craters on the far side of the moon, 0=10489
- Beard, D.B. Relativistic calculation for cyclotron radiation from hot plasmas, 0=10918
- Beard, D.B. Interaction of the solar plasma with the earth's magnetic field, 0=18468
- Beard, D.B. Optical properties and emission of relativistic plasmas at cyclotron resonance, 1=9556
- Beard, D.B. The interaction of the terrestrial magnetic field with the solar corpuscular radiation, 1=15358
- Beard, D.B. The interaction of the terrestrial magnetic field with the solar corpuscular radiation. II. Second-order approximation, 2=9042
- Beard, D.B. Charge drag on project West Ford needles, 2=24049
- Beard, D.B. Self-consistent calculation of the ring current, 3=5814
- Beard, D.B. Comets and cometary debris in the solar system, 3=23679
- Beard, D.B. The solar wind geomagnetic field boundary, 4=23819
- Beard, D.B. and Baker, J.C. Comment on the angular dependence of plasma synchrotron emission, 1=4609
- Beard, D.B. and Baker, J.C. Synchrotron radiation from mirror machine geometries, 1=7084
- Beard, D.B. and Baker, J.C. Synchrotron radiation losses from energetic plasmas, 2=19943
- Beard, D.B. and Jenkins, E.B. The magnetic effects of magnetosphere surface currents, 2=24056
- Beard, D.B. and Jenkins, E.B. Correction to the second approximation calculation of the geomagnetic field, solar wind interface, 3=21072
- Beard, D.B. and Johnson, F.S. Charge and magnetic field interaction with satellites, 0=10538
- Beard, D.B. and Johnson, F.S. Comment on Wyatt's analysis of charge drag, 1=18223
- Beard, D.B. and Johnson, F.S. Ionospheric limitations on attainable satellite potential, 2=4871
- Beard, G.B. and Kelly, W.H. Beta decay of naturally radioactive In^{115} , 1=8638
- Beard, G.B. and Kelly, W.H. "Self-scintillation" study of the beta decay of Rb^{87} , 2=3510
- Beard, D.B. and McLellan, A. Quantitative nuclear evaporation theory and the nuclear potential, 3=24834
- Beard, D.B. and Nakada, M.P. Interplanetary magnetic fields as a cause of comet tails, 4=4891
- Beard, D.B. See Baker, J.C., 4=16490
- Beard, D.B. See Davis, L., Jr., 3=16307
- Beard, D.B. See Fremlin, J.H., 1=20816
- Beard, D.B. See Squires, R.E., 1=5138
- Beard, D.W. and Walters, K. Elastico-viscous boundary-layer flows. I. Two-dimensional flow near a stagnation point, 4=24140
- Beard, G.B. Nuclear resonance fluorescence in Cu^{65} , 4=25309
- Beard, G.B. and Kelly, W.H. Search for the natural alpha activity of tungsten, 0=11347
- Beard, G.B. and Kelly, W.H. Half-life of the 1.27 MeV level in Sn^{116} by resonant self-absorption, 3=17412
- Beard, G.B., Kelly, W.H. and Mallory, M.L. Temperature dependent luminescence of CaWO_4 and CdWO_4 , 2=2256
- Beard, G.B. See Kelly, W.H., 0=20410
- Beard, G.B. See Kelly, W.H., 1=14745
- Beard, G.B. See Kelly, W.H., 1=19367
- Beard, G.B. See Snyder, R.E., 4=16876
- Beard, M. See Hindman, J.V., 4=10919
- Beard, P.M. See Parks, P.B., 4=19322
- Bearden, A.J. Lead K absorption edge for μ -meson mass determination, 0=11559
- Bearden, A.J. and Huffman, F.N. Precision measurement of the cleavage plane grating spacing of potassium acid phthalate, 4=4583
- Bearden, A.J., Mattern, P.L. and Nobel, P.S. Mössbauer-effect apparatus for an advanced undergraduate teaching laboratory, 4=12576
- Bearden, A.J., Ribe, F.L., Sawyer, G.A. and Stratton, T.F. X-ray continua and line spectra from highly stripped atoms in a magnetically compressed plasma, 1=8820
- Bearden, A.J. See Lathrop, J., 0=20173
- Bearden, A.J. See Moss, T.H., 4=5489
- Bearden, A.J. See Sawyer, G.A., 3=24296
- Bearden, A.J. [Ed.]. Third International Conference on the Mössbauer effect, 4=15399
- Bearden, J.A., Henins, A., Marzolf, J.G., Sauder, W.C. and Thomsen, J.S. Precision redetermination of standard reference wavelengths for X-ray spectroscopy, 4=27596
- Bearden, J.A. and Thomsen, J.S. Résumé of atomic constants, 0=311
- Bearden, J.A. and Thomsen, J.S. Survey of atomic constants, 1=787
- Bearden, J.A. See Henins, I., 4=27595
- Bearden, J.A. See Spijkerman, J.J., 4=16605
- Beardmore, P., Holtzman, A.H. and Bever, M.B. The effects of shock waves on the alloy Cu_3Au , 4=26508
- Beardmore, P. See Scattergood, R.O., 4=13410
- Beardsley, G.F., Jr., Knollman, G.C., Hamamoto, A.S. and Eisler, J.D. Device for measuring orbital velocities of particles in an underwater wave field, 3=14126
- Beardsley, L.P. See Blakemore, J.S., 0=6143
- Beardsley, N.E. See Kelton, G., 4=358
- Beardwood, J.E. Monte Carlo evidence on the resonance integral and Doppler coefficient of Calder Hall reactors, 2=20707
- Beardwood, J.E. and Tyrer, J.G. Monte Carlo calculations of fast effects in uranium graphite lattices, 3=10419
- Bearman, R.J. Statistical mechanical theory of the diffusion coefficients in binary liquid solutions, 0=10653
- Bearman, R.J. On the molecular basis of some current theories of diffusion, 2=2712
- Bearman, R.J. Ratio of self-diffusion coefficients in liquid argon-krypton mixtures, 2=11358
- Bearman, R.J. Nonequilibrium thermodynamics of the simple moving boundary experiment, 2=15146
- Bearman, R.J. and Jones, P.F. Statistical mechanical theory of the viscosity coefficients of binary liquid solutions, 0=19092
- Bearman, R.J. and Vaidhyanathan, V.S. Composition dependence of the thermal conductivity of regular solutions, 1=4328
- Bearman, R.J. and Vaidhyanathan, V.S. Theory of the single-ion heat of transport in nonisothermal electrolytic solutions, 4=5154
- Bearman, R.J. See Horne, F.H., 3=7200
- Bearman, R.J. See Horne, F.H., 3=7201
- Bearpark, K., Hall, I., Segel, R.E., Shafroth, S.M. and Tanner, N.W. Polarization effects in the $\text{Li}^7(p, \alpha)\text{He}^4$ reaction, 2=18321
- Bearse, R.C. See Givens, W.W., 3=15102
- Bearse, R.C. See Givens, W.W., 3=24862
- Bearse, R.C. See Givens, W.W., 3=24863
- Beasley, E.E. and Anderson, R.S. Electron spin resonance of ultraviolet-irradiated compounds. II. Peroxide-initiated radicals in straight chain alkenes, 4=20583
- Beasley, J.K. See Billmeyer, F.W., Jr., 0=183
- Beasley, J.K. See Billmeyer, F.W., Jr., 1=9237
- Béatrix, P. Spalling experiments on aluminium and interpretation of the results, 4=4456
- Beattie, A.R. Quantum efficiency in InSb , 2=21195

- Beattie, A.R. and Cunningham, R.W. Large-signal photo-magneto-electric effect, 2=4074
- Beattie, A.R. and Cunningham, R.W. Large-signal photo-conductive effect, 4=12989
- Beattie, A.R. and Landsberg, P.T. Auger effect in semiconductors, 0=2869
- Beattie, A.R. and Landsberg, P.T. One-dimensional overlap functions and their application to Auger recombination in semiconductors, 1=1038
- Beattie, A.R. and Landsberg, P.T. One-dimensional overlap functions and their application to Auger recombination in semiconductors, 2=23283
- Beattie, A.R. See Hearn, C.J., 3=10749
- Beattie, I.R. See Barlow, D., 2=8248
- Beattie, J.R. and Coen, E. The spectral emission of radiation by glass, 0=6988
- Beattie, W.H. See Meehan, E.J., 0=14092
- Beatty, D.L. See Simmons, F.B., 3=5286
- Beatty, K.O. See Richardson, F.M., 0=928
- Beatty, L.G. Acoustic impedance in a rigid-walled cylindrical sound channel terminated at both ends with active transducers, 4=21241
- Beatty, R.W. Some basic microwave phase shift equations, 4=24822
- Beaty, E.C. Mobilities of positive ions in argon, 3=4021
- Beaty, E.C. and Patterson, P. Reaction rates for the formation of He_2^+ and Ne_2^+ , 4=11532
- Beaty, R.C. See Robinson, L.B., 4=5593
- Beaubien, M.W. See Cronmeyer, D.C., 4=12814
- Beaubien, M.W. See Cronmeyer, D.C., 4=22643
- Beaubien, M.W. See Matore, H.F., 4=28645
- Beauchamp, N.A. and Holladay, W.G. Resonance model for $\gamma + \text{N} \rightarrow \text{Y} + \text{K}$, 3=24797
- Beaudet, R.A. Microwave spectrum, barrier to internal rotation, and quadrupole coupling constants of trans-1-chloropropylene, 3=2642
- Beaudet, R.A. Microwave spectrum, barrier to internal rotation, and dipole moment of cisrotononitrile, 3=17594
- Beaudet, R.A. Microwave spectrum, barrier to internal rotation, and quadrupole coupling constants of CIS-1-chloropropylene, 4=20079
- Beaudet, R.A. and Poynter, R.L. The structure of $\text{C}_2\text{B}_2\text{H}_2$, 4=28240
- Beaudet, R.A. and Wilson, E.B., Jr. Microwave spectrum and barrier to internal rotation of cis-1-fluoropropylene, 2=20846
- Beaudier, J., Donze, G. and Cabane, G. Retention of nuclei of the α -phase in the β -phase of weakly alloyed uranium, 2=4456
- Beaudry, B.J. and Daane, A.H. The scandium-yttrium and scandium-zirconium system, 4=5443
- Beaudry, B.J. See Leslie, J.D., 4=14522
- Beaudry, B.J. See Miller, A.F., 3=18685
- Beaudry, B.J. See Wunderlin, W.J., 4=13459
- Beaufays, O. Low-frequency eddy-current losses in a cylindrical rod, 0=9183
- Beaufays, O. Algebraic determination of a spinor by a pseudovector, 0=9275
- Beaufays, O. On the loss due to eddy currents in a cylindrical core, in the quasi-stationary state, 0=17070
- Beaufays, O. Skin effect in a cylindrical bar of arbitrary section in the quasi-stationary state, 4=440
- Beaufays, O. On the skin effect in a cylindrical bar, of any section, at low frequency, 4=5540
- Beaufils, J.P. Measurement of electron work function. Modification of the method of the vibrating electrode, 3=16970
- Beaumevielle, H., Longuequeue, N. and Longuequeue, J.P. Angular distributions of α -particles from the reaction $\text{B}^{11}(\text{p}, \alpha_0)$ from 140 to 550 keV (experimental results), 3=2452
- Beaumevielle, H., Longuequeue, N. and Longuequeue, J.P. Angular distributions of He^3 from the reaction $\text{Li}^6(\text{p}, \alpha)\text{He}^3$ at 130-530 keV, 3=12664
- Beaumevielle, H. See Longuequeue, J.P., 3=11319
- Beaumevielle, H. See Longuequeue, J.P., 4=22064
- Beaumeville, H. See Bouchez, R., 1=13791
- Beaumont, D.W. See Scatchard, G., 0=19506
- Beaumont, H.de. See de Beaumont, H.
- Beaumont, J.C. and Cabané, J. Heterodiffusion of chlorine and iodine ions in some alkali-halide single crystals, 1=7594
- Beaumont, J.C. and Cabané, J. Heterodiffusion of chlorine and iodine in some alkali halide polycrystals, 1=7595
- Beaumont, R.H., Chihara, H. and Morrison, J.A. An anomaly in the heat capacity of chromium at 38.5° , 0=17893
- Beaumont, R.H., Chihara, H. and Morrison, J.A. Transitions between different forms of ice, 1=10228
- Beaumont, R.H., Chihara, H. and Morrison, J.A. Thermodynamic properties of krypton. Vibrational and other properties of solid argon and solid krypton, 2=6270
- Beauregard, O. Costa de. See Costa de Beauregard, O.
- Beauregard, R.L. See Amster, A.B., 0=3583
- Beauxis, J.O. See Richardson, J.T., 3=21924
- Beaven, G.H. See Wilkinson, G.R. [Conf. rep.], 2=6117
- Beaver, R.J. See Thurber, W.C., 0=9722
- Beavers, J.L. II. See Allen, L.Jr., 0=10429
- Beavis, L.C. See Kelly, R.D., 1=4885
- Beaven, G.H. See Price, W.C., 1=852
- Bebb, H.B. A polarimetric method of measuring magneto-optic coefficients, 3=14376
- Bebbington, W.P. An $\text{H}_2\text{O}-\text{D}_2\text{O}$ moderated reactor, 2=3669
- Bebchuk, A. and Rozenberg, L.D. Dependence of the cavitation erosion on the solubility of gas above a cavitating liquid, 1=10489
- Bebel, D. The range-energy relation in Agfa K2 nuclear emulsion, 0=5460
- Bebel, D. See Bozoki, G., 0=2603
- Bebeshel [Bebeshel], P. and Purika [Purica], I. Separation of the effects of fast neutrons and γ -rays in the radiolysis of water, 2=8930
- Bebeshel, P. See Bebeshel, P.
- Bécart, M. The change in AlO bondlength for the transition $a \rightarrow X^2\Sigma^+$ calculated using approximate overlap integrals, 2=8122
- Bécart, M. and Buissart, M. Operating characteristics of a water-cooled hollow cathode discharge in hydrogen at low pressures, 2=19906
- Becart, M. and Declerck, F. Band spectrum of aluminium oxide, 1=2330
- Bécart, M. and Mahieu, J.M. Band spectrum of aluminium oxide, 3=25089
- Beccaria, M. See Launay, L., 1=1583
- Becchi, C., Manuzio, G.E., Meneghetti, L. and Vitale, S. Photodisintegration of He^3 by γ rays of energy between 10 and 30 MeV, 4=15113
- Becchi, C., Meneghetti, L. and Vitale, S. Photo-alpha reaction in Al^{27} , 3=4618
- Becerra, N. See Ghilmetti, H.S., 4=23791
- Becher, H.J. The crystallization of boron rich beryllium boride and aluminium-beryllium boride from aluminium melts, 4=26592
- Becher, K. and Lindner, J. Model of a coulomb charge in the nonlinear field theory, 1=5638
- Becherer, G., Brümmer, O. and Herms, G. Proof of the change of coordination in the boris acid anomaly, 2=8870
- Becherer, G., Brümmer, O. and Poser, H. Magnetic and X-ray investigations on thin iron layers, 0=1798
- Becherer, G., Kleinschmidt, H. and Müller, I. Studies on lustrous carbon layers. IV. Structure and texture, 4=4666
- Becherer, G. and Spatz, J. Investigations of anthracite layers. V. The specific electrical resistivity, 4=1558
- Becherer, R. A simple nuclear magnetic resonance spectrometer, 0=7235
- Becherer, R. Proton resonance in activated carbon at several temperatures, 1=20270
- Becherer, R. Wide line nuclear resonance spectrograph and its application to the study of carbon free radicals, 2=11813
- Becherer, R., Bariaud, A. and Prévot, F. The topography of the magnetic field in an annular duoplasmatron. Its influence in fixing the discharge, 4=27498
- Becherer, R., Gautherin, G. and Septier, A. Effect of magnetic field topography on the properties of a source of duoplasmatron type, 2=20038
- Becherrawy, T. Test of two isobaric models for pion-proton scattering at resonance ($3/2, 3/2$), 4=15090
- Bechmann, R. An alternative transformation for the elastic and piezoelectric constants of anisotropic media, 0=6290
- Bechmann, R. The piezo-optic and electro-optic constants of zincblende, 1=7702
- Bechmann, R., Ballato, A.D. and Lukaszek, T.J. High-order temperature coefficients of the elastic stiffnesses and compliances of alpha-quartz, 2=21393
- Bechtel, R. Experimental analysis of the Schottky barrier layer model for reduced rutile diodes, 4=22746
- Bechtel, R., Grannemann, W.W. and Harper, B.J. D.C. to a.c. conversion using magnetoresistance, 4=22737
- Beck, A., Jan, J.P., Pearson, W.B. and Templeton, I.M. Experimental determination of Fermi surfaces; an extension to metallic compounds and alloys, 3=12944

- Beck, A. and Mooser, E. Apparatus for the drawing of single crystals from combination with readily volatile components, 2=6778
- Beck, A.E. Energy requirements of an expanding earth, 1=20789
- Beck, A.E. Lightweight borehold temperature measuring equipment for resistance thermometers, 3=21023
- Beck, A. E. A note on the thermal history of the earth and the possible origin of a solid inner core, 4=26777
- Beck, A.H.W. Current European developments in microwave tubes, 2=16052
- Beck, A.H.W. and Ahmed, H. The activation process in dispenser cathodes, 3=19302
- Beck, A.H.W. See Ahmed, H., 3=12235
- Beck, D. Wide-angle scattering in molecular beams. The rainbow effect, 3=6439
- Beck, D., Greene, E.F. and Ross, J. Study of the reaction of K with HBr in crossed molecular beams, 3=6914
- Beck, D. and Niehaus, A. Reactions of excited butane molecules, 3=4786
- Beck, D. and Osberghaus, O. The mass-spectrum of uncharged fragments from electron impact studies on molecules, 1=9963
- Beck, F. Treatment of the ground state of light nuclei, 0=399
- Beck, F. Electrical measurements of the characteristics of polymeric organic semiconductors, 4=30631
- Beck, F., Steinwedel, H. and Süßmann, G. Observations on the Klein paradox, 3=2191
- Beck, F. See Gorodetzky, S., 2=12174
- Beck, G. Remark concerning L.M. Falicov's paper "The theory of photon packets and the Lennuier effect", 1=11825
- Beck, G. and Bigot, R. On the recording of the temperature differences between the centre and the surface of a cylinder of nickel cooled by tempering, 3=9641
- Beck, G. and Nussenzveig, H.M. On the physical interpretation of complex poles of the S-matrix. I, 0=14520
- Beck, H.G. Notes on testing astronomical optical systems, 3=9580
- Beck, H.V. The selection and design of experiments for alternating current teaching, 0=2294
- Beck, J. Effect of magnification of the visibility of targets viewed through a "noisy telescope", 4=20979
- Beck, J. and Shaw, W.A. Magnitude estimations of pitch, 2=4894
- Beck, J. and Shaw, W.A. Single estimates of pitch magnitude, 4=4978
- Beck, J.W. Boiling water oxidation rates on silicon, 2=21583
- Beck, L. See Igarashi, Y., 4=26992
- Beck, P.A. See Bardos, A.M., 4=7645
- Beck, P.A. See Cheng, C.H., 0=17896
- Beck, P.A. See Cheng, C.H., 2=16609
- Beck, P.A. See Cheng, C.H., 4=25857
- Beck, P.A. See Gupta, K.P., 3=8267
- Beck, P.A. See Gupta, K.P., 4=9852
- Beck, P.A. See Gupta, K.P., 4=12639
- Beck, P.A. See Gupta, K.P., 4=30520
- Beck, P.A. See Lounasmaa, O.V., 3=6479
- Beck, P.A. See Pessall, N., 4=30518
- Beck, P.A. See Rajan, N.S., 0=7910
- Beck, P.A. See Sinha, P.P., 1=11216
- Beck, P.A. See Sinha, P.P., 2=8235
- Beck, P.A. See Spiegel, F.X., 4=7602
- Beck, P.A. See Starke, E.A., Jr, 2=14382
- Beck, P.A. See Wei, C.T., 1=8882
- Beck, R. See Harper, P.V., 4=15971
- Becka, L.N. The variation of apparent bond lengths with temperature in molecular crystals, 2=10826
- Becka, L.N. Frequency distribution of hexamethylenetetramine crystals, 2=18519
- Becka, L.N. Neutron inelastic scattering studies of globular compounds, 3=13393
- Becka, L.N. See Brockhouse, B.N., 3=743
- Becke, H., Flatley, D., Kern, W. and Stolnitz, D. The diffusion of zinc into gallium arsenide to achieve low surface concentrations, 4=22614
- Beckel, C.L. Power series expansions of vibrational potentials. I. The Heitler-London potential for H_2 , 1=5993
- Beckel, C.L. Vibrational analysis of the Heitler-London potential of H_2 , 3=19981
- Beckel, C.L. and Nakhleh, J. Application of the second-order W.B.K. approximation to radial problems, 3=18725
- Beckel, C.L., Nakhleh, J. and Chowdary, Y.R. On the use of the W.B.K. method for obtaining energy eigenvalues, 4=11075
- Beckel, C.L. See Finn, E.J., 1=5994
- Beckel, C.L. See Shafi, M., 3=8254
- Becken, J. and Maehlum, B. Drift measurements at Kjeller on the ionospheric F region, 0=14237
- Becker, C.H. Quantum electronics of optical phonons. I, 3=9966
- Becker, C.H. Quantum electronics of optical phonons, 4=6718
- Becker, C.H. Quantum electronics of optical phonons. II, 4=24925
- Becker, C.H. Quartz optical phonon-masers, 4=30094
- Becker, D.A. See Okabe, H., 4=4709
- Becker, E. A simple generalization of the Rayleigh boundary layer, 0=19060
- Becker, E. See Schiebold, E., 2=21773
- Becker, E.C.H. and H.D. Conway. Generation and use of mechanical step transients in dynamic measurement, 4=29502
- Becker, E.D. The effect of molecular interactions on n.m.r. reference compounds, 0=15763
- Becker, E.D. and Bradley, R.B. Effects of "ring currents" on the N.M.R. spectra of porphyrins, 0=4222
- Becker, E.J. See Becker, J.A., 1=5109
- Becker, E.W., Bier, K. and Bier, W. Increase of the separation of isotopes in a separation jet by addition of light gases, 2=8072
- Becker, E.W., Bier, K. and Bier, W. Separation jet method with a light additional gas, 3=5460
- Becker, E.W., Bier, K., Bier, W. and Schütte, R. Nozzle separation of uranium isotopes by use of light additive gases, 3=15309
- Becker, E.W., Burghoff, H. and Gspann, J. Split nozzle mixing in turning gas jets, 2=7239
- Becker, E.W., Klingelhöfer, R. and Lohse, P. Beams of condensed helium in high vacuum, 2=10291
- Becker, E.W. and Klingelhöfer, R. Electrical discharges in beams of condensed hydrogen and condensed nitrogen in a high vacuum, 4=27497
- Becker, E.W., Klingelhöfer, R. and Lohse, P. On the possibility of directed injection of deuterium and tritium in a nuclear fusion experiment, 0=20709
- Becker, E.W., Klingelhöfer, R. and Lohse, P. Beams of clustered hydrogen, clustered helium and clustered nitrogen in high vacuum, 3=2678
- Becker, F. and Walisch, W. Precision thermostat with optically regulated thermometer and controlled peltier cooling, 3=16830
- Becker, F. See Walisch, W., 4=2881
- Becker, G. Theory of molecular beam formation with long channels, 1=7509
- Becker, G. The production of intense molecular rays in a high vacuum using jets, 1=9962
- Becker, G. Ammonia-beam maser with rectangular resonator, 3=12337
- Becker, G. Focusing of molecular beams for masers with ring and helical electrodes, 3=16987
- Becker, G. and Faltin, P. Frequency multipliers into the microwave region with varactors for the comparison of frequency standards, 4=5390
- Becker, G. See Scheibe, A., 0=2092
- Becker, G.E. and Gobel, G.W. Surface studies by spectral analysis of internally reflected infrared radiation: hydrogen on silicon, 3=18397
- Becker, G.W. Dynamic-elastic behaviour of foamed plastics, 0=18247
- Becker, G.W. Dynamic-elastic behaviour of filled vulcanized blends of caoutchouc, 2=5126
- Becker, G.W. and Frankenfeld, K. Measurement of the dynamic modulus of surface films, 1=9354
- Becker, G.W. and Rademacher, H.J. Mechanical behaviour of polymers under large amplitude sinusoidal deformation, 4=17741
- Becker, H. Equipment for "watching" propagating stress waves, 0=2143
- Becker, H. The deformation of the Littrow mirror for the reduction of astigmatism, 1=4461
- Becker, H. Effect of Poisson's ratio on thermal stresses, 4=2626
- Becker, H. and Hamilton, H. Photomechanical law for stereospecific polybutadiene, 4=23196
- Becker, H. See Guttman, W., 0=10766
- Becker, J. Skew ray tracing through toric refracting surfaces, 1=16052
- Becker, J. and Eras, J. Mirror optics or lens optics? 2=21992
- Becker, J.A. Parity of the 5.83-MeV state of N^{14} , 3=17401

- Becker, J.A., Becker, E.J. and Brandes, R.G. Reactions of oxygen with pure tungsten and tungsten containing carbon, 1=5109
- Becker, J.A. and Fox, J.D. Capture of protons by B^{11} in the giant resonance region, 3=15192
- Becker, J.A. and Warburton, E.K. Lifetime of the N^{14} 5.83-MeV and 6.44-MeV levels, 4=17024
- Becker, J.A. and Wilkinson, D.H. Electric quadrupole transitions near $A = 16$: the lifetimes of the first excited states of O^{17} and F^{17} , 4=22015
- Becker, J.A., Mitchell, G.E. and Donovan, P.F. Radiative decay of some low-lying states of Mg^{27} , 4=25302
- Becker, J.A. See Henny, G.C., 1=18968
- Becker, J.H. Several new methods to measure the thermal diffusivity of semiconductors, 0=11669
- Becker, J.H. and Frederikse, H.P.R. Electrical properties of nonstoichiometric semiconductors, 2=4011
- Becker, J.H. See Frederikse, H.P.R., 2=23413
- Becker, J.H. and Hosler, W.R. Electron energy levels and their relationship to lattice defects in reduced rutile, 3=22955
- Becker, J.J. Domain boundary configurations during magnetization reversals, 0=3029
- Becker, J.J. Magnetization changes and losses in conducting ferromagnetic materials, 3=15768
- Becker, J.V. Re-entry from space, 2=15411
- Becker, K. Simplification of dosimeter film processing by use of a fixing developer, 2=19736
- Becker, K., Klein, E. and Zeitler, E. A wavelength-independent recording dosimeter film, 0=19978
- Becker, K. and Nachtigal, D. Properties and radiation response of self-recording pen dosimeters, 3=22045
- Becker, K.A., Kollmitt, W. and Stranski, I.N. The enforced condensation of arsenic trioxide. II, 4=8521
- Becker, K.A. and Niesler, R.A. The production of Claudetite [As_2O_3] by forced condensation, 4=2024
- Becker, K.A., Schultze, W. and Stranski, I.N. On condensation experiments with arsenic trioxide, 4=370
- Becker, K.H. and Welge, K.H. Fluorescence of NH radicals in the photo-dissociation of NH_3 in vacuum-ultra-violet, 4=4711
- Becker, K.H. See Bayes, K.D., 2=11629
- Becker, K.M. Measurements of convective heat transfer from a horizontal cylinder rotating in a tank of water, 4=5420
- Becker, L.C., Jobs, F.C. and McIntyre, J.A. Neutron transfer in the $N^{14}(N^{14}, N^{13})N^{15}$ reaction, 4=22227
- Becker, L.C. See Jobs, F.C., 3=12610
- Becker, L.C. See McIntyre, J.A., 0=7579
- Becker, M.C., Dandl, R.A., Eason, H.O., Jr., England, A.C., Kerr, R.J. and Ard, W.B. An investigation of electron heating at the cyclotron frequency, 3=12209
- Becker, M.C. See Ard, W.B., 3=19913
- Becker, P.M. and Dahler, J.S. Double excitation of helium by electron impact, 3=19951
- Becker, P.M. and Dahler, J.S. Double excitation of helium by electron impact, 4=30388
- Becker, R.A. and Fowler, W.A. Abundances of the rare-earth nuclei produced by rapid neutron capture in supernovae, 0=844
- Becker, R.L. Angular distributions of $B^{10}(d, \alpha)Be^9$ reactions from 0.6 to 1.5 MeV, 0=13240
- Becker, R.L. Nonsingular formulation of the Brueckner approximation for an infinite Fermi system, 2=19469
- Becker, R.L. See Biggerstaff, J.A., 2=3210
- Becker, R.L. and Rose, M.E. Polarization of conversion electrons following beta decay, 0=423
- Becker, R.S., Singh, I.S. and Jackson, E.A. Comprehensive spectroscopic investigation of polynuclear aromatic hydrocarbons. I. Absorption spectra and state assignments for the tetracyclic hydrocarbons and their alkyl-substituted derivatives, 3=15380
- Becker, R.S. See Allison, J.B., 0=10064
- Becker, R.S. See Scott, D.R., 1=12290
- Becker, R.S. See Scott, D.R., 2=6183
- Becker, T., Schmidt-Rohr, U. and Tielsch, E. The A-dependence of elastic deuteron scattering at 11.8 MeV, 3=22415
- Becker, U. A secondary [sun] spot zone, 0=10
- Becker, U. Observation of surges, filaments and chromospheric structure in integrated light, 0=2083
- Becker, W. New methods and some results concerning true ionospheric height calculations, 0=14210
- Becker, W. The varying electron density profile of the F-region during magnetically quiet nights, 1=20993
- Becker, W. "REVA" friction vacuum gauge, 2=5082
- Becker, W. Remark on the correlation due to interstellar coloration in galactic clusters, 2=7027
- Becker, W. Three-colour photometry and its application to a star field in the Scutum cloud, 2=11100
- Becker, W. Spatial distribution of 156 galactic star clusters in dependence of their age, 3=11584
- Becker, W. Arrangement of spiral structure in early galactic clusters, HII regions, HI regions and extragalactic nebulae, 4=10859
- Becker, W. and Fenkart, R. Spatial distribution of 55 H II regions in the Milky Way, 3=9252
- Becker, W., Goldberg, M., Harth, E., Leitner, J. and Lichtman, S. K^- -decay branching fractions, 4=9271
- Becker, W. and Stubbe, P. Temperature variation in the F-region during the last sunspot cycle, 3=13755
- Becker, W. See Block, M.M., 3=12508
- Becker, W.M., Ramdas, A.K. and Fan, H.Y. Energy band structure of gallium antimonide, 1=17733
- Beckerle, J. Effects of ocean waves on acoustic signals to very deep hydrophones, 3=11385
- Beckerman, M. and Behrndt, K.H. The influence of edge effects on domain structure and coercive force of circular nickel-iron films, 0=11863
- Beckers, J. A property of the β_2 matrix relative to the theory of spin 1 particles, 3=539
- Beckers, J. Identity in collision theory, 4=21047
- Beckers, J.M. The spectrum of the zodiacal light, 0=3414
- Beckers, J.M. Dispersion of birefringence of calcite, 2=12579
- Beckers, J.M. Motions in the chromosphere near sunspots, 3=3575
- Beckers, J.M. Study of the undisturbed chromosphere from H_α -disk filtergrams, with particular reference to the identification of spicules, 4=4908
- Beckett, C.W. See Haar, L., 1=9418
- Beckey, H.D. Mass spectrometric investigations on ion-molecule reactions and on the association of water with a field emission ion source, 1=1478
- Beckey, H.D. Field ionization mass spectra of organic molecules. I. Normal paraffins from C_1 to C_8 , 3=14524
- Beckey, H.D. Molecular dissociation due to electric fields, 4=15386
- Beckey, H.D. and Schütte, D. Instrumentation problems in field-ionization mass spectrometry, 1=1928
- Beckjord, E. See Davis, H.L., 2=20717
- Beckman, O. Photographic bent crystal gamma spectrometer, 0=17282
- Beckman, O., Axelsson, B. and Bergvall, P. Effect of spectrometer window on the K absorption edge of Au, 0=9760
- Beckman, O. and Bergvall, P. Doping properties of $Bi_2Te_{3.7}Se_{0.3}$, 3=10895
- Beckman, O. and Knox, K. Magnetic properties of $KMnF_3$. I. Crystallographic studies, 1=2464
- Beckman, O. See Bergvall, P., 3=13138
- Beckman, O. See Bierly, J.N., 3=13524
- Beckman, O. See Heeger, A.J., 1=12525
- Beckman, O. See Mongy, M., 4=12754
- Beckman, O. See Norén, B., 4=14424
- Beckman, O. See Vallin, J., 3=21501
- Beckman, O. See Vallin, J., 4=15702
- Beckman, O. See Vallin, J., 4=23117
- Beckman, T.A. and Pitzer, K.S. The infrared spectra of marginally metallic systems: sodium-ammonia solutions, 2=1151
- Beckmann, L., Funck, E. and Mecke, R. Energy-limited resolution of spectrometers for the middle and far infrared, 0=2241
- Beckmann, L., Zeifang, G. and Mecke, R. Modulation of converging radiation, 4=357
- Beckmann, P. The probability distribution of the velocities of gas molecules after collision with a rapidly moving rigid body, 0=3557
- Beckmann, P. The scattering of waves by a periodic surface, 2=5474
- Beckmann, P. The scattering of waves by a periodic surface, 2=7760
- Beckmann, P. Statistical distribution of the amplitude and phase of a multiply scattered field, 2=15492
- Beckmann, P. The amplitude distribution of radio waves scattered by meteor trails, 3=7049
- Beckmann, P. On the introduction of particle positions in relativistic quantum mechanics, 3=7797
- Beckmann, P. A re-examination of the experiments on the velocity of light with moving sources, 3=18958

- Beckmann, P. The determination of partial wave amplitudes from dispersion relations in the presence of inelastic scattering, 4=69
- Beckmann, P. The depolarization of electromagnetic waves scattered from rough surfaces, 4=3152
- Beckmann, P. The threshold behaviour of partial wave scattering amplitudes and the N/D-method, 4=25019
- Beckmann, P. Amplitude-probability distribution of atmospheric radio noise, 4=26799
- Beckmann, P. Rayleigh distribution and its generalizations, 4=27640
- Beckmann, W. Gas desorption of some rubber-type materials, 4=4676
- Beckner, E. H. Flow of a hydrogen plasma through a transverse magnetic field, 4=16473
- Beckner, E. H. and Banister, J. R. Observation of early plasma rotation in a slow theta-pinch, 4=21525
- Beckner, E. H., Bramblett, R. L., Phillips, G. C. and Eastwood, T. A. Absolute measurement of a set of energy calibration standards, 1=13798
- Beckner, E. H., Jones, C. M. and Phillips, G. C. Evidence for sequential two-body decay in three-body decay of C^{12} and B^{10} , 1=11007
- Beckner, E. H. and Kotoski, R. H. Ignitron-switched 0.6- to 90-kV impulse generator, 2=19872
- Beckner, E. H. See Hill, R. A., 4=27315
- Beckner, E. H. See Jones, C. M., 2=20673
- Beckurts, K. H. Measurements with a pulsed neutron source, 0=12951
- Beckurts, K. H. A simple "time-to-height convertor" for time-of-flight experiments with slow neutrons, 1=2930
- Beckurts, K. H. See Brose, M., 1=5920
- Beckurts, K. H. See Kuchle, M., 1=7249
- Beckurts, K. H. Measurement of asymptotic neutron spectra in simple water geometry, 1=19207
- Beckurts, K. H. Reactor physics research with pulsed neutron sources, 2=5405
- Beckurts, K. H., Brose, M., Knoche, M., Krüger, G., Pönitz, W. and Schmidt, H. Thermal activation cross sections and resonance integrals of In^{115} , 4=17169
- Beckurts, K. H., Egelstaff, P. A., Goldstein, H. and Sjöstrand, N. G. Formation of neutron beams with special properties, 3=24744
- Beckwith, D. A. and Newell, G. F. Theory of oscillation type viscometers: the oscillating cup. II, 0=16668
- Becrelle, J. See Grudzinski, R., 4=14935
- Becsey, J. G. and Bierlein, J. A. Estimation of Soret coefficients from Guoy fringe intensities, 4=27168
- Beda, A. G. See Bizina, G. E., 4=6228
- Beda, D. Method of study of a plastic wave, 2=14877
- Bedard, F. See Webeler, R., 1=9368
- Beddoes, J. M. The application of television to the observation of astronomical images, 3=16313
- Bede, A. G., Kondrat'ev, L. N. and Tret'yakov, E. F. Thermal neutron activation cross-section of Cd^{106} , 4=19800
- Bedenov, A. A. and Ponomarenko, Yu. B. A note on the generation of turbulence, 4=27138
- Bedenov, A. A. and Velikhov, E. P. Carrier drift instability in a solid body and coherent phonon emission, 3=4821
- Beder, D. Observable reorientation effects in heavy-ion Coulomb excitation, 3=12588
- Beder, D. Large second order effects in the Coulomb excitation of F^{19} , 4=12140
- Beder, D. S. Backward angle fermion-boson scattering, 4=16838
- Beder, D. S. π^0 photoproduction above 800 MeV, 4=25132
- Bederson, B., Eisinger, J., Rubin, K. and Salop, A. Atomic beam E-H gradient spectrometer, 0=15672
- Bederson, B. See Aberth, W., 4=25568
- Bederson, B. See Brown, H. H., Jr., 4=2559.
- Bederson, B. See Perel, J., 3=2582
- Bederson, B. See Pollack, E., 4=19948
- Bederson, B. See Rubin, K., 0=4166
- Bederson, B. See Salop, A., 2=534
- Bedesku, A., Mitrofanov, K. P., Sorokin, A. A. and Shpinel', V. S. Decay of Te^{131} ($T_{1/2} = 30$ hours), 0=11386
- Bedesku, A. See Sorokin, A. A., 2=14066
- Bedesku-Singuryanu, A. I. The decay scheme of the Te^{131} isotope ($T_{1/2} = 30$ hours), 2=20548
- Bedford, R. E. A low temperature standard of total radiation, 0=19489
- Bedford, R. E. Reference tables for platinum 20% rhodium/platinum 5% rhodium thermocouples, 4=27363
- Bedford, R. G. See Zalkin, A., 0=724
- Bédiké, T., Gel'berg, A., Grabari, V., Kémeni, P. and Tripa, A. Apparatus for the measurement of the β - γ -correlation with circular polarization, 2=22748
- Bedike, T. See Berlovich, E. E., 2=13990
- Bedinger, J. See Manring, E., 3=9062
- Bednářová-Nováková, B. Recurrent geomagnetic storms and solar prominences, 0=12282
- Bednarz, R. Exact solution of the slowing-down equation, 2=5676
- Bednarz, R. J. and Mika, J. R. Energy-dependent Boltzmann equation in plane geometry, 4=908
- Bednyakov, A. A., Boyarkina, A. N., Savenko, I. A. and Tulinov, A. F. Investigation of multiple scattering of 100-200 keV protons on carbon, 2=14086
- Bednyakov, A. A., Boyarkina, A. N., Savenko, I. A. and Tulinov, A. F. Investigation of multiple scattering of 100-200 keV protons on carbon, 3=6238
- Bednyakov, A. A., Boyarkina, A. N., Savenko, I. A. and Tulinov, A. F. An investigation of multiple scattering of protons by the photographic method, 3=24718
- Bednyakov, A. A., Dvoretzskii, V. N., Savenko, I. A. and Tulinov, A. F. Multiple scattering of protons with energies of 75-200 keV in solid materials, 4=21852
- Bedo, D. E. and Tomboulia, D. H. Photon-counting spectrometer for attenuation measurements in the soft X-ray region, 1=4687
- Bedo, D. E., Tomboulia, D. H. and Rigert, J. A. Angular distribution and polarization of the radiation emitted by electrons accelerated in a synchrotron, 1=1944
- Bedo, D. E. See Baker, D. J., Jr., 2=529
- Bedo, D. E. See Tomboulia, D. H., 1=1173
- Bedreag, C. G. Nuclear structure of Ne and Mg, 1=2172
- Bedreag, C. G. The analysis of the nucleon spectra, $A=4n$ Ne^{20} , Mg^{24} , Si^{28} , S^{32} , 1=10969
- Bedreag, C. G. Three "f" complexes in the system of the elements, 2=18392
- Bedreag, C. G. Physical system of the elements, 3=12748
- Bedritskii, A. I. The scattering of spin-2 particles by a Coulomb field, 0=2509
- Bedrosian, S. D. Application of linear graphs to multilevel maser analysis, 3=9995
- Bedyńska, T. Preliminary X-ray investigation of the structure thermistor mixture of nickel and manganese oxides, 0=14019
- Bedyńska, T. On the possibility of determining the density of dislocations by means of an X-ray spectrograph with oscillating film, 1=14279
- Bedyńska, T. Determination of dislocation distribution and density with the oscillating film spectrograph, 3=15490
- Beeby, J. L. The propagator for a particle in the presence of a one-dimensional square-well potential, 3=18729
- Beeby, J. L. The electronic structure of disordered systems, 4=20241
- Beeby, J. L. Electronic structure of alloys, 4=22538
- Beeby, J. L. and Edwards, S. F. The electronic structure of liquid insulators, 3=21384
- Beecroft, R. I. and Swenson, C. A. Behaviour of polytetrafluoroethylene (Teflon) under high pressures, 0=1875
- Beecroft, R. I. and Swenson, C. A. On the existence of a critical point for the phase transition in cerium, 1=14938
- Beecroft, R. I. and Swenson, C. A. An experimental equation of state for sodium, 1=19728
- Beeforth, T. H. The importance of secondary effects when measuring thin film anisotropy fields (H_e), 3=4240
- Beeforth, T. H. and Hulyer, P. J. A new explanation of domain wall creep in thin magnetic films, 4=7247
- Beehler, R. E., Atkinson, W. R., Heim, L. E. and Snider, C. S. A comparison of direct and servo methods for utilizing cesium beam resonators as frequency standards, 3=11749
- Beehler, R. E., Mockler, R. C. and Snider, C. S. A comparison of atomic beam frequency standards, 1=1725
- Beek, L. K. H. van. See van Beek, L. K. H.
- Beek, W. J. and Bakker, C. A. P. On the mass transfer between a moving interface and a boundary layer flow, 4=16071
- Beeken, B., Goldman, R. and Oster, L. Resonance phenomena in a gaseous discharge in a strong magnetic field, 3=14535
- Beekenkamp, P. and Stevels, J. M. The structure of some glasses of the composition $M^{IV}M^{VI}O_4$, 4=10626
- Beekhuis, H. Accurate measurement of the half-life of the 91 keV state of 147 promethium, 3=4573
- Beeler, J. R., Jr. Validity of the homogenization approximation for end-leakage calculations, 2=3650
- Beeler, J. R. Diffusion anisotropy in singly- and doubly-periodic lattices, 3=6324

- Beeler, J.R., Jr. Distribution functions for the number of distinct sites visited in a random walk on cubic lattices: relation to defect annealing, 4=20265
- Beeler, J.R., Jr. Primary damage state in neutron-irradiated iron, 4=22649
- Beeler, J.R., Jr and Besco, D.G. Range and damage effects of tunnel trajectories in a wurtzite structure, 3=22848
- Beeler, J.R., Jr and Besco, D.G. Defect configurations in heavy-atom bombarded BeO, 3=22865
- Beeler, J.R., Jr and Besco, D.G. Effects of channeling on damage production in iron, 4=15504
- Beeler, J.R., Jr. and Delaney, J.A. Order-disorder events produced by single vacancy migration, 3=13530
- Beeler, J.R., Jr, Stranathan, J.D. and Wiseman, G.G. Some effects of vapors on electret behavior, 0=4386
- Beeler, R. See Béné, G.J., 0=15179
- Beeley, R.J. Radiation processing of foods, 0=13165
- Beels, R. and De Sutter, W. Pyrolytic coating of quartz and ceramic vessels used for zone melting, 0=21167
- Beenakker, J. J. M. and De Bruyn Ouboter, R. Dilute mixtures of ^3He in superfluid ^4He , 4=21378
- Beenakker, J. J. M., Scoles, G., Knaap, H. F. P. and Jonkman, R. M. The influence of the magnetic field on the transport properties of diatomic molecules in the gaseous state, 2=19611
- Beenakker, J. J. M., Varekamp, F. H. and Knaap, H. F. P. The difference in the second virial coefficient in the equation of state between the ortho and para modifications of H_2 and D_2 , 0=8706
- Beenakker, J. J. M., Varekamp, F. H. and van Isterbeek, A. The isotherms of the hydrogen isotopes and their mixtures with helium at the boiling point of hydrogen, 0=6837
- Beenakker, J. J. M. See Brouwer, J. P., 4=24178
- Beenakker, J. J. M. See Coremans, J. M. J., 0=92
- Beenakker, J. J. M. See Coremans, J. M. J., 0=8703
- Beenakker, J. J. M. See Coremans, J. M. J., 0=8705
- Beenakker, J. J. M. See Coremans, J. M. J., 1=6877
- Beenakker, J. J. M. See de Bruyn Ouboter, R., 0=14919
- Beenakker, J. J. M. See de Bruyn Ouboter, R., 1=8272
- Beenakker, J. J. M. See de Bruyn Ouboter, R., 1=8275
- Beenakker, J. J. M. See de Bruyn Ouboter, R., 1=18674
- Beenakker, J. J. M. See Knapp, H. F. P., 1=6898
- Beenakker, J. J. M. See Knapp, H. F. P., 1=8110
- Beenakker, J. J. M. See Knaap, H. F. P., 1=11137
- Beenakker, J. J. M. See Knaap, H. F. P., 2=1195
- Beenakker, J. J. M. See Knobler, C. M., 0=10692
- Beenakker, J. J. M. See Knobler, C. M., 1=8109
- Beenakker, J. J. M. See Knobler, C. M., 1=9384
- Beenakker, J. J. M. See Sluijter, C. G., 4=16149
- Beenakker, J. J. M. See Van Beelen, H., 3=17027
- Beenakker, J. J. M. See van Beelen, H., 4=8898
- Beenakker, J. J. M. See van Beelen, H., 4=18618
- Beenakker, J. J. M. See van Ee, H., 0=100
- Beenakker, J. J. M. See Varekamp, F. H., 0=8707
- Beenakker, J. J. M. See Varekamp, F. H., 0=16734
- Beer, A. The nature of comets, 3=13868
- Beer, A. See Schwab, G. M., 3=6591
- Beer, R. and Bovey, L. The hyperfine structure of some uranium and americium lines in the 1.6 - 2.1 micron region, 1=811
- Beer, A. C. Galvanomagnetic effects in III-V compound semiconductors, 1=17672
- Beer, A. C. See Bate, R. T., 1=7620
- Beer, A. C. See Bate, R. T., 1=7650
- Beer, A. C. See Bate, R. T., 2=23278
- Beer, A. C. See Duga, J. J., 0=1858
- Beer, A. De. See De Beer, A.
- Beer, G. A. See Erdman, K. L., 4=21164
- Beer, J. F. De. See De Beer, J. F.
- Beer, O. See Kopitzki, K., 4=20321
- Beer, R. See Ring, J., 0=16883
- Beer, R. and Ring, J. A high-pressure scanning Fabry-Perot interferometer for the infrared, 2=7383
- Beerntsen, D. J. See Brown, B. E., 4=26651
- Beerntsen, D. See Revolinsky, E., 4=22720
- Beers, D. S., Cody, G. D. and Abeles, B. Thermal conductivity of Ge, Si and III-V compounds at high temperatures, 3=10611
- Beers, D. S. See Abeles, B., 0=16908
- Beers, D. S. See Abeles, B., 2=3855
- Beers, D. S. See Bradley, R. C., 0=17043
- Beers, Y. Comparison of the sensitivities of the beam maser and cavity absorption spectrometers, 1=3074
- Beers, Y. and Strine, G. L. The measurement of voltage by the use of the Stark effect, 3=12041
- Beers, Y. See Treacy, E. B., 2=10254
- Beerwald, H. Investigation using microwaves of the growth of an electrodeless ring discharge, 2=9538
- Beerwald, H. Study of the structure of an electrodeless ring discharge by means of microwaves, 3=4129
- Beerwald, H. Study of the structure of an electrodeless ring discharge by means of microwaves, 3=7456
- Beerwald, H., Bogen, P., El-Khalafawy, T., Fay, H., Hintz, E. and Kever, H. Production of a highly ionized plasma with low impurity level with and without magnetic bias fields for magnetic compression experiments, 2=15909
- Beerwald, H., Bogen, P., El-Khalafawy, T., Fay, H., Hintz, E. and Kever, H. Production of a highly ionized deuterium plasma, of low impurity level, with and without magnetic bias fields, for magnetic compression experiments, 3=12164
- Beery, J. G. See Brolley, J. E., Jr., 4=27845
- Beery, J. G. See Bryant, H. C., 4=19824
- Beery, J. G. See Seagrave, J. D., 4=29989
- Beery, W. M. See Crichlow, W. Q., 0=8429
- Beery, W. M. See Koch, J. W., 2=16065
- Beese, N. C. Light sources for optical communication, 2=7347
- Beeson, E. L., Weatherly, T. L. and Williams, Q. Molecular constants of chlorodifluoromethane from microwave spectrum analysis, 3=6411
- Beeston, B. E. P. See Girifalco, L. A., 3=13364
- Beetlestone, J. See George, P., 4=20145
- Beets, C. Analysis of neutron spectra (250 keV to 5 MeV) by means of nuclear emulsions, 0=12793
- Beets, C. and Breny, H. On the use of nuclear emulsions for measuring thermal-neutron densities in uniform media, 0=7257
- Beets, C., Breny, H. and Fournaux, J. Measurement of the flux of thermal neutrons in a uniform medium by means of boron-loaded nuclear emulsions, 0=12794
- Beets, C., Campan, J. L., Deckers, H. and Zaleski, C. P. Spectral analysis of fast neutrons in a block of natural uranium, 2=14120
- Beets, C. and Deckers, H. The fission neutron spectrum of U^{235} , 2=8017
- Beets, C., Donneaux, E., Gierts, G. and Winand, L. Test of relative values of the differential cross-sections for triton emission in the reaction $\text{Li}^6(n, t)\text{He}^4$ for energies of 150, 200 and 250 keV, 3=12695
- Beetz, H. New equipment for vacuum technique, 1=18482
- Beevers, C. J. Electrical resistivity observations on quenched and cold-worked magnesium, 3=25269
- Beevers, C. J. and Honeycombe, R. W. K. The deformation and fracture of aluminium-5.5% copper crystals, 2=6750
- Beevers, C. J. and Honeycombe, R. W. K. The initiation of ductile fracture in pure metals, 2=23785
- Beevers, C. J. and Mazey, D. J. Irradiation damage in molybdenum after energetic H^+ and He^{2+} ion bombardment, 3=2850
- Beevers, C. J. and Nelson, R. S. Evidence for a damage rate dependence in the formation of defect clusters in aluminium, 2=18565
- Beevers, C. J. and Nelson, R. S. The formation of defect clusters in aluminium by ion bombardment, 3=20159
- Beezhold, W. F. See Wild, D. H., 4=15698
- Bég, M. A. Baqi. On the peratization theory of Feinberg and Pais, 4=19416
- Bég, M. A. Baqi. See Baqi Bég, M. A.
- Bég, M. A. B., Cornwall, J. M. and Woo Ching-Hung. Three pion decay of the intermediate vector boson, 4=19590
- Bég, M. A. B., DeCelles, P. C. and Marr, R. B. Decay modes of K^* , 1=16881
- Begemann, F. The tritium content of atmospheric hydrogen and atmospheric methane, 3=25894
- Begemann, F. and Friedman, I. Tritium and deuterium content of atmospheric hydrogen, 0=2040
- Begemann, F. See König, H., 2=6999
- Beggs, D. W., Blackwell, D. E., Dewhirst, D. W. and Wolstencroft, R. D. Further observations of the zodiacal light from a high altitude station and investigation of the interplanetary plasma. I. Introductory survey and photoelectric measurements of brightness, 4=20915
- Beggs, D. W., Blackwell, D. E., Dewhirst, D. W. and Wolstencroft, R. D. Further observations of the zodiacal light from a high altitude station and investigation of the interplanetary plasma. II. Spectrophotometric observations and the electron density in interplanetary space, 4=20916
- Beggs, D. W. and von Klüber, H. Measurements of the general magnetic field of the sun with a magnetograph, 4=15940
- Beggs, J. S. Mirror-image kinematics, 0=5137

- Beghian, L.E., Profio, A.E., Weber, J. and Wilensky, S. The investigation of nonelastic cross sections for iron by the nanosecond pulsed neutron source technique, 4=3676
- Beghian, L.E., Rasmussen, N.C., Thews, R. and Weber, J. The investigation of neutron kinetics and cross-sections in fast nonmoderating assemblies by the nanosecond pulsed neutron source technique, 3=17287
- Beghian, L.E. and Salomaa, M.K. A high intensity nanosecond pulsed Van de Graaff accelerator, 3=4223
- Beghian, L.E., Sugimoto, K., Wächter, M.H. and Weber, J. Neutron polarization in the 1 MeV region by elastic scattering on C, O and D, 3=12680
- Beghian, L.E. See Wächter, M.H., 4=6083
- Beghin, C. and Siredey, C. A procedure for the refined analysis of whistlers, 4=30935
- Begiasvili, G.A. Theory of cyclotron resonance [in metals], 2=8197
- Begiasvili, G.A. The theory of diamagnetic resonance, 2=20981
- Begiasvili, G.A. Influence of abnormally narrow bands on the high-frequency properties of metals in a constant magnetic field, 2=20985
- Begiasvili, G.A. The theory of cyclotron resonance, 2=23134
- Begiasvili, G.A. Theory of the anomalous skin effect in thin metal films in a magnetic field, 4=6913
- Begiasvili, G.A. and Gedalin, E.V. Cherenkov radiation of a [point] magnetic dipole in an anisotropic [gyrotropic] medium, 0=12677
- Begiasvili, G.A. and Gedalin, E.V. Cherenkov radiation of dipole moments in a medium with spatial dispersion, 1=4790
- Begiasvili, G.A. See Azbel', M.Ya., 2=12408
- Begiasvili, G.A. See Azbel', M.Ya., 3=6507
- Beglaryan, M.L. and Abrikosov, N.Kh. An investigation of the Bi_2Te_3 - Bi_2S_3 system, 0=6387
- Begley, R.J. Liquid sodium absorbs gaseous iodine, 3=21007
- Begman, O. Some features of the decay of Au^{196} to Pt^{196} , 1=13739
- Beguin, G.H. A type of solution for thin shells in the form of an hyperbolic paraboloid, 2=1092
- Begum, Q.N. See Marsden, P.L., 0=20290
- Begum, R.J., Madhav Rao, L. and Umakantha, N. Inelastic scattering of cold neutrons by polycrystalline beryllium oxide in the temperature range from 100°K to 1000°K, 3=12911
- Begun, G.M. and Fletcher, W.H. Infrared and Raman spectra of $\text{N}_2^{14}\text{O}_4$ and $\text{N}_2^{15}\text{O}_4$, 0=13436
- Begun, G.M. and Fletcher, W.H. Partition function ratios for molecules containing nitrogen isotopes, 0=20712
- Begun, G.M. and Landau, L. Mass spectra and metastable transitions in isotopic nitrous oxides, 1=12324
- Begun, G.M. and Landau, L. Metastable transitions in N_2O^* , 2=9526
- Begun, G.M. and Palko, A.A. Raman and infrared spectra of BF_3 complexes with diethyl ether and tetrahydrofuran, and the isotopic exchange of these complexes with BF_3^* , 3=15361
- Begun, G.M. See Palko, A.A., 2=19137
- Begzhanov, P.B. The cross-section of the pion-nucleon interaction at high energies, 0=2575
- Begzhanov, R.B. and Islamov, A.A. Resonance scattering of gamma rays by Ce^{140} nuclei, 4=22103
- Begzhanov, R.B. and Islamov, A.A. Resonance scattering of gamma rays by Sr^{88} nuclei, 4=30312
- Begzhanov, R.B., Islamov, A.A., Kaipov, D.K. and Shubn'yi, Yu.K. Lifetime of the 0.845 MeV level of the Fe^{56} nucleus, 3=22303
- Begzhanov, R.B. See Kaipov, D.K., 3=2429
- Begzhanov, R.B. See Kaipov, D.K., 4=1019
- Begzhanov, R.B. See Kaipov, D.K., 4=3543
- Begzhanov, R.B. See Shubn'yi, Yu. K., 4=25369
- Begzhanov, R.B. See Starodubtsev, S.V., 4=6244
- Behar, L. Evidence for several features of precipitation on dislocations, 1=20606
- Behar, M. and Semeria, R. Contribution to the study of the behaviour of bubbles in a liquid, 3=1661
- Behar, M. and Semeria, R. On the rendering visible by strioscopy of certain mechanisms of thermal exchange in the degassing and boiling of water, 4=8512
- Behlke, H. and Pupke, H. Experimental determination of the relaxation distance for a plasma, 2=1449
- Behlke, H., Pupke, H. and Jäger, J. On the introduction of directed monoenergetic electrons into the Maxwell distribution of the plasma electrons of a low pressure mercury discharge, 4=5629
- Behlke, H. See Drost, H., 4=8846
- Behman, G.A. List of particle-accelerator installations, 0=19815
- Behman, G.A. List of particle-accelerator installations: Addenda and errata, 0=19816
- Behnenburg, W. Thermionic and induced photoelectron emission in zinc sulphide, 1=18917
- Behnenburg, W. Broadening and shift of the sodium D_2 line by various perturbing gases under flame conditions, 4=12376
- Behnenburg, W. and Kohn, H. Broadening of resonance lines by various perturbing gases under flame conditions, 4=12375
- Behnenburg, W., Kohn, H. and Mailänder, M. An acetylene-oxygen flame using various diluents for the study of broadening and shift of spectral lines, 4=11347
- Behmoiras, J. See Stammreich, H., 0=11528
- Behnke, F. See Alpert, N.L., 0=2240
- Behnken, D.W., Horowitz, J. and Katz, S. Particle growth processes, 4=2158
- Behof, A.F., Lietz, G.P., Treviño, S.F. and Darden, S.E. Polarization in neutron-deuteron elastic scattering at 1.0 MeV, 3=19637
- Behof, A.F. See Donoghue, T.R., 4=22146
- Behof, A.F. See Donoghue, T.R., 4=22147
- Béhot, F. See Fayard, M., 3=17767
- Behr, A. Interstellar polarization of starlight space in the neighbourhood of the sun, 0=6611
- Behr, A. Remarks on the origin of polarization of starlight, 1=15506
- Behr, A. Design of an automatic multichannel polarimeter, 4=331
- Behr, B.C., Lingar, W.E. and White, W.H., Jr. High-current regulated supply, combining transistors and magnetic amplifiers, for the oak ridge isochronous cyclotron, 2=7537
- Behr, C. Generalization of the Friedmann world model with positive space curvature, 2=11269
- Behr, J.v. See v.Behr, J.
- Behr, J.Von. See Von Behr, J.
- Behr, L. and Mittner, P. Electron and π^0 measurements in a heavy liquid bubble chamber, 3=17249
- Behr, L., Mittner, P. and Musset, P. Direct measurement of the π^0 decay into two γ , 3=12498
- Behr, L. See Aubert, B., 4=21930
- Behr, L. See Aubert, B., 4=25175
- Behrend, H.J. and Budnick, D. Determination of the nuclear quadrupole moment of 247 keV level of cadmium III by measuring the circular polarization of the γ -radiation, 2=12124
- Behrend, H.J., Budnick, D. and Huber, K. Determination of the quadrupole coupling constants of the nucleus Ta^{181} in the $d_{5/2}$ -state in single crystal fields by means of measurement of the disturbed γ - γ angular correlation and of the circular polarization, 4=6690
- Behrends, R.E., Dreitlein, J., Fronsdal, C. and Lee, W. Simple groups and strong interaction symmetries, 2=11876
- Behrends, R.E. and Landovitz, L. Mass splittings within baryon charge multiplets, 0=3941
- Behrends, R.E. and Landovitz, L.F. Is G_2 or SU_3 the more suitable symmetry for strong interactions?, 4=3323
- Behrends, R.E. and Sirlin, A. Effect of mass splittings on the conserved vector current, 0=7506
- Behrends, R.E. and Sirlin, A. Weak-coupling currents and symmetries of strong interactions, 1=435
- Behrends, R.E. and Sirlin, A. Possible existence of $\Delta Q = -\Delta S$ decays, 1=534
- Behrends, R.E. and Sirlin, A. Implications of the existence of $\Delta Q = -\Delta S$ decays, 2=18175
- Behrends, R.E. and Sirlin, A. Isotopic spin structures of the weak interactions, 4=11911
- Behrendt, D.R. See Girifalco, L.A., 1=20599
- Behrendt, D.R. See Hoekstra, P., 3=789
- Behrendt, D.R. See Kay, M.I., 3=11256
- Behrendt, D.R. See Liu, S.H., 0=2981
- Behrendt, J.C., Wold, R.J. and Laudon, T.S. Gravity base stations in Antarctica, 2=15172
- Behrens, E. Band structure of the layer lattice of the bismuth type, 1=3631
- Behrens, E. On the energy bands on the chain lattice of the selenium type, 1=11178
- Behrens, E. and Oldekop, W. Calculation of migration areas in heterogeneous reactors with periodic structure, 4=22257
- Behrens, G. Direct measurement of the radial current density distribution in the Debye-Scherrer electron cone from thin films, 1=16423
- Behring, W.E. See Neupert, W.M., 3=9152
- Behring, W.E. See Tomboulia, D.H., 4=18411
- Behringer, A.J. and Corrsin, L. X-ray diffraction study of evaporated CdS films, 4=7710
- Behringer, J. On the connection between Raman scattering, absorption and fluorescence (resonance Raman effect), 0=2175

- Behringer, J. Methods of obtaining the Raman spectra of powdered crystals, 1=11837
- Behringer, J. and Brandmüller, J. On the relationship between the vibrational structure of electronic band spectra and the resonance Raman effect, 0=4209
- Behringer, J. and Brandmüller, J. The observation of the resonance Raman effect in crystalline powders, 3=665J
- Behringer, R.E. and Smith, R.S. The influence of demagnetization and anisotropy energy on Bloch wall thickness and coercive force in thin films, 2=4225
- Behrisch, R. Sputtering of solids by ion bombardment, 4=22641
- Behrndt, K.H. Investigation of the coercive forces of Ni, Fe and Ne-Fe films during evaporation, 2=2286
- Behrndt, K.H. On the coercive force and its connection to the impurities in ferromagnetic thin films, 3=15824
- Behrndt, K.H. [Ed.]. Vacuum microbalance techniques. Vol. 3. Proceedings of the Los Angeles Symposium, Oct. 30, 1962, 3=21281
- Behrndt, K.H. Influence of the deposition conditions on growth and structure of evaporated films, 4=4661
- Behrndt, K.H. Thickness uniformity on rotating substrates, 4=20742
- Behrndt, K.H. and Jones, R.A. A comparison between the evaporation characteristics of a crucible and a ring source, 2=1307
- Behrndt, K.H. and Love, R.W. Automatic control of film-deposition rate with the crystal oscillator for preparation of alloy films, 2=12946
- Behrndt, K.H. and Maddocks, F.S. Influence of substrate processing on the magnetic properties and reproducibility of evaporated nickel-iron films, 0=3060
- Behrndt, K.H. See Beckerman, M., 0=11863
- Behrndt, M.E., Blumberg, R.H. and Giedd, G.R. On the influence of aggregation on the magnetic phase transition of evaporated superconducting thin films, 0=10855
- Bei Yan' Guan. See Guan Bei'Yan.
- Beier, H. J. and Tradowsky, K. A coincidence apparatus for the measurements of electron energies below 50 keV, 4=11978
- Beiglböck, W. Theory of the infinitesimal holonomy group in general relativity theory, 4=18045
- Beil, H., Carlos, P. and Genin, R. High precision cutting of Co-Fe single crystals for use in a neutron spectrometer, 3=20821
- Beil, H., Carlos, P., Genin, R., Signarbieux, C., Joly, R. and Matuszek, J. Crystal spectrometer for polarized neutrons, 4=918
- Beil, H., Carlos, P. and Matuszek, J. Production and study of monochromatic polarized beams of slow neutrons, 3=24741
- Beil, H. See Genin, R., 3=12467
- Beil, H. See Gewin, R., 0=20504
- Beil, R.G. Frequency analysis of vowels produced in a helium-rich atmosphere, 2=9137
- Beilin, V.M. and Vekilov, Yu. Kh. Problem of the influence of the internal photoeffect on the microhardness of Ge and Si, 4=4463
- Beilin, V.M., Vekilov, Yu. Kh., Kadyshevich, A. E., Piguzov, Yu. V. and Rattke, R. Influence of the internal photoeffect on the attenuation of elastic waves in Ge, 4=1391
- Beilinson, A.A. Application of the functional integration method to the construction of the fundamental solution of the Fokker-Planck-Kolmogorov equation, 0=2130
- Beine, H., Bohm, G. and Bohm, S. Stabilizing device for a 2 MV cascade generator, 3=24415
- Beinfait, M., Boistelle, R. and Kern, R. Theory of morphodromes: application to the forms of NaCl grown from aqueous solutions containing impurities, 4=13514
- Beiser, A. and Raab, B. Hydromagnetic and plasma scaling laws, 1=3048
- Beiter, E.W. See Taylor, A., 2=2394
- Bejadian, N.G. See Babayan, H.P., 3=6103
- Bejat, M.J. The technique of metallization and alloying of germanium-based mesa transistors, 3=20365
- Bejda, J. See Perzyna, P., 4=30747
- Bek-Uzarov, D.N., Bulović, V.F., Popović, D.R. and Urošević, V.V. Absolute measurement of Au^{198} (intercomparison with Harwell), 1=13723
- Bekarevich, I.L. and Khalatnikov, I.M. Theory of the Kapitza thermal discontinuity of the boundary between liquid He^3 and a solid body, 1=18692
- Bekarevich, I.L. and Khalatnikov, I.M. Phenomenological derivation of the equations of vortex motion in He II, 1=18695
- Bekebrede, W.R. and Guentert, O.J. Lattice parameters in the system antimony telluride-bismuth telluride, 2=19081
- Bekebrede, W.R. See Mozzi, R.L., 2=4428
- Bekefi, C. See Llewellyn-Jones, D. T., 4=18909
- Bekefi, G. and Brown, S.C. Microwave measurements of the radiation temperature of plasmas, 1=2978
- Bekefi, G. and Brown, S.C. Emission of radio-frequency waves from plasmas, 1=10783
- Bekefi, G., Cocchi, J.D., Hooper, E.B., Jr. and Buchsbaum, S.J. Microwave emission and absorption at cyclotron harmonics of a warm plasma, 2=22237
- Bekefi, G., Hirshfield, J.L. and Brown, S.C. Incoherent microwave radiation from plasmas, 0=2370
- Bekefi, G., Hirshfield, J.L. and Brown, S.C. Kirchhoff's radiation law for plasmas with non-Maxwellian distributions, 1=2959
- Bekefi, G., Hirshfield, J.L. and Brown, S.C. Cyclotron emission from plasmas with non-Maxwellian distributions, 1=8323
- Bekefi, G. and Hooper, E.B., Jr. Cyclotron radiation of an Hg plasma generated by an electron beam, 4=18867
- Bekefi, G. See Brown, S.C., 3=9611
- Bekefi, G. See Brown, S.C., 4=8704
- Bekefi, G. See Fields, H., 3=4121
- Bekefi, G. See Fields, H., 3=5657
- Bekefi, G. See Fields, H., 4=11590
- Bekefi, G. See Gruber, S., 3=7470
- Bekefi, G. See Hirshfield, J.L., 2=7597
- Bekefi, G. See Hirshfield, J.L., 3=25979
- Békés, M. and Makra, Z. Personnel film dosimetry, 2=13707
- Bekeshko, N.A. An electronic lag generator for pulsed roentgenography, 4=14555
- Bekeshko, N.A. and Kondorskiy, Ye.I. Nuclear polarization in metallic lithium, 1=6429
- Békéssy, A., Pál, L. and Jánosy, L. Methods for determining the fluctuation of the energy and of the angular distributions of fast ionizing particles, 0=312
- Békésy, G. von. See von Békésy, G.
- Beketov, V.A., Selektor, Ya.M., Zombkovskii, S.M. and Ainutdinov, M.S. Sealing of glass illuminators in liquid hydrogen bubble chambers, 2=22370
- Beketov, V.A. See Abov, Yu.G., 4=16903
- Bekhter, B. G. See Bersuker, I. B., 4=10332
- Bekker, B.I., Pantuev, V.S., Sviridov, V. A. and Khachatryan, M.N. Measurement of the $C^{12}(p, pn)C^{11}$ reaction cross-section at 9 GeV, 4=6337
- Bekker, B. I., Pantuev, V.S., Sviridov, V. A. and Khachatryan, M.N. Diffusion loss of C^{11} nuclei in the activation of plastic plates by high-energy protons, 4=19717
- Bekker, Ya.M. The effect of uniaxial compression on magnetization of some ferrites, 0=21055
- Bekkermann, I.M., Dmitriev, V.A., Molchanov, L.P., Khristiansen, G.B. and Iarygin, P.L. Ionization chambers and apparatus for studying extensive atmospheric cosmic-ray showers, 2=1739
- Bekryaev, V.I. See Kachurin, L.G., 0=10858
- Bektabegov, A. K. See Nazarova, T.N., 4=26928
- Bel, A., Delmas, R. and François, B. Sintering of uranium oxide in hydrogen at 1350°C, 0=8464
- Bel, A., Delmas, R. and François, B. The sintering of uranium oxides, 2=834
- Bel, L. Gravitational field with induction, 0=10562
- Bel, L. Electromagnetic and gravitational induction, 1=15600
- Bel, L. Radiation states and the problem of energy in general relativity, 2=19404
- Bel, L. and Montserrat, A. Plane waves at infinity in Schwarzschild space-time, 4=24045
- Bel, N. On the classification of oscillations of two superposed fluids, 0=18860
- Bel, N. Oscillation instabilities of a composite plasma, 4=3011
- Bel, N. Investigation of the instabilities of a cylindrical plasma, 4=10860
- Bel, N. and Schatzman, E. On the gravitational instability of a medium in nonuniform rotation, 0=10474
- Bel'aev, B.N. and Murin, A.N. Calculation of the interaction of fast protons with heavy nuclei taking into account fission, 3=4638
- Belanger, R. J. See Heindl, J. C., 4=20673
- Belanova, T.S. and Kazachkovskii, O. D. Effect of even nucleon numbers on the radiative capture cross-section, 4=3668
- Belanova, T.S. and Kazachkovskii, O. D. Effect of even nucleon numbers on the radiative capture cross section, 4=22149
- Belanova, T.S. See Stavisskii, Yu. Ya., 4=9219

- Belar, H. See Olson, H.F., 0=5114
 Belar, H. See Olson, H.F., 1=12947
 Belar, H. See Olson, H.F., 1=18527
 Belar, H. See Olson, H.F., 2=7059
 Belar, H. See Olson, H.F., 3=1551
 Belashchenko, D.K. See Bokshtein, B.S., 2=21068
 Belashchenko, D.K. See Bokshtein, B.S., 3=6539
 Belashov, Yu.G. and Belashova, L.V. Study of electrical conductivity and optical transmission of thin layers of some intermetallic compounds of antimony, 2=6460
 Belashova, L.V. See Belashov, Yu.G., 2=6460
 Belatini, P.C.M.de. See de Belatini, P.C.M.
 Belavtseva, E.M. Reciprocity rule in the disordering process in certain crystalline compounds exposed to medium energy electrons, 0=1609
 Belavtseva, E.M. and Fridkin, V.M. On the xerographic method in electron microscopy, 2=12953
 Belavtseva, E.M. and Fridkin, V.M. On the xerographic method in electron microscopy, 2=15116
 Belaya, A.D. See Zemskov, V.S., 3=20793
 Belaya, A.D. See Zemskov, V.S., 3=20902
 Belbeoch, R., Bounin, P. and Proca, G. The modification of the properties of a magnet by fringe effects, in the cases of uniform and non-uniform fields, 1=16494
 Belbeoch, B., Piekarski, C. and Péro, P. Structure of U_3O_8 , 2=10885
 Belbeoch, R. See Brown, K.L., 4=14771
 Belcher, B.J. Measurement of the effects of piston mass and bursting pressure on the motion of a piston in a hypersonic gun tunnel, 0=4976
 Belcher, E.H. Radiosotopes in clinical medicine and research, 2=11212
 Belcher, S.J. See Clarke, F.J.J., 2=13227
 Belding, E.F. 3 d band structure of some transition elements, 0=20771
 Bel'dy, M.P. Correction for the absorption and self-absorption of β -rays, 2=13772
 Belen'kii, I.M. Quasi-stationary flow of gas from a cylindrical vessel of variable volume, 1=15927
 Belen'kii, I.M. New analogy in mechanics, 2=1086
 Belen'kii, I.M. New analogy in mechanics, 2=7150
 Belen'kii, I.M. On an inverse problem of mechanics, 4=8124
 Belen'kii, S.A. See Der-Shvarts, G.V., 3=19345
 Belen'kii, S.N. See Baranov, S.A., 2=3490
 Belen'kii, S.N. See Baranov, S.A., 3=4581
 Belen'kii, S.N. See Baranov, S.A., 3=15160
 Belen'kii, S.Z. and Ivanenko, I.P. Cascade theory of showers, 1=9786
 Belenkova, M.M., Kodlubik, I.I., Malyshev, K.A., Mikheev, M.N., Sadovskii, V.D. and Ustyugov, P.A. Influence of martensitic deformation on the cold brittleness of austenitic steels and their hardening on plastic deformation, 1=10214
 Belenky, S.N. See Baranov, S.A., 3=10319
 Belenov, E.M. and Oraevskii, A.N. A molecular oscillator with two consecutive resonators, 3=12359
 Beletskii, M.S. and Gal'perin, Ye.L. The crystal structure of some of the phases in alloys of magnesium with cerium and neodymium, 2=21529
 Beletskii, V.V. The classification of artificial earth satellite paths about the mass centre, 2=9128
 Beletskii, V.V. The motion of an artificial earth satellite about the centre of mass, 2=11172
 Beletskii, V.V. Some problems in the forward-rotary motion of a solid body in a newton field, 4=15910
 Beletskii, V.V. and Zonov, Yu.V. Rotation and orientation of Sputnik III, 2=9129
 Beletskii, V.V. See Okhotsimskii, D.E., 4=15968
 Belevich, V.F. Retardation of stellar rotation, 3=23691
 Belevskii, V.P. See Bazhanova, H.P., 2=1498
 Belevskii, V.P. See Bazhanova, H.P., 2=7653
 Beleznyay, F., Biczó, G. and Ladik, J. Theoretical estimate of the conductivity of DNA, 4=28520
 Belford, G. See Belford, R.L., 1=7481
 Belford, G.G. and Belford, R.L. Sedimentation in chemically reacting systems. II. Numerical calculations for dimerization, 3=3389
 Belford, G.G. and Belford, R.L. Sedimentation in chemically reacting systems, III. Slow and fast reaction cases for dimerization, 4=10657
 Belford, G.G., Bernheim, R.A. and Gutowsky, H.S. Charge distribution and electric field gradients in ionic crystals, 1=14149
 Belford, G.G., Kuppermann, A. and Phipps, T.E. Application of numerical methods to the theory of the periodic deviations in the Schottky effect, 3=424
 Belford, G.G. See Coogan, C.K., 4=7511
 Belford, G.G. See Gutowsky, H.S., 2=16562
 Belford, G.G. See Kuppermann, A., 2=8932
 Belford, G.G. See Kuppermann, A., 2=8933
 Belford, R.I. and Belford, G. Pi bonding in uranyl ion, 1=7481
 Belford, R.L. Paramagnetism of uranyl ion. Effect of 6d orbitals and Pi bonding, 1=3561
 Belford, R.L. See Basu, G., 3=3011
 Belford, R.L. See Belford, G.G., 3=3389
 Belford, R.L. See Belford, G.G., 4=10657
 Belford, R.L. See Blankenship, F.A., 2=6162
 Belford, R.L. See Blankenship, F.A., 2=20842
 Belford, R.L. See Ferguson, J., 3=3027
 Belford, R.L. See Grubb, E.L., 4=1281
 Belford, R.L. See Grubb, E.L., 4=3880
 Belforti, D., Blum, S. and Bovarnick, B. Highly oriented boron nitride, 1=20534
 Belforti, D.A. and Lepie, M.P. The surface tension of copper by optical measurements, 3=16598
 Beliaikov, V.A. See Barashenkov, V.S., 0=4088
 Beliaev, L.M., Belikova, G.S., Fridkin, V.M. and Zheludev, I.S. The question of the electret state in naphthalene, 0=13660
 Beliaev, S.T. Extension of diagram technique of field theory of Fermi systems with pairing phenomenon (with application to spherical nuclei), 1=5234
 Beliaev, S.T. Concerning the calculation of the nuclear moment of inertia, 1=8564
 Beliaev, S.T. and Budker, G.I. Relativistic plasma in variable fields, 1=13076
 Beliaev, S.T. and Zelevinsky, V.G. Anharmonic effects of quadrupole oscillations of spherical nuclei, 3=6155
 Beliaev, V.B. See Balashov, V.V., 4=22163
 Beliaev, S.T. See Bubker, G.I., 1=7048
 Belic, A., Blenkus, M., Lasic, V. and Lah, F. Residual gas pressure in 200 W C.W. magnetron made with commercial copper (99.90%), 4=21580
 Belikov, A.G., Goncharenko, V.P., Mushchenko, V.M., Safronov, B.G. and Slavný, A.S. Obtaining fast plasma blobs by mean of a coaxial source, 4=21547
 Belikov, A.M. and Gershman, R.B. Characteristic temperature of alpha-iron alloyed with manganese, molybdenum, silicon and carbon, 4=6750
 Belikov, A.M., Lisnyak, S.S. and Morozov, A.N. Chromium spinelides and the crystallochemical transformations which occur when they are calcined, 3=16081
 Belikov, A.M. and Savinskaya, A.A. Mechanism of twinning as a result of the deformation of single crystals of the alloy Mo-35 at.% Re, 3=23380
 Belikov, A.M. and Umanskii, Ya.S. Studies of the anisotropic thermal vibrations of the atoms in several hexagonal carbides and diborides of transition group metals, 0=13488
 Belikov, A.M. See Kochnov, V.E., 4=29036
 Belikov, B.P. See Aleksandrov, K.S., 4=20682
 Belikova, G.S. and Belyaev, L.M. Mixed organic crystals for scintillation counters, 3=24552
 Belikova, G.S., Kusev, V.G. and Fridkin, V.M. Nonlinear photo-depolarization of crystals produced by a space-charge-limited photocurrent, 3=20399
 Belikova, G.S. See Aleksandrov, K.S., 4=1957
 Belikova, G.S. See Beliaev, L.M., 0=13660
 Belikova, G.S. See Fridkin, V.M., 3=17908
 Belikova, T.P. Kinetics of the luminescence of a ZnS:Tm crystal phosphor under spark excitation, 4=28743
 Belikova, T.P. and Galanin, M.D. Kinetics of luminescence of ZnS:Cu with excitation by alpha particles and short light pulses, 3=955
 Belikova, T.P., Galanin, M.D. and Sviridenkov, E.A. Photoconductivity and luminescence kinetics of a ZnS:Cu crystal phosphor under pulse excitation, 3=25422
 Belikov, B.A. and Lyskovich, A.B. Growing of single crystals of NaI(Tl) with double temperature control, 1=4025
 Belikov, B.O., Vyshevskiy, V.N., Lyskovych, O.B. and Pidzrailo, N.S. Investigation of activator distribution in NaI:Tl crystals, 1=11542
 Belin, R.E. See Broadfoot, K.D., 4=2513
 Belinfante, J.G. Nucleon-antinucleon mechanism for pion-pion scattering resonances, 1=10908
 Belinfante, F.J. Consequences of the postulate of a complete commuting set of observables in quantum electrodynamics, 3=4318

- Belinfante, F.J. and Garrison, J.C. On the uniqueness of Fock's harmonic coordinate systems in the presence of static, spherically symmetric sources, 2=2624
- Belinfante, J.G. Impulse approximation, 3=5948
- Belinfante, J.G. Existence of scattering solutions for the Schrödinger equation, 4=27070
- Belinfante, J.G. Semiclassical theory of infrared divergence, 4=27744
- Belinskii, B.A., Nozdrev, U.F. and Khabibullaev, P.K. Investigation of the absorption coefficient and propagation velocity of ultrasonic waves in water-formic acid mixtures, 4=27174
- Belitskaya, S.G. See Roikh, I.L., 4=26748
- Belitskii, B.M. See Brodskii, V.B., 3=24302
- Belitskii, B.M. See Brodskii, V.B., 3=24307
- Belitz, H.J. Spark counter filled with coal gas, 2=17988
- Belitz, H.J. On the mechanism of corona-free spark counters with inhomogeneous fields, 3=2153
- Belitz, H.J. The use of spark and corona spark-counters in nuclear measuring techniques, 3=2155
- Belitz, H.J. Mechanism of the corona spark counter, 3=10000
- Belkin, B.F. See Abov, Yu.G., 2=18371
- Belkin, I.M. See Vinogradov, G.V., 3=21351
- Belkin, V.F., Shvedov, O.V. and Kochurov, B.P. Measurement of the surface blocking effect in multiplying systems with heavy water moderators, 4=3723
- Belkind, A.I. and Kyaémbre, Kh.F. Photo- and thermostimulated electron emission from alkali halide phosphors excited by ultraviolet radiation, 2=22250
- Belknap, M.A. See Keegan, H.J., 4=8419
- Belknap, M.A. See Keegan, H.J., 4=8420
- Bel'kovich, O.I. A determination of the mean-square deviation of the time-rate of meteors, 2=953
- Bell, A.G. and Venning, B.H. High input resistance transistor amplifiers, 3=14482
- Bell, B. On the structure of the sunspot zone, 1=6709
- Bell, B. Major flares and geomagnetic activity, 2=4701
- Bell, B. A long-term north-south asymmetry in the location of solar sources of great geomagnetic storms, 3=18631
- Bell, B. Solar radio bursts of spectral types II and IV: their relations to optical phenomena and to geomagnetic activity, 4=4949
- Bell, B. Geomagnetic activity and major solar flares, 4=13865
- Bell, B. and Wolbach, J.G. On short-period relations between North-South asymmetry in spottedness and in great-storm sources, 3=18633
- Bell, C.G., Fujisaki, H., Heinz, J.M., Stevens, K.B. and House, A.S. Reduction of speech spectra by analysis-by-synthesis techniques, 2=4890
- Bell, C.L. Automatic recording dilatometer, 1=1723
- Bell, C.L. and Barrow, G.M. Evidence for a low-lying second potential minimum in hydrogen-bonded systems, 0=2739
- Bell, D.A. Noise spectra of a probe in a hot-cathode discharge, 0=9001
- Bell, D.A. Semiconductor noise as a queuing phenomenon, 3=20282
- Bell, D.W. and Fairbanks, G. T.T.S. produced by low-level tones and the effects of testing on recovery, 4=4979
- Bell, D.W. and Stern, H.W. Effects of extraneous tasks on auditory fatigue, 4=23970
- Bell, E. See Kelton, G., 4=358
- Bell, E.E. Radiometric quantities, symbols, and units, 0=8832
- Bell, E.E., Burnside, P.B. and Dickey, F.P. Spectral radiance of some flames and their temperature determination, 1=1842
- Bell, E.E., Eisner, L., Young, J. and Oetjen, R.A. Spectral radiance of sky and terrain at wavelengths between 1 and 20 microns. II. Sky measurements, 1=1512
- Bell, E.E. See Eisner, L., 2=4590
- Bell, E.E. See Oetjen, R.A., 1=1511
- Bell, E.G. See Hill, D.W., 1=4140
- Bell, F. and Krisement, O. The recovery and recrystallization of nickel after cold deformation, 2=10765
- Bell, F. and Krisement, O. Recovery of iron after cold working or neutron irradiation between 20° and 450°C, 4=6900
- Bell, F. See Krisement, O., 4=26503
- Bell, F.D. See Bray, H.J., 2=2403
- Bell, G.D. and King, R.B. The absolute f-value of the Pb I line γ 2833, 1=5976
- Bell, G.H. and Groszek, A.J. Measurements of heats of adsorption of organic vapours on adsorbents of high surface area using a continuous flow calorimeter, 1=20679
- Bell, G.I. A simple treatment for effective resonance absorption cross sections in dense lattices, 0=15613
- Bell, G.I. Effect of interference between resonance and potential scattering on resonance absorption, 2=5947
- Bell, G.I. Probability distribution of neutrons and precursors in a multiplying assembly, 3=10404
- Bell, G.I., Anderson, W.A. and Galbraith, D. Probability distribution of neutrons and precursors in multiplying medium. II, 3=25002
- Bell, G.I. See Mills, C.B., 2=12250
- Bell, G.M. and Fairbairn, W.M. Regular models for solid hydrogen. I, 2=3809
- Bell, G.M. and Fairbairn, W.M. The critical temperatures of binary alloys with one magnetic component, 1=20036
- Bell, G.M. and Fairbairn, W.M. Regular models for solid hydrogen. II, 3=6450
- Bell, G.M., Levine, S. and Pethica, B.A. The surface pressure of ionized monolayers, 2=17429
- Bell, G.M. See Levine, S., 4=18186
- Bell, G.R. Sprayed metal coatings for abrasion, corrosion, and oxidation resistance, 0=5942
- Bell, H.B. and Masson, C.R. An improved high temperature cryoscopic technique, 4=18490
- Bell, J. See Tao, S.J., 4=15047
- Bell, J. A. E. and Winegard, W. C. Dendrite spacing in tin-lead alloys, 4=23355
- Bell, J.C., Bridge, H., Cottrell, A.H., Greenough, G.B., Reynolds, W.N. and Simmons, J.H.W. Stored energy in the graphite of power-producing reactors, 2=1947
- Bell, J.C. See Bate, R.T., 1=7650
- Bell, J.C. See Hickman, B.S., 4=4092
- Bell, J.C. See Simon, R., 1=4551
- Bell, J.D. See Cannon, M.R., 0=6729
- Bell, J.D. See Eastwood, E., 1=6632
- Bell, J.F. Propagation of large amplitude waves in annealed aluminum, 0=5076
- Bell, J.F. Study of initial conditions in constant velocity impact, 1=6457
- Bell, J.F. Experimental study of the interrelation between the theory of dislocations in polycrystalline media and finite amplitude wave propagation in solids, 1=14266
- Bell, J.F. Single, temperature-dependent stress-strain law for the dynamic plastic deformation on annealed face-centered cubic metals, 3=11158
- Bell, J.F. and Werner, W.M. Applicability of the Taylor theory of the polycrystalline aggregate to finite amplitude wave propagation in annealed copper, 2=18988
- Bell, J.F.W. Some acoustic effects at phase changes, 4=15414
- Bell, J.S. The many-body problem, 2=1770
- Bell, J.S. Electromagnetic properties of unstable particles, 2=11856
- Bell, J.S. Rest energy, rest mass, and noncovariant electrodynamics, 2=16118
- Bell, J.S. Fluctuation compressibility theorem and its application to the pairing model, 3=7136
- Bell, J.S. On a conjecture of C.N. Yang, 3=16555
- Bell, J.S. and Berman, S.M. Pion and strange particle production by 1 GeV neutrinos, 2=18099
- Bell, J.S. and Løvseth, J. On muon capture in heavy nuclei, 4=19803
- Bell, J.S. and Soper, J.M. Hard core correlations and nuclear moments, 0=5658
- Bell, J.S. and Veltman, M. Intermediate Boson production by neutrinos, 3=19609
- Bell, J.S. and Veltman, M. Polarisation of vector bosons produced by neutrinos, 4=865
- Bell, J.S., Meyer, P. and Prentki, J. The Lee theory of intermediate bosons and the K_3 decays, 4=9272
- Bell, K.L. and Moiseiwitsch, B.L. First-order exchange approximation, 4=6504
- Bell, K.L., Moiseiwitsch, B.L. and Shields, D.B. Rearrangement collisions: elastic scattering of electrons by helium atoms, 4=25565
- Bell, K.L. and Stewart, A.L. The fine structure of the 2P terms of the lithium isoelectronic sequence, 4=19959
- Bell, L.N. The maximum efficiency of transformation of radiant energy into work, 4=16065
- Bell, M., Bramham, P. and Montague, B.W. Pulse-shortening in electron linear accelerators and E_{11} type modes, 3=19379

- Bell, M.B., Hay, D.R. and Johnston, R.W. Observations upon clear-air stratification in the lower troposphere, 4=17877
- Bell, M. C. and Flengas, S. N. The electrical conductivity, and the thermodynamic and structural properties of molten $\text{AgCl}-\text{Ag}_2\text{S}$ mixtures. I. Thermodynamic and structural properties, 4=24235
- Bell, M. C. and Flengas, S. N. The electrical conductivity, and the thermodynamic and structural properties of molten $\text{AgCl}-\text{Ag}_2\text{S}$ mixtures. II. Electrical conductivities, 4=24236
- Bell, N.W. Use of a thermistor as a d.c.-a.c. converter, 0=5264
- Bell, P.R., Kelley, G.G., Lazar, N.H. and Mackin, R.J., Jr. The DCX-2 program of plasma accumulation by high energy injection, 3=12203
- Bell, P.R. See Mackin, R.J., Jr., 3=15270
- Bell, R.E. Higher order events in coincidence counting, 2=19850
- Bell, R.E., Bjørnholm, S. and Severiens, J.C. Half lives of first excited states of even nuclei of Em, Ra, Th, U and Pu, 2=18256
- Bell, R.E. and Jørgensen, M.H. Mean lives of positrons in aluminum and the alkali metals, 0=9342
- Bell, R. E. See Barton, R., 4=6275
- Bell, R.E. See Graham, R.L., 2=15872
- Bell, R.E. See Kavanagh, T.M., 1=17098
- Bell, R. E. See McPherson, R., 4=25343
- Bell, R.E. See Onno, P., 3=4294
- Bell, R.E. See Pederson, E.C.B., 1=5879
- Bell, R.E. See Pederson, E.C.B., 2=5835
- Bell, R.J. Excitation of helium to the $(1s, 2p)^1\text{P}$ and $(1s, 3p)^1\text{P}$ states by proton and alpha particle impact, 2=527
- Bell, R.J., Bonner, T.W. and Gabbard, F. The disintegration of Ne^{20} by fast neutrons, 0=4122
- Bell, R.J. and Skinner, B.G. Excitation of the $1s-2p$ transition in hydrogen and the $3s-3p$ transition in sodium by nuclei, 2=18408
- Bell, R.L. and Thompson, N.B.W. Grain-boundary sliding, 2=14895
- Bell, R. J. See Albasiny, E. L., 4=27018
- Bell, R.L. Electric dipole spin transitions in InSb, 3=3175
- Bell, R.L. A proposal for a d.c. pumped rare-earth laser, 3=24521
- Bell, R. L. and Bonfield, W. The plastic deformation of germanium single crystals: yield and ideal easy glide, 4=10379
- Bell, R. L. and Rogers, K. T. The mechanism of band-gap laser action in InSb diodes, 4=24922
- Bell, R.O. See Rupprecht, G., 1=11342
- Bell, R.O. See Rupprecht, G., 2=8468
- Bell, R. O. See Rupprecht, G., 4=26121
- Bell, R. O. See Weinstein, M., 4=26071
- Bell, R.P. and Robinson, R.R. Dielectric loss in solutions of weak electrolytes, 3=5447
- Bell, T. F. and Buneman, O. Plasma instability in the whistler mode caused by a gyrating electron stream, 4=11618
- Bell, T. F. See Helliwell, R.A., 0=18486
- Bell, V. J., Blott, L. W., Kerr, W. M. M., Parker, K., Pull, I. C., Wade, R. D. and Williams, D.V.J. A user's guide to galaxy 3, 4=30333
- Bell, W.A. See Freeman, J.H., 3=16991
- Bell, W. E. Visible laser transitions in Hg^+ , 4=11827
- Bell, W.E. and Bloom, A.L. Discharge photocells for the detection of resonance radiation, 1=8255
- Bell, W.E. and Bloom, A.L. Optically driven spin precession, 1=8821
- Bell, W.E. and Bloom, A.L. Observation of forbidden resonances in optically driven spin systems, 1=12257
- Bell, W. E. and Bloom, A. L. Zeeman effect at 3.39 microns in a helium-neon laser, 4=14936
- Bell, W.E., Bloom, A.L. and Lynch, J. Alkali metal vapor spectral lamps, 1=10585
- Bell, W.E. See Bloom, A.L., 3=19495
- Bell, W. E. See Bloom, A. L., 4=24905
- Bell, W.W. The analytic properties of the scattering amplitude in nonrelativistic quantum mechanics, 3=24631
- Bella, F. and Cortesi, C. The CO_2 proportional counter of the Carbon-14 Dating Laboratory of the University of Rome, 1=1509
- Bella, F. See Alessio, M., 1=5610
- Bellamy, B., Baker, T.W. and Livey, D.T. The lattice parameter and density of beryllium oxide determined by precise X-ray methods, 2=17019
- Bellamy, C.J. Thermal stresses in hollow cylinders of finite length, 0=14561
- Bellamy, E.H. and Hogg, W.R. The photoproduction of charged pions from calcium, 2=13845
- Bellamy, E.H., Hogg, W.R. and Miller, D. A thin liquid hydrogen of deuterium target, 1=474
- Bellamy, E. H. See Belletini, G., 4=6095
- Bellamy, E.H. See Evans, H.C., 0=6204
- Bellamy, E.H. See McWhirter, R.W.P., 0=2456
- Bellamy, E.H. See Miller, D.B., 3=10147
- Bellamy, E.H. See Prentice, J.D., 0=5584
- Bellamy, L.G. See Downes, J.G., 1=21154
- Bellamy, L.J. and Williams, R.L. Solvent effects on the infra-red spectra of hindered phenols, 0=8667
- Bellamy, W. D., Gaines, G. L., Jr and Tweet, A. G. Preparation and properties of monomolecular films of chlorophyll a and pheophytin a, 4=3942
- Bellamy, W. D. See Gaines, G. L., Jr., 4=25792
- Bellamy, W. D. See Tweet, A. G., 4=20078
- Bellamy, W. D. See Tweet, A. G., 4=28295
- Bellamy, W. D. See Tweet, A. G., 4=30456
- Bellanca, T.J., Elliott, R.S. and Erlinger, J. J. Triple resonance phenomenon in plasmas, 2=1469
- Belland, A. See Zingery, W.L., 2=7713
- Bellanger, L., Kilcher, P. and Poffe, N. Study of $\text{Hg}^{194} \rightarrow \text{Au}^{194}$ disintegration, 4=28002
- Bellas, F.E. Comparison of a familiar formula for speed of sound in sea water with the Kuwahara-Mackenzie formula, 1=4410
- Bellas, M. G., Rousseau, Y., Strausz, O. P. and Gunning, H. E. Cross-section measurements for the quenching of the 2537-A resonance radiation of mercury, 4=25539
- Bellasio, R. The magnetic tesimeter and its realization, 0=3826
- Bellau, R.V. and Coles, B.R. Magnetic brillouin zone effects in the electrical resistivity of manganese and some manganese alloys, 3=20554
- Bellchambers, W.H. and Piggott, W.R. The ionosphere over Halley Bay, 1=1533
- Belle, J. See Auskern, A.B., 2=3944
- Belle, J. See Auskern, A.B., 2=3949
- Belle, M. L. Optical reflection of PbS and PbSe single crystals in the 6-1.5 eV region, 4=10177
- Belle, T.S., Gorbunkov, V.M. and Rozenberg, L.D. Calculating amplification factor in inclined incidence of a sonic wave on a parabolic reflector, 3=14267
- Bellemans, S.A. Statistical mechanics of surface phenomena. I. A cluster expansion for the surface tension, 2=12940
- Bellemans, A. Statistical mechanics of surface phenomena. II. A cluster expansion of the local properties of the surface layer, 2=17064
- Bellemans, A. Statistical mechanics of surface phenomena. III. Relation between surface tension and curvature, 3=14052
- Bellemans, A. Diagram of state and thermodynamic properties of pure isotopes and isotopic solutions, 3=21321
- Bellemans, A. The surface tension of ionic solutions. I. derivation of the limiting law at infinite dilution from the Poisson-Boltzman equation, 4=16097
- Bellemans, A. Free energy of a plasma at infinite dilution, 4=18796
- Bellemans, A. and Babloyantz, A. On the free energy of liquid mixtures of ortho- and parahydrogen, 0=8655
- Bellemans, A. and De Leener, M. Ground-state energy of an electron gas in a lattice of positive point charges, 1=12371
- Bellemans, A. and Friedmann, H. Comment on "Quantum effects in liquid hydrogen", 4=18175
- Bellemans, A. and Kestemont, E. On the approach to equilibrium of an assembly of dipoles on a vibrating lattice, 3=2715
- Bellemans, A. See Babloyantz, A., 1=10505
- Bellemans, A. See De Leener, M., 3=25260
- Bellemans, A. See Simon, M., 1=10505
- Bellemore, A. J., Jr. See Catlin, A., 4=10486
- Belloni-Morante, A. On some properties of the reactor kinetics integral equation: the perturbed-kernel method, 4=9601
- Belloni-Morante, A. Solution of the nuclear reactor kinetics equations by a method of successive approximations, 4=9606
- Belloni-Morante, A. On the best mean decay constant for reactor kinetics equations with one group of delayed neutrons, 4=25462
- Beller, L.S. Beta-gamma delayed coincidence method for resonance escape measurements, 2=7935
- Beller, L.S. Nanosecond scintillation coincidence spectrometer system with high reliability, 3=24201
- Belles, F. E. and Lauver, M. R. Origin of OH chemiluminescence during the induction period of the H_2-O_2 reaction behind shock waves, 4=13705
- Belles, F.E. See Brabbs, T.A., 0=16377

- Belles, F.E. See Brabbs, T.A., 3=15389
- Bellet, J. See Bauer, A., 4=9748
- Bellet, J. See Bauer, A., 4=28227
- Bellet, J. See Wertheimer, R., 3=19465
- Bellet, J.C. and Manson, N. Expansion of a compressed gas from a container, 1=15950
- Belletti, S., Manduchi, C., Nardelli, G. and Russo-Manduchi, M.T. Internal Bremsstrahlung from ^{89}Sr , 2=18284
- Belletini, G. Momentum estimate from magnetic curvature in distorted emulsions, 0=2467
- Belletini, G., Bemporad, C., Braccini, P. L., Foà, L. and Bellamy, E. H. The photoproduction of neutral pions from hydrogen in the forward direction for photon energies between 550 MeV and 1050 MeV, 4=6095
- Belletini, G., Bemporad, C., Braccini, P. L., Foà, L. and Toller, M. On the possibility of measuring the η lifetime by detecting the "Primakoff effect", 3=6076
- Belletini, G., Bemporad, C., Cerri, C. and Foà, L. Determination of the optimum working conditions of photomultipliers, 3=9839
- Belletini, G., Manfredini, A. and Sanna, R. A new developing device, 0=12748
- Belletini, G. See Amaldi, E., 0=5561
- Belletini, G. See Baroni, G., 0=12924
- Bellew, W. See Lagos, P., 4=4786
- Bellicard, J. and Barreau, P. Study of vibration levels of iron isotopes by inelastic scattering of 150 MeV electrons, 2=372
- Bellicard, J. and Barreau, P. Study of the vibration levels of iron isotopes by inelastic scattering of 150 MeV electrons, 2=20515
- Bellicard, J. See Blum, D., 3=22300
- Bellicard, J. See Blum, D., 4=17052
- Bellicard, J.B. and Barreau, P. Measurements of elastic scattering of 28 MeV electrons on heavy nuclei, 0=17613
- Bellicard, J.B. and Barreau, P. Measurements of elastic scattering of 28 MeV electrons by heavy nuclei, 1=13778
- Bellier, M., Dupré, F.-M., Wlérick, G., Rösch, J. and Arsac, J. Photometry of Jupiter and Saturn from plates obtained with the electronic camera, 3=18612
- Bellière, J., Bloch, M., Drijard, D., Hennessy, J., Lowys, J. P., Mittner, P., Orkin-Lecourtois, A., Zahaczewski, M., Bingham, H. H., Di Corato, M., Gelsema, E. S., Nikolic, M., Minguzzi-Ranzi, A., Borreani, G., Ferrero, M. I., Garelli, C. M., Vigone, M., Grigoletto, A., Limentani, S., Loria, A., Waldner, F., Baglin, C., Rançon, P., Rousset, A., De Raad, B., Salmeron, R. and Voss, R. Correlations in strange-particle pairs produced by π^- of 6, 11 and 18 GeV/c, 3=24775
- Bellière, J. See Di Corato, M., 2=22627
- Bellière, P., Brisson, V., Pétiau, P., Rousset, A., Myatt, G., Skjeggstad, O., Bingham, H. H., Burmeister, H., Cundy, D. C., Paty, M., Bullock, F. W., Luetchford, B. S., Fisher, C. M., Scarr, J. M., Halsteinslid, A., Möllerud, R. and Olsen, J. M. Preliminary results on $\Xi^- + K_S^0 + n\pi$ final states produced by 3.5 GeV K^- , 4=3493
- Bellin, J. L. S. and Beyer, R. T. Scattering of sound by sound, 0=5098
- Bellin, J. L. S. and Beyer, R. T. Experimental investigation of an end-fire array, 2=17566
- Bellini, G., Dicorato, M., Fiorini, E., Herz, A. J., Negri, P. and Ratti, S. High-energy pion-proton collisions with low momentum transfer, 4=6114
- Bellini, G., Fiorini, E., Herz, A. J., Negri, P. and Ratti, S. Pion diffraction dissociation on carbon nuclei at 6.1 and 18.1 GeV/c, 4=1097
- Bellini, G., Fiorini, E., Herze, A. J., Negri, P., Ratti, S., Baglin, C., Bingham, H., Bloch, M., Drijard, D., Lagarrigue, A., Mittner, P., Orkin-Lecourtois, A., Rançon, P., Rousset, A., de Raad, B., Salmeron, R. and Voss, R. "Glancing" collisions of pions with protons at 6.1 and 18.1 GeV/c, 3=7899
- Bellini, G., Fiorini, E., Herz, A. J., Negri, P., Ratti, S., Cresti, M., Limentani, S., Santangelo, R., Fretter, W. B., Hoang, T. F., Boreani, G., Ferrero, M. I., Garelli, C. M., Baglin, C., Bingham, H., Bloch, M., Drijard, D., Lagarrigue, A., Mittner, P., Orkin-Lecourtois, A., Rançon, P., Rousset, A., De Raad, B., Salmeron, R. and Voss, R. The momentum spectrum of slow protons emitted in hydrogen-like interactions of negative pions of 6 and 18 GeV/c, 2=22573
- Bellini, G., Fiorini, E., Negri, P., Hennessy, J., Veillet, J. J., Crussard, J., Glnestet, J. and Tran, A. H. Experimental results on $\pi^+\pi^-$ production by 18.1 GeV/c π^- , 4=21894
- Bellini, G., Fiorini, E. and Orkin-Lecourtois, A. Charge-exchange and total cross-sections in π -p interactions at high energies, 3=15011
- Bellini, G. See Abate, E., 2=5920
- Bellini, G. See Fretter, W. B., 3=2301
- Bellini, G. See Veillet, J. J., 3=10163
- Bellini, G. See Veillet, J. J., 3=17313
- Bellisio, J. A., Freed, C. and Haus, H. A. Noise measurements on He-Ne laser oscillators, 4=1822
- Bellman, R., Birnbaum, G. and Wagner, W. G. Transmission of monochromatic radiation in a two-level material, 3=9990
- Bellman, R. and Kalaba, R. On the fundamental equations of invariant imbedding. I, 1=9350
- Bellman, R. and Kalaba, R. Wave branching processes and invariant imbedding. I, 2=9
- Bellman, R., Kalaba, R. and Prestrud, M. On a new computational solution of time-dependent transport processes. I. One-dimensional case, 1=15746
- Bellman, R., Kalaba, R. and Wing, G. M. Invariant imbedding and neutron transport in a rod of changing length, 0=5568
- Bellman, R., Kalaba, R. and Wing, G. M. Invariant imbedding and mathematical physics. I. Particle processes, 0=16616
- Bellman, R., Kalaba, R. and Wing, G. M. Dissipation functions and invariant imbedding. I, 0=19004
- Bellman, R., Kalaba, R. and Wing, G. M. Invariant imbedding, conservation relations and non-linear equations with two-point boundary values, 0=19005
- Bellman, R., Kalaba, R. and Wing, G. M. Invariant imbedding and the reduction of two-point boundary value problems to initial value problems, 1=4285
- Bellman, R. See Arcesty, J., 4=228
- Bellomo, A. and Bruno, E. Explanation of certain types of curves obtainable in high frequency titrations, 0=10377
- Bellomo, E. The use of projection operators to obtain the matrix elements for particles of spin $\frac{1}{2}$, 1=19156
- Bellomonte, L., Palma-Vittorelli, M. B. and Palma, M. U. Trapping and release of photoproduced holes in Cu^+ -doped and AgCl crystals, 2=20968
- Bellomonte, L., Palma-Vittorelli, M. B. and Palma, M. U. Trapping of photoproduced holes in Cu^+ -doped AgCl crystals, 4=25888
- Bellomonte, L., Palma-Vittorelli, M. B., Palma, M. U. and Persico, F. Further experiments concerning an unusual low-temperature behaviour of some magnetic ammoniate crystals, 1=10179
- Bellon, P. L., Albano, V., Pompa, F. and Scatturin, V. Crystallographic programmes for the IBM 1620 electronic computer. III. Search for the reduced quadratic form in powder pattern spectrograms, 3=23433
- Bellon, P. L. and Scatturin, V. Interpretation of powder patterns according to the reduced cell theory. I. Reduced quadratic forms and powder patterns, 4=4580
- Bellon, P. L. See Albano, V., 4=2051
- Bellon, P. L. See Albano, V., 4=2052
- Bellon, P. L. See Albano, V., 4=23372
- Bellon, P. L. See Pompa, F., 4=23373
- Bellon, P. L. See Scatturin, V., 1=20537
- Belloni, J. See Pavlov, D., 3=13608
- Belloni, M. G. See Ascoli, A., 4=22645
- Belloni, M. G. See Bally, D., 2=20352
- Belluigi, A. The scale of potential produced in a homogeneous medium by a rectangular impulse. (First approximation), 0=237
- Belmont, A. D. and Dartt, D. G. Double quasi-biennial cycles in observed winds in the tropical stratosphere, 4=29274
- Belmont, J. L. and Felici, N. 150 mA "Duoplasmatron" ion source for microsecond pulses, 4=3052
- Belna, R., Debraine, P., Ricateau, P. and Klein, R. The proton synchrotron "Saturne". Magnet power supply, 0=2412
- Belna, R. See Guidini, J., 1=7030
- Beloglasov, V. I. See Grishaev, I. A., 0=9202
- Beloglazov, S. M. Distribution in steel of the hydrogen absorbed as a result of cathodic treatment in an acid, and its influence on microhardness, 4=23216
- Belogurov, B. V. and Shestopalov, L. M. Change of specific heat of metals during plastic deformation, 1=7535
- Belogurov, V. See Bakhmat, A., 2=20565
- Belogurov, V. See Bakhmat, A., 3=10265
- Belogurov, V. N. See Lepeshinskaya, V. N., 0=9062
- Belogurov, Yu. P., Shishova, L. N., Kibal'chich, G. A. and Tatus', V. I. Measurement of the light yield of large scintillators, 3=24001
- Belokon', V. A. The disappearance of the isothermal discontinuity at great densities of radiation, 0=906
- Belokon', V. A. The permanent structure of shock waves with Joule dissipation, 1=360
- Belon, A. E. and Clark, K. C. Spectroscopic observations of the great aurora of 10 February 1958. II. Unusual atomic features, 0=14282
- Belon, A. E. See Clark, K. C., 0=14281
- Belon, A. E. See Rees, M. S., 2=4675
- Belon, A. G. See Flock, W. L., 3=13832

- Belonogov, A.V., Belushkina, A.A., Vinaver, R., Vinogradov, V.N., Glagolev, V.V., Dyachkov, E.I., Zel'dovich, A.G., Zel'dovich, N.K. Kozubsky, E.V., Lebedev, R.M., Maly, M., Melnikova, N.N., Moiseev, A.M., Saitov, I.S., Turbin, Yu.A., Ustenko, E.P., Chuvilo, I.V., Shishov, Yu.A. A liquid hydrogen bubble chamber of volume $950 \times 350 \times 300 \text{ mm}^3$, 3=17127
- Belonogov, A.V. and Gorbunkov, V.M. Measurement of the refractive index of liquid hydrogen, 3=21363
- Belonogov, A.V., Zel'dovich, A.G., Kolganov, V.Z., Landsberg, L.G., Lebedev, A.V., Nikitin, S.Ya., Smolyankin, V.T. and Sokolov, A.P. A photographic system for large hydrogen bubble chambers, 1=3097
- Belonosov, S.M. A plane problem in the theory of elasticity for a wedge, with given boundary stresses or strains, 0=12386
- Belonosov, S.M. A plane problem in the theory of elasticity for an infinite strip, with given boundary stresses or strains, 0=19010
- Belorgeot, C. See Vincent-Geisse, J., 4=7091
- Belorizky, D. A remarkable eruption near the sun's limb on 1 June, 1960, 1=6713
- Belorizky, E. and Ayant, Y. A study of the hyperfine structure of the Pr^{3+} ion in praseodymium gallate, 4=28881
- Belorizky, E. See Ayant, Y., 1=19979
- Bélorizky, E. See Ayant, Y., 2=16622
- Belorizky, E. See Ayant, Y., 3=15669
- Belorizky, E. See Ayant, Y., 3=15760
- Belorizky, E. See Ayant, Y., 4=30481
- Belorossova, T.S., Merman, N.V. and Sosnina, M.A. A new mirror-lens objective, 2=19862
- Belosuov, A.S., Rusakov, S.V., Tamm, E.I. and Tatarinskaya, L.S. Photoproduction of neutral pions on hydrogen and deuterium at low angles, 3=24766
- Belote, T.A., Kashy, E. and Risser, J.R. Excited states in P^{28} from the scattering of protons by Si^{28} , 1=7327
- Belote, T.A. See Pitts, A.E., 4=3692
- Belotserkovskii, O.M. Symmetrical flow round blunt bodies of supersonic stream of a perfect or real gas, 4=18331
- Belotskii, D.P. Semiconducting compounds with sphalerite and sodium chloride structures, 3=22922
- Belous, M.V., Grankina, L.P., Permyakov, V.G. and Severyanina, E.N. Electrical properties of thin nichrome films, 4=10030
- Belous, M.V. See Apaev, B.A., 4=17749
- Belous, V.M. The redistribution of electrons among the localized levels of silver halide phosphors and the stimulating action of the exciting light, 2=10620
- Belous, V.M. Effect of thermal treatment on the formation of the trapping level spectrum in silver chloride, 3=8397
- Belous, V.M. The nature of the electron trapping levels in silver chloride crystals, 3=20521
- Belous, V.M. and D'yachenko, N.G. The effect of infrared light on the luminescence of silver chloride, 2=713
- Belous, V.M. and D'yachenko, N.G. Influence of infrared light on the luminescence of silver chloride, 2=14731
- Belous, V.M. and Golub, S.I. The effect of infrared light on the luminescence of pure and mixed silver-halide phosphors, 2=16850
- Belous, V.M. and Golub, S.I. Certain peculiarities of the luminescence of AgCl:Mn phosphors, 3=20522
- Belous, V.M. See Bugrienko, V.I., 2=21224
- Belous, V.M. See Bugrienko, V.I., 3=2964
- Belous, Yu.V. See Belov, K.P., 1=3719
- Belousov, A.S., Rusakov, S.V. and Tamm, E.I. Low-energy photo-deuterons from lithium, 3=2436
- Belousov, A.S., Rusakov, S.V., Tamm, E.I. and Cherenkov, P.A. Search for particles with masses between 6 and 25 electron masses, 0=7311
- Belousov, A.S., Rusakov, S.V., Tamm, E.I. and Tatarinskaya, L.S. Photoproduction of π^0 -mesons on deuterium at energies from 170 to 210 MeV, 2=3382
- Belousov, A.S., Rusakov, S.V., Tamm, E.I. and Tatarinskaya, L.S. Photoproduction of π^0 -mesons on deuterium at energies from 170 to 210 MeV, 3=4427
- Belousov, A.S., Rusakov, S.V., Tamm, E.I. and Tararinskaya, L.S. Efficiency of Cherenkov counters with lead-glass radiators in recording high-energy gamma-rays, 3=24555
- Belousov, M.M. See Sobolev, N.N., 0=8852
- Belousov, N.N. See Varich, N.I., 1=10266
- Belousov, O.K. See Fedotov, S.G., 4=1964
- Belousov, O.K. See Fedotov, S.G., 4=26531
- Belousova, I.M. Mechanism of formation of the equilibrium concentration of the electrode substance in the plasma of an arc discharge, 3=1952
- Belousova, I.M., Danilov, O.B. and El'kina, I.A. The optimum conditions for the operation of a neon-helium mixture optical maser, 4=3208
- Belousova, I.M. and Gurevich, D.B. The distribution of atoms among the excited levels in a low pressure arc, 2=1411
- Belousova, I.M. and Gurevich, D.B. Calculation of the temperature of a mercury arc and its experimental verification, 2=17811
- Belousova, I.M. See Prokof'ev, V.K., 0=3749
- Belov, I.P., Kalugin, K.S., Keirim-Markus, L.B., Nikiforov, V.I. and Poroshina, M.S. Equipment ILK-3 for luminescence personnel health monitoring, 2=3218
- Belov, K.P. The nature of low temperature magnetic transformations in ferrites possessing compensation points, 1=20122
- Belov, K.P. Causes of anomalous broadening of ferromagnetic resonance absorption line in ferrites near the Curie point, 1=20182
- Belov, K.P. The nature of low temperature magnetic transformations in ferrites possessing compensation points, 2=23680
- Belov, K.P. Influence of the magnetic sublattice structure of ferrites on their physical properties, 3=6719
- Belov, K.P. and Belov, V.F. On the question of the anomalous increase in the line width of ferromagnetic resonance absorption in ferrites near the Curie point, 1=14773
- Belov, K.P. and Belov, V.F. On the question of the anomalous increase in the line width of ferromagnetic resonance absorption in ferrites near the Curie point, 1=20180
- Belov, K.P., Belov, V.F., Malevskaya, L.A., Ped'ko, A.V. and Sokolov, V.I. Anomalies in the temperature dependence of the ferromagnetic resonance absorption line width in ferrites, 3=3150
- Belov, K.P., Belov, V.F. and Popova, A.A. Single crystals of magnesium-manganese ferrites with a narrow ferromagnetic resonance absorption curve, 1=1253
- Belov, K.P., Belov, V.F. and Timofeeva, V.A. Ferromagnetic resonance [parameters] in monocrystals of yttrium ferrite at temperatures up to the Curie point, 1=14776
- Belov, K.P., Goryaga, A.N., Lin Chzhan-Da [Lin Chang-Ta]. The electrical and galvanomagnetic properties of lithium ferrite-chromite near the compensation point, 0=13830
- Belov, K.P., Goryaga, A.N. and Lin' Chzhan-da [Lin Chang-ta]. Galvanomagnetic properties of lithium chromite ferrite, 2=623
- Belov, K.P., Iveronova, V.I., Zaitseva, M.A., Kadomtseva, A.M., Katsnel'son, A.A. and Yatskul'yak, K. Magnetic and structural properties of lanthanum orthoferrite in which some of the Fe^{3+} ions are replaced with other trivalent ions, 4=30720
- Belov, K.P., Kadomtseva, A.M. and Levitin, R.Z. Investigation of the magnetic susceptibility of orthoferrites of the rare earth elements in strong magnetic fields, 4=28847
- Belov, K.P., Katayev, G.I. and Levitin, R.Z. Internal friction anomalies in ferromagnets and antiferromagnets near the Curie point, 0=10256
- Belov, K.P., Kataev, G.I. and Levitin, R.Z. Anomalies of interval friction and the elasticity modulus in ferromagnetics near the Curie point, 0=11971
- Belov, K.P. and Levitin, R.Z. Magnetostriction of antiferromagnetic nickel monoxide, 0=11918
- Belov, K.P., Levitin, R.Z., Malevskaya, L.A. and Sokolov, V.I. Anomalies of the Young's modulus of rare-earth ferromagnetics, 4=23200
- Belov, K.P., Levitin, R.Z. and Nikitin, S.A. Magnetoelastic properties of terbium and holmium, 3=11091
- Belov, K.P., Levitin, R.Z., Nikitin, S.A. and Ped'ko, A.V. Magnetic and magnetoelastic properties of dysprosium and gadolinium, 2=744
- Belov, K.P., Levitin, R.Z., Nikitin, S.A. and Ped'ko, A.V. Magnetic and magnetoelastic properties of dysprosium and gadolinium, 3=5017
- Belov, K.P. and Malevskaya, L.A. Magnetic and resonance properties of yttrium-iron garnets with the Y^{3+} ions replaced by Tb^{3+} , Nd^{3+} and Lu^{3+} ions, 3=8721
- Belov, K.P., Malevskaya, L.A. and Sokolov, V.I. Resonance and magnetic properties of yttrium iron garnet at low temperatures, 1=20181
- Belov, K.P. and Nikitin, S.A. Study of the low-temperature transformation in a manganese ferrite crystal, 1=14381
- Belov, K.P. and Nikitin, S.A. Effect of helical magnetic structure on the magnetostriction of dysprosium, 2=10666

- Belov, K.P. and Nikitin, S.A. Galvanomagnetic properties of terbium dysprosium and holmium, 2=21106
- Belov, K.P. and Nikitin, S.A. Effect of helical magnetic structure on the magnetostriction of dysprosium, 3=6716
- Belov, K.P., Nikitin, S.A. and Ped'ko, A.V. Shift of the ferromagnetism-antiferromagnetism transition point in dysprosium under the effect of uniform pressure, 4=4355
- Belov, K.P., Pakhomov, A.S. and Talalaeva, E.V. Measurement of magnetoresistance in ferrites near the Curie point, 1=12414
- Belov, K.P. and Pedko, A.V. On the magnetostriction of gadolinium iron garnets, 0=10164
- Belov, K.P. and Ped'ko, A.V. Anomalies in the temperature dependence of the coercive force in rare earth element garnet ferrites in the neighbourhood of the compensation point, 1=20145
- Belov, K.P. and Ped'ko, A.V. On the "helical" antiferromagnetism of gadolinium, 2=6680
- Belov, K.P. and Ped'ko, A.V. On the "helical" antiferromagnetism of gadolinium, 3=6732
- Belov, K.P., Popova, A.A. and Talalaeva, E.V. Electrical and magnetoresistance properties of single crystals of manganese ferrite, 0=11665
- Belov, K.P. and Sirota, Z.D. Effect of atomic ordering on exchange interaction in the Fe_3Pt alloy, 0=10105
- Belov, K.P. and Svirina, E.P. The Hall effect in monocrystalline manganese ferrites, 2=3994
- Belov, K.P. and Svirina, E.P. The Hall effect in ferrites near the Curie temperature, 0=7935
- Belov, K.P. and Svirina, E.P. The Hall effect in monocrystalline manganese ferrites, 1=17627
- Belov, K.P., Svirina, E.P. and Belous, Yu. V. Hall effect in alloys in the region of the ferromagnetic transition, 1=3719
- Belov, K.P., Svirina, E.P. and Malikova, O.A. The problem of electrical conductivity of manganese ferrite monocrystals, 3=20334
- Belov, K.P., Zaitseva, M.A. and Kadomtseva, A.M. Features of magnetic hysteresis phenomena in the systems $\text{Pr}_2\text{O}_3\cdot\text{Fe}_2\text{O}_3$ and $\text{La}_2\text{O}_3\cdot\text{Fe}_2\text{O}_3$, 0=13834
- Belov, K.P., Zaitseva, M.A. and Kadomtseva, A.M. On the magnetic properties of the orthoferrites of lanthanum and praseodymium after partial replacement of Fe^{3+} ions Al^{3+} ions, 1=1239
- Belov, K.P., Zaitseva, M.A., Kadomtseva, A.M., Kvitka, S.S. and Ovchinnikova, T.L. Magnetic properties and structures of some garnet systems, 3=15867
- Belov, K.P., Zaitseva, M.A., Kadomtseva, A.M. and Timofeeva, V.A. Magnetic anisotropy and hysteresis properties of rare earth orthoferrites, 3=8683
- Belov, K.P., Zaitseva, M.A. and Malevskaya, L.A. Magnetic and resonance properties of yttrium ferrite-garnets with replacement of Fe^{3+} ions by Cr^{3+} and Al^{3+} , 0=13835
- Belov, K.P., Zaitseva, M.A. and Ped'ko, A.V. Magnetic properties of gadolinium oxides, 0=11884
- Belov, K.P. and Zalesskii, A.V. Thermal expansion and magnetostriction of pyrrhotite, 0=13818
- Belov, K.P. and Zalesskii, A.V. Change in conductivity incident to magnetization and magnetic anisotropy in ferrite single crystals of the $\text{Mn}_x\text{Fe}_{4-x}\text{O}_4$ system, 3=13270
- Belov, L.M. See Malkin, L.Z., 4=6388
- Belov, L.M. See Malkin, L.Z., 4=19837
- Belov, N.V. The nomenclature of the 80 plane groups in three dimensions, 0=13926
- Belov, N.V. The hexagonal space groups, 0=13985
- Belov, N.V. The covariant and contravariant relations between derivative and parent structures, 0=13991
- Belov, N.V. The crystal structure of baddeleyite (monoclinic ZrO_2), 1=10261
- Belov, N.V. The basic theorem of the close-packed spherical structure, 1=15026
- Belov, N.V., Belova, E.N. and Tarkhova, T.N. More about the colour symmetry groups, 0=13988
- Belov, N.V., Borisov, S.V. and Golovachev, V.P. On the arbitrarily chosen signs in direct methods for solving crystal structures, 1=1394
- Belov, N.V. and Klevtsova, R.F. The simplest method of deriving the Federov (space) groups, 0=16249
- Belov, N.V. and Klevtsova, R.F. A very simple way of deducing the space groups, 0=18287
- Belov, N.V., Kuntsevich, T.S. and Neronova, N.N. Shubnikov (antisymmetry) groups for infinite double sided ribbons, 4=4515
- Belov, N.V. and Neronova, N.N. Ferromagnetic groups, 3=1099
- Belov, N.V., Neronova, N.N., Donnay, J.D.H. and Donnay, G. Tables of magnetic space groups. II. Special positions, 3=1100
- Belov, N.V. and Tarkhova, T.N. Cayley squares for the cubic groups, 1=6507
- Belov, N.V., Vainshtein, B.K., Kitaigorodskii, A.I., Porai-Koshits, M.A., Semiletov, S.A. and Sheftal', N.N. International Fedorov session on crystallography at Leningrad, 0=18286
- Belov, N.V. See Ashirov, A., 2=12917
- Belov, N.V. See Ashirov, A., 2=19082
- Belov, N.V. See Ashirov, A., 3=8861
- Belov, N.V. See Bakakin, V.V., 1=15106
- Belov, N.V. See Borisov, S.V., 0=12030
- Belov, N.V. See Donnel, G., 0=16251
- Belov, N.V. See Guan' Ya-Syan', 4=7607
- Belov, N.V. See Ilyukhin, V.V., 1=4057
- Belov, N.V. See Ilyukhin, V.V., 3=13484
- Belov, N.V. See Indenbom, V.L., 1=14943
- Belov, N.V. See Kleber, W., 4=13513
- Belov, N.V. See Kuz'minov, Yu.S., 3=22391
- Belov, N.V. See Kuz'minov, Yu.S., 3=23183
- Belov, N.V. See Kuz'minov, Yu.S., 3=23186
- Belov, N.V. See Neronova, N.N., 0=1695
- Belov, N.V. See Neronova, N.N., 1=20519
- Belov, N.V. See Neronova, N.N., 2=4401
- Belov, N.V. See Neronova, N.N., 4=13512
- Belov, N.V. See Pavlov, P.V., 0=14030
- Belov, N.V. See Pobedimskaya, E.A., 4=26674
- Belov, N.V. See Rumanova, I.M., 1=11570
- Belov, N.V. See Shuvalov, L.A., 3=18069
- Belov, N.V. See Simonov, V.I., 0=14033
- Belov, N.V. See Smirnova, N.L., 3=20774
- Belov, N.V. See Smirnova, N.L., 3=23423
- Belov, N.V. See Smirnova, N.L., 4=10546
- Belov, N.V. See Solov'eva, L.P., 4=13614
- Belov, N.V. See Volodina, G.F., 3=18326
- Belov, N.V. See Yamzin, I.I., 1=15091
- Belov, N.V. See Yamzin, I.I., 3=1114
- Belov, P.N. Numerical forecast of pressure at various levels taking into account variations of the coriolis parameter and the weather map scale, 3=3452
- Belov, S.P., Dulin, V.A., Kazanskii, Iu.A., Kukhtevich, V.I. and Tsipin, S.G. The spatial and energy distribution of neutrons in boron carbide, 2=1692
- Belov, S.P. See Bakov, A.T., 2=20638
- Belov, S.P. See Bakov, A.T., 3=22409
- Belov, S.P. See Kazanskii, Yu.A., 1=5703
- Belov, S.V. and Býchkov, A.P. Determination of the mean energy of β -radiation from low activity samples, 4=30317
- Belov, S.V., Erokhin, V.M., Anokhina, L.M. and Solov'ev, Yu.V. Consideration of self-absorption and self-scattering in measuring the absolute activity of thick-layer specimens, 2=20533
- Belov, V.F. Influence of excess manganese ions in the anisotropy of ferromagnetic resonance in single crystals of manganese ferrites, 1=14774
- Belov, V.F. See Belov, K.P., 1=1253
- Belov, V.F. See Belov, K.P., 1=14773
- Belov, V.F. See Belov, K.P., 1=14776
- Belov, V.F. See Belov, K.P., 1=20180
- Belov, V.F. See Belov, K.P., 3=3150
- Belov, V.P., Mingalev, B.S. and Shekhter, V.M. A possibility of determination of form-factors in leptonic decay of hyperons, 0=9439
- Belova, A.P., Gorskaya, L.G. and Zakegeim, L.N. Electrical properties of thin oxide films on aluminium, tantalum, and zirconium, 2=2126
- Belova, E.K. See Palatnik, L.S., 1=12443
- Belova, E.K. See Palatnik, L.S., 3=13513
- Belova, E.K. See Palatnik, L.S., 4=2066
- Belova, E.N. See Belov, N.V., 0=13988
- Belova, L.P. See Lysov, B.A., 1=17277
- Belova, N.A., Kovalev, A.N. and Penin, N.A. The effect of carrier generation in the barrier layer on the reverse current-voltage characteristics of germanium diodes, 1=1091
- Belova, N.T. See Kosterin, S.I., 3=14197
- Belovintsev, K.A., Belyak, A. Ya., Gridasov, V.I. and Cherenkov, P.A. New possibilities of increasing the efficiency of microtrons, 4=3074
- Belovintsev, K.A., Belyak, A. Ya., Gridasov, V.I. and Cherenkov, P.A. New possibilities of increasing the efficiency of microtrons, 4=11734

- Belovintsev, K. A., Belyak, A. Ya., Gromov, A. M., Moroz, E. M. and Cherenkov, P. A. 6.5 MeV microtron for injection of electrons into the synchrotron, 4=3073
- Belovintsev, K. A., Belyak, A. Ya., Gromov, A. M., Moroz, E. M. and Cherenkov, P. A. A 6.5 MeV microtron for injecting electrons into a synchrotron, 4= 11733
- Belovintsev, K. A. and Denisov, F. P. On the possibility of generation and acceleration of positrons in a microtron, 4=21606
- Belovintsev, K. A., Karpukhin, O. A., Kutsenko, A. V., Shapkin, A. A., and Yablokov, B. N. A measuring device for the intensity distribution in a synchrotron extended gamma pulse, 0=7181
- Belovintsev, K. A. and Yablokov, B. N. Measurements of the radial phase amplitude distributions of particles, 0=7180
- Belovintsev, K. A. See Ado, Yu. M., 2=13767
- Belovitskii, G. E. The applicability of the "Z-law" of Fermi and Teller to nuclear emulsions containing uranium, 0=15604
- Belovitskii, G. E. Excitation of nuclear rotational levels in μ -mesic atom transitions, 2=385
- Belovitskii, G. E. Excitation of nuclear rotational levels in μ -mesic atom transitions, 2=22720
- Belovitskii, G. E., Kashchuk, N. T., Mikhul, A., Petrashku, M. G., Romanova, T. A. and Tikhomirov, F. A. The mechanisms of uranium fission induced by slow μ -mesons, 0=9709
- Belovitsky, G. E., Korabliev, L. N., Sukhov, L. V. and Chtranih, I. V. Apparatus for automatic measurement of the multiple scattering of particles, 0=12786
- Below, F. and Grabke, H. A method for quickly testing the performance of objectives, 0=19400
- Belozeroval, E. P. Effect of plastic deformation, produced by high-frequency vibrations, in the internal friction and Young's modulus of alkali-halide crystals, 4=1923
- Belozeroval, E. P., Tyapunina, N. A. and Shvidkovskii, E. G. Dislocation multiplication in alkali-halide crystals under the influence of high-frequency vibration, 4=1482
- Belozeroval, E. P. See Shvidkovsky, E. G., 4=1479
- Belozeroval, L. A. See Talyzin, A. N., 4=14827
- Belozerskii, G. N., Gridnev, K. A. and Pisarevskii, A. N. On the form of scintillation pulses from CsI:Tl crystals, 2=8586
- Belozerskii, G. N. and Nemilov, Yu. A. Resonance scattering of gamma-rays in crystals, 2=10302
- Belozerskii, G. N. and Nemilov, Yu. A. Variation of the Mössbauer effect magnitude in steel under the influence of plastic deformation, 4=9810
- Belozerskii, G. N. See Nemilov, Yu. A., 0=14660
- Belozerskii, G. N. See Nemilov, Yu. A., 4=16523
- Belozorov, D. P., Kulik, I. O. and Zil'berman, G. E. Impurity distribution in crystals grown from the melt, 2=3911
- Belrose, J. S. and Cetner, E. Measurement of electron densities in the ionospheric D-region at the time of A2+ solar flare, 3=1462
- Belrose, J. S. and Hewitt, L. N. Variation of collision frequency in the lowest ionosphere with solar activity, 4=29326
- Belrose, J. S. and Ross, D. B. Observations of unusual low-frequency propagation made on 12 November 1960, 1=16589
- Belrose, J. S. and Ross, D. B. Observations of unusual low frequency propagation made during polar cap disturbance (PCD) events, 2=11801
- Belrose, J. S. See Barrington, R. E., 3=21056
- Belrose, J. S. See Barrington, R. E., 4=13835
- Belsche, J. C. See Uyeda, S., 3=11477
- Belser, R. B. Alloying behavior of thin bimetal films, simultaneously or successively deposited, 0=8279
- Belser, R. B. and Youmans, A. P. Simple electron beam furnace, 3=9647
- Belsey, D. C. and Gabriel, W. P. A direct indicating infra-red radiation meter, 4=359
- Belsey, R. Color perception and the land two-color projections, 4=15995
- Belshé, J. C. See Everitt, C. W. F., 0=21307
- Bel'skii, N. K. The necessity of protecting spectrographs from dispersed daylight during long exposures, 1=9479
- Bel'skii, N. K. Anomalous dispersion of double refraction in crystals of europium chloride hexahydrate, 2=16803
- Bel'skii, N. K. Anomalous dispersion of double refraction in crystals of europium chloride hexahydrate, 2=21228
- Bel'skii, N. K. Absorption and dispersion of light in the $\text{EuCl}_3 \cdot 6\text{H}_2\text{O}$ crystal at the $^7\text{F}_0 - ^5\text{D}_0$ transition, 4=7130
- Bel'skii, N. K. and Mukhtarov, Ch. K. The electronic absorption spectrum of crystals of several dichromates at low temperatures—interpretation of the spectra, 3=4837
- Bel'skii, N. K. and Mukhtarov, Ch. K. Electronic absorption spectrum of some dichromates at low temperatures. I, 3=15671
- Belskii, S. A. and Starodubtsev, S. V. Low-angle Rayleigh scattering of Co^{60} γ -rays, 0=11436
- Bel'skii, S. A. The ordered motion of particles in the alpha apparatus, 4=14730
- Bel'skii, S. A., Myakinin, E. V., Petrov, A. M., Romanov, A. M. and Yur'ev, V. V. Energy transfer to the wall of the discharge chamber of the alpha assembly, 4=3014
- Belson, H. S. Sphere grinding and polishing [for ferrimagnetic resonance experiments], 4=20576
- Belson, H. S. and Kriessman, C. J. Microwave resonance in hexagonal ferrimagnetic single crystals, 0=3110
- Belson, H. S. and Kriessman, C. J. Ionic distribution and ferrimagnetic resonance in magnesium ferrite, 0=4503
- Belson, H. S. See Haas, C. W., 4=7308
- Belson, H. S. See Kriessman, C. J., 0=3055
- Belson, H. S. See Matcovich, T., 1=6400
- Belson, H. S. See Matcovich, T. J., 2=12801
- Belt, R. O. See Billington, D. S., 0=20849
- Bel'ti, M. U. and Rudko, B. F. Influence of temperature on the luminescence of halide solutions of heavy metals, 2=15599
- Belton, G. R. and McCarron, R. L. The volatilization of tungsten in the presence of water vapor, 4=27387
- Belton, M. J. S. and Brandt, J. C. On the local surface density and the scale of the galaxy, 3=16420
- Belton, M. J. S. and Brandt, J. C. Rotation curves and space densities with application to the galaxy, 3=21118
- Belton, M. J. S., Brandt, J. C. and Hodge, P. W. On the characteristics of distant comets, 3=21103
- Belton, M. J. S. See Brandt, J. C., 3=3604
- Belton, P. Simple switching device with phase synchronization, 2=17574
- Beltrametti, E. G., Ciuffolotti, L. and Tomasini, G. Deuteron production in pick-up reactions. I, 1=5916
- Beltrametti, E. G. Remarks on the nuclear absorption of negative pions in deuterium, 1=13495
- Beltrametti, E. G. A note on the reaction $\pi^+ + d \rightarrow p + p$, 2=11979
- Beltrametti, E. G. Elementary remarks on the angular momentum definition for unstable particles, 2=22400
- Beltrametti, E. G. and Fiorio, G. Calculation of the nuclear absorption of μ -mesons by O^{16} , 1=13467
- Beltrametti, E. G. and Luzzatto, G. Rotation matrices corresponding to complex angular momenta, 4=3329
- Beltrametti, E. G. and Tomasini, G. Deuteron production in pick-up reactions. II, 1=5917
- Beltrami, M. Growth and photomicrographical observation of argon crystals, 2=6772
- Beltrami, M., Cappelletti, R. and Fieschi, R. Electrical conductivity of X-irradiated Sr-doped KCl, 4=25991
- Beltran-Lopez, V. and Robinson, H. G. Microwave Zeeman spectrum of atomic chlorine, 1=11068
- Beltran-Lopez, V. See Hughes, V. W., 0=10561
- Beltran-Lopez, V. See Radford, H. E., 1=11067
- Beltrani, M. G. and Marabini, A. M. Adsorption of calcium ions on quartz, 4=4672
- Belubikyan, M. V. Boundary layer in an electrically conducting liquid in the presence of a longitudinal magnetic field, 4=3118
- Belushkina, A. A. See Belonogov, A. V., 3=17127
- Bely, O. Calculation of some collision cross-sections in Fe XIV, 2=14223
- Bely, O. Calculation of electron-collision excitation cross-sections of OVI, 2=14224
- Bely, O. Calculation of the potentials occurring in collision problems, 3=8206
- Bely, O., Moores, D. and Seaton, M. J. Many-channel quantum defect theory, 4=25576
- Bely, O., Tully, J. and van Regemorter, H. The excitation of atoms by electronic collisions: applications to the excitation resonance transitions of the lithium and sodium isoelectronic series, 4=6489
- Belyaev, A. D. and Malogolovets, V. G. Effective electron capture cross-section of negative iron ions in germanium, 4=6960
- Belyaev, A. D., Vasilevskaya, V. N. and Miselyuk, E. G. Investigation of the influence of certain factors on the formation of dislocations during crystallization and their state in single-crystal germanium, 0=13536
- Belyaev, B. N., Kalyamin, A. V. and Murin, A. N. Experimental and calculated cross-sections of the reactions $\text{Bi}^{209}(\text{p}, \text{xn})\text{Po}$ for bombarding proton energy of 135 MeV, 1=19472
- Belyaev, B. N., Kalyamin, A. V. and Murin, A. N. Experimental and calculated cross-sections of the reactions $\text{Bi}^{209}(\text{p}, \text{xn})\text{Po}$ for bombarding proton energy of 135 MeV, 2=7985

- Belyaev, B.N., Kalyamin, A.V. and Murin, A.N. Alpha-decay to electron capture ratios for Po^{209} , Po^{210} and Po^{203} , 3=10316
- Belyaev, B.N., Kalyamin, A.V. and Murin, A.N. Reduced derivative width δ' for polonium isotopes, 3=10317
- Belyaev, B.N., Kalyamin, A.V. and Murin, A.N. Decay of nuclei with less than 120 neutrons, 3=22317
- Belyaev, B.N., Kalyamin, A.V. and Murin, A.N. Alpha-decay of neutron-deficient polonium isotopes, 3=24914
- Belyaev, F.N. See Ratynskii, V., 4=6363
- Belyaev, I.N. See Filip'ev, V.S., 1=15099
- Belyaev, L.M., Blokh, O.G., Gil'varg, A.B., Dobrzhanskii, G.F., Netesov, G.B., Shamburov, V.A. and Shuvalov, L.A. Linear electro-optical effects in crystals of hexamethylenetetramine (urotropine) $\text{C}_6\text{H}_{12}\text{N}_4$, 4=15604
- Belyaev, L.M. and Chernov, A.A. The growing of crystals and research into the kinetics of their formation, 4=7541
- Belyaev, L.M., Dobrzhanskii, G.F. and Feofilov, P.P. Luminescence of uranium activated sodium and lithium fluoride single crystals, 2=14732
- Belyaev, L.M., Gil'varg, A.B. and Panova, V.P. CsI(Tl) scintillators for recording α -particles, 2=9937
- Belyaev, L.M. and Nabatov, V.V. Irregularity of triboluminescence in lithium fluoride crystals, 4=26243
- Belyaev, L.M., Perekalina, Z.B., Varfolomeeva, V.N., Panova, V.P. and Dobrzhanskii, G.F. The luminescent properties of lithium fluoride activated by uranium, 1=14632
- Belyaev, L.M., Perlshtein, V.A. and Panova, V.P. Investigation of activator distribution in alkali halide crystals by the radioactive-tracer method. II, 0=13939
- Belyaev, L.M., Shakhovskoi, G.P., Smirnov, S.P. and Kuz'mina, I.P. Preparing crystals of cadmium sulphide at high pressures, 3=20791
- Belyaev, L.M., Vitovskii, B.V. and Dobrzhanskii, G.F. Some modifications in crystal growing methods, 0=16270
- Belyaev, L.M., Vitovskii, B.V., Dobrzhanskii, G.F. and Karpenko, A.G. Modified crystallizer, 2=4390
- Belyaev, L.M. See Belikova, G.S., 3=24552
- Belyaev, L.M. See Karpenko, A.G., 2=4389
- Belyaev, O.N. See Potykevich, I.V., 4=7121
- Belyaev, S.T. The [approximate] Boltzmann equation for rarefied [ionized] gases in strong fields, 1=7050
- Belyaev, S.T. Kinetics of an ionized gas in a strong magnetic field, 1=7051
- Belyaev, S.T. On the nature of the first 2^+ level of even-even spherical nuclei, 1=8596
- Belyaev, S.T. The problem of computing moments of inertia of nuclei, 1=16966
- Belyaev, S.T. On the nature of the first excited states of even-even spherical nuclei, 1=19356
- Belyaev, S.T. and Budker, G.I. Multi-quantum recombination in an ionized gas, 1=7027
- Belyaev, S.T. and Zelevinskii, V.G. "Anharmonic" effects of quadrupole oscillations of spherical nuclei, 2=16309
- Belyaev, S.T. and Zelevinskii, V.G. "Anharmonic" effects of quadrupole oscillations of spherical nuclei, 3=6161
- Belyaev, V.A. and Brevnov, N.N. An electrostatic channel for bringing a beam of ions into a magnetic trap, 3=7651
- Belyaev, V.A. and Brevnov, N.N. An electrostatic channel for bringing a beam of ions into a magnetic trap, 3=21897
- Belyaev, V.A. See Antropov, G.M., 1=7061
- Belyaev, V.A. See Fedorenko, N.V., 0=12589
- Belyaev, V.B., Gershtein, S.S., Zakhar'ev, B.N. and Lomnev, S.P. μ^- -mesic molecular processes in hydrogen, 0=7828
- Belyaev, V.B. and Zakhar'ev, B.N. Pair correlations in single nucleon reduced level widths in nuclei, 3=10205
- Belyaev, V.B., Zakhar'ev, B.N. and Solov'ev, V.G. On superfluidity of light nuclei, 0=13110
- Belyaev, V.B. See Balashov, V.V., 2=16308
- Belyaev, V.B. See Balashov, V.V., 3=6157
- Belyaev, V.I. On the theory of the propagation of crystallization in supercooled clouds, 4=2193
- Belyaev, V.I. See Kolesnikov, A.G., 0=3361
- Belyaev, V.Kh. Voltage surges in an electrostatic generator, 1=11988
- Belyaev, Yu.I. and Zhudkov, V.A. Diffusion of beryllium in germanium, 1=7593
- Belyaeva, A.I. and Eremenko, V.V. Temperature dependence of the optical absorption bandwidth of MnF_2 crystals, 3=25461
- Belyaeva, A.I. and Eremenko, V.V. Effect of antiferromagnetic ordering on the optical absorption spectrum in manganese carbonate crystals, 4=17574
- Belyaeva, A.I. See Eremenko, V.V., 4=7143
- Belyaeva, A.P. See Sorkin, F.V., 2=16875
- Belyaeva, B.A. See Zaidel', A.N., 1=5479
- Belyaeva, B.A. See Zaidel', A.N., 1=9605
- Belyaeva, I.F., Solov'eva, V.I., Khrenov, B.A. and Khristiansen, G.B. Extensive air showers initiated by high-energy photons, 3=19726
- Belyaeva, I.F. See Khristiansen, G.B., 3=4513
- Belyaeva, I.F. See Vernov, S.N., 3=19719
- Belyaevskii, A.I. and Gur'yan, Yu.A. Eleven-counter instrument for measuring γ - γ angular correlation, 3=7821
- Belyak, A. Ya. See Belovintsev, K.A., 4=3073
- Belyak, A. Ya. See Belovintsev, K.A., 4=3074
- Belyak, A. Ya. See Belovintsev, K.A., 4=11733
- Belyak, A. Ya. See Belovintsev, K.A., 4=11734
- Belyak, V.I. Excitation of collective nuclear states incident to scattering of fast particles, 4=6302
- Belyak, V.I. Connection of scattering cross-sections with collective characteristics of scattering nuclei, 4=9464
- Belyak, V.I. and Zaikin, D.A. Collective excitations of even axial nuclei, 2=7926
- Belyak, V.I. and Zaikin, D.A. Rotational states of non-spherical even-even nuclei, 3=10206
- Belyakov, A.N., Vovenko, A.S., Kirillov, A.D., Kulakov, B.A., Lyubimov, A.L., Matulenok, Yu.A. and Savin, I.A. Gas-filled Cherenkov threshold counters for accelerator work, 1=10815
- Belyakov, L.N. See Avraamov, Yu.S., 0=1933
- Belyakov, L.V., Vitman, F.F. and Zlatin, N.A. Collision of deformable bodies and its modelling. II. The modelling of the impact of a sphere and a half-space, 4=11143
- Belyakov, L.V., Vitman, F.F. and Zlatin, N.A. On the collision of deformable bodies and the construction of a model of the process. III. On the similarity of the flow value parameters in the original and in the model, 4=18127
- Belyakov, M.A. See Plaksin, I.N., 4=2175
- Belyakov, R.V. Calculation of the coefficient of axial concentration of some discrete radiator-receiver arrays, 1=18516
- Belyakov, V.A. The momentum distribution of particles in a dilute Fermi gas, 1=18305
- Belyakov, V.A. Large nuclear deformations in the anisotropic oscillator model, 4=19636
- Belyakov, V.A., Van Shu-fen [Wang Shu-fen] Glagolev, V.V., Dalkhazhav, N., Lebedev, R.M., Mel'nikova, N.N., Nikitin, V.A., Petzhika, V., Sviridov, V.A., Suk, M. and Tolstov, E.D. Inelastic interaction of 7 BeV negative pions with nucleons, 1=19244
- Belyakov, V.A., Van Yun-chan [Wang Yung-Ch'ang], Veksler, V.I., Viryasov, N.M., Vrana, I., Du Yan'-tsai [Tu Yuan-Tz'ai], Kim Khi In, Kladnitskaya, E.N., Kuznetsov, A.A., Mikhul, E., Nguyen Dinh Tu, Patera, I., Penev, V.N., Sokolova, E.S., Solov'ev, M.I., Hofmoki', T., Chen Lin-Yan' [Ch'eng Ling-Yen] and Mikhul, A. Investigation of Λ -hyperon and K^0 -meson production in π^-p interactions at 7-8 GeV, 3=24798
- Belyakov, V.A., Van Yun-chan [Wang Yung-ch'ang], Veksler, V.I., Viryasov, N.M., Du, Yuan-tsai, Kim Hi In, Kladnitskaya, E.N., Kuznetsov, A.A., Nguyen Dinh Tu, Penev, V.N. and Solov'ev, M.I. Polarization of Λ -hyperons produced in π^-C interactions at 7 BeV, 4=3491
- Belyakov, V.A., Boyadzhiev, A.V., Van Yun-Chan [Wang Yung-ch'ang], Veksler, V.I., Viryasov, N.M., Kim Khi In, Kladnitskaya, E.N., Kuznetsov, A.A., Mal'tsev, V.M., Nguen Din Ty, Penev, V.N. and Solov'ev, M.I. Production of $\Lambda(\Sigma^0)$ hyperons and K^0 mesons in the interactions between 7 GeV π^- mesons and carbon, 4=19810
- Belyakov, V.A., Van Yun-Chan, Veksler, V.I., Viryasov, N.M., Vrana, I., Du Yuan-Tsai, Kim, Khi In, Kladnitskaya, E.N., Kuznetsov, A.A., Mikhul, E., Nguen, Din Ty, Patera, I., Penev, V.N., Sokolova, E.S., Solov'yev, M.I., Hofmoki', T., Chen, Lin-Yan' and Mikhul, A. Investigation of Λ -hyperon and K^0 -meson production processes in π^+p and π^-C interactions with an energy of 7-8 BeV, 4=27898
- Belyakov, V.A., Veksler, V.I., Viryasov, N.M., Vrana, I., Kim Khi In, Kladnitskaya, E.N., Kuznetsov, A.A., Mikhul, A., Nguen Dinh Tu [Nguen Ting Tu] Solovy'ev, M.I., Hofmoki', T. and Chen Lin-yan' [Ch'eng Ling-yen]. Λ -hyperon production by 7-8 BeV negative π -mesons on hydrogen, 4=3489
- Belyakov, V.A., Veksler, V.I., Viryasov, N.M., Kladnitskaya, E.N., Kopylov, G.I., Mikhul, A., Penev, V.N., Sokolova, E.S. and Solov'ev, M.I. π -Meson resonances produced together with strange particles in 7.5 GeV/c π^+p -interactions, 4=27890
- Belyakov, V.A., Wang Yung-ch'ang [Ban Yui-chan], Viryasov, N.M., Du Yuan'-tsai [Tu Yuan-ts'ai], Kim Khi In, Kladnitskaya, E.N., Kuznetsov, A.A., Nguyen Dinh Ty [Nguen Ling Tai], Penev, V.N., Sokolova, E.S. and Solov'ev, M.I. A study of the properties of π^0 -mesons produced with strange particles in π^-P and π^-C interactions, 3=24764
- Belyakov, V.A. See Barashenkov, V.S., 0=3966

- Belyakov, V.A. See Barashenkov, V.S., 2=1869
- Belyakov, Yu.I. and Agishev, E.I. The application of the pulse mass-spectrometer to the study of gas evolution from metals, 0=12120
- Belyakov, Yu.I. and Ionov, N.I. Pulsed mass-spectrograph investigation of desorption of hydrogen and deuterium from palladium, 0=10373
- Belyakov, Yu.I. and Ionov, N.I. Permeation of hydrogen and deuterium through a nickel membrane in the 250-600°C temperature range, 1=6114
- Belyakov, Yu.I. and Ionov, N.I. Permeation of hydrogen and deuterium through a nickel membrane in the 250-600°C temperature range, 1=11227
- Belyakov, Yu.I. See Agishev, E.I., 0=10936
- Belyakov, Yu.I. See Agishev, E.I., 0=10972
- Belyatskaya, N.S. See Zakharova, M.I., 4=7678
- Belyayev, A.D. and Figel's'ki, T.R. Study of minority carrier trapping centres in plastically deformed germanium, 4=12673
- Belyi, M.U., Gorban', I.S. and Shishlovskii, A.A. Photoluminescence of halide salts of heavy metals and semiconductor crystals, 3=10990
- Belyi, M.U., Okhirmenko, B.A. and Rud'ko, B.F. Recombination luminescence of Sn^{4+} in aqueous solutions of LiCl and HCl at low temperatures, 2=21912
- Belykh, G.V. See Barchuk, I.F., 2=14170
- Belykh, G.V. See Pasechnik, M.V., 4=1149
- Belykh, L.P. and Nesmeyanov, A.N. Measurement of the pressure of vapour in equilibrium with solid beryllium oxide, 0=6997
- Belynsky, V.N. See Breger, A.K., 0=5678
- Belyustin, A.V. The solubilities of the various faces of a crystal, 0=13935
- Belyustin, A.V. A simple method for growing crystals from solutions, 3=18250
- Belyustin, A.V. and Portnov, V.N. Influence of movement and faceting of a crystal on the growth velocity of its faces, 3=16034
- Belzons, M. See Rasigni, G., 2=11488
- Bem, J. [J.Böhm], Petrzilka, V. and Suk, M. Peripheral pion-nucleon interactions at 7 BeV, 3=24772
- Bém, P., Habanec, J., Karban, O. and Němec, J. Measurement of the polarization of protons scattered elastically on carbon, 3=2444
- Bém, P., Habanec, J., Karban, O., Němec, J. and Presperin, V. Polarization measurements on 6.7 MeV protons scattered by carbon, 4=25098
- Bem, P., Habanec, J., Nemeč, J., Karban, O. and Presperin, V. Angular distribution of polarization of protons scattered elastically at carbon at several energies between 6.0 and 6.8 MeV, 4=22125
- Bement, A.L., Jr. Tensile properties of irradiated thiorum, 2=16965
- Bömer, B. See Alexandrov, Yu.A., 4=6237
- Bemerl, W. and Fetz, H. On the extreme shortwave u.v.-light from a cylindrically symmetrical rare gas corona. I. Intensity, absorption and ionization in certain gases, 0=1123
- Bemerl, W. and Fetz, H. On the extreme shortwave u.v.-light from a cylindrically symmetrical rare gas corona. II. The time delay of emission, 0=1124
- Bemporad, C. See Bellettini, G., 3=6076
- Bemporad, C. See Bellettini, G., 3=9839
- Bemporad, C. See Bellettini, G., 4=6095
- Bemski, G. Spin resonance of conduction electrons in InSb, 0=6268
- Bemski, G. Hot magnetoplasma resonance in InSb, 3=2775
- Bemski, G. Studies of the electronic structure of covalent semiconductors by e.p.r., 3=4911
- Bemski, G. and da Silva, X.A. Internal fields at iron in FePd alloys, 4=12561
- Bemski, G. and Fernandes, J.C. Isomer shift of Fe^{57} in InAs, 4=1346
- Bemski, G. and Szymanski, B. Observations of oscillatory magnetoresistance in InAs at microwave frequencies, 1=19836
- Bemski, G. and Szymanski, B. Spin resonance of electrons on donors in p-type silicon, 1=20231
- Bemski, G., Szymanski, B. and Wright, K. A new paramagnetic center in electron irradiated silicon, 3=6750
- Benade, A.H. On the mathematical theory of woodwind finger holes, 1=1800
- Benade, A.H. The physics of wood winds, 2=15693
- Benade, A.H. See Chrien, R.E., 0=13262
- Benade, A.H. See Ormestad, H.J., 0=5116
- Benaksas, D. See Frèrajacque, D., 4=21602
- Bénard, J. See Heral, T., 4=26558
- Benard, J. See Manenc, J., 3=11200
- Bénard, J. See Moreau, J., 2=7572
- Benard, J. See Vagnard, G., 4=1950
- Benard, M., Chipaux, C., Duraffourg, G., Jean-Louis, M., Loudette, J. and Noblanc, J.P. Stimulated emission in indium antimonide, 4=5864
- Benarie, M.M. Information capacity of the human eye with special consideration to low-level illumination, 0=6514
- Benarie, M.M. Optimal encoding of the visual image, 1=10346
- Benarie, M.M. Rheology of granular material. II. A method for the determination of the intergranular cohesion, 1=20643
- Benaroya, R. and Ramler, W.J. Deflection coil for an external accelerator beam, 2=3110
- Bénarroche, M. Low temperature electronic spectra of crystallized durene, 2=12594
- Bénarroche, M. Absorption and fluorescence spectra of pure crystallized fluorene at 4°K, 2=18826
- Bénarroche, M. Fluorescence of pure 2,6-dimethylnaphthalene in liquid helium, 2=18870
- Benarroche, M. Hydrogen-like levels in the absorption spectra of pure crystalline benzene at 4°K, 4=1758
- Benarroche, M. S-S luminescence of pure crystalline benzene at 4°K, 4=7201
- Ben-Aryeh, Y. See Oppenheim, U.P., 3=5467
- Ben-Aryeh, Y. See Oppenheim, U.P., 4=25602
- Benbow, J.J. Cone cracks in fused silica, 0=11986
- Benbow, J.J. Stable crack propagation in plastics, 2=797
- Benbow, J.J. and Lamb, P. Rheological measurements on polymer melts using very small samples, 4=14112
- Benbow, J.J. and Wood, D.J.C. A review of the viscoelastic properties of organic glasses, 4=4685
- Ben Caid Mohamed. See Mohamed Ben Caid.
- Benci, S., Gasparrini, G. and Germagnoli, E. The influence of quenched-in vacancies on the ordering rate of the Cu_3Au alloy, 4=15732
- Benco, C. The control of homogeneity of a dielectric by measurement of the dielectric loss-angle tangent at elevated temperatures, 1=17820
- Bencze, G. and Hódi, E. Light distribution in microscopical images of gratings under different illumination and observation conditions, with a study of contour sharpness, 2=22004
- Bencze, G. and Zimanyi, J. A simple analytical treatment of D.W.B.A. stripping matrix element with finite range interaction, 4=22093
- Bencze, P. On the daily and annual variation of the atmospheric electrical agitation, 4=29301
- Benczer-Koller, N., Nessin, M. and Kruse, T.H. Nuclear electric monopole transition in Ca^{42} , 1=10986
- Benczer-Koller, N. See Simms, P.C., 1=3406
- Benczer-Koller, N. See Wu, C.S., 1=603
- Benda, F., Gabanets, I., Dobiash, I., Zhuravlev, A.A., Karmasin, M., Kotov, V.I., Marek, M., Myaé, E.A., Obukhov, Yu.L., Petukhov, V.A., Svetov, L.V., Sokhor, V., Fukatko, T. and Tsirak, Yu. An annular synchrocyclotron with radial sectors, 2=15971
- Bendall, D.E. See Piercey, D.C., 2=22535
- BenDaniel, D.J. Plasma potential in a magnetic mirror system, 1=18871
- Ben Daniel, D.J. Approximate asymptotic speed distribution of ions in a "long" magnetic mirror system, 2=1438
- Bendaniel, D.J. Ionization transients in cesium, 3=24219
- Ben Daniel, D.J. and Allis, W.P. Scattering loss from magnetic mirror systems. I, 2=7621
- Ben Daniel, D.J. and Allis, W.P. Scattering loss from magnetic mirror systems. II, 2=11679
- BenDaniel, D.J. and Bishop, C.M. Nonequilibrium ionization in a high-pressure cesium-helium transient discharge, 3=9727
- BenDaniel, D.J. and Hurwitz, H., Jr. Matching conditions at gradual plasma boundaries, 3=1986
- BenDaniel, D.J., Hurwitz, H., Jr. and Sutton, G.W. Electron conductivity at cyclotron resonance, 3=18836
- Ben Daniel, D.J. and Tamor, S. Theory nonthermal ionization in cesium discharges, 2=11615
- BenDaniel, D.J. See Westendrop, W.F., 1=11920
- Ben-David, G. and Huebschmann, B. Neutron flux measurements using dysprosium detectors, 3=2283
- Ben-David, G. (Davis) and Huebschmann, B. The nuclear resonant scattering of neutron capture gamma rays, 3=6218

- Ben-David (Davis), G., Arad (Huebschmann), B., and Pelah, I. Varying the energy of neutron capture gamma rays for studies of photonuclear resonant scattering, 4=21821
- Ben-David (Davis), G. See Arad (Huebschmann), B., 4=9386
- Ben-Davis, G. See Ben-David, G.
- Bendazzoli, M. See Brebec, G., 2=11230
- Bendel, F. See Lange, W., 0=5008
- Bendel, W. L. See Murray, K. M., 4=3636
- Bender, D., Bucher, E., and Müller, J. Structure and electronic properties of niobium-ruthenium alloys, 3=22662
- Bender, I. and Müller, V. F. Low-energy π K-scattering, 4=3454
- Bender, I., Penselin, S. and Schlüpmann, K. Ground state in the Tb I spectrum, 4=19966
- Bender, M. F. and Williams, M. L. Extension of unoriented nylon 66 filaments, 4=4653
- Bender, P. A., Jennings, D. A. and Tantilla, W. H. Chlorine nuclear spin-lattice relaxation time in solid sodium chlorate and p-dichloro benzene, 0=4532
- Bender, P. A. and Love, W. F. Hall coefficient in tin-bismuth alloys, 0=13580
- Bender, P. L. Measurement of weak magnetic fields by optical pumping methods, 1=13148
- Bender, P. L. Comparison of the rubidium-87 and proton Zeeman transition frequencies in the earth's magnetic field, 3=8190
- Bender, P. L. Effect of hydrogen-hydrogen exchange collisions, 4=6507
- Bender, P. L. Interpretation of frequency shifts due to electron exchange collisions, 4=19982
- Bender, R. S. See Bassel, R. H., 1=1940
- Bender, R. S. See Cohen, B. L., 1=1938
- Bender, R. S. See Bassel, R. H., 3=5764
- Benderskii, I. Sh. and Popov, K. K. Stator-winding machine type OS-627, 4=9275
- Benderskii, V. A., Kogan, B. Ya., Abramov, Yu. Yu. and Kapranova, L. E. Investigation of adhesion levels in organic photo-conductors, 4=26155
- Benderskii, V. A., Shevchenko, I. B. and Blyumenfeld, L. A. Electric and magnetic properties of donor-acceptor crystals. I. Complexes of strong donors and acceptors, 4=26063
- Bendik, M. A., Petrushevich, R. L. and Sollertinskaya, E. S. Effect of dislocations on the diffusion of cadmium in
- Bendiscioli, G. Multiple-input binary counters with feedback, 4=30104
- Bendiscioli, G., Boella, G. and Antoni, G. D. Simple decimal reversible counters, 4=19334
- Bendiscioli, G. See Argan, P. E., 1=13242
- Bendiscioli, G. See Argan, P. E., 3=4425
- Bendler, H. A. and Wood, W. A. Electron metallographic observations on the formation of fatigue cracks, 1=6476
- Bendler, H. M. The observation of stacking faults in silicon by transmission electron microscopy, 2=3923
- Bendler, H. M. Anomalous lattice spacings in single-crystal electron diffraction patterns, 4=4593
- Bendler, H. M. and Nine, H. D. Fatigue failure in copper single crystals at low and high amplitudes of torsion, 3=1245
- Bendler, H. M. and Nine, H. D. Metallographic observations on copper single crystals subjected to torsional fatigue cycling, 3=20747
- Bendler, H. M. See Nine, H. D., 4=23140
- Bendor, E. See Sodha, M. S., 4=27224
- Ben-Dor, L. See Glasner, A., 2=14477
- Bendt, P. J. Superfluid helium critical velocities in a rotating annulus, 2=19799
- Bendt, P. J. See Flynn, E. R., 2=7802
- Bendt, P. J. See Yarnell, J., 0=8919
- Bendt, P. J. and Oliphant, T. A. Hydrodynamics of helium II in annular geometry, 1=6993
- Bendt, P. J., Karr, H. J. and Scott, F. R. Prompt neutron periods of a critical assembly measured with a pulsed source, 0=13345
- Bendt, P. J. See Allred, J. C., 0=13365
- Bendt, P. J. See Flynn, E. R., 3=2268
- Béné, G., Duval, E., Finaz, A. and Hochstrasser, G. High resolution spectra in the earth's magnetic field, 3=20021
- Béné, G. See Csaki, A., 0=19955
- Béné, G. J. Form and structure of magnetic resonance lines in liquids at very low frequencies, 1=12905
- Béné, G. J. Magnetic resonance in weak fields: recent results in physical structure and magnetometry, 3=21420
- Béné, G. J., Beeler, R. and Golub, M. Glossaria interpretum. Nuclear physics and atomic energy, 0=15179
- Béné, G. J., Duval, E., Finaz, A., Hochstrasser, G. and Koidé, S. Nuclear magnetic resonance of organo-phosphorus compounds in the earth's magnetic field: The $P^{31}-H^1$ coupling, 4=3915
- Benedek, A. See Plajner, Z., 3=10312
- Benedek, G. B. and Armstrong, J. Pressure and temperature dependence of the Fe^{57} nuclear magnetic resonance frequency in ferromagnetic iron, 1=6432
- Benedek, G. B., Engelman, R. and Armstrong, J. A. Temperature and pressure dependence of the Co^{59} nuclear resonance chemical shift, 4=6646
- Benedek, G. B. and Kushida, T. Nuclear magnetic resonance in antiferromagnetic MnF_2 under hydrostatic pressure, 0=10249
- Benedek, G. B. See Heller, P., 3=3195
- Benedek, G. B. See Heller, P., 4=26353
- Benedek, G. B. See Litster, J. D., 3=11123
- Benedek, G. B. See Paul, W., 0=3386
- Benedek, G. B. See Pound, R. V., 2=5868
- Benedetti, E. See Alitti, J., 2=16229
- Benedetti, E. See Alitti, J., 2=18156
- Benedetti, M. The resolution of centred rectangular apertures, 2=94
- Benedick, W. B. See Jones, O. E., 3=1224
- Benedict, C. M. See Earnshaw, K. B., 3=3904
- Benedict, M., Shanstrom, R. T., Amberg, S. L., McLeod, N. B. and Steranka, P. T. FUELCYC, a new computer code for fuel cycle analysis. II. Examples of applications, 2=6067
- Benedict, M. See Petersen, G. T., 3=8940
- Benedict, M. See Shanstrom, R. T., 2=6066
- Benedict, W. S. and Herman, R. The calculation of self-broadened line widths in linear molecules, 4=3852
- Benedict, W. S., Herman, R., Moore, G. E. and Silverman, S. The strengths, widths, and shapes of lines in the vibration-rotation bands of CO , 2=3727
- Benedict, W. S. and Kaplan, L. D. Calculation of line widths in H_2O-H_2O and H_2O-O_2 collisions, 4=22439
- Benedict, W. S., Plyler, E. K. and Tidwell, E. D. Vibration-rotation bands of ammonia. IV. The stretching fundamentals and associated bands near 3μ , 0=4201
- Benedict, W. S. See Blaine, L. R., 2=17617
- Benedict, W. S. See Gates, D. M., 4=30447
- Benedict, W. S. See Jaffe, J. H., 3=15347
- Benedict, W. S. See Plyler, E. K., 3=20827
- Benedict, W. S. See Tidwell, E. D., 1=832
- Benedict, W. S. See Winters, B. H., 4=25669
- Benedikt, E. T. Exact determination of the lunar mass by means of selenoid satellites, 2=2525
- Benedikt, E. T. The clock paradox in vertical free fall, 4=11036
- Benedikt, E. T. See Colombo, G., 2=15306
- Benediktov, E. A., Getmantsev, G. G. and Ginsburg, V. L. Radio-astronomical investigations employing artificial satellites and space rockets, 2=9109
- Benediktov, E. A., Getmantsev, G. G. and Ginsburg, V. L. Radio-astronomical investigations employing artificial satellites and space rockets, 2=15397
- Benenson, L. S. See Fel'd, Ya. N., 1=4719
- Benenson, R. E., Chen, H. Y. and Lidofsky, L. J. Low-lying energy states in Ne^{20} from the $F^{19}(d,n)Ne^{20}$ reaction, 1=7398
- Benenson, R. E. and Lidofsky, L. J. Energy levels in Na^{21} , 1=10972
- Benenson, R. E. and Yaramis, B. $C^{13}(d,n)N^{14}$ and $O^{16}(d,n)F^{19}$ differential cross sections at 3.9-MeV bombarding energy, 3=6289
- Benenson, R. E. See Engelke, C. E., 3=4399
- Benenson, R. E. See McDermott, L. C., 0=9645
- Benenson, R. E. See Smotrich, H., 1=7404
- Benenson, W., May, T. H. and Walter, R. L. Polarization of $Li^7(p,n)Be^7$ neutrons for 4 to 10 MeV protons, 2=14090
- Benenson, W., Walter, R. L. and May, T. H. Polarization in neutron proton scattering at 16 and 24 MeV., 2=18120
- Benenson, W. See Gorodetzky, S., 2=20522
- Benenson, W. See Gorodetzky, S., 3=19810
- Benenson, W. See Gorodetzky, S., 4=6222
- Benenson, W. See Gorodetzky, S., 4=17029
- Benenson, W. See Gorodetzky, S., 4=17030
- Benenson, W. See Walter, R. L., 2=7908
- Beneš, F. and Soška, F. Effect of a magnetic field on an oscillating piezoelectric, 4=20425
- Beneš, J., Berger, Z., Janoušek, A., Vacek, K. and Vavřinec, E. X-ray and β -ray luminescence of silver chloride crystals, 3=6671

- Benes, J., Fort, A. and Vacek, K. Conductivity of photographic emulsions, 3=3899
- Beneš, J. and Kubal, J. The action of the internal centres of sensitivity in nuclear emulsions, 1=19079
- Beneš, J. See Kubal, J., 0=3901
- Beneš, J. See Řezanka, I., 2=20566
- Beneš, L., Iliescu, N., Iorgulescu, St. and Olteanu, I. X-ray spectrometer with 2 m arm, 3=21919
- Benes, L. See Bally, D., 0=13471
- Benes, L. See Bally, D., 2=7698
- Benes, L. See Bally, D., 2=23583
- Beneš, L. See Călușaru, A., 3=23509
- Benesch, W. Simultaneous measurement of HI fundamental and overtone lines, 3=25097
- Benesch, W. Morse oscillator matrix elements for HI vibration-rotation lines, 4=9710
- Benesch, W. See Ameer, G., 0=15788
- Benesch, W. See Ameer, G., 3=4749
- Benesch, W. See Goldring, H., 3=4748
- Benesch, W.M. See Ameer, G.A., 1=4462
- Benešová, H. See Solc, I., 4=13562
- Benesovsky, F. See Rudy, E., 0=17995
- Benesovsky, F. See Rudy, E.R., 2=17034
- Benesovsky, F. See Schob, O., 2=17045
- Benetière, R. A method of automating a Schering bridge, 4=18628
- Benetskiĭ, B.A. and Frank, I.M. Angular correlation between gamma-rays and 14 MeV neutrons scattered inelastically by carbon, 3=24944
- Beneventano, M. A Cherenkov gas counter, 0=17154
- Beneventano, M., De Agostino, E., Rispoli, N. and Serra, A. A Cherenkov gas counter with efficiency near unity, 1=13227
- Beneventano, M., Finocchiaro, G., Finzi, R., Mezzetti, L., Paoluzzi, L. and Schaerf, C. Forward angle photoproduction of single positive pions on hydrogen, 0=17398
- Beneventano, M., Finocchiaro, G., Finzi, R., Mezzetti, L., Paoluzzi, L., Schaerf, C. and Tazzari, S. Photoproduction of single positive pions in hydrogen at and near 0° , for $E_\gamma = 600, 700, 800$ MeV, 2=22558
- Beneventano, M., Finzi, R., Mezzetti, L., Paoluzzi, L. and Tazzari, S. Small-angle photoproduction of single positive pions on hydrogen at energies around the "second resonance", 3=19669
- Beneventano, M., Pellegrini, U., Rispoli, B., Sacerdoti, G.C., Sona, P.G. and Toschi, R. A gamma ray spectrometer for energies up to 1 GeV, 0=17285
- Beneventano, M. See Muller, A., 4=25148
- Benezech, P. See Garreta, D., 3=2043
- Benezech, P. See Papineau, A., 1=18938
- Benfield, A.E. Note on precession, 0=4974
- Benford, J.G. and Lindsay, R.W. Importance of penultimate grain size and solid solution impurities in secondary recrystallization in 50 Fe-50 Ni, 3=16112
- Bengtson, J. Neutron self-shielding in a simple plane lattice, 0=13337
- Bengus, V. Z. Dislocation interaction in calcite twinning, 4=9955
- Bengus, V. Z., Komnik, S.N. and Startsev, V.I. Movement of twinning dislocations in calcite, 2=4364
- Bengus, V. Z., Komnik, S.N. and Startsev, V.I. Movement of twinning dislocations in calcite, 2=8769
- Bengus, V. Z., Komnik, S.N. and Startsev, V.I. Formation of dislocations in calcite crystals, 3=12971
- Bengus, V. Z., Komnik, S.N. and Startsev, V.I. Some phenomena observed on the boundaries of a twin lamella in calcite, 3=12982
- Bengus, V. Z., Lavrent'ev, F.F., Soifer, L.M. and Startsev, V.I. Development of dislocations in calcite crystals, 1=3668
- Bengus, V. Z. See Startsev, V.I., 1=14285
- Benham, P.P. Torsional-strain-cycling fatigue of copper at low endurance, 4=1940
- Benham, T.A. Angular-momentum conservation in a demonstration gyroscope, 4=18087
- Ben Hur, D. See Mosher, H.S., 2=19160
- Benieva, T.Ya. and Polotskii, I.G. Influence of certain factors on the elastic properties of Ni and nichrome base alloys, 2=23735
- Benioff, H. Observations of geomagnetic fluctuations in the period range 0.3 to 120 seconds, 0=14168
- Benioff, H. See Forward, R.L., 1=8040
- Benioff, P. Nuclear rearrangement and simple nuclear reactions, 1=13789
- Benioff, P.A. Nuclear reactions of low-Z elements with 5.7 BeV protons, 0=13226
- Benioff, P.A. Nuclear structure and simple nuclear reactions, 0=13227
- Benioff, P.A. The effect of the Pauli exclusion principle in high energy nucleon-nucleus scattering, 2=10092
- Benioff, P.A. Effect of the optical potential on the nucleon momentum distribution in nuclei. The pickup reaction, 3=624
- Benioff, P.A. Effect of angular localization on direct nuclear reactions, 3=8065
- Ben Israel, D.H. and Fine, M.E. Precipitation studies in Ni-10 at. % Ti, 3=25755
- Ben Israel, D.H. See Dawance, M. M., 4=23189
- Beniston, M.J. and Davis, D.H. The production and decay of a $^{\Lambda}B^{12}$ hyperfragment, 3=7975
- Beniston, M.J., Levi Setti, R., Püschel, W. and Raymund, M. Production of hyperfragments by the interactions of 1.5 GeV/c K^- mesons in lithium-loaded emulsions, 4=17008
- Beniston, M.J. See Danysz, M., 3=22276
- Beniston, M.J. See Danysz, M., 4=9364
- Beniston, M.J. See Evans, D., 1=19267
- Beniston, M.J. See Fletcher, E.R., 3=10232
- Beniston, M.J. See Jones, B.D., 1=8500
- Beniston, M.J. See Jones, B.D., 1=19502
- Beniston, M.J. See Jones, B.D., 2=16241
- Beniston, M.J. See Jones, B.D., 2=22834
- Beniston, M.J. See Sacton, J., 2=10128
- Benisz, J. and Borowczak, C. A new method for the rapid measurement of the shrinkage factor of a nuclear emulsion, 0=17163
- Benisz, J. and Chodźba, W. On the effect of the ageing time of the developer on nuclear emulsion background, 1=16632
- Benisz, J., Chyliński, Z. and Wolter, W. Investigations of bremsstrahlung of electrons in the energy interval 10^{11} - 10^{13} eV, 0=15323
- Benisz, J. and Kierskowski, Z. A new method of gamma background eradication, 0=17165
- Beniyeva, T. Ya. Effect of composition of the elastic properties of binary nickel alloys, 1=20305
- Benjamin, C.E. See Booker, G.R., 3=13149
- Benjamin, H. See Schwed, P., 2=3424
- Benjamin, L. and Strickland-Constable, R.F. Crystallization from dilute metal solutions, 1=1371
- Benjamin, L. Automatic adiabatic solution calorimeter using thermistors, 3=24095
- Benjamin, L. and Benson, G.C. Thermal conduction in a Tian-Calvet microcalorimeter, 2=11527
- Benjamin, L. See Benson, G.C., 2=9424
- Benjamin, P. and Weaver, C. The adhesion of evaporated metal films on glass, 1=20676
- Benjamin, P. and Weaver, C. The adhesion of metals to crystal faces, 3=23504
- Benjamin, P.W. Measurement of proton ranges in Ilford K-1 emulsion for energies between 300 keV and 1.2 MeV, 4=18899
- Benjamin, P.W. and Nicholls, G.S. Measurement of neutron spectra by semi-automatic scanning of recoil protons in photographic emulsions, 4=9229
- Benjamin, P. W., Kemshall, C. D. and Redfearn, J. A high resolution spherical proportional counter, 4=19327
- Benjamin, P. W., Kemshall, C. D. and Redfearn, J. The use of a gas-filled spherical proportional counter for neutron spectrum measurements in a zero energy fast reactor, 4=25469
- Benjamin, P. and Weaver, C. Condensation energies for metals on glass and other substrates, 0=4696
- Benjamin, P. and Weaver, C. Measurement of adhesion of thin films, 0=8144
- Benjamin, P. and Weaver, C. Adhesion of metal films to glass, 0=8145
- Benjamin, E. A. and Duffek, E. F. Electrode assembly for anodization of semiconductors, 4=20833
- Benkova, N.P. and Yudovich, L.A. Daily variations of blackout appearances, 2=15229
- Ben-Menahem, Ari and Cisternas, A.; Negi, J. G. Discussion of "Diffraction of electromagnetic waves by an inhomogeneous sphere" by J. G. Negi, 4=5811
- Bennema, P., Holjtkink, G. J., Lupinski, J. H., Oosterhoff, L. J., Seller, P. and van Voorst, J. D. W. Photo-ionization of aromatic hydrocarbons in boric acid glasses, 0=21290
- Bennemann, K.H. Stable atomic configurations for an interstitial in copper, 1=17504
- Bennemann, K.H. Theoretical investigation of the location of interstitials in copper, 2=2078

- Bennemann, K.H. General treatment of the conduction electron redistribution due to point defect complexes and lattice distortion in noble metals, 3=15463
- Bennemann, K.H. General method for determining lattice point defect configurations including their dependence on electron redistribution, 3=15480
- Bennemann, K.H. T-matrix approach to electron distribution in crystals, 4=9886
- Bennemann, K.H. and Tewordt, L. Lattice deformations around interstitial atoms, vacancies, interstitial atom pairs and Frenkel pairs in copper, 0=17926
- Bennet-Clark, H.C. and Ditchburn, R.W. The effect of reduced pressure on the fit of contact lenses, 4=10980
- Bennett, A.I. Variable-contrast test pattern source, 4=16201
- Bennett, A.I., Fekete, J.M., Hamilton, D.R. and O'Hara, S. Device for jerking dendrite interfaces rapidly from the melt, 2=21486
- Bennett, A.I. and Longini, R.L. Dendritic growth of germanium crystals, 0=1891
- Bennett, A.I. See Longini, R.L., 0=12010
- Bennett, A.I. See O'Hara, S., 4=13533
- Bennett, A.L., Young, R.A. and Hearn, N.K., Jr. X-ray diffraction topography of vibrating quartz crystals, 3=15982
- Bennett, A.S. The preparation of the revised 3C catalogue of radio sources, 3=9280
- Bennett, A.S. The revised 3C catalogue radio sources, 3=13926
- Bennett, A.S. A survey of extended sources of radio emission, 4=10925
- Bennett, A.S. and Smith, F.G. A comparison of three surveys of radio stars, 1=12783
- Bennett, B. See Palinchak, S., 0=2300
- Bennett, D.L. See Harpster, J.W., 4=1020
- Bennett, D.M. Apparatus for the demonstration of simple harmonic motion, 2=13290
- Bennett, E.F. (p,d) pickup reactions in light nuclei, 1=7374
- Bennett, E.F. The rice formulation of pile noise, 1=17201
- Bennett, E.F. Proportional counter proton-recoil spectrometer with gamma discrimination, 3=4412
- Bennett, E.F. and Long, R.L. Precision limitations in the measurement of small reactivity changes, 4=17232
- Bennett, E.F. and Maxson, D.R. Angular distributions of deuterons from $\text{Li}^7(\text{p,d})\text{Li}^6$ reactions, 0=1413
- Bennett, F.D. Shock-producing mechanism for exploding wires, 2=19596
- Bennett, F.D. Exploding wires, 3=199
- Bennett, F.D. Time-resolved interferometry of ionized gases, 3=3888
- Bennett, F.D., Burden, H.S. and Shear, D.D. Correlated electrical and optical measurements of exploding wires, 2=1189
- Bennett, F.D. Initial heating rates and energy inputs for exploding wires, 4=16265
- Bennett, F.D., Burden, H.S. and Shear, D.D. Two-wavelength streak interferometry of an ionized heavy gas, 3=18900
- Bennett, F.D. and Marvin, J.W. Current measurement and transient skin effects in exploding wire circuits, 3=3981
- Bennett, F.D., Shear, D.D. and Burden, H.S. Streak interferometry, 0=3642
- Bennett, G.E. Harmonic generation in a ferrimagnetic disk, 0=9187
- Bennett, G.E. See Morgenthaler, F.R., 3=1164
- Bennett, G.S. Remarks on the paper by Montague and Strickland, 2=9136
- Bennett, G.S. Measurement of bottom acoustical characteristics, 3=1773
- Bennett, G.S. The sonar equation, 3=9551
- Bennett, H.E. The solidification curves of the gold-copper system, 3=12002
- Bennett, H.E. Specular reflectance of aluminized ground glass and the height distribution of surface irregularities, 4=8384
- Bennett, H.E. and Bennett, J.M. Predicting the distribution of infrared radiation from the clear sky, 3=3465
- Bennett, H.E., Bennett, J.M. and Ashley, E.J. Infrared reflectance of evaporated aluminium films, 2=23537
- Bennett, H.E., Bennett, J.M. and Ashley, E.J. The effect of protective coatings of MgF_2 and SiO on the reflectance of aluminized mirrors, 3=11929
- Bennett, H.E., Bennett, J.M. and Nagel, M.R. Distribution of infrared radiance over a clear sky, 0=2024
- Bennett, H.E., Bennett, J.M. and Nagel, M.R. Question of the polarization of infrared radiation from the clear sky, 1=9184
- Bennett, H.E. and Koehler, W.F. Precision measurement of absolute specular reflectance with minimized systematic errors, 0=164
- Bennett, H.E. and McBride, W.R. Use of filters for suppressing scattered light in spectrometers used in the ultra-violet, 4=27304
- Bennett, H.E. and Porteous, J.O. Relation between surface roughness and specular reflectance at normal incidence, 1=4471
- Bennett, H.E., Silver, M. and Ashley, E.J. Infrared reflectance of aluminum evaporated in ultra-high vacuum, 3=20443
- Bennett, H.E. See Donovan, T.M., 4=7133
- Bennett, H.S. See Condell, W.J., Jr., 0=7212
- Bennett, H.W. and Nash, W.F. Model experiments on the design of solid iron magnets for use in cosmic ray spectrographs, 0=15462
- Bennett, J.A. International Conference of the Electrical and Magnetic Properties of Thin Metallic Layers Louvain, September 1961, 2=14499
- Bennett, J.A. Evidence regarding the mechanism of fatigue from studies of environmental effects, 3=20751
- Bennett, J.A. Changes in the influence of atmospheric humidity during fatigue of an aluminium alloy, 4=23125
- Bennett, J.A. and Flanagan, T.P. Instrument for recording the resistance during the deposition of a thin film, 0=8288
- Bennett, J.H. Accelerating convergence of discrete-ordinates methods, 4=21060
- Bennett, J.M. Method for determining comparator screw errors with precision, 1=12979
- Bennett, J.M. Precise automatic readout on comparator with photo-electric detection, 4=11010
- Bennett, J.M. Precise method for measuring the absolute phase change on reflection, 4=16244
- Bennett, J.M., Ross, I.G. and Wells, E.J. Asymmetric rotor energy levels: an improved computational procedure, 0=9784
- Bennett, J.M. See Bennett, H.E., 0=2024
- Bennett, J.M. See Bennett, H.E., 1=9184
- Bennett, J.M. See Bennett, H.E., 2=23537
- Bennett, J.M. See Bennett, H.E., 3=3465
- Bennett, J.M. See Bennett, H.E., 3=11929
- Bennett, J.R. J. and Grant, I.S. Elastic scattering and reactions of lithium ions, 4=22197
- Bennett, J.R. J. See Nassibian, G., 2=1532
- Bennett, J.V. and Fydeler, P.J. A literature survey on radiation induced polymerisation in the solid state, 2=23970
- Bennett, L. and Stalder, J. Drop size sensor, 4=10700
- Bennett, L.C. and Wiese, J.R. Effects of doping additions on the thermoelectric properties of the intrinsic semiconductor $\text{Bi}_2\text{Te}_{2.1}\text{Se}_{0.9}$, 1=8968
- Bennett, L.H. and Budnick, J.I. Magnetic resonance determination of the nuclear moment of tantalum-181 in KTaO_3 , 1=597
- Bennett, L.H. and Snodgrass, R.J. Absence of pronounced quadrupole effects in the nuclear resonance of In^{115} in a noncubic environment, 4=20615
- Bennett, L.H. and Streever, R.L., Jr. Internal magnetic fields in nickel-rich nickel-cobalt alloys, 2=12649
- Bennett, L.H. and Streever, R.L., Jr. Nuclear moment of Ni^{61} , 2=13970
- Bennett, L.H. See Budnick, J.I., 1=7802
- Bennett, L.H. See Snodgrass, R.J., 3=17066
- Bennett, L.H. See Snodgrass, R.J., 4=4428
- Bennett, L.H. See Snodgrass, R.J., 4=20617
- Bennett, L.H. See Streever, R.L., 3=3199
- Bennett, L.H. See Streever, R.L., 3=15967
- Bennett, L.H. See Streever, R.L., 3=25592
- Bennett, M.J. and Tompkins, F.C. The low-temperature interaction of oxygen with evaporated germanium films, 1=1481
- Bennett, R.A. Neutron rethermalization in graphite and water, 4=3739
- Bennett, R.A. and Heineman, R.E. Neutron rethermalization cross-section measurements in graphite, 1=17329
- Bennett, R.A. See Donahue, D.J., 0=13326
- Bennett, R.A. See Donahue, D.J., 1=13820
- Bennett, R.B. See Ch'en Shang-Yi, 0=13416
- Bennett, R.G. R.F. admittance bridge for liquid-dielectric measurements, 0=10866
- Bennett, R.G. Instrument to measure fluorescence lifetimes in the millimicrosecond region, 1=2458

- Bennett, R.G. Dielectric relaxation in phenyl alcohols at low temperatures, 1=9405
- Bennett, R.G. An improved magnification meter for dielectric measurements on liquids, 2=17766
- Bennett, R.G. and Calderwood, J.H. Relationship between dielectric relaxation and viscosity in alcohols, 3=21398
- Bennett, R.G. and Dalby, E.W. Experimental oscillator strength of the comet-tail system of CO^+ , 0=7777
- Bennett, R.G. and Dalby, F.W. Experimental oscillator strengths of CH and NH , 0=15698
- Bennett, R.G. and Dalby, F.W. Experimental oscillator strength of the violet system of CN , 2=3761
- Bennett, R.G. and Dalby, F.W. Experimental determination of the oscillator strength of the violet system of OH , 4=12456
- Bennett, R.G. See Dayton, I.E., 0=15754
- Bennett, R.G. See Marquardt, D.W., 2=3774
- Bennett, R.G.T. and Burren, J.W. An achromatic system of extraction for proton synchrotrons, 1=9657
- Bennett, R.G.T. See Ellyett, C., 1=18064
- Bennett, R.J. Determination of the ionisation energy of magnesium in gallium arsenide, 3=4922
- Bennett, R.M. and Holmes, O.G. Electronic states of hydrated vanadium (II) ion, 1=2448
- Bennett, S. and Connors, J. F. Theory and experiment with a gas stabilized constricted arc, 4=14616
- Bennett, S., Delvaile, J., Greisen, K. and Kendzioriski, F. Properties of EAS, 2=12070
- Bennett, S. and Greisen, K. Energy spectrum and positive excess of muons in cosmic-ray air showers, 2=1747
- Bennett, S.J. See Layton, L.H., 4=7370
- Bennett, W.E. The generation of direct current at high potentials, 0=1176
- Bennett, W.R., Jr. Hole burning effects in a He-Ne optical maser, 2=11784
- Bennett, W.R., Jr. Optical spectra excited in high pressure noble gases by alpha impact, 2=20745
- Bennett, W.R., Jr. Gaseous optical masers, 3=7730
- Bennett, W.R., Jr., Faust, W.L., McFarlane, R.A. and Patel, C.K.N. Dissociative excitation transfer and optical maser oscillation in Ne-O_2 and Ar-O_2 r.f. discharges, 2=22908
- Bennett, W.R., Jr. and Kindlmann, P.J. Magnetostrictively tuned optical maser, 2=17603
- Bennett, W.R., Jr., Knutson, J. W., Jr., Mercer, G. N. and Detch, J. L. Super-radiance, excitation mechanisms, and quasi-c.w. oscillation in the visible Ar^+ laser, 4=19286
- Bennett, W.R., Jr. See Javan, A., 1=7440
- Bennett, W.R., Jr. See McFarlane, R.A., 3=6358
- Bennett, W.R., Jr. See McFarlane, R.A., 3=17092
- Bennett, W.R., Jr. See Patel, C.K.N., 3=9507
- Bennewitz, H. G., Kramer, K. H., Paul, W. and Toennies, J. P. Measurement of the anisotropy of the van der Waals potential by scattering of molecules in a definite quantum state, 4=6664
- Bennewitz, H. G. and Wedemeyer, R. Molecular beam detector with electron bombardment ionization and four-pole mass filter, 3=6440
- Bennewitz, H. G. See Christensen, R.L., 1=8566
- Benney, D. J. Finite amplitude effects in an unstable laminar boundary layer, 4=14103
- Benney, D. J. and Greenspan, H. P. Remarks on transition and the stability of time-dependent shear layers, 2=19522
- Benney, D. J. and Lin, C. C. On the secondary motion induced by oscillations in a shear flow, 0=14600
- Benninghoven, A. Measurement of the vapour pressure of the alkali metals with the Bayard-Alpert ionization manometer, 3=19076
- Benninghoven, A. and Kirchner, F. Energy distribution of neutral and charged sputtering products, 4=6904
- Benninghoven, A. See Kirchner, F., 4=8865
- Benninghoven, A. See Kirchner, F., 4=21583
- Bennion, D. R. New multi-aperture magnetic logic element, 0=9140
- Bennion, R. B. See Barnett, J. D., 4=4596
- Bennion, R. B. See Barnett, J. D., 4=10555
- Bennoun, J. F. On the equations of a material medium in general relativity, 4=14039
- Benois, J. See Thureau, P., 2=646
- Benois, J. See Thureau, P., 2=7436
- Benoist, P., Marty, C. and Meyer, P. The excitation of the 4.43 MeV level of C^{12} by protons of about 100 MeV, 0=9353
- Benoist, P. See Amouyal, A., 0=7659
- Benoist, P. See Radvanyi, P., 2=1892
- Benoist-Gueutal, P. Dipole excitation of C^{12} in the inelastic scattering of 156 MeV protons, 1=8721
- Benoist-Gueutal, P. Notes on nuclear reactions by direct interaction at energies of 100 MeV, 2=454
- Benoist-Gueutal, P. and Lévy, B. Influence of the optical potential on (p, d) reactions up to about 100 MeV energies, 4=19774
- Benoit, G. See Horn, P., 0=19449
- Benoit, G. H. A nuclear magnetic resonance maser, 0=3850
- Benoit, H. Light scattering by dilute solution of high polymers, 4=14143
- Benoit, H., de Gennes, P.-G. and Silhouette, D. Nuclear relaxation in certain alloys of paramagnetic rare earths, 3=18155
- Benoit, H., Delpech, J. F., Grivet, P. and Varoquaux, E. Description of an experiment on nuclear resonance sensitive to continuous transverse fields, 4=30074
- Benoit, H., Grivet, P., Guibe, L. and Sauzade, M. A maser with double nuclear resonance, 0=17096
- Benoit, H. and Ottavi, H. A [nuclear magnetic resonance] spectrometer for high resolution in weak magnetic fields. Double resonance in ammonium nitrate, 0=11066
- Benoit, H. and Ottavi, H. Study of the Bloch-Siegert effect in weak magnetic fields, 0=12672
- Benoit, H. and Ottavi, H. Applications for an n.m.r. spectrometer using weak field. I. Double irradiation of the ammonium ion. II. The Bloch-Siegert effect, 1=12567
- Benoit, H., Ottavi, H. and Pommier, J. Measurement of the correlation time characterizing a chemical exchange, 3=13589
- Benoit, H. and Pommier, J. Observation of transitions induced by a radiofrequency field parallel to the static field, 3=17067
- Benoit, H. and Renard, J. P. Proton nuclear magnetic relaxation in antiferromagnetic $\text{CuCl}_2 \cdot 2\text{H}_2\text{O}$, 4=13342
- Benoit, H., Rempp, P. and Franta, E. Descriptive study of the electric birefringence of solutions of addition copolymers, 4=5179
- Benoit, H. and Ruby, R. H. An electron paramagnetic resonance spectrometer operating between 0.3° and 1.5°K, 4=24864
- Benoit, H., Ullman, R., de Vries, A. J. and Wippler, C. Scattering of light by aggregates suspended in a liquid, 3=5531
- Benoit, H. and Wippler, C. The angular distribution of light scattered by a system of copolymers, 0=14851
- Benoit, H. See Gallot, Y., 3=11791
- Benoit, H. See Gubler, M., 2=7407
- Benoit, H. See Klenine, S., 0=12111
- Benoit, H. See Leng, M., 3=4793
- Benoit, H. See Leng, M., 3=18443
- Benoit, H. See Luzzati, V., 1=20485
- Benoit, H. See Ruby, R. H., 2=14839
- Benoit, H. See Subirana, J. A., 3=10555
- Benoit, H. See Ullman, R., 2=7212
- Benoit, P. See Dumas, J. C., 3=12057
- Benoit, R. The spectrum of incoherent scattering in a plasma with and without collisions, 3=16942
- Benoit, R., Bertolini, G. and Restelli, G. B. Collimation of alpha particles in an ionization chamber, 4=30282
- Benoit, R. and Hourri, A. Propagation of very low frequencies in the earth-ionosphere system, 2=7766
- Benoit, R. and Hourri, A. On the measurement of the spectral density of a noise in geophysics. Application to the earth-ionosphere cavity, 3=6974
- Benoit, R. and Tran The Hien. A study of the geomagnetic field in the 5-50 c/s band, 0=4772
- Benoit, W. and Secretan, B. Performance of equipment for measuring internal friction from flexural vibrations, 3=11748
- Benoit à la Guillaume, C. Contribution to the study of the recombination of excess carriers in germanium, 0=591
- Benoit à la Guillaume, C. and Cernogora, J. Extrinsic photoconductivity with phonon emission in germanium, 3=13133
- Benoit à la Guillaume, C. and Lavallard, P. Radiative recombination in indium antimonide, 3=10825
- Benoit à la Guillaume, C. and Lavallard, P. Laser effect in indium antimonide, 4=8991
- Benoit à la Guillaume, C. and Parodi, O. Radiative recombination in germanium and silicon, 3=2900
- Benoit à la Guillaume, C. and (Mme) Tric. Possible use of semi-conductors in lasers, 2=10589
- Benoit à la Guillaume, C. and Tric, C. Optical study of III-V semiconductors with a view to laser production, 4=28688
- Benoit à la Guillaume, C. See Tric, C., 3=6639
- Benoit-Cattin, P. and Blanc, D. Precise evaluation of the sensitive volume of Geiger-Müller counters, using plastic scintillating filaments, 3=4290

- Ben-Reuven, A., Friedmann, H. and Jaffe, J.H. Theory of pressure-induced shifts of infrared lines, 3=17607
- Ben-Reuven, A., Kimel, S., Hirshfeld, M.A. and Jaffe, J.H. Theory and measurement of pressure-induced shifts of HCl lines due to noble gases, 1=14030
- Ben-Reuven, A. See Jaffe, J.H., 2=12320
- Ben-Reuven, A. See Jaffe, J.H., 4=1264
- Ben-Reuven, A. See Jaffe, J.H., 4=17283
- Bens, A.R. See Shepherd, G.G., 3=18555
- Bensasson, R., Leibler, K., Marx, R. and Szwarc, H. Electron paramagnetic resonance studies of some free radicals produced by irradiation in solids at low temperature, 1=14107
- Benseman, R. F. A microflowmeter for use with water, 4=8146
- Bensimon, J. Volume ionization in thermionic converters in a gas, 4=21451
- Ben-Sira, M.Y. See Peled, S., 3=10869
- Ben-Sira, M.Y. See Pratt, B., 1=6145
- Benson, B.B. See Klots, C.E., 3=9450
- Benson, B. B. See Klots, C. E., 4=159
- Benson, C.B. and Hallett, A.C.H. Viscosity measurements in liquid helium II, 0=19537
- Benson, C. T. Approximation of an ideal dipole with a solenoid, 4=3102
- Benson, D.K. See Gravitt, J.C., 3=6544
- Benson, F.A. Glow-discharge research at the University of Sheffield, 3=4054
- Benson, F.A. and Burdett, G.P. Argon, krypton and xenon admixtures in neon glow-discharge reference tubes, 2=11632
- Benson, G., Lovell, L., Marquit, E., Roe, B., Sinclair, D., Velde, J. V. and Weaver, K. Evidence that the f' has isotopic spin zero, 4=25155
- Benson, G.C. Recalculation of the surface energies of alkali halide crystals, 2=4486
- Benson, G.C. and Balk, P. Estimation of the effect of surface on the dipolar broadening of magnetic-resonance lines in crystals, 1=20266
- Benson, G.C. and Benjamin, L. Numerical values of some integrals occurring in the theory of heat conduction within cylindrically symmetric regions, 2=9424
- Benson, G.C. and Claxton, T.A. Calculation of the surface energy of the {110} face of some crystals possessing the fluorite structure, 3=22632
- Benson, G.C. and Claxton, T.A. Estimation of the surface energy of inert gas crystals, 4=17336
- Benson, G.C. and Dempsey, E. The cohesive and surface energies of some crystals possessing the fluorite structure, 2=6245
- Benson, G.C., Dempsey, E. and Balk, P. Distortion correction to the surface energy of the {110} face of alkali halide crystals, 1=3589
- Benson, G.C., Freeman, P.I. and Dempsey, E. Calculation of surface distortion in an alkali halide crystal bounded by a free {100} face, 3=25768
- Benson, G.C. See Benjamin, L., 2=11527
- Benson, G. C. See Britt, H. C., 4=22249
- Benson, G.C. See Dempsey, E., 0=6541
- Benson, G. C. See Martin, S., 4=13731
- Benson, K.E. See Carruthers, J.R., 4=4530
- Benson, K.E. See Storm, A.R., 3=20874
- Benson, P. A. and Gleit, C. E. Nomograph for determination of neutron-induced activities, 4=6250
- Benson, R.E. See Eaton, D.R., 2=18466
- Benson, R. E. See Eaton, D. R., 4=6649
- Benson, R. E. See Jones, M. T., 4=25726
- Benson, R.E. See Phillips, W.D., 0=15762
- Benson, R.F. Effect of line-of-sight aurora on radio star scintillations, 0=16465
- Benson, R.F. Cross modulation of cosmic noise, 2=22348
- Benson, R. F. The quasi-longitudinal approximation in the generalized theory of radio wave absorption, 4=11810
- Benson, R. F. Electron collision frequency in the ionospheric D region, 4=30958
- Benson, R. W. Hysteresis and residual stress in solid, 4=7376
- Benson, R. W. and Chapman, J. R. Distribution of losses in longitudinally excited vibrators, 4=27241
- Benson, S.W. On the existence of polyoxides of hydrogen, 0=17848
- Benson, S.W. On the existence of energy chains in ozone decomposition, 0=18432
- Benson, S.W. Reaction of cyclopropane with iodine and some observations on the isomerization of cyclopropane, 1=7903
- Benson, S.W. Reaction of O atoms with NO_2 and the structure of the NO_2 radical, 3=13598
- Benson, S.W. Kinetics of the pyrolysis of organic iodides, 3=16157
- Benson, S.W. Homogeneous catalysis of gas-phase atom recombination. Recombination of H atoms at high temperatures, 3=16165
- Benson, S.W. Kinetics of pyrolysis of alkyl hydro-peroxides and their O-O bond dissociation energies 4=13704
- Benson, S.W. Pyrolysis of ethylene oxide. A hot molecule reaction, 4=13722
- Benson, S.W. and Amano, A. Thermodynamics of iodine addition to ethylene, propylene and cyclopropane, 2=17080
- Benson, S.W. and Amano, A. Thermodynamic properties of tertiary iodides, 2=19139
- Benson, S.W. and Anderson, K.H. On the trapping of free radicals of oxygen and chlorine, 0=1535
- Benson, S. W. and Berend, G. C. Vibrational energy exchange of highly excited anharmonic oscillators, 4=12424
- Benson, S.W., Berend, G.C. and Wu, J.C. Classical model for vibrational and rotational excitation of diatomic molecules by collision. I. Hard-sphere collision, 3=8314
- Benson, S.W., Berend, G.C. and Wu, J.C. Classical model for vibrational and rotational excitation of diatomic molecules by collision. II. Interaction with arbitrary potential functions, 3=10502
- Benson, S.W. and Bose, A.N. Kinetics of the gas-phase addition of HI to C_2H_4 and the pyrolysis of ethyl iodide, 3=6915
- Benson, S. W. and Bose, A. N. Structural aspects of the kinetics of four-center reactions in the vapor phase, 4=7742
- Benson, S.W. and Copeland, C.S. The partial molar volumes of ions, 3=23873
- Benson, S.W. and Fueno, T. Mechanism of atom recombination by consecutive vibrational deactivations, 2=8130
- Benson, S.W. and Jain, D.S. Further studies of the pyrolysis of dimethyl ether, 0=1949
- Benson, S.W. and Nangia, P.S. Kinetic isotope effects in the pyrolysis of cyclopropane and cyclobutane, 3=8961
- Benson, S.W. and O'Neal, E. Kinetics of the reactions of alkyl iodides with HI, 1=5108
- Benson, S.W. See Allen, P.E., 2=17481
- Benson, S.W. See Anderson, K.H., 2=15126
- Benson, S. W. See Anderson, K. H., 4=2148
- Benson, S.W. See Anderson, K. H., 4=2157
- Benson, S. W. See Anderson, K. H., 4=23633
- Benson, S.W. See Batt, L., 2=6872
- Benson, S.W. See Bose, A.N., 2=21582
- Benson, S.W. See Bose, A.N., 3=11338
- Benson, S.W. See Flowers, M., 3=5164
- Benson, S.W. See Flowers, M.C., 3=11339
- Benson, S.W. See Hartley, D.B., 3=20978
- Benson, S.W. See Hershenson, H., 3=3385
- Benson, S.W. See Myers, H., 2=3031
- Benson, S. W. See Nangia, P. S., 4=26750
- Benson, S.W. See Newton, P., 2=19575
- Benson, S.W. See O'Neal, E., 2=12980
- Benson, S.W. See O'Neal, H.E., 2=19142
- Benson, S. W. See O'Neal, E., 4=10642
- Benson, S.W. See Pearson, D., 3=18449
- Benson, S.W. See Pearson, D., 3=18450
- Benson, S. W. See Teranishi, H., 4=23631
- Ben Sussan, A. See Warnecke, R. J., Jr., 4=19130
- Bent, H.A. Group electronegatives from bond lengths, 0=13445
- Bent, H.A. Explanation of the nonadditivity of bond lengths, 0=17851
- Bent, H.A. Electronegativities from comparison of bond lengths in AH and AH^+ , 0=20641
- Bent, H.A. Correlation of bond shortening by electronegative substituents with orbital hybridization, 0=20694
- Bent, H.A. Bond shortening by electronegative substituents, 0=20695
- Bent, H.A. Bond lengthening by lone pairs, 2=8120
- Bent, R.B. The testing of apparatus for ground fair-weather space-charge measurements, 4=17898
- Bent, R.D., Blatchley, D.E. and Eidson, W.W. 4.48-MeV level of Ca^{40} , 2=20510
- Bent, R.D. and Eidson, W.W. Gamma radiation from low levels of Al^{27} , 1=8618
- Bent, R. D., Evans, J. E., Morrison, G. C. and Van Heerden, I. J. Lifetimes of levels in Ne^{21} , 4=22017
- Bent, R.D. See Eidson, W.W., 2=18260
- Bent, R.D. See Eidson, W.W., 3=2498
- Bent, R.D. See Eidson, W.W., 4=28062
- Bent, R.D. See Kruse, T.H., 0=13206

- Bentle, G.G. Gas bubble formation in irradiated plastics and reactor fuels, 1=19818
- Bentle, G.G. Some elastic properties of BeO at room temperature, 3=5057
- Bentley, D.L. Mathematical representation for Wald's compartment theory, 3=7070
- Bentley, P.G. Isotopic analysis of boron in boron trifluoride by mass spectrometry, and measurement of natural boron 10 concentration, 0=16401
- Bentley, P.G. Polymers of carbon dioxide, 1=9960
- Bentley, P.G., Bishop, J., Davidson, D.F. and Evans, P.B.F.
- Bentley, P.G. See Dawson, D.G., 4=8
- Bentley, P.G. See Rowlands, J.L., 3=14
- Bentley, R.E. See Anderson, W., 0=11330
- Bentley, W.C. See Fields, P.R., 0=13300
- Bentley, W.H. and Drickamer, H.G. Effect of pressure on the spectra of MnO_4 and CrO_4 , 1=11369
- Benton, D.P. and Elton, G.A.H. Droplet interaction in aqueous-disperse aerosols, 1=11630
- Benton, E.E., Ferguson, E.E., Matsen, F.A. and Robertson, W.W. Cross-sections for the de-excitation of helium metastable atoms by collisions with atoms, 2=22894
- Benton, E.V. and Heckman, H.H. Primary and secondary grain densities of heavy ions in insensitive emulsions, 4=21718
- Benton, H.B. Small, lightweight ionization gauge control circuit, 0=2190
- Bentson, J. See Patel, S.A., 3=14076
- Bentwich, M. Use of a velocity-potential function in solving the wave equation for viscous media, 0=16763
- Bentwich, M. Free and forced vibrations of a membrane in contact with air, 3=5478
- Bentzon, M.W. See Levi, H., 3=17158
- Benveniste, J., Booth, R. and Mitchell, A. Proton interactions with Cu^{63} and Cu^{65} , 1=12196
- Benveniste, J., Booth, R. and Mitchell, A.C. Level structure of A^{40} , 1=19361
- Benveniste, J., Booth, R. and Mitchell, A.C. Observations on the response of two p-n junction diodes to protons, 2=3341
- Benveniste, J., Mitchell, A.C., Buck, B. and Fulmer, C.B. Proton scattering by isobars and single isotopes, 4=9494
- Benveniste, J., Mitchell, A.C. and Fulmer, C.B. Level structure on Ni^{64} and Zn^{64} , 3=10259
- Benveniste, J., Mitchell, A.C. and Fulmer, C.B. Proton scattering by Ni^{64} and Zn^{64} at 9.6 and 11.7 MeV, 3=10339
- Benveniste, J., Mitchell, A.C. and Fulmer, C.B. Elastic scattering of protons by Fe^{56} , Fe^{58} , and Ni^{58} at 10.9 and 11.7 MeV, 4=9493
- Benveniste, J., Mitchell, A.C., Schrader, C.D. and Zenger, J.H. Gamma-rays from the interaction of 14 MeV neutrons with beryllium, 0=20490
- Benveniste, J., Mitchell, A.C., Schrader, C.D. and Zenger, J.H. The problem of measuring the absolute yield of 14 MeV neutrons by means of an alpha counter, 1=2070
- Benveniste, J., Mitchell, A.C., Schrader, C.D. and Zenger, J.H. Gamma-rays from the interaction of 14 MeV neutrons with carbon, 1=2221
- Benveniste, J., Mitchell, A., Schrader, C. and Zenger, J. "Verni-ray", an instrument to measure the uniformity of thin foils, 1=12840
- Benveniste, J., Mitchell, A.C., Schrader, C.D. and Zenger, J.H. Gamma rays from the interaction of 14-MeV neutrons with lithium, 3=2474
- Benveniste, J., Mitchell, A. and Thomas, R. A method for measuring the energy of alpha-particle beams in the region 5 to 3 MeV, 3=24812
- Benveniste, M. See Bergé, P., 4=30646
- Benveniste, M. See Blanc, G., 3=2946
- Benwell, R. A Cherenkov chamber using large Cherenkov angles, 4=30135
- Benwell, R.M. and Mathieson, E. Bremsstrahlung excitation of silver isomers, 4=3631
- Ben'yaminovich, M.B. and Veksler, V.I. Investigation of the energy distribution of nickel atoms formed by cathode sputtering of nickel with mercury ions, 4=14770
- Benyon, D.E. See Carruthers, J.A., 1=10656
- Ben-Yosef, N. See Avivi, P., 4=8668
- Ben-Yosef, N. See Avivi, P., 4=8669
- Ben-Yosef, N. See Avivi, P., 4=11634
- Benz, K.W. and Wolf, H.C. Concentration dependence of the energy transfer in anthracene-tetracene mixed crystals, 4=20498
- Benz, K.W. and Wolf, H.C. Fluorescence and energy transfer in phenanthrene crystals, 4=20504
- Benz, M.G. and Elliott, J.F. High temperature heats of mixing for the liquid copper-tin system and the liquid copper-nickel system, 4=24176
- Benz, M.G. See Martin, D.L., 4=3092
- Benz, M.G. See Martin, D.L., 4=11746
- Benz, M.G. See Rosner, C.H., 3=19408
- Benzcer-Koller, N. Internal conversion in Sn^{119} , 4=22036
- Benze, F., Bühler, S.E. and Lücke, K. Critical resolved shear stress of aluminium single crystals at elevated temperatures, 4=1924
- Benzi, V. and Chiarini, A. Fission product poisoning in thermal reactors, 2=16455
- Benzie, R.J. Ferrites: their use in R and D [research and development] applications, 2=18917
- Benzler, H. [Coolant] flow inversion in gas-cooled reactors, 1=13902
- Benzler, H. Effect on the degree of cooling efficiency of gas-cooled nuclear reactors of the temperature dependence of the gas properties, burn-up and control, 3=694
- Ben-Zvi, A. See Halperin, A., 0=2971
- Ben-Zvi, A. See Halperin, A., 0=4466
- Bér, K.V. Inhomogeneous distribution of field and current density in CdS monocrystals, 0=18088
- Bër, K.V. [Boer, K.W.]. Some theoretical ideas on non-uniform distribution of electric field during breakdown, 1=14563
- Ber, L.E. A [simple] method for solving problems of nonisothermal turbulent convection in a channel formed by parallel planes, 0=8620
- Beran, M. and Molyneux, J. Statistical properties of the electric field in a medium with small random variations in permittivity, 4=8600
- Beran, M. and Parrent, G., Jr. On the equations governing the coherence of the radiation emitted by random charge and current distributions, 2=2856
- Beran, M. and Parrent, G. Jr. The mutual coherence of incoherent radiation, 3=9574
- Beran, M.J. A note on non-equilibrium species concentrations in air, 1=18470
- Beraneck, L.L. Audience and seat absorption in large halls, 0=10743
- Beraneck, L.L. Electroacoustic measuring equipment and techniques, 2=15704
- Beraneck, L.L. Reply to Shankland's letter, 3=14295
- Beraneck, L.L. Seeking communication: musical-acoustic vocabulary, 3=14301
- Beraneck, L.L., Johnson, F.R., Schultz, T.J. and Watters, B.G. Acoustics of Philharmonic Hall, New York, during its first season, 4=24332
- Beraneck, L.L. and Klepper, D.L. Acoustic of the Binyanei Ha'Oomah Jerusalem Congress Hall, 2=2854
- Beraneck, L.L. See Johnson, F.R., 1=8205
- Beraneck, L.L. See Watters, B.G., 3=16722
- Beraneck, M. See Koller, A., 0=10932
- Beránková, J. See Hruby, A., 3=8807
- Beránková, J. See Šmirous, K., 3=5087
- Berard, M.F. and Wilder, D.R. Self-diffusion in polycrystalline yttrium oxide, 3=22827
- Berben, T.J. See Druyvesteyn, W.E., 4=18579
- Bercaw, R.W. and Shull, F.B. Polarization of protons produced in the stripping of deuterons by B^{10} , Si^{28} , and Ca^{40} , 4=9557
- Bercaw, R.W. See Allas, R.G., 2=18352
- Bercea, C. Neutron production by unstable particles, 2=5646
- Bercea, C. On local production of slow neutrons by unstable particles, 2=5766
- Bercea, C. See Alper, S., 1=402
- Bercha, D.M. and Tarnav'ska, M.V. Interminimum scattering in crystals of PbTe , Mg_2Ge , Ag , CdSb , ZnSb , TiO_2 , 4=25887
- Berchenko, M.A. Influence of fluxes on the properties of electroluminophors, 2=23604
- Berchtold, J. Infrared fluorescence of green leaves, 3=21149
- Berchtold, J. Photoelectric compensation of hum introduced by tungsten lamps operated from alternating current, 3=24177
- Bercovitch, M. Day to day study of the diurnal variation of cosmic-ray intensity, 3=24825
- Bercovitch, M., Carmichael, H., Hanna, G.C. and Hincks, E.P. Yield of neutrons per interaction in U, Pb, W, and Sn by protons of six energies between 250 and 900 MeV selected from cosmic radiation, 0=13098
- Berdichevskaya, V.S. Interpretation of the Evershed effect, 4=13933
- Berdnikov, N.B. See Smolkin, M.N., 4=2825
- Berdnikov, V.F. See Rvachov, V.P., 3=21535
- Berdowski, W. Vibrational levels and eigenfunctions of the HgA Van Der Waals molecule, 4=1267

- Berdyev, A. A. and Lezhnev, N. B. Measuring the absorption of ultrasound in liquids, 4=2673
- Berdyshev, A. See Seidov, Yu., 1=1812
- Berdyshev, A. A. and Korzh, E. D. Exchange interaction between the inner and outer electrons of transition metals. II. Antiferromagnetism, 2=21343
- Berdyshev, A. A. and Vlasov, I. N. The electrical resistance of an antiferromagnetic, 1=5000
- Berdyshev, A. A. See Karpenko, B. V., 0=11908
- Berdyshev, A. A. See Karpenko, B. V., 1=3917
- Berdyshev, A. A. See Karpenko, B. V., 4=7208
- Berdyshev, A. A. See Karpenko, B. V., 4=26019
- Berdyshev, A. A. See Vonsovskii, S. V., 0=13750
- Berenbaum, L. "Spire" growth on bismuth-manganese alloys in the absence of a magnetic field, 1=14965
- Berenbaum, R. and Brodie, I. Measurement of the tensile strength of brittle materials, 0=4546
- Berenbaum, R. and Umezawa, M. Low excited states of O^{16} , I, 3=15104
- Berenbaum, R. See Ormerod, A., 1=7828
- Berenbaum, R. See Paterson, W. J., 4=6061
- Berencz, F. Allowance for hybridization in the case of hydrogen molecule, 0=1509
- Berencz, F. Electron correlation in the eigenfunction of the ground state of the hydrogen molecule, 0=13444
- Berencz, F. The relation between Löwdin's spin projection operator and Pratt's spin operator, 1=791
- Berencz, F. The role of multipole interaction effects in van der Waals attraction, 1=884
- Berencz, F. The contribution of octupole forces to Van Der Waals attraction, 1=5980
- Berencz, F. Bose statistics in relativity theory, 1=8077
- Berencz, F. A further application of the method of spin operators, 3=17525
- Berencz, F. The calculation of the $1s\ n s^1$ S-state of the hydrogen molecule using the molecular orbital method, 3=22561
- Berencz, F. The development of the configuration-interaction method by the aid of the spin-operator method, 4=9694
- Berend, G. C. See Benson, S. W., 3=8314
- Berend, G. C. See Benson, S. W., 3=10502
- Berend, G. C. See Benson, S. W., 4=12424
- Berenda, C. W. Temporal reversal of events in restricted relativity, 1=1688
- Berendsen, H. J. C. Nuclear magnetic resonance study of collagen hydration, 2=16573
- Berendsen, H. J. C. See Zijlstra, R. J. J., 3=21681
- Berendt, G. Retarded functions and potential scattering, 2=22440
- Berendt, G. A remark about Regge poles for hard-core potential scattering, 3=10043
- Berendt, G. An axiomatic frame for potential scattering, 4=70
- Berendt, R. D. and Schmidt, H. A., Jr. A portable impedance tube, 3=18943
- Berenson, P. J. Experiments on pool-boiling heat transfer, 3=298
- Berényi, C., Máthé, G. and Scharbert, T. Investigations of the decay-scheme of Fe^{59} , 0=4070
- Berényi, D. Problems and results in theoretical and experimental investigations of the ϵ/β^+ ratio, 4=3595
- Berényi, D. Search for positrons in the disintegration of Ag^{110} isomers, 3=6206
- Berényi, D. Detection of positrons in a magnetic β -ray spectrometer by means of their annihilation radiation to investigate transitions involving the emission of positrons with low intensity, 3=19617
- Berényi, D. The second order non-unique forbidden decay of Cl^{38} into S^{36} , 4=1042
- Berényi, D. and Balogh, T. On the calculation of the angular resolution correction in angular correlation measurements, 4=9005
- Berényi, D. and Mathe, G. Experiences in the use of scintillation detector in a β -spectrometer of toroid-sector type, 2=5624
- Berényi, D., Mathe, G. and Scharbert, T. Further γ -spectroscopic investigations on the decay scheme of I^{131} , 2=10075
- Berényi, D., Máthé, Gy. and Scharbert, T. γ - γ angular correlation measurement on the $0.337 \rightarrow 1.10$ MeV cascade in the decay of Fe^{59} , 4=1043
- Berényi, D. and Osvay, M. Transmission of 100-472 keV monoenergetic electrons through Al absorbers, 3=14961
- Berényi, D. See Bódy, Z., 3=10095
- Berényi, D. See Mathe, G., 1=8654
- Berényi, D. See Mathe, G., 2=10056
- Berényi, D. See Scharbert, T., 1=13753
- Berényi, D. See Szalay, A., 0=1461
- Berenzina, G. P. See Berezin, A. K., 2=15952
- Bereshchahin, I. K. and Kosyachenko, L. A. Electrical properties of the electro-luminescent phosphor $ZnS:Cu$, 3=20345
- Bereshev, B. I. See Ryabinin, Yu. N., 3=1215
- Beresnev, B. I. See Bul'chev, D. K., 4=23146
- Beresnev, B. I. See Livshits, L. D., 4=13445
- Berestetskii, V. B. [Berestetskii, V. B.] Dynamic properties of elementary particles and the theory of the scattering matrix, 4=5927
- Berestetskii, V. B. Nuclear orientation in radiative K capture, 0=1390
- Berestetskii, V. B. Anomalous magnetic moments of the muon and of the electron, 1=19224
- Berestetskii, V. B. The dynamical properties of elementary particles and the theory of the scattering matrix, 3=24643
- Berestetskii, V. B. Asymptotic behaviour of scattering amplitudes and the problem of "ghosts" on the trajectories of vacuum Regge poles, 3=24654
- Berestetskii, V. B. and Pomeranchuk, I. Ya. Beta interaction and nucleon form factor, 0=11143
- Berestetskii, V. B. and Pomeranchuk, I. Ya. Asymptotic behaviour of cross-sections at high energies, 1=19116
- Berestetskii, V. B. and Terent'ev, M. V. Higher moments of the charge and magnetic moment distributions of nucleons, 1=13406
- Berestetskii, V. B. and Zhizhin, E. D. Photoproduction of π -mesons on nucleons in peripheral collisions, 0=20211
- Berestetskii, V. B. See Beresteckij, V. B.,
- Berestetsky, V. B. On the removal of the "ghost" on the vacuum pole trajectory, 3=5954
- Berestetsky, V. B. and Pomeranchuk, Ya. I. On the asymptotic behaviour of cross-sections at high energies, 1=5665
- Berestnev, V. A., Razikov, K. Kh., Alekseeva, E. S. and Kargin, V. A. The structure of orientated polymeric materials, 1=20654
- Berestnev, V. A., Razikov, K. Kh., Alekseeva, E. S. and Kargin, V. A. The structure of orientated polymeric materials, 2=4481
- Berestovoi, A. M., Kaminker, D. M. and Kondurov, I. A. Measurement of the lifetime of the levels in the Eu^{152} , Ag^{110} and Cs^{134} nuclei produced in (n, γ) reactions, 4=6236
- Beretka, J. Differential thermal analysis of yttrium iron garnet, 3=8796
- Berezhkova, G. V. and Regel', V. R. Temperature relations of the kinking limit for caesium iodide crystals, 2=6723
- Berezhkova, G. V. and Rozhanskii, V. N. Mechanisms of growth of ionic filament crystals from solutions, 4=10482
- Berezhkova, G. V. See Lider, V. V., 3=20518
- Berezhkova, G. V. See Regel', V. R., 0=13542
- Berezhkova, G. V. See Rozhanskii, V. N., 4=26646
- Berezhnaya, I. A. and Kurbatov, L. N. Investigation of the surface of lead sulphide photoresistors by adsorption, 1=17802
- Berezhnoi, Y. A. Inelastic diffraction scattering with excitation of two-phonon states of nuclei, 4=6214
- Berezhnoi, Yu. A. Scattering of deuterons by nonaxial nuclei, 2=5954
- Berezhnoi, Yu. A. Scattering of deuterons by orientated non-spherical nuclei, 2=8005
- Berezhnoi, Yu. A., Klyucharev, A. P., Ranyuk, Yu. N. and Rutkevich, N. Ya. Mechanism of total nuclear disintegration, 4=6380
- Berezhnoi, Yu. A., Klyucharev, A. P., Ranyuk, Yu. N. and Rutkevich, N. Ya. Nuclear breakup reactions, 3=15235
- Berezhnoi, Yu. A. See Inopin, Ye. V., 2=20578
- Berezhnoi, Yu. A. See Sitenko, A. G., 0=2670
- Berezhnoi, Yu. A. See Sytenko, O. H., 1=13835
- Berezin, A. A., Stoliarov, G. A., Nikol'skii, Yu. V. and Chelnokov, I. E. 14.6 MeV fission cross-sections of U^{235} and Th^{232} , 1=19547
- Berezin, A. A. See Flerov, N. N., 1=19546
- Berezin, A. B., Malyshev, G. M. and Zaidel, A. N. Investigating interaction of hydrogen with discharge chamber walls by spectro-isotopic method, 3=7451
- Berezin, A. B., Zaidel, A. N. and Malyshev, G. M. Spectroscopic investigation of collective motion of N IV ions in the alpha device, 3=24304
- Berezin, A. B., Zaidel, A. N., Malyshev, G. M., Razdobarin, G. T. and Skidan, V. V. Spectral investigations in the "Alpha" device, 4=8788
- Berezin, A. B. See Zaidel, A. N., 1=5479
- Berezin, A. B. See Zaidel, A. N., 1=5481

- Berezin, A.B. See Zaidel', A.N., 1=9605
 Berezin, A.B. See Zaidel', A.N., 1=9607
 Berezin, A. K., Berezina, G. P., Bolotin, L. I. and Fainberg, Ya. B. The interaction of intense pulsed bunches with plasma in a magnetic field, 4=14640
 Berezin, A. K., Berezina, G. P., Bolotin, L. I. and Fainberg, Ya. B. The interaction of pulsed high-current beams with a plasma in a magnetic field, 4=18507
 Berezin, A. K., Fainberg, Ya. B., Berezina, G. P., Bolotin, L. I. and Stupak, V. G. The interaction of strong electron beams with a plasma, 3=9780
 Berezin, A. K., Nekrashevych, A. M., Silenok, H. A., Fainberh, Ya. B. and Khynnyak, N. A. Investigation of a helical waveguide with an artificially anisotropic dielectric. II, 1=19038
 Berezin, A. K., Stupak, V. G., Berezina, G. P., Bolotin, L. I., Lyapkalo, Yu. M., Solopikhin, D. P. and Bondarenko, V. P. High-power electron gun for use under high-vacuum conditions, 3=14649
 Berezin, A. K., Stupak, V. G., Bolotin, L. I. and Berezina, G. P. Transmission of intense pulsed electron beams through dielectric tubes. I, 3=9858
 Berezin, A. K., Stupak, V. G., Bolotin, L. I. and Berezina, G. P. Transmission of intense pulsed electron beams through dielectric tubes. II, 3=9859
 Berezin, A. K., Stupak, V. G., Bolotin, L. I., Berezina, G. P., Lyapkalo, Yu. M. and Sevryukov, Yu. N. Passage of intense pulsed electron beams through dielectric tubes, 2=15952
 Berezin, A. K., Zeidlits, P. M., Nekrashevich, A. M. and Silenok, G. A. Determination of the dispersion relation for waveguides with helices, 0=9216
 Berezin, A. K., Zeidlits, P. M., Nekrashevich, A. M. and Skoblik, I. P. Experimental investigation of the dispersion relation of a waveguide with a cross-wound helix, 0=9217
 Berezin, A. K. See Fainberh, Ya. B., 1=19037
 Berezin, A. K. See Silenok, G. A., 0=9218
 Berezin, F. A. The Thirring model, 1=19091
 Berezin, F. A. The Lee Model, 2=13726
 Berezin, F. A. The Lee Model, 2=20231
 Berezin, F. A. On operators in the second quantization representation, 4=14995
 Berezin, F. N., Ofenhenden, R. H., Rosenthal', O. M. and Shaleiko, M. A. Small pulse-height analyser Aima-3, 3=21687
 Berezin, I. A. Distribution of spectral line intensities in the hollow cathode, 3=19936
 Berezin, I. A. and Stepanova, A. I. Sensitization of photographic plates for the ultraviolet region of the spectrum, 0=16904
 Berezin, I. A. and Yanovskaya, G. N. Study of the excitation of the iodine spectrum in a hollow cathode, 3=17527
 Berezin, O. A. Some "progressive" plane-wave motions of a gas in magnetohydrodynamics, 0=15119
 Berezin, O. A. Some "progressive" [self-similar] plane-wave motions of a gas in magnetohydrodynamics, 1=5540
 Berezin, V. I. Calculation and interpretation of the vibrational spectra of pyridine and deuteropyridines. Planar vibrations, 4=9761
 Berezin, V. I. Calculation and interpretation of the vibrational spectra of pyrazine, s-triazine, s-tetrazine, and some of their deuterium substitution products. Planar vibrations, 4=22411
 Berezin, Yu. A. Characteristic oscillations of a plasma ellipsoid in a constant magnetic field, 4=14702
 Berezin, Yu. A. The low-frequency oscillations of a plasma ellipsoid, 4=24691
 Berezin, Yu. A., Gutkin, T. I., Losovskii, S. N. and Soldatenkov, T. R. The interaction between a plasma and high frequency fields in the presence of a constant uniform magnetic field, 4=18478
 Berezin, Yu. A. and Karpman, V. I. Theory of nonstationary finite amplitude waves in a rarefied plasma, 4=18969
 Berezina, G. P. See Berezin, A. K., 3=9780
 Berezina, G. P. See Berezin, A. K., 3=9858
 Berezina, G. P. See Berezin, A. K., 3=9859
 Berezina, G. P. See Berezin, A. K., 3=14649
 Berezina, G. P. See Berezin, A. K., 4=14640
 Berezina, G. P. See Berezin, A. K., 4=18507
 Berezinskii, V. and Dolgoshein, B. Calculation of the polarization of low-energy cosmic ray muons, 2=13934
 Berezinskii, V. and Dolgoshein, B. Calculation of the polarization of low-energy cosmic ray muons, 3=6117
 Berezinskii, V. S. Polarization of high energy cosmic ray μ -mesons, 2=9976
 Berezinskii, V. S. Transverse polarization of cosmic ray μ -mesons, 3=2347
 Berezinski, V. S. The polarisation of the high energy cosmic ray muons, 3=4520
 Berezinskii, V. S. Polarization of high energy cosmic ray μ -mesons, 3=6115
 Berezinskii, V. S. and Zatsepin, G. T. Some energy relations obtained with allowance for parity nonconservation in μ -e decay, 1=16831
 Bereznyak, N. G., Bogoyavlenskii, I. V. and Esel'son, B. N. Incipient solidification curves of solutions of helium isotopes, 3=16854
 Bereznyak, N. G., Bogoyavlenskii, I. V. and Esel'son, B. N. Equilibrium diagram for the liquid-crystal He^3 - He^4 system, 4=2912
 Bereznyak, N. G. See Bogoyavlenskii, I. V., 4=29823
 Bereznyak, N. G. See Esel'son, B. N., 3=1879
 Bereznyak, N. G. See Esel'son, B. N., 3=12012
 Berezovskii, V. N. See Finkel', V. M., 1=15188
 Berezsnich, T. A. See Biczo, G., 4=3894
 Berg, B. A. Deformation anisotropy, 1=6439
 Berg, C. A. Deformation of free boundaries in plane viscous creep, 4=24126
 Berg, D. See Dakin, T. W., 0=3541
 Berg, D. See Dakin, T. W., 2=19927
 Berg, D. See Hirayama, C., 2=674
 Berg, D. See Tanaka, J., 4=4287
 Berg, G. J. van den. See van den Berg, G. J.
 Berg, H. C. and Kleppner, D. Storage technique for atomic hydrogen, 2=10225
 Berg, H. F., Ali, A. W., Lincke, R. and Griem, H. R. Measurement of Stark profiles of neutral and ionized helium and hydrogen lines from shock-heated plasmas in electromagnetic T tubes, 2=3700
 Berg, H. F., Eckerle, K. L., Burris, R. W. and Wiese, W. L. Relative oscillator strengths of some O II and O III lines from measurements on shock-heated plasmas, 4=15284
 Berg, H. F. See Wiese, W., 0=19689
 Berg, H. F. See Wiese, W., 1=2782
 Berg, J. The flat source approximation in resonance integral calculations, 4=25452
 Berg, J. O. Resonance integrals in tight lattices, 4=9604
 Berg, J. W., Jr. and Papageorge, G. E. Elastic displacement of primary waves from explosive sources, 4=21219
 Berg, K. H. See Bartels, H., 3=4102
 Berg, L. G. and Burmistrova, N. P. The so-called solid state phases, 2=9464
 Berg, L. G. and Sidorova, E. E. Determination of thermal diffusivity by a thermographic method and its application in physico-chemical analysis, 0=19469
 Berg, M. A. and Shefov, N. N. Emission of the hydroxyl bands and of the (0.1) λ 8645 A atmospheric band of oxygen in the nightglow, 2=15251
 Berg, M. R. See Leadabrand, R. L., 0=10442
 Berg, M. R. See Presnell, R. I., 0=10440
 Berg, M. R. See Schlobohm, J. C., 0=10441
 Berg, R. A. and Lindner, C. N. Electron-proton bremsstrahlung, 1=13385
 Berg, R. A. See Brewer, L., 2=14283
 Berg, R. A. See Brewer, L., 3=5514
 Berg, R. A. See Brewer, L., 3=11838
 Berg, R. A. See Strickler, S. J., 2=20782
 Berg, R. A. See Wharton, L., 4=1257
 Berg, R. S. and Howland, B. Design of wide-band shielded toroidal r.f. transformers, 1=16208
 Berg, S. and Forkner, J. Note on recent demonstrations of color mechanisms, 0=6524
 Berg, T. G. O. Background spectra of solids, 1=10113
 Berg, U. and Persson, P. A. Multiple flash-gap technique for measuring shock wave velocities, 3=7275
 Berg, U. I. Investigations on a very high pressure transducer, 4=2515
 Berg, W. T. See Barron, T. H. K., 0=7849
 Berg, W. T. See Scott, D. W., 2=3732
 Berg, W. T. See Scott, D. W., 2=15822
 Bergamaschi, C., Brun, J. C., Cabrespine, A., Gayraud, R., Génin, J., Langevin-Joliot, H., Marty, N., Michalowicz, A., Radvanyi, P., Riou, M., Teillac, J. and Victor, C. The 157 MeV synchrocyclotron, 1=16462
 Bergdolt, A. M. See Gorodetzky, M. S., 3=24344
 Bergdolt, G. See Gorodetzky, S., 0=9587
 Bergdolt, G. See Gorodetzky, S., 0=19992
 Bergdolt, G. See Gorodetzky, S., 2=440
 Bergdolt, G. See Gorodetzky, S., 3=2445
 Berge, G. L. See Morris, D., 2=19349

- Berge, J.P., Bastien, P., Dahl, O., Ferro-Luzzi, M., Kirz, J., Miller, D.H., Murray, J.J., Rosenfeld, A.H., Tripp, R.D. and Watson, M.B. Pion- λ resonance (Y_1^*), 1=10932
- Berge, J.P., Solnitz, F.T. and Taft, H.D. Kinematical analysis of interaction vertices from bubble chamber data, 1=8408
- Berge, J.P. See Bastien, P.L., 2=22608
- Berge, J.P. See Bastien, P.L., 3=15030
- Berge, J.P. See Hubbard, J.R., 4=21951
- Berge, J.P. See Stevenson, M.L., 4=25200
- Berge, O.E., Böttcher, W., Kleist, G. and Kogelschatz, U. Measurement of the current density behind the front of a magnetically driven cylindric shockwave, 4=18828
- Bergé, P. Effect of irradiation on the electrical and optical properties of lithium fluoride. I. Electrical conductivity of non-irradiated lithium fluoride single crystals, 1=14391
- Bergé, P., Benveniste, M., Blanc, G. and Dubois, M. Determination by electron paramagnetic resonance at varying temperature of an electrical conduction mechanism induced in lithium fluoride doped with manganese, 4=30646
- Berge, P. and Blanc, G. An adiabatic calorimeter, 1=16167
- Bergé, P. and Blanc, G. Radiation effects on the electrical properties of lithium fluoride, 1=17634
- Berge, P., Blanc, G. and Dubois, M. Effect of internal irradiation produced by tritium in lithium fluoride, 2=615
- Bergé, P. and Tournarie, M. Histogram. An entirely automatic system for step counting for an X-ray spectrometer constructed from standard components, 1=20460
- Berge, P. See Blanc, G., 3=2946
- Berge, P. See Dubois, M., 1=10020
- Berge, P. See Dubois, M., 2=12481
- Berge, P. See Lambert, M., 0=4728
- Berge, P. See Perio, P., 3=22981
- Berge, P. See Tournon, J., 4=20482
- Bergel'son, L.D. Application of ultrasonics in conformational analysis, 0=19325
- Berger, A.G. See Knight, W.D., 0=4530
- Berger, E.L. See Hefley, G., 0=16902
- Berger, H. Comparison of several methods for the photographic detection of thermal neutron images, 2=1695
- Berger, H. Annealing of lattice defects in freshly precipitated CdS films, 2=2160
- Berger, H. Photographic detectors for neutron diffraction, 2=20373
- Berger, H. Resolution study of photographic thermal neutron image detectors, 3=12477
- Berger, H. For non-destructive testing—neutron radiography, 3=16475
- Berger, H. The current status of neutron radiography, 4=11380
- Berger, H. Neutron radiography—a new dimension in radiography, 4=10993
- Berger, H., Böer, K.W. and Weber, E.H. The influence of gaseous atmospheres on the spectral distribution of the photoconduction of single crystals of CdS, 0=9992
- Berger, H., Böer, K.W. and Weber, E.H. A contribution to the clarification of the spectral distribution of photoconductivity of CdS single crystals, 2=647
- Berger, H., Gutsche, E., Kahle, W. and Lehmann, G. Electron microscopic surface studies on CdS simple crystals, 3=8924
- Berger, H. and Kraska, I.R. Photographic film detection methods for ultrasonic field visualization, 2=9416
- Berger, H. See Jacobs, J.E., 4=5334
- Berger, J. Research on the properties of widely separated double or multiple stars with respect to evolutionary problems. I. Spectrophotometric study of 77 systems of widely separated double or multiple stars, 2=9089
- Berger, J. A meeting on detonation waves, 2=15132
- Berger, J. Research on the properties of widely separated double or multiple stars in relation to evolutionary problems. IV. Distribution of absolute magnitudes in the three-dimensional classification system, 2=17282
- Berger, J. Radial velocities and spectra of faint blue stars at high galactic latitudes, 4=23862
- Berger, J., Favier, J. and Nault, Y. Determination of the detonation characteristics of solid explosives, 1=15192
- Berger, J. and Joigneau, S. The linear relation between the material velocity and the shock-wave velocity in a metal, 0=6010
- Berger, J., Joigneau, S. and Bottet, G. Behaviour of sulphur under the action of a shock wave, 0=15806
- Berger, K. Multiple reflection interferometric analysis of the microstructure of silvered glass surfaces, 4=10598
- Berger, L. Influence of spin-orbit interaction on the transport processes in ferromagnetic nickel alloys, in the presence of a degeneracy of the 3d-band, 3=15551
- Berger, L. Influence of spin-orbit interaction on the transport processes in ferromagnetic nickel alloys, in the presence of a degeneracy of the 3d band, 4=22679
- Berger, L. and Friedberg, S.A. Low-temperature magnetic susceptibilities of the hydrated nickel nitrates, 4=30703
- Berger, L., Friedberg, S.A. and Schriempf, J.T. Magnetic susceptibility of $\text{Cu}(\text{NO}_3)_2 \cdot 2.5\text{H}_2\text{O}$ at low temperature, 4=4393
- Berger, L. and Rivier, D. Electrical and thermal resistivities of pure Ni and an Fe-Ni alloy in a magnetic field at low temperatures, 3=8489
- Berger, L.I. and Radautsan, S.I. Some properties of indium arsenoselenides, 4=1611
- Berger, M. See Danner, H.R., 4=12551
- Berger, M. See Safford, G.J., 4=12552
- Berger, M.A. See Smith, P., 1=6517
- Berger, M.J. and Cooper, J.W. Reflection of fast neutrons from water, 0=7366
- Berger, M.J. and Raso, D.J. Monte Carlo calculations of gamma-ray backscattering, 0=7318
- Berger, P. Remarks on the isobaric model for multiple particle production, 2=18152
- Berger, P., Van Leeuwen, J.M.J. and Verboven, E. On the quantum theory of electrical conductivity. II, 4=12836
- Berger, P.A. and Günthart, H.H. The distortion of electron spin resonance signal shapes by finite modulation amplitudes, 3=2138
- Berger, R.T. The X- or gamma-ray energy absorption or transfer coefficient: tabulations and discussion, 2=5423
- Berger, R.T. and Herzfeld, C.M. On the nature of the crystal field approximation. II. Numerical results, 3=25165
- Berger, S. Giant pulsations in the magnetic field and pulsating aurora, 3=25956
- Berger, S. See Vegard, L., 0=794
- Berger, S.A. and Holt, M. Implosive phase of a spherical explosion in sea water, 2=9306
- Berger, S.B. and Rubinstein, C.B. A comparison of the optical Faraday rotation and magnetic susceptibility of cerous phosphate glass, 4=22851
- Berger, S.B., Rubinstein, C.B., Kurkjian, C.R. and Treptow, A.W. Faraday rotation of rare-earth (III) phosphate glasses, 4=10187
- Berger, S.B. See Rubinstein, C.B., 4=26217
- Berger, S.B. See Spencer, E.G., 3=25547
- Berger, U. See Meyer, K., 4=4044
- Berger, U. See Meyer, K., 4=26693
- Berger, W. and Kössler, H.J. Orientation dependence of the paramagnetic resonance in copper sulfate $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$, 1=1261
- Berger, Z. The luminescence of AgCl crystals doped with thallium, 1=20008
- Berger, Z. Temperature dependence of the luminescence of crystals of AgCl with admixture of Tl, 3=18032
- Berger, Z. and Vavrinec, E. X-ray luminescence of AgCl crystals, 2=6604
- Berger, Z. See Beneš, J., 3=6671
- Bergere, R., Delezenne, E. and Veyssiere, A. Study of current monitors for a linear electron accelerator, 2=22285
- Bergere, R., Veyssiere, A. and Daujat, P. Linac beam position monitor, 3=5728
- Bergère, R. See Michaudon, A., 1=13868
- Bergerhoff, G. The crystal structure of tin (II) fluoride, 2=10884
- Bergeron, C. and Penciolelli, G. Clairaut-Mossotti [cemented doublet aplanat] objectives and new glasses, 1=4441
- Bergeron, C.J., Grenier, C.G. and Reynolds, J.M. Galvanomagnetic and thermomagnetic potentials in zinc at liquid helium temperatures, 0=13581
- Bergeron, C.J. See Sekula, S.T., 3=14454
- Bergeron, C.J., Jr. Simple model for longitudinal force-free current flow in superconductors of the second kind, 4=383
- Bergeson, H.E. See Huth, G.C., 4=5890
- Bergevin, F. de. See de Bergevin, F.
- Bergevin de, F. See Brunel, M., 4=26555
- Berggren, A. See Nilsson, R., 0=7500
- Berggren, K.F. and Wood, R.F. Effect of correlation on the hyperfine interaction in lithium, 3=10455
- Berggren, T. Inelastic nucleon-deuteron scattering. II. Physical discussion of the impulse approximation with the double scattering terms included, 0=7345

- Berggren, T., Brown, G. E. and Jacob, G. A remark on quasi-free scattering, 2=14089
- Berggren, T. and Jacob, G. A distorted wave analysis of quasi-free proton-proton scattering in Li^6 and Li^7 , 3=2448
- Berggren, T. and Jacob, G. Quasi-free proton-proton scattering in 1p-shell nuclei, 4=1078
- Berggren, T. and Lundqvist, S. O. Inelastic nucleon-deuteron scattering. I. The transition matrix in the impulse approximation for general two-body interactions, 0=7344
- Bergh, A. A. The effect of dissolved germanium on the surface tension of molten indium, 3=21335
- Bergh, A. A. The spreading of molten indium over germanium, 4=4656
- Bergh, A. A. and Holschwandner, L. H. The uniformity of the wetting and dissolution of germanium by molten indium, 4=4655
- Bergh, H. W. The time-lag between magnetic and ionospheric changes, 3=3489
- Bergh, H. W. and King, J. W. Ionosphere critical frequencies and magnetic parameters of the previous day, 1=21005
- Bergh, H. W. See van Wijk, A. M., 3=23644
- Bergh, S. Van den. See Van den Bergh, S.
- Berghammer, J. Landau damping of space-charge waves, 2=9629
- Berghammer, J. and Bloom, S. On the nonconservation of noise parameters in multiveLOCITY beams, 0=19739
- Bergheim, K. See Högåsen, H., 3=25174
- Bergheim, K. See Skarsvåg, K., 3=19893
- Berghezan, A. and Fourdeux, A. Transmission electron microscopy studies of the mechanism of plastic deformation, 0=1859
- Berghezan, A. See Fourdeux, A., 0=7887
- Berghezan, A. See Fourdeux, A., 1=8906
- Berghezan, A. See Fourdeux, A., 2=598
- Berghezan, A. See Votava, E., 0=16278
- Berghout, C. W. Phase equilibria in superconducting niobium-zirconium alloys, 2=21535
- Berghout, C. W. The uniaxial magnetic anisotropy of the f.c.c. cobalt precipitate copper, 3=13232
- Berghout, C. W. See Volger, J., 4=8564
- Bergia, S., Bertocchi, L., Borelli, V., Brautti, G., Chersovani, L., Lavatelli, L., Minguzzi-Ranzi, A., Tosi, R., Waloschek, P. and Zoboli, V. Elastic scattering $\pi^- + p$ at 915 MeV, 0=15402
- Bergia, S., Bonsignori, F. and Stanghellini, A. Pion production and the "isobaric" model, 0=15409
- Bergia, S. and Chahoud, J. N. On pion-nucleon diffraction scattering, 3=6047
- Bergia, S. and Stanghellini, A. The resonant pion-pion model for the nucleon structure, 1=16766
- Bergia, S., Stanghellini, A., Fubini, S. and Villi, C. Electromagnetic form factors of the nucleon and pion-pion interaction, 1=8450
- Bergia, S. See Alles, A., 4=11908
- Bergia, S. See Alles-Borelli, V., 0=1303
- Bergin, R. Quantitative diffractometric analysis of X-ray transparent specimens, 4=29080
- Bergkvist, K. E. Combined electrostatic-magnetic β -spectrometer with high luminosity. I. Principles and basic properties, 4=29972
- Bergkvist, K. E. Combined electrostatic-magnetic β -spectrometer with high luminosity. II. Application of the methods to an $r_0 = 50$ cm iron yoke double focusing spectrometer, 4=29973
- Bergkvist, K. E. A method for the reduction of the Compton background of external conversion measurements, 4=30210
- Bergkvist, K. E. An experimental determination of the angular distributions of photoelectrons from the different L subshells in gold at $E_\gamma = 412$ keV, 4=30389
- Bergkvist, K. E. and Hultberg, S. A precision measurement of $(\alpha_2)_L$ of the 412 keV transition in Hg^{199} by the internal-external conversion method and a high resolution study of the 412 keV angular distribution of gold K-shell photoelectrons, 4=30315
- Bergkvist, K. E. and Stockendal, R. On the M4 isomerism in Pb^{208} , 4=30316
- Bergkvist, K. E. See Bäckström, G., 2=20313
- Bergkvist, K. E. See Stockendal, R., 0=17308
- Berglund, C. N. See Spicer, W. E., 4=12692
- Berglund, S. High magnetic fields, 0=19875
- Berglund, S. A toroidal pinch apparatus equipped for magnetic field programming, 4=21542
- Berglund, S., Jyoti, B. G. and Westerlund, S. Twin channel instability in a toroidal plasma at B_z field reversal, 4=5678
- Berglund, S. and Svennerstedt, S. Some characteristics of a toroidal pinch with a reversed field, 2=5348
- Berglund, S., Westerlund, S. and Nygren, P. A characteristic of the toroidal pinch with a reversed field, 4=21523
- Berglund, S., Westerlund, S. and Svennerstedt, S. A magnetic probe for plasma measurement, 3=14599
- Berglund, S. See Svennerstedt, S., 3=5637
- Berglund, S., Nilsson, R., Ohlin, P., Siegbahn, K., Sundström, T. and Svennerstedt, S. Fusion experiments in deuterium plasma, 0=17645
- Bergman, A. A. and Shapiro, F. L. Deviations of the cross sections of slow-neutron reactions on light nuclei from the $1/v$ law, 1=19491
- Bergman, A. A. and Shapiro, F. L. Deviations of the cross sections of slow-neutron reactions on light nuclei from the $1/v$ law, 3=4653
- Bergman, B. G. and Shlichta, P. J. The structure of SrZn_2 , 4=13602
- Bergman, D. Analysis of elliptically polarized light, 2=22064
- Bergman, I. and Casswell, C. The disturbed layer on ground and shattered quartz powders of respirable size, 3=3352
- Bergman, I. See Talbot, J. H., 3=16128
- Bergman, O. Note on collective excitation of odd nuclei of supposed "spherical" core, 1=7321
- Bergman, O. and Bäckström, G. Multipolarities of transitions in the decay of Au^{194} to Pt^{194} , 4=27982
- Bergman, O. See Aasa, E., 4=19737
- Bergman, O. See Bäckström, G., 0=5712
- Bergman, O. See Bäckström, G., 0=7523
- Bergman, O. See Brabec, V., 4=19735
- Bergman, O. See Karlsson, S.-E., 4=19724
- Bergman, R. S. See Hill, R. M., 1=6409
- Bergman, T. G. See Babcock, G. C., 4=11319
- Bergmann, E. D. See Yaroslavsky, S., 0=17850
- Bergmann, F. High-permeability, low-loss melt-ferrite, 1=2483
- Bergmann, F. See Bogenschütz, A. F., 2=21864
- Bergmann, G. Investigation of the doping characteristics of the elements germanium and lead in bismuth telluride Bi_2Te_3 , 4=15535
- Bergmann, G., Hilsch, R. and v. Minnigerode, G. Diffusion and contact-effect in double layers of superconductors, 4=24513
- Bergmann, G. and Kaiser, H. Methods and tools for the redrawing of spectral diagrams, 1=10596
- Bergmann, K. Dielectric absorption following chemical relaxation. II. Experimental results, 4=5203
- Bergmann, K., Eigen, M. and De Maeyer, L. Dielectric absorption following chemical relaxation. I, 4=5202
- Bergmann, K. See O'Konski, C. T., 3=3804
- Bergmann, L. Experiments with vibrating soap films, 1=188
- Bergmann, O. Attempt at a finite theory of the electron, 0=7333
- Bergmann, O. Problem of Rainich for two-component spinors, 0=12359
- Bergmann, P. G. "Gauge-invariant" variables in general relativity, 1=15645
- Bergmann, P. G. Observables in general relativity, 2=9173
- Bergmann, P. G., Robinson, I. and Schücking, E. Asymptotic properties of a system with nonzero total mass, 2=13248
- Bergmann, P. G. Gravitational collapse, 4=17964
- Bergmann, P. G. and Komar, A. B. Poisson brackets between locally defined observables in general relativity, 0=10578
- Bergmann, P. G. and Morris, E. New potential for irreversible processes, 0=4949
- Bergmann, P. G. See Aharonov, Y., 4=21035
- Bergmann, P. G. See Boardman, J., 0=881
- Bergmann, P. G. See Willis, C. R., 3=69
- Bergmann, S. M. Submillimeter wave maser, 0=5395
- Bergmann, W. H., Gruber, J., Hahn, G., Harigel, G., Meyer, P., Moustafa, K. and Röhm, H. High-field bubble chamber, 3=17128
- Bergner, D. See Hässner, A., 2=18593
- Bergner, D. See Lange, W., 3=2830
- Bergold, G. H. and Haney, G. R. Low background gas flow-counter, 0=3878
- Bergonz, F. H. See v. Krzywoblocki, M. Z., 0=203
- Bergqvist, C. A. See Rydén, O., 3=4696
- Bergqvist, I. and Starfelt, N. Gamma-ray spectra from capture of fast neutrons, 1=4870
- Bergqvist, I. Gamma rays from the capture of fast neutrons in U^{238} , 3=4647
- Bergqvist, I. Fast neutron radiative capture cross sections in Ag, Ta, W, Au, Hg and U, 3=4648

- Bergqvist, I. and Starfelt, N. Gamma-ray spectra from the capture of fast neutrons in Ni and Cu, 3=4649
- Bergqvist, I. and Starfelt, N. Gamma rays from the capture of fast neutrons in Ta, W, Au, Hg and Pb, 3=6266
- Bergqvist, I. and Starfelt, N. Gamma rays from the capture of fast neutrons in Ag, Sn, I and Cs, 3=6267
- Bergsjö, N.-J. Visual photometric measurements of sunspots, Fraunhofer lines and colour temperature, 3=18627
- Bergsma, J. and Goedkoop, J.A. Thermal motion in palladium hydride studies by means of elastic and inelastic scattering of neutrons, 1=7532
- Bergsma, J. and Loopstra, B. O. The crystal structure of calcium hydride, 2=10870
- Bergsnov-Hansen, B. See Gibson, R., 4=26718
- Bergsnov-Hansen, B. See Pasternak, R.A., 3=7379
- Bergsnov-Hansen, B. See Pasternak, R.A., 4=5433
- Bergsøe, P., Hansen, P.G. and Jacobsen, C.F. Cyanoplatinate (II) salts as luminescent materials for scintillation counting, 3=6668
- Bergson, G. Some aspects of elemental sulphur. A study by means of the semi-empirical MO-LCAO method, 1=9938
- Bergson, G. A semi-empirical study of the interaction between lone-pair electrons with special reference to the problem of hybridization and the theory of restricted rotation about single bonds. Applications to the structure and reactivity of sulphur chains, 2=6207
- Bergstedt, K., Ferguson, E., Schlüter, H. and Wulff, H. Experimental contribution to the theory of spectral line broadening [in a h.f. discharge], 3=4069
- Bergstein, A. The lattice constant of $Mn_xFe_{3-x}O_{4+y}$ spinels, 4=10541
- Bergstein, A. and Cervinka, L. Influence of manganese and oxygen content of tetragonal deformation of copper ferrite, 1=15094
- Bergstein, A. and Cervinka, L. To the structure and oxygen content of copper and copper-manganese ferrite, 2=826
- Bergstein, A. and Gerber, R. A remark on the structure of non-stoichiometric copper-manganese ferrite, 1=20131
- Bergstein, L., Kahn, W. and Shulman, C. A total-reflection solid-state optical-maser resonator, 2=22019
- Bergstein, L. and Motz, L. Two-component optically compensated varifocal system, 2=7336
- Bergstein, L. and Motz, L. Three-component optically compensated varifocal system, 2=7337
- Bergstein, L. and Motz, L. Four-component optically compensated varifocal system, 2=7338
- Bergstein, L. and Schachter, H. Resonant modes of optic interferometer cavities. I. Plane-parallel end reflectors, 4=19266
- Bergstein, L. See Schachter, H., 4=19265
- Bergsteinsson, J.L. See Roalsvig, J.P., 0=5778
- Bergstrand, E. Some recent determinations of the velocity of light, 0=19355
- Bergstrom, B.H. See Gilvarry, J.J., 1=6473
- Bergstrom, B.H. See Gilvarry, J.J., 3=1239
- Bergstrom, B.H. See Gilvarry, J.J., 4=23108
- Bergström, I., Bonacalza, E.C.O., Jech, A., Perez, M. and Thieberger, P. The oscilloscope method measuring nuclear half-lives, 1=5855
- Bergström, I., Bonacalza, E.C.O. and Thieberger, P. Evidence for octupole and quadrupole vibrational states in Pb^{205} , 2=10021
- Bergström, I., Brown, F., Davies, J.A., Geiger, J.S., Graham, R.L. and Kelly, R. On the electromagnetic separation method of preparing radioactive sources for precision β -spectroscopy, 3=12608
- Bergström, I., Davies, J.A., Domeji, B. and Uhler, J. The range of Rn^{222} ions of keV energies in aluminium and tungsten, 3=14676
- Bergström, I., Herrlander, C.J., Thieberger, P. and Uhler, J. On nuclear $f_{5/2}$, $P_{3/2}$, $P_{1/2}$ level spacings and transition probabilities in the lead region, 2=3482
- Bergström, I. and Thieberger, P. Determination of the magnetic moment of the first excited state in Sc^{44} , 2=12121
- Bergström, I. See Astner, G., 3=19798
- Bergström, I. See Bonacalza, E.C.O., 2=10061
- Bergström, I. See Domeji, B., 3=14677
- Bergström, I. See Graham, R.L., 3=4707
- Bergström, I. See Holm, G.B., 4=3609
- Bergström, I. See Thieberger, P., 2=2972
- Bergström, J., Holmberg, S. and Lehnert, B. Experiments on the energy balance and confinement of a magnetized plasma, 1=11946
- Bergström, J., Holmberg, S. and Lehnert, B. Momentum balance of a rotating plasma, 3=9798
- Bergström, J., Holmberg, S. and Lehnert, B. Experiments on the energy balance and confinement of a magnetized plasma, 3=12172
- Bergström, J., Holmberg, S. and Lehnert, B. Acceleration of a rotating plasma, 4=566
- Bergstrom, S. See Simons, L., 3=22307
- Bergström, S. See Simons, L., 4=12150
- Bergström, S. See Simons, L., 4=22030
- Bergvall, P. Precision measurements on K α X-ray lines from rare earth elements, 0=481
- Bergvall, P. Precision measurements of gamma energies and intensities by crystal diffraction, 0=17566
- Bergvall, P. and Beckman, O. Thermoelectric properties of non-stoichiometric bismuth-antimony-telluride alloys, 3=13138
- Bergvall, P. and Hagström, S. Atomic level energies in rare earth elements, 0=13391
- Bergvall, P., Hürnfeldt, O. and Nordling, C. Crystal diffraction and photo electron measurements of K and L levels in the elements 47 Ag to 52 Te, 0=17717
- Bergvall, P., Lindström, B. and Hatch, E.N. Search for an isomeric shift in the $K\alpha$ X-ray of Tm^{169} , 3=12640
- Bergvall, P. See Beckman, O., 0=9760
- Bergvall, P. See Beckman, O., 3=10895
- Bergwerk, W. Flow pattern in Diesel nozzle spray holes, 1=123
- Berhenke, L.F. An automatic melting point recorder, 1=1846
- Beri, J.N. Flow through nozzles — frictional and heat transfer effects, 1=15803
- Beri, J.N. Covolume effects in one-dimensional gas flow, 1=15920
- Beridze, D.K. and Shakhparonov, M.I. The Krishnan effect, 2=9409
- Beridze, D.K. and Shakhparonov, M.I. Some results of investigations of Rayleigh scattering of light in the critical region of stratification of solutions, 3=21367
- Berinde, A. Scattering of low energy nucleons in the light of actual models of nuclear structure. I, 4=25383
- Berinde, A. See Corciovei, A., 3=4810
- Berinde, A. See Corciovei, P.A., 3=20060
- Berinde, A. See Hulubei, H., 1=5735
- Berinde, A. See Hulubei, H., 2=5903
- Berinde, A. See Hulubei, H., 2=14092
- Berinde, A. See Hulubei, H., 3=6233
- Berinde, A. See Hulubei, H., 4=1076
- Berinde, A. See Hulubei, H., 4=9489
- Berinde, A. See Hulubei, H., 4=9491
- Berinde, A. See Khulubei, Kh., 2=16403
- Berinde, A. See Khulubei, Kh., 3=6240
- Bering, B.P., Serpinskii, V.V. and Surinova, S.I. Prediction of the adsorption equilibrium parameters for the systems absorbent—binary mixture of vapours, 4=15827
- Bering, B.P., Serpinskii, V.V. and Surinova, S.U. The adsorption of vapor mixtures and the structure of adsorbents, 4=23590
- Beringer, R. Coulomb self-energy of axial figures, 3=21689
- Beringer, R. Gas stripper for a heavy-ion linear accelerator, 4=19139
- Beringer, R. and Knox, W.J. Liquid-drop nuclear model with high angular momentum, 1=3383
- Beringer, R. See Hubbard, E.L., 1=10749
- Berk, H. L. Frequency and wavelength dependent electrical transport equation for a plasma model, 4=11592
- Berk, H. L. Incoherent electromagnetic scattering from driven plasma oscillations, 4=21509
- Berk, N., Steigert, F.E. and Salinger, G.L. Alpha-alpha scattering at 7.56 MeV, 9=4006
- Berkelman, K. Phenomenological analysis of photon-proton elastic scattering, 1=16730
- Berkelman, K. Phenomenological analysis of photo-proton elastic scattering, 2=13756
- Berkelman, K., Cortellesa, G. and Reale, A. Search for the ω^0 in photoproduction, 1=7268
- Berkelman, K., Cortellesa, G. and Reale, A. Search for ω^0 in photoproduction, 2=9913
- Berkelman, K., Feldman, M., Littauer, R.M., Rouse, G. and Wilson, R.R. Electron-proton scattering at high momentum transfer, 3=14958
- Berkelman, K., Feldman, M. and Rouse, G. Evidence from electron scattering on the elementary nature of the photon, 3=24673
- Berkelman, K., Franklin, A., McLeod, D., Richert, S. and Silverman, A. Search for the photoproduction of the η^0 -meson, 3=7914

- Berkelman, K. and Waggoner, J.A. Photoproduction of neutral pions at forward angles, 0=7410
- Berkelman, K. See Akerlof, C.W., 4=25206
- Berkelman, K. See Wilson, R.R., 1=3165
- Berkenblit, M. See Reisman, A., 3=13590
- Berkes, B. A particularly simple current stabilizer of the highest grade for electromagnets, 0=19873
- Berkes, I. Effect of magnetic stray field on the location of image in nuclear spectrometers, 0=19799
- Berkes, I. and Demeter, I. Small angle scattering of electrons, 0=7714
- Berkes, I. and Demeter, I. Small-angle coherent scattering of 500 keV electrons, 1=329
- Berkes, I., Demeter, I., Dezsi, I., Fodor, I. and Keszthelyi, L. On the reduction of background for scintillation counters, 2=11826
- Berkes, I., Dézsi, I., Fodor, I. and Keszthelyi, L. The low energy resonances in the $P^{31}(p,\gamma)S^{32}$ nuclear reaction, 3=6242
- Berkes, I., Dézsi, I., Fodor, I. and Keszthelyi, L. The resonances at 483 and 597 keV proton energies in $F^{19} + p$ reactions, 3=15193
- Berkes, I. See Keszthelyi, L., 1=5896
- Berkes, I. See Keszthelyi, L., 2=5518
- Berkes, I. See Keszthelyi, L., 2=5910
- Berkes, I. See Keszthelyi, L., 4=876
- Berkes, I. See Keszthelyi, L., 4=15170
- Berkesh, I., Dezsi, I., Keszkheli, L. and Fodor, I. Proton capture reactions on the atomic nuclei Na^{23} , Mg^{26} , Al^{27} and P^{31} , 4=9510
- Berkey, F.T. See Parthasarathy, R., 4=17933
- Berkeyheiser, J.E. See Pankove, J.L., 3=5895
- Berkhan, E. Thickness-dependent rotation of the light yield characteristic of anthracene and p-terphenyl crystals for impact with α -particles, 4=13094
- Berkhuijsen, E.M. See Brouw, W.N., 3=6980
- Berkhuijsen, E.M. See Muller, C.A., 4=13967
- Berkl, E. See Hoppe, W., 2=23836
- Berkl, E.W. and Weyl, R. Heating effects in pulse measurements with hard superconductors, 4=11488
- Berkley, D.A. and Wolga, G.J. Coherence studies of emission from a pulsed ruby laser, 3=24529
- Berkling, K., Helbing, R., Kramer, K., Pauly, H., Schlier, C. and Toschek, P. Effective collision cross-sections in scattering experiments, 2=6238
- Berkling, K., Schlier, C. and Toschek, P. Scattering of gallium atoms in different Zeeman states, 1=13969
- Berkling, K., Schlier, C. and Toschek, P. Measurement of the anisotropy of the van der Waals force, 2=12301
- Berkner, K.H., Kaplan, S.N. and Pyle, R.V. Collisional electron detachment from 20-MeV D^0 and D^- ions, 4=18676
- Berkner, K.H., Hiskes, J.R., Kaplan, S.N., Paulikas, G.A. and Pyle, R.V. The excitation and Lorentz ionization of 10 MeV hydrogen atoms, 4=25527
- Berkner, K.H., Pyle, R.V., Rugge, H.F., Stearns, J.W. and Wincour, J. Diffusion from a line source in a magnetic field, 4=11598
- Berko, S. Band structure and positron annihilation in metals: Be and Mg, 3=6503
- Berko, S. See Brandt, W., 0=20115
- Berko, S. See Hudson, C.L., Jr., 3=2467
- Berko, S. See Stetson, R.F., 0=20158
- Berkofsky, L. and Shapiro, R. A dynamical model for investigation of the downward transfer of energy introduced by upper atmospheric heating, 2=11046
- Berkofsky, L. and Shapiro, R. Some numerical results of a model investigation of the atmospheric response to upper-level heating, 4=20863
- Berkov, A.V. and Nikitin, Yu.P. π -meson production by high-energy μ -mesons in the field of a nucleus, 3=24768
- Berkov, A.V., Nikitin, Yu.P. and Terent'ev, M.V. Regge poles and amplitude production of vector mesons, 4=27894
- Berkov, A.V., Zhizhin, E.D., Mur, V.D. and Nikitin, Yu.P. Regge poles in the photoproduction amplitude, 4=6104
- Berkov, A.V. See Mil'vidskii, M.G., 3=25670
- Berkova, A.V. See Mil'vidskii, M.G., 4=2042
- Berkovich, I.B., Zhdanov, A.P., Lepekhin, F.G. and Khokhlova, Z.S. Non-meson decays of hyperfragments, 0=9539
- Berkovich, I.B., Zhdanov, A.P., Lepekhin, F.G. and Khokhlova, Z.S. Non-mesonic decays of hyperfragments, 0=9540
- Berkovich, I.B., Zhdanov, A.P., Lepekhin, F.G. and Khokhlova, Z.S. The cross-section for the production of hypernuclei in [NIKFI-P] photographic emulsions by 9 BeV protons, 2=353
- Berkovich, I.B., Zhdanov, A.P., Lepekhin, F.G. and Khokhlova, Z.S. The cross-section for the production of hypernuclei in [NIKFI-P] photographic emulsions by 9 BeV protons, 2=22719
- Berkovich, I.B., Zhdanov, A.P., Lepekhin, F.G. and Khokhlova, Z.S. Analysis of stars containing hypernuclei produced by 9 BeV protons in photographic emulsions, 3=24848
- Berkovich, S.L., Gofren, M.V., Lobachev, M.V., Fal'k, T.K. and Sharanov, D.I. The high-speed DFS-12 diffraction grating spectrometer, 0=3633
- Berkovich, S.Ya. and Lapir, G.M. Effect of Joule heat on the destruction of superconductivity by a current, 3=24140
- Berkovskii, A.G. and Pol'skii, V.G. Variation of the gain of photomultipliers with the pulse height and time intervals between pulses, 2=15946
- Berkovskii, B.M. See Stepanov, B.I., 3=488
- Berkovskii, F.M., Kasymova, R.S. and Rývkin, S.M. Sensitization of photodiodes by optical charge exchange among impurities, 4=1692
- Berkovskii, F.M. and Ryvkin, S.M. Sensitivity of Ge and Si photocells in the region of impurity excitation, 2=18742
- Berkovskii, F.M. and Ryvkin, S.M. Transient photo-e.m.f. at a p-n junction due to majority carriers, 2=18743
- Berkovskii, F.M. and Ryvkin, S.M. Effect of optical charge-exchange in impurity centres on the photo-e.m.f. kinetics in germanium, 4=1683
- Berkovskii, F.M. and Rývkin, S.M. Current-induced impurity photo-e.m.f. 4=1693
- Berkovskii, F.M., Rývkin, S.M. and Strokan, N.B. Volt-amp characteristics of the depletion layer of a germanium p-n junction in forward direction, 0=20899
- Berkovskii, F.M., Rývkin, S.M. and Strokan, N.B. Effect of trapping levels on the decay of the n-p junction current, 1=12450
- Berkovskii, F.M., Ryvkin, S.M. and Strokan, N.B. Concerning the influence of trapping levels on the relaxation current in devices with p-n junctions, 2=8381
- Berkovskii, F.M., Ryvkin, S.M. and Strokan, N.B. Concerning the influence of trapping levels on the relaxation current in devices with p-n junctions, 2=10503
- Berkovskii, F.M., Strokan, N.B. and Khosov, G.V. Measurement of relaxation times in semiconductors of order 10^{-8} sec by means of phase methods, 3=16885
- Berkowitz, A.E. and Flanders, P.J. Precipitation in a beta-brass-Fe alloy, 0=2993
- Berkowitz, A.E. and Greiner, J.H. Interactions between Ni and NiO, 4=13209
- Berkowitz, A.E., Holtzberg, F. and Methfessel, S. New ferromagnetic 5:2 compounds in the rare-earth-palladium systems, 4=13220
- Berkowitz, A.E. and Schuele, W.J. Magnetic properties of some ferrite micropowders, 0=3087
- Berkowitz, D.A. and Tammaru, E. Collection efficiency of receivers placed close to sources, 4=2820
- Berkowitz, E., Bashkin, S., Carlson, R.R., Coon, S.A. and Norbeck, E. Gamma radiation from lithium-lithium nuclear reactions, 3=685
- Berkowitz, E. See Norbeck, E., 3=15238
- Berkowitz, E.H. Gamma rays resulting from lithium bombardments of lithium, 2=14144
- Berkowitz, J. Vibrational frequencies of alkali halide dimers. II. Bending, symmetric stretch, and B_{ig} modes, 0=11522
- Berkowitz, J. Heat of formation of the CN radical, 2=15130
- Berkowitz, J. and Chupka, W.A. Vaporization processes involving sulfur, 4=8516
- Berkowitz, J. and Chupka, W.A. Mass spectrometric study of vapour ejected from graphite and other solids by focussed laser beams, 4=21361
- Berkowitz, J. and Marquart, J.R. Mass spectrometric study of the magnesium halides, 3=2673
- Berkowitz, J. and Marquart, J.R. Equilibrium composition of sulfur vapor, 3=25805
- Berkowitz, J., Meschi, D.J. and Chupka, W.A. Heterogeneous reactions studied by mass spectrometry. II. Reaction of $Li_2O(s)$ with $H_2O(g)$, 0=14100
- Berkowitz, J., Tasman, H.A. and Chupka, W.A. Double-oven experiments with lithium halide vapors, 2=13534
- Berkowitz, J. and Wexler, S. On the ionization potential of the CH_2 radical, 3=360
- Berkowitz, J. See Chupka, W.A., 0=10350
- Berkowitz, J. See Marquart, J.R., 3=25806
- Berkowitz, J. See Meschi, D.J., 0=14099
- Berkowitz, J. See Stafford, F.E., 4=23647
- Berkowitz, N. See Srivastava, S.C., 3=21358

- Berkowitz-Mattuck, J. B., Büchler, A., Engelke, J. L. and Goldstein, S. N. Mass-spectrometric investigation of the oxidation of molybdenum and tungsten, 4=4695
- Berkowitz-Mattuck, J. B. See Büchler, A., 1=11790
- Berkowitz-Mattuck, J. B. See Büchler, A., 3=25807
- Berkowitz-Mattuck, J. B. See Chen, M. M., 3=19056
- Berlad, A. L. Flame propagation in free-radical-containing solids at low temperatures, 1=20737
- Berlad, A. L. Crystalline-phase transformation rates and flame propagation in cryogenic solids, 3=5161
- Berlad, A. L. Steady-state, one-dimensionalized analysis of nonadiabatic crystallization in supercooled melts, 3=21625
- Berlad, A. L. Interface shapes of nonadiabatic, steady-state crystallization, 4=10489
- Berlad, A. L. Absolute spectral intensities of some unstable chemical species, 4=12484
- Berlad, A. L. and Koency, J. Crystallization wave propagation in supercooled phosphorus, 3=9658
- Berlaga, R. Ya., Bol'shakov, L. P., Konorov, P. P. and Rudenok, M. I. Investigation of the structure and [carrier] recombination of a thermally oxidized surface of germanium, 4=7700
- Berlaga, R. Ya. and Bykova, T. T. The effect of adsorbed oxygen on the photo-e.m.f. of lead sulphide layers, 1=10065
- Berlaga, R. Ya. and Bykova, T. T. Changes in the surface potential of lead sulphide layers on illumination, 3=20414
- Berlaga, R. Ya., Novik, F. T. and Strakhov, L. P. Preparation of PbS photoconductors by chemical precipitation, 0=619
- Berlaga, R. Ya. and Rudenok, M. I. Obtaining a replica from a transverse section of a thin film, 1=10284
- Berlaga, R. Ya. and Rudenok, M. I. Obtaining a replica from a transverse section of a thin film, 1=11607
- Berlaga, R. Ya. and Rudenok, M. I. Structure and e.m.f. of photovoltaic PbS layers prepared by vacuum sublimation, 3=3356
- Berlaga, R. Ya., Vinokurov, I. V. and Konorov, P. P. Electric properties of monocrystalline and polycrystalline layers of lead sulfide, 4=26051
- Berlaga, R. Ya. See Adamchuk, V. K., 3=17961
- Berlaga, R. Ya. See Adamchuk, V. K., 4=26143
- Berlaga, R. Ya. See Artamonov, O. M., 4=4162
- Berlage, H. P. On accretional instability, the state, leading to the transformation of a gaseous disc, rotating in quasi-steady motion round a massive centre, into a set of concentric rings of particulate matter. I and II, 2=19274
- Berlec, I. On the nature of dislocation etch pits in tungsten, 2=2350
- Berlec, I. On the deformation of polycrystalline tungsten at high temperatures, 3=13368
- Berley, D., Boldt, E., Crussard, J., Duboc, J., Eberhard, P., George, R., Henry, V., Levy, F. and Poyen, J. Measurement of the inelastic charge-exchange cross-sections of K^+ mesons in hydrogen at 1.12 and 1.45 GeV/c, 2=22633
- Berley, D., Colley, D. and Schultz, J. Comparison of η , τ , and τ' decays, 3=12497
- Berley, D., Duboc, J., Duong, N. H., Eberhard, P., George, R., Henry, V. P., Poyen, J., Allard, J. F., Bohy, C., Boldt, E., Jauneau, L., Kayas, G., Morellet, D. and Vaguelsy, D. Separated K^+ beams of 0.7 to 1.3 GeV/c, 4=9281
- Berley, D. and Gidal, G. Search for an electric dipole moment structure of the muon, 0=9393
- Berley, D. See Alff, C., 3=4432
- Berley, D. See Alff, C., 3=4433
- Berlin, A. A. See Balabanov, E. I., 1=3728
- Berlin, G. S. Electromechanical transducer for small displacements and forces, 2=19496
- Berlin, G. S. See Andreev, Yu. Ya., 2=19497
- Berlin, S. and Friberg, R. Measurement of reverberation time in "Göteborgs konserthus", 2=1241
- Berlin, S. G. Diaphragm manometer based on a mechanotron micrometer, 4=7
- Berlin, T. H. See Cohen, E. G. D., 1=6799
- Berlin, T. H. See Gersch, H. A., 2=19460
- Berlincourt, D. Variation of electroelastic constants of polycrystalline lead titanate zirconate with thoroughness of poling, 4=15533
- Berlincourt, D., Cook, W. R. Jr. and Rander, M. E. Piezoelectric dielectric, and pyroelectric constants of $\text{LiH}_2(\text{SeO}_3)_2$, 3=10881
- Berlincourt, D., Jaffe, H., Krueger, H. H. A. and Jaffe, B. Release of electric energy in $\text{PbNb}(\text{Zr}, \text{Ti}, \text{Sn})\text{O}_3$ by temperature- and by pressure-enforced phase transitions, 4=4216
- Berlincourt, D., Jaffe, H., Merz, W. J. and Nitsche, R. Piezoelectric effect in the ferroelectric range in SbSI , 4=12973
- Berlincourt, D., Jaffe, H. and Shiozawa, L. R. Electroelastic properties of the sulfides, selenides, and tellurides of zinc and cadmium, 3=8556
- Berlincourt, D. and Krueger, H. H. A. Domain processes in lead titanate zirconate and barium titanate ceramics, 0=1700
- Berlincourt, D., Krueger, H. H. A. and Jaffe, B. Stability of phases in modified lead zirconate with variation in pressure, electric field, temperature and composition, 4=26123
- Berlincourt, D. See Gerson, R., 1=20376
- Berlincourt, D. See Krueger, H. H. A., 1=17856
- Berlincourt, D. A. See Austerman, S. B., 3=10884
- Berlincourt, D. A. See Cook, W. R., Jr., 3=12929
- Berlincourt, T. G. Hall effect, resistivity and superconductivity of some metastable uranium-rich alloys, 0=4320
- Berlincourt, T. G. High magnetic fields by means of superconductors, 4=652
- Berlincourt, T. G. Pulsed magnetic field studies of superconducting transition metal alloys at high and low current densities, 4=16337
- Berlincourt, T. G. Type II superconductivity, 4=18529
- Berlincourt, T. G. and Hake, R. R. Upper critical fields of transition metal alloy superconductors, 3=3949
- Berlincourt, T. G. and Hake, R. R. Superconductivity at high magnetic fields, 3=16879
- Berlincourt, T. G., Hake, R. R. and Leslie, D. H. Superconductivity at high magnetic fields and current densities in some Nb-Zr alloys, 1=11878
- Berlincourt, T. G., Hake, R. R. and Thorsen, A. C. Pulsed magnetic field studies of the negative magnetoresistivities of dilute Ti-Mn and Cu-Mn alloys at low temperatures, 2=18641
- Berlincourt, T. G. See Bickel, P. W., 0=15884
- Berlincourt, T. G. See Hake, R. R., 2=2115
- Berlincourt, T. G. See Hake, R. R., 2=7519
- Berlincourt, T. G. See Hake, R. R., 2=15854
- Berlincourt, T. G. See Thorsen, A. C., 1=12515
- Berlincourt, T. G. See Thorsen, A. C., 1=17931
- Berlincourt, T. G. See Thorsen, A. C., 2=4202
- Berlincourt, T. G. See Thorsen, A. C., 3=19413
- Berlman, B. and Weinreb, A. On the fluorescence spectrum and decay time of naphthalene, 3=138
- Berlman, I. B. Efficiency of energy transfer in a solution of PPO in xylene, 0=19161
- Berlman, I. B. Luminescence in a scintillation solution excited by α and β particles and related studies in quenching, 1=4347
- Berlman, I. B. Transient dimer formation by 2,5-diphenyloxazole, 1=8131
- Berlman, I. B., Grismore, R. and Oltman, B. G. Study of α/β ratios of organic scintillation solutions, 4=2693
- Berlman, I. B. and Walter, T. A. Fluorescence quenching of a scintillation solution by oxygen, 3=3810
- Berlman, I. B. See Anderson, W. R., 1=16150
- Berlman, I. B. See Anderson, W. R., 2=19570
- Berlman, I. B. See Steingraber, O. J., 3=15697
- Berlovich, E. E. On some applications of the coincidence technique in nuclear spectroscopy, 2=13709
- Berlovich, E. E., Bonits, M. P., Gusev, Yu. K. and Nikitin, M. K. Probabilities for single-particle transitions in Yb^{173} , 3=8008
- Berlovich, E. E., Bonits, M. P. and Nikitin, M. K. The g-factors for collective and internal motion in Tb^{159} and Yb^{173} nuclei, 1=19341
- Berlovich, E. E., Bonits, M. P. and Nikitin, V. V. Measurements of the lifetimes of the first excited states of Tb^{159} and Yb^{173} by means of a multichannel analyser, 3=12597
- Berlovich, E. E., Fleisher, V. G., Breslav, V. I. and Preobrazhenskii, B. K. Quadrupole moment of Er^{158} , 0=11303
- Berlovich, E. E., Gusev, Yu. K., Il'in, V. V. and Nikitin, M. K. Lifetimes of the excited states of deformed Dy^{160} , Lu^{175} , Hf^{177} and Ir^{191} nuclei, 3=15121
- Berlovich, E. E., Gusev, Yu. K., Il'in, V. V., Nikitin, V. V. and Nikitin, M. K. Contribution of collective motion to the removal of forbiddenness, 2=13989
- Berlovich, E. E., Gusev, Yu. K., Ilyin, V. V., Nikitin, V. V. and Nikitin, M. K. l -forbidden M1 transitions near deformation region, 2=22765
- Berlovich, E. E., Gusev, Yu. K., Il'in, V. V., Nikitin, V. V. and Nikitin, M. K. Contribution of collective motion to the removal of l forbiddenness, 3=6175
- Berlovich, E. E., Gusev, Yu. K., Il'in, V. V., Nikitin, V. V. and Nikitin, M. K. Probabilities of transitions between the low-lying levels in Sm^{149} , 3=19788

- Berlovich, E.E., Il'in, V.V., Kislyakov, A.I., Nikitin, M.K. and Bedlike, T. Investigation of the probabilities for radiative transitions between the rotational levels of Er^{166} and Tm^{169} , 2=13990
- Berlovich, E.E., Klement'ev, V.N., Fleisher, V.G., Larionov, O.V., Murtazin, F.Sh. and Apostolov, D.A. Forbidden transitions in the deformed Tu^{169} nucleus, 0=9586
- Berlovich, E.E., Klement'ev, V.N., Krasnov, L.V. and Nikitin, M.K. γ -transitions in the Sm^{146} nucleus, 1=17045
- Berlovich, E.E., Klement'ev, V.N., Krasnov, L.V. and Nikitin, M.K. Gamma-radiation from Eu^{146} , 3=12595
- Berlovich, E.E., Klement'ev, V.N., Krasnov, L.V. and Nikitin, M.K. Levels of Eu^{147} , Eu^{149} and Eu^{151} , 3=12596
- Berlovich, E.E., Klement'ev, V.N., Krasnov, L.B., Nikitin, M.K. and Yursik, I. The new isomeric states of spherical nuclei of europium with odd mass number, 1=2181
- Berlovich, E.E., Klement'ev, V.N., Krasnov, L.B., Nikitin, M.K. and Yursik, I. The new isomeric states of spherical nuclei of europium with odd mass number, 1=3405
- Berlovich, E.E., Larionov, O.V., Tunimanova, E.N. and Khai, D.M. Investigation of the decay schemes of Gd^{148} , Gd^{147} and Gd^{149} by means of a β - γ coincidence spectrometer, 2=18258
- Berlovich, E.E. See Badenko, I.I., 3=10286
- Berlovich, E.J. See Bonitz, M., 1=18739
- Berlovich, E.Ye., Bukat, G.M., Gusev, Yu.K., Il'in, V.V., Nikitin, V.V. and Nikitin, M.K. Lifetimes of lowest levels in nuclei La^{139} and Pm^{145} and nature of ι -forbidden transitions, 3=4573
- Berlovich, E.Ye., Klement'ev, V.N., Krasnov, L.V., Nikitin, M.K. and Yursik, I. Isomeric states of the spherical nuclei of Eu^{147} , Eu^{149} and Eu^{151} , 1=5852
- Berlyand, O.S. A closed solution of the turbulent diffusion equation, 0=6440
- Berlyand, O.S. See Petrova, G.M., 3=9031
- Berman, A. Effect of rough surfaces on the resolution of acoustic rays in the ocean, 2=7299
- Berman, A. See Berman, H.G., 2=13404
- Berman, A. See Sherry, H.B., 2=2826
- Berman, A.S. See Lassetre, E.N., 4=11714
- Berman, B.L., Koester, K.J., Jr and Smith, H. Photodisintegration of He^3 , 3=19716
- Berman, B.L., Koester, L.J., Jr and Smith, J.H. Photodisintegration of He^3 , 4=9319
- Berman, H.G. and Berman, A. Effect of correlated phase fluctuation on array performance, 2=13404
- Berman, H.L. The infrared radiometric method and its application to remote temperature measurement, 2=127
- Berman, I. See Gravel, C.L., 3=20361
- Berman, I.B. See Anokhina, I.N., 4=6752
- Berman, I.B. See Berzina, I.G., 3=20188
- Berman, L.D. Some laws of the flow processes of simultaneous heat and mass exchange in heterogeneous systems, 0=6959
- Berman, L.S. and Subashiev, V.K. Investigation of the barrier capacitance of diffused p-n junctions in silicon, 1=1090
- Berman, L.S. Inverted convertors which are based on the p-n junction nonlinear capacitance, 2=23433
- Berman, R. Heat conductivity of LiF with varying concentrations of ^6Li and ^7Li , 0=9864
- Berman, R. Graphite-diamond equilibrium diagram, 4=4508
- Berman, R., Brock, J.C.F. and Huntley, D.J. The effect of spin-phonon interactions on the thermal conductivity of lanthanum cobalt nitrate, 3=8375
- Berman, R., Foster, E.L., Schneidmeyer, B. and Tirmizi, S.M.A. Effects of irradiation on the thermal conductivity of synthetic sapphire, 1=1005
- Berman, R. and Huntley, D.J. Dilute gold-iron alloys as thermocouple material for low temperature heat conductivity measurements, 4=8537
- Berman, R., Nettley, P.T., Sheard, F.W., Spencer, A.N., Stevenson, R.W.H. and Ziman, J.M. The effect of point imperfections on lattice conduction in solids, 0=9901
- Berman, R. and Rogers, S.J. The thermal conductivity of solid He^4 in the γ phase, 4=18526
- Berman, R.M. Fission fragment distribution in irradiated UO_2 , 4=1120
- Berman, S.M. Coherent and incoherent nuclear π^0 photoproduction, 1=19232
- Berman, S.M. Unification of photoproduction and electroproduction, 4=28017
- Berman, S.M. and Drell, S.D. Coherent production as a means of determining the spin and parity of bosons, 4=5996
- Berman, S.M. and Drell, S.D. Speculations on the production of vector mesons, 4=9255
- Berman, S.M. and Geffen, D.A. The electromagnetic structure and alternative decay modes of the π^0 , 1=5749
- Berman, S.M., Ghani, A. and Salmeron, R.A. The effect of intermediate vector bosons on the rate for the decay $K \rightarrow e + \nu + \gamma$, 2=18178
- Berman, S.M. and Oakes, R.J. The vector theory of strong interactions and antinucleon-nucleon annihilation, 4=3398
- Berman, S.M. and Oakes, R.J. Angular correlations in production processes, 4=27822
- Berman, S.M. and Sirlin, A. Some considerations on the radiative corrections to muon and neutron decay, 3=591
- Berman, S.M. and Tsai, Y.S. Intermediate boson pair production as a means for determining its magnetic moment, 4=9088
- Berman, S.M. See Bell, J.S., 2=18099
- Berman, S.M. See Zichichi, A., 2=9849
- Bermon, S. and Ginsberg, D.M. Electron tunneling into superconducting mercury films, 4=24507
- Bermond, J. The distinction between fog due to γ -radiation and chemical fog in the emulsion, 0=12731
- Bermond, J., Patou, C. and Scherer, M. The effect of processing conditions on spurious scattering in nuclear emulsions, 0=19982
- Bermond, J., Patou, C. and Scherer, M. Spurious scattering and the processing of nuclear emulsions, 1=13251
- Bermond, J. and Scherer, M. The variation of the background fog in nuclear emulsions with the pH of cold developer, 0=191
- Bermond, J. See Bartholin, F., 4=12216
- Bermond, J. See Bartholin, F., 4=15207
- Bermond, J. See Brou, R., 3=12381
- Bermond, J. See Patou, C., 3=24668
- Bern, J.P. and Coumes, A. Reflection and transmission of microwaves by thin metal films undergoing ferromagnetic resonance, 3=11105
- Bernabel, A., Borst, L.B. and Sailor, V.L. Neutron resonance in samarium, 2=5926
- Bernal, G.E. See Donnelly, B.L., 3=25583
- Bernal, I. and Harrison, S.E. Electron spin resonance and optical absorption of $\text{K}_3[\text{Cr}(\text{CN})_6]\text{NO} \cdot \text{H}_2\text{O}$, 1=3566
- Bernal, I. and Harrison, S.E. On the paramagnetic resonance spectrum of the $\text{Cr}(\text{CN})_6\text{NO}^{3-}$ ion, 3=20015
- Bernal, I., Rieffer, P.H. and Fraenkel, G.K. Electron spin resonance of azulene anion radicals, 2=23007
- Bernal, I., Struck, C.W. and White, J.G. New transition metal borates with the calcite structure, 4=2092
- Bernal, J.D. The importance of symmetry in the solids and liquids, 0=6004
- Bernal, J.D. Geometry of the structure of monatomic liquids, 0=6776
- Bernal, J.D. Comments on the paper of Hallett and Mason, 0=8152
- Bernal, J.D. The structure of liquids, 2=15563
- Bernal, J.D. The Bakerian Lecture, 1962. The structure of liquids, 4=24159
- Bernal, J.D. and Feitknecht, W. On topotaxy, 0=6337
- Bernal, J.D. and Mason, J. Co-ordination of randomly packed spheres, 1=6554
- Bernal, J.D. See Scott, G.D., 2=19537
- Bernanose, M.A. Organic electroluminescence, 3=965
- Bernard, A., Bryson-Haynes, D. and Mulvey, T. Simple electronic scanning system for the X-ray microanalyser, 0=4762
- Bernard, D.L. See Rabson, T.A., 1=665
- Bernard, J. and Rossignol, A. 400 kV-200 joule X-ray flash tube, 0=20107
- Bernard, J.L. See Lemaire, J., 3=11170
- Bernard, M. Study of recombination and generation phenomena in germanium p_0 - n_0 junctions, 0=7924
- Bernard, M. Optical absorption as a photomixing process, 3=22025
- Bernard, M. and Duraffourg, G. Possibilities of lasers using
- Bernard, M. and Hocart, R. Diffractometer study of potassium sulphate between 20° and 600°C , 2=10892
- Bernard, M. and Leduc, B. Germanium p-n junctions plastically deformed, 0=13594
- Bernard, M., Menoret, M. and Menache, H. Carrier recombination at nickel atoms in germanium: simultaneous emission of several phonons, 3=6580
- Bernard, M. See Dutreix, J., 2=5603
- Bernard, M. See Joliet, J.F., 1=18387
- Bernard, M.G.A. and Duraffourg, G. Laser conditions in semiconductors, 2=2137
- Bernard, M.P. Low temperature infrared absorption spectra of Rochelle salt (7000 - 9000 cm^{-1}) and the fundamental frequencies of the water molecules, 0=9799

- Bernard, M.P. Hydrogen bridge lengths and orientation of the four types of water of crystallization molecule in Rochelle salt, 0-15781
- Bernard, M.P. Low-temperature infrared absorption spectra of guanidine sulphate and of aluminium sulphate hexahydrate and fundamental frequencies of water molecules, 2=14681
- Bernard, M.P. Investigation of vibrational frequencies of the system $O-H \dots O$ in glycine sulphate by infrared spectroscopy, 1=14027
- Bernard, M.P. Low-temperature infrared absorption spectrum of ammonium dihydrogen phosphate ($4000-10,000 \text{ cm}^{-1}$) and the harmonic frequencies of the hydrogen bonds, 3=15342
- Bernard, M.Y. See Dolique, J.M., 0=15021
- Bernard, P. Discussion of paper by R. C. Bliss, C. W. Gartlein, D. S. Kimball and D. Sprague, "Auroras, magnetic bays, and protons", 1=1559
- Bernard, R., Davoine, F. and Pinard, P. Extension of the scanning microscope technique to the observation of fluorescent materials, 0=1763
- Bernard, R., Davoine, F. and Pinard, P. Fluorescent scanning microscopy, 1=1463
- Bernard, R., Goutte, R. and Guillaud, C. The advantages of an image converter in the negative ion microscope, 0=14096
- Bernard, R., Goutte, R. and Guillaud, C. Use of an image converter in emission microscopy with negative ions, 0=19800
- Bernard, R., Goutte, R., Guillaud, C. and Javelas, R. Possibility of studying the adsorption properties of a metal by the secondary ion emission, 2=842
- Bernard, R., Goutte, R., Guillaud, C. and Javelas, R. Mechanism of secondary ion emission from a metallic surface, 3=24372
- Bernard, R. See Gaume, F., 1=9003
- Bernard, W. Irreversible thermodynamics of steady-state processes, 3=64
- Bernard, W. and Callen, H.B. Irreversible thermodynamics of nonlinear processes and noise in driven systems, 0=902
- Bernard, W. and Callen, H.B. Irreversible thermodynamics of a nonlinear R-C system, 0=12565
- Bernard, W., Rindner, W. and Roth, H. Anisotropic stress effect on the excess current in tunnel diodes, 4=22749
- Bernard, W., Roth, H., Schmid, A.P. and Zeldes, P. Junction potential studies in tunnel diodes, 3=20357
- Bernard, W., Roth, H. and Straub, W.D. Galvanomagnetic studies of degenerate gallium-doped germanium: Nonparabolic energy bands with variable warping, 4=1431
- Bernard, W., Roth, H., Straub, W.D. and Mulhern, J. E., Jr. De Haas-van Alphen oscillations in the magnetoresistance of heavily doped germanium, 4=28561
- Bernard, W. See Neuringer, L.J., 1=10045
- Bernard, W. See Neuringer, L.J., 2=8338
- Bernard, W. See Roth, H., 3=10860
- Bernard, W. See Roth, H., 4=6972
- Bernard, W. J. See Randall, J. J., Jr., 4=15815
- Bernard de Courville, J. See Reinhardt, J., 4=18745
- Bernardes, N. Quantum mechanical law of corresponding states for Van der Waals solid at 0°K , 0=17868
- Bernardes, N. Theory of the compressibility of solid He^4 and He^3 at 0°K , 1=257
- Bernardes, N. α - β phase transition of solid He^3 , 2=15841
- Bernardes, N. and Brewer, D.F. Liquid and solid He^3 , 2=19801
- Bernardes, N. and Primakoff, H. Theory of solid He^3 , 0=14921
- Bernardet, H. and Gourdon, G. A fast rise time penning gauge, 4=18290
- Bernardini, C., Bizzarri, U., Corazza, C.F., Ghigo, G., Querzoli, R. and Rouschek, B. Progress report on AdA (Frascati Storage ring), 2=7690
- Bernardini, C., Bizzarri, U., Corazza, G. F., Di Giueno G., Ghigo, G., Puglisi, M., Querzoli, R., Lacoste, F., Martin, P. and Touschek, B. The 250 MeV storage ring (AdA)-recent developments, 4=16583
- Bernardini, C., Corazza, G.F., Di Guigno, G., Ghigo, G., Haissinski, J., Marin, P., Querzoli, R. and Touschek, B. Lifetime and beam size in a storage ring, 3=17005
- Bernardini, C., Corazza, G.F., Ghigo, G. and Touschek, B. The Frascati storage ring, 1=9653
- Bernardini, C., Querzoli, R., Salvini, G., Silverman, A. and Stoppini, G. Search for new neutral mesons (the ρ^0 -mesons), 0=2589
- Bernardini, C. See Alberigi, A., 0=20004
- Bernardini, C. See Alberigi-Quaranta, A., 0=20002
- Bernardini, G. Introduction to beta decay, 4=9102
- Bernardini, G. Some motivations for a very costly long-range programme on high-energy neutrino physics at C.E.R.N., 4=21835
- Bernardini, G., Hanson, A.O., Odian, A.C., Yamagata, T., Auerbach, L.B. and Filosofo, I. Proton Compton effect, 1=5702
- Bernardini, M., Brovetto, P., Ferroni, S. and Pasquarelli, A. Measurement of longitudinal polarization of β -electrons from ^{204}Tl by means of double Coulomb scattering, 0=2640
- Bernardini, M. See Amman, F., 3=12267
- Bernardini, M. See Amman, F., 4=16582
- Bernas, A. See Cauchois, Y., 0=19822
- Bernas, H. and Langevin, M. Study of Mössbauer effect in crystalline and vitreous $\text{Fe Cl}_2 \cdot 6\text{H}_2\text{O}$, 4=20169
- Bernas, M. See Bachelier, D., 4=12222
- Bernas, M. See Bachelier, D., 4=19780
- Bernas, R. Evidence of a process causing contamination in electromagnetic isotope separators, 1=17293
- Bernas, P. and Gradsztajn, E. Production of lithium fragments from various elements by 150 to 600 MeV protons, 4=17129
- Bernas, R., Sarrouy, J.L. and Camplan, J. Production of very high purity isotopes by a double magnetic deflection isotope separator, 1=5984
- Bernas, R., Sarrouy, J.L. and Camplan, J. A double magnetic deflection isotope separator for the production of very high purity isotopes, 1=17294
- Bernas, R. See Borot, M., 4=19133
- Bernas, R. See Camplan, J., 1=13973
- Bernas, R. See Gradsztajn, E., 3=15199
- Bernas, R. See Poffé, N., 1=13804
- Bernat, M. The use of radio-isotopes as source of energy, 4=29861
- Berndt, A.F. The unit cell of U_2Ru , 2=4444
- Berndt, A.F. Room temperature lattice constants of alloys of plutonium in alpha-uranium, 3=25733
- Berndt, A. F. On the use of a modified radial distribution analysis for indexing powder patterns, 4=10504
- Berndt, M. and Görlich, P. Studies of the photoemission of semiconductors, 3=19312
- Berne, A., Boato, G. and De Paz, M. Self-diffusion coefficient in solid argon, 2=18595
- Berne, B. and Gray, P. Role of hard-core collisions with large angle deflections in the kinetic theory of dense fluids, 4=16089
- Berne, B. and Rice, S. A. On the kinetic theory of dense fluids. XV. Some comments on the Rice-Allnatt theory, 4=11174
- Berne, B. and Rice, S. A. On the kinetic theory of dense fluids. XVI. The ideal ionic melt, 4=11175
- Bernecker, R.R. and Long, F.A. Rearrangement processes for forming oxonium ions from aliphatic ester ions, 3=25822
- Berner, F. and Camac, M. Air scooping vehicle, 2=4874
- Berner, R. The temperature and rate dependence of work hardening in cubic face-centred single crystals, 1=1333
- Berners, E.D. See Michael, I., 0=2405
- Bernett, M.K. and Zisman, W.A. Wetting properties of tetrafluoroethylene and hexafluoropropylene copolymers, 2=1127
- Berney, C. V. and Eggers, D. F., Jr. Infrared spectrum of carbon dioxide, enriched in oxygen-18, 4=12477
- Bernhard, F. and Krebs, K. H. A mass spectrometer with highly sensitive ion detection, 4=614
- Bernhard, F., Krebs, K.H. and Rotter, I. On the detection of single ions with the ion-electron converter, 1=9707
- Bernheim, A. See Bartholin, F., 4=12216
- Bernheim, A. See Bartholin, F., 4=15207
- Bernheim, M. and Bishop, G.R. Excitation of levels in Li^7 by inelastic electron scattering, 3=19766
- Bernheim, M. and Bishop, G.R. Excitation of levels in Li^6 by inelastic electron scattering, 3=22368
- Bernheim, M. and Bishop, G.R. Study of inelastic scattering of electrons by Li^6 and Li^7 , 4=17118
- Bernheim, M. See Bishop, G.R., 3=17455
- Bernheim, M. See Bishop, G.R., 4=12211
- Bernheim, M. See Bishop, G.R., 4=22011
- Bernheim, R.A. Spin relaxation in optical pumping, 2=1963
- Bernheim, R.A. and Batiz-Hernandez, H. Indirect nuclear spin-spin coupling and isotope shifts in the nuclear magnetic resonance of $^{15}\text{NH}_3$, $^{15}\text{NH}_2\text{D}$ and $^{15}\text{NHD}_2$, 4=25741
- Bernheim, R.A. and Das, T. P. Relation between the proton hyperfine interaction and the $\text{C}^{13}-\text{H}^1$ spin-spin coupling in free radicals, 1=3574
- Bernheim, R.A. and Gutowsky, H.S. Dependence upon volume of nuclear quadrupole interactions in crystals, 0=6285
- Bernheim, R.A., Gutowsky, H.S. and Lawrenson, I.J. Temperature dependence of the proton spin-lattice relaxation time in liquid butyl alcohols, 1=4362
- Bernheim, R.A. See Belford, G.G., 1=14149

- Bernheim, R.A. See Brown, T.H., 1=4361
 Bernheim, R.A. See McNeal, R.J., 4=17853
 Bernière, G., Michard, R. and Rigal, G. Statistical study of local brightness and velocity fluctuations in the photosphere, 3=1520
 Berning, J.A. and Berning, P.H. Thin films calculations using the IBM 650 electronic calculator, 0=14079
 Berning, P.H. Use of equivalent films in the design of infrared multilayer antireflection coatings, 2=7372
 Berning, P.H., Fass, G. and Madden, R.P. Reflectance-increasing coatings for the vacuum ultraviolet and their applications, 0=8797
 Berning, P.H. See Berning, J.A., 0=14079
 Berning, W.W. A sounding rocket measurement of electron densities to 1500 kilometers, 1=15323
 Bernolak, K. The significance of oblique illumination in microscopy, 3=24011
 Berns, D.S., Lepoutre, G., Bockelman, E.A. and Patterson, A., Jr. Salt effect in metal-ammonia solutions: sodium chloride in sodium-ammonia solution at -33°C , 2=1142
 Bernstein, A.M. See Ames, O., 1=12148
 Bernstein, A.M. See Ames, O., 0=13171
 Bernstein, A.M. See Brennan, M.H., 0=20325
 Bernstein, B. Proof of Carathéodory's local theorem and its global application to thermostatics, 0=12539
 Bernstein, B. See Toupin, R.A., 1=4408
 Bernstein, B.S. See Odian, G., 3=22618
 Bernstein, B.T. A calculation of the elastic shear constants of beryllium, 2=2312
 Bernstein, B.T. Elastic properties of polycrystalline tungsten at elevated temperatures, 2=16942
 Bernstein, B.T. Elastic constants of synthetic sapphire at 27°C , 3=11131
 Bernstein, B.T. Electron contribution to the temperature dependence of the elastic constants of cubic metals. I. Normal metals, 3=25603
 Bernstein, D. and Keough, D. D. Piezoresistivity of manganin, 4=20334
 Bernstein, D. See Muller, G.M., 1=11620
 Bernstein, D.M. See Poirier, J.A., 0=3985
 Bernstein, E.M. Anomalous E2 internal conversion coefficients for rotational transitions, 2=14056
 Bernstein, E.M. and De Boer, J. Gyromagnetic factors of deformed odd-mass nuclei with $153 \leq A \leq 187$, 0=17482
 Bernstein, E.M. and Graftzer, R. Internal conversion electrons following Coulomb excitation of highly deformed odd-A nuclei, 0=15551
 Bernstein, E.M. and Skurnik, E. Z. Comparison of inelastic scattering from Sm^{152} with Coulomb excitation theory, 1=2208
 Bernstein, E.M. See Graetzer, R., 3=4559
 Bernstein, E.M. See Graetzer, R., 3=8134
 Bernstein, H. and Forster, H.H. Gamma-gamma directional correlation in Ba^{136} and Mo^{94} , 1=9833
 Bernstein, H. See Allen, R.B., 0=6059
 Bernstein, H. See Papadakis, E.P., 3=13321
 Bernstein, H.J. and Sheppard, N. Sign of geminal HH coupling constants in methanes and the effect of substitution, 3=8294
 Bernstein, H.J. See Frei, K., 3=4241
 Bernstein, H.J. See Frei, K., 3=10498
 Bernstein, H.J. See Petrakis, L., 2=12865
 Bernstein, H.J. See Petrakis, L., 3=9517
 Bernstein, H.J. See Raynes, W.T., 2=16556
 Bernstein, H. J. See Schrötter, H.W., 2=7258
 Bernstein, H. J. See Schrötter, H.W., 4=12502
 Bernstein, I.B. Plasma oscillations perpendicular to a constant magnetic field, 0=12624
 Bernstein, I.B. and Kulsrud, R.M. Ion wave instabilities, 1=314
 Bernstein, I.B. and Kulsrud, R.M. Stability of a current-carrying plasma, 1=11942
 Bernstein, I.B. and Kulsrud, R.M. Effect of charge exchange on the critical current for the onset of ion-wave instabilities, 2=5362
 Bernstein, I.B., Frieman, E.A., Kulsrud, R.M. and Rosenbluth, M.N. Ion wave instabilities, 0=7118
 Bernstein, I. B., Trehan, S. K. and Weenink, M. P. H. Plasma oscillations: II. Kinetic theory of waves in plasmas, 4=29942
 Bernstein, I.B. and Trehan, S.K. Plasma oscillations (I), 1=18894
 Bernstein, I. B. See Kruskal, M. D., 4=14635
 Bernstein, I.B. See Robinson, B.B., 2=13556
 Bernstein, I.B. See Shkarofsky, I.P., 3=7508
 Bernstein, J. Theory of the process $p + p \rightarrow d + W^+$, 3=10112
 Bernstein, J. and Feinberg, G. Production and decay of intermediate vector mesons, 2=7815
 Bernstein, J. and Feinberg, G. Electromagnetic mixing effects in elementary particle physics, 2=22409
 Bernstein, J., Fubini, S., Gell-Mann, M. and Thirring, W. On the decay rate of the charged pion, 0=20179
 Bernstein, J., Gell-Mann, M. and Michel, L. On the renormalization of the axial vector coupling constant in β -decay, 0=15243
 Bernstein, J. and Lee, T. D. Electromagnetic form factor of the neutrinos, 4=9167
 Bernstein, J. Leptons, 4=24990
 Bernstein, J. and Michel, L. T, P, C symmetries in the π^0 decay, 0=9398
 Bernstein, J. and Oehme, R. Consequences of a scalar $\Sigma\Lambda\pi$ coupling, 1=12125
 Bernstein, J., Ruderman, M. and Feinberg, G. Electromagnetic properties of the neutrino, 4=3382
 Bernstein, J. and Weinberg, S. Partially conserved currents and the K^0 meson, 1=2096
 Bernstein, J. B. See Stierwalt, D. L., 4=2837
 Bernstein, J. L. See Abrahams, S. C., 4=30854
 Bernstein, L. Alloying to III-V compound surfaces, 2=10497
 Bernstein, L. Tabulated solutions of the equilibrium gas properties behind the incident and reflected normal shockwave in a shock-tube. I. Nitrogen; II. Oxygen, 3=21493
 Bernstein, L. and Bartholomew, H. Grain delineation in gold-alloy foil, 4=10581
 Bernstein, L. and Beals, R.J. Thermal expansion and related bonding problems of some III-V compound semiconductors, 1=4970
 Bernstein, M.J. Electron drift and diffusion measurements in H_2 and D_2 with crossed electric and strong magnetic fields, 2=17779
 Bernstein, M.J. Townsend ionization coefficient for hydrogen in a transverse strong magnetic field, 2=17780
 Bernstein, P. See Sandler, S.R., 0=19969
 Bernstein, R. See Clusius, K., 3=19073
 Bernstein, R.B. Quantum mechanical (phase shift) analysis of differential elastic scattering of molecular beams, 0=17860
 Bernstein, R.B. Quantum calculations of the velocity dependence of the differential and total cross sections for elastic scattering of molecular beams, 1=4957
 Bernstein, R.B. Semiclassical equivalence relationship applied to the calculation of molecular-beam scattering phase shifts, 2=10290
 Bernstein, R.B. Extrema in velocity dependence of total elastic cross-sections for atomic beam scattering: relation to di-atom bound states, 3=4726
 Bernstein, R.B. High-velocity molecular beam scattering: total elastic cross sections for $L-J(n,6)$ and $\exp(-6\alpha)$ potentials, 3=8315
 Bernstein, R.B. Semiclassical analysis of the extrema in the velocity dependence of total elastic-scattering cross sections: relation to the bound states, 3=17544
 Bernstein, R. B. Elastic scattering of atoms and molecules in the thermal energy range, 4=25579
 Bernstein, R. B. Molecular beam scattering at thermal energies, 4=25786
 Bernstein, R.B., Dalgarno, A., Massey, H. and Percival, I.C. Thermal scattering of atoms by homonuclear diatomic molecules, 3=22611
 Bernstein, R.B. and Kramer, K.H. Comparison and appraisal of approximation formulas for total elastic molecular scattering cross sections, 3=17619
 Bernstein, R. B. and Morse, F. A. Calculated scattering cross-sections for He-He at thermal energies, 4=12402
 Bernstein, R. B. See Fontana, P. R., 4=28152
 Bernstein, R.B. See Harrison, H., 3=15317
 Bernstein, R.B. See Hoffman, M. Z., 0=15650
 Bernstein, R.B. See Hostettler, H.U., 0=5993
 Bernstein, R.B. See Hostettler, H.U., 0=15796
 Bernstein, R.B. See Hostettler, H.U., 1=820
 Bernstein, R. B. See Kramer, K. H., 4=12541
 Bernstein, R.B. See Morse, F.A., 2=18497
 Bernstein, R.B. See Morse, F.A., 3=2586
 Bernstein, R.B. Rothe, E.W., 0=4162
 Bernstein, R.B. See Rothe, E.W., 3=15305
 Bernstein, R.B. See Schumacher, H., 0=15795
 Bernstein, S. and Campbell, E. C. Nuclear anomalous dispersion in Fe^{57} by the method of total reflection, 4=3964
 Bernstein, S. and Campbell, E.C. Total reflection of gamma-rays over the region of nuclear anomalous dispersion in Fe^{57} , 4=17115

- Bernstein, S. and Canon, M. Nonlinearity correction for X-ray detectors, 2=3125
- Bernstein, S. See Smith, E.C., 0=1444
- Bernstein, W. A new approach to thermionic energy conversion, 3=7422
- Bernstein, W., Kranz, A.Z. and Tenney, F. Oscillations in the B-1 stellarator, 0=1192
- Bernstein, W., Kranz, A.Z. and Tenney, F. Kinematics of ohmic heated plasmas in the B-1 stellarator, 1=312
- Bernstein, W. See Sellen, J.M., Jr., 4=24708
- Berón Dávila, F. See Sahade, J., 3=18639
- Beronius, P. A radioactive exposure method for the study of the diffusion layer in electrode processes, 2=6889
- Berovic, N., Boreli, F. and Dragin, R. Absolute measurement of the fast neutron flux in the reactor R.A., 2=5999
- Berović, N. See Boreli, F., 4=9616
- Berremán, D.W. Infrared absorption at longitudinal optic frequency in cubic crystal films, 3=15663
- Berremán, D.W. A lens or light guide using convectively distorted thermal gradients in gases, 4=29731
- Berremán, D.W. A gas lens using unlike, counter-flowing gases, 4=29732
- Berreth, J.R. See Reich, C.W., 2=16369
- Berreth, J.R. See Schuman, R.P., 2=12204
- Berrett, P.O. and Johnson, C.C. Waves in a circular plasma column with general impedance boundary conditions, 4=14665
- Berry, B.S. The role of vacancies in an unusual anelastic phenomenon, 0=16210
- Berry, B.S. Review of internal friction due to point defects, 2=21394
- Berry, B.S. Diabatic effect in molecular ionization by electron impact, 4=12439
- Berry, B.S. and Orehtsky, J.L. Anelastic piezoresistance effect in alloys, 4=12847
- Berry, B.S. See Nowick, A.S., 2=12399
- Berry, B.S. See Seraphim, D.P., 4=23235
- Berry, C.R. Turbidity of monodisperse suspensions of AgBr, 2=17103
- Berry, C.R. and Combs, C.M. Antiferromagnetic FeVO₃, 0=11914
- Berry, C.R. and Skillman, D.C. Twinning of small cubes of AgBr, 2=16981
- Berry, C.R. and Skillman, D.C. Surface structures and epitaxial growths on AgBr microcrystals, 4=23313
- Berry, E.X. Nonconservation of angular momentum of a weight on a string, 3=11740
- Berry, G.C. and Orofino, T.A. Branched polymers. III. Dimensions of chains with small excluded volume, 4=17328
- Berry, H.W. Energy distribution of electrons from ionizing collisions of heavy particles, 1=4560
- Berry, H.W. Energy distribution of electrons from ionizing collisions of atoms and ions, 2=20750
- Berry, H.W. See Levine, L.P., 0=8986
- Berry, J.P. Surface characteristics of fractured poly(methyl methacrylate), 0=8260
- Berry, J.P. Some kinetic considerations of the Griffith criterion for fracture. I. Equations of motion at constant force, 0=19027
- Berry, J.P. Some kinetic considerations of the Griffith criterion for fracture. II. Equations of motion at constant deformation, 0=19028
- Berry, J.P. Velocity behaviour of a moving crack. Some comments on the paper by Dulaney and Brace, 2=8749
- Berry, J.P. Fracture processes in polymeric materials. III. Topography of fracture surfaces of poly (methyl methacrylate), 2=12866
- Berry, J.P. Determination of fracture surface energies by the cleavage technique, 3=11179
- Berry, J.P. Fracture processes in polymeric materials. VI. Further studies on the topography of fracture surfaces, 4=26525
- Berry, L.A. Some remarks on the Watson transformation and mode theory, 4=16664
- Berry, L.A. See Johler, J.R., 3=5855
- Berry, P.F. Gamma-ray attenuation coefficients, 1=13375
- Berry, P.F. and Cameron, J.F. Leak detection using Kr⁸⁵, 2=7267
- Berry, P.F. and Cameron, J.F. Measurement of leaks in hermetically sealed containers using ⁸⁵Kr, 3=5310
- Berry, P.F. See Cameron, J.F., 4=6014
- Berry, R.G. and Jones, O.C. A shutter for continuous square wave modulation of a pencil of light, 4=8370
- Berry, R.J. The temperature-time dependence of the triple point of water, 0=1056
- Berry, R.J. The reproducibility of the sulphur point, 0=16923
- Berry, R.J. A precision oxygen point calibration bath, 2=15792
- Berry, R.J. Relationship between the real and ideal resistivity of platinum, 3=17819
- Berry, R.J. and Lovejoy, D.R. On Klemens and Lowenthal's paper on deviations from Matthiessen's rule, 3=5551
- Berry, R.S. Correlation of rates of intramolecular tunneling processes, with application to some group V compounds, 0=5907
- Berry, R.S. Time-dependent measurements and molecular structure: Ozone, 0=17845
- Berry, R.S. Remarks on the electronic spectra and structures of compounds of chromiums and benzene, 1=11103
- Berry, R.S., Dehl, R. and Vaughan, W.R. Nuclear magnetic resonance spectrum of the triphenylcarbonium ion, 1=12313
- Berry, R.S. Ultraviolet spectrum of dibenzene chromium vapour, 2=2003
- Berry, R.S. Zero-point vibrations in benzene, 2=3731
- Berry, R.S. Analog of $n \rightarrow \pi^*$ transitions in monoolefins, 3=15367
- Berry, R.S. and David, G.W. Radiative capture of electrons by halogen atoms, 4=25493
- Berry, R.S. and Reimann, C.W. Absorption spectrum of gaseous F⁻ and electron affinities of the halogen atoms, 3=12759
- Berry, R.S., Reimann, C.W. and Spokes, G.N. Absorption spectrum of gaseous Cl⁻ and the electron affinity of chlorine, 2=3697
- Berry, R.S., Reimann, C.W. and Spokes, G.N. Absorption spectra of gaseous halide ions and halogen electron affinities: chlorine, 3=2565
- Bers, A. Linear space-charge theory of gap interaction between an electron beam and electromagnetic fields, 3=5696
- Bers, A. and Penfield, P. Conservation principles for plasmas and relativistic electron beams, 2=11642
- Bers, A. See Briggs, R.J., 4=18984
- Bersan, J. See Rossin, R., 4=16096
- Bershader, D. Some remarks of electric-discharge shock tube diagnostics, 1=5475
- Bershader, D. See Marlow, W.C., 4=9628
- Bershader, D. See Rutowski, R.W., 4=16466
- Bersohn, R. Solid-state perturbations of nuclear quadrupole coupling constants, 2=4293
- Bersohn, R. Intermolecular bonding in the solid halogens, 2=16581
- Bershov, L.V. and Marfunin, A.S. Estimation of chemical bond characteristics from the hyperfine structure of manganese electron paramagnetic resonance spectra, 4=20095
- Bershtein, I.Ya. and Kaminskii, Yu.L. Graphical method for determining molar extinction coefficients, 4=16114
- Bershtein, V.A. and Glikman, L.A. Time dependence of the strength of heterogeneous materials, 4=1920
- Bershtein, V.A. and Glikman, L.A. Mechanism of delayed fracture of polyester fibreglass, 4=1942
- Bersis, D. and Katakis, D. Surface effects in the production of ozone in the silent discharge, 4=17860
- Bersnev, B.I. and Bul'chev, D.K. Mechanical properties of aluminium and copper extruded with a high-pressure liquid, 4=28930
- Bersohn, M. Simple method for variable frequency in electron resonance measurements, 3=14785
- Bersohn, R. Field gradients at the deuteron in molecules, 0=4230
- Bersohn, R. Quadrupole moment of Fe^{57m}, 0=15514
- Bersohn, R. Bonding wavefunctions in the xenon fluorides, 3=17589
- Bersohn, R. Scattering of optical harmonics by Macromolecules, 4=29771
- Bersohn, R. and Das, T.P. Many-body aspects of dipolar interaction in crystal lattices, 3=10575
- Bersohn, R. and Isenberg, I. Metallic nature of the starch-iodine complex, 1=19670
- Bersohn, R. and Isenberg, I. Phosphorescence in nucleotides and nucleic acids, 4=22933
- Bersohn, R. See Chakravarty, A.S., 4=25828
- Bersohn, R. See Das, T.P., 0=508
- Bersohn, R. See McNeal, R.J., 4=17853
- Berson, I. See Biryukov, I., 4=1908
- Berson, S.A. and Yalow, R.S. Correction of sample absorption of radioactivity, 0=9541
- Berstein, A.M. See Posner, M., 1=16968
- Berstein, I.L. and Gertsenstein, M.E. The possibility of measuring the propagation velocity of gravitation under laboratory conditions, 0=6654

- Berstein, P. Ya. Solution of the Lamb's problem for a medium with weak anisotropy, 2=21859
- Bersuder, L. de. See de Bersuder, L.
- Bersuker, I. B. The problem of quantum transitions in the self-consistent field approximation, 1=4891
- Bersuker, I. B. On the possible rotational Raman spectrum and the depolarization of Rayleigh scattering in certain hexafluorides and similar systems, 3=2623
- Bersuker, I. B. Inversion splitting of levels in free complexes of transition metals, 3=15331
- Bersuker, I. B. Strong resonance absorption of ultrasound in octahedral transition metal complexes involving inversion splitting, 3=25195
- Bersuker, I. B. Spin inversion levels in a magnetic field and the e.p.r. spectrum of octahedral Cu^{2+} ion complexes, 3=25570
- Bersuker, I. B. Spin-electronic-vibrational problem for free complexes of transition metals, 4=20072
- Bersuker, I. B. A possible method of polarizing ultrasonic vibrations, 4=16182
- Bersuker, I. B. and Bekhter, B. G. E. S. R. and microwave spectra of octahedral complexes of transition metals with the d^1 configuration with allowance for the inversion splitting, 4=10332
- Bersuker, I. B. See Ablov, A. V., 4=9742
- Bersuker, I. B. See Veselov, M. G., 3=8187
- Bertant, E. F. On the symmetry of phases in the reciprocal lattice: a simple method, 4=26617
- Bertanza, L. See Bartke, J., 1=8513
- Bertanza, L., Brisson, V., Connolly, P. L. and Hart, E. L. Spin of the Y^+ , 3=15037
- Bertanza, L., Brisson, V., Connolly, P. L., Hart, E. L., Mittra, I. S., Moneti, G. C., Rau, R. R., Samios, N. P., Skillicorn, I. O., Yamamoto, S. S., Goldberg, M., Gray, L., Leitner, J., Lichtman, S. and Westgard, J. Possible resonances in η and KK systems, 2=22652
- Bertanza, L., Brisson, V., Connolly, P. L., Hart, E. L., Mittra, I. S., Moneti, G. C., Rau, R. R., Samios, N. P., Skillicorn, I. O., Yamamoto, S. S., Goldberg, M., Gray, L., Leitner, J., Lichtman, S. and Westgard, J. Properties of the E^- hyperon, 3=7935
- Bertanza, L., Carrara, R., Drago, A., Franzini, P., Mannelli, I., Silvestrini, G. V. and Stoker, P. H. $\pi^- + p$ elastic scattering at 1200 MeV, 1=5765
- Bertanza, L., Connolly, P. L., Culwick, B. B., Eisler, F. R., Morris, T., Palmer, R., Prodehl, A. and Samios, N. P. A^-K^+ production by pions on protons, 2=13854
- Bertanza, L., Culwick, B. B., Lai, K. W., Mittra, I. S., Samios, N. P., Thorndike, A. M., Yamamoto, S. S. and Lea, R. M. Strange particle production by 4.65-BeV/c π^- mesons, 3=12507
- Bertanza, L., Franzini, P., Mannelli, I. and Silvestrini, G. V. A rapid cycling bubble chamber, 1=19075
- Bertanza, L., Franzini, P., Mannelli, I., Silvestrini, G. V. and Peterson, V. Z. A bubble chamber experiment to measure the polarization of the recoil proton in the photoproduction of π^0 mesons from hydrogen, 1=7265
- Bertanza, L., Franzini, P., Mannelli, I., Silvestrini, G. V. and Stoker, P. H. The production of π^- -mesons in the pion-neutron collision at 1.2 GeV, 0=11214
- Bertanza, L., Mannelli, I., Santucci, S., Silvestrini, G. V. and Peterson, V. Z. Measurement of the polarization of the recoil proton in π^+p using a propane-ethane bubble chamber, 2=13799
- Bertanza, L. See Yamamoto, S. S., 4=16971
- Bertaud, C. Supernovae and types of galaxies, 2=7020
- Bertaut, E. F. Spin configurations and group theory, 2=550
- Bertaut, E. F. Magnetic configurations. Fourier method, 2=6649
- Bertaut, E. F. Magnetic configurations. Direct method, 2=6650
- Bertaut, E. F. Crystal symmetry and feeble ferromagnetism, 2=8615
- Bertaut, E. F. Lattice theory of spin configuration, 2=12670
- Bertaut, E. F. Coupling of spin configurations by anisotropy, 3=3091
- Bertaut, E. F. Spin configuration of ionic structures: theory and practice, 4=17618
- Bertaut, E. F., Coing-Boyot, J. and Delapalme, A. Magnetic structure of $\beta\text{-CoSO}_4$, 4=1852
- Bertaut, E. F., Corliss, L., Forrat, F., Aleonard, R. and Pauthenet, R. A study of the niobates and tantalates of bivalent transition metals, 2=6814
- Bertaut, E. F., Delapalme, A., Forrat, F., Roult, G., de Bergevin, F. and Pauthenet, R. Magnetic structure work at the nuclear center of Grenoble, 2=12662
- Bertaut, E. F., Delapalme, A., Forrat, F. and Pauthenet, R. Study of cobalt and manganese uranates, 3=3139
- Bertaut, E. F., Delapalme, A. and Pauthenet, R. Spin rotation in hexagonal cobalt, 4=4354
- Bertaut, E. F., Delapalme, A. and Pauthenet, R. Rotation of spins in hexagonal cobalt, 4=28802
- Bertaut, E. F., Delapalme, A., Forrat, F., Roult, G., de Bergevin, F. and Pauthenet, R. The study of certain magnetic structures at the centre for nuclear studies, Grenoble, 3=3320
- Bertaut, E. F., Deschamps, A., Pauthenet, R. and Pickart, S. Substitution in hexaferrites of the Fe^{3+} ion by Al^{3+} , Ga^{3+} , Cr^{3+} , 0=13829
- Bertaut, E. F. and Dulac, J. On the isomorphism of ternary oxides of trivalent chromium and rhodium, 2=4425
- Bertaut, E. F. and Mercier, M. Magnetic structure of MnYO_3 , 3=20610
- Bertaut, E. F., Mercier, M. and Pauthenet, R. Magnetic order and properties of MnYO_3 , 4=28820
- Bertaut, E. F., Pauthenet, R. and Mercier, M. Magnetic properties and structures of yttrium manganite, 4=7294
- Bertaut, E. F., Roult, G., Aleonard, R., Pauthenet, R., Chevreton, M. and Jansen, R. Magnetic structures of Cr_2X_4 ($\text{X} = \text{S}, \text{Se}, \text{Te}$), 4=28800
- Bertaut, E. F., Roult, G., Delapalme, A., Bassi, G., Mercier, M., Murasik, A., Vu Van Qui, Aleonard, A., Pauthenet, R., Chevreton, M. and Jansen, R. Magnetic structure investigations at the [Grenoble] nuclear center, 4=13267
- Bertaut, E. F., Van Qui, Vu, Pauthenet, R. and Murasik, A. Magnetic structure and properties of $\text{Ge Ni}_2\text{O}_4$, 4=28855
- Bertaut, E. F. See Aleonard, R., 2=12695
- Bertaut, E. F. See Ballestracci, R., 3=13283
- Bertaut, E. F. See Chazalon, R., 4=23467
- Bertaut, E. F. See Chevreton, M., 3=16095
- Bertaut, E. F. See Chevreton, M., 4=1549
- Bertaut, E. F. See Cohen-Addad, C., 4=29093
- Bertaut, E. F. See Cohen-Addad, P., 4=4594
- Bertaut, E. F. See Jeffery, J. W., 4=29073
- Bertaut, E. F. See Yakel, H. L., 3=25722
- Bertaut, F. Spin configurations, 0=8036
- Bertaut, F. Magnetic configurations, 1=10132
- Bertaut, F. Colinear spin configurations in corundum type structures, 1=10133
- Bertaut, F. Spin configuration in the general case, 1=10134
- Bertaut, F. The theory of magnetic order, 4=20507
- Bertaut, F., de Bergevin, F. and Roult, G. A neutron diffraction study of $\text{Fe}_{0.47}\text{Rh}_{0.53}$, 3=15856
- Bertaut, F., Corliss, L. and Forrat, F. The crystal structure and magnetic structure of niobates and tantalates of bivalent transition metals, 1=2535
- Bertaut, F., Forrat, F. and Fang, P. Manganites of rare earths and of yttrium: a new class of ferroelectric, 3=13119
- Bertaut, F. and Le Dang Khoi. Nuclear magnetic resonance of the nuclei of Fe^{57} in $\alpha\text{-Fe}_2\text{O}_3$, 2=10723
- Bertaut, F. and Mareschal, J. A new type of hexagonal structure: AlTO_3 ($\text{T} = \text{Y}, \text{Eu}, \text{Gd}, \text{Tb}, \text{Dy}, \text{Ho}, \text{Er}$), 4=2068
- Bertaut, F., Delapalme, A. and Bassi, G. Magnetic structure of $\beta\text{-FeNaO}_2$. Refinement of the atomic parameters, 4=1853
- Bertaut, F. See Buisson, G., 4=29135
- Bertaut, F. See Chevreton, M., 1=15078
- Bertaut, F. See Chevreton, M., 3=1346
- Bertaut, F. See James, W., 3=8682
- Bertaut, F. See Khoi, Le Dang., 3=1204
- Bertinchamps, A. J. See Van de Vorst, A., 1=9952
- Bertinotti, A. Determination of the crystal structure of paratoluidine, 4=13618
- Bertocchi, L. Bound-state peripheral wave function, 2=18229
- Bertocchi, L., Ceolin, C. and Tonin, M. Analytic properties of bound states in potential theory, 1=5674
- Bertocchi, L., Fubini, S. and Furlan, G. Bound states and renormalization properties, 4=19352
- Bertocchi, L., Fubini, S., Strocchini, R. and Tonin, M. Some remarks on the relativistic two-body equation, 2=9788
- Bertocchi, L., Fubini, S. and Tonin, M. Integral equation for high-energy pion-pion scattering, 2=18158
- Bertocchi, L., McMillan, M., Predazzi, E. and Tonin, M. Vertex renormalization in potential theory, 4=15003
- Bertocchi, L., Predazzi, E., Stangehellini, A. and Tonin, M. The asymptotic properties of the multiperipheral model in the weak coupling approximation, 3=7799
- Bertocchi, L. See Bastai, A., 3=22089
- Bertocchi, L. See Bastai, A., 4=9098
- Bertocchi, L. See Bastai, A., 4=9099
- Bertocchi, L. See Bergia, S., 0=15402

- Bertola, F. Application of colour emulsions to astronomical research, 2=13089
- Bertolaccini, M. and Cova, S. Amplitude distribution of photo-multiplier single electron response, 3=24339
- Bertoldi, W. and Kleint, C. Outer field emission of single crystals of ZnS, 0=261
- Bertolini, A. See McCue, J. J. G., 4=29716
- Bertolini, E., Brunelli, B., Gratton, R. and Segre, S. E. Breakdown in a theta-pinch apparatus, 4=18954
- Bertolini, E. See Baldoni, B., 3=5998
- Bertolini, G. Correction of the spherical aberration of a spherical mirror of any aperture by means of a glass plate with plane parallel faces, 2=7319
- Bertolini, G., Cappellani, F., Fantechi, R. and Restelli, G. Correction for backscattering and energy resolution in beta spectroscopy by surface barrier detectors, 4=27828
- Bertolini, G., Cappellani, F., Fantechi, R. and Restelli, G. Correction for backscattering and energy resolution in beta spectroscopy by surface barrier detectors, 4=27830
- Bertolini, G., Cappellani, F., Restelli, G. and Rota, A. Excited state of Ti-208 and Po-212, 2=10026
- Bertolini, G., Cappellani, F. and Rota, A. Corrections for backscattering and energy resolution in beta spectroscopy by scintillation detectors, 1=17015
- Bertolini, G., Del Turco, A. M. and Restelli, G. Alpha-pulse analysis by scintillation detectors, 1=2175
- Bertolini, G. See Benoit, R., 4=30282
- Bertolini, G. C. See Bassi, P., 2=14111
- Bertolini, G. C. See Bassi, P., 3=17480
- Bertolone, N. P. See Webb, W. W., 0=1887
- Bertolotti, M. Matrix representation of geometrical properties of laser cavities, 4=21671
- Bertolotti, M., Daino, B. and Sette, D. On the measurement of the spatial coherence of a laser beam, 4=30077
- Bertolotti, M., Muzii, L. and Sette, D. On cavity termination of ruby laser, 3=1811
- Bertolotti, M., Papa, T., Sette, D., Grasso, V. and Vitali, G. Observation of damage regions in n-type germanium by means of a chemical etch, 4=4060
- Bertolotti, M. and Sette, D. On recombination processes in neutron-irradiated n-type germanium, 1=12437
- Bertolotti, M. and Sette, D. On nucleation processes in ultrasonic cavitation and bubble chambers, 4=5912
- Bertolotti, M. and Sette, D. Nucleation processes in bubble chambers and ultrasonic cavitation, 4=21080
- Bertomeu, E. J. A method of measuring the speed of universal vacuum pumps, 0=10702
- Bertomeu, E. J. Pumping rate of mechanical vacuum pumps, 2=19630
- Bertotti, B. Uniform electromagnetic field in the theory of general relativity, 0=2111
- Bertotti, B. Theory of an electrostatic probe in a strong magnetic field, 1=11949
- Bertotti, B. Quantum mechanics and the uniqueness of the world, 1=15666
- Bertotti, B. Theory of an electrostatic probe in a strong magnetic field, II, 2=19983
- Bertotti, B. The evolution towards equilibrium of an ionized gas, 3=12078
- Bertotti, B. Fine structure in current sheaths, 4=8729
- Bertotti, B. The theory of measurement in general relativity, 4=27051
- Bertotti, B. and Plebanski, J. Theory of gravitational perturbations in the fast motion approximation, 1=1682
- Bertotti, B. See Balasz, N. L., 3=9331
- Bertozi, G., Coceva, C. and Pizzini, S. Study on some scintillating glasses, 2=13704
- Bertozi, W. Speed and kinetic energy of relativistic electrons, 4=21023
- Bertozi, W., Demos, P., Kowalski, S., Paolini, F. and Sargent, C. The photodisintegration of Be⁹, 1=8689
- Bertozi, W., Demos, P. T., Kowalski, S., Sargent, C. P., Turchinets, W., Fullwood, R. and Russell, J. Polarization of neutrons from the photodisintegration of deuterium, 3=12513
- Bertozi, W., Sargent, C. P. and Turchinets, W. Nuclear level parameters and the Pb²⁰⁸(γ , n) reaction, 4=1029
- Bertram, H. N. Absolute viscosity of water, 3=11761
- Bertram, R. and Cruse, K. Contribution to the development of new methods for determining electrical conductivity and dielectric constants. I. New R.C. method, 3=14466
- Bertram, W. J., Jr., Reiter, R. A., Romanowski, T. A. and Sutton, R. B. Observation of the "isotope effect" in the nuclear capture of negative muons by chlorine, 0=17371
- Bertrand, F., Charpak, G. and Suzor, F. Measurement of the K-shell fluorescent yield of nickel and chlorine and of the L-shell of silver, 0=15652
- Bertrand, G. See Blottiau, F., 1=18626
- Bertrand, M. Night-time effects of sudden ionospheric disturbances on long waves, 3=6965
- Bertrand, P. and Briffod, G. Effect of an electric field on wave propagation in a plasma, 1=18866
- Bertrand, P. and Briffod, G. Influence of collisions on the oscillations in a weakly ionized gas, 2=11681
- Bertrand, P. and Briffod, G. Effect of external electric and magnetic fields on a plasma, 4=8775
- Bertrand, P., Jancel, R., and Kahan, T. Calculation of the electronic distribution function of a plasma starting from the Fokker-Planck equations, 4=8675
- Bertrand, P., Jancel, R. and Kahan, T. Development in spherical harmonics of the collision term of the Fokker-Planck equation, 4=11508
- Bertrand, R. Amount of Pu²³⁹ in a specimen of irradiated natural uranium by means of alpha spectrometry, 2=6069
- Bertrand, R. R. See Amdur, I., 2=10220
- Bertrand, R. R. See Amdur, I., 4=25777
- Berteaud, A. J. Apparent permeability and intrinsic permeability at microwaves, 1=14778
- Berteaud, A. J. Variation of the resonance properties of yttrium iron garnet with the substitution of Al³⁺, 1=14781
- Berteaud, A. J. Ferrimagnetic resonance observed on materials of different shapes, 3=3159
- Berteaud, A. J., Villers, G. and Loriers, J. Variation of the g-factor and the absorption line width ΔH_a of yttrium garnets substituted with aluminium, 0=13859
- Berteaud, A. J. See Makram, H., 3=8699
- Berteaud, A. J. See Pascard, H., 4=17673
- Berteaud, A. J. See Vautier, R., 0=8076
- Bertein, F. A simple analogue apparatus for the study of the treatment of an ingot by the zone melting method, 0=18316
- Bertein, F. Electrical analogue in the study of the treatment of an ingot by the molten zone method, 1=1382
- Bertein, F. Several aspects of the application of the matrix calculus of non-linear circuits to local oscillations, 1=16222
- Bertein, F. On the coupling between neighbouring modes in an electromagnetic resonator, 4=19209
- Bertein, F. On the synchronization between neighbouring modes in an electromagnetic resonator, 4=24891
- Bertein, F. and Jelenski, A. Concerning the transmission of signals of any form with the aid of a degenerate parametric amplifier, 0=7215
- Bertelsen, B. I. Silicon monoxide undercoating for improvement of magnetic film memory characteristics, 2=14784
- Bertelsen, U., Borggreen, J. and Nathan, O. Directional correlation measurements in Hf¹⁷⁸, 1=10992
- Bertelsen, U., Ewan, G. T. and Nielsen, H. L. Decay of Pm¹⁵¹, 4=12186
- Bertero, M. Errors and self-learning in PAPA, 2=21790
- Bertero, M. See Albino, E., 4=21810
- Berthel, K. H. Residual resistance ratio, diameter effect and current dependence of the resistance ratio of zone-melted tungsten at low temperatures, 4=20337
- Berthel, K. H. Specific electric resistance of electron beam zone melted tungsten between 1.4° and 27°K, 4=20338
- Berthelot, A. The proton synchrotron "Saturne". Experiments with Saturne, 0=2412
- Berthelot, A., Choquet, C., Daudin, A., Goussu, O. and Lévy, F. A contribution to the study of antiproton annihilation in complex nuclei, 0=4090
- Berthelot, A., Daudin, A., Goussu, O., Grard, F., Jabiol, M. A., Lévy, F., Lewin, C., Rogozinski, A., Laberrigue-Frolow, J., Ouannés, C. and Vignerot, L. 1.15 GeV/c study of the associated production $\pi^+ + p \rightarrow \Sigma^+ + K^+$, 1=19281
- Berthelot, A. See Alitti, J., 2=16229
- Berthelot, A. See Alitti, J., 2=18156
- Berthelot, C. Ionization potential and nuclear magnetic moments of plutonium, 3=2363
- Berthelot, C. Nuclear magnetic moments of Pu²³⁹ and Pu²⁴¹, 3=17392
- Berthelot, F. C. See Leroy, J. L., 4=17147
- Berthelot, J. Light amplification effect of a short-lived pulse discharge in xenon, 4=489
- Berthet, C., Imbaud, J. P., Ackermann, P. and Rondet, R. The dynamic polarization of nuclei in solutions of free radicals, 1=12311

- Berthet, G., Blanc, F., Grangeon, J. and Raoult, G. Electron paramagnetic resonance spectrum of potassium chromicyanide magnetically diluted in a single crystal of potassium cobalticyanide, 0=681
- Berthet, G. and Dupuis, J. Nuclear resonance in metallic cobalt powders, 1=12569
- Berthet, G. See Battut, R., 1=18432
- Berthet, G. See Battut, R., 4=25733
- Berthet, G. See Imbaud, J.-P., 3=23908
- Berthier, G. and Sicard, L. Apparatus for calorimetric analysis in variable conditions, 4=14435
- Berthier, G., Veillard, A. and Del Re, G. Proton splitting constants and hybridization in aromatic free radicals, 4=17322
- Berthier, G. See Sureau, A., 4=6466
- Berthier, J., Debrunner, P., Lambert, M. and Lombard, R. Circularly polarized angular correlations in the case of Europium 152, 1=2188
- Berthiers, J., Lombard, R. and Sunier, J.W. Study of the first forbidden transition ($3-2'$) on Eu^{152} by means of the correlation between the electron and γ -ray polarization, 1=7348
- Berthold, F. See Barber, W.C., 1=681
- Berthold, F. See Clerc, H.G., 1=7107
- Berthold, G., Hilsch, R. and Sander, W. Infrared transmission and structure of quench-condensed films of PbS, PbSe and PbTe, 2=10584
- Berthold, G. and Mittendorf, H. Apparatus for evaporation of refractory alkaline earth chalcogenides, 4=24423
- Berthold, I. and Weiss, A. Determination of the hydrogen atom arrangement in sodium dithionate dihydrate by study of the nuclear magnetic resonance spectrum of the protons in single crystals, 4=7643
- Berthold, W.K., Harris, A.K. and Hope, H.J. Correlated micro-pulsations at magnetic sudden commencements, 0=14165
- Berthold, W.K., Harris, A.K. and Hope, H.J. World-wide effects of hydromagnetic waves due to Argus, 0=16411
- Berthold, I. See Lange, W., 2=3947
- Bertie, J.E., Calvert, L.D. and Whalley, E. Transformation of ice II, ice III, and ice V at atmospheric pressure, 3=11202
- Bertie, J.E., Calvert, L.D. and Whalley, E. Transformations of ice VI and ice VII at atmospheric pressure, 4=26553
- Bertie, J.E. and Whalley, E. Infrared spectra of ices Ih and Ic in the range 4000 to 350 cm^{-1} , 4=17568
- Bertie, J.E. and Whalley, E. Infrared spectra of ices II, III, and V in the range 4000 to 350 cm^{-1} , 4=17569
- Bertie, J.E. and Whalley, E. Infrared-active interchain vibration in polyethylene, 4=26228
- Bertin, A. See Moriceau, Y., 4=30335
- Bertin, F. and Papet-Lepine, J. Calculation of the total ionospheric electron content, 3=25923
- Bertin, P.Y. See Avan, M., 1=8750
- Bertin, P.Y. See Avan, L., 2=22372
- Bertini, H.W. Low-energy intranuclear cascade calculation, 3=22384
- Bertinchamps, A. See Duchesne, J., 1=6129
- Bertulis, K. P. and Meshkuotis, Yu. Dielectric properties of thin silicon monoxide films, 4=1655
- Bertulis, V. A. Investigation of the phase oscillation of accelerating particles by the method of harmonic linearization, 4=14780
- Bertulis, V. A. An investigation of the effect of external disturbance on the phases of oscillation of accelerating particles, 4=14789
- Bertyn, A.R., See Stoyanov, P.A., 4=16539
- Berwaldt, O.E. See Dowell, L.G., 2=9670
- Berwart, L. The theoretical laws pertaining to the granularity of photographic images, 3=24065
- Berwart, L. On the distribution and correlation functions of transparency variations of photographic images, 4=11375
- Beryland, O.S. A method of solution of the heat conduction (diffusion) equation, 2=15784
- Berz, F. Variation with frequency of the transverse impedance of semiconductor surface layers, 3=13053
- Berz, F. On the derivatives of surface excesses, 4=28420
- Berz, F. and Emmony, D.C. Measurement of surface barrier heights by the surface injection voltage, 2=23345
- Berzin, A.J. and Meshcheryakov, R.P. (γ, n)-reaction thresholds for silicon isotopes, 2=22794
- Berzin, A.K. and Meshcheryakov, R.P. (γ, n)-reaction thresholds for silicon isotopes, 2=427
- Berzina, I.G. and Berman, I.B. Variation in dislocation density, rate of contact melting and rate of dissolution of crystals exposed to radiation, 3=20188
- Berzina, I.G., Naumov, A.F. and Savintsev, N.A. Dissolution and contact melting of irradiated crystals, 1=19819
- Berzina, I.G. and Savintsev, P.A. Contact melting of irradiated crystals, 3=15525
- Berzina, I.G. See Anokhina, I.N., 4=6752
- Berzrukhikh, V.V. See Gringauz, K.I., 4=7982
- Bertziss, A.T. See Shute, G.G., 3=635
- Bès, D. and Szymański, Z. Spurious state in connection with β -vibration of nuclei, 3=2351
- Bès, D. and Szymański, Z. Spurious state in connection with β -vibration of nuclei, 4=9380
- Bès, D.R. A study of nuclear potential energy surfaces and gamma vibrations, 1=12146
- Bès, D.R. Beta-vibrations in even nuclei, 4=9379
- Bès, D.R. The nuclear model 1959, 4=25247
- Bès, D.R. and Szymański, Z. The ground-state equilibrium deformation in rare-earth nuclei, 1=19346
- Besant, C.B. and Grant, P.J. Diffusion length of thermal neutrons in water between 24 and 82°C, 4=21869
- Besco, D.G. See Beeler, J.R., Jr., 3=8419
- Besco, D.G. See Beeler, J.R., Jr., 3=22848
- Besco, D.G. See Beeler, J.R., Jr., 3=22865
- Besco, D.G. See Beeler, J.R., Jr., 4=15504
- Beshers, D.N. See Ohr, S.M., 3=20200
- Beshers, D.N. See Petarra, D.P., 2=21409
- Beshers, D.N. See Petarra, D.P., 3=23287
- Beshidz, V.L. Tensor theory of ferromagnetic resonance, 2=23692
- Beshidze, V.L. Tensor theory of ferromagnetic resonance, 3=6735
- Beshliu, M. See Dragomiresku, D., 0=17625
- Beske, H.E. A double-focusing mass spectrograph of the Mattauch-Herzog type for trace analysis of solids, 2=9654
- Beske, H.E. Ion counting for mass-spectroscopic intensity measurements using Allen-multiplier with commercial counting arrangement, 3=12264
- Beskrovnyi, I.M. and Zabashta, P.T. Magnetic field gradient meter, 4=638
- Beskrovnyi, I.M., Kuragina, I.A. and Chezganova, A.Ya. Automatic spectrometer for conversion electrons employing variable electric bias on the source, 4=1031
- Beşliu, C. and Petraşcu, M.G. On a possibility of determining Z by means of δ rays, 0=19989
- Beşliu, C. See Andreescu, I., 1=2076
- Beşliu, C. See Andreescu, I., 3=17311
- Beşliu, C. See Hulubei, H., 1=5735
- Beşliu, C. See Hulubei, H., 4=942
- Beşliu, C. See Hulubei, H., 4=30257
- Beşliu, T. See Andreescu, I., 3=17311
- Beşliu, T. See Andreescu, I., 4=27880
- Beşliu, T. See Hulubei, H., 4=30257
- Besnaïnou, S. Some recent results on electronic wave-functions involving the interelectron separator r_{12} , 1=13924
- Besnaïnou, S. A theoretical study on small variations in carbonyl frequencies, 2=8109
- Besnaïnou, S., Prat, R. and Bratoz, S. Influence of molecular structure on the integrated intensity of the infrared carbonyl band. Electronic study, 2=6156
- Besnaïnou, S., Prat, R. and Bratoz, S. Electronic theory of the effect of the molecular environment of the carbonyl group upon the infrared intensity, 3=6405
- Besnaïnou, S. See Bratoz, S., 1=6032
- Besnard, S. and Talbot, J. On the brittleness of zone-refined iron at low temperatures, 0=16243
- Besnus, M.J. See Meyer, A.J.P., 2=4201
- Besprozvannaya, A.S. Abnormal polar-cap absorption associated with strong chromospheric flares on the sun for the period 1938 to 1959, 2=15228
- Besprozvannaya, A.S. and Driatskii, V.M. On the connection between type III absorption and eruptive active regions on the sun, 2=4789
- Besprozvannaya, A.S. See Driatski, V.M., 0=18487
- Bess, L., Ovadia, J. and Valassis, J. External beam current monitor for linear accelerators, 0=2406
- Bessa, F.A. See Kamel, R., 3=18190
- Bessa, F.A. See Kamel, R., 3=18200
- Bessa, F.I. See Abdel-Fattah El-Nadi, 0=18479
- Besse, A. and Desvignes, F. An infra-red polariscope, 0=180
- Bessell, M. See Ellis, G.R.A., 3=9281
- Besser, P.J. See Muckenhirn, O.W., 0=11866
- Besser, P.J. See Muchkenhirm, O.W., 2=16914
- Bessis, D. Localization of Regge poles in potential scattering, 4=25047

- Bessis, D., Itzykson, C. and Jacob, M. One-particle exchange in antiproton collisions in flight, 3=7859
- Bessis, D., Jacob, M. and Morel, A. Dalitz-pair decay modes of the ω , ρ and η mesons, 4=3470
- Bessis, D. and Pham, F. Complex singularities in production amplitudes, 4=825
- Bessis, G. Study of the bifluoride ion FHF^- by wave mechanics, 1=12295
- Bessis, G. See Bratož, S., 0=2750
- Bessis, N. Calculation of the hyperfine structure constants of light atoms, 3=15288
- Bessis, N., Lefebvre-Brion, H. and Moser, C. M. Calculation of the magnetic hyperfine constant of the nitrogen atom, 2=522
- Bessis, N., Lefebvre-Brion, H. and Moser, C. M. Calculation of the hyperfine constants for B^{11} and O^{17} , 2=22898
- Bessis, N., Lefebvre-Brion, H. and Moser, C. M. Importance of core polarization on the calculation of nuclear moments from hyperfine structure data. Nuclear moments of C^{13} , 4=12117
- Bessis, N., Lefebvre-Brion, H. and Moser, C. M. Calculation of the hyperfine splittings of the ^1D levels of He^3 , 4=28112
- Bessis, N., Lefebvre-Brion, H. and Moser, C. W. Calculation of atomic hyperfine structure constants from projected unrestricted Hartree-Fock functions. Constants of F^{19} , 3=12760
- Bessis, N., Lefebvre-Brion, H., Moser, C. M., Freeman, A. J., Nesbet, R. K. and Watson, R. E. Calculation of magnetic hyperfine constant of P^{31} , 4=25507
- Bessis-Mazloun, N. and Lefebvre-Brion, H. Calculation of the hyperfine structure constants of the atoms N^{14} and O^{17} by the configuration interaction method, 0=20550
- Besson, H., Chauvy, D. and Rossel, J. Note on the ionic conductivity and luminescence of CsI purified by zone melting, 2=14508
- Besson, J. M. See Balkanski, M., 1=17401
- Bessonov, A. F., Borisov, B. S. and Vlasov, V. G. Investigation of the structure of the primary oxide layer on uranium, 3=3251
- Bessonov, A. F. and Vlasov, V. G. Phase transformations during the oxidation of metallic uranium, 3=3250
- Bessonov, E. A. and Popov, P. I. Automatic liquid level measuring system, 3=4767
- Bessonov, M. I. and Kuvshinskii, E. V. Cracks in transparent plastics, their growth and structure, 0=6315
- Bessonov, M. I. and Kuvshinskii, E. V. Creep of solid amorphous polymers at high stresses, 0=16217
- Bessonov, M. I. and Kuvshinskii, E. V. Features of the development of fracture cracks in solid polymers, 1=11519
- Bessonov, M. I. and Kuvshinskii, E. V. Features of the development of fracture cracks in solid polymers, 1=12605
- Bessonov, M. I. and Kuvshinskii, E. V. The kinetics of growth of "silver" cracks in transparent solid polymers, 1=12607
- Bessonov, M. I. and Kuvshinskii, E. V. The kinetics of growth of "silver" cracks in transparent solid polymers, 1=20387
- Bessouat, R., Chavanel, H. and Elberg, S. Device for the measurement of vapour pressures up to 20 kg/cm^2 and 500°C, 3=19072
- Bessouat, R., Chavanel, H. and Elberg, S. Apparatus to measure densities of liquids at high temperatures up to 500°C and at pressures up to 20 kg/cm^2 , 4=4
- Bessouat, R. and Elberg, S. Apparatus for the measurement of liquid viscosities at high temperature up to 500°C and under pressure up to 20 kg/cm^2 , 4=18151
- Best, G. T. and Patterson, T. N. L. Temperature determination from a cloud of alkali vapour in the upper atmosphere, 2=24006
- Best, G. T. and Patterson, T. N. L. The capture of small absorbing particles by the solar radiation field, 3=9188
- Best, J. V. Radiation resistant glasses, 4=8405
- Best, K. J. On the optical absorption of films of PbCl_2 and the system TlCl-KCl , 1=14583
- Best, K. J. Optical and X-ray studies on evaporated films of substances of form AB_2 , 4=2065
- Best, P. E. and Robins, J. L. An X-ray absorption process in ionic crystals, 1=8997
- Best, P. E. The characteristic electron energy loss spectra of some alkali halides, 2=3889
- Best, P. E. Characteristic electron energy losses in compounds, 3=2780
- Best, P. E. See Robins, J. L., 2=3888
- Besten, I. E. Den. See Den Besten, I. E.
- Bestenreiner, F. On the dependence of the spectral sensitivity of selenium photoelements on the conditions of operation, 4=7075
- Bestul, A. B. Energy requirements of mechanical shear degradation in concentrated polymer solutions, 0=3522
- Bestul, A. B. and Blackburn, D. H. Condensation coefficient of arsenic trioxide glass, 0=19509
- Bestul, A. B. and Chang, S. S. Excess entropy at glass transformation, 4=27375
- Bestul, A. B. See Shepley, L. C., 3=23492
- Bestul, S. M. See Adams, A. N., 1=4190
- Besugly, P. A., Galkin, A. A. and Pushkin, A. I. Magnetoacoustic oscillations and Fermi surface in aluminium, 4=15454
- Betbeder-Matibet, O. and Nozières, P. Influence of quasiparticle damping on the properties of a superconductor, 1=16195
- Betchov, R. On the mechanism of turbulent transition, 1=4309
- Betchov, R. Semi-isotropic turbulence and helicoidal flows, 1=15801
- Betchov, R. Thermal agitation and turbulence, 2=2678
- Betchov, R. Measure of the intricacy of turbulence, 4=29654
- Betchov, R. and Szewczyk, A. Stability of a shear layer between parallel streams, 4=124
- Betekhtin, V. I. and Slutsker, A. I. Study of disorientated mosaics of blocks by the method of measuring the small angle scattering of X-rays, 2=15110
- Betekhtin, V. I. and Slutsker, A. I. Study of disorientated mosaics of blocks by the method of measuring the small angle scattering of X-rays, 2=19125
- Betekhtin, V. I. and Slutsker, A. I. Mosaic block disorientation in aluminium, 3=10682
- Betekhtin, V. I., Zhurkov, S. N. and Savitskii, A. V. The effect of impurities on the temperature and time dependences of the strength of metals, 1=12599
- Betekhtin, V. I. See Zhurkov, S. N., 3=11193
- Betekhtin, V. I. See Zhurkov, S. N., 3=20728
- Betekhtin, V. I. See Zhurkov, S. N., 4=23126
- Betev, B., Bozoki, G. and Fenyves, E. The absorption coefficient of the meson component of the cosmic radiation, 0=20273
- Betev, B. and Mitrani, L. Properties of artificial quenching of the discharge in halogen counters, 4=27722
- Betev, B. See Ahababian, N., 4=30289
- Betev, B. See Bozoki, G., 2=336
- Betev, B. See Bozoki, G., 2=22684
- Betev, B. See Bozoki, G., 4=27926
- Betev, B. See Kavlov, S., 1=7302
- Betev, B. See Mitrani, L., 1=7301
- Betev, B. See Mitrani, L., 1=8292
- Betev, B. See Mitrani, L., 2=5767
- Betev, B. See Rouskov [Ruskov], T., 1=386
- Bethe, H. A. Intermediate quantum mechanics, 4=16031
- Bethe, H. A. Note on high-energy proton-proton scattering, 4=30224
- Bethe, H. A., Beyster, J. R. and Carter, R. E. Inelastic cross-sections for fission-spectrum neutrons. I, 0=7624
- Bethe, H. A., Beyster, J. R. and Carter, R. E. Inelastic cross-sections for fission-spectrum neutrons. II, 0=7625
- Bethe, H. A., Beyster, J. R. and Carter, R. E. Inelastic cross-sections for fission-spectrum neutrons. III, 0=7626
- Bethe, H. A., Beyster, J. R. and Carter, R. E. Inelastic cross-sections for fission-spectrum neutrons. IV, 0=7627
- Bethe, H. A., Brandow, B. H. and Petschek, A. G. Reference spectrum method for nuclear matter, 3=4551
- Bethe, H. A. and Kinoshita, T. Behavior of Regge poles in a potential at large energy, 3=2214
- Bethe, H. A. See Leon, M., 2=18168
- Bethe, H. A. See Schumacher, C. R., 1=4794
- Bethe, H. A. See Read, A. L., 4=3331
- Bethel, H. E. See Osborn, J. R., 4=27359
- Bethery, M. and Lott, M. High speed pulse modulation of a 150 keV deuteron beam, 4=16601
- Bethge, H. Surface structures and crystal defects in the electron microscope image, investigated on NaCl . I, 2=8225
- Bethge, H. Surface structure and lattice defect studies of NaCl by electron microscopy. II, 2=21579
- Bethge, H., Brauer, K. H. and Zwanzig, W. On the measurement of intensities of electron diffraction patterns with fluorescent screen and photomultiplier, 2=5385
- Bethge, H. and Fröhlich, F. Crystal growth shapes treated by the Nacken-Kyropoulos method and the production of alkali halide bicrystals, 3=6824
- Bethge, H., Hellgardt, J. and Heydenreich, J. The construction of simple apparatus for investigations with the electron mirror, 1=325
- Bethge, H. and Heydenreich, J. Investigation of the sensitivity of the electron mirror for imaging potential distributions, 1=326
- Bethge, H. and Kästner, G. Electron microscope studies of elementary slip steps on NaCl crystals. II, 2=12859

- Bethge, H., Kistner, G. and Krohn, M. Surface structure of cleaved NaCl single crystals, 1=10278
- Bethge, H. and Keller, W. Dislocations rendered visible by surface evaporation in NaCl crystals, 0=9899
- Bethge, H. and Keller, W. The electron-microscope observation of elementary glide steps on NaCl crystals, 1=19787
- Bethge, H., Keller, K.W. and Stenzel, H. A method of rendering visible differential binding energies and absorption properties of the lamellar stages on NaCl-crystals for electron microscopy, 2=15118
- Bethge, H. and Schmidt, V. Influence of inhomogeneities on the cleavage structure of NaCl crystals, 2=19042
- Bethge, K. Charge transfer measurements on Li ions in the energy range from 3 to 10 keV, 1=4565
- Bethge, K. and Fabricius, H. Charge transfer measurements of Li ions in freely conducting [freitragenden] foils, 2=13544
- Bethge, K. See Altenburg, K., 2=7181
- Bethke, G.W. Ultrarapid-scan infrared spectrometer, 0=16856
- Bethke, G.W., Frohman, E.D., and Ruess, A.D. Dynamic coupling of high microwave power with shock produced plasmas, 3=16944
- Bethke, G.W., and Ruess, A.D. Dynamic coupling of medium microwave power with shock produced plasmas, 3=16943
- Bethke, G.W. and Ruess, A.D. Microwave reflection from shock-produced plasmas, 4=29919
- Béthoux, O., Thomas, P. and Weil, L. Thermal conductivity of UO_2 at low temperature, 2=3859
- Béthoux, O., Thomas, P. and Weil, L. Spin-phonon interactions in UO_2 -neutron irradiation effects, 4=17386
- Betin, Yu.P., Verkhovskii, B.I., Zelevinskaya, N.G. and Yakushin, V.V. Method of improving accuracy of measurement of radiation fluxes, 4=16721
- Betin, Yu. P. See Benetsky, B.A., 4=6346
- Betjemann, A.G. See Dobbs, E.R., 0=9848
- Bétourné, C. See Bishop, G.R., 4=17028
- Betourne, C. See Bishop, G.R., 4=19675
- Betourne, C. See Bishop, G.R., 4=22121
- Betrencourt, M. See Morand, M., 1=9709
- Bettany, C.P. and Fessler, H. Birefringence behaviour of an epoxy resin in compression, 3=25440
- Betterton, J.O., Jr., Boom, R.W., Kneip, G.D., Worsham, R.E. and Roos, C.E. Superconductivity of Nb_3Sn in a pulsed magnetic field, 1=9513
- Betterton, J.O. See Kneip, G.D., Jr., 2=11563
- Betterton, J.O., Jr. See Kneip, G.D., Jr., 3=15437
- Betterton, J.O., Jr. See Kneip, G.D., Jr., 3=25199
- Bettinali, C. The thermoluminescence of precipitated calcium fluoride, 0=6210
- Bettinali, C., Ferraresso, G. and Stampacchia, G. Thermoluminescence of natural and artificial carbonates and sulphates of calcium. Spectral composition of the peaks, 2=8597
- Bettinali, C., Ferraresso, G. and Stampacchia, G. Thermoluminescence of the hydrated and anhydrous phases of calcium sulphate, 2=16876
- Bettinali, C., la Ginestra, A. and Valigi, M. Calcium zirconium phosphate: preparation and crystallographic description, 4=2073
- Bettinger, R.T. See Ulwick, J.C., 3=5213
- Bettini, A. See Chadwick, G.B., 4=6135
- Bettis, E.S., Cottrell, W.B., Mann, E.R., Meem, J.L. and Whitman, G.D. The aircraft reactor experiment — operation, 0=13314
- Bettis, E.S. and McDonald, W.B. Molten-salt reactor experiment, 4=12313
- Bettis, E.S., Schroeder, R.W., Cristy, G.A., Savage, H.W., Affel, R.G. and Hemphill, L.F. The aircraft reactor experiment — design and construction, 0=13312
- Bettler, P.C. and Charbonnier, F.M. Activation energy for the surface migration of tungsten in the presence of a high-electric field, 0=11646
- Bettoni, M.M. On the decay of Rh^{104m} , 2=20525
- Bettoni, M.M. See Foglio, A., 3=12638
- Betts, C. See Whitley, S., 0=5046
- Betts, D.D. The extension of Houston's method with application to Debye Θ_D , 1=3608
- Betts, D.D. The exact solution of some lattice statistics models with four states per site, 4=27080
- Betts, D.D., Manchester, F. D. and Woods, E. J. Adsorbed helium as a quantum fluid, 4=21384
- Betts, D.D., Schiff, H. and Strickfaden, W.B. Approximate solution of a nonlinear field equation, 3=12393
- Betts, D.D. See Ballentine, L.E., 3=3367
- Betts, D. S., Edmonds, D. T., Keen, B. E. and Matthews, P. W. A susceptibility thermometer for use at very low temperatures, 4=24465
- Betts, D.S., Osborne, D.W., Welber, B. and Wilks, J. The viscosity of liquid helium 3, 3=16849
- Betts, D.S., Osborne, D.W., Welber, B. and Wilks, J. The viscosity of liquid He^3 , 4=14489
- Betts, J.F., Pauflve, E.H. and Wiley, W.C. Output systems for time-of-flight mass spectrometers, 1=333
- Betts, J.F. See Bartell, L.S., 1=15185
- Betts, J.F. See Hunt, W.W., Jr., 4=8864
- Betts, R.H. See Glentworth, P., 1=5926
- Betzliche, P. Testing of thin-walled tubes for fuel casings under external and internal pressure, 2=23779
- Betz, F.W. See Frankel, S., 3=10134
- Betz, G. See Andersson-Lindström, G., 4=28045
- Betzl, M., Hase, W., Kleinstück, K. and Tobisch, J. Measurement of the coherent scattering amplitudes of dysprosium and thulium for thermal neutrons, 2=19075
- Betzl, M. See Albrecht, G., 4=2076
- Beu, K.E. The evaluation of centroid lattice parameter data for tungsten by the likelihood ratio method, 4=29143
- Beu, K.E., Musil, F.J. and Whitney, D.R. The likelihood ratio method for the precise and accurate determination of lattice parameters for tetragonal and hexagonal crystals, 4=7577
- Beu, K.E., Landstrom, D. K., Whitney, D. R. and Pike, E. R. Precise and accurate lattice parameters by film powder methods. III. An exact graphical method for axial (vertical) divergence profiles for cylindrical diffraction cameras, 4=23399
- Beu, K.E., Musil, F.J. and Whitney, D.R. Precise and accurate lattice parameters by film powder methods. I. The likelihood ratio method, 3=8823
- Beu, K.E. and Scott, D.L. Precise and accurate lattice parameters by film powder methods. II. An exact eccentricity correction for cylindrical film cameras, 3=8824
- Beu, K.E. See Langford, J. L., 4=23398
- Beuchner, W. W. See Mazari, R., 4=12145
- Beuchot, G. See Arnal, R., 4=29851
- Beuermann, K.P. and Wibberenz, G. Study of shallow plastic scintillators and pulse processing in measuring cosmic radiation, 3=12371
- Beukelman, T.E. and Lord, S.S., Jr. The standard addition technique in flame spectrometry, 0=8338
- Beumer, M.G. The paradox of the absolute observe, 2=17339
- Beun, J.A., Miedema, A.R. and Steenland, M.J. Magnetic susceptibilities of chromium rutilum alum below 1°K , 0=8035
- Beun, J.A., Nitsche, R. and Lichtensteiger, M. Photoconductivity in ternary sulphides, 1=10066
- Beun, J.A., Nitsche, R. and Lichtensteiger, M. Optical and electrical properties of ternary chalcogenides, 1=11321
- Beun, J.A., Nitsche, R. and Bülsterli, H.U. Aftertreatment of CdS single crystals grown by vapour transport with iodine, 2=6495
- Beun, M. and Tummers, L. J. The behaviour of transistors with increasing frequency, 4=28601
- Beurskens, G. and Jeffrey, G. A. Crystal structure of potassium fluoride tetrahydrate, 4=29130
- Beurskens, G. and Jeffrey, G. A. On the ionic hydration polyhedra in the crystal structure of sodium hydroxide tetrahydrate and the hydrogen bonding of the hydroxide ion, 4=29131
- Beurskens, G., Jeffrey, G. A. and McMullan, R. K. Polyhedral clathrate hydrates. VI. Lattice type and ion distribution in some new peralkyl ammonium, phosphonium, and sulfonium salt hydrates, 4=7656
- Beurskens, P. T. A computer procedure for the systematic application of Sayre's equation for solving the phase problem for the analysis of centrosymmetric structures, 4=26620
- Beurskens, P. T. and Jeffrey, G. A. Example of a more general form of water "cage" in the clathrate hydrates, 4=13620
- Beurskens, P. T. and Jeffrey, G. A. Polyhedral clathrate hydrates. VII. Structure of the monoclinic form of the tri-N-butyl sulfonium fluoride hydrate, 4=23502
- Beurskens-Kerssen, G., Kroon, J., Endeman, H. J., van Laar, J. and Bijvoet, J. M. Absolute configuration and rotatory power of the crystals of NaBrO_3 and NaClO_3 , 4=23479
- Beurtey, R., Catillon, P., Chaminade, R., Crut, M., Faraggi, H., Papineau, A., Saudinos, J. and Thirion, J. Anomalies in the angular distributions of α -particles inelastically scattered by Fe^{56} and Ni^{58} , 1=9883

- Beurtey, R., Catillon, P., Chaminade, R., Faraggi, H., Papineau, A. and Thirion, J. Elastic and inelastic scattering of 11 MeV protons on Zn^{64} , Zn^{66} , and Zn^{68} isotopes, 0=4092
- Beurtey, R., Chaminade, R., Falcoz, A., Fauré, M.M., Maillard, R., McDaniels, D., Mikumo, T., Papineau, A., Schecter, L. and Thirion, J. Asymmetries in the elastic scattering of 22 MeV polarized deuterons by calcium, 3=10374
- Beurtey, R., Chaminade, R., Falcoz, A., Mikumo, T., Papineau, A., Saudinos, J., Schecter, L. and Thirion, J. Determination of the tensor parameters in deuteron-proton scattering at 22 MeV, 4=3495
- Beurtey, R., Derriulat, P., Maillard, R., Papineau, A. and Thirion, J. Observation of the polarization of the deuteron beam obtained from the Saclay cyclotron, 2=20073
- Beurtey, R., Guillou, and Raynal, J. The optical model for the elastic scattering of charged particles, 1=13759
- Beurtey, R., Papineau, A. and Thirion, J. Sources of polarized protons and deuterons, 1=16786
- Beurtey, R. See Saudinos, J., 1=7402
- Beurtey, R. See Saudinos, J., 1=7403
- Beurtey, R. See Saudinos, J., 1=13858
- Beurtey, R. See Thirion, J., 2=5750
- Beusch, W. Two-quanta transitions in Ba^{137} , 0=17522
- Beuscher, H. See Kopitzki, K., 4=20321
- Beutry, R., Chaminade, R., Falcoz, A., Maillard, R., Mikumo, T., Papineau, Schecter, L. and Thirion, J. Polarised deuterons from the Saclay cyclotron and their use in (d, d) and (d, p) reactions, 4=19602
- Beutry, R., Cutillon, P., Chaminade, R., Crut, M., Farraggi, H., Papineau, A., Saudinos, J. and Thirion, J. The inelastic scattering of 44.4 MeV alpha-particles by Ni^{58} , Ni^{60} , Ni^{64} , 1=13852
- Beurtey, R., Maillard, R., Papineau, A. and Thirion, J. Tensor parameters of the elastic scattering of 22 MeV deuterons by calcium, 4=3688
- Bevacqua, S.F. See Holonyak, N.Jr., 2=18726
- Bevacqua, S.F. See Holonyak, N., Jr., 3=7734
- Bevacqua, S.F. See Holonyak, N., Jr., 3=15583
- Bevacqua, S.F. See Holonyak, N., Jr., 3=25377
- Bevacqua, S.F. See Holonyak, N., Jr., 4=24920
- Bevan, A.W., Jr. See Veigle, W.J., 3=7726
- Bevan, A.W., Jr. See Veigle, W.J., 3=13317
- Bevan, A.W., Jr. See Veigle, W.J., 3=23271
- Bevan, D.J.M. See Anderson, J.S., 3=8475
- Bevans, J.T., Dunkle, R.V., Edwards, D.K., Gier, J.T., Levenson, L.L. and Oppenheim, A.K. Apparatus for the determination of the band absorption of gases at elevated pressures and temperatures, 0=2184
- Bevc, V. Electromagnetic field of a ferromagnetic transformer, 0=17069
- Bevc, V. and Everhart, T.E. Fast-wave propagation in plasma-filled waveguides, 3=2129
- Bevc, V. and Motz, H. Temperature and collision effects on electromagnetic wave propagation in anisotropic plasmas, 4=18874
- Beven, H.C. See Nalsmith, R., 1=20974
- Bevensee, R.M. Periodic electromagnetic and quantum systems, 1=8371
- Bevensee, R.M. A unified theory of electron beam interaction with slow wave structures, with application to cut-off conditions, 1=18927
- Bevensee, R.M. Quantum electrodynamics of the stimulated emission of radiation. I, 4=12417
- Bever, M.B. See Beardmore, P., 4=26508
- Bever, M.B. See Howlett, B.W., 2=15796
- Bever, M.B. See Howlett, B.W., 4=27396
- Bever, M.B. See Roessler, B., 4=7485
- Bever, M.B. See Scattergood, R.O., 4=13410
- Bever, M.B. See Titchener, A.L., 0=16349
- Beverage, H.H. See Carter, P.S., 2=16043
- Beverly, W.B. and Spiegel, V., Jr. Fast neutron dose measurements for a D-D neutron source in water, 4=15073
- Beverly, W.B. See Bucher, W.P., 0=455
- Beverly, W.B. See Bucher, W.P., 0=5564
- Bevilacqua, L.L. and Lange, F.K. Level gauge for liquefied gases, 4=16311
- Bevilacqua, L.L. See Aulhorn, V.O., 4=20999
- Bevington, P.R., Rolland, W.W. and Lewis, H.W. Relative yields of neutron groups from the $\text{Li}^7(p, n)\text{Be}^7$, Be^{7*} reactions, 1=2212
- Bevington, P.R. See Buccino, S.G., 4=19777
- Bevington, P.R. See Hollandsworth, C.E., 4=30001
- Bevington, P.R. See Lewis, H.W., 0=2476
- Bevis, M., Heckscher, F. and Crocker, A.G. The determination of the orientation of rhombohedral and cubic crystals from traces on a single surface, 4=29029
- Bevis, M. See Crocker, A.G., 4=6855
- Bevis, M. See Crocker, A.G., 4=26577
- Bevolo, A.J. See Barker, W.A., 4=27945
- Bewig, K.W. Ionization method of measuring contact potential differences, 4=27452
- Bewig, K.W. and Zisman, W.A. Surface potentials and induced polarization in nonpolar liquids adsorbed on metals, 4=29191
- Bewilogua, L. On the question of the production and use of helium and neon, 3=16471
- Bewilogua, L. and Knorr, M. Production of helium and neon from an air decomposition plant, 3=16472
- Bewilogua, L. and Lippold, H. A simple apparatus for checking of metal dewars, 3=19079
- Bewilogua, L. and Mahn, H.G. Heat transfer in liquid neon, 4=8201
- Bewley, D.K. The measurement of locally absorbed dose of megavoltage X-rays by means of a carbon calorimeter, 4=11739
- Beydon, J., Delmas, G., Druaux, J. and Griboval, P. An extraction of Hg^{198} formed in gold by slow neutron irradiation in the Saclay P2 pile, 0=17678
- Beyeler, M. See Calais, D., 4=1517
- Beyen, W.J. See Adams, H.D., 2=8407
- Beyer, H. Critical note on the statement of the theory of the true Zernicke effect, 3=11932
- Beyer, H. Colorimetric treatment of phase contrast imaging in the case of illumination by polychromatic and specially white light, 4=2822
- Beyer, H. and Schöppe, G. Method of testing line-gratings [for use in moiré-fringe metrology], 4=5394
- Beyer, J.B., Van Bladel, J. and Peterson, H.A. Microwave thickness detector, 0=6721
- Beyer, K.D. and Welge, K.H. Photodissociation of H_2 , N_2 , O_2 , NO , CO , H_2O , CO_2 and NH_3 in the far vacuum ultra-violet, 4=15385
- Beyer, N.S., Lapinski, N.P. and Perry, R.B. An informative radiograph from the scattered beam, 2=5427
- Beyer, R.B., McCulley, L. and Evans, M.W. Measurement of energy flux density distribution in the focus of an arc image furnace, 4=8491
- Beyer, R.B. See Evans, M.W., 4=23656
- Beyer, R.T. Parameter of nonlinearity in fluids, 0=10646
- Beyer, R.T. See Barnes, R.P., Jr., 4=24209
- Beyer, R.T. See Bellin, J.L.S., 0=5098
- Beyer, R.T. See Bellin, J.L.S., 2=17566
- Beyer, R.T. See Keck, W., 0=10661
- Beyer, R.T. See Letcher, S.V., 4=2676
- Beyer, R.T. See Letcher, S.V., 4=14283
- Beyer, R.T. See Proud, J.M., Jr., 0=8751
- Beyer, R.T. See Ryan, R.P., 2=2848
- Beyer, R.T. See Yun, S.S., 2=13337
- Beyer, R.T. See Yun, S.S., 4=20206
- Beyer, W.A. An elastic-plastic cylinder with free ends and internal heat generation, 4=5116
- Beynam, E. Determination of the influence on the gamma-ray flux of spherical cavities in shielding media, 2=5601
- Beynam, E. A simple and intuitive determination of the buildup factor in shielding slabs, 2=10186
- Beynam, E. Electromagnetic simulation of point-shaped gamma sources, 3=573
- Beynam, E. Natural dimensional system for treatments of energy, 4=5006
- Beynam, E. A simple quantum mechanical interpretation of fast neutron shielding, 4=19907
- Beynam, E. Theoretical computations based on practical units, 4=24003
- Beynon, J.D.E. and Cairns, R.B. A simple micromanometer, 4=8013
- Beynon, J.H., Lester, G.R., Saunders, R.A. and Williams, A.E. Formation of ions in mass spectrometers by ion-molecule reaction, 2=5302
- Beynon, J.H. and Saunders, R.A. Purification of organic materials by zone refining, 0=6329
- Beynon, T.D. and Grant, I.S. Evaluation of the Doppler-broadened single-level and interference functions, 4=12018
- Beynon, W.J.G. Disturbances in ionospheric regions, 2=15220
- Beynon, W.J.G. Vertical drift effects in region-E, 0=21361
- Beynon, W.J.G. and Brown, G.M. Geomagnetic distortion of region-E, 0=6455

- Beynon, W.J.G. and Brown, G.M. Region-E and solar activity, 0=8380
- Beynon, W.J.G. and Jones, E.S.O. Ionospheric effects of nuclear explosions, 3=6987
- Beynon, W.J.G. See Brown, G.M., 3=13747
- Beyster, J.R., Wood, J.L., Lopez, W.M. and Walton, R.B. Measurements of neutron spectra in water, polyethylene, and zirconium hydride, 2=5648
- Beyster, J.R. See Bethe, H.A., 0=7624
- Beyster, J.R. See Bethe, H.A., 0=7625
- Beyster, J.R. See Bethe, H.A., 0=7626
- Beyster, J.R. See Bethe, H.A., 0=7627
- Beyster, J.R. See Lopez, W.M., 2=7860
- Beyster, J.R. See Parks, D.E., 2=20355
- Beyster, J.R. See Young, J.C., 4=17222
- Beyster, J.R. See Young, J.C., 4=21878
- Bez, W. and Hisam, E. Electron beams as preionization for a high-current impulse discharge, 3=7464
- Bez, W. See Pfender, E., 3=4075
- Bez, W. See Schrade, H., 0=10898
- Bezaguët, A. See Lloret, A., 4=12036
- Bezbatchenko, A.L., Golovin, I.N., Ivanov, D.P., Kirillov, V.D. and Yavlinsky, N.A. An investigation of a high-current gas discharge in a longitudinal magnetic field, 0=5312
- Bezgachev, E.A. See Strel'tsov, N.S., 4=14796
- Bezic, N., Jamnik, D., Kernel, G. and Pirc, R. Total absorption of 15 to 30 MeV photons in carbon and oxygen, 4=19469
- Bezic, N. See Miklavzic, U., 2=11921
- Bezic, N. See Vakselj, M., 0=12897
- Bezirganyan, P.A. X-ray scattering in gases, liquids and amorphous bodies, 3=21446
- Bezirganyan, P.A. Scattering of X-rays in gaseous, liquid, and amorphous bodies. II, 4=2733
- Bezirganyan, P.A. X-ray diffraction in fibrous materials, 4=15811
- Bezirganyan, P.A. The accuracy of calculating the intensity of X-rays scattered in gases and liquids, 4=16112
- Bezirganyan, P.A. and Ninoyan, Zh.O. The relation between the width of the diffraction maxima and crystal sizes, 4=15777
- Bezirjian, O.H. See Gabrysh, A.F., 4=6298
- Bezjak, A. and Grdenić, D. Crystal structure of mellitic acid, 0=10319
- Bezlepkin, S.V. See Der-Shvarts, G.V., 3=2038
- Bezmenov, O.M., Lebedev, O.V. and Shamov, V.P. A wide band transistor preamplifier, 4=16863
- Beznosikova, A.V. See Chebotarev, N.T., 1=19726
- Bezotosnii, V.M. and Zamyatnin, Yu.S. Measurements of the absolute strengths of neutron sources, 0=7389
- Bezruchko, I.V. See Yankevych, V.F., 2=19179
- Bezruchko, I.V. See Yankevich, V.F., 3=25844
- Bezruchko, V.M. and Shatalov, A.A. Detection of lattice defects in alkali halide crystals by means of electrolytic colouring, 2=20994
- Bezrukikh, V.V. See Gringauz, K.I., 0=14381
- Bezrukikh, V.V. See Gringauz, K.I., 2=8988
- Bezrukikh, V.V. See Gringauz, K.I., 2=9070
- Bezrukikh, V.V. See Gringauz, K.I., 2=15301
- Bezrukikh, V.V. See Gringauz, K.I., 4=13931
- Bezrukov, L.S., Panov, D.A. and Timoshuk, D.V. The $\text{Li}^{(d,p)\text{Li}^+}$ cross-section as a function of deuterons energy in the range 1.1-4 MeV, 0=7574
- Bezuglyi, N.A., Galkin, A.A. and Pushkin, A.I. Magnetoacoustic oscillations and the Fermi surface in aluminium, 3=22685
- Bezuglyi, P.A. and Galkin, A.A. Cyclotron resonance in indium at a frequency of 9300 Mc/s, 0=13528
- Bezuglyi, P.A. and Galkin, A.A. Anisotropy of the energy gap in a plane of binary axes of tin crystals, 1=1861
- Bezuglyi, P.A., Galkin, A.A. and Korolyuk, A.P. Anisotropy of the absorption coefficients of ultrasonics in superconductors, 0=13501
- Bezuglyi, P.A., Galkin, A.A. and Korolyuk, A.P. Investigation of the anisotropy of the energy gap in superconducting tin, 0=19567
- Bezuglyi, P.A., Galkin, A.A., Pushkin, A.I. and Khomchenko, A.I. Magnetoacoustic resonance in aluminium, 2=8162
- Bezuglyi, P.A., Galkin, A.A., Pushkin, A.I. and Khomchenko, A.I. Magnetoacoustic resonance in aluminium, 3=6469
- Bezuglyi, V.D. See Nagornaya, L.L., 2=1160
- Bezus, E.V. See Venetsev, Yu.N., 1=15018
- Bezverkhyy, V.D. A new focusing X-ray tube design with cathode filament replacement under vacuum, 1=11994
- Bhacca, N.S. See Freeman, R., 3=8302
- Bhacca, N.S. See Freeman, R., 3=10548
- Bhadra, D. and Varma, R.K. Collisional damping of ion waves in a plasma, 4=24695
- Bhadra, D. See Varma, R.K., 4=24701
- Bhadra, T.C. On the making of electret and measurement of the changes of dielectric constant of a polarised electret forming material with time, 0=6159
- Bhadra, T.C. On the measurement of ultrasonic power radiated from a quartz crystal transducer into liquid medium, I, 2=15706
- Bhadra, T.C. On the measurement of acoustic energy density and streaming velocity to determine the absorption coefficient by the streaming method, II, 2=15707
- Bhaduri, R.K. and Preston, M.A. Velocity-dependent nucleon-nucleon potentials and saturation in nuclear matter, 4=19631
- Bhaduri, R.K. See Kumar, K., 1=9800
- Bhaduri, R.K. See Preston, M.A., 2=22698
- Bhaduri, R.K. See Preston, M.A., 3=24830
- Bhagat, S.M. "Eddy" viscosity in liquid helium II, 0=5229
- Bhagat, S.M. Effect of the van der Waal's corrections on the transition temperature of He^3 - He^4 mixtures, 0=2284
- Bhagat, S.M. and Critchlow, P.R. Thermomechanical pressure measurements in liquid helium-II, 2=5227
- Bhagat, S.M. and Critchlow, P.R. Growth of mutual friction in liquid helium II, 3=21642
- Bhagat, S.M., Critchlow, P.R. and Mendelssohn, K. Onset and growth of vorticity in liquid helium-II, 4=24475
- Bhagat, S.M. and Mendelssohn, K. Vorticity in superflow, 0=8922
- Bhagat, S.M. and Mendelssohn, K. Isothermal flow helium-II in wide capillaries, 2=5226
- Bhagavan, M.R. A note on the theory of pairing correlations, 3=23801
- Bhagavantam, S. Defects in crystal lattices, 4=17417
- Bhagavantam, S. and Chelam, E.V. Elastic behaviour of matter under very high pressures. Uniform compression, 0=16208
- Bhagavantam, S. and Chelam, E.V. Elastic behaviour of matter under very high pressure - uniform compression, 1=3958
- Bhagavantam, S., Krishnamurthi, M. and Ramakrishna, S. Studies in cosmic radio noise at Bangalore (some special features), 1=18137
- Bhagavantam, S. and Pantulu, P.V. Force constants in the potential energy of a vibrating molecule, 3=25081
- Bhagavantam, S. and Pantulu, P.V. Point defects and relaxation phenomena in crystals, 4=6827
- Bhagavantam, S. and Pantulu, P.V. Magnetic symmetry and physical properties of crystals, 4=13141
- Bhagavantam, S. and Pantulu, P.V. Crystal symmetry and physical properties: application of group theory, 4=30601
- Bhagiratha Rao, E. and Ramachandra Rao, B. Travelling disturbances in the F-region over Waltair [India], 1=15291
- Bhagiratha Rao, E. and Ramachandra Rao, B. Horizontal drifts in the ionosphere in relation to random fading, 1=20927
- Bhagiratha Rao, E. See Ramachandra Rao, B., 0=6464
- Bhagwat, S.D. See Ambiyé, K.S.Y., 1=17021
- Bhakar, B.S. The triton problem with tensor forces, 4=9312
- Bhakar, B.S. See Mitra, A.N., 3=2332
- Bhalla, C.P. Thermal flux disadvantage factors for slab geometry, 2=12247
- Bhalla, C.P. Anomalous beta spectrum of In^{114} ($1^+ \rightarrow 0^+$), 3=10290
- Bhalla, C.P. Second-order effects in positron spectrum of Zr^{88} ($^0_2 \rightarrow ^0_2$), 4=3605
- Bhalla, C.P. and Rose, M.E. Pseudoscalar interaction in nuclear beta decay, 0=20380
- Bhalla, C.P. and Rose, M.E. Finite nuclear size effects in β decay, 3=646
- Bhalla, M.S. and Craggs, J.D. Measurement of ionization and attachment coefficients in carbon dioxide in uniform fields, 1=1892
- Bhalla, M.S. and Craggs, J.D. Measurement of ionization and attachment coefficients in carbon monoxide in uniform fields, 1=16264
- Bhalla, M.S. and Craggs, J.D. Measurement of ionization and attachment coefficients in sulphur hexafluoride in uniform fields, 2=17784
- Bhalla, M.S., Craggs, J.D. and Meek, J.M. Absorption of photons in a Townsend discharge, 3=4029
- Bhalla, M.S. See Hariharan, P., 0=5127
- Bhalla, M.S. See Hariharan, P., 0=5175
- Bhalla, M.S. See Hariharan, P., 0=6911
- Bhamathi, G. and Indumathi, S. A model of hyperfragments, 1=9808
- Bhamathi, G. and Indumathi, S. Analysis of Δ hyperfragments on the separable potential model. I., 4=21993

- Bhamathi, G., Indumathi, S., Balachandran, A.P. and Deshpande, N.G. Some tests for compound models of elementary particles, 1=9768
- Bhamathi, G., Indumathi, A., Radha, T.K. and Thunga, R. A note on baryon-baryon interaction, 2=1654
- Bhamathi, G., Indumathi, S., Radha, T.K. and Thunga, R. A note on baryon-baryon interaction, 2=5745
- Bhamathi, G., Indumathi, S., Radha, T.K. and Thunga, R. Pion production in hyperon-nucleon collisions, 2=13884
- Bhamathi, G. See Ramakrishnan, A., 2=3244
- Bhamathi, G. See Ramakrishnan, A., 2=5744
- Bhamathi, G. See Ramakrishnan, A., 3=610
- Bhan, S. See Schubert, K., 1=5099
- Bhand, S.C., Gaur, M.S. and Gogate, D.V. Effect of ionic currents on heat-transfer, 3=24074
- Bhandari, N. and Rama. Atmospheric circulation from observations of sodium 22 and other short-lived natural radioactivities, 3=18499
- Bhandari, N. and Rama. Study of atmospheric washout processes by means of radon decay products, 3=25902
- Bhandari, P.S. See Balachandran, C.G., 3=23983
- Bhandari, R.C. Scattering of thermal neutrons in beryllium, 0=7361
- Bhandari, R.C. and Jain, R.D. Inelastic scattering of fission neutrons in uranium, 0=5801
- Bhandari, R.C., Kothari, L.S. and Singwi, K.S. Scattering of thermal neutrons in beryllium oxide, 0=7359
- Bhandari, R.C. and Sisodia, M.L. Temperature variation of dielectric relaxation time in water, 4=21148
- Bhandari, R.C. and Sisodia, M.L. Variation of viscosity with temperature in heavy water, 4=29615
- Bhanot, V.B. and Gupta, S.C. Mass-spectroscopic atomic mass differences, 3=17545
- Bhanot, V.B., Gupta, S.C. and Kumar, S. Modified semi-empirical mass formula for diffuse nuclear surface, 4=27943
- Bhanot, V.B., Johnson, W.H., Jr. and Nier, A.O. Atomic masses in the heavy mass region, 0=17673
- Bhanumathi, A. Eyring's equation of relaxation time and dipole-dipole interaction energy. I. Measurements in pure liquids, 3=14175
- Bhanumathi, A. Eyring's equation of relaxation time and dipole-dipole interaction energy. II. Dilute solution measurements, 3=23896
- Bhanumathi, A. Eyring's equation of relaxation time and dipole-dipole interaction energy. III. Estimation of the interaction energy, 3=23897
- Bhar, J.N. Microwave techniques in the study of semiconductors, 4=15531
- Bharadwaj, P.D. See Jain, P.L., 2=283
- Bharadwaj, P.D. See Jain, P.L., 4=19550
- Bharadwaj, R.C. See Sharma, B.D., 3=8766
- Bhargava, B.N. Lunar tidal effects in equatorial E_s , 3=21060
- Bhargava, B.N. and Subrahmanyam, R.V. Geomagnetic disturbance effects in equatorial E_s , 1=15276
- Bhargava, B.N. and Subrahmanyam, R.V. Movements in the F region of the ionosphere during solar eclipses, 1=15284
- Bhargava, B.N. and Subrahmanyam, R.V. A study of the pre-sunrise F-layer stratification at Kodaikanal, 2=4655
- Bhargava, B.N. and Subrahmanyam, R.V. Spatial, seasonal and solar cycle characteristics of the loss coefficient in ionospheric F-region, 4=23808
- Bhargava, J.C. See Rao, C.S.R., 1=8394
- Bhargava, R.D. and Radhakrishna, H.C. Two-dimensional elliptic inclusions, 4=105
- Bhargava, R.D. and Radhakrishna, H.C. Elliptic inclusions in a stressed matrix, 4=106
- Bhargava, R.D. and Radhakrishna, H.C. Numerical solution of two-dimensional Laplace's equation, 4=8017
- Bhargava, R.D. and Radhakrishna, H.C. Elliptic inclusion in orthotropic medium, 4=18131
- Bhargava, R.D. and Sharma, C.B. An infinite elastic medium under plane harmonic temperature distribution with a circular insert, 4=21065
- Bhargava, R.D. See Jasvoni, M.A., 1=14841
- Bhargava, R.N. See Varshni, Y.P., 1=19383
- Bhargava, B.N. and Subrahmanyam, R.V. F-region charges associated with the solar flare of 23 February 1956, 2=13039
- Bhargava, B.N. and Subrahmanyam, R.V. The influence of disturbed conditions and increased solar activity on geomagnetic distortion of the equatorial ionospheric F2 region, 2=21655
- Bhargava, R.D. The inclusion problem, 3=790
- Bhartendu and Currie, B.W. Atmospheric pressure variations from lightning discharges, 4=7850
- Bhartendu and Currie, B.W. Atmospheric waves from U.S.S.R. nuclear test explosions in 1962, 4=20849
- Bhasin, V.S. See Mitra, A.N., 3=2332
- Bhasin, V.S. See Mitra, A.N., 3=19641
- Bhaskara Rao, A. and Gill, P.S. Influence of geomagnetic field on extensive air showers of cosmic radiation, 1=8527
- Bhaskara Rao, A. and Gill, P.S. Directional properties of extensive air shower arrays, 2=5760
- Bhat, M.R. and Pool, M.L. Radioactive decay of b^{157} and Tb^{158} , 2=20551
- Bhatawdekar, M.G. See Chotia, B.L., 4=27500
- Bhatia, A.B. and Moore, R.A. Ultrasonic attenuation in normal metals at low temperatures, 1=3596
- Bhatia, A.B. and Moore, R.A. Ultrasonic attenuation in normal metals at low temperatures, 1=3596
- Bhatia, A.K. and Sucher, J. On the radiative corrections to the scattering of mesons in an external electromagnetic field, 0=20166
- Bhatia, A.K. and Sucher, J. Low-energy \bar{K} -d scattering, 4=952
- Bhatia, B. Some factors determining the maximum angular velocity of pursuit ocular movements, 0=3378
- Bhatia, B. and Verghese, C.A. Constancy of the visibility of a moving object viewed from different distances with the eyes fixed, 3=7073
- Bhatia, B. and Verghese, C.A. Threshold size of a moving object as a function of its speed, 4=20981
- Bhatia, B.L. See Kapur, J.N., 4=11163
- Bhatia, P.K. and Kushwaha, R.S. Adiabatic radial pulsations of generalized Roche model, 2=24138
- Bhatia, P.K. and Kushwaha, R.S. Some oscillations of an infinite cylinder with a magnetic field, 4=8912
- Bhatia, P.K. and Kushwaha, R.S. Radial adiabatic pulsations of generalized Roche model, 4=29370
- Bhatia, V.B. and Tandon, J.N. Interpenetration of two ionized gas clouds. II, 3=16907
- Bhatia, V.S. See Aditya, P.K., 3=24568
- Bhatnagar, A. and Punetha, L.M. A study of some optical phenomena associated with solar flares, 4=4916
- Bhatnagar, A. See Bappu, M.K.V., 3=16378
- Bhatnagar, C.S. Characteristic curves of a pyramid type of electret, 1=6198
- Bhatnagar, C.S. Decay charge measurement of laminar electrets, 4=18654
- Bhatnagar, H.L. Light scattering by anisotropic inhomogeneities in thin polymer films under strain. I. Simple elongation, 0=6374
- Bhatnagar, H.L. Anisotropic scattering of light by isolated freely flexible linear macromolecules in amorphous matrix under strain, 4=3940
- Bhatnagar, H.L. and Heller, W. Theoretical investigations on the light scattering of spheres. XIV. Wavelength exponent of differential scattering spectra for an angle of observation of 90° , 4=8455
- Bhatnagar, H.L. See Heller, W., 2=7404
- Bhatnagar, L. Light scattering by anisotropic inhomogeneities in thin polymer films under strain. II, 1=14624
- Bhatnagar, M.S. and Kushwaha, R.S. Mechanical decay of a spherical shock wave in a stellar atmosphere, 2=9093
- Bhatnagar, M.S. Propagation of a shock wave in an inhomogeneous atmosphere, 3=3602
- Bhatnagar, M.S. and Kushwaha, R.S. Propagation of intense shock waves in stellar envelopes, 1=15508
- Bhatnagar, M.S. and Kushwaha, R.S. Decay of a shock wave in a stellar atmosphere, 3=9235
- Bhatnagar, M.S. and Kushwaha, R.S. Effect of inhomogeneity on the decay of a shock wave, 4=2768
- Bhatnagar, M.S. and Kushwaha, R.S. Decay of intense shock waves in stellar atmosphere, 4=4863
- Bhatnagar, P.L. Vorticity and circulation in a compressible viscous flow in the presence of magnetic field, 1=5537
- Bhatnagar, P.L. Superposability and harmonic analysis of a viscous liquid in the presence of magnetic fields, 1=16511
- Bhatnagar, P.L. On two-dimensional boundary layer in non-Newtonian fluids with constant coefficients of viscosity and cross-viscosity, 1=18370
- Bhatnagar, P.L. On the BGK collision model for a two-component assembly, 2=13370
- Bhatnaga, P.L. and Chakraborty, B.B. Hydromagnetic model for a quiescent prominence, 1=25
- Bhatnagar, P.L. and Devanathan, C. Oscillations of a three-component assembly in the presence of a magnetic field using the generalized b.g.k. collision model, 4=14705
- Bhatnagar, P.L. and Lakshmana Rao, S.K. Problems on the motion of non-Newtonian viscous liquids, 0=2149

- Bhatnagar, P.L. and Rajeswari, G.K. The secondary flows induced non-Newtonian fluid between two parallel infinite oscillating planes, 3=9425
- Bhatnagar, P.L. and Rajeswari, G.K. Secondary flow of a non-Newtonian fluid which is contained between two concentric spheres rotating about one axis, 3=16590
- Bhatnagar, P.L. and Verma, P.D. On superposable flows, 0=2148
- Bhatnagar, P.L. See Chakraborty, V.V., 1=16493
- Bhatnagar, P.L. See Chakraborty, B.B., 1=18994
- Bhatnagar, P.L. See Devanathan, C., 1=19006
- Bhatnagar, P.L. See Devanathan, C., 4=505
- Bhatnagar, P.L. See Lal, P., 0=8693
- Bhatnagar, P.L. See Mohan Rao, D.K., 4=24815
- Bhatnagar, P.L. See Rathna, S.L., 4=136
- Bhatnagar, S.S., Allin, E.J. and Welsh, H.L. The Raman spectra of liquid and solid H_2 , D_2 , and HD at high resolution, 2=2721
- Bhatnagar, V.M. and Cloutier, J.A.R. The X-ray powder diffraction patterns of ammonium-nickel cyanide complexes, 3=1406
- Bhatnagar, V.M. See Nakajima, H., 2=23003
- Bhatnagar, V.P. An ultrasonic method for determining electron and ion temperatures of plasma, 4=24662
- Bhatnager, C.S. Perspex electrets, 1=11346
- Bhatt, K.H. The single particle Nilsson model for odd-mass nuclei in the 1d-2s shell, 3=6126
- Bhatt, K.H. See Sweet, R.F., 4=12151
- Bhatt, V.P. See Pandya, N.S., 0=18332
- Bhatt, V.P. See Pandya, N.S., 2=4346
- Bhattacharjee, A. and Sudarshan, C.G. A class of solvable potentials, 2=21831
- Bhattacharya, A. The Compton effect at the first resonance, 4=16961
- Bhattacharjee, A. See Acharya, R., 2=22445
- Bhattacharya, A. and Kessler, P. Calculation of the muon-pair production cross-section in the region of the N^* resonance, 4=30243
- Bhattacharya, A.K. See Rostas, F., 3=5668
- Bhattacharya, B. Spatial correlation of electrons in the ground state of the hydrogen molecule, 2=16511
- Bhattacharya, B.N. and Gordy, W. Observation of π Stark components in microwave spectroscopy: precision measurements on HCN, 0=13441
- Bhattacharyya, B.K. Dipole-field type magnetic disturbances and auroral activities, 1=4137
- Bhattacharya, D.M., Mukherjee, S.C. and Sil, N.C. Electron capture by He^+ ions passing through He atoms, 4=19995
- Bhattacharya, D.M. and Sil, N.C. Validity of the phase shift calculation of electron scattering by Brysk method, 4=25061
- Bhattacharya, G.N. See Sen, A.K., 0=6153
- Bhattacharya, H. Amplitude and phase spectrum of radio-atmospherics, 3=25891
- Bhattacharya, H. and Rao, M. Attenuation characteristics of radio-atmospherics, 4=13804
- Bhattacharya, H. See Manoranjan Rao, 3=13683
- Bhattacharya, H. See Rao, M., 3=9049
- Bhattacharya, J. On the formation of shadow zone of SH waves due to low velocity layer, 4=29254
- Bhattacharya, P.C., Gemes, T., Sandor, T., Somogyi, A. and Uray, L. The attenuation length of extensive air showers in air, 2=12096
- Bhattacharya, R. On the electronic structure of HeH^+ , 1=14058
- Bhattacharya, R. See Das, M., 1=3563
- Bhattacharya, R.N. Wave resistance in deep water due to the accelerated motion of a pressure system, 0=8631
- Bhattacharya, R.N. Wave resistance of a symmetrical ship moving in a circular path in deep water, 2=7186
- Bhattacharya, S. Group refractive index curves for radio wave propagation through the ionosphere, 4=29325
- Bhattacharya, S.K. On the application of probit analysis in visual perception experiments, 4=2490
- Bhattacharyya, A.K. See Kar, K.C., 2=3498
- Bhattacharyya, B. A short note on ligand field theory of the magnetic anisotropy and susceptibility of Fe^{2+} Tutton salts, 4=30705
- Bhattacharyya, B.K. Correlation studies of radio-aurora, magnetic, and earth-current disturbances, 0=10438
- Bhattacharyya, B.K. A study of auroral motions from all-sky camera records, 0=18506
- Bhattacharyya, B.K. Electromagnetic fields of a vertical magnetic dipole placed above the earth's surface, 3=19439
- Bhattacharyya, J. See Piggott, W.R., 0=15166
- Bhattacharyya, J.C. Non-uniformity in the brightness of the sun's disk at sunspot minimum, 0=838
- Bhattacharyya, R. Effect of chemical treatment on the electrical conductivity of graphite, 0=17998
- Bhattacharyya, R. Decay of ^{105}Ag , 2=14046
- Bhattacharyya, R. Gamma-gamma coincidences in Pd^{106} , 3=24897
- Bhattacharyya, R. and Shastry, S. Positron-decay of Te^{121} and the excited states of Sb^{121} , 3=10293
- Bhattacharyya, R. and Shastry, S. E2-M1 mixing in the 100 keV transition in Pr^{144} , 4=3576
- Bhattacharyya, R. See Sengupta, A.K., 0=17501
- Bhattacharyya, R. See Shastry, S., 4=25348
- Bhattacharyya, R. See Shastry, S., 4=30324
- Bhattacharyya, R.L. See Mukherjee, P.N., 1=5860
- Bhattacharyya, R.N. Waves produced by a pressure system moving with an acceleration over the surface of deep water, 0=8630
- Bhattacharyya, S.N., Anantaraman, A.V. and Palit, S.R. Weak dipolar interaction in solutions. System: benzene + chlorobenzene and toluene + chlorobenzene, 2=17455
- Bhattacharyya, S.N., Patterson, D. and Somcynsky, T. The principle of corresponding states and the excess functions of n-alkane mixtures, 4=24199
- Bhattacharyya, T. Scattering of electron by excited helium atom, 2=6105
- Bhattacharyya, T.J. Absorption of microwaves in solutions of ortho-chlorophenol, 0=5027
- Bhattacharyya, T.J. On the absorption of 3.18 cm microwaves in ethylene chlorhydrin and its solutions, 0=19157
- Bhattacharjee, S.K., Giberman, E., Lipkin, H.J. and Nir, A. Transverse polarisation of conversion electrons following beta decay of Hg^{203} , 3=4603
- Bhattacharjee, S.K. and Mitra, S.K. β - γ direction correlation in ^{152}Eu , 0=13199
- Bhattacharjee, S.K. and Mitra, S.K. Beta-gamma directional correlation in Eu^{154} , 2=12165
- Bhattacharjee, S.K. and Mitra, S.K. Beta-gamma directional correlation in La^{140} , 3=24904
- Bhattacharjee, S.K., Mitra, S.K. and Baba, C.V.K. Beta decay and spin of Eu^{152m} , 4=3612
- Bhattacharjee, S.K., Raman, S. and Sahai, B. On the 1409 keV transition in Sm^{152} , 0=2646
- Bhattacharjee, S.K. See Baba, C.V.K., 1=10956
- Bhaumik, M.L. Quenching and temperature dependence of fluorescence in rare-earth chelates, 4=22381
- Bhaumik, M.L. Relaxation in europium chelates, 4=26256
- Bhaumik, M.L. and Hardwick, R. Lattice work performed by excited molecules, 4=186
- Bhaumik, M.L., Lyons, H. and Fletcher, P.C. Fluorescence decay times of rare-earth chelates, 3=1001
- Bhaumik, M.L., Nugent, L.J. and Ferder, L. Nonexponential decay of luminescence of rare-earth chelates, 4=28754
- Bhaumik, M.L. and Telk, C.L. Fluorescence quantum efficiency of rare-earth chelates, 4=29635
- Bhaumik, M.L. See El-Sayed, M.A., 4=2694
- Bhaumik, M.L. See Nugent, L.J., 4=28753
- Bhavanacharyulu, I. See Raghavacharyulu, I.V.V., 2=23833
- Bhave, S.S. See George, K.A., 1=341
- Bhavsar, C.M. See Patel, N.J., 1=17086
- Bhavsar, C.M. See Pathak, P.D., 0=14899
- Bhavsar, P.D. Scintillation-counter observations of auroral X-rays during the geomagnetic storm of May 12, 1959, 1=21054
- Bhavsar, P.D. Solar cosmic ray event of September 3, 1960, 2=12030
- Bhavsar, P.D. Auroral X-ray observations at Minneapolis, Minnesota, 2=13050
- Bhavsar, P.D. Gamma-rays from the solar-cosmic-ray-produced nuclear reactions in the earth's atmosphere and lower limit on the energy of solar protons observed at Minneapolis, 2=22692
- Bhavsar, P.D. See Winckler, J.R., 1=10936
- Bhavsar, P.D. See Winckler, J.R., 1=13585
- Bhavsar, P.D. See Winckler, J.R., 1=16927
- Bhavsar, P.D. See Winckler, J.R., 3=9117
- Bhavsar, P.D. See Winckler, J.R., 3=17377
- Bhawalkar, D.D., Gambling, W.A. and Smith, R.C. Investigation of relaxation oscillations in the output from a ruby laser, 4=19320
- Bhawalkar, D.R. and Khanna, S.M. D.C. field characteristics of laminated plastics, 1=6130

- Bhide, K.N. and Saxena, S.C. Certain operational characteristics for C.E.C. 21-103C mass spectrometer using boron trifluoride, 2=22281
- Bhide, V.G. Surface sensitivity of rectification, 1=1079
- Bhide, V.G. and Bapat, N.J. Interferometric study of domain structure in barium titanate, 1=11340
- Bhide, V.G. and Bapat, N.J. Interferometric study of the microtopography arising out of 90° domain walls in single crystals of barium titanate, 3=10878
- Bhide, V.G. and Chandratreya, V.M. Surface studies of dendritic growth of germanium crystals, 1=6503
- Bhide, V.G. and Damle, R.V. Dielectric properties of manganese dioxide. I., 0=18092
- Bhide, V.G. and Damle, R.V. Dielectric properties of manganese dioxide. II., 0=18093
- Bhide, V.G., Damle, R.V. and Dani, R.H. Dielectric hysteresis in pyrolusite, 0=11740
- Bhide, V.G. and Dani, R.H. Electrical conductivity in oxides of manganese and related compounds, 1=19839
- Bhide, V.G., Deshmukh, K.G. and Hegde, M.S. Ferroelectric properties of PbTiO₃, 2=21220
- Bhide, V.G. and Multani, M.S. Electrical anomaly at the Curie temperature for ferroelectric substances, 1=7690
- Bhide, V.G. and Multani, M.S. Effect of doping barium titanate with manganese dioxide, 3=8560
- Bhide, V.G. and Sethna, P.P. Spin structure of 90° domain walls, 4=22968
- Bhide, V.G. and Shenoy, G.K. Structure of subdivided Bloch walls, 3=15798
- Bhide, V.G. See Deshpande, L.V., 1=8974
- Bhimasenachar, J. See Jayarama Reddy, P., 4=7427
- Bhimasenachar, J. See Jayarama Reddy, P., 4=7450
- Bhimasenachar, J. See Reddy, K.C., 4=18191
- Bhimasenachar, J. See Reddy, P.J., 3=20688
- Bhimasenachar, J. See Subrahmanyam, S.V., 0=10659
- Bhimasenachar, J. See Subrahmanyam, S.V., 0=14640
- Bhimasenachar, J. See Subrahmanyam, S.V., 1=15868
- Bhodigen, S. See Sundara-vicharana, Y., 3=1453
- Bhonsle, R.V. Study of solar flares using cosmic radio noise on 25 Mc/s at Ahmedabad (23°02' N, 73°38' E), 1=15551
- Bhonsle, R.V. and McNarry, L.R. A solar radio polarimeter operating at 74 Mc/s, 4=15952
- Bhonsle, R.V. and McNarry, L.R. Polarization characteristics of Type III solar radio bursts at 74 Mc/s, 4=23942
- Bhonsle, R.V. and Ramanatham, K.R. Magnetic storms and cosmic radio noise on 25 Mc/s at Ahmedabad (23°02' N, 72°38' E), 1=6653
- Bhonsle, R.V. See Dandekar, B.S., 2=4662
- Bhonsle, R.V. See Degaonkar, S.S., 2=15238
- Bhonsle, R.V. See Ramanathan, K.R., 0=21366
- Bhonsle, R.V. See Ramanathan, K.R., 1=20982
- Bhowmick, S.K. Note on the effect of a centre of dilatation in a semi-infinite elastic solid with its plane face fixed, 0=19026
- Bhowmick, S.K. Note on the displacements in a heavy vertical circular disk with fixed edge and having an isolated load at a point inside the disk, 1=12832
- Bhowmick, S.K. Note on the effect of a rigid inclusion in the form of an ovaloid in an infinite plate under all round tension or shear, 2=9215
- Bhowmik, B. Leptonic decay of Σ -hyperon, 1=16904
- Bhowmik, B. An interaction of a hyperon of strangeness-2, 3=22215
- Bhowmik, B. The production and decay of a C¹⁴ hyperfragment, 2=22717
- Bhowmik, B. and Goyal, D.P. The Q_{Λ} -value for hyperfragment binding energies, 3=22207
- Bhowmik, B., Goyal, D.P., Jain, P.C. and Mathur, P.C. Interactions of negative K-mesons in nuclear emulsion at energies (0-180) MeV, 4=12059
- Bhowmik, B., Goyal, D.P. and Yamdagni, N.K. The mass of the Λ^0 -hyperon, 1=19276
- Bhowmik, B., Goyal, D.P. and Yamdagni, N.K. Leptonic decay of the Λ^0 -hyperon, 2=1726
- Bhowmik, B., Goyal, D.P. and Yamdagni, N.K. Concerning fore-aft asymmetry in Λ^0 -decay, 2=5742
- Bhowmik, B., Goyal, D.P. and Yamdagni, N.K. The mass of the Λ^0 hyperon, 2=18188
- Bhowmik, B., Goyal, D.P. and Yamdagni, N.K. The stimulated decay of the Λ -hyperon, 3=4464
- Bhowmik, B., Goyal, D.P. and Yamdagni, N.K. Binding energies of the Λ^0 -hyperon in hypernuclei, 3=7973
- Bhowmik, B., Goyal, D.P. and Yamdagni, N.K. Non-mesic decay of hypernuclei, 4=6206
- Bhowmik, B., Jain, P.C. and Mathur, P.C. The decay modes and lifetime of negative K-mesons, 1=13496
- Bhowmik, B., Jain, P.C. and Mathur, P.C. Elastic scattering of Σ^+ -hyperons on proton, 2=18190
- Bhowmik, B., Jain, P.C., Mathur, P.C. and Venkata Lakshmi, N.T. On the question of Y_2^0 production in K⁻ captures on emulsion nuclei, 4=12065
- Bhowmik, B., Jain, P.C., Mathur, P.C. and Venkata Lakshmi, N.T. The lifetimes of charged Σ hyperons, 4=19596
- Bhowmik, B. See K⁻-collaboration, 0=1308
- Bhowmik, G. Phase-transitions in Cu[(NH₄)SO₄]₂·6H₂O, 1=14936
- Bhowmik, G. X-ray study of a dehydrated phase of copper ammonium sulphate hexahydrate, 2=4429
- Bhuchar, V.M. and Das, S.R. Evaluation of the color changes of screened indicators: phenol red plus methylene blue, and phenol red with copper oxalate complex, 4=18377
- Bhuiya, A.K. and Stanley, E. The refinement of atomic parameters by direct calculation of the minimum residual, 3=25701
- Bhuiya, A.K. and Stanley, E. Molecular location from minimum residual calculation, 4=23376
- Bhupala Rao, Y. Structure of the spectrum of doubly ionised bromine, 1=19587
- Bhupala Rao, Y. A note on the spectrum of Br IV, 0=20585
- Bhusan Bibhuti Deo See Deo Bibhuti Bhusan
- Bhuta, P.G. Transient response of a thin elastic cylindrical shell to a moving shock wave, 3=7260
- Bhuta, P.G. and Jones, J.P. On axial vibrations of a whirling bar, 3=9529
- Bhuta, P.G. and Jones, J.P. Symmetric planar vibrations of a rotating disk, 3=18874
- Bhuta, P.G. See Jones, J.P., 3=18879
- Bhutani, O.P. A certain boundary value problem and its applications, 0=6642
- Bhutani, O.P. Flow over a wavy wall in magneto-gas-dynamics. I. Equilibrium flow, 1=10775
- Biagi, F. See Burkhard, M.D., 0=6886
- Bialas, A. On the electromagnetic potentials of an electro-magnetic dipole in motion, 2=3153
- Bialas, A. On the radiation of a moving magnetic dipole, 3=4250
- Bialas, A. Equations of motion of a rotating particle with magnetic moment, 3=4251
- Bialas, A. On the continuity of the Petrov classification, 3=18707
- Bialas, A. Electromagnetic waves in general relativity as the source of information, 4=18057
- Bialas, A. Conservation laws for the spin-particle in the gravitational field, 4=24049
- Bialas, A. The influence of leading particles on diffraction scattering at very-high-energy, 4=25033
- Bialas, A. See Bialas, E., 3=3737
- Bialas, A. See Bialas, E., 4=18034
- Bialas, D. and Hosemann, R. Studies with a high-resolution Guinier camera concerning the determination of particle size and polydispersivity of superparamagnetic nickel nodules, 4=4651
- Bialas, D., Hosemann, R., Kussmann, A., Motzkus, F. and Wollenberger, H. Crystallographic evidence for a super-structure in German-silver alloys, 0=8214
- Bialas, E. Gravito-electromagnetic field equations in Rayski's unitary field theory, 2=2621
- Bialas, E. and Bialas, A. Equations for the vector field in Rayski's unitary theory, 3=3737
- Bialas, E. and Bialas, A. On the relation between the Penrose classification of gravitational fields and the classification according to group of motions, 4=18034
- Bialas, H. See Kranz, J., 2=2283
- Bialecke, E.P. See Verdeyen, J.T., 4=16221
- Bialkowski, G. On the deuteron wave function, 3=22216
- Bialkowski, G. Neutron electromagnetic form factors, 4=9203
- Bialkowski, G. On electroproduction of strange particles on nucleons, 4=9285
- Bialkowski, G. On the possibility of determining the pion-nucleon coupling constant from deuteron data, 4=25201
- Bialkowski, G. and Jurewicz, A. K⁺-nucleon scattering in the Tamm-Dancoff approximation, 0=2593
- Bialkowski, G. and Jurewicz, A. Non-adiabatic treatment of the scattering of K⁺ mesons by nucleons, 0=17419
- Bialkowski, G. and Jurewicz, A. A note on a possible classification of strangeness-2 mesons, 0=20164
- Bialkowski, G. and Jurewicz, A. A set of integral equations for the photoproduction of pions on nucleons amplitudes. I, 3=4422
- Bialkowski, G. and Jurewicz, A. A set of integral equations for the photoproduction of pions on nucleons amplitudes. II, 4=12028

- Bialkowski, G. See Byalkowski, G., 1=19233
- Białynicka-Birula, Z. On the coupling constant in a model with unstable particle, 3=50
- Białynicka-Birula, Z. Remark on the radioactive muon decay in the theory with an intermediate vector meson, 1=16701
- Białynicka-Birula, Z. On the coupling constant in the presence of an unstable particle, 3=5923
- Białynicka-Birula, Z. Redundant zeros and poles on the unphysical sheet in a model of field theory, 4=840
- Białynicki-Birula, I. New approach to perturbation theory in quantum electrodynamics, 1=5635
- Białynicki-Birula, I. Finite perturbation theory in quantum electrodynamics, 1=9718
- Białynicki-Birula, I. On the gauge conditions in quantum electrodynamics, 2=16120
- Białynicki-Birula, I. On a renormalizable theory of vector mesons, 3=2287
- Białynicki-Birula, I. On the gauge covariance of quantum electrodynamics, 3=5915
- Białynicki-Birula, I. Quantum electrodynamics without electromagnetic field, 3=10020
- Białynicki-Birula, I. Equation for the propagators in the gauge covariant formulation of quantum electrodynamics, 3=17162
- Białynicki-Birula, I. Gauge-invariant variables in the Yang-Mills theory, 3=17186
- Białynicki-Birula, I. Certain equivalence theorems in quantum field theory, 3=17199
- Białynicki-Birula, I. Certain equivalence theorems in quantum field theory, 4=3268
- Białynicki-Birula, I. Equations for the propagators in the gauge covariant formulation of quantum electrodynamics, 4=3279
- Białynicki-Birula, I. Gauge covariant and gauge invariant Green functions. Connection between Zumino's and Mandelstam's formulations, 4=3281
- Białynicki-Birula, I. Elementary particles and generalized statistics, 4=9071
- Białynicki-Birula, I. and Frank, W.M. Convergence of the perturbation expansion in some models of the field theory, 2=3260
- Białynicki-Birula, I. On the internal degrees of freedom of particles in quantum field theory, 0=15304
- Białynicki-Birula, I. Finite value of the wave function renormalization constant in quantum electrodynamics, 0=17217
- Białynicki-Birula, I. On the gauge properties of Green's functions, 0=20017
- Białynicki-Birula, I. and Frank, W.M. Convergence of perturbation expansions in meson theories without vacuum polarization, 2=9790
- Białynicki-Birula, I., Śniatycki, J. and Tatur, S. Functional methods in the Thirring model, 4=3277
- Białynicki-Birula, J. On the electron propagator in the two-component formulation of quantum electrodynamics, 4=27745
- Biamukhanov, B.B. See Kim, E.I., 1=18637
- Bianchi, E. See Rossi, C., 1=10509
- Bianchi, G., Gorge, C., Huynh, V.D., Julien, J., Morgenstern, J. and Netter, F. Improvements in resonance analysis methods and data handling on an IBM 7090 computer as applied to neutron transmission methods, 2=9865
- Bianchi, G. and Moretti, S. Behaviour of thermocouples under irradiation, 4=29796
- Bianchi, G., Colmin, J., Gorge, C., Huynh, V.D., Julien, J., Morgenstern, J., Netter, F. and Vastel, M. Statistical properties of resonance interaction of neutrons with medium and heavy nuclei. I. Progress in apparatus, 4=17153
- Bianchi, G., Colmin, J., Gorge, C., Huynh, V.D., Julien, J., Morgenstern, J., Netter, F. and Vastel, M. Statistical properties of resonance interaction of neutrons with medium and heavy nuclei. II. Study of scattering widths for target nuclei of spin $\frac{1}{2}$, 4=17154
- Bianchi, G., Colmin, J., Gorge, C., Huynh, V.D., Julien, J., Morgenstern, J., Netter, F. and Vastel, M. Statistical properties of neutron resonance interactions with medium and heavy nuclei. III. Study of Co, La, Pr, Nd resonances, 4=17155
- Bianchi, G., Colmin, J., Gorge, C., Huynh, V.D., Julien, J., Morgenstern, J., Netter, F. and Vastel, M. Statistical properties of neutron resonance interactions with medium and heavy nuclei. IV. Study of radiation widths, 4=17156
- Bianchi, G. and Gorge, C.R. Numerical analysis of the IBM 7090 of resonances due to "S" neutrons in time-of-flight transmission experiments, 3=12469
- Bianchi, G. See Gorge, C., 2=18334
- Bianchi, G. See Julien, J., 4=28036
- Bianchi, J. See Masterton, W.L., 3=18795
- Bianchi, L. and Cotton, E. The advantages of a Mileikowsky spectrometer with astigmatic focussing for measuring the energy distribution of reactions on light nuclei, 0=9251
- Bianchi, L., Cotton, E. and Mileikowsky, C. A heavy-particle spectrometer, 0=2403
- Bianchi, L. See Delaunay-Olkowsky, B., 4=18547
- Bianchi, U., Cuniberti, C. and Dellepiane, G. Polymers in solution: temperature coefficient of viscosity, 3=18811
- Bianchi, U. See Allen, G., 4=7455
- Bianchi, U. See Dellepiane, G., 4=9797
- Bianchi, U. See Dellepiane, G., 4=28291
- Bianco, W.E. Del. See Del Bianco, W.E.
- Biano, L. See Giannuzzi, M.A., 1=18111
- Biard, J. R., Carr, W. N. and Reed, B. S. Analysis of a GaAs laser, 4=24911
- Biard, J. R. and Watelski, S. B. Evaluation of germanium epitaxial films, 3=2889
- Biard, J. R. See Carr, W. N., 4=30695
- Biarez, J. and Wiendieck, K. The elasticity and anisotropy of pulverized materials, 2=12840
- Biarge, J. Fernandez. See Fernandez Biarge, J.
- Biasco, M. See Abbattista, N., 2=5951
- Biasutti, M. See Piron, C., 1=5716
- Biavati, M. H., Nassiff, S. J. and Wu, C. S. Internal bremsstrahlung spectrum accompanying 1S electron capture in decay of Fe^{55} , Cs^{131} and Tl^{204} , 2=5860
- Bibby, J. R. Method of modulating a high-intensity searchlight, 1=6956
- Bibby, M. J. and Parr, J. G. The spurious titanium transformation, 4=10440
- Bibby, M. J. and Parr, J. G. The martensitic transformation in pure iron, 4=13495
- Bibby, M. J. and Parr, J. G. The $\beta \rightarrow \alpha$ transformation in titanium, 4=26569
- Bibby, M. M. and Carter, G. Ionization and dissociation in some fluorocarbon gases, 4=5559
- Bibergal, A. A. New graphical method of calculating the dose field of extended sources, 2=6050
- Biberman, L. M. More complete description for α/ϵ , 2=9445
- Biberman, L. M. and Fomina, I. A. The action of medium-energy electrons on photographic emulsion, 0=12732
- Biberman, L. M. and Lagarkov, A. N. Effect of spectral lines on the coefficient of radiant heat conduction, 4=21330
- Biberman, L. M. and Norman, G. E. Calculation of photoionization absorption, 0=19609
- Biberman, L. M. and Norman, G. E. Emission of recombination radiation and bremsstrahlung from a plasma (free-bound and free-free transitions of electrons in the field of positive ions), 4=2980
- Biberman, L. M. and Norman, G. E. Semiempirical method for calculation of the cross-section for elastic scattering of slow electrons on atoms, 4=9671
- Biberman, L. M., Norman, G. E. and Ulyanov, K. N. On the calculation of photoionization absorption in atomic gases, 19598
- Biberman, L. M., Norman, G. E. and Ulyanov, K. N. The photoionization of excited complex atoms and ions, 2=20751
- Biberman, L. M., Toropkin, Yu. N. and Ulyanov, K. N. Theory of multistage ionization and recombination, 3=7432
- Biberman, L. M. and Ulyanov, K. N. The effect of the emission of radiation on deviation from thermodynamic equilibrium, 4=27368
- Biberman, L. M. and Veklenko, B. A. Radiative processes ahead of a shock-wave front, 0=10728
- Biberman, L. M. and Veklenko, B. A. A generalized reciprocity principle [g. r. p.], 1=2708
- Biberman, L. M., Vorob'ev, V. S. and Norman, G. E. Energy emitted in spectral lines by a plasma at equilibrium, 3=19232
- Biberman, L. M. and Yakubov, I. T. An approximate method of calculation of the Franck-Condon factors, 0=15749
- Biberman, L. M. and Yakubov, I. T. Approach to ionization equilibrium behind the front of a shock wave in an atomic gas, 4=18330
- Biberman, L. M. See Kelton, G., 4=358
- Bibhuti Bhusan Deo. Electromagnetic interaction of charged pions, 1=19240
- Bibhuti Bhusan Deo. On masses and mass-shifts of elementary particles, 2=270
- Bibichev, B. A. See Babenko, N. P., 3=22417
- Bibik, V. F. Photoelectronic emission of cadmium sulphide, 2=22252

- Bibik, V.F. Emission of nonequilibrium electrons from cadmium sulphide on illumination, 3=19308
- Bibik, V.F. and Borzyak, P.G. A new form of sign-varying photoconductivity of cadmium sulphide crystals, 2=12541
- Bibik, V.F. and Borzyak, P.G. A new form of sign-varying photoconductivity of cadmium sulphide crystals, 2=14581
- Bibik, V.F., Borzyak, P.G. and Sarbei, O.G. Emission of nonequilibrium electrons from cadmium sulphide, 3=16971
- Bibik, V.P. See Venediktov, M.V., 2=9429
- Bibilashvili, M.F. See Andronikashvili, E.L., 3=4505
- Bibilashvili, M.F. See Andronikashvili, E.L., 3=19731
- Bibinova, B.P., Kuz'min, A.D., Salomonovich, A.E. and Shavlovskii, I.V. Observations of the radio emission of Venus and Jupiter at 3.3 cm, 3=9271
- Bibinova, V.P., Ksilyakov, A.G., Kuzmin, A.D., Salomonovich, A.E. and Shavlovsky, I.V. Radio observations of Venus carried out on the radio telescope of P.N. Lebedev Physical Institute, 3=21127
- Bibl, K. Dynamic characteristics of the ionosphere and their coherency with the local and planetary magnetic index, 0=16433
- Bibl, K. On the mechanism of ionization of the sporadic Es layer in the ionosphere, 1=1537
- Bibl, K. Does magnetic field aligned displacement govern the F2-region? 3=3502
- Bibl, K. Ionospheric movements observed using the technique of direct characteristic recording, 3=13724
- Bibl, K., Paul, A. and Rawer, K. The frequency dependence of ionospheric absorption, 0=15169
- Bibl, K., Paul, A. and Rawer, K. Absorption in the D and E regions and its time variation, 3=5879
- Bibl, K. and Rawer, K. Traveling disturbances originating in the outer ionosphere, 0=12165
- Bibring, H. Presentation of evidence of a structure indicating martensitic shearing, 0=21207
- Bibring, H. Embrittlement of body-centred-cubic metals owing to recrystallization, 3=18214
- Bibring, H. and Genty, B. Semi-goniometric specimen holder for RCA-EMU3 electron microscope and example of its application, 3=25797
- Bibring, H. and Graf, R. Study of precipitation phenomena in the binary alloys Co-Mo and Co-W, 1=20604
- Bibron, R., Delibrias, G. and Leger, C. Apparatus for the detection of carbon 14 and tritium, 1=8629
- Bibron, R. See Lefort, M., 0=17595
- Bice, R.C. Electromechanical transducer for vibrotactile stimulation, 1=15367
- Richard, J.W. and Giles, J.C. Optical absorption spectra of arsenic and phosphorus in silicon, 2=23557
- Richard, J.W., Mihelich, J.W. and Harmatz, B. Electron capture decay of Lu^{173} to levels in Yb^{173} , 0=1370
- Richard, J.W. See Colbow, K., 2=23556
- Richard, J.W. See Prask, H.J., 2=3491
- Bichkov, Yu.F., Rozanov, A.N. and Skorov, D.M. Young's modulus of zirconium-niobium alloys, 0=8105
- Bichkov, Yu.F., Rozanov, A.N. and Skorov, D.M. Some properties of zirconium-niobium alloys, 0=8274
- Bichsel, H. Relative ionization of protons near the end of their range, 0=20141
- Bichsel, H. and Uehling, E.A. Multiple scattering correction for proton ranges and the evaluation of the L-shell correction and I value for aluminum, 0=15354
- Bichsel, H. See Gabbard, F., 0=4120
- Bichsel, H. See Nakano, G.H., 4=902
- Bichteler, K. Exterior differential calculus for spinor forms and its application to the general pure gravitation radiation field, 4=18053
- Bickart, C.J. See Reder, F.H., 0=19923
- Bickel, P.W. and Berlincourt, T.G. Optical mode scattering contribution to electrical resistivity in zirconium hydride, 0=15884
- Bickenmuhl, R.R., Kauppi, J.E. and Eddy, D.S. Analysis of photojunctions formed by diffusing copper into insulating cadmium sulfide crystals, 1=10059
- Bickerton, R. Thermonuclear processes, 0=5835
- Bickerton, R. See Aitken, K., 4=8740
- Bickerton, R.J. Brief review of the toroidal stabilised pinch, 0=19660
- Bickerton, R.J. Status of world fusion, 2=12240
- Bickerton, R.J. and Jukes, J.D. The direct conversion of thermonuclear energy to electrical power in the stabilized pinch, 0=7678
- Bickerton, R.J. and Spalding, I.J. The hydromagnetic stability of the hardcore pinch with small electrical conductivity, 2=17939
- Bickerton, R.J. See Aitken, K.L., 4=11651
- Bickerton, R.J. See Allen, T.K., 1=18869
- Bickford, L.R., Jr. Intrinsic and anneal-induced anisotropy in cobalt-substituted W-type hexagonal oxides, 0=10120
- Bickford, L.R., Jr. Trigonal magnetocrystalline anisotropy in hexagonal oxides, 0=13840
- Bickford, L.R., Jr. Magnetocrystalline anisotropy of W-type hexagonal barium-cobalt-iron oxides, 3=1029
- Bickley, W.P. and Campbell, D.S. The deposition of mixed oxide layers by reactive sputtering, 3=2050
- Bicknell, R.W., Blackburn, H., Campbell, D.S. and Stirland, D.J. The structure of vacuum condensed Ni-Cr films, 4=26562
- Bicknell, R.W. See Charig, J.M., 3=5091
- Bicknell, R.W. See Joyce, B.A., 4=4563
- Biczó, G., Bozóki, G., Fenyves, E. and Gombosi, E. High-energy interactions of a heavy primary in emulsion, 1=13592
- Biczó, G., Ladik, J., Tüdös, F. and Bereznich, T.A. Calculation of some atomic localisation energies of various polycyclic hydrocarbons, 4=3894
- Biczó, G. See Belezny, F., 4=28520
- Bidan, U., Levy, F., Abbattista, N., Minafra, A., Mongelli, S., Romano, A. and Waloschek, P. Elastic scattering $\pi^+ + p$ at 1.0 GeV, 2=11988
- Bidan, U. See Alitti, J., 2=16229
- Bidaye, R.G. See Vaidya, W.M., 4=15328
- Biddlestone, A.J. See Nutt, C.W., 0=2759
- Biddlestone, A.J. See Nutt, C.W., 2=20889
- Biddlestone, A.J. See Nutt, C.W., 2=20890
- Biddlestone, A.J. See Nutt, C.W., 2=20891
- Bidelman, W.P. High-excitations Si II lines in stellar spectra, 2=17290
- Bidelman, W.P. and Corliss, C.H. Identification of Ga II lines in stellar spectra, 2=17291
- Bidelman, W.P. and Pyper, D.M. Ultraviolet emission in red giants, 4=26915
- Bidinosti, D.R., Irish, D.E. and Tomlinson, R.R. The thermal neutron fission yields of U^{235} , 1=7405
- Bidinosti, D.R. See Porter, R.F., 2=15127
- Bidwell, R.M. Delayed neutron economy and control in a direct-contact-core liquid-metal-fueled reactor, 4=19913
- Bidwell, R.M., King, L.D.P. and Wyckoff, W.R. Radiolytic yields of nitrogen and hydrogen in water boilers, 0=13370
- Bidwell, R.M. and Wyckoff, W.R. The parasite reactor, a pressure-bomb assembly for phase studies under irradiation, 0=13310
- Bieber, E., v. Egidy, T. and Schult, O.W.B. Neutron capture spectrum of Sm^{150} , 3=10353
- Bieber, E. See Schult, O.W.B., 3=12896
- Biechler, C.S. See Allen, M.A., 4=19199
- Biedenbarn, L.C. Wigner coefficients for the R_4 group and some applications, 1=8784
- Biedenbarn, L.C. Some remarks on the Feynman-Gell-Mann formulation of the Fermi interaction, 2=9779
- Biedenbarn, L.C. Remarks on the relativistic Kepler problem, 2=11866
- Biedenbarn, L.C. The generalisation of the Wigner-Racah angular momentum calculus, 3=7121
- Biedenbarn, L.C. On the representations of the semisimple lie groups. I. The explicit construction of invariants for the unimodular unitary group in N dimensions, 3=11663
- Biedenbarn, L.C. Nuclear structure information from inelastic electron scattering, 4=25273
- Biedenbarn, L.C. and Brussaard, P.J. A note on proper angular momentum variables and the implication for angular correlation theory, 2=1067
- Biedenbarn, L.C. and Fowler, E.C. Fractionally charged particles in the SU_3 model, 4=30161
- Biedenbarn, L.C. and Rose, M.E. Remarks on the mixed multipole internal conversion electron correlation parameters, 4=15142
- Biedenbarn, L.C. and Swamy, N.V.V.J. Remarks on the relativistic Kepler problem. II. Approximate Dirac-Coulomb Hamiltonian possessing two vector invariants, 4=12331
- Biedenbarn, L.C. See Barfield, W.D., 2=3608
- Biedenbarn, L.C. See Baird, G.E., 4=5011
- Biedenbarn, L.C. See Brussaard, P.J., 3=12573
- Biedenbarn, L.C. See Brussaard, P.J., 4=22002
- Biedenbarn, L.C. See Griffy, T.A., 0=9556
- Biedenbarn, L.C. See Griffy, T.A., 2=12130
- Biedenbarn, L.C. See Griffy, T.A., 2=20580

- Biedenharn, L.C. See Griffy, T.A., 3=665
 Biedenharn, L.C. See Griffy, T.A., 4=9375
 Biedenharn, L.C. See Phillips, G.C., 1=3402
 Biedenharn, L.C. See Phillips, G.C., 1=8589
 Biedenharn, L.C. See Reynolds, J.T., 4=11933
 Biedenharn, L.C. See Swam, N.V.V.J., 4=2557
 Biedenharn, L.D. Invariant operators of the Casimir type, 3=3707
 Biedenkapp, D. See Weiss, A., 3=2696
 Biedermann, K. See Frieser, H., 3=7360
 Bieger, W., Dorn, D., Noll, P. and Tuzcek, H. Measurements of ion energy distribution on a plasma gun, 2=11677
 Bieger, W., Dorn, D., Noll, P. and Tuzcek, H. Use of a retarding field method for the particle analysis of a plasma accelerator, 3=7591
 Bieger, W., Graff, P., Gresser, H., Noll, P. and Tuzcek, H. Acceleration of plasma by a travelling wave, 4=19052
 Bieger, W., Gresser, H., Noll, P. and Tuzcek, H. Acceleration of plasma, 3=21780
 Bieger, W., Gresser, H., Noll, P. and Tuzcek, H. Acceleration of a plasma with an electrodeless, conical ring-discharge, 3=21811
 Biel, J. See Sesma, J., 4=21739
 Biel, W. See Richter, G., 3=19859
 Bielen, H. See Almodovar, I., 4=15228
 Bielen, H. J. See Almodovar, I., 4=29102
 Biellmann, J. See Nikitine, S., 1=1160
 Biellmann, J. See Nikitine, S., 3=2765
 Biellmann, J. See Nikitine, S., 3=10932
 Biellmann, J. See Nikitine, S., 4=30437
 Biem, W. The temperature dependence of the absorption of light by excitons, 1=17468
 Biem, W. The influence of the hard core on the f -sum of nuclei, 3=2356
 Biem, W. Vibrations of cubic crystals of highly symmetric molecules, 4=3978
 Biem, W. See Hahn, H., 4=3977
 Bienenstock, A. Determination of crystallite size distributions from X-ray line broadening, 1=4037
 Bienenstock, A. Calculation of crystallite size distributions from X-ray line broadening, 3=13442
 Bienenstock, A. A calculation of the thermal expansion of germanium, 4=22507
 Bienenstock, A. and Burley, G. Thermal expansion of silver iodide, 4=6751
 Bienenstock, A. and Ewald, P.P. Symmetry of Fourier space, 3=8816
 Bienenstock, A. and Ewald, P.P. Structure theories in physical and in Fourier space, 3=13426
 Bienenstock, A., Posner, A.S. and Block, S. Radial distribution study of vitreous barium borate, 0=14027
 Biener, G. Propagation of slow electromagnetic waves in a plasma cable, 2=7765
 Biener, M. and Bleuler, K. Geometrical representation of nuclear properties, 1=5817
 Bienert, W. See Asselmeyer, F., 0=8213
 Bienfait, M., Boistelle, R. and Kern, R. Morphodromes of NaCl in the presence of ferri- and ferrocyanide ions, 3=16042
 Bienfait, M. and Kern, R. Crystal germination in a phase of small dimensions. Application to the condensation of water vapour, 4=10476
 Bieniek, M.P., Henry, L.A. and Freudenthal, A.M. One-dimensional response of linear viscoelastic media, 2=15518
 Bieniewski, T. Absolute oscillator strengths for Cd I λ 3261 and Ag I λ 3281 and 3383, 4=22302
 Bieniewski, T. M. Collision broadening of spectral lines by identical atoms, 4=25511
 Bieniewski, T.M. and Czyzak, S.J. Refractive indexes of single hexagonal ZnS and CdS crystals, 3=13152
 Bienkowski, G. Collisionless expansion of gas clouds in the presence of an ambient gas, 4=14202
 Bienlein, H., Güthner, K., Von Issendorff, H. and Wegener, H. An apparatus for measuring the longitudinal electron polarization by Mott-scattering, 0=17306
 Bienlein, J. K. and Dinter, H. Gamma-spectroscopy in the decay $Mn^{56} \rightarrow Fe^{56}$, 4=25346
 Bienlein, J. K. and Kalsch, E. The half-life of N^{16} , 4=9446
 Bienlein, J. K. and Pleasonton, F. The half-life of He^8 , 3=614
 Bienlein, J. K. and Schlosser, G. Backscattering of electrons in the energy range from 60 to 100 keV, 3=15182
 Bienvenue, L.L. See Sosin, A., 0=6294
 Bier, K. Inversion of the separation-jet unmixing process in over-expanded gas jets, 0=19183
 Bier, K. Behaviour of compression shocks in the transition region between gas dynamic and molecular flow patterns, 4=11296
 Bier, K. and Hagena, O.F. Importance of compression thrust in the production of intense molecular beams with a nozzle, 3=4790
 Bier, K. and Schmidt, B. The form of shock waves in freely expanding gas jets, 2=11404
 Bier, K. See Becker, E.W., 2=8072
 Bier, K. See Becker, E.W., 3=5460
 Bier, K. See Becker, E.W., 3=15309
 Bier, W. See Becker, E.W., 2=8072
 Bier, W. See Becker, E.W., 3=5460
 Bier, W. See Becker, E.W., 3=15309
 Bieri, R. See Bill, H., 4=8866
 Bieri, R.H. and Rutsch, W. Cross-section for the production of noble gases by the irradiation of Mg, Al, Fe, Ni, Cu and Ag with 540 MeV protons, 3=12675
 Bierig, R. See Zdanuk, E.J., 1=16438
 Bierig, R.W. and Weber, M.J. Paramagnetic resonance of dysprosium in cubic and axial fields in CaF_2 , 4=1873
 Bierig, R.W., Weber, M.J. and Warshaw, S.I. Paramagnetic resonance and relaxation of trivalent rare-earth ions in calcium fluoride. II Spin-lattice relaxation, 4=20586
 Bierig, R.W. See Rimai, L., 4=20593
 Bierig, R.W. See Rimai, L., 4=27705
 Bierig, R.W. See Weber, M.J., 4=20585
 Biering, J. Dependence of the phosphor adherence on the type and concentration of binder, on the coagulator concentration, and on the period of contact, 2=6617
 Bierl, R. The problem of vibration production from the point of view of new musical instrument research and development, 0=5113
 Bierlein, J.A. Gouy diffractometry in thermal diffusion, 2=13343
 Bierlein, J.A. See Becsey, J.G., 4=27168
 Bierlein, T.K. Some density changes observed on heating irradiated uranium, 2=20724
 Bierlein, T.K. and Green, D.R. The diffusion of uranium into aluminum, 0=13563
 Bierlein, T.K., Legget, R.D., Mastel, B. and Kosut, B.S. Swelling in uranium—quantitative metallography, 3=22457
 Bierlein, T.K. and Mastel, B. Damage to UO₂ films and particles during reactor irradiation, 1=3699
 Bierlein, T.K. and Mastel, B. Fission fragment damage in nonfissionable thin films, 1=3700
 Bierlein, T.K. and Mastel, B. Defect structures observed in neutron-bombarded aluminium, 2=21045
 Bierlein, T.K. and Mastel, B. Fission-induced vaporization of UO₂ from a source and subsequent condensation on collectors exposed to fission fragment bombardment, 3=3935
 Bierlein, T.K. and Mastel, B. Defect structures observed in neutron-bombarded aluminium, 3=17735
 Bierlein, T. K. See Mastel, B., 4=10014
 Bierly, J.N. Vacancy loops in the pseudo-binary alloy BiTe—SbTe, 3=17709
 Bierly, J.N., Muldrew, L. and Beckman, O. The continuous rhombohedral—cubic transformation in GeTe—SnTe alloys, 3=13524
 Bierly, J.N., Jr. See Testardi, L.R., 2=23372
 Bierman, A. Derivation of the displacement current from the Biot—Savart law, 1=7125
 Bierman, A. Simplified evaluation of film dosimetry results, 2=22367
 Bierman, A. Acceleration of molecular excitons by an electric field, 3=15473
 Bierman, A. Effects of an electric field on molecular excitons, 4=1442
 Bierman, A., von Kenschitski, C.H. and Pandres, D. Remark on a paper by Kantor, 3=21513
 Bierman, E. Scattering of 6-24 MeV negative pions by hydrogen, 2=18165
 Bierman, E., Taylor, S., Koller, E.L., Stamer, P. and Huetter, T. Absorption time of negative pions in liquid hydrogen, 3=19689
 Bierman, W., Winslow, F.R. and Lundy, T.S. Comment on "Diffusion of iron, cobalt and nickel in silver", 4=12800
 Biermann, L. Stellar atmospheres as a plasma, 0=3403
 Biermann, L. Remarks on the stellarator-scheme, 0=19661
 Biermann, L. Relations between plasma physics and astrophysics, 1=5150
 Biermann, L. Toroidal magnetohydrodynamic stability, 3=16949
 Biermann, L. Dynamic effects of magnetic fields and the galactic halo, 4=10850

- Biermann, L. Energy balance of the instellar medium, 4=10870
- Biermann, L. and Davis, L. On the acceleration of cosmic rays during the early part of the evolution of our Galaxy 1=3332
- Biermann, L. and Davis, L., Jr. Considerations bearing on the structure of the Galaxy, 1=29
- Biermann, L., Kippenhahn, R., Lüst, R. and Temesvary, S. Contributions to the theory solar granulation, 0=2078
- Biermann, L., Lüst, R., Lüst, R. and Schmidt, H.U. Investigation of interplanetary matter by use of an artificially introduced ionized cloud, 2=4728
- Biermann, L., Meyer, B. and Temesvary, St. Concerning an earlier observation of high-intensity [solar] radiation, 4=15120
- Biermann, L. and Pfirsch, D. Cooperative phenomena and diffusion of a plasma in a transverse magnetic field. I, 0=5309
- Biermann, L. and Trefftz, E. Formation of CO^+ ions in comets, 0=3415
- Biermann, L. and Trefftz, E. Ionization and excitation mechanisms in cometary atmospheres, 4=20911
- Biermann, L. See Lüst, R., 2=13131
- Biermann, L. See Pfirsch, D., 0=5310
- Biermann, W. and Heitkamp, D. Measurement of small diffusion coefficients by the absorption of alpha-recoil particles, 4=1516
- Bierrum, N.R. and Walsh, D. Harmonics from a microwave gas discharge, 0=19647
- Bierrum, N.R., Walsh, D. and Vokes, J.C. Coherence and bandwidth of a gas discharge harmonic generator, 0=12592
- Biersack, J. Path stability in circular accelerators, 0=15093
- Biersack, J. Energy losses in the F.F.F.A.G. accelerator, 1=16447
- Biersack, J. and Zimen, K.E. Emission probability of recoil nuclei in (x,y) reactions, 2=3546
- Biersdorf, W.R. and Armington, J.C. Level of light adaptation and the human electroretinogram, 0=817
- Biersdorf, W.R. and Granda, A.M. Effects of stimulus duration upon spectral sensitivity of the human electroretinogram, 3=3687
- Bierstedt, P.E. Electrical resistivity and Hall effect of Cr-modified Mn_2Sb , 4=1617
- Bierstedt, P.E., Darnell, F.J., Cloud, W.H., Flippen, R.B. and Jarrett, H.S. Spiral spin configurations accompanying exchange inversion, 2=6677
- Bierstedt, P.E. See Bither, T.A., 2=12735
- Bierstedt, P.E. See Jarrett, H.S., 1=6375
- Bierstedt, P.E. See Jarrett, H.S., 3=1026
- Bierstedt, P.E. See Kepler, R.G., 1=2402
- Bierstedt, P.E. See Kepler, R.G., 4=25995
- Bierstedt, P.E. See Siemons, W.J., 4=6912
- Bies, D.A. Effect of a reflecting plane on an arbitrarily oriented multipole, 1=5330
- Bies, D.A. Tapering a bar for uniform stress in longitudinal oscillation, 3=191
- Bies, D.A. Acoustic properties of steel wool, 3=11862
- Bies, D.A. and Franken, P.A. Flow resistance of fibrous materials, 1=6931
- Bies, D.A. and Franken, P.A. Notes on scaling jet and rocket noise, 1=12955
- Bies, D.A. See Winter, E.F., 2=9337
- Biesalski, J. Measurement of rate of removal of material in grinding optical glass, 1=12727
- Biesbroeck, G. Van. See Van Biesbroeck, G.
- Biesel, D.B. Philharmonic Hall—An experiment in living sound, 3=14303
- Biesert, N. See Westermarck, T., 1=20760
- Biesterfeldt, H.J., Lange, J.N. and Skudrzyk, E.J. Vibrations of rods at frequencies below their radial resonance, 0=10707
- Biet, J.P. The determination from electrical measurements of the impurity concentration in the base region of a low frequency germanium transistor, 1=17780
- Bietti, A. Virtual pion effects in longitudinal polarization and spectrum of neutrons from unpolarized μ^- absorbed at rest, 0=17368
- Bietti, A. α -particle wave functions and the muon capture in ^4He , 1=13466
- Bietti, A. Asymmetry parameter of neutrons and tritons from the capture of polarised μ^- in ^4He , 3=12460
- Bietti, A. and Di Porto, P. Study of the reaction $\mu^- + ^4\text{He} \rightarrow ^3\text{H} + n + \nu$, 3=14897
- Bietti, A. See Barbour, I.M., 3=16724
- Bigay, J.H. The classification of galaxies, 4=17985
- Bigay, J.H. Photoelectric u.b.v. measurements of elliptic galaxies SO and spiral from the general field and Virgo cluster, 4=26920
- Bigay, J.H. Three colour photoelectric photometry (U. B. V.) of spiral and elliptic galaxies, 4=26921
- Bigeleisen, J. Spectral and reactivity differences of transition metal ions in H_2O and D_2O , 0=13455
- Bigeleisen, J. Vapor pressures and related thermodynamic properties of the isotopic nitric oxide molecules, 1=3581
- Bigeleisen, J. Statistical mechanics of isotope effects on the thermodynamic properties of condensed systems, 1=8065
- Bigeleisen, J. Erratum: Statistical mechanics of isotope effects on the thermodynamic properties of condensed systems, 2=4949
- Bigeleisen, J. Quantum effects in liquid hydrogen, 3=21319
- Bigeleisen, J. Vapor pressures of isotopic molecules, 3=21631
- Bigeleisen, J. Molal volumes and zero-point energies of the isotopic liquid hydrogens, 4=168
- Bigeleisen, J. Erratum: Quantum effects in liquid hydrogen, 4=16105
- Bigeleisen, J. Isotope effects in phase equilibria; a new tool for the study of intermolecular forces, 4=25765
- Bigeleisen, J. and Goldstein, P. The zero point energies of isotopic homologues and isomers, 3=12793
- Bigeleisen, J. and Kerr, E.C. Vapor-liquid equilibria of dilute solutions of HT in e- H_2 and DT in e- D_2 from the triple points to the critical temperatures of the solutions, 3=21626
- Bigeleisen, J. and Ribnikar, S.V. Structural effects in the vapor pressures of isotopic molecules. O^{18} and N^{15} substitution in N_2O , 1=16171
- Bigeleisen, J., Ribnikar, S.V. and Van Hook, W.A. Molecular geometry and the vapor pressure of isotopic molecules. The equivalent isomers cis-, gem-, and trans-dideuteroethylenes, 3=8247
- Bigeleisen, J. and Roth, E. Vapor pressures of the neon isotopes, 1=10628
- Bigeleisen, J., Stern, M.J. and Van Hook, W.A. Molecular geometry and the vapor pressure of isotopic molecules. $\text{C}_2\text{H}_3\text{D}$ and $\text{C}^{13}\text{H}_2 = \text{C}^{13}\text{H}_3$, 3=8248
- Bigeleisen, J., Weston, R.E., Jr and Wolfsberg, M. Note on the calculation of zero-point energies and isotopic zero-point energy differences by a Taylor's series expansion, 3=12794
- Bigeleisen, J. See Roth, E.G., 0=8700
- Bigelow, J.E. and Haq, K.E. Significance of fatigue in lead oxide vidicon target, 2=23466
- Bigelow, R.H. See Kendig, A.P., 4=14162
- Bigg, E.K. A lunar influence on ice nucleus concentrations, 3=11399
- Bigg, E.K. The influence of the moon on geomagnetic disturbances, 3=13840
- Bigg, E.K. Lunar and planetary influences on geomagnetic disturbances, 3=25962
- Bigg, E.K. Atmospheric stratification revealed by twilight scattering, 4=29268
- Bigg, E.K. and Miles, G.T. Stratospheric ice nucleus measurements from balloons, 3=25887
- Bigg, E.K., Miles, G.T. and Heffernan, K.J. Stratospheric ice nuclei, 2=11020
- Bigg, P.H. Weight-in-air basis of adjustment of precision weights, 0=3485
- Bigg, P.H. Standard unit of pressure in vacuum physics, 1=5298
- Bigg, P.H. Basis of verification of metal and glass Sikes hydrometers, 1=9366
- Bigg, P.H. The imperial standard pound and its parliamentary copies in terms of the international kilogramme, 2=15443
- Bigg, P.H. The accuracy of the British kilogramme standards of mass, 3=21188
- Bigg, P.H. The International System of Units (SI Units), 4=29501
- Bigg, P.H. and Anderton, P. The United Kingdom standards of the yard in terms of the metre, 4=11011
- Bigg, P.H., Burch, F.H. and Oxley, D.L. Re-determination of the values of the imperial standard pound and of its parliamentary copies in terms of the international kilogramme during the years 1960 and 1961, 2=19263
- Bigg, P.H. See Elliott, K.W.T., 0=8677
- Bigg, P.H. See Florescu, N.A., 1=9425
- Bigg, P.H. See Rands, J.B., 2=7165
- Biggerstaff, J.A., Becker, R.L. and McEllistrem, M.T. Charged particle discrimination in a CsI(Tl) detector, 2=3210
- Biggerstaff, J.A., Hood, R.F., Scott, H. and McEllistrem, M.T. Differential cross-sections for (d, α) and (d, t) reactions in Be^9 , 2=20667
- Biggerstaff, J.A. See Williams, C.W., 4=16747
- Biggs, F. See Ham, L.B., 2=21759

- Bigham, C.B. The temperature dependence of the fission cross-sections of Pu^{239} , U^{235} and U^{233} , 1=741
- Bigham, C.B., Chidley, B.G. and Turner, R.B. The slowing-down spectrum in a CANDU-type reactor, 3=25031
- Bigham, C.B., Kushneriuk, S.A. and Tunncliffe, P.R. Effective fission cross sections and neutron spectra in an NRX type uranium metal rod, 4=1129
- Bigham, C.B. and Pearce, R.M. The slowing-down spectrum in a heterogeneous reactor, 1=2266
- Bigham, C.B., Turner, R.B. and Chidley, B.G. Neutron temperature distributions in a cylinder of hot moderator, 3=25001
- Bigham, C.B. See Allen, K.W., 0=15523
- Bigham, C.B. See Chidley, B.G., 3=25030
- Bigi, A., Brandt, S., de Marco-Trabucco, A., Peyrou, Ch., Sosnowski, R. and Wróblewski, A. The production of $\text{K}^0\bar{\text{K}}^0$ pairs by 10 GeV/c negative pions on protons, 4=30254
- Bigi, A., Brandt, S., de Marco-Trabucco, A., Peyrou, Ch., Sosnowski, R. and Wróblewski, A. On the associated production of $\text{K}-\text{Y}$ pairs by 10 GeV/c π^- in the hydrogen bubble chamber, 4=30255
- Bigi, A. See Bartke, J., 2=13883
- Bigi, A. See Bartke, J., 3=22206
- Bigliardi, G. See Ferrari, A., 4=4616
- Biglin, A.S. A quantitative measure of texture in polycrystalline materials: texture function, 1=1358
- Bignell, K., Saiedy, F. and Sheppard, P.A. On the atmospheric infrared continuum, 3=11409
- Bignell, K.J. Heat-balance measurements from an earth satellite—an analysis of some possibilities, 2=2458
- Bigorgne, M. Study of the diffusion spectrum of nickel carbonyl in the liquid state and in solution, 0=19156
- Bigorgne, M. and Chelkowski, A. Study of the scattering spectrum of nickel carbonyl vapour, 0=19218
- Bigot, J. and Talbot-Besnard, S. The growth of filaments and of platelets of the sesquioxides of iron, 2=12881
- Bigot, J. and Talbot-Besnard, S. Nucleation and growth of filaments and plates of iron sesquioxide, 3=3268
- Bigot, R. and Faivre, R. Experimental study of the very rapid cooling obtained by direct quenching in water of solders on thermocouples, 3=7371
- Bigot, R. See Beck, G., 3=9641
- Bihan, M.T. Le See Le Bihan, M.T.
- Biibosunov, I. An example of transonic flow of a gas with a supersonic zone terminated by a curved shock which ends inside the flow, 1=6886
- Bijl, D. and Campbell, C.K. A two-level maser, 1=9682
- Bijl, D. See Firth, I.M., 2=3163
- Bijl, D. See Firth, I.M., 3=817
- Bijl, H.K.K. Variable atmospheric properties derived from rocket and satellite observations, 3=6969
- Bijvoet, J., de Hon, B., Dekker, J. A. and Rathenau, G. W. The electrical resistivities of dilute Mg-Nd and Mg-Gd alloys, 4=10029
- Bijvoet, J. See Bindels, J., 1=6298
- Bijvoet, J.M. On the effect of more than one anomalous scattering atom in the unit cell, 2=14995
- Bijvoet, J.M. See Beurskens-Kerssen, G., 4=23479
- Bilaniuk, O.M. and French, J.B. s-particle doublets in certain light nuclei, 0=17492
- Bilaniuk, O.M. and Hensel, J.C. $\text{B}^{10}(\text{d}, \text{p})\text{B}^{11}$ reaction and the configurations of B^{11} , 0=17483
- Bilaniuk, O.M., Marsh, B.B., Hamann, A.K. and Heurtley, J.C. An array of solid state counters with delay line pulse sorting, 2=5286
- Bilaniuk, O.M. and Slobodrian, R.J. Cylindrical Bessel function dependence in the angular distribution of the $\text{He}^3(\text{d}, \text{p})\text{He}^4$ stripping reaction at 27 MeV, 3=15224
- Bilaniuk, O.M. and Slobodrian, R.J. Diproton and the $\text{He}^3(\text{d}, \text{t})\text{He}^2$ reaction, 4=9320
- Bilaniuk, O.M. See Alford, W.P., 1=19504
- Bilaniuk, O.M. See Hafner, E.M., 2=19373
- Bilaniuk, O.M. See Marsh, B.B., 3=15227
- Bilaniuk, O.M. See Mayo, S., 4=9554
- Bilaniuk, O.M. See Parkinson, W.C., 1=16618
- Bilaniuk, O.M. See Rietjens, L.H.T., 0=17605
- Bilaniuk, O.M.P., Deshpande, V.K. and Sudarshan, E.C.G. "Meta" relativity, 3=33
- Bilby, B.A. Lattice defects and the mechanical properties of solids, 1=956
- Bilby, B.A., Cottrell, A.H., Smith, E. and Swinden, K.H. Plastic yielding from sharp notches, 4=20634
- Bilby, B.A. and Frank, F.C. The analysis of the crystallography of martensitic transformations by the method of prism matching, 1=1406
- Bilby, B.A. and Hewitt, J. Hydrogen in steel—the stability of microcracks, 2=14908
- Bilby, B.A. See Crocker, A.G., 1=20582
- Bildstein, H. See Parker, W., 4=17866
- Bildstein, H. See Parker, W., 4=17867
- Bildstein, H. See Parker, W., 4=20836
- Bildstein, H. See Parker, W., 4=22056
- Bil'dzyukévych, I.A. See Kurdyumov, H.V., 1=15127
- Bildstein, P. See Delloue, J., 4=4773
- Bilen'kii, S.M., Nguen Van Kh'eu and Ryndin, R.M. Asymptotic relations between the polarizations in crossed reactions, 4=16948
- Bilen'kii, S.M. and Ryndin, R.M. Method for determining hyperon polarization in the reaction $\pi + p \rightarrow Y + K$, 0=2596
- Bilen'kii, S.M., Ryndin, G.M., Smorodinskii, Ya.A. and Khé Tso-Syu [Ho Tso-Hsiu]. Theory of the β -decay of neutrons, 0=7349
- Bilen'kii, S.M. and Ryndin, R.M. On the relativistic relation between polarization and asymmetry, 0=12855
- Bilen'kii, S.M. and Ryndin, R.M. Emission of low-energy γ -quanta by electrons scattered on protons, 1=19175
- Bilen'kii, S.M. and Ryndin, R.M. Production of slow π -mesons in pion-nucleon and nucleon-nucleon collisions, 3=17309
- Bilen'kiĭ, S.M. and Ryndin, R.M. Determination of the K^* -meson spin, 3=22195
- Bilenky, S.M. and Ryndin, R.M. On the total cross sections for reactions with polarised beams and polarised targets, 4=3362
- Bilen'kii, S.M. and Ryndin, R.M. Relation between the total cross-sections for the $1/2 + 1/2 \rightarrow 0 + 0$ reaction and the intrinsic particle parities, 4=5952
- Bilen'kii, S.M., Ryndin, R.M., Smorodinskii, Ya.A. and Khé Tso-Syu [Ho Tso Hsiu]. Addition to the paper "Theory of the β -decay of neutrons", 0=12938
- Bilen'skii, S.M. Energy dependence of the scattering cross-section at small energies, 1=19161
- Bilenskii, V. Observation of ferromagnetic domains with the help of dry magnetic powder, 2=21313
- Bilenskii, V. Treatment of a permanent magnet and electro-magnet pole shoes using the method of anode solution, 4=24788
- Bilenskii, V. and Kashcheev, V. Effect of domain walls on slow neutron scattering by a single-anis ferromagnetic crystals, 2=21333
- Bilen'kyi, B. F., Pashkovs'kyi, M. V., Nosenko, A. E. and Grechukh, Z. G. Optical properties of mercury sulphide (HgS), 4=7142
- Bilevich, A.V., Vereshchagin, L.F. and Kalashnikov Kalashnikov, Ya.A. A piezometer for determining the density of gases at high pressures and temperatures, 2=17490
- Bilger, H. Investigation of recombination processes in neutron-irradiated Ge p-n-p transistors, 2=4053
- Bilger, H., Baldinger, E. and Czaja, W. Ionization of Si recoil nuclei in Si counter diodes for neutron radiation from 3.0 to 3.9 MeV, 3=25307
- Bilger, H. See Hampe, W., 3=20586
- Bilger, H. See Hampe, W., 4=17634
- Bilger, R.C. See Cox, J.R., Jr., 0=14752
- Bilger, R.C. See Eldredge, D.H., 1=4152
- Bilharz, O.W. BF₃ counter background study, 3=2147
- Bilhorn, D.E., Foldy, L.L., Thaler, R.M., Tobocman, W. and Madsen, V.A. Remarks concerning reciprocity in quantum mechanics, 4=16033
- Bilhorn, D.E. and Tobocman, W. Coupled square well model for elastic scattering, 1=8743
- Bilhorn, D.E. See Tobocman, W., 0=1445
- Bilibin, L.P. and Zysin, Yu.A. A detector for recording a pulse consisting of a small number of neutrons, 2=20366
- Bilinski, J.R., Brooks, E.H., Cocca, U. and Maier, R.J. Proton-neutron damage correlation in semiconductors, 3=25308
- Bilinski, J.R., Brooks, E.H., Cocca, U. and Maier, R.J. Proton-neutron damage correlation in semiconductors, 4=4090
- Bilinski, J.R., Brooks, E.H., Cocca, U. and Maier, R.J. Proton-neutron damage equivalence in Si and Ge semiconductors, 4=17494
- Bill, A., Öbrink, K.J. and Ulfendahl, H.R. An easy way of calculating the composition of a two-component system from two-channel spectrometry, 0=12804
- Bill, H. and Bieri, R. Resonance detection of ions in an omegatron, 4=8866
- Billard, J. Remarks on the application of the principle of symmetry to the phenomena of change of state, 2=19770
- Billard, J. Electric induction and transverse field of a privileged light wave, 4=16254

- Billard, P. Materials for use in infrared optical devices, 4=2810
- Billard, P. and Corillault, J. Materials for use in infrared optical devices. II, 4=2811
- Billard, P. See Marie, G., 4=18370
- Billardon, M. Rotary dispersion of some Werner complexes, 1=2756
- Billardon, M. Precise polarimetric method for visible and ultra-violet radiation, 3=3894
- Billardon, M. See Badoz, J., 1=10609
- Billardon, M. See Briat, B., 3=19026
- Biller, E. Examination of the influence of the condition of the surface and of lattice defects on the line width of the ferromagnetic resonance of metals, 3=1172
- Biller, E. and Schwink, C. On the ferromagnetic resonance properties of sheet nickel, 2=12811
- Billeter, T. R., Giarola, A. J. and Bjorkstam, J. L. Dielectric parametric amplifier, 4=24828
- Billeter, T. R. See Giarola, A. J., 4=16227
- Billette, R. See Morrison, S. R., 4=10086
- Billick, I. H. The variation of the sedimentation coefficient with pressure and concentration, 2=15165
- Billick, I. H. Velocity sedimentation studies on pressure and concentration dependent systems, 3=6930
- Billick, I. H. On the effect of heterogeneity in molecular weight on the sedimentation equilibrium second virial coefficient of polymers in good solvents, 4=27159
- Billick, I. H. and Weiss, G. H. Exact faxen solution for centrifugation when sedimentation depends linearly on concentration, 4=23685
- Billings, C. E., Megaw, W. J. and Wiffen, R. D. Sampling of sub-micron particles for electron microscopy, 1=7895
- Billings, D. E. Distribution of matter with temperature in the emission corona, 0=10503
- Billings, D. E. Spectroscopic limitation on coronal heating mechanisms, 3=11542
- Billings, D. E. The shape of coronal-line profiles, 4=20929
- Billings, D. E. and Lehman, R. C. Line-width temperatures of distinct coronal features, 2=19313
- Billings, D. E. and Lilliequist, C. G. Coronal temperature gradient and the solar wind, 3=9210
- Billings, D. E. See Cooper, R. H., 2=13132
- Billings, D. E. See Gantvoort, N. C., 0=14423
- Billings, D. E. See Lowman, K. M., 1=1644
- Billings, D. E. See Saito, K., 4=29457
- Billings, D. E. See Trotter, D. E., 3=7030
- Billings, D. E. See Williamson, N. K., 1=7993
- Billington, C. Phosphorescence mechanisms. I. Approach and general analysis, 0=18142
- Billington, C. Phosphorescence mechanisms. II. Description of phosphorometer, 0=18143
- Billington, C. Phosphorescence mechanisms. III. Method of analysis, 0=18144
- Billington, C. Phosphorescence mechanisms. IV. Decay rate spectra of ruby, uranium glass, and Mn-activated zinc sulfide, 0=18145
- Billington, D. S. [Edited by]. Radiation damage in solids [Proceedings of the International School of Physics "Enrico Fermi", Ispra, 1960; Course 18], 4=25976
- Billington, D. S., Leeser, D. O., Clark, J. W., Hanscome, T. D., Carroll, J. G., Belt, R. O. and Barkhard, E. L. Advances in radiation effects, 0=20849
- Billington, E. W. Some measurements of the time dependence of the viscosity of thixotropic fluids, 0=6736
- Billington, E. W. Some measurements of the elastic and viscous properties of thixotropic fluids, 1=109
- Billington, E. W. and Ehrenberg, W. The electron voltaic effects in silicon and selenium elements, 2=638
- Billington, E. W. and Ehrenberg, W. New studies of the electron-voltaic effect, 2=23359
- Billmeyer, F. W., Jr. Table of Adams chromatic value color coordinates, 4=5362
- Billmeyer, F. W., Jr., Beasley, J. K. and Sheldon, J. A. Formulation of transparent colors with a digital computer, 0=183
- Billmeyer, F. W., Jr., Beasley, J. K. and Sheldon, J. A. Color-order system predicting constant hue, 1=9237
- Billmeyer, F. W., Jr. See Baum, F. J., 1=4431
- Bills, D. G., Holt, R. B. and McClure, B. T. Pulsed probe measurements, 2=1448
- Bills, D. G. See Oldenberg, O., 1=8831
- Bills, D. G. See Winters, D. R., 3=14680
- Bills, D. G. See Winters, H. F., 2=13387
- Bills, K. W. Jr. and Salcedo, F. S. The swelling of unfilled and highly filled polymers, 1=18400
- Billström, O. Modulated surface wave antennas, 4=737
- Billups, R. See Skapski, A., 0=3505
- Billups, R. R. and Gardner, W. L. Radiation damage experiments on PbS infrared detectors, 2=9447
- Biloni, H. Substructures and dislocations produced during solidification of aluminum, 1=19773
- Bilot, L. and Kowski, A. Theory of influence of solvents on the electron spectra of molecules, 2=22940
- Bilot, L. and Kowski, A. The influence of the solvent on the electron spectra of luminescent molecules, 3=18823
- Bilot, L. and Kowski, A. Dipole moments of some phthalimide-derivatives in the first excited singlet state, 3=20010
- Bilot, L. J. and Kowski, A. On the spectroscopic determination of the dipole moments of excited molecules, 3=2604
- Bilous, V. M. Electron localization levels in silver halide phosphors and the de-excitation action of the exciting light, 2=18864
- Bilous, V. M. Some properties of the luminescence of molten silver chloride, 4=11204
- Bilous, V. M. Kinetics of damping of a silver chloride luminescence flash, 4=13083
- Bilous, V. M. and Golub, S. I. The effect of infrared light on the luminescence of pure and mixed silver halide phosphors, 2=18865
- Bilpuch, E. G., Seth, K. K., Bowman, C. D., Tabony, R. H., Smith, R. C. and Newson, H. W. s- and p-wave neutron spectroscopy VII. Widths of neutron resonances, 1=1654
- Bilpuch, E. G., Weston, L. W. and Newson, H. W. Neutron capture cross sections in the keV region. I. Methods of measurement and analysis, 0=20487
- Bilpuch, E. G., Weston, L. W. and Newson, H. W. Errata: Neutron capture cross sections in the KeV region. I. Methods of measurement and analysis, 2=1901
- Bilpuch, E. G. See Bowman, C. D., 2=10116
- Bilpuch, E. G. See Newson, H. W., 1=13652
- Bilpuch, E. G. See Newson, H. W., 1=13653
- Bilpuch, E. G. See Nichols, P. F., 0=5788
- Bilpuch, E. G. See Parks, P. B., 4=19322
- Bilpuch, E. G. See Seth, K. K., 3=24954
- Bilpuch, E. G. See Weston, L. W., 0=20488
- Bilquey, M. See Dufay, M., 3=13783
- Bilwes, R., Bourotte, B. and Magnac-Valette, D. Excited states of Be⁸, 2=366
- Bilwes, R., Bourotte, B. and Magnac-Valette, D. Decay of the 16.626 and 16.921 MeV levels of Be⁸, 4=17088
- Bilwes, R., Gérardin, C. and Magnac-Valette, D. The spectrum of α -particles from the reaction B¹⁰ (d, α) Be⁸ and the excited levels of Be⁸ between 0 and 8 MeV, 1=3458
- Bilwes, R., Seltz, R., Gérardin, C. and Magnac-Valette, D. The spectrum of Be⁸ produced in the β -decay of Li⁸, 1=2182
- Bilwes, R., Seltz, R., Suffert, M., Gérardin, C., Linck, J., Magnac-Valette, D. and Clier, P. Disintegration spectrum of Li⁸. Calibration of the Buchner spectrometer of the Cronenbourg Van de Graaff, 1=13701
- Bilwes, R., Seltz, R., Suffert, M., Liess, M., Nehlig, J. J. and Magnac-Valette, D. A very low voltage deuteron accelerator, 0=17055
- Bilwes, R. See Bourotte, B., 2=496
- Bilwes, R. See Gérardin, C., 1=16919
- Bilwes, R. See Gérardin, C., 2=5752
- Bilwes, R. See Linck, J., 2=496
- Bilwes, R. See Linck, J., 4=17199
- Bilwes, R. See Magnac-Valette, D., 1=7289
- Bilyalov, R. F. Conformal groups of transformations in gravitation fields, 4=8032
- Bilyi, M. U. and Okhrimenko, B. A. Absorption and luminescence of halide solutions of thallium and lead ions of various valencies, 2=17468
- Bilyi, M. U. and Rud'ko, B. F. Effect of temperature on the luminescence spectra and the absorption of heavy metal salt solutions. I, 2=7220
- Bilz, H. and Genzel, L. Infrared dispersion of the alkali halides. II. Theory of the absorption at low temperatures, 2=18812
- Bilz, H., Genzel, L. and Happ, H. The infrared dispersion of alkali halides. I. The interpretation of the spectra according to the Born-Huang theory, 1=1168
- Bimschas, G. The theory of secondary electron emission from metals, 1=5493
- Bimschas, G. and Schubert, G. U. On the theories of secondary electron emission of metals. II, 1=10735
- Bin, M. and Pauthenet, R. Magnetic properties of a crystal of pyrrhotite at low temperatures, 2=14809

- Bin, M. and Pauthenet, R. Magnetic properties of a pyrrhotite crystal at low temperatures, 3=15770
- Bin, M. and Pauthenet, R. Magnetic anisotropy in pyrrhotite, 3=15788
- Bina, M.J. See Segal, R.E., 2=367
- Binard, L. and Vanhorenbeeck, J. "Stripper" measuring instrument for recording variations of threshold and channel width, 2=9511
- Binard, L. See Van Horenbeeck, J., 3=10263
- Bincer, A.M. Electromagnetic structure of the nucleon, 0=9347
- Bincer, A.M. and Sakita, B. Bounds on momentum dependence of phase shifts and magnitude of coupling constants, 3=7807
- Bindal, V.N. See Parthasarathy, S., 0=5096
- Bindal, V.N. See Parthasarathy, S., 0=10723
- Bindal, V.N. See Parthasarathy, S., 1=12876
- Bindal, V.N. See Parthasarathy, S., 2=17460
- Bindal, V.N. See Saksena, T.K., 3=21360
- Bindari, A. E. L. and Litvak, M. M. Critical current and field in nonideal superconductors, 4=18621
- Bindels, J., Bijvoet, J. and Rathenau, G.W. Stabilization of definable domain structure by interstitial atoms, 1=6298
- Binder, D. Technique for using the Np^{237} fission reaction as a detector for fast neutrons in a reactor, 0=20162
- Binder, D. Effect of fission spectrum neutrons on n-type germanium, 1=8941
- Binder, G.J. and Cernak, J.E. Streaming-potential fluctuations produced by turbulence, 3=23849
- Binder, I. and Post, B. Manganese diboride, 0=8210
- Binder, O. See Bagge, E., 1=3353
- Binder, O. See Bagge, E., 2=12049
- Binder, R. See Newman, P.A., 1=16049
- Binder, R. C. See Chobotov, V. A. See Binder, R. C., 4=8289
- Bineau, M. Hydromagnetic stability of a toroidal plasma, 3=12130
- Bineau, M. Hydromagnetic stability of a toroidal plasma: variational study of the energy integral, 3=21775
- Bineau, M., Consoli, T., Hubert, P., Prévot, F., Ricateau, P. and Samain, A. Magnetic mirror machines. I. Résumé of the state of the problem and an outline of a programme of research, 0=19662
- Bineau, M., Consoli, T., Maisonnier, C., Prévot, F. and Ricateau, P. Magnetic mirror machines. II, 0=19663
- Binford, J.R. See Loeb, M., 3=18675
- Binford, T. O. See Lind, V. G., 4=27902
- Binford, T. O. See Stern, D., 4=25174
- Bing, G. F. and Roberts, J.E. End-losses from mirror machines, 1=11853
- Bingel, W.A. Some properties of first order density matrices with special application to many-electron atoms, 0=11483
- Bingel, W.A. Spin dependence of the first-order transition density matrix, 1=7432
- Bingel, W.A. Potential curves of diatomic molecules and potential energy surfaces of polyatomic molecules for small nuclear separations, 1=17377
- Bingel, W.A. Angular dependence of the first-order transition density and spin density for many-electron atoms, 2=14187
- Bingel, W.A. Comment on the use of united-atom expansions, 3=12810
- Bingel, W.A., Preuss, H., Hofacker, L. and Schmidtke, H.H. Interpretation of the infinite energy values which occur in the MO-LAO method with partial overlapping, 2=6217
- Bingel, W.A., Preuss, H. and Schmidtke, H.H. The variation of potential of the low-lying singlet and triplet states of H_2 for large inter-nuclear distances using the Heitler-London approximation, 1=11105
- Bingel, W.A., Preuss, H. and Schmidtke, H.H. Effect of overlapping in the theory of electron systems, 2=14309
- Bingham, C.D. See James, R.A., 0=5728
- Bingham, C. R. See Murray, R. L., 4=19885
- Bingham, F. W., Brussel, M. K. and Steben, J. D. Scattering of 5-15 MeV protons from Be^9 , 4=25386
- Bingham, F.W. and Sampson, M.B. Study of 83-neutron nuclei by deuteron stripping reactions, 3=2360
- Bingham, F. W. See Hafele, J. C., 4=25399
- Bingham, G.McD. Measurement of g/m for muons, 3=10136
- Bingham, H. See Baglin, C., 4=3487
- Bingham, H. See Bellini, G., 2=22573
- Bingham, H. See Bellini, G., 3=7899
- Bingham, H. See Fretter, W.B., 3=2301
- Bingham, H. See Jauneau, L., 3=12511
- Bingham, H. See Veillet, J.J., 3=10163
- Bingham, H. See Veillet, J.J., 3=17313
- Bingham, H.H. See Belliere, J., 3=24775
- Bingham, H. H. See Belliere, P., 4=3493
- Bingham, H.H. See Di Corato, M., 2=22627
- Bingham, H.H. See Jauneau, L., 3=19708
- Bingham, H. H. See Ronne, B., 4=19458
- Bingham, H.H. See Webb, F.H. Jr., 0=10883
- Bingham, R. Long wavelength instability in a reflex discharge, 4=24709
- Bingham, R. G. and Kellermann, E. W. On the anisotropy of the cosmic radiation. II, 4=25238
- Bingle, J.D. See Baker, L., Jr., 3=14413
- Binkele, L. See Hamisch, H., 4=4644
- Bin'kovskii, Yu. A., Nemets, O.F. and Stepanenko, V.A. Production of unattached films according to the vacuum evaporation method, 2=21564
- Binkowski, B.B. See Lorenz, M.R., 2=8589
- Binnendijk, L. Photoelectric light curves of V839 Ophiuchi, 0=12326
- Binnendijk, L. Photoelectric observations of β Lyrae, 0=12327
- Binnendijk, L. The light variation and orbital elements of U Pegasi, 0=12328
- Binnendijk, L. The light variation and orbital elements of AH Virginis, 0=18803
- Binnendijk, L. The light variation and orbital elements of AK Hercules, 1=4204
- Binnendijk, L. The light variation and orbital elements of ER Orionis, 2=7012
- Binnie, A.M. Self-induced waves in a conduit with corrugated walls. I. Experiments with water in an open horizontal channel with vertically corrugated sides, 1=127
- Binnie, D.M. Photons from positron beams in the GeV range, 2=3321
- Binnie, D.M., Barros, S.L. de S., and Hyams, B.D. Photons from the radiative pion decay, 1=8476
- Binnie, D.M., Jane, M.R., Newth, J.A., Potter, D.C. and Walters, J. Photography of Čerenkov rings produced by single particles in a gas, 3=10081
- Binnie, D.M., Jane, M., Newth, J.A., Potter, D.C. and Walters, J. Homogeneous scintillation chambers and the photography of Čerenkov light, 3=17153
- Binns, D.F., Hood, R.J. and Dargan, C.L. Digital technique for rapid measurement of time lags, 4=16455
- Binon, F. and Vervier, J. γ - γ angular correlations in (1.5 min) disintegration of Sb^{124} , 4=17096
- Binsch, G. See Lambert, J. B., 4=30479
- Biogelot, A. Spectral methods in the boundary value problems of mathematical physics, 0=2067
- Biondi, L. Method for measuring the burn-up of fuel elements in power reactors, 2=12260
- Biondi, M.A. High-speed nonrefrigerated isolation traps for ultra high-vacuum systems, 0=108
- Biondi, M.A. Measurements of electron attachment recombination, elastic and inelastic collisions in atmospheric gases, 2=2782
- Biondi, M.A. Studies of the mechanism of electron-ion recombination. I, 3=7442
- Biondi, M.A. Electron-ion and ion-ion recombination, 4=15884
- Biondi, M. A. Afterglow atomic collision processes, 4=25577
- Biondi, M.A. and Chanin, L.M. Blanc's law — ion mobilities in helium-neon mixtures, 1=7228
- Biondi, M.A. and Garfunkel, M.P. Millimeter wave absorption in superconducting aluminum. I. Temperature dependence of the energy gap, 0=2288
- Biondi, M.A. and Garfunkel, M.P. Millimeter wave absorption in superconducting aluminum. II. Calculation of the skin depth, 0=2289
- Biondi, M.A. and Rayne, J.A. Band structure of noble metal alloys: optical absorption in α -brasses at 4.2°K, 0=1542
- Biondi, M.A. See Chanin, L.M., 3=362
- Biondi, M.A. See Courville, G.E., 2=19899
- Biondi, M.A. See Kasner, W.H., 2=3008
- Biondi, M. A. See Rogers, W. A., 4=18693
- Biorci, G. and Ferro, A. Hysteresis losses along open transformations, 0=13781
- Biorci, G., Ferro, A. and Montalenti, G. Magnetic viscosity in iron due to carbon atoms anchored in dislocations, 0=1803
- Biorci, G., Ferro, A. and Montalenti, G. Magnetic after-effect in iron due to motion of dislocations, 0=13820
- Biorci, G., Ferro, A. and Montalenti, G. Effect of neutron bombardment on the magnetic properties of very high permeability iron, 0=18189
- Biorci, G., Ferro, A. and Montalenti, G. Magnetic viscosity and annealing in magnetic field, 1=1216

- Biorci, G., Ferro, A. and Montalenti, G. Magnetic viscosity due to solute atom pairs. I. Theory of the effect, 1=1226
- Biorci, G., Ferro, A. and Montalenti, G. Magnetic viscosity due to solute atom pairs. II. Experimental results, 1=9033
- Biorci, G., Ferro, A. and Montalenti, G. On the nature of radiation damage due to fast neutron bombardment in ferromagnetic materials: very high permeability pure iron and nickel, 1=14730
- Biorci, G. and Pescetti, D. Some consequences of the analytical theory of the ferromagnetic hysteresis, 0=13780
- Biot, A. The convergent thick lens. I. Graphical representation of chromatic variation of the focal length, 0=3608
- Biot, A. The convergent thick lens. II. Achromatism of the axial image point, 0=3609
- Biot, A. The equivalent thickness of an absorbing lens, 0=5138
- Biot, A. Geometrical optics and wave optics, 0=8767
- Biot, A. On the transverse [chromatic] aberration of optical systems. II. The refracting element. III. Discussion of the general formula, 0=8771
- Biot, A. The thick lens. III. Transverse chromatic aberration, 0=8772
- Biot, A. On the thick lens, 0=14799
- Biot, A. The transverse chromatic aberration of an optical system between two different media, 0=14800
- Biot, A. Periaxial aberrations of the eye. I, 1=6666
- Biot, A. Lateral chromatic aberration of a Ramsden eyepiece, 2=13437
- Biot, A. Huyghens type compensating eyepiece for measurement purposes with an apochromatic microscope objective, 2=13438
- Biot, A. Huyghenian eyepiece with an achromatised field lens, 2=13439
- Biot, A. Doublet objective with a given amount of transverse chromatic aberration. Application to the microscope, 2=19680
- Biot, A. Transverse chromatic aberration of cemented doublets used as objectives, 2=19681
- Biot, A. Transverse chromatic aberration of the thick lens, 2=21993
- Biot, A. The circle of confusion, 2=24211
- Biot, A. The position of the object side principal point in cemented doublets, 3=18962
- Biot, A. A method of determining back focal lengths and equivalent focal lengths, 3=18963
- Biot, A. Computing compensating eyepieces of Ramsden type, 3=18964
- Biot, M. A. Mechanics of deformation and acoustic propagation in porous media, 2=10748
- Biot, M. A. Generalized theory of acoustic propagation in porous dissipative media, 2=21971
- Biot, M. A. Internal buckling under initial stress in finite elasticity, 3=14077
- Biot, M. A. Surface instability in finite anisotropic elasticity under initial stress, 3=14078
- Biot, M. A. Interfacial instability in finite elasticity under initial stress, 3=14079
- Biot, M. A. General fluid-displacement equations for acoustic-gravity waves, 3=16581
- Biot, M. A. Variational principles of acoustic-gravity waves, 3=18780
- Biot, M. A. Acoustic-gravity waves as a particular case of the theory of elasticity under initial stress, 3=18781
- Biot, M. A. Theory of stability of multilayered continua in finite anisotropic elasticity, 4=2620
- Biot, M. A. Stability of multilayered continua including the effect of gravity and viscoelasticity, 4=2621
- Biot, M. A. Incremental elastic coefficients of an isotropic medium in finite strain, 4=11137
- Biot, M. A. Surface instability of rubber in compression, 4=11138
- Biot, M. A. Theory of viscous buckling of multilayered fluids undergoing finite strain, 4=18129
- Biot, M. A. and Ode, H. On the folding of a viscoelastic medium with adhering layer under compressive initial stress, 2=14886
- Biot, M. A. and Pohle, F. V. Validity of thin-plate theory in dynamic viscoelasticity, 5=21214
- Biot, M. A. and Rosenbaum, J. H. Trapping of acoustic energy near a source above a submerged elastic plate, 1=2818
- Biot, M. A. and Tolstoy, I. Canonical and Hamiltonian formalism applied to the Sturm-Liouville equation, 0=16511
- Biquard, P., Arbrun, J. N., Bourret, A. and Launois, D. Propagation of ultrasonic pulses in metal single crystals, 3=10592
- Bir, G. L. The influence of surface recombinations on photoconductivity of semiconductors, 0=617
- Bir, G. L. Intensity of allowed and forbidden lines in electron paramagnetic resonance, 4=1866
- Bir, G. L., Butikov, E. I. and Pikus, G. E. Spin and combined resonance on acceptor centres in Ge and Si type crystals. I. Paramagnetic resonance in strained and unstrained crystals, 4=15674
- Bir, G. L., Butikov, E. I. and Pikus, G. E. Spin and combined resonance on acceptor centres in Ge and Si type crystals. II. The effect of the electrical field and relaxation time, 4=15675
- Bir, G. L., Normantas, E. and Pikus, G. E. Galvanomagnetic effects in semiconductors with degenerate bands, 2=18661
- Bir, G. L., Normantas, E. and Pikus, G. E. Galvanomagnetic effects in semiconductors with degenerate bands, 2=23245
- Bir, G. L., Normantas, E. and Pikus, G. E. Galvano and thermomagnetic effects in semiconductors with degenerate bands, 3=17855
- Bir, G. L. and Pikus, G. E. Deformation potential theory of semiconductors with complex band structure, 1=1030
- Bir, G. L. and Pikus, G. E. Deformation potential theory of semiconductors with complex band structure, 1=6142
- Bir, G. L. and Pikus, G. E. Effect of deformation on the energy spectrum and electrical properties of semiconductors of the InSb type, 2=21152
- Bir, G. L. and Pikus, G. E. Band structure and piezoresistance effects in PbTe and PbSe, 3=15594
- Bir, G. L. and Sochava, L. S. Intensity of allowed and forbidden electron paramagnetic resonance lines of Mn^{2+} in $SrCl_2$, 4=26410
- Bir, G. L. and Tursunov, A. Effect of holes on the elastic constants of germanium, 3=20689
- Bir, G. L. See Pikus, G. E., 2=23271
- Bir, G. L. See Pikus, G. E., 0=587
- Bir, G. L. See Pikus, G. E., 0=11694
- Bir, G. L. See Pikus, G. E., 0=13596
- Bir, G. L. See Pikus, G. E., 1=6097
- Bir, G. L. See Pikus, G. E., 1=10178
- Bir, G. L. See Pikus, G. E., 1=11472
- Bir, G. L. See Pikus, G. E., 3=15592
- Biragov, S. B. See Tamoikin, V. V., 3=23974
- Biram, J. and Burrows, G. Bubble tests for gas tightness, 4=27229
- Biram, J. G. Measurement of slip (Ko) and viscous (Bo) flow coefficients of permeable solids, 1=2513
- Birau, O. and Salceanu, C. Electrical breakdown potential of falling liquid drops, formed by detachment from a level surface, 2=1376
- Birau, O. See Salceanu, C., 2=1376
- Birău, O. See Sălceanu, C., 3=7217
- Birbeck, C. M. See Barker, W. A., 4=27945
- Birbeck, F. E. and Calverley, A. Improved apparatus for floating-zone melting by electron bombardment, 0=4592
- Birbrair, B. L. Analysis of the angular distribution of reaction products in light nuclei, 1=19432
- Birbrair, B. L. Effect of superfluidity of atomic nuclei on stripping and pick-up reactions, 1=19434
- Birbrair, B. L. The interaction between protons and neutrons in the pair correlation model, 2=9846
- Birbrair, B. L. Effect of superfluidity of atomic nuclei on stripping and pick-up reactions, 2=22780
- Birbrair, B. L. The interaction between protons and neutron in the pair correlation model, 3=6003
- Bîrcă-Gălăţeanu, D., Arcan, L. and Lupu, C. Spectra of aromatic nitrosoderivatives, 1=6017
- Birch, D. See Craik, R. L., 2=17033
- Birch, F. See Simmons, G., 3=23280
- Birch, J. A., Kemp, W. R. G., Klemens, P. G. and Tainsh, R. J. The lattice thermal conductivity of some gold alloys, 0=6025
- Birch, J. N. See Darnall, W. H., 4=26984
- Birch, K. G. A scanning instrument for the measurement of optical frequency response, 1=9473
- Birch, S. See Crane, L., 4=21084
- Birchall, D. R. See Rhodes, P., 3=1065
- Birchenall, C. E. The mechanism of surface self-diffusion on metals, 4=9982
- Birchenall, C. E. See Rosenblatt, G. M., 1=13023
- Bird, C. See Schroeder, M. R., 4=5349
- Bird, C. A. The free-molecule flow field of a moving body in the upper atmosphere, 2=4621
- Bird, C. M. See Flanagan, J. L., 2=4897
- Bird, G. A. Approach to translational equilibrium in a rigid sphere gas, 4=2586

- Bird, G.A. The behavior of shock waves in a gravitational atmosphere, 4=17978
- Bird, G.A. A gas-dynamic model of the outer solar atmosphere, 4=20927
- Bird, G.A. The propagation of acoustic waves through the solar chromosphere, 4=26950
- Bird, G.R. An infrared gas microcell, 1=8231
- Bird, G.R. Interdependence of spectral line breadth, sound velocity dispersion, and viscosity of small molecules in the gas phase, 3=16660
- Bird, G.R., Baird, J.C., Jache, A.W., Hodgeson, J.A., Curl, R.F., Jr., Kunkle, A.C., Bransford, J.W., Rastrup-Andersen, J. and Rosenthal, J. Microwave spectrum of NO_2 : fine structure and magnetic coupling, 4=22379
- Bird, G.R. and Parrish, M., Jr. The wire grid as a near-infrared polarizer, 0=14852
- Bird, G.R. See Curl, R.F. Jr., 1=3536
- Bird, G.R. See Gebbie, H.A., 4=17295
- Bird, J.F. Vibrations of thick-walled hollow cylinders: approximate theory, 0=19252
- Bird, J.F. Massive condensations in interstellar matter and stellar associations, 4=29415
- Bird, J.F., Haar, L., Hart, R.W. and McClure, F.T. Effect of solid propellant compressibility on combustion instability, 0=10808
- Bird, J.F., Hart, R.W. and McClure, F.T. Vibrations of thick-walled hollow cylinders: exact numerical solutions, 0=19251
- Bird, J.F. See McClure, E.T., 0=8735
- Bird, J.H. See Wade, R.D., 4=6074
- Bird, J.R., Gibbons, J.H. and Wood, W.M. Gamma-ray spectra from capture of 30 keV neutrons, 2=18340
- Bird, J.R., Moxon, M.C. and Firk, F.W.K. Gamma ray spectra and parameters of neutron resonances in mercury, 0=4074
- Bird, J.R. and Waters, J.R. The use of digital recording on magnetic tape for the study of γ -rays from resonant neutron capture in platinum, 0=4079
- Bird, J.R., Waters, J.R. and Wells, F.H. A three dimensional analyzer using digital recording on magnetic tape, 1=2935
- Bird, J.R. See Waters, J.R., 1=15391
- Bird, L., Christmas, P., Taylor, A.E. and Wood, E. De-polarization parameter in p-p scattering at 143 MeV, 1=19198
- Bird, L., Edwards, D.N., Rose, B., Taylor, A.E. and Wood, E. R parameter in p-p scattering at 142 MeV, 0=11166
- Bird, L., Edwards, D.N., Rose, B., Taylor, A.E. and Wood, E. Determination of the [Wolfenstein] parameter R in 142 MeV proton scattering, 1=13412
- Bird, L., Edwards, D.N., Rose, B., Taylor, A.E. and Wood, E. A measurement of the Wolfenstein R-parameter in p-p scattering at 141 MeV, 3=12456
- Bird, L. See Taylor, A.E., 11164
- Bird, L.E. See James, J.C., 0=8408
- Bird, L.L. See Ziegler, C.A., 2=19507
- Bird, L.L. See Ziegler, C.A., 4=14198
- Bird, M.A. See Butt, E.P., 0=5837
- Bird, N.F. See Borland, R.E., 4=8162
- Bird, R.B. New variational principle for incompressible non-Newtonian flow, 0=14588
- Bird, R.B. and Turian, R.M. Non-Newtonian flow in a rolling-ball viscometer, 4=14110
- Bird, R.B. See Williams, M.C., 2=21875
- Bird, R.B. See Williams, M.C., 4=14124
- Bird, R.P. See Bartlett, A.A., 3=4378
- Bird, V.R. See Alexander, F.B., 4=12933
- Birdsall, C.K. Electron-steam kinetic power second-order terms as obtained from MacColl's mean values, 2=3081
- Birdsall, C.K. and Bridges, W.B. Space-charge instabilities in electron diodes and plasma converters, 2=1500
- Birdsall, C.K. and Lichtenberg, A.J. Traveling wave focusing for plasma containment, 0=1135
- Birdsall, C.K. and Rayfield, G.W. Focusing of an electron stream solely by the radio-frequency fields on a slow-wave circuit, 3=5709
- Birdsall, C.K. See Bridges, W.B., 3=24348
- Birdsall, D.H., Colgate, S.A., Furth, H.P., Hartman, C.W. and Spoerlein, R.L. Particle motion on magnetic flux surfaces in stabilized and hard-core pinches, 4=8739
- Birdsall, H.A. Digest of literature on dielectrics. Insulating films, 0=2300
- Birdsall, T.G. Detection of a signal specified exactly with a noisy stored reference signal, 0=14341
- Birdwell, B.F. and Crawford, G.W. Gamma radiolysis of propane, 0=16387
- Birely, J.H. See Wilson, K.R., 4=28288
- Birge, R., Ely, R.P., Gidal, G., Kalmus, G.E., Kernan, A., Powell, W.M., Camerini, U., Fry, W.F., Gaidos, J., March, R.H. and Natali, S. Experimental study of K_{α} decays, 3=22192
- Birge, R.T. A survey of the systematic evaluation of the universal physical constants, 1=1673
- Birge, R.W. and Fowler, W.B. Proton helicity from A decay, 0=17330
- Birge, R.W., Lanou, R.E., Jr., Whitehead, M.N. and Courant, H. A new use of counter control in cloud chamber operation, 0=17159
- Birge, R.W. See Camerini, U., 2=22624
- Birge, R.W. See Fowler, W.B., 1=5788
- Birge, R.W. See Good, R.H., 2=317
- Birge, R.W. See Good, R.H., 2=22628
- Birge, R.W. See Muller, F., 0=11220
- Birge, R.W. See Whitehead, M.N., 0=9433
- Birger, G.I. and Brazhnikov, N.I. Temperature errors and calculation of certain parameters of ultrasonic flowmeters, 4=137
- Birger, N.G., Michajlov [Mikhailov], V.D., Rozental', I.L. and Sarycheva [Sarycheva], L.L. Strong interactions at high energies, 4=30181
- Birger, N.G., Mikhailov, V.D., Rozental', I.L. and Sarycheva, L.I. Strong interactions at high energies, 4=9116
- Birger, N.G., Slavatskiy, S.A. and Smorodin, Yu.A. On one particularity of interactions of particles with an average energy of 200 BeV, 1=3267
- Birger, N.G. and Smorodin, Yu.A. The kinematics of elementary interactions, 0=9307
- Birger, N.G. and Smorodin, Yu.A. A possibility of investigation of the structure of nucleons and nuclei, 0=9348
- Birger, N.G. and Smorodin, Yu.A. Kinematic analysis of high energy interactions, 2=7818
- Birger, N.G. and Smorodin, Yu.A. On the interactions of π -mesons and nucleons at high energies ("target mass" in one-meson-exchange interaction), 3=12539
- Birger, N.G., Van Gan-ghan [Wang Kang-ch'ang], Van Tsu-tszan [Wang Ts'u-tsiang], Din Da-tsang [Ting Ta-ts'ao], Katyshev, Yu.V., Kladnitskaya, E.N., Kopylova, D.K., Lyubimov, V.B., Nguen Din Ty, Nikitin, A.V., Podgoretskii, M.I., Smorodin, Yu.A. Solov'ev, M.I. and Trka, Z. Inelastic interaction between 6.8 BeV/c π^- -mesons and nucleons, 2=3391
- Birger, N.G. See Bayukov, Yu.D., 3=7911
- Birgellner, H. Observations on exo-electron problems, 0=15053
- Birgellner, H. and Müller, H. On the temperature dependence of exo-electron emission, 1=9634
- Birgellner, H. See Balarin, M., 4=11688
- Birjoianu, A. See Gaiginschi, E., 4=2900
- Birk, G. Method of survey observation with the Leitz Dialux-Pol microscope using the Bertrand lens, 2=7350
- Birk, M., Blaugrund, A.E., Goldring, G., Skurnik, E.Z. and Sokolowski, J.S. Lifetimes of some rotational levels, 2=10011
- Birk, M., Goldring, G. and Hillman, P. Fast neutron spectroscopy with solid state detectors, 3=12474
- Birk, M., Goldring, G., Hillman, P. and Moreh, R. Charge symmetry in the mirror reactions $\text{Li}^d(d,p)\text{Li}^t$ and $\text{Li}^d(d,n)\text{Be}^t$, 3=10379
- Birk, M., Goldring, G. and Wolfson, Y. Lifetimes of 2^+ rotational states, 0=1369
- Birk, M., Kerns, Q.A. and Nunamaker, T.A. Electronic variable delay for tracing characteristic curves of coincidence
- Birk, M. See Goldring, G., 0=17176
- Birke, H. Device for the automatic refilling of liquid gases, 4=375
- Birkeland, S.P., Daub, G.H., Hayes, F.N. and Ott, D.G. Liquid scintillators. X. Some aryl substituted phenanthrenes and dihydrophenanthrenes, and related p-terphenyls and p-quaterphenyls. Determination of Kallmann parameters, 0=16710
- Birken, S.H. See Murray, R.L., 1=17211
- Birkenbeil, H.J. and Cahn, R.W. Induced magnetic anisotropy created by magnetic or stress annealing of ion-aluminum alloys, 1=6280
- Birkenbeil, H.J. and Cahn, R.W. Induced magnetic anisotropy created by magnetic and stress annealing or iron-aluminium alloys, 2=8620
- Birkgan, A.Yu. and Vol'mir, A.S. Investigation of the dynamic stability of plates using an electronic digital computer, 1=4292
- Birkgan, A.Yu. and Vol'mir, A.S. Investigation of the dynamic stability of plates using an electronic digital computer, 1=10457
- Birkhofer, A. and Heymann, F. Calculation of the temperature distribution in cylindrical reactor fuel elements, 4=19919

- Birkhoff, G. Some mathematical problems of nuclear reactor theory, 0=17640
- Birkhoff, G. and Bondár, L. Cathode-ray tube to improve digital linear measurement using an optical grating, for the evaluation of nuclear emulsions, 3=19328
- Birkhoff, R.D., Kohn, J.M., Eldridge, H.B. and Ritchie, R.H. The spherical condenser as a high transmission particle spectrometer. II. Disc source, 1=18947
- Birkhoff, R.D. See Arakawa, E.T., 3=20536
- Birkhoff, R.D. See Arakawa, E.T., 4=17407
- Birkhoff, R.D. See Arakawa, E.T., 4=22551
- Birkhoff, R.D. See Arakawa, E.T., 4=22552
- Birkhoff, R.D. See Carter, J.G., 4=8422
- Birkhoff, R.D. See Frank, A.L., 2=14752
- Birkhoff, R.D. See Hammer, D.C., 4=8444
- Birkhoff, R.D. See Ritchie, R.H., 1919
- Birkhoff, R.D. See Wilkie, W.H., 4=28435
- Birkholz, U. On the experimental determination of the thermoelectric efficiency of semiconductors, 1=14524
- Birkholz, U. and Haacke, G. The influence of halogen doping on the thermoelectric properties of the system $\text{Bi}_2\text{Te}_{3-x}\text{Se}_x$, 2=12550
- Birkholz, U. and Haacke, G. Thermoelectric properties of $\text{Bi}_2\text{Te}_{3-x}\text{Se}_x$ showing intrinsic conductivity, 4=1697
- Birks, A.M. See Bagley, E.B., 0=8605
- Birks, F.T. See Bovey, L., 1=385
- Birks, J.B. Transfer of excitation energy and radiationless transitions; reply to comments by Furst and Kallmann, 0=6809
- Birks, J.B. The scintillation process in organic systems, 1=2459
- Birks, J.B.[Ed.]. Proceedings of the Rutherford Jubilee International Conference on Nuclear Physics, 1=16610
- Birks, J.B.[Ed.]. Proceedings of the symposium on nuclear instruments Harwell, September 1961, 2=7779
- Birks, J.B. The fluorescence and scintillation decay times of crystalline anthracene, 2=8582
- Birks, J.B.[Ed.]. Proceedings of the Rutherford Jubilee International Conference on Nuclear Physics, 3=12362
- Birks, J.B.[Ed.]. Proceedings of the Symposium on Nuclear Instruments, Harwell, September, 1961, 3=12364
- Birks, J.B., Braga, C.L. and Lumb, M.D. A comparison of the scintillation and photo-fluorescence spectra of organic solutions, 4=14173
- Birks, J.B. and Cameron, A.J.W. Crystal fluorescence of carcinogens and related organic compounds, 0=8014
- Birks, J.B. and Christophorou, L.G. Excimer fluorescence of aromatic hydrocarbons in solution, 2=11376
- Birks, J.B. and Christophorou, L.G. Resonance interactions of fluorescent organic molecules in solution, 3=7215
- Birks, J.B. and Christophorou, L.G. "Excimer" fluorescence. I. Solution spectra of 1: 2-benzanthracene derivatives, 3=21383
- Birks, J.B. and Dyson, D.J. Phase and modulation fluorometer, 1=11834
- Birks, J.B. and Dyson, D.J. The relations between the fluorescence and absorption properties of organic molecules, 3=23892
- Birks, J.B., Geake, J.E. and Lumb, M.D. The emission spectra of organic liquid scintillators, 3=9464
- Birks, J.B. and Hart, J.[Eds.]. Progress in dielectrics. Volume 3, 1=5414
- Birks, J.B. and Hart, J.[Eds.]. Progress in dielectrics. Volume 3, 1=8294
- Birks, J.B. and Hart, J.[Eds.]. Progress in dielectrics, Volume 4, 2=17764
- Birks, J.B. and Hart, J.[Eds.]. Progress in dielectrics, Volume 4, 2=22153
- Birks, J.B. and Hart, J.[Eds.]. Progress in dielectrics. Vol. 5, 3=22970
- Birks, J.B., King, T.A. and Munro, I.H. The photoluminescence decay of organic crystals, 2=18869
- Birks, J.B. and Kuchela, K.N. Energy transfer in fluorescent plastic solutions, 1=6865
- Birks, J.B. and Kuchela, K.N. Energy transfer in organic systems. II. Solute-solute transfer in liquid solutions, 1=9401
- Birks, J.B., Kuchela, K.N. and Read, F.H. Energy transfer in organic systems. III. Spectral effects in liquid solutions, 1=9402
- Birks, J.B. and Munro, I.H. Spectral response of antimony-caesium photocathodes, 1=16378
- Birks, J.B. and Schulman, J.H.[Eds.]. Progress in dielectrics, Volume 2, 1=5413
- Birks, J.B. and Schulman, J.H.[Eds.]. Progress in dielectrics. Volume 2, 1=8293
- Birks, L.S. Technique for calculating X-ray intensities in the electron probe microanalyzer, 0=14155
- Birks, L.S. Calculation of X-ray intensities from electron probe specimens, 1=6219
- Birks, L.S. Electron probe intensity calculations for 20-50 keV electrons, 2=5379
- Birks, L.S. and Batt, A.P. Use of a multichannel analyzer for electron probe microanalysis, 3=23559
- Birks, L.S. and Grant, B.K. Diffractometer attachment for fast X-ray topography, 4=29083
- Birks, L.S. and Harris, D.L. Unusual matrix effects in fluorescent X-ray spectrometry, 3=3421
- Birks, L.S. and Seebold, R.E. Diffusion of Nb with Cr, Fe, Ni, Mo and stainless steel, 2=3943
- Birks, L.S., Seebold, R.E., Batt, A.P. and Grosso, J.S. Excitation of characteristic X-rays by protons, electrons, and primary X-rays, 4=28663
- Birks, L.S. See Achter, M.R., 0=1602
- Birks, L.S. See Seebold, R.E., 2=3954
- Birks, L.S. See Sweeney, W.E., Jr., 0=10336
- Birks, N. and Rickert, H. Thermodynamics of sulphur vapour measurements with an electrochemical Knudsen cell, 3=13587
- Birkwald, V. See Sommermeyer, K., 2=7222
- Birman, J. See Lempicki, A., 2=23591
- Birman, J.L. Simplified LCAO method for zincblende, wurtzite, and mixed crystal structures, 0=1541
- Birman, J.L. Polarization of fluorescence in CdS and ZnS single crystals, 0=11783
- Birman, J.L. Electronic structure of the centers in ZnS, 1=1182
- Birman, J.L. Configurational instability in solids: diamond and zinc blende, 2=10346
- Birman, J.L. Space group selection rules: Diamond and zinc blende, 2=19065
- Birman, J.L. Theory of infrared and Raman processes in crystals: selection rules in diamond and zincblende, 3=23061
- Birman, J.L. Jahn-Teller effect and valence-bond method, 4=6553
- Birman, J.L., Samelson, H. and Lempicki, A. Reflection and emission of polarized light in ZnS and CdS, 1=10090
- Birman, J.L. See Peters, T., 3=23123
- Birman, M.Sh. and Krein, M.G. Theory of wave operators and scattering operators, 2=21835
- Birman, S.E. A strain problem for an infinite strip, 3=5393
- Birmingham, B.W. See Chelton, D.B., 0=12540
- Birmingham, B.W. See Mann, D.B., 0=8915
- Birmingham, B.W. See Scott, L.E., 0=7039
- Birnbaum, G. and Maryott, A.A. Collision-induced microwave absorption in compressed gases. II. Molecular electric quadrupole moments, 2=13380
- Birnbaum, G. and Maryott, A.A. Nonresonant absorption and collision diameters in the foreign-gas broadening of symmetric top molecules, 4=25785
- Birnbaum, G. See Bellman, R., 3=9990
- Birnbaum, G. See Greiffinger, C., 0=11043
- Birnbaum, G. See Maryott, A.A., 0=5915
- Birnbaum, G. See Maryott, A.A., 0=10700
- Birnbaum, G. See Maryott, A.A., 2=13379
- Birnbaum, G. See Wagner, W.G., 1=10789
- Birnbaum, H.K. On the conditions governing the brittle fracture of iron single crystals, 0=18281
- Birnbaum, H.K. Deformation produced point defects. II, 2=18568
- Birnbaum, H.K. Formation of point defects during plastic deformation and their subsequent annealing behavior, 3=22711
- Birnbaum, H.K. and Tuler, F.R. Deformation-produced point defects, 1=14260
- Birnbaum, M., Popescu, V. and Taitel, T. A gamma-radiation detector operating a relay, 2=20300
- Birnbaum, M. and Stocker, T.L. Mode selection properties of segmented rod lasers, 4=5854
- Birnbaum, M. and Stocker, T.L. Multimode oscillation of the ruby laser near threshold, 4=8993
- Birnbaum, M., Stocker, T.L. and Welles, S.J. Effect of diffraction on the output beam of a ruby laser, 4=30098
- Birnboim, M.H. and Ferry, J.D. Method for measuring dynamic mechanical properties of viscoelastic liquids and gels; the gelation of polyvinyl chloride, 1=18349
- Biro, I. The calculation of the Grüneisen constant for metallic silver, 1=17429
- Biró, I. The Grüneisen constant of the metal Cu, 4=4000

- Biron, M. Visible spectrum of the CuS molecule, 4=28186
- Biro, A. and Blanc, D. Calculation of the effective anode length and the sensitive volume of Geiger-Muller counters with glass walls and external conducting layers, 2=11821
- Birshtein, T.M., Burshtein, L.L. and Ptitsyn, O.B. Internal rotation in polymer chains and their physical properties. XII. The dipole moments of copolymers, 0=9833
- Birshtein, T.M. and Ptitsyn, O.B. Internal rotation in polymer chains and their physical properties. XIII. The dimensions and dipole moments of molecules of isotactic vinyl polymers, 0=9834
- Birshtein, T.M. and Ptitsyn, O.B. Effect of the interaction of neighbouring charged groups on the properties of polyelectrolytes, 3=21345
- Birss, F.W. and Fraga, S. Self-consistent-field theory. I. General treatment, 3=17563
- Birss, F.W. and Fraga, S. Self-consistent-field theory. IV. L. C. A. O. approximation for excited states, 4=22274
- Birss, F.W. See Fraga, S., 4=22272
- Birss, F.W. See Fraga, S., 4=22273
- Birss, F.W. See Goodfriend, P.L., 4=22787
- Birss, I.R. Bubble counting on low energy particle tracks, 1=406
- Birss, R.R. The thermal expansion anomaly of gasolinium, 0=7855
- Birss, R.R. The saturation magnetostriction of polycrystals, 0=8056
- Birss, R.R. The saturation magnetostriction of ferromagnetics, 0=11875
- Birss, R.R. Property tensors in magnetic crystal classes, 2=10636
- Birss, R.R. Electromagnetic induction, 2=22300
- Birss, R.R. Macroscopic symmetry in space-time, 3=23366
- Birss, R.R. Magnetic symmetry and "forbidden" effects, 4=13106
- Birss, R.R. and Anderson, J.C. Linear magnetostriction in antiferromagnetics, 4=4389
- Birss, R.R. and Dey, S.K. The temperature dependence of the resistivity of ferromagnetic metals, 1=17601
- Birss, R.R. and Fry, J.P. An electronic fluxmeter, 0=7183
- Birss, R.R. and Horne, R.J. The thermal expansion of a silicon single crystal, 0=11587
- Birss, R.R. and Lee, E.W. Measurement of magnetostriction within the temperature range -196 to 400°C, 0=11876
- Birss, R.R. and Lee, E.W. The saturation magnetostriction constants of nickel within the temperature range -196° to 365°C, 1=1225
- Birss, R.R. and Lee, E.W. The magnetostriction of ferromagnetic crystals below saturation, 1=20105
- Birss, R.R. and Wallis, P.M. The temperature dependence of magnetostriction, 3=8678
- Birss, R.R. and Wallis, P.M. Magnetic domains in gadolinium, 3=18081
- Birss, R.R. and Wallis, P.M. A new torque meter or torque magnetometer, 4=3085
- Birss, R.R. See Lee, E.W., 1=3907
- Birss, R.R. See Lee, E.W., 1=17969
- Birstein, S.J. See Orr, C., 3=303
- Birtley, W.B. See Clarricoats, P.J.B., 4=739
- Birtley, W.B. See Rank, D.H., 0=5926
- Birtley, W.B. See Rank, D.H., 0=5928
- Birtley, W.B. See Rank, D.H., 0=14819
- Birtley, W.B. See Rank, D.H., 0=15726
- Birtley, W.B. See Rank, D.H., 0=15727
- Birtley, W.B. See Rank, D.H., 1=842
- Birtwistle, J.K. See Turner, J.A., 4=4662
- Birukov, I. Effect of gamma-irradiation on a nuclear quadrupole resonance signal intensity, 2=8694
- Birx, D.L. See Franklin, R.G., 0=12690
- Biryasov, N.M. See Van Gan-Chan, 3=19709
- Biryukov, E.I., Grigor'ev, O.I., Kuznetsov, B.S. and Shimanskaya, N.S. Decay of Dy^{159} , 2=16371
- Biryukov, E.I., Grigor'ev, O.I., Kuznetsov, B.S. and Shimanskaya, N.S. Disintegration of Nd^{140} and Pr^{140} , 2=18299
- Biryukov, E.I., Kuznetsov, B.S. and Shimanskaya, N.S. Mean energy of the Y^{90} β -spectrum, 2=405
- Biryukov, E.I., Kuznetsov, B.S. and Shimanskaya, N.S. Mean energy of the Y^{90} β -spectrum, 2=22762
- Biryukov, E.I., Martynov, Yu. S., Novikov, V. T. and Shimanskaya, N.S. Mean energy of the β -spectrum of Pr^{142} , 4=27996
- Biryukov, E.I. and Shimanskaya, N.S. The K/β^+ ratio for Pr^{140} , 4=6288
- Biryukov, I. Some special features of the selection of a nuclear quadrupole resonance signal, 2=23726
- Biryukov, I. and Berson, I. Second moment of the nuclear resonance line for spin 5/2 nuclei, 4=1908
- Birzvalks, Yu. Analytic determination of the potential distribution in the boundary zone of an electromagnetic pump with constant current, 0=9149
- Birzvalks, Yu. Current distribution in the region of the longitudinal axis of the channel of a constant-current pump, 0=15130
- Birzvalks, Yu. and Veze, A. Velocity distribution in electromagnetic pump channels, with a rectangular cross-section, 0=5389
- Bis, R.F. Temperature-pressure projection of lead telluride phase diagram, 3=13512
- Bisbee, J. and Moody, S. I. Lead-salt film detector parameters, 4=11400
- Biscacchi, G. and Furlan, G. Second Born approximation for electron and positron scattering by nuclei, 3=8082
- Bisch, C. Forced convection in a bend, 3=9426
- Bischof, W. Variations in concentration of carbon dioxide in the free atmosphere, 2=8956
- Bischoff, W. Deflection by mirror prisms, 4=16204
- Biscondi, M. and Goux, C. Proof of a coherent structure in the boundaries of highly disoriented bicrystals, 4=20641
- Biser, R.H. Undergraduate research project: photon diffraction, 3=3702
- Bisgård, K.M. Some data for a six-gap beta-ray spectrometer, 3=17250
- Bisgård, K.M., Cook, C.S., Hornshøj, P. and Knutsen, A.B. Levels in W^{184} populated in the decay of Re^{184} , 3=10271
- Bisgård, K.M., Dahl, P., Hornshøj, P. and Knutsen, A.B. The beta decay of Pa^{233} , 3=10318
- Bisgard, K.M., Nielsen, K. B. and Sodemann, J. The state at 1576 keV in Sm^{152} , 4=6235
- Bisgard, K.M., Olesen, K. and Ostergard, P. A study of radiations from W^{187} , 2=14021
- Bisgård, K.M. See Andersen, T., 1=19371
- Bishara, B. A. See Ramaswamy, M. K., 4=19694
- Bishara, L. See Lagnaux, J.P., 3=17489
- Bishara, L.B., Noor El Din Abd El Aziz and Haddara, S.R. Multiple scattering of μ -mesons in lead, 1=7258
- Bishara, L.B., Noor El-Din Abd Aziz and Haddara, S.R. Large angle scattering of μ -mesons, 1=7259
- Bishay, A.M. A bismuth lead borate glass dosimeter for high-level gamma measurements, 1=16623
- Bishay, A.M. Ultraviolet transmitting glass, 1=12982
- Bishop, A.E., Edmonds, G.D. and Sheffield, J. A 100 kV switch for rapid discharge of high energy capacitors, 3=349
- Bishop, A.E. See Cartwright, J., 0=4702
- Bishop, C.M. See BenDaniel, D.J., 3=9727
- Bishop, C.M. See Westendorp, W.F., 1=11920
- Bishop, C. T., Huizenga, J. R. and Hummel, J. P. Isomer ratios from (α, xn) reactions on silver, 4=25437
- Bishop, D.M. Improved one-centre wave functions for the hydrogen and methane molecules, 3=17577
- Bishop, D.M. Stability of the ammonium radical (NH_4) , 4=9785
- Bishop, D.M. Improvement of one-center wavefunctions over small regions, 4=12431
- Bishop, D.M. and Hoyland, J. R. Simple one-centre calculation of breathing force constants and equilibrium internuclear distances for first row diatomic hydrides, 4=9691
- Bishop, D.M., Hoyland, J.R. and Parr, R.G. Simple one-centre calculation of breathing force constants and equilibrium internuclear distances for NH , H_2O and HF , 3=22564
- Bishop, E. V. See Greenberg, J.S., 4=6267
- Bishop, E. V. See Greenberg, J.S., 4=22001
- Bishop, F.W. Method to permit accelerated warm-up of the oil diffusion pump of the electron microscope without over-heating, 0=218
- Bishop, F.W. Use of a platinum filament in the electron microscope, 0=3808
- Bishop, F.W. and Bogitch, S. Automatic shadowing device for electron microscopy, 1=12671
- Bishop, G. Inelastic scattering of electrons on O^{16} producing excitation of the giant resonance, 0=20474
- Bishop, G.B. See Lombard, R., 4=17121
- Bishop, G. H. See Addis, B. F., 4=23301
- Bishop, G.R. Application of the collective model to some nuclei in the d-shell, 0=4013

- Bishop, G.R. Monopole elastic and inelastic scattering of high energy electrons, 3=10331
- Bishop, G.R. Excitation of M1 transitions in Li^6 and N^{14} by inelastic electron scattering, 4=12134
- Bishop, G.R. and Bernheim, M. Electrodisintegration of Li^6 , 3=17455
- Bishop, G.R. and Bernheim, M. Direct electrodisintegration of Li^7 into triton plus alpha-particle, 4=12211
- Bishop, G.R., Bernheim, M. and Kossanyi-Demay, P. The excitation of levels of N^{14} by inelastic electron scattering, 4=22011
- Bishop, G.R., Bétourné, C. and Isabelle, D.B. Study of excited states of O^{16} between 11 and 14 MeV by inelastic scattering of electrons, 4=17028
- Bishop, G.R., Bétourné, C. and Isabelle, D.B. Excitation of levels of O^{16} by electron scattering, 4=19675
- Bishop, G.R. and Bottino, A. Electron scattering form factors in C^{12} , 4=25380
- Bishop, G.R., Demay, P. and Demichelis, F. Proton angular distributions in the reaction $\text{Mg}^{24}(\text{d}, \text{p})\text{Mg}^{25}$, 0=9637
- Bishop, G.R., Grossetete, B. and Risset, J.C. Study of electrodisintegration and photodisintegration of oxygen 16, 2=10087
- Bishop, G.R. and Isabelle, D.B. A new electric quadrupole transition in O^{16} , 2=20521
- Bishop, G.R. and Isabelle, D.B. Possible evidence for nuclear E1 overtones in O^{16} , 3=4627
- Bishop, G.R., Isabelle, D.B. and Bétourné, C. Sum rules for the scattering of high-energy electrons by O^{16} , 4=22121
- Bishop, G.R. and Kossanyi-Demay, P. The lifetime of the first excited state of Mg^{25} and the collective model, 0=17519
- Bishop, G.R. and Madaule, F. Study of the excited levels of Po^{214} (RaC), 0=9604
- Bishop, G.R. and Proca, G.A. Contribution to the study of the S^{32} nucleus, 2=380
- Bishop, G.R. See Amsel, G., 1=10966
- Bishop, G.R. See Amsel, G., 2=370
- Bishop, G.R. See Bernheim, M., 3=19766
- Bishop, G.R. See Bernheim, M., 3=22368
- Bishop, G.R. See Bernheim, M., 4=17118
- Bishop, G.R. See Bizot, J.C., 0=13225
- Bishop, G.R. See Bounin, P., 2=434
- Bishop, G.R. See Bounin, P., 4=17120
- Bishop, G.R. See Isabelle, D.B., 2=432
- Bishop, G.R. See Isabelle, D.B., 3=19836
- Bishop, G.R. See Kossanyi-Demay, P., 4=25424
- Bishop, G.R. See Lacoste, F., 1=17280
- Bishop, G.R. See Lacoste, F., 2=435
- Bishop, J., Davidson, D.F., Evans, P.B.F., Hamer, A.N., McKnight, J.A. and Robins, E.J. The high-precision isotopic analysis of uranium hexafluoride, 1=5986
- Bishop, J. See Agahigian, H., 4=9770
- Bishop, J. See Bentley, P.G., 0=3812
- Bishop, J.E.L. The shape of specimen for the measurement of the skin effect in ferromagnetic strips, 2=13650
- Bishop, J.E.L. and Lee, E.W. The behaviour of ferromagnetic sheets in alternating electric and magnetic fields. I. A domain theory of the skin-effect impedance and complex permeability, 4=7235
- Bishop, J.E.L., Lee, E.W. and Alberts, L. The skin-effect in iron sheets, 3=831
- Bishop, J.E.L. See Alberts, L., 4=7236
- Bishop, K.F. and Taylor, B.T. Growth of the tritium content of atmospheric molecular hydrogen, 0=5682
- Bishop, K.F., Taylor, B.T. and Eggleton, A.E.J. Isotopic composition of atmospheric hydrogen and methane, 2=2467
- Bishop, R.A. See Brocklehurst, J.E., 4=30808
- Bishop, R.E. See Dreyfus, M.G., 0=5140
- Bishop, R.E.D. and Gladwell, G.M.L. An investigation into the theory of resonance testing, 3=1745
- Bishop, R.L., Barber, R.C., McLatchie, W., MacDougall, J.D., Van Rookhuyzen, P. and Duckworth, H.E. Systematics governing double neutron separation energies between the 50 and 82 neutron shells, 4=3535
- Bishop, R.L. See Barber, R.C., 2=20760
- Bishop, R.L. See Barber, R.C., 3=714
- Bishop, R.L. See Barber, R.C., 3=12627
- Bishop, R.L. See Barber, R.C., 3=22336
- Bishop, R.L. See Barber, R.C., 4=12413
- Bishop, R.L. See McLatchie, W., 4=19638
- Bishop, R.L. See Magarvey, R.H., 1=4319
- Bishop, R.L. See Magarvey, R.H., 1=6987
- Bishop, R.L. See Magarvey, R.H., 1=10482
- Bishop, R.L. See Magarvey, R.H., 1=18374
- Bishop, W.N. See Wolke, R.L., 3=10180
- Bishui, P.K. See Sirkar, S.C., 4=30691
- Bisi, A., Bisi, F., Fasana, A. and Zappa, L. Influence of a static electric field on positronium formation in polymers, 1=8901
- Bisi, A., Cattoni, A., Fasana, A. and Zappa, L. Dependence of the circular polarization of external bremsstrahlung on electric and magnetic fields, 2=18097
- Bisi, A., Faini, G., Gatti, E. and Zappa, L. Positron lifetime in metals, 0=17908
- Bisi, A., Fasana, A., Gatti, E. and Zappa, L. Positron annihilation in insulators, 1=19918
- Bisi, A., Fasana, A. and Zappa, L. Circular polarization of external bremsstrahlung from β -rays in magnetized targets, 0=7325
- Bisi, A., Fasana, A. and Zappa, L. Circular polarization of external bremsstrahlung from beta emitters, 0=15543
- Bisi, A., Fasana, A. and Zappa, L. Enhancement of the long-lived positronium annihilation rate by a static electric field, 1=19754
- Bisi, A., Fasana, A. and Zappa, L. Dependence of the circular polarization of external bremsstrahlung on atomic number, 3=22101
- Bisi, A., Fiorentini, A., Gatti, E. and Zappa, L. Magnetic quenching of positronium in solids and positron helicity, 3=5992
- Bisi, A., Fiorentini, A. and Zappa, L. Long lifetime of positrons in ionic crystals, 3=20148
- Bisi, A., Fiorentini, A. and Zappa, L. Positron annihilation in alkali halides, 4=15465
- Bisi, A. and Zappa, L. Statistical spread in pulse size of the scintillation spectrometer, 0=17144
- Bisi, F., Cattoni, A., De Michelis, B. and Piechele, P. A 60° sector type electromagnetic isotope separator, 2=3719
- Bisi, F. and De Michelis, B. Radio-frequency discharges in magnetic fields, 0=19648
- Bisi, F. See Bisi, A., 1=8901
- Bisi, V., Borreani, G., Cester, R., Debenetti, A., Ferrero, M.I., Garelli, C.M., Marzari-Chiesa, A., Quassiat, B., Rinaudo, G., Vigone, M. and Werbrouck, A.E. Study of the $\text{K}_{\mu 3}$ decay spectrum, 4=21928
- Bisi, V., Borreani, G., Cester, R., Olivetti, M., Quassiat, B., Rinaudo, G. and Werbrouck, A.E. Λ^0 production by high energy sigmas in propane, 4=25195
- Bisi, V., Borreani, G., Quassiat, B., Rinaudo, G. and Werbrouck, A. Λ^0 production by K^- -mesons in propane from 300 to 1150 MeV/c, 4=15105
- Bisi, V. See Argan, P.E., 1=13242
- Bisi, V. See Argan, P.E., 3=4425
- Bisi, V. See Marzari-Chiesa, A., 3=19695
- Bisiacchi, G., Furlan, G., Nocentini, A. and Weber, T. Renormalization group and the photon propagator, 4=21733
- Biskov, A.S. See Mitrofanov, K.P., 4=15658
- Bismuth, W. Study of the rheological properties of viscoelastic bodies by a method of undamped vibrations, 4=265
- Bismuth, W. See Bonsignour, D., 4=5273
- Bisseliches, J.C. See Peters, D.T., 4=23141
- Bissell, C.L. See King, L.A., 4=24233
- Bissell, L. See Duke, F.R., 4=24232
- Bisselle, C.A., Karam, R.A. and Wetherington, J.A., Jr. An experimental study of γ -ray attenuation in polyethylene—lead shields, 4=30206
- Bisshopp, F.E. Asymmetric inviscid modes of instability in Couette flow, 3=9413
- Bissinger, J. See Baczyński, A., 4=28639
- Bisson, A. Electron microscope study of structure defects in irradiated sintered beryllium oxide, 4=12722
- Bisson, A. and Frisby, H. Electron microscope observations of porosity carbon inclusions and dislocations in hot pressed beryllium oxide, 2=4517
- Bisson, G. A study of the luminous emission of various solids irradiated by an electron beam, 4=26245
- Bisson, W.J. and Dennen, W.H. Newton and spectral lines, 2=9390
- Bist, H.D. and Pant, D.D. Infrared spectra of uranyl salts, 4=22383
- Bist, H.D. See Pant, D.D., 0=3539
- Bist, H.D. See Pant, D.D., 0=18138
- Bist, H.D. See Pant, D.D., 4=27183
- Biswas, A.B. See Aggarwal, P.S., 4=29033
- Biswas, A.B. See Irani, K.S., 1=20556
- Biswas, A.B. See Irani, K.S., 2=14923
- Biswas, A.B. See Jose, P., 4=7654
- Biswas, A.B. See Rao, R.V.G., 3=8365

- Biswas, A. B. See Rao, R. V. G., 4=21350
- Biswas, A. B. See Skribljak, M., 0=3237
- Biswas, A. B. See Srikanta, S., 2=10898
- Biswas, B. N. See Chakrabarti, N. B., 4=27445
- Biswas, K. R., Ghose, B. K., Khemani, L. T. and Ramana Murty, B. V. Rain intensity measurements by radar technique, 3=13669
- Biswas, M. M. See Mayer-Böricke, C., 3=3558
- Biswas, M. M. See Sen Gupta, R. L., 1=5745
- Biswas, N. N. Interference phenomena in nuclear scattering of neutral K mesons, 0=9435
- Biswas, N. N. Y^* and two-nucleon K^- -captures, 2=5740
- Biswas, N. N. Possible existence of a pion-pion resonance in the s-wave $I = 2$ isospin state, 2=13874
- Biswas, N. N. π^+ -decay of hypernucleus and pionic Σ -decay amplitudes, 3=22275
- Biswas, N. N., Derado, I., Gottstein, K., Kenney, V. P., Lüers, D., Lütjens, G. and Schmitz, N. Evidence for a $T = 2 \pi \pi$ resonance at 620 MeV, 3=4434
- Biswas, N. N., Derado, I., Gottstein, K., Kenney, V. P., Lüers, D., Lütjens, G. and Schmitz, N. Particle identification from track density for 4 GeV/c πp reactions in the 80 cm hydrogen bubble chamber, 3=17133
- Biswas, N. N., Derado, I., Schmitz, N. and Shephard, W. D. πp interactions at 10 GeV/c with four charged secondaries, 4=19557
- Biswas, N. N. See Bartsch, J., 4=21920
- Biswas, N. N. See Bartsch, J., 4=30264
- Biswas, N. N. See Bondar, L., 3=19678
- Biswas, N. N. See Bondar, L., 4=944
- Biswas, S. Forbush decrease of the flux of heavy primary nuclei of cosmic rays on May 12 and July 12, 1959, 1=16928
- Biswas, S. The flux of heavy nuclei in the July 10, 1959, flare, 2=22670
- Biswas, S. and Fichtel, C. E. Nuclear composition and rigidity spectra of solar cosmic rays, 4=25228
- Biswas, N. N. See Aderholz, M., 4=21914
- Biswas, N. N. See Aderholz, M., 4=21919
- Biswas, N. N. See Aderholz, M., 4=25151
- Biswas, N. N. See Ahmadzadeh, A., 1=7177
- Biswas, S., Fichtel, C. E. and Guss, D. E. Study of the hydrogen helium and heavy nuclei in the November 12, 1960 solar cosmic-ray event, 3=4482
- Biswas, S., Fichtel, C. E., Guss, D. E. and Waddington, C. J. Hydrogen, helium, and heavy nuclei from the solar event on November 15, 1960, 3=22227
- Biswas, S. and Freier, P. S. The high-energy cosmic-ray flare of May 4, 1960. II. Emulsion measurements, 1=16932
- Biswas, S., Freier, P. S. and Stein, W. Solar protons and α -particles from the September 3, 1960, flares, 2=7913
- Biswas, S., Lavakare, P. J., Neelakantan, K. A. and Shukla, P. G. Evidence for a Forbush type of decrease in the intensity of heavy nuclei of the primary cosmic radiation, 0=9489
- Biswas, S., Lavakare, P. J., Neelakantan, K. A. and Shukla, P. G. The energy spectrum of nuclei with charge $Z \geq 6$ in the primary cosmic radiation, 0=15468
- Biswas, S., Lavakare, P. J., Neelakantan, K. A. and Shukla, P. G. The energy spectrum of heavy nuclei in the primary cosmic radiation, 1=3318
- Biswas, S. G. X-ray analysis of frozen pyridine and its solution at -180°C , 0=6370
- Biswas, S. G. Space group of 1, 3, 5-trichlorobenzene, 0=18370
- Biswas, S. G. Space groups of crystals of α -, β - and γ -picoline at -180°C , 1=15110
- Biswas, S. G. Space groups of crystals of ortho, meta and paraxylene at -180°C , 1=15113
- Biswas, S. N. General solution of the Bethe-Salpeter equation in instantaneous interaction approximation, 0=12863
- Biswas, S. N. Magnetic moments of baryons in a symmetry higher than charge-independence, 2=13752
- Biswas, S. N. K^* and the K_L^0 decay mode, 2=16239
- Biswas, S. N. Anomalous magnetic moments of the baryons in global symmetry model, 2=18089
- Biswas, S. N. Possible quantum numbers of KK^- resonance, 3=15032
- Biswas, S. N. and Bose, S. K. Unitary symmetry and the sign of the $K_L^0-K_L^0$ mass difference in pole approximation, 4=16965
- Biswas, S. N. and Bose, S. K. Low-energy $\bar{K}N$ interaction and Y_0^* Regge pole, 4=27899
- Biswas, S. N. and Gupta, V. Effective range for K^+ -nucleon interaction from dispersion relations, 1=539
- Biswas, S. N. and Gupta, V. Pion-hyperon resonances in pion production in hyperon-nucleon collisions, 1=9761
- Biswas, S. N. and Gupta, V. Effect of the $(\Lambda-\pi)$ resonance in inelastic nucleon-hyperon collisions, 2=1725
- Biswas, S. N. and Gupta, V. $(\pi-\pi)$ and $(K-\pi)$ resonances, 2=13862
- Biswas, S. N. and Gupta, V. $(\pi\pi)$ and $(K\pi)$ resonances, 3=15015
- Biswas, S. N. and Pandit, L. K. K^--K^0 relative parity determination from nucleon-antinucleon annihilation, 0=5603
- Biswas, S. N. See Ammiraju, P., 0=20505
- Biswas, S. N. See Banerjee, B., 2=16140
- Biswas, S. N. See Bose, S. K., 4=9251
- Biswas, S. N. See Damle, P. S., 4=19645
- Biswas, S. N. See Green, H. S., 0=9266
- Biswas, S. N. See Gupta, V., 0=17383
- Biswas, S. N. See Rajasekaran, G., 1=8570
- Biswas, S. N. See Saxena, S. S., 0=20233
- Bither, T. A., Walter, P. H. L., Cloud, W. H., Swoboda, T. J. and Bierstedt, P. E. New modified Mn_2Sb compositions showing exchange inversion, 2=12735
- Bither, T. A. See Cloud, W. H., 1=6374
- Bither, T. A. See Jarrett, H. S., 3=1026
- Bither, T. A. See Swoboda, T. J., 0=11916
- Bitler, W. R. See Pound, G. M., 1=11220
- Bitó, J. On the pressure-dependence of some parameters of a.c. discharges, 4=8634
- Bitó, J. See Bitó, J.
- Bitó, J. See Lakatos, G., 1=18798
- Bitó, J. See Lakatos, G., 1=18799
- Bitó, J. See Lakatos, G., 4=8802
- Bitó, J. See Lakatos, G., 4=24602
- Bitó, J. See Sziget, C., 0=7083
- Bitoun, J. See Lebeau, A., 3=7003
- Bitovskii, N. A., Mashovets, T. V. and Ryvkin, S. M., The determination of the number of acceptor levels of defects produced in germanium by the action of γ -rays, 0=4339
- Bittel, H. Fluctuation phenomena in electrical conduction in solid bodies, 1=5417
- Bittel, H. Brownian movement of a galvanometer and electronic noise, 2=7549
- Bittel, H. Research on noise in current-loaded conductors, 4=438
- Bittel, H. and Lütgemeier, H. On spontaneous time variations of the magnetization of a ferromagnet, 4=20538
- Bittel, H. See Göddcke, H., 2=14398
- Bitter, F. New developments in high-magnetic field research, 1=18976
- Bitter, F. Magnetic resonance in radiating or absorbing atoms, 2=6081
- Bitter, F. Water cooled magnets, 2=9681
- Bitter, F. The national magnet laboratory at Massachusetts Institute of Technology, 4=649
- Bitterli, C. V. See Mahan, A. I., 4=18422
- Bittini, M. Note on the efficiency of triangular light pulses, 1=21126
- Bittini, M. The visual threshold, 2=24212
- Bittini, M. Subjective sharpness and contrast threshold, 3=1562
- Bittini, M. A comparison between foveal and peripheral flicker sensitivity for colored lights, at photopic levels, 3=11640
- Bittini, M., Ercoles, A. M., Fiorentini, A., Ronchi, L. and Toraldo di Francia, G. Enhanced contrast of an indefinitely contoured object by movement or intermittent illumination, 0=8449
- Bittini, M. and Ronchi, L. Green and blue electroretinograms at low luminances, 0=8443
- Bittini, M. See Fiorentini, A., 3=9304
- Bittini, M. See Ronchi, L., 3=16463
- Bitzer, D. See Raether, M., 4=24518
- Bivens, L. W. Color induction and hue discrimination, 1=21142
- Bixler, H. J., Michaels, A. S. and Parker, R. B. Use of McLeod gauges at room temperature for gases with high critical temperatures, 0=19227
- Bizard, G., Duchon, J., Milliard, J., Patry, J. P., Scherer, M. and Seguinot, J. Muon scattering in lead for cosmic rays of momenta between 200 and 1500 MeV/c, 4=30344
- Bizard, G. and Seguinot, J. Solution of statistical problems of Poisson accumulation by electronic analogy, 1=15396
- Bizard, J. See Bareyre, P., 4=15096
- Bizette, H. and Terrier, C. Principle magnetizations of chromic chloride and bromide, 3=3140
- Bizette, H., Terrier, C. and Adam, A. Principal magnetizations of chromic chloride, 1=10174
- Bizette, H., Terrier, C. and Tsai, B. Principal magnetic susceptibilities of cobalt chloride, bromide and iodide, 0=13845
- Bizina, G. E., Beda, A. G., Burgov, N. A. and Davydov, A. V. Resonance excitation of an isomer state in Ag^{107} with a mean lifetime of 63 sec, 4=6228

- Bizina, G.E. See Burgov, N.A., 0=13215
- Bizot, J. C., Buon, J. M., Lefrançois, J., Perez y Jorba, J. and Roy, P. Measurement of the polarization of recoil protons from $e-p$ scattering at 950 MeV, 4=9171
- Bizot, J.C., Muller, F. and Bishop, G.R. Reaction $Mg^{25}(p, \gamma) Al^{26}$, 0=13225
- Bizouard, M. Electrical conductivity and cryometry of solutions of fused salts, 1=15899
- Bizzarri, R., Di Capua, E., Dore, U., Gialanella, G.C., Guidoni, P. and Laakso, I. A measurement of μ^- total capture rate in He^4 , 3=6026
- Bizzarri, R., Di Capua, E., Dore, U., Gialanella, G., Guidoni, P. and Laakso, I. Experimental determination of the total capture rate of negative muons in He^4 , 4=30244
- Bizzarri, U. See Bernardini, C., 2=7690
- Bizzarri, U. See Bernardini, C., 4=16583
- Bizzeti, P.G., Bizzeti-Sona, A.M. and Bocciolini, M. The absolute cross-sections for the $Na^{23}(n, \alpha)$ and $^{127}(n, \alpha)$ reaction at 14 MeV, 2=18336
- Bizzeti, P.G., Bizzeti-Sona, A.M., Bocciolini, M., di Caporiacco, G. and Mandb, M. Cross-section fluctuations in the $^{28}Si(\gamma, p)$ reactions at 17.6 MeV, 3=8073
- Bizzeti, P.G., Cartacci, A.M., Dagliana, M.G., Della Corte, M., Tocci, L., Bübel, G., Tomasini, G. and Marzari-Chiesa, A. On the interactions of 25 GeV protons in nuclear emulsions. I, 3=7847
- Bizzeti, P.G. See Jones, B.D., 1=8500
- Bizzeti-Sona, A.M. See Bizzeti, P.G., 2=18336
- Bizzeti-Sona, A.M. See Bizzeti, P.G., 3=8073
- Bizzetti, P.G. and Della Corte, M. Photometric analysis of tracks in nuclear emulsions from the point of view of discrimination, 0=199
- Bizzetti, P.G. and Della Corte, M. The thin-down of the tracks of heavy nuclei in nuclear emulsions, 0=12777
- Björneard, B. $CaSO_4(Mn)$ thermoluminescence dosimeters for small doses of gamma radiation, 3=5978
- Björngard, B. and Hettinger, G. Spectra of scattered radiation behind slabs of water irradiated by X-rays, 1=19171
- Bjelland, B., Holt, O., Landmark, B. and Lied, F. The D region of the ionosphere, 0=4796
- Bjelland, B. See Barrington, R.E., 3=9084
- Bjelland, B. See Jespersen, M., 4=26856
- Bjerhammar, A. Electro-optical distance measuring, 0=8585
- Bjerhammar, A. An electro-optical device for measuring distance, 0=14570
- Bjerhammar, A. A general method for an explicit determination of the shape of the earth from gravimetric data, 0=16556
- Bjerhammar, A. On the gravity field of the earth, 2=15173
- Bjerhammar, A. A note on gravity reduction to a spherical surface, 4=13763
- Bjerke, A.E., Kerns, Q.A. and Nunamaker, T.A. Time resolution of a scintillation counter system, 2=17993
- Bjerke, A.E., Kerns, Q.A. and Nunamaker, T.A. Pulse shaping and standardizing of photomultiplier signals for optimum timing information using tunnel diodes, 2=19863
- Bjerks, C. and Van Bladel, J. Excitation of a circular cylindrical cavity by a circular waveguide, 4=21231
- Bjerregaard, J. H., Dahl, P. F., Hansen, O. and Sidenius, G. Energy levels from (p, p') , (d, p) and (d, α) reactions on the stable isotopes between Sc^{45} and Ni^{58} , 4=15155
- Bjerregård, J., Elbek, B., Hansen, O. and Salling, P. Inelastic scattering from some rare-earth isotopes of low abundance, 3=17458
- Björgum, O. Numerical determination of higher eigenvalues of Orr-Sommerfeld's equation for channel flow with an example of a remarkable effect due to round-off errors, 3=102
- Bjørken, B. J. and Glashow, S. L. Elementary particles and $SU(4)$, 4=30160
- Bjorken, J.D. Construction of coupled scattering and production amplitudes satisfying analyticity and unitarity, 0=12873
- Bjorken, J. D. A dynamical origin for the electromagnetic field, 4=5921
- Bjorken, J. D. Radiative corrections to inelastic electron scattering, 4=6022
- Bjorken, J. D. Regge behavior of forward elastic scattering amplitudes, 4=11939
- Bjorken, J. D. and Goldberg, A. A test of approximation methods in potential scattering, 0=15283
- Bjorken, J. D. and Nauenberg, M. Symmetry of the ND^{-1} solutions for coupled scattering amplitudes, 1=3137
- Bjorken, J. D. and Tai Tsun Wu. Perturbation theory of scattering amplitudes at high energies, 3=17209
- Bjorkholm, J. See Siegman, A. E., 4=24899
- Bjorkland, S., Koller, E. L. and Taylor, S. Analysis of the experimental τ^+ decay spectrum as a test of the $\Delta T = \frac{1}{2}$ rule, 0=11219
- Björklund, A. Analyses of soprano voices, 1=7954
- Bjorklund, F.E., Lippmann, B.A. and Moravcsik, M.J. One-pion exchange and the optical model, 2=5896
- Bjorklund, F.E., Lippmann, B.A. and Moravcsik, M.J. Corri-Bjorklund, R.F. See Pao, Yoh-Han, 0=20700
- Bjorklund, W.R. See Weitzel, D.H., 1=5312
- Bjorkstam, J. L., Jones, E. D., Silsbee, H. B. and Uehling, E. A. Absence of a linewidth transition for the protons in KH_2PO_4 -type crystals, 2=18971
- Bjorkstam, J. L. See Billeter, T. R., 4=24828
- Bjorkstam, J. L. See Himbarger, R. L., 4=4269
- Bjorkstam, J. L. See Mayer, R. J., 2=16780
- Bjorling, C. G. See Riesz, R. P., 1=12672
- Björnholm, S., Boehm, F., Knutsen, A. B. and Nielsen, O. B. Levels in U^{232} excited in the β -decay of Pa^{232} , 3=12604
- Björnholm, S., Dam, P., Nordby, H. and Poulsen, N. O. R. A method for the preparation of cyclotron targets of rare-earth oxides by electro-phoresis, 0=19843
- Björnholm, S., Johansen, E. R. and Nordby, H. Microscale chemical techniques for preparing α - and β -spectroscopy sources, 4=25331
- Bjornholm, S. and Lederer, C. M. Thin cation-exchange foils, 2=19148
- Björnholm, S., Lederer, M., Asaro, F. and Perlman, I. Alpha decay to vibrational states, 3=15129
- Bjornholm, S. and Nielsen, O. B. A study of the β -decay of $Pa^{234}(UZ)$, 2=7944
- Björnholm, S. and Nielsen, O. B. The decay of the 1.14 min isomer of $Pa^{234}(UX_2)$, 3=15158
- Björnholm, S., Nielson, O. B. and Sheline, R. K. Levels in Zr^{90} ; experimental, 0=1363
- Björnholm, S. See Arbmán, E., 1=4832
- Björnholm, S. See Asaro, F., 4=9462
- Bjornholm, S. See Bell, R. E., 2=18256
- Björnholm, S. See Hansen, P. G., 3=22313
- Björnholm, S. See Toth, K. S., 0=1379
- Bkouche, R. On the asymmetric metric, 0=2095
- Blaauw, A. Optical determinations of the galactic pole, 0=18827
- Blaauw, A. Concluding lecture [Part IV—the large-scale structure of galaxies], 1=18187
- Blaauw, A. Interstellar gas and young stars near the sun, 4=10805
- Blaauw, A. (on behalf of Habing, H. J. and van Woerden, H.). Evidence for large deviations from the equatorial plane in the neutral hydrogen of the outer parts of the galaxy, 4=10865
- Blaauw, A. (mostly on behalf of Hach, M. and van Woerden, H.). Large scale structure in the region around η and χ Persei, 4=10868
- Blaauw, A. (mostly on behalf of Takakubo, K. and van Woerden, H.). Radio data on gas clouds at intermediate latitudes, 4=10921
- Blaauw, A., Gum, C. S., Pawsey, J. L. and Westerhout, G. The new I.A.U. system of galactic coordinates (1958 revision), 0=18582
- Blachier, B., N'Guyen Van Tran and Leiba, E. Interaction of two waves in the ionosphere. Application to long-distance radio communications, 4=19244
- Blachnik, R. See Schneider, A., 3=22661
- Black, J. and Banks, E. The preparation and properties of $AgTiTe$: A new semiconductor, 3=874
- Black, J., Lockwood, H. and Mayburg, S. Recombination radiation in GaAs, 3=10853
- Black, J. and Lublin, P. Electrical measurements and X-ray lattice parameter measurements of GaAs doped with Se, Te, Zn, and Cd and the stress effects of these elements as diffusants in GaAs, 4=26045
- Black, J. See Mayburg, S., 3=13091
- Black, J. F. See Ku San-mei, 4=1772
- Black, J. L., Jones, G. A. and Treacy, P. B. A study of the $Be^9(He^3, \gamma)C^{12}$ reaction, 4=22185
- Black, J. L. and Tanner, N. W. Isobaric analogue states of Zr^{90} from $Yi^{89}(p, \gamma)Zr^{90}$, 4=30313
- Black, J. W. and Hixson, W. C. Number of axis crossings and the intelligibility of speech, 0=808
- Black, P. J. and Duerdodt, I. P. A direct observation of diffraction in nuclear resonant scattering, 4=22464
- Black, P. J., Evans, D. E. and O'Connor, D. A. Interference between Rayleigh and nuclear resonant scattering in crystals, 2=23038
- Black, P. J., Evans, D. E. and O'Connor, D. A. Interference between Rayleigh and nuclear resonance scattering, 4=17113
- Black, P. J. and Forsyth, J. B. Use of scintillation counters in single crystal X-ray diffractometry, 0=4612

- Black, P. J., Longworth, G. and O'Connor, D. A. Interference between Rayleigh and nuclear resonant scattering in single crystals, 4=20165
- Black, P. J., Longworth, G. and O'Connor, D. A. A measurement of the Debye-Waller factor for elastic nuclear resonant scattering of Fe^{57} gamma rays, 4=20167
- Black, P. J. and Moon, P. B. Resonant scattering of the 14 keV iron-57 γ -ray, and its interference with Rayleigh scattering, 1=601
- Black, P. J. See O'Connor, D. A., 4=20166
- Black, R. M. and Charlesby, A. Irradiated polymers, 1=7603
- Black, R. M. and Lyons, B. J. Radiation-induced changes in the structure of polypropylene, 0=10359
- Black, R. M., Rhodes, R. G. and Spicer, C. H. A flowmeter for measuring very low rates of helium gas flow, 4=18224
- Black, W., de Jongh, J. G. V., Overbeek, J. T. G. and Sparnaay, M. J. S. Measurements of retarded van der Waal's forces, 1=20397
- Black, W. C., Jr, Roach, W. R. and Wheatley, J. C. Speer carbon resistors as thermometers for use below 1°K, 4=18503
- Black, W. W. and Mitchell, A. C. G. Directional correlation of the gamma rays of La^{140} and Ce^{140} , 4=3575
- Blackadar, A. K. The vertical distribution of wind and turbulent exchange in a neutral atmosphere, 3=3459
- Blackband, W. T. Radio communication with a lunar probe, 0=10544
- Blackband, W. T. The determination of ionospheric electron content by observation of Faraday fading, 0=16426
- Blackband, W. T. Possible propagation of very-low-frequency signals between Rugby and Rome through the ionosphere, 2=17968
- Blackburn, D. A. and Brown, A. F. Diffusion and grain-boundary slide in copper bicrystals, 3=6533
- Blackburn, D. A. See Brown, A. F., 3=25296
- Blackburn, D. H. Interferometric instrument for the rapid measurement of small diameters, 1=4295
- Blackburn, D. H. See Bestul, A. B., 0=19509
- Blackburn, G. F. and Caldwell, F. R. Reference tables for thermocouples of iridium-rhodium alloys versus iridium, 4=18278
- Blackburn, H. and Campbell, D. S. The development of stress and surface temperature during deposition of lithium fluoride films, 3=16142
- Blackburn, H. See Bicknell, R. W., 4=26562
- Blackburn, H. See Campbell, D. S., 3=1375
- Blackburn, J. H. and Seely, L. B. Source of light recorded in photographs of shocked granular pressings, 2=17501
- Blackburn, J. H. and Seely, L. B. Light emitted from shocked granular sodium chloride in a vacuum, 4=22923
- Blackburn, R. Some applications of radioactive isotopes in metallurgy, 2=17029
- Blackburn, W. S. Effect of irradiation growth on the creep of uranium under a uniaxial load, 1=11514
- Blackburn, W. S. α - β thermal cycling of uranium, 2=802
- Blackburn, W. S. Creep buckling of stacked fuel elements, 2=4331
- Blackburn, W. S. The effect of internal stresses due to irradiation growth and thermal cycling on the creep of uranium, in the cases of both elastic and plastic behaviour, 2=4332
- Blackburn, W. S. The irradiation swelling of uranium under mechanical restraint, 3=12712
- Blackburn, W. S. Creep of uranium at 550°C under a tensile stress of 350 psi, 3=25633
- Blackett, P. M. S. Comparison of ancient climates with the ancient latitudes deduced from rock magnetic measurements, 1=21111
- Blackett, P. M. S. On distinguishing self-reversed from field-reversed rocks, 3=3522
- Blackett, P. M. S., Clegg, J. A. and Stubbs, P. H. S. An analysis of rock magnetic data, 1=1578
- Blackford, B. L. See Magarvey, R. H., 1=6987
- Blackford, B. L. See Magarvey, R. H., 2=15877
- Blackford, B. L. See Magarvey, R. H., 2=17422
- Blackham, E. D. See Fletcher, H., 2=13413
- Blackham, E. D. See Fletcher, H., 3=9563
- Blackie, R. F., Engler, A. and Mulvey, J. H. Estimate of the neutral π -meson lifetime, 1=520
- Blackler, J. M. Models for main sequence stars, 0=18849
- Blackman, L. C., Saunders, G. and Ubbelohde, A. R. Defect structure and properties of pyrolytic carbons, 1=17525
- Blackman, L. C. F., Dundas, P. H., Moore, A. W. and Ubbelohde, A. R. An induction furnace to attain temperatures above 3000°C in controlled atmospheres, 1=16163
- Blackman, L. C. F., Dundas, P. H. and Ubbelohde, A. R. The anisotropic thermoelectric power of graphite, 0=7970
- Blackman, L. C. F., Mathews, J. F. and Ubbelohde, A. R. Electrical properties of crystal compounds of graphite. I. Conductance of graphite/bromine, 1=1014
- Blackman, L. C. F., Mathews, J. F. and Ubbelohde, A. R. Electrical properties of crystal compounds of graphite. II. Acid salts of graphite, 1=1015
- Blackman, L. C. F., Mathews, J. F. and Ubbelohde, A. R. Electrical properties of crystal compounds of graphite. III. The role of electron donors, 1=1016
- Blackman, L. C. F., Saunders, G. and Ubbelohde, A. R. Radiation damage in well oriented pyrolytic graphites, 2=614
- Blackman, L. C. F. and Ubbelohde, A. R. Stress recrystallization of graphite, 2=4392
- Blackman, M. On the lattice theory of expansion, 0=4271
- Blackman, M. On the relation between the finite strain approach and the lattice theory of thermal expansion, 4=28375
- Blackman, M., Curzon, A. E. and Pawlowicz, A. T. Use of an electron beam for detecting superconducting domains of lead in its intermediate state, 4=5518
- Blackman, M. and Gustard, B. Domains in haematite, 2=8633
- Blackman, M., Haigh, G. and Lisgarten, N. D. Investigation on the domain structure in hematite by means of the electron beam method, 0=8051
- Blackman, M., Haigh, G. and Lisgarten, N. D. On the magnetic transformation and the domain structure of magnetite, 3=9138
- Blackman, M. and Kaye, G. An electron diffraction study of the effects of heat treatment on α - Fe_2O_3 (haematite) single crystals, 0=8209
- Blackman, M. and Lisgarten, N. D. The use of magnetic models in the interpretation of domain effects on an electron beam, 0=287
- Blackman, M. and Kaye, G. The Curie point of hematite crystals, 3=1098
- Blackman, M. and Khan, I. H. The polymorphism of thallium and other halides at low temperatures, 1=6516
- Blackmore, W. R. A thermistor hypsometer, 0=914
- Blackmore, W. R. Ebulliometry and the determination of the molecular weights of polymers. III. Considerations on thermistor wheatstone bridges, 0=1058
- Blackmore, W. R. Design problems in ebulliometry of polymers, 0=6995
- Blackmore, W. R. The source of noise in ebulliometry, 0=10811
- Blackshaw, G. L. and Waltner, A. W. Measurement of the thermal neutron diffusion parameters in diphenyl and monoisopropyl-biphenyl (MIPB) by pulsed neutron methods, 4=3758
- Blackstock, A. W., Kratz, H. R. and Feeney, M. B. Piezoelectric gauges for measuring rapidly varying pressures up to seven kilobars, 4=8014
- Blackstock, D. T. Lagrangian one-dimensional equations of hydrodynamics for a viscous thermally conducting fluid, 1=12845
- Blackstock, D. T. Propagation of plane sound waves of finite amplitude in nondissipative fluids, 2=2827
- Blackstock, D. T. Finite-amplitude motion of a piston in a shallow fluid-filled cavity, 2=13398
- Blackstock, D. T. On plane, spherical, and cylindrical sound waves of finite amplitude in lossless fluids, 4=8332
- Blackstock, D. T. Dissipative propagation of finite-amplitude waves in a tube, 4=8335
- Blackstock, D. T. Thermoviscous attenuation of plane, periodic, finite-amplitude sound waves, 4=14290
- Blackwell, D. E. The zodiacal light, 2=15328
- Blackwell, D. E. Future of optical astronomy, 3=5230
- Blackwell, D. E., Dewhirst, D. W. and Dollfus, A. The observation of solar granulation from a manned balloon. I. Observational data and measurement of contrast, 0=16540
- Blackwell, D. E., Dewhirst, D. W., Ney, E. P. and Kellogg, P. J. Kellogg and Ney's model of the solar corona, 0=8504
- Blackwell, D. E. and Ingham, M. F. Observations of the zodiacal light from a very high altitude station. I. The average zodiacal light, 1=12745
- Blackwell, D. E. and Ingham, M. F. Observations of the zodiacal light from a very high altitude station. II. Electron densities in interplanetary space, 1=12746
- Blackwell, D. E. and Ingham, M. F. Observations of the zodiacal light from a very high altitude station. III. The disturbed zodiacal light and corpuscular radiation, 1=12747
- Blackwell, D. E., Ingham, M. F. and Rundle, H. N. The night-sky spectrum $\lambda\lambda 5000$ -6500 Å, 0=8411
- Blackwell, D. E., Ingham, M. F. and Rundle, H. N. Observations of twilight and night sky airglow near the equator, 1=1553
- Blackwell, D. E. and Willstrop, R. V. A study of the monochromatic polarization of Comet Arend-Roland (1956h), 0=18729

- Blackwell, D. E. See Beggs, D. W., 4=20915
 Blackwell, D. E. See Beggs, D. W., 4=20916
 Blackwell, G. R. A revised theory of the floating crucible technique of crystal growing, 2=2366
 Blackwell, G. R. Back diffusion through the capillary in the floating crucible technique of crystal growth, 4=13522
 Blackwell, H. E., Bajwa, G. S., Shipp, G. S. and Weissler, G. L. Vacuum ultraviolet radiation as a probe of rare gas plasmas, 4=14687
 Blackwell, H. E., Bajwa, G. S., Cairns, R. B., Shipp, G. S. and Weissler, G. L. Vacuum ultraviolet radiation as a probe of rare gas plasmas, 4=14686
 Blackwell, H. R. Neutral theories of simple visual discriminations, 3=5299
 Blackwell, H. R. See Kincaid, W. M., 0=2061
 Blackwell, J. H. See Manuel, P. W., 1=12011
 Blackwell, L. A., Kanda, Y. and Spomer, H. Triplet-singlet emission spectra of xylenes in crystalline state at 4.2° and 77°K, and in EPA at 77°K, 0=10067
 Blade, J. C., Clare, J. W. H. and Lamb, H. J. The recrystallization characteristics of dilute aluminium solid solutions prepared from zone-refined aluminium by levitation melting, 1=15157
 Bladel, J. Van. See Van Bladel, J.
 Blades, J. D. Stress anisotropy in Ni-Fe thin films, 0=3054
 Blades, J. D., Gerber, J. and Thompson, C. T. Initial studies of the preparation and properties of vanadium thin films, 2=4494
 Bladier, B. Contribution to the study of violin cello chords, 2=7300
 Bladier, B. New method for the study of the growth and decay transients of sound in rooms, 3=3857
 Blaedel, W. J. and Olsen, E. D. All-teslon counting cell for flowing radioactive solutions, 0=17515
 Blagoi, Yu. P. Surface tension of solutions of liquefied gases N_2 -A, A- CH_4 , N_2 - CH_4 , 2=1125
 Blagovolin, P. P. Neutron thermalization in a thermal-neutron heterogeneous reactor, 4=12299
 Blaha, J., Grasenick, F., Reiter, O. and Ziegelbecker, R. Advances in the detection of very small amounts of substances, 3=21016
 Blaha, M., Kopecky, M. and Švestka, Z. Measurement of magnetic fields in chromospheric flares, 0=18759
 Blahoi, Yu. P. Densities of solutions of condensed gases A- CH_4 , N_2 - CH_4 , 1=12873
 Blahoi, Yu. P. and Orobinskyl, M. P. Liquid-vapour phase equilibrium of the propylene-argon system, 4=11410
 Blaine, L. R., Plyler, E. K. and Benedict, W. S. Calibration of small grating spectrometers from 166 to 600 cm^{-1} , 2=17617
 Blaine, L. R. A far infrared vacuum grating spectrometer, 3=24031
 Blaine, L. R. See Maki, A. G., 4=12485
 Blaine, L. R. See Plyler, E. K., 0=6167
 Blaine, L. R. See Plyler, E. K., 0=6938
 Blaine, L. R. See Plyler, E. K., 0=15735
 Blaine, L. R. See Plyler, E. K., 1=16075
 Blair, A. G. Single-particle proton states in Cu 63*, 4=17054
 Blair, A. G. and Hamburger, E. W. Inelastic scattering of deuterons from the magnesium isotopes, 1=7396
 Blair, A. G. and Quisenberry, K. S. $Si^{28}(d,p)Si^{29}$ reaction, 1=7400
 Blair, A. G. and Wegner, H. E. Experimental study and distorted-wave predictions for the (He^3, α) reaction on Fe isotopes, 2=18359
 Blair, A. G. and Wegner, H. E. Experimental study of the (He^3, t) reaction, 2=20678
 Blair, A. G. See Armstrong, D. D., 4=22026
 Blair, A. G. See Day, R. B., 4=25312
 Blair, A. G. See Hamburger, E. W., 0=13239
 Blair, D. T. A. Bruce, F. M., Matthews, J. E. and Tedford, D. J. Pre-breakdown phenomena in uniform fields, 0=10885
 Blair, D. T. A., Bruce, F. M. and Tedford, D. J. Some factors affecting the static breakdown voltage of uniform-field spark gaps, 4=18760
 Blair, D. T. A., McNaull, J., Tedford, D. J. and Bruce, F. M. Avalanche pulses in nitrogen and air, 3=4085
 Blair, D. T. A. See Tedford, D. J., 2=7587
 Blair, E. J. See Kramer, H. H., 0=8789
 Blair, G. R. Space simulation and its effects on materials, 4=20959
 Blair, G. R. and Blair, P. M., Jr. An ultra-high vacuum, controlled temperature, ultraviolet irradiation chamber, 4=18307
 Blair, G. W. S. and Burnett, J. On the creep, recovery, relaxation and elastic "memory" of some renneted milk gels, 0=8122
 Blair, G. W. S. and Burnett, J. Distribution of relaxation times in a symmetrically stressed renneted milk gel, 0=8123
 Blair, G. W. S. and Oosthuizen, J. C. Rolling-sphere viscometer for structured liquids, 0=14575
 Blair, I. M., Conforto, G., Rubbia, C., Torelli, G. and Zavattini, E. Result of a search for $\pi^+ - \pi^-$ resonance in the dipion mass region 280-350 Mev, 4=30265
 Blair, I. M., Muirhead, H. and Woodhead, T. A measurement of the capture rate of negative muons in various elements, 2=22927
 Blair, I. M., Muirhead, H., Woodhead, T. and Wouds, J. N. The effect of atomic binding on the decay rate of negative muons, 2=22926
 Blair, I. M. See Astbury, A., 0=2687
 Blair, I. M. See Astbury, A., 2=1702
 Blair, I. M. See Astbury, A., 2=10129
 Blair, J. and Smith, A. C. Phase transition in mercury telluride, 1=14473
 Blair, J. A. See Pillinger, W. L., 1=554
 Blair, J. C., Davis, R. M., Jr and Kirby, R. C. Frequency dependence of D-region scattering at v.h.f., 2=5490
 Blair, J. M. and Hobbie, R. K. Differential cross-sections for the reactions $C^{12}(Li^6, p)O^{17}$ and $C^{12}(Li^6, d)O^{18}$ from 3.4 to 4.0 MeV, 3=6288
 Blair, J. M. and Leigh, J. J. Total cross sections of the $O^{18}(p, \alpha)N^{15}$ and $O^{18}(p, n)F^{18}$ reactions, 0=9632
 Blair, J. M., Pham-Dinh-Lien and Hobbie, R. K. Differential cross sections for the reaction $C^{13}(Li^6, \alpha)N^{15}$, 4=19832
 Blair, J. M. See Dzuby, T. G., 4=17206
 Blair, J. M. See Hobbie, R. K., 2=503
 Blair, J. M. See Leigh, J. J., 1=738
 Blair, J. M. See Norbeck, E., 0=4108
 Blair, J. S. Inelastic diffraction scattering, 0=432
 Blair, J. S. Elastic and inelastic diffraction scattering, 1=8679
 Blair, J. S. Photodisintegration of Be^9 , 1=13769
 Blair, J. S., Farwell, G. W. and McDaniels, D. K. Diffraction analysis of elastic and inelastic scattering by magnesium, 0=17608
 Blair, J. S., Sharp, D. and Wilets, L. Inelastic scattering by deformed nuclei, 2=7959
 Blair, J. S. and Wilets, L. Gamma-ray correlation function in the adiabatic approximation, 1=4848
 Blair, J. S. See McDaniels, D. K., 0=20469
 Blair, P. M., Jr. See Blair, G. R., 4=18307
 Blair, R. R. Surface effects of radiation of transistors, 4=17505
 Blair, R. R. See Easley, J. W., 0=18029
 Blair, W. E. See Moore, R. K., 2=5478
 Blairs, S., Shelton, A. J. and Unsworth, R. Metal cell for use in vapour pressure measurements by the effusion method, 2=43
 Blais, N. C. and Bunker, D. L. Monte Carlo calculations. II. The reactions of alkali atoms with methyl iodide, 3=5160
 Blais, N. C. and Bunker, D. L. Monte Carlo calculations. III. A general study of bimolecular exchange reactions, 3=25811
 Blais, N. C. and Mann, J. B. Thermal conductivity of helium and hydrogen at high temperatures, 0=10797
 Blais, N. C. and Mann, J. B. Ionization of Cu, Ag, and Au by electron impact, 0=14967
 Blaise, J. A description of the Fabry-Perot spectrometer installed at Bellevue, 0=16840
 Blaise, J., Bauche, J., Gerstenkorn, S. and Tomkins, F. S. Spectroscopic determination of the spin of Lu^{176} and the nuclear magnetic and quadrupole moments of Lu^{176} and Lu^{178} , 1=16965
 Blaise, J., Fred, M., Gerstenkorn, S. and Judd, B. R. Ground-state multiplet of the arc spectrum of plutonium, 3=6354
 Blaise, J. and Gluck, G. Isotopic shifts in the arc spectrum of tungsten, 0=15667
 Blaise, J. and Vetter, R. Determination of the ionization potential of the arc spectrum of thulium, 3=8193
 Blaise, J. See Bauche, J., 4=1213
 Blaise, J. See Bauche, J., 4=3798
 Blaise, J. See Bordarier, Y., 4=15293
 Blaise, S., Gaudin, M., Joly, R., Leroy, J. and Vendryes, G. Measurements of the mean number of neutrons emitted during fission of U^{238} by 14.2 MeV neutrons, 0=9708
 Blaisse, B. S. and Sanders, W. H. E. A model for the elastical modulus defect at low temperatures, 4=23087
 Blaisse, B. S. See Bots, G. J. C., 2=12384
 Blaisse, B. S. See De Jong, L. N. J., 4=21402
 Blaisse, B. S. See Druyvesteyn, W. F., 2=18981
 Blaisse, B. S. See Hoek, W. J., 0=3144
 Blaize, S. Some results on the spectra of fast neutrons obtained by means of nuclear emulsions, 0=12792
 Blake, A. R. and Redford, R. A. A technique for the safe handling and controlled opening of sealed glass bulbs containing gas at a pressure of 280 lb in^{-2} , 3=11648

- Blake, B. and Mühlischlegel, B. Estimate of the depolarization of transversely polarized electrons emitted from thin sources, 2=12157
- Blake, B., Robone, R., Frauenfelder, H. and Lipkin, H.J. Transverse polarization of conversion electrons following β -decay, 2=22772
- Blake, B.H. See Erley, D.S., 1=7923
- Blake, C., Bowles, L.W., McCurley, E.P. and Nuttall, J.A. Helium cooled L-band parametric amplifier, 3=24462
- Blake, C. and Chase, C.E. Liquid-helium temperature regulator, 3=24128
- Blake, C. See McCurley, E.P., 0=7186
- Blake, L.R. Achieving high burn-up in fast reactors, 2=3653
- Blake, L.R. and Eames, A.R. Electrical-resistivity meter monitors oxygen content of liquid metals, 1=16209
- Blake, R.E. Technique for approximating the sine wave response of aerial film, 3=3898
- Blake, R.L., Chubb, T.A., Friedman, H. and Unzicker, A.E. Interpretation of X-ray photograph of the sun, 3=9206
- Blake, R.L. See Chubb, T.A., 2=15339
- Blakely, J.M. Effect of impurity on surfaces of heated gold, 2=6845
- Blakely, J.M. Surface diffusion, 3=17780
- Blakely, J.M. Mechanical properties of vacuum-deposited gold films, 4=23575
- Blakely, J.M. and Jackson, K.A. Growth of crystal whiskers, 2=19059
- Blakely, J.M. and Mykura, H. Surface self-diffusion measurements on nickel by the mass transfer method, 1=19804
- Blakely, J.M. and Mykura, H. Surface self diffusion and surface energy measurements on platinum by the multiple scratch method, 2=15087
- Blakely, J.M. and Mykura, H. Studies of vacuum annealed iron surfaces, 3=13003
- Blakemore, J.S. Impurity conduction in indium-doped germanium, 0=20902
- Blakemore, J.S. Design of germanium for thermometric applications, 2=2918
- Blakemore, J.S. Recombination processes in tellurium, 2=23409
- Blakemore, J.S., Heaps, J.D., Nomura, K.C. and Beardsley, L.P. Recombination and trapping in tellurium, 0=6143
- Blakemore, J.S., Long, D. and Nomura, K.C. and Nussbaum, A. Tellurium, 2=16732
- Blakemore, J.S. and Nomura, K.C. Enantiomorphous character of etch pits in tellurium, 1=11534
- Blakemore, J.S. and Nomura, K.C. Intrinsic optical absorption in tellurium, 2=18805
- Blakemore, J.S. and Nomura, K.C. Influence of transverse modes on photoconductive decay in filaments, 0=7954
- Blakemore, J.S., Schultz, J.W. and Myers, J.G. Measurements on gallium-doped germanium thermometers, 2=13480
- Blakemore, J.S., Schultz, J.W. and Nomura, K.C. Some effects occurring in dislocated tellurium, 1=3666
- Blakemore, J.S. See Nomura, K.C., 1=2406
- Blaker, J.W. See Nolan, F.J., 4=25615
- Blaker, J.W. See Sidran, M., 4=3835
- Blakeslee, A.E. See Yeh, T.H., 4=6954
- Blakey, J.P. See Pistorius, C.W.F.T., 3=9655
- Blakey, P.R. See Sheldon, R.P., 2=23822
- Blakney, R.M., Murty, M.V.R.K., Hochgraf, N. and Staudenmaier, W. A rocket-borne objective spectrometer for stellar measurements between 1300 Å and 4000 Å, 3=18584
- Blamires, N.G. Combination of a scintillator and a semiconductor photodiode for nuclear particle detection, 4=9010
- Blamont, J., Lory, M.L. and Courtès, G. Reactivity of sodium and of lithium in the upper atmosphere, 1=15254
- Blamont, J. and Pecker, J.C. French projects and equipment, 2=13041
- Blamont, J. and Roddier, F. High-resolution study of the profile of the neutral strontium line $\lambda = 4607.3$ Å at different parts of the solar disk and measurement of wavelength with an atomic beam spectrograph, 4=18000
- Blamont, J. See Authier, B., 4=2289
- Blamont, J.E. Turbulence in atmospheric motions between 90 and 130 km of altitude, 3=13698
- Blamont, J.E. and Donahue, T.M. The dayglow of the sodium D lines, 1=21016
- Blamont, J.E., Donahue, T.M. and Lory, M.L. Measurement of the temperature in the upper atmosphere to 150 km in a rocket experiment, 1=10319
- Blamont, J.E., Donahue, T.M. and Stull, V.R. The sodium twilight airglow 1955-1957. I, 0=4802
- Blamont, J.E., Donahue, T.M. and Weber, W. The sodium twilight airglow 1955-1957. II, 0=4803
- Blamont, J.E. and de Jager, C. Upper atmospheric turbulence near the 100 km level, 2=882
- Blamont, J.E. and de Jager, C. Upper atmospheric turbulence determined by means of rockets, 3=3479
- Blamont, J.E., Hiéblot, J. and Selzer, E. Chemical explosion in the high atmosphere, 1=20879
- Blamont, J.E. and Lory, M.L. Measurements of the atmospheric temperature between 100 and 200 km altitude by potassium clouds released from rockets, 4=2216
- Blamont, J.E. and Lory, M.L. Sudden heating of the ionosphere in the auroral zone, 4=26842
- Blamont, J.E. and Roddier, F. Precise observation of the profile of the Fraunhofer strontium resonance line. Evidence for the gravitational red shift on the sun, 2=11125
- Blamont, J.E. See Boublil, Y., 2=11044
- Blamont, J.E. See Donahue, T.M., 2=908
- Blamont, J.E. See Donahue, T.M., 2=4625
- Blanariu, D. Methods of measuring the natural radioactivity of the atmosphere, 2=11040
- Blănariu, D. The natural radioactivity of rainwater, 3=23590
- Blănariu, D. Technique of scintillation gamma-spectrometry, 3=24682
- Blanaru, D., Gabe, T., Iorgulescu, A., Literat, R., Mageru, V. and Oncescu, M. Radioactive fall-out in the Rumanian People's Republic from November 1958 to December 1959, 2=7937
- Blanaru, L. See Agarbichanu, I.L., 1=19342
- Blănariu, D. See Mageru, V., 0=16496
- Blănariu, D. See Mageru, V., 0=2630
- Blanariu, D. See Mageru, V., 2=8963
- Blanariu, D. See Mageru, V., 2=11039
- Blănariu, D. See Mageru, V., 2=6925
- Blanaru, L. See Drăganescu, V., 2=5182
- Blanaru, L. See Drăganescu, V., 2=7381
- Blanc, A. and Roux, G. Detection of plutonium in the air by the application of coincidence techniques, 1=7332
- Blanc, C., Blanc, D., Degelil, A. and Malesset, C. Measurement of molecular flow leaking from a mass spectrometer, 2=11397
- Blanc, C., Harms, G. and Espagno, L. Variations in isotopic composition of sulphur from different origins, 4=19997
- Blanc, D. and Ambrosino, G. The elements of nuclear physics, 1=7162
- Blanc, D. and Cabé, J. The use of cyclopropane vapour in Geiger-Müller counters, 1=13197
- Blanc, D., Cabé, J., Comby, G. and Saporte, R. Properties of Geiger-Müller counters with glass walls and external graphite coating containing ammonia vapour, 4=5884
- Blanc, D., Cabé, J. and Giron, G. Measurements of positive ion mobilities of cyclopropane and ammonia in argon, 1=2945
- Blanc, D., Cambou, F. and de Lafond, Y.G. Kinetics of the fast scintillation component in a pure organic medium. Application to the case of anthracene, 2=13703
- Blanc, D., Cambou, F. and de Lafond, Y.G. Kinetic study of scintillation in pure organic crystals, 4=26232
- Blanc, D., Cambou, F., de Villers, D., Reme, H., Vedrenne, G. and Ambrosino, G. Reaction $^{28}\text{Si}(n, \alpha)^{25}\text{Mg}$ for 14.6 MeV neutrons, 2=12202
- Blanc, D., Cambou, F., Vedrenne, G. and Arcangeli, R. A method for studying n-p, n-d, n-t and n- α elastic scattering by detection of recoil ions in a scintillation counter, 4=30228
- Blanc, D. and Dagnac, R. The adaptation of tritium (^3H) sources to vacuum measuring equipment, 4=5259
- Blanc, D. and Dagnac, R. A vacuum gauge of very simple design utilising a radioactive source of tritium and covering the pressure range of 10^{-4} to 200 torr, 4=18291
- Blanc, D. and Degelil, A. On the optimum working pressure of high frequency sources giving positive argon ions. Roles of extraction potential, oscillator power and frequency, 1=3022
- Blanc, D. and Degelil, A. Ion sources excited by high-frequency oscillators, 1=16428
- Blanc, D. and Degelil, A. Solution of the diffusion equation of electrons in an ion source with electrostatic high frequency excitation and inductive coupling, 3=5716
- Blanc, D. and Degelil, A. Proof of the existence of an optimum pressure in the interior of a high-frequency source with diaphragm giving positive ions of argon, 0=15085
- Blanc, D. and Degelil, A. Functional characteristics of h.f. ion sources with diaphragms inside their extracting channels, 0=19771
- Blanc, D., Degelil, A. and Saporte, R. Configuration of the ion beam at the level of the extraction tube in electrically excited r.f. sources, 2=1519

- Blanc, D., Fontan, J. and Juan, M. Mobilities of natural radioactive ions obtained in a filtered atmosphere, 4=5561
- Blanc, D., Fontan, J., Souhier, R. and Vedrenne, G. Detection and dosimetry of natural atmospheric radioactivity, 1=15243
- Blanc, D., Fontan, J. and Vedrenne, G. A continuous dosage system for radon in atmospheric air. Application to uranium prospecting, 1=15242
- Blanc, D., Fontan, J. and Verdenne, G. A method of continuous dosimetry of radon in the air, 0=15528
- Blanc, D., Fort, E., Lacoste, R. and Lagasse, J. Measurement of high electric resistances using an ionization chamber as a source of current, 1=8287
- Blanc, D., Fort, E., Lacoste, R. and Lagasse, J. Technique for measuring high electrical resistances by means of an ionization chamber, 1=16205
- Blanc, D. and Laborie, P. Form of the sensitive volume of spark counters (wire-plane), 1=19057
- Blanc, D. and Laborie, P. Form of the characteristics of spark counters of the "wire and plane" type, 2=3199
- Blanc, D. and Laborie, P. Conditions of operation of spark counters with anode wires or sphere in discharge conditions by the corona effect, 2=20187
- Blanc, D., Lacoste, R., Lagasse, J. and Barribe, A. On the measurement of very high electrical resistances with the help of ionization chambers used as current sources, 2=1346
- Blanc, D. and Mathieu, J. Evidence of pulses produced by alpha-particles in an ionization chamber filled with hexane liquid, at laboratory temperature, 1=19055
- Blanc, D., Mathieu, J. and Boyer, J. Use of an ionization chamber filled with a dielectric liquid at room temperature, 1=9697
- Blanc, D., Mathieu, J. and Vermande, P. The response of hexane-filled ionization chambers to fast neutron beams, 3=19505
- Blanc, D., Mathieu, J. and Vermande, P. Detection of fast neutrons using ionization chambers filled with liquid hexane, 3=19650
- Blanc, D., Mathieu, J. and Vermande, P. Variation of the electrical conductivity of insulating liquids exposed to nuclear radiation: application to particle detection, 4=11211
- Blanc, D. and Maurel, J. The different modes of behaviour, in air, of spark counters of the wire-plane type, 4=16730
- Blanc, D. See Ambrosino, G., 2=7996
- Blanc, D. See Bayle, P., 4=26741
- Blanc, D. See Benoit-Cattin, P., 3=4290
- Blanc, D. See Birot, A., 2=11821
- Blanc, D. See Blanc, C., 2=11397
- Blanc, D. See Blanc, C., 2=15883
- Blanc, D. See Bouville, A., 4=9424
- Blanc, D. See Bouville, A., 4=28076
- Blanc, D. See Degeilh, A., 3=19189
- Blanc, D. See Fontan, J., 2=4610
- Blanc, D. See Fontan, J., 2=13011
- Blanc, D. See Fontan, J., 2=18274
- Blanc, D. See Fontan, J., 3=9052
- Blanc, D. See Fontan, J., 3=21042
- Blanc, D. See Laborie, P., 2=11825
- Blanc, D. See Laborie, P., 3=24544
- Blanc, D. See Maille, C., 4=16130
- Blanc, D. See Maille, C., 4=26768
- Blanc, D. See Teyssier, J.L., 3=12372
- Blanc, D. See Teyssier, J., 4=6149
- Blanc, D. See Teyssier, J.L., 4=19612
- Blanc, D. See Vedrenne, G., 4=9009
- Blanc, D. See Vedrenne, G., 4=16901
- Blanc, D.L. See Teyssier, J.L., 3=4296
- Blanc, F. See Berthet, G., 0=681
- Blanc, G., Berge, P., Dubois, M. and Benveniste, M. Effect of irradiation temperature on the electrical conductivity of lithium fluoride irradiated with neutrons, 3=2946
- Blanc, G. See Berge, P., 1=16167
- Blanc, G. See Bergé, P., 1=17634
- Blanc, G. See Berge, P., 2=615
- Blanc, G. See Bergé, P., 4=30646
- Blanc, G. See Dubois, M., 1=10020
- Blanc, G. See Dubois, M., 2=12481
- Blanc, G. See Perio, P., 3=22981
- Blanc, J. and Abrahams, M.S. Electric-field-enhanced precipitation of Li in Ge, 4=10425
- Blanc, J., Brecher, C. and Halford, R.S. Motions of molecules in condensed systems. XII. Infrared spectrum and structure of a single crystal of allene, 2=14684
- Blanc, J., Bube, R.H. and MacDonald, H.E. Properties of high-resistivity gallium arsenide compensated with diffused copper, 1=12446
- Blanc, J., Bube, R.H. and Rosi, F.D. The behavior of copper in GaAs, 2=23384
- Blanc, J., Bube, R.H. and Weisberg, L.R. Evidence for the existence of high concentrations of a lattice defects in GaAs, 3=791
- Blanc, J., Bube, R.H. and Weisberg, L.R. Behavior of lattice defects in GaAs, 4=15467
- Blanc, J. and Weisberg, L.R. Energy-level model for high-resistivity gallium arsenide, 2=2163
- Blanc, J. and Weisberg, L.R. Electrical activity of copper in GaAs, 4=15536
- Blanc, J. See Brecher, C., 1=14603
- Blanc, J. See Bube, R.H., 2=8408
- Blanc, J. See Weisberg, L.R., 2=19049
- Blanc, J. See Weisberg, L.R., 2=23385
- Blanc, J. See Kessler, J.O., 3=20349
- Blanc, J. See Weisberg, L.R., 3=13392
- Blanc, J. See Weisberg, L.R., 3=20225
- Blanc, M. Contribution to the determination of the heats of fusion of some metallic halides. Relation between the entropy of fusion and the crystalline structure, 0=14901
- Blanc, M. Study of fused liquids salts by ultrasonic investigations, 2=13333
- Blanc, M. An ultrasonic study of fusible salts at high temperatures, 3=5440
- Blanc, M., Daniélou, L. and Petit, G. Study, by ultrasonic methods, of the compressibility of several fused salts (alkali sulphates, molybdates and tungstates) and of their thermodynamic exploitation, 4=14145
- Blanc, M.A.R.Le. See Le Blanc, M.A.R.
- Blanc-Lapierre, A. Statistical models for the study of fluctuation phenomena, 4=8078
- Blanc-Lapierre, A. and Dumontet, P. Study of a statistical model introduced by the techniques of time of flight or by the study of fluctuations of the time of transit, 0=6544
- Blanc-Lapierre, A. and Dumontet, P. On some statistical problems introduced by time of flight techniques and by the study of the fluctuations in times of flight, 0=6691
- Blanc-Lapierre, A. and Picinbono, B. Statistical properties of noise, 3=11871
- Blancett, A.L. See Canfield, F.B., 4=8234
- Blanchard, C.H. On the multiple scattering of neutrons in hydrogen-like substances, 0=12947
- Blanchard, C.H. See Cohen, A., 2=10287
- Blanchard, C.H. See Lombard, D.B., 1=16805
- Blanchard, C.H. See Prosser, F.P., 2=8055
- Blanchard, C.H. See Roy, R.R., 2=5893
- Blanchard, C.H. See Seyler, R.G., 1=16957
- Blanchard, C.H. See Seyler, R.G., 3=17389
- Blanchard, D.C. Condensation nuclei and raindrop spectra, 4=13791
- Blanchard, D.C. and Spencer, A.T. Condensation nuclei and the crystallization of saline drops, 4=23749
- Blanchard, D.C. See Woodcock, A.H., 3=16218
- Blanchard, M.L. Contribution in the study of zinc oxide by the dielectric method, 2=6517
- Blanchard, M.L. The influence of traces of impurities on the thermoluminescent properties of zinc oxide, 2=6648
- Blanchard, M.L. Consideration of several groups of traps in ZnO:Cu phosphors, 4=20490
- Blanchard, M.L. and Monod-Herzen, G. Effect of copper activation on the fluorescent excitation spectra of zinc oxide in the visible region, 3=20524
- Blanchard, M.L. See Le Bot, Jean., 1=14535
- Blanchard, M.L. See Monod-Herzen, G., 2=12636
- Blanchard, S. Infrared spectrum of VOF₃ and VF₃ from 3 μ to 24 μ , 4=25687
- Blanco, V.M. Late-type stars in young clusters, 3=11575
- Blanco, V.M. and Lennon, C.J. The ratio of total to selective absorption, 1=18112
- Blancs, C., Blanc, D., Degeilh, A. and Malesset, C. Application of the mass spectrometer to the study of gas ionization, 2=15883
- Bland, C.J. A laboratory scale model for the investigation of cosmic ray threshold rigidities, 2=22682
- Bland, C.J. Fifth inter-American symposium on cosmic radiation, 3=4480
- Bland, C.J. See Quenby, J.J., 2=16252
- Bland, D.R. On the foundations of linear isotropic viscoelasticity, 0=8113
- Bland, D.R. The generalized plane strain of an elasto-plastic material, 1=6460

- Bland, J.A. The crystal structure of barium orthotitanate Ba_2TiO_6 , 2=10887
- Bland, J.A. and Basinski, S.J. The crystal structure of $\text{Bi}_2\text{Te}_3\text{Se}$, 1=20552
- Bland, J.A. and Flengas, S.N. The crystal structure of K_2TiCl_6 , 1=10263
- Bland, W. F. Radiation monitoring, 4=21690
- Blandamer, M.J., Gough, T.E., Griffiths, T.R. and Symons, M.C.R. Effect of added methanol on contact ion pairs in carbon tetrachloride, 3=13612
- Blandamer, M. J., Gough, T. E. and Symons, M. C. R. Solvation spectra. V. Effect of pressure on the ultra-violet absorption spectrum of solvated iodide, 4=184
- Blandamer, M.J., Gross, J.M. and Symons, M.C.R. Solvation spectra. VII. Ultra-violet absorption spectra of solutions of sulphide and hydrosulphide ions, 4=16117
- Blander, M. Quasi-lattice model of reciprocal salt systems. A generalized calculation, 1=4325
- Blander, M. Some calculations for a one-dimensional salt mixture, 1=7514
- Blander, M. Excess free energies and heats of mixing in certain molten salt mixtures, 2=17452
- Blander, M. Association in vapors of ionic salts. A dimensional theory, 4=25747
- Blander, M., Braunstein, J. and Silverman, M.D. Heats of solution of solids in molten reciprocal salt systems, 3=14153
- Blander, M. and Luchsinger, E.B. Solutions of solids in molten reciprocal salt systems, 4=14136
- Blander, M. Van der Waals energy changes in the mixing of molten salts, 2=11355
- Blander, M. and Yosim, S.J. Conformal ionic mixtures, 4=2655
- Blander, M. See Manning, D.L., 2=17093
- Blandin, A. Long range effects in the electronic structure of impurities in metals, 1=17516
- Blandin, A. and Daniel, E. The Knight shift in alloys, 0=4526
- Blandin, A., Daniel, E. and Friedel, J. On the Knight shift of alloys, 0=16186
- Blandin, A. and Déplante, J.L. Size and chemical interaction effects, 3=8389
- Blandin, A., Déplante, J.L. and Friedel, J. On the [impurity] electronic structure of metallic alloys with application to size effects, chemical interactions and compressibility, 3=22757
- Blandin, A. and Friedel, J. Magnetic properties of dilute alloys. Magnetic interactions and antiferromagnetism in alloys of the type noble metal-transition metal, 0=13847
- Blandin, A. and Friedel, J. On the quenching of vacancies in a fine-grained polycrystal, 1=960
- Blandin, A. and Friedel, J. Quadrupole effects in the nuclear magnetic resonance of dilute alloys, 1=9075
- Blandin, A. and Friedel, J. On quadrupolar effects in alloys, 1=20630
- Blandin, J. X-ray emission spectrography. II. Study of the operation of the bent crystal spectrograph. III. Rare earth spectra obtained by means of the best crystal spectrograph, 2=8544
- Blandin, J. See Rose, A.J., 1=16471
- Blandin-Vial, J. Slowing down of α -particles emitted by Th C and Th C' in gold foils, 2=19903
- Blange, T. See David, R., 1=9974
- Blank, A.A. Curvature of binocular visual space. An experiment, 1=4153
- Blank, A. Ya. Electromagnetic waves in a metal under conditions of ferromagnetic resonance, 4=26357
- Blank, A. Ya. See Bass, F.G., 3=14614
- Blank, A. Ya. See Bass, F.G., 4=5798
- Blank, C. and Edwards, M.H. Dielectric breakdown of liquid helium, 0=12550
- Blank, H. and Amelinckx, S. Direct observation of ferroelectric domains in barium titanate by means of the electron microscope, 3=13113
- Blank, H. and Amelinckx, S. Some preliminary results on defects in irradiated UO_2 single crystals as revealed by transmission electron microscopy, 3=22847
- Blank, H., Bollinger, H. and Petzold, K. Investigations on logical methods of producing ultra-high vacua, 4=18264
- Blank, H., Delavignette, P. and Amelinckx, S. Dislocations and wide stacking faults in wurtzite type crystals: zinc sulfide and aluminium nitride, 3=4874
- Blank, H. See Gevers, R., 4=13635
- Blank, J. Saturation of nuclear forces in Brueckner theory, 2=20484
- Blank, J.M. Equilibrium atmosphere schedules for the cooling of ferrites, 1=6549
- Blank, K. Space charge phenomena in liquid and solid ionic conductors, 4=30905
- Blank, K. and Hersping, A. Space charge polarization and dielectric after-effect in glass, 1=1120
- Blank, M. Monolayer permeability and the properties of natural membranes, 3=5461
- Blank, M. and Ottewill, R. H. The adsorption of aromatic vapors on water surfaces, 4=29616
- Blank, Yu. S. and Yatlinko, I. I. Some results of an investigation of the luminescence of polarized ZnS:Cu:Cl layers, 4=10224
- Blank, Yu. S., Vodakov, Yu. A. and Mostovskii, A. A. Some results of an investigation of the electroluminescence in p-n junctions in silicon carbide, 4=1777
- Blanke, W.W. See Barber, C.R., 1=1843
- Blanken, R. See Pytte, A., 4=8753
- Blankenbecler, R. A contraction rule for composite particles, 0=5495
- Blankenbecler, R. Construction of unitary scattering amplitudes, 1=7216
- Blankenbecler, R. Effect of the 3π resonance on the 2π resonance, 2=3388
- Blankenbecler, R. and Cook, L.F., Jr. Bound states and dispersion relations, 0=15291
- Blankenbecler, R., Cook, L.F. and Goldberger, M.L. Is the proton an elementary particle? 2=20286
- Blankenbecler, R., Cook, L.F., Jr. and Goldberger, M.L. Regge poles in high-energy electron scattering, 3=5987
- Blankenbecler, R. and Gartenhaus, S. Evaluation of dispersion relations, 0=2556
- Blankenbecler, R., Gartenhaus, S., Huff, R. and Nambu, Y. Electroproduction of π -mesons, 0=20215
- Blankenbecler, R. and Goldberger, M.L. Behavior of scattering amplitudes at high energies, bound states, and resonances, 2=11891
- Blankenbecler, R., Goldberger, M.L., Khuri, N.N. and Treiman, S.B. Mandelstam representation for potential scattering, 0=12849
- Blankenbecler, R., Goldberger, M.L., MacDowell, S.W. and Treiman, S.B. Singularities of scattering amplitudes on unphysical sheets and their interpretation, 1=10855
- Blankenbecler, R. and Nambu, Y. Anomalous thresholds in dispersion theory. I, 1=5670
- Blankenbecler, R. and Tarski, J. Isoscalar nucleon structure, 2=3326
- Blankenbecler, R. See Albright, C.H., 1=16680
- Blankenbecler, R. See Baker, M., 3=560
- Blankenbecler, R. See Gartenhaus, S., 0=2584
- Blankenbecler, R. See Kreps, R. E., 4=12046
- Blankenship, F.A. and Belford, R.L. VCl_4 vapor spectrum and Jahn-Teller splitting, 2=6162
- Blankenship, F.A. and Belford, R.L. Erratum: VCl_4 vapor spectrum and Jahn-Teller splitting, 2=20842
- Blankenship, F.A. See Grubb, E. L., 4=3880
- Blankenship, J.L. and Borkowski, C.J. Performance of silicon surface barrier detectors with charge sensitive amplifiers, 1=3085
- Blankenship, J.L. and Borkowski, C.J. Silicon surface-barrier nuclear particle spectrometer, 1=3250
- Blankenship, J.L. and Borkowski, C.J. Improved techniques for making $\text{P}^+ - \text{I}^- \text{N}^+$ diode detectors, 2=18019
- Blankenship, J.L. and Borkowski, C.J. Use of lithium-drifted diodes in beta and gamma spectrometry, 2=20202
- Blankenship, J.L. See Halbert, M.L., 1=5616
- Blankenship, W.A. Method of time normalization for speech, 2=7066
- Blankova, E.B. See Arkharov, V.I., 1=14291
- Blankova, E.B. See Arkharov, V.I., 1=14292
- Blanks, R.F. and Prausnitz, J.M. Infrared studies of hydrogen bonding in isopropanol and in mixtures of isopropanol with poly(n-butyl methacrylate) and with poly(propylene oxide), 3=12853
- Blanks, R. F. and Prausnitz, J. M. Thermodynamics of polymer solubility in polar and nonpolar systems, 4=14138
- Blann, H.M. Fission of gold with 112-MeV C^{12} ions: A yield-mass and charge-distribution study, 1=12230
- Blann, M. Statistical analysis of reactions induced with 21-63 MeV Li^6 ions on Fe^{54} : effects of angular momentum and closed shells on nuclear level densities, 4=9575
- Blann, M. and Ewart, A. Recoil range measurements of reactions induced in Ni^{58} with 46- to 68-MeV helium ions, 4=19826
- Blann, M., Lanzafame, F.M. and Piscitelli, R.A. Reactions induced in Fe^{54} with 21-63 MeV Li^6 ions, 4=9574

- Blann, M. and Merkel, G. Reactions induced in Ni^{58} with 0-24 MeV deuterons: statistical model analysis, 3=19876
- Blann, M. and Merkel, G. Evidence of nuclear shell effects in Ni^{58} reactions induced with 0-48 MeV alpha particles, 4=17196
- Blanpain, R. Study of the efficiency of an adiabatic helium liquefier operating with auxiliary cooling by means of liquid nitrogen, 0=14918
- Blanpain, R. Level gauge for liquid hydrogen and helium, 1=16184
- Blanpain, R. Experimental study of the specific heat of rhenium, 2=6284
- Blanpain, R. Initial compressibility of the elements in the solid state and chemical periodicity, 4=26467
- Blanpied, W. A. Proton-proton polarization at 16 MeV, 0=2545
- Blanpied, W. A., Greenberg, J. S., Hughes, V. W., Lu, D. C. and Minehart, R. C. Photoproduction of negative and positive pions from carbon at forward angles, 4=9475
- Blänsdorf, K. and Lautz, G. Experimental investigation of the influence of chemisorption on the thermoelectric power of evaporated metal films, 2=14591
- Blanter, M. E. and Mashkov, A. K. Changes of electrical resistance and thermoelectric power during the $\alpha \rightarrow \gamma$ transition in alloyed iron, 2=8271
- Blanter, M. E. and Mashkov, A. K. Variations in electrical resistivity and thermoelectromotive force in the process of $\alpha \rightarrow \gamma$ transformation in alloyed iron, 2=23234
- Blanter, M. S. See Piguzov, Yu. V., 1=14855
- Blaquiere, A. Application of the two-parameter diagram to the study of the stability of nuclear reactors, 0=17642
- Blaquiere, A. Extension of the method of Nyquist to nonlinear loops, 1=6805
- Blaquiere, A. Scintillation effect in valve self-oscillators, 1=16394
- Blaquiere, A. Extension of the Fourier method to nonlinear operators, with optimum linear approximation, 2=9329
- Blaquiere, A. Spectrum of a maser oscillator; relation with the theory of classical nonlinear self-oscillators, 3=5889
- Blaquiere, A. Solution of the Fokker-Planck equation using Campbell's theorems, 3=9373
- Blaquiere, A. The width of the line of a laser oscillator, considered analogous to a chain reaction, 3=9976
- Blaquiere, A. Relation between the Fokker-Planck method and the method of the characteristic function of probabilities, 3=16491
- Blaquiere, A. Study of the stability of a non-linear system in Riemannian space, 3=23729
- Blaquiere, A., Castagné, R. and Cazemajou, J. Neutron fluctuations in a nuclear reactor with cellular structure, 3=10412
- Blaquiere, A. and Cazemajou, J. Neutron fluctuations in the Ulysses reactor, experimental results and their interpretation, 2=22872
- Blaquiere, A., Cazemajou, J., Lapique, G., Pachowska, R., Stern, T. and Valat, J. The Fokker-Planck equation and the auto-correlation function of nuclear reactors, 2=1945
- Blaquiere, A. and Pachowska, R. The background noise of nuclear reactors. A simple electric model, 1=7415
- Blaquiere, A. and Pachowska, R. Schrödinger's equation applied to the calculation of nuclear reactor perturbations, 2=6003
- Blaquiere, A. See Grivet, P., 4=755
- Blaquiere, A. See Grivet, P., 4=19250
- Blaquiere, A. See Stern, T. E., 3=10428
- Blaser, J. P. and Steimel, K. Proposal for a constant-frequency sector-focussed cyclotron for protons of 450 MeV, 3=5777
- Blaskovic, L. See Astier, A., 2=22614
- Blaskovitch, L. See Awunor-Renner, E. R. T., 0=15497
- Blasov, V. V. Determination of thermal conductivity of solids by a digital computer, 4=22513
- Blasse, G. Magnetic properties of oxides containing tetravalent manganese, 4=13118
- Blasse, G. New type of superexchange in the spinel structure. Some magnetic properties of oxides $\text{Me}^{2+}\text{Co}_2\text{O}_4$ and $\text{Me}^{2+}\text{Rh}_2\text{O}_4$ with spinel structure, 4=13274
- Blasse, G. Magnetic-garnet phases containing pentavalent antimony, 4=26344
- Blasse, G. New compounds with Perovskite-like structures, 4=29140
- Blasse, G. and Fast, J. F. Néel temperatures of some antiferromagnetic oxides with spinel structure, 4=13266
- Blasse, G. and Schipper, D. J. Antiferromagnetism of $\text{Co Rh}_2\text{O}_4$ and $\text{Ni Rh}_2\text{O}_4$, 3=23196
- Blasse, G. See Schulkes, J. A., 4=15651
- Blässer, G. Slowing down of neutrons in a heterogeneous system, 1=2065
- Blässer, G. Resonance capture of neutrons in a bundle arrangement of fuel elements, 1=3485
- Blässer, G. and Diana, E. On the parametric representation of fast reactor spectra, 4=1135
- Blässer, G. and Wirtz, K. Nuclear bases for the siting and building of nuclear reactors, 1=17225
- Blatchley, D. E. See Bent, R. D., 2=20510
- Blatchley, D. E. See Eidson, W. W., 4=28062
- Blatt, F. J. On the metastable γ -phase uranium-molybdenum alloys, 1=17450
- Blatt, F. J. On the possibility of thermoelectric refrigeration at very low temperatures, 3=359
- Blatt, F. J. Transport properties in dilute alloys, 3=8382
- Blatt, F. J. Field emission in a magnetic field, 3=16973
- Blatt, F. J. Thermoelectric power of noble metals, 4=17541
- Blatt, F. J. Thermoelectric power in metals at normal temperatures—reply to a query, 4=20434
- Blatt, F. J., Garber, M., Kropschot, R. H. and Scott, B. Thermoelectric power of dilute copper and silver alloys, 1=1116
- Blatt, F. J. and Kropschot, R. H. Thermoelectric power of dilute copper alloys, 0=10007
- Blatt, F. J. and Satz, H. G. Resistivity of thin metallic wires, 1=3710
- Blatt, F. J. See Garber, M., 3=15450
- Blatt, F. J. See Kleinberg, R., 2=6297
- Blatt, F. J. See Kropschot, R. H., 0=1691
- Blatt, F. J. See LePage, J., 4=28759
- Blatt, J. See Katz, A., 1=5826
- Blatt, J. M. A remark concerning the Bogoliubov theory, 0=16946
- Blatt, J. M. An alternative approach to the ergodic problem, 1=73
- Blatt, J. M. Electron pairs in the theory of superconductivity, 1=2920
- Blatt, J. M. Local properties in non-equilibrium systems, 1=10441
- Blatt, J. M. The Meissner effect in the quasi-chemical equilibrium theory of superconductivity, 1=10644
- Blatt, J. M. Persistent ring currents in an ideal Bose gas, 1=13047
- Blatt, J. M. Qualitative arguments concerning the Bose-Einstein condensation of fermion pairs, 2=15500
- Blatt, J. M. Persistent ring currents in an ideal Bose gas, 2=2951
- Blatt, J. M. Theory of superconductivity, 4=24481
- Blatt, J. M., Böer, K. W. and Brandt, W. Bose-Einstein condensation of excitons, 2=14415
- Blatt, J. M., Lyness, J. N. and Larsen, S. Y. Three-body bound state in He^4 , 3=25109
- Blatt, J. M. and Matsubara, T. Quasi-chemical equilibrium theory. II, 0=12383
- Blatt, J. M. and Matsubara, T. The electric and magnetic response of a thermodynamic system, 0=16638
- Blatt, J. M. and Matsubara, T. The Meissner-Ochsenfeld effect in the Bogoliubov theory, 0=16945
- Blatt, J. M., Matsubara, T. and May, R. M. Gauge invariance in the theory of superconductivity, 0=16947
- Blatt, J. M. and Thompson, C. J. Shape resonances in superconducting thin films, 3=19101
- Blatt, J. M. See Delves, L. M., 4=21856
- Blatt, J. M. See Derrick, G., 1=5793
- Blatt, J. M. See Derrick, G. H., 0=17432
- Blatt, J. M. See McKenna, J., 2=11298
- Blatt, J. M. See Matsubara, T., 1=4278
- Blatt, J. M. See Thompson, C. J., 4=397
- Blatt, S. L. See Paul, P., 4=22009
- Blatt, S. L. See Wells, D. O., 1=5612
- Blatt, S. L. See Wells, D. O., 3=15143
- Blattner, R. See Appel, H., 2=10076
- Blattner, D. See Sterzer, F., 4=10171
- Blattner, D. J., Johnson, H. C. and Sterzer, F. Upper limit of time dispersion in transmission secondary electron emission from KCl films, 4=14755
- Blattner, D. J. See Ginsberg, L. H., 1=20868
- Blau, E. J. and Hochheimer, B. F. Infrared spectrum and structure of diimide, 4=28214
- Blau, E. J., Hochheimer, B. F., Massey, J. T. and Schulz, A. G. Identification of laser energy levels by spectroscopic techniques, 3=4518
- Blau, E. J., Hochheimer, B. F. and Unger, H. J. Infrared spectrum of diimide, 1=7715

- Blau, H. H., Jr. and Jasperse, J. R. Spectral emittance of refractory materials, 4=14443
- Blau, H. H., Jr. See Emslie, A. G., 0=2273
- Blau, M. The measurement of ionization in photographic emulsions, 0=2469
- Blau, M., Bloch, S. C., Carter, C. F. and Perlmutter, A. Studies of ionization parameters in nuclear emulsions, 0=7256
- Blau, M., Carter, C. F. and Perlmutter, A. Negative pion interactions at 1.3 GeV/c. 0=2571
- Blau, M., Carter, C. F. and Perlmutter, A. An example of hyperfragment decay in the π^+ mode and other interactions of K^- mesons and hyperons in emulsion, 3=8121
- Blauer, G. and Linschitz, H. Metastable states of acridine orange in solution, 0=18434
- Blauer, J. and Farber, M. Heat of formation and entropy of $(\text{BOCl})_2$, 3=23538
- Blauer, J. and Farber, M. Heat of formation and entropy of BOCl , 4=15837
- Blaugher, R. D., Chandrasekhar, B. S., Hulm, J. K., Corenzwit, E. and Matthias, B. T. Superconducting titanium-molybdenum alloys, 2=7520
- Blaugher, R. D. and Hulm, J. K. Superconductivity in the δ and α -Mn structures, 1=18718
- Blaugher, R. D. and Hulm, J. K. Superconducting critical field of single-crystal Mo_3Re , 2=2958
- Blaugher, R. D., Taylor, A. and Hulm, J. K. The superconductivity of some intermetallic compounds, 2=7522
- Blaugher, R. D. See Hein, R. A., 3=3959
- Blaugher, R. D. See Hein, R. A., 3=21665
- Blaugher, R. D. See Hein, R. A., 4=18594
- Blaugher, R. D. See Hulm, J. K., 1=11882
- Blaugher, R. D. See Hulm, J. K., 2=1338
- Blaugher, R. D. See Joiner, W. C., 4=18586
- Blaugrund, A. E. Lifetimes of the 118 keV and 139 keV levels of Tm^{169} measured by a new method, 0=407
- Blaugrund, A. E. Statistical errors in delayed coincidence measurements, 0=7258
- Blaugrund, A. E., Dar, Y. and Goldring, G. Lifetimes of rotational levels in some odd-A nuclei measured by a microwave method, 0=20397
- Blaugrund, A. E., Dar, Y. and Goldring, G. Magnetic dipole transition probabilities in some odd-A rotational nuclei, 1=8597
- Blaugrund, A. E., Dar, Y., Goldring, G. and Skurnik, E. Z. The lifetimes of the first excited states of Re^{185} and Re^{187} , 3=19794
- Blaugrund, A. E. and Vager, Z. A time-to-pulse-height converter with simultaneous random coincidence subtraction, 4=30129
- Blaugrund, A. E. See Birk, M., 2=10011
- Blauth, E., Meyer, E. and Schwirzke, F. Pumping effect of a high frequency discharge in deuterium, 3=4032
- Blauth, E. W. Ultra-high-vacuum copper traps, 3=5475
- Blauth, E. W. and Scherzer, B. M. U. Errors in pressure measurements in the vicinity of a gas discharge, 3=12092
- Blazek, M. Explicit determination of the potential with n bound states by means of the solution of the inverse problem, 2=16159
- Blazek, M. The Gelfand-Levitán equation and its application to the scattering of neutrons on protons, 2=16198
- Blazek, M. On some equations for potential scattering, 2=19437
- Blazey, K. W. See Woolley, J. C., 4=26190
- Blazey, K. W. See Woolley, J. C., 4=28997
- Blazhevich, A. I., Zavrzhin, A. G. and Lavrov, A. V. Properties of ZnS:Mn:Ni:Cl excited with electrons, 0=16106
- Blazier, W. E., Jr. and Wells, R. J. A procedure for noise evaluation of sound power data, 4=5341
- Bleakney, H. H. Vacancies and the Kirkendall effect, 1=14250
- Bleakney, H. H. The metallography of creep rupture in aluminum, 2=19011
- Bleaney, B. Paramagnetism without Kramers degeneracy, 0=8032
- Bleaney, B. A new class of materials for Bloembergen-type masers, 0=8095
- Bleaney, B. The spin Hamiltonian of a Γ_8 quartet, 0=8096
- Bleaney, B. Measurements by electronic and nuclear double resonance on the hyperfine structure in solids, 0=16173
- Bleaney, B. Electron spin resonance intensity in anisotropic substances, 0=13867
- Bleaney, B. Quadrupole-quadrupole interaction in the rare earths, 1=6426
- Bleaney, B. Electron spin resonance of point defects in CaF_2 , 2=4249
- Bleaney, B. Hyperfine structure in the rare earths, 3=1179
- Bleaney, B. Hyperfine interactions in rare-earth metals, 3=15954
- Bleaney, B. Magnetic moments of the lanthanon-nickel (LnNi_3) compounds, 4=1795
- Bleaney, B. Crystal field effects and the co-operative state. I. A primitive theory, 4=1796
- Bleaney, B. Crystal field effects and the co-operative state. II. The Cubic LnNi_2 compounds, 4=1797
- Bleaney, B. The magnetic properties of praseodymium metal, 4=7222
- Bleaney, B. The spectrum of Tm III in CaF_2 , 4=12601
- Bleaney, B. and Hill, R. W. Hyperfine structure in terbium metal, 1=17422
- Bleaney, B. and Rubins, R. S. Explanation of some "forbidden" transitions in paramagnetic resonance, 1=3928
- Blears, J. See Butt, E. P., 0=5837
- Bled, J. and Risbourg, A. A new type of lens for millimetric waves, 3=2122
- Bleeker, E. J., Goudsmit, P. F. A. and de Vries, C. Measurements of K-shell photoelectric cross-sections, 2=5864
- Bleeker, E. J. See de Vries, C., 0=20404
- Bleekrode, R., Dieleman, J. and Vegter, H. J. Electron spin resonance of Mn in GaAs, 3=8713
- Bleekrode, R., Dieleman, J. and Vegter, H. J. Electron-spin resonance of Fe in GaAs, 3=11113
- Bleiberg, M. L. A kinetic study of irradiation induced phase changes in uranium-9 wt% molybdenum alloy, 0=14071
- Bleichrodt, J. F. Increased concentration of beryllium-7 in the stratosphere after the nuclear test explosions during September-October 1961, 2=15204
- Bleichrodt, J. F., Blok, J. and van Abkoude, E. R. Origin of radioactive fallout in the northern hemisphere after the spring maximum in 1959, 1=20873
- Bleichrodt, J. F., Blok, J. and Dekker, R. H. On the spring maximum of radioactive fall-out nuclear test explosions, 1=13682
- Bleichrodt, J. F. and van Abkoude, E. R. On the deposition of cosmic-ray-produced beryllium 7, 4=2215
- Bleil, C. E. Energy transport in electron bombarded cadmium sulfide single crystals, 3=13072
- Bleil, C. E. and Broser, I. Exciton emission and energy transport in cadmium sulfide crystals, 4=13068
- Bleil, C. E. and Snyder, D. D. Some effects of low fields on luminescence of CdS, 0=1746
- Bleil, C. E. See Sturmer, H. W., 3=17873
- Bleil, C. E. See Sturmer, H. W., 4=30559
- Blekhman, I. I. and Dzhaneldidze, G. Yu. The stability of vibrationally linearized nonlinear systems, 2=17393
- Blend, H. Ultrasonic dispersion in dissociating dinitrogen tetroxide, 2=4530
- Blenkus, M. See Eelie, A., 4=21580
- Bleser, E., Lederman, L., Rosen, J., Rothberg, J. and Zavattini, E. Muon capture in liquid hydrogen, 2=16218
- Bleser, E., Lederman, L., Rosen, J., Rothberg, J. and Zavattini, E. μ -mesonic molecules in liquid hydrogen, 2=18504
- Bleser, E. See Meyer, S. L., 4=6089
- Bleser, E. J., Anderson, E. W., Lederman, L. M., Meyer, S. L., Rosen, J. L., Rothberg, J. E. and Wang, I. T. Muonic molecules in liquid hydrogen, 4=6675
- Bleser, E. J. See Rosen, J. L., 4=6365
- Bleser, E. J. See Rothberg, J. E., 4=6090
- Bless, R. C., Gartlein, C. W., Kimball, D. S. and Sprague, G. Auroras, magnetic bays, and protons, 0=8403
- Bless, R. C., Gartlein, C. W. and Sprague, G. Some spectral studies of the aurora, 0=14278
- Blessing, W. G. Techniques for the irradiation of ceramic fuels in a moderate thermal neutron flux, 1=17234
- Blet, G. Internal resistances and capacitance of a selenium photocell at low temperatures, 0=7067
- Blet, G. The open circuit electromotive force of a selenium photocell at low temperatures, 0=13637
- Blet, G. Study of the crystallization of selenium, 1=14967
- Blet, G. Apparatus for deposition of thin films on a heated substrate, 2=19641
- Blet, G. Some considerations on epitaxial monocrystalline layers of germanium, 3=1256
- Blet, G. Study of structures by the diffraction of polychromatic electrons, 3=6900
- Blet, G. The study of the structure of epitaxial layers, 4=4664
- Blet, G. See Vincent, J., 1=8966
- Blet-Talbot, D. The perfecting of a simple differential microcalorimeter of short time constant, 0=10813
- Bletitt, T. H. See Makin, M. J., 2=8738

- Bletzinger, P. and Garscadden, A. Image converter measurements on moving striations, 4=11544
- Bletzinger, P. See Garscadden, A., 4=24671
- Bleuler, E., Caldwell, D.O., Elsner, B., Harting, D., Jones, L.W., Middelkoop, W.C., Zacharov, B., Perl, M.L. and Ting, C.C. The application of thin-plate spark chambers to high-energy π -p experiments, 3=24565
- Bleuler, E. See Caldwell, D.O., 2=22611
- Bleuler, E. See Carpenter, R.D., 2=23614
- Bleuler, E. See Corelli, J.C., 0=2668
- Bleuler, E. See Ploughe, W.D., 2=497
- Bleuler, E. See Priest, J.R., 0=15579
- Bleuler, E. See Priest, J.R., 0=15582
- Bleuler, E. See Wong, S.S.M., 2=3613
- Bleuler, K. See Biener, M., 1=5817
- Blevin, H.A. and Haydon, S.C. The interpretation of breakdown characteristics of electrodeless discharges in transverse magnetic fields, 3=9743
- Blevin, H.A. and Thonemann, P.C. Plasma confinement using an alternating magnetic field, 3=12146
- Blevin, W.R. and Brown, W.J. Effect of particle separation on the reflectance of semi-infinite diffusers, 1=4476
- Blevin, W.R. and Brown, W.J. Light-scattering properties of pigment suspensions, 1=11845
- Blevin, W.R. and Brown, W.J. Total reflectances of opaque diffusers, 2=22060
- Blevin, W.R. See Shaw, J.E., 4=14363
- Blevins, E.L. See Halperin, J., 3=22434
- Blevis, B.C. and Chapman, J.H. Characteristics of 488 megacycles per second radio signals reflected from the moon, 0=12258
- Blevis, B.C., Day, J.W.B. and Roscoe, O.S. The occurrence and characteristics of radar auroral echoes at 488 and 944 Mc/s, 3=21068
- Blevis, B.C. See Serson, H.V., 1=10332
- Blevis, E.H. and Crowell, C.R. Temperature dependence of the work function of single-crystal faces of copper, 4=8795
- Blewett, J.P. Linear accelerators for high energies, 3=7662
- Blewett, M.H. The Brookhaven International Conference on high-energy accelerators, 2=3105
- Blewitt, T.H. Low-temperature irradiation studies, 4=30587
- Blewitt, T.H., Coltman, R.R., Jamison, R.E. and Redman, J.K. Radiation hardening of copper single crystals, 1=20391
- Blewitt, T.H., Coltman, R.R. and Klabunde, C.E. Annealing kinetics of neutron-irradiated aluminium and copper, 1=1003
- Blewitt, T.H., Coltman, R.R. and Klabunde, C.S. Energy release in irradiated copper, 4=354
- Blewitt, T.H., Coltman, R.R. and Klabunde, C.S. Volume changes induced by radiation in copper and aluminum, 4=4094
- Blewitt, T.H., Sekula, S.T. and Diehl, J. Energy release in reactor-irradiated copper. II. 600 to 700°K release, 1=7608
- Blicharski, J.S. Proton spin-lattice relaxation in liquid benzene, 3=11809
- Blicharski, J.S. Fluorine spin-lattice relaxation in liquid CF_2Cl_2 , 3=21409
- Blicharski, J.S. Proton-rotational magnetic relaxation for nonlinear molecules, 4=28258
- Blicharski, J., Hennel, J.W., Krynicki, K., Mikulski, J., Waluga, T. and Zapalski, G. Temperature dependence of proton spin-lattice relaxation times in some pure liquids, 1=9409
- Blicharski, J.S. and Krynicki, K. Proton spin-lattice relaxation in liquid and gaseous hydrogen chloride, 3=11808
- Blicharski, J.S. and Krynicki, K. Proton spin-lattice relaxation in liquid and gaseous hydrogen chloride, 3=21416
- Blicher, A. See Kressel, H., 3=25376
- Blichert-Toft, P. γ - γ coincidence measurements on Re^{189} , 5=6209
- Blichert-Toft, P.H. and Kugler, P. An improved experimental method for internal conversion coefficient measurements, 4=9423
- Blicks, H., Egger, H. and Riehl, N. Distribution of impurities in ice crystals, 4=25929
- Blicks, H., Riehl, N. and Sizmann, R. Reversible transformations of luminescence centres in ZnS phosphors, 1=17914
- Bliden, H.R. Resonant behaviour in large-angle (p, α) & (α , p) data, 3=17459
- Bliden, H.R. Experimental test for α -transfer reactions, 4=22214
- Bliden, H.R., Temmer, G.M. and Warsh, K.L. A study of the $\text{Be}^9(\text{p}, \alpha)\text{Li}^6$ reaction from 3.5 to 12.5 MeV, 4=9504
- Bliden, H.R. See Warsh, K.L., 3=17468
- Bliden, H.R. See Warsh, K.L., 3=19849
- Bliden, H.R. See Warsh, K.L., 3=22379
- Blignaut, E. See Wahlen, L., 2=19851
- Blikhintsev, D.L., Barashenkov, V.S. and Barbashov, B.M. The structure of nucleons, 1=2047
- Bliman, S. "Two-beam" type instability in a cold-cathode reflex discharge, 3=24233
- Bliman, S. "Two beam" - type instability in a cold-cathode P. I. G. discharge, 4=19039
- Blin, J. Radiation effects in uranium, 4=30596
- Blin, J. See Bloch, J., 2=4442
- Blin-Stoyle, R.J. The structure of the atomic nucleus, 0=2614
- Blin-Stoyle, R.J. Parity nonconserving internucleon potentials, 0=12862
- Blin-Stoyle, R.J. Parity nonconserving internucleon potentials. II. Effects in electromagnetic transitions, 0=17461
- Blin-Stoyle, R.J. Mesonic and other corrections in β -decay, 2=1835
- Blin-Stoyle, R.J. Particles, field theory and force, 2=22378
- Blin-Stoyle, R.J. Present status of the conserved vector current theory, 4=27793
- Blin-Stoyle, R.J. and Feshbach, H. Effects of parity non-conserving internucleon potentials on the photoeffect in H^2 and H^3 , 1=19288
- Blin-Stoyle, R.J., Gupta, V. and Thomson, J.S. On the conserved polar vector current in beta-decay, 0=4047
- Blin-Stoyle, R.J. and Kearsley, M.J. A note on the charge dependence of nuclear forces, 0=9497
- Blin-Stoyle, R.J. and Le Tourneux, J. Beta-decay coupling constant and the ft value of O^{14} , 1=10983
- Blin-Stoyle, R.J. and Le Tourneux, J. The beta-decay coupling constant and the ft-value of O^{14} , 2=12161
- Blin-Stoyle, R.J. and Nair, S.C.K. Charge dependence of nuclear forces and energy differences in the $A = 14$ isobaric spin triplet, 4=6175
- Blin-Stoyle, R.J. and Novakovic, L. The charge dependence of nuclear forces and $\Delta T = \pm 1$ Fermi transitions, 4=12178
- Blin-Stoyle, R.J. and Spector, R.M. Effects of parity-nonconserving internucleon potential on $\text{Li}^7(0.478 \text{ MeV}) \rightarrow \text{Li}^7$ gamma transition, 2=418
- Blin-Stoyle, R.J. See Spector, R.M., 2=14033
- Blin-Stoyle, R.J. See Stroke, H.H., 1=8547
- Blin-Stoyle, R.J. See Stroke, H.H., 1=12152
- Blinc, R. On the isotopic effects in the ferroelectric behaviour of crystals with short hydrogen bonds, 0=13651
- Blinc, R., Brenman, M., Miller, S.R. and Waugh, J.S. Proton spin-lattice relaxation in ferroelectric colemanite, 2=21379
- Blinc, R., Brenman, M. and Waugh, J.S. Proton magnetic resonance study of ferroelectric potassium ferrocyanide trihydrate, 1=20274
- Blinc, R., Detoni, S., Levstek, I., Pintar, M., Poberaj, S. and Schara, M. Electron spin resonance of irradiated ferroelectric tri-glycine sulfate, 2=2208
- Blinc, R., Detoni, S. and Pintar, M. Nature of the ferroelectric transition in triglycine sulfate, 1=17833
- Blinc, R. and Hadži, D. The infra-red spectra of some ferroelectric compounds with short hydrogen bonds, 0=650
- Blinc, R. and Levstek, I. NMR and IR study of $(\text{NH}_4)_2\text{SO}_4$ and $(\text{NH}_4)_2\text{BeF}_4$, 0=11957
- Blinc, R., Mali, M. and Zupančič, I. Second order quadrupole shifts of the Na^{23} magnetic resonance in Rochelle salt, 3=25594
- Blinc, R., Marinković, V., Pirkmajer, E., Zupančič, I. and Maričič, S. Nuclear magnetic resonance in polycrystalline UF_6 , 3=18153
- Blinc, R., Miller, S.R., Brenman, M. and Waugh, J.S. Nuclear spin-lattice relaxation in some ferroelectric ammonium salts, 3=23251
- Blinc, R. and Pahor, J. Some thermodynamic functions of gaseous furan, thiophene and pyrrol, calculated from spectroscopic data and molecular structure, 0=13433
- Blinc, R. and Pintar, M. Proton magnetic resonance study of ferroelectric $\text{NaH}_2(\text{SeO}_4)_2$ and $\text{LiH}_2(\text{SeO}_4)_2$, 1=19924
- Blinc, R. and Pirkmajer, E. Calculated bond lengths, bond orders and π -electron distribution in naphthazarine, 0=13453
- Blinc, R., Pirkmajer, E., Zupančič, I. and Maričič, S. Nuclear magnetic resonance in paramagnetic UF_6 , 3=23256
- Blinc, R., Podnar, P., Slivnik, J. and Volavšek, B. AF^{19} magnetic resonance study in xenon tetrafluoride, 3=12868
- Blinc, R., Porok, J. and Zupančič, I. Isotope effects in the temperature dependence of the pure quadrupole resonance spectra of Cl^{35} and Cl^{37} in trichloroacetic acid, 4=10350
- Blinc, R. and Prelesnik, A. N.M.R. study in rochelle salt, 0=4537

- Blin, R. and Ribarič, M. Proton-lattice interactions in hydrogen-bonded ferroelectric crystals, 3=15408
- Blin, R., Schara, M. and Poberaj, S. Paramagnetic resonance of irradiated ferroelectric $\text{LiN}_2\text{H}_5\text{SO}_4$, 3=13302
- Blin, R. and Zupančič, I. Evidence for hindered rotation of the BeF_4 ions in ferroelectric (glycine) $_2\text{BeF}_4$, 4=10115
- Blin, R., Zupančič, I., Maričič, S. and Vekslj, Z. Anisotropy of the fluorine chemical shift tensor in xenon tetrafluoride, 4=7348
- Blin, R., Zupančič, Maričič, S. and Vekslj, Z. Sign of the shielding anisotropy in xenon tetrafluoride, 4=23070
- Blin, R. See Miller, S.R., 2=10711
- Blinder, S.M. Generalized perturbation method employing nonorthogonal functions, 0=4178
- Blinder, S.M. Dipole moment of HD, 0=4237
- Blinder, S.M. Dipole moment function for HD, 0=4238
- Blinder, S.M. The hyperfine interaction Hamiltonian, 0=17698
- Blinder, S.M. Orientation dependence of magnetic hyperfine structure in free radicals, 0=17775
- Blinder, S.M. Dipole moment of HD. II, 1=17373
- Blinder, S.M., Peller, M.L., Lord, N.W., Aamodt, L.C. and Ivanchukov, N.S. Electron spin resonance of tetraphenylpyrrol radical, 2=3778
- Blinder, S.M. See Lord, N.W., 1=8860
- Blinkin, A. M. and Vorobov, V. V. Diffusion of iron in [high purity] zirconium, 4=15498
- Blinkin, A.M. See Amonenko, V.M., 4=12974
- Blinov, G.A., Lomanov, M.F., Meshkovskii, A.G., Shalamov, Ya.Ya., and Shebanov, V.A. Large freeon bubble chamber, 1=3098
- Blinov, M. and Eismont, V.P. Nuclear shells and instantaneous fission neutrons, 3=6308
- Blinov, M.V. and Eismont, V.P. Nuclear shells and instantaneous fission neutrons, 2=8014
- Blinov, M.V., Kazarinov, N.M. and Protopopov, A.N. Study of the energy and angular distributions of neutrons emitted in the fission of U^{235} induced by thermal neutrons, 2=14149
- Blinov, M.V., Kazarinov, N.M. and Protopopov, A.N. Study of the energy and angular distributions of neutrons emitted in the fission of U^{235} induced by thermal neutrons, 3=6311
- Blinov, M. V., Kazarinov, N. M. and Protopopov, A. N. Angular and energy characteristics of neutron emission from U^{235} fission, 4=19851
- Blinov, M.V., Kazarinov, N.M., Protopopov, A.N. and Shiryayev, B.M. Angular anisotropy of the γ -quanta accompanying U^{235} fission, 3=15242
- Blinov, M.V. See Protopopov, A.N., 0=11461
- Blinov, M.V. See Protopopov, A.N., 1=742
- Blinov, P.I. See Khmatov, A.P., 1=4628
- Blinov, V. A., Karamyan, S. A., Matveev, O. A., Nemilov, Yu. A. and Selitskii, Yu. A. On some peculiarities of the measurement of the energy spectra of α -particles and of fission fragments by means of semiconductor detectors, 4=3252
- Blinov, V. A., Konstantinov, I. O., Litvin, V. F. and Nemilov, Yu. A. Multangular magnetic analyser-multiplespectrograph, 3=531
- Blinov, V.A. See Baranov, A.I., 3=25773
- Blinov, V.A. See Shvedov, V.P., 1=3400
- Blinov, V. V. See Vukalovich, M. P., 4=29670
- Blinova, N.I., Romanov, G.A., Solntsev, V.M. and Tolmachev, Yu.M. On the magnetic properties of U_2O_8 , 3=8642
- Blinova, N. I. See Petrzhak, K. A., 4=12291
- Blinowska, K. J., Hansen, P. G., Nielsen, H. L., Schult, O. and Wien, K. The decay of 23.5 min U^{239} , 4=25361
- Blinowski, J. and Mycielski, J. Theory of absorption of electromagnetic radiation by hopping in n-type silicon and germanium, 4=30690
- Blinowski, K. Neutron diffraction studies in solid state physics, 1=20451
- Blinowski, K. and Sosnowski, J. Parasitic reflections of neutrons in crystal monochromators, 2=3353
- Blinowski, K. See Passell, L., 4=13187
- Blidze, Yu. A. See Selinov, I.P., 0=15532
- Bliot, F. See Gabillard, R., 3=20374
- Bliss, J. C. and Crane, H. D. Optical detector for objects within an adjustable range, 4=29745
- Bliss, J.C. and Macurdy, W.B. Linear models for contrast phenomena, 1=21129
- Blistanov, A. A., Panov, A. V. and Shaskol'skaya, M. P. Internal friction recovery after plastic deformation in LiF single crystals, 4=10389
- Blistanov, A.A. See Shaskol'skaya, M.P., 1=3677
- Blitz, J., Clunie, D.M. and Hogarth, C.A. Ultrasonic absorption in semiconductors, 2=23054
- Blitz, J. and Rowse, A. A. The investigation of defects in non-ferromagnetic metal tubes using Eddy currents, 4=26487
- Blitzer, L. Lunar-solar perturbations of an earth satellite, 0=16
- Blitzer, L., Boughton, E.M., Kang, G. and Page, R.M. Effect of ellipticity of the equator on 24-hour nearly circular satellite orbits, 2=7042
- Blitzer, L., Kang, G. and McGuire, J.B. The perturbed motion of 24-hour satellites due to equatorial ellipticity, 3=18665
- Blitzer, L.; King-Hele, D.G. Secular and periodic motions of the node of an artificial earth-satellite, 0=14475
- Blitzstein, W. See Maron, I., 2=4842
- Bliven, C. M. and Polanyi, T. G. The removal of nitrogen in an omegatron mass spectrometer, 4=21595
- Blizard, G. F., Jr. See Helfrich, J. L., 4=2859
- Bliznakow, G. and Lazarow, D. Effect of adsorption of gases upon the conductivity of thin silver films, 4=7713
- Bljakhman, E. A., Chernov, L. A. and Krom, M. N. The focal system influence over statistical characteristics of wave propagated through the medium with random inhomogeneities, 4=8027
- Blobel, V. See Aderholz, M., 4=21914
- Blobel, V. See Aderholz, M., 4=21919
- Blobel, V. See Aderholz, M., 4=25151
- Blobel, V. See Bartsch, J., 4=21920
- Blobel, V. See Bartsch, J., 4=30264
- Bloch, A. Mass spectrum of argon at raised pressure in the ion source, 1=16430
- Bloch, A. Damping without influence on frequency, 1=18497
- Bloch, A. and Pool, S.D. The transmission of hammer blow signals through coal-bearing strata, 3=14284
- Bloch, B.L. See Maier, E., 1=9871
- Bloch, C. On the theory of imperfect Fermi gases, 1=5230
- Bloch, C. The structure of nuclear matter, 1=8533
- Bloch, C. Some recent developments in the quantum statistical mechanics of a system of interacting particles, 3=1627
- Bloch, C. and Messiah, A. The canonical form of an anti-symmetric tensor and its application to the theory of superconductivity, 3=3947
- Bloch, C. See Balian, R., 0=10603
- Bloch, C. See Balian, R., 1=12810
- Bloch, C. See Balian, R., 1=18289
- Bloch, D. and Pauthenet, R. Variation with pressure of the Curie points of Gd and Mn_2Ge_3 , and of the compensation point of $5\text{Fe}_2\text{O}_3 \cdot 3\text{Gd}_2\text{O}_3$, 2=12753
- Bloch, F. and Rorschach, H.E. Energetic stability of persistent currents in a long hollow cylinder, 3=1891
- Bloch, J. Change of phase and disordering of the compound U_2Mo by irradiation, 1=1415
- Bloch, J. Radiocrystallography of strongly radioactive materials, 1=20468
- Bloch, J. Effect of neutron irradiation of uranium-iron alloys dilute in iron, 2=20729
- Bloch, J., Doulat, J. and Blin, J. Study of disordering the U_2Mo phase by irradiation, 2=4442
- Bloch, J. See Mustelie, J.P., 2=18626
- Bloch, M. Magnon renormalization in ferromagnets near the Curie point, 3=5006
- Bloch, M. Proton momentum spectrum in π^-p collisions at 6 GeV/c, 3=15010
- Bloch, M. Aspects of magnon renormalization near the transition temperature, 3=15751
- Bloch, M., Lagarrigue, A., Rancon, P. and Rousset, A. A 300 Liter heavy liquid bubble chamber, 2=1640
- Bloch, M. and Sauteron, X. A simple apparatus for measuring photographs from track chambers, 4=9039
- Bloch, M. See Aubert, B., 2=18187
- Bloch, M. See Aubert, B., 2=22647
- Bloch, M. See Baglin, C., 1=9764
- Bloch, M. See Bellière, J., 3=24775
- Bloch, M. See Bellini, G., 2=22573
- Bloch, M. See Bellini, G., 3=7899
- Bloch, M. See Di Corato, M., 2=22627
- Bloch, M. See Fretter, W.B., 3=2301
- Bloch, M. See Laffineur, M., 1=9271
- Block, M. See Leitner, J., 1=16901
- Bloch, M. See Lloret, A., 4=12036
- Bloch, M. See Nakamura, T., 4=7286
- Bloch, M. See Veillet, J.J., 3=10163
- Bloch, M. See Veillet, J.J., 3=17313
- Bloch, P. Preliminary investigation of the two-photon photoelectric effect, 4=26137
- Bloch, R. See Kuhn, W., 2=10790

- Blöch, R. See Pater, M., 3=16090
 Bloch, R.J.K. See Balai, N., 3=11037
 Bloch, S.C. and Desloge, E.A. The interaction of electromagnetic waves in a plasma, 3=5667
 Bloch, S.C. See Blau, M., 0=7256
 Blocher, J.M., Jr. See Veigel, N.D., 2=21480
 Blochintsev, D. Geometrical optics of elementary particles, 4=27774
 Block, B. and Feshbach, H. The neutron strength function and the shell model, 3=22259
 Block, B. See Lande, A., 4=19762
 Block, E. A property of the Ising model on the diamond lattice, 3=10188
 Block, H. The measurement of gas evolution rates, 4=23637
 Block, H.D. The perception: a model for brain functioning. I, 2=13206
 Block, H.D., Knight, B.W., Jr and Rosenblatt, F. Analysis of a four-layer series-coupled perception. II, 2=13207
 Block, J. Field condensation and field reaction of formic acid at some metals, 4=456
 Block, L. See Angerth, B., 3=12118
 Block, L. C. and Zachor, A. S. Inflight satellite measurements of infrared spectral radiance of the earth, 4=13795
 Block, M. See Pevsner, A., 2=5719
 Block, M. See Pevsner, A., 2=22572
 Block, M. See Shafer, J.B., 3=15028
 Block, M.M. Three-body final states from K^- capture in helium and deuterium, 1=13510
 Block, M.M. Neutrino interactions and a unitary universal model, 4=16817
 Block, M.M., Brucker, E.B., Gessaroli, R., Kikuchi, T., Meltzer, C.M., Pevsner, A., Schlein, P., Strand, R., Cohn, H.O., Harth, E.M., Leitner, J., Minguzzi-Ranzi, A., Monari, L. and Puppi, G. Search for evidence of parity nonconservation in K^- -He interactions, 0=17416
 Block, M.M., Brucker, E.B., Hughes, I.S., Kikuchi, T., Meltzer, C., Anderson, F., Pevsner, A., Harth, E.M., Leitner, J. and Cohn, H.O. Observation of He^4 hyperfragments from K^- -He interactions; the K^- - Λ relative parity, 0=1372
 Block, M.M., Brucker, E.B., Gessaroli, R., Kikuchi, T., Kovacs, A., Meltzer, C.M., Kraemer, R., Nussbaum, M., Pevsner, A., Schlein, P., Strand, R., Cohn, H.O., Harth, E.M., Leitner, J., Lendinara, L., Monari, L., and Puppi, G. K^- absorption in 4He . I. The hyperon-pion resonance, 1=13500
 Block, M.M. and Dalitz, R.H. Structure of the weak interaction $\Lambda + N \rightarrow N + N$, 3=22210
 Block, M.M., Fiorini, E., Kikuchi, T., Giacomelli, G. and Ratti, S. The ρ -value for the β -decay of the negative muon, 2=9883
 Block, M.M., Gessaroli, R., Ratti, S., Grimellini, L., Kikuchi, T., Lendinara, L., Monari, L. and Harth, E. The decay modes of the $^4He_\Lambda$ hypernucleus and the measurements of the $p_0^2/(p_0^2 + S_0^2)$ ratio for $\Lambda_0 \rightarrow n + \pi^0$, 3=12570
 Block, M.M., Gessaroli, R., Ratti, S., Grimellini, L., Kikuchi, T., Lendinara, L., Monari, L., Harth, E., Becker, W., Bugg, W.M. and Cohn, H. Lifetime of the Λ^0 hyperon, 3=12508
 Block, M.M., Kiruchi, T., Koetre, D., Kopelman, J., Sun, C.R., Walker, R., Culligan, G., Telegdi, V. L. and Winston, R. Moderation time for nuclear capture of negative pions in liquid He^4 , 4=3467
 Block, M.M. See Fairbank, W.M., 0=315
 Block, M.M. See Gray, L., 3=15042
 Block, N. See Muhleman, D.O., 2=13175
 Block, R. and Mijlhoff, F. C. An apparatus for the automatic recording of temperature-time curves of condensed phases, 4=5430
 Block, R. See Mijlhoff, F. C., 4=29807
 Block, R.C., Slaughter, G.G. and Harvey, J.A. Thermal neutron cross-section measurements of U^{233} , U^{235} , Pu^{240} , U^{238} , and I^{129} with the O.R.N.L. fast chopper time-of-flight neutron spectrometer, 1=17151
 Block, R.C. See Newson, H.W., 0=5786
 Block, R.C. See Schmitt, H.W., 0=17626
 Block, S. and Perloff, A. The direct determination of the crystal structure of $NaB(OH)_4 \cdot 2H_2O$, 4=7641
 Block, S., Perloff, A. and Weir, C.E. The crystallography of some M^{2+} borates, 4=15787
 Block, S. See Bienenstock, A., 0=14027
 Block, S. See Piermarini, G.J., 3=13483
 Blocker, T.G., III. See Heeger, A.J., 3=15965
 Blocker, T.G., III. See Heeger, A.J., 4=13290
 Blocker, T.G., III. See Heeger, A.J., 4=15667
 Blockhin, M.A., Gil'varg, A.B., Nikiforov, I.Ya. and Sachenko, V.P. Two-crystal X-ray spectrometer, 3=17012
 Blodgett, H.C., Jeffress, L.A. and Whitworth, R.H. Effect of noise at one ear on the masked threshold for tone at the other, 2=21756
 Blodgett, H.C. See Jeffress, L.A., 2=21760
 Blodgett, H.C. See Jeffress, L.A., 2=24201
 Blodgett, H.C. See Jeffress, L.A., 2=24207
 Blodgett, K.B. and Vanderslice, T.A. Mechanism of inert gas cleanup in a gaseous discharge, 0=10703
 Bloem, J., Haas, C. and Penning, P. Properties of oxygen in germanium, 0=11692
 Bloem, J. and van Vessel, J.C. Etching Ge with mixtures of $HF-H_2O_2-H_2O$, 2=8778
 Bloem, J. See Steinmaier, W., 4=15823
 Bloembergen, N. Cross-relaxation effects in magnetic resonance, 1=11491
 Bloembergen, N. Linear effect of applied field on magnetic hyperfine interaction, 1=14823
 Bloembergen, N. Theory of the variation of the nuclear quadrupole interaction in covalent bonds with applied electric field, 1=17350
 Bloembergen, N. Nuclear magnetic resonance in alloys, 3=8729
 Bloembergen, N. Electric shifts in magnetic resonance, 3=23199
 Bloembergen, N. Some theoretical problems in quantum electronics, 4=21261
 Bloembergen, N. and Duciung, J. Experimental verification of optical laws of non-linear reflection, 3=24017
 Bloembergen, N. and Morgan, L.O. Proton relaxation times in paramagnetic solutions. Effects of electron spin relaxation, 1=5285
 Bloembergen, N. and Pershan, P.S. Light waves at the boundary of nonlinear media, 3=231
 Bloembergen, N., Pershan, P.S. and Wilcox, L.R. Microwave modulation of light in paramagnetic crystals, 1=1149
 Bloembergen, N. and Royce, E. B. Electric shift of the Cr^{3+} magnetic resonance in ruby, 4=26384
 Bloembergen, N. and Shen, Y.R. Quantum-theoretical comparison of nonlinear susceptibilities in parametric media, lasers, and raman lasers, 4=8969
 Bloembergen, N. and Shen, Y.R. Theory of light modulation by the diamagnetic Faraday effect, 4=16197
 Bloembergen, N. and Shen, Y.R. Coupling between vibrations and light waves in Raman laser media, 4=19262
 Bloembergen, N. See Armstrong, J., 1=14837
 Bloembergen, N. See Armstrong, J., 1=17351
 Bloembergen, N. See Armstrong, J.A., 2=19665
 Bloembergen, N. See Cohen, M. G., 4=28703
 Bloembergen, N. See Collins, F. A., 4=23080
 Bloembergen, N. See Dixon, R. W., 4=28907
 Bloembergen, N. See Dixon, R. W., 4=28909
 Bloembergen, N. See Dixon, R. W., 4=28910
 Bloembergen, N. See Duciung, J., 3=18956
 Bloembergen, N. See Duciung, J., 4=13014
 Bloembergen, N. See Feng, S.Y., 3=13306
 Bloembergen, N. See Gill, D., 3=8735
 Bloembergen, N. See Pershan, P.S., 1=20262
 Bloembergen, N. See Pershan, P.S., 4=11819
 Bloembergen, N. See Pershan, P.S., 4=26450
 Bloembergen, N. See Rimai, L., 0=14665
 Bloembergen, N. See Royce, E.B., 3=25568
 Bloembergen, N. See Shapiro, S., 0=3134
 Bloembergen, N. See Shen, Y.R., 4=7103
 Bloembergen, N. See van der Ziel, J. P., 4=28701
 Bloembergen, N. See Weinberg, D.L., 1=20259
 Bloembergen, P. See Huiskamp, W.J., 4=16306
 Bloess, D., Kruske, A., Münnich, F. and Oetzmann, W. Time-interval measurement for the nanosecond region with the E80T cathode-ray-tube, 3=9406
 Bloess, D. and Münnich, F. Investigation of the lifetimes of excited nuclear levels of Ca^{42} , 4=1014
 Bloess, D. and Münnich, F. Lifetime measurement of the 8.4 keV level of Tm^{169} , 4=3581
 Bloess, D. and Münnich, F. A transistorized time-to-pulse-height converter using the sampling procedure, 4=30124
 Blohinčev, D.I. Fluctuations of space-time metric, 0=18926
 Blohinčev, D.I. $\pi\pi$ interaction peripheral πN collisions, 1=2080
 Bloidze, Iu. A. See Selinov, I.P., 1=17010
 Blois, M.S.Jr., Brown, H.W. and Maling, J.E. The precise measurement of free radical g-values and their dependence on structure, 1=14090

- Blok, J. and Shirley, D.A. Quadrupole anti-shielding in the rare earths, 4=3957
- Blok, J. See Bleichrodt, J.F., 1=13682
- Blok, J. See Bleichrodt, J.F., 1=20873
- Blok, J. See Blok, L., 0=7520
- Blok, J. See Blok, L., 3=654
- Blok, J. See Born, P., 0=7539
- Blok, J. See Born, P., 2=3512
- Blok, J. See Born, P., 3=12624
- Blok, J. See Born, P., 3=15146
- Blok, J. See Born, P., 3=15147
- Blok, J. See Born, P., 3=22305
- Blok, J. See De Boer, T.J., 2=12146
- Blok, J. See De Boer, Th.J., 3=19603
- Blok, J. See De Boer, Th.J., 3=24871
- Blok, J. See Klaassen, F.M., 0=7964
- Blok, J. See Klaassen, F.M., 1=7633
- Blok, J. See Klaassen, F.M., 1=7674
- Blok, J. See Klaassen, F.M., 1=8942
- Blok, J. See Klaassen, F.M., 1=8955
- Blok, J. See Kramer, P., 2=16361
- Blok, J. See Kramer, P., 2=16362
- Blok, J. See Kramer, P., 2=16363
- Blok, J. See Kramer, P., 2=20307
- Blok, J. See Verheul, H., 3=14963
- Blok, J. See Verheul, H., 3=15155
- Blok, J. See Verheul, H., 4=17102
- Blok, L., De Boer, T.J. and Blok, J. The transition energy in the decay of ^{202}Tl , 0=7520
- Blok, L., Goedbloed, W., Mastenbroek, E. and Blok, J. On the decay of ^{153}Gd , 3=654
- Blokh, A.G. Scattering of thermal radiation in a polydisperse turbid medium, 4=14441
- Blokh, O.G., Zheludev, I.S. and Shamburov, V.A. The electro-optic effect in crystals of pentaerythritol $[\text{C}(\text{CH}_2\text{OH})_4]$, 3=23048
- Blokh, O.G. See Belyaev, L.M., 4=15604
- Blokh, O.G. See Zheludev, I.S., 4=2008
- Blokh, V.I. Representation of the general solution of the basic equations of the static theory of elasticity for an isotropic body using harmonic functions, 1=8090
- Blokh, Y.L., Dorman, L.I. and Kaminer, N.S. Unusual cosmic ray variations in July 1959, 1=19308
- Blokh, Ya.L. On the meteorological effects of the soft component of cosmic radiation, 1=3337
- Blokh, Ya.L., Dorman, L.I. and Kaminer, N.S. Determining the character of earth-environment by a stream, and the properties of corpuscular streams from cosmic-ray variations during different magnetic storms, 1=3345
- Blokh, Ya.L., Dorman, L.I. and Kaminer, N.S. The effect of intensity-increase of cosmic radiation prior to magnetic storms, 1=3347
- Blokh, Ya.L., Glokova, E.S., Dorman, L.I. and Inozemtseva, G.I. Electromagnetic conditions in interplanetary space according to the data of cosmic-ray variations during the period from August 20 to September 10, 1957, 1=3346
- Blokhin, M.A., Demikhin, V.F. and Shveitser, I.G. On the correction of X-ray emission spectra for self-absorption, 3=23094
- Blokhin, M.A. and Sachenko, V.P. Concerning the shape of energy bands in solids, 2=14406
- Blokhin, M.A. and Shuvaev, A.T. Concerning the influence of the chemical bonds on the X-ray emission spectrum of titanium, 3=23092
- Blokhin, M.A. See Nikiforov, I.Ya., 3=7324
- Blokhintsev, D. Remark on the optical theorem, 0=20078
- Blokhintsev, D.I. On elastic pion and nucleon scattering at high energies, 2=9906
- Blokhintsev, D.I. Diffraction π -N scattering and spatial nucleon structure, 2=11990
- Blokhintsev, D.I. Elastic scattering of high energy pions and nucleons, 2=13861
- Blokhintsev, D.I. Elastic scattering of high energy pions and nucleons, 3=6057
- Blokhintsev, D.I. On causality in modern field theory, 4=3271
- Blokhintsev, D.I. Geometric optics of elementary particles, 4=5931
- Blokhintsev, D.I., Barashenkov, V.S. and Barbashov, B.M. Electromagnetic structure of the proton and neutron, 0=11155
- Blokhintsev, D.I., Barashenkov, V.S. and Barbashov, B.M. Nucleon structure, 4=6032
- Blokhintsev, D.I., Barashenkov, V.S. and Grishin, V.G. Diffraction scattering of fast particles, 0=2582
- Blokhintsev, D.I. and Wang Yung. $\pi\pi$ interactions in π -N collisions at high pion energies, 1=5767
- Blokhintsev, D.I. See Barashenkov, V.S., 3=6040
- Blokhintsev, D.I. See Barashenkov, V.S., 2=7884
- Blokhintsev, D.I. See Barashenkov, V.S., 4=3488
- Blokhintsev, D.I. See Barashenkov, V.S., 4=21900
- Blokhintsev, L.B. See Akimova, M.K., 1=5929
- Blokhintsev, L.D. and Dolinskii, E.I. On the coupling constants in μ -capture, 2=3371
- Blokhintsev, L.D. and Dolinskii, E.I. On the coupling constants in μ -capture, 3=4415
- Blokhintsev, L.D., Dolinskii, E.I. and Popov, V.S. Analytic properties of nonrelativistic diagrams, 2=18058
- Blokhintsev, L.D. and Dolinsky, E.I. On induced pseudoscalar interaction in β -decay, 2=16349
- Blokhintsev, L.D., Dolinsky, E.I. and Popov, V.S. Non-relativistic Feynman graphs and direct nuclear reactions, 3=8059
- Blokhintsev, L.D., Dolinskii, E.I. and Popov, V.S. Feynman amplitudes for nonrelativistic processes, 3=14867
- Blokhintsev, L.D., Dolinskii, E.I. and Popov, V.S. Complex singularities of the amplitudes for direct nuclear reactions, 3=15165
- Blokhintsev, L.D. See Akimova, M.K., 1=17134
- Blokhintsev, L.D. See Shapiro, I.S., 0=9688
- Blokhintsev, L.D. See Shapiro, I.S., 1=19500
- Blokhintseva, T.D., Grebinnik, V.G., Zhukov, V.A., Libman, G., Nemenov, L.L., Selivanov, G.I. and Yuan' Zhun-fan [Yuan Jung-fang]. (π^-, p) -total reaction cross-sections measurements at 340 MeV, 2=16227
- Blokhintseva, T.D., Grebinnik, V.G., Zhukov, V.A., Libman, G., Nemenov, L.L., Selivanov, G.I. and Yuan' Zhun-fan [Yuan Jung-fang]. (π^-, p) -total reaction cross-sections measurements at 340 MeV, 3=6044
- Blokhintseva, T.D., Grebinnik, V.G., Zhukov, V.A., Libman, G., Nemenov, L.L., Selivanov, G.I. and Yuan' Zhun-fan [Yuan Jun-Fang]. Interaction between 340 MeV π^- -mesons and hydrogen, 3=22176
- Blokhintseva, T.D., Grebinnik, V.G., Zhukov, V.A., Libman, G., Nemenov, L.L., Selivanov, G.I. and Yuan' Zhun-fan [Yuan Jung-Fang]. Total cross-sections for the π^-p reactions with 276 MeV π^- mesons, 3=22177
- Blokhintseva, T.D., Vasilenko, A.T., Grebinnik, V.G., Zhukov, V.A., Libman, G., Nemenov, L.L., Selivanov, G.I. and Yuan' Zhun-fan [Yuan Jung-fang]. An eight litre hydrogen-deuterium bubble chamber in a magnetic field, 3=24558
- Blokhra, R.L. See Rastogi, R.P., 1=11624
- Blokhra, R.L. See Rastogi, R.P., 3=25829
- Blokhra, R.L. See Rastogi, R.P., 4=374
- Blokhintsev, L.D., Dolinskii, E.I. and Popov, V.S. Analytic properties of nonrelativistic diagrams, 3=5966
- Blom, B.V. See Spogen, L.R., 1=1603
- Blomberg, C. On quantum field theory methods in the theory of thermal properties of metals, 3=752
- Blomberg, P. See Hellstrand, E., 1=16810
- Blomfield, D. L. H. Crystal detector in oversize waveguide, 4=24853
- Blomgren, E., Inman, D. and Bockris, J.O'M. Arrangement for electrochemical potential-time measurement in the millimicrosecond range, 1=4105
- Blomgren, G.E. An extended hole theory of liquids, 1=6855
- Blomgren, G.E. Theories of fused salt solutions, 2=19552
- Blomgren, G.E. Extended hole theory of liquids. II. Approximate calculation of the partition function, 3=11782
- Blomgren, G.E. and Kommandeur, J. Organic semiconductors: aromatic hydrocarbon positive ions in solids, 1=19866
- Blomgren, G.E. See Schreurs, J.W.H., 0=15756
- Blomqvist, G. See Åsbrink, S., 0=8201
- Blomqvist, G. See Lundén, A., 1=15198
- Blomqvist, G. See Westman, S., 0=8200
- Blomqvist, J. and Wahlborn, S. Shell model calculations in the lead region with a diffuse nuclear potential, 0=13103
- Blood, C.M. See Truitt, J., 4=6869
- Bloom, A. Optical pumping of alkaline atoms in a foreign gas under high pressure and the determination of spin distribution, 0=17694
- Bloom, A.L. Spin relaxation and line width in alkali metal vapors, 0=10701
- Bloom, A.L. Principles of operation of the rubidium vapor magnetometer, 2=5430
- Bloom, A.L. Optical pumping, 2=14225
- Bloom, A.L. Observation of new visible gas laser transitions by removal of dominance, 3=17090
- Bloom, A.L., Bell, W.E. and Lopez, F.O. Laser spectroscopy of a pulsed mercury-neon discharge, 4=24905
- Bloom, A.L., Bell, W.E. and Rempel, R.C. Laser operation at 3.39μ in a helium-neon mixture, 3=19495

- Bloom, A.L. and Carr, J.B. Pressure shifts in the hyperfine structure constant of potassium, 0=17712
- Bloom, A.L. See Bell, W.E., 1=8255
- Bloom, A.L. See Bell, W.E., 1=8821
- Bloom, A.L. See Bell, W.E., 1=10585
- Bloom, A.L. See Bell, W.E., 1=12257
- Bloom, A.L. See Bell, W.E., 4=14936
- Bloom, H. and Welch, B.J. Molten salt mixtures. VII. Activity coefficients in reciprocal molten salt systems $\text{PbBr}_2 + \text{NaCl}$ and $\text{PbCl}_2 + \text{NaBr}$, 3=16155
- Bloom, J.H., Ludington, C.E. and Phipps, R.L. The study of a continuous getter at high ambient temperatures with carbon dioxide, 2=5087
- Bloom, J.H., Ludington, C.E. and Phipps, R.L. The omegatron versus a sector-type mass spectrometer for residual gas studies, 4=21594
- Bloom, J.H. See Phipps, R.L., 2=5083
- Bloom, L.R. See Buhrer, C.F., 2=22067
- Bloom, L.R. See Buhrer, C.F., 3=23050
- Bloom, L.R. See Fowler, V.J., 4=16226
- Bloom, M. and Erdman, K. The transverse Stern-Gerlach experiment, 2=6112
- Bloom, M. and Jones, E.P. Detection of nuclear spin states in molecular crystals, 2=14847
- Bloom, M., Lipsicas, M. and Muller, B.H. Proton spin-lattice relaxation in polyatomic gases, 1=18476
- Bloom, M. and Oppenheim, I. The study of quantum statistical mechanical effects in gases using nuclear magnetic resonance techniques, 0=8719
- Bloom, M. and Oppenheim, I. Nuclear spin relaxation in gases and liquids. II. Molecular hydrogen, 4=2734
- Bloom, M. and Sandhu, H.S. Proton spin-lattice relaxation in pure methane and its deuterated modifications, 2=10709
- Bloom, M. and Sandhu, H.S. N.M.R. line-shape studies in methane using pulse techniques, 2=14852
- Bloom, M. See Lipsicas, M., 1=8146
- Bloom, M. See Lipsicas, M., 1=15965
- Bloom, M. See Muller, B., 0=19110
- Bloom, M. See Oppenheim, I., 0=5033
- Bloom, M. See Oppenheim, I., 1=9410
- Bloom, M. See Oppenheim, I., 4=8256
- Bloom, M. See Sawatzky, E., 2=21292
- Bloom, M. See Sawatzky, E., 3=1207
- Bloom, M. See Sawatzky, E., 4=20610
- Bloom, M. See Thompson, D.D., 4=20111
- Bloom, P. See Vassy, A., 4=13838
- Bloom, M.H. See Steiger, M.H., 2=19515
- Bloom, S., Dick, L.A., Feuvrais, L., Henry, G.R., Macq, P.C. and Spighele, M. Measurement, by bremsstrahlung transmission of the polarisation of e^+ from $\mu^+ \rightarrow e^+ + \nu_e + \bar{\nu}_\mu$, 4=15081
- Bloom, S. and Vural, B. Noise on a drifting Maxwellian beam, 3=9853
- Bloom, S. and Vural, B. Space-charge-wave decay along a signal-current-excited multivelocity beam, 3=16982
- Bloom, S. See Berghammer, J., 0=19739
- Bloom, S.D. Isotopic-spin conservation in allowed β -transitions and Coulomb matrix elements, 4=19713
- Bloom, S.D. and Glendenning, N.K. (p,n) reactions in mirror nuclei and the nuclear two-body force, 1=19463
- Bloom, S.D., Kaifer, R.C. and Schrader, C.D. Space scintillator-detector distinguishing between protons and electrons, 1=3080
- Bloom, S.D. and Mann, L.G. Isospin conservation and β - γ circular-polarization correlation, 1=19405
- Bloom, S.D., Mann, L.G. and Miskel, J.A. Isotopic spin conservation and beta-gamma circular polarization correlation in A^{41} and SC^{46} , 1=660
- Bloom, S.D., Mann, L.G. and Miskel, J.A. Isospin conservation and β - γ circular-polarization correlation in mixed transitions, 2=10058
- Bloom, S.D., Mann, L.G., Polichar, R., Richardson, J.R. and Scott, A. Circular polarization measurement of gamma rays following beta decay of Al^{24} and Na^{24} to determine the meson exchange effect, 4=17090
- Bloom, S.D. and Uretsky, J.L. Inner bremsstrahlung-nuclear recoil angular correlation in K-capture, 0=17538
- Bloom, S.D. See Albert, R.D., 1=7373
- Bloom, S.D. See Mann, L.G., 2=10049
- Bloom, S.D. See Mann, L.G., 2=20552
- Bloom, S.D. See Miskel, J.A., 4=3601
- Bloom, S.D. See Pechacek, R.E., 4=9165
- Bloom, S.D. See Wong, C., 1=11010
- Bloomberg, H. See Hacker, D.S., 4=5554
- Bloomer, R.N. A note on the paper "The oxidation of evaporated barium films (Getters)", 0=3572
- Bloomer, R.N. On the general principles of chemical and ionic pumping, 1=15970
- Bloomer, R.N. and Brooks, W.C. Simple detector for small leaks using a thoriated tungsten emitter with oxygen as probe gas, 0=14701
- Bloomfield, P., Lawson, A.W. and Rey, C. Crystal field splitting and covalent bonding in Fe^{++} silicate garnets, 1=6066
- Bloor, D. Domain sizes in polycrystalline iron, 3=11074
- Bloor, D., Dean, T.J., Jones, G.O., Martin, D.H., Mawer, P.A. and Perry, C.H. Spectroscopy of extreme infra-red wavelengths, 1=16077
- Bloor, D. and Martin, D.H. Antiferromagnetic resonance in the extreme infra-red, 2=2295
- Bloore, F.J., Varshni, Y.P. and Pearson, J.M. A correction to the calculated energies of $2p$ - $1s$ μ -mesonic X-rays, 3=8217
- Bloore, F.J. See Nogami, Y., 4=9293
- Bloore, F.J. See Varshni, Y.P., 3=4800
- Bloore, P.D. and Botterill, J.S.M. Similarity in behaviour between gas bubbles in liquid and fluidized solid systems, 1=12858
- Bloss, R.L. See Mordfin, L., 2=19838
- Bloss, W. On an arrangement for the direct conversion of heat energy into electrical energy, 1=18748
- Bloss, W. The direct conversion of heat to electrical energy by means of noble-gas filled thermionic valves, 2=9521
- Bloss, W. A new gasfilled thermionic converter, 3=3997
- Bloss, W. and Krezdorn, W. Investigations on the low voltage arc mode in thermionic diodes, 4=18661
- Bloss, W. See Pfender, E., 2=9627
- Blosser, H.G. and Gordon, M.M. Performance estimates for injector cyclotrons, 2=5418
- Blosser, H.G., Gordon, M.M. and Arnette, T.I. Resonant extraction from three-sector low-spiral cyclotrons, 3=5786
- Blosser, H.G. See Arnette, T.I., 3=5770
- Blosser, H.G. See Cohen, B.L., 1=1938
- Blosser, H.G. See Gordon, M.M., 3=5774
- Blotekjaer, K. Transverse electron beam noise described by filamentary beam parameters, 2=17887
- Blotekjaer, K. and Grung, B. Optimum r.f. field distribution of monotron cavities, 2=17883
- Blotekjaer, K. and Malsnes, B. A δ -function analysis of transverse wave interaction in periodic static fields, 3=12243
- Blotekjaer, K. and Quate, C.F. The coupled modes of acoustic waves and drifting carriers in piezoelectric crystals, 4=20207
- Blotekjaer, K. See Haydl, W.H., 4=29708
- Blott, B.H. and Hopkins, B.J. The work function of films evaporated from uranium carbide, 3=4179
- Blott, B.H. and Hopkins, B.J. A work function study of the evaporation from uranium carbide, 4=18499
- Blott, L.W. See Bell, V.J., 4=30333
- Blottiau, F. Trichromatic colorimetry measurements taking into account the variations of the state of adaption of the observer, 2=17329
- Blottiau, F. Application of the photocolorimetric representation to the production of colours by subtraction, 2=19675
- Blottiau, F. Examination of the possibilities of calculating the trichromatic components of a normal real observer beginning with the normalized distribution functions, 3=21516
- Blottiau, F. and Bertrand, G. Repercussion of spectrophotometric errors on colorimetric calculations, 1=18626
- Blouin, F. and Lenoble, J. Experimental study of multiple scattering of light. Case of an absorbing medium, 3=11941
- Blount, E.I. Exclusion factors in transport theory, 0=3470
- Blount, E.I. Direct observation of open magnetic orbits, 0=6259
- Blount, E.I. Bloch electrons in a magnetic field, 2=14402
- Blount, E.I. Extension of the Foldy-Wouthuysen transformation, 3=5362
- Blount, E.I. Variational principles and entropy production, 3=23780
- Blount, E.I. See Adams, E.N., 0=9881
- Blount, E.I. See Cohen, M.H., 0=16122
- Blow, D.M. To fit a plane to a set of points by least squares, 0=8203
- Blow, D.M. The structure of haemoglobin. VII. Determination of phase angles in the non-centrosymmetric [100] zone, 0=11547
- Blow, D.M. and Rossmann, M.G. The single isomorphous replacement method, 2=10849
- Blow, D.M. and Rossmann, M.G. The single isomorphous-replacement method: a correction, 3=3290
- Blow, D.M. See Rossmann, M.G., 2=10851
- Blow, D.M. See Rossmann, M.G., 3=8831
- Blow, D.M. See Rossmann, M.G., 4=23360

- Bloxam, R.W. Quantitative determination of uranium and thorium in rocks, 2=17113
- Bloxson, D.E. See Masson, D.J., 2=2747
- Bludman, S.A. Absence of μ -e conversion processes and the $\Delta I = \frac{1}{2}$ rule, 1=19222
- Bludman, S.A. Two neutrinos or one? 3=7823
- Bludman, S.A. One four-component neutrino, 4=25059
- Bludman, S.A. and Klein, A. Broken symmetries and massless particles, 3=23787
- Bludman, S.A., Watson, K.M. and Rosenbluth, M.N. Statistical mechanics of relativistic streams. II., 0=17004
- Bludman, S.A. and Young, J.A. Radiative pion decay into electrons, 0=9400
- Bludman, S.A. and Young, J.A. Electromagnetic production of charged vector mesons, 2=9877
- Bludman, S.A. See Judd, D.L., 0=19788
- Bludman, S.A. See Watson, K.M., 0=17003
- Bludman, S.A. See Young, J.A., 3=24614
- Blue, E. and Flatt, H.P. Convergence of the S_n method for thermal systems, 1=13885
- Blue, E., Ingold, J.H. and Ozeroff, W.J. Diffusion of electrons in a scattering medium, 3=5820
- Blue, G.D., Green, J.W., Bautista, R.G. and Margrave, J.L. The sublimation pressure of calcium (II) fluoride and the dissociation energy of calcium (I) fluoride, 3=21638
- Blue, J.W. and Liu, D.C. Scintillation response of alkali iodides to alpha particles and protons, 2=17999
- Blue, M.D. Hall coefficients of dilute copper alloys, 0=4319
- Blue, M.D. Thermoelectric effects in copper-gold alloys, 0=4373
- Blue, M.D. Resistivity and thermoelectric power of transition metals in copper-gold alloys, 1=11254
- Blue, M.D. Extraordinary Hall effect in paramagnetic gold alloys, 2=23248
- Blue, M.D. Optical absorption in HgTe and HgCdTe, 4=13048
- Blue, M.D., Garfunkel, J.H. and Kruse, P.W. Long wavelength photo-effect in mercury selenide, 2=130
- Blue, M.D. and Kruse, P.W. Preparation and electrical properties of mercury selenide, 2=16728
- Blue, M.D. See Kruse, P.W., 2=10534
- Blue, M.H., Lord, J.J., Parks, J.G. and Tsao, C.H. Transverse momentum of particles emitted in 4.2 GeV proton-proton collisions, 1=8456
- Blue, M.H., Lord, J.J., Parks, J.G. and Tsao, C.H. Proton-proton collisions at 4.2 BeV, 2=5637
- Blüh, O. Physics for the biologist, 1=15589
- Blukis, U., Kasal, P.H. and Myers, R. J. Microwave spectra and structure of dimethyl ether, 3=17596
- Blum, A.I. Thermoelectric properties of gallium antimonide (GaSb), 0=623
- Blum, A.I. and Ryabtsova, G.P. Investigation of the thermoelectric properties of InSb and GaSb in the melting region and in the liquid state, 0=624
- Blum, D., Barreau, P. and Bellicard, J. Study of the first excited levels of Ca^{40} , 3=22300
- Blum, D., Bellicard, J. and Barreau, P. Study of Cr^{52} levels by inelastic scattering of 150 MeV electrons, 4=17052
- Blum, E.J. Spectral measurements in radio-astronomy, 0=12252
- Blum, E.J. Sensitivity of radiotelescopes and correlation receivers, 0=18686
- Blum, E.J. The north-south multiple-lobe array of the large interferometer at Nançay, 1=18141
- Blum, E.J. and Boisshot, A. Eclipse of the Crab nebula by the solar corona, 1=15537
- Blum, E.J., Boisshot, A. and Lequeux, J. Radio astronomy in France, 4=4919
- Blum, E.J. and Cagnet, M. Interferometry in the presence of scintillations, 2=2892
- Blum, E.J., Delannoy, J. and Joshi, M. Method for putting the elements of an aerial system in phase, 1=15526
- Blum, E.J. and Le Squeren, C. A new type of radiotelescope, 2=7032
- Blum, E.J. and Malinge, A.M. Study of the relative positions of sources of solar radio storms and of associated centres of optical activity, 0=18645
- Blum, E.J. See Malinge, A., 0=827
- Blum, F.A., Jr. and Deaton, B.C. Thermal conductivity at elevated pressure and temperature, 4=26568
- Blum, H. Question of the paramagnetism of the M center in sodium fluoride, 3=819
- Blum, H. See Holton, W.C., 0=18217
- Blum, H. See Holton, W.C., 2=3960
- Blum, L. On the transport equation in quantum mechanics, 1=12827
- Blum, L. Evolution of a crystal in an oscillating field, 2=3826
- Blum, L. The evolution equation for the homogeneous crystal, 2=14347
- Blum, L. Theory of helium II, 2=17709
- Blum, L. The evolution equation of quantum gases, 3=9365
- Blum, L. Formal sum of pairing diagrams, 3=11726
- Blum, L. Evolution equation for homogeneous quantum fluids, 3=23792
- Blum, L. Transport processes at low temperatures: He II and superconductivity, 4=14494
- Blum, L. The activated complex in the collision theory of chemical kinetics, 4=29207
- Blum, L. See Henin, F., 1=9886
- Blum, N. and Grodzins, L. Sign of the magnetic hyperfine field in dilute iron alloys using the Mössbauer effect 4=30496
- Blum, P. An electron scintillation spectrometry method, 2=20192
- Blum, P. L., Guinet, P. and Vaugoyeau, H. On the binary system uranium-uranium dioxide, 4=11402
- Blum, P.A. and Jobert, G. Spectral analysis of variations of gravity, 2=21607
- Blum, R. See Heinmets, F., 3=22979
- Blum, S. See Belforti, D., 1=20534
- Blum, S.E. See Ainslie, N.G., 2=19048
- Blum, S.E. See Burns, G., 4=5866
- Blum, S.E. See Nathan, M.I., 4=4297
- Blum, W. See Bäumlner, P., 4=26127
- Blumberg, B. See Thornton, G., 1=11055
- Blumberg, H. See Bodenstedt, E., 4=3568
- Blumberg, L. and Leachman, R.B. Angular distributions of fragments from neutron-induced fission of U^{235} and Pu^{239} , 0=1456
- Blumberg, R.H. Critical field measurements on thin superconducting Sn films, 2=13517
- Blumberg, R.H. and Seraphim, D.P. Effect of elastic strain on the superconducting critical temperature of evaporated tin films, 2=1340
- Blumberg, R.H. See Behrndt, M.E., 0=10855
- Blumberg, R.H. See Douglass, D.H., Jr., 2=19820
- Blumberg, W.E. Nuclear spin-lattice relaxation caused by paramagnetic impurities, 0=11953
- Blumberg, W.E. Spin relaxation of F-center electrons, 0=16160
- Blumberg, W.E. and Eisinger, J. Effective mass in gray tin from Knight shift measurements, 1=1283
- Blumberg, W.E., Eisinger, J. and Geschwind, S. Cu^{2+} ion in corundum, 3=13300
- Blumberg, W.E., Eisinger, J., Geschwind, S. and Remeika, J. P. Paramagnetic and ENDOR spectrum of Cu^{2+} in Al_2O_3 , 4=26393
- Blumberg, W.E., Eisinger, J., Jaccarino, V. and Matthias, B.T. Nuclear magnetic resonance in scandium and lanthanum metal, 0=18228
- Blumberg, W.E., Eisinger, J., Jaccarino, V. and Matthias, B.T. Correlations between superconductivity and nuclear magnetic resonance properties, 0=19561
- Blumberg, W.E., Eisinger, J. and Klein, M.P. Isotope effect in the nuclear magnetic resonance in rubidium, 1=14824
- Blumberg, W.E. See Teaney, D.T., 0=16161
- Blumberg, W.E. See Wikner, E.G., 0=10253
- Blume, A.E. and Tittel, K. F. Thermal effects in laser amplifiers and oscillators, 4=19299
- Blume, H. Measurement of luminescence decay in the region 10^{-8} - 10^{-4} sec for optical excitation, 0=18134
- Blume, H., Brauer, P. and Westermann, K. On the decay of the luminescence of NH_4Br :Tl excited with ultraviolet light, 2=23598
- Blume, H. See Brauer, P., 1=9010
- Blume, M. Orbital contribution to the magnetic form factor of Ni^{++} , 1=14667
- Blume, M. Polarization effects in the magnetic elastic scattering of slow neutrons, 3=15861
- Blume, M. Magnetic scattering of neutrons by noncollinear spin densities, 3=19643
- Blume, M. Polarization effects in slow neutron scattering. II. Spin-orbit scattering and interference, 4=13143
- Blume, M., Freeman, A. J. and Watson, R. E. Erratum: Neutron magnetic form factors and X-ray atomic scattering factors for rare earth ions, 4=28781
- Blume, M., Freeman, A.J. and Watson, R.E. Neutron magnetic scattering from rare-earth ions, 2=2711
- Blume, M., Freeman, A.J. and Watson, R.E. Neutron magnetic form factors and X-ray atomic scattering factor for rare-earth ions, 2=23675

- Blume, M., Freeman, A. J. and Watson, R. E. Theory of spin-orbit coupling in atoms. III, 4=15270
- Blume, M. and Orbach, R. Spin-lattice relaxation of S-state ions: Mn^{2+} in a cubic environment, 2=18955
- Blume, M. and Watson, R. E. Theory of spin-orbit coupling in atoms. I. Derivation of the spin-orbit coupling constant, 2=22884
- Blume, M. and Watson, R. E. Theory of spin-orbit coupling in atoms. II. Comparison of theory with experiment, 3=6347
- Blume, M. See Orbach, R., 3=3184
- Blume, P. See Ettinger, R., 1=2350
- Blume, R. J. R.F. gate with 10^9 carrier suppression, 1=9521
- Blume, R. J. "Boxcar" integrator with long holding times, 1=13058
- Blume, R. J. Transmission-type piezoelectricity detector, 1=16218
- Blume, R. J. Demonstration of nuclear magnetic resonance in cobalt with a "grid dip" meter, 3=6766
- Blume, R. J. u-mode balancing method for crossed-coil nuclear magnetic resonance r.f. heat, 3=9960
- Blume, R. J. Instrument for continuous high resolution measurement of changes in the velocity of ultrasound, 4=8356
- Blume, R. J. See Boyd, E. L., 2=18937
- Blume, R. J. See Bruner, L. J., 1=1281
- Blume, R. J. See Budnick, J. L., 1=6433
- Blume, R. J. See Redfield, A. G., 3=8736
- Blume, S. Theory of conical aerials with elliptical cross-section, 4=5824
- Blumenfeld, H. See Nauenberg, U., 4=25198
- Blumenthal, B. The transformation temperatures of high-purity uranium, 0=18377
- Blumenthal, B. Constitution of low carbon U-C alloys, 1=20586
- Blumenthal, R. B., Faissler, W. L., Joseph, P. M., Lanzerotti, L. J., Pipkin, F., Stairs, D. G., Ballam, J., de Staebler, H., Jr and Odian, A. Photoproduction of charged pions from beryllium in the BeV range, 4=9473
- Blumle, L. J. Satellite observations of the equatorial ionosphere, 3=9078
- Blumle, L. J. Polarization of synchrotron radiation and the quasi-transverse propagation region, 4=7911
- Blumle, L. J. and Ross, W. J. Satellite observations of electron content at the magnetic equator, 2=13024
- Blumle, L. J. See Ross, W. J., 3=13710
- Blüthner, K. Preparation for electron-microscope investigations of aerosols, 3=13624
- Blüthner, K. Preparation of fibre surfaces, 3=16474
- Blyakhman, E. A. Fluctuation spectrum of a diffraction image, 4=283
- Blyashenko, G. S., Petrenko, M. S., Pervakov, V. O. and Khotkevich, V. G. Latent energy of deformation of nickel with slight tin impurities, 4=13436
- Blyholder, G. Infrared spectrum of CO chemisorbed on iron, 2=12966
- Blyholder, G. and Neff, L. Rotation of physical adsorbed CO, 2=19116
- Blyholder, G. and Neff, L. D. Infrared spectra of CO, CO₂, O₂, and H₂O adsorbed on silica-supported iron, 2=23963
- Blytas, G. C., Kertesz, D. J. and Daniels, F. Concentrated solutions in liquid ammonia: solubility of NaNO₃ and KBr and other salts; vapor pressures of LiNO₃-NH₃ solutions, 2=15576
- Blythe, A. R., Lambert, J. D., Petter, P. J. and Spoel, H. The pressure dependence of refractivity of polar gases, 0=6839
- Blythe, H. J., Harvey, T. J., Hoare, F. E. and Moody, D. E. Punched tape recorder for use in calorimetry, 4=11430
- Blythe, J. H. Results of a survey of galactic radiation at 38 Mc/s, 0=18677
- Blythe, P. A. Non-equilibrium flow of a polyatomic gas through a normal shock wave, 3=21424
- Blyumenfel'd, L. A. Ferromagnetism of organic structures, 3=20566
- Blyumenfel'd, L. A. and Voevodskii, V. V. Radio spectroscopy and contemporary theoretical chemistry, 1=4743
- Blyumenfeld, L. A. See Benderskii, V. A., 4=26063
- Blyumenfel'd, L. A. See Chernyakovskii, F. P., 1=5072
- Blyumenfel'd, L. A. See Chetverikov, A. G., 4=26437
- Blyumkina, Yu. A., Bondarenko, I. I., Kuznetsov, V. F., Nesterov, V. G., Okolovich, V. N. and Smirenkin, G. N. Prompt-neutron number and fragment kinetic energy in low-energy fission of U^{235} , 4=6397
- Blyumkina, Yu. A., Bondarenko, I. I., Kuznetsov, V. F., Nesterov, V. G., Okolovich, V. N., Smirenkin, G. N., and Usachev, L. N. Channel effects in the energy dependence of the number of prompt neutrons and the kinetic energy of fragments in the fission of U^{235} and U^{233} by neutrons, 4=17211
- Boade, R. R. See Olson, J. R., 2=15650
- Boag, J. W. See Hart, E. J., 3=6928
- Boag, J. W. See Schulman, J. H., 3=8460
- Boaga, G. Observations on Somigliana's formula for the gravitational field, 0=3425
- Boakes, D., Garton, G., Ryan, D. and Wolf, W. P. Paramagnetic resonance of Yb^{3+} in yttrium gallium garnet, 0=4516
- Board, A. J. See Pearson, S., 1=19807
- Boardman, A. D. See March, N. H., 3=22700
- Boardman, A. D. See Roberts, P. H., 2=13661
- Boardman, F. D. Noise measurements in the Dounreay fast reactor, 4=19882
- Boardman, G. and Whitmore, R. L. Yield stress exerted on a body immersed in a Bingham fluid, 0=16391
- Boardman, G. and Whitmore, R. L. The behaviour of a Bingham fluid in the cone-and-plate viscometer, 3=14114
- Boardman, G. See Whitmore, R. L., 2=13307
- Boardman, J. and Bergmann, F. G. Spherical gravitational waves, 0=881
- Boardman, L. J. New photometer for visual heterochromatic photometry, 1=10576
- Boas, M. L. The clock paradox, 0=2113
- Boas, M. L. Apparent shape of large objects at relativistic speeds, 1=5188
- Boatman, P. M. Three dimensional pressure temperature entropy diagram, 1=6889
- Boatner, L. A. See Wissemann, W. R., 4=27427
- Boato, G. Isotope effects in phase equilibria, 3=21611
- Boato, G. The solidified inert gases, 4=22454
- Boato, G. and Casanova, G. A self-consistent set of molecular parameters for neon, argon, krypton and xenon, 1=12335
- Boato, G., Casanova, G. and Levi, A. Isotope effect in phase equilibria, 2=22092
- Boato, G., Casanova, G. and Levi, A. On the self-diffusion in liquid argon, 4=18187
- Boato, G., Casanova, G., Scoles, G. and Vallauri, M. E. Vapour pressure of isotopic liquids. III. Some corrections to previous papers, 1=8262
- Boato, G., Casanova, G. and Vallauri, M. E. Vapour pressure of isotopic liquids. II. Ne and Ar above boiling-point, 0=14683
- Boato, G., Fieschi, R. and Nardelli, G. F. The problem of auto-diffusion in simple solids, 4=17436
- Boato, G., Gallinaro, G. and Rizzuto, C. Superconductive transition of aluminium containing transition metal impurities, 3=19105
- Boato, G., Gallinaro, G. and Rizzuto, C. Effect of transition metal impurities on the critical temperature of non-transition metals, 4=18566
- Boato, G., Sanna, R., Vallauri, M. E. and Reinharz, M. A mass spectrometer of high sensitivity, 1=15211
- Boato, G., Scoles, G. and Vallauri, M. E. Vapour pressure of isotopic liquids. I. Ar, N₂, O₂ below boiling-point, 0=2168
- Boato, G., Scoles, G. and Vallauri, M. E. Vapour pressure of isotopic liquids, 0=8654
- Boato, G., Scoles, G. and Vallauri, M. E. Vapour pressure of isotopic solids by a steady flow method: argon between 72°K and triple point, 2=9465
- Boato, G. See Ancona, E., 2=13490
- Boato, G. See Berne, A., 2=18595
- Boatwright, A., Merkl, W. A. and Mette, H. High p.m.e. sensitivities by optical polishing of germanium surfaces, 3=4956
- Bobashev, S. V., Andreev, E. P. and Ankudinov, V. A. Excitation of balmer series spectral lines of hydrogen upon passage of H^+ , H_2^+ and H_3^+ ions through helium and neon, 4=9656
- Bobashev, S. V. See Andreev, E. P., 4=22290
- Bobb, L. C. See Chopra, K. L., 3=15543
- Bobb, L. C. See Chopra, E. L., 4=17534
- Bobb, L. C. See Chopra, K. L., 4=22670
- Bobber, R. J. Interference versus frequency in measurements in a shallow lake, 1=12944
- Bobber, R. J. Active load impedance, 2=7291
- Bobber, R. J. and Sabin, G. A. Cylindrical wave reciprocity parameter, 1=6927
- Bobber, R. J. See Trott, W. J., 4=5303
- Boback, A. H. and Fischer, R. F. Reversible, diodeless, twistor shift register, 0=2420
- Böbel, G. and Passatore, G. On the polarization of photons elastically scattered by mercury atoms, 0=17692
- Böbel, G. See Bizzeti, P. G., 3=7847
- Bobeldijk, C. See Born, P., 2=3512
- Bobeldijk, C. See Born, P., 3=12624
- Bober, M. See Schultz, G., 2=8434

- Bobin, J.-L. Collisionless shock wave in a linear pinch experiment, 3=14586
- Bobin, J. L. Shock waves in a low density plasma, 4=27523
- Bobin, J. L. and Despres, J. Note on the M X-ray emission spectrum of plutonium, 1=7718
- Bobka, R. J. See Pace, E. L., 1=11861
- Bobkov, Yu. V. See Sokurskii, Yu. N., 2=12843
- Bobovich, Ya. S. The intensity of Raman bands and the character of the chemical bond, 2=6172
- Bobovich, Ya. S. Second-order Raman spectra in some liquids, 2=7215
- Bobovich, Ya. A. The spectroscopic manifestation of the coordination transitions of boron in some vitreous systems, 4=20449
- Bobovich, Ya. S. Investigation of the catalysed crystallization process by the Raman spectrum method, 3=5086
- Bobovich, Ya. S. Investigation of the structure of glassy phosphates using Raman spectra, 3=8602
- Bobovich, Ya. S. Structure of beryllium halides in concentration aqueous solution, 3=9463
- Bobovich, Ya. S. Spectroscopic study of the coordination state in certain glasses, 3=25459
- Bobovich, Ya. S. and Bursian, E. V. The Raman spectrum of barium titanate, 2=8538
- Bobovich, Ya. S. and Eidus, Ya. A. Quantitative measurements on the Raman spectra of powdered substances, 4=26170
- Bobovich, Ya. S. and Tulub, T. P. The temperature dependence of the Raman band intensities in crystalline and vitreous solids. I. An experimental study in the Stokes region of the spectrum, 1=5052
- Bobovich, Ya. S. See Pivovarov, V. M., 0=3619
- Bobovich, Ya. S. See Tsenter, M. Ya., 3=11797
- Bobovich, Ya. S. See Tsenter, M. Ya., 4=21135
- Bobovich, Ya. S. See Tsenter, M. Ya., 4=25713
- Bobovich, Ya. S. See Tulub, T. P., 1=11385
- Bobovikov, R. S. See Kulakov, F. M., 4=14823
- Bobroff, D. L. Reduction of beam noisiness in a drifting multi-velocity beam, 2=17885
- Bobroff, D. L., Haus, H. A. and Klüver, J. W. On E. L. Chu's definition of small signal r.f. power of electron beams, 1=16398
- Bobroff, D. L., Haus, H. A. and Klüver, J. W. On the small signal power theorem of electron beams, 3=433
- Bobroff, D. L. See Paananen, R. A., 3=17089
- Bobroff, D. L. See Paananen, R. A., 4=16698
- Bobrov, A. V. and Sterin, Kh. E. Spectroscopic study of the mutual orientation of the phenyl rings in diphenyl molecules, 4=6635
- Bobrov, A. V., Sterin, Kh. E. and Sobolev, E. V. Degree of polarization of lines in the Raman spectra of hydrocarbons with conjugated double bonds, 2=20848
- Bobrov, A. V., Sterin, Kh. E. and Sobolev, E. V. Degree of depolarization of lines in the Raman spectra of hydrocarbons with conjugated double bonds, 2=22990
- Bobrov, M. S. Some remarks on optical properties of Saturn's rings, 0=16534
- Bobrov, M. S. The absolute brightness of the B-ring of Saturn, 0=18701
- Bobrov, M. S. A study of solar corpuscular streams based on world-wide geomagnetic disturbances observed during the I. G. Y., 1=1591
- Bobrov, M. S. The estimation of some parameters describing the non-uniformity of solar corpuscular streams, 1=6646
- Bobrov, M. S. Theoretical phase curves of the shadow effect of Saturn's rings. I. Derivation of pertinent formulae, 2=945
- Bobrov, M. S. Generalization of the theory of the shadow effect on Saturn's rings to the case of particles of unequal size, 2=4727
- Bobrov, M. S. Optics and geometry of the matter of Saturn's rings, 3=18615
- Bobrov, Yu. V. Dark conductivity of AgBr crystals in an ultrasonic field, 4=22767
- Bobrova, L. I. See Synorov, V. F., 4=20794
- Bobrowski, L., Vil'gel'mi, Z. [Wilhelmi, Z.], Gurski, E. [Gofski, E.], Soltan, A. and Yaskula, M. [Jaskóla, M.]. Pressurized electrostatic accelerator "LECH", 4=3068
- Bobrowsky, A. Correction to the high-pressure scale, 3=9404
- Bobrysheva, A. I. See Moskalenko, S. A., 3=15472
- Bobrysheva, A. I. See Moskalenko, S. A., 3=20142
- Böby, Z. T. On the backscattering of electron from solids, 2=20034
- Bobyl, V. G. See Mitskevich, P. K., 1=5280
- Bobyl', V. G. See Romanets', R. G., 2=17482
- Bobyr', V. V., Grona, L. Ya. and Strizhak, V. I. Angular distribution of 14 MeV neutrons elastically scattered on carbon, nitrogen and sulphur, 2=461
- Bobyr', V. V., Grona, L. Ya. and Strizhak, V. I. Amplitude-time selection of pulses for the study of the interaction of neutrons from the D(T, d)He⁴ reaction with atomic nuclei, 2=7988
- Bobyr', V. V., Grona, L. Ya. and Strizhak, V. I. Angular distribution of 14 MeV neutrons elastically scattered on carbon, nitrogen and sulphur, 2=22822
- Bobyr', V. V., Strizhak, V. I. and Tots'kii, I. A. Angular distribution of 2.8 MeV neutrons elastically scattered by
- Bobyr', V. V. See Strizhak, V. I., 1=12201
- Bobyr', V. V. See Strizhak, V. I., 1=17094
- Bobyr', V. V. See Strizhak, V. I., 1=19425
- Bobyr', V. V. See Strizhak, V. I., 2=7989
- Bobylev, N. A. and Fedyanin, O. I. A study of the initial stage of a high-current electrodeless discharge, 2=17798
- Bobylev, N. A. and Fedyanin, O. I. Localization of breakdown of a high-current discharge by a transverse magnetic field, 2=17814
- Bobylev, N. A. and Fedyanin, O. I. Effect of an external, longitudinal magnetic field on the dynamic stabilization of a cylindrical gaseous conductor, 3=7513
- Bobylev, N. A. and Fedyanin, O. I. High frequency magnetic field stabilization of a cylinder carrying current, 4=24712
- Boca, I., Cenja, M., Ilescu, E. and Martalogu, N. The polarization of elastically scattered protons on C¹² at 4.5 MeV energy, 4=25387
- Boccaletti, D., De Franceschi, G. and Gualdi, C. A model for double photoproduction of charged pions. II, 1=8480
- Boccaletti, D. and Gualdi, C. A model for double photoproduction of charged pions, I, 1=5752
- Boccaletti, D., de Sabbata, V. and Gualdi, C. Photoneutrino emission and neutron production in the $\gamma + p \rightarrow n + \nu + e^+$ process in stars, 3=23693
- Boccaletti, D., De Sabbata, V. and Gualdi, C. The $\gamma + \gamma \rightarrow \nu + \bar{\nu}$, process and its implication in cosmology, 4=25060
- Boccaletti, D., de Sabbata, V. and Gualdi, C. On the neutrino energy density in the universe and a possible experiment giving an upper limit, 4=30965
- Boccaletti, D. and Selleri, F. Some remarks on double photoproduction, 2=5706
- Boccaletti, D. See Alles, W., 3=10072
- Boccara, N. Effective charges of the ions in alkali halide crystals. Duplication of the frequencies of oscillations of the optical branch, 1=2363
- Boccara, N. Force field in the crystalline state and the Fourier matrix of alkali halides, 1=4962
- Boccara, N. Potential and field of a volume distribution of multipoles, 2=15874
- Boccara, N. Ion displacement in alkali halide crystals. Principal oscillations case, 2=18765
- Boccara, N. Polarization of atomic vibrations in crystals, 3=8344
- Boccara, N. A generalization of Earnshaw's theorem, 3=14504
- Boccara, N. On the theory of the thermal expansion of crystals at low temperature, 4=17368
- Boccara, N. and Zarembovitch, A. Study of the polarisation of elastic waves with a velocity extremum propagating in crystals, 4=11278
- Bocchieri, P. and Loinger, A. Equivalence between the $\hbar \rightarrow 0$ limit of the classical "Wellenbild" and the hydro-dynamical theory of superconductivity, 3=1612
- Bocchieri, P. and Loinger, A. Remarks on a theorem in classical ensemble theory, 4=89
- Bocchieri, P. and Orzalesi, C. A. The ground-state three-body correlation function in a dilute boson gas with hard-sphere interaction, 4=24098
- Bocchieri, P. See Albertoni, S., 0=16615
- Bocciolini, M., Di Caporiaco, G., Foà, L. and Mandò, M. Evidence for a new 191 min half-period activity in Nb, 0=17563
- Bocciolini, M. See Ademollo, M., 0=17521
- Bocciolini, M. See Bizzeti, P. G., 2=18336
- Bocciolini, M. See Bizzeti, P. G., 3=8073
- Boček, M. The temperature dependence of some characteristics of the hardening curve of zinc single crystals, 1=20366
- Boček, M. The influence of impurity content on some characteristics of the hardening curve of zinc single crystals, 1=20367
- Boček, M. Comprehensive description of slip deformation in metals with close-packed structure, 4=28923

- Boček, M. and Höttsch, G. Plastic deformation of cadmium-doped zinc single crystals. I, 4=30791
- Boček, M. and Kaska, V. Orientation and temperature dependence of work-hardening curves of zinc crystals, 4=13453
- Boček, M. and Kratochvíl, P. Dislocation[s] in zinc crystals with elongated cell substructure, 0=11620
- Bocek, M., Kratochvíl, P. and Lukac, P. On the effect of impurities on the critical resolved shear stress of zinc single crystals, 2=2318
- Bocek, M., Kratochvíl, P. and Lukac, P. The effect of impurities on the critical resolved shear stress of zinc single crystals, 2=23745
- Bocek, M. and Lukac, P. Effect of impurity content on the hardening process of zinc single crystals at liquid air temperature, 2=10764
- Boček, M., Lukáč, P. and Svábová, M. Interpretation of the orientation dependence of the work-hardening increase in zinc crystals, 4=13454
- Boček, M. and Rathausky, B.Z. The influence of micro-segregations of the substructure on the critical shear stress and hardening coefficient of single crystals of zinc, 3=6792
- Bocek, M. and Vacek, K. Characteristics of the similarity between the plastic properties of ionic and metal crystals, 2=2327
- Boček, M. See Kratochvíl, P., 4=28991
- Boček, V. See Vavrouch, D., 3=24103
- Bochagov, B. A., Komar, A. P. and Fadeev, V. I. Kinetic energy and angular distribution of fragments from fission of U^{238} by neutrons and photons, 4=6398
- Bochagov, B. A., Komar, A. P. and Solvakin, G. E. Kinetic energy of the fragments of U^{238} photofission, 0=20510
- Bochagov, B. A., Komar, A. P. and Solvakin, G. E. Energy distributions of photofission fragments from U^{238} nuclei for various peak γ -quantum bremsstrahlung energies, 3=15248
- Bochagov, B. A. See Komar, A. P., 3=8143
- Bochagov, B. A. See Komar, A. P., 4=9577
- Bocharov, E. I. Weakening of infra-red radiation by water vapour, 0=1967
- Bocharov, E. I. and Krutikov, A. S. Absorption of radiation in liquid water, 0=82
- Bochenek, K. Evaluation of errors arising in the theory of antennae due to the use of geometrical optics, 1=4728
- Bochenek, K. Discontinuous flow of plasma, 4=14649
- Bochin, V. P., Zherebtsova, K. I., Zolotarev, V. S., Komarov, V. A., Krasnov, L. V., Litvin, V. F., Nemilov, Yu. A., Novatsky, B. G. and Piskorz, S. (d, p) stripping reaction and (d, d) elastic scattering on Cr^{50} , Cr^{52} , Cr^{54} , Cr^{56} and Fe^{57} , 4=12269
- Bochirol, L. See Bonjour, E., 2=8262
- Bochkarev, V. N. and Nefedov, V. V. A scintillation counter for discriminating between lightly and heavily ionizing particles, 2=19856
- Bochkova, O. P. and Razumovskaya, L. P. Spectroscopic observations of the unstable region in a transition from a "weak" to a "strong" high-frequency discharge, 4=16442
- Bochkova, O. P., Razumovskaya, L. P. and Frish, S. E. Spectroscopic investigation of a high frequency discharge in neon, 2=11627
- Bochkova, O. P. See Bogdanova, I. P., 4=22294
- Bochkova, O. P. See Frish, S. E., 2=22912
- Bochkova, O. P. See Frish, S. E., 3=8177
- Bochkova, O. P. See Razumovskaya, L. P., 1=2950
- Böchlér, E. Pressure-release reflectors for water-borne sound at high hydrostatic pressures, 2=2833
- Bochníček, Z. V. Profile of upper-atmosphere air density at the height 180-212 km. derived from the orbit of Sputnik III, 0=12149
- Bochvar, D. A. and Gambaryan, N. P. Measure of delocalization of an electron in atomic and molecular systems, 0=20538
- Bochvar, D. A., Stankevich, I. V. and Chistyakhov, A. L. Entropy of localization and extension in a quantum mechanical system, 1=4272
- Bochvar, D. A., Stanevich, I. V. and Christakhov, A. L. Entropy of localization and extension in a quantum mechanical system, 1=10434
- Bochvar, D. A., Stankevich, I. V. and Chistyakov, A. L. An entropy expression of the uncertainty principle, 3=14036
- Bochvar, I. A. and Keirim-Markus, I. B. Heating arrangement for study of thermoluminescence, 3=6685
- Bochvar, T. A., Vasil'eva, A. A., Keirim-Markus, I. B., Prosina, T. I., Syrickaya, Z. M. and Yakubik, V. V. Dosimeters of ionizing radiation based on the measurement of thermoluminescence of aluminium phosphate glasses (IKS dosimeters), 4=5892
- Bochvarov, N. See Christov, V., 3=24546
- Bochvarov, N. See Khristov, V., 4=1153
- Bock, C. D. A high precision stellar navigator for interplanetary guidance, 2=11203
- Bock, I. E. A direct method of calculating the optimum operating conditions of isotope separation columns, 3=22512
- Bock, R. Determination of the compound nucleus and stripping fraction of (d, p) and (d, n) reactions in Zr^{94} and Zr^{96} , 1=19523
- Böck, R. An I.B.M. program for the kinematical analysis of complete track chamber events, 3=19517
- Bock, R. and Rüdel, R. Excitation functions for the (d, p), (d, n) and (d, 2n) reactions on Ce^{142} up to 11.8 MeV, 3=19879
- Böck, R. See Bartke, J., 1=8513
- Bockasten, K. Transformation of observed radiances into radial distribution of the emission of a plasma, 1=11937
- Bockasten, K. On the classification of laser lines in chlorine and iodine, 4=19287
- Bockasten, K., Hallin, R. and Hughes, T. P. The spectra of highly ionized light elements in a high temperature plasma, 3=10448
- Bockasten, K., Hallin, R., Johansson, K. B. and Tsui, P. New lines of multiply ionized oxygen and nitrogen, 4=15286
- Bockelman, C. K. Slow neutron capture and the (d, p) reaction, 0=5781
- Bockelman, E. A. See Berns, D. S., 2=1142
- Bockemuehl, R. R. Field-effect modulation of photoconductance in a quasi-intrinsic semiconductor, 1=2420
- Bockemuehl, R. R. Temperature dependence of free hole density in cadmium sulfide, 3=13137
- Bockemuehl, R. R. and Eddy, D. S. Ion drift equilibrium in a semiconductor, 3=13052
- Bockemuehl, R. R. and Sargeant, W. E. Practical hysteresigraph, 0=9134
- Bockemuehl, R. R. and Wood, P. W. Unique two-channel tachometer uses radioisotopes, 3=4758
- Bocker, P. Measurements on high-intensity ultrasonic fields in air, 2=71
- Bocker, P., Diestel, H. G. and Mrass, H. Versatile measuring apparatus for use in hearing tests, 2=4889
- Bocker, P. and Mrass, H. Determination of the free field response of headphones, 1=213
- Bockhoff, F. J., Petrella, R. V. and Pace, E. L. Thermodynamic properties of sulfuryl fluoride from 12°K to its boiling point. Entropy from molecular and spectroscopic data, 0=5016
- Böckmann, K. See Aderholz, M., 4=21919
- Böckmann, K. See Aderholz, M., 4=25151
- Böckmann, K. See Bartsch, J., 4=30264
- Böckmann, K. See Kalvius, M., 2=5811
- Bockris, J. O' M., Devanathan, M. A. V. and Müller, K. On the structure of charged interfaces, 3=21002
- Bockris, J. O' M. and Hooper, G. W. Self-diffusion in molten alkali halides, 2=15573
- Bockris, J. O' M., Yoshikawa, S. and Richards, S. R. Diffusion of unlike ions into liquid sodium chloride, 4=27167
- Bockris, J. O' M. See Blomgren, E., 1=4105
- Bockris, J. O' M. See Conway, B. E., 0=4721
- Bockris, J. O' M. See Conway, B. E., 0=8312
- Bockris, J. O' M. See Despic, A. R., 0=4713
- Bockris, J. O' M. See Green, M., 2=4499
- Bockris, J. O' M. See Lovreček, B., 0=14124
- Bockris, J. O' M. See Nanis, L., 4=12782
- Bockris, J. O' M. See Tricklebank, S. B., 4=8193
- Bockris, J. O' M. See Tricklebank, S. B., 4=21120
- Bocquet, M. and Micaud, G. Effects of neutron irradiation on the thermal conductivity of nuclear [reactor] graphites, 4=6764
- Bocquet, M. See Rappeneau, J., 4=20226
- Bod, L. See Ádám, A., 1=508
- Bod, L. See Ádám, A., 1=13445
- Bodansky, D., Cole, R. K., Cross, W. G., Gruhn, C. R. and Halpern, I. The evaporation of protons from rapidly rotating nuclei, 1=8773
- Bodansky, D., Coie, N. K., Cross, W. G., Gruhn, C. R. and Halpern, I. Evaporation of coincident protons in $\alpha + Ni^{58}$ reactions, 2=12223
- Böddiker, K. W. See Macwood, G. E., 3=20994
- Bodaendijk, H. G. See Verheul, H., 4=17102
- Boddington, T. The growth and decay of hot spots and the relation between structure and stability, 4=5295
- Boddy, K. Radioactivity in rainfall during September 1961, following the Russian nuclear-weapons tests of September 1961, 2=2492

- Boddy, P.J. See Brattain, W.H., 3=10780
 Boddy, P.J. See Brattain, W.H., 3=10788
 Bode, D.E. and Graham, H.A. A comparison of the performance of copper-doped germanium and mercury-doped germanium detectors, 4=361
 Bode, K.H. Effect of radiation loss on measurements of thermal conductivity by the method of Kohlrausch, 3=19046
 Bode, K.H. See Fritz, W., 0=6964
 Bodea, E. Rationalization of the kinetic definition of temperature, 4=348
 Boden, N., Emsley, J.W., Feeney, J. and Sutcliffe, L.H. The effects of π -electron distribution and intramolecular electric fields on the F^{19} shielding in substituted perfluorobenzenes, 4=30480
 Bodenheimer, P.H. See Michie, R.W., 4=2368
 Bodenseh, H.K. See Zeil, W., 1=3537
 Bodenstedt, E. Magnetic moments of excited atomic nuclei, 4=6208
 Bodenstedt, E. Magnetic moments of low-lying states of atomic nuclei. I, 3=15086
 Bodenstedt, E. Magnetic moments of low-lying states of atomic nuclei. II, 3=19763
 Bodenstedt, E. and Günther, C. Experimental confirmation of the "Dillenburg-Maris" phenomenon in statistically perturbed angular correlations [of Hf^{180}], 3=22343
 Bodenstedt, E., Körner, H.J., Frisius, F., Hovestadt, D. and Gerdau, E. The g-factor of the 92 keV level and other angular correlation measurements on Pm^{147} , 0=17481
 Bodenstedt, E., Körner, H.J., Gerdau, E., Radeloff, J., Auerbach, K., Mayer, L. and Roggenbuck, A. Gyromagnetic ratio of the 2^+ rotational level of Hf^{178} and further investigations on the decay of W^{178} , 2=12136
 Bodenstedt, E., Körner, H.J., Gerdau, E., Radeloff, J., Auerbach, K., Mayer, L. and Roggenbuck, A. Magnetic moments of the 5^- levels of Sn^{118} and Sn^{120} , 2=16300
 Bodenstedt, E., Körner, H.J., Gerdau, E., Radeloff, J., Günther, C. and Strube, G. Angular correlation measurements of Hf^{180} and the determination of the g_R factors of the 2^+ and 4^+ rotational states, 1=19410
 Bodenstedt, E., Körner, H.J., Gerdau, E., Radeloff, J., Mayer, L., Auerbach, K., Braunsfurth, J. and Mielken, G. g_R factor of the 2^+ rotation level of Er^{168} , 3=2391
 Bodenstedt, E., Körner, H.J., Günter, C., Hovestadt, D. and Radeloff, J. A new isomeric state of Cs^{131} , 1=632
 Bodenstedt, E., Körner, H.J., Günther, C. and Radeloff, J. The gyromagnetic ratio of the 80 keV rotational state of Erbium 186, 1=2160
 Bodenstedt, E., Körner, H.J., Strube, G., Günther, C., Radeloff, J. and Gerdau, E. The gyromagnetic ratio of the 137 keV rotational level of Os^{186} , 1=8568
 Bodenstedt, E., Matthias, E., Körner, H.J., Gerdau, E., Frisius, F. and Hovestadt, D. The nuclear g-factor of the 111 keV rotational level and other angular correlation measurements on W^{184} , 0=7540
 Bodenstedt, E., Strube, G., Engels, W., Blumberg, H., Lieder, R.M. and Gerdau, E. The magnetic moment of the 66 keV state of As^{73} and the angular correlation of the 359keV-66keV $\gamma\gamma$ -cascade, 4=3568
 Bodenstedt, E. See Engels, W., 4=27968
 Bodenstedt, E. See Gerdau, E., 3=17419
 Bodenstedt, E. See Günther, C., 4=25320
 Bodenstedt, E. See Günther, C., 4=27979
 Bodenstedt, E. See Körner, H.J., 3=8013
 Bodenstedt, E. See Körner, H.J., 3=12560
 Bodenstedt, E. See Mayer, L., 4=6684
 Bodily, D.M. See Wunderlich, B., 4=7736
 Bodily, D.M. See Wunderlich, B., 4=7737
 Bodin, H.A.B. Observations of resistive instabilities in the theta-pinch, 4=14727
 Bodin, H.A.B., Fitch, R.A. and Peacock, N.J. Neutron emission from linear pinches in deuterium at high rates of current rise, 1=9589
 Bodin, H.A.B., Green, T.S., Niblett, G.B.F., Peacock, N.J., Quinn, J.M.P. and Reynolds, J.A. The influence of trapped field on the characteristics of a magnetically compressed plasma (thetatron), 3=12156
 Bodin, H.A.B., Green, T.S., Niblett, G.B.F., Peacock, N.J., Quinn, J.M.P., Reynolds, J.A. and Taylor, J.B. Rapid axial contraction of a high density deuterium plasma in a thetatron discharge, 3=12155
 Bodin, H.A.B. and Newton, A.A. Rotational instability in the theta pinch, 3=21799
 Bodin, H.A.B., Newton, A.A. and Peacock, N.J. Rapid compression heating of a plasma in the linear Z-pinch, 1=18880
 Bodin, H.A.B. See Quinn, J.M.P., 4=18347
 Bodine, J.H. See Zapata, R.N., 2=3800
 Bodinet, E. See Kessler, F.R., 2=8490
 Bodmann, H.W. Universally applicable scale of brightness sensation, 1=6680
 Bodmann, H.W. and Voit, E. Colour and colour rendering of light having a continuous spectrum with super-posed spectral lines, 0=14356
 Bodmer, A.R. Neutron and proton densities in nuclei and the semi-empirical mass formula, 0=17474
 Bodmer, A.R. Isotope shift calculations for non-uniform charge distributions, 1=3512
 Bodmer, A.R. and Ali, S.S. The density distribution of He^6 , 3=7940
 Bodmer, A.R. and Rook, J.R. Reaction cross-sections and the shape of the imaginary part of the optical potential, 1=19447
 Bodmer, A.R. and Rook, J.R. Reaction cross sections and the shape of the imaginary part of the optical potential, 2=9980
 Bodmer, A.R. and Sampanthar, S. Binding energies of light hypernuclei and the Λ -N interaction, 2=1781
 Bodmer, A.R. and Sampanthar, S. The binding energy of a Λ particle in nuclear matter and the Λ -N interaction, 2=1782
 Bodmer, A.R. and Sampanthar, S. Binding energies of Λ particles and the Λ -N interaction, 2=9926
 Bodnar, Z., Malcher, J., Szaynok, A. and Woiniewicz, W. Influence of γ -rays on the electrical properties of glass dust, 4=22764
 Bodner, S. See Frieman, E., 3=21827
 Bodner, S.E. and Frieman, E.A. The quasi-linear theory of plasma oscillations and instabilities, 4=16502
 Bodner, S.R. On anomalous resonances in stressed crystalline solids, 4=6726
 Bodner, V.A. and Seleznev, V.P. Behaviour of unperturbed systems in an inertial space, 1=15585
 Bodner, V.A. and Seleznev, V.P. Behaviour of unperturbed systems in an inertial space, 1=18231
 Bodó, Z. On the distribution of carriers in a [semi-infinite] semiconductor, 0=6087
 Bodó, Z. The solution of the Boltzmann equation by assuming a constant relaxation time, 0=13573
 Bodo, Z. Some new observations on electroluminescent screens, 2=6640
 Bodó, Z., Pásztor, G., Szilágyi, M.S. and Zawadowski, A. Thermal shock investigations on germanium monocrystals, 4=6763
 Bodó, Z. and Weiszburg, J. Light patterns of electroluminescent panels, 0=10085
 Bodó, Z. See Weiszburg, J., 0=21017
 Bodrogai, J. New and more precise method for the determination of fracture energy, 2=21440
 Bodrova, N.I. See Buzhinskii, I.M., 2=18820
 Bodunova, M.B. See Chechulin, B.B., 4=10403
 Bodway, G.E. See Wang, S., 3=3157
 Bödy, Z. and Berényi, D. Investigations of the vacuum need of β -spectroscopes, 3=10095
 Bödy, Z. See Fényes, T., 4=25336
 Bodyako, M.N. and Astapchik, S.A. The effect of temperature and heating time on the process of recrystallization of copper, 2=19095
 Boeckh, R.v., Gräff, G. and Ley, R. Dependence of the internal and external interactions of the TlF molecule on vibration, rotation and isotopic effects, 4=22369
 Boegehold, H. Additions to the works of abbe. I, 1=8222
 Boegehold, H. Thoughts on S.Czapski's "Theory of optical instruments according to Abbe", on the centenary of his birth, 2=13441
 Boehm, B.W. See Wright, F.W., 0=12270
 Boehm, F. and Gallagher, C.J., Jr. Measurement of the circular polarization of resonance-scattered gamma rays following the electron capture of Se^{76} , 0=13214
 Boehm, F. and Hauser, U. A search for parity mixtures in nuclear states, 0=4030
 Boehm, F. and Rogers, J. Circular polarization of gamma rays in Sc^{46} , 2=14067
 Boehm, F. and Rogers, J. Properties of some states in Dy^{160} , 3=12599
 Boehm, F. and Rogers, J.D. Angular distribution of the circularly polarized gamma rays following the first-forbidden beta decays of Rb^8 and Rb^{86} , 3=22331
 Boehm, F. See Alexander, P., 4=9416
 Boehm, F. See Alexander, P., 3=19791
 Boehm, F. See Bjørnholm, S., 3=12604
 Boehm, F. See Edwards, W.F., 1=4849
 Boehm, F. See Edwards, W.F., 1=8662
 Boehm, F. See Edwards, W.F., 1=16738

- Boehm, F. See Kankeleit, E., 4=19700
- Boehm, F. See Muir, A.H., 1=8627
- Boehm, F. See Muir, A.H., Jr., 3=19814
- Boehm, F. See Rogers, J.D., 2=14032
- Boehm, F. See Seppi, E.J., 2=20292
- Boehm, F. See Seppi, E.J., 3=6164
- Boehm, F. See Seppi, E.J., 3=14940
- Boehm, H. P. and Coughlin, R. W. Enthalpy difference of hexagonal and rhombohedral graphite, 4=30534
- Boekelheide, I.F. Two uses of probability paper in scintillation gamma-ray spectroscopy, 0=19972
- Boekelheide, I.F. See Wells, D.O., 1=5612
- Boeker, E. Giant resonances in photonuclear reactions, 2=22790
- Boeker, E. and Jonker, C.C. Application of the particle-hole model to photonuclear reactions in C^{12} , 4=1064
- Boelhouwer, J.W.M. PVT relations of five liquid n-alkanes, 1=8108
- Boella, G., Degli Antoni, G., Dilworth, C., Gainelli, G., Rocca, E., Scarsi, L. and Shapiro, D. Measurement of the cosmic-ray neutron flux in the atmosphere, 3=22222
- Boella, M. and Einaudi, F. Didactic note on Sommerfeld's problem, 3=24464
- Boella, G. See Bendiscioli, G., 4=19334
- Boella, M. and Zich, R. The representation of electromagnetic fields in curvilinear orthogonal coordinates, 4=16647
- Boelrijk, N.A.I.M. See Babeliowsky, T.P.J.H., 3=16156
- Boelsterli, H.U. and Mooser, E. Growth spirals on GaS and GaSe single crystals, 3=11231
- Boenkova, N.M. Ionospheric investigations by the method of vertical sounding at the time of the I.G.Y., 0=14225
- Boenkova, N.M. and Kushnerevsky, J.A. Vertical travelling disturbances in the ionosphere, 2=15234
- Boer, E.de. See de Boer, D.
- Boer, G. See Killeen, J., 3=12121
- Boer, H. Design and construction of a universal programming unit, 3=9700
- Boer, H. A programmed preparative-scale gas chromatograph, 4=23693
- Boer, J.H.De. See De Boer, J.H.
- Böer, K.W. Non-homogeneous field distribution in CdS single crystals in the range of higher field intensities, 0=1665
- Böer, K.W. Optical properties and photoconduction of CdS, 1=2436
- Böer, K.W. Remarks about the nature of problems in reaction kinetics, 1=6079
- Böer, K.W. Plasma-like space charge effects and their demonstration by means of electro-optic effects, 1=17860
- Böer, K.W. Electroluminescence of single crystals of CdS, 2=6639
- Böer, K.W. Field inhomogeneities in CdS single crystals, 2=8187
- Böer, K.W. The temperature dependence of luminescence, 2=8551
- Böer, K.W. Inhomogeneous field and current distribution in semiconductors and insulators, 3=2905
- Böer, K.W. Electric conductivity of semiconductors due to self-activation, 3=17842
- Böer, K.W. and Borchardt, W. Photochemical reactions and lifetime of photocells, 1=5031
- Böer, K.W. and Boyn, R. Characteristic defect semiconduction in CdS single crystals, 2=642
- Böer, K.W., Boyn, R. and Goede, O. Self-activated semiconductivity in CdS single crystals, 4=1597
- Böer, K.W., Dziesiaty, J., Kümmel, U. and Misselwitz, W. Electrical breakdown of cadmium sulphide evaporated films, 2=6464
- Böer, K.W. and Gutjahr, H. Optical absorption of CdS single crystals at the lattice absorption edge, 0=1724
- Böer, K.W. and Gutjahr, H. The ionic contribution to the current through CdS at high temperatures, 1=17720
- Böer, K.W., Gutjahr, H. and Hornung, H. The effect of annealing in vacuum and sulphur vapour on the structure of CdS single crystals, 0=18068
- Böer, K.W., Gutsche, E. and Jahne, E. The influence of hydrostatic pressure on electrical conductivity of CdS single crystals, 3=15588
- Böer, K.W., Hänsch, H.J. and Kümmel, U. Application of electro-optical effects to the analysis of the electrical conduction process in CdS single crystals, 0=1664
- Böer, K.W., Hänsch, H.J., Kümmel, U., Lange, H. and Nebauer, E. Processes leading to thermal breakdown. I. Inhomogeneous distribution of current density in CdS single crystals at high electric loads, 2=2158
- Böer, K.W., Hänsch, H.J. and Obernik, H. Electroluminescence in CdS single crystals. I. Experimental results, 2=2263
- Böer, K.W., Hornung, H. and Zimmermann, K. The change in structure of CdS crystals on evaporation of characteristic lattice components in vacuum, 2=596
- Böer, K.W., Jahne, E. and Nebauer, E. Processes leading to thermal breakdown. II. Theory of the inhomogeneous current distribution at high electric loads, 2=4099
- Böer, K.W. and Kümmel, U. Processes prior to electrical breakdown in single crystals of CdS, 0=13662
- Böer, K.W. and Kümmel, U. On the kinetics of pre-breakdown processes in solid insulation, 0=18109
- Böer, K.W. and Kümmel, U. Processes leading to thermal breakdown. III. Characteristic inhomogeneities and their kinetics of CdS single crystals under high electric loads, 2=4100
- Böer, K.W., Kümmel, U. and Ksoll, G. Dependence of the breakdown field of CdS single crystals on their internal structure, 0=2355
- Böer, K.W., Kümmel, U. and Lange, H. On the influence of infra-red irradiation in the quenching region on the thermally and electrically excited glow curves of single crystals of CdS, 0=1768
- Boer, K.W., Kümmel, U. and Schroeter, K.E. Electrostatic charging of CdS single crystals after the passage of current, 2=10561
- Böer, K.W. and Lubitz, K. Temperature-resistant barrier-free contacts on CdS single crystals, 0=6117
- Böer, K.W. and Lubitz, K. The contact problem with CdS single crystals, 2=18725
- Böer, K.W. and Niekisch, E.A. Defect term spectroscopy with the aid of measurements of electrical conductivity. I, 2=6311
- Böer, K.W. and Niekisch, E.A. Defect term spectroscopy with the aid of measurements of electrical conductivity. II, 2=6312
- Böer, K.W., Oberländer, S. and Voigt, J. The steady photoconduction in the more complex reaction kinetic models, 1=6176
- Böer, K.W. and Rompe, R. Space charge oscillations in semiconductors at higher field intensities, 0=6086
- Böer, K.W., Rompe, R. and Rother, H. Oscillating diffusion in semiconductors and in low-pressure gaseous discharges, 2=1421
- Böer, K.W. and Voigt, J. Reaction-kinetic model with five transitions for photoconductors and phosphors, 2=6487
- Böer, K.W. and Wantosch, H. Slow growth of photoconductivity as a method for determining parameters, 1=3785
- Böer, K.W., Weber, E.H. and Wojtowicz, B. X-ray damage and its influence on the spectral distribution of the photocurrent in CdS single crystals, 2=12545
- Böer, K.W., Weber, E.H. and Wojtowicz, B. The effect of X-ray damage on the spectral distribution of the photoelectric current of CdS single crystals, 3=20405
- Böer, K.W. and Wilhelm, W.E. Characteristic layer-like field inhomogeneities in homogeneous photoconductors in the pre-breakdown range. I. Steady state case, 4=1676
- Böer, K.W. and Wilhelm, W.E. Artificial initiation of layer-like field inhomogeneities in CdS single crystals, 4=12888
- Böer, K.W. and Williges, A. Field and current inhomogeneity in Si-single crystals, 2=21148
- Böer, K.W. and Zschauer, K.H. The green electroluminescence in CdS single crystals, 2=4189
- Boer, K.W. See Böer, K.W., 1=14563
- Böer, K.W. See Berger, H., 0=9992
- Böer, K.W. See Berger, H., 2=647
- Böer, K.W. See Blatt, J.M., 2=14415
- Boer, P.C.T.de. See de Boer, P.C.T.
- Boer, T.J.De. See De Boer, T.J.
- Boerboom, A.J.H. Numerical calculation of the potential distribution in ion slit lens systems. I., 0=280
- Boerboom, A.J.H. A modified ion slit lens for virtual variation of slit widths, 0=9103
- Boerboom, A.J.H. Numerical calculation of the potential distribution in ion slit lens systems. II, 0=10985
- Boerboom, A.J.H. The potential distribution in a toroidal condenser, 0=10986
- Boerboom, A.J.H. Numerical calculation of the potential distribution in ion slit lens systems. III, 0=12648
- Boerboom, A.J.H. Ion optics of fields with rotational symmetry and circular main orbit, 4=24755
- Boerboom, A.J.H., de Jongh, A.P. and Kistemaker, J. Two versions of a sliding bar vacuum lock, 4=16562
- Boerboom, A.J.H., Reyn, H.W. and Kistemaker, J. Heat of sublimation and vapour pressure of strontium, 4=8523
- Boerboom, A.J.H., Tasman, H.A. and Wachsmuth, H. Shape of the magnetic field between conical pole faces, 0=285

- Boerboom, A.J.H. See Babeliowsky, T.P.J.H., 3=1875
 Boerboom, A.J.H. See Fluit, J.M., 2=227
 Boerboom, A.J.H. See Tasman, H.A., 0=282
 Boerboom, A.J.H. See Tasman, H.A., 0=5360
 Boerboom, A.J.H. See Tasman, H.A., 0=19787
 Boerboom, A.J.H. See Wachsmuth, H., 0=281
 Boer den, D.H.W., Boer den, P.C. and Higgins-Longuet, H.C. The molecular symmetry of dibenzenechromium, 3=729
 Boer den, P.C. See Boer den, D.H.W., 3=729
 Boerdijk, A.H. Diagrams representing states of operation of a general thermocouple, 0=12575
 Boerdijk, A.H. Zero-, first-, and second-order theories of a general thermocouple, 1=11902
 Boerdijk, A.H. A simple method for the measurement of small thicknesses and length variations, 3=16569
 Boere, F. and Sideriadès, L. Non-linear resonance, of the Duffing type, of a system composed of two electrically coupled circuits, 4=18639
 Boerger, C. An instrument for the generation of Gauss-type pulses, 4=5535
 Boeri, E. Enzyme reactions, 3=3383
 Boerio, A.H. See Goetze, G.W., 4=11702
 Boero, M. See Abecasis, S., 2=18262
 Boersch, H. Experiments on ferromagnetic layers with optical and electron irradiation, 1=3822
 Boersch, H. Scattering in magnetic fields, 4=641
 Boersch, H. and Forst, G. The deflection of Li^+ -ions in CCl_4 derived from the Debye-Ehrenfest scattering theory, 2=20049
 Boersch, H. and Forst, G. Scattering of Li^+ ions by inert gases, 4=3818
 Boersch, H., Forst, G. and Schweda, S. Energy losses of fast lithium and sodium ions in interaction with rare gases, 3=19186
 Boersch, H., Geiger, J. and Hellwig, H. Improving the resolution of electron energy analysis, 3=12444
 Boersch, H., Geiger, J., Hellwig, H. and Michel, H. Energy losses of electrons in a metal in different states of aggregation: measurements on silver and mercury, 2=23143
 Boersch, H., Geiger, J. and Kluge, W. Application of the Sommerfeld cylindrical wave to one-dimensional sharp-edged amplitude and phase objects, 3=7354
 Boersch, H., Geiger, J. and Raith, H. Determination of the phase in Fraunhofer diffraction patterns from undimensional objects, 0=19438
 Boersch, H., Geiger, J. and Reich, H.J. Loss of energy of 25 keV electrons in atomic and molecular hydrogen, 0=2400
 Boersch, H., Geiger, J. and Reich, H.J. Energy losses of 25 keV electrons in atomic hydrogen, 1=9919
 Boersch, H., Geiger, J. and Stickel, W. The excitation of molecular vibrations by fast electrons, 4=22374
 Boersch, H., Geiger, J. and Stickel, W. Resolving power of the electrostatic-magnetic energy analyser for fast electrons, 4=29974
 Boersch, H., Hamisch, H. and Ehrlich, W. Surface discharges over insulators under vacuum, 3=19226
 Boersch, H., Hamisch, H. and Grohmann, K. Experimental proof of the phase shift of electron waves by the magnetic vector potential, 2=22262
 Boersch, H., Hamisch, H., Grohmann, K. and Wohlleben, D. Experimental proof of the phase shift of electron waves by the magnetic vector potential, 2=1505
 Boersch, H., Hamisch, H., Grohmann, K. and Wohlleben, D. Antiparallel Weiss domains as biprisms for electron interference. II, 2=15962
 Boersch, H., Hamisch, H. and Löffler, K.H. Electron optical preparation of self-supporting microgrids, 0=5355
 Boersch, H., Hamisch, H. and Wiesner, S. Electrical microdischarges in vacuum, 2=9559
 Boersch, H., Hamisch, H., Wohlleben, D. and Grohmann, K. Antiparallel Weiss domains as biprisms for electron interference, 1=3017
 Boersch, H., Hamisch, H., Wohlleben, D. and Grohmann, K. Electron wave diffraction at magnetic structures, 1=16422
 Boersch, H., Herziger, G. and Lindner, H. Increased amplification factor of a He-Ne laser using optical feedback, 4=19292
 Boersch, H., Herziger, G. and Lindner, H. Measurement of the quality of laser resonators, 4=27681
 Boersch, H., Herziger, G., Maslowski, S. and Weber, H. Reproducible wave shapes of low order in the ruby laser, 3=14804
 Boersch, H., Herziger, G. and Weber, H. Radiation intensity of the He/Ne laser as function of pressure and relative concentrations of the gases, 3=14805
 Boersch, H., Herziger, G. and Weber, H. Coupled laser resonators as amplifiers in the measurement of optical constants, 4=11335
 Boersch, H. and Lambeck, M. The portrayal of magnetic fine structure with the Faraday effect, 2=6668
 Boersch, H. and Lambeck, M. Microscopic observation of the straight and curved magnetization structures by means of the Faraday effect, 0=13794
 Boersch, H. and Lambeck, M. The observation of magnetic domain structures by means of the Faraday-effect, 3=15806
 Boersch, H. and Lambeck, M. Optical diffraction by magnetization structures, 4=7239
 Boersch, H., Lambeck, M. and Raith, W. On the investigation of thin iron films with the help of the Faraday effect, 0=4494
 Boersch, H., Lambeck, M. and Wenzel, H. Blooming of metallic mirrors, 2=7378
 Boersch, H. and Miessner, H. Highly sensitive retarding-field energy analyser for electrons, 2=15961
 Boersch, H., Miessner, M. and Raith, W. Investigation of angular dependence of the 14.7 eV energy loss of electrons in aluminium, 2=20984
 Boersch, H., Radeloff, C. and Sauerbrey, G. Experimental detection of transition radiation, 1=16427
 Boersch, H., Radeloff, C. and Sauerbrey, G. Visible and ultra-violet radiation released by electrons from metals, 2=4187
 Boersch, H. and Raith, H. Electron microscope observation of Weiss domains in thin ferromagnetic films, 0=4490
 Boersch, H. and Raith, H. Phase determination in the Fraunhofer diffraction pattern of one-dimensional gratings, 2=11499
 Boersch, H., Raith, W. and Rehmet, M. Determination of spin polarization from the transparency variations in the case of optical pumping with the NaD line, 1=12255
 Boersch, H., Raith, W. and Weber, H. The magnetic deflection of electron beams in thin iron films, 1=10157
 Boersch, H., Raith, H. and Wohlleben, D. Electron-optical studies of Weiss domains in thin layers of iron, 1=2479
 Boersch, H. and Schweda, S. An inverse counter-field method of energy analysis in electron and ion beams, 2=13596
 Boersma, H.J., Jonker, C.C., Nijenhuis, J.G. and Van Hall, P.J. Angular and energy dependence of the polarization of D-D neutrons, 4=9307
 Boersma, H.J. See Dubbeldam, P.S., 0=7606
 Boersma, H.J. See Rethmeier, J., 2=5270
 Boersma, S. L. and Kruthoff, P. N. Moving noise-disc measures lens quality criterion, 4=2816
 Boerstol, B. M. See du Chatenier, F. J., 4=28371
 Boeschoten, F. and Groenewolt, K. J. Hall effect of thorium, 0=7948
 Boeschoten, F. and Schwirzke, F. Investigation of a stationary plasma in a magnetic field, 3=12123
 Boese, J. Sedimentation investigations of television white light mixtures, 2=8566
 Boesman, E. and Schoemaker, D. Paramagnetic resonance of the Fe^{3+} ion in kaolinite, 1=10180
 Boesman, E. and Schoemaker, D. Paramagnetic resonance of the NO_3 molecule in alkali halides, doped with nitrate, 2=773
 Boesman, E. and Schoemaker, D. Paramagnetic resonance of the I_2 center in KCl doped with KI, 2=21083
 Boesman, E. See Schoemaker, D., 1=10181
 Boesman, E. See Schoemaker, D., 2=4248
 Boesman, E. See Schoemaker, D., 3=25573
 Boesman, W. C. and Avis, G. G. Vacuum deposited cadmium sulfide thin films, 4=20805
 Boeters, K. E. See Gobrecht, H., 1=2547
 Boeters, K. E. See Gobrecht, H., 1=8951
 Boeters, K. E. See Gobrecht, H., 2=9492
 Boeters, K. E. See Gobrecht, H., 4=7609
 Boettcher, A. and Cautius, W. The Jülich nuclear research installation, 3=8165
 Boettner, A. and Miedler, L. J. Transmittance changes in glasses induced by ultraviolet radiation, 1=19963
 Boettner, E. A. and Miedler, L. J. Simulating the solar spectrum with a filtered high-pressure xenon lamp, 3=5523
 Boettner, R. C. See McEvily, A. J., Jr., 3=20743
 Boffi, V. C. On the slowing down of neutrons in an homogeneous infinite medium, 0=11178
 Boffi, V. C. On the exact theory of the slowing-down of neutrons in an infinite homogeneous medium, 1=19209
 Boffi, V. C. On the discrete coordinate method in the study of the space-time distribution of the neutron flux in a multi-layer system, 2=22531
 Boffi, V. C. Exact and asymptotic time-energy distribution of neutrons slowing down in an infinite homogeneous medium, 4=21871

- Boffi, V. C., Knoke, F., Molinari, V. G. and Scozzafava, R. Exact and asymptotic solution of the energy-dependent Boltzmann equation in the study of the neutron slowing down, 4=21870
- Boffi, V. C. and Molinari, V. G. Thermal utilization factor calculation in heterogeneous lattices, 1=11051
- Boffi, V. C., Molinari, V. G. and Parks, D. E. On the decay of neutrons in a subcritical assembly, 3=12727
- Bogachev, I. N. and Egolaev, V. F. The effect of molybdenum and tungsten upon the transformation in an iron-manganese alloy, 4=10426
- Bogachev, I. N., Egolaev, V. F. and Malinov, L. S. Stabilization of the $\gamma \rightarrow \epsilon$ transformation caused by cyclic phase transformations, 4=20712
- Bogachev, I. N., Litvinov, V. S. and Mints, R. I. Specific features of plastic deformation of manganese- and nickel-bearing austenitic alloys, 4=20669
- Bogachev, I. N. and Mel'nikova, V. I. Ordering kinetics in the alloy Ni, Mn, 3=3329
- Bogachev, I. N. and Mel'nikova, V. I. Effect of plastic deformation on the ordering process in the alloy nickel-manganese, 3=5133
- Bogachev, I. N., Mints, R. I., Petukhova, T. M. and D'Yakova, M. A. The influence of phase composition and structure on the cavitation resistance of titanium and its alloys, 2=21441
- Bogachev, I. N. See D'Yakova, M. A., 1=10270
- Bogachev, I. N. See Ershova, L. S., 2=23876
- Bogachev, I. N. See Mel'nikova, V. I., 1=10171
- Bogachev, I. N. See Mel'nikova, V. I., 4=1997
- Bogachev, I. N. See Yershova, L. S., 3=5128
- Bogachev, N. P., Bunyatov, S. A., Gramenitskii, I. M., Lyubimov, V. B., Merekov, Yu. P., Podgoretskii, M. I., Sidorov, V. M. and Tsvendorzh, D. Interaction of 9 BeV protons with free and quasi-free nucleons in photographic emulsions, 0=9354
- Bogachev, N. P., Bunyatov, S. A., Merekov, Yu. P., Sidorov, V. M. and Yarba, V. A. Inelastic interactions of 9 BeV protons with free and bound nucleons in an emulsion, 0=13233
- Bogachev, N. P., Bunyatov, S. A., Vishki, T., Merekov, Yu. P., Sidorov, V. M. and Yarba, V. A. Charged π -meson production in the interaction between 9 BeV protons and photographic emulsion nuclei, 0=9619
- Bogachev, N. P., Grigor'ev, E. L. and Merekov, Yu. P. The cross-section for formation of Li^8 in nuclear emulsions by 9 BeV protons, 3=15200
- Bogachev, N. P., Grigor'ev, E. L. and Merekov, Yu. P. Inelastic interactions of protons with nucleons at an energy of 9 BeV, 3=17271
- Bogachev, N. P., Grigor'ev, E. L., Merekov, Yu. P. and Mitin, N. A. Emission of Li^8 fragments from Ag and Br nuclei induced by 9 BeV proton bombardment, 3=22389
- Bogachev, N. P., Van Shufen, Gramenitskii, I. M., Kirillova, L. F., Lebedev, R. M., Lyubimov, V. B., Markov, P. K., Merekov, Yu. P., Podgoretskii, M. I., Sidorov, V. M., Tolstov, K. D. and Shafranov, M. G. The interaction of 9 BeV protons with emulsion nuclei, 0=11400
- Bogachev, N. P., Volod'ko, A. G., Grigor'ev, E. L. and Merekov, Yu. P. Emission of Li^8 fragments in the disintegration of Ag and Br nuclei by 19 BeV protons, 4=1083
- Bogachev, N. P. See Batusov, Yu. A., 0=2586
- Bogachev, N. P. See Batusov, Yu. A., 0=20214
- Bogacheva, G. N. See Sadovskii, V. D., 1=10227
- Bogachov, B. A., Vorob'ev, A. A. and Komar, A. P. Pulsed ionization chamber as an instrument for the simultaneous investigation of the energy and angular distributions of charged particles, 0=15186
- Bogachov, B. A. See Komar, A. P., 2=5892
- Bogachov, B. A. See Komar, A. P., 2=12182
- Bogaerde, J. Van den. See Van den Bogaerde, J.
- Bogaert, J. Presentation of a general graph of acoustic values, 0=10739
- Bogdanov, G. F., Golovin, I. N., Kucheryaev, Yu. A. and Panov, D. A. Properties of a plasma formed by the injection into Orgra of a beam of fast molecular hydrogen ions, 3=12201
- Bogardus, E. H. and Roy, R. Residual stresses in two-phase systems as determined by changes in transition temperature, 4=23099
- Bogatin, V. I., Lozhkin, C. V., Perfilov, N. A. and Yakovlyev, Yu. P. The energy spectra and angular distribution of Li^8 fragments produced in the interaction between 660 MeV protons and aluminium nuclei, 4=17132
- Bogatin, V. I., Lozhkin, O. V. and Yakovlev, Yu. P. The formation of fast residual nuclei, 4=12219
- Bogatin, V. I., Novak, Z. and Ostroumov, V. I. Disintegration of the C^{12} nucleus into three α -particles as a result of inelastic scattering of 80 MeV π^- -mesons, 3=15219
- Bogatskii, D. P. and Mineeva, I. A. An X-ray diffraction study of nickel oxides and their solid solutions, 1=10259
- Bogatskii, M. I., Voronel, A. V. and Gusak, V. G. Measurement of the heat capacity C_p of argon in the immediate vicinity of the critical point, 3=1729
- Bogatyrenko, B. B. See Eremenko, V. N., 4=8186
- Bogat'yrev, A. N. See Fridkin, V. M., 1=2463
- Bogat'yrev, A. N. See Fridkin, V. M., 1=6241
- Bogat'yrev, V. K. An approximate formula for the calculation of a geometrical parameter for homogeneous bodies of arbitrary form, 2=22867
- Bogat'yrev, V. K. Use of the albedo method for the investigation of the interactions of a subcritical system, 2=22868
- Bogdan, D. Observations concerning the type E2 γ -radiation of deformed atomic nuclei (Nilsson model), 0=15555
- Bogdan, D. Calculation of probabilities of M3 transitions and second-forbidden beta transitions in the Nilsson model, 1=19409
- Bogdan, D. On the calculation of transition probabilities for M3-transitions and 2nd forbidden β -transitions and moments of inertia according to the Nilsson model, 2=7949
- Bogdan, D. Matrix elements of the forbidden β -transitions for deformed atomic nuclei, 2=14037
- Bogdan, D. First forbidden $1^-(\beta^-)0^+$ and $1^-(\beta^-)2^+(\gamma)0^+$ transitions of the isotopes Re^{186} and Re^{188} , 4=3617
- Bogdan, S. I. See Zinman, W. G., 4=10641
- Bogdankevich, L. S. Cherenkov radiation of dipoles moving in a channel in a dielectric, 0=9189
- Bogdankevich, L. S. Radiation of a current ring moving uniformly in a gyrotropic waveguide, 2=238
- Bogdankevich, L. S. and Rukhadze, A. A. Plasma waves in the region of the ion cyclotron resonance, 2=22212
- Bogdankevich, L. S. and Rukhadze, A. A. Cyclotron oscillations of an inhomogeneous plasma, 4=27553
- Bogdankevich, L. S., Rukhadze, A. A., and Silin, V. P. Cyclotron absorption of electromagnetic waves in plasma, 3=16940
- Bogdankevich, O. V. Circuit for the stabilization of the synchrotron energy with variable level of reference voltage, 2=11745
- Bogdankevich, O. V., Dolbilkin, B. S., Lazareva, L. E., Moiseev, A. M. and Nikolaev, F. A. Inelastic nuclear scattering of photons, 2=1862
- Bogdankevich, O. V., Goryachev, B. I. and Zapevalov, V. A. Splitting of the giant resonance in medium-heavy nuclei, 2=16387
- Bogdankevich, O. V., Goryachev, B. I. and Zapevalov, V. A. Splitting of the giant resonance in medium-heavy nuclei, 3=6230
- Bogdankevich, O. V., Lazareva, L. E. and Moiseev, A. M. Inelastic scattering of photons on Rh^{108} nuclei, 1=19436
- Bogdankevich, O. V. See Basov, N. G., 4=4298
- Bogdankevich, O. V. See Basov, N. G., 4=21684
- Bogdanoff, J. L. Influence on the behaviour of a linear dynamical system of some imposed rapid motions of small amplitude, 2=17529
- Bogdanoff, J. L. and Kozin, F. Moments of the output of linear random systems, 2=17530
- Bogdanoff, J. L. See Goldberg, J. E., 0=12444
- Bogdanoff, J. L. See Soong, T. T., 3=21200
- Bogdanov, A. A., Gorn, L. S. and Khazanov, B. I. High-resolution ferrite-transistor decade counter, 2=17754
- Bogdanov, A. A. See Vlasov, A. Ya., 3=18576
- Bogdanov, A. A. See Vlasov, A. Ya., 3=20575
- Bogdanov, A. V. Magnetoacoustic waves in a non-isothermal plasma, 4=14672
- Bogdanov, A. V. Ionic vibrations in a plasma with molecular ions, 4=18990
- Bogdanov, G. B. Generalization of the basic formulas of ferromagnetic resonance absorption in ferrites, 4=1858
- Bogdanov, G. B. The temperature of a ferrite sphere heated by v.h.f. power absorbed at ferromagnetic resonance, 3=11106
- Bogdanov, G. B. Thermal effects in ferrites during ferromagnetic resonance absorption of u.h.f. power, 3=23213
- Bogdanov, G. F., Panov, D. A. and Semashko, N. N. The lifetime of fast ions in OGRA, 1=9614
- Bogdanov, G. F., Vlasov, N. A., Kalinin, S. P., Rybakov, B. V. and Sidorov, V. A. The (p, n) reaction on lithium and the ground state of the ^6Be nucleus, 0=7551
- Bogdanov, G. F. See Golovin, I. N., 2=7632
- Bogdanov, N. N. See Sus, A. N., 2=1552
- Bogdanov, S. V. Permittivities ceramic barium titanate piezoelements, 2=14625
- Bogdanov, S. V. The problem of the electric strength of barium titanate, 3=15619

- Bogdanov, S.V. The question of the effect of a mechanical load on the orientation of the domains in BaTiO_3 single crystals, 3=22995
- Bogdanov, S.V. Nonlinearity of dielectric polarization and the ferroelectric properties of materials, 3=25389
- Bogdanov, S.V. Experimental criterion for ferroelectricity, 3=25396
- Bogdanov, S.V. Dielectric properties of strontium-bismuth titanates, 4=26129
- Bogdanov, S.V., Koplovskii, B.D. Use of the phase method in measurement of the non-equilibrium carrier lifetime in semiconductors, 1=17704
- Bogdanov, S.V., Kovalenko, G.M. and Cherepanov, A.M. Some physical properties of ferroelectric $\text{BaTiO}_3\text{-PbTiO}_3$, $\text{BaTiO}_3\text{-BaSnO}_3$ and $\text{BaTiO}_3\text{-PbTiO}_3\text{-BaSnO}_3$ single crystals, 2=14612
- Bogdanov, S.V. and Rassushin, V.A. Semiconductor properties of BaTiO_3 , 2=18693
- Bogdanov, S.V., Rassushin, V.A. and Sinkha, D.K. Relaxation properties of BaTiO_3 single crystals containing antimony as an impurity, 4=10110
- Bogdanov, S.V. and Razbash, R.Ya. The nature of a high-temperature phase transition in certain $\text{BaTiO}_3\text{-BaSnO}_3$ solid solutions, 0=12076
- Bogdanov, S.V., Vul, B.M. and Razbash, R.Ya. The piezoelectric properties of polycrystalline barium titanate at high pressures, 2=4106
- Bogdanov, S.V., Vul, B.M. and Razbash, R.Ya. Features of the piezoelectric properties of ceramic piezo elements of BaTiO_3 cut at an angle of 45° to the direction of polarization, 2=4107
- Bogdanov, S.V. See Kiseleva, K.V., 4=10548
- Bogdanov, S.V. See Koplovskii, B.D., 3=20393
- Bogdanov, V.G. See Batyrev, V.A., 3=4234
- Bogdanov, V.G. See Borovskii, I.B., 3=4233
- Bogdanova, I.P. Experimental investigation of the excitation functions of atomic spectral lines, 2=16487
- Bogdanova, I.P., Bochkova, O.P. and Frish, S.E. Concerning the role of molecular-ionic formation as a result of spectral line excitation of atoms, 4=22294
- Bogdanova, I.P. and Geitsl, I.I. Use of modulated electron beams in the study of the optical excitation functions of atoms, 4=3803
- Bogdanova, N.B. and Popkov, V.I. The problem of anomalous discharges at high d.c. voltages, 0=5282
- Bogdanova, N.B. and Popkov, V.I. Some properties of high-frequency corona radiation discharge, 1=4575
- Bogdanova, N.B. and Popkov, V.I. Some properties of high-frequency corona radiation discharge, 1=7033
- Bogdanova, N.I. and Loginov, G.M. Magnetic susceptibility of vanadium oxide at 80-370°K, 2=12757
- Bogdanova, N.I. and Loginov, G.M. Magnetic susceptibility of vanadium oxide at 80-370°K, 2=14765
- Bogdanova, N.I. See Ariya, S.M., 0=6128
- Bogdanovich, A.S., Sikorskii, Yu.A. and Yurachkovskii, P.A. Effect of thermal treatment and plastic deformation on dielectric losses in KCl-CaCl crystals, 4=26103
- Bogdanovskii, G.A. Investigation of electron contacts in the electron microscope, 0=5263
- Bogdanovskii, G.A. See Vertsner, V.N., 3=2033
- Bogdanowicz, J., Ciok, P., Galster, Z., Saniewska, T. and Zieliński, P. Some features of the interactions of 24 GeV protons with heavy nuclei in emulsion, 3=8103
- Bogdanowicz, J., Danysz, M., Filipkowski, A., Marquit, E., Skrzypczak, E., Wróblewski, A. and Zakrzewski, J. Determination of the mass of the Λ^0 hyperon, 1=12122
- Boge, M. See Bouchez, R., 1=13796
- Boge, M. See Fleury, J., 1=13534
- Bogen, P. and Conrads, H. A vacuum sliding spark for the excitation of an intense Li III spectrum, 4=18765
- Bogen, P. and Hintz, E. Investigations on a pulsed electrodeless ring discharge with magnetic bias fields of different amplitudes, 2=11676
- Bogen, P. and Hintz, E. Investigations on a pulsed electrodeless ring discharge with magnetic bias fields of different amplitudes, 3=7499
- Bogen, P. and Hintz, E. Density distribution from radiation measurements during the fast magnetic compression of a plasma, 3=12166
- Bogen, P., Hintz, E. and Schlüter, J. Influence of impurities on a high temperature, high density deuterium plasma, 4=18961
- Bogen, P., Hintz, E. and Schlüter, J. Comparison of theta pinches with trapped magnetic fields of different polarities and magnitudes, 4=29940
- Bogen, P. and Schlüter, J. Electron temperature and density in a θ -pinch discharge with low trapped magnetic field, 4=18952
- Bogen, P. See Beerwald, H., 2=15909
- Bogen, P. See Beerwald, H., 3=12164
- Bogenschtütz, A.F., Bergmann, F. and Jentzsch, J. Optical method of measuring the thicknesses of thin films, 2=21864
- Bogenschtütz, A.F. and Schütze, H.J. Quality determination of semiconductor surfaces by means of infrared measurements, 3=13557
- Bogenschutz, A.F. See Balkanski, M., 1=1483
- Bogers, A.J. Orientation relation between austenite and martensite in an Fe-Ni alloy transformer by isothermal compression, 2=10781
- Bogers, A.J. and Burgers, W.G. Partial dislocations on the {110} planes in the b.c.c. lattice and the transition of the f.c.c. into the b.c.c. lattice, 4=9954
- Bogers, A.J. See Burgers, W.G., 0=11992
- Bogert, B.P. Correction of seismograms for the transfer function of the seismometer, 3=1415
- Bogert, B.P. See Kramer, H.P., 1=7853
- Boggess, A., III. Observation results on nebular and interstellar far-ultraviolet radiation: Introductory report, 2=17299
- Boggess, R.L., Brace, L.H. and Spencer, N.W. Langmuir probe measurements in the ionosphere, 0=14203
- Boggia, L.M. See Wainstein, C., 2=18429
- Boggia, L.M. See Wainstein, C., 2=20790
- Boggild, J.K., Hansen, K.H., Hooper, J.E., Scharff, M. and Aditya, P.K. A contribution to the K^+ -decay statistics, 1=5778
- Boggild, J.K., Hansen, K.H., Hooper, J.E., Scharff, M. and Aditya, P.K. The range-energy relation of nuclear emulsion studied on the ranges of secondary particles from well-known decays, 4=9034
- Boggs, F.W. Partition function of bulk polymers. I, 2=12356
- Boggs, J.E. and Deam, A.P. Measurement of dipole moments at microwave frequencies, 0=5988
- Boggs, J.E. and Deam, A.P. Dielectric dispersion in gases at 400 megacycles, 0=14696
- Boggs, J.E. and Deam, A.P. Nonresonant dielectric dispersion in asymmetric rotors, 1=15963
- Boggs, J.E., Deam, A.P. and King, J.M. Temperature variation of the linewidth in nonresonant microwave absorption, 1=3535
- Boggs, J.E. See Porte, A.L., 2=10725
- Boggs, J.E. See Porte, A.L., 2=10726
- Boggs, J.E. See Porte, A.L., 3=3203
- Boggs, J.E. See Tipton, A.B., 4=14220
- Boggus, J.D. See McGlynn, S.P., 0=4434
- Boghen, J. See Lelong, P., 2=4515
- Bogitch, S. See Bishop, F.W., 1=12671
- Bogle, G.S. and Gardner, F.F. Cross-relaxation effects in a ruby L-band (1440 Mc/s) maser at low magnetic fields, 1=19016
- Bogle, G.S. and Symmons, H.F. Zero-field masers, 0=5393
- Bogle, G.S. and Symmons, H.F. Zero-field paramagnetic resonance of Fe^{3+} in methylamine alum, 2=770
- Bogle, G.S. and Symmons, H.F. The ground state splitting of gadolinium sulphate octohydrate, 2=10698
- Bogle, G.S., Symmons, H.F., Burgess, V.R. and Sierins, J.V. Paramagnetic resonance spectrometry at zero magnetic field, 1=9694
- Bogle, G.S. and Toutenhoofd, W. The specific heat of gadolinium sulphate. A new appraisal, 2=16605
- Bogle, G.S. See Symmons, H.F., 2=8670
- Bogle, G.S. See Symmons, H.F., 3=23228
- Bogner, G. Electrical conductivity and Hall effect measurements on ZnO crystals and an interpretation in terms of the impurity band, 2=2117
- Bogner, G. and Heinzel, W. Alternating current measurements on hard superconductors, 4=11485
- Bogner, G. and Rupprecht, H. The influence of inhomogeneities with layer structure on galvanomagnetic effects, 2=8309
- Bogolubov, N.N. On some problems of the theory of superconductivity, 1=6687
- Bogolyubov, G.V. and Rubtsov, V.K. A hydraulic device for the production of slow displacement, 3=5309
- Bogolyubov, N.N. The compensation principle and the self-consistent field method, 1=2714
- Bogolyubov, N.N. [Ed.] Theory of superconductivity, 4=18532
- Bogolyubov, N.N., Logunov, A.A. and Shirkov, D.V. The method of dispersion relations and perturbation theory, 0=9258

- Bogolyubov, N.N., Zubarev, D.N. and Tserkovnikov, Yu. A. An asymptotically exact solution for a model Hamiltonian in the theory of superconductivity, 0=19550
- Bogolyubov, N.N., Jr. and Sadovnikov, B.I. Green's function and distribution function in statistical mechanics of classical systems, 3=1620
- Bogomolov, A.M. Vibrational spectra of aromatic compounds. XII. Characteristic vibrations of para-disubstituted benzenes, 2=16537
- Bogomolov, S.G., Pemova, F.D. and Kolosova, L.P. Ultimate lines of 3,4-benzopyrene dissolved in normal hydrocarbons at different temperatures, 2=17472
- Bogomolov, V.N. See Averkin, A.A., 3=7078
- Bogomolov, C.S., Deberdeiev, M.U., Sirotinskaya, A.A. and Ouvarova, V.M. Photographic materials for beta autoradiography, 0=15216
- Bogomolov, C.S., Razorenova, I.F., Rouditskaya, I.A., and Sirotinskaya, A.A. Increased sensitivity of nuclear photographic emulsions at low temperatures produced by hypersensitization, 0=12743
- Bogomolov, C.S., Rouditskaya, I.A., Razorenova, I.F., Sirotinskaya, A.A. and Dobrossierdova, E.P. Hypersensitization of nuclear photographic emulsions, 0=12744
- Bogomolov, K.S. See Antonov, S.M., 2=17245
- Bogomolov, V.N. A mechanical modulator for magnetic fields and the possibility of the measurement of small Hall mobilities, 0=3708
- Bogomolov, V.N. Anisotropy of the diffusion of oxygen and boron in rutile, 4=1505
- Bogomolov, V.N. and Shavkunov, P.M. Anisotropy of the drift mobility of carriers in partly reduced rutile, 4=4176
- Bogomolov, V.N. See Averkin, A.A., 1=14372
- Bogomolov, Yu.V. The effective fields in crystals, 0=11736
- Bogomolov, Yu.V. Spin-lattice relaxation in ruby, 3=15952
- Bogoroditskii, N.P., Kulik, B.A. and Fridberg, I.D. Dielectric losses in relation to structure of ionic crystals, 1=14537
- Bogoroditskii, N.P., Mityereva, I.A. and Fridberg, I.D. Effect of covalent binding in titanium dioxide crystals on the magnitude of their permittivity, 3=17931
- Bogoroditskii, N.P., Reinov, N.M. and Aleksandrov, L.A. Temperature dependence of the temperature coefficient of permittivity of CaZrO_3 at liquid-helium temperature, 0=2918
- Bogoroditskii, N.P. and Smirnov, L.V. The anomalous polarization dioxide (rutile), 3=22999
- Bogoroditskii, N.P. and Volokobinskiy, Yu.M. Theory of thermal breakdown of dipolar dielectrics, 3=13124
- Bogoroditskii, N.P. See Aleksandrov, L.A., 0=13645
- Bogoroditskii, A.F. Relativistic effects in the motion of an artificial earth satellite, 0=18880
- Bogorodskii, O.V., Umanskii, Ya.S. and Shil'shtein, S.Sh. Nature of the mosaic structure of Ge and Si monocrystals, 0=21183
- Bogorodskii, O.V., Nashel'skii, A.Ya. and Ostrovskaya, V.Z. X-ray diffraction study of the solid solutions of InAs-InP, 2=4467
- Bogorodskii, O.V. See Fomin, V.G., 1=20607
- Bogorodskii, O.V. See Fomin, V.G., 2=2363
- Bogorodskii, V. and Dobrotin, D.D. Results of an investigation of the physico-mechanical properties of the snow cover on ice floes, 4=4746
- Bogorodskii, V.V. and Romanov, V.N. The relief-capacity method of measuring ultrasonic intensity, 3=16720
- Bogorodskii, V.V. See Rudakov, V.N., 0=12130
- Bogoslovskii, G.V. and Khrenov, B.A. An electronic simulator for the processing of data on extensive air showers of cosmic rays, 2=1738
- Bogoslovskii, V.N. and Shchepetkin, A.A. The X-ray determination of the oxygen parameter in ferrites with spinel structure, 1=12640
- Bogoslovskii, V.N., Startseva, I.E., Zhuravleva, M.G., Shchepetkin, A.A., Chufarov, G.I. and Shur, Ya.S. The effect of constitution upon the magnetic properties of manganese-magnesium ferrite with a rectangular hysteresis loop, 4=15654
- Bogoyavlenskii, I.V., Berezhnyak, N.G. and Esel'son, B.N. Measurement of the liquid-crystal equilibrium diagram for helium isotope solutions, 4=29823
- Bogoyavlenskii, I.V., Grigoriev, V.N. and Rudenko, N.S. Effect of temperature on the variations of the isotopic composition of liquid mercury in the electric field of a constant current, 0=9749
- Bogoyavlenskii, I.V. See Berezhnyak, N.G., 4=2912
- Bogoyavlenskii, I.V. See Berezhnyak, N.G., 3=16854
- Bogoyavlenskii, P.S. See Sandulova, A.V., 4=10471
- Bogoyavlenskii, P.S. See Sandulova, A.V., 4=10480
- Bogren, H. See Aleby, S., 4=24776
- Bogush, A.A. The wave-functions and evaluation of the matrix elements for longitudinally-polarized vector particles, 3=22154
- Bogush, A.A. and Bolsun, A.I. General calculation of matrix elements for polarized vector particles, 4=21790
- Bogush, A.A. and Satsunkevich, I.S. Scattering of electrons on protons with account of dipole moments, 3=14956
- Bogush, A.A. and Satsunkevich, I.S. Determination of the electron form factors, 3=22105
- Boguslavskii, I.A. See Vitman, F.F., 3=3229
- Boguslavskii, I.A. See Vitman, F.F., 3=16004
- Bogusz, W. A two-tensor method for investigating nonlinear systems, 2=5091
- Bogusz, W. Asymptotic stability with no oscillation of autonomic systems with one degree of freedom, 4=16166
- Boguth, W. and Habermalz, F. A photoelectric indicator for the measurement of interference fringes, 1=18610
- Boguth, W. and Habermalz, F. Determination of refraction increments with the Leitz interference microscope and a photoelectric indicator, 3=14323
- Boháček, V. See Datlov, J., 3=9886
- Bohachevsky, I.O. Simple waves and shocks in magnetohydrodynamics, 3=2108
- Bohan, W.A., Maxey, J.D. and Pecoraro, R.P. Some effects of pulse irradiation on semiconductor devices, 0=583
- Bohathiel, T. The high-frequency electronic torch at pressures below 1 atmosphere, 2=15893
- Bohatyr'ov, Ye.Ye. See Yahola, H.K., 2=17489
- Bohdansky, J. and Langpape, R. Analysis of the I-V curve of a high-pressure-Cs-diode, 4=19108
- Bohl, L.S., Stewart, J.C. and Francis, N.C. Variational calculations of lattice self-shielding, 0=13343
- Bohl, R.W. Uranium-fission alloys containing technetium, 3=5130
- Bohla, F. See Schwab, G.M., 4=4147
- Bohlin, D. See Newkirk, G., Jr., 3=9142
- Bohlin, D. See Newkirk, G., Jr., 4=23926
- Bohlin, T. On the drag on a rigid sphere moving in a viscous liquid inside a cylindrical tube, 0=14585
- Bohlmann, M.A. See Kronenberg, K.J., 0=18199
- Bohlmann, M.A. Saturation magnetization of swaged Mn-Al, 2=12721
- Böhm, A. and Rashid, H.A. The effect of the ρ -meson in $J = \frac{1}{2}$, $T = \frac{1}{2}$ pion-nucleon scattering phase shift, 4=21904
- Bohm, D. Macroscopic quantization in superconductors, 4=16330
- Bohm, D. and Aharonov, Y. Further discussion of possible experimental tests for the paradox of Einstein, Podolsky and Rosen, 0=18950
- Bohm, D. and Carmi, G. Separation of motions of many-body systems into dynamically independent parts by projection onto equilibrium varieties in phase space. I, 4=8088
- Bohm, D., Hillion, P., Takabayasi, T. and Vigier, J.P. Relativistic rotators and bilocal theory, 1=2696
- Bohm, D., Hillion, P. and Vigier, J.P. Internal quantum states of hyperspherical (Nakano) relativistic rotators, 1=10423
- Bohm, D. See Aharonov, Y., 1=8052
- Bohm, D. See Aharonov, Y., 1=12042
- Bohm, D. See Aharonov, Y., 2=9766
- Bohm, D. See Aharonov, Y., 3=14854
- Bohm, D. See Aharonov, Y., 4=21034
- Bohm, D. See Carmi, G., 4=8089
- Bohm, D. See de Broglie, L., 3=2226
- Bohm, D. See de Broglie, L., 3=4324
- Böhm, E., Thielert, R. and Wiedecke, L. Relative time lags between coincident cosmic-ray particles for small detector spacings, 4=19613
- Bohm, G. See Beine, H., 3=24415
- Böhm, H. Effect of precipitation on the mechanical properties of a hardened Al-Si alloy, 3=13538
- Böhm, H. The effect of magnesium on the ageing behaviour of aluminium-silicon alloys, 3=18355
- Böhm, H. and Leo, W. Separation processes during the rearrangements of supersaturated copper-nickel-aluminium mixed crystals, 4=26551
- Bohm, H.V. Some Fermi surface measurements in silver, 1=19741
- Bohm, H.V. and Easterling, V.J. Magnetoacoustic measurements in the noble metals at 350 Mc/s, 3=2759
- Bohm, H.V. and Forwitz, N.H. Ultrasonic attenuation in superconducting vanadium and zinc, 4=16377
- Bohm, H.V. See Easterling, V.J., 2=3834
- Bohm, H.V. See Horwitz, N.H., 1=11868
- Bohm, H.V. See Horwitz, N.H., 3=3958

- Bohm, H.V. See Kamm, G.N., 2=21983
 Bohm, H.V. See Kamm, G.N., 4=15453
 Bohm, H.V. See Morse, R.W., 0=233
 Bohm, H.V. See Schults, E.C., 3=9646
 Bohm, H.V. See Zimmerman, J.E., 2=9470
 Bohm, J. Light and electron microscopic examinations of etched cleaved rocksalt surfaces, 4=6851
 Böhm, J., Petržílka, V. and Suk, M. On peripheral pion-nucleon interactions at 7 GeV, 4=6106
 Böhm, J., Petržílka, V. and Suk, M. On peripheral pion-nucleon interactions at 7 GeV, 4=27879
 Böhm, K.E. A basic limit of the information contained in center-to-limb observations, 1=11678
 Böhm, K.H. Temperature variations in the solar granulation, 2=11123
 Böhm, K.H. The mixing of matter in the layer below the outer solar convection zone, 4=2416
 Böhm, K.H. Unstable modes in the solar hydrogen convection zone, 3=13882
 Böhm, K.H. Forms of flow of various vertical wavelengths in the solar hydrogen convection zone, 3=21105
 Böhm, K.H. and Böhm-Vitense, E. Interpretation of the intensity decrease in the outermost solar limb, 0=12284
 Böhm, K.H. and Richter, E. The effect of radiation exchange on the convection in a polytropic atmosphere, 0=783
 Böhm, K.H. and Richter, E. Convection in an atmosphere with a depth-dependent temperature gradient and a large density variation, 0=14467
 Bohm, S. See Beine, H., 3=24415
 Bohm-Vitense, E. Spectra of some metal line stars, 0=8515
 Böhm-Vitense, E. Calculation of the temperature stratification of non-grey atmospheres in radiation equilibrium, 4=2350
 Böhm-Vitense, E., Holweger, H. and Kohl, K. The correlation between metal deficiency of stars and their distance from the galactic plane, 4=2375
 Böhm-Vitense, E. Interpretation of the phase relationship between velocity and light curves of δ cephei stars, 3=13910
 Böhm-Vitense, E. See Böhm, K.H., 0=12284
 Böhme, A., Fanslau, G., Mundt, W. and Wagner, Ch.U. A study of the relationship between solar events, propagation conditions in inter-planetary space and ionospheric-geomagnetic phenomena, 3=18527
 Bohme, A. The correlation of geomagnetic storms with type IV bursts in the decametre range, 4=20879
 Böhme, A. Observations on the theory of solar type IV bursts, 4=30982
 Böhme, G., Kling, W., Krupp, H., Lange, H. and Sandstede, G. Adhesion of small particles on solid bodies. I. Measurement of force of adhesion in gaseous media, 4=10597
 Böhme, H., Fromm, E. and Sittig, E. Oscillations of the isotropic circular cylinder with a vanishing axial component of motion, 1=8174
 Böhme, H. See Mayer, H., 4=22865
 Böhmmer, H. and Lüscher, E. Photon emission by interaction of low energy helium and neon ions with tungsten surfaces, 3=21900
 Bohn, H.V. See Kamm, G.N., 3=17682
 Bohn, L. Acoustic pressure variation and the spectrum in oscillatory cavitation, 0=14597
 Bohn, L. and Oberst, H. Data from vibration experiments on the technical behaviour of plastics in the case of transient (shock) stresses, 1=1296
 Bohn, W.L. Ionization equation for plasmas of the intermediate temperature and density region, 3=16933
 Bohn, W.L. and Platz, P. Measurement of line profiles and their relative intensities for the determination of electron density and temperature in a helium plasma produced in a shock tube, 4=18857
 Bohn, W.L. See Fucks, W., 3=1752
 Bohomolov, V. N. and Zhuze, V. P. Anisotropy of the Hall effect in monocrystalline partly-reduced rutile (TiO_2), 4=10072
 Bohosievici, N. See Sanduloviciu, M., 3=19187
 Bohr, A. Selected topics concerning nuclear spectra, 1=19351
 Bohr, A. and Mottelson, B.R. Quantization and stability of currents in superconductors, 2=2954
 Bohr, A. See Bor, O.
 Bohr, N. The Rutherford Memorial Lecture 1958. Reminiscences of the founder of nuclear science and of some developments based on his work, 2=5502
 Bohr, N. See Bor, N.
 Bohun, A. Photostimulated electron effects in coloured NaCl crystals, 0=18072
 Bohun, A. The effect of annealing on thermostimulated processes of coloured sodium chloride crystals, 1=17925
 Bohun, A. Contribution to the problem of exo-emission from solids, 2=7638
 Bohun, A. Influence of Cu and Ag on the electron emission and luminescence of NaCl:Ca, 2=8563
 Bohun, A. Electron emission and luminescence of alkali fluorides, 2=20013
 Bohun, A. Thermostimulated exoemission and luminescence of MgO and CaO, 3=419
 Bohun, A. Exo-electron emission from ionic crystals, 3=19295
 Bohun, A. Absorption and thermostimulated electron emission and luminescence of LiF crystals bombarded with alpha particles, 4=26206
 Bohun, A. and Dolejší, J. The exo-electron and thermionic emission of some halides, 0=5335
 Bohun, A., Dolejší, J., Huml, K., Kantůrek, J., Kunzlová, I., Lébl, M. and Trnka, J. Optical and electrical properties in copper-activated sodium chloride crystals, 3=18008
 Bohun, A., Dolejší, J., Kaderka, M., Kantůrek, J., Kunzlová, I., Lébl, M. and Trnka, J. Photoluminescence and related properties of NaCl crystals containing cadmium and cobalt, 3=4985
 Bohun, A., Dolejší, J., Kaderka, M., Kantůrek, J., Kunzlová, I., Lébl, M. and Trnka, J. Electronic processes in coloured NaCl crystals with cadmium, 1=4998
 Bohun, A., Dolejší, J., Kantůrek, J., Kunzlová, I., Lébl, M. and Trnka, J. Physical processes in coloured NaCl crystals with divalent additions, 3=813
 Bohun, A., Kantůrek, J., Trnka, J. and Lébl, M. Electronic processes and Z centres in NaCl and KCl crystals, 1=17584
 Bohun, A. and Vinduskova, O. Electron emission from NaCl crystals after electron bombardment, 2=9623
 Bohun, A. See Dolejší, J., 0=6192
 Bohun, A. See Dolejší, J., 1=14662
 Bohun, A. See Dolejší, J., 2=6606
 Bohun, A. See Huml, K., 3=8598
 Bohun, A. See Käämbre, H., 4=13081
 Bohun, A. See Sujak, B., 0=15050
 Bohun, A. See Trutia, A., 3=10923
 Bohun, A. See Trnka, J., 4=12961
 Bohy, C. See Berley, D., 4=9281
 Boiadjev, G. See Bradistilov, G., 4=2613
 Boiangiu, D. See Stoenescu, A., 3=1544
 Boichenko, B.L. Emission of non-equilibrium electrons from CdSe, 3=21853
 Boichenko, B. L. See Sarbe, O. G., 4=22721
 Boija, S. See Walles, S., 4=10194
 Boiko, B.A. Method for detecting molecular beams of metals, 2=20886
 Boiko, B.T., Palatnik, L.S. and Rod'kina, N.I. Electron diffraction analysis of the structure of superheated and supercooled molten metals, 3=9440
 Boiko, B. T., Panchekha, P. A., Polenova, V. M. and Fuks, M. Ya. Comparison of the degree of misalignment of the coherent scattering regions in thin vacuum-deposited films and massive aluminium specimens, 4=20802
 Boiko, B.T. See Palatnik, L.S., 2=8877
 Boiko, B.T. See Palatnik, L.S., 2=21530
 Boiko, B.T. See Palatnik, L.S., 2=23936
 Boiko, B.T. See Palatnik, L.S., 2=23937
 Boiko, B. T. See Palatnik, L.S., 4=1928
 Boiko, B. T. See Palatnik, L.S., 4=26696
 Boiko, I.I. The role of trapping centres in relaxation of photoconductivity, 0=20925
 Boiko, I.I. The optical properties of semiconductors with extremum loops, 2=10593
 Boiko, I.I. Combined resonance in semiconductors with an inversion centre, 3=15931
 Boiko, I.I. and Rashba, É.I. Properties of semiconductors with a [Brillouin zone] extremum loop. II. Magnetic susceptibility in a field perpendicular to the plane of the loop, 1=14402
 Boiko, I.I., Rashba, É.I. and Trofimenko, A.P. Thermally stimulated conductivity in semiconductors, 0=11674
 Boiko, I. I. See Dadenkova, M. N., 4=24180
 Boiko, I.I. See Rashba, É.I., 1=14403
 Boiko, L.M. Effect of radiation on certain characteristics of electroluminescent screens, 2=18883
 Boiko, S. N., Barabash, L. Z., Gerasimov, A. B., Dmitriev, S. P., Zheravov, V. G., Roife, I. M. and Stekol'nikov, B. A. Power supply of deflecting and confining plates of the system for injecting the ion beam into the proton synchrotron chamber, 4=14805

- Boiko, V.V. Diffusion of nitrogen in liquid oxygen, 4=5168
- Boikov, G.P. Quick calculation of body heating by radiant heat, 3=24099
- Boileau, A.R. See Duntley, S.Q., 4=23756
- Boileau, E. Magnetic resonance in an anisotropic liquid with axial symmetry, 3=5452
- Boileau, E. and Witkowski, A. Reduction of the vibronic equation in systems with resonance interaction between degenerate electronic states, 4=25771
- Boillat, G. Hydromagnetic waves, 4=8909
- Boillat, G. Electrodynamical waves, 4=16627
- Boillat, G. Discontinuities and shock waves. I, 3=21483
- Boillat, G. Discontinuities and shock waves. II, 3=21484
- Boillet, P. On the interpretation of Huygens' principle: Acoustic, elastic and electromagnetic waves. III, 0=11048
- Boillet, P. Extension of Huygens' principle to a discontinuous medium: a solid considered as an aggregate of atoms, 0=13463
- Boillet, P. Critical study of the principal methods of illumination of spectrographs, 1=16079
- Boillet, P. Infrared reflection spectrum of orthoclase between 10 and 30 μ , 3=18014
- Boim, A.B. and Reikhrudel', E.M. Initial stages of low-pressure pulse discharge, 2=9541
- Boim, A.B. and Reikhrudel', E.M. Cold cathode with ignition in an electron gun, 4=11704
- Bois, G.V. See Zhukovskii, V.I., 2=16990
- Boisard, F. Experimental study of the variation with temperature of the Hall coefficient of nongraphitized carbon powders, 4=12855
- Boischot, A. Study of solar radio emission at 169 Mc/s, using a large grating (multi-aerial) interferometer, 0=4849
- Boischot, A. The coronal eclipse of the Crab Nebula observed at 169 Mc/s, 0=18669
- Boischot, A. Type IV [solar] emissions. 1=2652
- Boischot, A. Preliminary results of the observation of radio sources with the Nançay interferometer, 1=18136
- Boischot, A. Structure of the radio-source HB 21, 3=9275
- Boischot, A. and Fokker, A.D. The 1957 November 4 event, 1=18163
- Boischot, A., Ginat, M. and Kazes, I. Observation of the planet Jupiter with the new radio-telescope at Nancy, 2=13176
- Boischot, A., Ginat, M. and Kazes, I. Radio emission from the Perseus cluster, 3=16431
- Boischot, A., Ginat, M. and Kazes, I. Observations of the 13 cm and 21 cm radiations from the planets Jupiter and Venus, 3=25983
- Boischot, A., Haddock, F.T. and Maxwell, A. Spectrum of 1957 November 4 solar outburst, 0=18643
- Boischot, A., Lee, R.H. and Warwick, J.W. Low-frequency solar bursts and noise storms, 0=6556
- Boischot, A. and Pick, M. Structure of the type IV radio burst and its relation with solar cosmic rays, 2=13158
- Boischot, A. and Simon, P. The slowly varying component of solar emission at 169 Mc/s, 1=2645
- Boischot, A. and Simon, P. Effect of an increase of radiowave continuum emission on the emission of solar type I bursts, 1=15539
- Boischot, A. and Warwick, J.W. Radio emission following the flare of August 22, 1958, 0=8474
- Boischot, A. See Avignon, Y., 0=4848
- Boischot, A. See Avignon, Y., 1=6736
- Boischot, A. See Blum, E.J., 1=15537
- Boischot, A. See Blum, E.J., 4=4919
- Boischot, A. See Christiansen, W.N., 0=18732
- Boischot, A. See Moutot, M., 1=15440
- Boisot, M.H., Cohen-Solal, G. and Teissier du Gros, F. Thermal stability of carbon electrodes in contact with crystalline layers of cadmium sulphide, 0=1925
- Boissier, J. See Daire, M., 3=11337
- Boistelle, R., Kern, R. and Weiss, R. Growth forms of crystals of structural type NaCl in the presence of ferro- and ferricyanide ions, 2=12887
- Boistelle, R. See Bienfait, M., 4=13514
- Boistelle, R. See Bienfait, M., 3=16042
- Boite, R. Minority carrier injection and extraction phenomena in a nearly intrinsic semiconductor, 0=2870
- Boithias, L., Spizzichino, A. and Taieb, C. Study of reflections from the sea by means of a goniometer, 4=5805
- Bořtůvých, I.D. See Artemenko, G.A., 4=415
- Bořtsov, A.S. See Malýshev, I.F., 4=14800
- Bořtsov, V.B. and Gotlib, Yu. Ya. Rotational isomerism in polyethylene-terephthalate, 4=6671
- Bořtsov, V.G. Determination of the force constants and calculation of the vibrational spectrum of crystalline selenium, 3=17630
- Boivin, A. and Tremblay, R. Microwave interferometer with coherent background, 1=13185
- Boivin, G. Zone plate equivalent to an amplitude filter, 4=18426
- Boivin, G. and Tremblay, R. Guiding of electromagnetic waves by repeated diffraction, 4=736
- Boivin, G. See Lansraux, G., 1=2882
- Boivin, M. The widening of an electron beam by the space charge, 1=16401
- Boivin, M. See Cauchois, Y., 0=19821
- Boivin, P., Bros, J.P. and Calvet, E. Thermoelectric calibration of a microcalorimeter of the E. Calvet type, 3=3916
- Boivin, P., Calvet, E. and Ozias, Y. Microcalorimetric determination of the characteristics of yttrium-90 and of the loss of energy due to β -deceleration, 3=12626
- Boivin, P. See Ozias, Y., 2=5819
- Bojarski, C. Remarks on the theory of concentration depolarization of fluorescing solutions, 0=5031
- Bojarski, C. The influence of self-quenching on the concentration depolarization of the photoluminescence of stable solutions, 2=55
- Bojarski, C. Intermolecular energy migration and concentration depolarization of photoluminescence in rigid solutions, 3=140
- Bojarski, C. Remarks on the determination of the critical intermolecular distance for concentration depolarization of the photoluminescence of solid solutions, 4=7166
- Bojarski, C. On the problem of the critical distance between molecules in the process of excitation energy transfer in luminescent solutions, 4=25774
- Bojarski, C. and Kowski, A. On the determination of critical molecular spacing for concentration-depolarization of fluorescence, 0=4423
- Bojilov, M. See Nadjakov, E., 2=22290
- Bojtor, L., Dosay, K. and Koczka, J. Film dosimetry for measurement of ionizing radiations, 2=16098
- Bojko, I. Electron paramagnetic absorption in γ -irradiated polycrystalline $\text{Hg}_2(\text{NO}_3)_2 \cdot 2\text{H}_2\text{O}$, 4=17680
- Bok, B.J. Our expanding universe, 3=25966
- Bok, B.J., Gollnow, H., Hindman, J.V. and Mowat, M. Radial velocities associated with selected emission nebulae in the small magellanic cloud, 4=30970
- Bok, B.J. See Basinski, J., 1=18199
- Bok, J. Study of charge carriers in semiconductors subjected to an intense electric field, 0=13588
- Bok, J., De Cosnac, B., Noel, J.P., Schuttler, R., Lott, M., Millot, J.P. and Rastoin, J. Fast-neutron spectrometer of lithium-6 and silicon diodes, 2=5686
- Bok, J. and Guthmann, C. Effects of high electric fields on the transport phenomena in InSb at low temperatures, 4=30538
- Bok, J. and Noel, J.P. Surface-barrier diode for the detection of nuclear particles, 2=5530
- Bok, J. and Nozieres, P. Instabilities of transverse waves in a drifted plasma, 3=17693
- Bok, J. and Veilex, R. "Hot" electron experiments in InSb. Application to the realization of an oscillator, 0=610
- Bok, J. and Veilex, R. Avalanche studies in InSb; effect of a magnetic field; high-frequency oscillations, 3=6595
- Bok, J. See Langenberg, D.N., 4=12706
- Bokacheva, L.P., Popkov, K.K. and Tabolina, L.N. Calculation of the space distribution of dose streams of capture γ -radiation, 4=11962
- Böke, K. Capacitance measurements on the silicon-electrolyte boundary layer, 0=13649
- Bokhan, N.A. See Makover, S.G., 1=2805
- Bokhari, M.S. Polarization in stripping reactions, 2=20603
- Bokhari, M.S. See Al-Jeboori, M.A., 0=5743
- Bokhari, M.S. See Al-Jeboori, M.A., 0=15577
- Bokhari, M.S. See Strzałkowski, A., 0=11401
- Bokhout, H. and van Lent, P.H. Electric properties of grey tin single crystals grown in tin-mercury alloys, 3=17896
- Bokhoven, C. and Dijkstra, A. Effect of carrier gas on the sensitivity of thermal conductivity detectors, 0=16402
- Bokii, G.B. and Porai-Koshits, M.A. Crystal chemistry of complex compounds of group eight metals, 1=15017
- Bokii, G.B. and Romanova, E.M. Polyhedra in the structures of sulphoarsenides, 3=18328
- Bokov, V.A. Vacuum stage for use in optical studies at low temperatures, 4=16222

- Bokov, V.A. and Mýl'nikova, I.E. Ferroelectric properties of monocrystals of new perovskite-type compounds, 1=12473
- Bokov, V.A. and Mýl'nikova, I.E. Electrical and optical properties of monocrystals of ferroelectrics with broad phase transitions, 2=663
- Bokov, V.A., Mýl'nikova, I.E. and Smolenskii, G.A. Ferroelectric-antiferromagnetic crystals, 2=12562
- Bokov, V.A., Mýl'nikova, I.E. and Smolenskii, G.A. Ferroelectric-antiferromagnetic crystals, 3=6615
- Bokov, V. A., Smolenskii, G. A., Kizhaev, S. A. and Mýl'nikova, I. E. Magnetic and electric properties of ferroelectric yttrium and ytterbium manganates, 4=28860
- Bokov, V.A. See Mýl'nikova, I.E., 0=18091
- Bokov, V. A. See Smolenskii, G. A., 4=13258
- Bokros, J.C. Creep properties of a zirconium-hydrogen uranium alloy, 2=4329
- Bokros, J.C. Transformation kinetics of a zirconium-uranium-hydrogen alloy, 2=4458
- Bokros, J. C. and Parker, E. R. The mechanism of the martensite burst transformation in Fe-Ni single crystals, 4=7495
- Boksay, Z. See Lengyel, B., 2=21110
- Boksay, Z. See Lengyel, B., 4=10095
- Boksay, Z. See Lengyel, B., 4=10096
- Boksha, S.S. and Shakhovskoi, G.P. An apparatus of a super-high pressure with a simultaneous achievement of high temperatures, 1=6686
- Bokshtein, B.S., Belashchenko, D.K. and Zhukhovitskii, A.A. Investigation of the surface diffusion in powders using the method of electrodiffusion potential, 2=21068
- Bokshtein, B.S., Belashchenko, D.K. and Zhukhovitskii, A.A. Investigation of the surface diffusion in powders using the method of electrodiffusion potential, 3=6539
- Bokshtein, B.S., Magidson, I.A. and Svetlov, I.L. On diffusion in volume and along grain boundaries, 1=7588
- Bokshtein, B.S. See Bao-Syue-Sin', 1=17557
- Bokshtein, S. Z., Bronfin, M. B., Kishkin, S. T. and Marichev, V. A. Internal friction in deformed molybdenum and in its alloys with zirconium and rhenium, 4=7435
- Bokshtein, S.Z., Kishkin, S.T. and Svetlov, I.L. Tensile rupture tests on whiskers of copper, nickel and cobalt, 2=23778
- Bokshtein, S.Z., Kishkin, S.T. and Svetlov, I.L. Tensile rupture tests on whiskers of copper, nickel and cobalt, 3=6801
- Bokshtein, S.Z. and Svetlov, I.L. Effect of alloying on the strength of copper whiskers, 3=20727
- Bokshtein, S. Z. See Balalaev, Yu. F., 4=11398
- Bokut', B.V. Propagation of light in absorbing magnetic, optically active, crystals belonging to the systems of medium symmetry, 3=13148
- Bokut', B.V. and Fedorov, F.I. Propagation of light in absorbing magnetic active isotropic media and cubic crystals, 0=19452
- Bokut', B.V. and Fedorov, F.I. Reflection and refraction of light in optically-active isotropic media, 1=13002
- Bokut', B.V. and Fedorov, F.I. Reflection and refraction of light by optically active crystals, 4=20441
- Bokut', B.V. and Sotskii, B.A. Passage of light through an optically active absorbing plate, 3=16788
- Bokut', B.V. See Fedorov, F.I., 3=20447
- Boland, J.W. See McCullough, T.P., 4=13958
- Boland, J.W. See Sloanaker, R.M., 1=5168
- Boland, P. See Fleming, J.D., 3=13548
- Bolard, J. Study of the infrared absorption spectra of the complexes of boron with acid-alcohols, 4=10201
- Boldeman, J. W. Fission spectrum averaged cross sections of threshold reactions, 4=28041
- Boldingh, W. H. Grids to reduce scattered X-rays in medical radiography, 4=21328
- Boldt, E., Duboc, J., Duong, N. H., Eberhard, P., George, R., Henri, V. P., Levy, F., Poyen, J., Pripstein, M., Crussard, J. and Tran, A. Study of the reaction $K^+ + p \rightarrow K^0 + \pi^+ + p$ at 1.14 GeV/c, 4=9276
- Boldt, E. and Sandri, G. Theory of unstable particles, 4=27766
- Boldt, E., Stoler, P. and Tsipis, C. Time dependence of the decay energy spectrum for stopped cosmic-ray particles at sea level, 4=3511
- Boldt, E. and Tsipis, C. Utilization of optical filters in a scintillation detector, 1=7172
- Boldt, E. See Berley, D., 2=22633
- Boldt, E. See Berley, D., 4=9281
- Boldt, G. The recombination and "minus" continua of oxygen atoms, 0=1486
- Boldt, G. The recombination and "minus" continua of nitrogen atoms, 0=1487
- Boldt, G. Normal intensity in vacuum-u.v. spectral region, 3=4076
- Boldt, G. Two light sources for spectroscopy studies in the vacuum u.v. spectral region, 3=7349
- Boldt, G. Measurement of the absorption oscillator strengths of C I multiplets in the range between 1100 and 1800 Å, 4=6472
- Boldt, G. Measurement of absorption oscillator strengths of C I-multiplets between 1100 and 1800 Å, 4=19953
- Boldt, G. and Cooper, W. S. Measurement of the line wing profile of the hydrogen, 4=28108
- Boldt, W. Investigations on the radiation yield in the wavelength region from 100 to 1000 microns, 2=9395
- Boldt, W. An ultrasonic plasma jet device, 4=19073
- Boldt, W. and Reimann, H. The long-wavelength infrared emission from gas-discharge lamps, 1=4467
- Boldt, W. and Seiwert, R. The temperature dependence of the luminescence of CdS crystals. II. Crystals with Mn, Fe, Co or Ni incorporated, 0=4439
- Boldt, W. and Seiwert, R. The temperature dependence of luminescence of CdS crystals with added Mn, Fe, Ni, or Co, 2=8553
- Boldyshev, V.F. Theory of internal conversion of gamma rays, 3=22318
- Boldyshev, V.F. Internal conversion of an electric multipole in the Born approximation, 4=6500
- Boldyshev, V.F. Contribution to the theory of angular correlation of internal conversion electrons, 4=25286
- Bolef, D.I. Elastic constants of single crystals of the B.C.C. transition elements V, Nb, and Ta, 1=3954
- Bolef, D.I. Acoustic techniques in magnetic resonance, 2=17973
- Bolef, D.I. and Gosser, R.B. Resonant absorption of phonons by Fe^{2+} ions, 2=10699
- Bolef, D.I. and de Klerk, J. Elastic constants of single-crystal Mo and W between 77° and 500°K, 2=14869
- Bolef, D.I. and de Klerk, J. Anomalies in the elastic constants and thermal expansion of chromium single crystals, 3=8753
- Bolef, D.I., de Klerk, J. and Gosser, R.B. Ultrasonic c.w. spectrometer for the investigation of electron spin-phonon interactions in solids, 2=15708
- Bolef, D.I., Melamed, N.T. and Menes, M. Elastic constants of hexagonal cadmium sulfide, 1=20292
- Bolef, D.I. and Menes, M. Measurement of elastic constants of RbBr, RbI, CsBr, and CsI by an ultrasonic c.w. resonance technique, 0=11963
- Bolef, D.I. and Menes, M. Elastic constants of single-crystal aluminum antimonide, 0=13897
- Bolef, D.I. See de Klerk, J., 4=22485
- Bolef, D.I. See Menes, M., 1=19702
- Bolef, D.I. See Parker, J.H., Jr., 4=26528
- Bolef, D.I. See Ruby, S.L., 0=17883
- Bolen, K.T. See Norris, G.F., 1=4449
- Bolen, L.N. and Eisenberg, J.M. Photoexcitation of electric dipole states in Si^{28} , 4=17045
- Bolen, L.N. and Whitehead, W.D. Photoneutron cross section of oxygen and aluminium, 3=6223
- Bolen, L.N. and Whitehead, W.D. Neutron photoproduction cross sections of silicon, phosphorus, and sulfur, 4=6324
- Bolen, L.N. See Min, K., 4=1065
- Bolen, L.N. See Rice, L.B., 4=17117
- Boley, B.A. Upper bounds and Saint-Venant's principle in transient heat conduction, 0=16907
- Boley, B.A. Upper and lower bounds for the solution of a melting problem, 3=16835
- Boley, B.A. See Weiner, J.H., 3=18764
- Boley, F.I. Scattering of radiation by a plasma, 0=19684
- Boley, F.I. Atmospheric Čerenkov radiation from cosmic-ray air showers, 4=30288
- Boley, F.I., Baum, J.H., Palsedge, J.A. and Pereue, J.H. Longitudinal distribution of Čerenkov light from extensive air showers, 2=330
- Boley, F.I. and Forman, P.R. Steepening of large-amplitude Alfvén waves, 4=19025
- Boley, F.I. and Macoy, N.H. Čerenkov radiation extensive air shower telescope, 2=1741
- Boley, F.I., Palsedge, J.A. and Baum, J.H. Altitude dependence of the longitudinal distribution of atmospheric Čerenkov radiation, 2=9954
- Boley, F.I. and Wilcox, J.M. Alfvén waves, 2=20002
- Boley, F.I., Wilcox, J.M., DeSilva, A.W., Forman, P.R., Hamilton, G.W. and Watson-Munro, C.N. Hydromagnetic wave propagation near ion cyclotron resonance, 3=19291
- Boley, F.I. See Wilcox, J.M., 0=3843
- Boley, F.I. See Wilcox, J.M., 0=5383

- Boley, F.I. See Wilcox, J.M., 2=19948
 Boley, F.I. See Wilcox, J.M., 3=1967
 Bolf, J. See Karovič, K., 3=18973
 Bolfa, J. and Zeller, C. A method to determine the constitution of the ferromagnetic phase of a rock without separation of this phase, 4=10777
 Bölger, B. On the power transfer between paramagnetic spins and crystal lattice, I.A., 0=4518
 Bölger, B. On the power transfer between paramagnetic spins and crystal lattice, I.B., 0=4519
 Bölger, B. On the power transfer between paramagnetic spins and crystal lattice. II. Experimental methods and techniques, 0=4520
 Bölger, B. On the power transfer between paramagnetic spins and crystal lattice. IIIA, 0=11932
 Bölger, B. On the power transfer between paramagnetic spins and crystal lattice. IIIB, 0=11933
 Bölger, B. On the power transfer between paramagnetic spins and crystal lattice. IIIC, 0=11934
 Bölger, B. On the power transfer between paramagnetic spins and crystal lattice. IVA, 0=11935
 Bölger, B. On the power transfer between paramagnetic spins and crystal lattice. IVB, 0=11936
 Bölger, B. On the power transfer between paramagnetic spins and crystal lattice, I, 1=9064
 Bölger, B., Noothoven van Goor, J.M. and van Damme, K.J. On the power transfer between paramagnetic spins and crystal lattice. II, 1=9065
 Bölger, B. and Robinson, B.J. Paramagnetic relaxation rates determined by pulsed double resonance experiments, 1=6414
 Bölger, B., Robinson, B.J. and Ubbink, J. Some characteristics of a maser at 1420 MHz, 0=17095
 Bölger, B., Ubbink, J. and Robinson, B.J. A maser at 1420 MHz, 0=9193
 Bölger, B., Van Damme, K.J., Noothoven van Goor, J.M. and Gorter, C.J. Saturation of paramagnetic resonance in $\text{CuK}_2(\text{SO}_4)_2 \cdot 6\text{H}_2\text{O}$ and $\text{CrK}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$, 0=10223
 Bolger, B., van de Does de Bij, J.A.W., Kalter, H. and Vegter, H.J. Laser action in GaAs junction, 3=9982
 Bölger, B. See Diemer, G., 3=22021
 Bolger, J.C. See Michaels, A.S., 2=19521
 Bolgiano, L. P., Jr. and Jelsma, L. F. Communication channel model of a photo-electric detector, 4=21272
 Bolgiano, R., Jr. Turbulent spectra in a stably stratified atmosphere, 0=12173
 Bolgiano, R., Jr. Structure of turbulence in stratified media, 2=24008
 Bolgiano, R., Jr. Evidence of anisotropy in tropospheric microstructure, 4=4754
 Bolgiano, R., Jr. The role of radio wave scattering in the study of atmospheric microstructure, 4=15874
 Bolin, B. and Keeling, C.D. Large-scale atmospheric mixing as deduced from the seasonal and meridional variations of carbon dioxide, 3=25867
 Bolling, E.A. A vise-configuration β -counter. Determination of total exchangeable potassium using a low dose of isotope, 3=22037
 Bölling, G. See Agdur, B., 3=13159
 Bolk, A. Kirkendall effect and diffusion in the gold-platinum system. I. The Kirkendall effect, 1=14312
 Bolk, A. Kirkendall effect and diffusion in the gold-platinum system. II. The concentration penetration curves and the diffusion coefficients, 1=14313
 Bolk, W. T. See Sengers, J. V., 4=21183
 Boll, H.J. One-way all glass valve for high vacuum systems, 2=2801
 Boll, H.J. Field effects in insulating thin film secondary emitters, 2=9625
 Boll, H. J. See Palmberg, P. W., 4=20777
 Boll, R. Eddy-current and spin-relaxation losses in thin metal strips at frequencies up to about 1 Mc/s, 0=13821
 Boll, R. Relations between the switching coefficient and the limiting frequency of ferromagnetic materials, 0=16140
 Boll, R. Metallic magnetic materials at high frequencies, 1=3910
 Boll, R. Thin soft magnetic tapes in small high-frequency fields, 3=15854
 Boll, R.H. Calculation of complex equilibrium with an unknown number of phases, 1=7899
 Bolle, A., Coccia, F. and Tiberio, C.A. Results of ionospheric observations made in Rome during the solar eclipse of 15 February, 3=1458
 Bolle, H.J. A simple prism spectrograph for absolute measurement of infrared atmospheric radiation (4 to 15 μ), 0=8419
 Bolle, H.J. The 15-26 micron sky emission spectrum at Jungfraujoch (3570 M), 3=18548
 Bolle, H.J. Atmospheric emission in single water vapor lines and its calculation by means of radiation diagrams, 4=29289
 Boller, H. and Parthé, E. The transposition structure of NbAs and of similar monophosphides and arsenides of niobium and tantalum, 4=4617
 Boller, H. and Parthé, E. On the possibility of forming 'pseudosilicides', 3=25725
 Bollhagen, H. See Carr, T.D., 1=1658
 Bollhagen, H. See Carr, T.D., 1=1685
 Bollhagen, H. See Carr, T.D., 4=29473
 Bollhagen, H. See Smith, A.G., 0=18638
 Bollin, M. Lunar surface and subsurface magnetic susceptibility instrumentation, 3=13856
 Bolling, G.F. Some thermal data for Bi_2Te_3 , 0=15807
 Bolling, G.F. Yield point phenomena in alpha brass and other face-centred cubic metals, 0=21107
 Bolling, G.F. Erratum: Addendum to some thermal data for Bi_2Te_3 , 2=8169
 Bolling, G.F., Massalski, T.B. and McHargue, C.J. An X-ray study of deformation stacking faults at low temperatures in lead, some lead alloys, and aluminium, 1=12395
 Bolling, G.F. and Tiller, W.A. Growth from the melt. I. Influence of surface intersections in pure metals, 0=13947
 Bolling, G.F. and Tiller, W.A. Growth from the melt. II. Cellular interface morphology, 1=1368
 Bolling, G.F., Hays, L.E. and Wiedersich, H.W. The plasticity of lead single crystals and the determination of stack-fault energy, 2=8718
 Bolling, G.F. and Tiller, W.A. Growth from the melt. III. Dendritic growth, 2=2353
 Bolling, G.F. See Otte, H.M., 3=12992
 Bolling, G.F. See Roessler, B., 4=20755
 Bolling, G.F. See Sekerka, R.F., 0=13545
 Bollinger, H. A diffusion pump with a new nozzle arrangement, 4=245
 Bollinger, H. A bakeable all-metal valve, 4=5262
 Bollinger, H. and Petzold, K. Di-butyl-phthalate with addition of ditertiary-butyl-para-cresol as a pumping-fluid for diffusion pumps, 4=8260
 Bollinger, H. See Blank, H., 4=18264
 Bollinger, L.M., Coté, R.E., Carpenter, R.T. and Marion, J.P. Distribution of partial radiation widths, 4=3669
 Bollinger, L.M., Coté, R.E. and Kennett, T.J. Fluctuations in partial radiation widths, 0=2623
 Bollinger, L.M. and Thomas, G.E. Measurement of the time dependence of scintillation intensity by a delayed-coincidence method, 1=13223
 Bollinger, L.M. and Thomas, G.E. p-Wave resonances of Th^{232} , 4=12162
 Bollinger, L.M., Thomas, G.E. and Ginther, R.G. Glass scintillators for neutron detection, 0=5573
 Bollinger, L.M., Thomas, G.E. and Ginther, R.J. Neutron detection with glass scintillators, 3=2277
 Bollinger, L.M. See Brown, R.J., 0=13279
 Bollinger, L.M. See Carpenter, R.T., 1=705
 Bollinger, L.M. See Coté, R.E., 1=17111
 Bollinger, L.M. See Coté, R.E., 4=19797
 Bollinger, L.M. See Du Toit, S.J., 1=10994
 Bollinger, L.M. See Jackson, H.E., 1=5927
 Bollinger, L.M. See Jackson, H.E., 2=469
 Bollinger, L.M. See Leblanc, J.M., 0=5649
 Bollini, C.G. On the coupling of the elementary particles with the electromagnetic field, 0=1259
 Bollini, C.G. Total Compton cross section for arbitrary spin, 1=475
 Bollini, C.G. On the equivalence between pseudo-scalar and pseudo-vector couplings, 2=20248
 Bollini, C.G. Minimal interactions, 3=24609
 Bollini, C.G. and Giambiagi, J.J. On a generalized Foldy-Wouthuysen transformation, 1=13289
 Bollini, C.G. and Giambiagi, J.J. Regge trajectories for the square well potential, 3=2223
 Bollini, C.G. and Giambiagi, J.J. Regge trajectories for the square well potential, 3=14907
 Bollini, C.G. and Giambiagi, J.J. A differential equation for the self-energy in momentum space, 4=21730
 Bollini, C.G., Giambiagi, J.J. and Domínguez, A.G. Analytic regularization and the divergences of quantum field theories, 4=14996
 Bollini, D., Cambieri, A., Fossati, F. and Ròvera, S. A 560 kV accelerator for the study of photoreactions, 2=20069

- Bollmann, W. Electron-microscopic observations on radiation damage in graphite, 0=17980
- Bollmann, W. Electron-microscope observations on the recrystallization of nickel, 0=21258
- Bollmann, W. Electron microscope study of radiation damage in graphite, 1=7610
- Bollmann, W. On the analysis of dislocation networks, 2=23190
- Bollman, W. Dark field electron microscopy applied to radiation damage in graphite, 2=23940
- Bollmann, W. Lattice defects introduced into graphite by neutron irradiation, 3=17703
- Bollmann, W. and Hennig, G. R. Electron microscope observations of irradiated graphite single crystals, 4=28444
- Bollmann, W. and Spreadborough, J. Action of graphite as a lubricant, 0=10276
- Bolmarich, J. J. See Sciel, E. J., 4=16705
- Bolnevich, L. See Kolos, W., 4=20041
- Bologa, M. and Váaru, G. Radioactivity of precipitation and atmospheric deposits at Cluj in the period 1 April to 31 December 1960, 2=6926
- Bologa, M. See Barb, D., 4=7758
- Bologa, M. K. See Boyarskaya, Yu. S., 0=13919
- Bologa, M. K. See Boyarskaya, Yu. S., 1=4001
- Bologna, G. See Barbiellini, G., 3=5980
- Bologna, G. See Barbiellini, G., 3=17234
- Bologna, G., Diambri, G. and Murtas, G. P. Electron pair production at high energy in a silicon single crystals, 0=7340
- Bologna, G., Diambri, G. and Murtas, G. P. High-energy Bremsstrahlung from a silicon single crystal, 0=12899
- Bologna, G., Diambri, G., Toschi, R., Figuera, A. S., Pellegrini, U., Rispoli, B. and Serra, A. A pair spectrometer for energies up to 2 GeV, 2=5610
- Bologna, G. See Barbiellini, G., 2=13755
- Bologna, G. See Barbiellini, G., 2=20302
- Bologna, J. M. See Rose, W. K., 4=23940
- Bolognesi, G. P., Pierro, A. and Redaelli, G. Resistivity measurements on highly resistive silicon, 4=10064
- Bolotich, I. P. See Roikh, I. L., 4=26748
- Bolotin, A. B. Some results of the quantum mechanical study of molecules with conjugate bond, 4=1250
- Bolotin, A. B. and Balyavichyus, M. L. Molecular local and total symmetry used in the M. O. L. C. A. O. method, 4=1247
- Bolotin, A. B., Gensaite, E. B. and Kurakevitch, V. A. Application of two-centre functions in diatomic molecule calculations, 4=1249
- Bolotin, A. B. See Balyavichyus, M. Z., 4=21040
- Bolotin, G. A. and Sokolov, A. V. Optical properties of gyroelectric media I. Structure of the tensors which define the induced anisotropy of the electric and magnetic properties of an isotropic medium, 2=21231
- Bolotin, G. A. and Sokolov, A. V. Optical properties of a gyroelectric medium II. Propagation of plane waves in a gyroelectric medium, 3=3896
- Bolotin, G. A. and Sokolov, A. V. Optical properties of a gyroelectric medium. III. The problem of reflection for a gyroelectric medium, 3=11925
- Bolotin, G. A., Voloshinskii, A. N., Kirillova, M. M., Noskov, M. M., Sokolov, A. V. and Charikov, B. A. Optical properties of titanium and vanadium in the infrared range of the spectrum, 3=17977
- Bolotin, G. A. See Voloshinskii, A. N., 4=22839
- Bolotin, H. See Hughes, D. J., 1=8667
- Bolotin, H. H. Double isomerism in As^{74} , 3=19781
- Bolotin, H. H. and Chrien, R. E. Total radiation widths of levels in antimony, mercury, ruthenium and iridium, 3=15211
- Bolotin, H. H., Li, A. C. and Schwarzschild, A. Level structure of Sn^{118} and Sn^{120} from the decay of Sb isotopes, 1=16997
- Bolotin, H. H. See Chrien, R. E., 2=20524
- Bolotin, H. H. See Horen, D. J., 3=17416
- Bolotin, I. B. Measurement of magnetic field intensity with a Hall transducer, 3=14716
- Bolotin, L. I., Bomko, V. O. and Revuts'kii, Ye. I. High-frequency characteristics of a "long" resonator in a heavy nuclei linear accelerator, 2=5410
- Bolotin, L. I., Bomko, V. O. and Revuts'kii, Ye. I. Equalization of the accelerating field in a "long" resonator of a heavy nuclei linear accelerator, 2=5411
- Bolotin, L. I., Bomko, V. A., Revuts'kii, E. I. and Sidorenko, I. S. Accelerating system using TE-modes, 2=17912
- Bolotin, L. I., Klyucharev, A. P., Revuts'kii, E. I. and Rutkevitch, N. Ya. Elastic scattering of 5.4 MeV protons against the isotopes in Ni^{64} , Zn^{64} and Zn^{66} , 1=8/05
- Bolotin, L. I., Klyucharev, A. P., Kulygin, Yu. F., Ranyuk, Yu. N., Revuts'kii, E. I. and Rutkevich, N. Ya. Interaction of carbon ions with photographic emulsion nuclei, 2=16439
- Bolotin, L. I., Markin, P. S., Kulygin, Yu. F., Skoromnyi, G. M. and Meleshkov, S. I. Spark type source of multiply charged ions, 3=2046
- Bolotin, L. I., Markin, P. S. and Meleshkov, S. I. Pulsed source of multicharge ions with magnetic beam separation, 3=2045
- Bolotin, L. I., Suprunenko, V. O., Revuts'kii, Ye. I. and Bomko, V. O. Calculation and construction of a strong focused linear accelerator, 2=17911
- Bolotin, L. I. See Berezin, A. K., 2=15952
- Bolotin, L. I. See Berezin, A. K., 3=9780
- Bolotin, L. I. See Berezin, A. K., 3=9858
- Bolotin, L. I. See Berezin, A. K., 3=9859
- Bolotin, L. I. See Berezin, A. K., 3=14649
- Bolotin, L. I. See Berezin, A. K., 4=14640
- Bolotin, L. I. See Berezin, A. K., 4=16507
- Bolotin, L. I. See Tolok, V. T., 2=17909
- Bolotin, L. I. See Zagorodnov, O. G., 2=237
- Bolotin, L. I. See Zagorodnov, O. G., 2=5342
- Bolotin, L. I. See Zagorodnov, O. G., 4=19236
- Bolotin, V. F. See Khmatov, A. P., 1=4628
- Bolotin, Yu. L. See Akhiezer, I. A., 4=19045
- Bolotina, I. A., Bazhenov, N. M., Vol'kenshtein, M. V. and Sogomonyants, Zh. S. Effect of vitrification of polymers on their optical activity, 0=8258
- Bolotnikova, T. N. Interpretation of the fluorescence spectrum of naphthalene, 0=4446
- Bolotov, I. E. Concerning a form of graphite crystals in platinum-carbon alloy, 0=18407
- Bolotov, I. Ye. Crystallization of the alloy Ni-C. III. Effect of impurities on the crystallization of zones with spheroidal and lamellar graphite, 3=16115
- Bolotov, V. N. and Devishev, M. I. Efficiency of the spark chamber for the recording of charged particle showers, 4=5916
- Bolotov, V. N. and Devichev, M. I. Shower efficiency of a spark chamber, 4=27730
- Bolotov, V. N., Devishev, M. I., Filatov, V. V. and Shmeleva, A. P. Multichannel pulse-amplitude analyser for an ionization calorimeter, 3=14496
- Bolotovskii, B. M. Theory of Cherenkov radiation. III, 3=14951
- Bolotovskii, B. M. and Mergelyan, O. S. Theory of Vavilov-Cherenkov radiation in an isotropic optically active medium, 3=19607
- Bolotovskii, B. M. and Rukhadze, A. A. Field of a charged particle in a moving medium, 0=9155
- Bolotovskii, B. M. and Voskresenskii, G. V. The radiation from a wire carrying a current, and from a charged wire passing near the open end of a plane waveguide, 4=19191
- Bolotovskii, B. M. and Voskresenskii, G. V. The radiation from a point charged particle moving along the axis of a semi-infinite cylindrical waveguide, 4=19192
- Bolotovskii, B. M. See Barsukov, K. A., 4=3366
- Bolotovskii, B. M. See Voskresenskii, G. V., 4=27617
- Bolotovskii, B. M. See Voskresenskii, G. V., 4=30059
- Bolotovskii, V. M. and Voskresenskii, G. V. The field of a charged filament moving with uniform velocity near a conducting half-plane, 4=14867
- Bol'shakov, A. S. Separation of thermoremanent and viscous magnetization components by a temperature method, 4=4829
- Bol'shakov, L. P. See Berlaga, R. Ya., 4=7700
- Bol'shakov, L. G., Georgievski, Yu. N., Otto, A. N. and Rodionov, S. F. On the electrophotometric investigation of the illumination of the night sky, 0=788
- Bolshakova, O. V. See Troitskaya, V. A., 1=20800
- Bol'shakov, T. V. See Nikitinskaya, T. I., 1=19920
- Bol'shakov, T. V. See Nikitinskaya, T. I., 2=8459
- Bol'shanina, M. A. and Korotaev, A. D. Notes on studies of the kinetics of low-temperature transformations in alloyed permalloys, 4=23285
- Bol'shanina, M. A. See Butkevich, L. M., 4=9975
- Bol'shanina, M. A. See Panin, V. E., 4=20638
- Bol'shanina, M. A. See Panin, V. E., 3=23348
- Bol'shanina, M. A. See Sidorova, T. S., 4=7487
- Bol'shov, V. G. Secondary electron emission of GaAs, InSb, and AuCu_3 , 2=17879
- Bol'shov, V. G. Secondary electron emission of GaAs, InSb, and AuCu_3 , 2=20021
- Bol'shov, V. G., Dobretsov, L. N., Zharinov, A. A., Krachino, T. V. and Repnikova, M. K. Emission characteristics of germanium treated with caesium vapours, 0=7139

- Bol'shov, V.G. and Panchenko, O.A. Energy distribution measurement of secondary electrons, 3=2023
- Bol'shov, V.G., Vasil'eva, L.V. and Pautova, G.N. Emission properties of silicon treated in caesium vapour, 0=19716
- Bol'shov, V.G. and Zarubin, V.V. The secondary electron emission from indium and lead in solid and liquid state, 0=1149
- Bol'shov, V.G. and Zharinov, A.A. The anodes of thermoelectronic converters, 2=22160
- Bol'shov, V.I. See Okolovich, V.N., 4=9582
- Bol'shova, K.M. and Elkina, T.A. Low-temperature viscosity and hysteresis of manganese iron ferrites containing cobalt admixtures, 1=20132
- Bol'shova, K.M. and Elkina, T.A. Low-temperature viscosity and hysteresis of manganese iron ferrites containing cobalt admixtures, 3=5023
- Bol'shova, K.M. and Elkina, T.A. Viscosity and hysteresis properties of ferrites due to electron diffusion, 3=6724
- Bol'shutkin, D.N., Gavranek, V.V. and Fuks, M.Ya. X-ray investigation of cavitation erosion of metals, 1=14915
- Bol'shutkin, D.N. See Gavranek, V.V., 1=20393
- Bol'skakhova, M.A. See Popov, L.E., 3=23317
- Bölsterli, H.U. See Beun, J.A., 2=6495
- Bölsterli, H.U. See Nitsche, R., 2=6773
- Bolsterli, M. Green's functions in the theory of many-fermion systems, 0=6697
- Bolsterli, M. Invariant functions in nonrelativistic theory, 3=9363
- Bolsterli, M. Treatment of exchange in scattering processes, 3=19566
- Bolsterli, M. Renormalization of singlet amplitude in intermediate-vector-boson theory of weak interactions, 4=27791
- Bolsterli, M. and Evans, J.A. Pairing forces near closed shells, 2=1753
- Bolsterli, M. and Geffen, D.A. K_{β} decay as a test of universal $V-A$ lepton, 16882
- Bolsterli, M. and Jezak, E. Vector harmonics for three identical fermions, 4=25084
- Bolsterli, M. and Walker, J.F. Asymptotic conditions and integral equations for nonrelativistic invariant functions, 4=16827
- Bolsterli, M. See Bardaki, K., 4=11919
- Bolsterli, M. See Brown, G.E., 0=1429
- Bolsterli, M. See Kromminga, A.J., 3=3768
- Bolsterli, M. See Walker, J.F., 4=25553
- Bolsun, A.I. See Bogush, A.A., 4=21790
- Bolt, B.A. Spheroidal oscillations of the moon, 1=5135
- Bolt, B.A. A seismic experiment using quarry blasts near Sydney, 3=3426
- Bolt, B.A. and Butcher, J.C. Rayleigh wave dispersion for a single layer on an elastic half space, 1=192
- Bolt, R.H. See Johnson, F.R., 1=8205
- Bolt, R.H. See Kurtze, G., 1=193
- Bolta, J.M. See Catala, J., 4=22165
- Bolta, J.M. See Catala, J., 4=22167
- Boltaks, B.I. and Dzhaifarov, T.D. Effect of local electric fields on the diffusion of antimony in germanium, 4=6871
- Boltaks, B.I. and Dzhaifarov, T.D. Diffusion of gallium in inhomogeneous silicon, 4=28484
- Boltaks, B.I. and Fedorovich, N.A. Diffusion and solubility of silver in bismuth telluride, 2=18606
- Boltaks, B.I. and Fedorovich, N.A. Rediffusion of the silver impurity from the solid solution $\text{Bi}_2\text{Te}_3\text{-Bi}_2\text{Se}_3$, 3=20219
- Boltaks, B.I. and Fedorovich, N.A. Diffusion and solubility of cadmium in bismuth telluride, 4=1507
- Boltaks, B.I. and Gutorov, Yu.A. Some results on the diffusion and the effect of impurities on the electrical properties of gallium antimonide, 0=4359
- Boltaks, B.I., Kulikov, G.S. and Malkovich, R.Sh. The effect of gold on the electrical properties of silicon, 0=11699
- Boltaks, B.I., Kulikov, G.S. and Malkovich, R.Sh. Electrical transport of gold in silicon, 1=5756
- Boltaks, B.I. and Matveeva, N.M. The problem of diffusion of phosphorus in silicon, 2=18600
- Boltaks, B.I. and Shishiyau, F.S. Diffusion and solubility of silver in gallium arsenide, 4=1512
- Boltaks, B.I. and Sokolov, V.I. Investigation of the diffusion of cadmium in indium antimonide using the layer autoradiography method, 3=17784
- Boltaks, B.I. and Syue Shi-in' [Hsüeh Shih-yin]. Diffusion, solubility, and the influence of admixtures of silver upon the electrical properties of silicon, 1=3688
- Boltax, A. A metallographic study of swelling in alpha-particle irradiated aluminum and aluminum alloys, 3=4896
- Boltax, A. See Greenwood, G.W., 2=12270
- Boltneva, L.I., Vasilenko, V.N., Dmitriev, A.V., Ionov, V.A., Nazarov, I.M. and Yagodovskii, I.V. Experience in detecting from aircraft radium, thorium and potassium deposits using a NaI:Tl crystal probe, 3=5185
- Bolton, E.C. Magnetic tape recording and reproducing of atmospheric noise with a wide dynamic range, 4=17906
- Bolton, H.C., Fawcett, W. and Gurney, I.D.C. The electric field in crystals. The refractivity of rutile, 2=16585
- Bolton, H.C. and Heaton, J.W. The electronic distribution in diamond and the intensities of X-ray reflections, 1=20526
- Bolton, J.G. The Australian 210-foot reflector and its research program, 4=4925
- Bolton, J.G. Radio astronomy with the Australian 210-foot telescope, 4=15951
- Bolton, J.G., Gardner, F.F. and Mackey, M.B. A radio source with a very unusual spectrum, 4=2466
- Bolton, J.G., Gardner, F.F. and Mackey, M.B. The Parkes catalogue of radio sources declination zone -20° to -60° , 4=30989
- Bolton, J.G., van Damme, K.J., Gardner, F.F. and Robinson, B.J. Observation of OH absorption lines in the radio spectrum of the galactic centre, 4=20949
- Bolton, J.G. See Gardner, F.F., 4=30986
- Bolton, J.R. and Carrington, A. The electron spin resonance spectra of the toluene, p-xylene and m-xylene anions, 2=2018
- Bolton, J.R. and Fraenkel, G.K. Electron spin resonance study of the pairing theorem for alternant hydrocarbons: ^{13}C splittings in the anthracene positive and negative ions, 4=22385
- Bolton, J.R. and Fraenkel, G.K. Assignment of hyperfine splittings in electron spin resonance spectra by linewidth analyses, 4=28252
- Bolton, J.R. See Colpa, J.P., 3=17552
- Bolton, R. See Stevenson, R., 3=20274
- Bolton, W. See Stadler, H.P., 4=26616
- Bolwijn, P.T., Alkemade, C.T.J. and Boschloo, G.A. Excess photon noise and spectral line shape of laser beam, 3=11908
- Bolyunova, A.D. See Krasovskii, V.I., 4=26820
- Bolyunova, A.D. See Morozov, V.M., 3=1787
- Bolz, L.H. and Mauer, F.A. Measurement of the lattice constants of neon isotopes in the temperature range $4-24^\circ\text{K}$, 4=10544
- Bolz, L.H., Mauer, F.A. and Peiser, H.S. Exploratory study, by low-temperature X-ray diffraction techniques, of diborane and the products of a microwave discharge in diborane, 0=1914
- Bolze, E.M. and Ayer, F.H. Versatile bubble-chamber track measuring stage, 3=4301
- Bolzinger, T. See Bronca, G., 0=19851
- Bomal, R., Koch, L., Nguyen van Dong and Schneider, C. The use of semiconductor detectors as detectors of nuclear radiations, 0=17156
- Bombolakis, E.G. See Brace, W.F., 3=23363
- Bombré, F. and Gans, F. The luminous emission of cadmium sulphide bombarded by cathode rays, 1=11403
- Bombré, F. and Gans, F. On the polarization of light emitted by cadmium sulphide subjected to electron bombardment, 2=23613
- Bombré, F. and Gans, F. Cathodoluminescence of cadmium sulphide, 3=23118
- Bomelburg, H.J. Lithium gun, 0=59
- Bomelburg, H.J. Heat loss from very thin heated wires in rarefied gases, 0=1053
- Bomelburg, H.J. Handling of extremely thin Wollaston wires, 0=3389
- Bomke, E. See Witzmann, H., 4=26238
- Bomke, H.A. The relation of magnetic micropulsations to electric-current and space-charge systems in the lower ionosphere, 2=6964
- Bomke, H.A., Ramm, W.J., Goldblatt, S. and Klemas, V. Global hydromagnetic wave ducts in the exosphere, 0=8369
- Bomko, V.A. See Bolotin, L.I., 2=17912
- Bomko, V.O. See Bolotin, L.I., 2=5410
- Bomko, V.O. See Bolotin, L.I., 2=5411
- Bomko, V.O. See Bolotin, L.I., 2=17911
- Bömmel, H.E. Measurement of the frequency shift of gamma rays in accelerated systems, using the Mössbauer effect, 4=15400
- Bömmel, H.E., Darnell, A.J., Libby, W.F. and Tittmann, B.R. Indium antimonide: superconductivity of the metallic form, 3=12031
- Bömmel, H.E., Darnell, A.J., Libby, W.F., Tittman, B.R. and Yench, A.J. Superconductivity of metallic indium telluride, 4=8568

- Bömmel, H.E. and Dransfeld, K. Excitation and attenuation of hypersonic waves in quartz, 0=7867
- Bömmel, H. E. and Jones, C. K. Hypersonic attenuation in fused quartz at low temperatures, 4=6725
- Bömmel, H. E. See Tittmann, B. R., 4=27420
- Bomyer, P. See Allen, K. W., 2=3637
- Bon, M. See Lotte, B., 3=24249
- Bonacalza, E. C. O. Search for vibrational levels in Br^{79} , 4=12148
- Bonacalza, E. C. O. and Holm, G. B. Measurement of the g-factor of the 247 keV state in Cd^{111} with the differential method, 3=17411
- Bonacalza, E. C. O., Thieberger, P. and Bergström, I. The decay energy of Bi^{205} , 2=10061
- Bonacalza, E. C. O. See Bergström, I., 1=5855
- Bonacalza, E. C. O. See Bergström, I., 2=10021
- Bonacalza, E. C. O. See Erman, P., 4=12363
- Bonacalza, E. C. O. See Erman, P., 4=12366
- Bonacalza, E. C. O. See Thieberger, P., 2=9815
- Bonacalza, E. C. O. See Thieberger, P., 2=11827
- Bonaccorsi, R., Guidotti, C. and Maestro, M. Calculation schemes and programs for integrals useful in problems of electronic molecular structure. IV: Two-center exchange integrals, 4=28178
- Bonalumi, R. Theoretical thermal neutron flux shape in a solid cylindrical rod, 1=5729
- Bonalumi, R. Neutron first collision probabilities in reactor physics, 1=13877
- Bonalumi, R. Thermalization theory in a two-temperature lattice, 2=20348
- Bonalumi, R. Neutron thermalization in a reactor lattice, 3=10410
- Bonalumi, R., Bruschetti, S., Bruschi, C. and Zordoli, G. B. Thermal diffusion length measurements on graphite impregnated by diphenyl, 1=5732
- Bonalumi, R., Bruschetti, S. and Zorzi, G. B. Calculation methods for the critical size of a D_2O moderated, wet steam cooled reactor. I. Cluster free element. II. Concentric annuli fuel element, 0=11470
- Bonalumi, R. and Bruschi, C. The E. A. E. S. Symposium on fuel cycles—a survey, 4=19901
- Bonalumi, R., Bruschi, C. and Zorzi, G. B. Neutron age measurement in graphite impregnated by diphenyl, 1=2060
- Bonamico, M., Jeffrey, G. A. and McMullan, R. K. Polyhedral clathrate hydrates. III. Structure of the tetra n-butyl ammonium benzoate hydrate, 3=3308
- Bonamico, M. See Mazzone, G., 4=23395
- Bonamico, M. See McMullan, R. K., 4=7655
- Bonanomi, J. A thallium beam frequency standard, 3=13990
- Bonanomi, J. and Herminjard, J. Long distance comparison of atomic standards, 2=7172
- Bonanomi, J., Kartaschoff, P., Newman, J., Barnes, J. A. and Atkinson, W. R. A comparison of the TA_1 and the NBS-A atomic time scales, 4=24006
- Bonar, D. C. See Drake, C. W., 1=13524
- Bonar, L. G. and Kelly, A. Direct observation of dislocations interacting with precipitate particles in aged alloys, 3=20894
- Bonart, R. and Hosemann, R. The analysis of long-period interferences, 0=12089
- Bonart, R., Hosemann, R. and Lemm, K. Description of an optical analogue computer for evaluating Fourier transforms, 2=9371
- Bonavia-Hunt, N. Flue pipes, 2=17573
- Bonazzola, G., Borello, O., Costa, S. and Ferroni, S. Photodisintegration of sulphur in the 30-80 MeV range, 2=16390
- Bonazzola, G. C., Bressani, T., Brovetto, P., Chiavassa, E. and Demicheli, R. Angular distribution of fast neutrons inelastically scattered by iron, 4=15219
- Bonazzola, G., Brovetto, P., Chiavassa, E. and Ferroni, S. Assembly and operation of a 300 keV electrostatic neutron source, 2=9861
- Bonazzola, G. C., Brovetto, P., Chiavassa, E., Spinoglio, R. and Pasquarelli, A. The measurement by activation of cross sections for 14.7 MeV neutrons, 4=12239
- Bonazzola, G. C. and Costa, S. On the measurement of photo-neutron multiplicity, 4=30236
- Bonazzola, S. Operative interpretation of the standard quantities in general relativity, 3=1598
- Bonazzola, S. Elementary and macroscopic free-spinning test-particle in general relativity, 4=29526
- Bonch-Bruevich, V. L. Problems of the many-electron theory of semiconductors, 2=23266
- Bonch-Bruevich, A. M. Certain regularities in the electroluminescence of ZnS:Cu:Al phosphors with high copper content, 2=6645
- Bonch-Bruevich, A. M. Pulse excitation of electroluminescent phosphors, 3=18047
- Bonch-Bruevich, A. M., Kariss, Ya. E. and Feofilov, P. P. Pulsations in the spectrum of stimulated emission of neodymium in glass, 4=5852
- Bonch-Bruevich, A. M., Karris, Ya. É. and Molchanov, V. A. Microscopic studies of electroluminescence in ZnS:Cu , Al single crystals, 2=6641
- Bonch-Bruevich, A. M. and Marenkov, O. S. The polarization phenomena in electroluminescent phosphors, 0=16109
- Bonch-Bruevich, A. M. and Molchanov, V. A. Investigation of electroluminescence pulses emitted by ZnS:Cu , Al phosphors with a high Cu concentration, 2=16869
- Bonch-Bruevich, V. L. The spin mechanism of the recombination of current carriers in ferromagnetic semiconductors, 0=577
- Bonch-Bruevich, V. L. Accurate theory of recombination in a plasma, 0=2859
- Bonch-Bruevich, V. L. Spectral representations of temperature Green's functions with several time variables, 0=3464
- Bonch-Bruevich, V. L. On the theory of impurity bands, 0=6095
- Bonch-Bruevich, V. L. Recombination coefficients in the presence of a Coulomb barrier, 0=15907
- Bonch-Bruevich, A. M. A direct experimental proof of the second postulate in the special theory of relativity (comment on Dingle's note), 0=18922
- Bonch-Bruevich, V. L. On the theory of thermal Green functions, 0=18948
- Bonch-Bruevich, V. L. The dependence of the phonon spectrum on the concentration of free current carriers, 1=2375
- Bonch-Bruevich, V. L. Application of the Green function method to the multi-electron problem in a solid, 1=3615
- Bonch-Bruevich, V. L. A theory of impurity states in semiconductors, 1=5011
- Bonch-Bruevich, V. L. Theory of the electron states due to dislocations. II. Screw dislocations, 1=6086
- Bonch-Bruevich, V. L. Application of renormalization group to the Coulomb problem in a solid, 1=6091
- Bonch-Bruevich, V. L. Characteristics of the many electron system energy spectrum in a semiconductor, 2=4002
- Bonch-Bruevich, V. L. Note on the theory of optical transitions in semiconductors, 2=14403
- Bonch-Bruevich, V. L. Note on the theory of optical transitions in semiconductors, 2=18545
- Bonch-Bruevich, V. L. Spectral representations of the mass and polarization operators at arbitrary temperatures, 2=21849
- Bonch-Bruevich, V. L. On the theory of degenerate semiconductors, 3=10739
- Bonch-Bruevich, V. L. Theory of heavily doped semiconductors, 3=17831
- Bonch-Bruevich, V. L. Spectral representation of mass and polarization operators at arbitrary temperatures, 3=23784
- Bonch-Bruevich, V. L. Theory of heavily doped semiconductors, 4=1576
- Bonch-Bruevich, V. L. Some properties of semiconductors with narrow forbidden bands, 4=9884
- Bonch-Bruevich, V. L. and Glasko, V. B. Theory of the electron states due to dislocations. I. Edge dislocations, 1=6085
- Bonch-Bruevich, V. L. and Glasko, V. B. Theory of the "cascade" recombination of current carriers in covalent semiconductors, 2=18656
- Bonch-Bruevich, V. L. and Glasko, V. B. Energy levels in a Debye field, 3=18732
- Bonch-Bruevich, V. L. and Gulyaev, Yu. V. Theory of impact recombination in semiconductors, 0=11672
- Bonch-Bruevich, V. L. and Kogan, Sh. M. On the theory of electron plasmas in semiconductors, 0=2860
- Bonch-Bruevich, V. L. and Kogan, Sh. M. On the theory of the temperature Green's functions, 0=3463
- Bonch-Bruevich, V. L. and Miranov, A. G. A contribution to the theory of an electron plasma in a magnetic field, 0=17009
- Bonch-Bruevich, V. L. and Mironov, A. G. Influence of impurities on the energy spectrum of current carriers, 2=3863
- Bonch-Bruevich, V. L. and Mironov, A. G. Influence of impurities on the energy spectrum of current carriers, 2=8267
- Bonch-Bruevich, V. L. and Rozman, R. Theory of strongly doped semiconductors. Interband transitions, 4=6937
- Bonch-Bruevich, V. L. and Serebrennikov, P. S. I-V characteristics of tunnel diodes, 2=10509
- Bonch-Bruevich, V. L. and Sokolova, E. B. A possible recombination mechanism, 4=9913
- Bonch-Bruevich, V. L. and Suris, R. A. Some properties of charge carriers in ferromagnetics, 2=18542
- Bonch-Bruevich, V. L. See Tyablikov, S. V., 3=7142

- Bonch-Osmolovskaya, N.A., Dzelepov, B.S., Kraft, O.E. and Wang Young-Yu. 2.5 h 27 min
Decay chain $\text{Er}^{158} \xrightarrow{\text{E}} \text{Ho}^{158} \xrightarrow{\text{E}, \beta^+} \text{Dy}^{158}_{\text{stab}}$ 1=19393
- Bonch-Osmolovskaya, N.A., Dzelepov, B.S., Kraft, O.E. and Chzhou Yue-wa [Chou Yüeh-wa] Positron spectra of neutron-deficient terbium and neodymium isotopes, 3=10303
- Bonch-Osmolovskaya, N.A., Gromov, K.Ya., Dzelepov, B.S., Kraft, O.E., Malysheva, T.V., Nikityuk, L.N., Khotin, B.A., Chzhou Yue-wa [Chou Yüeh-wa] and Chumin, V.G. Ir^{188} isomer, 3=24912
- Bonch-Osmolovskii, A.G. Cerenkov radiation produced by the motion of an electron beam through a dielectric tube, 3=2444C
- Bonch-Osmolovskaya, N.A., Dzelepov, B.S. and Kraft, O.E. Investigation of the positron spectra of neutron-deficient isotopes, 2=14035
- Bonchev, T. Method of testing the stability of photoelectronic multipliers with time, 4=24734
- Bonchev, Ts., Mitrani, L., Ormandzhiev, S., Skorchev, B. and Uzunov, I. Mössbauer effect of W^{182} studied by the γ - γ coincidence method, 4=3544
- Bonchev, T., Mitrani, L., Ormandzhiev, S., Skorchev, B. and Uzunov, I. The Mössbauer effect in W^{182} studied by the method of γ - γ coincidence, 4=30302
- Bonchev, T. See Mitrani, L., 4=10227
- Bonchkovskii, V. F. A specific case of connection between the variations of tilts and linear deformations and the distribution of atmospheric pressure, 4=13788
- Bond, C.D. See Rogers, J.T., 4=19604
- Bond, F.R. Motion of the aurora and magnetic bays, 1=1587
- Bond, F.R. A preliminary account of the auroral display of 15 July 1959 as recorded in Australia and at A.N.A.R.E. stations, 1=21041
- Bond, F.R. and Jacka, F. Distribution of auroras in the southern hemisphere, 1=1558
- Bond, F.R. and Jacka, F. Distribution of auroras in the southern hemisphere. II. Nightly probability of overhead aurora, 2=19234
- Bond, F.R. and Jacka, F. Distribution of auroras in the southern hemisphere. III. Comparison with northern hemisphere, 4=10745
- Bond, F.R. See Cole, K.D., 1=21093
- Bond, F.R. See Denholm, J.V., 1=10331
- Bond, H.E. and Harvey, K.B. Decoration of dislocations in aluminum oxide, 3=12976
- Bond, R.A. See Saxton, J.A., 3=1706
- Bond, W. See Collins, R.J., 0=21007
- Bond, W.H., Jr. See Anderson, M.E., 3=15159
- Bond, W.L. Precision lattice constant determination, 1=20463
- Bond, W.L. Making crystal elements for optical masers, 2=9385
- Bond, W.L. Making crystal elements for optical masers, 3=9969
- Bond, W.L. Frozen and reversible lattice distortions, 3=10653
- Bond, W.L. "Bent axis" focusing mirrors, 3=24006
- Bond, W.L., Cohen, B.G., Leite, R.C.C. and Yariv, A. Observation of the dielectric wave-guide mode of light propagation in p-n junctions, 3=10852
- Bond, W.L. and Kaiser, W. Interstitial versus substitutional oxygen in silicon, 1=7578
- Bond, W.L. See Cooper, A.S., 2=15013
- Bond, W.L. See Garrett, C.G.B., 2=2244
- Bond, W.L. See Javan, A., 2=5155
- Bond, W.L. See Kaiser, W., 0=652
- Bond, W.L. See McWhan, D.B., 4=23400
- Bondar', A.D., Emlyaninov, A.S., Klyucharev, A.P., Lishenko, L.G., Medyanik, V.N., Nikolaichuk, A.D. and Shalaeva, O.E. Preparation of isotope targets for nuclear studies, 2=17978
- Bondar', A.D., Emlyaninov, A.S., Klyucharev, A.P., Lishenko, L.G., Medyanik, V.N., Nikolaichuk, A.D. and Shalaeva, O.E. Production of metallic foils from isotopes, 4=16715
- Bondar', A.D., Karev, V.N. and Klyucharev, A.P. The making of metallic targets of ytterbium, europium and samarium from their oxides, 2=19114
- Bondar', A.D., Karev, V.N. and Klyucharev, A.P. Making of isotopic magnesium foil from magnesium foil from magnesium oxide, 2=21556
- Bondar', A.D., Karev, V.N. and Klyucharev, A.P. Preparation of thin metal foil from isotopes of alkali and alkali earth metals, 2=21563
- Bondar', A.D., Klyucharev, A.P., Lishenko, L.V. and Nikolaichuk, A.D. Production of isotopic-chromium targets from Cr_2O_3 , 4=16716
- Bondar', L. A fast bidirectional decade counting system, 4=5900
- Bondar', L., Bongartz, K., Deutschmann, M., Weber, H., Colley, D.C., Dodd, W.P., Simmons, J., Tallini, B., Moebes, J., Nellen, B., Winter, G., Lohrmann, E., Raubold, E., Wolf, G., Brownlee, J.M., Butterworth, I., Campayne, F.I., Ibbotson, M., Liu, Y.S., Biswas, N.N., Derado, I., Lüers, D., Lütjens, G. and Schmitz, M. Further evidence for the f^0 -meson, and a determination of its spin, 4=944
- Bondar', L., Keppel, E., Kraus, G., Dodd, W.P., Tallini, B., Wolf, G., Butterworth, I., Campayne, F.I., Ibbotson, M., Biswas, N.N., Derado, I., Lüers, D. and Schmitz, N. Experimental results on the cross-section for $\pi^-\pi^0 \rightarrow \pi^-\omega^0$, 3=19678
- Bondar, L. See Aderholz, M., 4=21914
- Bondar, L. See Aderholz, M., 4=21919
- Bondar, L. See Aderholz, M., 4=25151
- Bondar, L. See Bartsch, J., 4=30264
- Bondar', L. See Birkhoff, G., 3=19328
- Bondar, M.M. See Movchan, Ye.O., 3=20308
- Bondar, N.M. See Dutchak, Ya.I., 1=15141
- Bondar', V.D. Some exact solutions of the correlation equations for the components of deformation tensor for simple loadings, 0=6711
- Bondar', V.D. On the possibility of considering the deformed and stressed states of a medium as the initial state, 3=23817
- Bondar', V.V. See Alekseevskii, N.E., 0=10849
- Bondar, V.V. See Gorbunova, K.M., 0=16365
- Bondarenko, A.T. Study of the temperature dependence of the dielectric constant and of the tangent of the angle of dielectric loss of rocks at different frequencies, 3=23574
- Bondarenko, A.T. See Parkhomenko, E.I., 4=22663
- Bondarenko, A.V., Voznesenskii, Yu.A., Menashin, M.E., Sidorova, I.I. and Sharapov, V.N. An investigation of the system of automatic regulation of the power level of a nuclear reactor, 2=10181
- Bondarenko, B.V. On the temperature dependence of work function of semiconductor thermocathodes, 0=19707
- Bondarenko, B.V. On the temperature dependence of work function of semiconductor thermocathodes, 1=4632
- Bondarenko, B.V., Ermakov, S.V. and Tsarev, B.M. Thermionic emission properties of the tantalates of the alkaline earth metals, 2=1481
- Bondarenko, I.I. and Ostavnov, P.S. Energy dependence of neutron polarization in the $\text{D}(d, n)\text{He}^3$ reaction, 4=25204
- Bondarenko, I.I. and Stavisskii, Yu.Ya. Pulsed operation of a fast reactor, 2=3654
- Bondarenko, I.I. See Aleksandrov, Yu.A., 0=2503
- Bondarenko, I.I. See Blyumkina, Yu.A., 4=6397
- Bondarenko, I.I. See Blyumkina, Yu.A., 4=17211
- Bondarenko, I.I. See Kuz'minov, B.D., 0=11457
- Bondarenko, I.I. See Kuz'minov, B.D., 2=8021
- Bondarenko, I.I. See Kuz'minov, B.D., 3=6314
- Bondarenko, I.I. See Lebedev, S.Ya., 2=20005
- Bondarenko, I.I. See Okolovich, V.N., 2=20690
- Bondarenko, I.I. See Smirenkin, G.N., 0=11458
- Bondarenko, I.I. See Smirenkin, G.N., 3=6309
- Bondarenko, I.I. See Stavisskii, Yu.Ya., 0=12644
- Bondarenko, K.P. See Grum-Grzhimailo, S.V., 2=1267
- Bondarenko, L.N. Spectral polarimetric measurements of the twilight sky at the zenith, 4=23781
- Bondarenko, N.G., Eremina, I.V. and Talanov, V.I. Phase structure of a ruby laser beam, 4=21688
- Bondarenko, R.M. See Lashkar'ov, V.Ye., 1=14453
- Bondarenko, R.N. See Lashkarev, V.E., 0=15927
- Bondarenko, S.T. Expansion of the channel in a gas discharge, 4=466
- Bondarenko, V. See Balodis, M., 4=27575
- Bondarenko, V.M., Zhündulis, A.I., Lytovchenko, V.G., Snitko, O.V. and Frolov, O.S. Effect of an external electric field on the work function of thin lead sulphide films, 4=11684
- Bondarenko, V.P. See Berezin, A.K., 3=14649
- Bondarenko, V.S. See Venetsev, Yu.N., 1=20504
- Bondarev, A.F. The determination of the true contour of a spectral line from the observed contour, 2=19709
- Bondarev, A.F. See Korshunov, A.V., 4=6618
- Bondarev, D.E. Transformation of the magnetic properties of scandium-containing ferrites, 4=13239
- Bondarev, D.E. and Basikhin, Yu.V. Ferrites of the system $\text{MgO}-\text{MnO}_2-\text{Fe}_2\text{O}_3$ with the addition of Sc_2O_3 , 3=20613
- Bondarev, V.A. See Nazarov, N.I., 3=7622
- Bondarev, V.A. See Nazarov, N.I., 4=8780
- Bondarev, V.A. See Sinel'nikov, K.D., 0=10924
- Bondarev, V.I. The field of a disk electrode located in a bore-hole, 3=24203
- Bondarev, Yu.E. Maximum deformation by stress and angle of bending, 0=6303

- Bondarev, Yu.E. Microhardness of ferrite in carbon steels, 1=11507
- Bondelid, R.O. and Butler, J.W. (p, γ) resonance-curve shapes and measurements of resonance energies with H_2^+ beams, 4=3652
- Bondelid, R.O. and Butler, J.W. (p, γ) resonance-curve shapes and measurements of resonance energies with H_1^+ beams, 3=12672
- Bondelid, R.O. and Butler, J.W. Three absolute energy calibration points for protons below 3 MeV, 4=19515
- Bondelid, R.O., Butler, J.W. and Kennedy, C.A. Absolute determination of the $O^{16}(d,n)F^{17}$ threshold energy, 0=20460
- Bondelid, R.O., Butler, J.W., Kennedy, C.A. and del Callar, A. Absolute measurement of the $T^3(p,n)He^3$ reaction threshold energy and the neutron-hydrogen mass difference, 0=20246
- Bondelid, R.O. and Kennedy, C.A. Precise determination of nuclear reaction energies and measurements of resonance widths, 0=1406
- Bondelid, R.C. and Whiting, E.E.D. (p,n) threshold-curve shapes and measurements of threshold energy with H_1^+ beams, 4=17126
- Bondelid, R.O. See Butler, J.W., 1=4847
- Bondi, A. Viscosity of nonassociating liquids. Initial correlation, 4=2660
- Bondi, H. The steady-state universe and the deduction of continual creation of matter, 0=3405
- Bondi, H. Gravitational waves in general relativity, 0=14491
- Bondi, H. Magneto-hydrostatics of stellar atmospheres. II. The axially symmetric equilibrium configurations, 0=18854
- Bondi, H. On the reception of electromagnetic waves, 1=16545
- Bondi, H. Physics and cosmology, 3=1
- Bondi, H. Gravitational collapse, 4=23840
- Bondi, H. The contraction of gravitating spheres, 4=24051
- Bondi, H. Gravitational waves, 4=27033
- Bondi, H. and Kilmister, C.W. Note on Schiff's paper on relativity, 0=8545
- Bondi, H. and Lyttleton, R.A. A comparison of charges of the electron, proton and neutron, 0=5522
- Bondi, H. and McCrea, W.H. Energy transfer by gravitation in Newtonian theory, 0=16570
- Bondi, H., Pirani, F.A.E. and Robinson, I. Gravitational waves in general relativity. III. Exact plane waves, 0=8547
- Bondi, H., van der Burg, M.G.J. and Metzner, A.W.K. Gravitational waves in general relativity. VII. Waves from axisymmetric isolated systems, 2=17345
- Bondi, H. See Lyttleton, R.A., 0=3406
- Bondi, H. See Lyttleton, R.A., 4=29414
- Bondouk, I. See Antoufiev, Y., 4=1074
- Bondouk, I. See Asfour, F., 4=22174
- Bone, L.P. See Mahan, A.I., 0=10780
- Bone, L.P. See Mahan, A.I., 3=12311
- Bonelis, I.V. See Fomenko, B.D., 4=4790
- Bonelle, C. See Cauchois, Y., 4=3079
- Bonera, G., Borsa, F., De Stefano, P. and Rigamonti, A. Nuclear magnetic relaxation in aqueous solutions of strong acids, 4=206
- Bonera, G., Chiodi, L., Giulotto, L. and Lanzi, G. A method for the measurement of the nuclear transversal relaxation time, 0=1226
- Bonera, G., Chiodi, L., Lanzi, G. and Rigamonti, A. Nuclear magnetic relaxation times T_1 and T_2 in some liquids, 0=16718
- Bonera, G., Chiodi, L., Lanzi, G. and Rigamonti, A. Nuclear magnetic relaxation in colloidal solutions, 1=6580
- Bonera, G., Chiodi, L., Lanzi, G. and Rigamonti, A. Longitudinal and transverse nuclear relaxation in pure liquids and colloidal solutions, 1=12900
- Bonera, G. and De Stefano, P. Transient effects in nuclear magnetic resonance with the rotating co-ordinates method, 1=9068
- Bonera, G., De Stefano, P. and Giulotto, L. Adiabatic passage and transient effects in N.M.R. by rotating coordinates, 1=11492
- Bonera, G., De Stefano, P., Mascheretti, P. and Rigamonti, A. Correlation frequencies and activation energies for molecular motion of vinyl compounds during polymerization, 3=23545
- Bonera, G., De Stefano, P. and Rigamonti, A. Investigation of styrene polymerization by means of nuclear magnetic relaxation measurements, 2=4544
- Bonera, G., De Stefano, P. and Rigamonti, A. Study of vinyl polymerization by proton magnetic relaxation, 2=23960
- Bonera, G. and Giulotto, L. Adiabatic passages in nuclear magnetic resonance with the rotating co-ordinate method, 0=1182
- Bonera, G. and Rigamonti, A. Observations on the paramagnetism of vanadium hexacarbonyl by measurements of nuclear magnetic relaxation, 4=2709
- Bonera, G. and Rigamonti, A. Nuclear quadrupole effects in "high magnetic fields" in liquids, 4=8225
- Bonetti, A., Bridge, H.S., Lazarus, A.J., Rossi, B. and Scherb, F. Explorer 10 plasma measurements, 3=25993
- Bonetti, A. and Cantu, C. An image rotator for measurements in nuclear emulsions, 0=12789
- Bonetti, A. and Scarsi, L. Nuclear emulsions under high pressures of hydrogen, 0=12795
- Bonetti, A. and Sichirollo, A.E. A thermal enclosure for a microscope, 0=12476
- Bonetti, A. See Baldassarre, F., 1=16862
- Bonetti, A. See Baldassarre, F., 2=22562
- Bonetti, A. See Jones, B.D., 1=8500
- Bonetti, A. See K⁻-collaboration, 0=1308
- Bonetti, A. See K⁻-Collaboration, 0=15430
- Boney, N. On forces proportional to distance which occur in the fundamental equations of the theory of relativity, 4=14041
- Bonfield, W. and Li, C.H. A transition in the microstrain characteristics of beryllium, 4=17726
- Bonfield, W. and Li, C.H. Dislocation configurations and the microstrain of polycrystalline beryllium, 3=20190
- Bonfield, W., Sartell, J.A. and Li, C.H. The effect of surface condition on the microstrain of beryllium, 4=7412
- Bonfield, W. See Bell, R.L., 4=10379
- Bonfiglioli, A.F. Formation and reversion of Guinier-Preston zones, 3=11284
- Bonfiglioli, A.F. and Testard, O. Apparatus for the measurement of X-ray diffraction at low temperatures, 4=23403
- Bonfiglioli, G. and Brovetto, P. Improved optical spectroscopy technique, 3=21551
- Bonfiglioli, G., Brovetto, P. and Cortese, C. Apparatus for thermoluminescence measurements, 3=3871
- Bonfiglioli, G., Ferro, A. and Mojoni, A. Origin of the "first-order structure" of CP4-etched Ge surfaces, 0=8172
- Bonfiglioli, G., Ferro, A. and Mojoni, A. Electron microscope investigation on the nature of tracks of fission products in mica, 2=2107
- Bonfiglioli, G. and Malvano, R. Field effect in metallic films, 3=15541
- Bonfiglioli, G., Malvano, R. and Goodman, B.B. Search for an effect of surface charging on the superconducting transition temperature of tin films, 2=17730
- Bonfiglioli, G. and Mojoni, A. Graphite defects observed by electron microscopy, 4=12743
- Bongaarts, P.J.M. See Abrahams, K., 2=11961
- Bongartz, K. See Bondar, L., 4=944
- Bonham, R.A. Inelastic scattering from atoms at medium energies. I. Bound states, 2=16491
- Bonham, R.A. Calculation of the inelastic scattering factor for the 3p to 4s transition in the argon at 40 kV, 2=22916
- Bonham, R.A. Background intensity of electrons scattered from solids, 3=4202
- Bonham, R.A., Bartell, L.S. and Kohl, D.A. The molecular structures of n-pentane, n-hexane and n-heptane, 0=15778
- Bonham, R.A. and Iijima, T. The theory of electron scattering from molecules. II. Molecular hydrogen, 4=6521
- Bonham, R.A. and Karle, J. The calculation of electron scattering factors, 2=22914
- Bonham, R.A. and Peacher, J.L. Theory of the effect of temperature on the electron diffraction patterns of diatomic molecules, 3=17549
- Bonham, R.A., Peacher, J.L. and Cox, H.L., Jr. On the calculation of multicenter two-electron repulsion integrals involving Slater functions, 4=20029
- Bonham, R.A. and Strand, T.G. Analytical expressions for potentials of neutral Thomas-Fermi-Dirac atoms and for the corresponding atomic scattering factors for X-rays and electrons, 4=3768
- Bonham, R.A. and Strand, T.G. Diamagnetic nuclear shielding constants for neutral atoms, 4=25487
- Bonham, R.A. and Ukaji, T. Correction of electron diffraction data for failure of the Born approximation, 2=1953
- Bonham, R.A. See Bartell, L.S., 0=5989
- Bonham, R.A. See Iijima, T., 4=1234
- Bonham, R.A. See Iijima, T., 4=3812
- Bonham, R.A. See Iijima, T., 4=9708

- Bonham, R.A. See Karle, J., 4=15298
 Bonham, R.A. See Strand, T.G., 4=17256
 Bonham, R.A. See Strand, T.G., 3=23732
 Boni, A.L. A polyacrylamide gamma dosimeter, 1=8406
 Bonilla, C.F., Busch, J.S., Landau, H.G. and Lynn, L.L. Formal heat transfer solutions, 2=6004
 Bonis, L.J. See Dumais, M.W., 3=18422
 Boniszewski, T. and Baker, R.G. Dislocations in manganese sulphide inclusions in steel, 3=25282
 Boniszewski, T. and Smith, G.C. A note on nickel hydride, 2=4415
 Boniszewski, T. and Smith, G.C. The influence of hydrogen on the plastic deformation ductility, and fracture of nickel in tension, 3=11153
 Bonits, M.P. See Berlovich, É.E., 1=19341
 Bonits, M.P. See Berlovich, É.E., 3=8008
 Bonits, M.P. See Berlovich, É.E., 3=12597
 Bonitz, M. A proposed method for obtaining the optimum resolving time of fast-acting multipliers, 4=578
 Bonitz, M. Modern multi-channel time analyzers in the nanosecond range, 3=16574
 Bonitz, M. and Berlovich, E.J. Notes on a fast time analyser for short lifetime measurements, 1=18739
 Bonitzer, J. The calculation of the radiation transfer in X-ray fluorescence. Formulae for numerical calculation, 4=9650
 Bonjour, E., Bochirol, L. and Weil, L. Release of Wigner energy stored in graphites after neutron irradiation at 78°K, 2=8262
 Bonjour, E. and Moser, P. Stored energy in pure iron irradiated with fast neutrons at 78°K, 4=4098
 Bonjour, E. and Verdier, J. Interpretation of the action of electric fields on the transfers of heat in liquid dielectrics, 0=10663
 Bonjour, E. and Verdier, J. Mechanism of boiling under electric field, 1=2912
 Bonkowski, L. See O'Connor, D., 0=15369
 Bonkowski, L. See Szarras, S., 3=8819
 Bonlaumi, R. A simplified analytical method for predicting thermal neutron spectra in composite fuel elements, 4=9612
 Bon Mardion, G., Goodman, B.B. and Lacaze, A. Observation of quasi-reversible magnetic behaviour of a superconductor of the second kind, 3=3957
 Bon Mardion, G., Goodman, B.B. and Lacaze, A. The critical field of the superconducting surface state, 4=11474
 Bon Mardion, G., Goodman, B.B. and Lacaze, A. A liquid-nitrogen cooled solenoid, 4=11749
 Bonmarin, J. See Reich, R., 4=1561
 Bonmarin, J. See Reich, R., 4=17475
 Bonnafous, M. See Fontan, J., 2=4610
 Bonnafous, M. See Fontan, J., 2=13011
 Bonnal, J.F. Production of a steady-state plasma, 3=7593
 Bonnal, J.F., Briffod, G., Grégoire, M. and Manus, C. Study of diffusion perpendicular to a magnetic field, 4=8691
 Bonnal, J.F., Briffod, G. and Manus, C. Oscillations and diffusion in a feebly ionized plasma, 0=12617
 Bonnal, J.F., Briffod, G. and Manus, G. Enhanced diffusion and oscillations in weakly ionized plasmas, 1=11956
 Bonnal, J.F., Manus, C., Spiess, G. and Caron, J. Study of the neutralization of a beam of ions by injection of electrons, 4=19117
 Bonneau, M. Comparison of time standards defined by means of the atomic frequency standards of the N.P.L. (Teddington) and of the L.S.R.H. (Neuchâtel), 3=4761
 Bonneau, M. Comparison of time standards defined by means of the atomic frequency standards of the N.P.L. (Teddington) and of the L.S.R.H. (Neuchâtel), 3=9318
 Bonneau, M. A study of radial velocities of early-type stars in the direction away from the galactic centre, 3=13901
 Bonnefous, J. Barkhausen spectrum in the presence of a demagnetizing field. Alternating and rotating field cases, 2=10654
 Bonnefous, J. Preisach model adapted to the case of a rotating field. Application to rotational cycles at constant field for isotropic ferromagnetic materials, 4=1819
 Bonnefous, J. Method of measuring ferromagnetic rotational hysteresis, 3=4239
 Bonnefous, J. Two ways of expressing the "rotational" coercivity of isotropic ferromagnetic bodies, 3=8667
 Bonnefous, J. The direction of the Barkhausen effect in isotropic ferromagnets during rotation, 3=11067
 Bonnel, See Lévy, P., 1=17108
 Bonnel, C. and Lévy, P. Study of the first levels of O^{18} by the reaction $F^{19}(n, d)O^{18}$ by means of a telescope selecting the deuterons, 1=9816
 Bonnel, C. and Lévy, P. A study of the break-up of deuterons by 14.1 MeV neutrons, 1=19286
 Bonnel, C. See Lévy, P., 2=5932
 Bonnelle, C. L-spectra of metallic chromium, 2=12607
 Bonnelle, C. and Jacquot, F. Study of the crystalline structure of thin films of nickel by electron diffraction, 1=7864
 Bonnelle, C. and Senemaud, C. Comparison study of the L emission bands of palladium, 1=13946
 Bonnelle, C. and Wullemier, F. Evidence of double excitations in the inner atomic levels under the action of X-rays, 3=25057
 Bonnelle, C. See Cauchois, Y., 4=3080
 Bonnelle, C. See Cauchois, Y., 3=4230
 Bonnelle, C. See Cauchois, Y., 4=7146
 Bonnelle, C. See Cauchois, Y., 3=8610
 Bonnelle, C. See Cauchois, Y., 4=13016
 Bonnelle, M.C. See Damany-Astoin, N., 0=7781
 Bonnemay, M., Lewartowicz, E., Pilla, A.A. and Poirier d'Ange d'Orsay, E. Experimental compensation of the ohmic fall effect in the potentiostatic pulse method, 3=8969
 Bonner, J.C. and Fisher, M.E. The entropy of an antiferromagnet in a magnetic field, 2=18928
 Bonner, J.C. and Fisher, M.E. Linear magnetic chains with anisotropic coupling, 4=26279
 Bonner, N.A., Goishi, W., Hutchin, W.H., Iddings, G.M. and Tewes, H.A. Half-lives of Tm^{167} , Tm^{168} , Tm^{170} , Lu^{171} , Lu^{172} , Lu^{173} , Lu^{174} , Lu^{174m} , Au^{195} , Au^{196} and Au^{196m} , 2=16341
 Bonner, T.W. Measurements of neutron spectra from fission, 1=5947
 Bonner, T.W. and Bramblett, R.L. Neutrons from (p, n) reactions in several intermediate weight nuclei, 1=8714
 Bonner, T.W., Davis, E.A., Din, G. and Kuan, H.M. Excited states on N^{16} and F^{16} , 1=8577
 Bonner, T.W. See Bass, R., 1=5921
 Bonner, T.W. See Bass, R., 2=3599
 Bonner, T.W. See Bell, R.J., 0=4122
 Bonner, T.W. See Bramblett, R.L., 1=2209
 Bonner, T.W. See Bramblett, R.L., 1=16813
 Bonner, T.W. See Davis, E.A., 1=19487
 Bonner, T.W. See Davis, E.A., 4=3672
 Bonner, T.W. See Davis, E.A., 4=28046
 Bonner, T.W. See Din, G.U., 2=1926
 Bonner, T.W. See Din, G.U., 4=9563
 Bonner, T.W. See Gabbard, F., 0=4120
 Bonner, T.W. See Givens, W.W., 3=24862
 Bonner, T.W. See Hall, H.E., 0=4116
 Bonner, T.W. See Kuan, Hsin-Min, 4=15240
 Bonner, T.W. See Mainsbridge, B., 4=3674
 Bonner, T.W. See Rabson, T.A., 0=20414
 Bonner, T.W. See Rabson, T.A., 1=665
 Bonner, T.W. See St. Romain, F.A., 2=14137
 Bonner, W.A. See Montgomery, P.O'B., 1=8219
 Bonner, W.A. See Rubinstein, C.B., 4=26217
 Bonnerot, J. Study of electron optics in the electrolytic tank in the presence of space charge by the method of current injection, 0=5349
 Bonnet, D. and Roch, J. Realization of a method for studying the Hall effect in semiconductors at hyperfrequencies; short account of some results, 4=20349
 Bonnet, G. Precision integrator networks for slowly growing processes, 0=19588
 Bonnet, G. The validity of the electric model representation of the effects of nuclear magnetic resonance, 1=16604
 Bonnet, G. New possibilities of proton magnetometers. I, 2=15982
 Bonnet, G. New kinds of proton magnetometers. II, 3=2136
 Bonnet, G. The statistical properties of noise in magnetic resonance, 4=754
 Bonnet, G., Dautreppe, D. and Gariod, R. The "Reptograph" for automatic recording of accommodation phenomena of magnetization, 0=12663
 Bonnet, G. and Gariod, R. The electronics of the "reptograph" automatic recorder for the phenomena of magnetization accommodation, 0=19863
 Bonnet, M. and Servoz-Gavin, M. A method of measuring weak fields by free precession in conjunction with electronic pumping, 1=13149
 Bonnet, R.M. and Courtès, G. A filter for multiple and adjustable wavelength bands to study the u.v. solar continuum, 3=1502
 Bonnet, R.M. and Courtès, G. Filter for multiple and adjustable frequency bands to be used for the study of the solar ultra-violet continuum, 3=3885
 Bonnevey, G. S-state meson-nucleon scattering and meson-meson interaction in fixed source theory. I. Scattering by the source, 0=2555

- Bonnevay, G. Some analytic properties of three-pion decay amplitudes, 2=5729
- Bonnevay, G. A model for final-state interactions, 4=9097
- Bonnevay, G., Aitchison, I.J.R. and Dowker, J.S. Analytic properties of the three point function, 1=19113
- Bonnevie, B. and Lehnert, B. The motion of charged particles in a rotating plasma, 0=5315
- Bonnevier, B. Experiments on the confinement of an electron gas in a magnetic field, 1=13089
- Bonnevier, B. On the early development of the metagalactic system, 4=30971
- Bonnier, E. and Desré, P. On the applications of phase diagrams to the knowledge of thermodynamic interactions, 1=1435
- Bonnier, E. and Desré, P. The use of phase diagrams for information of thermodynamic interactions, 1=19711
- Bonnier, E. and Desré, P. On the application of phase diagrams in the study of thermodynamic interactions, 1=20583
- Bonnier, E. and Desré, P. Pair model of the interaction in dilute binary liquid metallic solutions, 4=8165
- Bonnier, E., Desré, P. and Ansara, I. Determination of the activity of Cu in liquid Al-Cu alloys at 1100°C, 3=14152
- Bonnier, E., Desré, P. and Petot-Ervas, G. Thermodynamic study of the system mercury-tin, 3=5116
- Bonnier, E., Durand, F. and Massart, G. Thermodynamic study of the aluminium-tin system, 4=29801
- Bonnier, E., Hicter, P. and Aléonard, S. Specific volume of solid tellurium between 298 and 729°K. Change of volume on fusion, 4=17819
- Bonnier, E., Hicter, P., Aléonard, S. and Laugier, J. Crystal parameters and specific volume of selenium from 300-490°K, volume variation at fusion, 4=25865
- Bonnin, B., Geneste, J. and Goodman, B.B. Study the role of lattice defects in superconducting aluminium, 3=19104
- Bonnor, W.B. The mechanics of general relativity, 0=8546
- Bonnor, W.B. The mass of a static charged sphere, 0=16589
- Bonnor, W.B. The field of an electric current in general relativity, 1=1694
- Bonnor, W.B. Exact solutions of the Einstein-Maxwell equations, 1=2684
- Bonnor, W.B. The relativistic model of the steady-state universe, 1=12736
- Bonnor, W.B. Gravitational waves, 3=21211
- Bonnor, W.B. On Olbers' paradox, 4=29346
- Bonnor, W.B. and McVittie, G.C. Hoyle's covariant formulation of the law of creation of matter, 1=15410
- Bonnor, W.B. and Rotenberg, M.A. Transport of momentum by gravitational waves: the linear approximation, 2=1053
- Bonnor, W.B. and Swaminarayan, N.S. An exact solution for uniformly accelerated particles in general relativity, 4=5050
- Bonometto, S. On gauge invariance for a neutral massive vector field, 3=14888
- Bonometto, S. and Dallaporta, N. On the break of the Baryon mass-spectrum degeneracy by vector interactions, 2=20255
- Bonpas, M., Ertaud, A., Legrand, J.P. and Meunier, R. Preliminary experiments on radioactivities consequent to the explosion of wires containing deuterium, 0=7496
- Bonrath, H., Heber, H., Hellwege, K.H., Hüfner, S. and Lämmermann, H. Fluorescence lifetimes of terbium and europium salts, 2=8580
- Bonsack, W.K. The abundance of lithium in T Tauri stars: further observations, 1=5160
- Bonse, U. Measurements of anomalous transmission and reflection of X-rays on good germanium single crystals in the Bragg case of interference: comparison with the dynamical theory of X-ray interference, 1=10253
- Bonse, U. Note on Renninger's contribution "lattice plane interferometry", 2=20989
- Bonse, U. The influence of the smallest lattice deformations on the path and absorption of interfering X-rays, 4=2047
- Bonse, U. Theory of the propagation of wavefield X-rays in weakly deformed crystal lattices, 4=10511
- Bonse, U. Contrast at dislocations in X-ray images, 4=12763
- Bonse, U. Strong deflection of X-ray wavefield rays in elastically bent crystals, 4=15774
- Bonse, U. and Kappler, E. A counting tube technique for measurements of distribution of lattice plane orientation and lattice constants of weakly deformed single crystals, 4=17802
- Bonse, U., Kappler, E. and Schill, A. X-ray method for measuring the distribution curve of the lattice constants and atomic plane orientations in single crystals, 4=17798
- Bonse, U., Kappler, E. and Simon, F.J. X-ray measurement of the distortion field of a single dislocation, 0=4291
- Bonse, U., Kappler, E. and Simon, F.J. A recording microphotometer for measuring very small image details down to about 1 micron in size, 4=8402
- Bonse, U., Kappler, E. and Uelhoff, W. Preparation of large copper single crystals containing few dislocations and no substructure, 4=4544
- Bonsignori, C., Malotsi, D. and Pellegrini, U. Transistorized analog-to-digital converter for nuclear spectrometry, 3=19148
- Bonsignori, F., Bortolani, V. and Stanghellini, A. Pion-pion interaction from π production in πN collision, 1=5759
- Bonsignori, F. and Selleri, F. Pion cloud effects in pion production experiments, 0=13037
- Bonsignori, F. See Bergia, S., 0=15409
- Bonsignour, D. and Bismuth, W. Propagation of longitudinal waves in a viscoelastic rod at audio frequencies, 4=5273
- Bonstrom, D.B., Morrish, A.H. and Watt, L.A.K. Magnetic properties of the low-temperature form of magnetite, 1=6281
- Bonte, F.J., Krohmer, J.S. and Romans, W.E. Magnetic tape recording of scintillation scan data, 3=21147
- Bontinck, W. and Dekeyser, W. Decoration and etching of silver-doped rocksalt crystals by surface gas reactions, 0=16280
- Bonvallet, D.J. Instrumentation and techniques for noise and vibration control, 3=14292
- Bonvini, L. and Clarke, C. Total electron content of the ionosphere over Singapore during a magnetic disturbance, 2=13031
- Bonyhard, P.I. Interaction between magnetic film storage elements, 4=11753
- Bonyushkin, E.K. and Spektor, V.V. Scintillation gamma-spectrometer with control channel, 4=16859
- Bonyushkin, E. K., Zamyatin, Yu. S., Kirin, I. S., Martynov, N. P., Skvortsov, E. A. and Ushatskii, V. N. Fragment yields in the fission of U^{235} and U^{238} by fast neutrons, 4=12292
- Boocock, G., Grimes, J. H. and Wilford, S. P.; E. W. Jackson. Prevention of uptake of strontium ions on glass, 4=2154
- Bodnikov, V.N. See Anissimov, A.I., 4=11599
- Boogaard, J. See Vos, J.J., 3=16459
- Book, D. L. See Frieman, E. A., 4=5595
- Booker, C.J.L. and Wood, J.L. Further electrical effects of the adsorption of water vapour by anodized aluminium, 1=1124
- Booker, G.R. Growth structure difference on opposite {111} faces of a GaAs dendrite, 2=8784
- Booker, G.R. and Benjamin, C.E. Measurement of thickness and refractive index of oxide films on silicon, 3=13149
- Booker, G.R. and Howie, A. Intrinsic-extrinsic stacking-fault pairs in epitaxially grown silicon layers, 4=6859
- Booker, G.R. and Norbury, J. Single-etch extraction replica method adapted for carbon films, 0=10339
- Booker, G.R., Norbury, J. and Rose, A.M. An electron diffraction method for determining the crystal lattices of small thin lamellar precipitates occurring in steels, 0=4625
- Booker, G.R. and Stickler, R. Method of preparing Si and Ge specimens for examination by transmission electron microscopy, 2=21577
- Booker, G.R. and Stickler, R. Imperfections in epitaxially grown silicon, 3=805
- Booker, G.R. and Stickler, R. Dislocations in mechanically deformed Ge, 3=6514
- Booker, G. R. and Stickler, R. Origin of stacking fault in epitaxially-grown silicon, 4=6860
- Booker, G.R. and Stickler, R. Domain formation in deformed and annealed Ge, 3=17772
- Booker, G.R. and Unvala, B. A. Vacuum evaporated silicon layers free from stacking faults, 4=4659
- Booker, G.R. See Stickler, R., 3=3353
- Booker, G.R. See Stickler, R., 3=16010
- Booker, G.R. See Stickler, R., 3=18219
- Booker, H.G. Turbulence in the ionosphere with applications to meteor trails, radio star scintillation, auroral radar echoes, and other phenomena, 0=2006
- Booker, H.G. Radio scattering in the lower ionosphere, 0=14318
- Booker, H.G. A local reduction of F-region ionization due to missile transit, 1=20984
- Booker, H.G. Guidance of radio and hydromagnetic waves in the magnetosphere, 3=9942
- Booker, H.G. See Crain, C.M., 3=18533
- Booker, H.G. See Gopal Rao, M.S.V., 3=9941
- Booker, J., Yeager, E. and Hovorka, F. Ultrasonic vibration potentials in polyelectrolytes, 4=16108

- Booker, R. E. and Sagar, F. H. An experimental system for ultrasonic attenuation measurements in solids in the upper kilocycle range, 4=8357
- Bookin, G. V. Anomalous absorption in high latitudes of the southern hemisphere, 2=15230
- Boolsky, R. and Extermann, R. Curvilinear trajectories of energy and the energetic circulation of particles, 2=7715
- Boom, G. See Perdok, W. G., 0=8186
- Boom, R. E. and Roberts, L. D. Study of the transition of small niobium-zirconium superconducting solenoids to the normal state, 3=21670
- Boom, R. W. and Richardson, J. R. Elastic scattering of 20.35 MeV protons by Zn^{64} , Zn^{66} , and Zn^{68} , 0=1409
- Boom, R. W., Roberts, L. D. and Livingston, R. S. Developments in superconducting solenoids, 3=19409
- Boom, R. W. See Betterton, J. O., Jr, 1=9513
- Boom, R. W. See Sekula, S. T., 3=14454
- Booman, K. A. See Piette, L. H., 1=17343
- Boomsliiter, P. C. and Creel, W. Ratio relationship in melody, 2=21977
- Boon, C. R., Holt, C. and Thompson, J. E. The effect of tension on the initial magnetization curve of a single crystal specimen of 3% silicon-iron, 3=25527
- Boon, C. R. and Thompson, J. E. Rotational hysteresis loss in single-crystal silicon-iron, 4=15648
- Boon, J. P. and Thomaes, G. The fluidity of binary mixtures, 3=1673
- Boon, J. P. and Thomaes, G. The fluidity of argon-methane and krypton-methane mixtures, 3=7185
- Boon, J. P. and Thomaes, G. The viscosity of liquefied gases, 3=9423
- Boon, J. P. and Thomaes, G. The viscosity of liquid deuterio-methane, 3=11762
- Boon, M. H. A diagram technique for the antiferromagnetic ground-state, 2=753
- Boon, M. H. The dependence of the anisotropic Knight shift on crystal symmetry, 4=26445
- Boone, D. H. and Wert, C. A. Interstitial-dislocation interaction in niobium, 3=23309
- Boonstra, A. H., van Ruler, J. and Sparnaay, M. J. On the influence of various ambients on the surface conductivity of germanium surfaces, 3=17856
- Boonstra, A. H., van Ruler, J. and Sparnaay, M. J. Surface states on cleaned and oxidised germanium surfaces, 3=17857
- Boonstra, B. P. A. See Duijvestijn, A. J. W., 1=14714
- Boonstra, E. G. The appearance of extra lines on X-ray diffractometer traces due to the large window of the scintillation counter, 4=27598
- Boorman, J. A., McLean, D. J., Sheridan, K. V. and Wild, J. P. The spectral components of 150 major solar radio events (1952-1960), 2=2559
- Boorse, H. A. and Hirshfeld, A. The superconducting electronic specific heat of niobium at low reduced temperatures, 0=8948
- Boorse, H. A., Hirshfeld, A. T. and Leupold, H. Difference in lattice specific heats in the normal and superconducting phases, 0=19565
- Boorse, H. A. See Hirshfeld, A. T., 2=19817
- Boorse, H. A. See Kaplan, R., 0=1080
- Boorse, H. A. See Leupold, H. A., 4=18593
- Boorstein, S. and Goodisman, J. Resolution of exact H_2^+ wavefunction on one-center hydrogenic basis, 3=25094
- Boorstein, S. A. and Gouterman, M. Theory for zero-field splittings in aromatic hydrocarbons. III, 4=3901
- Boos, E. G. Analysis of nuclear interactions of $E \geq 10^{11}$ eV nucleons in photographic emulsions, 1=3438
- Boos, E. G., Botvin, V. A., Pavlova, N. P., Takibayev, Zh. S. and Chasnikov, I. Ya. Analysis of 9 BeV proton-nucleon interactions in a nuclear emulsion, 2=7856
- Boos, E. G., Botvin, V. A., Pavlova, N. P., Takibayev, Zh. S. and Chasnikov, I. Ya. Analysis of 9 BeV proton-nucleon interactions in a nuclear emulsion, 3=6002
- Boos, E. G. and Takibaev, Zh. S. Distribution of the transverse momentum of shower particles in jets, 0=13097
- Boos, E. G. and Takibayev, J. S. Estimation of the energy ($E > 5 \times 10^{10}$ eV) of primary particles by the angular and energy distribution of secondary shower particles, 0=9451
- Boos, E. G. and Takibaev, Zh. S. On an estimate of energy characteristics of shower-producing particles, 0=13085
- Boos, E. G. See Botvin, V. A., 2=288
- Boos, E. G. See Botvin, V. A., 2=22511
- Boos, E. G. See Chasnikov, I. Ya., 0=1260
- Booss, H. J. and Seiffarth, W. Investigation of the properties of thoriated tungsten cathodes at high emission currents, 3=19307
- Boot, A. R. See Eisenschitz, R., 0=5206
- Boot, H. A. H. and Clunie, D. M. Pulsed gaseous maser, 3=9987
- Boot, H. A. H., Clunie, D. M. and Thorn, R. S. A. Pulsed laser operation in a high-pressure helium neon mixture, 4=766
- Boot, H. A. H. See Conder, P. C., 1=5311
- Boot, H. A. H. See Self, S. A., 0=2354
- Booth, E. C. Nuclear resonance scattering of Bremsstrahlung, 1=2168
- Booth, E. C. and Wright, K. A. Nuclear resonance scattering of Bremsstrahlung, 2=16305
- Booth, F. B. See Hildebrandt, A. F., 2=3792
- Booth, J. G. and Crangle, J. Magnetic properties of mixed ferrites. I. Behaviour near the Curie point, 2=14801
- Booth, J. G. and Crangle, J. Magnetic properties of mixed ferrites. II. Superparamagnetism and exchange anisotropy in a cobalt-zinc ferrite, 2=14802
- Booth, K. H. V. and Harris, I. A. The effect of elastically reflected electrons on the characteristic of a thermionic diode, 1=16395
- Booth, N. E. Meson production in $p + d$ collisions and the $I = 0 \pi - \pi$ interaction. II. Study of the reactions $p + d \rightarrow He^3 + \pi^0$ and $p + d \rightarrow H^3 + \pi^+$, 4=6098
- Booth, N. E., Abashian, A. and Crowe, K. M. Anomaly in meson production in $p + d$ collisions, 1=16846
- Booth, N. E., Abashian, A. and Crowe, K. M. Double meson production in proton-deuteron collisions, 1=16847
- Booth, N. E., Abashian, A. and Crowe, K. M. Meson production in $p + d$ collisions and the $I = 0 \pi - \pi$ interaction. III. Spin and parity of the $I = 0$ anomaly, 4=6099
- Booth, N. E. and Abashian, A. Meson production in $p + d$ collisions and the $I = 0 \pi - \pi$ interaction. IV. Double-pion production and pion-pion scattering, 4=6100
- Booth, N. E., Chamberlain, O. and Rogers, E. H. Search for a neutral meson of zero I-spin, 1=7262
- Booth, N. E., Hereford, F. L. and Hutchinson, G. W. Internally reflecting Čerenkov counter for high energy protons, 0=17337
- Booth, N. E. and Hutchinson, G. W. Fine time-structure of beams from the Birmingham proton synchrotron, 0=19844
- Booth, N. E. and Ledley, B. Efficient detector for high energy neutrons, 0=17358
- Booth, N. E. See Abashian, A., 0=20213
- Booth, N. E. See Abashian, A., 4=6097
- Booth, P. S. L. See Barlow, J., 4=25123
- Booth, R. and Violet, C. E. A Mössbauer spectrometer, 4=11860
- Booth, R. See Ball, W. P., 0=17141
- Booth, R. See Benveniste, J., 1=12196
- Booth, R. See Benveniste, J., 1=19361
- Booth, R. See Benveniste, J., 2=3341
- Booth, R. See Borg, R. J., 4=10277
- Booth, R. See MacGregor, M. H., 3=12683
- Booth, R. See Violet, C. E., 3=19785
- Boothroyd, A. R. See Das, M. B., 0=15980
- Boothroyd, G. Photographic technique for the determination of metal cutting temperatures, 1=6969
- Booy, H. C. See Klaassen, F. M., 1=7674
- Booy, H. C. See Klaassen, F. M., 1=8942
- Booy, H. M. W. See Born, P., 2=3512
- Booy, H. M. W. See Verheul, H., 3=15155
- Booz, J. and Ebert, H. G. Measurement of the mean energy expenditure W, relative to air, for the formation of ion pairs in water vapour, N_2 , O_2 , CO_2 and A by 100-300 kv X-rays, 2=7560
- Booz, J. and Ebert, H. G. The mean energy expenditure for the formation of ion pairs in various gases by 100-300 kv X-rays, 2=15886
- Booz, J. and Ebert, H. G. Initial recombination of ions in air, 4=5566
- Boozer, C. E. See Reddy, G. S., 1=7489
- Bopp, C. D. Measurement of thermal conductivity with mercury contacts, 4=18455
- Bopp, C. D. Vibration method for the elastic constants of small plates, 4=20631
- Bopp, C. D. and Towns, R. L. Calorimetric measurement of nuclear heating in a reactor, 2=17684
- Bopp, F. Remarks on the conformal invariance of electrodynamics and the basic equations of dynamics, 0=1183
- Bopp, F. Derivation of the binding energy of many-particle systems from the two body density matrix, 0=2115
- Bopp, F. Principles of electrodynamics, 2=20110

- Bopp, F. The quantum mechanics of a damped harmonic oscillator, 3=5363
- Bopp, F. Is the Poynting vector observable? 4=3127
- Bopp, F. Quantum mechanics of relativistic particles with derived Hilbert space, 4=11894
- Bopp, G.R. See Weitzel, D.F., 1=5312
- Bor, J. and Pizybylski, J. Double beam photoelectric analysis of plane and elliptically polarized light, 3=9625
- Bor, N. [Bohr]. On the unity of human knowledge, 3=21186
- Bor, O. and Mottel'son [Bohr, A. and Mottel'son, B.]. On the theory of rotational spectra, 4=3551
- Borchardt, H.J. Rare-earth phosphors, 3=13206
- Borchardt, H.J. Rare-earth tungstates and 1:1 oxytungstates, 3=23105
- Borchardt, W. Photochemical reactions and quenching in single crystals of CdS, 2=4062
- Borchardt, W. Photochemical reactions in cadmium sulphide, 3=3407
- Borchardt, W. See Bber, K.W., 1=5031
- Borchers, P.F. See Haine, M.E., 0=7159
- Borchers, L.J. The multiplicity of the interpolating field in a single causal S-matrix, 0=15281
- Borchers, H.J. On the completeness of Lorentz invariant fields in a timelike tube, 1=9716
- Borchers, H.J. On structure of the algebra of field operators, 2=13716
- Borchers, H.J. Field operators as C^∞ functions in spacelike directions, 4=29534
- Borchers, H.J., Haag, R. and Schroer, B. The vacuum state in quantum field theory, 3=22048
- Borchers, H.J. and Zimmermann, W. On the self-adjointness of field operators, 4=14997
- Borchers, R.R. and Poppe, C.H. Neutrons from proton bombardment of lithium, 3=10341
- Borchers, R.R. See Dagley, P., 1=8715
- Borchers, R.R. See Lefevre, H.W., 3=2327
- Borchers, R.R. See Lefevre, H.W., 3=4413
- Borchers, R.R. See Poppe, C.H., 3=6290
- Borcherts, F. H. and Kikuchi, C. VO^{2+} and X-ray produced V^{2+} in tutton salt, 4=20603
- Borchi, E. and Poli, M. An application of the Bohm-Pines equation to a system of interacting bosons, 4=2589
- Bordarier, Y., Vetter, R. and Blaise, J. A study of the hyperfine structure of lines from a Tm^{159} arc, 4=15293
- Borde, A.H. De. See De Borde, A.H.
- Bordelon, D. J. Effect of correlated phase fluctuation on array performance, 2=17551
- Bordes, G. K^+ meson scattering on protons at the $3/2$ resonance, 4=897
- Bordes, G. π^+ -p scattering at the $3/2$ resonance in the isobaric model, 4=9243
- Bordes, G. and Jouvot, B. Factorization formula in the calculation of inelastic cross-sections near resonances, 4=895
- Bordes, G. and Poyen, J. Effective cross-section $K^+ + p \rightarrow K^0 + \pi^+ + p$ in the neighbour of the resonance $3/2-3/2$ in the isobar model, 4=16967
- Bordes, G. See Jouvot, B., 4=9262
- Bordes, G. See Vautier, C., 2=23241
- Bordet, P. An objective with inclined optical axis for use with polarizing microscope, 0=3613
- Bordin, G. and Passari, L. The shape-factor for the Hall-effect of metallic conductors, 4=22678
- Bordner, C.A., Jr. See Chretien, M., 2=22610
- Bordone-Sacerdote, C. Measurements of damping materials sprayed on steel tubes, 1=4397
- Bordone-Sacerdote, C. Comparative tests on loud-speakers, 2=5122
- Bordoni, P.G. Dislocation relaxation at high frequencies, 1=17407
- Bordoni, P. G., Giua, P. E. and Verdini, L. A new dissipation process in copper, silver and gold, 4=6723
- Bordoni, P.G. and Nuovo, M. Longitudinal vibration measurements in the megacycle range made by electrostatic drive and frequency-modulation detection, 0=5074
- Bordoni, P.G. and Nuovo, M. A tuned capacitive detector for high frequency vibrations, 0=16800
- Bordoni, P.G., Nuovo, M. and Verdini, L. Relaxation of dislocations in copper, 0=1590
- Bordoni, P.G., Nuovo, M. and Verdini, L. Dislocation relaxation in zinc single crystals, 0=17944
- Bordoni, P.G., Nuovo, M. and Verdini, L. Low-temperature dissipation peak in niobium, 1=11504
- Bordoni, P.G., Nuovo, M. and Verdini, L. Dynamic behaviour of polymethyl methacrylate between 60 and 300°K, 1=14850
- Bordoni, P.G., Nuovo, M. and Verdini, L. Dislocation relaxation in silver, gold, palladium and platinum, 1=17535
- Bordoni, P. G., Nuovo, M. and Verdini, L. Dislocation relaxation in some B.C.C. metals, 4=15417
- Bordonne-Sacerdote, C., Cervini, G. C., Righini, G. U. and Sacerdote, G. C. A particular case of binaural hearing, 4=26991
- Bordovskii, G.A. See Gringauz, K. L., 4=7901
- Bordovskii, G.A. See Gringauz, K. L., 4=15881
- Bordovskii, G.A. See Izvozchikov, V.A., 3=6635
- Bordovskii, G.A. See Kushnir, Yu. M., 1=4648
- Bordovskii, G.A. See Krasovskii, V.I., 2=9022
- Bordovskii, G.A. See Krasovskii, V.I., 2=12088
- Bordure, G., Lecoy, G. and Savelli, M. Symmetries of the Hamiltonian for a single electron in a crystalline potential, 4=9875
- Boreani, G. See Bellini, G., 2=22573
- Borel, J. P. Determination of the surface tension of silver in the solid state, 4=10601
- Borel, J.P. and Cornaz, P. Synchronous thermal detectors, 0=19493
- Borel, J. P. See Anderegg, M., 4=5833
- Borel, J.P. See Cornaz, P., 2=10703
- Boreli, F., Berović, N., Aleksić, M. and Lazarević, V. The measurement of fast neutron spectra at high reactor powers, 4=9616
- Boreli, F. See Berović, N., 2=5999
- Boreli, F.M. Thorium fission chamber, 1=13449
- Borelius, G. Contribution from thermal lattice defects to the energy content of Au, Ag, Cu and Al, 0=6038
- Borelius, G. Phenomenological aspects of the λ -transition, 0=8923
- Borelius, G. Thermodynamics of the λ -transition in superconductors, 0=8928
- Borelius, G. Contributions from thermal lattice defects to the expansion of solid and liquid metals, 0=9893
- Borelius, G. On the origin of the internal pressure in metals, 0=13464
- Borelius, G. The nature of the λ -transition and the properties of liquid helium, 4=8543
- Borelius, G. and Larsson, L.E. Resistometric and calorimetric studies of ageing phenomena in quenched aluminium, 2=2409
- Borelius, G. and Larsson, L.E. Resistometric and calorimetric studies of ageing phenomena in quenched aluminium alloys, 2=10915
- Borelius, G. See Giansoldati, A., 0=4483
- Borelli, V. See Bergia, S., 0=15402
- Borello, O., Costa, S. and Ferrero, F. The E.C./ β^+ ratio in Pr^{139} , 1=17049
- Borello, O., Ferrero, F., Malvano, R. and Molinari, A. Forward asymmetry of the photoneutron angular distribution, 2=10084
- Borello, O. See Bonazzola, G., 2=16390
- Borelowski, Z. On a modification of Weyssenhoff's homogeneous variational principle with higher derivatives, 1=16657
- Borelowski, Z. Homogeneous variational principle with third order derivatives in the special theory of relativity, 2=19399
- Boren, P. See Furcell, R. B., 4=5896
- Boreskov, G.K. The effect of change of the electron chemical potential level on the activity of semiconductive catalysts, 0=3311
- Boreskov, G.K. See Kuchaev, V.L., 3=3397
- Borets', O.M. and Stakhya, I. M. Self-absorption edge in In_2Se single crystals, 4=7138
- Borets', O.M. See Tovstyuk, K.D., 3=23041
- Borg, D. C. An improved flow system for electron paramagnetic resonance spectrometry of aqueous solutions, 4=22436
- Borg, D.C., Segel, R.E., Kienle, P. and Campbell, L. Selective radio-activation and multiple coincidence spectrometry in the determination of trace elements in biological material. Measurement of manganese, 2=4574
- Borg, G. A condition for the existence of orbitally stable solutions of dynamical systems, 0=6537
- Borg, M.F. See Brigham, G.A., 0=14719
- Borg, R.J. An explanation for the effect of ferromagnetism upon atomic diffusion, 4=12806
- Borg, R.J. Comments on the article "Diffusion in cobalt-nickel alloys", 3=15514
- Borg, R. J., Booth, R. and Violet, C. E. Magnetic ordering in dilute solid solutions of iron in gold, 4=10277
- Borg, R.J. and Lai, D.Y.F. The diffusion of gold, nickel, and cobalt in alpha iron: A study of the effect of ferromagnetism upon diffusion, 3=22810

- Borg, R.J., Lai, D.Y.F. and Krikorian, O.H. The diffusion of cobalt and iron in pure delta iron, 3=22811
- Borg, S. See Uhler, J., 3=14678
- Borg, S.F. A similarity solution for a [spherical] blast in free space, 0=2204
- Borg, S.F. Similarity solutions in fluid-gas dynamics, 0=4991
- Borg, S.F. Three-dimensional wedge impact on a compressible fluid, 0=6739
- Borg, S.F. A specialized nonlinear thin plate inextensional bending theory, 3=87
- Borgardt, A.A. Orientational polarization of dipolar gases, solutions and liquids, taking account of the inner field, 0=946
- Borgardt, A.A. A dynamical principle for second-order equations, 0=12815
- Borgardt, A.A. Relativistically invariant transformations in wave-function space, 4=3359
- Borgardt, A.A. Transverse and longitudinal states of boson fields and dibaric particles, 4=3295
- Borgeaud, P., Bruneton, C., Ducros, Y., Falk-Vairant, P., Guison, O., Movchet, J., Sonderegger, P., Stirling, A., Yvert, M., Tran Ha, A. and Warshaw, S.D. Forward π -p charge exchange scattering between 0.8 and 1.9 GeV, 4=21905
- Borgeaud, P. See Amblard, B., 4=21770
- Borgeaud, P. See Straumanis, M.E., 1=10258
- Borgest, V.A. Determination of deuterium in water at concentrations close to the natural abundance on the basis of the infrared absorption spectra, 2=12302
- Borgest, V.A., and Shchepkin, D.N. Simple diffraction-grating infrared spectrometer based on the KKS-6 instrument, 3=16776
- Borggreen, J., Bielsen, O.B. and Nordby, H. Mixing of the γ -vibrational band and the ground state rotational band of Pu^{238} , 2=5806
- Borggreen, J., Elbek, B., Leachmann, R.B., Olesen, M.C. and Poulsen, N.O.R. The $\text{C}^{12}(\text{C}^{12}, \alpha)\text{Ne}^{20}$ reaction, 4=22223
- Borggreen, J., Elbek, B. and Nielsen, L.P. A proposed spectrograph for heavy particles, 3=24383
- Borggreen, J. See Bertelsen, U., 1=10992
- Borghi, R.P. and Dunn, D.A. Paraxial solutions for accelerated and decelerated axially symmetric space-charge flow, 3=9856
- Borghini, M. Dynamic polarization of nuclei by "solid effect", 1=20248
- Borghini, M. See Abragam, A., 3=2263
- Borghini, M. See Abragam, A., 3=2365
- Borgi, A.W. and Lönsjö, O. Resonance widths for proton capture—A graphical method, 3=2453
- Borgia, B., Grilli, M., Joos, P., Mezzetti, L., Nigro, M., Schiavuta, E. and Villa, F. Λ^0 polarization from the reaction $\gamma + p = K^+ + \Lambda^0$ in the energy range (950 \div 1050) MeV, 4=19595
- Borgman, J. and Johnson, H.L. The law of interstellar reddening, 2=11144
- Borgman, J. and Johnson, H.L. The absorption spectrum of interstellar matter, 4=29419
- Borgman, J. See van Albada, T.S., 0=19358
- Borgman, V.A. and Chistoserdov, V.G. Colouring of photosensitive glasses by X-radiation, 3=8478
- Borgman, V.A., Zhmyreva, I.A., Zelinskii, V.V. and Kolobkov, V.P. Effect of heavy halogens on the probability of the transition into a metastable state and on the probabilities of deactivation of this state, 0=13718
- Borgman, V.A., Zhmyreva, I.A., Zelinskii, V.V. and Kolobkov, V.P. Principal processes of deactivation of excited states of complex organic molecules, 2=14740
- Borgnis, F. Electromagnetic energy density in dispersive media, 0=9151
- Borgnis, F.E. Theory of the acoustic interferometer for plane waves, 0=6874
- Borgonovi, G. and Caglioti, G. Experimental observations on the multiple Bragg reflection of neutrons, 2=19069
- Borgonovi, G., Caglioti, G. and Antal, J.J. A study of the crystal dynamics of zinc, 4=1381
- Borgonovi, G. See Kroo, N., 4=27171
- Borgstedt, H.-U., Eichkorn, G. and Heim, E. Interpretation of sonoluminescence spectra, 3=18819
- Borgstedt, H. U., Langton, N. H. and Vaughan, P. Cavitation and the ultrasonic degradation of high polymers, 4=21104
- Borgwaldt, H. Determination of fast reactor extrapolation length in the multigroup P_1 -approximation, 4=9598
- Borgwaldt, H. and Harder, H. Contribution to the calculation of absorber rod reactions in heterogeneous lattices, 2=8024
- Borgwaldt, H. and Sanitz, D. Signal correlation between two neutron detectors in a just-critical reactor, 4=3745
- Borie, B. The separation of short range order and size effect diffuse scattering, 1=20490
- Borie, B. Temperature diffuse scattering for cubic powder patterns, 1=20500
- Borie, B. A diffraction measurement of the structure of Cu_2O films grown on copper, 1=20540
- Borie, B. The correction of diffuse scattering measurements for thermal effects, 4=13566
- Borie, B. and Sparks, C.J. A determination of thin oxide film thickness by integrated intensity measurements, 1=20663
- Borie, B. and Sparks, C. J., Jr. The short-range structure of copper-16 At. % aluminum, 4=23437
- Borie, B., Sparks, C.J., Jr and Cathcart, J.V. Epitaxially induced strains in Cu_2O films on copper single crystals. I. X-ray diffraction effects, 2=17065
- Borie, B. See Yakel, H.L., 3=18298
- Borie, B.S. See Sparks, C. J., Jr, 4=10530
- Borie, J.C., Durand, M. and Orszag, A. Ultra-rapid photography of the exit-face of a ruby crystal during "laser" emission, 2=4125
- Borie, J.C., Durand, M. and Orszag, A. Study of the light emission of a ruby laser by ultra-rapid cinematography, 3=14336
- Borie, J.C. and Orszag, A. Ultra-high-speed photography of Fabry-Perot rings in light emitted by a ruby laser, 2=22053
- Borik, H. and Flüge, S. Deuteron distortion in elastic n-d scattering, 4=25208
- Borin, A.V. See Meiklyar, P.V., 3=9631
- Boring, J.W. and McEllistrem, M.T. Differential cross sections for $(n, n'\gamma)$ reactions in several nuclei, 2=459
- Boring, J.W. See Phipps, J. A., 4=21459
- Borisenkov, E. P., Doronin, Yu. P. and Kondrat'ev, K. Ya. Structural characteristics of the radiation field of the earth as a planet, 4=26776
- Borisevich, N.A., El'yashevich, M.A. and Stepanov, B.I. Eighth All-Union Conference on Luminescence, 1=2450
- Borisevich, N.A. and Gruzinskii, V.V. Study of the excited states of the vapours of complex molecules on the basis of the universal relation between fluorescence and absorption spectra. I, 3=15320
- Borisevich, N.A., Gruzinskii, V. V. and Tolkachev, V.A. On the anti-Stokes fluorescence of molecules, 4=22415
- Borisevich, N.A. and Tolkachev, V.A. Temperature dependence of the fluorescence efficiency of complex molecule vapours, 2=15654
- Borisevich, N.A. and Zaleskaya, G. A. Investigation of the temperature dependence of intensities in the infrared absorption bands of the fundamental vibrations of molecules in vapors. I, 4=30415
- Borisevich, N.A. See Gruzinskii, V. V., 4=12493
- Borisevich, N.A. See Tolkachev, V. A., 4=1284
- Borisevich, N.A. See Tolkachev, V.A., 4=15314
- Borisevich, V.A. and Malyukevich, V.I. An investigation of thermal coefficients of quartz sand as a function of temperature and porosity, 2=10328
- Borishanskii, V.M., Andreevskii, A.A. and Zhinkina, V.B. Heat transfer from molten sodium in staggered tube bank cross-flow, 3=16816
- Borishanskii, V.M. and Kozyrev, A. P. Generalization of experimental data on heat exchange in bubble boiling to the principle of thermodynamic similarity theory, 4=8509
- Borishanskii, V.M. See Kutateladze, S.S., 0=8825
- Borisoglebskii, L.A. The identification of coronal lines, 0=18777
- Borisoglebskii, L.A. Forbidden lines in atomic spectra, 1=13931
- Borisoglebskii, L.A. Effect of the nuclear quadrupole moment on forbidden transitions in hydrogen-like atoms, 3=2556
- Borisoglebskii, L. A. Internal conversion coefficients for strongly forbidden γ -transitions in nuclei, 4=19664
- Borisoglebskii, L. A. Monopole transitions of atomic nuclei, 4=25234
- Borisoglebskii, V.P. See Timrot, D.L., 1=4327
- Borisoglebskii, V.P. See Timrot, D.L., 2=2702
- Borison, S.L. Peripheral contributions to the difference of particle and antiparticle high-energy cross sections, 3=4396
- Borisov, A.A., Dolgoshein, B.A. and Luchkov, B.I. Spark chamber with large interelectrode spacing, 3=17151
- Borisov, A. A., Dolgoshein, B. A., Luchkov, B. I., Reshetin, L. V. and Ushakov, V. I. Investigation of the characteristics of spark chambers, 4=785
- Borisov, A.V. See Amirkhonova, I.B., 3=15307
- Borisov, A.Yu. A highly-sensitive modulation photometer, 0=19357

- Borisov, A.Yu. Transformation of signal frequency by means of photomultipliers, 4=18531
- Borisov, B.S., Volkenshtein, N.V., Zyryanov, P.S. and Taluts, G.G. The current-voltage characteristics of bismuth at low temperatures in a magnetic field, 4=20352
- Borisov, B.S. See Arkharov, V.I., 0=14064
- Borisov, B.S. See Arkharov, V.I., 1=15115
- Borisov, B.S. See Arkharov, V.I., 2=8802
- Borisov, B.S. See Arkharov, V.I., 2=23934
- Borisov, B.S. See Bessonov, A.F., 3=3251
- Borisov, D.G. A two-channel decade system for counting and delivering pulses, 2=19869
- Borisov, G.K. See Devyatych, G.G., 3=25072
- Borisov, M. The cause of capacitance changes in a condenser containing a crystal phosphor which is being excited, 0=3715
- Borisov, M., Georgieva, I. and Milyashev, M. The influence of infrared radiation on the photoconductivity of cadmium sulphide single crystals, 1=7668
- Borisov, M., Kynev, S., Vateva, E. and Georgieva, I. Electrically stimulated currents in cadmium sulphide monocrystals illuminated with light, 1=7678
- Borisov, M., Milgashev, M. and Minkova, V. The nature of the stimulated electric current in CdS, 4=26146
- Borisov, M., Stainov, G. and Martinov, N. Ion plasma oscillations in the cathode region of a glow discharge, 4=24610
- Borisov, M. and Vasilev, V. The production of large single crystals of cadmium sulphide, 4=10469
- Borisov, M. See Andreev, M., 1=6096
- Borisov, M.D., Demidenko, I.I. and Padalka, V.G. Determination of the electron concentration in the conductivity zone at the limit of transmission of thin aluminium films in the vacuum ultraviolet region, 2=14657
- Borisov, M.G. and Sverdlov, L.M. Vibrational spectra of unsaturated hydrocarbons. XI. Integrated intensities and polarizations in the Raman and infrared spectra of allene and tetradeuterioallene, 4=6609
- Borisov, N.C. and Nemoshkalenko, V.V. The electron configuration in metals of the iron group, 3=4833
- Borisov, N.D. and Nemoshkalenko, V.V. Specifying the energy of X-ray photons and the energy of electron levels, 2=14692
- Borisov, N.D. and Nemoshkalenko, V.V. Regarding the resolution of Johann mounting single-crystal spectrographs, 3=4236
- Borisov, N.D., Nemoshkalenko, V.V. and Fefer, A.M. Influence of the nickel concentration on the structure of the electron energy spectrum of iron-chromium alloys, 2=16626
- Borisov, N.G. See Baladin, M.P., 3=17126
- Borisov, S.V. and Golovachev, V.P. The precise determination of the camera radius by X-ray diffraction photographs, 0=13973
- Borisov, S.V., Golovachev, V.P. and Belov, N.V. Arbitrarily assigned signs in the direct methods of determining crystal structures, 0=12030
- Borisov, S.V. See Belov, N.V., 1=1394
- Borisov, V.L. Secondary electron emission of magnesium oxide, 3=14637
- Borisov, V.L. Effect of the substrate material on the secondary emission of MgO films, 3=19322
- Borisov, V.L. See Alekseev, V.A., 2=11702
- Borisov, V.L. See Alekseev, V.A., 2=13593
- Borisov, V.M. and Golger, Yu.Ya. Measuring the thermodynamic [electrode] and adsorption potentials of a dielectric mineral for the purpose of studying the flotation process, 3=8968
- Borisov, V.S., Gol'din, L.L., Goryachev, Yu.M., Grekov, N.N., Ryabov, A.P., Skachkov, S.V. and Talyzin, A.N. Measurement of the basic magnetic characteristics of the C-blocks of the proton synchrotron, 4=14832
- Borisov, V.S. See Talyzin, A.N., 4=14827
- Borisov, V.S. See Vladimirov, V.V., 4=14822
- Borisov, V.T. Crystallization of binary alloys under conditions of stable equilibrium, 1=10272
- Borisov, V.T. Kinetic diagrams of solidification of alloys, 2=11543
- Borisov, V.T. Kinetic diagrams of solidification of alloys, 2=13493
- Borisov, V.T. Two-phase zone in crystallization of an alloy in unsteady-state conditions, 3=21623
- Borisov, V.T. On the conditions of the diffusionless crystallization of an alloy, 4=364
- Borisov, V.T. The mechanism of normal growth in crystals, 4=4533
- Borisov, V.T. and Dukhin, A.I. Measurement of temperature during growth of metal crystals [Cd-Cu] from melt, 2=8783
- Borisov, V.T. and Dukhin, A.I. Temperature measurement during the growth of metallic crystals from the melt, 2=21472
- Borisov, V.T. and Dukhin, A.I. Influence of thermal conditions on the structure of the crystallization front in one-component systems, 3=16035
- Borisov, V.T., Golikov, V.M. and Shcherbedinskiy, G.V. The influence of the after-effects of phase transition on diffusion, 0=8268
- Borisov, V.T., Golikov, V.M. and Shcherbedinskiy, G.V. Statistical calculation of the self-diffusion coefficient in metals, 3=22801
- Borisov, V.T. and Matveev, Yu.Ye. The temperature at the beginning of the two-phase zone in binary alloys, 3=13540
- Borisov, V.T., Vintaikin, E.Z. and Potapov, L.P. Characteristics of the thermal vibration spectrum, 4=9825
- Borisov, Yu.Ya. and Gynkina, N.M. On acoustic drying in a standing sound wave, 3=218
- Borisov, Yu.A. and Kudashev, V.I. Calculation of the vapour pressure curve for a real gas from data on the two substances, 4=2892
- Borisova, L.A., Efremova, M.V. and Vlasov, V.V. The phase diagram of the $Tl_2Te_3 - Bi_2Te_3$ system and properties of the alloys obtained, 3=18343
- Borisova, N.B. See Yakovlev, G.P., 4=13362
- Borisova, N.I., Kuznetsova, M.Ya., Kurchatova, L.N., Mekhedov, V.N. and Chistyakov, L.V. Recoil nuclei from the disintegration of silver by fast protons, 0=9621
- Borisova, T.I. See Izidinov, S.O., 3=6923
- Borisova, T.I. See Yakovleva, A.A., 0=21286
- Borisova, T.I. See Yakovleva, A.A., 3=16177
- Borisov, M., Kynev, S. and Georgieva, I. A new rectifier effect in CdS monocrystals, 4=30657
- Bork, A.M. Nonlinear ruler, 2=13298
- Bork, A.M. A "Two cultures" physics course, 3=4
- Bork, A.M. A physics independent study course with computer, 3=11657
- Bork, A.M. Computers and "The Feynman lectures on Physics", 4=16001
- Bork, A.M. Maxwell, displacement current, and symmetry, 4=656
- Bork, A.M. See Arons, A.B., 4=14091
- Borkan, H. See Cope, A.D., 3=19324
- Borkowski, C.J. See Blankenship, J.L., 1=3085
- Borkowski, C.J. See Blankenship, J.L., 1=3250
- Borkowski, C.J. See Blankenship, J.L., 2=18019
- Borkowski, C.J. See Blankenship, J.L., 2=20202
- Borkowski, C.J. See Ferrari, A.M.R., 3=2149
- Borkowski, C.J. See Fox, R.J., 2=18024
- Borkowski, C.J. See Fox, R.J., 2=22487
- Borkowski, R.E. and Ausloos, P. Hydride and proton transfer reactions involving sec-propyl ions, 4=13712
- Borkowski, R.P. and Ausloos, P.J. Gas-phase radiolysis of isobutane, 3=8978
- Borkowski, R.P. and Ausloos, P.J. Gas-phase radiolysis of n-butane, 3=23550
- Borland, R.E. One-dimensional chains with random spacing between atoms, 1=8895
- Borland, R.E. Existence of energy gaps in one-dimensional liquids, 2=50
- Borland, R.E. The nature of the electronic states in disordered one-dimensional systems, 3=22673
- Borland, R.E. Some exact results for the vibrational spectrum of a disordered chain, 4=20188
- Borland, R.E. and Bird, N.F. A calculation of the density of electron states and degree of localization in a one-dimensional liquid model, 4=8162
- Borleffs, J.J.W. See Hass, W.P.A., 2=780
- Borleffs, J.J.W. See Hass, W.P.A., 3=23253
- Borlera, M. See Burdese, A., 4=13580
- Borlera, M.L. See Burdese, A., 1=2537
- Borlera, M.L. See Burdese, A., 4=26643
- Borman, G. See Podolsky, B., 1=16303
- Borman, M. and Neuert, H. The (γ, p) reaction in CsI with the γ -ray from the $Li(p, \gamma)$ 441 keV resonance, 0=5771
- Borman, H.J. The use of semiconductor counters for the detection of heavy particles and neutrons, 2=11960
- Borman, H.J. and Porschen, W. Measurements of neutron flux on the FRJ-1 Merlin with the power of 0-40 watt, 3=4691
- Bormann, M. Experimental investigation and theoretical consideration of the (n, α) and $(n, n\alpha)$ reactions in the scintillation crystals KI(Tl) and CsI(Tl) for neutron energies of 12.1 to 21.5 MeV, 3=2479

- Bormann, M., Cierjacks, S., Fretwurst, E., Giesecke, K. J., Neuert, H. and Pollehn, H. Study of the energy dependence of nuclear reactions with neutrons in the energy range between 12 and 19 MeV. 3=15210
- Bormann, M., Cierjacks, S., Langkau, R. and Neuert, H. Reaction cross-sections of some (n, α) reactions for neutron energies between 12 and 19 MeV. 2=7993
- Bormann, M., Cierjacks, S., Langkau, R., Neuert, H. and Pollehn, H. Measurements of (n, α) cross-sections for neutrons within the energy interval 12-19.6 MeV. 2=467
- Bormann, M., Jeremie, H., Andersson-Lindström, G., Neuert, H. and Pollehn, H. The cross-sections for some nuclear reactions induced by 14 MeV neutrons in NaI:Tl, KI:Tl, CsI:Tl and Li⁹Li:Eu scintillator crystals. 0=13289
- Bormann, M. and Langkau, R. The study of (n, p) and (n, α) reactions in CsI with 12.1 to 19.6 MeV neutrons. 1=11022
- Bormann, M. and Langkau, R. Direct interaction effects in (n, p)- and (n, α)-reactions in CsI. 1=19490
- Bormann, M., Langkau, R., Lindström, G., Neuert, H., and Warncke, J. Particle discrimination with scintillation counters. 2=9739
- Bormann, M. and Neuert, H. Compound nuclear reactions and statistical theory. 4=12194
- Born, H. J., Legvold, S., and Spedding, F. H. Low-temperature thermoelectric power of the rare-earth metals. 2=2198
- Born, H. J. and Vogg, H. Electron exchange between thallium (II) and thallium (III). 1=1476
- Born, L. and Zemann, J. Lattice-energy calculations on aluminium garnets. 4=3955
- Born, M. Physics and problems of our age. 2=21777
- Born, M. Thoughts on colour theory. 3=11881
- Born, P., Bobeldijk, C., Booy, H. M. W. and Blok, J. In the decay of ¹⁰²Rh. 2=3512
- Born, P., Bobeldijk, C., Oost, W. A. and Blok, J. On the decay of ⁷⁰As. 3=12624
- Born, P., Elsenaar, W. H., Veeffkind, A. and Blok, J. Levels in ⁹⁶Mo. 3=22305
- Born, P., Molenaar, J. and Blok, J. Gamma lines on the decay of ²⁰²Tl. 0=7539
- Born, P., Van Der Kamo, H. A. J., Elsenaar, W. H. and Blok, J. Angular correlations in ¹⁰²Ru. 3=15147
- Born, P., Veeffkind, A., Elsenaar, W. H. and Blok, J. An isomeric state in ¹⁰²Rh. 3=15146
- Born, W. T. A review of geophysical instrumentation. 0=6429
- Borneas, M. The Lagrange function in a general problem. 0=15235
- Borneas, M. Correction to the empirical formula for the influence of temperature on surface tension. 1=6846
- Borneas, M. On Lagrangians with high derivatives. 4=18120
- Borneas, M. and Băbuția, I. The influence of the mechanical working of a liquid upon the rotational kinetic effect of its surface tension. 0=72
- Borneas, M. and Băbuția, I. Does the rotating of a liquid have a special influence on the surface film? 0=73
- Borneas, M. and Băbuția, I. A new method for observing the rotational kinetic effect of surface tension. 0=8640
- Borneas, M. and Băbuția, I. The rotational kinetic effect and the molecular state of liquids. 0=8648
- Borneas, M. and Băbuția, I. The surface tension of ethyl alcohol. 0=14613
- Borneas, M. and Băbuția, I. In relation with surface tension. 0=19087
- Borneas, M. and Băbuția, I. On the surface tension of rotating liquids. 1=15822
- Bornemeier, D. D., Ellsworth, L. D., Mandeville, C. E. and Potnis, V. R. Nuclear energy states of In¹¹⁵. 4=19692
- Bornemisza, P. See Csikai, J., 4=9528
- Borner, H. Measurements of environmental noise. 2=5124
- Börner, H. The operation of acoustic shields in interiors. 2=5125
- Bornham, C. H. See Stoker, P. H., 3=6113
- Bornkessel, K. and Pilot, J. Mass spectrometric investigation of the degassing products from magnesium which contains hydrogen and silicon. 1=20784
- Bornkessel, K. See Mannchen, W., 0=4268
- Bornman, C. H. See Stoker, P. H., 1=19178
- Bornman, C. H. See Stoker, P. H., 3=22113
- Bornmann, J. A. Semiconductivity of naphthalene. 2=8369
- Bornschein, H. Subjective distinction of temporal gradients of optical impulses. 3=9307
- Bornschein, H. Temporally variable light stimuli and their influence on the electrical response of the retina. 3=11627
- Bornmann, J. A. See Pohl, H. A., 4=22732
- Borob'ev, A. A. and Kononov, B. A. An electrostatic method of extracting electrons from a betatron. 1=16453
- Borodich, V. D., Golub', A. P., Kombarov, A. K., Kremlev, M. G., Moroz, N. K., Samoilov, B. N. and Fil'kin, V. Ya. The critical currents of Nb-Zr alloys in an external magnetic fields. 3=21667
- Borodin, A. V., Gavrin, P. P., Kovan, I. A., Patrushev, B. I., Nedoseev, S. L., Rusanov, V. D. and Frank-Kamenetskii, D. A. Magnetoacoustic oscillations and the instability of an induction pinch. 1=18886
- Borodin, A. V., Gavrin, P. P., Kovan, I. A., Patrushev, B. I., Nedoseev, S. L., Rusanov, V. D. and Frank-Kamenetskii, D. A. Magnetoacoustic oscillations and the instability of an induction pinch. 2=22223
- Borodin, A. V., Kovan, I. A., Rakhimbabayev, Ya. R., Rusanov, V. D., Smirnov, V. P. and Frank-Kamenetzky, D. A. Magneto-sonic resonance at high field amplitudes. 3=21831
- Borodin, A. V. See Akhmatov, A. P., 1=4628
- Borodin, N. S. See Sorkin, F. V., 2=16875
- Borodin, P. M. The use of the free precession of nuclei in the magnetic field of the earth for measuring the flow velocity and discharge rate of certain liquids. 4=27148
- Borodin, V. Z. Influence of compression on polarization processes in ferroceramics. 2=18778
- Borodina, G. V. Calculations of the flux of stellar radiation on a spectrograph slit. 2=929
- Borodinet, G. S. See Pilat, I. M., 0=18401
- Boroditch, V. D., Combarov, A. C., Filkin, V. Ya., Golub, A. P., Kremlev, M. G., Moroz, N. C. and Samoilov, B. N. Critical current for Nb-Zr ribbons in external magnetic field. 4=16364
- Borodkin, A. S. Motion of a charge for a special static electromagnetic field. 2=3137
- Borodkin, A. S. See Penchko, E. A., 2=2783
- Borodulin, E. K. See Kurochkin, K. T., 4=21111
- Borodulya, V. A. and Tamarin, A. I. On the use of an instantaneous heat source for studying the mixing of particles in a pseudo-fluid layer. 3=14111
- Boroffka, H. Photoconductivity of anthracene. 0=18065
- Boroffka, H. See Zerbst, M., 4=1670
- Boróki, G. and Gombosi, E. On the size distribution of stars observed in nuclear emulsions. 1=405
- Boronin, I. M., Dmitriev, V. D., Ibragimov, Sh. Sh. and Lyashenko, V. S. Mechanical properties and microstructures of certain structural materials after neutron irradiation. 2=10430
- Boros, J. Some remarks on the Gyulai-Hartly pressure effect. 0=17993
- Borot, M., Gradsztajn, S., Bernas, R., Armand, J. and Dejours, P. A mass spectrometer adapted for the rapid analysis of respiratory gases. 4=19133
- Borot, M. See Guyen-Long-Den, N., 3=19854
- Borough, H. C. See Shorthill, R. W., 1=10377
- Boroughs, H. An inexpensive castle and sample holder for radioactive counting. 0=9230
- Borovik, E. S., Busol, F. I. and Grishin, S. F. Study of feasibility of obtaining steady magnetic fields in coils cooled with liquid hydrogen. 2=1557
- Borovik, E. S., Busol, F. I. and Kovalenko, V. A. The use of a helium condensation pump for evacuation of magnetic traps. 3=21456
- Borovik, E. S., Busol, F. I., Yuferov, V. B. and Skibenko, E. I. An investigation of a supersonic jet of carbon dioxide as a target for charge transfer of ions. 4=14768
- Borovik, E. S. and Grishin, S. F. Determination of the composition of residual gases in vacuum obtained by condensation pumps. 0=12441
- Borovik, E. S., Grishin, S. F. and Grishina, E. Ya. Vapour pressure of nitrogen and hydrogen at low pressures. 0=16738
- Borovik, E. S., Grishin, S. F. and Grishina, E. Y. Adiabatic demagnetization of ferric-ammonium alum without thermal insulation. 4=5485
- Borovik, E. S., Grishin, S. F. and Lazarev, B. G. The limiting vacuums of condensation pump. 4=14226
- Borovik, E. S., Lazarev, B. G. and Mikgailov, I. V. Large hydrogen condensation pumps for ultra high vacuum. 3=182
- Borovik, E. S., Lazarev, B. G. and Mikhailov, I. F. A hydrogen condensation pump with a built-in liquefier. 2=2787
- Borovik, E. S. and Limar, A. G. Production of long-duration pulsed magnetic fields. 2=9680
- Borovik, E. S. and Limar, A. G. Production of pulse magnetic fields in coils cooled to low temperatures. 3=17026
- Borovik, E. S. and Mamalui, Yu. A. Dependence of the magnetic susceptibility of Ba ferrite on temperature. 0=18203

- Borovik, E.S. and Mamalui, Yu.A. Temperature dependence of the magnetization of hexagonal ferrites in weak fields, 1=11449
- Borovik, E.S. and Mamalui, Yu.A. Magnetic susceptibility of granular hexagonal ferrites, 3=23187
- Borovik, E.S. and Mamalui, Yu.A. A study of the temperature-dependence of the magnetic susceptibility of strontium and lead ferrites above the Curie point, 4=15656
- Borovik, E.S., Mitin, R.V. and Knyazev, Yu.R. Long high-pressure arcs, 2=17810
- Borovik, E.S., Nikolaev, G.T. and Sharevskii, B.A. The obtaining of an ultrahigh vacuum by means of a heated hydrogen condensation pump, 4=27233
- Borovik, E.S. and Usikova, N.E. Properties of mixed barium and strontium ferrites, 3=13279
- Borovik, E.S. and Volotskaya, V.G. Galvanomagnetic phenomena in indium and aluminum, 0=9945
- Borovik, E.S. and Volotskaya, V.G. Investigation of galvanomagnetic phenomena in chromium at low temperatures, 0=11661
- Borovik, E.S., Volotskaya, V.G., Fogel', N.Ya. Deviations from Kohler's law in pure aluminum, 4=4115
- Borovik, E.S. and Yakovleva, N.G. Effect of texture on the magnetic properties of mixed barium-strontium ferrites, 3=20615
- Borovik, E.S. and Yakovleva, N.G. Magnetic properties of a ternary system of mixed barium, strontium and lead ferrites, 4=23015
- Borovik, E.S. and Yakovleva, N.G. Magnetic properties of anisotropic mixed barium, strontium and lead ferrites, 4=23016
- Borovik, Ya.S. and Yakovleva, N.G. Magnetic properties of binary systems of mixed lead-barium and lead strontium ferrites, 4=13235
- Borovik-Romanov, A.S. Piezomagnetism in antiferromagnetic cobalt and manganese fluorides, 0=11911
- Borovik-Romanov, A.S. Piezomagnetism in the antiferromagnetic fluorides of cobalt and manganese, 0=13815
- Borovik-Romanov, A.S. and Kalinkina, I.N. Specific heat of spin waves in antiferromagnetic MnCO_3 , 2=4237
- Borovik-Romanov, A.S. and Kalinkina, I.N. Specific heat of spin waves in antiferromagnetic MnCO_3 , 3=3145
- Borovik-Romanov, A.S. and Kreines, N.M. Transition from the antiferromagnetic into the ferromagnetic state in CoSO_4 , 0=3103
- Borovik-Romanov, A.S., Kreines, N.M. and Prozorova, L.A. Antiferromagnetic resonance in MnCO_3 , 4=4397
- Borovik-Romanov, A.S. and Ozhogin, V.I. Weak ferromagnetism in the antiferromagnetic crystal CoCO_3 , 0=21039
- Borovik-Romanov, A.S. and Prozorova, L.A. Threshold resonance saturation in the antiferromagnetic MnCO_3 , 4=20578
- Borovik-Romanov, A.S. See Astrov, D.N., 1=4299
- Borovik-Romanova, T.F. Mutual influence of alkali metals in their determination by flame photometry, 4=2173
- Borovikov, A.V., Gvozdev, V.S. and Porsev, G.D. A multichannel unit for recording β - γ and β -e angular correlations, 2=20315
- Borovikov, A.V. See Rusinov, L.I., 1=17059
- Borovikov, V.A. Reduction of some three-dimensional problems in diffraction to the Dirichlet problem for Laplace's equation, 2=21796
- Borovikov, V.A. Two-dimensional problem of diffraction by a polygon, 2=21797
- Borovikov, V.A. Reduction of some three-dimensional problems in diffraction to the Dirichlet problem for Laplace's equation, 3=18
- Borovikov, V.A. Two-dimensional problem of diffraction by a polygon, 3=1581
- Borovikov, V.A. The three-dimensional problem of diffraction by a prism, 3=19017
- Borovikov, V.A., Gel'fand, I.M., Grashin, A.F. and Pomeranchuk, I.Ya. Phase shift analysis of pp scattering at 95 MeV, 1=16785
- Borovikova, G.P. See Korsunskii, M.I., 1=17904
- Borovikova, G.P. See Korsunskii, M.I., 1=20002
- Borovinskii, L.A. A new variant of the metallic model of a molecule, 0=15679
- Borovitskaya, N.M. Strain amplitude dependence of the dynamical properties of rubbers, 0=8108
- Borovoi, A.A. See Mikaelyan, L.A., 3=24924
- Borovoi, A. See Mikaelyan, L., 3=24925
- Borovskii, I.B. and Batyrev, V.A. Nature of the fine structure of the main K absorption edge of elements of the iron group, 2=16842
- Borovskii, I.B., Ditsman, S.A. and Bogdanov, V.G. Microfocus X-ray spectrograph, 3=4233
- Borovskii, I.B. and Gurov, K.P. An investigation of the electron spectrum of dilute solid solutions, 0=1937
- Borovskii, I.B. and Gurov, K.P. Effect of impurities on the X-ray emission spectra of transition metals, 0=9764
- Borovskii, I.B., Kabanov, A.N., Kushnir, Yu.M. and Schmidt, V.V. Effect of temperature on the characteristic energy losses of electrons in iron, 0=20763
- Borovskii, I.B. and Ovsyannikova, I.A. Investigation of the X-ray spectra of the superconducting compound CuS , 0=14934
- Borovskii, I.B. and Ronami, G.N. Influence of thermal vibrations of atoms on the process of "melting" of the fine structure of X-ray absorption spectra. I. Investigation of a copper-platinum solid solution, 3=10973
- Borovskii, I.B. and Schmidt, V.V. Investigation of the temperature dependence of the fine structure of the fundamental X-ray K absorption edge of Fe, 0=1738
- Borovskii, I.B. and Schmidt, V.V. Investigation of the correlation between the fine structure of X-ray absorption spectra and the characteristic electron energy losses, 2=14211
- Borovskii, I.B. and Schmidt, V.V. Influence of tungsten impurities on the temperature dependence of the fine structure of the K absorption spectrum of iron, 3=8608
- Borovskii, I.B. See Gurov, K.P., 1=4060
- Borovskii, I.B. See Ovsyannikova, I.A., 2=21258
- Borowicz, C. See Benisz, J., 0=17163
- Borowicz, L. Use of interference in polarized light for measurement of the contrast transmission function, 3=21522
- Borowitz, J.L. The relative volatilities of the system $\text{H}_2\text{O}^{18}-\text{H}_2\text{O}^{16}$, 2=19783
- Borowitz, S. and Smith, S.J. The physics of electronic and atomic collisions, 2=12300
- Borowitz, S. See Akerib, R., 1=8822
- Borowitz, S. See Baraff, G.A., 1=5960
- Borowitz, S. See Brudner, H.J., 1=792
- Borowitz, S. See Schwartz, J.L., 4=9625
- Borowitz, S. See Walsh, P., 0=1468
- Borowitz, S. See Walsh, P., 0=15645
- Borreani, G., See Bellière, J., 3=24775
- Borreani, G. See Bisi, V., 4=15105
- Borreani, G. See Bisi, V., 4=21928
- Borreani, G. See Bisi, V., 4=25195
- Borreani, G. See Marzari-Chiesa, A., 3=19695
- Borrego, J.M. Carrier concentration optimization in semiconductor thermoelements, 4=10139
- Borrego, J.M. Zener's maximum efficiency derived from irreversible thermodynamics, 4=14566
- Borrelli, N.F., McSwain, B.D. and Su Gouq-Jen. The infra-red spectra of vitreous boron oxide and sodium borate glasses, 3=13174
- Borrelli, N.F. and Su, Gouq-Jen. An interpretation of the infrared spectra of vitreous boron oxide, 4=7112
- Borrelli, N.F. See Milberg, M.E., 4=20826
- Borrelli, N.F. See McSwain, B.D., 3=13173
- Borrelli, N.F. See Su, Gouq-Jen., 3=3019
- Borrello, S.R. and Levinstein, H. Preparation and properties of mercury-doped germanium, 2=23340
- Børresen, S., Grimeland, B. and Messelt, S. Directional resolution and shielding properties of a long counter, 2=20363
- Borreswara Rao, C. Spectral method of determination of cadmium in sulphide minerals, 4=30913
- Borrmann, G. and Hildebrandt, G. Absorption and path of interfering X-ray beams in a weakly deformed crystal lattice, 0=3208
- Borrmann, G. and Lehmann, K. Some problems of X-ray optics: partial reflection and superposition of wavefields, 4=23378
- Børs, A. See Lombard, R.J., 4=3560
- Bors, C.I. Thermal stresses in anisotropic bodies with planar elastic symmetry and the problem of planar deformation, 4=11144
- Borsa, F. and Barnes, R.G. Sign of the conduction electron contribution to the electric field gradient in metals, 4=20155
- Borsa, F. See Bonera, G., 4=206
- Borsa, F. See Rowland, T.J., 4=17692
- Börsch-Supan, W. and Oser, H. Numerical computation of the temporal development of currents in a gas discharge tube, 3=14538
- Borsellino, A. and Gamba, A. An outline of a mathematical theory of PAPA, 2=2590
- Borshchevskii, A.S. and Tret'yakov, D.N. The synthesis of semiconducting materials using vibrational mixing, 0=7953
- Borst, L.B. Low-temperature neutron moderation, 0=6795

- Borst, L.B., Borst, S.L., Koysooko, L., Patel, H. and Stusnick, E. Nuclear spin states in molecular crystals, 1=19687
- Borst, L.B. See Agresta, J., 1=13882
- Borst, L.B. See Bernabei, A., 2=5926
- Borst, S.L. See Borst, L.B., 1=19687
- Bort, R.L. Comments on 'Influence of shock-machine loading on shock spectra', 3=14247
- Bortfeld, D.P., Congleton, R.S., Geller, M., McComas, R.S., Riley, L.D., Seey, W.R. and Stitch, M.L. Influence of optical quality on ruby laser oscillators and amplifiers, 4=24932
- Bortfeld, D.P., Geller, M. and Eckhardt, G. Combination lines in the stimulated Raman spectrum of styrene, 4=20094
- Bortfeld, D.P. See Eckhardt, G., 4=7105
- Bortfeld, D.P. See Geller, M., 3=24525
- Bortfeldt, J. Development of simple spectral cinematographic methods, 3=7327
- Bortfeldt, J. See Bartels, H., 3=4102
- Bortner, M.H. Shock layer electron densities considering the effects of both chemical reactions and flow field variations, 2=2755
- Bortner, M.H. The effect of errors in rate constants on non-equilibrium shock layer electron density calculations, 2=3004
- Bortner, M.H., Povard, V.D. and Myerson, A.L. Actinometric determination of the dissociation of carbon dioxide by a single flash, 0=1961
- Bortner, T.E. See Hurst, G.S., 1=13065
- Bortnik, I.M. On the derivation of Peek's formula, 4=18743
- Bortonali, M.V., Lendinara, L. and Monari, L. Production of ^3H in the absorption of π^- in ^4He , 2=18157
- Bortolani, V. Production of σ -electrons in distant collisions by charged ultrarelativistic particles, 1=13121
- Bortolani, V. See Bonsignori, F., 1=5759
- Bortone, G. and Faleschini, B. Simulation of a neutron chopper, 2=16204
- Bortz, P.I. See Byron, S., 2=13543
- Bortz, P.I. See Byron, S., 4=19058
- Borun, G.N. and Polyakov, Z.I. Expansion in the cutting zone of an ultrasonic machine tool, 4=14298
- Borwein, D. and Mitchell, A.R. The effect of boundary conditions and mesh size on the accuracy of finite difference solutions of two-point boundary problems, 0=18572
- Bory, C. and Fauré, J. Experimental determination of the influence of the eccentricity of an annular space on the local coefficient of convection, 0=5207
- Borysov, M.D. and Mitina, N.I. Instrumental and photographic broadening of spectral lines, 2=17622
- Borysowicz, J. and Dabrowski, J. Diffraction scattering of deuterons on non-spherical nuclei, 2=1910
- Borysowicz, J. and Dabrowski, J. Diffraction scattering of deuterons on non-spherical nuclei, 2=14124
- Borysowicz, J. and Dabrowski, J. Diffraction scattering of deuterons on non-spherical nuclei. II. Deformation of arbitrary multipolarity, 3=4661
- Borysowicz, J. and Zielińska, M. Binding energy of the alpha particle and the velocity-dependent potentials, 4=3497
- Borysowicz, J. and Zielińska, M. Variational calculation of the binding energy of the alpha particle with velocity-dependent potential, 4=25214
- Borzhkovskaya, V.M. See Pariiskii, V.B., 4=9957
- Borzunov, N.A., Kuz'mina, N.Ya., Nevyazhskii, I. Kh., Osovets, S.M., Petrov, Yu. F., Polyakov, B.I., Popov, I.A., Khodataev, K.B. and Shimchuk, B.P. Investigation of a plasma in a setup with travelling waves, 4=14691
- Borzunov, N.A. and Orlinski, D.V. The distribution of intensity of neutron radiation along the axis of a straight tube during a strong pulsed discharge in deuterium, 1=7246
- Borzunov, N.A., Orlinski, D.V. and Osovets, M. Investigation of high current pulse discharges in conical chambers, 0=5306
- Borzunov, N.A., Orlinsky, D.V. and Osovets, S.M. Investigation of pulsed high current gas discharges by high speed photography, 0=9041
- Borzunov, V.A. and Mirinski, D.S. A gland for the rod of a high-pressure [hydraulic] intensifier, 0=3490
- Borzyak, P.G. The Bao-adsorption effect on the work function and photoelectric emission of semiconductors, 2=22241
- Borzyak, P.G. and Fedorovich, R.D. Fundamental optical absorption amorphous and crystalline germanium, 0=16056
- Borzyak, P.G. and Fedorovich, R.D. Optical properties and photoelectron emission of amorphous and crystalline films of germanium, 1=17872
- Borzyak, P.G., Katrich, G.A. and Sarbei, O.G. Electron emission from CdS during the passage of a current, 2=11686
- Borzyak, P.G., Marchuk, P.M. and Mityans'kii, G.F. Photoelectron emission of the intermetallic compounds Mg_2Sn and InAs , 2=1483
- Borzyak, P.G., Marchuk, P.M. and Sarbei, O.G. Volt-ampere characteristics of the photo-electron emission of germanium, 0=11724
- Borzyak, P.G., Miroshnichenko, L.S. and Fedorovich, R.D. Optical properties and photoelectron emission in Mg_2Sb , 2=2213
- Borzyak, P.G., Miroshnichenko, L.S. and Sarbei, O.G. Photoelectric emission of germanium and silicon in the amorphous and crystalline states, 0=11725
- Borzyak, P.G. See Bibik, V.F., 2=12541
- Borzyak, P.G. See Bibik, V.F., 2=14581
- Borzyak, P.G. See Bibik, V.F., 3=16971
- Borzyak, P.H. Increasing the sensitivity of Cs₃Sb photocathodes by optical methods, 1=13110
- Borzyak, P.H., Marchuk, P.M. and Sarbei, O.H. Volt-ampere characteristics of the photoelectric emission of Ge, 1=13116
- Borzyak, P.H., Myroshnychenko, L.S. and Sarbei, O.H. Photoelectric emission of Ge and Si in the amorphous and crystalline states, 1=13115
- Bos, C.E. See de Boer, E., 4=5342
- Bos, E.C. See Kramer, P., 2=16361
- Bos, E.C. See Kramer, P., 2=16362
- Bos, W.H. van den. See van den Bos, W.H.
- Bosanquet, C.H., Horn, G. and Thring, M.W. The effect of density differences on the path of jets, 1=18378
- Bosch, G. On the thermal conductivity of SiC, 2=10343
- Bosch, G. See Aarts, J., 4=28125
- Bosch, H., Krmpotic, F. and Plastino, A. Beta spectroscopy with solid-state detectors, 3=19616
- Bosch, H. See Abecasis, S., 2=18262
- Bösch, H. See de Carvalho, H.G., 2=18367
- Bosch, H.E. and Caracoché, M.C. Backscattering effect on gamma-ray spectra recorded by scintillation spectrometers, 3=14941
- Bosch, H.E., Krmpotic, F. and Plastino, A. Experimental determination of the total conversion coefficient of the 0.265 MeV transition in Mo^{93m} , 4=3569
- Bosch, H.E. and Urstein, T. Nuclear studies by means of beta spectroscopy with scintillation counters, 3=24883
- Bosch, M.C. See Gledhill, J.A., 3=9270
- Bösch, R., Brosi, R., Lang, J., Müller, R. and Wölfli, W. Application of the Monte Carlo method to the calculation of the response function of organic scintillators for fast neutrons, 4=9230
- Bösch, R., Lang, J., Müller, R. and Wölfli, W. Measurement of the polarization of photon neutrons from Be^9 , 2=14074
- Bösch, R., Lang, J., Müller, R. and Wölfli, W. Elastic scattering of 9 MeV γ -quanta in U and Pb, 2=20585
- Bösch, R., Lang, J., Müller, R. and Wölfli, W. Scattering of 9 MeV gamma rays by the nuclear electromagnetic potential (Delbrück scattering), 2=22782
- Bösch, R., Lang, J., Müller, R. and Wölfli, W. Study of the nuclear photoeffect in Be at discrete gamma-energies between 5.4 and 9.0 MeV, 2=22784
- Bösch, R., Lang, J., Müller, R. and Wölfli, W. Remarks concerning a paper on the dineutron, 4=6055
- Bösch, R., Lang, J., Müller, R. and Wölfli, W. Elastic scattering of 9 MeV gamma quanta by lead and uranium, 4=6316
- Bösch, R., Lang, J., Müller, R. and Wölfli, W. Photodisintegration of H^3 , 4=15109
- Bösch, R. See de Carvalho, H.G., 3=24991
- Bosch, S.H. and Kuskevics, G. Kinetic secondary electron from tungsten by cesium ions, 4=19095
- Boscher, J., Goldsztaub, S. and Quivy, M. Concentration distribution in the solution around a crystal growing dendritically, 2=23818
- Boschi, A. and Magistrelli, F. Space charge aspects of R.F. plasmoids, 4=11648
- Boschi, A. and Magistrelli, F. Effect of a r.f. signal on the characteristic of a Langmuir probe, 3=24300
- Boschi, A. See Allen, J.E., 3=7487
- Boschitz, E. Polarization of protons elastically and inelastically scattered from carbon near 17 and 19 MeV, 2=7978
- Boschloo, G.A. See Bolwijn, P.T., 3=11908
- Bosco, B. Analyticity, unitarity and resonances, 0=7292
- Bosco, B. Dispersion relations for scattering wave functions in potential theory, 0=17258

- Bosco, B. Analytic properties and rescattering correction to the Born approximation for transition matrix elements, 1=12058
- Bosco, B. Phenomenological approach to the electrodisintegration of the deuteron, 2=9930
- Bosco, B. A dispersive formulation of the Levinson theorem, 2=22432
- Bosco, B., Ciocchetti, G. and Molinari, A. On the electromagnetic interaction with the deuteron at threshold, 3=19710
- Bosco, B. and DeBar, R. B. The rescattering correction to the deuteron electrodisintegration, 3=2326
- Bosco, B. and Quarati, P. Photons and electrons in nuclear processes. I. Relations between the differential cross-sections for the photon and electron-disintegration in the two-body systems, 4=25370
- Bosco, B. and Sucher, J. Analyticity in the coupling constant and bound states in potential theory, 1=8056
- Bose, A., Chakravarty, A. S. and Chatterjee, R. The nature of the crystalline fields in Ti^{3+} alum, 0=8034
- Bose, A., Chakravarty, A. S. and Chatterjee, R. The magnetic behaviours of titanium caesium sulphate alum, 0=16127
- Bose, A., Chakravarty, A. S. and Chatterjee, R. On the magnetic anisotropy and susceptibility of $Fe(NH_4SO_4)_6 \cdot 6H_2O$, 1=14697
- Bose, A., Chakravarty, A. S. and Chatterjee, R. Crystalline electric fields in hydrated Co^{2+} salts, 1=14698
- Bose, A., Chakravarty, A. S., Chatterjee, R. and Datta-Roy, S. K. Paramagnetic behaviours of the hydrated salts of Ti^{3+} , V^{3+} , Fe^{2+} and Co^{2+} , 3=6691
- Bose, A. and Chatterjee, R. Orthorhombic crystalline field theory of $Ni^{2+} \cdot 6H_2O$ complex, 3=20053
- Bose, A., Chatterjee, R. and Chakravarty, A. S. Optical and magnetic behaviors of $Ni^{2+} \cdot 6H_2O$ complex in crystalline salts, 4=25830
- Bose, A., Chatterjee, R. and Rai, R. Molecular orbital theory of the Ligand field in hydrated V^{3+} salts, 4=20520
- Bose, A., Dutta Roy, S. K., Ghosh, P. K. and Mitra, S. An electrodynamic balance and a new liquid oxygen cryostat for measurement of magnetic susceptibilities between 400°K and 60°K, 4=21612
- Bose, A., Mitra, S. C. and Datta, S. K. The behaviour of the paramagnetic ions in the single crystals of some similarly constituted salts of the iron group of elements. II. Hydrated Ni^{2+} salts, 0=1778
- Bose, A. See Dutta-Roy, S. K., 0=18167
- Bose, A. K. Effect of the two-particle spin-orbit interaction on the angular distribution, and the polarization at the deuteron, of elastically scattered neutrons, 2=3345
- Bose, A. K. Effect of two-particle spin-orbit interaction on the angular distribution and polarization of neutrons elastically scattered by deuterons, 2=20344
- Bose, A. K. A class of solvable potentials, 4=18062
- Bose, A. K. Solvable potentials, 4=8022
- Bose, A. K. Traces of products of components of angular momentum operators, 4=16672
- Bose, A. N. and Benson, S. W. Kinetics of the reaction of HI with propylene, 2=21582
- Bose, A. N. and Benson, S. W. Kinetics of addition of HI to isobutene and vinyl chloride, 3=11338
- Bose, A. N. See Benson, S. W., 3=6915
- Bose, A. N. See Benson, S. W., 4=7742
- Bose, H. N. See Rao, K. V., 3=968
- Bose, H. N. See Sen, S. C., 2=6612
- Bose, M. See Labes, M. M., 0=13621
- Bose, M. See Labes, M. M., 0=15969
- Bose, M. See Labes, M., 2=23305
- Bose, S. C. Stresses due to a nucleus of thermoelastic strain in an infinite elastic solid with a spherical elastic inclusion of a different material, 3=23809
- Bose, S. K. Form-factor of the neutron from deuteron electrodisintegration, 0=20146
- Bose, S. K. Decay rate of the neutral pion, 2=7878
- Bose, S. K. Effect of the $\pi-\pi$ and $K-\pi$ resonances on the kaon form factor, 2=13879
- Bose, S. K. Higher order weak interactions and the ($K_1^0-K_2^0$) mass difference, 2=22622
- Bose, S. K. On pressure waves in a layered liquid, 4=18159
- Bose, S. K. A wave theory for the generation of Love, G and S_a waves, 4=7816
- Bose, S. K. and Biswas, S. N. N^* Regge pole and pion-nucleon (3,3) phase shifts, 4=9251
- Bose, S. K. and DerSarkissian, M. Properties of the deuteron Regge trajectory and low-energy neutron-proton scattering, 4=9302
- Bose, S. K. and Marshak, R. E. Pole approximation for nonleptonic and radiative hyperon decays and odd $\Sigma-A$ relative parity, 2=9922
- Bose, S. K. and Marshak, R. E. Effect of pion resonances on the ($\pi^+-\pi^0$) and (K^+-K^0) mass differences, 2=18151
- Bose, S. K. See Biswas, S. N., 4=16965
- Bose, S. K. See Biswas, S. N., 4=27899
- Boser, O., Kronmüller, H., Seeger, A. and Träuble, H. Temperature and deformation dependence of the initial permeability and the coercive force in hexagonal cobalt single crystals, 3=20576
- Boser, O. See Seeger, A., 3=18187
- Bosgra, S. J. and Hoogland, W. Measurements on short range hyperfragments, 4=21994
- Bosgra, S. J. See Lim, T. G., 1=5774
- Bosio, L. and Defrain, A. Study of the supercooling of small droplets of gallium, 2=7465
- Bosio, L. and Defrain, A. Determination of the latent heat of fusion of γ Ga, 4=24435
- Bosio, L., Defrain, A. and Epelboin, I. The electrical resistivity of a phase of gallium unstable at atmospheric pressure, 0=9930
- Bosio, L., Defrain, A. and Epelboin, I. Supercooling of bismuth, 2=4447
- Bosio, L., Defrain, A. and Epelboin, I. On the polymorphism of gallium at atmospheric pressure, 3=8836
- Boskma, P. The collective model of deformed nuclei without axial symmetry, 1=13647
- Boskma, P. and de Waard, H. Decay of ^{140}Ba , 0=4054
- Bosman, A. J., Brommer, P. E., Eijkelenboom, L. C. H., Schinkel, C. J. and Rathenau, G. W. The influence of pressure on the mean time of stay of interstitial carbon in iron, 1=6118
- Bosman, A. J., Brommer, P. E., Eijkelenboom, L. C. H., Schinkel, C. J. and Rathenau, G. W. Note on the interaction of interstitially dissolved carbon atoms in α -iron, 1=6546
- Bosman, A. J., Brommer, P. E. and Rathenau, G. W. New measurements on time decrease of permeability, 0=13786
- Bosman, A. J. and de Vries, G. Magnetic after-effect in iron and iron-silicon resulting from dissolved carbon and nitrogen atoms, 2=4222
- Bosman, A. J. and Havinga, E. E. Temperature dependence of dielectric constants of cubic ionic compounds, 3=8546
- Bosman-Crespin, D. See Swings, P., 2=17263
- Bösnecker, D. An electron paramagnetic resonance spectrometer employing various methods of detection, 0=15177
- Bösnecker, D. and Lutze, E. Paramagnetic electron resonance in solution, 0=16714
- Bösnecker, D. and Waidelich, W. Electron resonance in strongly irradiated silver chloride, 0=1547
- Bösnecker, D. and Waidelich, W. Paramagnetic resonance in light irradiated silver bromide, 0=6415
- Bösnecker, D. See Lutze, E., 0=3544
- Bossa, M. See Furlani, C., 4=22331
- Bossard, B. B. and Kurzrok, R. M. Comments on "Broad-band parametric amplifiers by simple experimental techniques", 3=1908
- Bossart, R. See Baldinger, E., 2=22136
- Bosselaar, C. A. Non-dispersive infra-red analysis of mixtures of water and heavy water, 3=23561
- Bossolasco, M. and Elena, A. On some characteristics of the E_- layer, 1=6616
- Bossolasco, M. and Elena, A. Absorption in the D layer and the temperature of the mesosphere, 3=25927
- Bossy, L. Stormer's problem and particle movement in radiation belts, 2=19251
- Bossy, L. and De Vuyst, A. The relations between the electric and magnetic fields induced in a medium of variable conductivity by a wave with a very long period, 0=15153
- Boster, T. A. and Edwards, J. E. Kronig-structure variations in the X-ray K-absorption spectra of a Cu single crystal, 2=14696
- Bostick, H. A. See Adelson, H. E., 0=2466
- Bostick, H. A. See O'Connor, J. R., 2=12597
- Bostick, W. H. Measurement of the properties of plasma eddies produced by shear in velocity in a magnetic field, 3=1965
- Bostick, W. H. Plasma shreds in a magnetic field, 3=7524
- Bostick, W. H. The role of Hall currents and plasma vortices in the planar current sheet in a coaxial plasma accelerator, 3=7599
- Bostick, W. H. Hall currents and vortices in the coaxial plasma accelerator, 4=5689
- Bostick, W. H. Plasma vortices, 4=19030
- Bostick, W. H., Byfield, H. and Brettschneider, M. Measurements of B, E, and n inside the simulated "geomagnetic cavity in the presence of solar wind", 4=4796

- Bostick, W. H., Byfield, H. and Brettschneider, M. Plasma flow around a three-dimensional dipole, 4=2976
- Bostick, W. H., Byfield, H., Nakagawa, Y. and Wells, D. Interaction between plasma and a two dimensional magnetic dipole, 3=4125
- Bostick, W. H. and Wells, D. R. Azimuthal magnetic field in the conical theta pinch, 3=21797
- Bostick, W. H. See Dickinson, H., 2=19952
- Bostick, W. H. See Di Marco, J. N., 2=17832
- Bostock, W. H. See Dickinson, H., 0=12618
- Boston, C. R. and Smith, G. P. Spectra of dilute solutions of bismuth metal in molten bismuth trihalides. Evidence for two solute species in the system bismuth-bismuth trichloride, 2=19563
- Boston, C. R., Smith, G. P. and Howick, L. C. Spectra of dilute solutions of bismuth metal in molten bismuth trihalides. II. Formulation of solute equilibrium in bismuth trichloride, 4=5185
- Boston, C. R. See James, D. W., 4=15338
- Boston, C. R. See Smith, G. P., 1=6861
- Boston, C. R. See Smith, G. P., 2=15593
- Bostrom, C. O. and Draper, J. E. Anticoincidence gamma-ray spectrometer for neutron capture spectroscopy, 1=13380
- Bostrom, C. O. See Draper, J. E., 0=4080
- Bostrom, C. O. See Draper, J. E., 3=24948
- Bostrom, C. O. See Pieper, G. F., 3=7952
- Bostrom, C. O. See Zmuda, A. J., 3=22225
- Boström, L. See Matthias, E., 3=10224
- Boström, L. See Salomon, M., 4=3570
- Boström, L. See Salomon, M., 3=20069
- Boström, L. See Salomon, M., 4=20156
- Bostrom, N. A. See Smith, D. M., 0=4118
- Bostwick, K. V., Engstrom, J. R. and Wise, R. E. Effect on fan-wheel construction on sound-pressure level, 3=14287
- Bostwick, L. G. and Barmby, D. S. Morphological changes induced in platinum/alumina reforming catalyst by thermal treatment, 3=18367
- Bosvieux, C. and Friedel, J. Electrolysis of metallic alloys, 2=12970
- Boswarva, I. M. Faraday effect in semiconductors, 3=23047
- Boswarva, I. M. Analysis of the Faraday rotation spectrum of indium antimonide in the absorption edge region, 4=28693
- Boswarva, I. M., Howard, R. E. and Lidiard, A. B. Faraday effect in semiconductors, 2=18797
- Boswarva, I. M. and Lidiard, A. B. Faraday rotation in germanium, 3=10772
- Boswarva, I. M. and Lidiard, A. B. Faraday effect in semiconductors. II, 4=17565
- Boswell, F. W. C. The effect of deformation on the internal friction of iron measured at the carbon peak positron, 0=1845
- Boswell, F. W. C. See Fourie, J. T., 0=12090
- Böswirth, L. Transition from bubble to film evaporation (burn-out), 2=7464
- Bosworth, R. C. L. Attempts to measure the inductive element associated with the natural convection of heat, 0=12522
- Bosworth, R. C. L. and Groden, C. M., Thermal transients associated with natural convection, 0=12521
- Bosworth, R. C. L. and Groden, C. M. Thermal properties of systems exhibiting optimum countercurrent heat exchange, 4=16266
- Bosworth, R. C. L. and Groden, C. M. Optimum thermal efficiency in countercurrent heat exchangers, 4=16267
- Bot, J. Le. See Le Bot, J.
- Bota, F. See Kelemen, F., 4=10666
- Botch, W. and Fixman, M. Viscosity of critical mixtures: dependence on viscosity [velocity] gradient, 2=17419
- Botham, J. H. Some notes on visual and telescopic meteors, 0=18708
- Botham, J. H. Observations of the planets Jupiter and Saturn in 1960, 1=4193
- Botham, J. H. Jupiter and Saturn in 1961, 2=17258
- Botham, J. H. Observations of the planet's Jupiter and Saturn in 1962, 3=13866
- Bothe, H. K. Energy transport in luminescent solutions. I, 0=6806
- Bothe, H. K. The energy transfer in luminescent solutions. II. Solutions with two luminescent solutes, 1=1745
- Bothe, H. K., Hilbig, H., Fischer, L. and Legler, I. Use of radionuclides for the investigation of flowing processes during the extruding of plastics, 3=3225
- Bothe, H. K. and Wangermann, G. Measurement of elementary sulphur-35 with a liquid scintillation counter, 1=20778
- Bothner-By, A. A. Medium effects in the nuclear magnetic resonance spectra of liquids. IV. Nature of the effects, 0=16712
- Bothorel, P. Apparatus for the measurement of the Hall effect in powdered solids, 0=9946
- Bothorel, P. Measurement of the hall effect in powdered materials, 0=17990
- Bothorel, P. See Clément, C., 3=136
- Bothorel, F. See Clément, C., 4=18201
- Bothorel, P. See Pacault, A., 1=3764
- Bothorel, P. See Unanue, A., 4=22343
- Botilă, T. See Dévényi, A., 4=10449
- Boțilă, T. See Grigorovici, R., 2=16620
- Boțilă, T. See Grigorovici, R., 2=20979
- Boțilă, T. See Grigorovici, R., 3=4906
- Botilă, T. See Grigorovici, R., 3=8494
- Botley, C. M. Sporadic aurora, 4=2234
- Botley, C. M. and Dauvillier, A. Polar aurorae and lunar haloes, 3=23629
- Botley, C. M., Rao, M. S. and Lokanadham, B. Spectra of meteor wakes, 4=29432
- Bots, G. J. C. The mechano-caloric effect of liquid helium below 1°K , 0=8908
- Bots, G. J. C., Blaisse, B. S. and Goudswaard, B. The magnetic and caloric properties of neodymium magnesium nitrate, 2=12384
- Bots, G. J. C. and Coremans, M. J. F. J. The mechanocaloric effect in liquid helium above 0.3°K , 1=5386
- Bots, G. J. C. and Gorter, C. J. Recalculations on earlier experiments on the fountain effect below 1°K , 1=5393
- Bots, G. J. C. See Reynolds, J. M., 1=5387
- Botsaris, G., Hill, A., Mason, E. A. and Reid, R. C. Effect of gamma irradiation on the density of potassium chloride, 4=10015
- Botsilė, T. See Grigorovich, R., 4=9891
- Bott, I. B. See Heritage, R. J., 3=18377
- Bottai, G. Electric field of the eye, 2=15428
- Bottai, G. See Ronchi, L., 3=11630
- Bottai, G. See Ronchi, L., 3=13966
- Böttcher, H., Malz, D. and Schubert, M. Construction and test of a spectrometer for the far infrared, 3=251
- Böttcher, H. and Schubert, M. Nonperiodic grating errors in echelette and plane gratings, 0=19443
- Böttcher, H. and Schubert, M. Ruling errors in reflection gratings, 1=1827
- Bottema, M. Spectral lines of narrow breadth, 1=16086
- Bottema, M. See Strong, J., 4=29427
- Botterill, J. S. M. See Bloore, P. D., 1=12858
- Botterill, J. S. M. See Nutt, C. W., 0=2758
- Bottet, G. See Berger, J., 0=15806
- Böttger, C. L. and Eggers, D. F., Jr. Infrared spectra of crystalline C_2H_2 , C_2HD , and C_2D_2 , 4=17585
- Böttger, G. See Dows, D. A., 1=7713
- Böttger, H. and Koswig, H. D. Loss factor measurements on Ni-doped AgBr, 3=8554
- Böttger, H. Loss factor measurements on silver halides doped with transition metals of the iron group, 4=12963
- Böttger, O. and Franke, H. The decay rate of H^+ ions in an isochronous cyclotron as a result of the Lorentz force, 4=16588
- Böttger, O. and Meister, W. Semiconducting properties of silver telluride (Ag_2Te), 3=20343
- Böttger, O. and Pingel, H. Gas separation with the molecular pump. I. Separation factor and separation potential of a molecular pump of constant slit height, 3=22514
- Böttger, O. and Pingel, H. Gas separation with the molecular pump. II. Separation factor and separation potential of a pump with position-dependent slit height, 4=3819
- Böttger, O. and Pingel, H. Gas separation with the molecular pump. III. Separation factor and separation potential of a molecular pump with simultaneous enrichment and impoverishment of the supplied gas mixture, 4=3820
- Böttger, O. and Pingel, H. Efficiency of an isotope separation element and correlation between change in mixing entropy and separation potential, 4=19998
- Böttger, O. and Richter, E. Dependence of the density of dislocations and carrier lifetime in zone-grown silicon single crystals on the velocity of the zone and on annealing treatments, 2=23368
- Böttger, O. and Richter, E. On the lifetime in zone-grown and metal doped silicon single crystals, 2=23369
- Böttcher, W. Quantitative spectroscopic measurement of a linear pinch discharge in helium, 3=7559
- Böttcher, W. and Dammann, H. Generation and calculation of fast concentric shock waves in helium, 4=5611

- Böttcher, W., Roder, O. and Wobig, K. H. Measurement of transition probabilities, half-widths and shifts of He I-lines, 4=3780
- Böttcher, W. See Berge, O. E., 4=18828
- Bottcher, W. See Niesel, W., 4=18404
- Bottiglioni, F., Capet, M., Fischhoff, E. and Prevot, F. High ionized plasma column in a magnetic field, 3=7528
- Bottiglioni, F., Fumelli, M. and Prevot, F. Fluctuations and rotations of a plasma column, 4=18996
- Bottino, A. and Longoni, A. M. Holomorphy domain of the S-matrix in potential scattering, 2=11884
- Bottino, A., Longoni, A. M. and Regge, T. Potential scattering for complex energy and angular momentum, 2=9798
- Bottino, A. See Ascoli, R., 1=5683
- Bottino, A. See Bishop, G. R., 4=25380
- Bottjer, M. C. and Haendler, H. M. Silver chloride cavity window for infrared liquid cells, 3=16779
- Botto, P. and Hack, M. A two-dimensional classification for stars of class O, 2=17287
- Bottom, V. E. Fabry-Perot dilatometer, 4=16003
- Bottomley, G. A., Reeves, C. G. and Whytlaw-Gray, R. The isothermals of benzene vapour between 22 and 70°C, 0=8698
- Bottomley, G. A., Remington, T. A. and Whytlaw-Gray, R. The second virial coefficient of benzene at low pressures, 0=8699
- Bottomley, G. A. and Spurling, T. H. The second virial coefficients of carbon disulfide, 4=29666
- Bottomley, M. J., Parry, G. S. and Ubbelohde, A. R. Thermal expansion of some salts of graphite, 4=22506
- Bottomley, R. C. See Lomer, P. D., 4=16906
- Bottreau, A. Low-temperature variation of the paramagnetic resonance of an X-irradiated single crystal of glycine in the 9000 Mc/s band, 2=12822
- Bottreau, A. A study of e.s.r. signals at 9000 Mc/s of single crystals of glycine irradiated with γ - or X-rays, 3=18132
- Bottreau, M. M., Gerbier, J. and Gray, E. Attempt at interpretation of the influence of a non-polar solvent on the vibrational frequency of the carbonyl group, 0=9804
- Botty, M. C. and Thomas, A. M. Electron microscopy, 2=21576
- Botty, M. C. See Rochow, T. G., 3=20961
- Botvin, V. A., Takibaev, Zh. S., Chasnikov, I. Ya., Pavlova, N. P. and Boos, E. G. Study of three-prong stars produced in nuclear emulsions as a result of inelastic p-n interactions at 9 BeV, 2=288
- Botvin, V. A., Takibaev, Zh. S., Chasnikov, I. Ya., Pavlova, N. P. and Boos, E. G. Study of three-prong stars produced in nuclear emulsions as a result of inelastic p-n interactions at 9 BeV, 2=22511
- Botvin, V. A., Takibaev, Zh. S. and Usik, P. A. Inelastic p-n interactions at 9 GeV, 3=5997
- Botvin, V. A. See Boos, E. G., 2=7856
- Botvin, V. A. See Boos, E. G., 3=6002
- Botvin, V. A. See Takibaev, Zh. S., 1=2052
- Botzen, A. See Trappeniers, N. J., 4=21176
- Botzian, R. Stripping reactions with polarized deuterons, 1=714
- Botzian, R. Classification of quantities determined by polarization measurements in (d, n) reactions, 4=9551
- Bouard, X. De. See De Bouard, X.
- Boublil, C. See Juillard, A., 2=20562
- Boublil, Y., Blamont, J. E. and Herse, M. Action of ozone on the light scattered by artificial trains of solid particles created in the upper atmosphere, 2=11044
- Boublil, Y. and Earnshaw, K. B. Propagation of a reflected shock wave in a transverse magnetic field, 4=19184
- Bouchard, F. and Thureau, P. On a new development of temperature measurements by photoluminescence, 3=8622
- Bouchard, G. H., Jr and Fairhall, A. W. Production of Be¹¹ in 30-42 MeV He-ion bombardment of oxygen, aluminum, and copper, 0=1420
- Bouchareine, P. and Connes, P. Interferometer with compensated field for Fourier transform spectroscopy, 3=21540
- Bouchareine, P., Connes, P. and Pinard, J. Interferometer with compensated field for Fourier spectroscopy, 4=29363
- Bouchat, J. See Steyaert, J., 2=11622
- Bouche, L. Approximate field equations in an Einstein-Schrödinger type unified theory, 0=870
- Bouche, L. Conservation identities in an Einstein-Schrödinger type theory, 0=16592
- Bouche, L. Study of a generalization of the Einstein-Schrödinger relativistic unified field theory, 4=24055
- Bouche, L. See Tonnelat, M. A., 0=16571
- Boucher, E. A. A fully automatic thermostat of five litres working space for the range 0°C to -40°C, 4=27364
- Boucher, G. Crossed-field thyatron, 3=7455
- Boucher, G. and Doehler, O. On the alignment of gaseous discharges in crossed electrical and magnetic fields, 0=16980
- Boucher, R. Study of uranium-plutonium-molybdenum alloys, 2=17043
- Boucher, R. See Lichtenstein, M., 0=8453
- Boucher, R. A. and Ames, D. B. End effect losses in d.c. magnetohydrodynamic generators, 1=7140
- Boucher, R. R. See Michaud, G. G., 0=7379
- Boucherie, A. Subtraction system with a memory cathode-ray tube, 1=1866
- Boucherie, A. and Mey, J. A distributed [parameters] pulse-height analyser, 0=9248
- Bouchez, R., Beaumevielle, H., Fleury, J., Perrin, P., de Swiniarski, R. and Chabre, M. Angular distribution of the ¹¹B(p, α) reaction at 100 to 300 keV, 1=13791
- Bouchez, R., Delorme, C., Fleury, J., Krafft, J., Perrin, P., Goldman, L., Boge, M. and Dudek, B. Angular distribution of the reaction Li⁶(p, α)He³ from 100 to 300 keV, 1=13796
- Bouchez, R. and Depommier, P. Orbital electron capture by the nucleus, 1=2192
- Bouchez, R., Dubus, M., Duclos, J., Hamilton, D., Perrin, P. and Quivy, P. Excitation of the 7.6 MeV level in C¹² by 14 MeV neutrons, 2=12133
- Bouchez, R., Duclos, J., Merchez, F., Perrin, P. and Szabo, I. Excitation of the 7.65 MeV level in C¹² by inelastic scattering of 14 MeV neutrons, 4=17144
- Bouchez, R., Duclos, J. and Perrin, P. Scattering of 14 MeV neutrons from ¹²C and excitation of the 7.65 MeV level, 3=15206
- Bouchez, R. See Corompt, E., 1=16760
- Bouchez, R. See David, J. E., 1=18953
- Bouchez, R. See Depommier, P., 1=17048
- Bouchez, R. See N'guyen Huu Khanh., 1=13797
- Bouchiat, C., D'Espagnat, B. and Prentki, J. The selection rules in the Feinberg and Pais field theory of weak interactions, 4=9105
- Bouchiat, C. and Flamand, G. Final state interaction in proton-antiproton annihilation at rest, 2=11942
- Bouchiat, C. and Lévy-Leblond, J. M. Depolarization of electrons in matter, 4=25917
- Bouchiat, C. and Michel, L. The π - π meson scattering resonance and the anomalous magnetic moment of the μ meson, 1=16873
- Bouchiat, C., Nuyts, J. and Prentki, J. A model for the violation of the $|\Delta I| = \frac{1}{2}$ rule in K_{ns} decays and its experimental implications, 3=6064
- Bouchiat, C. C. Theory of the vector interaction with a conserved current and the beta decay of Na²⁴-Al²⁴ nuclei, 0=2637
- Bouchiat, C. C. Deviations from the $\Delta T = 0$ isotopic spin selection rule in Fermi transitions, 0=9576
- Bouchiat, M. and Brossel, J. Study of the hyperfine relaxation of rubidium vapour, 4=6510
- Bouchiat, M. A. Magnetic relaxation of rubidium atoms on paraffin covered walls, 4=6492
- Bouchiat, M. A. Magnetic relaxation of Rb atoms on paraffin-covered walls, 3=25060
- Bouchiat, M. A. and Brossel, J. Study of the relaxation of rubidium atoms on walls coated with silicones and paraffins, 2=18425
- Bouchiat, M. A., Carver, T. R. and Varnum, C. M. Nuclear polarization in He³ gas induced by optical pumping and dipolar exchange, 1=1772
- Bouciqé, R. Method of computing the mass distribution in a stellar system with spherical symmetry, composed of stars of different masses, 0=18817
- Bouciqé, R. See Dansercoer, W., 4=11846
- Bouciqé, R. See Mortier, P., 3=7459
- Boucke, G. Gamma spectrometry, 2=7844
- Boudart, M. See Koros, R. M., 0=14609
- Boudouris, G. Nuclear quadrupole resonance and its applications, 2=9723
- Boudouris, G. On the index of refraction of air, the absorption and dispersion of centimeter waves by gases, 4=3145
- Boudouris, G. A method of measuring the electromagnetic field in an arbitrary cavity with the help of perturbing samples, 4=16650
- Boudouris, G. Spherical cavities (1, 0, 1) containing a small spherical sample, 4=30056
- Boudouris, G. See Ilias, D., 1=8395

- Boudreaux, E. A. On the magnetic susceptibility of xenon tetrafluoride, 4=12490
- Boudreaux, E. A. Electronic structure and spectrum of XeF_4 . A semiempirical M. O. treatment, 4=17299
- Boudreaux, E. A. Theoretical study of the magnetic moments of Cu(III) complexes. I. Symmetrical trigonal bipyramidal and square pyramidal co-ordination, 3=22560
- Boudreaux, E. A., Dureau, L. D. and Jonassen, H. B. On the high-frequency paramagnetism and colour of post-transition metal compounds in ^1S states. I. The thallous halides, 3=20560
- Boudreaux, L. J. See Hasty, T. E., 1=14767
- Bougerie, P. Lunar variation of virtual heights of the ionospheric layer at Freiburg, 2=893
- Boughton, E. M. See Blitzer, L., 2=7042
- Bougnot, G., Galiana, R., Samuelli, J. and Sarazin, A. Apparatus for beam pulsation in a 3 MeV Van de Graaff accelerator, 2=5395
- Bougnot, G. See Sarazin, A., 2=2974
- Bougnot, J., Fillard, J. P. and Uny, C. Study of rectifying monocrystalline copper-copper oxide contacts, 4=7010
- Bougnot, J. and Uny, C. Method of obtaining rectifying monocrystalline contacts between copper and copper oxide, 2=6482
- Bougon, M. See Poivilliers, J., 3=4300
- Bougon, M. See Prugne, P., 0=2412
- Bouhet, C. See Cohen-Solal, G. W., 4=25651
- Bouhet, C. See Vedel, C., 4=5395
- Bouguie, R. On the photoelectric measurement of galactic and extragalactic distances, 0=18835
- Bouguie, R. Normal and isotopic bands of the red system of the CN molecule in the spectra of carbon stars, 2=19329
- Bouillon, F., Bouillon-Nyssen, Y. and Stevens, J. Selective oxidation of Cu-Ni alloys and nucleation of the oxides, 3=18432
- Bouillon, F. and Stevens, J. Influence of small quantities of nickel on the oxidation of copper, 0=16375
- Bouillon-Nyssen, Y. See Bouillon, F., 3=18432
- Bouissou, H. and Cordier, H. Measurement of surface temperatures with thermocouples. Effect of radiation received by the thermocouple and of the method of attachment, 3=281
- Bouix, M. The distributions of one variable: relations between two definitions, differentiation, integration, 0=3844
- Bouix, M. Complement to a study of electromagnetic point sources, 1=18981
- Boukema, J. I. Calculation of Regge trajectories in potential theory by W. K. B. and variational techniques, 4=25046
- Boukema, J. I. See Kronig, R., 3=11940
- Boulard, J. C. See Donnet, J. B., 3=25804
- Boulassier, J. C. and Briffod, G. Wave-directed particle interactions, 4=18978
- Boulassier, J. C., Clement, M., Cuvellier, J., Dagai, M. and Manus, C. Abnormal resistivity of a plasma, 4=11589
- Boulassier, J.-C. and Cuvellier, J. Study of a strongly ionized plasma obtained in a hollow cathode discharge, 3=21773
- Bouldin, W. V. and Gordy, W. Energy migration and isotopic effects in irradiated solids at low temperature, 4=25928
- Bouldin, W. V., Patten, R. A. and Gordy, W. Energy migration and transfer in solid argon and krypton at low temperatures, 2=20917
- Bouleau, M. See Azam, N., 1=7851
- Boulesteix, C. Thin layers of silver evaporated under vacuum at low rates of deposition forming a metastable structure, 4=13674
- Boulesteix, C. Influence of surface energy on the size of microcrystals in discontinuous thin metal films, 3=16134
- Bouligand, C. On the axiom of incompressibility, 0=6726
- Boulloud, A. The effect of temperature on pre-breakdown currents in compressed gases, 0=3743
- Boulloud, A. Role of solid particles in the flow of predisruptive currents and the initiation of electric discharges in vacuum, 3=380
- Boulloud, J. P. and Schweitzer, J. Experimental study of metal gasketed joints for ultra-high vacuum, 1=2799
- Boullé, A. See Lecomte, J., 4=15353
- Boult, G. T. See Savic, P., 2=13521
- Boulton, J. S. See Bardsley, W., 3=13415
- Boulware, D. G. Spin and statistics with an electromagnetic field, 2=2634
- Boulware, D. G. Erratum: Spin and statistics with an electromagnetic field, 2=19443
- Boulware, D. G. and Deser, S. "Ambiguity" of harmonic-oscillator commutation relations, 4=2563
- Boulware, D. G. and Deser, S. External sources in gauge theories, 4=5014
- Boulware, D. G. and Gilbert, W. Connection between gauge invariance and mass, 2=13728
- Bouman, J. On the construction of matter tensors in crystals, 4=7522
- Bouman, M. A. Sensory phenomena, 3=3686
- Bouman, M. A., Vos, J. J. and Walraven, P. L. Fluctuation theory of luminance and chromaticity discrimination, 3=5303
- Bouman, M. A. and Walraven, P. L. Quantum theory of colour discrimination of dichromates, 2=24227
- Bouman, M. A. See Vos, J. J., 4=10976
- Bouman, M. A. See Walraven, P. L., 0=14353
- Bouman, N. Calculations of the lower excited energy levels of the cyclic polyenes, radicals, and ions, 1=19658
- Bounden, J. E. See Whitlock, W. S., 1=9532
- Bounin, J. P. and Miller, R. H. Data link for on-line operation of high-energy physics experiments, 4=11730
- Bounin, P. and Bishop, G. R. Spectrum of high energy electrons inelastically scattered from carbon. Attempted interpretation, 2=434
- Bounin, P. and Bishop, G. R. The spectrum of high-energy electrons inelastically scattered by carbon. II, 4=17120
- Bounin, P. See Belbeoch, R., 1=16494
- Bounin, P. See Brown, K. L., 4=14771
- Bourauoi, A. and Mering, J. Diameter of elementary atomic layers in carbons strain treated between 1000° and 2000° C, 4=29103
- Bourbon, W. T. See Watson, C. S., 4=10967
- Bourdeau, R. E. and Donley, J. L. Explorer VIII satellite measurements in the upper ionosphere, 4=29330
- Bourdeau, R. E., Whipple, E. C. Jr and Clark, J. F. Analytic and experimental electrical conductivity between the stratosphere and the ionosphere, 0=10409
- Bourdeau, R. E., Whipple, E. C., Jr, Donley, J. L. and Bauer, S. J. Experimental evidence for the presence of helium ions based on Explorer VIII satellite data, 2=8993
- Bourdeau, R. E. See Bauer, S. J., 2=15209
- Bourdeau, R. E. See Serbu, G. P., 2=6936
- Bourdillon, J. Increase of velocity of solutes in capillary and porous flow of solutions, 3=113
- Bourdillon, J. The capillary flow of solutions. A re-evaluation of experimental evidence, 3=16597
- Bourdy, C. Relative sizes of retinal images and binocular space vision, 1=21135
- Bourdy, C. Matrix calculation and Gaussian optics application to ophthalmic optics, 3=240
- Bourdy, C. Measurement and correction of aniseikonia. Application to several typical cases, 4=2488
- Bourdy, C. Measurement and correction of aniseikonia. Application to some typical cases, 4=4985
- Bourelle, F. and Montuelle, J. Micrographical evidence of the polygonization of high-purity copper, 1=4011
- Bourelle, F. and Montuelle, J. Transmission electron microscopic examination of [dislocation] structure in rolled copper of different purities, 3=15493
- Bourelle, F. and Montuelle, J. Transmission electron microscopic observation of the formation of the polygonal structure of copper, 3=15494
- Bourelle, F. See Le Héricy, J., 1=4012
- Bourg, A. See Bourg, M., 4=23584
- Bourg, A. See Bourg, M., 4=29122
- Bourg, M. Study of the influence on the structure of cryolite thin films of the temperature of the support during evaporation, 2=8883
- Bourg, M. Study of the effect on the structure of thin films of cryolite of the pressure prevailing in the chamber during the deposition, 2=21566
- Bourg, M. Determination of the structure of transparent thin films by optical methods; theory of formation, 3=13560
- Bourg, M. An attempt to develop a theory for the formation of thin films, 4=2120
- Bourg, M. Method of determination of the index [of refraction] and the homogeneity of a thin dielectric sheet, 4=16207
- Bourg, M. and Bourg, A. The structure and optical properties of thin films of magnesium fluoride, 4=23584
- Bourg, M. and Bourg, A. Structure of thin layers of magnesium fluoride: theoretical interpretation of their formation, 4=29122
- Bourgarel, M. P. See Cabrespine, A., 3=5739
- Bourgeois, P. Preparation and study of semiconductor compounds in thin layers, 4=7064
- Bourgeot, J. See Manenc, J., 3=11200
- Bourgeot, J. See Manenc, J., 4=26557

- Bourgette, D. T. Vaporization of iron-, nickel-, and cobalt-base alloys between 760-980°C and 5×10^{-7} to 1×10^{-9} torr, 4=18500
- Bourguet, J. C. See Vergnoux, A. M., 1=1144
- Bourguignon, J. Accurate measurement of time intervals of the order of a microsecond, 1=15777
- Bouritch, I. See Vélachevitch, X., 4=13103
- Bourke, R. C. The rapid determination of the conductivity type of materials at 4° K, 3=16883
- Bourland, J. F. A management appraisal of organic semiconductors, 4=26061
- Bourlange, C. Relations between the entropy of fusion and the crystalline structure, 0=4577
- Bourlange, C. and Petit, G. Structure of potassium fluorosilicate, in solution in an alkaline halide and in the pure melt, 1=20722
- Bourlange, C. See Petit, G., 3=8967
- Bourlet, G., See Tsai-Chü, 0=17362
- Bournazel, J. See Aarons, J., 2=4618
- Bourne, A., Setty, C. S. G. K. and Smith, R. A. Gyro-splitting in the ionosphere, 4=7916
- Bourne, M. C. and Chichester, C. O. Test of a diffusion measuring apparatus, 4=27169
- Bourot, J. M., Coutanceau, M. and Moreau, J. J. On the theoretical and experimental study of the phenomena of orientation shown by a laminar suspension in a Stokes' flow, 3=9429
- Bourot, J. M., Brun, R. and Morillon, B. Action of a uniform electrostatic field upon the orientation of aluminium flakes
- Bourotte, B., Nicholas, I., Bilwes, R. and Magnac-Valette, D. Study of the $B^{11}(\text{He}^3, t)C^{11}$ reaction and the competing $B^{11}(\text{He}^3, \alpha)B^{10}$ reaction, 2=496
- Bourotte, B. See Bilwes, R., 2=366
- Bourotte, B. See Bilwes, R., 4=17088
- Bourquard, A. D. Ice nucleus concentrations at the ground, 4=7833
- Bourret, A. See Bigard, P., 3=10592
- Bourret, R. Autocorrelation of quantum-mechanical wave functions, 0=893
- Bourret, R. An hypothesis concerning turbulent diffusion, 0=8625
- Bourret, R. C. Velocity autocorrelations of charged particles in a magnetoionic medium with applications to turbulent diffusion, 0=16975
- Bourret, R. C. Coherence properties of blackbody radiation, 1=226
- Bourret, R. C. Turbulent diffusion in two and three dimensions by the random-walk model with memory, 1=2709
- Bourret, R. C. Directivity of a linear array in a random transmission medium, 2=2824
- Bourret, R. C. Propagation of randomly perturbed fields, 2=15457
- Bourret, R. C. Stochastically perturbed fields, with applications to wave propagation in random media, 2=21799
- Bourret, R. C. The scattering of sound in a turbulent and thermally random medium by the method of bilocal perturbations, 4=18357
- Bourrieau, J. High-temperature operating Geiger-Müller counters filled with pure mercury vapour, lined with glass and clad in graphite, 3=19502
- Bourrier, J., Bovard, P. and Grauby, A. A rapid method for evaluating the quantities of Strontium 90 and Yttrium 90 present in a source where the two radioactive elements are not necessarily in radioactive equilibrium, 2=5851
- Bourton, F. Transmission factor of a Bloch wall for spin waves with a wave vector normal to the boundary, 1=17959
- Boury, A. Models of pure hydrogen stars, 1=37
- Boury, A. Contribution to the study of stars formed initially from pure hydrogen, 4=4856
- Boury, A. Stability and evolution of massive pure-hydrogen stars in the region of the main sequence, 4=2340
- Boury, A., Gabriel, M. and Ledoux, P. Effects of convection on the vibrational stability of massive stars, 4=23854
- Boury, A. and Hustin-Breton, M. High modes of radial oscillation of the standard model and vibrational stability of stars, 2=4796
- Boury, A. See Ledoux, P., 1=18108
- Bouška, J. The microstructure of ISC of geomagnetic storms, 2=13083
- Bousquet, C., Lambert, M., Quittet, A. M. and Guinier, A. Point by point study of the surface of a crystal by the Berg-Barrett method, 3=25660
- Bousquet, P. Study of the reflection and transmission of light by a transparent grating of sinusoidal contour. Extension to the case of an irregular surface, 3=258
- Bousquet, P. Diffraction of electromagnetic waves by a grating with plane facets, 3=17051
- Bousquet, P. Diffraction of electromagnetic waves by a grating with triangular section rulings, 3=24472
- Bousquet, P. Reflection and transmission of light by an irregular surface. Application to thin films, 4=1707
- Bousquet, P. The influence of surface irregularities on the optical properties of thin films, 4=22819
- Bousquet, P., Deleuil, R. and Gastaud, A. Simultaneous measurement of the reflection and transmission factors of thin films and the corresponding phase changes, 4=22818
- Bousquet, P. and Rouard, P. Optical constants and structure of thin films, 1=14569
- Bousquet, P. See Casset, J., 3=14361
- Boussard, D. Realization of a high-frequency phasemeter, 1=18954
- Boussard, D. Experimental study of the energy spectrum of a "Sloan and Lawrence" accelerator for heavy ions, 4=624
- Boussard, D. Self-focussing by a quadrupole field in linear accelerator drift tubes, 4=24767
- Boussard, D. Use of the method of perturbations for the study of accelerator structures at low frequencies, 4=27590
- Bousseau, G. On the simultaneous excitation of two frequencies produced by a system of coupled acoustic tubes, 1=9443
- Bousseau, G. Electroacoustic self-maintenance of resonant tubes. Application to the study of coupling with a passive tube of adjustable length, 1=18511
- Bousseau, G. Experimental study of the simultaneous self-maintenance of two frequencies using an electrical oscillator with lumped constants, 4=8590
- Boussières, G., Hussonnois, M., Lefort, M., Legoux, Y., Simonoff, G. and Tarrago, X. Cross-section for the formation of Pa^{227} in the spallation of thorium by 155 MeV protons, 1=2215
- Bouso, E. The viscosity of air at high rates of shear, 2=7234
- Boussuge, C., Wlérick, G., Courtois, N. and Rösch, J. Role of distortion in an electronic planetary and Stellar photograph, 4=23839
- Bouster, C., Claudel, J., Gerbaux, X. and Hadni, A. Absorption spectrum of cuprite between 30 and 250 microns at ordinary temperature and at the temperature of liquid helium, 4=7125
- Bout, B. A. See Winch, D. E., 3=23645
- Bouten, M. Theoretical approach to the low-energy spectrum of Mo^{93} , 0=17498
- Bouten, M. α -particle model of ^{20}Ne and ^{24}Mg , 2=22705
- Bouten, M., Demeur, M. and Pollak, H. Theoretical study of the Y^{90} spectrum, 2=390
- Bouten, M. and van Leuven, P. Cu-isotopes by the unified model, 2=13956
- Bouten, M. J. See Allebaud, D. K., 4=16532
- Bouten-Denys, M. C. Remarks on a new variational method, 2=11282
- Bouthilette, D. B., Healey, J. A. and Milford, S. N. Double inelastic collisions of hydrogen atoms with excited hydrogen atoms in 2, 3, 4 states, 4=25585
- Bouthinon, M. and Coumes, A. Transistorized frequency stabilization for a klystron in the X-band, 4=19201
- Boutin, H., Frazer, B. C. and Jona, F. Structural effects of ionizing radiation in ferroelectric Rochelle salt, 4=7050
- Boutin, H. and Guillaume, J. R. Dielectric dispersion at very low frequency in heulandite, 3=8551
- Boutin, H., Safford, G. J. and Brajovic, V. Study of low-frequency molecular motions in HF , KHF_2 , KH_2F_3 , and NaH_2F_3 , 4=6568
- Boutin, H., Safford, G. J. and Danner, H. R. Low-frequency motions of H_2O molecules in crystals, 4=20176
- Boutin, H., Safford, G. J. and Danner, H. R. Low-frequency motions of H_2O molecules in natrolite, 4=4565
- Boutin, H. See Brajovic, V., 3=15418
- Boutin, H. See Danner, H. R., 4=12551
- Boutin, H. See Safford, G., 3=17643
- Boutin, H. See Safford, G. J., 4=3952
- Boutin, H. See Safford, G. J., 4=12552
- Boutin, H. See Van den Hende, J. H., 4=23454
- Boutron, F. and Mériel, P. Correction of the sample-holder error in neutron diffraction, 1=20481
- Boutron, F. and Robert, C. The influence of the dipolar field on the nuclear resonance of Fe^{57} in yttrium iron garnet, 1=20263
- Boutron, F. See Abragam, A., 1=13623

- Boutry, G.A. Physics applied to vacuum and electronics industries [Physique appliquée aux industries du vide et de l'électronique]. Vol. I, 3=5596
- Boutry, G.A. Physics applied to vacuum and electronics industries. Vol. II. [Physique appliquée aux industries du vide et de l'électronique], 4=8581
- Boutry, G.A., Evrard, R. and Richard, J.C. A contribution to the study of the photoelectric properties of pure caesium, prepared and maintained under ultra-high vacuum, 4=11697
- Boutry, G.A. and Robert, M. Study of the effect of illumination and temperature on an isolated p-n junction, 1=14476
- Boutry, G.A. See Auphan, M., 4=5368
- Bouvier, P. Evaporation of a stellar cluster of two different populations, 2=24152
- Bouvier, P. On the escape of stars of different mass from a cluster, 3=16413
- Bouvier, P. Structure of [stellar] globular clusters, 3=16416
- Bouvier, P. Tidal effects on a stellar cluster, 4=10839
- Bouvier, P. and Martinet, L. Evolutionary variation of the luminosity function of galactic clusters, 3=16417
- Bouville, A., Blanc, D., Couly, J. and Fontan, J. A new method for the determination of certain gaseous fission products, 4=9424
- Bouville, A., Blanc, D., Couly, J. and Fontan, J. A new method of dosage of certain gaseous fission products, 4=28076
- Bouville, A. See Fontan, J., 2=4610
- Bouville, A. See Fontan, J., 2=13011
- Bouville, A. See Fontan, J., 2=18274
- Bouville, A. See Fontan, J., 3=9052
- Bouville, A. See Fontan, J., 3=21042
- Bouwers, A., Nawijn, A. and Krebs, R.G.F.P. Low brightness photography with electro-optical intensifiers, 2=1288
- Bouwuis, G. A dispersion phenomenon observable on dielectric multilayer mirrors, 2=22045
- Bouwuis, G. See De Lang, H., 3=24530
- Bouwuis, G. See De Lang, H., 4=5850
- Bouwuis, G. See De Lang, H., 4=21678
- Bouwuis, G. See Haisma, J., 4=19284
- Bouwknegt, A. and Volger, J. Measurement of the free carrier Faraday effect in n-type germanium at microwave frequencies, 4=13036
- Bouwknegt, A. See Dymanus, A., 1=5580
- Bouwmeester, E. See Warmoltz, N., 0=12437
- Bouyer, P., Cassagnol, C. and Lazeyras, P. An all metal leak valve, 0=19234
- Bouyssou, J. See de Lafound, Y.G., 3=17103
- Bouzhik, Ya, Suval'ski, V. and Topa, E. Some experiments on absorption cross-section determination by the pile oscillator method in the "EWA" reactors, 4=9530
- Bouzyk, J., Suwalski, W. and Topa, J. Pile oscillator measurements of neutron absorption cross-sections, 3=24946
- Bovard, P. See Bourrier, J., 2=5851
- Bovarnick, B. See Belforti, D., 1=20534
- Bovenker, H.P. See Bundy, F.P., 1=12621
- Bovenker, H.P. See Strong, H.M., 0=1051
- Bovenker, H.P. See Wentorf, R.N., Jr, 2=4362
- Bovenker, H.P. See Wentorf, R.N., Jr, 2=12894
- Bovet, C.A. and Jeannot, E. Automatic development of nuclear emulsions, 1=10822
- Bovey, E. Graticules and fine scales: their production and
- Bovey, F.A. Spin-lattice relaxation and molecular structure. I. The major importance of intermolecular contributions, 0=17779
- Bovey, F.A., Anderson, E.W., Douglass, D.C. and Manson, J.A. Polymer n.m.r. spectroscopy. X. The use of H^1-H^1 spin decoupling in the elucidation of polymer structure, 3=25158
- Bovey, F.A., Anderson, E.W., Hood, F.P. and Kornegay, R.L. N.m.r. study of rotational barriers and conformational preferences. I. Cyclohexyl fluoride, 4=20103
- Bovey, F.A., See Tiers, G.V.D., 3=10546
- Bovey, L. The interpretation of complex spectra, 1=799
- Bovey, L. Meeting on spectroscopic aspects of lasers, Great Malvern, June 1963, 3=24039
- Bovey, L. and Birks, F.T. Summarized proceedings of a Conference on Applied Spectroscopy - Seascale, June 1960, 1=385
- Bovey, L., Davis, H.M., Lockwood, W.H. and Richards, E.W. The use of a photoelectric scanner and moiré fringes for wave-length measurement of atomic spectra, 3=698
- Bovey, L. and Gerstenkorn, S. Ground state of the first spectrum of plutonium (Pu I), from an analysis of its atomic spectrum, 1=8817
- Bovey, L. See Beer, R., 1=811
- Boville, B.W. and Hare, F.K. Total ozone and perturbations in the middle stratosphere, 2=4592
- Bovin, V.V. and Mosharov, A.I. The use of a gamma-ray pocket dosimeter for fast-neutron dosimetry, 0=9385
- Bovsheverov, V. M. and Kallistratova, M. A. The method and preliminary measurements of the solar limb image motion, 4=26944
- Bow, N. See Czyzak, S.J., 1=20320
- Bow, Y.F. Nuclear properties of ^{55}Mn (Semiatomic model), 3=15077
- Bow, Y.F. Some regularities of the magnetic moment distribution of odd-A nuclei, 3=15078
- Bowcock, J., Cottingham, N. and Lurié, D. The effect of a pion-pion interaction on low-energy meson-nucleon scattering. II, 1=5764
- Bowcock, J., Cottingham, W.N. and Lurié, D. Effect of a pion-pion scattering resonance on low energy pion-nucleon scattering, 0=15408
- Bowcock, J., Cottingham, W.N. and Lurié, D. $\pi-\pi$ scattering, nucleon structure and $\pi-N$ scattering, 1=2088
- Bowcock, J. and Martin, A. A Mendelstam representation in potential scattering, 0=884
- Bowcock, J. E. and Contogouris, A. P. Some consequences of a reflection property in the complex λ -plane, 4=25044
- Bowcock, J. E. and Stoddart, J. C. The effect of an S-wave pion-pion interaction on pion-nucleon scattering, 3=12489
- Bowden, C. The craftsmanship competition of The Institute of Physics and the Physical Society, 3=9314
- Bowden, F. P. and Brunton, J. H. The deformation of solids by liquid impact at supersonic speeds, 1=20329
- Bowden, F. P. and Caspar, P. E. The damage of crystals by collimated fission fragments, 4=12820
- Bowden, F. P. and Chadderton, L. T. Molecular disarray in a crystal lattice produced by a fission fragment, 1=19817
- Bowden, F. P. and Chadderton, L. T. Fission fragment damage to crystal lattices: dislocation formation, 2=21037
- Bowden, F. P. and Cooper, R. E. Velocity of twin propagation in crystals, 3=4865
- Bowden, F. P. and Freitag, E. H. The friction of solids at very high speeds. I. Metal on metal. II. Metal on diamond, 0=8138
- Bowden, F. P. and Hanwell, A. E. Friction and wear of diamond in high vacuum, 4=23152
- Bowden, F. P. and Montague-Pollock, H. M. Slow decomposition of explosive crystals and their damage by fission fragments, 2=854
- Bowden, F. P. and Persson, P. A. Deformation, heating and melting of solids in high-speed friction, 1=14897
- Bowden, F. P. and Scott, H. G. The polishing, surface flow and wear of diamond and glass, 0=8140
- Bowden, P. and Brandon, D. G. A low energy ion gun for bombarding small specimens, 3=14666
- Bowden, P. and Brandon, D. G. Interstitial damage in f.c.c. metals by low-energy argon ion bombardment, 3=17712
- Bowden, P. and Brandon, D. G. The generation of dislocations in metals by low energy ion bombardment, 3=17723
- Bowden, P. and Brandon, D. G. The production of interstitial point defects by low energy ion bombardment, 4=6833
- Bowden, P. See Brandon, D. G., 1=14346
- Bowden, P. B. See Brandon, D. G., 2=23170
- Bowe, J. C. Drift velocity of electrons in nitrogen, helium, neon, argon, krypton, and xenon, 0=7074
- Bowe, J. C. Transport collision cross sections from electron drift-velocity data, 0=7075
- Bowe, J. C. Electron velocity distributions in gases, 4=5251
- Bowe, J. C. Mobility of electrons in the noble gases, 4=14221
- Bowe, J. C. Residual gas concentrations in evacuated chambers, 3=14223
- Bowen, D. E. See Deaton, B. C., 4=16293
- Bowen, D. E. See Keck, P. H., 3=22014
- Bowen, D. H. Observation of impurity precipitates in magnesium oxide, 4=22569
- Bowen, D. H. and Clarke, F. J. P. Impurity precipitates in magnesium oxide, 3=20169
- Bowen, D. H. and Clarke, F. J. P. The growth of neutron irradiated magnesium oxide, 4=12833
- Bowen, D. H. and Jones, G. O. Superconductivity of tin, lead and thallium up to 10 000 atmospheres, 0=8939
- Bowen, D. H., Wilks, R. S. and Clarke, F. J. P. Irradiation damage clusters in the oxides of beryllium and magnesium, 2=18569
- Bowen, D. H. See Clarke, F. J. P., 4=22640
- Bowen, E. D. See Heritage, J. L., 2=11803

- Bowen, E.G. Freezing nucleus measurements in January 1957, 0=6437
- Bowen, E.G. A new radiohellograph for Australia, 3=5270
- Bowen, E.G. A lunar effect on the incoming meteor rate, 3=13777
- Bowen, E.G. See Adderley, E.E., 3=3462
- Bowen, E.G. and Minnett, H.C. The Australian 210-foot radio telescope, 4=4924
- Bowen, E.J. Viscosity and temperature effects in fluorescence, 1=862
- Bowen, H.C. and Linnett, J.W. Wave functions for the hydrogen molecule and molecule ion, 3=19982
- Bowen, H.C. and Linnett, J.W. Electronic wave functions for H_2 , H_2^+ , H_2^- , 4=25675
- Bowen, I.S. Wave lengths of forbidden nebular lines. II, 1=2639
- Bowen, I.S. Problems in future telescope design, 1=15399
- Bowen, J.I. and Meijer, P.H.E. Master equation solution of Ornstein-Uhlenbeck processes, 1=6789
- Bowen, J.I. See Meijer, P.H.E., 0=16617
- Bowen, J.I. See Meijer, P.H.E., 2=2636
- Bowen, L.H. and Irvine, J.W., Jr. Nuclear excitation functions and thick-target yields F^{19} , Na^{23} , $As^{75}(d,t)$, and Na^{23} , $As^{75}(d,p)$, 2=20671
- Bowen, L.O. Direct measurement of long spin-lattice relaxation times, 0=9223
- Bowen, P.H., Cox, G.C., Huxtable, G.B., Langsford, A., Scanlon, J.P. and Thresher, J.J. Polarization in neutron-proton scattering below 100 MeV, 2=1691
- Bowen, P.H., Cox, G.C., Huxtable, G.B., Scanlon, J.P., Thresher, J.J. and Langsford, A. Neutrons emitted at 0° from nuclei bombarded by 143 MeV protons, 2=7987
- Bowen, P.H., Cox, G.C., Huxtable, G.B., Scanlon, J.P., Thresher, J.J. and Langsford, A. An investigation of the production of polarized neutron beams in the energy range 18 to 120 MeV, 2=13810
- Bowen, P.H., Cox, G.C., Huxtable, G.B., Langsford, A., Scanlon, J.P., Stafford, G.H. and Thresher, J.J. A method of measuring the efficiencies for detecting high energy neutrons in organic scintillators, 3=2278
- Bowen, P.H., Cox, G.C., Huxtable, G.B., Scanlon, J.P., Thresher, J.J., Langsford, A. and Appel, H. Small angle elastic scattering of neutrons by uranium at energies between 18 MeV and 120 MeV, 3=8105
- Bowen, P.H., Cox, G.C., Huxtable, G.B., Scanlon, J.P., Thresher, J.J., Langsford, A. and Appel, H. Production cross-sections and neutron polarization in (p,n) reactions at 143 MeV, 3=10349
- Bowen, P.H., Scanlon, J.P., Stafford, G.H., Thresher, J.J. and Hodgson, P.E. Neutron total cross-sections in the energy range 15 to 120 MeV, 1=5922
- Bowen, P.H. See Scanlon, J.P., 3=10120
- Bowen, P.J., Boyd, R.L.F., Davies, M.J., Dorling, E.B., Groves, G.V. and Stebbings, R.F. Upper atmosphere wind and temperature structure by Skylark rocket-grenade experiments at Woomera, Australia, 1957-59, 4=26811
- Bowen, P.J., Norman, K., Pounds, K.A., Sanford, P.W. and Willmore, A.P. Measurements of the solar spectrum in the wavelength band 4 to 14A, 4=29463
- Bowen, P.J. See Alexander, J.D.H., 4=26912
- Bowen, P.J. See Pounds, K.A., 2=9034
- Bowen, P.J. See Stebbings, R.F., 0=16420
- Bowen, P.J. See Willmore, A.P., 3=16235
- Bowen, T., Hardy, J., Jr., Reynolds, G.T., Sun, C.R., Tagliaferri, G., Werbrouk, A.E. and Moore, W.H. Production of strange particles by 1.5-BeV π^- mesons in C, Fe, and Pb, 0=17426
- Bowen, T., Hardy, J., Jr., Reynolds, G.T., Tagliaferri, G., Werbrouk, A.E. and Moore, W.H. Production of strange particles by 2.8-BeV protons in C, Fe, and Pb, 0=17427
- Bowen, T. and Roth, R.F. Design of a scintillation counter K⁺ detector for a bubble chamber, 2=18182
- Bowen, T., Sun, C.R. and Werbrouk, A.E. The determination of the sign of the asymmetry parameter in Λ^0 decay from the scattering of the decay proton, 1=8508
- Bowen, T. See Engels, E., Jr., 3=7652
- Bowen, W.A., Jr. Buchanan, R.A., 1=7898
- Bower, D.R. and Watt, P.A. The second-order errors of sea-surface gravity measurements, 3=11374
- Bowers, D.L. and Salpeter, E.E. Correction to the Debye-Hückel theory, 0=14535
- Bowers, H.C. Atmospheric turbulence and interferometric spectroscopy, 4=23761
- Bowers, K.D., Kamper, R.A. and Lustig, C.D. Paramagnetic resonance absorption in molecular oxygen, 0=9821
- Bowers, K.D. See Hempstead, C.F., 0=10221
- Bowers, K.D. See Mims, W.B., 0=10234
- Bowers, R., Legendy, C. and Rose, F. Oscillatory galvanomagnetic effect in metallic sodium, 1=19837
- Bowers, R. and Yafet, Y. Magnetic susceptibility of InsB, 0=1771
- Bowers, R. and Yafet, Y. Magnetic susceptibility of p-type Ge, 0=18168
- Bowers, R. and Yafet, Y. The magnetic susceptibility of p-Ge, 2=23637
- Bowers, R. See Houck, J.R., 4=27604
- Bowers, R. See Rose, F.E., 2=18559
- Bowers, R. See Taylor, M.T., 4=1448
- Bowers, R. See Taylor, M.T., 3=8409
- Bowers, R. See Woods, A.D.B., 2=10320
- Bowers, R. See Woods, A.D.B., 3=2709
- Bowers, V.A. See Adrian, F.J., 2=8124
- Bowers, V.A. See Cochran, E.L., 1=6042
- Bowers, V.A. See Cochran, E.L., 2=12351
- Bowers, V.A. See Cochran, E.L., 4=12532
- Bowers, V.A. See Foner, S.N., 0=7889
- Bowers, V.A. See Jen, C.K., 2=14823
- Bowers, W.A. See Singh, D.N., 0=1552
- Bowes, G.C. See Baerg, A.P., 1=7391
- Bowes, G.C. See Baerg, A.P., 4=19709
- Bowes, P.C. and Townshend, S.E. Ignition of combustible dusts on hot surfaces, 2=4539
- Bowes, P.C. See Thomas, P.H., 1=7906
- Bowey, E.M. See Firk, F.W.K., 3=19655
- Bowey, E.M. See Rae, E.R., 0=5789
- Bowhill, S.A. The Faraday-rotation rate of a satellite radio signal, 0=850
- Bowhill, S.A. Statistics of a radio wave diffracted by a random ionosphere, 1=6607
- Bowhill, S.A. The effective recombination coefficient of an ionosphere containing a mixture of ions, 1=15278
- Bowhill, S.A. The scattering of radio waves by an extended randomly refracting medium, 1=18587
- Bowhill, S.A. Rocket measurements of F-layer electron density and their interpretation, 1=20992
- Bowhill, S.A. The formation of the daytime peak of the ionospheric F2-layer, 2=17172
- Bowhill, S.A. Ion temperatures from the electron distribution above the F2-layer maximum, 3=13756
- Bowhill, S.A. Geomagnetism and the ionosphere, 4=30948
- Bowhill, S.A. See Lee, H.S., 4=7923
- Bowhill, S.A. See Nisbet, J.S., 1=15237
- Bowhill, S.A. See Nisbet, J.S., 1=15288
- Bowhill, S.A. See Sales, G.S., 2=17166
- Bowie, G.E. Interferometric measurement of vibration amplitudes, 4=5265
- Bowkett, N.F. See Treacy, P.B., 0=17586
- Bowlden, H.J. and Wilmshurst, J.K. Evaluation of the one-angle reflection technique for the determination of optical constants, 3=21517
- Bowlden, H.J. See Wallis, R.F., 0=9883
- Bowler, M., Duthie, J., Fowler, P., Kaddoura, A., Perkins, D., Pinkau, K. and Wolter, W. High-energy gamma-rays and jet showers, 3=4537
- Bowler, M.G., Duthie, J.G., Fowler, P.H., Kaddoura, A. and Perkins, D.H. Some features of nuclear interactions of energy between 10^{12} and 10^{15} eV, 3=4536
- Bowler, M. and Ferguson, I.F. Tables for the correction of X-ray line breadths and peak height for α_1 , α_2 doubling effects, 3=11254
- Bowler, M.G., Fowler, P.H. and Perkins, D.H. A comparison of the production of pions and hyperons in nuclear interactions of very high energy, 3=6112
- Bowles, A.H. The effect of a thermal gradient upon charge separation between similar polyethylene surfaces, 2=148
- Bowles, B.F., Scott, G.J. and Babb, S.E., Jr. Melting and polymorphism in $SbCl_3$ and $SbBr_3$, 3=23371
- Bowles, J.A. See Cherry, E.C., 1=11662
- Bowles, J.S. and Mackenzie, J.K. The crystallography of the $(225)_F$ -transformation in steels, 2=15056
- Bowles, J.S. See Smith, R., 1=2540
- Bowles, K.L. Incoherent scattering by free electrons as a technique for studying the ionosphere and exosphere: some observations and theoretical considerations, 1=6613
- Bowles, K.L. Incoherent scattering by free electrons as a technique for studying the ionosphere and exosphere: some observations and theoretical considerations, 2=6938
- Bowles, K.L. Measuring plasma density of the magnetosphere, 3=13741
- Bowles, K.L., Balsley, B.B. and Cohen, R. Field-aligned E-region irregularities identified with acoustic plasma waves, 4=2295

- Bowles, K.L., Cohen, R., Ochs, G.R. and Balsley, B.B. Radio echoes from field-aligned ionization above the magnetic equator and their resemblance to auroral echoes, 0=18490
- Bowles, K.L., Ochs, G.R. and Green, J.L. On the absolute intensity of incoherent scatter echoes from the ionosphere, 2=16075
- Bowles, K.L. See Cohen, R., 1=21006
- Bowles, K.L. See Cohen, R., 2=13034
- Bowles, K.L. See Cohen, R., 4=2240
- Bowles, K.L. See Cohen, R., 4=2256
- Bowles, K.L. See Klemperer, W.K., 4=13950
- Bowles, K.L. See Ochs, G.R., 3=16226
- Bowles, K.L. See VanZandt, T.E., 1=15263
- Bowles, L.W. See Blake, C., 3=24462
- Bowles, P. J. and Geach, G. A. Grain boundary cavitation in molybdenum, 4=20671
- Bowles, R. and Sugarman, B. An automatic recording dilatometer, 3=9639
- Bowley, A.E., Cowles, L.E.J., Williams, G.J. and Goldsmid, H.J. Measurement of the figure of merit of a thermoelectric material, 1=18752
- Bowley, A.E. See Delves, R.T., 2=640
- Bowley, A.E. See Goldsmid, H.J., 0=19482
- Bowling, K.M. and Watts, A. Determination of residence times of particles in multi-stage fluidized-bed systems, 3=16585
- Bowl, C. Space charge limited currents in amorphous arsenic trisulphide, 3=889
- Bowman, A.L. The variation of lattice parameter with carbon content of tantalum carbide, 2=2388
- Bowman, A.L. See Duke, F.R., 0=6412
- Bowman, A.L. See Giorgi, A.L., 2=2962
- Bowman, A.L. See Giorgi, A.L., 3=7406
- Bowman, C.D., Auchampaugh, G. F. and Fultz, S. C. Photo-disintegration of U^{235} , 4=9481
- Bowman, C.D., Auchampaugh, G. F. and Fultz, S. C. Fission cross section of U^{235} , 3=12709
- Bowman, C.D., Bilpuch, E. G. and Newson, H. W. s- and p-wave neutron spectroscopy. VIII. Subshell effect on nuclear level spacing near $A=50$, 2=10116
- Bowman, C. D. and Hill, R. W. The spark chamber as a detector of fission fragments, 4=9030
- Bowman, C.D. See Bilpuch, E.G., 1=13654
- Bowman, C.D. See Newson, H.W., 1=13653
- Bowman, G.G. Sunrise and eclipse effects on the ionosphere at Brisbane, 0=14202
- Bowman, G.G. A relationship between spread-F and the height of the F_2 ionospheric layer, 0=14249
- Bowman, G.G. Further studies of "Spread-F" at Brisbane. I. Experimental, 1=7939
- Bowman, G.G. Further studies of "Spread-F" at Brisbane. II. Interpretation, 1=7940
- Bowman, G.G. Some aspects of sporadic-E at mid-latitudes, 1=10325
- Bowman, G.G. Triple splitting with the F_2 -region of the ionosphere at high and mid-latitudes, 1=10327
- Bowman, G.G. Some aspects of gyro-splitting in the ionosphere, 2=11049
- Bowman, G.G. Some effects of nuclear explosions on the ionosphere, 3=3486
- Bowman, G. G. Spread-F in the ionosphere and the neutral particle density in the upper atmosphere, 4=26862
- Bowman, G. G. and Mainstone, J. S. Geomagnetic and ionospheric effects at Brisbane following the nuclear explosion on July 9, 1962, 4=30957
- Bowman, H.A. and Macurdy, L.B. A photoelectric followup and recording system, and its application to remote observations of the beam in high-precision balances, 0=3486
- Bowman, H.A. and Macurdy, L.B. Gimbal device to minimize the effects of off-center loading on balance pans, 1=102
- Bowman, H.A. See Almer, H.E., 4=29505
- Bowman, H.R., Milton, J.C.D., Thompson, S.G. and Swiatecki, W.J. Further studies of the prompt neutrons from the spontaneous fission of Cf^{252} , 3=10393
- Bowman, H.R., Thompson, S.G., Milton, J.C.D. and Swiatecki, W.J. Velocity and angular distributions of prompt neutrons from spontaneous fission of Cf^{252} , 2=14145
- Bowman, H.R., Thompson, S.G. and Rasmussen, J.O. Gamma-ray spectra from spontaneous fission of ^{252}Cf , 4=17208
- Bowman, H.R. See Fraser, J.S., 4=6389
- Bowman, H.R. See Muga, M.L., 1=747
- Bowman, J.J. and Harris, J.D. Green's distributions and the Cauchy problem for the iterated Klein-Gordon operator, 2=15446
- Bowman, J.J. and Harris, J.D. Green's distribution and the Cauchy problem for the multi-mass Klein-Gordon operator, 3=5916
- Bowman, J.J. and Harris, J.D. Green's distribution associated with the operator $[-(\mu^2)^m]^{1/2}$, 3=5917
- Bowman, M.G. See Krikorian, N.H., 3=25759
- Bowman, M.G. See Leitaker, J.M., 2=2936
- Bowman, R.L. and Shaw, J.H. The abundance of nitrous oxide, methane, and carbon monoxide in ground-level air, 3=13664
- Bowman, W. See Sodickson, L., 2=1679
- Bowman, W.C., Carroll, J.B. and Poirier, J.A. Total-absorption scintillation counter for high-energy photons, 2=18095
- Bowness, C., Missio, D. and Rogala, T. A high energy laser using a multi-elliptical cavity, 2=19704
- Bowser, M.L. See Gibson, F.C., 0=3312
- Bowsher, H.F., Dell, G.F. and Hausman, H.J. $Si^{28}(p,p'\gamma)$ angular correlations, 1=4868
- Bowsher, H.F. See Hausman, H.J., 0=11410
- Bowsher, J.M. and Robinson, D.W. On scaling the unpleasantness of sounds, 2=7070
- Bowsher, J. M. and Robinson, D. W. Calculation of Zwicker phons on a digital computer, 4=20973
- Bowsher, J.M. See Robinson, D.W., 2=7306
- Bowsher, J.M. See Robinson, D.W., 4=4973
- Bowyer, C.S. See McKinney, J.E., 0=1714
- Bowyer, S., Byram, E. T., Chubb, T. A. and Friedman, H. X-ray sources in the galaxy. 4=23869
- Box, H. C. and Freund, H. G. Paramagnetic resonance spectrum of irradiated single crystals of L-cystine dihydrochloride, 4=13310
- Box, H.C., Freund, H.G. and Lilga, K.T. Paramagnetic resonance spectrum of irradiated glycylglycine HCl, 3=15942
- Boxall, G. See Granville, R.A., 0=16914
- Boxer, A.S. and McCarter, R.S. Coaxial ferrite phase shifter for high power applications, 2=13678
- Boy, F. See Marchand, A., 3=11023
- Boy, F. See Pacault, A., 1=3764
- Boy, F. See Pacault, A., 2=12755
- Boyadgiev, A. V. See Barashenkov, V. S., 4=25367
- Boyadsyan, N. G. See Grigorov, N. L., 4=19627
- Boyadzhiev, A. V. See Belyakov, V. A., 4=19810
- Boyadzhyan, N. G. See Babayan, Kh. P., 4=3509
- Boyadzhyan, N. G. See Babayan, Kh. P., 4=12090
- Boyadzhyan, N.G. See Babayan, Kh.P., 3=19595
- Boyadzhyan, N. G. See Babayan, Kh. P., 4=19618
- Boyadzhyan, N.G. See Babayan, Kh.P., 3=22237
- Boyadzhyan, N. G. See Grigorov, N. L., 4=27927
- Boyarchuk, A.A., Efimov, Yu.S. and Stepanov, V.E. The increase in the equivalent widths of absorption lines in a magnetic field, 2=984
- Boyarchuk, Yu.M. and Buben, N.Ya. Stabilization of free radicals in ionic crystal matrices, 2=3790
- Boyarkina, A.N. See Balashov, V.V., 2=20611
- Boyarkina, A.N. See Balashov, V.V., 3=2440
- Boyarkina, A. N. See Balashov, V. V., 4=3647
- Boyarkina, A.N. See Balashov, V.V., 3=8086
- Boyarkina, A.N. See Bednyakov, A.A., 2=14086
- Boyarkina, A.N. See Bednyakov, A.A., 3=6238
- Boyarkina, A.N. See Bednyakov, A.A., 3=24718
- Boyar skaya, Yu.S., Keloglu, Yu.P., Bologa, M.K. and Dunaeva, S.M. Study of the influence of some factors on the microhardness of single crystals of KCl and NaCl, 1=4001
- Boyar skaya, Yu.S., Keloglu, Yu.P., Bologa, M.K. and Mednets, V.V. The relation of microhardness to load for NaCl monocrystals, 0=13919
- Boyar skaya, Yu. S. and Val'kovskaya, M.I. Distribution of dislocations near scratches on single crystals of NaCl and LiF, 4=1476
- Boyar skaya, Yu. S. and Val'kovskaya, M.I. Investigation of the anisotropy of the mechanical properties of NaCl single crystals by observation of the distribution of dislocations on the (111) face, 4=1962
- Boyar skaya, Yu.S. and Val'kovskaya, M.I. Hardness rosettes and shapes of impressions on cubic crystals, 3=16009
- Boyar ski, A. See de Pagter, J. K., 4=25371
- Boyar ski, A.M., Loh, E.C., Niemela, L.Q., Ritson, D.M., Weinstein, R. and Ozaki, S. Study of the K^+ decay, 3=6065
- Boyce, I.S. and Cameron, J.F. Assay of $C^{14}O_2$ in Geiger counters, 1=15210
- Boyce, I.S., Cameron, J.F. and Taylor, K.J. A simple plastic scintillation counter for tritiated hydrogen, 1=13220
- Boyce, I.S. See Cameron, J.F., 0=4766
- Boyce, I.S. See Cameron, J.F., 1=13219

- Boyd, A.H. The photoionization of sodium, 4=27493
 Boyd, A.H. See Bates, D.R., 2=9532
 Boyd, A.H. See Bates, D.R., 3=1938
 Boyd, D.R. See Sihvonen, Y.T., 0=16364
 Boyd, E.L. Magnetic anisotropy in single-crystal thin films, 0=10115
 Boyd, E.L. Temperature dependence of nuclear magnetic resonance of Fe⁵⁷ in magnetite, 3=8734
 Boyd, E.L., Budnick, J.I., Bruner, L.J. and Blume, R.J. Observation of domain wall resonances in ferrimagnetic oxides, 2=18937
 Boyd, E.L. and Gambino, R.J. Nuclear magnetic resonance of Gd¹⁵⁵ and Gd¹⁵⁷ in the cubic ferromagnet GdN, 4=13344
 Boyd, E.L., Moruzzi, V.L. and Smart, J.S. Sublattice magnetizations in rare-earth iron garnets, 3=25545
 Boyd, E.L. and Slonczewski, J.C. Anisotropy of the hyperfine interaction in magnetite, 2=12642
 Boyd, E.L. See Budnick, J.I., 1=6433
 Boyd, E.L. See Charap, S.H., 4=10269
 Boyd, E.L. See Pugh, E.W., 0=10127
 Boyd, E.L. See Pugh, E.W., 0=11868
 Boyd, F.R. and England, J.L. Apparatus for phase-equilibrium measurements at pressures up to 50 kilobars and temperatures up to 1750°C, 0=14041
 Boyd, F.R., England, J.L. Effect of pressure on the melting of diopside, CaMgSi₂O₆, and albite, NaAlSi₃O₈, in the range up to 50 kilobars, 3=9657
 Boyd, G.D., Collins, R.J., Porto, S.P.S., Yariv, A. and Hargreaves, W.A. Excitation, relaxation and continuous maser action in the 2.613-micron transition of CaF₂:U³⁺, 2=14667
 Boyd, G.D., Fox, A.G., Kogelnik, H., Li, T. and Rigrod, W.W. Comment on "gaseous optical maser with external mirrors", 4=5848
 Boyd, G.D. and Gordon, J.P. Confocal multimode resonator for millimeter through optical wavelength masers, 1=7144
 Boyd, G.D. and Gould, R.W. Travelling wave interaction in plasmas, 1=9568
 Boyd, G.D., Gould, R.W. and Field, L.M. Interaction of a modulated electron beam with a plasma, 2=5341
 Boyd, G.D. See Ashkin, A., 3=21507
 Boyd, G.D. See Johnson, L.F., 2=12588
 Boyd, G.M. The conjugacy of magnetic disturbance variations, 3=13839
 Boyd, H.W., Hamilton, J.H., Sattler, A.R. and Goudsmit, P.F.A. The thermal-neutron capture cross section of ¹⁰⁸Cd and the decay of ¹⁰⁸Ag^m, 4=9538
 Boyd, J. See Walker, W.D., 4=15097
 Boyd, M.E. Molecular-orbital study of the geometry of HO₂, 2=22979
 Boyd, R. See Callaway, J., 4=20526
 Boyd, R.G. and Callaway, J. Spin wave-spin wave scattering in a Heisenberg ferromagnet, 4=22958
 Boyd, R.G., Larson, A.C. and Waber, J.T. Indirect relativistic effect on the 5f electrons in uranium, 3=8194
 Boyd, R.H. Extension of Stokes' law for ionic motion to include the effect of dielectric relaxation, 1=15894
 Boyd, R.H. Thermochemistry of cyanocarbons, 3=18439
 Boyd, R.H. Simple device for the measurement of electrical ignition energy in combustion calorimetry, 4=29797
 Boyd, R.L.F. Some techniques of physical measurement [in space research], 0=10542
 Boyd, R.L.F. Space Science, 0=12332
 Boyd, R.L.F. Instruments for space research, 1=49
 Boyd, R.L.F. Space astronomy in Great Britain, 2=17310
 Boyd, R.L.F. Plasma probes on space vehicles, 3=7571
 Boyd, R.L.F. and Thompson, J.B. The operation of Langmuir probes in electronegative plasmas, 0=9039
 Boyd, R.L.F. and Twiddy, N.D. Electron energy distributions in plasmas. I, 0=7117
 Boyd, R.L.F. and Twiddy, N.D. Electron energy distributions in plasmas. II. Hydrogen, 1=16315
 Boyd, R.L.F. See Bowen, P.J., 4=26811
 Boyd, R.L.F. See Stebbings, R.F., 0=16420
 Boyd, R.L.F. See Willmore, A.P., 3=16235
 Boyd, R.L.F. See Wrenn, G.L., 3=5222
 Boyd, T.J.M. Theory of a radio-frequency plasma probe for electron-density measurements in the ionosphere and exosphere, 4=7905
 Boyd, T.J.M. Emission of radio noise by plasmas, 4=8706
 Boye, C.A. and Goodlett, V.W. Wide-line nuclear magnetic resonance studies of poly(ethylene terephthalate), 3=11124
 Boyer, C. and Camichel, H. Photographic observations of the planet Venus, 2=6992
 Boyer, D.W. See Eschenroeder, A.Q., 2=11395
 Boyer, J. See Blanc, D., 1=9697
 Boyer, J.M. A radio wave mechanism to account for the known distribution of Van Allen belts about the earth, 1=10337
 Boyer, K., Elmore, W.C., Little, E.M., Quinn, W.E. and Tuck, J.L. Studies of plasma heated in a fast-rising axial magnetic field (Scylla), 0=13385
 Boyer, K. See Northrop, J.A., 0=1415
 Boyer, P. Determination of the complex permittivity of liquid dielectrics at ultra-high frequencies, 2=19573
 Boyer, P. See Le Bot, J., 2=4088
 Boyer, R.F. See Simha, R., 2=21557
 Boyer, R.H. Photoelectric effect in Pb at high energies, 0=5891
 Boyer, R.H. An application of harmonic coordinates in general relativity, 4=2545
 Boyer, R.H. The clock paradox in general relativity, 4=24054
 Boyer, R.H., Lichtenberg, D.B. and Phipps, T.E., Jr. Re-entrant motion in special relativity, 4=5031
 Boyes, J. See Cornwall, J.B., 3=13943
 Boykin, T.R., Jr. See Curtis, A.J., 1=6925
 Boyko, E.R. and Vaughan, A. The crystal structure and molecular statics of trindan, C₁₅H₈, 4=10562
 Boyle, A.J.F. Experimental determination of lattice properties, 4=12610
 Boyle, A.J.F., Bunbury, D.S.P. and Edwards, C. Polarization of the conduction electrons in the ferromagnetic metals, 1=6273
 Boyle, A.J.F., Bunbury, D.St.P. and Edwards, C. The nuclear Zeeman effect, and quadrupole splitting in ¹¹⁵Sn, 1=9806
 Boyle, A.J.F., Bunbury, D.St.P. and Edwards, C. The isomer shift in ¹¹⁵Sn and the quadrupole moment of the first excited state, 2=5790
 Boyle, A.J.F., Bunbury, D.St.P. and Edwards, C. The mean square deformation of the ground and first excited states of Sn-119, 4=19693
 Boyle, A.J.F., Bunbury, D.S.P., Edwards, C. and Hall, E.E. The Mössbauer effect in tin from 120°K to the melting point, 1=5604
 Boyle, A.J.F., Bunbury, D.St.P., Edwards, C. and Hall, H.E. A thermal red shift of the recoilless γ -emission of ¹¹⁵Sn^m, 1=5831
 Boyle, A.J.F., Bunbury, D.St.P., Edwards, C. and Hall, H.E. Hyperfine fields in dysprosium metal, 4=12588
 Boyle, A.J.F. and Hall, H.E. The Mössbauer effect, 2=18512
 Boyle, J.W. and Mahlman, H.A. Iron (III) molar extinction coefficients in light and heavy water solutions, 2=13344
 Boyle, R.D. See Beams, J.W., 1=10289
 Boyle, R.D. See Hexner, P.E., 3=8942
 Boyle, W.S. and Brailsford, A.D. Far infrared studies of bismuth, 1=1147
 Boyle, W.S. and Howard, R.E. Transition to the high field limit in the Zeeman spectra of germanium donors, 2=2231
 Boyle, W.S., Hsu, F.S.L. and Kunzler, J.E. Spin splitting of the Landau levels in bismuth observed by magnetothermal experiments, 0=16123
 Boyle, W.S. and Smith, G.E. Bismuth, 4=12882
 Boyle, W.S. See Kunzler, J.E., 3=2743
 Boyle, W.S. See Nelson, D.F., 2=11783
 Boyle, W.S. See Nelson, D.F., 3=14800
 Boyleau, M. and Pouyau, P. Revealing former γ -grain boundaries in low alloy content uranium-molybdenum alloys, 4=4652
 Boylett, F.D.A. Chemical effects of d.c. discharges, 4=18758
 Boylett, F.D.A. and Looms, J.S.T. Discharges in mixed gases, 3=4046
 Boylett, F.D.A. and Looms, J.S.T. Effect of discharge products upon corona discharge and spark breakdown voltage, 4=5585
 Boyling, J.B. Majorization of Feynman diagrams in which a heavy particle is conserved, 4=5940
 Boyling, J.B. Majorization of Feynman diagrams involving pions and nucleons, 4=27884
 Boyling, J.B. Hermitian analyticity and extended unitarity in S-matrix theory, 4=30195
 Boyn, R. See Böer, K.W., 2=642
 Boyn, R. See Böer, K.W., 4=1597
 Boyne, H.S. and Franken, P.A. Magnetic moment of the proton in units of the nuclear magneton, 1=10886
 Boyne, H.S. and Martin, W.C. Experimental determination of the frequency ratio of optical harmonics, 2=17605
 Boynton, E.P. Chemical equilibrium in multicomponent polyphase systems, 0=16369

- Boynton, F.P. Detailed balance and microscopic reversibility, 4=21051
- Boynton, J. See Pollack, I., 4=4984
- Boynton, R.M. Theory of color vision, 0=18554
- Boynton, R.M. Contributions of threshold measurements to color-discrimination theory, 3=5304
- Boynton, R.M. Quantum- and energy-based visual sensitivity on a single plot, 3=13968
- Boynton, R.M. and Clarke, F.J.J. Sources of entoptic scatter in the human eye, 4=10977
- Boynton, R.M. and Clarke, F.J.J. Comparison of entoptic scatter in human and steer eyes; a correction, 4=30998
- Boynton, R.M., Ikeda, M. and Stiles, W.S. Interactions among chromatic mechanisms as inferred from positive and negative increment thresholds, 4=26997
- Boynton, R.M. and Onley, J.W. A critique of the special status assigned by Brindley to "psychophysical linking hypotheses" of "Class A", 3=9305
- Boynton, R.M. and Siegfried, J.B. Psychophysical estimates of on-responses to brief light flashes, 2=17324
- Boynton, R.M., Sturr, J.F. and Ikeda, M. Study of flicker by increment threshold technique, 1=6671
- Boynton, R.M. and Wagner, M. Two-color threshold as test of color vision, 1=6675
- Boynton, R.M. See Ikeda, M., 2=13223
- Boynton, R.M. See Onley, J.W., 2=17325
- Boyrivent, A. and Gaume, F. Influence of the bandwidth of a monochromator on the experimental shape of an absorption curve, 4=24374
- Boys, S.F. Construction of some molecular orbitals to be approximately invariant for changes from one molecule to another, 0=17823
- Boys, S.F. The integral formulae for the variational solution of the molecular many-electron wave equation in terms of Gaussian functions with direct electronic correlation, 0=20653
- Boys, S.F. and Cook, G.B. Mathematical problems in the complete quantum predictions of chemical phenomena, 0=17822
- Boys, S.F. and Shavitt, I. Intermolecular forces and properties of fluids. I. The automatic calculation of higher virial coefficients and some values of the fourth coefficient for the Lennard-Jones potential, 0=8691
- Boys, S.F. and Shavitt, I. Intermolecular forces and properties of fluids. II. A general functional representation of intermolecular potentials, and some values of the second, third and fourth virial coefficients for systematically differing potentials, 0=8692
- Boys, S.F. See Foster, J.M., 0=17824
- Boys, S.F. See Foster, J.M., 0=17825
- Boys, S.F. See Foster, J.M., 0=17826
- Boyum, G. A study of evaporation and heat exchange between the sea surface and the atmosphere, 2=24005
- Bozek, E., Hryniewicz, A.Z., Konieczny, Z., Ogaza, S., Rybicka, M. and Szymczyk, S. The attenuation of the angular correlation of ^{181}Ta 133-482 keV cascade in liquids, 2=20557
- Bozek, E., Hryniewicz, A.Z., Konieczny, Z., Rybicka, M. and Szymczyk, S. Nuclear g-factor of the 113 keV rotational level in ^{177}Hf , 2=10013
- Bozek, E., Hryniewicz, A.Z., Ogaza, S., Rybicka, M. and Styczeń, J. The half-life of the 57 keV first excited state in Pr^{143} , 4=1049
- Bozek, E., Hryniewicz, A.Z., Ogaza, S. and Styczeń, J. HFS-interaction of the Gd^{155} nucleus in the 87 keV excited state, 4=25317
- Bozek, E., Hryniewicz, A.Z. and Styczeń, J. G-factor of 482 keV state of Ta^{181} measured with the differential method, 2=14002
- Bozek, E., Hryniewicz, A.Z., Walczak, T. and Zapalski, G. Fast-slow coincidence circuit with time-to-pulse-height converter for a nanosecond range, 3=12058
- Bozek, E., Lebedev, N.A., Niewodniczański, H., Ogaza, S., Rybicka, M. and Styczeń, J. Gamma-gamma directional correlations in ^{146}Eu , 3=24905
- Bozek, E., Niewodniczański, H., Ogaza, S., Szymczyk, S. and Norseev, Yu.V. Energy levels in ^{160}Er nucleus, 1=16984
- Bozek, E., Niewodniczański, H., Ogaza, S., Szymczyk, S., Walczak, T. and Yutlandov, I.A. Gamma-vibrational levels in ^{160}Er , 1=13726
- Bozenberg, G.V. Light scattering in the earth's atmosphere, 1=4110
- Bozhevov'nov, E.A. Reasons for elimination of internal nonradiative transitions in organic molecules incident to formation of intracomplex compounds with cations, 2=15604
- Bozhinskii, A.N. and Volmir, A.S. Experimental investigation of the stability of cylindrical shells beyond the elastic limit, 2=10742
- Bozhko, V.P., Zalyubovskii, I.I. and Tutubalin, A.I. Measurement of the mean lifetime of Lu^{175} in the 113.8 keV excited state, 2=13992
- Bozhokina, I.A. See Davidenkov, N.N., 0=16240
- Bozic, S.M. Mean square voltmeter, 2=11583
- Bozich, D.J. Spatial correlation in acoustic-structural coupling, 4=8290
- Bozin, G.M. See Shorin, K.N., 2=1544
- Bozis, G. See Contopoulos, G., 4=23881
- Bozman, W.R. See Corliss, C.H., 3=19917
- Bozoki, G., Domokos, G., Fenyves, E., Frenkel, A., Gombosi, E., Bebel, D., Lanius, K. and Meier, H.W. Further investigation of a high energy jet, 0=2603
- Bozoki, G., Fen'vesh, E., Akahababyan, N., Betev, B. and Kavlov, Sht. Atmospheric coefficients for nuclear-active fragments in cosmic radiation, 4=27926
- Bozoki, G., Fenyves, E., Frenkel, A. and Gombosi, E. Inelastic π^- -p interactions at 7 GeV, 3=7898
- Bozoki, G., Fenyves, E., Frenkel, A. and Gombosi, E. Inelastic π^- -p interactions at 7 GeV, 4=25140
- Bozoki, G., Fenyves, E., Frenkel, A. and Gombosi, E. On the quasi-elastic character of inelastic two-prong π^- -p interactions at 7 and 16 GeV/c, 4=25141
- Bozoki, G., Fenyves, E., Frenkel, A., Gombosi, E. and Surányi, P. Inelastic pion-nucleon interactions at 7.3 GeV in emulsion, 2=11981
- Bozoki, G., Fenyves, E., Gombosi, E. and Surányi, P. Investigation of the mechanism of high energy nucleon-nucleus interaction, 1=12190
- Bozoki, G., Fenyves, E. and Jánoszy, L. Measurement of the absorption length and collision mean free path of penetrating shower producing cosmic ray particles in lead, 0=11240
- Bozoki, G., Fenyves, E. and Janossy, L. Measurement of the collision mean free path of penetrating shower producing cosmic ray neutrons in lead, 1=8460
- Bozoki, G., Fenyves, E. and Jánoszy, L. Inelastic (n-p) cross section at 30 GeV, 2=18123
- Bozoki, G., Fen'vesh, E., Shandor, T., Balea, O., Batagui, M., Fridlander, E., Betev, B., Kavlov, Sh. and Mitrani, L. Absorption of nuclear-active cosmic ray particles in air, 2=336
- Bozoki, G., Fen'vesh, E., Shandor, T., Balea, O., Batagui, M., Fridlander, E., Betev, B., Kavlov, Sh. and Mitrani, L. Absorption of nuclear-active cosmic ray particles in air, 2=22684
- Bozoki, G. and Tikhani, E. A depth gauge for emulsion studies, 3=2181
- Bozoki, G. See Betev, B., 0=20273
- Bozoki, G. See Biczó, G., 1=13592
- Bozorth, R.M. New varieties of magnetic materials, 1=3911
- Bozorth, R.M. Physical behavior of some magnetic materials, 4=28755
- Bozorth, R.M. and Davis, D.D. Magnetic properties of ferromagnetic superconductors, 0=11844
- Bozorth, R.M., Davis, D.D. and Wernick, J.H. Magnetism of dilute solutions of iron-group elements in platinum metals, 3=992
- Bozorth, R.M., Davis, D.D. and Williams, A.J. Properties of some magnetic superconductors, 0=16956
- Bozorth, R.M. and Geller, S. Interactions and distributions of magnetic ions in some garnet systems, 0=11893
- Bozorth, R.M. and Kramer, V. Some ferrimagnetic and anti-ferromagnetic materials at low temperatures, 0=13839
- Bozorth, R.M., Kramer, V. and Remeika, J.P. Magnetic properties of single crystals of rare-earth orthoferrites at low temperatures, 0=10176
- Bozorth, R.M., Mathais, B.T., Suhl, H., Corenzwit, E. and Davis, D.D. Magnetization of compounds of rare earths with platinum metals, 0=1776
- Bozorth, R.M. and Suits, J.C. Spiral structure and moments in Gd Dy alloys, 4=13110
- Bozorth, R.M. and Van Vleck, J.H. Magnetic susceptibility of metallic europium, 0=11808
- Bozorth, R.M. and Wakiyama, T. Magnetostriction of single crystals of gadolinium, 3=6714
- Bozorth, R.M. and Wakiyama, T. The anomalous thermal expansion of single crystals of gadolinium, 3=6715
- Bozorth, R.M. and Wakiyama, T. Magnetostriction and anomalous thermal expansion of single crystals of gadolinium, 3=11092

- Bozorth, R.M. and Wakiyama, T. Magnetostriction and anomalous thermal expansion of single crystals of gadolinium, 3=15851
- Bozorth, R.M., Williams, A.J. and Davis, D.D. Critical field for superconductivity in niobium-tin, 0=19564
- Bozorth, R.M., Wolff, P.A., Davis, D.D., Compton, V.B. and Wernick, J.H. Ferromagnetism in dilute solutions of cobalt in palladium, 1=9022
- Bozorth, R.M. See Clark, A.E., 3=20551
- Bozorth, R.M. See Davis, D.D., 0=11811
- Bozorth, R.M. See Geller, S., 0=6359
- Bozorth, R.M. See Geller, S., 0=11895
- Bozorth, R.M. See Matthias, B.T., 1=17947
- Bozorth, R.M. See Wolf, W.P., 1=14746
- Bozowski, S. See Gittleman, J.I., 3=311
- Bozowski, S. See Gittleman, J.I., 4=24512
- Braun, G.P.A. Propagation of radio waves with frequency 99.9 Mhz as a function of the vertical structure of the atmosphere derived from daily radiosonde observations, 4=17908
- Braams, C.M. Edge effect in charged-particle analyzing magnets, 4=16617
- Braams, C.M., Schrader, W.J. and Terlouw, J.C. Confinement of plasma by radio-frequency electro-magnetic fields, 0=19666
- Braams, C.M. and Smith, P.B. The Utrecht 850 kV cascade generator. I. Beam deflection and energy control, 1=5506
- Braams, C.M. See Rietjens, L.H.T., 0=17639
- Braams, R. A mechanism for the direct action of ionizing radiations, 4=20838
- Brabbs, T.A., Belles, F.E. and Zlatarich, S.A. Shock-tube study of carbon dioxide dissociation rate, 3=15389
- Brabbs, T.A., Zlatarich, S.A. and Belles, F.E. Limitations of the reflected-shock technique for studying fast chemical reactions, 0=16377
- Brabec, V., Bergman, O., Grunditz, Y., Aasa, E. and Karlsson, S. E. Transitions following the decay of Dy^{166} , 4=19735
- Brabec, V., Kracik, B., Miligui, Z., Vejs, M., Maštalka, A., Vobecký, M., Kraciková, T. and Hnatowicz, V. A study of the radioactive radiation of neutron-deficient Hf isotopes, 2=7951
- Brabec, V., Kracik, B. and Vobecký, M. Decay of $Nd^{140} \rightarrow Pr^{140} \rightarrow Ce^{140}$, 1=13721
- Brabec, V., Kracik, B. and Vobecký, M. A study of the radioactive decay of Tm^{168} , 1=17029
- Brabec, V. and Vinduška, M. The nonlinearity of Fermi diagrams [Kurie] plots for P^{32} , 1=17024
- Brabec, V. See Kracik, B., 3=12635
- Braben, D.W., Green, L.L. and Willmott, J.C. The energy levels of Na^{23} , 2=1820
- Braben, D.W., Green, L.L. and Willmott, J.C. The $Ne^{22}(p, \gamma) Na^{23}$ reaction and the energy levels of Na^{23} , 2=14091
- Braben, D.W., Riley, P.J. and Neilson, G.C. The 6^{48} MeV level of C^{11} , 3=15100
- Braben, D.W. See Riley, P.J., 3=24860
- Brabets, V., Kratsik, B., Kratsikova, T., Miligi, Z., Veis, M., Mashtalka, A., Vobetsky, M. and Gnatovits, V. Investigation of the radiation from neutron-deficient hafnium isotopes, 3=8050
- Brabets, V., Kratsik, B., Kratsikova, T., Mashtakla, A., Veis, M., Vobetski, M. and Chernukh, I. Conversion electron spectrum of Hf^{172} , 4=9417
- Brabham, H.B.S. Kallman's bipolar negative resistor, 4=30610
- Braccisi, A. On the relation between the production of energy and the composition of matter in a steady universe, 3=25972
- Braccisi, A. and Ceccarelli, M. The Italian cross radio telescope. I. Design of the antenna, 2=11152
- Braccisi, A., Ceccarelli, M., Mannino, G., Setti, G. and Sinigaglia, G. Operation at the "Medicina Station" of a 327 MHz radio-telescope, 0=18687
- Braccisi, A., Ceccarelli, M. and Salandini, G. Search for γ radiation from the Cygnus A radiosource, 0=18819
- Braccisi, A. and Vespignani, G. A map of the 327 Mc/s continuous radioemission of the sky between $\alpha = 16$ hr and $\alpha = 24$ hr from $\delta = -20^\circ$ to $\delta = +60^\circ$, 4=10910
- Braccini, P. L., Ion, I. X., Stefanini, A., Torelli, G. and Torelli Tosi, R. Annihilation in flight of 800 MeV positrons, 4=3391
- Braccini, P.L. See Bellettini, G., 3=6076
- Braccini, P. L. See Bellettini, G., 4=6095
- Brace, L. H., Spencer, N. W. and Carignan, G. R. Ionosphere electron temperature measurements and their implications, 4=7908
- Brace, L.H. See Boggess, R.L., 0=14203
- Brace, L.H. See Nagy, A. F., 4=13843
- Brace, L.H. See Spencer, N.W., 2=6935
- Brace, L. H. See Taylor, H. A., Jr, 4=7873
- Brace, W.F. and Bombolakis, E.G. A note on brittle crack growth in compression, 3=23363
- Brace, W.F. See Dulaney, E.N., 1=1345
- Brace, W.F. See Dulaney, E.N., 2=8750
- Bracewell, R.N. Communications from superior galactic communities, 0=12247
- Bracewell, R.N. Interferometry and the spectral sensitivity island diagram, 1=6019
- Bracewell, R.N. Correction of spectroscopic line profiles for instrumental broadening, 2=15730
- Bracewell, R.N. A corrected formula for the spectral sensitivity function in radio astronomy, 3=5269
- Bracewell, R.N. Correction for grating response in radio astronomy, 3=9256
- Bracewell, R.N. [Ed.] Paris symposium on radio astronomy, 0=10477
- Bracewell, R.N., Cooper, B.F.C. and Cousins, T.E. Polarization of the central component of Centaurus A, 3=7052
- Bracewell, R.N. and Swarup, G. The stanford microwave spectroheliograph antenna, a microsteradian pencil beam interferometer, 1=6016
- Bracewell, R.N., Swarup, G. and Seeger, C.L. Future large radio telescopes, 2=9110
- Brach, B. Ya., Zhdanova, V. V. Lev, E. Ya. Thermoelectric properties of the HgSe-HgTe system, 1=17813
- Brach, B. Ya. See Ariya, S. M., 4=25989
- Brachet, C., Decomps, B., Durand, G., Heriard-Dubreuilh, L., Lamain, H., Vasseur, P. and Vautier, P. Analysis of the pulsed voltage operation of a gas laser, 2=20140
- Brachet, C. and Vasseur, P. Apparatus for producing an arc plasma suitable for injection into a magnetic bottle, 1=16344
- Brachet, C.M.F. and Vasseur, P.L. Support and confinement of an axial arc in a reflex discharge at very low pressure, 3=7481
- Brachmann, K. See Witzmann, H., 4=22915
- Bracini, P. L., Ion, I. X., Stefanini, A., Torelli, G. and Tosi, R. T. The annihilation of the 800 MeV positron, 4=27832
- Brack, K. Device for filtering electron interferences, 3=12250
- Bracken, R.C. See Muller, N., 0=13437
- Brackenridge, J.B. Transverse oscillations of a liquid jet. I, 0=16681
- Brackenridge, J.B. and Nyborg, W.L. Transverse oscillations of a liquid jet. II, 1=11741
- Brackett, E. See Sass, R. L., 4=13604
- Brackett, E. B., Brackett, T. E. and Sass, R. L. The crystal structures of barium chloride, barium bromide, and barium iodide, 4=7608
- Brackett, E. B. See Sass, R. L., 4=13592
- Brackett, E. B. See Dawson, R., 3=25198
- Brackett, F.S. Digital recording for spectrum analysis, 1=1818
- Brackett, F.S. and Charney, E. Apparatus for measuring the spectral dependence of light scattering from large particles, 0=14848
- Brackett, J. W., Mueller, C.R. and Sanders, W.A. Direct determination of scattering phase shifts from differential cross sections, 4=3934
- Brackett, J. W. See Mueller, C. R., 4=11237
- Brackett, T. See Sass, R. L., 4=13604
- Brackett, T. E. See Brackett, E. B., 4=7608
- Brackett, T. E. See Brackett, E. B., 4=13592
- Brackett, T.E. See Dawson, R., 3=25198
- Brackmann, J., Kusterer, W. and Metzdorf, W. Influence of the boundary on the reverse magnetisation in thin Permalloy films, 2=8637
- Brackmann, R.T. and Fite, W.L. Condensation of atomic and molecular hydrogen at low temperatures, 1=8838
- Brackmann, R.T. See Fite, W.L., 0=1467
- Brackmann, R.T. See Fite, W.L., 0=1475
- Brackmann, R.T. See Fite, W.L., 0=13408
- Brackmann, R. T. See Fite, W. L., 4=11537
- Brackmann, R. T. See Fite, W. L., 4=25780
- Brackmann, R.T. See Stebbings, R.F., 0=17689
- Brada, J. and Mardix, S. Properties of electron traps and electrons in single crystals of silver bromide at $77^\circ K$, 2=23470
- Bradbury, A. See Andrew, E.R., 1=6430
- Bradbury, A. See Andrew, E.R., 1=10187
- Bradbury, A. See Andrew, E.R., 3=20683
- Bradbury, A. See Eades, R.G., 1=7160
- Bradbury, B.T., England, B.J. and Myles, J.W. An electron microscope study of the microstructural changes produced in uranium oxides during neutron irradiation at high heat ratings, 3=20958

- Bradbury, B.T. See Robins, R.G., 2=14941
- Bradbury, E.M. and Elliott, A. Simplified procedure for making selenium infrared polarizers, 2=17653
- Bradbury, R.A. See Stickley, C.M., 3=24512
- Bradbury, T.C. Relativistic theory of the behavior of clocks, 0=6670
- Bradbury, T.C. Radiation damping in classical electrodynamics, 2=20106
- Braddick, H.J.J. Photoelectric photometry, 1=1805
- Braddock, J.V., Bullen, T.G., Dunn, B.J., McDonald, D.F. and Miranda, H.A.Jr. High yield generator of pulsed 14 MeV neutrons, 1=13454
- Braddock, J.V. See McDonald, D.F., 1=2765
- Braden, C.H. See Dulaney, H., Jr., 0=5705
- Braden, C.H. See Dulaney, H., 2=7945
- Braden, C.H. See Dulaney, H., 3=4600
- Braden, C.H. See Wyly, L.D., 2=406
- Braden, C.H. See Wyly, L.D., 3=4601
- Braden, C.H. See Dulaney, H., 4=15192
- Braden, P.O. Van Allen belt demonstration, 3=16284
- Braden, R.A. See Harvey, R.L., 3=9710
- Bradfield, G. Dynamic measurement of elasticity using resonance methods, 0=21102
- Bradfield, G. The use of radially graded ultrasonic radiators to improve the uniformity of the near field, 1=8193
- Bradfield, G. Ultrasonic vibration and the growth of crystals, 3=23392
- Bradfield, G. Measurement at high pressures of the dynamic complex elasticity of solids and liquids including polymers and of dynamic viscosity, 4=7360
- Bradfield, G. Use in industry of elasticity measurements in metals with the help of mechanical vibrations, 4=15684
- Bradfield, G. The influence of texture and plastic deformation on the elasticity of polycrystalline metals, 4=15682
- Bradfield, G. and Goodwin, W.E.T. A note on abnormalities in the travel time of a wave between two extensive apertures, 2=1232
- Bradfield, W.S., Barkdoll, R.O. and Byrne, J.T. Some effects of boiling on hydrodynamic drag, 2=15817
- Bradford, A.P. and Hass, G. Increasing the far-ultraviolet reflectance of silicon-oxide-protected aluminum mirrors by ultraviolet irradiation, 3=19004
- Bradford, E. and Robson, B.A. Inelastic scattering of 18.9 MeV nucleons from the 9.6 MeV state of C^{12} , 1=11004
- Bradford, E. and Robson, B.A. Distorted wave analysis of the inelastic scattering of protons and the 9.63 MeV state of C^{12} , 2=5901
- Bradford, E. See Barker, F.C., 0=20348
- Bradford, G. and Galloway, R.B. Dekatron scaler employing transistorized drive circuits, 2=1354
- Bradford, H.M., Fraser, D.M., Langstroth, G.F.O. and MacDonald, A.D. Electrical breakdown in xenon and krypton at ultrahigh frequencies, 0=253
- Bradford, W.R., Farmer, C.B. and Todd, S.J. Absolute solar spectra 3.5-5.5 microns. II. Theoretical spectra for altitude range 15-30 km, 4=20921
- Bradhurst, D.H. and Leach, J.S.L. The mechanical properties of anodic films on aluminium, 4=23128
- Bradhurst, D.H. See Chester, P.F., 4=6983
- Bradistilov, G. and Boiadjev, G. The general case of relative periodic motions of a physical double pendulum lying in a plane subjected to rotation, 4=2613
- Bradley, A. Determination of dose rates from beta transmission currents, 0=20366
- Bradley, A. and Hammes, J.P. Photoconductivity in thin organic films, 3=25420
- Bradley, A. See Gross, B., 0=10868
- Bradley, A.A. See Talbot, J.H., 3=16128
- Bradley, C.B. See Pelanne, C.M., 2=19744
- Bradley, C.C. The experimental determination of the thermo-electric power in liquid metals and alloys, 3=145
- Bradley, C.C. The resistivity and thermoelectric power of liquid gallium and mercury at constant volume, 3=23902
- Bradley, C.C., Faber, T.E., Wilson, E.G. and Ziman, J.M. A theory of the electrical properties of liquid metals. II. Polyvalent metals, 3=143
- Bradley, C.J. See Altmann, S.L., 2=20964
- Bradley, D. and Entwistle, A.G. Determination of the emissivity, for total radiation, of small diameter platinum-10% rhodium wires in the temperature range 600-1450°C, 2=1306
- Bradley, D.A., Woodbury, M.A. and Brier, G.W. Lunar synodical period and widespread precipitation, 3=3461
- Bradley, D.A. See Brier, G.W., 4=29280
- Bradley, D.C. and Kuncher, N.R. Structures of mercury mercaptides. I. X-ray structural analysis of mercury methylmercaptide, 4=20768
- Bradley, D.E. High-resolution shadow-casting technique for the electron microscope using the simultaneous evaporation of platinum and carbon, 0=8293
- Bradley, D.E. Study of background structure in platinum/carbon shadowing deposits, 0=18421
- Bradley, D.E. Direct observation of surface contamination formed in demountable vacuum systems, 0=19239
- Bradley, D.E. Simple methods for preparing pointed filaments for the electron microscope, 1=7894
- Bradley, D.F. See Tinoco, I. Jr., 3=10916
- Bradley, D.J. The rapid measurement of spectral intensity with an oscillating Fabry-Perot spectrometer: Isotope abundance in mercury, 1=16081
- Bradley, D.J. Parallel movement for high finesse interferometric scanning, 2=2882
- Bradley, D.J. Rapidly-recording Fabry-Perot spectroscopy, 2=5161
- Bradley, D.J. Electron-optical scanning for a Fabry-Perot spectrometer employing image intensifier detection, 2=7669
- Bradley, D.J. Anomalous spectral intensity modification in a hollow-cathode/discharge, 2=20736
- Bradley, D.J. Spherical aberration diffraction patterns of crossed cylinders, 3=3868
- Bradley, D.J. Spectrophotometry with an oscillating Fabry-Perot interferometer, 3=16768
- Bradley, D.J. Improved silver films for multiple-beam interferometry, 3=21560
- Bradley, D.J., Bates, B. and Juulman, C.O.L. Application of photoelectric interference spectroscopy and image intensifiers to plasma diagnosis, 4=18895
- Bradley, D.J., Bates, B., Juulman, C.O.L. and Majumdar, S. Multiple beam interferometry in the vacuum ultraviolet, 4=21289
- Bradley, D.J., DeSilva, A.W., Evans, D.E. and Forrest, M.J. Spectra of giant pulses from a ruby laser, 4=3219
- Bradley, D.L. Velocity of sound in a Dow Corning 200 Fluid as a function of temperature and pressure, 4=2674
- Bradley, D.L. See Strakna, R.E., 3=13330
- Bradley, E.F. and Porter, N.A., Observations on extensive air showers. VIII. The distribution in declination and curvature of the shower front, 0=20266
- Bradley, E.F. and Porter, N.F. The distribution in declination and the curvature of the shower front, 1=2133
- Bradley, E.F. See Rider, N.E., 2=2964
- Bradley, E.F. See Rider, N.E., 4=4753
- Bradley, E.M. Properties of magnetic films for memory systems, 2=13630
- Bradley, E.M. and Prutton, M. Magnetization reversal in uniaxial films near to the preferred direction, 0=11859
- Bradley, E.M. See Prutton, M., 0=11838
- Bradley, G.E. Demonstration beta spectrometer, 0=1161
- Bradley, G.E. Simple parallel plate ionization chamber for the undergraduate nuclear physics laboratory, 0=1229
- Bradley, G.E. Self-contained preamplifier for proportional counters, 0=3905
- Bradley, G.E., Pipkin, F.M. and Simpson, R.E. Beta-decay matrix elements in Sb^{122} , 1=12173
- Bradley, G.E. See Pipkin, F.M., 1=19390
- Bradley, J.C. Vibrational frequency spectrum of random crystal lattices, 2=558
- Bradley, J.E.S. and Marks, J. Method of measuring the Mössbauer effect, 2=3469
- Bradley, J.N. Luminosity of shock waves in xenon, 0=15728
- Bradley, J.N. Mechanism of disproportionation in alkyl radical reactions, 1=17362
- Bradley, J.N. Quantum mechanics of the H_3 complex, 4=28215
- Bradley, J.N. and Kistiakowsky, G.B. Shock wave studies by mass spectrometry. I. Thermal decomposition of nitrous oxide, 1=11617
- Bradley, J.N. and Kistiakowsky, G.B. Shock wave studies by mass spectrometry. II. Polymerization and oxidation of acetylene, 1=11618
- Bradley, J.N. and Rabinovitch, B.S. On the mechanism of disproportionation of alkyl radicals, 2=23009
- Bradley, J.N. See Avery, H.E., 4=17320
- Bradley, J.N. See Avery, H.E., 4=23650
- Bradley, J.N. See Avery, H.E., 4=23651
- Bradley, L.C. See O'Neill, E.L., 1=16048
- Bradley, L.C.III and Wall, N.S. The absence of circular dichroism in $^{16}O_2$ and a resultant upper limit for parity non-conservation, 2=16517

- Bradley, L.C.III. See Schuler, C.J., 2=10206
 Bradley, L.C., III. See Fork, R.L., 4=11365
 Bradley, P.A. and Clarke, C. Atmospheric radio noise and signals received on directional aerials at high frequencies, 4=29303
 Bradley, R. and Ruedl, E. Positive ion emission from metal surfaces, 3=4203
 Bradley, R. See Sambell, R.A.J., 4=10392
 Bradley, R.B. See Becker, E.D., 0=4222
 Bradley, R.C. Diffusion and desorption of metal impurities in platinum, 0=6061
 Bradley, R.C., Arking, A. and Beers, D.S. Secondary positive ion-emission from platinum, 0=17043
 Bradley, R.C. and Ruedl, E. Ions sputtered from copper, 2=7675
 Bradley, R.C. See Ruedl, E., 2=18576
 Bradley, R.G., Jr. See Mann, W.M., Jr., 4=11225
 Bradley, R.S. [Edited by]. High pressure physics and chemistry. Vols. 1 and 2, 4=27002
 Bradley, R.S., Grace, J.D. and Munro, D.C. The electrical conductivity of phthalocyanine at high frequency and high pressures, 4=26067
 Bradley, R.S., Jamil, A.K. and Munro, D.C. Electrical conductivity of fayalite and spinel, 2=14511
 Bradley, W.E. See Vonnegut, B., 2=11029
 Bradley, W.E. See Vonnegut, B., 3=9039
 Bradley, W.G. Stationary dislocations in sodium chloride as possible vehicles for the electrical conductivity mechanism, 2=12438
 Bradner, H. See Amaldi, E., 2=22461
 Bradner, H. See Amaldi, E., 3=14861
 Bradner, H. See Stubbs, T.F., 1=16886
 Bradrinathan, C. See Kondaiah, E., 0=7456
 Bradsell, R.H. A high speed power switch for use with the National Physical Laboratory ultramicrowave harmonic generator, 3=14766
 Bradsell, R.H. See Froome, K.D., 2=1101
 Bradshaw, A. See Park, K., 4=26782
 Bradshaw, F.J., Brandon, R.H. and Wheeler, C. The surface self-diffusion of copper as affected by environment, 4=28487
 Bradshaw, J.A. Electron beams in axially-symmetric crossed fields, 0=3800
 Bradshaw, J.A. Faraday's law and medical diathermy, 4=15969
 Bradshaw, P. and Johnson, R.F. Turbulence measurements with hot wire anemometers, 3=18840
 Bradshaw, W.W., Cadena, D.G., Jr., Crawford, G.W. and Spetzler, H.A.W. The use of alanine as a solid dosimeter, 2=18032
 Bradt, H.U. and Clark, G.W. The polarisation of cosmic ray mu-mesons, 3=4518
 Bradt, H.V. and Clark, G.W. Polarization of cosmic-ray μ mesons, 4=3504
 Bradt, R.C. and Wiley, J.S. Directional thermal expansion coefficients of β -MnO₂, 2=20941
 Brady, A.H. and Crombie, D.D. Studying the lunar tidal variations in the D region of the ionosphere by means of very-low-frequency phase observations, 4=7920
 Brady, D.W. See Frisch, H.L., 3=52
 Brady, F.P. and Warburton, E.K. $C^{14}(p, \alpha) B^{11}$ angular distributions at $E_p = 18$ MeV, 3=671
 Brady, F.P. See Bayman, B.F., 1=19462
 Brady, F.P. See Sherr, R., 2=1889
 Brady, G.W. Cluster formation in perfluoroheptane-1-octane systems near the consolute temperature, 0=3519
 Brady, G.W. Structure in ionic solutions. IV, 0=19117
 Brady, G.W. Some further observations on the critical region. II, 4=27155
 Brady, G.W. and Frisch, H.L. Some further observations on the critical region, 2=9269
 Brady, G.W. and Petz, J.I. Clustering in the critical region, 1=6854
 Brady, G.W. and Romanow, W.J. Structure of water, 0=5983
 Brady, G.W. and Varimbi, J. Small-angle X-ray scattering from sodium-ammonia solutions, 4=18178
 Brady, G.W. See Frisch, H.L., 3=52
 Brady, J.J., Brick, R.O. and Pearson, M.D. Penetration of micro-waves into the rarer medium in total reflection, 0=17101
 Brady, J.J. See Skinner, J.G., 3=9516
 Brady, J.J. See Skinner, J.G., 3=9723
 Brady, J.J. See Tynes, A.R., 4=14633
 Brady, L.E. and Hamilton, J.F. Electrical measurements on photographic grains containing cadmium, 4=18437
 Brady, L.E. See Hamilton, J.F., 0=1616
 Brady, L.E. See Hamilton, J.F., 0=1617
 Brady, L.E. See Hamilton, J.F., 0=8814
 Brady, L.E. See Hamilton, J.F., 3=11948
 Brady, L.E. See Hamilton, J.F., 4=13519
 Brady, L.E. See Spencer, H.E., 4=14413
 Brady, M. Three port tuned microwave reflectometer, 4=21653
 Brady, M.M. and Dedrick, K.G. High-voltage pulse measurement with a precision capacitive voltage divider, 3=5599
 Brady, P.T., House, A.S. and Stevens, K.N. Perception of sounds characterized by a rapidly changing resonant frequency, 1=15373
 Bradžhyunas, P.P. See Yuodviršhis, A.V., 4=2029
 Braffort, P. Recent progress in the simulation of nuclear phenomena, 1=2261
 Braffort, P. See Larisse, J., 2=3655
 Brafman, O., Alexander, E., Fraenkel, B.S., Kalman, Z.H. and Steinberger, I.T. Polar properties of ZnS crystals and the anomalous photovoltaic effect, 4=22807
 Braga, C.L. See Birks, J.B., 4=14173
 Bragança Gil, F., Foucher, R. and Petit, G.Y. Angular correlation of γ -rays of $Ra^{223}(AcX)$, 1=13754
 Bragança Gil, F. and Petit, G.Y. Angular correlation between γ - γ and α - γ radiations for elements of the Pa^{231} family, 2=410
 Bragg, L.E. and Coleman, B.D. On strain energy functions for isotropic elastic materials, 3=11736
 Bragg, L.E. and Coleman, B.D. A thermodynamical limitation on compressibility, 3=21273
 Bragg, R.H., Corvin, I. and Buttrey, J.W. Small angle scattering investigation of ludox mixtures, 0=12053
 Bragg, R.H., Crooks, D.D., Fenn, F.W., Jr and Hammond, M.L. The effect of applied stress on the graphitization of pyrolytic graphite, 4=20704
 Bragg, R.H., Hammond, M.L., Robinson, J.C. and Anderson, P.L. Small-angle scattering by pyrolytic graphite, 4=20781
 Bragg, R.H. and Packer, C.M. Effect of absorption and incoherent scattering on X-ray line profiles, 4=4579
 Bragg, R.H. and Packer, C.M. Orientation dependence of structure in pyrolytic graphite, 3=6820
 Bragg, R.H. and Packer, C.M. Quantitative determination of preferred orientation, 4=15747
 Bragg, S.L. Effect of compressibility on the discharge coefficient of orifices and convergent nozzles, 0=6757
 Bragg, W.L. British achievements in X-ray crystallography, 0=13970
 Bragin, A.A. Correction for nonlinearity in the scale of an intensity meter for nuclear radiation, 2=19854
 Bragin, O.V. See Klimusheva, G.V., 4=7141
 Bragiński, A. On the rectangularity of the hysteresis loop of manganese ferrite, 0=3077
 Bragiński, A. Properties of manganese ferrites prepared at various oxygen pressures, 0=11889
 Bragiński, A. On the rectangularity of the hysteresis loop of solid solutions belonging to the system $Mn_{1-x}Fe_xO_4$, $-0.1 < x < +0.14$, 1=17955
 Bragiński, A. Initial magnetic permeability in the system $Mn_xFe_{3-x}O_4$, 2=746
 Bragiński, A. Oxygen-rich manganese ferrite solid solutions, 2=4232
 Bragiński, A. Magnetic relaxation in a manganese-iron ferrite and the stabilization of domain walls, 4=10291
 Bragiński, A. and Kulikowski, J. The magnetic after-effect anomaly near the magnetic anisotropy compensation point, 4=13206
 Bragiński, A. and Kulikowski, J. On the apparent after-effect anomaly near the magnetic anisotropy compensation point, 4=17635
 Bragiński, A., Marais, A. and Merceron, T. Some experimental results on the phenomenon of relaxation in Mn-Zn ferrites, 1=17974
 Bragiński, A., Marais, A. and Merceron, T. Magnetic after-effect in solid solutions of Mn and Ni-ferrites with magnetite, 3=1036
 Bragiński, A. and Merceron, T. Magnetic relaxation in magnetite and in its solid solutions with manganese and nickel ferrites, 1=20137
 Bragiński, A. and Merceron, T. On the magnetic relaxation spectrum in the system $Mn_xFe_{3-x}O_4$, 2=4243
 Bragiński, A. and Merceron, T. On the mechanism of disaccommodation in ferrites, 3=3128
 Bragiński, A. and Merceron, T. The influence of walls on decay phenomena, 4=8689

- Braginskii, S.I. Magnetohydrodynamics of weakly conducting liquids, 0-9158
- Braginskii, S.I. The structure of the F-layer and the causes of convection in the earth's core, 3-23571
- Braginskii, S.I. and Kadomtsev, B.B. Stabilisation of a plasma by the use of guard conductors, 1-7065
- Braginskii, V.B. The limits which determine the possibility of measuring gravitational effects, 3-25858
- Braginskii, V.B., Ivanenko, D.D. and Rukman, G.I. The possibility of performing laboratory experiments to measure the rate of diffusion of the gravitational interaction, 1-55
- Braginskii, V.B., Rudenko, V.N. and Rukman, G.I. An experimental investigation of the effect of an intermediate medium on gravitational interaction, 2-19391
- Braginskii, V.B., Rudenko, V.N. and Rukman, G.I. An experimental investigation of the effect of an intermediate medium on gravitational interaction, 3-7100
- Braginskii, V.B. and Rukman, G.I. On the possibility of recording gravitational radiation under laboratory conditions, 1-18245
- Braginskii, V.B. and Rukman, G.I. On the possibility of recording gravitational radiation under laboratory conditions, 2-21803
- Braginsky, S.I. and Migdal, A.B. Processes associated with rapid current rise in a plasma column, 1-7044
- Braginsky, S.I. and Shafronov, V.D. A plasma column with heat losses at electrodes, 1-9577
- Braginsky, S.I. and Shafronov, V.D. Plasma column in an external longitudinal magnetic field, 1-9578
- Braham, R.R., Jr. See Brown, E.N., 3-9037
- Braham, R.R., Jr. See Hoffer, T.E., 2-15191
- Brahmachary, R.L. A solution of the combined gravitational and mesic field equations in general relativity, 1-4256
- Brahmavar, S. M. and Ramaswamy, M. K. M_1 - E_2 mixing ratios in 2^- - 2^- transition in even-even nuclei as a test of the purity of the vibrational states, 4-3555
- Brahmavar, S. M. and Ramaswamy, M. K. On the mixing ratios ($M_1 - E_2$) in some even-even nuclei, 4-3556
- Brahmavar, S. M. and Ramaswamy, M. K. On an empirical regularity in the energy spectra of some odd-mass nuclei, 4-12124
- Brahmavar, S. M. and Ramaswamy, M. K. Note on M_4 transitions, 4-15137
- Brahmavar, S. M. and Ramaswamy, M. K. Classification of excited states of even-even nuclei, 4-17009
- Brahmavar, S. M. and Ramaswamy, M. K. Nuclear core isomerism: an empirical approach based on transition probabilities, 4-21995
- Brahmavar, S. M. and Ramaswamy, M. K. L-forbidden transitions near deformed region, 3-22316
- Brahmavar, S. M. and Ramaswamy, M. K. Systematics of some beta-transitions, 3-22322
- Brahmavar, S. M. See Ramaswamy, M. K., 4-6212
- Brahms, S. and Mathieu, J. P. Raman spectrum of mercuric chloride in various physical states, 1-846
- Braibanti, A. See Ferrari, A., 2-12901
- Braibanti, A. See Ferrari, A., 4-4616
- Braibanti, A. See Ferrari, A., 3-23436
- Braid, T. H., Yntema, J. L. and Zeidman, B. Angular correlations in inelastic scattering of protons from Mg^{24} , 2-1876
- Braid, T. H. See Allen, J. S., 0-1385
- Braid, T. H. See Broek, H. W., 2-1924
- Braid, T. H. See Broek, H. W., 2-12218
- Braid, T. H. See Broek, H. W., 3-2491
- Braid, T. H. See Yntema, J. L., 2-1916
- Braier, A. See Rosman, H., 1-354
- Braillon, B. and Ramanet, R. Chemical shifts in the n.m.r. spectra of acetylenes, 1-9953
- Brailovskaya, R. V. See Mazurin, O. V., 0-15882
- Brailsford, A. D. Abrupt-kink model of dislocation motion, 1-7583
- Brailsford, A. D. Abrupt-kink model of dislocation motion. II, 3-2799
- Brailsford, A. D. The resistivity of interstitial atoms and vacancies in α -uranium, 3-25326
- Brailsford, A. D. Dislocation contribution to ultrasonic harmonic generation, 4-28362
- Brailsford, A. D. and Major, K. G. The effect of irradiation upon the electrical resistivity and thermal conductivity of α -uranium, 3-25325
- Brailsford, A. D. and Major, K. G. The thermal conductivity of aggregates of several phases, including porous materials, 4-11384
- Brailsford, A. D. and Overhauser, A. W. Theory of the resistance minimum in dilute paramagnetic alloys, 0-2844
- Brailsford, A. D. and Overhauser, A. W. Theory of the resistance minimum in dilute paramagnetic alloys, 1-17602
- Brailsford, A. D. and Overhauser, A. W. Theory of the resistance minimum in dilute paramagnetic alloys, 2-3979
- Brailsford, A. D. See Boyle, W. S., 1-1147
- Brailsford, F. Theory of a ferromagnetic heat engine, 4-27613
- Brainin, E. I. The question of strength anisotropy of constructional materials, 0-21140
- Brainin, E. I. The question of strength anisotropy of constructional materials, 1-3991
- Brainin, E. I. The problem of residual stresses after deformation in the yield plateau region, 3-20712
- Brainin, E. I. See Davidenkov, N. N., 0-6305
- Brainin, E. I. See Davidenkov, N. N., 0-21128
- Brainin, E. I. See Davidenkov, N. N., 2-8722
- Brainin, E. I. See Davidenkov, N. N., 2-23758
- Brainin, E. I. See Davidenkov, N. N., 3-15987
- Brainin, L. E. The role of stresses in the formation of hair-line cracks, 3-3241
- Brainina, Z. Z., Mikheev, M. N., Rudomanov, P. G. and Selyakhina, V. P. Investigation of ageing of silicon-manganese bronze by measurements of magnetic susceptibility and electrical resistivity, 1-15149
- Brajovic, V., Boutin, H., Safford, G. J. and Palevsky, H. A study of rotational freedom in several ammonium salts by slow neutron inelastic scattering, 3-15418
- Brajovic, V. See Boutin, H., 4-6568
- Brajovic, V. See Safford, G., 3-17643
- Brajovic, V. M., Miric, P. D. and Popic, R. V. Total neutron cross-section of magnesium, 0-20493
- Brakhman, E. V. See Fridkin, V. M., 1-2463
- Brakhman, E. V. See Fridkin, V. M., 1-6241
- Braley, J. E. and Cook, C. W. Elastic scattering of 5.6-MeV neutrons from carbon, 0-9670
- Braley, J. E. See Alston, M. H., 3-7091
- Bramble, J. H. A sphere theorem for the equation of elasticity, 2-42
- Bramble, J. H. and Payne, L. E. A priori bounds in the first boundary value problem in elasticity, 2-4971
- Bramble, J. H. and Payne, L. E. Effect of error in measurement of elastic constants on the solutions of problems in classical elasticity, 4-2622
- Bramblett, R. L. and Bonner, T. W. Neutron evaporation spectra from (p, n) reactions, 1-2208
- Bramblett, R. L., Caldwell, J. T., Auchampaugh, G. F. and Fultz, S. C. Photoneutron cross sections of Ta^{181} and Ho^{163} , 3-10329
- Bramblett, R. L., Caldwell, J. T., Harvey, R. R. and Fultz, S. C. Photoneutron cross sections of Tb^{160} and O^{16} , 4-12207
- Bramblett, R. L., Ewing, R. I. and Bonner, T. W. A new type of neutron spectrometer, 1-16813
- Bramblett, R. L. See Beckner, E. H., 1-13798
- Bramblett, R. L. See Bonner, T. W., 1-8714
- Bramblett, R. L. See Caldwell, J. T., 4-3638
- Bramblett, R. L. See Fultz, S. C., 2-18316
- Bramblett, R. L. See Fultz, S. C., 3-6221
- Bramblett, R. L. See Fultz, S. C., 4-12206
- Bramblett, R. L. See Hatcher, C. R., 2-9828
- Bramblett, R. L. See St. Romain, F. A., 2-14137
- Brambring, J. Drift velocities of electrons in argon, 4-24561
- Brambring, J. Current of an electron avalanche with diffusion, 4-24618
- Bramer, B. R., Vertogen, G. and Penning, P. Reflectivity of heavily doped p and n-type silicon at the 3.4 eV and 4.5 eV peak, 4-7156
- Bramhall, A. D. and Hutton, J. F. Wall effect in the flow of lubricating greases in plunger viscometers, 0-14577
- Bramham, P. See Bell, M., 3-19379
- Brami-Dépaux, B. See Bartholin, F., 4-12216
- Brami-Dépaux, B. See Bartholin, F., 4-15207
- Brami-Dépaux, B. See Tsai-Chü., 4-25087
- Bramley, A. and Rosenthal, J. E. Polarization induced in a dielectric medium by an intense laser beam, 4-20403
- Bramley, E. N. The impedance of a short cylindrical dipole in the ionosphere, 2-21643
- Bramley, E. N. A note on the theory of moon echoes, 3-1513
- Bramlitt, E. T. and Fink, R. W. Rare nuclear reactions induced by 14.7-MeV neutrons, 3-24952
- Bramlitt, E. T., Fink, R. W., Gardner, D. G. and Poularikas, A. Some cross-section limits for the occurrence of the (n, He³) reaction at 14.5 MeV, 2-3597
- Brammer, W. G. Self-diffusion of alpha-iron in a large temperature gradient, 1-2393
- Brammer, W. G. See Hake, R. R., 4-8576

- Bramson, M. A. and Konstantinov, I. P. A receiving-recording device for infrared spectrometers, 4=16286
- Brancolini, G. P. See Mori, G. F., 2=24213
- Brand, F. A., Baker, A. N. and Mette, H. Spectral distribution of the photomagnetolectric effect in Ge: experiment, 0=13635
- Brand, F. A. See Jacobs, H., 4=19312
- Brand, F. A. See Jacobs, H., 3=22019
- Brand, H. and Dörr, F. An apparatus for the measurement of luminescence spectra of frozen solutions, 2=6627
- Brand, J. C. D., Callomon, J. H. and Watson, J. K. G. The $3820\text{ A }^1\text{A} \rightarrow ^1\text{A}'$, 2=539
- Brand, P. and Sackmann, H. Crystal structure of SnBr_4 , 3=18317
- Brand, R. S. On the stability of plane parallel flows, 4=29582
- Brand, R. S. and Persen, L. N. Implications of "the law of the wall" for turbulent boundary layers, 4=29591
- Brand, U. and Schwartze, W. Model investigation of the formation of images of surfaces in the electron mirror
- Branda, L. I. Hole bands in the LiCl crystal, 2=6304
- Brandão, D. E., Körner, H. J., Maciel, A., Müller, C. S. and Zawislak, F. C. g-Factor measurement of the 133 keV level in ^{131}Cs , 4=27975
- Brandão, D. E. See Zawislak, F. C., 4=9388
- Branden, B. H. See Moffat, J. W., 2=9908
- Brändén, C. I. The crystal structure of $2\text{HgCl}_2 \cdot (\text{C}_2\text{H}_5)_2\text{S}$, 4=13617
- Brändén, C. I. The crystal structure of $\text{HgCl}_2 \cdot \text{C}_4\text{H}_8\text{S}$, 4=30859
- Brändén, C. I. The crystal structure of $[\text{HgCl}_2 \cdot (\text{C}_6\text{H}_5)_3\text{AsO}]_n$, 4=30860
- Brändén, C. I. The structural chemistry of some mercury(II) complexes, 4=30861
- Brandenberg, W. See McDaniels, D. K., 2=9938
- Brandenberg, W. M. Focusing properties of hemispherical and ellipsoidal mirror reflectometers, 4=29729
- Brandenberger, J. R. See Reitz, R. A., 3=4889
- Brander, O. Elastic D-D-scattering in the impulse approximation expressions for the M-matrix, 2=18193
- Brander, O. On angular momentum analyticity in hard-core potential scattering, 3=14905
- Brander, O. A note on the transition operator for nucleon-nucleon scattering in the presence of a hard core, 3=22118
- Brander, O. A Mandelstam representation in hard-core potential scattering, 4=19430
- Brander, R. W. Epitaxial growth of silicon carbide, 4=30827
- Brandes, R. G. See Becker, J. A., 1=5109
- Brandewie, R. A., Hitt, J. S. and Feldman, J. M. Plasma pinch excitation of a ruby laser, 4=8995
- Brandewie, R. A. and Williams, E. M. Measurements of shock tube ionization phenomena by a new microwave method, 4=24663
- Brandhorst, H. W., Jr and Cobble, J. W. Decay of Ru^{105} , Pd^{106} , and Rb^{86} , 2=5849
- Brandhorst, H. W., Jr. and Potter, A. E., Jr. High photovoltages in silicon and silicon carbide films and their origin from a trap-induced space charge, 4=22803
- Brandmüller, J. and Glatzer, G. Raman spectrographic investigation of pyridine in different solvents, 0=942
- Brandmüller, J. See Behringer, J., 0=4209
- Brandmüller, J. See Behringer, J., 3=6650
- Brandon, D. G. Image formation in the field ion microscope, 3=448
- Brandon, D. G. The resolution of atomic structure: recent advances in the theory and development of the field ion microscope, 3=19370
- Brandon, D. G. Field ion microscopy, 4=21586
- Brandon, D. G. The accurate determination of crystal orientation from field ion micrographs, 4=23302
- Brandon, D. G. and Bowden, P. Low energy ion bombardment of gold, 1=14346
- Brandon, D. G., Bowden, P. B. and Baker, A. J. Lattice defects in gold and platinum produced by low-energy ion bombardment, 2=23170
- Brandon, D. G. and Nutting, J. Technique for preparing thin films of α -iron, 0=4690
- Brandon, D. G. and Nutting, J. Dislocations in α -iron, 0=17943
- Brandon, D. G., Ralph, B., Ranganathan, S. and Wald, M. S. A field ion microscope study of atomic configuration at grain boundaries, 4=23535
- Brandon, D. G., Ralph, B., Southon, M. J. and Wald, M. The application of field ion microscopy to some metallurgical problems, 3=17775
- Brandon, D. G., Ranganathan, S. and Whitmell, D. S. Image intensification in the field-ion microscope, 4=5721
- Brandon, D. G., Southon, M. J. and Wald, M. The application of field ion microscope to the study of radiation damage, 2=23947
- Brandon, D. G. and Wald, M. The direct observation of lattice defects by field ion microscopy, 1=19788
- Brandon, D. G., Wald, M., Southon, M. J. and Ralph, B. The application of field ion microscopy to the study of lattice defects, 3=22706
- Brandon, D. G. See Baker, R. G., 0=20825
- Brandon, D. G. See Bowden, P., 4=6833
- Brandon, D. G. See Bowden, P., 3=14666
- Brandon, D. G. See Bowden, P., 3=17712
- Brandon, D. G. See Bowden, P., 3=17723
- Brandon, D. G. See Ralph, B., 3=18340
- Brandon, D. G. See Southon, M. J., 3=21899
- Brandon, M., Franzini, P. and Lee, J. Helicity of μ^- mesons; Mott scattering of polarized muons, 1=12093
- Brandon, M. K. See Stewart, J. L., 1=12954
- Brandon, R. W., Closs, G. L. and Hutchison, C. A., Jr. Paramagnetic resonance in oriented ground-state triplet molecules, 3=4775
- Brandon, R. W., Gerkin, R. E. and Hutchison, C. A., Jr. Electron magnetic resonance of triplet states and the detection of energy transfer in crystals, 2=21370
- Brandow, B. H. Foundations of the nuclear shell model, 3=17387
- Brandow, B. H. See Bethe, H. A., 3=4551
- Brandreth, M. and Hellawell, A. Grain boundary precipitation in α/β brass, 2=23886
- Brands, C. W. See Raymo, C. T., 1=11303
- Brandsden, B. H. and Moffat, J. W. Coupled s- and p-wave solutions for pion-pion scattering, 1=12109
- Brandshtet, I. See Bzranova, G., 3=8140
- Brandstaetter, F. Measurement of magnetic fields in very small air gaps with the aid of the Förster probe, 2=13647
- Brandt, A. A. and Kurtmulaev, R. Kh. Investigation of fast ionization processes in the gas flow behind a shock wave, 2=1382
- Brandt, B. Electrons and active nitrogen, 4=14595
- Brandt, B. See Weizel, W., 0=7087
- Brandt, B. See Weizel, W., 0=9014
- Brandt, B. L. See Fowler, C. A., Jr., 3=18103
- Brandt, G. See Dupré, A., 2=9456
- Brandt, G. See Dupré, A., 4=5484
- Brandt, G. See van Isterbeek, A., 3=13041
- Brandt, G. B. and Rayne, J. A. Low-field De Haas-Van Alphen effect in indium, 4=4325
- Brandt, G. B. and Rayne, J. A. The electronic structure of chromium group metals from low field De Haas-Van Alphen studies, 3=6492
- Brandt, G. B. and Rayne, J. A. Low-field de Haas-van Alphen studies of chromium group transition elements, 4=7211
- Brandt, H. Factors affecting compressional wave velocity in unconsolidated marine sand sediments, 0=2200
- Brandt, J. C. Resonance scattering by atmospheric sodium. VI. The analytic solution for the twilight intensity, 0=2031
- Brandt, J. C. Interplanetary gas. IV. Neutral hydrogen in a model solar corona, 1=5158
- Brandt, J. C. Density of the Lunar atmosphere, 1=6702
- Brandt, J. C. Density of the lunar atmosphere, 1=6703
- Brandt, J. C. On the study of comet tails and models of the interplanetary medium, 1=11675
- Brandt, J. C. Interplanetary gas. V. A hydrogen cloud of terrestrial origin, 1=15415
- Brandt, J. C. Interplanetary gas. VI. Diffuse extreme ultraviolet helium radiation in the night and day sky, 2=4726
- Brandt, J. C. On the role of secondary scattering in the Lyman- α problem, 2=11071
- Brandt, J. C. A note on the gas tails of comets, 2=11113
- Brandt, J. C. On the scale of the galaxy, 2=19343
- Brandt, J. C. The Lyman- α problem and the geocoma hypothesis, 3=13779
- Brandt, J. C. Hydrogen and helium resonance radiation from the planets, 3=16343
- Brandt, J. C. A note on Rayleigh and raman scattered lyman- α radiation from Jupiter and Saturn, 4=2400
- Brandt, J. C. The scale of the Galaxy, 4=4874
- Brandt, J. C. On diffuse galactic Lyman- α in the night sky, 4=29410
- Brandt, J. C. and Belton, M. J. S. On the distribution of mass in galaxies. III. Surface densities, 3=3604
- Brandt, J. C. and Chamberlain, J. W. Resonance scattering by atmospheric sodium. V. Theory of the day airglow, 0=2030
- Brandt, J. C. and Chamberlain, J. W. Density of neutral gas in a planetary exosphere, 0=14398

- Brandt, J.C. and Hodge, P.W. Lunar dust and the Gegenschein, 2=4731
- Brandt, J.C. and Michie, R.W. Semiempirical model of the interplanetary medium, 2=17237
- Brandt, J.C. and Michie, R.W. Interplanetary gas. VII. A semiempirical model, 3=3538
- Brandt, J.C. See Belton, M.J.S., 3=16420
- Brandt, J.C. See Belton, M.J.S., 3=21103
- Brandt, J.C. See Belton, M.J.S., 3=21118
- Brandt, J.C. See Chamberlain, J.W., 2=15300
- Brandt, J.F. See Small, A.M., Jr., 2=11218
- Brandt, N.B. The hole part of the Fermi surface in bismuth, 0=13519
- Brandt, N.B. Simple construction of spring scales for measurement of magnetic susceptibility, 2=5431
- Brandt, N.B. High-sensitivity differential pressure gauge, 2=19503
- Brandt, N.B. A device for investigating the susceptibility anisotropy of metals at ultralow temperatures, 4=17619
- Brandt, N.B. The obtaining of ultra-high pressures at low temperatures, 4=20994
- Brandt, N.B. and Balla, D. Method for investigating the effect of high pressures on the galvanomagnetic properties of metals at low temperatures, 3=24158
- Brandt, N.B., Dolgolenko, T. F. and Stupochenko, N. N. Investigation of the de Haas-van Alphen effect in bismuth at ultralow temperatures, 4=7210
- Brandt, N.B., Dubrovskaya, A.E. and Kytin, G.A. An investigation of the quantized oscillations in the magnetic susceptibility of bismuth at extremely temperatures, 0=11804
- Brandt, N.B., Gaidukov, Yu. P., Itskevich, E. S. and Minina, N. Ya. Effect of pressure on the oscillation effects in bismuth, 4=28760
- Brandt, N.B. and Ginzburg, N.I. Superconductivity of crystalline modifications of bismuth, 1=18714
- Brandt, N.B. and Ginzburg, N.I. Investigation of the crystalline modifications of bismuth and some methods of obtaining high pressures at low temperatures, 2=7482
- Brandt, N.B. and Ginzburg, N.I. Investigation of the crystalline modifications of bismuth and some methods of obtaining high pressures at low temperatures, 2=9483
- Brandt, N.B. and Ginzburg, N.I. Critical fields of the crystalline modifications Bi II and Bi III, 3=21662
- Brandt, N.B. and Ginzburg, N.I. Effect of antimony and lead impurities on phase transitions in bismuth, 3=25751
- Brandt, N.B. and Ginzburg, N.I. Investigation of the effect of high pressure on the superconducting properties of cadmium, 4=401
- Brandt, N.B. and Ginzburg, N.I. Effect of high pressure on the superconducting properties of zirconium, 4=18623
- Brandt, N.B. and Ponomarev, Ya.G. Certain problems concerning the operation of magnetic torsion scales, 3=2079
- Brandt, N.B. and Razumeenko, M.V. Effect of impurities on the energy spectrum of electrons in bismuth, 1=1191
- Brandt, N.B. and Ryabenko, G.A. Effect of uniaxial compression on the quantum oscillations of the magnetic susceptibility of bismuth, 0=10090
- Brandt, N.B. and Shchekochikhina, V.V. The influence of antimony impurities on the de Haas-van Alphen effect in bismuth, 2=4204
- Brandt, N.B., and Shchekochikhina, V.V. The influence of antimony impurities on the De Haas-Van Alphen effect in bismuth, 3=3083
- Brandt, N.B. and Tomashchik, A.K. Application of alcohol in water solutions for obtaining required pressures at low temperatures, 1=21167
- Brandt, O. Calibration of infrasonic hydrophones, 0=14754
- Brandt, O. European experience with sound-insulation requirements, 4=18363
- Brandt, O. and Wahlström, S. Experimental buildings for sound insulation studies, 4=14306
- Brandt, R., Thompson, S.G., Gatti, R.C. and Phillips, L. Mass and energy distribution in the spontaneous fission of some heavy isotopes, 3=24990
- Brandt, R.C., Adams, K.H. and Vreeland, T. Jr. Dislocations and etch figures in high purity zinc, 3=10677
- Brandt, R.C., Adams, K.H. and Vreeland, T. Jr. Etching of high purity zinc, 3=10676
- Brandt, S., Cocconi, V.T., Morrison, D.R.O., Wroblewski, A., Fleury, P., Kayas, G., Muller, F. and Pelletier, C. Negative pion-proton elastic scattering at 10 GeV/c, 3=17324
- Brandt, S. See Bigi, A., 4=30254
- Brandt, S. See Bigi, A., 4=30255
- Brandt, W., Berko, S. and Walker, W.W. Positronium decay in molecular substances, 0=20115
- Brandt, W. and Lundqvist, S. Atomic response function, 4=6496
- Brandt, W. and Lundqvist, S. Possible new atomic resonances, 3=10470
- Brandt, W. See Blatt, J.M., 2=14415
- Brandt, W. See Greenewalt, C.H., 0=16870
- Brandt, W.W. Polymer segmental motion as related to hindered rotation, 4=6673
- Brandt, W.W. and Rudloff, W. Rapid sorption processes on granular zeolite, 4=15830
- Brânduş, I. Variational principle in the optical model for nuclear reactions due to neutrons, 0=4114
- Brânduş, I. The variational principle in the optical model of nuclear reactions with neutrons, 1=699
- Brânduş, I. Calculation of the elastic cross-section for the scattering of particles with spin, 2=11903
- Brânduş, I. and Săndulescu, A. The generalized Racah coefficient, 0=17697
- Brânduş, I. and Săndulescu, A. Proper frequencies of the compressible nucleus in an unstatic statistical model, 1=587
- Brânduş, I. Elastic scattering cross-section for collisions between particles of spin 3/2 and particles of spin 0, 3=19586
- Brânduş, I. Method of phase shifts and parametrization of the scattering matrix, 4=3340
- Brânduş, I., Iosifescu, M., Săndulescu, A. and Stihl, M. Reduced widths for the disintegration $\text{Be}^9 \rightarrow \alpha + \alpha$ calculated in the intermediate coupling nuclear shell model, 4=9445
- Brânduş, I., Micu, M. and Săndulescu, A. Reduced widths for the emission of a deuteron calculated on the Nilsson Model, 2=7961
- Brandus, L. and Popescu, I. On the positive charge conductivity of ionized dense gases, 3=24217
- Brandus, L. and Popescu, I. On space charge neutralization by positive ions in low-pressure thermionic converters, 4=5694
- Brandus, L. and Popescu, I. On resonant charge transfer in ionized dense gases, 4=11518
- Brandy, J. H. The height of the 5577-A night airglow layer, 4=7883
- Braner, A. See Weinreb, A., 4=28621
- Braner, A.A. and Chen, R. Some optical properties of iodine single crystals, 3=6653
- Braner, A.A. and Israeli, M. Effects of illumination on the Braner, A.A. See Halperin, A., 0=4465
- Braner, A.A. See Halperin, A., 0=4466
- Braner, A.A. See Halperin, A., 2=23216
- Brangaccio, D.J. Construction of a gaseous optical maser using Brewster angle windows, 2=19699
- Brangaccio, D.J. See Rigrod, W.W., 2=7346
- Brangaccio, D.J. See Rigrod, W.W., 3=7318
- Branigan, C.K. See Allcock, G.M., 3=16229
- Brannen, E. and Froelich, H. Preliminary operation of a four-sector racetrack microtron, 1=11990
- Brannen, E., Froelich, H. and Stewart, T.W.W. Generation of millimeter waves by the electron beam of a microtron, 0=19917
- Brannen, E. and Olde, G.L. The response of organic scintillators to electron energy deposited in them, 2=7792
- Brannen, E. and Wehlau, W. Polarization and resolving time effects in photon correlation, 0=10745
- Brannen, E. See Froelich, H., 4=19200
- Brannen, E. See Greenwood, R.C., 0=20390
- Brannen, E. See Greenwood, R.C., 1=9842
- Brannen, E. See Olde, G.L., 0=2463
- Branner, G.R., Friar, E.M. and Medicus, G. Automatic plotting device for the second derivative of Langmuir probe curves, 3=12185
- Branover, G., Dukure, R., Lielausis, O. and Tsinober, A. Local hydraulic resistances in the flow of a liquid metal mercury in a transverse magnetic field, 1=7137
- Branover, H. and Lielausis, O. The effect of a transverse magnetic field on internal structure and hydraulic resistance in turbulent flow of liquid metal, 1=16526
- Brans, C.H. and Dicke, R.H. Mach's principle and a relativistic theory of gravitation, 2=1051
- Brans, C.H. Mach's principle and the locally measured gravitational constant in general relativity, 2=2617
- Brans, C.H. Mach's principle and a relativistic theory of gravitation. II, 2=9157
- Branscomb, L.M. The radiative formation and destruction of negative ions, 3=4003

- Branscomb, L.M. A review of photodetachment and related negative ion processes relevant to aeronomy, 4=17915
- Branscomb, L.M. See Hummer, D.G., 0=13409
- Branscomb, L.M. See Seman, M.L., 2=6088
- Branscomb, L.M. See Smith, S.J., 0=12577
- Branscomb, L.M. See Steiner, B., 2=22905
- Branscomb, L.M. See Steiner, B., 4=24582
- Bransden, B.H. The low energy scattering of positrons by hydrogen atoms, 2=3319
- Bransden, B. and Moorhouse, G. Coupling constants and the mass levels of baryons, 0=17230
- Bransden, B. and Moorhouse, G. Strong interactions and baryon mass levels, 0=20043
- Bransden, B.H., Burke, P.G., Moffat, J.W., Moorhouse, R.G. and Morgan, D. Pion-pion scattering in the strip approximation. I, 4=3453
- Bransden, B.H. and Cheshire, I.M. Electron capture from helium by fast protons, 3=14518
- Bransden, B.H., Gatland, I.R. and Moffat, J.W. Pion-pion scattering including inelastic intermediate states, 3=598
- Bransden, B.H. and Hamilton, R.A.H. The elastic scattering of ^4He by ^4He , 1=3249
- Bransden, B.H., Hamilton, R.A.H. and Robertson, H.H. The elastic scattering of nucleons by tritons and ^3He , 0=9352
- Bransden, B.H. and Moffat, J.W. Solutions of the coupled S and P-wave equations for pion-pion scattering, 1=16874
- Bransden, B.H. and Moffat, J.W. On the consistency of the coupled S and P-wave solutions in pion-pion scattering, 2=9907
- Bransden, B.H. and Moffat, J.W. Pion-pion scattering in the two-pion exchange approximation, 2=9908
- Bransden, B.H. and Moffat, J.W. P-wave pion-pion resonance, 2=13860
- Bransden, B.H. and Moffat, J.W. On pion-pion scattering, 2=22595
- Bransden, B.H. and Moffat, J.W. High energy behaviour of pion-pion scattering amplitudes, 2=22597
- Bransden, B.H. and Moffat, J.W. Existence of solutions of partial-wave dispersion relations, 4=16822
- Bransden, B.H., Rashid, H. and Moorhouse, R.G. A model for s-wave K-N scattering, 1=8505
- Bransford, J.W. See Bird, G.R., 4=22379
- Brański, W. See Leibler, K., 1=17845
- Brański, W. See Leibler, K., 3=13109
- Branson, D. Time and the S matrix, 4=27816
- Branson, D., Landshoff, P.V. and Taylor, J.C. Derivation of partial amplitudes and the validity of dispersion relations for production processes, 4=849
- Branson, N.J.B.A. See Andrew, B.H., 4=30985
- Branstetter, J.R. See Metzler, A.J., 4=2876
- Brantley, W.H. See Hamilton, J.H., 4=9173
- Branum, D.R. See Cummins, W.F., 0=20006
- Branwood, A., Hurd, J.D. and Tredgold, R.H. Dielectric breakdown in barium titanate, 3=2962
- Branwood, A., Hughes, O.H., Hurd, J.D. and Tredgold, R.H. Evidence for space charge conduction in barium titanate single crystals, 2=14512
- Branwood, A. and Tredgold, R.H. The electrical conductivity of barium titanate single crystals, 1=1071
- Braquet, J.L. Influence of the shape of a paraboloidal-type reflector on its directivity pattern, 4=8935
- Brar, S.S. See Gustafson, P.F., 1=6596
- Brar, S.S. See Gustafson, P.F., 3=5206
- Brar, S.S. See Gustafson, P.F., 3=9058
- Brasack, F. Measuring resistors with small phase error or A.C. correction for frequencies up to 50 kc/s, 3=350
- Brasefield, C.J. Electrification of carbon black by contact with a metal surface, 0=19591
- Brash, M.P. and Phaneuf, J.P. Controlled atmosphere excitation chamber for d.c. arc analysis, 0=14834
- Braslau, N., Brink, G.O. and Khan, J.M. $\text{Rb}^{85}-\text{Rb}^{87}$ hyperfine-structure anomaly, 1=12149
- Braslau, N. See Khan, J.M., 4=15134
- Braslau, N. See Smith, A.W., 3=18955
- Braslau, N. See Sorokin, P.P., 4=24884
- Braslau, N. See Stevenson, M.J., 3=9588
- Brassard, C. See Hird, B., 4=9396
- Brassart, F.A. See Gulbransen, E.A., 4=2875
- Brassart, F.A. See Gulbransen, E.A., 4=29211
- Brassel, J., Geschwind, S. and Schawlow, A.L. Optical detection of paramagnetic resonance in crystals at low temperatures, 0=4509
- Brasseur, H. An attempt to represent the double oxides $\text{mX}^{n+}\text{O}.\text{UO}_3.n\text{H}_2\text{O}$ by a general formula, 3=3305
- Bratashevskii, Yu.A., Galkin, A.A. and Ivanchenko, Yu.M. Resonance absorption by band carriers in InSb, 3=18133
- Bratenahl, A. See Kunkel, W.B., 3=16934
- Bratenahl, A. See Smotrich, H., 4=19057
- Bratenahl, A. See Peterson, J.M., 0=17623
- Brătescu, G.G. Discharge voltage in caesium vapour, 4=8653
- Bratina, W.J. Contribution to the relaxation maximum due to oxygen in alpha-titanium, 2=21003
- Bratina, W.J., Martius, U.M. and Mills, D. Magnetic contribution to the ultrasonic attenuation in annealed and deformed steel (SAE 1020), 0=10165
- Bratina, W.J. and Mills, D. Effect of dislocations on the ultrasonic wave attenuation in deformed carbon steels, 2=21018
- Bratina, W.J. See Martius, U.M., 1=6335
- Bratož, S. BI-orbital functions and their properties, 3=25088
- Bratož, S. and Allavena, M. Electronic calculation on NH_3 . Harmonic force constants, infrared and ultraviolet spectra, 3=2632
- Bratož, S. and Besnainou, S. Influence of the molecular environment on the carbonyl frequency. Electronic calculation, 1=6032
- Bratož, S. and Bessis, G. Study of the structure of the FHF^- ion by the configuration interaction method, 0=2750
- Bratoz, S., Daudel, R., Roux, M. and Allavena, M. Some recent results concerning the electronic density and the force constants of small molecules, 0=17836
- Bratož, S. See Allavena, M., 4=1238
- Bratoz, S. See Allavena, M., 4=6596
- Bratož, S. See Besnainou, S., 2=6156
- Bratoz, S. See Besnainou, S., 3=6405
- Bratoz, S. See Phillips, J., 2=12315
- Bratsberg, H.G., Foss, D. and Herbjørnsen, O.H. Zone refining of aluminum, 3=20803
- Bratsberg, H.G. See Ottensmeyer, F.P., 4=22667
- Bratt, L.C. See Douglas, J.E., 0=4729
- Bratt, P., Engeler, W., Levinstein, N., MacRae, A. and Pehek, J. A status report on infrared detectors, 2=7454
- Brattain, W.H. and Boddy, P.J. The distribution of potential across the low-index crystal planes of germanium contacting an aqueous solution, 3=10788
- Brattain, W.H. and Boddy, P.J. Surface states at a germanium-electrolyte interface, 3=10780
- Brattsev, V.F. See Abarenkov, I.V., 4=19926
- Brattsev, V.F. See Kirillova, I.V., 4=6459
- Brattsev, V.F. See Kirillova, I.V., 4=9621
- Brattsev, V.F. See Veselov, M.G., 2=513
- Brattsev, V.F. See Veselov, M.G., 4=19931
- Bratukhina, V.A. See Balandin, Yu.F., 2=23794
- Brau, M. See Hilton, A.R., 4=306
- Brau, M.J. See Hach, R.J., 2=2416
- Braude, A.A. Some special measurements of magnetic induction, 3=17018
- Braude, S.Ya. The selection of a standard discrete source of cosmic radio emission, 2=24179
- Braude, S.Ya. See Bass, F.G., 2=6921
- Braude, S.Ya. See Men' A.V., 0=300
- Braude, S.Ya. See Sodín, L.G., 2=24169
- Braude, S.Ya. See Sodín, L.G., 3=3619
- Brauer, F.P. See Nicholson, W.L., 4=12165
- Brauer, G. See Bärnighausen, H., 3=5104
- Brauer, K.H. and Fröhlich, F. Two devices for microspectrometry with spectrophotometers, 1=1821
- Brauer, K.H. See Bethge, H., 2=5385
- Brauer, K.H. See Brümmer, O., 3=25786
- Brauer, P. The two modifications of the mixed systems $\text{TlBr}-\text{NH}_4\text{Br}$ and the problem of Tl-centres in alkali halide-thallium phosphors, 0=13714
- Brauer, P., Blume, H. and Huber, H.J. The decay of the luminescence of NaI and CsI activated with Tl under excitation with ultraviolet light, 1=9010
- Brauer, P. and Kolb, M. "Rubbind" of the thallium-phosphors of alkali and alkaline earth halides, 2=2247
- Brauer, P. and Pelte, D. On the luminescence spectra of aqueous solutions of thallium salts with and without addition of alkali halides, 3=5446
- Brauer, P. See Blume, H., 2=23598
- Brauer, W. Bloch representation of the electron-electron interaction, 4=20237
- Brauer, W. and Puff, H. Remarks on the work of A.J.Guba on the energy and angular distribution of secondary electrons, 3=7639
- Brauer, W. and Schulz, H. The drift term in the Boltzmann equation, 4=12709

- Braut, M. and Gazier, C. On some statistical properties of electron photomultipliers, 3=19317
- Braut, M. and Gazier, C. Study of the amplitude fluctuations in photomultipliers, 3=21866
- Braun, C. L., Kato, S. and Lipsky, S. Internal conversion from upper electronic states to the first excited singlet state of benzene, toluene, p-xylene, and mesitylene, 4=1286
- Braun, C. L. See Kato, S., 2=19569
- Braun, E. Nuclear photoeffect in aluminium and fluorine using the lithium resonance radiation, 2=5887
- Braun, E. A. Some properties of alkali halide crystals, 1=3582
- Braun, H. Discrimination between particles at high γ -intensities by means of a potassium ferro-oxalate developer, 0=202
- Braun, H. The discrimination between radiations by post-exposure to infrared light and the critical, quantitatively controllable, development with inorganic reagents, 0=15215
- Braun, H. Method and formula of fixing for thick nuclear plates eliminating the corrosion of silver grains, 1=13250
- Braun, H., Baumann, G. and Cüer, P. Emission of hammer tracks from interactions of 24.8 GeV/c protons with the nuclei of nuclear emulsion, 1=19477
- Braun, H., Baumann, G. and Cüer, P. The emission of Li^0 and B^0 fragments in the interactions of 24.8 GeV/c protons with elements in nuclear emulsions, 2=22816
- Braun, H. See Baumann, G., 1=19350
- Braun, H. See Baumann, G., 2=10000
- Braun, H. See Baumann, G., 2=10108
- Braun, H. See Baumann, G., 2=12189
- Braun, H. See Baumann, G., 2=18347
- Braun, H. See Baumann, G., 2=20661
- Braun, H. See Baumann, G., 3=10226
- Braun, H. See Baumann, G., 3=15089
- Braun, H. See Baumann, G., 3=19756
- Braun, H. See Baumann, G., 3=19872
- Braun, H. See Baumann, G., 3=22277
- Braun, H. See Baumann, G., 4=12120
- Braun, H. See Baumann, G., 4=17176
- Braun, H. See Baumann, G., 4=17178
- Braun, H. See Debeauvais-Wack, M., 2=3339
- Braun, H. See Harmsen, D. M., 4=19806
- Braun, H. See Massue, J. P., 4=17181
- Braun, H. See Poubeau, P., 3=19536
- Braun, H. See Samman, A., 3=24802
- Braun, H. See Stein, R., 1=13655
- Braun, I. See Rindner, W., 3=10844
- Braun, I. See Rinder, W., 3=17902
- Braun, J. See Andersson, L. O., 2=5531
- Braun, J. D. See Powell, G. W., 4=22618
- Braun, J. H. and Pellin, R. A. The shape of melt-crystal interfaces during float zoning of silicon, 2=8793
- Braun, M. and Kohlhaas, R. Methods of analysing calorimetric procedure, 2=9443
- Braun, M. and Kohlhaas, R. The specific heat of cobalt between 50° and 1400°C, 4=28369
- Braun, M. A. Determination of the potential in quantum field theory, 0=9265
- Braun, M. A. The normalization constants of the state vectors in field theory, 1=3107
- Braun, M. A. A dressed particle analysis of the $\pi^- + d \rightarrow 2N$ reaction, 1=16858
- Braun, M. A. Analytical properties of the bound state wave function for a superposition of Yukawa potentials, 2=13948
- Braun, M. A. Analytical properties of the bound state wave functions for a superposition of Yukawa potentials, 3=6125
- Braun, M. A. Renormalization constants and bound states in a nonrelativistic model in field theory, 4=5950
- Braun, M. A. Elementary and compound particles in the Lagrangian formalism, 4=16804
- Braun, M. P., Gusilyenko, Yu. A. and Chernyi, B. G. The fine crystal structure of a complex Ni-base cast alloy, 3=11281
- Braun, M. A. and Novozhilov, Yu. V. Some properties of dressed particle operators in field theory, 1=19085
- Braun, M. A. and Prokhorov, L. V. Properties of the scattering amplitude resulting from the unitarity condition, 1=18710
- Braun, P. B. and Goedkoop, J. A. An X-ray and neutron-diffraction investigation of the magnetic phase $\text{Al}_{0.89}\text{Mn}_{1.11}$, 3=25737
- Braun, P. B. and Kwestroo, W. On some calcium-iron-oxygen compounds, 1=14743
- Braun, P. B. and van Bommel, A. J. X-ray determination of crystal structures, 1=7859
- Braun, T. See Maxim, I., 3=13567
- Braun, W. G. The mechanism of vortex stabilization of the arc discharge, 4=18772
- Braun, W. H. See Mirels, H., 2=7180
- Braunbeck, J. Emission spectroscopy with infrared double-beam spectrophotometers, 0=8794
- Braunbeck, J. The radioactivity of optical instruments with components of potassium bromide, 0=19409
- Braunbeck, J. Optical properties of porous solid materials impregnated with liquid, 2=14646
- Braunbeck, J. Effect produced by transmission of monochromatic coherent light through opalescent media, 3=269
- Braunbeck, J. and Muller, M. W. The scattering of monochromatic coherent light, 3=19025
- Braunbek, W. A particularly simple diffraction problem, 4=699
- Braunbeck, W. and Sauter, E. Beating of weakly-coupled nonlinear systems, 0=19242
- Braunbeck, W. See Aderholz, M., 4=21914
- Braunbeck, W. See Aderholz, M., 4=21919
- Braunbeck, W. See Bartsch, J., 4=30264
- Brauner, J. W. and Wilson, D. J. Pressure dependence of fluorescence spectra. III. Effect of finite pulse length, 2=20786
- Brauner, K. See Feichtinger, H., 2=21603
- Braunersreuther, E., Kuhrt, F. and Lippmann, H. J. Hall constant and electron mobility of InSb, InAs, and $\text{In}(\text{As}_{0.8}\text{P}_{0.2})$ in high magnetic fields, 1=1077
- Braunisch, H. See van Calker, J., 0=1488
- Bräunlich, O. and Scharmann, A. Dosimetry with the help of thermoluminescence of lithium fluoride, 2=16097
- Bräunlich, P. Electron kinetics of photoconducting inorganic luminescent materials, 4=12980
- Bräunlich, P., Hanle, W. and Scharmann, A. Thermoluminescence of $\text{MgF}_2\text{:Mn}$, 2=2265
- Bräunlich, P. and Scharmann, A. A simple model for the interpretation of thermoluminescence and thermally stimulated conductivity of alkali halides, 4=10210
- Braunsfurth, J. See Bodenstein, E., 3=2391
- Braunsfurth, J. See Gerdau, E., 3=17419
- Braunss, G. Uniform field theory, 4=19367
- Braunss, G. Nonlinear spinor equations and the affine connection, 4=30143
- Braunstein, A. The magnetic field in iron with variable permeability, 1=16491
- Braunstein, A. and de-Shalit, A. New evidence for core excitation in Au^{197} , 2=18257
- Braunstein, B. Infrared lattice absorption of germanium-silicon alloys, 2=23571
- Braunstein, J. See Blander, M., 3=14153
- Braunstein, J. See Manning, D. L., 2=17093
- Braunstein, M. L. and Siegfried, J. B. Effect of body position on brightness discrimination, 4=2494
- Braunstein, M. L. and White, W. J. Effects of acceleration on brightness discrimination, 2=24215
- Braunstein, R. Nonlinear optical effects, 2=4108
- Braunstein, R. Lattice vibration spectra of germanium-silicon alloys, 3=12913
- Braunstein, R. Radiative recombination in germanium as an indicator of radiation damage, 3=22862
- Braunstein, R. Valence band structure of germanium-silicon alloys, 3=12946
- Braunstein, R. and Kane, E. O. The valence band structure of the III-V compounds, 3=2753
- Braunstein, R., Moore, A. R. and Herman, F. Phonon spectrum of germanium-silicon alloys, 2=2153
- Braunstein, R. and Ockman, N. Optical double-photon absorption in CdS, 4=15584
- Braunstein, R., Pankove, J. I. and Nelson, H. Effect of doping on the emission peak and the absorption edge of GaAs, 3=20476
- Braunstein, R. See Abrahams, M. S., 0=2897
- Braunstein, R. See Meyerhofer, D., 4=5860
- Brautti, G., Chersovani, L., Franzinetti, C., Sedmak-Furlan, M. and Tosi-Torelli, R. Measurements on the π^- -He cross sections at high energy, 1=9758
- Brautti, G. See Bartke, J., 1=8513
- Brautti, G. See Bartke, J., 2=13883
- Brautti, G. See Bergia, S., 0=15402
- Bravinskii, V. G., Osipov, M. V. and Kozlov, A. F. The determination of the ultimate strength and the Young's modulus of small specimens at high temperatures, 2=18975
- Brawn, R. H. Weber ratio for visual discrimination of velocity, 0=14348
- Bray, A. and Plassa, M. The strain sensitivity of Cr-Si and Ge films prepared under vacuum, 4=26502
- Bray, A. and Valabrega, P. The strain sensitivity of nichrome films prepared by vacuum deposition, 3=23514

- Bray, A. D., Crawford, D. F., Jauncey, D. L., McCusker, C. B. A., Poole, P. C., Rathgeber, M. H., Ulrichs, J., Wand, R. H., Winn, M. M. and Ueda, A. The detailed structure of air shower cores, 4=19617
- Bray, A. R., Jacobs, P. W. M. and Young, L. Photo-induced growth of anodic tantalum pentoxide films, 0=10336
- Bray, B. J. See Loughhead, R. E., 1=11679
- Bray, H. J., Bell, F. D. and Harris, S. J. The constitution of bismuth-cadmium-tin alloys, 2=2403
- Bray, H. J. See Perry, A. J., 4=10556
- Bray, H. J. See Perry, A. J., 4=13471
- Bray, K. N. C. and Wilson, J. A. A preliminary study of ionic recombination of argon in wind tunnel nozzles, 2=19592
- Bray, K. N. C. and Wilson, J. A. Electron-ion recombination in argon, 3=24218
- Bray, M. Variations and equations with initial conditions for the problem of Cauchy (external case), 3=23756
- Bray, P. J. The study of chemical bonds by nuclear quadrupole effects, 2=14349
- Bray, P. J., Edwards, J. O., O'Keefe, J. G., Ross, V. F. and Tatsuzaki, I. Nuclear magnetic resonance studies of B¹¹ in crystalline borates, 1=12568
- Bray, P. J., Leventhal, M. and Hooper, H. O. Nuclear magnetic resonance investigations of the structure of lead borate glasses, 3=18148
- Bray, P. J. and O'Keefe, J. G. Nuclear magnetic resonance investigations of the structure of alkali borate glasses, 3=18147
- Bray, P. J. See Hon, J. F., 0=3137
- Bray, P. J. See Hooper, H. O., 0=15761
- Bray, P. J. See Kaplan, R., 3=11114
- Bray, P. J. See Kim, Y. W., 0=4511
- Bray, P. J. See Kim, Y. W., 1=3935
- Bray, P. J. See Lee, S., 4=7319
- Bray, P. J. See Lee, S., 4=20582
- Bray, P. J. See Negita, H., 0=6283
- Bray, P. J. See Negita, H., 1=4950
- Bray, P. J. See Silver, A. H., 0=3138
- Bray, P. J. See Sook Lee, 2=10926
- Bray, R. and Brown, D. M. Lattice scattering mechanisms in p-type germanium, 2=23065
- Bray, R. and Pinson, W. E. Determination of hot carrier distribution function from anisotropic infrared absorption in p-type germanium, 4=1517
- Bray, R. See Appel, J., 2=18681
- Bray, R. See Appel, J., 3=10732
- Bray, R. See Brown, D. M., 2=18680
- Bray, R. See Many, A., 0=20894
- Bray, R. J. and Loughhead, R. E. High resolution observations of the granular structure of sunspot umbrae, 0=4891
- Bray, R. J. and Loughhead, R. E. Observations of changes in the photospheric granules, 0=6586
- Bray, R. J. and Loughhead, R. E. Facular granule lifetimes determined with a seeing-monitored photoheliograph, 1=7966
- Bray, R. J. and Loughhead, R. E. Isophotal contour maps of sunspots, 3=13883
- Bray, R. J. See Loughhead, R. E., 0=6587
- Bray, R. J. See Loughhead, R. E., 0=18739
- Bray, R. J. See Loughhead, R. E., 1=19072
- Bray, T., Brown, G. C., Jr and Kiel, A. Paramagnetic relaxation of Fe³⁺ in potassium cobaltcyanide, 2=18953
- Brazhnik, M. I. See Al'tshuler, L. V., 0=11974
- Brazhnik, M. I. See Krupnikov, K. K., 2=13360
- Brazhnik, M. I. See Krupnikov, K. K., 3=5487
- Brazhnikov, N. I. See Birger, G. I., 4=137
- Brdička, M. On longitudinal vibrations of thin cylindrical tubes, 2=5092
- Brdička, M., Dvořáček, Z. and Nováková-Dvorská, M. The elastic coupling between longitudinal and transversal vibrations of isotropic rods. I. Rods of square and rectangular cross-section, 1=15985
- Brdička, M., Dvořáček, Z. and Nováková-Dvorská, M. The elastic coupling between longitudinal and transversal vibrations of isotropic rods. II. Rods of circular cross-section, 1=15986
- Breakwell, J. V. See Petty, C. M., 0=18879
- Breare, J. M. and Von Engel, A. A new method of measuring electron drift velocities, 4=11252
- Breare, J. M. See Hopkins, H. W. K., 2=5541
- Brearley, W., Hastilow, P. A. P. and Holloway, D. G. On the breaking strengths of some commercial glasses, 3=11175
- Brearley, W. and Holloway, D. G. The effect of heat-treatment on the breaking strength of glass, 4=4464
- Breaux, O. P. An interaction model for electromagnetic fields and low energy, low density plasma, 4=14661
- Breazeale, M. A. Sound propagation in the critical-temperature region of hydrogen chloride, 2=13375
- Breazeale, M. A. Sound velocity in the critical region of hydrogen chloride, 3=18859
- Breazeale, M. A. and Hiedemann, E. A. Diffraction patterns produced by finite amplitude waves, 1=6964
- Breazeale, M. A. and Hiedemann, E. A. Determination of the non-linearity parameter for liquids from optical measurements, 1=10496
- Breazeale, M. A. and Kneser, H. O. Rotational relaxation in hydrogen chloride, 1=9419
- Breazeale, M. A. and Lester, W. W. Demonstration of the "least stable waveform" of finite amplitude waves, 2=2821
- Breazeale, M. A. and Thompson, D. O. Finite-amplitude ultrasonic waves in aluminum, 4=279
- Breazeale, M. A. See Achyuthan, K., 1=12483
- Brebec, G. See Leteurte, J., 4=2115
- Brebec, G., Lévy, V., Bendazzoli, M. and Adda, Y. New method of introducing rare gases into metals, 2=11230
- Brebner, J. L. and Fischer, G. The optical absorption edge of GaS, 3=10946
- Brebner, J. L. and Fischer, G. Optical properties of the layer structures, GaTe, GaSe and GaS, 3=10950
- Brebner, J. L., Fischer, G. and Mooser, E. Optical absorption edge of GaTe, 3=3007
- Brebner, J. L. and Mooser, E. Cryostat for optical measurements between 300°K and 4.2°K, 2=2921
- Brebner, J. L. See Fischer, G., 3=2913
- Brebrick, R. F. Minimum molar Gibbs free energy and small deviations from stoichiometry in crystalline binary compounds, 0=4259
- Brebrick, R. F. Composition stability limits of binary semiconductor compounds, 1=19844
- Brebrick, R. F. Statistical mechanics of dilute solid solutions, 2=4353
- Brebrick, R. F. Deviations from stoichiometry and electrical properties in SnTe, 3=6604
- Brebrick, R. F. and Allgaier, R. S. Composition limits of stability of PbTe, 0=13617
- Brebrick, R. F. and Gubner, E. PbSe composition stability limits, 2=2168
- Brebrick, R. F. and Gubner, E. Composition stability limits of PbTe. II., 2=6468
- Brebrick, R. F. and Strauss, A. J. Anomalous thermoelectric power as evidence for two-valence bands in SnTe, 3=17973
- Brebrick, R. F. and Strauss, A. J. Partial pressures in equilibrium with group IV tellurides. I. Optical absorption method and results for PbTe, 4=21363
- Brebrick, R. F. and Strauss, A. J. Partial pressures in equilibrium with Group IV tellurides. II. Tin telluride, 4=24462
- Brebrick, R. F. See Kafalas, J. A., 4=15577
- Brecher, C. and Halford, R. S. Motions of molecules in condensed systems. XI. Infrared spectrum and structure of a single crystal of ethylene, 1=14604
- Brecher, C., Krikorian, E., Blanc, J. and Halford, R. S. Motions of molecules in condensed systems. X. The infrared spectrum and structure of a single crystal of cyclopropane, 1=14603
- Brecher, C., Lempicki, A. and Samelson, H. Evidence for eight-fold coordination in europium chelates, 4=29150
- Brecher, C. See Blanc, J., 2=14684
- Brecher, C. See Lempicki, A., 4=27698
- Brecher, C. See Samelson, H., 4=20082
- Brecher, C. See Samelson, H., 4=20083
- Brechna, H. Magnetic focusing lenses, 3=447
- Brechot, S. and Van Regemorter, H. New method for calculating half-widths of lines broadened by electron impact, 3=8174
- Breck, D. W. and Smith, J. V. Molecular sieves, 0=14059
- Breck, W. G. Initial thermoelectric powers in solutions of strong acids, 3=14181
- Breckenridge, W., Root, J. W. and Rowland, F. S. Recoil tritium reactions: variations in hot abstraction yield with C-H bond type, 4=7776
- Bredel, V. See Alexander, K. F., 0=17523
- Bredel, V. V., Gvozdev, B. A. and Fomichev, V. A. Ratio of cross sections for formation of the Sc⁴⁴ and Sc^{44m} pair in heavy ion reactions, 4=6382
- Bredel, V. V., Mikheev, V. L. and Polikanov, S. M. Silicon detectors of charged heavy particles, 3=2166

- Bredel, V. V. See Fomichev, V. A., 4=28070
- Brederlow, G. Mass spectrometer investigations of the charge carriers diffused and extracted from the positive column of oxygen glow discharges, 0=9005
- Brederlow, G. The structure of the plasma cloud in the electro-magnetic shock tube, 4=5289
- Brederlow, G. The structure of the plasma cloud in an electro-magnetically driven shock tube, 4=18826
- Bredig, M. A. New evidence for tetrachloride complex ions in cadmium halide-alkali metal halide melts, 2=21891
- Bredig, M. A. Molten salt solutions of electropositive metals: electronic conductance and metal halide stoichiometry, 2=21919
- Bredig, M. A. See Bronstein, H. R., 1=9406
- Bredig, M. A. See Bronstein, H. R., 2=21921
- Bredig, M. A. See Dworkin, A. S., 2=15577
- Bredig, M. A. See Dworkin, A. S., 3=19065
- Bredig, M. A. See Dworkin, A. S., 3=21404
- Bredig, M. A. See Dworkin, A. S., 4=8220
- Bredin, D. J. Scattering and polarization of neutrons from Al, Si, Fe, and Co at 2 MeV, 4=25404
- Bredin, D. J., Burcham, W. E., Evans, D., Gibson, W. M., McKee, J. S. C., Prowse, D. J., Rotblat, J. and Snyder, J. N. The scattering of alpha particles by helium, 0=9447
- Bredin, D. J., England, J. B. A., Evans, D., McKee, J. S. C., March, P. V., Mosinger, E. M. and Toner, W. T. The scattering of 29 MeV ^3He -particles by ^1H , ^2H , ^3He and ^4He nuclei, 0=20250
- Bredin, D. J. See Warburton, E. K., 4=17027
- Bredov, M. M. Multistage electrostatic energy analyser with two-dimensional focusing, 0=9101
- Bredov, M. M., Lepilin, V. A., Shestakov, I. B., and Shakh-Budagov, A. L. The effect of the type of ion on the changes in the electrical properties of semiconductor surfaces produced by bombardment with medium-energy ions, 1=17771
- Bredov, M. M. and Nuromskii, A. B. Changes of the surface properties of p-silicon during radiation by lithium ions, 2=21146
- Bredov, M. M. See Ageev, V. N., 1=2385
- Bredov, M. M. See Balabanova, L. A., 2=12407
- Bredov, M. M. See Balabanova, L. A., 2=14418
- Bree, A. and Kydd, R. A. Hole traps at the surface of anthracene crystals, 4=20497
- Bree, A. and Schneider, W. G. "Sub-threshold" photocurrents of high-quantum yield in 9, 10-dichloroanthracene, 1=10062
- Bree, A. and Thirunamachandran, T. The crystal spectrum of naphthalene in the region 3200 Å to 2200 Å, 3=934
- Bree, A. and Vilkos, V. V. B. Assignment of the two lowest singlet states of pyrene, 4=22410
- Bree, A. See Bryant, F. J., 1=2422
- Breed, W. L., Donnelly, J. D. and Kinsler, L. E. Investigation and application of reverberation measurements of acoustic power in water, 4=2799
- Breedis, J. F. On the nucleation of martensite in thin foils of Fe-16 wt% Cr-12 wt% Ni, 3=23475
- Breedis, J. F. and Robertson, W. D. The martensitic transformation in single crystals of iron-chromium-nickel alloys, 2=23870
- Breedis, J. F. and Robertson, W. D. Martensitic transformation and plastic deformation in iron alloy single crystals, 3=20883
- Breen, R. J. A one-group model for thermal activation calculations, 2=8029
- Breene, R. G. Dipole moment induction in homonuclear diatomic molecules. I. The Coulomb case, 2=20792
- Breene, R. G., Jr. Analytic wave functions. III. The spin-orbit, spin-other orbit, and spin-spin interactions, 0=15637
- Breene, R. G., Jr. The bound free continuum for C^- , 1=5963
- Breene, R. G., Jr. Wave functions for the free electron. II. The inclusion of polarization and exchange, 1=12239
- Breene, R. G., Jr. Deionization cross section for oxygen, 1=12245
- Breene, R. G., Jr. Analytic wave functions. IV. Inclusion of correlation, 3=6345
- Breene, R. G., Jr. Proton scattering by molecules. I. The two-state oxygen case and the multistate case, 3=25104
- Breene, R. G., Jr. and Kaegi-Nardone, M. C. Continuum infrared radiation from high-temperature air and nitrogen, 4=27222
- Breene, R. G., Jr. and Nardone, M. C. Free-free continuum of oxygen, 0=20587
- Breene, R. G., Jr. and Nardone, M. C. Free-free continuum of nitrogen, 1=11069
- Breene, R. G., Jr. and Nardone, M. C. Free-free continuum of oxygen. II. Effect of polarization and exchange, 3=17531
- Breene, R. G., Jr. and Nardone, M. C. Radiant emission from high temperature equilibrium air, 3=1732
- Breese, S. S., Jr. [Ed.]. Electron microscopy, Fifth International Congress, Philadelphia, 1962. Vol. I, Non-Biology, 3=1327
- Breeze, J. C. and Ferriso, C. C. Shock-wave integrated intensity measurements of the 2.7-micron CO_2 band between 1200° and 3000°K, 4=3871
- Breeze, J. C. and Ferriso, C. C. Integrated intensity measurements of the 1.9 μ bands of CO_2 in the temperature range 1400° to 2500°K, 4=12475
- Breeze, J. C. and Ferriso, C. C. Duration of laminar flow in a shock wave boundary layer, 4=24298
- Bregadze, Iu. I., Isaev, B. M. and Kvasov, V. A. An ionization method of determining the absorbed energy in a mixed flux of fast neutron and gamma rays, 2=18033
- Breger, A. Kh. Absorption of gamma-radiation in macro-systems from a point source, 0=15318
- Breger, A. K., Belynsky, V. A. and Prokudin, S. D. An apparatus for radiation-chemical investigations using a Co^{60} gamma-ray source equivalent to 280 g of radium, 0=5678
- Breger, A. Kh. See Riabukhin, Iu. S., 1=13878
- Brehler, B. α - and β - ZnCl_2 , 0=1908
- Brehler, B. and Jacobi, H. The crystal structure of $\text{Li}_2\text{ZnCl}_4 \cdot 2\text{H}_2\text{O}$, 4=13594
- Brehler, B. and Süss, P. Crystal structure of $\text{KZnCl}_3 \cdot 2\text{H}_2\text{O}$, 4=2087
- Brehm, B., Demtröder, W. and Osberghaus, O. Determination of oscillator strengths through lifetime measurements of the first excited levels for the elements, Ga, Al, Tl, Mg, and Na, 1=17272
- Brehm, J. J. Dispersion theory methods for pion-deuteron elastic scattering. II, 4=6117
- Brehm, J. J. $T = 0$ pion-pion scattering, 4=27887
- Brehm, J. J. and Sucher, J. Dispersion theory methods for pion-deuteron elastic scattering. I, 4=3464
- Brehm, J. J. See Kreps, R. E., 4=12046
- Brehme, R. W. A geometric representation of Galilean and Lorentz transformations, 2=13250
- Brehme, R. W. A geometric representation of Lorentz frames for linearly accelerated motion, 3=21218
- Brehme, R. W. Geometric representations of the Lorentz transformation, 4=16020
- Brehme, R. W. See DeWitt, B. S., 0=8538
- Brehovskikh, L. M. Propagation of the Rayleigh surface waves along a rough boundary of an elastic body, 0=8731
- Breido, I. I., Markelova, A. A. and Shchegolev, D. E. Reliable detection of objects on the first photographs of the reverse side of the moon, 2=17246
- Breido, I. I., Markelova, A. A. and Shchegolev, D. E. Reliable detection of objects on the first photographs of the reverse side of the moon, 2=24096
- Breido, I. Ya., Tsirlin, Yu. A. and Shishova, L. N. Determination of the luminescence energy yield of plastic scintillators subjected to γ -ray radiation, 0=4430
- Breig, E. L. See Kojima, T., 2=1992
- Breig, M. L. See Plint, C. A., 4=28712
- Breimer, H. See Schubert, K., 1=5098
- Breiner, S. Effect of nuclear detonation on the geomagnetic field at Palo Alto, California, 3=13843
- Breit, G. The nucleon-nucleon spin-orbit potential, 0=11284
- Breit, G. Nucleon-nucleon spin-orbit interaction and the repulsive core, 0=17320
- Breit, G. On the interpretation of the field theoretical potential in terms of phase shifts, 2=1662
- Breit, G. The semiclassical treatment of some quantum problems, 3=1618
- Breit, G. Aspects of nucleon-nucleon scattering theory, 3=5996
- Breit, G. Approximations of nucleon transfer theory, 4=22205
- Breit, G. Vector mesons and nucleon-nucleon spin-orbit interaction, 4=25077
- Breit, G. Limited applicability of the theory of nucleon tunneling, 4=28022
- Breit, G., Chun, K. W. and Wahsweiler, H. G. Neutron transfer in $\text{N}^{14}(\text{N}^{14}, \text{N}^{13})\text{N}^{15}$ at low energies, 4=9573
- Breit, G. and Gluckstern, R. L. Effect of finite life of upper level on probability of Coulomb excitation, 1=2201
- Breit, G. and Hull, M. H., Jr. Note on one pion exchange potential, 0=7342
- Breit, G., Hull, M. H., Jr., Lassila, K. and Pyatt, K. D., Jr. Tests of charge independence of nucleon-nucleon interactions, 0=11157

- Breit, G., Hull, M. H. Jr., Lassila, K. E. and Pyatt, K. D. Jr. Phase-parameter representation of proton-proton scattering from 9.7 to 345 MeV, 1=499
- Breit, G., Hull, M. H., Jr, Lassila, K. E., Pyatt, K. D., Jr. and Ruppel, H. M. Phase parameter representation of proton-proton scattering from 9.7 to 345 MeV. II, 3=584
- Breit, G., Hull, M. H., Lassila, K. E. and Ruppel, H. M. Tests of form of the one-pion exchange potential, 1=2118
- Breit, G., Hull, M. H., Jr, Lassila, K. and Ruppel, H. M. Form of the one-pion exchange potential, 1=7217
- Breit, G., Hull, M. H. Jr., Lassila, K. E. and Ruppel, H. M. Nucleon-nucleon interaction, 1=19181
- Breit, G., Lassila, K. E., Ruppel, H. M. and Hull, M. H., Jr. Two pion exchange interaction, 1=4807
- Breit, G. and Ruppel, H. M. Wave distortion for magnetic moment effects in nucleon-nucleon scattering, 2=20330
- Breit, G. See Hull, M. H., 1=8461
- Breit, G. See Hull, M. H., Jr, 2=18121
- Breit, G. See Hull, M. H., Jr, 3=585
- Breit, G. See Lassila, K. E., 2=11895
- Breit, G. See Nishida, Y., 2=1855
- Breit, G. See Rustgi, M. L., 1=553
- Breit, G. See Zickinbraht, W., 2=324
- Breitbart, M. D. S. and Barker, W. A. Dynamic nuclear orientation for nuclei of spin $I = 1$, 4=17004
- Breitenberger, E. Theory of multiple scattering, 0=9292
- Breitenberger, E. Diverging electrostatic lenses in accelerators, 0=19819
- Breitenhuber, L. See Ledinegg, E., 4=3167
- Breitenhuber, L. See Ledinegg, E., 4=3168
- Breitenhuber, L. See Ledinegg, E., 4=3169
- Breitenlohner, P. Higher symmetries of the strong interaction, 2=22413
- Breitenlohner, P., Egli, P., Hofer, H., Koch, W., Nikolic, M., Pahl, J., Pallinger, A., Pallinger, E., Schneeberger, M., Schneeberger, R., Winzler, H., Czapek, G. and Kellner, G. Small-angle elastic scattering of 24.5 GeV/c protons on hydrogen nuclei, 4=6046
- Breitfelder, E. See Goetz, H., 2=7274
- Breitling, G., Handtmann, D. and Richter, H. Different methods of investigating the structure of molten metals, 4=18177
- Breitling, G. and Richter, H. Structure of molten Au and of liquid Hg by the method of separating contributions to [the X-ray] scattering [pattern], 3=9438
- Breitling, G. See Richter, H., 1=12863
- Breitling, G. See Richter, H., 2=17439
- Breitling, G. See Richter, H., 3=18253
- Breitman, V. M. Method of approximate calculation of ion optical systems, taking space charge into account, by means of modelling in a three-dimensional electrolytic tank, 0=1163
- Breitschwerdt, K. G. Direct and indirect tunneling in germanium at different temperatures, 3=22924
- Breivik, F. O., Jacobsen, T. and Sorensen, S. O. Emission of Li^8 , Be, and B fragments from nuclei in photographic emulsion, 3=12380
- Brekhovskikh, L. Propagation of sonic and subsonic waves in natural waveguides to great distances, 0=12450
- Brekhovskikh, L. M. and Eliseevnin, V. A. Propagation of [acoustic] waves in a nonuniform waveguide, 1=4405
- Brekhovskikh, L. M., Evtushenko, V. A., Makarov, S. S. and Pisarenko, V. F. The calculation of the vertical sound velocity propagation profiles in marine media, 1=5327
- Brekhovskikh, S. M. and Shapovalova, N. F. Investigation of photoluminescence and scintillation of silicate glasses, 2=14721
- Brekke, K. and Maltby, P. The Evershed effect at the outer edge of sunspot penumbrae, 4=2427
- Bremer, J. W. and Newhouse, V. L. Current transitions in superconductivity tin films, 0=1081
- Bremersmann, H. J. and Durand, L., III. On analytic continuation, multiplication, and Fourier transformations of Schwartz distributions, 1=4177
- Bremersmann, H. J., Oehme, R. and Taylor, J. C. A possible proof of dispersion relations, 0=7267
- Bremmer, H. On the theory of wave propagation through a concentrically stratified troposphere with a smooth profile. I. Discussion of the extended W. K. B. approximation, 2=3172
- Bremmer, H. The pulse solution connected with the Sommerfeld problem for a dipole in the interface between two dielectrics, 2=7739
- Bremmer, H. On the theory of wave propagation through a concentrically stratified troposphere with a smooth profile, 2=16060
- Bremmer, H. Scattering by a perturbed continuum, 4=3179
- Bremmer, H. Long waves associated with disturbances produced in plasmas, 4=16484
- Bremmer, H. Random volume scattering, 4=27026
- Bremmer, H. See Warmoltz, N., 4=18945
- Bremond, B. On the effective interaction in finite nuclei, 1=4820
- Bremond, B. Correction to intrinsic magnetic moments by central and tensor forces, 2=13969
- Brémont, B. and Valatin, J. G. A method to describe pairing correlations of protons and neutrons, 3=12542
- Brémont, M. See Pannetier, G., 3=12846
- Brémont, M. See Pannetier, G., 3=12850
- Brenan, P. M. Ionospheric drifts determined from radio-star scintillation observations, 1=1534
- Brenan, P. M. The correlation of radio source scintillation in the southern and northern hemispheres, 1=4223
- Brendel, K. D. First-order vibrations of rigid bodies embedded in rubber-elastic media, 2=7272
- Brendel, K. D. Rotational vibrations of rigid bodies embedded in rubber-elastic media, 3=7264
- Brenden, B. B. and Newkirk, H. W. Method for determining the thermal conductivity of incandescent solids, 0=8821
- Brenden, B. B. See Spanner, J. C., 4=24005
- Brendle, M. See Perny, G., 0=9951
- Brendush, I. Unitarity relations between the parameters of the scattering matrix for elastic collisions of particles with arbitrary spin, 1=457
- Brene, N., Egardt, L. and Qvist, B. On the K_{μ_3} and K_{e_3} decay modes, 1=5779
- Brene, N., Egardt, L., Qvist, B. and Geffen, D. A. A model for the K_{μ_3} and K_{e_3} decay modes, 2=7897
- Brenet, J. See Abraham, M., 2=19776
- Brenet, J. See Abraham, M., 3=14136
- Brenet, J. See Chevillot, J. P., 0=4364
- Brenet, J. See Ghosh, S., 4=10246
- Brenet, J. P. See Traore, K., 0=723
- Brenig, W. Bound pairs in Fermi fluids, 0=222
- Brenig, W. Two particle approximations of the many body problem. II, 0=3925
- Brenig, W. Long range correlations and photo effect in nuclei, 1=3382
- Brenig, W. Long range correlations and photo effect in nuclei, 1=8691
- Brenig, W. Remark concerning quantized magnetic flux in superconductors, 2=1334
- Brenig, W. Sum rules in the theory of Fermi liquids, 2=17377
- Brenig, W. Lattice vibrations as particle hole excitations, 3=2719
- Brenig, W. and Parry, W. E. Momentum distribution and excitation spectrum of liquid helium, 3=21647
- Brenig, W. and Wagner, H. A functional method for condensed systems, 3=14054
- Brennan, M. See Blinc, R., 1=20274
- Brennan, M. See Blinc, R., 2=21379
- Brennan, M. See Blinc, R., 3=23251
- Brennan, M. See Miller, S. R., 2=10711
- Brennan, D. and Fletcher, P. C. The atomization of hydrogen on tungsten, 0=9779
- Brennan, D., Graham, M. J. and Hayes, F. H. Adsorption of krypton and xenon on evaporated metal films in relation to the determination of surface area and the nature of
- Brennan, D. and Hayes, F. H. Heat of adsorption of hydrogen on evaporated films of tungsten and of nickel, 4=17848
- Brennan, D. adsorbed carbon monoxide, 4=13692
- Brennan, D., Hayward, D. O. and Trapnell, B. M. W. The calorimetric determination of the heats of adsorption of oxygen on evaporated metal films, 1=1459
- Brennan, J. G. Limit of a one-dimensional square well, 1=1698
- Brennan, J. G. See Ruel, M., 3=6278
- Brennan, J. G. See Smith, F. J., 2=3449
- Brennan, J. G. See Werntz, C., 4=1005
- Brennan, J. N. See Nisbet, J. S., 0=2146
- Brennan, M. See Hooke, W. M., 4=8781
- Brennan, M. H. and Bernstein, A. M. jj coupling model in odd-odd nuclei, 0=20325
- Brennan, M. H., Brown, I. G., Millar, D. D. and Watson-Munro, C. N. Some experimental observations of the characteristics of hydromagnetic ionizing fronts, 4=449
- Brennan, M. H., Lehane, J. A., Millar, D. D. and Watson-Munro, C. N. The design and characteristics of highly ionized hydrogenous laboratory plasma sources, 3=24306
- Brennan, M. H., Robinson, L. C., Sharp, L. E. and Watson-Munro, C. N. The production of hydrogenous plasmas by hydromagnetic ionizing fronts, 4=27521

- Brennan, M.F. See Ames, O., 1=12148
 Brennan, M.H. See Ames, O., 0=13171
 Brennan, M.H. See Hooke, W.M., 1=11900
 Brennan, P. and Williams, M. Contrast dispersion in magneto-optic apparatus for domain studies, 3=14712
 Brennan, W.D., Brophy, J.J. and Schonhorn, H. Electrical conductivity in pyrolyzed polyacrylonitrile, 4=22733
 Brennemann, A.E. See Kahan, G.J., 0=10854
 Brenner, A. See Couch, D.E., 0=8716
 Brenner, A. See Loria, A., 2=1714
 Brenner, A. See Ueberreiter, K., 3=8920
 Brenner, A.E. See Chretien, M., 2=22610
 Brenner, A.E. See Chretien, M., 3=24787
 Brenner, A.E. See Weinberg, A., 2=20405
 Brenner, J.J. Metal "whiskers", 2=14963
 Brenner, J.L. and Latta, G.E. The theory of satellite orbits, based on a new coordinate system, 0=18876
 Brenner, M. See Simons, L., 1=17061
 Brenner, M. See Simons, L., 2=1842
 Brenner, M.W., Hoogenboom, A.M. and Kashy, E. Nuclear energy levels in P^{29} , 2=18270
 Brenner, M.W. Proton groups from the $S^{33}(d,p)S^{34}$ reaction, 3=6291
 Brenner, N. See Ettre, L.S., 2=12942
 Brenner, N. See Watson, E.S., 4=26773
 Brenner, R. Bloch wall separations in thin Si-Fe specimens with cube texture, 0=6231
 Brenner, R. The dependence of crystal anisotropy and magnetostriction in Ni, 2=16917
 Brenner, R. Revision of the formula for the specific bending of thermobimetallic strips, 3=11987
 Brenner, R. On the problem of the specific bending of thermobimetallic strips, 4=14432
 Brenner, S.S. Some further observations on the growth of copper whiskers from cuprous iodide, 0=18318
 Brenner, S.S. Further observations on the growth of silver whiskers from silver chloride, 0=18320
 Brenner, S.S. Mechanical behavior of sapphire whiskers at elevated temperatures, 2=2332
 Brenner, W. See Okamoto, Y., 4=26064
 Brenner, G.F. See Reed, W.A., 3=12945
 Breny, H. See Beets, C., 0=7257
 Breny, H. See Beets, C., 0=12794
 Brés, M. See Gorodetzky, M.S., 3=24344
 Brescia, G. See Grossetti, E., 4=13356
 Bresesti, M. and Roy, J.C. Half-lives of the nuclides Au^{197} , Pt^{195} , and Pt^{197} , 0=5723
 Bresesti, M. See Roy, J.C., 0=20438
 Bresie, D.A. See Hartman, D.E., 4=7369
 Bresker, R.I., Voronin, N.I. and Latysheva, Z.I. Infrared radiation sources based on silicon carbide, 2=5172
 Breslav, V.I. See Berlovich, E.E., 0=11303
 Bresler, M.S. See Airepetyants, S.V., 0=572
 Bresler, P.I. Regularities in the absorption of infrared radiation in thin layers of certain gases. I. The absorption coefficient in vibration-rotational bands, 0=9793
 Bresler, P.I. Regularities in the absorption of infrared radiation in thin layers of certain gases. II. Absorption of radiation in vibration-rotational bands of certain gases, 0=9794
 Bresler, P.I. Approximate method of determining the integrated intensity and the line width in rotation-vibration absorption bands of gases, 3=7248
 Bresler, P.I. and Ruzin, B.N. The optico-acoustic effect in mercury vapour, 0=19214
 Bresler, P.I. and Ruzin, B.N. The optico-acoustic effect in the visible and ultraviolet regions, and its relationship with photochemical reactions in gases, 0=19215
 Bresler, S.E., Kazbekov, E.N., Fomichev, V.N., Sech, F. and Smeitek, P. Macroradicals in Solid Polymers, 4=2138
 Breslow, R.A. See Knauss, H.P., 2=23432
 Bresnev, B.I. and Ivko, V.P. High-pressure hydraulic compressor for laboratory applications, 2=21775
 Bressan, A. Some consequences of postulates common to classical and relativistic kinematics, 3=16508
 Bressani, T. See Bonazzola, G.C., 4=15219
 Bressy, A. See Aubert, B., 2=18187
 Bressy, A. See Aubert, B., 2=22647
 Bret, G. and Gires, F. Influence of an electrical or luminous constraint on the transparency of certain coloured glasses, 4=22862
 Bret, G. and Gires, F. Internal shuttering of a ruby laser by a non-linear attenuator, 4=24929
 Bret, G. and Mayer, G. Measurements related to the stimulated Raman effect, 4=16687
 Bret, G.C. and Shrader, E.F. Fast tunnel diode circuits for NaI(Tl) detectors, 2=5275
 Breton, C. Study of the ionization on TA 2000, 3=7595
 Breton, C. Role of dissociation in hydrogen ionization phenomena in a pulsed discharge, 4=18682
 Breton, C., Carpet, M. and Waelbroeck, F. Device for the study of the time evolution of spectral line profiles, 3=7326
 Breton, C. and Hirschberg, J.G. Composition product simulator, 4=24011
 Breton, C. See Bayle, A., 3=7341
 Breton, C. See Schwob, J., 3=5680
 Breton, J. Improvement of a photoelectric polarimeter of great sensitivity intended for measurement of the Faraday effect, 0=1047
 Bretscher, E. Low-energy nuclear physics, 0=9227
 Bretscher, M.M. A student measurement of the diffusion length of thermal neutrons in water by a negative source technique, 2=22530
 Brett, D.A. See Hickey, J.R., 3=9606
 Brett, J. and Seigle, L. Shrinkage of voids in copper, 3=13537
 Brett, N.H. See Russell, L.E., 1=15097
 Bretton, R.H. See Carberry, J.J., 2=5052
 Brettschneider, M. See Bostick, W.H., 4=2976
 Brettschneider, M. See Bostick, W.H., 4=4796
 Bretz, M. See Laffineur, M., 1=9271
 Breuer, G. Studies of (d,p) and (d, α) reactions on B^{10} and B^{11} , 4=17186
 Breuer, G. and Jahnke, L. Angular distribution and effective cross-section for the reaction $F^{19}(p, \alpha) O^{16}$ in the energy range from 2.0 to 3.3 MeV, 4=25397
 Breuer, G., Riech, V., Thormann, E. and Neuert, H. Investigations of the non-resonant part of the $Li^7(p, \gamma)$ radiation, 1=3448
 Breuer, H. The energy distribution of fast photoneutrons from lead, 2=22796
 Breuer, H. Electron energy loss in aluminium in the energy region 20 to 60 MeV, 4=28438
 Breuer, H. and Pohlitz, W. The ($\gamma, 2n$) reaction in O^{16} from 28.9 to 32.5 MeV, 2=7972
 Breuer, S. and Onat, E.T. On uniqueness in linear viscoelasticity, 2=14887
 Breuer, S. and Onat, E.T. On the determination of free energy in linear viscoelastic solids, 4=26480
 Breuer, S. and Onat, E.T. On recoverable work in linear viscoelasticity, 4=16069
 Breuer, W. and Jaumann, J. The removal of coercive force by ultrasonics, 2=23655
 Breuer, W. and Jaumann, J. Dependence between the magneto-optical Kerr and Faraday effects and the optical constants of thick evaporated films of Fe, Co and Ni, 3=10918
 Breuer, W. See Baran, W., 1=6343
 Breus, S.N. The stability of a current-carrying fluid cylinder in the case of finite conductivity, 1=1963
 Brevnov, N.N. and Matulis, A.I. Passage of a plasma bunch through an adiabatic trap with magnetic mirrors, 4=544
 Brevnov, N.N. and Matulis, A.I. Passage of a plasma bunch through an adiabatic trap with magnetic mirrors, 4=16513
 Brevnov, N.N., Romanovskii, M.K. and Tomashchuk, Yu.F. Investigation of plasma in the adiabatic "ogrenok" trap, 3=14602
 Brevnov, N.N. and Tomashchuk, Yu.F. The effect of local perturbations of a magnetic field on the trapping of particles in an adiabatic magnetic mirror machine, 4=16512
 Brevnov, N.N. and Tomashchuk, Yu.F. The influence of local perturbations of the magnetic field on the confinement of particles in a magnetic adiabatic trap, 4=542
 Brevnov, N.N. See Belyaev, V.A., 3=7651
 Brevnov, N.N. See Belyaev, V.A., 3=21897
 Brewer, A.W. and Milford, J.R. The Oxford-Kew ozone sonde, 1=1503
 Brewer, A.W. and Milford, J.R. Vertical distribution of atmospheric ozone. Comparison of various methods. B. Electro-chemical ozone sonde, 1=1504
 Brewer, A.W. See Dobson, G.M.B., 2=11013
 Brewer, D.F. Generation of temperatures below $1^{\circ}K$, 0=7037
 Brewer, D.F. Properties of He^3 near the melting curve, 4=29821
 Brewer, D.F. and Champeney, D.C. Sorption of helium and nitrogen on Vycor porous glass, 2=9472
 Brewer, D.F. and Daunt, J.G. Expansion coefficient and entropy of liquid He^3 under pressure below $1^{\circ}K$, 0=224

- Brewer, D.F., Daunt, J.G. and Sreedhar, A.K. Low-temperature specific heat of liquid He^3 near the saturated vapor pressure and at higher pressures, 0=223
- Brewer, D.F. and Edwards, D.O. The heat conductivity and viscosity of liquid helium II, 0=8864
- Brewer, D.F. and Edwards, D.O. Heat conduction by liquid helium II in capillary tubes. I. Transition to supercritical conduction, 1=13035
- Brewer, D.F. and Edwards, D.O. Heat conduction by liquid helium II in capillary tubes. II. Measurements of the pressure gradient, 2=1325
- Brewer, D.F. and Edwards, D.O. Heat conduction by liquid helium II in capillary tubes. III. Mutual friction, 3=310
- Brewer, D.F. and Edwards, D.O. The effect of pressure on the normal component viscosity and critical velocities of liquid He^3 , 4=18509
- Brewer, D.F. and Keyston, J.R.G. Specific heat and expansion coefficient of liquid helium-3 under pressure below 0.1°K , 1=18688
- Brewer, D.F. and Keyston, J.R.G. Phase separation of dilute mixtures of He^3 in He^4 , 2=15833
- Brewer, D.F. and Keyston, J.R.G. The pressure dependence of the entropy of liquid He^3 down to 0.04°K , 4=14482
- Brewer, D.F. and Mendelssohn, K. Transfer of the unsaturated helium II film, 1=13033
- Brewer, D.F., Sreedhar, A.K., Kramers, H.C. and Daunt, J.F. Specific heat of ^3He below 1°K , 0=8879
- Brewer, D.F. See Beal, B.T., 4=14480
- Brewer, D.F. See Bernardes, N., 2=19801
- Brewer, E.G. See Sewell, P.B., 4=7671
- Brewer, E.G. See Sewell, P.B., 3=20928
- Brewer, G.R., Currie, M.R. and Knechtli, R.C. Ionic and plasma propulsion for space vehicles, 2=7045
- Brewer, G.R. See Van Duzer, T., 3=14655
- Brewer, H.R., Harmer, D.S. and Hay, D.H. M-shell, relativistic electron wave-functions, 2=1956
- Brewer, J. See Greene, F.T., 4=15841
- Brewer, L. Dissociation energy of S_2 , 0=2735
- Brewer, L., Berg, R.A. and Rosenblatt, G.M. Radiative lifetime of I_2 fluorescence, $\text{B}^3\Pi_u^+ \rightarrow \text{X}^1\Sigma_g^+$, 3=11838
- Brewer, L. and Engelke, J.L. Spectrum of C_3 , 2=6166
- Brewer, L., Hicks, W.T. and Krikorian, O.H. Heat of sublimation and dissociation energy of gaseous C_3 , 2=2028
- Brewer, L., James, C.G., Brewer, R.G., Stafford, F.E., Berg, R.A. and Rosenblatt, G.M. Phase fluorometer to measure radiative lifetimes of 10^{-6} to 10^{-9} sec, 3=5514
- Brewer, L. and Trajmar, S. Ultraviolet bands of magnesium hydroxide and oxide, 2=8105
- Brewer, L., Trajmar, S. and Berg, R.A. Analysis of the ultraviolet system of magnesium oxide, 2=14283
- Brewer, L.E. and McGregor, W.K. Reply to comments of E.S. Fishburne and S.L. Petrie, 4=6573
- Brewer, L.E. and McGregor, W.K. Excitation of nitrogen by metastable argon atoms, 3=3263
- Brewer, L.E. and McGregor, W.K. The influence of metastable atoms on the population of excited states in a thermal plasma, 4=11609
- Brewer, L.E., McGregor, W.K. and Dooley, M.T. Spectral line intensities from argon and nitrogen plasmas, 2=17845
- Brewer, L.E. See McGregor, W.K., 4=11541
- Brewer, R.B. High intensity low noise rubidium light source, 2=1261
- Brewer, R.C. and Alexander, J.M. A new technique for engraving and measuring grids in experimental plasticity, 1=1522
- Brewer, R.G. Spontaneous nuclear reaction in molecular hydrogen, 0=1459
- Brewer, R.G. Light modulation by the Raman effect, 2=17646
- Brewer, R.G. Slow transient response in infrared photomultipliers, 2=17873
- Brewer, R.G. Rubidium spin relaxation induced by hydrogen, 3=4723
- Brewer, R.G. Study of atom-wall collisions by optical pumping, 3=17537
- Brewer, R.G. Comparison of atom spin relaxation in the gas phase and on a surface, 3=17538
- Brewer, R.G. Transient charge transfer in gaseous rubidium-benzene collisions, 4=14580
- Brewer, R.G. and Kester, F.L. Dissociation energy of the radical, 4=12527
- Brewer, R.G. See Brewer, L., 3=5514
- Brewer, R.G. See Brown, R.L., 2=12318
- Brewer, R.G. See El-Sayed, M.A., 4=1296
- Brewster, D.B., Grosberg, P. and Nissan, A.H. The stability of viscous flow between horizontal concentric cylinders, 0=8627
- Brewster, J.L., Levy, M. and Rudnick, I. Ultrasonic determination of the superconducting energy gap in vanadium, 4=2924
- Brey, W.S., Jr. and Lawson, K.D. Nuclear magnetic resonance studies of adsorption on thorium oxide, 4=26728
- Brey, W.S., Jr. and Ramey, K.C. Temperature dependence of fluorine nuclear spin-spin coupling constants, 4=3907
- Brey, W.S., Jr. See Ramey, K.C., 4=20107
- Breyer, J.E. See Dunn, F., 2=13401
- Breyer, J.E. See Hawley, S.A., 3=1862
- Brezhnev, B.G. and Maksimov, J.S. The measurements of fast electron energies in powerful impulsive discharges, 3=7452
- Brezhnev, V.S. One model of the universe in relativistic cosmology, 3=13854
- Brezhneva, N.E. See Golovanov, Yu.N., 4=5469
- Brezhneva, N.E. See Golovanov, Yu.N., 4=5470
- Březina, B. and Potčenkov, A.A. The influence of a surface layer on the 180° switching of BaTiO_3 single crystals, 4=12968
- Březina, B., Fousek, J. and Glanc, A. Barkhausen pulses in BaTiO_3 connected with 90° switching processes, 1=20081
- Březina, B. and Janovec, V. On surface layers of BaTiO_3 , 0=11744
- Březina, B. and Janovec, V. On the interpretation of the thickness dependence of the coercive field of BaTiO_3 single crystals, 4=12969
- Březina, B. See Fousek, J., 0=4382
- Březina, B. See Fousek, J., 1=14559
- Březina, B. See Fousek, J., 1=17841
- Březina, B. See Fousek, J., 1=17842
- Březina, B. See Fousek, J., 4=28626
- Březina, B. See Janovec, V., 1=17839
- Briançon, C., Legoux, Y., Merinis, J., Muxart, R. and Véronis, J. The spectrum of conversion electrons emitted in the transitions $\text{Pa}^{234} (6.7\text{h}) \rightarrow ^{234}\text{U}$, 4=30331
- Briand, J., Delcroix, J.L. and Fânzeres de Castro Fernandes, M.L. Excitation of acoustic waves by interaction between charged particles and neutral molecules in a discharge tube, 1=18783
- Briand, J.P. and Lefórt, M. Alpha emission study of the series $\text{Ac}^{224} \rightarrow \text{Fr}^{220} \rightarrow \text{At}^{216} \rightarrow \text{ThC}$, 4=22081
- Briant, R.C. and Weinberg, A.M. The aircraft reactor experiment — molten fluorides as power reactor fuels, 0=13311
- Briat, B. Rotatory diamagnetic dispersion of certain ketones, 4=17305
- Briat, B., Billardon, M. and Badoz, J. New spectropolarimeter designed for the measurement of the Faraday effect, 3=19026
- Briand, J.P. Nature of the 29 keV transition in protactinium-234 (UX_2), 2=5805
- Bribon, R. See Tamers, M.A., 4=13744
- Bricard, J. and Deloncle, M. Microscopic observation of small drops of water under lateral illumination, 0=19453
- Bricard, J., Deloncle, M. and Israël, G. A photoelectric study of individual fog drops, 0=21295
- Bricard, J., Pradel, J. and Renoux, A. The particulate distribution of the radioactivity of natural aerosols, 2=2491
- Bricard, J., Pradel, J. and Renoux, A. Ionic equilibrium and granulometric spectrum of natural aerosols, Application to radioactive ions, 3=11416
- Bricard, J. See Arnulf, A., 1=9189
- Brice, B.A. Glass color standards and a uniform chromaticity scale for sugar products, 0=181
- Brice, D.K. See Culvahouse, J.W., 3=8722
- Brice, J.C. Measurement of tellurium vapour pressure using electrical discharges, 1=2913
- Brice, J.C. A correlation between diffusion and distribution coefficients, 4=15488
- Brice, J.C. and King, M.J. Pressure temperature projection of the three phase line of the gallium antimony system, 4=16290
- Brice, J.C. and Moore, P. Contactless resistivity meter for semiconductors, 1=15049
- Brice, J.C. and Stride, A.A. A continuous-reading four point resistivity probe, 2=11581
- Brice, J.C. and Whiffin, P.A.C. The temperature distribution in pulled germanium crystals during growth, 4=13532
- Brice, J.C. See Newman, P.C., 1=15134
- Brice, M.K. See Reich, C.W., 2=16369
- Brice, N. An explanation of triggered very-low-frequency emissions, 4=7853

- Brice, N. Discussion of paper by R.L. Dowden, "Doppler-shifted cyclotron radiation from electrons: A theory of very low frequency emissions from the exosphere", 3=13694
- Brice, N. and Ungstrup, E. Use of "local mean auroral time" for very-low-frequency emissions, 4=4804
- Brice, N.M. Variations in ionospheric F-region characteristics, 0=6460
- Brice, N.M. Traveling wave amplification of whistlers, 1=15239
- Brice, N.M. See Crouchley, J., 1=10311
- Brice, N.M. See Lokken, J.E., 2=4692
- Brice, R.M. and Smith, R.L. Comments on a paper by H. Unz, "On the origin of 'very low frequency emissions'", 3=13730
- Brichard, J., Pradel, J. and Renoux, A. The concentration in air of small and large radioactive ions, 1=9821
- Bricin, K.I. See Keldys, L.V., 2=23554
- Brick, R.O. See Brady, J.J., 0=17101
- Bricker, P.D. See Gerstman, L.J., 1=9215
- Brickman, A.D. Preloading of acoustic transducers for high-pressure operation, 2=7304
- Brickwedde, F.G. The "1958 He⁺ scale of temperatures". I. Introduction, 0=7036
- Brickwedde, F.G. The "1958 He⁺ scale of temperatures", 0=8876
- Brickwedde, F.G. The "1958 He⁺ scale of temperatures". I. Introduction, 1=16183
- Brickwedde, F.G. The temperature scale 10°K to 90°K, 0=19513
- Bricman, C., Csejthey-Barth, M., Lagnaux, J.P. and Sacton, J. Interaction of high energy protons from the Cern proton synchrotron with photographic emulsion nuclei, 1=17101
- Bricman, C. See Bareyre, P., 4=15096
- Bricout, J. See Eyraud, C., 4=7686
- Bridenbaugh, P.M. See Paterson, G.E., 2=23602
- Bridenbaugh, P.M. See Peterson, G.E., 3=8620
- Bridenbaugh, P.M. See Peterson, G.E., 3=13205
- Bridenbaugh, P.M. See Peterson, G.E., 3=25176
- Bridenbaugh, P.M. See Peterson, G.E., 4=17604
- Bridenbaugh, P.M. See Peterson, G.E., 4=19249
- Bridenbaugh, P.M. See Peterson, G.E., 4=27702
- Bridge, H., Kelly, B. T. and Nettley, P. T. Effect of high-flux fast-neutron irradiation on the physicochemical properties of graphite, 4=30599
- Bridge, H. See Bell, J.C., 2=1947
- Bridge, H. See Nettley, P.T., 3=25027
- Bridge, H.S., Dilworth, C., Lazarus, A.J., Lyon, E.F., Rossi, B. and Scherb, F. Direct observations of the interplanetary plasma, 2=12055
- Bridge, H.S., Dilworth, C., Rossi, B., Scherb, F. and Lyon, E.F. An instrument for the investigation of interplanetary plasma, 1=15583
- Bridge, H.S. See Bonetti, A., 3=25993
- Bridge, N. J. and Buckingham, A. D. Polarization of laser light scattered by gases, 4=21186
- Bridge, N.J. and Buckingham, A.D. Pressure effects in infra-red spectra, 3=25078
- Bridge, N.K. Transient species in the flash photolysis of halogens in solution, 0=6414
- Bridgeman, O.C. and Aldrich, E.W. Linear form of the Antoine vapour-pressure equation, 2=22091
- Bridgeman, T. Inversion of the Munsell value equation, 3=13973
- Bridges, W.B. Laser oscillation in singly ionized argon in the visible spectrum, 4=19285
- Bridges, W.B. High optical gain at 3.5 μ in pure xenon, 3=24516
- Bridges, W.B. and Birdsall, C.K. Space-charge instabilities in electron diodes. II, 3=24348
- Bridges, W.B. See Birdsall, C.K., 2=1500
- Bridgman, C.S. Analysis of Wald's data on dark adaptation, 1=9230
- Bridgman, P.W. Sir Francis Simon, 0=12346
- Bridgman, P.W. Significance of the Mach principle, 1=12
- Bridgman, P.W. Critique of critical tables, 1=4234
- Bridgewater, J. See Axtmann, R.C., 3=8976
- Bridle, J.A. and Morgan, J.L. High-speed temperature recording, 2=13479
- Bridoux, M. High speed photography of Raman spectra by means of an image intensifier, 4=24368
- Bridoux, M. and Delhaye, M. A new three-phase mercury lamp for a Raman spectrograph, 2=19714
- Briedman, L. B. See Dobrott, R.D., 4=13583
- Briegleb, G. See Czekalla, J., 0=662
- Briegleb, G. See Czekalla, J., 0=3262
- Brient, S.J. See Brigman, G.H., 1=5969
- Brier, G.W. and Bradley, D. A. The lunar synodical period and precipitation in the United States, 4=29280
- Brier, G.W. See Bradley, D.A., 3=3461
- Brière, G. Obtaining ionically pure polar liquids, 1=20723
- Brière, G. Contribution to the study of electric conductivity of pure polar liquids, 4=24229
- Brière, G. B. Electrical conduction in purified polar liquids, 4=14184
- Brierley, D.M. and Davies, J. G. Lunar influence on meteor rates, 4=13961
- Briffod, G., Gregoire, M. and Gruber, S. Instabilities in reflex discharges, 4=19032
- Briffod, G., Gregoire, M. and Gruber, S. Instability in a cold cathode reflex discharge, 4=29878
- Briffod, G., Grégoire, M. and Manus, C. Abnormal diffusion of a plasma perpendicular to a magnetic field, 3=388
- Briffod, G. See Bertrand, P., 1=18866
- Briffod, G. See Bertrand, P., 2=11681
- Briffod, G. See Bertrand, P., 4=8775
- Briffod, G. See Bonnal, J.F., 0=12617
- Briffod, G. See Bonnal, J.F., 1=11956
- Briffod, G. See Bonnal, J.F., 4=8691
- Briffod, G. See Boulassier, J. C., 4=18978
- Briffod, G. See Guidini, J., 1=7030
- Brigevich, R.F. See Lur'e, B.G., 2=21070
- Brigevich, R.F. See Lur'e, B.G., 3=6535
- Briggs, A. G. and Norrish, R. G. W. Transient absorption spectra of chlorine and bromine, 4=1259
- Briggs, A. G. See Woolley, J. C., 4=28383
- Briggs, A.W. Radiation fields from a horizontal electric dipole in a semi-infinite conducting medium, 2=20133
- Briggs, B.H. The diurnal and seasonal variations of spread-F ionospheric echoes and the scintillations of a radio star, 4=2018
- Briggs, B.H. Roughness of the moon as a radar reflector, 0=18652
- Briggs, B.H. Diffraction by an irregular screen of limited extent, 1=6962
- Briggs, B.H. The correlation of radio star scintillations with geomagnetic disturbances, 1=21100
- Briggs, B.H. Comments on paper by D.R. Moorcroft and P.A. Forsyth, "on the relation between radio star scintillations and auroral magnetic activity", 4=4952
- Briggs, B. H. Observations of radio star scintillations and spread-F echoes over a solar cycle, 4=10762
- Briggs, B.H. Radio star and satellite scintillations, 4=15947
- Briggs, B.H. and Parkin, I.A. On the variation of radio star and satellite scintillations with zenith angle, 3=21124
- Briggs, B.H. and Rishbeth, H. An analogue solution of the continuity equation of the ionospheric F region, 1=20996
- Briggs, B.R. See Spreiter, J.R., 1=20971
- Briggs, B.R. See Spreiter, J.R., 1=20972
- Briggs, B.R. See Spreiter, J.R., 2=6965
- Briggs, B.R. See Spreiter, J.R., 3=6998
- Briggs, B.R. See Spreiter, J.R., 3=11411
- Briggs, E.V. Stroboscopic measurement of the velocity of a bullet, 3=21286
- Briggs, G. See Baldock, P., 2=12923
- Briggs, G.A. See Clayton, C.G., 2=2128
- Briggs, G.R. and Tuska, J.W. Permalloy-sheet transfluxor-array memory, 2=13635
- Briggs, J. and Roach, W.T. Aircraft observations near jet streams, 3=21035
- Briggs, L.J. Effect of spin and speed on the lateral deflection (curve) of a baseball; and the Magnus effect for smooth spheres, 0=58
- Briggs, M.H. The colouring matter and radio emissions of Jupiter, 0=18640
- Briggs, M.H. Origin of the solar system, 0=18689
- Briggs, M.H. Recent advances in the investigation of meteorites, 2=19291
- Briggs, M.H. Meteorites and planetary organic matter, 3=9185
- Briggs, M.H. Particulate matter in the atmospheres of the terrestrial planets, 3=16351
- Briggs, R. Continuous recording of suspended solids in effluents, 2=2454
- Briggs, R. and Viney, M. The design and performance of temperature compensated electrodes for oxygen measurements, 4=10645
- Briggs, R.E. Steady-state space distribution of meteoric particles under the operation of the Poynting-Robertson effect, 3=7023
- Briggs, R. J. and Bers, A. Electron beam interactions with ions in a warm plasma, 4=18984
- Briggs, R.J. See Wade, G., 2=8376
- Briggs-Smith, M. Visual monitoring during vacuum evaporations, 3=11845

- Brigham, G.A. and Borg, M.F. An approximate solution to the acoustic radiation of a finite cylinder, 0=14719
- Bright, J.E. and Ridge, M.J. Etch pits and dehydration nuclei on crystals of gypsum, 1=7843
- Bright, R.C. See Papike, J.J., 3=8821
- Briglia, D.D. See Hertzberg, M., 1=8313
- Brigman, G.H., Briant, S.J. and Matsen, F.A. Interaction of a triplet and a normal helium atom, 1=5969
- Brigmanis, E. See Speyer, E., 2=128
- Brignell, J.E. Automatic measurement of the electric strength of liquid dielectrics, 4=2926
- Brigoli, B. Recent advances of distillation techniques, 1, 1=5363
- Brigoli, B. and Villani, S. A preliminary approach to the calculation of a water-hydrogen sulphide dual temperature deuterium separating plant, 0=2721
- Brikker, S.I. See Alekseeva, K.I., 0=9494
- Bril, A. and Gelling, W.G. Conductivity induced by cathode rays in cadmium-selenide layers, 3=2910
- Bril, A. and Hoekstra, W. Efficiencies of phosphors for short-wave ultra-violet excitation, 2=8567
- Bril, A. and van Meurs-Hoekstra, W. Use of diffraction gratings in small mirror monochromators, 4=8430
- Brill, M.N. Investigation of the temperature dependence of fine structure of the fundamental edge of X-ray absorption spectra of titanium in barium titanate near the Curie point for BaTiO_3 , 0=15809
- Brill, M.N. See Vainshtein, E.E., 0=1739
- Bril, S. See Stammreich, H., 0=11528
- Brilins'kiy, M.I., Vishnevs'kiy, V.N. and Pidziraño, M.S. Temperature and concentration dependence of the quantum yield of the photo-luminescence of the crystallophosphors NaF:Ti , 4=15616
- Brill, O.D. and Sumin, L.V. Excitation curves for the reactions $^{11}\text{B}(\text{d}, 2\text{n})^{11}\text{C}$, $^9\text{Be}(\alpha, 2\text{n})^{11}\text{C}$, $^{10}\text{B}(\text{d}, \text{n})^{11}\text{C}$ and $^{12}\text{C}(\text{d}, \text{n})^{13}\text{N}$, 2=1921
- Brill, R. and Chopra, K.L. Electron distribution and characteristic temperature variation at low temperatures in magnesium and ruthenium, 2=15019
- Brill, R. and Tauster, S. On the applicability of the Temkin-Pyzhev equation for the determination of activation energies of ammonia synthesis at one atmosphere pressure, 2=15138
- Brill, D.R. Electromagnetic fields in a homogeneous, nonisotropic universe, 4=10792
- Brill, D.R. Review of Jordan's extended theory of gravitation, 4=27030
- Brill, D.R. and Hartle, J.B. Method of the self-consistent field in general relativity and its application to the gravitational geon, 4=21029
- Brill, D.R. and Lindquist, R.W. Interaction energy in geometrostatics, 3=16518
- Brill, D.R. See Graves, J.C., 0=18938
- Brill, D.R. See Werner, F.G., 0=1203
- Brill, D.R. See Werner, F.G., 0=10953
- Brill, O.D., Pankratov, V.M., Rudakov, V.F. and Rybakov, B.V. Cross-sections of reactions $\text{T}(\text{d}, \text{n})\text{He}^4$ and $\text{D}(\text{d}, \text{n})\text{He}^3$ for deuteron energy range 3-19 MeV, 4=19605
- Brill, O.D. and Sumin, L.V. Excitation curves for the reactions $\text{B}^{11}(\text{d}, 2\text{n})\text{C}^{11}$, $\text{Be}^9(\alpha, 2\text{n})\text{C}^{11}$, $\text{B}^{10}(\text{d}, \text{n})\text{C}^{11}$ and $\text{C}^{12}(\text{d}, \text{n})\text{N}^{13}$, 0=442
- Brill, O.D., Vlasov, N.A., Kalinin, S.P. and Sokolov, L.S. Cross sections for the $(\text{n}, 2\text{n})$ reaction in C^{12} , N^{14} , O^{16} and F^{19} in the energy range 10-37 MeV, 1=11021
- Brill, O.D., Vlasov, N.A., Kalinin, S.P. and Sokolov, L.S. Cross sections for the $(\text{n}, 2\text{n})$ reaction in C^{12} , N^{14} , O^{16} and F^{19} in the energy range 10-37 MeV, 1=12207
- Brill, R. The influence of binding electrons on X-ray intensities, 0=10300
- Brill, R. and Barth, H. Intensity of the (111) reflexion for diamond, 0=12020
- Brilliantov, N.A., Starostina, L.S. and Fedorov, O.P. Preparing monocrystals of molybdenum and tungsten by crucibleless zone melting, 2=2364
- Brilliantov, N.A. See Grum-Grzhimailo, S.V., 3=3001
- Brilliantov, N.A. See Grum-Grzhimailo, S.V., 3=13180
- Brilliantov, N.A. See Grum-Grzhimailo, S.V., 3=15681
- Brilliantov, N.A. See Starostina, L.S., 4=23322
- Brilliantov, N.B. See Grum-Grzhimailo, S.V., 1=3835
- Brillouin, J. Measurement of the acoustic length of a resonating neck in the form of a slit in a thin wall, 2=5101
- Brillouin, L. Mirages of superconductivity, 0=10831
- Brillouin, L. More about superconductivity, 0=16943
- Brillouin, L. Thermodynamics, statistics and information, 1=5207
- Brillouin, L. Giant molecules and semiconductors, 2=6430
- Brim, W.W., Hoffman, J.M., Nielsen, H.H. and Narahari Rao, K. Measurements on higher J rotational lines of vibration rotation bands and study of resonances in linear polyatomic molecules. I. ν_2 and $2\nu_2$ bands of HC^{13}N , 1=829
- Brim, W.W. See Fraley, P.E., 3=6404
- Brim, W.W. See Jones, L.H., 4=6576
- Brim, W.W. See Narahari, Rao K., 0=4198
- Brim, W.W. See Narahari Rao, K., 2=6163
- Brim, W.W. See Narahari Rao, K., 2=17619
- Brimberg, S. On the scattering of slow neutrons by hydrogen molecules, 3=4734
- Brimberg, S. and Dahlström, J. The temperature coefficients of the resonance integral in uranium metal and oxide, 3=4687
- Brimhall, J.L. See Klein, M.J., 2=8230
- Brin, A. See Aycoberry, C., 3=4139
- Brin, A., Delcroix, J.-L. and Ozias, Y. Effect of a continuous electric field on a plasma: establishment of the equation giving the distribution function, 0=1130
- Brin, A., Delobea, F., Veyrie, P. and Plantevin, J.P. Experimental verification of the equation of state of hydrogen by means of a shock tube, 4=18795
- Brin, A. and Mérigoux, R. Relation between molecular pressure and internal pressure, 1=1856
- Brinckmann, H.F. See Alexander, K.F., 1=8631
- Brinckmann, H.F. See Alexander, K.F., 2=14114
- Brinckmann, H.F. See Alexander, K.F., 3=15112
- Brinckmann, H.F. See Alexander, K.F., 4=9371
- Brincourt, G. See Perrot, M., 4=23560
- Brinda, S., Greer, G., Thorness, B. and Waddington, C.J. A nuclear emulsion plate "shuffler", 4=16785
- Brindley, B.J., Corderoy, D.J.H. and Honeycombe, R.W.K. Yield points and Luders bands in single crystals of copper-base alloys, 2=23749
- Brindley, G.W. See Schaefer, W.L., 3=20986
- Brindley, J. Stability of flow in a rotating viscous incompressible fluid subjected to differential heating, 1=2731
- Brindley, J. An approximation technique for natural convection in a boundary layer, 4=5422
- Brindley, K.W. See Smith, D.C.G., 3=2540
- Brindus, L. See Bányai, L., 3=23794
- Brine, D.A. and Young, R.A. Common epitaxial feature of various thin film textures, 3=23506
- Brinen, J.S. and Goodman, L. Low-resolution analysis of the $\text{n} \rightarrow \pi^*$ (3000 Å) absorption spectrum of s-triazine, 1=17322
- Brinen, J.S., Rosebrook, D.D. and Hirt, R.C. Phosphorescence of o-phenanthroline, 4=8216
- Brinen, J.S. See Halverson, F., 4=20085
- Brinen, J.S. See Halverson, F., 4=24224
- Brinen, J.S. See Jørgensen, C.K., 2=22981
- Brinen, J.S. See Jørgensen, C.K., 4=2685
- Brini, D., Ciriegi, U., Galli, M., Gandolfi, A. and Tabellini, G. A high altitude measurement on cosmic rays by a new telemetric procedure, 2=9944
- Brini, D., Ciriegi, U., Gandolfi, A. and Tabellini, G.L. Instrumentation for space research, 2=1197
- Brini, D., Fubini, A., Missiroli, M. and Salomoni, A. A device for the measurement of the distribution of the slow neutron flux, 2=6072
- Brini, D., Fuschini, E., Grimellini, N.T. and Murty, D.S.R. Compton effect on the bound electrons, 0=15313
- Brini, D., Galli, M., Tabellini, G.L., Ciriegi, U. and Gandolfi, A. On a G.M. counting rate increase recorded at balloon altitude, 2=5773
- Brini, D., Gandolfi, A. and Tabellini, G.L. Transistorized apparatus for accumulation and binary-decimal conversion, 1=5119
- Brini, D., Gandolfi, A. and Tabellini, G.L. Multichannel transistorized apparatus for data recording, 1=13538
- Brink, D.M. The potential energy of light nuclei in the oscillator shell model, 3=10200
- Brink, D.M. and Nash, G.F. Excited states in oxygen 16, 3=10253
- Brink, D.M. and Stephen, R.O. The theory of fluctuations in nuclear reaction cross-sections, 4=15195
- Brink, D.M. and Stephen, R.O. Widths of fluctuations in nuclear cross sections, 3=22354
- Brink, D.M., Stephen, R.O. and Tanner, N.W. The angular cross-correlation function of cross-section fluctuations, 4=22091
- Brink, D.M. See Barton, G., 0=4021
- Brink, D.M. See Kenworthy, D.J., 2=13511
- Brink, D.M. See Tanner, N.W., 4=21695
- Brink, D.M. See Zuckermann, M.J., 3=16876
- Brink, G.O. Ionization of alkali atoms by electron bombardment, 2=19897

- Brink, G.O. Absolute ionization cross sections of the alkali metals, 4=14573
- Brink, G.O. and Nierenberg, W.A. Observation of a double resonance in an atomic beam, 0=17682
- Brink, G.O. See Baker, F.S., 2=21570
- Brink, G.O. See Braslau, N., 1=12149
- Brink, G.O. See Khan, J.M., 4=15134
- Brink, I.J. See Hiller, L.A., Jr., 2=7449
- Brinkerhoff, J. See Zessoules, N., 3=16911
- Brinkley, S.R., Jr. See Richardson, J.M., 0=19097
- Brinkley, T.A., Robson, B.A. and Titterton, E.W. The mechanism of the reaction $^{12}\text{C}(n, n')^3\alpha$ at 14.18 MeV neutron energy, 4=25409
- Brinkley, T.A. See Titterton, E.W., 0=20517
- Brinkman, G.A. and Aten, A.H.W., Jr. Absolute standardization with a NaI(Tl) crystal. III. Calibration of β^+ -emitters, 4=6261
- Brinkman, G.A., Aten, A.H.W., Jr. and Veenboer, J.Th. Absolute standardization with a NaI (Tl) crystal. II. Determination of the total efficiency, 4=3588
- Brinkman, G.A., Aten, A.H.W., Jr. and Veenboer, J.Th. Absolute standardization with a NaI(Tl) crystal. I. Calibration by means of a single nuclide, 3=17111
- Brinkman, H. See Weber, W.M., 0=20733
- Brinkman, H. See Ter Veld, L.K., 3=8090
- Brinkman, H.C. The vortex equations of magneto-hydrodynamics, 0=15126
- Brinkman, H.C. On the motion of a charged particle in an inhomogeneous magnetic field, 0=17076
- Brinkman, J.A. Radiation production and radiation annealing of point defects in metals, 3=22723
- Brinkman, J.A., Sosin, A. and Grenall, A. An interpretation of electron microscope observations in neutron-irradiated copper and gold, 2=6322
- Brinkman, J.A. See Meehan, C.J., 0=17925
- Brinkman, J.A. See Sosin, A., 0=15883
- Brinkman, J.A. See Sosin, A., 2=18571
- Brinkmann, D. Magnetic moments of Xe^{130} and Xe^{131} , 3=24838
- Brinkmann, D., Brun, E. and Staub, H.H. Nuclear resonance in gaseous xenon, 3=1734
- Brinkmann, D., Brun, E. and Staub, H.H. Nuclear resonance in gaseous xenon, 3=23944
- Brinkmann, K. See Mrass, H., 4=24326
- Brinkworth, B.J. Rapid estimation of conditions for maximum light scattering in monodisperse suspensions, 2=15162
- Brinkworth, B.J. Enhancement of illumination from a point source by reflection at boundary planes, 4=21273
- Brinkworth, B.J. Thermal diffusivity of non-metallic materials, 4=22511
- Brinkworth, B.J. A diffusion model of the transport of radiation from a point source in the lower atmosphere, 4=23751
- Brinkworth, B.J. Radiative transport properties of fogs, 4=23758
- Brinkworth, B.J. and Zakian, V. An inexpensive voltage stabilizer for photometric work, 2=19832
- Brinkworth, B.J. and Zakian, V. An inexpensive voltage stabilizer for photometric work, 3=16888
- Brinson, G. and Argent, B.B. The creep of niobium, 3=13362
- Brinton, H.C. See Taylor, H.A., Jr., 1=20892
- Brinton, H.C. See Taylor, H.A., Jr., 4=7873
- Brinton, R.K. See Miyoshi, M., 2=15136
- Brion, C.E. Ionization of oxygen by "monoenergetic" electrons, 4=18684
- Brion, H. A wave mechanical study of nitric oxide, 0=9827
- Brion, H. and Moser, C. Electronic structure of carbon monoxide, 0=7778
- Brion, H., Moser, C. and Yamazaki, M. Erratum: electronic structure of nitric oxide, 1=14061
- Brisbout, F.A., Gauld, C., Lehane, J., McCusker, C.B.A., Malos, J., Nishikawa, K. and van Loon, L.G. The production and properties of mesons at high energies, 1=16844
- Brisbout, F.A., Gauld, C.F. and McCusker, C.B.A. The fragmentation probabilities of fast heavy cosmic-ray primaries in Teflon, 1=2111
- Brisbout, F.A., Gauld, C., McCusker, C.B.A., Malos, J., Nishikawa, K., Peak, L.S. and van Loon, L.G. A comparison of pion and nucleon interactions in nuclear emulsions between 10^{11} and 10^{13} eV, 1=13562
- Brisbout, F.A., Gauld, C., McCusker, C.B.A., Malos, J., Nishikawa, K., Peak, L.S. and van Loon, L.G. A comparison of pion and nucleon interactions in emulsion at energies between 10^{11} and 10^{13} eV, 3=6109
- Briscoe, C.V. and Norwood, M.H. Propagation of the three independent elastic waves in the $[1,1,0]$ direction in LiF and KI single crystals, 0=6855
- Briscoe, C.V. See Squire, C.F., 0=9842
- Briscoe, H.W. See Pettengill, G.H., 2=13174
- Briscoe, H.W. See Pineo, V.C., 0=16432
- Briscoe, H.W. See Pineo, V.C., 1=20919
- Briscoe, H.W. See Pineo, V.C., 2=7767
- Briscoe, W.L. Improved bridge for low temperature measurements, 0=19519
- Brish, A.A., Tarasov, M.S. and Tsukerman, V.A. Electrical conductivity of dielectrics in strong shock waves, 0=6073
- Brish, A.A., Tarasov, M.S. and Tsukerman, V.A. Electrical conductivity of the explosion products of condensed explosives, 0=7061
- Brisi, C. Research on the system $\text{UO}_2 - \text{ThO}_2 - \text{ZrO}_2$, 0=8229
- Briskman, V., Mikel'son, A., Penyaz'kova, V. and Rezin, M. Electromagnetic stirring of liquid metals, 0=6531
- Brisley, W. and Thornton, B.S. Electromagnetic levitation calculations for axially symmetric systems, 3=24434
- Brissaud, I. See Bachelier, D., 4=19780
- Brissaud, I. See Bachelier, D., 4=12222
- Brissaud, I. See Génin, J., 2=453
- Brissaud, I. See Radvanyi, P., 2=1892
- Brissenden, P. and Erickson, W.C. A search for decametric radiation from several planets, 3=5272
- Brissenden, P. See Erickson, W.C., 3=5277
- Brissenden, R.J. See Askew, J.R., 4=6075
- Brissette, L.A. See Spriggs, R.M., 4=26500
- Brisson, B. See Aubert, B., 2=18187
- Brisson, J.C., Detoef, J.F., Falk-Vairant, P., Thevenet, B., Valladas, G. and Van Rossum, L. The proton synchrotron "Saturne". Equipment of the electronics group of the high-energy-particles division of the Nuclear Research Centre, Saclay, 0=2412
- Brisson, J.C., Detoef, J., Falk-Vairant, P., van Rossum, L., Valladas, G. and Yuan, L.C.L. Measurements of the $\pi^{\pm}-p$ total scattering cross sections in the energy range 0.4 to 1.5 BeV, 0=3989
- Brisson, J.C., Detoef, J.F., Falk-Vairant, P., Van Rossum, L. and Valladas, G. Measurement of the total cross-section of $\pi^{+-}p$ and $\pi^{-}-p$ from 400 MeV to 1.5 GeV, 1=5770
- Brisson, J.C., Falk-Vairant, P., Merlo, J.P., Sonderegger, P., Turlay, R. and Valladas, G. Measurement of the total cross-section of the neutral processes in the $\pi^{-}-p$ interaction at 300-1600 MeV and the determination of the ratio between π^0 production and charge exchange up to 1112 MeV, 2=22567
- Brisson, J.C., Valladas, G. and Van Zurek, R. A coincidence circuit with a short resolution time and a high counting rate, 0=17202
- Brisson, V. See Aubert, B., 2=22647
- Brisson, V. See Aubert, B., 4=25175
- Brisson, V. See Baglin, C., 1=9764
- Brisson, V. See Baglin, C., 4=3487
- Brisson, V. See Bellière, P., 4=3493
- Brisson, V. See Bertanza, L., 2=22652
- Brisson, V. See Bertanza, L., 3=7935
- Brisson, V. See Bertanza, L., 3=15037
- Brisson-Fouché, V. Automatic multiple scattering measurements in nuclear emulsions. Application to the study of the asymmetry in the $\mu \rightarrow e + \nu + \bar{\nu}$ disintegration, 2=5699
- Brissonneau, M.P. The magnetic diffusion after-effect in single crystals of Fe-Si, 3=8660
- Brissonneau, P. The magnetic after-effect, 0=13755
- Brissonneau, P. The amplitude of the diffusion after-effect as a function of the concentration of solid solutions of iron-carbon, 0=13819
- Brissonneau, P. and Moser, P. Study of magnetic diffusion after-effect in silicon-iron monocrystals, 3=1043
- Brissonneau, P. See Aléonard, R., 2=16906
- Brissonneau, P. See Aléonard, R., 3=15802
- Brissonneau, P. See Dautreppe, D., 2=21084
- Brissonneau, P. See Moser, P., 1=1227
- Brissot, J.J. See Auphan, M., 4=5368
- Bristeau, P. To show a temperature effect on the mean ionization energy in gaseous mixtures containing metastable atoms, 4=16424
- Bristow, J.R. Microcracks, and the static and dynamic elastic constants of annealed and heavily cold-worked metals, 0=6298
- Bristow, J.R. and Rees, B.L. Dislocations in non-metallic layer structures, 1=3673
- Bristow, J.R. and Rees, B.L. Thermal decomposition along dislocations, 3=17719

- Britaev, A.S. See Yakovleva, A.V., 3=23581
- Brith, M. and Schnepf, O. Removal of orbital degeneracy in an asymmetric molecular environment, 4=6460
- Brith, M. and White, D. The crystal structure of solid deuterium, 4=29110
- Brits'yn, K.I. and Vavilov, V.S. The process of photo-ionization in silicon, 0=15993
- Brits'yn, K.I. and Vavilov, V.S. The effect of an h.f. electric field on the fundamental absorption edge in silicon, 1=19972
- Brits'yn, K.I. and Vavilov, V.S. The effect of an h.f. electric field on the fundamental absorption edge in silicon, 2=4139.
- Brits'yn, K.I. See Vavilov, V.S., 0=13638
- Brits'yn, K.I. See Vavilov, V.S., 1=1153
- Britt, C.O., Tolbert, C.W. and Straiton, A.W. Radio wave absorption of several gases in the 100 to 117 kMc/s frequency range, 1=4380
- Britt, C.O., Tolbert, C.W. and Straiton, A.W. Radio wave absorption of several gases in the 100 to 117 kMc/s frequency range, 2=7261
- Britt, H.C. and Benson, G.C. Effect of radiation damage on the response of semiconductor detectors to fission fragments, 4=22249
- Britt, H.C. and Quinton, A.R. Fission of Au^{197} and Bi^{209} by C^{12} and O^{16} projectiles, 1=746
- Britt, H.C. and Quinton, A.R. Alpha particles and protons emitted in the bombardment of Au^{197} and Bi^{209} by C^{12} , N^{14} , and O^{16} projectiles, 2=499
- Britt, H.C., Stokes, R.H., Gibbs, W.R. and Griffin, J.J. Evidence for nuclear pairing effects at the fission barrier, 4=3718
- Britt, H.C. and Wegner, H.E. Response of semiconductor detectors to fission fragments, 3=12376
- Britt, H.C. and Wegner, H.E. Multiplication phenomenon for fission fragment response in semiconductor detectors, 3=19509
- Britt, H.C., Wegner, H.E. and Gursky, J. Energetics of the charged particle-induced fission of Ra^{226} , Bi^{209} and Au^{197} , 2=14152
- Britt, H.C., Wegner, H.E. and Gursky, J.C. Energetics of charged particle-induced fission reactions, 3=10396
- Britt, H.C., Wegner, H.E. and Whetstone, S.L., Jr. A comparison of fission fragment measurements made by double-energy and double-velocity techniques, 3=24987
- Britt, H.C. and Whetstone, S.L., Jr. Alpha-particle-induced fission of Th^{230} , Th^{232} , and U^{235} , 4=9587
- Britt, H.C. See Quinton, A.R., 0=17636
- Brittain, C.P. and Smith, G.C. The [micro-] structure and hardness of electrodeposited chromium, 1=20713
- Brittain, F.H. A push-pull stereophonic loudspeaker based on new concepts in 2-channel stereophony, 4=5308
- Brittain, J.O. See Carnahan, R.D., 3=25265
- Brittain, J.O. See Dahlberg, P., 3=3214
- Brittain, J.O. See Hirthe, W.M., 4=13442
- Brittain, J.O. See Hughes, T.J., 4=28374
- Brittain, J.O. See Mura, T., 1=3963
- Brittain, J.O. See Mura, T., 3=5140
- Brittin, W. and Gamow, G. Negative entropy and photosynthesis, 1=12703
- Brittin, W.E. and Chappell, W.R. The Wigner distribution function and second quantization in phase space, 3=4316
- Britton, D. The coordination of seven electron pairs, 3=25075
- Britton, D. and Hugus, Z.Z., Jr. Nuclear spin conservation in ortho-para hydrogen conversion, 1=3565
- Britton, D. and Hugus, Z.Z., Jr. Erratum: Nuclear spin conservation in ortho-para hydrogen conversion, 4=17280
- Britton, D. See Emerson, K., 3=8849
- Britton, D. See Emerson, K., 4=29128
- Britton, D. See Johnson, C.D., 3=13594
- Britton, D. See Lipscomb, W.N., 0=13515
- Britton, D. See Seery, D.J., 4=30426
- Britton, R.B., Arnold, K.W. and Denholm, A.S. Ability of a voltage-graded surface to support a high voltage in vacuum and in a pressurized gas, 3=12097
- Britton, R.B. See Arnold, K.W., 4=18752
- Brix, P., Engfer, R., Hegel, U., Quitmann, D., Backenstoss, G., Goebel, K. and Stadler, B. Energy measurements of the 2p-1s transitions in μ -mesonic atoms, 2=14230
- Brix, P., Fuchs, H., Lindenberger, K.H. and Salander, C. Relative measurement of the integrated reaction cross-section for the nuclear photoeffect, the reaction $O^{15}(\gamma, n)O^{15}$, 2=1866
- Brix, P. See Dosch, H.G., 0=20475
- Brix, P. See Quitmann, D., 4=15310
- Brixner, B. High-speed turbine-driven rotating mirrors: notes on design, construction, and performance, 0=2235
- Brixner, B. Automatic lens design for nonexperts, 4=8377
- Brixner, B. The symposium lens improved, 4=21279
- Brixner, B. The symposium lenses—a performance evaluation, 4=27288
- Brixner, L.H. X-ray study and thermoelectric properties of the $W_2Ta_{1-x}Se_2$ system, 3=23029
- Brixner, L.H. A study of the calcium molybdate-rare earth niobate systems, 4=26644
- Bro, K. See Maga, M., 0=19140
- Bro, P. See Andrellos, J.C., 3=20340
- Broadbent, D. See Nassibian, G., 2=1532
- Broadbent, D.E. Attention and the perception of speech, 3=1552
- Broadbent, D.E. and Ladefoged, P. Auditory preception of temporal order, 0=4823
- Broadbent, T.E. New high-voltage multi-stage impulse generator circuit, 0=12571
- Broadbent, T.E. A new high-voltage triggered spark gap, 4=5582
- Broadbent, T.E. and Cooper, R. Tripping a 1 MV single-stage impulse generator, 2=1351
- Broadbent, T.E. and Fernandez, A. Surge diverters using trigatrons, 0=3744
- Broadbent, T.E. and Shlash, A.H.A. The hot-wire triggered spark gap at very high voltages, 3=4050
- Broadbent, T.E. and Shlash, A.H.A. The development of the discharge in the trigatron spark gap at very high voltages, 3=24248
- Broadfoot, A.L. and Hunt, D.M. Excitation of N_2 band systems in Aurora, 4=23789
- Broadfoot, K.D. and Belin, R.E. A method for the remote measurement of force in a moving machine member, 4=2513
- Broadhurst, M.G. Theoretical dielectric behavior of an ethyl stearate-heneicosane mixture, 0=13648
- Broadhurst, M.G. Extrapolation of the orthorhombic n-paraffin melting properties to very long chain lengths, 2=14391
- Broadhurst, M.G. An analysis of the solid phase behavior of the normal paraffins, 2=16978
- Broadhurst, M.G. and Fitzgerald, E.R. Dielectric behavior and crystal structure of ethyl and vinyl stearate, 0=13647
- Broadhurst, M.G., Fitzgerald, E.R. and Bur, A.J. Dielectric properties and side-chain crystallinity of polyvinyl stearate, 1=11334
- Broadley, H.R., Jr. See Yamartino, E.J., 0=3038
- Broadwell, J.E. Shock structure in a simple discrete velocity gas, 4=29693
- Broberg, K.B. A problem on stress waves in an [infinite isotropic] elastic plate, 0=118
- Broberg, K.B. The propagation of a brittle crack, 1=64/5
- Brocas, J. and Résibois, P. Transport equations for a Lorentz gas, 2=1085
- Broccieri, F.B., Caldirola, P., Federighi, U. and Maroli, C. The electric field in the vicinity of a satellite in motion in the ionosphere, 3=21137
- Broch, E.K. Enumeration of structurally different close-packings of equal atoms, 2=21461
- Broch, G.E. and Aliotta, C.F. Direct observation of dislocation loops in arsenic-doped germanium, 2=23192
- Broch, J.T. On the use of warble tone and random noise for acoustic measurement purposes, 4=5329
- Brochard, J., Chabbal, R., Chantrel, H. and Jacquinet, P. Research on the levels of He by optical spectroscopy at low temperature, 0=7694
- Brochard, J., Chantrel, H. and Jacquinet, P., Study of the levels of He^3 by optical spectroscopy at very low temperature, 0=9768
- Brochard, J. See Amat, G., 2=13427
- Brochard, J. See Fontaine, H., 1=16090
- Brocher, E.F. Hot flow length and testing time in real shock tube flow, 4=14263
- Brocher, E.F. The elevation of electron temperature in m.p.d. generators and its effect on the gas conductivity, 3=24460
- Brochet, C., Brossard, J., Manson, N., Pujol, Y. and Rouze, M. Comparison of the calculated and observed values of the speed of detonations: propane-oxygen-nitrogen
- Brochet, C., Leyer, J.C. and Manson, N. Oscillatory phenomena in unstable detonation waves, 1=19456
- Brochowski, A. Application of electron bombardment to the preparation of silicon single crystals, 4=15762
- Brochowski, A. and Świdorski, J. Photoelectric method for determining interface shape in germanium monocrystals, 1=15055

- Brock, E.G., Csavinsky, P., Hormats, E., Nedderman, H.C., Stirpe, D. and Unterleitner, F. Coherent stimulated emission from organic molecular crystals, 1=12489
- Brock, E.G., Stirpe, D. and Hormats, E.I. Paramagnetic resonance spectrum of Fe^{3+} in guanidinium aluminum sulfate hexahydrate, 3=6747
- Brock, G.C. Image evaluation for reconnaissance, 4=14409
- Brock, G.E. See Cole, H., 0=1904
- Brock, G.E. See Dew-Hughes, D., 0=2856
- Brock, G.E. See Dew-Hughes, D., 0=2876
- Brock, G.E. See Fowler, A.B., 3=2988
- Brock, J.C.F. See Berman, R., 3=8375
- Brock, J.R. Mass transfer between different phases, 3=3799
- Brock, J.R. Investigation of a first-order slip-flow continuum analysis: the thermal force, 3=6935
- Brock, J.R. On the theory of thermal forces acting on aerosol particles, 3=7228
- Brock, J.R. Forces on aerosols in gas mixtures, 4=2169
- Brockelsby, C.F. Some applications of ultrasonics, 3=9565
- Brockhouse, B.N. Diffusive motions in liquids and neutron scattering, 0=79
- Brockhouse, B.N. Interatomic forces in crystals from neutron scattering, 3=749
- Brockhouse, B.N., Arase, T., Caglioti, G., Rao, K.R. and Woods, A.D.B. Crystal dynamics of lead. I. Dispersion curves at 100°K, 3=2708
- Brockhouse, B.N., Becka, L.N., Rao, K.R., Sinclair, R.N. and Woods, A.D.B. Crystal field spectra in rare earth oxides, 3=743
- Brockhouse, B.N. and Dasannacharya, B.A. Temperature effects on lattice vibrations in germanium, 4=9831
- Brockhouse, B.N. and Pope, N.K. Time-dependent pair correlations in liquid lead, 0=937
- Brockhouse, B.N., Rao, K.R. and Woods, A.D.B. Image of the Fermi surface in the lattice vibrations of lead, 3=6467
- Brockhouse, B.N. See Cowley, R.A., 3=20075
- Brockhouse, B.N. See Dixon, A.E., 3=15422
- Brockhouse, B.N. See Dolling, G., 3=2710
- Brockhouse, B.N. See Sakamoto, M., 3=127
- Brockhouse, B.N. See Sinclair, R.N., 1=1228
- Brockhouse, B.N. See Watanabe, H., 2=18897
- Brockhouse, B.N. See Watanabe, H., 2=23679
- Brockhouse, B.N. See Woods, A.D.B., 0=13479
- Brockhouse, B.N. See Woods, A.D.B., 2=10320
- Brockhouse, B.N. See Woods, A.D.B., 3=2709
- Brockhurst, R.R., Bruce, J.G., Jr and Arons, A.B. Refraction of underwater explosion shock waves by a strong velocity gradient, 1=6889
- Brocklebank, R.W. See Wilson, M.H., 0=14355
- Brocklebank, R.W. See Wilson, M.H., 2=21771
- Brocklebank, R.W. See Wilson, M.H., 4=2498
- Brocklehurst, B. and Pimentel, G.C. Thermoluminescence of solid nitrogen after electron bombardment at 4.2°K, 2=12637
- Brocklehurst, J.E. and Bishop, R.A. The dimensional changes produced in graphite by absorption of bromine, 4=30808
- Brocklehurst, J.E. and Weeks, J.C. Dimensional changes in graphite: the relationship between those produced by absorption of bromine and those produced by irradiation, 3=25309
- Brocklehurst, J.E. See Martin, V.H., 4=20221
- Brockman, I.H. See Chapman, G.D., 4=15289
- Brockman, K.W., Jr. See van Oers, W.T.H., 1=3246
- Brockman, K.W., Jr. See van Oers, W.T.H., 3=19713
- Brockman, K.W., Jr. See van Oers, W.T.H., 3=24806
- Brockman, K.W., Jr. See van Oers, W.T.H., 4=6142
- Brockman, K.W., Jr. See van Oers, W.T.H., 4=9309
- Brockman, P. See Hess, R., 4=18789
- Brockway, L.O. Recent problems in diffraction by gases, 2=22949
- Brockway, L.O. and Marcus, R.B. Microstructure of thin single crystals of copper, 3=10681
- Brockway, L.O. See Bartell, L.S., 0=4241
- Brockwell, P.J. The scattering of particles in an infinite plane slab, 4=29532
- Brockwell, P.J. and Moyal, J.E. Exact solutions of one-dimensional scattering problems, 4=25018
- Broda, E. See Kalab, B., 2=16085
- Brodale, G.E. and Giaque, W.F. The freezing point-solubility curve of aqueous sodium hydroxide in the region near the anhydrous-monohydrate eutectic, 3=7387
- Brodale, G.E. See Giaque, W.F., 3=6689
- Brodale, G.E. See Giaque, W.F., 4=8886
- Brodale, G.E. See Hornung, E.W., 4=14477
- Brode, R.B., Brown, R.R. and Steiger, W.R. Solar flare cosmic-ray increase of May 4, 1960, 1=16930
- Broder, D.L., Kayurin, Yu.P. and Kutuzov, A.A. Passage of γ -radiation through heterogeneous media, 2=18091
- Broder, D.L., Kayurin, Yu.P. and Kutuzov, A.A. Calculation of γ -ray build-up factors in heterogeneous media, 3=24675
- Broder, D.L., Kolesov, V.E., Pashuk, A.I., Sadokhin, I.P. and Dovenko, A.G. Cross-section for the excitation of levels in Mg, Cr^{52} , Ni^{58} , Ni^{60} and Nb^{93} during inelastic neutron scattering, 4=17042
- Broder, D.L., Kondrashov, A.P., Kutuzov, A.A. and Lashuk, A.I. Effect of boron-containing layers on the yield of secondary gamma-rays, 2=8045
- Broder, D.L., Kondrashov, A.P., Kutuzov, A.A., Naumov, V.A., Sergeev, Yu.A. and Turusov, A.V. Application of multigroup methods to biological shielding calculations, 2=14175
- Broder, D.L., Kondrashev, A.P. and Kutuzov, A.A. The spatial distributions of neutrons in mixtures of boron carbide with iron and lead, 4=12014
- Broder, D.L., Kutuzov, A.A., Levin, V.V. The protective properties of water, polyethylene and plexiglas, 2=20357
- Broder, D.L., Kutuzov, A.A., Levin, V.V. and Frolov, V.V. The use of the "removal cross-section" method for the design of hydrogen-free shielding, 3=17515
- Broder, D.L., Kutuzov, A.A., Levin, V.V., Orlov, V.V. and Turusova, A.V. The passage of fast neutrons through lead and iron, 0=3971
- Broder, D.L., Kutuzov, A.A., Levin, V.V., Orlov, V.V. and Turusova, A.V. The passage of fast neutrons through lead and iron, 1=19213
- Broder, D.L. and Popkov, K.K. Method of calculating radiation heating in the body and shield of a nuclear reactor, 4=9592
- Broder, D.L. and Popkov, K.K. Methods of calculating radiation heating in the body and shield of a nuclear reactor, 4=28087
- Broder, D.L. See Androsenko, A.L., 0=2682
- Broder, D.L. See Androsenko, A.L., 2=1898
- Broder, D.L. See Kardashev, D.A., 4=1018
- Broder, J. See Mandelkorn, J., 4=28649
- Broder, J.D. and Wolff, G.A. A new method of GaP growth, 4=7550
- Broderick, E. See Sandler, S.R., 0=19969
- Brodersen, S. Computation of profiles of infrared and Raman bands of symmetric top molecules, 1=14025
- Brodersen, S. and Richardson, E.H. Computer analysis of infrared and Raman bands of symmetric top molecules, 1=7456
- Brodhun, D. An electrodynamic structural vibration detector for the audio frequency range, 0=19318
- Brodhun, D. See Andres, H.G., 1=16042
- Brodie, D.E., Petch, H.E. and Haering, R.R. Experimental verification of field ionization of maps in luminescent materials, 2=12629
- Brodie, I. Emission fluctuations of tungsten-based barium dispenser cathodes, 1=16365
- Brodie, I. Ion resonance mass spectroscopy using magnetic scanning, 4=5724
- Brodie, I. Studies of field emission and electrical breakdown between extended nickel surfaces in vacuum, 4=24724
- Brodie, I. and Niewold, A. Zero-field emission from thermionic hollow cathodes, 3=423
- Brodie, I. and Weissman, I. Use of a cylindrical projection tube for the study of pre-breakdown emission from protrusions on extended surfaces, 4=29887
- Brodie, I. See Berenbaum, R., 0=4546
- Brodie, I. See Haimson, J., 4=3067
- Brodie, I. See Ormerod, A., 1=7828
- Brodin, M.S. Optical properties of CdS monocrystals, 1=2437
- Brodin, M.S. Optical properties of CdS monocrystals, 1=6202
- Brodin, M.S. Investigation of the form of the absorption bands of toluene single crystals, 2=21243
- Brodin, M.S. and Dovgii, Ya.O. Experimental study of the circular dichroism and optical activity of sodium uranyl acetate single crystals, 2=16804
- Brodin, M.S. and Dovgii, Ya.O. Certain properties of the exciton absorption spectrum of a sodium uranyl acetate single crystal, 2=18849
- Brodin, M.S. and Krochuk, A.S. Fine structure and temperature dependence of the absorption spectrum of single-crystal CuCl , 2=8527
- Brodin, M.S. and Krochuk, A.S. Optical absorption of CuCl single crystals, 3=15678
- Brodin, M.S. and Krochuk, A.S. Optical properties of a phenanthrene single crystal in the region of the fundamental exciton absorption bands, 3=20494

- Brodin, M.S. and Krochuk, A.S. Anomalous dependence of the intensity of absorption on the thickness of CuCl single crystals, 4=28681
- Brodin, M.S. and Lubchenko, A.F. The effect of temperature on propagation of electromagnetic waves in crystals in which excitons are formed, 0=4263
- Brodin, M.S. and Marisova, S.V. Davydov splitting and polarization ratio in the region of the first electronic transition of anthracene crystal, 2=694
- Brodin, M.S. and Marisova, S.V. The dependence of the refractive indices of anthracene crystals at 20°K on their thickness, 2=18794
- Brodin, M.S. and Marisova, S.V. Spectral distribution of the dependence of the transparency of anthracene single crystals on their thickness, 2=18809
- Brodin, M.S. and Pekar, S.I. An experimental proof of the existence of additional anomalous light waves in crystals in the exciton absorption region, 0=6176
- Brodin, M.S. and Pekar, S.I. Additional anomalous light waves in anthracene in the region of exciton absorption, 0=13678
- Brodin, M.S. and Prikhoto'ko, A.F. The effect of thickness of anthracene crystals on their absorption curves at 20°K, 0=4409
- Brodin, M.S., Prikhoto'ko, A.F. and Soskin, M.S. Optical properties of crystals. I, 2=8475
- Brodin, M.S., Prikhoto'ko, A.F. and Soskin, M.S. Certain dispersion anomalies of strongly absorbing crystals, 0=4403
- Brodin, M.S. and Prikhoto'ko, A.F. Absorption and dispersion of light in certain crystals of the polycyclic series, 1=11382
- Brodin, M.S. and Strashnikova, M.I. Absorption and dispersion of light in a CdS single crystal at 20°K, 2=23543
- Brodin, M.S. and Strashnikova, M.I. Investigation of the characteristics of the dispersion and shape of exciton absorption bands of a CdS monocrystal, 3=18000
- Brodin, M.S., Vitrikhovskii, N.I. and Kurik, V.M. Influence of doping on exciton spectrum of CdS single crystals, 4=28426
- Brodin, M.S., Vitrikhovskii, N.I. and Strashnikova, M.I. Structure of the spectra of the mixed crystals $\text{CdS}_x\text{-CdSe}_{1-x}\text{-ZnS}_{1-x}$ at 20°K, 2=6552
- Brodin, M.S., Vitrikhovskii, N.I. and Strashnikova, M.I. Structure of the spectra of the mixed crystals $\text{CdS}_x\text{-CdSe}_{1-x}\text{-CdS}_x\text{-ZnS}_{1-x}$ at 20°K, 2=10596
- Brodin, M.S. See Babenko, V.P., 3=3874
- Brodin, M.S. See Babenko, V.P., 3=11902
- Brodkey, R.S. Translation terms for non-Newtonian flow, 3=3788
- Brodkey, R.S. See Denny, D.A., 2=15545
- Brodkey, R.S. See Lee, J., 3=116
- Brodkey, R.S. See Lee, J., 4=2638
- Brodskii, E.B. See Aksenov, V.A., 3=4594
- Brodovii, V.A. and Lyashenko, V.I. Temperature dependence of the kinetics of photoconductivity of Sb_2S_3 single crystals, 3=20398
- Brodovoi, V.A. Kinetics of photoconductivity of antimony sulphide monocrystals, 2=23450
- Brodovoi, V.A. Kinetics of photoconductivity of antimony sulphide monocrystals, 3=6627
- Brodovoi, V.A. Some properties of the system $\text{Sb}_2\text{S}_3\text{-Sb}_2\text{Te}_3$, 3=15585
- Brodovyi, V.A. and Lyashenko, V.I. Manufacture and electrical properties of Sb_2S_3 and Sb_2Te_3 single crystals, 2=8351
- Brodovyi, V.A. and Lyashenko, V.I. Manufacture, structure and electrical properties of the system $\text{Sb}_2\text{S}_3\text{-Sb}_2\text{Te}_3$, 2=8352
- Brodovyi, V.A. and Lyashenko, V.I. Kinetics of the photoconductivity of the $\text{Sb}_2\text{S}_3\text{-Sb}_2\text{Te}_3$ system, 3=18732
- Brodowsky, H. and Prager, S. Statistical mechanics of cross-link polymers: formation of the infinite network, 3=25159
- Brodskaya, S.Yu. A study of the magnetic characteristics of single component specimens depending upon the ferromagnetic concentration during thermomagnetization, 3=13846
- Brodskaya, S.Yu. and Grabovskii, M.A. Magnetic stability of single component and two component artificial systems, 2=18902
- Brodskaya, S.Yu. See Grabovskii, M.A., 0=1973
- Brodskii, A.M. and Ivanenko, D.D. On the influence of weak interactions on electromagnetic properties of fermions, 0=15247
- Brodskii, A.D. and Sergeev, A.G. The "grain-of-sand" method for determining the piezomodulus of a crystal, 2=677
- Brodskii, A.D. See Solov'ev, V.I., 3=14401
- Brodskii, A.M. Effect of weak interactions on the electron properties of fermions, 1=431
- Brodskii, A.M. Conditions of formation of μ^+ -mesic molecules, 3=25160
- Brodskii, A.M. Representation of imaginary parts of amplitudes for many-particle intermediate states, 4=16824
- Brodskii, A.M. and Ivanenko, D.D. On a possible connection between isobaric spin and strangeness and inverseness properties of spinors, 0=7283
- Brodskii, A.M. and Ivanenko, D.D. Anomalous spinors and bosons, 0=11090
- Brodskii, A.M. and Ivanenko, D.D. The connection of isotopic spin and strangeness with the behaviour of spinors under inversion, 0=11099
- Brodskii, A.M., Ivanenko, D. and Sokolik, G.A. A new interpretation of the gravitational field, 2=14
- Brodskii, A.M., Ivanenko, D. and Sokolik, H.A. A new conception of the gravitational field, 2=15463
- Brodskii, A.M., Ivanenko, D. and Sokolik, G.A. A new interpretation of the gravitational field, 3=30
- Brodskii, A.M. and Kolbanovskii, Yu.A. Mechanism of radiolysis inhibition, 2=4558
- Brodskii, A.M. and Kolbanovskii, Yu.A. Mechanism of radiolysis inhibition, 2=8927
- Brodskii, V.B., Belitskii, B.M., Voronchev, A.T., Konyakhin, N.V. and Starostin, Yu.N. Microwave investigation of plasma moving against the electrodynamic acceleration in a coaxial accelerator, 3=24307
- Brodskii, V.B., Belitskii, B.M., Zagik, S.E., Lyutomskii, V.A. and Spiridonov, A.V. Microwave probing of plasmoids, 3=24302
- Brodsky, M.B. Hall coefficient of alpha plutonium, 3=17824
- Brodwin, M. See Warder, R., 2=19957
- Brodwin, M.E. and Burgess, T.J. Induction method for electron spin resonance spectrometry, 4=5832
- Brodwin, M.E. and Davis, J.W. Effect of magnetic fields upon reflex klystron characteristics, 1=16393
- Brodwin, M.E. and Vernon, R.J. Instrument for measuring the magneto-microwave Kerr effect in semiconductors, 4=4248
- Brodwin, M.E. See Furdyna, J.K., 1=17666
- Brodwin, M.E. See Furdyna, J.K., 4=1712
- Brodwin, M.E. See Warder, R.C., Jr., 4=18903
- Brody, H. A simulated scattering experiment, 4=2502
- Brody, H. See Selove, W., 2=5539
- Brody, H. See Selove, W., 2=22578
- Brody, H.M., Wetherell, A.M. and Walker, R.L. Photo-production of K^+ mesons in hydrogen, 0=15439
- Brody, J.K. See Asundi, R.K., 2=1983
- Brody, J.K. See Narasimham, N.A., 4=28201
- Brody, J.K. See Ramakoteswara Rao, P., 1=19638
- Brody, J.K. See Ramakoteswara Rao, P., 2=10252
- Brody, J.K. See Ramakoteswara Rao, P., 2=10253
- Brody, J.K. See Ramakoteswara Rao, P., 2=22964
- Brody, S.B. Sophomore laboratory course in modern physics, 0=17129
- Brody, S.B. and Wootan, G.G. Texture of crushed coarse crystalline powder specimens, 4=10573
- Bródy, T.A. Transformation brackets for harmonic oscillator functions, 0=7445
- Brody, T.A. Background fog and the apparent length of tracks in nuclear emulsions, 0=12773
- Brody, T.A., Bulbulian, S., Calvillo, J. and Martinez, A.M. Fifth report on studies of radioactive precipitation, 2=19206
- Brody, T.A. and Calvillo, J. Design of 4π counters with mutual anticoincidence. II, 4=24951
- Brody, T.A., Jacob, G. and Moshinsky, M. Matrix elements in nuclear shell theory, 0=17469
- Brody, T.A. and Jaimes, A.C.N. As simplified anticoincidence circuit, 4=30131
- Brody, T.A. and Moshinsky, M. Tables of transformation brackets for nuclear shell-model calculations, 1=13600
- Bródy, T.A. See Alba, A.F., 1=398
- Brody, T.A. See Martínez, A.M., 4=25347
- Brody, T.A. See Moshinsky, M., 2=1042
- Brody, T.P. Impurity band conduction and the problem of excess current in tunnel diodes, 1=11314
- Brody, T.P. Nature of the valley current in tunnel diodes, 2=2178
- Brody, T.P. See McKelvey, J.P., 1=11279
- Brodyanskii, V.M. and Ishkin, I.P. Thermodynamic analysis of processes of liquefaction of gases. II. Analysis of the Linde method of air liquefaction, 4=11434
- Brodyanskii, V.M. and Leites, I.L. The relationship between the value of the Rank effect and the properties of real gases, 2=17493
- Broecker, W.S. See Eckelmann, W.R., 0=9553
- Broecker, W.S. See Rocco, G.G., 4=2183
- Broek, H.W. Neutron emission from compound nuclear systems of high angular momentum, 1=17157
- Broek, H.W. A possible three-phonon group from Ni^{63} , 3=6134

- Broek, H.W. Collective excitations in $\text{Ni}^{59,60,62}$ and $\text{Zn}^{64,66,68}$, 3=15106
- Broek, H.W. and Anderson, C.E. The stilbene scintillation crystal as a spectrometer for continuous fast-neutron spectra, 0=20161
- Broek, H.W., Braid, T.H., Yntema, J.L. and Zeidman, B. Elastic and inelastic scattering of 43 MeV α -particles in the Ni region, 2=1924
- Broek, H.W., Braid, T.H., Yntema, J.L. and Zeidman, B. Elastic and inelastic scattering of 43-MeV alpha particles by Ni^{58} and Ni^{60} , 2=12218
- Broek, H.W., Braid, T.H., Yntema, J.L. and Zeidman, B. Scattering of alpha particles by Zn^{64} and Zn^{68} , 3=2491
- Broek, H.W. and Yntema, J.L. Elastic scattering of 21.0-MeV deuterons by He^4 , 4=25209
- Broek, H.W. See Yntema, J.L., 2=1916
- Broek, J. van den. See van den Broek, J.
- Broer, L.J.F. Motion of a charged particle in a slowly varying magnetic field, 1=5535
- Broer, L.J.F. Mechanical analogy of the hall effect, 1=5562
- Broer, L.J.F. Waves and wavegroups, 2=4917
- Broer, L.J.F. Exact solution of the reflection problem in non-linear optics, 3=14770
- Broer, L.J.F. Note on approximate solutions of the wave equation, 3=21195
- Broer, L.J.F., Peletier, L.A. and van Wijngaarden, L. A mechanical Hall effect, 0=19897
- Broer, L. J. F. and Sarluy, P. H. A. On simple waves in non-linear dielectric media, 4=27642
- Broer, L.J.F. and van Wijngaarden, L. On the motion of a charged particle in an almost homogeneous magnetic field, 0=12646
- Broer, L.J.F. and Van Wijngaarden, L. Magnetohydrodynamic flow along wavy walls, 3=14749
- Broer, L.J.F. and van Wijngaarden, L. The impulsive motion of a wavy plate in a conducting fluid, 3=21964
- Broersma, S. Rotational diffusion constant of a cylindrical particle, 0=14583
- Broersma, S. Viscous force constant for a closed cylinder, 0=14584
- Broersma, S. Inductance potentiometer measuring piezo-susceptibility, 3=12288
- Broersma, S. See Furdyna, J.K., 1=1063
- Brog, K.C. and Milford, F.J. High precision large current regulator, 0=7062
- Brogan, T.R. See Kantrowitz, A.R., 2=11607
- Brogan, T.R. See Louis, J.F., 4=14565
- Brogan, W.L. Radial vibrations of a thin cylindrical shell, 2=2806
- Brogan, W.L. Comments on "Transient response of a thin elastic cylindrical shell to a moving shock wave", 3=18881
- Broge, R. W. See Karle, I. L., 4=29151
- Brogen, G. The anomalous X-ray transparency of thick germanium crystals, 3=5099
- Brogli, P. See Thiessen, G., 0=178
- Brogli, L. de. See de Broglie, L.
- Broglio, L. Italian research programme in the upper atmosphere, 3=1455
- Brogren, E.W. See Yuan, S.W., 1=4167
- Brogren, G. A double-crystal spectrometer for work in vacuum region, 2=7693
- Brogren, G. The reflection properties of the 1010 plane in quartz, 2=14988
- Brogren, G. Investigations into the widths of some X-ray emission lines, 3=3029
- Brogren, G. The photo-electron emission of X-rays from copper in the region around the K-absorption edge of copper, 3=6351
- Brogren, G. and Hörnström, E. The x-ray reflection properties of germanium single crystals, 3=1318
- Brogren, G. and Hörnström, E. The anomalous X-ray transmission through silicon single crystals, 3=13185
- Brogren, G. and Lindén, E. The X-ray diffraction properties of silicon single crystals, 2=23845
- Brogren, G. and Nordling, C. The anomalous X-ray transmission through calcite on each side of the critical K-edge of Ca, 2=19079
- Brogren, G. and Stebler, B. A new method for measuring small density differences, 2=9230
- Broida, H.P. Study of electronically excited hydroxyl radicals in the $\text{H} + \text{O}_3$ atomic flame, 2=3789
- Broida, H.P. and Carrington, T. Rotational, vibrational, and electronic energy transfer in the fluorescence of nitric oxide, 3=8265
- Broida, H.P. and Nicholls, R.W. Phosphorescence of nitrogen and nitrogen-argon deposited films at 4.2°K, 0=6200
- Broida, H.P. and Peyron, M. Luminescence of solid nitrogen (4.2°K) containing free atoms or radicals. Effect of dilution with argon, 0=6195
- Broida, H.P. and Peyron, M. Emission spectra of N_2 , O_2 , and NO molecules trapped in solid matrices, 0=7770
- Broida, H.P. and Peyron, M. Luminescence of solid nitrogen (4.2°K) containing atoms or free radicals. The effect of traces of oxygen, hydrogen and water vapour, 0=13711
- Broida, H.P. and Tanaka, I. Double probe measurements of ionization in active nitrogen, 2=1389
- Broida, H.P. See Abramowitz, S., 4=5183
- Broida, H.P. See Abramowitz, S., 4=25638
- Broida, H.P. See Barger, R.L., 2=22976
- Broida, H.P. See Barger, R.L., 3=6390
- Broida, H.P. See Bass, A.M., 1=14042
- Broida, H.P. See Bass, A.M., 4=16116
- Broida, H.P. See Beale, G.E., Jr., 0=1522
- Broida, H.P. See Brown, R. L., 4=30430
- Broida, H.P. See Ferguson, E. E., 4=21136
- Broida, H.P. See Garvin, D., 0=5931
- Broida, H.P. See Garvin, D., 2=16513
- Broida, H.P. See Kiess, N.H., 2=6188
- Broida, H.P. See Krishnamachari, S.L.N.G., 1=8842
- Broida, H.P. See Krishnamachari, S.L.N.G., 2=10251
- Broida, H.P. See Moore, C.E., 0=6603
- Broida, H.P. See Peyron, M., 0=4419
- Broida, H.P. See Pollack, G.L., 3=11224
- Broida, H.P. See Pollack, G.L., 3=15685
- Broida, H.P. See Radford, H.E., 2=22962
- Broida, H.P. See Radford, H.E., 3=8253
- Broida, H.P. See Schmeltekopf, A.L., Jr., 3=24235
- Broida, H.P. See Schoen, L.J., 0=6201
- Broida, H.P. See Schoen, L.J., 1=6221
- Broida, H.P. See Schoen, L.J., 2=11547
- Broida, H.P. See Tanaka, I., 1=12321
- Broise, M. Construction of a covariant density matrix in the theory of the spin $\frac{1}{2}$ particle, 1=13294
- Brojdo, S. Characteristics of the dielectric diode and triode at very high frequencies, 4=7060
- Brojdo, S. See Sold, U., 4=16759
- Brokaw, R.S. Thermal conductivity of gas mixtures in chemical equilibrium. II, 0=6982
- Brokaw, R.S. Estimated collision integrals for the exponential attractive potential, 1=11786
- Brokaw, R.S. "Thermal conductivity" and chemical kinetics, 1=20726
- Brokaw, R.S. Energy transport in high temperature and reacting gases, 2=2763
- Brokaw, R.S. Regarding the effects of relaxation rate on heat conduction in gases, 2=21944
- Brokaw, R.S. and O'Neal, C., Jr. Rotational relaxation and the relation between thermal conductivity and viscosity for some nonpolar polyatomic gases, 4=5240
- Brokaw, R.S. See Baker, C.E., 4=14209
- Brokaw, R.S. See O'Neal, C., Jr., 4=5241
- Brokaw, R.S. See O'Neal, C., Jr., 2=11423
- Brolin, S. See Tove, P.A., 2=1260
- Brolley, J.E., Jr., Putnam, T.M., Rosen, L. and Stewart, L. Hydrogen-helium isotope elastic scattering processes at intermediate energies, 0=7423
- Brolley, J. E., Jr., Seagrave, J. D. and Beery, J. G. Proton-proton scattering near the interference minimum and the shape parameter, 4=27845
- Brolley, J.E.Jr. See Gammel, J.L., 1=8521
- Brolley, J.E., Jr. See Rosen, L., 1=3440
- Brolley, J.E., Jr. See Rosen, L., 1=16920
- Brolley, J.E., Jr. See Rosen, L., 1=17092
- Brolley, J.E., Jr. See Seagrave, J. D., 4=29989
- Brolley, J.E., Jr. See Stewart, L., 0=15461
- Brolley, J.E., Jr. See Stewart, L., 3=611
- Broman, L. See Dubois, J., 3=17471
- Brombacher, W.G. Bibliography and index on vacuum and low pressure measurement, 2=2791
- Brombacher, W.G., Johnson, D.P. and Cross, J.L. Mercury barometers and manometers, 0=12429
- Bromberg, M.I. See Rais, G.B., 0=16286
- Brömer, H.H. Investigation of auroral afterglow and its preparatory stages. I. Preparation of the discharge tube and measuring apparatus, 0=2346

- Brömer, H.H. Investigation of auroral afterglow and its preparatory stages. II. Decay of the afterglow in the air-glow, NO and Lewis-Rayleigh stage, 0=2347
- Brömer, H.H. Investigation of auroral afterglow and its preparatory stages. III. The decay of the auroral afterglow, 0=5293
- Brömer, H.H. and Fette, K. The time variation with intensity in an afterglow plasma of pure nitrogen, 2=15898
- Bromley, D.A. Mechanism for reactions involving mass two and three nuclei, 1=8753
- Bromley, D.A. Nuclear experimentation with semiconductor detectors, 2=18015
- Bromley, D.A. Structure of nuclei probed by new Van de Graaff, 3=22268
- Bromley, D.A. On-line computer utilization in nuclear reaction studies, 4=22088
- Bromley, D.A. and Almqvist, E. ^3He induced reactions, 1=2237
- Bromley, D.A., Ferguson, A.J., Gove, H.E., Kuehner, J.A., Litherland, A.E., Almqvist, E. and Batchelor, R. Studies of (p,n) reactions in the proton energy range from 20 to 10 MeV, 0=1398
- Bromley, D.A., Goodman, C.D. and O'Kelley, G.D. Multiparameter analysis in accelerator studies in nuclear physics, 4=24765
- Bromley, D.A., Kuehner, J.A. and Almqvist, E. Mechanisms for the $\text{O}^{16}(\text{He}^3, \text{He}^4)\text{O}^{15}$ reaction, 0=5756
- Bromley, D.A., Kuehner, J.A. and Almqvist, E. Resonant elastic scattering of C^{12} by carbon, 0=9648
- Bromley, D.A., Kuehner, J.A. and Almqvist, E. Large angle stripping angular distribution fitting, 1=8754
- Bromley, D.A., Kuehner, J.A. and Almqvist, E. Distorted wave effects in stripping, 1=8755
- Bromley, D.A., Kuehner, J.A. and Almqvist, E. Resonant elastic scattering of heavy ions, 1=8782
- Bromley, D.A., Kuehner, J.A. and Almqvist, E. Elastic scattering of identical spin-zero nuclei, 1=11039
- Bromley, D.A., Mayer, J.W. Semiconductor detectors. Nuclear experimentation with semiconductor detectors. Semiconductor detectors: How have they improved? 2=20199
- Bromley, D.A., Nagatani, K., Northcliffe, L.C., Ollerhead, R. and Quinton, A.R. Studies of the $\text{Li}^6(\text{Li}^6, \text{d})\text{B}^{10}$ and $\text{Li}^7(\text{Li}^6, \text{t})\text{B}^{10}$ reactions with 6 MeV lithium ions, 1=19533
- Bromley, D.A., Sachs, M. and Anderson, C.E. Heavy ion induced fragmentation studies, 2=1934
- Bromley, D.A., Sachs, M.W. and Anderson, C.E. A high resolution particle identification system, 2=9747
- Bromley, D.A. and Vogt, E.W. [Eds]. Proceedings of the International Conference on Nuclear Structure, Kingston, Canada, August 29 - September 3, 1960, 1=2153
- Bromley, D.A. and Vogt, E.W. (Ed.) Proceedings of the International Conference on Nuclear Structure, Kingston, Canada, August 29-September 3, 1960, 2=1751
- Bromley, D.A. See Almqvist, A., 0=13251
- Bromley, D.A. See Almqvist, E., 0=20347
- Bromley, D.A. See Almqvist, E.A., 1=8720
- Bromley, D.A. See Almqvist, E., 1=8783
- Bromley, D.A. See Almqvist, E., 3=12704
- Bromley, D.A. See Anderson, C.E., 2=5975
- Bromley, D.A. See Goldfarb, L.B., 2=582
- Bromley, D.A. See Goldfarb, L.J.B., 3=8062
- Bromley, D.A. See Goodman, C.D., 2=9496
- Bromley, D.A. See Greenberg, J.S., 4=6267
- Bromley, D.A. See Greenberg, J.S., 4=22001
- Bromley, D.A. See Kuehner, J.A., 0=5753
- Bromley, D.A. See Kuehner, J.A., 1=2235
- Bromley, D.A. See Kuehner, J.A., 1=4875
- Bromley, D.A. See Kuehner, J.A., 1=7323
- Bromley, D.A. See Kuehner, J.A., 1=8758
- Bromley, D.A. See Kuehner, J.A., 1=8759
- Bromley, D.A. See Kuehner, J.A., 1=8784
- Bromley, D.A. See Kuehner, J.A., 3=19891
- Bromley, D.A. See Litherland, A.E., 1=1868
- Bromley, D.A. See McCallum, G.J., 1=2187
- Bromley, D.A. See McKenzie, J.M., 0=1234
- Bromley, D.A. See Nicholls, R.W., 0=5942
- Bromley, D.A. See O'Kelley, G.D., 4=22054
- Bromley, D.A. See Ollerhead, R., 4=2222
- Bromley, D.A. See Ollerhead, R.W., 4=15241
- Bromley, D.A. See Reeves, E.M., 1=2311
- Bromley, D.A. See Sachs, M., 4=2221
- Bromley, R.H. See Leaf, G.A.V., 2=19475
- Brommer, P.E. See Bosman, A.J., 1=6118
- Brommer, P.E. See Bosman, A.J., 1=6546
- Brommer, P.E. See Bosman, A.J., 0=13786
- Bron, W.E. Relation between X-ray coloration and optical bleaching of KCl crystals, 0=15861
- Bron, W.E. Optical absorption and electron spin resonance after optical and thermal bleaching of F centers, 2=3963
- Bron, W.E. and Heller, W.R. Dependence of the optical bleaching rate of X-irradiated KCl crystals on light intensity, 0=15862
- Bron, W.E. and Nowick, A.S. Temperature dependence of optical bleaching of KCl crystals near 0°C , 0=11633
- Bronca, G., Bruck, H., Gendreau, G., Hamelin, J., Neyret, G., Parain, J. and Salvat, M. The proton synchrotron "Saturne". Magnet principles and design, 0=2412
- Bronca, G., Bruck, H., Gendreau, G. and Salvat, M. The proton synchrotron "Saturne". Principles of injection, 0=2412
- Bronca, G., Bruck, H., Hamelin, J., Neyret, G. and Bolzinger, T. The testing of the electromagnet segments of the Saclay synchrotron, 0=19851
- Bronca, G., Bruck, H., Hamelin, J., Neyret, G. and Parain, J. The proton synchrotron "Saturne". Magnetic properties of the magnet: design and testing, 0=2412
- Bronco, C.J. See St. John, R.M., 0=465
- Bronfin, B.R., McLean, E.A. and Griem, H.R. Absolute intensity calibration of a time-resolved spectrogram, 2=5134
- Bronfin, M.B. See Bokstein, S.Z., 4=7435
- Brongers, J.A. See Weijts, A.G.L.M., 4=8889
- Bronisz, S.E. The mechanical properties of alpha plutonium in compression, 3=25602
- Bronisz, S.E. and Douglass, D.L. Absorption contrast effect in b.c.c. metals, 3=11331
- Bronisz, S.E. and Gorum, A.E. The plastic deformation of monoclinic alpha plutonium, 1=20355
- Bronisz, S.E. See Anderson, R.W., 0=18294
- Bronisz, S.E. See Elliott, R.O., 4=20335
- Bronk, B.V. Accuracy of the semicircle approximation for the density of eigenvalues of random matrices, 4=11079
- Bronner, C. See Planchard, E., 4=23251
- Bronnikova, E.G., Larionov, I.M., Mileikovskaya, N.D., Smazehevskaya, I.G. and Glozman, I.A. Use of lead and barium metaniobate solid solution piezoceramics in wide-band filters, 2=17946
- Bronshtein, I.M. and Fraiman, B.S. Inelastic scattering of electrons and secondary electron emission from certain metals and semiconductors, 2=1492
- Bronshtein, I.M. and Fraiman, B.S. Secondary electron emission from some solids, 2=1493
- Bronshtein, I.M. and Fraiman, B.S. The secondary-emission properties of metals and semiconductors, and the periodic system of elements, 2=5376
- Bronshtein, I.M. and Fraiman, B.S. Secondary electron emission from some solids, 2=7656
- Bronshtein, I.M. and Fraiman, B.S. The secondary-emission properties of metals and semiconductors, and the periodic system of elements, 2=7657
- Bronshtein, I.M. and Freiman, B.S. On certain regular features of the secondary electron emission of thin layers of metals and semiconductors, 1=4637
- Bronshtein, I.M. and Freiman, B.S. On certain regular features of the secondary electron emission of thin layers of metals and semiconductors, 1=10734
- Bronshtein, I.M. and Freiman, B.S. The range of kilovolt electrons in solid bodies, 1=17495
- Bronshtein, I.M. and Freiman, B.S. The determination of the range of slow truly secondary electrons, 1=18925
- Bronshtein, I.M. and Kovalenko, V.S. Energy distribution of electrons scattered inelastically by solids, 3=14659
- Bronshtein, I.M. and Segal', R.B. Investigation of the reflection of electrons from certain metals, 0=5341
- Bronshtein, I.M. and Segal', R.B. Inelastic scattering of electrons and secondary electron emission of certain metals. I, 0=7146
- Bronshtein, I.M. and Segal', R.B. Inelastic scattering of electrons and secondary electron emission of certain metals. II, 0=7147
- Bronshtein, I.M. and Segal', R.B. Secondary electron emission of thin metal layers on an activating under-layer, 0=7148
- Bronshtein, I.M. and Segal', R.B. The secondary electron emission of tellurium, 0=10942
- Bronshtein, I.M. and Segal', R.B. The secondary electron emission of calcium, 1=4639
- Bronshtein, I.M. and Segal', R.B. Inelastic scattering of electrons and secondary electron emission of certain metals. III, 1=13127
- Bronshtein, I.M. and Shchuchinskii, Ya.M. Energy spectrum of slow secondary electrons for barium adsorption on tungsten, 2=1496

- Bronstein, I.M. and Shchuchinskii, Ya.M. Secondary electron emission of potassium and calcium, 2=17877
- Bronshtein, I.M. and Shchuchinskii, Ya.M. Energy spectrum of slow secondary electrons in adsorption of barium onto silicon and beryllium, 4=11701
- Bronshtén, V.A. The structure of the outermost corona [supercorona] of June 19, 1936, 0=18753
- Bronshtén, V.A. Ionisation of hydrogen by an electron impact, 4=27483
- Bronshtén, V.A. See Stanyukovich, K.P., 2=2526
- Bronson, J.D. See Pitts, A.E., 4=3692
- Bronstein, E.L. See Woodley, R.G., 0=7250
- Bronstein, H.R., Dworkin, A.S. and Bredig, M.A. Electrical conductance of solutions of salts in liquid metals. Potassium iodide in potassium, 1=9406
- Bronstein, H.R., Dworkin, A.S. and Bredig, M.A. Electrical conductance of solutions of salts in liquid metals. II. Potassium fluoride and bromide in potassium, 2=21921
- Bronstein, H.R. See Dworkin, A.S., 2=15577
- Bronstein, H.R. See Dworkin, A.S., 4=8220
- Bronstein, H.R. See Dworkin, A.S., 3=21404
- Bronzan, J.B. Overlapping resonances in dispersion theory, 4=16803
- Bronzan, J.B. and Kacser, C. Khuri-Treiman representation and perturbation theory, 4=5944
- Bronzan, J.B. and Low, F.E. Selection rule for bosons, 4=19402
- Bronzov, O.O. A simple method of displaying readings of a conversion instrument, 4=16757
- Bronzov, O.O. See Ryzhkov, M.V., 4=17956
- Brook, A.G. and Pierce, J.B. Spectral and chemical properties of β - and γ -functional silanes, 4=12491
- Brook, C.S. Improved gravimetric vapor-sorption apparatus, 2=2436
- Brook, M., Armstrong, G., Winder, R.P.H., Vonnegut, B. and Moore, C.B. Artificial initiation of lightning discharges, 2=6914
- Brook, M. and Kitagawa, N. Some aspects of lightning activity and related meteorological conditions, 0=14306
- Brook, M. and Kitagawa, N. Electric-field changes and the design of lightning-flash counters, 0=16487
- Brook, M., Kitagawa, N. and Workman, E.J. Quantitative study of strokes and continuing currents in lightning discharges to ground, 2=8977
- Brook, M. and Vonnegut, B. Visual confirmation of the junction process in lightning discharges, 0=14308
- Brook, M. See Kitagawa, N., 0=14305
- Brook, M. See Kitagawa, N., 2=8976
- Brook, M. See Reynolds, S.E., 3=6957
- Brook, M. See Williams, D.P., 3=23596
- Brook, M. See Workman, E.J., 0=14309
- Brooke, C. and Schayes, R. Detection of very low energy beta rays. II, 3=5991
- Brooke, G., Gardener, M., Lloyd, J.L., Kisdnasamy, S. and Wolfendale, A.W. The Durham cosmic ray spectrograph. I. The general features of the instrument, 2=20469
- Brooke, G., Hayman, P.J., Kamiya, Y. and Wolfendale, A.W. Energy spectrum of primary cosmic rays in the range 10^{10} - 10^{15} eV, 4=6156
- Brooke, G., Hayman, P.J., Kamiya, Y. and Wolfendale, A.W. The interrelation of the primary and sea-level spectra of cosmic rays, 4=19614
- Brooke, G., Hayman, P.J., Taylor, F.E. and Wolfendale, A.W. The spectrum of cosmic ray muons and protons near sea level, 2=20466
- Brooke, G., Meyer, M.A. and Wolfendale, A.W. The energy spectrum of cosmic ray pions near sea level in the range 0.7-150 GeV, 4=19625
- Brooke, G. and Wolfendale, A.W. Anti-matter in the cosmic radiation, 4=21972
- Brooke, G. and Wolfendale, A.W. The momentum spectrum of cosmic ray protons near sea level in the momentum range 0.6-150 GeV/c, 4=19624
- Brooke, G. See Hughes, E.B., 4=9336
- Brooker, H.R., Haigh, P.J. and Scott, T.A. Nuclear magnetic moment ratio and line-widths of N^{14} and N^{15} , 1=13622
- Brooker, H.R. and Scott, T.A. Nuclear quadrupole resonance of ^{115}In in InI_3 , 4=26459
- Brooker, R.J. See Collins, L.E., 2=13605
- Brooks, C.C. and Oster, L. Thermal radio emission from the transition-layer chromosphere-corona, 2=4835
- Brooks, C.R. and Stansbury, E.E. The effect of heating rate and neutron irradiation on the specific heat behavior of A Cu-16.8 at % Al and A Cu-17.2 at % Ga solid solution, 4=6741
- Brooks, C.S. See Rowland, R.A., 4=2058
- Brooks, E.H. See Bilinski, J.R., 4=4090
- Brooks, E.H. See Bilinski, J.R., 4=17494
- Brooks, E.H. See Bilinski, J.R., 3=25308
- Brooks, E.J. See Achter, M.R., 0=1602
- Brooks, F.D., Pringle, R.W. and Funt, B.L. Pulse shape discrimination in a plastic scintillator, 1=3078
- Brooks, F.L. and Simpson, W.T. Beryllium perturbation calculation, 4=28119
- Brooks, F.L., Jr. See Jones, W.D., 0=4232
- Brooks, G.W. A modified method for the determination of the total hemispherical emissivities of metals, 3=3919
- Brooks, H. Binding in metals, 4=6681
- Brooks, H. See Brown, A.R.G., 3=11132
- Brooks, H. See Cardona, M., 0=18028
- Brooks, H. See Deutsch, T., 1=17625
- Brooks, H. See Goldstein, R., 4=12017
- Brooks, H. See Nathan, M.I., 1=14448
- Brooks, H. See Paul, W., 4=12895
- Brooks, J.H.H. See Rider, J.G., 3=13373
- Brooks, J.N. See Murcray, D.G., 0=2025
- Brooks, J.N. See Murcray, D.G., 2=8972
- Brooks, J.T. See Telfair, D., 2=17389
- Brooks, M.S. and Kennedy, J.K. Ultrapurification of semiconductor materials, 4=23319
- Brooks, N.B., Roos, M., Bastide, R.P., Rose, P.H. and Wittkower, A.B. Formation of hydrogen negative ions in mercury and water vapours, 4=450
- Brooks, N.B., Rose, P.H., Wittkower, A.B. and Bastide, R.P. Production of low-divergence positive ion beams of high intensity, 4=21581
- Brooks, N.B., Rose, P.H., Wittkower, A.B. and Bastide, R.P. The production of intense negative helium and hydrogen ion beams, 4=29987
- Brooks, N.B. See Purser, K.H., 4=12542
- Brooks, N.B. See Rose, P.H., 4=29988
- Brooks, N.B. See Rose, P.H., 4=30399
- Brooks, N.B. See Wittkower, A.B., 4=8869
- Brooks, N.B. See Wittkower, A.B., 3=9870
- Brooks, P.P.B. Calibration procedures for direct-current resistance apparatus, 2=11580
- Brooks, R. Determination of the velocity of sound in distilled water, 0=19275
- Brooks, R.A., Anderson, C.H. and Ramsey, N.F. Rotational magnetic moments of diatomic alkalis, 3=19974
- Brooks, R.A., Anderson, C.H. and Ramsey, N.F. Rotational magnetic moments of the alkali molecules, 4=30422
- Brooks, W.C. See Bloomer, R.N., 0=14701
- Brooks Harris, A. Low-temperature properties of a Heisenberg antiferromagnet, 4=13257
- Brookshier, W.K. Accurate low level current source, 1=16249
- Brookshier, W.K. Electrometer circuit design for extended bandwidths, 4=14543
- Broom, K.M. 14.7-MeV neutron-induced fission of U^{238} , 2=12231
- Broom, K.M. 2.95-MeV and 14.8-MeV neutron-induced fission of Th^{232} , 4=12287
- Broom, K.M. See Kantele, J., 4=15164
- Broom, R.F. Room temperature operation of gallium arsenide lasers, 3=19492
- Broom, R.F., Gooch, C.H., Hilsum, C. and Oliver, D.J. Onset of stimulated emission from gallium arsenide semiconductor optical masers, 3=19491
- Broom, R.F. and Rhoderick, E.H. Time delays in the superconducting transition of lead films, 0=1082
- Broom, R.F. and Rhoderick, E.H. Thermal propagation of a normal region in a thin superconducting film and its application to a new type of bistable element, 0=12564
- Broom, R.F. and Rhoderick, E.H. A new type of bistable element involving thermal propagation of a normal region in a thin superconducting film, 2=5244
- Broom, R.F. and Rhoderick, E.H. Studies of the intermediate state in thin superconducting films, 2=9487
- Broom, R.F. and Simpson, O. Relaxation times in lead films, superconductive, storage elements, 0=7035
- Broom, T. and Ham, R.K. The hardening of copper single crystals by fatigue, 0=8124
- Broom, T. and Summerton, J.M. The fatigue of zinc single crystals, 4=7466
- Broom, T. See Ham, R.K., 2=6757
- Broome, P.W. See Montgomery, W.D., 2=21990
- Brophy, J.E. See Kostyshyn, B., 0=8047
- Brophy, J.J. Crystalline imperfections and 1/f noise, 0=1595
- Brophy, J.J. Trapping and diffusion in the surface region of cadmium sulfide, 0=13631
- Brophy, J.J. Fluctuations in solids, 0=20876

- Brophy, J.J. Current noise and distributed traps in cadmium sulfide, 1=7671
- Brophy, J.J. Organic semiconductors, 1=17676
- Brophy, J.J. Fluctuations in solids, 1=18840
- Brophy, J.J. Current noise in pyrolyzed polyacrylonitrile, 2=2169
- Brophy, J.J. Fluctuations in solids, 3=6446
- Brophy, J.J. Fluctuations in hot tungsten filaments, 3=17821
- Brophy, J.J. Current noise in pyrolyzed polyacrylonitrile, 4=22734
- Brophy, J. J. and Buttrey, J. W. [Ed.]. Organic semiconductors, 4=22727
- Brophy, J.J. and Robinson, R.J. Fluctuations in CdS due to shallow traps, 0=4369
- Brophy, J.J. and Robinson, R.J. Frequency factor and energy distribution of shallow traps in cadmium sulfide, 0=9991
- Brophy, J.J. and Robinson, R.J. Current noise due to ohmic contacts on cadmium sulfide, 0=13608
- Brophy, J.J. and Robinson, R.J. Properties of shallow traps in cadmium sulfide, 2=23375
- Brophy, J.J. and Webb, S.L. Critical fluctuations in triglycene sulfate, 3=893
- Brophy, J.J. See Brennan, W.D., 4=22733
- Brophy, J.J. See Robinson, R.J., 1=10057
- Brophy, V.A. See Peters, T., 3=23123
- Brophy, V.A. See Samelson, H., 1=6500
- Brophy, V.A. See Samelson, H., 4=20082
- Broquetas Colominas, C., Ballestracci, R. and Roult, G. Neutron diffraction study of spinel FeCr_2S_4 , 4=29116
- Bros, J., Epstein, H. and Glaser, V. Some rigorous analyticity properties of the four-point function in momentum space, 4=15024
- Bros, J., Messiah, A. and Stora, R. A problem of analytic completion related to the Jost-Lehmann-Dyson formula, 1=16640
- Bros, J. P., Calvet, E. and Prunier, C. Calibration of an E. calvet type of micro-calorimeter for use in quantitative differential analysis by using heats of change of state, 4=14434
- Bros, J. P., Calvet, E. and Prunier, C. Determination of the time specific heats of solids and liquids with the E. Calvet microcalorimeter, 4=27366
- Bros, J. P. See Boivin, P., 3=3516
- Brosche, P. On the origin of "run-away" stars according to A. Blaauw, 3=7035
- Brosche, P. Mass-angular momentum diagrams of spiral nebulae and other objects, 3=11585
- Brose, M. An approximate formula for the theory of resonance absorption of neutrons in heterogeneous structures, 4=28081
- Brose, M. and Beckurts, K.H. A measurement of the neutron absorption cross section of aluminium, 1=5920
- Brose, M. See Beckurts, K.H., 4=17169
- Brosed, A. See De Carlos, J., 4=22059
- Broser, I. The application of quasi-Fermi statistics to problems of luminescence and photoconductivity, 1=3852
- Broser, I., Broser-Warminsky, R., Klipping, G., Rass, R. and Schulz, H.J. Photoconductivity and luminescence of II-VI compounds at low temperatures, 2=8413
- Broser, I., Broser-Warminsky, R. and Schulz, H.J. Infrared effect and anti-Stokes luminescence in ZnS and CdS crystals, 3=3049
- Broser, I., Brumm, P. and Reuber, C. Photodielectric effect in CdS single crystals, 4=26145
- Broser, I. and Franke, K.H. Trace analysis of Cu in ZnS phosphors by neutron activation, 3=11371
- Broser, I. and Klein, W. On the problem of the saturation of the luminescence of ZnS crystals, 2=4179
- Broser, I. and Schulz, H.J. A comparative study of infrared luminescence and some other optical and electrical properties of ZnS:Cu single crystals, 1=10112
- Broser, I. See Bleil, C.E., 4=13068
- Broser-Warminsky, R. See Broser, I., 2=8413
- Broser-Warminsky, R. See Broser, I., 3=3049
- Brosi, A.R., Galonsky, A.I., Kettle, B.H. and Willard, H.B. A precision measurement of the longitudinal polarization of betas following P^{32} decay, 2=16348
- Brosi, A.R. See Kettle, B.H., 0=1378
- Brosi, R. See Bösch, R., 4=9230
- Brosio, E. Measurement of the sound insulation by random and by normal incidence of sound, 1=8211
- Bross, G. Low temperature properties of a ferromagnetic with arbitrary spin. I., 4=15637
- Bross, G. Low temperature properties of a ferromagnetic with arbitrary spin. II., 4=15638
- Bross, H. Definition and properties of the bicubic spherical harmonics, 0=3394
- Bross, H. The direction dependence of physical properties of crystals, particularly galvano- and thermomagnetic effects, 1=14375
- Bross, H. The effect of defects on lattice thermal conductivity at low temperatures, 2=18540
- Bross, H. Calculation of third-order elastic constants of alkali halide crystals, 4=7409
- Bross, H. Theory of moving dislocations, 4=20273
- Bross, H. and Hacker, W. Explanation for the positive sign of the thermo-electric power of copper at higher temperatures, 2=656
- Bross, H. and Holz, A. A semi-empirical determination of the coupling parameter of Li, Na, and K, 4=1380
- Bross, H. and Holz, A. Study of the temperature dependence of the electrical resistance in alkali metals, 3=17815
- Bross, H. and Junginger, H.G. Application of the modified augmented plane wave method to copper, 4=17401
- Bross, H. and Ricker, T. Experimental determination of the galvanomagnetic constant of copper single crystals, 1=17620
- Bross, H., Seeger, A. and Gruner, P. Lattice thermal resistance due to screw dislocations, 4=4002
- Bross, H., Seeger, A. and Haberkorn, R. Lattice thermal resistance of edge dislocations, 3=17673
- Bross, H. and Stöhr, H. Modified augmented plane wave method for the calculation of energy bands and electronic wave functions in metals, 4=12688
- Bross, H. See Seeger, A., 1=968
- Brossard, J. and Manson, N. Properties of dynamic adiabats in the case of a double discontinuity: shock wave-combustion wave, 0=103
- Brossel, J. and Margerie, J. Fine structure in the green absorption band of pink ruby as observed by magnetic resonance technique, 4=26218
- Brossard, J. See Brochet, C., 3=3395
- Brossel, J. See Amat, G., 2=13427
- Brossel, J. See Bouchiat, M.A., 2=18425
- Brossel, J. See Bouchiat, M., 4=6510
- Brossel, J. See Cohen-Tannoudji, C., 4=24272
- Brossel, J. See Decamps, B., 1=2280
- Brossel, J. See Decamps, B., 1=7431
- Brossel, J. See Descoubes, J.-P., 4=28111
- Brossel, J. See Lehmann, J.C., 4=15296
- Brossel, J. See Omont, A., 1=9904
- Brossel, J. See Piketty-Rives, C.A., 4=15304
- Brosset, C. X-ray investigation of the distribution of heavy atoms in glass, 4=4686
- Brosset, C. and Hagstedt, M. Electron microscope studies on glass surfaces, 2=849
- Brosset, C. and Idrestedt, I. Crystal structure of silicon oxynitride, $\text{Si}_3\text{N}_2\text{O}$, 4=23475
- Brossier, C. Non-linear model of progressive electromagnetic waves in the presence of a magnetic field, 4=29925
- Brot, C. Direct measurement of the hyperfine structure of the 6^3P_1 level of the nuclear isomer Hg^{197*} , 1=13937
- Brot, C. Static dielectric constants and structure of solutions of polar molecules in non-polar solvents, 4=27187
- Brot, C. and Magat, M. Comment on "Dispersion at millimeter wavelengths in methyl and ethyl alcohols", 4=2701
- Brot, C. and Szwarc, H. A contribution to the determination of the secondary structure of D.N.A., 4=3944
- Brot, C. See Bro, K., 0=19140
- Brotas, A. An elementary solution in the theory of Mie, 3=4249
- Brotas, A. Relativistic restrictions on Mie's Lagrangian, 3=14009
- Broten, N.W. and Medd, W.J. Absolute flux measurements of Cassiopeia A, Taurus A, and Cygnus A, at 3200 Mc/s, 0=18670
- Broten, N.W. and Medd, W.J. Observations of galactic radiation at 3200 Mc/s, 2=13181
- Broten, N.W. See Medd, W.J., 2=4740
- Brothers, C. F., Tom, T. and Munro, D. F. Design and performance of a 50 000 l/sec pump combining cold cathode ion pumping and active film gettering, 4=18268
- Brotzen, F.R. See Folweiler, R.C., 0=16202
- Brotzen, F.R. See Von Voss, W.D., 0=1143
- Brotzen, F.R. See Zama, W.A., 1=1325
- Brotzman, J. Punched tape readout for a multichannel pulse-height analyzer, 0=20003
- Brou, R., Bermond, J. and Patou, C. Speed of drying of a nuclear emulsion deposited on a glass support and ionization parameters at high energies, 3=12381
- Broucke, D. See Vanderlinden, H.L., 2=11137

- Broude, C., Clark, M. A. and Litherland, A. E. Lifetime of the 7.02 MeV level in Ne^{20} , 3=6165
- Broude, C. and Eswaran, M. A. Gamma-ray angular correlation measurements in Ne^{22} , 4=22018
- Broude, C. and Gove, H. E. Study of low levels in even-even nuclei of the 1d-2d shell, 1=8578
- Broude, C. and Gove, H. E. Giant resonance region of excitation in Ne^{20} , 1=8722
- Broude, C. and Gove, H. E. The spin of a new level in ^{24}Mg , 1=13658
- Broude, C. and Gove, H. E. Spin assignments in even-even nuclei between O^{16} and Ca^{40} , 3=24852
- Broude, C. See Alexander, T. K., 4=19677
- Broude, C. See Almqvist, E., 2=17906
- Broude, C. See Barnard, A. C. L., 1=5914
- Broude, C. See Eswaran, M. A., 4=15139
- Broude, C. See Eswaran, M. A., 4=22016
- Broude, C. See Litherland, A. E., 4=12139
- Broude, V. L. Spectroscopic studies of benzene, 3=20493
- Broude, V. L. and Chykovani, N. M. Spectral distribution of the photoconductivity of CdS crystals at 300, 77 and 20°K , 2=18741
- Broude, V. L., Mashkevich, V. S., Prikot'ho, A. F., Prokopyuk, N. F. and Soskin, M. S. Possibility of obtaining stimulated emission from systems with electron-vibration levels, 3=22001
- Broude, V. L. and Medvedev, V. S. A new possibility of explaining the dependence of the luminescence quantum yield on the wavelength of the exciting light, 0=4426
- Broude, V. L. and Medvedev, V. S. Luminescence of anthracene solid solutions, 2=14743
- Broude, V. L. and Medvedev, V. S. Excitation wavelength dependence of the blue luminescence yield of cadmium sulphide crystals at 20°K , 2=23594
- Broude, V. L. and Onoprienko, M. I. Absorption spectra of crystals of ordinary and deuterated benzenes at 20°K , 2=695
- Broude, V. L., Prihot'ko, A. F. and Rashba, E. I. Some problems of crystal luminescence, 1=3850
- Broude, V. L. and Rashba, E. I. Exciton absorption in mixed molecular crystals, 2=10592
- Broude, V. L., Rashba, E. I. and Sheka, E. F. Anomalous absorption of light near the exciton bands of molecular crystals due to impurities, 2=2234
- Broude, V. L., Rashba, E. I. and Sheka, E. F. Anomalous absorption of light near the exciton bands of molecular crystals due to impurities, 2=4157
- Broude, V. L. and Tomashchik, O. K. Spectral investigation of thermally stressed crystalline films, 4=15606
- Broude, V. L. See Baiborodin, Yu. V., 4=24927
- Broudy, R. M. The electrical properties of dislocations in semiconductors, 3=25335
- Broudy, R. M. and McClure, J. W. Statistics of the occupation of dislocation acceptors (one-dimensional interaction statistics), 0=18005
- Brough, R. See Davies, L. J., 4=23088
- Brough, R. See Davies, L. J., 4=23089
- Brouillard, F., Clinckemallie, A. and Delfosse, J. M. Measurement of the atomic mass of thoron by mass spectrometry, 4=9648
- Brouillard, F. and Delfosse, J. M. Measurement of charge exchange cross-sections of mercury and xenon ions in air, 4=27491
- Brouillard, F., Herlitz, S. I. and Nilsson, N. R. Runaway electrons in toroidal discharges, 4=18964
- Brouillette, E. C. and Lykoudis, P. S. Measurements of skin friction for turbulent magnetofluidmechanic channel flow, 4=19178
- Broun, Zh. L. The use of a photometric sphere in differential spectrophotometric measurements, 0=8793
- Brouns, E. and Visser, J. W. An anomaly in the crystal structure of Na_2CO_3 , 4=23480
- Brounshtein, A. M. and Krasil'shchikov, L. B. A radiation thermoelement with direct visual adjustment, 0=6990
- Brounsaides, F. J. See Hommel, C. O., 1=20779
- Brounshtein, A. M. See Krasil'shchikov, L. B., 4=16387
- Broussaud, G. and Malner, L. The influence of hyper-frequency circuits on the performance of coupled-cavity masers, 3=9996
- Broussaud, G. See Simon, J. C., 0=120
- Brousseau, M. See Masson-Genon, R., 3=3846
- Brout, R. Statistical mechanical theory of a random ferromagnetic system, 0=674
- Brout, R. Statistical mechanical theory of ferromagnetism. High density behavior, 0=18172
- Brout, R. Collective oscillations and giant density fluctuations, 0=18956
- Brout, R. Ferromagnetic spin waves, 1=6265
- Brout, R. Statistical mechanics of ferromagnetism; spherical model as high-density limit, 1=7737
- Brout, R. Phonons and Plasmons, 1=9994
- Brout, R. Statistical study of alloys having transition-metal impurities, 3=8358
- Brout, R. Specific heat of the many-boson gas, 3=18751
- Brout, R. Theory of freezing, 4=2889
- Brout, R. Frequency modulated Mössbauer effect, 4=12597
- Brout, R. Erratum on theory of freezing, 4=16296
- Brout, R. and Englert, F. Linked-clusters expansion in quantum statistics: petit canonical ensemble, 1=77
- Brout, R. and Visscher, W. Suggested experiment on approximate localized modes in crystals, 2=23044
- Brout, R. See Buff, F. P., 0=19090
- Brout, R. See Coopersmith, M., 1=20062
- Brout, R. See Coopersmith, M., 3=16548
- Brout, R. See Englert, F., 0=18988
- Brout, R. See Englert, F., 4=24986
- Brout, R. See Horwitz, G., 3=9370
- Brout, R. See Klein, M. W., 4=7299
- Brout, R. See Schuch, A. F., 3=16853
- Brout, R. See Stern, H., 4=27105
- Brout, R. See Stinchcombe, R. B., 3=11046
- Brouw, W. N. and Berkhuysen, E. M. A new method of determining the electron content of the ionosphere, 3=6980
- Brouw, W. N. See Muller, C. A., 4=13967
- Brouwer, D. Solution of the problem of artificial satellite theory without drag, 0=6632
- Brouwer, D. The use of a very wide angle camera for catalogue work, 0=12245
- Brouwer, D. A method of constructing a revised general catalogue, 0=12295
- Brouwer, D. Report on the First Inter-American Conference on Astronomy at La Plata and Cordoba, October 30 to November 3, 1959, 0=14376
- Brouwer, D. The problem of the Kirkwood gaps in the asteroid belt, 3=13867
- Brouwer, D. and Hori, G. Theoretical evaluation of atmospheric drag effects in the motion of an artificial satellite, 1=9295
- Brouwer, D. and Hori, G. Appendix to theoretical evaluation of atmospheric drag effects in the motion of an artificial satellite, 1=11689
- Brouwer, G. Graphical analysis of stationary surface injection phenomena in semiconductors, 4=12876
- Brouwer, G. P. Brightness variations on tungsten ribbon, 4=11324
- Brouwer, J. P., Hermans, L. J. F., Knaap, H. F. P. and Beenakker, J. J. M. Phase separation in the liquid mixture of neon and deuterium, 4=24178
- Brouwer, W., O'Neill, E. L. and Walker, A. The role of eikonal and matrix methods in contrast transfer calculations, 4=8389
- Brouwer, W. See McPherson, P. M., 1=10589
- Brovchenko, V. G. and Gorlov, G. V. Discrimination of neutron and gamma radiation by pulse shape in scintillation counter, 2=20368
- Brovchenko, V. G. and Molchanov, Yu. D. Time selector for pulse series analysis, 3=1918
- Brovchenko, V. G. Linear capacitive accumulator, 3=1919
- Brovetto, P. and Canuto, V. On the superfluid behaviour of nuclear matter, 3=6133
- Brovetto, P. and Canuto, V. Statistical mechanics of a superfluid nuclear matter. I. Nuclear level density, 3=19742
- Brovetto, P., Canuto, V. and Chaos, F. Weizsacker's formula, pairing energy and superfluid model of nuclei, 4=977
- Brovetto, P., Chiavassa, E., Rosa, G. and Pasquarelli, A. Absolute beta counting by an end-windowed G. M. counter, 2=9826
- Brovetto, P. and Vighetto, E. On the electron spin resonance spectrum of the triphenylmethyl radical, 3=20018
- Brovetto, P. See Bernardini, M., 0=2640
- Brovetto, P. See Bonazzola, G., 2=9861
- Brovetto, P. See Bonazzola, G. C., 4=12239
- Brovetto, P. See Bonazzola, G. C., 4=15219
- Brovetto, P. See Bonfiglioli, G., 3=3871
- Brovetto, P. See Bonfiglioli, G., 3=21551
- Brovman, E. G. See Chernoplekov, N. A., 3=17644
- Brovman, M. Ya. and Surin, E. V. Calculation of thermal stresses in a crystallizing ingot, 4=115
- Brow, N. J. and Osborne, D. V. Heat transfer between copper and liquid helium II, 0=226

- Brower, K. See Stuart, R.V., 3=14681
 Brower, W.S. See Fang, P.H., 3=8548
 Brower, W.S. See Fang, P.H., 3=13115
 Brown, A., Liu, F. and Schaerf, C. Positron-proton scattering, 4=16879
 Brown, A. and Pine, J. Annihilation in flight of 200 and 800 MeV positrons, 3=7836
 Brown, A. The crystal structures of two thorium germanide phases with compositions approximating to $\text{Th}_{0.9}\text{Ge}_2$ and ThGe_2 , 2=15048
 Brown, A. and Lewis, B. The systems bismuth-tellurium and antimony-tellurium and the synthesis of the minerals hedleyite and wehrliite, 3=3343
 Brown, A. and Norreys, J.J. Uranium disilicide, 1=15089
 Brown, A. See Lempicki, A., 1=2867
 Brown, A.C. A non-contact resistivity meter, 4=22701
 Brown, A.C. Thickness corrections to resistivity measurement by Q-meter, 4=16832
 Brown, A.C. See Archenhold, W.F., 0=3828
 Brown, A.E. and Richardson, E.G. The propagation of sound in a binary liquid mixture, 0=19131
 Brown, A.E. See Sliwinski, A.S., 4=27140
 Brown, A.E. See Wilner, L.B., 0=14606
 Brown, A.F. and Blackburn, D.A. Apparent enhancement of diffusion coefficients in plastically deformed metals, 3=25296
 Brown, A.F. See Barry, B.E., 4=9989
 Brown, A.F. See Blackburn, D.A., 3=6533
 Brown, A.L. See Conwell, E.M., 1=17693
 Brown, A.R.G., Brooks, H., Jepson, K.S. and Lewis, G.I. High modulus titanium alloys containing boron and aluminium, 3=11132
 Brown, A.R.G., Clark, D., Eastabrook, J. and Jepson, K.S. The titanium-niobium system, 4=23295
 Brown, B.E. and Beernsten, D.J. [Structure] refinement of an iron chromium boride with the Mn_2B structure, 4=26651
 Brown, B.E. and Lautenschlager, E.P. Interchangeable axis mountings of small oriented crystals, 2=23838
 Brown, B.F. See Strauss, S.W., 1=13338
 Brown, B.R. Distillation at low temperatures, 0=19576
 Brown, B.S., Coleman, K.R. and Lee, H.W. New refracting systems for the ultra-violet spectrum, 3=16741
 Brown, C. The creep behaviour of a magnesium/0.3 wt.% zirconium alloy at 400° and 450°C in carbon dioxide, 4=30782
 Brown, C. See Wells, T.C., 4=30781
 Brown, C.A. See Callahan, J.L., 1=9119
 Brown, C.B. and Goodman, L.E. Gravitational stresses in accreted bodies, 4=8131
 Brown, C.B. and Raff, S.J. Theoretical treatment of low-frequency sound attenuation in the deep ocean, 4=7818
 Brown, C.R. and Rubenstein, H. Test of response bias explanation of word-frequency effect, 1=4147
 Brown, C.R. See Forsyth, D.M., 1=21137
 Brown, C.S. Internal friction in synthetic quartz, 0=10259
 Brown, C.S. and Thomas, L.A. The effect of impurities on the growth of synthetic quartz, 0=16261
 Brown, C.S. See Jones, C.K., 2=10740
 Brown, C.S. See Jones, C.K., 3=23302
 Brown, D., Ferguson, A.T.G. and White, R.E. Polarization of 0.3 to 1.4 MeV neutrons scattered by copper, zinc, molybdenum and cadmium, 1=13807
 Brown, D. See Nudelman, S., 3=10979
 Brown, D.A. Metal-metal bonding in dicobalt hexacarbonyl diphenylacetylene, 0=20677
 Brown, D.A. See Ford, R.A., 3=20072
 Brown, D.B. and Ogilvie, R.E. Efficiency of production of characteristic X-radiation from pure elements bombarded by electrons, 4=11738
 Brown, D.C. and Faraday, B.P. A transistorized radiation monitor, 0=17157
 Brown, D.E. See Keezer, R., 4=22801
 Brown, D.E. See Mundie, L.G., 1=1841
 Brown, D.L. See Weisz, R.S., 0=11891
 Brown, D.L. See Weisz, R.S., 3=15875
 Brown, D.M. and Bray, R. Analysis of lattice and ionized impurity scattering in p-type germanium, 2=18680
 Brown, D.M. and Heumann, F.K. Growth of bismuth-antimony single-crystal alloys, 4=23334
 Brown, D.M. and Silverman, S.J. Electrons in Bi-Sb alloys, 4=30618
 Brown, D.M. See Bray, R., 2=23065
 Brown, D.P. See Androulakis, J.G., 3=17125
 Brown, D.S. Radial shear interferometry, 2=2893
 Brown, D.S. A combined microdensitometer and plate-measuring machine, 2=13086
 Brown, D.S. and Tuck, D.G. New method for studying self-diffusion in liquids: self-diffusion in liquid mercury, 4=24192
 Brown, D.W. See Florin, R.E., 3=12874
 Brown, E. Role of orthogonalization in the determination of valence states in crystals, 2=10351
 Brown, E. Bloch electrons in a uniform magnetic field, 4=9885
 Brown, E. and Goedecke, G.H. Effect of atomic interaction potential on defect production in metals, 0=7904
 Brown, E. See Dometj, E., 4=19119
 Brown, E. See Goedecke, G.H., 2=9799
 Brown, E. See Johnson, R.A., 2=16642
 Brown, E.A., Charlson, R.J. and Johnson, D.L. Steady-state heat flux gauge, 1=16136
 Brown, E.H. Expansion engines for hydrogen liquefiers, 0=7041
 Brown, E.J. See Spencer, W.J., 4=7659
 Brown, E.N. Rotating bowl for the production of uniform drops, 1=12854
 Brown, E.N. A continuous-recording precipitation particle sampler, 2=8949
 Brown, E.N. and Braham, R.R., Jr. Precipitation particle measurements in cumulus congestus, 3=9037
 Brown, F., Campion, P.J. and Oliver, B.H. The cross-section for the reaction $^{133}\text{Cs}(n,\gamma)^{134}\text{Cs}$ in the NRX reactor, 2=3593
 Brown, F. and Davies, J.A. The effect of energy and integrated flux on the retention and range of inert gas ions injected at KeV energies in metals, 3=19373
 Brown, F., Graham, R.L., Ewan, G.T. and Uhler, J. The conversion electron spectrum from a mass-separated source of Xe^{133} , 1=10591
 Brown, F. and Hall, G.R. The determination of radioactive decay constants, 0=20370
 Brown, F., James, R.H., Perkin, J.L. and Barry, J. The cross section of the $^7\text{Li}(n,t)$ reaction for neutron energies between 3.5 and 15 MeV, 3=19858
 Brown, F. and Oliver, B.E. The kinetic energy of Cs^{138} primary fragments from fission of U^{235} , 1=9890
 Brown, F. and Todt, W.H. Floating-zone BaTiO_3 preparation and properties, 4=23330
 Brown, F. See Baerg, A.P., 0=1451
 Brown, F. See Bergström, L., 3=12608
 Brown, F. See Davies, J.A., 3=19372
 Brown, F. See Davies, J.A., 4=22652
 Brown, F. See Dometj, B., 4=27580
 Brown, F. See Eastwood, T.A., 4=12149
 Brown, F. See Geiger, J.S., 3=652
 Brown, F. See Graham, R.L., 2=1846
 Brown, F. See Graham, R.L., 3=4707
 Brown, F. See Graham, R.L., 4=1536
 Brown, F. See McCargo, M., 3=22878
 Brown, F. See McCargo, M., 3=24385
 Brown, F. See Piercy, G.R., 3=15521
 Brown, F. See Piercy, G.R., 4=22642
 Brown, F. See Watt, D.E., 2=10152
 Brown, F. See Watt, D.E., 3=22351
 Brown, F.B. See Fletcher, W.H., 4=3872
 Brown, F.C. Electron mobility and scattering in polar crystals at low temperatures, 2=23472
 Brown, F.C. Electronic properties and band structure of the silver halides, 3=12940
 Brown, F.C. and Inchauspé, N. Photoelectric Hall effect in KCl at low temperatures, 1=5028
 Brown, F.C., Masumi, T. and Tippins, H.H. Fine structure in the absorption edge of the silver halides, 2=8519
 Brown, F.C. See Ahrenkiel, R.K., 4=30644
 Brown, F.C. See Ascarelli, G., 2=23140
 Brown, F.C. See Burnham, D.C., 0=15994
 Brown, F.C. See Hanson, R.C., 0=6955
 Brown, F.C. See Kanazawa, K.K., 4=28432
 Brown, F.C. See Spinolo, G., 4=25974
 Brown, F.C. See Swank, R.K., 2=6387
 Brown, F.C. See Swank, R.K., 3=10695
 Brown, F.C. See Tippins, H.H., 3=8529
 Brown, F.C. See Wild, R.L., 1=5027
 Brown, F.H., Furst, M. and Kallman, H. The processes involved in the improvement of plastic scintillators, 0=18146
 Brown, F.H., Furst, M. and Kallmann, H. Light and high energy induced energy transfer in liquid and rigid organic scintillators, 1=6864
 Brown, F.H., Kallmann, H. and Luchner, K. The relationship of phosphor properties to preparative methods in some $\text{ZnS}:\text{Cu}/\text{Cl}$ phosphors, 2=2253

- Brown, F.H. See Spruch, G.M., 2=10613
- Brown, G., Packman, G. and Greenough, G.B. Fuel elements, 4=6433
- Brown, G. See Aspinall, A., 4=17008
- Brown, G. See Aspinall, A., 3=19779
- Brown, G. See Fawcett, S., 4=6432
- Brown, G.A. See Meyerhofer, D., 2=12533
- Brown, G.B. Gravitational and inertial mass, 0=6641
- Brown, G.B. Reply to Lustig's comments, 1=1680
- Brown, G.C. See Baily, N.A., 0=352
- Brown, G.C., Jr. Simplified system for the measurement of fluorescence lifetimes using the stroboscopic method, 3=13198
- Brown, G.C., Jr. See Bray, T., 2=18953
- Brown, G.E. Foundations of the optical model and direct interactions, 1=8542
- Brown, G.E. Theory of collective oscillations, 2=1792
- Brown, G.E. Collective motion and the application of many-body techniques, 4=9369
- Brown, G.E. Vibrations and single particle excitations in nuclei, 4=25282
- Brown, G.E. Direct and semi-direct (p, γ) and (n, γ) reactions, 4=28026
- Brown, G.E., Castillejo, L. and Evans, J.A. The dipole state in nuclei, 1=3381
- Brown, G.E., Evans, J.A. and Thouless, D.J. Vibrations of spherical nuclei, 1=8560
- Brown, G.E., Evans, J.A. and Thouless, D.J. Single particle strengths in nuclei, 3=19746
- Brown, G.E., Gunn, J.H. and Gould, P. Effective mass in nuclei, 4=9355
- Brown, G.E. and Jacob, G. Zero-point vibrations and the nuclear surface, 3=12556
- Brown, G.E., Schappert, G.T. and Wong, C.W. Binding energy of nuclear matter, 4=27939
- Brown, G.E. and Thouless, D.J. Relation between many-body and single-particle aspects in nuclei, 1=4830
- Brown, G.E. See Auerbach, E.H., 3=24725
- Brown, G.E. See Berggren, T., 2=14089
- Brown, G.E. See Kelton, G., 4=358
- Brown, G.E. See Vinh-Mau, N., 2=3479
- Brown, G.E. See Vinh-Mau, N., 2=16328
- Brown, G.M., Beynon, W.J.G. and Morgan, A.D. Height distortion of the peak of the E-region, 3=13747
- Brown, G.M., Clark, A.F. and Pluta, P.R. Principles of P-N junction detectors, 3=4298
- Brown, G.M. and Levy, H.A. Problems and procedures in collection of three-dimensional neutron diffraction data for crystal structure determination, 4=29086
- Brown, G.M. and Levy, H.A. Recent crystal structure determinations by neutron diffraction at Oak Ridge, 4=29147
- Brown, G.M. See Beynon, W.J.G., 0=8380
- Brown, G.P. and Aftergut, S. Electrical properties of phenothiazine, 2=10446
- Brown, G.P. and Aftergut, S. Effect of purification on the semiconduction of imidazole, 3=10826
- Brown, G.P. and Aftergut, S. Electronic properties of organic compounds. II. Theoretical considerations on the effect of impurities, 4=26066
- Brown, G.P. See Aftergut, S., 1=10037
- Brown, G.P. See Aftergut, S., 1=17745
- Brown, G.P. See Aftergut, S., 4=26065
- Brown, G.V. and Flax, L. Superposition of semi-infinite solenoids for calculating magnetic fields of thick solenoids, 4=24785
- Brown, G.W. See Carr, T.D., 4=29473
- Brown, G.W. See Smith, A.G., 4=4941
- Brown, H. The density and mass distribution of meteoritic bodies in the neighborhood of the earth's orbit, 0=14401
- Brown, H. See Baltay, C., 3=16999
- Brown, H. See Duke, M., 2=2531
- Brown, H. See Moore, C.B., 4=2409
- Brown, H. See Nichiporuk, W., 2=24107
- Brown, H. See Pohn, H., 2=21700
- Brown, H. See Watson, K., 1=18032
- Brown, H. See Watson, K., 1=18034
- Brown, H.A. and Rogers, J.V. Transistorized area monitor uses G-M-ion-chamber probe, 0=5437
- Brown, H.D. A Monte Carlo study of neutron thermalization, 0=7372
- Brown, H.D. and Loewe, W.E. Analysis of reactor oscillations for coefficients of reactivity, 0=13333
- Brown, H.E. and Cairns, G.G. Very low frequency noise at Brisbane, 2=24031
- Brown, H.H., Jr., Lulla, K. and Bederson, B. Scattering of a velocity selected potassium beam by neon, argon and xenon gases at different temperatures, 4=25597
- Brown, H.L. and Armstrong, P.E. Young's modulus measurements above 2000°C, 3=20693
- Brown, H.L. See Armstrong, P.E., 4=30788
- Brown, H.N., Culwick, B.B., Fowler, W.B., Gailloud, M., Kalogeropoulos, T.E., Kopp, J.K., Lea, R.M., Louttit, R.L., Morris, T.W., Shutt, R.P., Thorndike, A.M., Webster, M.S., Brown, H.N. See Bauer, E., 4=25550
- Brown, H.W. The application of molecular orbital theory to spectroscopic splitting factors, 4=24868
- Brown, H.W. and Jones, R.C. E.p.r. spectrum of an azulene free radical anion, 2=23006
- Brown, H.W. and Jones, R.C. Erratum: E.P.R. spectrum of an azulene free-radical anion, 3=8310
- Brown, H.W. See Blois, M.S.Jr., 1=14090
- Brown, H.W. See Harvey, K.B., 0=4420
- Brown, H.W. See Hyde, J.S., 2=18477
- Brown, H.W. See Peyron, M., 0=4419
- Brown, I.D. The crystal structure of lithium hydrazinium sulfate, 4=23453
- Brown, I.D. and Dunitz, J.D. The crystal structure of the cuprous chloride azomethane complex, 0=4641
- Brown, I.D. See Torrie, B.H., 4=13603
- Brown, I.G. See Brennan, M.H., 4=449
- Brown, J. Artificial dielectrics, 1=7013
- Brown, J. Electron spin resonance in solid and liquid salt mixtures, 4=10315
- Brown, J. See Clark, J., 2=13682
- Brown, J. See Goldberg, L., 0=14431
- Brown, J.A. See Wiin-Nielsen, A., 4=10704
- Brown, J.B. See Daniels-Hunt, B., 0=8906
- Brown, J.B. See Turkington, R.R., 3=19083
- Brown, J.F., Jr. Inclusion compounds, 3=1250
- Brown, J.J. and Hummel, F.A. Phase equilibria and manganese-activated luminescence in the system $\text{Zn}_3(\text{PO}_4)_2\text{-Cd}_3(\text{PO}_4)_2$, 4=10444
- Brown, J.J. and Hummel, F.A. Phase equilibria and manganese-activated luminescence in portions of the system $\text{Zn}(\text{PO}_3)_2\text{-Cd}(\text{PO}_3)_2\text{-Mg}(\text{PO}_3)_2$, 4=26573
- Brown, J.J. and Hummel, F.A. Phase equilibria and manganese-activated luminescence in the systems $\text{CdO-P}_2\text{O}_5$ and $\text{Zn}_2\text{P}_2\text{O}_7\text{-Cd}_2\text{P}_2\text{O}_7$, summary for the system
- Brown, J.J., Reed, R.L. and Simpson, W. Magnetically operated mass-marker, 0=12800
- $\text{ZnO-CdO-P}_2\text{O}_5$, 4=30796
- Brown, J.L. Induction of Fechner colors in black and white photographs, 0=6527
- Brown, J.L. Visual acuity and dark adaptation, 2=13321
- Brown, J.L. Harmonic analysis of visual stimuli below fusion frequency, 3=1567
- Brown, J.L., Bryant, H.C., Burnstein, R.A., Glaser, D.A., Hartung, R.W., Kadyk, J.A., Sinclair, D., Trilling, G.H., Vander Velde, J.C. and van Putten, J.D. Neutral branching ratios of Λ and K^0 particles, 0=4003
- Brown, J.L., Bryant, H.C., Burnstein, R.A., Glaser, D.A., Hartung, R., Kadyk, J.A., Van Putten, J.D., Sinclair, D., Trilling, G.H. and Van der Velde, J.C. Properties of neutral strange particles produced in a xenon bubble chamber, 1=8515
- Brown, J.L., Kadyk, J.A., Trilling, G.H., Roe, B.P., Sinclair, D. and Vander Velde, J.C. New determination of the K_1^0 branching ratio, 3=12500
- Brown, J.L., Kadyk, J.A., Trilling, G.H., Van de Walle, R.T., Roe, B.P. and Sinclair, D. Experimental study of the K_{e3}^+ decay interaction, 2=5730
- Brown, J.L., Kadyk, J.A., Trilling, G.H., Van de Walle, R.T., Roe, B.P. and Sinclair, D. Experimental studies of the form factors in $\text{K}_{\mu 3}^+$ and K_{e3}^+ decay, 2=20417
- Brown, J.L., Phares, L. and Fletcher, D.E. Spectral energy thresholds for the resolution of acuity targets, 0=18553
- Brown, J.L. See Goldhaber, G., 4=19555
- Brown, J.L., Jr. Variation of array performance with respect to statistical phase fluctuations, 3=5491
- Brown, J.L., Jr. and Rowlands, R.O. Design of directional arrays, 0=1006
- Brown, J.L., Jr. See Pigott, M.T., 2=9350
- Brown, J.L. See Roe, B.P., 2=3399
- Brown, J.R. Reverberation under arctic ice, 4=15863
- Brown, J.R. See Clayton, D.B., 2=10923
- Brown, J.T. See Calvert, W., 3=13775

- Brown, K. L., Belbeoch, R. and Bounin, P. First- and second-order magnetic optics matrix equations for the midplane of uniform-field wedge magnets, 4=14771
- Brown, K. L. See Alvarez, R. A., 0=9252
- Brown, K. T. Complete interocular transfer of an adaption process responsible for perceptual fluctuations with an ambiguous visual figure, 3=9308
- Brown, K. T. Optical stimulator, microelectrode advancer, and associated equipment for intratretinal neurophysiology in closed mammalian eyes, 4=10987
- Brown, L., Fivel, D. I., Lee, B. W. and Sawyer, R. F. Fredholm method in potential scattering and applications to complex angular momentum, 3=24636
- Brown, L. and Schwinger, J. Spin and statistics, 2=5569
- Brown, L. See Baumgartner, E., 0=17431
- Brown, L. See Rudin, H., 1=7288
- Brown, L. B. and Knowles, H. B. Alpha particles from Be^9 and C^{12} by 25 MeV alpha-particle bombardment, 2=5968
- Brown, L. C. See Cho, B.-Y., 3=23021
- Brown, L. C. See Leech, F. J., 4=1907
- Brown, L. C. See Parker, P. M., 0=2740
- Brown, L. C. See Weaver, C., 2=6364
- Brown, L. C. See Weaver, C., 3=20226
- Brown, L. J. See Aamodt, R. L., 2=13584
- Brown, L. M. Analytic properties of n-point loops in perturbation theory, 2=266
- Brown, L. M. Mobile charged dislocations in ionic crystals, 2=3920
- Brown, L. M. and Calogero, F. Effects of pion-pion interaction in electro-magnetic processes, 0=9405
- Brown, L. M. and Calogero, F. Pion-Pion interaction in electromagnetic processes, 1=522
- Brown, L. M. and Faier, H. Pion-pion interaction and the K_{es} decay, 4=19585
- Brown, L. M. and Pratt, P. L. Strain ageing in CdCl_2 -doped rock salt, 3=16002
- Brown, L. M. and Singer, P. Neutral decay modes and the spin and parity of the η meson, 2=18171
- Brown, L. M. and Singer, P. Decay modes of the η meson, 2=20406
- Brown, L. M. and Singer, P. Three-pion decay modes of eta and K mesons and a possible new resonance, 4=9260
- Brown, L. M. See Ashby, M. F., 3=20702
- Brown, L. M. See Ashby, M. F., 4=4643
- Brown, L. M. See Ashby, M. F., 4=7661
- Brown, L. M. See Kang, I.-J., 3=4341
- Brown, L. M. See Kroupa, F., 1=19782
- Brown, L. M. See Vidoz, A. E., 3=1233
- Brown, L. S. Gauge invariance and mass in a two-dimensional model, 3=24584
- Brown, L. S. Bound on screening corrections in beta decay, 4=25341
- Brown, L. S. and Kibble, T. W. B. Interaction of intense laser beams with electrons, 4=9169
- Brown, M. Transient analysis of the White cathode follower, 0=7052
- Brown, M. A. C. S. Deviations from Ohm's law in germanium and silicon, 2=2154
- Brown, M. A. C. S. Electric-field-induced radiation from germanium, 3=855
- Brown, M. A. C. S. and Paige, E. G. S. Electric-field-induced modulation of the absorption due to interband transitions of free holes in germanium, 1=14580
- Brown, M. A. C. S., Paige, E. G. S. and Simcox, L. N. An experimental determination of the energy distribution function of hot holes in germanium, 3=10767
- Brown, M. C. See Krag, W. E., 4=17488
- Brown, M. D. See Moak, C. D., 4=3815
- Brown, M. G. Electronegativity effects of hybridized carbon atoms, 1=6028
- Brown, M. R., Coles, B. A., Owen, J. and Stevenson, R. W. H. Ferromagnetic exchange interaction between Mn^{2+} ions in Mn_2ZnF_2 , 2=4218
- Brown, M. R. and Shand, W. A. Infrared quantum counter action in Pr-doped fluoride lattices, 4=7132
- Brown, M. R. and Shand, W. A. Infrared quantum counter action in Dy doped CaF_2 and SrF_2 , 4=17599
- Brown, M. R. and Shand, W. A. Infrared quantum counter action in Er-doped fluoride lattices, 4=22872
- Brown, M. R. and Shand, W. A. Infrared quantum counter action in Ho doped fluoride lattices, 4=28718
- Brown, M. R. See Owen, J., 3=3176
- Brown, M. V. and Ricard, J. Fluctuations in surface-reflected pulsed C.W. arrivals, 1=1795
- Brown, N. The yield point of a super-lattice, 0=21108
- Brown, N. and Ekvall, R. A. Temperature dependence of the yield points in iron, 2=23750
- Brown, N. See Clark, J. S., 2=2406
- Brown, N. See Dash, S., 3=25756
- Brown, N. See Damiano, V. V., 4=25940
- Brown, N. See Marcinkowski, M. J., 0=13531
- Brown, N. See Marcinkowski, M. J., 1=6535
- Brown, N. See Marcinkowski, M. J., 1=14280
- Brown, N. See Marcinkowski, M. J., 1=20595
- Brown, N. See Marcinkowski, M. J., 2=6831
- Brown, N. See Marcinkowski, M. J., 3=16102
- Brown, N. See Roberts, J. M., 2=21406
- Brown, N. See Roberts, J. M., 3=8776
- Brown, N. L. and Barfield, R. N. Shielded coaxial leads for low-temperature electrical measurements, 0=8968
- Brown, P. E. See Alexander, L. E., 3=25694
- Brown, P. J. The structure of the intermetallic phase α' (VAL), 0=3226
- Brown, P. J. An X-ray fluorescence method for determination of the transition-metal content in very small specimens of alloys, 0=18456
- Brown, P. J. The structure of the ζ -phase in the transition metal-zinc alloy systems, 2=15046
- Brown, P. J. and Frazer, B. C. Magnetic structure of $\beta\text{-CoSO}_4$, 3=8695
- Brown, P. J. See Alperin, H. A., 2=10684
- Brown, P. J. See Alperin, H. A., 3=15896
- Brown, P. J. See Frazer, B. C., 2=6679
- Brown, P. J. See Hume-Rothery, W., 0=515
- Brown, P. J. See Kocher, C. W., 2=12648
- Brown, P. J. See Nathans, R., 3=15736
- Brown, P. J. See Pickart, S. J., 3=15859
- Brown, P. K. System for microspectrophotometry employing a commercial recording spectrophotometer, 1=11840
- Brown, P. K. See Wald, G., 3=5288
- Brown, P. P. See Langton, N. H., 2=7786
- Brown, R. See Kharadly, M. M. Z., 3=19230
- Brown, R. D. Evaluation of Coulomb repulsion integrals from spectroscopic data, 0=1465
- Brown, R. D. and Koenig, S. H. The static dielectric constant of CdAs, and the donor ground state energy, 3=8549
- Brown, R. D., III. See Koenig, S. H., 0=2877
- Brown, R. D., III. See Koenig, S. H., 0=7930
- Brown, R. D., III. See Koenig, S. H., 3=2894
- Brown, R. E. Experimental study of the $\text{O}^{17}(\text{p}, \alpha)\text{N}^{14}$ reaction and a calculation of the rate of this reaction in the CNO cycle in stars, 2=3575
- Brown, R. E. Energy levels in N^{14} pertaining to the ratio $\text{C}^{13}/\text{C}^{12}$ produced in the CNO cycle, 3=11566
- Brown, R. E., Hubbard, W. M. and Haben, J. F. Low temperature thermometers from silicon carbide heating elements, 3=9666
- Brown, R. E. See Schmidt, F. H., 4=17123
- Brown, R. F. Effect of two-dimensional mechanical stress on the dielectric properties of poled ceramic barium titanate and lead zirconate titanate, 1=8973
- Brown, R. F. and McMahon, G. W. Material constants of ferroelectric ceramics at high pressure, 2=14610
- Brown, R. F. See Neuman, C. H., 4=28576
- Brown, R. F. See Nishi, R. Y., 4=26117
- Brown, R. G. Raman spectra of polyethylenes, 3=8321
- Brown, R. G. Vibrational spectra of polytetrafluoroethylene: effects of temperature and pressure, 4=20144
- Brown, R. G. Infrared spectra of polyethylene crystals, 3=23083
- Brown, R. G. and Edwards, T. H. Infrared spectra of the methyl halides. II. Methyl bromide near 4450cm^{-1} , 2=20853
- Brown, R. G. and Edwards, T. H. Infrared spectra of the methyl halides. III. Methyl iodide near 4400cm^{-1} , 2=20854
- Brown, R. G. and Eby, R. K. Effect of crystallization conditions and heat treatment on polyethylene: lamellar thickness, melting temperature, and density, 4=15809
- Brown, R. G. and Edwards, T. H. Errata: Infrared spectra of the methyl halides. II and III, 4=20091
- Brown, R. H. The intensity interferometer and its application to the measurement of the diameter of stars, 0=14442
- Brown, R. H. and Hazard, C. The radio emission from normal galaxies. I. Observations of M31 and M33 at 158 Mc/s and 237 Mc/s, 0=16527
- Brown, R. H. and Hazard, C. The radio emission from normal galaxies. III. Observations of irregular and early-type galaxies at 158 Mc/s and a general discussion of the results, 2=4859

- Brown, R.H. and Twiss, R.Q. Interferometry of the intensity fluctuations in light. III. Applications to astronomy, 0=823
- Brown, R.H. and Twiss, R.Q. Interferometry of the intensity fluctuations in light. IV. A test of an intensity interferometer on Sirius A, 0=824
- Brown, R.Hanbury. The distribution and identification of the sources [Introductory lecture to Part V—Discrete sources and the universe], 1=18197
- Brown, R.Hanbury. Clustering, cosmology and source counts, 2=15294
- Brown, R.Hanbury and Hazard, C. The non-thermal emission from the disk of the galaxy, 0=18659
- Brown, R.Hanbury. See Allen, L.R., 3=9279
- Brown, R.I. and Haerberli, W. Polarization of protons from the $\text{He}^3(\text{d}, \text{p})\text{He}^4$ reaction, 3=15049
- Brown, R.I., Haerberli, W. and Saladin, J.X. Polarization in the scattering of protons by α -particles, 3=24728
- Brown, R.J. Temperature dependence of quadrupole resonance frequencies under constant pressure, 0=3141
- Brown, R.J. and Bollinger, L.M. Total neutron cross sections for structural materials, 0=13279
- Brown, R.J.C., Gutowsky, H.S. and Shimomura, K. Nuclear spin relaxation in liquid CHFCl_3 , 3=7220
- Brown, R.J.S. Distribution of fields from randomly placed dipoles: free-precession signal decay as result of magnetic grains, 1=4693
- Brown, R.J.S. and Thompson, D.D. Second-order effects in low-field N.M.R. for ammonium ion solutions, 1=8142
- Brown, R.J.S. See Thompson, D.D., 2=3785
- Brown, R.J.S. See Thompson, D.D., 2=14331
- Brown, R.J.S. See Thompson, D.D., 4=20111
- Brown, R.L., Brewer, R.G. and Klemperer, W. Vibrational distribution in evaporating iodine, 2=12318
- Brown, R.L. and Broida, H.P. Spectral study of active nitrogen flames exhibiting CN "Tail" bands, 4=30430
- Brown, R.L. See Tomlinson, R.B., 4=19336
- Brown, R.M. See aufm Kampe, H.J., 3=9033
- Brown, R.M. See Hurley, J.P., 3=24899
- Brown, R.M. See Kreger, W.E., 2=3212
- Brown, R.N. and McLaren, A.C. On the mechanism of the thermal transformations in solid ammonium nitrate, 2=6762
- Brown, R.N. and McLaren, A.C. The thermal transformations in solid rubidium nitrate, 3=1252
- Brown, R.N. and McLaren, A.C. The thermal transformations in solid thallous nitrate, 3=1253
- Brown, R.N., Mavroides, J.G., Dresselhaus, M.S. and Lax, B. Interband magnetoreflexion in bismuth. II. Low fields, 0=20969
- Brown, R.N., Mavroides, J.G., Dresselhaus, M.S. and Lax, B. Interband magnetoreflexion [cyclotron resonance] experiments in bismuth, 1=17488
- Brown, R.N., Mavroides, J.G. and Lax, B. Magnetoreflexion in bismuth, 3=8581
- Brown, R.R. West-End motion of an auroral-zone X-ray event, 2=6952
- Brown, R.R. A comparison of auroral-zone X-ray observations from periods with different levels of solar activity, 3=1471
- Brown, R.R. Balloon observations of auroral-zone X-rays, 1=21053
- Brown, R.R. X-rays accompanying the magnetic storm of June 27, 1960, 1=20947
- Brown, R.R. Equivalence of radiation particles for permanent damage in semiconductor devices, 4=17498
- Brown, R.R. On the influence of composition and spectra of solar cosmic rays on the intensity ratio $I(\lambda 5577)/I(\lambda 3914)$ in polar-glow aurora, 4=30941
- Brown, R.R. Features of the auroral electron energy spectrum inferred from observations of ionospheric absorption, 4=30942
- Brown, R.R., Anderson, K.A., Anger, C.D. and Evans, D.S. Simultaneous electron precipitation in the northern and southern auroral zones, 3=23630
- Brown, R.R. and Barcus, J.R. Day-night ratio for auroral absorption events associated with negative magnetic bays, 4=2231
- Brown, R.R. and Barcus, J.R. Balloon observations of the extent and structure of auroral-zone electron precipitation events, 4=10747
- Brown, R.R. and Barcus, J.R. A comparison of auroral luminosity and ionospheric absorption using wide-angle measurements, 4=30944
- Brown, R.R. and Campbell, W.H. An auroral-zone electron precipitation event and its relationship to a magnetic bay, 2=17194
- Brown, R.R. and D'Arcy, R.G. Observations of solar flare radiation at high latitude during the period July 10-17, 1959, 0=1339
- Brown, R.R. and D'Arcy, R.G. Solar protons from the flare of July 10, 1959, 1=20948
- Brown, R.R., Hartz, T.R., Landmark, B., Leinbach, H. and Ortner, J. Large-scale electron bombardment of the atmosphere at the sudden commencement of a geomagnetic storm, 1=15349
- Brown, R.R. and Weir, R.A. Ionospheric effects of solar protons, 1=20958
- Brown, R.R. See Anderson, K.A., 3=16237
- Brown, R.R. See Anger, C.D., 1=15244
- Brown, R.R. See Anger, C.D., 3=13813
- Brown, R.R. See Anger, C.D., 3=23631
- Brown, R.R. See Barcus, J.R., 3=1473
- Brown, R.R. See Brode, R.B., 1=16930
- Brown, R.R. See Ehmert, A., 1=13583
- Brown, R.R. See Ehmert, A., 1=19310
- Brown, R.R. See Ortner, J., 2=15284
- Brown, R.R. See Ortner, J., 3=9135
- Brown, R.S. Transit time fluctuations of waves, 2=19380
- Brown, R.S. Wave propagation through a turbulent wake, 3=23956
- Brown, S.A. See Jones, B.D., 1=8500
- Brown, S.C. and Bekefi, G. Radiofrequency emission from plasmas not in thermodynamic equilibrium, 4=8704
- Brown, S.C., Bekefi, G. and Whitney, R.E. Far infrared interferometer for the measurement of high electron densities, 3=9611
- Brown, S.C. See Ascarelli, G., 1=1055
- Brown, S.C. See Ascarelli, G., 2=23323
- Brown, S.C. See Bekefi, G., 0=2370
- Brown, S.C. See Bekefi, G., 1=2959
- Brown, S.C. See Bekefi, G., 1=2978
- Brown, S.C. See Bekefi, G., 1=8323
- Brown, S.C. See Bekefi, G., 1=10783
- Brown, S.C. See Buchsbaum, S.J., 0=17017
- Brown, S.C. See Buchsbaum, S.J., 1=9571
- Brown, S.C. See Buchsbaum, S.J., 3=4112
- Brown, S.C. See Ericson, M., 2=17842
- Brown, S.C. See Fields, H., 3=4121
- Brown, S.C. See Fields, H., 3=5657
- Brown, S.C. See Gruber, S., 3=7470
- Brown, S.C. See Hall, R.B., 1=16419
- Brown, S.C. See Hirshfield, J.L., 1=4608
- Brown, S.C. See Hirshfield, J.L., 1=7075
- Brown, S.C. See Hirshfield, J.L., 1=16324
- Brown, S.C. See Hirshfield, J.L., 2=7597
- Brown, S.C. See Ingraham, J.C., 4=11542
- Brown, S.C. See Llewellyn-Jones, D.T., 4=18909
- Brown, S.D. See Wagstaff, F.E., 4=23348
- Brown, S.E. See Robertson, D.S., 0=2296
- Brown, S.L. Electroproduction of neutral pions from deuterium, 3=19671
- Brown, S.N. The effect of heat transfer on boundary-layer growth, 4=122
- Brown, T.B. Microwave zone plates, 2=1594
- Brown, T.H., Anderson, D.H. and Gutowsky, H.S. Spin densities in organic free radicals, 0=17778
- Brown, T.H., Bernheim, R.A. and Gutowsky, H.S. Temperature dependence of proton relaxation times in aqueous solution of paramagnetic ions. II. CrCl_3 , 1=4361
- Brown, T.H., Kasai, P.H., Whipple, E.B. and Verdier, P.H. Anomalies in the n. m. r. and e. p. r. spectra of XeF_6 -HF mixtures, 4=21157
- Brown, T.H. and Karplus, M. Ion radicals of methyl-substituted benzenes: temperature dependence of spin and charge densities, 3=25151
- Brown, T.H., Karplus, M. and Schug, J.C. Spin resonance spectra of substituted aromatic ions: perturbation model, 3=12860
- Brown, T.H. and Verdier, P.H. Krypton tetrafluoride: ^{19}F high-resolution magnetic resonance spectrum, 4=20612
- Brown, T.H., Whipple, E.B. and Verdier, P.H. Xenon tetrafluoride: fluorine-19 high-resolution magnetic resonance spectrum, 3=15387
- Brown, T.H., Whipple, E.B. and Verdier, P.H. High-resolution F^{19} and Xe^{129} magnetic double resonance spectrum of XeOF_4 , 3=20016

- Brown, T.H. See Schug, J.C., 1=19660
 Brown, T.H. See Schug, S.C., 2=18478
 Brown, T.L. Infrared intensities of the C=C and =C-H bands in phenylacetylenes, 3=10537
 Brown, W., Hanson, E. and Passell, L. Liquid-tin toepler pump for transfer of high purity helium, 3=7254
 Brown, W.B. and Hirschfelder, J.O. The integration of the first order perturbed wave equation for excited states of one dimensional systems, 4=59
 Brown, W.B. and Rowlinson, J.S. A thermodynamic discriminant for the Lennard-Jones potential, 0=20696
 Brown, W.B. and Steiner, E. Classical and continuum contributions to polarizability and force constants, 2=20767
 Brown, W.B. and Steiner, E. Molecular force fields in terms of coordinates under constraint, 3=19961
 Brown, W.E.Jr. A lunar and planetary echo theory, 1=15559
 Brown, W.F., Jr. Micromagnetics, domains, and resonance, 0=3028
 Brown, W.F., Jr. Relaxational behavior of fine magnetic particles, 0=3045
 Brown, W.F., Jr. Micromagnetics: successor to domain theory? 0=13788
 Brown, W.F., Jr. Single-domain particles: new uses of old theorems, 0=16134
 Brown, W.F., Jr. Domains and extreme-value statistics, 1=6301
 Brown, W.F., Jr. Rigorous calculation of the nucleation field in a ferromagnetic film or plate, 1=20099
 Brown, W.F., Jr. Failure of the local-field concept for hysteresis calculations, 2=12718
 Brown, W.F., Jr. Statistical aspects of ferromagnetic nucleation-field theory, 2=23658
 Brown, W.F., Jr. Nucleation fields of an infinitely long square ferromagnetic prism, 2=23659
 Brown, W.F., Jr. Approximate calculation of magnetostatic energies, 3=1064
 Brown, W.F., Jr. Thermal fluctuations of a single-domain particle, 3=15762
 Brown, W.F., Jr. Erratum: Nucleation fields of an infinitely long square ferromagnetic prism, 3=15771
 Brown, W.F., Jr. Some magnetostatic and micromagnetic properties of the infinite rectangular bar, 4=26288
 Brown, W.F., Jr., Hanton, J.P. and Morrish, A.H. Initial-permeability spectra of microscopic iron-oxide particles, 0=10198
 Brown, W.F., Jr. and Johnson, C.E., Jr. Temperature variation of saturation magnetization of gamma-ferric oxide, 2=21308
 Brown, W.F., Jr. and Shtrikman, S. Stability of one-dimensional ferromagnetic microstructures, 2=4217
 Brown, W.F., Jr., Shtrikman, S. and Treves, D. Possibility of visual observation of anti-ferromagnetic domains, 3=14713
 Brown, W.F., Jr. See Johnson, C.E., Jr., 0=3000
 Brown, W.F., Jr. See Johnson, C.E., Jr., 0=3048
 Brown, W.F., Jr. See Johnson, C.E., Jr., 1=6312
 Brown, W.F., Jr. See Jones, M.H., 4=15697
 Brown, W.J. Use of a Hardy recording spectrophotometer as a spectroradiometer, 2=15733
 Brown, W.J. See Blevin, W.R., 1=4476
 Brown, W.J. See Blevin, W.R., 1=11845
 Brown, W.J. See Blevin, W.R., 2=22060
 Brown, W.K. A method of extending the energy range of the helium-3 neutron spectrometer, 4=16919
 Brown, W.K. and Jensen, T.H. On electron drift velocities in mixtures of noble gases and "moderator" gases, 4=24274
 Brown, W.L. The electron Van De Graaff in semiconductor research, 0=19832
 Brown, W.L. Introduction to semiconductor particle detectors, 1=3084
 Brown, W.L. and Gabbe, J.D. The electron distribution in the earth's radiation belts during July 1962 as measured by Telstar, 3=13808
 Brown, W.L., Hoffmann, W. and Laves, F. Continuous and reversible transformations of anorthite ($\text{CaAl}_2\text{Si}_2\text{O}_8$) between 25° and 350°C, 3=16019
 Brown, W.L., See Miller, G.L., 1=3082
 Brown, W.L. See Rosenzweig, W., 4=28447
 Brown, W.M. See Callahan, L.G., 3=11894
 Brown, W.P., Jr. Application of boundary layer techniques to the calculation of shadow region diffraction fields, 4=696
 Brown, W.S. Analyticity properties of the momentum-space vertex function, 2=9142
 Browne, C.I. See Barr, D.W., 1=11019
 Browne, C.I. See Cowan, G.A., 1=8799
 Browne, C.I. See Diamond, H., 0=17512
 Browne, C.P. Comparison of alpha-particle energies from Po^{210} and Po^{214} and the energy of Po^{210} alpha particles, 2=12154
 Browne, C.P., Dorenbusch, W.E. and Erskine, J.R. High-resolution study of the $\text{B}^{10}(\text{He}^3, \text{p})\text{C}^{12}$ reaction, 2=3617
 Browne, C.P. and Eastwood, T.A. Comparison of alpha-particle energies from various Po^{210} sources, 2=394
 Browne, C.P., Galey, J.A., Erskine, J.R. and Warsh, K.L. Comparison of Po^{210} alpha-particle energy with the $\text{Li}^7(\text{p}, \text{n})\text{Be}^7$ reaction threshold energy, 0=20378
 Browne, C.P. and Michael, I. Positions and widths of O^{16} levels up to 15-MeV excitation, 4=15146
 Browne, C.P. and Radzynski, J.T. Energy levels of Si^{29} , Si^{30} and Si^{31} from (d,p) reactions, 0=17503
 Browne, C.P. See Dorenbusch, W.E., 4=3699
 Browne, C.P. See Dorenbusch, W.E., 3=19882
 Browne, C.P. See Erskine, J.R., 1=11033
 Browne, C.P. See Erskine, J.R., 2=5534
 Browne, H.N. and Bauer, E. Scattering cross-sections for medium fast electrons including polarization, 3=22496
 Browne, H.N. See Bauer, E., 4=25550
 Browne, J.C. Analysis of valence-bond wave functions for LiH , 2=12338
 Browne, J.C. Some excited states of the hydrogen molecule I. $^1\Pi_u(1s2p\Pi)$ and $^3\Pi_u(1s2p\Pi)$, 4=12447
 Browne, J.C. Some excited states of the hydrogen molecule. II. $^1\Pi_u(1s2p\Pi)$, $^3\Pi_u(1s2p\Pi)$, $^1\Delta_u(1s3d\sigma)$, $^3\Delta_u(1s3d\sigma)$, $^1\Delta_u(1s3d\sigma)$, $^3\Delta_u(1s3d\sigma)$, 4=28189
 Browne, J.C. and Matsen, F.A. Quantum-mechanical calculations for the electric field gradients and other electronic properties of lithium hydride: the use of mixed orbital sets, 4=28194
 Browne, J.C. and Miller, J. General one-center two-electron integrals for laguerre functions, 2=14183
 Browne, J.C. and Poshusta, R.D. Quantum-mechanical integrals over Gaussian atomic orbitals, 2=12278
 Browne, J.C. See Matsen, F.A., 3=12806
 Browne, J.C. See Reagan, P.N., 3=723
 Browne, J.C. See Reagan, P.N., 4=1320
 Browne, J.D. See Sabine, T.M., 4=6427
 Browne, J.D. See Sabine, T.M., 3=20820
 Browne, J.D. See Sabine, T.M., 3=25708
 Browne, L. See Swartz, J.M., 3=24751
 Browne, M.E. Effects of applied electric fields on paramagnetic resonance in chrome alums, 1=5071
 Browne, M.E. and Dobrov, W.I. Magnetic resonance absorption of hypersonic waves in paramagnetic crystals, 3=1190
 Browne, M.E. See Cowen, J.A., 3=1195
 Browne, M.E. See Dobrov, W.I., 3=23242
 Browne, M.E. See Dobrov, W.I., 4=26430
 Browne, M.E. See Kaplan, D.E., 2=3177
 Browne, M.T. The modification of longitudinal waves in a wire caused by the surrounding fluids, 3=9539
 Browne, P.F. On the origin of radio emission from cosmic gas clouds, 2=4850
 Browne, P.F. Coupling between Sm ions and colour centres in the CaF_2 :Sm laser system, 2=12589
 Browne, P.F. The case for an exponential red-shift law, 2=13247
 Browne, P.F. On the question of maser action in a gas plasma, 3=1983
 Brownell, G.L. See Ellett, W.H., 1=2034
 Brownell, G.L. See Wächter, M.H., 0=11133
 Brownell, R.B., McLennan, W.D., Ramey, R.L. and White, E.J. Automatic thin film vacuum deposition system of high stability, 4=29181
 Brownell, R.M. Direct observation of outward-progressing flux change in tape-wound cores at power frequencies, 2=20103
 Brownell, R.M. and Barker, R.C. Measurements of the domain wall area-mobility product during slow flux reversals, 1=6302
 Brownell, R.M. See Barker, R.C., 0=10130
 Browning, K.A. and Ludlam, F.H. Airflow in convective storms, 2=13000
 Browning, K.A., Ludlam, F.H. and Macklin, W.C. The density and structure of hailstones, 3=11400
 Browning, K.A. and Mason, B.J. Production of ice crystals and electric charge by splintering of freezing droplets in thunderclouds, 3=11401
 Browning, K.A. See Willis, J.T., 4=17884
 Browning, R. and Fox, J.W. The coefficient of viscosity of atomic hydrogen and the coefficient of mutual diffusion for atomic and molecular hydrogen, 4=14207
 Brownlee, J.M. See Aderholz, M., 4=21914
 Brownlee, J.M. See Aderholz, M., 4=21919
 Brownlee, J.M. See Aderholz, M., 4=25151

- Brownlee, J. M. See Bartsch, J., 4=21920
 Brownlee, J. M. See Bartsch, J., 4=30264
 Brownlee, J. M. See Bondar, L., 4=944
 Brownlee, L. D. See Gillam, E., 4=23422
 Brownlee, R. R. See Cox, A. N., 1=18069
 Brownlow, A. E. See Parkin, D. W., 2=11121
 Brownlow, J. M., Shevel, W. L., Jr and Gutwin, O. A. Ferrite films — new logic and storage devices, 0=9137
 Brownscombe, J. L. See Mason, B. J., 4=18169
 Brownson, J. Alloyed germanium-silicon hetero-junctions, 4=20381
 Brownson, J. A three-point probe method for electrical characterization of epitaxial films, 4=28569
 Brownsword, R. and Farr, J. P. G. Substructures in nickel grown from the melt, 3=1271
 Brownsword, R. and Farr, J. P. G. Electron beam floating zone melting; an improved beam deflection cage, 4=23323
 Brownsword, R. and Farr, J. P. G. The application of an X-ray technique to the examination of electrodeposits, 4=29154
 Broyer, A. M. See Nassau, K., 2=23820
 Broyles, A. A. Radial distribution functions from the Born-Green integral equation, 0=14622
 Broyles, A. A. Derivation of the Fermi-Thomas equation, 1=500
 Broyles, A. A. Solution at high density to the Born-Green equation, 1=4321
 Broyles, A. A. Radial distribution function from the Percus-Yevick equation, 1=8105
 Broyles, A. A. Solution to the Percus-Yevick equation, 1=11752
 Broyles, A. A. Probability distribution for classical fluids, 2=38
 Broyles, A. A., Chung, S. U. and Sahlin, H. L. Comparison of radial distribution functions from integral equations and Monte Carlo, 3=1656
 Broyles, A. A., Sahlin, H. L. and Carley, D. D. Radial distribution functions for long-range forces, 3=14137
 Brož, J. The distribution of ions and their valencies in magnesium manganese ferrites, 1=14738
 Brož, J., Krupička, S. and Závěta, K. The distribution of ions and their valencies in manganese ferrites. II. $Mn_{1-x}Fe_xO_{4-y}$ ferrites, 0=11888
 Brož, J., Krupička, S. and Zítka, B. The perinvar effect and magnetic after-effect in magnesium manganese ferrite, 0=3078
 Brož, J. and Šternberk, J. The temperature dependence of the rectangularity coefficients of manganese-magnesium ferrites, 0=6240
 Brož, J. and Šternberk, J. Relation between hysteresis loop rectangularity and the internal demagnetization coefficient of manganese-magnesium ferrites, 0=6241
 Brož, J. and Šternberk, J. The relation between the inner magnetizing factor of manganese magnesium ferrites and their porosity and permeability, 1=17975
 Brož, J. and Šternberk, J. A remark on the anomalous course of the rectangularity coefficient in manganese magnesium ferrites, 1=20133
 Brözel, R., Handtmann, D. and Richter, H. Structure of molten tin at different temperatures, 2=15566
 Brözel, R., Handtmann, D. and Richter, H. A net method of analysing the $i(s) \exp$ [experimental angular intensity distribution] curves [in X-ray interference patterns] of monatomic liquefied metals, 2=17435
 Brözel, R., Handtmann, D. and Richter, H. Temperature dependence of the structure of liquefied monatomic metals, 2=17436
 Brú, L., Márquez, R. and Ramos, F. Diffraction of electrons that have traversed a finite thickness of material, 1=6512
 Bru, L. See Ramos, F., 3=25680
 Brubaker, T. A. and Korn, G. A. Accurate amplitude distribution analyzer combining analog and digital logic, 1=7968
 Brubaker, W. M. and Tuul, J. Performance studies of a quadrupole mass filter, 4=24756
 Bruce, C. E. R. Cosmic thunderstorms, 0=2072
 Bruce, C. E. R. A cosmic gas velocity thermometer, 0=6607
 Bruce, C. E. R. The temperature required for nuclear reactions in cosmical electrical discharges, 0=6620
 Bruce, C. E. R. Terrestrial and cosmical lightning discharges, 0=14310
 Bruce, C. E. R. Temperatures reached in electrical discharges in the solar atmosphere, 0=18748
 Bruce, C. E. R. Cosmical electrical discharges, 1=9289
 Bruce, C. E. R. Cosmical electrical discharges. II. Spiral stellar nebulae, 1=5250
 Bruce, C. E. R. Spiral stellar nebulae and cosmic gas jets, 1=5291
 Bruce, C. E. R. Cosmic electrical discharges. III. Galactic evolution and cosmological controversies, 1=18189
 Bruce, C. E. R. Cosmic electrical discharges. IV. The energy radiated by radio galaxies, 1=18190
 Bruce, C. E. R. Irregular and barred spiral nebulae, 2=7029
 Bruce, C. E. R. Cosmic electrical discharges. V. Cosmic plasma jets and hyperthermal wind tunnels, 2=24142
 Bruce, C. E. R. Cosmic electrical discharges. VI. Stellar temperatures, 3=16405
 Bruce, C. E. R. Stellar temperatures, 3=16406
 Bruce, C. E. R. The planetary nebulae: stellar spiral and barred spiral nebulae, 3=18645
 Bruce, C. F. and Ciddor, P. E. Phase dispersion in multilayer films, 0=3637
 Bruce, C. F. and Hill, R. M. Wavelengths of krypton 86, mercury 198, and cadmium 114, 1=8814
 Bruce, C. F. and Hill, R. M. Wavenumber reproducibility of the radiation $2p_{10}-5d_5$ of krypton 86, 2=22022
 Bruce, C. F. See Hill, R. M., 2=19719
 Bruce, C. F. See Hill, R. M., 3=16792
 Bruce, F. M. See Aked, A., 0=10887
 Bruce, F. M. See Blair, D. T. A., 3=4085
 Bruce, F. M. See Blair, D. T. A., 0=10885
 Bruce, F. M. See Blair, D. T. A., 4=18760
 Bruce, G. See Almén, O., 0=19795
 Bruce, G. See Almén, O., 2=3095
 Bruce, G. See Almén, O., 2=3096
 Bruce, G. See Thun, J. E., 2=3459
 Bruce, J. G., Jr. See Brockhurst, R. R., 1=6889
 Bruce, J. H. and Balmer, J. R. Vacuum deposited dielectric films, 3=16898
 Bruce, J. W. See Aitchison, T. W., 0=3581
 Bruce, W. R. and Pearson, M. L. Spectral distribution of scattered radiation in a water phantom irradiated with caesium-137 gamma rays, 3=7063
 Bruce, W. R., Pearson, M. L. and Freedhof, H. S. The linear energy transfer distributions resulting from primary and scattered X-rays and gamma-rays with primary HVL's from 1.25 mm Cu to 11 mm Pb, 4=871
 Bruce, W. R., Pearson, M. L. and Johns, H. E. Comparison of Monte Carlo calculations and experimental measurements of scattered radiation produced in a water phantom by primary radiations with half-value layers from 1.25 mm Cu to 11 mm Pb, 3=7062
 Brucer, M. A total-body irradiator, 1=15364
 Bruch, C. A. See Martin, D. L., 4=3092
 Bruch, C. A. See Martin, D. L., 4=11746
 Bruch, H., Görlich, P., Karras, H. and Lehmann, R. Diffusion of gases in highly pure CaF_2 and SrF_2 crystals, 4=12787
 Brüche, E. and Schulze, K. J. Formation, structure and disintegration of gold leaf, 0=1942
 Brüche, E. and Schulze, K. J. Electron microscope examination of rapidly grown spinel single crystals, 1=10286
 Bruch, L. W. and Sawada, K. Chemical potential and low-lying excitations in the many-boson system. II, 4=91
 Bruch, L. W. See Sawada, K., 3=18752
 Brüche, E. [Ed.]. Vienna Physics Conference 1961 [Physikertagung Wien 1961], 3=2
 Brüchner, H. J. and Kornbichler, H. Contribution to the theory of semi-intermediary-semi-thermal reactors with Pu-enrichment, 0=7658
 Bruck, H. Radial and azimuthal distributions of electrons or positrons in storage rings, 4=30000
 Bruck, H., Gendreau, G. and Salvat, M. The proton synchrotron "Saturne". Injection-Optics system, 0=2412
 Bruck, H. See Bronca, G., 0=2412
 Bruck, H. See Bronca, G., 0=19851
 Bruck, H. See Cauchois, Y., 0=19821
 Bruck, H. See Gendreau, G., 1=16460
 Brucker, B. See Leitner, J., 1=16801
 Brucker, E. B. See Block, M. M., 0=1372
 Brucker, E. B. See Block, M. M., 0=17416
 Brucker, E. B. See Block, M. M., 1=13500
 Brucker, E. B. See Lodge, J., 0=20241
 Brucker, G. J. and Rogers, K. C. A kilovolt, kiloampere low pressure switch, 1=5402
 Brucker, G. J. See Lukasik, S. J., 4=8874
 Bruckmann, A., Mrowec, S. and Werber, T. Reaction diffusion mechanism in the system copper-sulphur, 4=23640
 Bruckmann, H. A modulator for the Bonn synchrocyclotron using ferroelectric ceramic, 1=1947

- Brückmann, H. and Engels, W. The temperature dependence of the dielectric constant of ferroelectric materials, 3=4945
- Brueckmann, R.E. See Costrell, L., 0=17181
- Brückner, G. An intensity recording microphotometer and the recording of the U.V. solar spectrum, 1=7973
- Brückner, G. Photoelectric polarization measurements on resonance lines in the solar spectrum, 4=4907
- Bruckner, R. Non-stationary phenomena at the interface between partially miscible solutions, 0=19085
- Brückner, R. Non-stationary phenomena at the interface between miscible liquids, 0=19086
- Brückner, R. Thermal expansion behaviour of silica glass as a function of the thermal history, 2=14389
- Bruder, C. and Czerny, M. Monochromator for the ultra-violet, 2=7356
- Bruder, K. Third-order aberrations in anamorphic systems, 1=18576
- Brudner, H.J. and Borowitz, S. Thomas-Fermi technique for determining wave functions for alkali atoms with excited valence electrons, 1=792
- Brueckner, K.A. The properties of nuclear forces which are relevant to nuclear structure, 1=8532
- Brueckner, K.A. The properties of finite nuclei, 1=8535
- Brueckner, K.A. Ion-ion recombination, 4=8630
- Brueckner, K.A. The many-body problem, 4=29555
- Brueckner, K.A. and Dabrowski, J. Symmetry energy and the isotopic spin dependence of the single-particle potential in nuclear matter, 4=19633
- Brueckner, K.A., Gammel, J.L. and Kubis, J.T. Binding energy of a neutron gas, 0=9286
- Brueckner, K.A., Gammel, J.L. and Kubis, J.T. Calculation of single-particle energies in the theory of nuclear matter, 0=11123
- Brueckner, K.A. and Goldman, D.T. Modified Hartree-Fock method for the finite nucleus, 0=1345
- Brueckner, K.A. and Goldman, D.T. Single particle energies in the theory of nuclear matter, 0=3920
- Brueckner, K.A. and Masterson, K.S., Jr. Nuclear matter calculations and phenomenological potentials, 3=6127
- Brueckner, K.A., Lockett, A.M. and Rotenberg, M. Properties of finite nuclei, 1=589
- Brueckner, K.A., Soda, T., Anderson, P.W. and Morel, P. Level structure of nuclear matter and liquid He^3 , 0=11124
- Brueckner, K.A. and Thieberger, R. Nuclear giant dipole resonance, 0=13127
- Brueckner, K.A. See Amado, R.D., 0=335
- Brueckner, K.A. See Klein, M.M., 0=15034
- Brückner, K.A. See Klein, M.M., 2=3034
- Brüel, P.V. A modern accelerometer, 0=19040
- Brüesch, P. An investigation of the partial oxidation of pulverized cuprous oxide to cupric oxide, 0=16371
- Brueschke, E.E. Ultra-high vacuum seal for space simulation systems, 1=10557
- Brueschke, E.E. A leak-free method of transmitting motion into ultrahigh vacuum, 2=9326
- Brueschke, E.E. Inclined-plane apparatus for friction studies at ultra-high vacuum, 3=9403
- Brueschke, E.E. and Eckman, B. Device for the measurement of friction at ultrahigh vacuum, 3=25647
- Brüge, G., Faivre, J.C., Barloutaud, M., Faraggi, H. and Saudinos, J. Inelastic scattering of α -particles by Ni^{62} , Cu^{63} , Ni^{64} and Cu^{65} and the core-particle interaction, 4=17194
- Brüge, G. See Barloutaud-Crut, M., 4=19660
- Brüge, G. See Barloutaud-Crut, M., 3=24864
- Brugel, L. Irreversible magnetic effects of stresses in the Rayleigh region, 3=8690
- Brugel, L., Morel, B. and Rimet, G. Apparatus for demagnetization using photoresistances, 3=19398
- Bruggencate, P. ten. See ten Bruggencate, P.
- Brugger, H. See Aliff, C., 3=4432
- Brugger, H. See Aliff, C., 3=4433
- Brugger, H.R., Niewodniczanski, T. and Steiger, M.P. n' - λ correlation for Mg^{24} (n, n') at 3.25 MeV, 2=5940
- Brugger, H.R., Niewodniczanski, T. and Steiger, M.P. Inelastic scattering of medium energy neutrons from Mg^{24} , 2=14103
- Brugger, H.R. See Colley, D., 3=2322
- Brugger, K. Thermodynamic definition of higher order elastic coefficients, 4=11145
- Brugger, K., Davis, H.L. and Daunt, J.G. Paramagnetic susceptibility of ruby at low temperatures, 0=10098
- Brugger, K. and Mason, W.P. Relation between thermal conductivity defect in sodium chloride and acoustic relaxation effects at low temperatures, 2=2059
- Brugger, K. See Mason, W.P., 4=17351
- Brugger, K. See Thurston, R.N., 4=13368
- Brugger, R.M. Scattering of slow neutrons by solid and liquid terphenyls, 2=9854
- Brugger, R.M. A new method of measuring frequency distributions of crystals, 4=28360
- Brugger, R.M. and Evans, J.E. MTR phased chopper velocity selector, 2=3360
- Brugger, R.M., McClellan, L.W., Streetman, G.B. and Evans, J.E. Inelastic scattering of cold neutrons from several hydrogeneous liquids, 0=12940
- Brugger, R.M., Rainey, V.S. and McMurry, H.L. Scattering of slow neutrons from methane gas, 4=30464
- Brugger, R.M. and Strong, K.A. Phasing two choppers from a motor generator source, 3=4408
- Brugger, R.M. See Randolph, P.D., 1=15945
- Brugger, R.M. See Schmunk, R.E., 2=10822
- Brugger, R.M. See Schmunk, R.R., 3=747
- Brugger, R.M. See Schmunk, R.E., 1=13827
- Brugger, R.M. See Strong, K.A., 2=3764
- Brugger, R.M. See Tolk, N.H., 1=5737
- Bruhat, Y. An elliptic system of equations for the constraint problem in general relativity, 1=15634
- Bruhat, Y. The problem of initial conditions on a characteristic conoid, 3=18715
- Bruhn, W. and Mecke, R. Assignment of the internal vibrations of molecular crystals using polarized infrared radiation in the case of anthracene, 2=14374
- Bruhn, W. See Mecke, R., 4=15363
- Bruijn, P.J. A modification of Underwood's theorem for triple-valued relative volatilities, 2=6869
- Bruijn, P.J. and Van Wijk, W.R. On the theory of a distillation combined with absorption, 0=18450
- Bruijn, P.J. See Van Wijk, W.R., 4=21017
- Bruin, F., Heineken, F.W. and Bruin, M. Narrow E.S.R. hyperfine structure lines for a free radical dissolved in water, 2=23010
- Bruin, F., Heineken, F.W., Bruin, M. and Zahlan, A. E.S.R. spectrum of the 4,4'-dipyridyl radical, 2=15619
- Bruin, F. and Shahin, N. The absolute measurement of paramagnetic susceptibilities at radio frequencies, 1=16484
- Bruin, F. and van Ladesteyn, D. Frequency stabilization of a reflex klystron oscillator, 0=7217
- Bruin, F. and Van Soest, P.C. Transistorized autodyne detector for e.s.r. and n.s.r., 0=17126
- Bruin, F. See Bruin, M., 2=16552
- Bruin, F. See Heineken, F.W., 2=20881
- Bruin, F. See Heineken, F.W., 2=23008
- Bruin, F. See Zahlan, A., 2=20862
- Bruin, M., Bruin, F. and Heineken, F.W. E.S.R. study of thio-indigo and related free radicals, 2=16552
- Bruin, M. See Bruin, F., 2=15619
- Bruin, M. See Bruin, F., 2=23010
- Bruin, M. See Heineken, F.W., 2=20881
- Bruin, M. See Heineken, F.W., 2=23008
- Bruin, M. See Zahlan, A., 2=20862
- Bruin, P.J. On the asymptotic growth rate of vapour bubbles in superheated binary liquid mixtures, 1=5376
- Bruins, E.M. Configurations in quantum mechanics, 0=18952
- Bruins, P.F. See Cartier, R., 0=4588
- Bruinsma, P. and Parkinson, W.C. The University of Michigan 83-inch cyclotron. III. The r.f. system, 3=5743
- Bruk, B.I. Using the C^{14} isotope for finding the solubility of carbon in alpha-iron, 0=4684
- Bruk, B.I. See Zav'yanov, A.S., 4=23234
- Brukhanov, V.A., Delyagin, N.N. and Shpinel', V.S. Interrelation between the 23.8 keV isomer shifts of the Sn^{119} nuclear γ -transition in metallic rigid solutions and the dynamic properties of the matrix, 4=25811
- Brukhanov, V.A. See Delyagin, N.N., 2=3553
- Brukhanov, V.A. See Delyagin, N.N., 3=2431
- Bruhin, O. and Hjalmar, S. The gravitational zero mass limit of spin-2 particles, 0=329
- Bruhin, O. and Hjalmar, S. An alternative formulation of the linearized classical theory of gravitation as a zero mass limit, 1=9309
- Bruhin, O. and Laurent, B.E. Estimate of the possibility for a $\text{K}-\Lambda$ compound, 2=3413
- Brüllmann, M., Gerber, H.J., Meier, D. and Scherrer, P. Scattering and polarization effects of 3.27 MeV neutrons on deuterons, 0=5563
- Brumage, W.H. and Lin, C.C. Magnetic susceptibilities of transition elements in host crystals, II. Ni^{2+} in ZnO and CdS, 4=17616

- Brumage, W. H., Lin, C. C. and Van Vleck, J. H. Magnetic susceptibility and crystalline field levels of ytterbium gallium garnet, 4=1846
- Brumage, W. H., Quade, C. R. and Lin, C. C. Magnetic susceptibilities of transition elements in host crystals. I. V^{3+} in corundum, 3=20548
- Brumage, W. H., Yarger, C. R. and Lin, C. C. Effect of the exchange coupling of Mn^{++} ions on the magnetic susceptibilities of $ZnS:MnS$ crystals, 4=10248
- Brumage, W. H., Yarger, C. R. and Lin, C. C. Exchange coupling of neighboring Mn^{++} ions in $Mn^{++}:ZnS$ crystals, 4=13124
- Brumage, W. H. See Quade, C. R., 4=1801
- Brumberg, V. A. Random initial conditions and random parameters in problems of celestial mechanics, 2=4714
- Brumberg, V. A., Kirpichnikov, S. N. and Chebotarev, G. A. Orbits of artificial moon satellites, 2=1027
- Brumberger, H. and Deslattes, R. A new high resolution small-angle X-ray camera, 4=30011
- Brumberger, H. and Farrar, W. C. Scattering of electromagnetic radiation as a tool for investigating critical phenomena. The low-angle X-ray scattering of the nitrobenzene-N-heptane system in the critical region, 4=16113
- Brumberger, H. See Kent, P., 4=16603
- Brumfield, R. C. See Hellund, E. J., 3=14256
- Brumley, F. B. See Bame, S. J., 3=15066
- Brumm, P. See Broser, I., 4=26145
- Brümmer, O. The simultaneous production of X-ray interference and X-ray shadow pictures of crystals, 1=11604
- Brümmer, O., Brauer, K. H. and Suwalski, G. An instrument for use as X-ray microanalyser, X-ray shadow microscope or for electron diffraction, with a description of experimental investigations with Al-Cu and Ge, 3=25786
- Brümmer, O., Dräger, G. and Baum, H. The X-ray K-absorption spectra of cubic and hexagonal chromium, 4=7118
- Brümmer, O. and Klimanek, P. A contribution to the evaluation of the continuous Röntgen small angle scattering by monodisperse dilute systems, 2=3126
- Brümmer, O. and Schülke, W. Influence of crystal distortions on interference from lattice sources, 2=14997
- Brümmer, O. See Becherer, G., 0=1798
- Brümmer, O. See Becherer, G., 2=8870
- Brümmer, O. See Schülke, W., 2=14993
- Brummet, B. D. and Jaffe, S. S. Permanently destaticized high-fidelity records, 4=27453
- Brun, C., Lefort, M. and Tarrago, X. Contribution to the study of double pick-up as an indirect measurement of the production of tritium by protons of 82 and 105 MeV on various targets, 2=12191
- Brun, C., Lefort, M. and Tarrago, X. Determination of the intensities of 40-150 MeV proton beams, 2=18112
- Brun, C. and Simonoff, G. N. Fission-evaporation competition. Study of the excitation functions of different protactinium nuclei, 2=10098
- Brun, E. and Derighètti, B. Quadrupole resonance of Li^7 in Li_2SO_4 , D_2O , 2=4297
- Brun, E. and Ghose, S. Nuclear magnetic resonance spectrum of ^{11}B and B-Si order in danburite, $CaB_2Si_2O_8$, 4=20609
- Brun, E., Hafner, S. and Hartmann, P. Nuclear quadrupole effects in spinels ($MgAl_2O_4$), 1=14835
- Brun, E., Hafner, S., Hartmann, P. and Laves, F. Electric quadrupole interaction of Al^{27} and positive ion distribution in spinel ($MgAl_2O_4$), 1=1286
- Brun, E., Hafner, S. and Waldner, F. Electric field gradients in ionic crystals, 2=10297
- Brun, E., Hann, R., Pierce, W. L. and Tanttala, W. H. Spin transitions induced by external r.f. electric field in GaAs, 2=18961
- Brun, E., Hartmann, P., Laves, F. and Schwarzenbach, D. Electric quadrupole interaction of Al^{27} in $AlPO_4$, 2=4298
- Brun, E., Kraushaar, J. J., Pierce, W. L. and Veigele, W. J. Nuclear magnetic dipole moment of Ca^{41} , 2=22709
- Brun, E., Loeliger, H. and Waldner, F. Electron paramagnetic resonance of Fe^{3+} in natural $MgAl_2O_4$ spinel, 3=25571
- Brun, E., Mahler, R. J., Mahon, H. and Pierce, W. L. Electrically induced nuclear quadrupole spin transitions in a GaAs single crystal, 3=8747
- Brun, E. See Brinkmann, D., 3=1734
- Brun, E. See Brinkmann, D., 3=23944
- Brun, E. See Müller, K. A., 4=23074
- Brun, E. A., Facy, L. and Trötel, J. Study of the trailing of an array of thin filaments in a rarefied current of gas, 3=5458
- Brun, E. A. and Plum, H. Experimental study of a boundary layer along a rough plate, 1=15919
- Brun, J. C., Verroust, G. and Victor, C. Design of a new arrangement for multidimensional analysis, 2=19844
- Brun, J. C. and Victor, C. Multidimensional analysis assembly for nuclear physics, 4=16719
- Brun, J. C. See Artiges, J. C., 1=16225
- Brun, J. C. See Bergamaschi, C., 1=16462
- Brun, P. Absolute calibration of the condenser microphone by the thermophone method at the acoustics department of C.N.E.T. [Paris], 3=7296
- Brun, P. Integrating and differentiating circuits (applications to filters and acoustics), 2=5255
- Brun, P. Applications to acoustics of integrating and differentiating circuits, 2=5256
- Brun, P. Applications of integrating and differentiating circuits to electrical measurements in the audio-frequency range. III, 2=5257
- Brun, P. See Lehmann, R., 0=19331
- Brun, R. Experimental contribution to the study of equilibrium conditions and the phenomenon of vibrational relaxation in carbon dioxide gas in a shock tube, 4=5291
- Brun, R. The existence of different forms of vibrational relaxation in carbon dioxide, 4=18339
- Brun, R. and Chartier, C. On an electronic method for measurement of the mean velocity of flow of a gas, 0=95
- Brun, R., Grellier, Y. M. and Chartier, C. Use of ionization probes in a shock tube, 3=1762
- Brun, R. See Bourot, J. M., 0=10360
- Brun, T. See Passell, L., 4=13187
- Brun, T. S., Meisinger, E. and Palmork, K. H. Studies of ion exchanger membranes. X. Bi-ionic potentials and transference numbers in systems with bi-ionic specificity, 2=8919
- Brunberg, E. A. The earth's radiation belts and the aurora, 4=26832
- Brunberg, E. Å. The production of high energy particles in the sun and in the solar system, 4=26940
- Bruncke, W. C., Chenette, E. R. and van der Ziel, A. Transistor noise at low temperatures, 4=12943
- Bruncke, W. C. See Halladay, H. E., 4=17509
- Brundin, C. L. See Talbot, L., 3=12184
- Brunde, D. See Hellström, S., 4=27995
- Brune, H. A. and Zeil, W. C≡N stretching frequency in coordination compounds of metal halides with nitriles, 2=14320
- Brune, J., Ewing, M. and Kuo, J. Group and phase velocities for Rayleigh waves of period greater than 380 seconds, 1=6565
- Brune, J. N. Attenuation of dispersed wave trains, 2=12987
- Brune, J. N., Nafe, J. E. and Oliver, J. E. A simplified method for the analysis and synthesis of dispersed wave trains, 0=10714
- Bruneau, A. A. and Pratt, P. L. The bending deformation of magnesium oxide, 3=5071
- Brunel, L. C. and Peyron, M. The use of a Laval nozzle for the production of atoms of hydrogen by electric discharge, 4=28269
- Brunel, M. and de Bergevin, F. Radiocrystallographic study of the order-disorder transition in the ferrite of lithium spinel, 4=26555
- Brunel, M. See Joubert, J. C., 4=2080
- Brunelle, H. E., Jr and Willey, R. R., Jr. Coaxial, dual-field optics for a space sextant, 4=7994
- Brunelli, B. See Allen, J. E., 3=12169
- Brunelli, B. See Bertolini, E., 4=18954
- Bruner, E. C. Jr. See Roach, F. E., 1=15310
- Bruner, L. J. Internal friction in iron at low temperatures, 0=695
- Bruner, L. J. Low-temperature internal friction in face-centered cubic and body-centered cubic metals, 0=10258
- Bruner, L. J., Budnick, J. I. and Blume, R. J. Nuclear magnetic resonance of Ni^{61} in metallic nickel, 1=1281
- Bruner, L. J. and Keyes, R. W. Electronic effect in the elastic constants of germanium, 1=14846
- Bruner, L. J. and Mecs, B. M. Dislocation damping in copper after low temperature plastic deformation, 2=21021
- Bruner, L. J. and Mecs, B. M. Modulus and damping of copper after plastic deformation at $4.2^\circ K$, 3=8757
- Bruner, L. J. See Boyd, E. L., 2=18937
- Bruner, L. J. See Budnick, J. I., 1=6433
- Brunet, H. The excitation of ferrimagnetic resonance by a pulsed magnetic field, 1=14783
- Brunet, H. Quantum state of an ideal phase detector, 4=21043
- Brunet, J. See Teyssier, J. L., 4=19612
- Brunet, M., Cantin, M., Julliot, C. and Vasseur, J. Properties of metallic photocathodes and fluorescent layers in the far ultraviolet, 3=21865
- Brunet, R. C. Radiative muon decay mediated by a vector boson, 4=6088

- Brunet, S. Viscosity of liquids at different temperatures as a function of the internal pressure, 4=14148
 Brunetière, F. Optical absorption spectrum of guanidine chromium sulphate hexahydrate, 3=13192
 Brunetière, F. See Couture, L., 3=15702
 Bruneton, C. See Borgeaud, P., 4=21905
 Brungs, R. A. and Jacobsmeier, V. P. Activation energies of monocrystalline beta-rhombohedral boron, 4=25897
 Brunhart, G., Faughn, G. S. and Kenney, V. P. Pion-deuteron scattering at 330 MeV, 4=3465
 Brunhart, G., Gall, C. D., Vittitoe, C., Schneider, K. and Kenney, V. P. Scanning apparatus for bubble chamber data analysis, 2=5547
 Brunhart, G. See Kenney, V. P., 2=302
 Brunie, S. and Chevreton, M. The structure of the compounds V_5S_8 and V_5Se_8 , 4=26678
 Brunie, S. See Chevreton, M., 4=29142
 Brünig, M. and Fleischmann, R. Investigations on thin alkali metal films. III. Phase difference by reflection from thin potassium films with vector-dependent absorption, 3=18387
 Bruning, H. A. C. M. See Rieck, G. D., 0=18301
 Bruning, H. A. C. M. See Rieck, G. D., 1=14326
 Bruning, H. A. C. M. See Van Vucht, J. H. N., 4=10632
 Bruninx, E. and Rudstam, G. Electro-spraying: a method of making samples for β counting allowing accurate correction for self-scattering and self-absorption, 2=5824
 Bruninx, E. See Rudstam, G., 2=14097
 Brunner, G. The pile-up of pulses in scintillation spectrometry with high pulse rates, 1=16624
 Brunner, G., Wondratschek, H. and Laves, F. On the infrared absorption of quartz in the 3μ region, 0=4416
 Brunner, G. See Geisler, M., 2=7845
 Brunner, G. See Müller, D., 3=2074
 Brunner, G. O. Thermoluminescence measurement with a double-beam spectrometer, 4=16232
 Brunner, G. O., Wondratschek, H. and Laves, F. Infrared investigations of the insertion of hydrogen in natural quartz, 2=6320
 Brunner, J. The effective ionization potential of atoms in plasmas and the contribution from the highest atomic states to the continuous emission, 0=19680
 Brunner, J. Hall effect in an inhomogeneous magnetic field, 2=8288
 Brunner, J. H., Lombard, R., Perdrisat, C. F. and Leisi, H. J. Positron spectra in the ${}_{83}Bi^{205} \rightarrow {}_{83}Pb^{205}$ and ${}_{83}Bi^{206} \rightarrow {}_{83}Pb^{206}$ disintegrations, 2=10050
 Brunner, J. H. See Leisi, H. J., 1=9832
 Brunner, J. H. See Perdrisat, C. F., 2=10052
 Brunner, J. H. See Perdrisat, C. F., 2=10053
 Brunner, J. H. See Perdrisat, C. F., 2=16356
 Brunner, W. Modified statistical model for finite nuclei, 4=25246
 Brunner, W. and Paul, H. Theory of nuclear fission, 1=3467
 Brunner, W. and Paul, H. On the theory of nuclear fission. I. The nuclear exchange forces between the fragments, 1=4878
 Brunner, W. and Paul, H. The kinetic energy of fission fragments, 1=4881
 Brunner, W. and Paul, H. On the theory of nuclear fission. II-III, 1=7409
 Brunner, W. and Paul, H. The theory of nuclear fission. IV. The influence of the magic numbers on nuclear fission, 1=13867
 Brunner, W. and Paul, H. The deformation of fission fragments, 1=19550
 Brunner, W. and Paul, H. The theory of fission, 2=5978
 Brunner, W. and Paul, H. The kinetic energy of fission fragments, 2=8019
 Brunner, W. and Paul, H. The deformation of fission fragments from Cf^{252} , 2=10159
 Brunner, W. See Paul, H., 3=15132
 Brunner, W. See Paul, H., 3=15133
 Brunner, W. See Paul, H., 4=6216
 Brunner, W. See Paul, H., 4=21265
 Brunschweiler, A. and Carlson, H. N. Identification of mode in low-frequency sweep ionospheric sounding, and interference patterns between over-lapping echoes, 0=21348
 Bruno, E. See Bellomo, A., 0=10377
 Bruns, A. V. and Prokof'ev, V. K. Measurement of the far ultraviolet helium emission, 2=19302
 Bruns, A. V. and Prokof'ev, V. K. Spectrometer for the measurement of solar radiation in the far ultraviolet, 2=19303
 Bruns, A. V. and Prokof'ev, V. K. Spectrometer for the measurement of solar radiation in the far ultraviolet, 3=23682
 Bruns, A. V. and Prokof'ev, V. K. Measurement of the far ultraviolet solar helium emission, 3=23683
 Bruns, C. A. See Zdanis, R. A., 2=1920
 Bruns, W. See Ueberreiter, K., 3=8920
 Bruns, W. See Ueberreiter, K., 4=29806
 Brunstein, K. A. Measurement of low-energy cosmic-ray protons, 4=12088
 Brunstein, S. A. See Gerhardt, J. R., 2=4597
 Brunt, D. The fiftieth Kelvin Lecture "The International Geophysical Year 1957-58", 0=754
 Brunton, J. H. See Bowden, F. P., 1=20329
 Brunton, J. H. Fracture propagation in diamond, 3=23362
 Brunvoll, J. See Cyvin, S. J., 4=12425
 Brunvoll, J. See Cyvin, S. J., 4=25616
 Bruscatto, D. R. See Sundquist, B. E., 3=13503
 Bruschetti, S. See Bonalumi, R., 0=11470
 Bruschetti, S. See Bonalumi, R., 1=5732
 Bruschi, C. Spatial variations of the isotropic concentrations in a fuel rod, 4=1170
 Bruschi, C. See Bonalumi, R., 1=2060
 Bruschi, C. See Bonalumi, R., 1=5732
 Bruschi, C. See Bonalumi, R., 4=19901
 Brusentsev, F. A. Representation of X-ray atomic scattering factors in polynomial form, 4=10497
 Brusentsev, F. A. Least-squares programme for refining crystal structures on a large computer, 3=23432
 Brusentsev, F. A. and Dvoryankin, V. F. Analytic representation of atomic scattering factors for electrons, 4=4588
 Brusentsev, F. A. See Dvoryankin, V. F., 3=23431
 Brush, A. H. See Myers, L. S., Jr., 2=11828
 Brush, S. G. Theory of the lambda transition, 0=8893
 Brush, S. G. Origin of the word "neutron", 1=7245
 Brush, S. G. Functional integrals and statistical physics, 1=9328
 Brush, S. G. Statistical thermodynamics of mixtures. II. Convergence of the quasi-chemical method for the ising square lattice, 1=12812
 Brush, S. G. Development of the kinetic theory of gases. V. The equation of state, 1=12922
 Brush, S. G. Development of the kinetic theory of gases. VI. Viscosity, 2=9312
 Brush, S. G. The effect of the interaction of ions on their equilibrium concentration, 3=9728
 Brush, S. G. Theories of liquid viscosity, 3=14112
 Brush, S. G., De Witt, H. E. and Trulio, J. G. Equation of state of classical systems of charged particles, 3=21258
 Brush, S. G. See Trulio, J. G., 1=4275
 Brushenko, A. See Long, C., 4=29743
 Brussaard, P. J. and Biedenharn, L. C. Symmetrization in Coulomb excitation calculations, 4=22002
 Brussaard, P. J. See Biedenharn, L. C., 2=1067
 Brussaard, P. J., Griffy, T. A. and Biedenharn, L. C. On the derivation of asymptotic expansions of exponential integrals, with applications to Coulomb excitation functions, 3=12573
 Brussaard, P. J. and van de Hulst, H. C. Approximation formulas for nonrelativistic bremsstrahlung and average gaunt factors for a Maxwellian electron gas, 3=1969
 Brussel, M. K., Allen, J. S. and Ernest, L. E. Beam extraction from the University of Illinois sector-focussed cyclotron, 3=5787
 Brussel, M. K. See Bingham, F. W., 4=25386
 Brussel, M. K. See Friedes, J. L., 3=19711
 Brusset, H. Associated ideal solutions, 4=29613
 Brust, D. Electronic spectra of crystalline germanium and silicon, 4=20247
 Brust, D., Cohn, M. L. and Phillips, J. C. Reflectance and photo-emission from Si, 3=4960
 Brust, D., Phillips, J. C. and Bassani, F. Critical points and ultraviolet reflectivity of semiconductors, 2=21117
 Brust, D. See Bassani, F., 3=22682
 Brust, D. See Phillips, J. C., 3=17865
 Bruszak, A. E., Burgess, D. S. and Litchfield, E. L. Pressure measurement within borosilicate glass systems by externally mounted strain gauges, 3=21290
 Brutsaert, W. On pore size distribution and relative permeabilities of porous mediums, 3=18369
 Brutti, C. A method for calculation of elastic tension in disks subject to thermal stress and having physical characteristics varying along the radius, 3=18763
 Brutto, E., Casagrande, I. and Perona, G. Thermal contact resistance between cylindrical metallic surfaces, 0=6965
 Bruyant, F., Goldberg, M., Holder, M., Krammer, M., Major, J. V., Vegni, G., Winzeler, H., Fleury, P., Huc, J., Lestienne, R., De Rosny, G. and Vanderhaghen, R. Production of neutral than 300A, 4=20543
 Bruyère, J. C. A photoelectric device for the trip gear of a chronometer, 1=18341

- Bruyère, J. C., Massenet, O., Montmory, R. and Néel, L. Magnetic interactions between two thin ferromagnetic films separated by a thin film of chromium or palladium of thickness less than particles in π^+ -d interactions at 6 GeV/c and I-spin of f^2 , 4=21915
- Bruyère, J. C., Massenet, O., Montmory, R. and Néel, L. On a new coupling phenomenon between thin ferromagnetic layers separated by a non-ferromagnetic material, 4=17657
- Bruyn Ouboter, R. De. See De Bruyn Ouboter, R.
- Bruyneel, W. Note on the birefringence of hydrated calcium nickel cyanide, 2=21229
- Bruyninckx, F. See de Hemptinne, M., 4=9747
- Bruynooghe, W. M. See Verhaeghe, J. L., 0=7853
- Bruzek, A. Observations on the relation between eruptions and sunspot fields, 0=14411
- Bruzek, A. The rotational velocity of polar prominences, 1=2623
- Bruzek, A. Loop prominences over the solar disk, 2=11132
- Bruzek, A. On the association between loop prominences and flares, 4=29467
- Bruzzi, L., Castelli, A. and Cervellati, A. Radiogaschromatograph for carbon-14 and tritium labelled organic compounds, 4=22063
- Bruzzone, G. Structural and magnetic properties of the MX compounds formed from Ho with the metalloids of groups V and VI, 2=8828
- Bryan, A. C. See Thompson, E. D., 4=10262
- Bryan, F. R. See Runge, E. F., 3=5522
- Bryan, F. R. See Wagner, J. C., 4=10676
- Bryan, G. M., Truchan, M. and Ewing, J. I. Long-range solar studies in the south Atlantic Ocean, 3=11386
- Bryan, M. E. and Parbrook, H. D. Just audible thresholds for harmonic distortion, 1=9226
- Bryan, G. M. and Pugh, E. M. Cratering of lead by oblique impacts of hypervelocity steel pellets, 2=6729
- Bryan, R. A. New semiphenomenological proton-proton potential, 0=15348
- Bryan, R. A., Dismukes, C. R. and Ramsay, W. Three-meson model for p-p scattering, 3=22122
- Bryan, R. A. and Scott, B. L. Nucleon-nucleon scattering from one-boson-exchange potentials, 4=25082
- Bryan, R. A. See Saylor, D. P., 0=20133
- Bryant, C. A. and Keesom, P. H. Specific heat of indium below 1°K , 0=13489
- Bryant, C. A. and Keesom, P. H. Low-temperature specific heat of indium and tin, 1=11162
- Bryant, C. A. and Keesom, P. H. Low-temperature specific heat of germanium, 1=17420
- Bryant, C. A. and Keesom, P. H. Low temperature specific heat of molybdenum, 1=19715
- Bryant, D. A., Cline, T. L., Desai, U. D. and McDonald, F. B. New evidence for long-lived solar streams in interplanetary space, 4=2413
- Bryant, D. A., Cline, T. L., Desai, U. D. and McDonald, F. B. Explorer 12 observations of solar cosmic rays and energetic storm particles after the solar flare of September 28, 1961, 3=7953
- Bryant, D. A., Ludwig, G. H. and McDonald, F. B. A scintillation counter telescope for charge and mass identification of primary cosmic rays, 2=18197
- Bryant, D. A. See Allan, H. R., 1=577
- Bryant, D. A. See Ogilvie, K. W., 2=12091
- Bryant, D. A. See Ogilvie, K. W., 2=13900
- Bryant, E. A., Cochran, D. R. F. and Knight, J. D. Excitation functions of reactions of 7- to 24- MeV He^3 ions with Cu^{63} and Cu^{65} , 3=12702
- Bryant, E. A., Cowan, G. A., Sattizahn, J. E. and Wolfsberg, K. Rates and mechanisms of the loss of fission products from uranium-graphite fuel materials, 3=12737
- Bryant, F. J., Bree, A., Fielding, P. E. and Schneider, W. G. Trapping centres in anthracene crystals, 1=2422
- Bryant, F. J., Chamberlain, A. C., Morgan, A. and Spicer, G. S. Radiostrontium in soil, grass, milk and bone in U.K.; 1956 results, 0=7502
- Bryant, F. J. See Garlick, G. F. J., 4=20480
- Bryant, G. H. Propagation in a waveguide filled non-uniformly with plasma, 2=16030
- Bryant, G. H. and Franklin, R. N. Scattering from a bounded plasma, 3=9790
- Bryant, G. H. and Franklin, R. N. The scattering of a plane wave by a bounded plasma, 3=9791
- Bryant, G. H. and Franklin, R. N. Electrostatic plasma resonances, 4=18886
- Bryant, G. W., Hallett, J. and Mason, B. J. The epitaxial growth of ice on single crystalline substrates, 0=6335
- Bryant, G. W. and Mason, B. J. Etch pits and dislocations in ice crystals, 1=973
- Bryant, G. W. See Mason, B. J., 3=18260
- Bryant, H. C. Heat waves and Angström's method, 3=11964
- Bryant, H. C., Beery, J. G., Flynn, E. R. and Leland, W. T. (He^3, n) reactions on various light nuclei, 4=19824
- Bryant, H. C. See Brown, J. L., 0=4003
- Bryant, H. C. See Brown, J. L., 1=8515
- Bryant, J. Anticoincidence counting method for standardizing radioactive materials, 3=643
- Bryant, J. Coincidence counting corrections for dead-time loss and accidental coincidences, 3=16894
- Bryant, J. I. Infrared vibrations of crystalline potassium azide, 3=18004
- Bryant, J. I. Vibrational spectrum of sodium azide single crystals, 4=22894
- Bryant, J. I. and Turrell, G. C. Infrared spectra of the oxide ion in alkali-halide lattices, 2=21250
- Bryant, P. J., Daniel, T. B. and Rollins, F. R., Jr. On graphite whiskers, 0=3181
- Bryant, P. J., Taylor, L. H. and Gutshall, P. L. Cleavage studies of lamellar solids in various gas environments, 4=20674
- Bryant, R. A comparison of theory and observation of the Echo I satellite, 2=11192
- Bryant, R. See Bailie, A., 0=18883
- Bryant, R. See Jastrow, R., 2=9116
- Bryant, R. See Musen, P., 0=8531
- Bryant, R. T. and Evans, E. W. Observations on the oxygen solubility and magnetic susceptibility of body-centred cubic transition metal alloys, 1=20040
- Bryant, R. W. The effect of solar radiation pressure on the motion of an artificial satellite, 1=18214
- Bryce, D. H. Measurement of reactivity and power through neutron detection probabilities, 4=19859
- Bryde, L., Lassen, N. O. and Poulsen, N. O. R. Ranges of recoil ions from α -reactions, 2=14136
- Bryden, A. D. A Foldy-Wouthuysen transformation for particles of spin $\frac{1}{2}$, 4=19357
- Bryden, J. G. See Krüger, J. E., 3=11367
- Bryden, J. G. See Roper, H., 4=10617
- Bryden, J. H. The crystal structures of the germanium-arsenic compounds. I. Germanium diarsenide, GeAs_2 , 2=10873
- Bryla, S. M. and Feldman, C. Contact potential in thin metal films, 2=8268
- Brymmer, R. and Steckelmacher, W. Demountable vacuum seal for operation at temperatures from -188°C to 800°C , 0=5063
- Bryn, F. Optimum signal processing of three-dimensional arrays operating on Gaussian signals and noise, 2=7309
- Bryngdahl, O. Diffraction patterns of small phase objects measured in the microwave region, 0=297
- Bryngdahl, O. Effect of retinal image motion on visual acuity, 1=6676
- Bryngdahl, O. The accurate estimation of the thermal conductivity properties in liquids by means of a shear-interferometric method, 2=11357
- Bryngdahl, O. Wavefront-shearing interferometer for direct recording of the refractive index gradient in Cartesian coordinates, 3=11936
- Bryngdahl, O. Determination of thermal conductivity by the non-stationary heated wire method, 4=5419
- Bryngdahl, O. A new method for the determination of the transfer function of the visual sense, 4=26994
- Bryngdahl, O. and Ljunggren, S. A new refractive index gradient recording interferometer suitable for studying diffusion, electrophoresis and sedimentation, 2=1254
- Bryngdahl, O. and Riseberg, L. New phenomena in the visual response to sinusoidally varying spatial stimuli, 4=23978
- Bryrup, E., Nielsen, O., Jensen, E. H., Mütze, B., Christiansen, E. A., Friis-Møller, K. and Jacobsen, E. The erection of reactors at Risø. The DR3 Plant, 0=9716
- Bryrup, E., Pedersen, A. K., Christiansen, E. A., Friis-Møller, K. and Jacobsen, E. The erection of reactors at Risø, 0=9714
- Bryrup, E., Pedersen, A. K., Christiansen, E. A., Friis-Møller, K. and Jacobsen, E. The erection of reactors at Risø. The DR2 Plant, 0=9715
- Brysk, H. The radar cross section of a semi-infinite body, 0=2443
- Brysk, H. Specular echoes from dense meteor trails, 2=11162
- Brysk, H. New scattering approximation, 2=13266
- Brysk, H. Determinantal solution of the Fredholm equation with Green's function kernel, 4=5023
- Brysk, H. Some non-born phase shifts, 4=11090

- Brysheva, L.A. See Zhdanov, V.A., 3=18159
- Bryson, A.E. and Rościszewski, J. Influence of viscosity, fluid conductivity, and wall conductivity in the magnetohydrodynamic Rayleigh problems, 2=5456
- Bryson, D.A. See Eschenbach, R.C., 4=14622
- Bryson, R.A. See Horn, L.H., 3=13665
- Bryson-Haynes, D. See Bernard, A., 0=4762
- Brytov, I.A. and Lukirskii, A.P. Photoionization absorption cross-section of beryllium, 4=26176
- Brytov, I.A. See Lukirskii, A.P., 4=30008
- Brýtov, I.A. See Lukirskii, A.P., 4=30544
- Bryukhanov, V.A., Delyagin, N.N. and Kagan, Yu. Mössbauer effect on Sn^{119} nuclei in a vanadium matrix, 4=6687
- Bryukhanov, V.A., Delyagin, N.N. and Kuz'min, R.N. Resonance absorption of γ -quanta in magnesium stannide (Mg_2Sn). The 23.8 keV absorption line with a natural width, 4=12592
- Bryukhanov, V.A., Delyagin, N.N., Kuz'min, R.N. and Shpinel', V.S. The Mössbauer effect in binary tin compounds, 4=25820
- Bryukhanov, V.A., Delyagin, N.N., Opalenko, A.A. and Shpinel', V.S. Some characteristics of the spectra of resonance absorption of 23.8 keV γ -rays by Sn^{119} nuclei, 3=2368
- Bryukhanov, V.A., Delyagin, N.N. and Shpinel', V.S. Magnetic moment of the 23.8 keV excited state of the Sn^{119} nucleus, 2=16299
- Bryukhanov, V.A., Delyagin, N.N. and Shpinel', V.S. Magnetic moment of the 23.8 keV excited state of the Sn^{119} nucleus, 3=6141
- Bryukhanov, V.A., Delyagin, N.N., Zvenglinskii, B. and Shpinel', V.S. Energy shifts of gamma transitions observed in resonance absorption of gamma quanta in crystals, 2=2554
- Bryukhanov, V.A., Delyagin, N.N., Zvenglinskii, B., Sergeev, S.A. and Shpinel', V.S. Measurement of spectra of the resonance absorption of gamma-quanta in crystals, 4=1345
- Bryukhanov, V.A., Gol'danskii, V.I., Delyagin, N.N., Korytko, L.A., Makarov, E.F., Suzdalev, I.P. and Shpinel', V.S. Peculiarities of Mössbauer spectra of tin-organic compounds and the role of the nearest chemical bonds in the Mössbauer effect, 3=744
- Bryukhanov, V.A., Gol'danskii, V.I., Delyagin, N.N., Makarov, E.F. and Shpinel', V.S. Investigation of the Mössbauer effect in a tin-containing polymer, 2=10930
- Bryukhanov, V.A., Gol'danskii, V.I., Delyagin, N.N., Makarov, E.F. and Shpinel', V.S. Investigation of the Mössbauer effect in a tin-containing polymer, 3=6877
- Bryukhanov, V.A. See Delyagin, N.N., 0=20788
- Bryukhanov, V.A. See Delyagin, N.N., 1=2164
- Bryukhanov, V.A. See Shpinel', V.S., 2=555
- Bryukhanov, V.A. See Shpinel', V.S., 2=5810
- Bryukhanova, L.S., Andreyeva, I.N. and Likhtman, V.I. Effect of surface-active metallic melts on the creep resistance of metals, 1=20383
- Bryukhanova, L.S., Andreyeva, I.N. and Likhtman, V.I. Effect of surface-active metallic melts on the creep resistance of metals, 2=6751
- Bryukhanova, L.S., Kochanova, L.A. and Likhtman, V.I. The validity of the brittle fracture of single crystals of zinc, 0=6316
- Bryukhanova, L.S. See Chaevskii, M.I., 2=14899
- Bryukhanova, L.S. See Chaevskii, M.I., 2=19004
- Bryukhanova, L.S. See Likhtman, V.I., 1=14907
- Bryukhanova, L.S. See Likhtman, V.I., 1=20370
- Bryukhatov, N.L. and Grinchar, N.A. Investigation of rotational hysteresis in cold rolled and recrystallized nickel, 3=18076
- Bryukhanov, V.A. See Shpinel', V.S., 3=4571
- Bryukman, A., Mrovetz, S. and T. Verber, Investigation of the mechanism of reaction diffusion in the nickel-Sulphur system, 3=1387
- Brýzgunov, V.A. Measurement of radioactivity of short-lived gases in a mixture of fission products, 2=14006
- Brýzgunov, V.A. Measuring specific activity of gases by means of gas-flow chambers, 3=4583
- Brýzhina, M.F. See Isupov, V.A., 3=25390
- Brýzhina, M.F. See Zaslavskii, A.I., 3=23459
- Brýzhev, L.D., Leikin, A.Ya. and Sopel'nikov, M.D. Determination of frequency of a maser, and of irregularities in the earth's rotation, 2=1582
- Brzhan, V.S. X-ray studies of crystallization in sorbed water, 0=18354
- Brzhechko, L.V. See Pavlichenko, O.S., 4=19048
- Brzhezina, B. and Fousek, Ya. Interaction of 90° and 180° domains in BaTiO_3 , 2=21218
- Brzhezina, B. and Fousek, Ya. Interaction of 90° and 180° domains in BaTiO_3 , 3=2952
- Brzhezinskii, V.A. See Yurasova, V.E., 4=29993
- Brzosko, J., Decowski, P. and Wilhelmi, Z. The cross-sections of (n,p) reactions producing isomeric and ground states of indium and antimony isotopes, 3=22406
- Brzozowski, W. The magnetohydrodynamic generators, 2=7554
- Brzozowski, W. Magnetohydrodynamic generators. II, 3=4001
- Brzozowski, W.S. Results of the first experiments with small-power magnetohydrodynamic generators, 2=15879
- Brzozowski, W.S. and Celiński, Z. Plasma generators (plasmotrons, arc plasma torches, arc heaters), 2=19974
- Brzozowski, W.S. See Nowacki, P.J., 3=2117
- Bub, G.J. and Webb, W.H. Electrodialysis unit for fission product separation, 1=20751
- Bubáková, R. Exact adjustment of monocrystals on many-crystal X-ray equipment, 3=2071
- Bubáková, R., Drahokoupil, J. and Fingerland, A. Single crystal diffraction pattern of germanium, 1=9134
- Bubáková, R., Drahokoupil, J. and Fingerland, A. A contribution to the theory of the triple crystal diffractometer, 1=15030
- Bubáková, R., Drahokoupil, J. and Fingerland, A. Single crystal diffraction pattern of germanium, 1=15069
- Bubáková, R., Drahokoupil, J. and Fingerland, A. Single crystal diffraction patterns of germanium. II, 2=21511
- Bubáková, R., Drahokoupil, J. and Fingerland, A. The single crystal diffraction patterns of silicon, 3=5097
- Bubb, I.F. See Legg, G.J.F., 1=16981
- Bube, B.H. and Young, B. Dependence of photoconductivity gain on photon energy in CdS : I: Cu crystals, 4=12985
- Bube, R. See Dreeben, A.B., 4=1679
- Bube, R.H. Photoelectronic analysis of high resistivity crystals: (a) GaAs, (b) Sb_2S_3 , 0=6139
- Bube, R.H. Saturation of photocurrent with light intensity, 0=13630
- Bube, R.H. Mechanism of photoconductivity in microcrystalline powders, 1=3784
- Bube, R.H. Monotonic trap distributions, 1=14423
- Bube, R.H. Cross-section ratios of sensitizing centers in photoconductors, 1=14438
- Bube, R.H. Trap density determination by space-charge-limited currents, 2=12420
- Bube, R.H. Pulse excitation studies of gain and trapping in photoconductors, 4=4223
- Bube, R.H. Photoelectronic properties of imperfections in cadmium sulfo-selenide solid solutions, 4=12987
- Bube, R.H. The study of crystalline imperfections through the interaction between photoconductivity and magnetic fields, 4=17415
- Bube, R.H. and Barton, L.A. The achievement of maximum photoconductivity performance in cadmium sulfide crystals, 0=2908
- Bube, R.H. and Cardon, F. Determination of capture cross-sections by optical quenching of photoconductivity, 4=28636
- Bube, R.H. and Dreeben, A.B. Dependence of the hole ionization energy of imperfections in cadmium sulfide on the impurity concentration, 0=1663
- Bube, R.H. and Lind, E.L. Photoconductivity of gallium selenide crystals, 0=1681
- Bube, R.H. and Lind, E.L. Photoconductivity in gallium sulfo-selenide solid solutions, 0=15989
- Bube, R.H., Lind, E.L. and Dreeben, A.B. Properties of cadmium sulfide crystals with high impurity concentrations, 3=906
- Bube, R.H. and McCarroll, W.H. Photoconductivity in indium sulfide powders and crystals, 0=7961
- Bube, R.H. and MacDonald, H.E. Effect of photoexcitation on the mobility in photoconducting insulators, 1=2421
- Bube, R.H. and MacDonald, H.E. Temperature dependence of photo-Hall effects in high-resistivity gallium arsenide. I. One-carrier effects, 3=6632
- Bube, R.H. and MacDonald, H.E. Temperature dependence of photo-Hall effects in high-resistivity gallium arsenide. II. Two-carrier effects, 3=6633
- Bube, R.H., MacDonald, H.E. and Blanc, J. Photo-Hall effects in photoconductors, 2=8408
- Bube, R.H. See Blanc, J., 1=12446
- Bube, R.H. See Blanc, J., 2=23384
- Bube, R.H. See Blanc, J., 3=791
- Bube, R.H. See Blanc, J., 4=15467
- Bube, R.H. See Lind, E.L., 3=6631
- Bube, R.H. See MacDonald, H.E., 2=17739
- Bube, R.H. See Rose, A., 0=3795
- Bube, R.H. See Williams, R., 0=9990

- Bubelev, E.G. A model for multiple meson production with finite $N-\pi$ and $\pi-\pi$ interaction, 1=2091
- Buben, N. Ya. See Alfimov, M. V., 4=26526
- Buben, N. Ya. See Boyarchuk, Yu. M., 2=3790
- Buben, N. Ya. See Molin, Yu. N., 4=17675
- Buben, N. Ya. See Nikol'skii, V. G., 0=21018
- Buben, N. Ya. See Nikol'skii, V. G., 4=1416
- Bubernak, J., Lew, M. S. and Matlack, G. M. Point source technique for gamma ray absorption studies, 2=11925
- Bubker, G. I. and Beliaev, S. T. [Simplified] Boltzmann's equation for an electron gas in which collisions are infrequent, 1=7048
- Bublei, R. E. Brittle strength of foamed materials, 2=6844
- Bublik, N. I. See Volkov, D. I., 4=26269
- Bubnov, N. N., Voevodskii, V. V., Fok, N. V. and Shelimov, B. N. Study of electronic phototransfer reactions in the solid phase by E. P. R., 2=6686
- Bucci, C. and Fieschi, R. Ionic thermoconductivity. Method for the investigation of polarization in insulators, 4=12955
- Bucci, P. Apparatus for measuring nuclear quadrupole resonance at frequencies of the order of 1 Mc/s, 1=9695
- Bucci, P., Cecchi, P. and Scrocco, E. Zeeman effect of the N. Q. R. of ^{35}Cl and asymmetry parameter in chlorine compounds, 4=25739
- Bucci, P. See Scrocco, E., 0=1508
- Buccilli, P. R. See Speros, D. M., 4=475
- Buccilli, P. R. See Speros, D. M., 3=14617
- Buccino, S. G., Hollandsworth, C. E. and Bevington, P. R. Neutron yields from the $\text{Li}^7(p, n^0)\text{Be}^{10}$ reaction near threshold, 4=19777
- Buccino, S. G. See Hollandsworth, C. E., 4=30001
- Buch, K. See Zetzsche, A., 2=6716
- Buch, T. See Pearson, R. G., 2=7231
- Buch, T. See Wright, P. M., 3=8459
- Buchal, R. N. and Keller, J. B. Impedance between perfect conductors in a finitely conducting medium with application to composite media, 4=5541
- Buchanan, A. E. See deDelara, G., 4=427
- Buchanan, D. N. E. See Kurkjian, C. R., 4=20168
- Buchanan, D. N. E. See Wertheim, G. K., 4=12583
- Buchanan, D. N. E. See Wertheim, G. K., 4=12602
- Buchanan, E. R. See Reed-Hill, R. E., 3=11214
- Buchanan, J. G. See McGrath, J. T., 3=3244
- Buchanan, J. S. and James, H. J. Measurement of high intensity stress pulses, 0=5086
- Buchanan, R. See Nixon, W. C., 4=27574
- Buchanan, R. A. and Bowen, W. A., Jr. LiOH hydration effects in pressed alkali halide pellets, 1=7898
- Buchanan, R. A. and Caspers, H. H. Answer to "Comment on infrared absorption spectra of LiOH and LiOD", 3=13177
- Buchanan, R. A., Caspers, H. H. and Marlin, H. R. Infrared absorption spectra of LiOH films in the 75- to 650- cm^{-1} region, 4=13043
- Buchanan, R. A., Caspers, H. H. and Murphy, J. Lattice vibration spectra of $\text{Mg}(\text{OH})_2$ and $\text{Ca}(\text{OH})_2$, 4=3973
- Buchanan, R. A., Kinsey, E. L. and Caspers, H. H. Infrared-absorption spectra of LiOH and LiOD, 2=14685
- Buchanan, R. A. See Caspers, H. H., 4=22478
- Buchanan, R. A. See Murphy, J., 4=12614
- Buchanan, R. F. See Kittel, J. H., 0=13380
- Buchdahl, H. A. Reciprocal static metrics and scalar fields in the general theory of relativity, 0=877
- Buchdahl, H. A. General relativistic fluid spheres, 0=2112
- Buchdahl, H. A. Approximations to the equation of state of a Fermi-Dirac gas, 0=3556
- Buchdahl, H. A. The concepts of classical thermodynamics, 0=3690
- Buchdahl, H. A. Optical aberration coefficients. VI. On computations involving coordinates lying partly in the image space, 0=8774
- Buchdahl, H. A. Optical aberration coefficients. VII. The primary, secondary, and tertiary deformation and retardation of the wave front, 0=8775
- Buchdahl, H. A. Optical aberration coefficients. VIII. Coefficient of spherical aberration of order eleven, 0=10751
- Buchdahl, H. A. Non-linear Lagrangians and Palatini's device, 0=16582
- Buchdahl, H. A. On the nonexistence of a class of static Einstein spaces asymptotic at infinity to a space of constant curvature, 1=4253
- Buchdahl, H. A. Optical aberration coefficients, IX. Theory of reversible optical systems, 1=8215
- Buchdahl, H. A. On the gravitational field equations arising from the square of the Gaussian curvature, 2=7121
- Buchdahl, H. A. Entropy concept and ordering of states. I, 2=15828
- Buchdahl, H. A. On the compatibility of relativistic wave equations in Riemann spaces, 2=20233
- Buchdahl, H. A. Remark concerning the eigenvalues of orbital angular momentum, 3=45
- Buchdahl, H. A. Optical aberration coefficients. X. Theory of concentric optical systems, 3=1794
- Buchdahl, H. A. Optical aberration coefficients. XI. Theory of a concentric corrector, 3=1795
- Buchdahl, H. A. Heuristic approximations to the equation of state and energy function of a perfect Fermi-Dirac gas for arbitrary temperature and degeneracy, 3=7143
- Buchdahl, H. A. Remark on the eigenvectors of angular momentum operators, 4=56
- Buchdahl, H. A. and Greve, W. Entropy concept and ordering of states. II, 3=5559
- Buchel'nikova, N. S. Determination of the attachment cross-sections for slow electrons in molecules, 2=1384
- Buchel'nikova, N. S. Calibration of an ionization manometer for some halogen-containing gases, 2=2793
- Buchel'nikova, N. S. [Bučel'nikova, N. S.]. Negative ions, 4=447
- Buchel'nikova, N. S. "Universal" instability of potassium plasma, 4=19044
- Bucher, E., Gross, D. and Olsen, J. L. Isotope and pressure effect in hard super-conductors, 2=7495
- Bucher, E., Heiniger, F., Muheim, J. and Muller, J. Superconductivity and electronic properties of transition metal alloys, 4=18616
- Bucher, E., Heiniger, F. and Müller, J. Superconductivity and paramagnetism in complex phases of transition elements, 2=2961
- Bucher, E., Heiniger, F. and Müller, J. Superconductivity in σ -phases, 2=5237
- Bucher, E., Heiniger, F. and Müller, J. Specific heat and magnetic susceptibility of superconducting binary complex phases of transition metals, 4=16340
- Bucher, E., Heiniger, F. and Müller, J. Superconductivity and electronic properties of binary complex phases of the transition metals, 4=16352
- Bucher, E., Laves, F., Muller, J. and Von Philipsborn, H. A phase transition and its influence on super-conductivity in the (Nb, V)-Au Al₅ type structure, 4=14528
- Bucher, E., Muheim, J. and Müller, J. Electronic specific heat and superconductivity of Nb-Ru alloys, 4=16357
- Bucher, E. and Müller, J. Superconductivity in hexagonal Ti-V and Ti-Nb alloys, 2=5242
- Bucher, E. and Olsen, J. L. Superconductivity of transition metals under pressure, 4=16366
- Bucher, E. See Bender, D., 3=22662
- Bucher, E. See Olsen, J. L., 4=21420
- Bucher, W. P., Beverly, W. B., Cobb, G. C. and Hereford, F. L. Scattering of 2 to 4 MeV polarized neutrons by carbon, 0=455
- Bucher, W. P., Beverly, W. B., Cobb, G. C. and Hereford, F. L. Polarization of 2 to 4 MeV neutrons scattered by deuterons, 0=5564
- Bucher, W. P. and Kent, D. W. Scattering of polarized 3.25-MeV neutrons by medium weight nuclei, 4=17148
- Bucher, W. P. See Kent, D. W., 2=1903
- Buchert, H. See Zeil, W., 1=3537
- Buchet, G., de Courville, J., Fakiris, A., Goldman, A., Goldman, M. and Reinhardt, J. Notes on the formation of discharge breakdown in gases and liquids, 2=19928
- Buchet, G., Goldman, M. and Fakiris-Zeitoun, A. Sputtering from metallic electrodes in a corona discharge, 2=19912
- Buchet, G., Goldman, M., Goldman, A. and Reinhardt, J. Remarks on the aspect of the cathodic erosion phenomena in an undisturbed corona discharge with negative point, 3=4052
- Buchet, G. See Hartmann, G., 4=18695
- Buchet, M. G. See Hartmann, M. G., 4=2954
- Buchhold, T. A. Applications of superconductivity, 2=15858
- Buchhold, T. A. The nature of the surface losses of superconductors at low frequencies, 4=2914
- Buchhold, T. A. and Molenda, P. J. Surface electrical losses of superconductors in low frequency fields, 3=12033
- Buchholz, E. See McDonald, W. J., 3=10323
- Buchholz, H. Geometric errors in coincidence counter arrangements, 2=22359
- Büchl, K. Pressure measurements with piezoelectric probes on a linear Z-pinch, 4=24681
- Büchler, A., Berkowitz-Mattuck, J. B. and Dugre, D. H. Infrared spectra of some group IV halides, 1=11790

- Büchler, A. and Berkowitz-Mattuck, J.B. Gaseous metaborates. I. Mass-spectrometric study of the vaporization of lithium and sodium metaborates, 3=25807
- Büchler, A., Klemperer, W. and Emslie, A.G. Infrared spectra of the group II halides: zinc halides and the ionic model, 2=14255
- Büchler, A. and Marram, E.P. Gaseous metaborates. II. Infrared spectra of alkali metaborate vapors, 3=25808
- Büchler, A., Stauffer, J. L. and Klemperer, W. Geometry of the transition-metal dihalides: the fluorides of manganese, cobalt, nickel, copper, and zinc, 4=22378
- Büchler, A., Stauffer, J. L., Klemperer, W. and Wharton, L. Determination of the geometry of lithium oxide, $\text{Li}_2\text{O}(\text{g})$, by electric deflection, 4=3876
- Büchler, A. See Berkowitz-Mattuck, J.B., 4=4695
- Büchler, A. See Klemperer, W., 0=20620
- Büchler, M. and Hofmann, A. Absolute determination of the source strength of extended samples by the coincidence method, 4=27986
- Buchma, I.M. See Kushnir, R.M., 2=17789
- Buchmann, F., Hübert, M. and Röhler, R. Experiments on inertialess (fast response) measurements of dose rate near commercial X-ray apparatus, 0=20111
- Buchmann, F. See Röhler, R., 1=18636
- Buchmann, R.A. Near infrared spectra of crystalline alkali hydroxides, 0=1736
- Buchner, P. See Kuhn, W., 4=29235
- Buchsbaum, S.J. Resonance in a plasma with two ion species, 0=10926
- Buchsbaum, S.J. Ion resonance in a multicomponent plasma, 1=7070
- Buchsbaum, S.J. Electron and ion resonance in a plasma, 3=7616
- Buchsbaum, S.J. and Brown, S.C. The dielectric coefficient of a plasma, 3=4112
- Buchsbaum, S.J. and Galt, J.K. Alfvén waves in solid-state plasmas, 1=19751
- Buchsbaum, S.J., Gordon, E.I. and Brown, S.C. Experimental study of a plasma column in a microwave cavity, 1=9571
- Buchsbaum, S. J. and Hasegawa, A. Excitation of longitudinal plasma oscillations near electron cyclotron harmonics, 4=24696
- Buchsbaum, S.J., Mower, L. and Brown, S.C. Interaction between cold plasmas and guided electromagnetic waves, 0=17017
- Buchsbaum, S.J. and Smith, G.E. Microwave-induced d.c. voltage in bismuth, 3=2856
- Buchsbaum, S.J. See Allis, W.P., 3=12213
- Buchsbaum, S.J. See Baraff, G.A., 3=12072
- Buchsbaum, S.J. See Bekefi, G., 2=22237
- Buchsbaum, S.J. See Cottingham, W.B., 3=12071
- Buchsbaum, S. J. See Cottingham, W.B., 4=18675
- Buchsbaum, S.J. See Ericson, M., 2=17842
- Buchsbaum, S. J. See Grimes, C. C., 4=22549
- Buchsbaum, S.J. See Mower, L., 3=7553
- Buchsbaum, S.J. See Platzman, P.M., 1=16355
- Buchsbaum, S.J. See Platzman, P.M., 3=1984
- Buchsbaum, S. J. See Platzman, P. M., 4=517
- Buchsbaum, S. J. See Platzman, P. M., 4=27532
- Buchsbaum, S. J. See Roberts, C. S., 4=24800
- Buchsbaum, S.J. See Smith, G.E., 3=4853
- Buchta, G. A reciprocal ferrite phase shifter, 4=27660
- Buchta, J.W. Physics education, 1=5181
- Buchvarov, N. See Kristov, V., 4=24942
- Buchwald, V.T. Elastic waves in anisotropic media, 0=8733
- Buchwald, V. T. Eigenfunctions of plane elastostatics. I. The strip, 4=11140
- Buchwald, V.T. and Davis, A. Surface waves in anisotropic elastic media, 1=16008
- Buck, A., Erickson, R. and Barnes, F. Design and operation of xenon flashtubes, 3=19217
- Buck, B. Excitation of two-phonon states by inelastic α -particle scattering, 2=18357
- Buck, B. Calculation of elastic and inelastic proton scattering with a generalized optical model, 3=12662
- Buck, B. and Hodgson, P.E. The analysis of (d, p) stripping reactions by the distorted wave Born approximation, 1=19517
- Buck, B. and Hodgson, P.E. Optical model analysis of $\text{Mg}^{24}(\text{d}, \text{p})\text{Mg}^{25*}$ at 10.1 MeV, 2=5961
- Buck, B., Maddison, R.N. and Hodgson, P.E. Optical model analysis of nuclear scattering, 0=20427
- Buck, B. and Perey, F. Effect of nuclear collective motions on S- and P-wave strength functions, 2=20655
- Buck, B. and Satchler, G.R. Effects of a resonance on direct reactions, 1=8673
- Buck, B., Stamp, A. P. and Hodgson, P.E. The excitation of collective states by inelastic scattering. The extended optical model, 4=6303
- Buck, B. See Benveniste, J., 4=9494
- Buck, B. See Perey, F., 2=14105
- Buck, B. M. and Greene, C. R. Arctic deep-water propagation measurements, 4=29263
- Buck, B. M. See Greene, C. R., 4=23719
- Buck, O. Deformation and electrical resistance of copper single crystals at very low temperatures, 2=14492
- Buck, O. Mechanical relaxation of copper single crystals, 4=4460
- Buck, O. and Essmann, U. Formation of large-angle grain boundaries during the deformation of metal single crystals, 4=10378
- Buck, O. and Essmann, U. The formation of deformation twins in copper single crystals, 4=29032
- Buck, O. See Kronmüller, H., 4=26317
- Buck, O. See Seeger, A., 1=2501
- Buck, T.M. See Allen, F.G., 0=9967
- Buck, T. M. See Lander, J. J., 4=7657
- Buck, W.L. The origin of scintillations in organic materials, 1=2460
- Bucka, H., Kopfermann, H. and Minor, A. Precise measurement of the hyperfine structure of $6^2\text{P}_{3/2}$ term of Rb I spectrum, 1=2284
- Bucka, H., Kopfermann, H. and Ney, J. The nuclear quadrupole moment of K^{40} , 0=11304
- Bucka, H., Kopfermann, H. and Ney, J. Double resonance investigation of the hyperfine structure of the $5^2\text{P}_{3/2}$ term in the KI spectrum for determining the nuclear electric quadrupole moment of K^{40} , 2=9996
- Bucka, H., Kopfermann, H. and Putlitz, G. Zu. Nuclear quadrupole moments of the barium isotopes Ba^{135} and Ba^{137} , 2=348
- Bucka, H., Kopfermann, H., Rasiwala, M. and Schlüssler, H. Nuclear quadrupole moment of Rb^{87} , 4=6203
- Bucka, H., Kopfermann, H. and Zu Putlitz, G. Quadrupole moment of strontium 87, 2=18243
- Bucka, H. and Nagel, H.H. The lifetime of the $f^3\text{P}_1$ term in the barium-1 spectrum, 1=17257
- Bucka, H. and Otten, E.W. Determination of the g_J -factor of the $4s4p^3\text{P}_1$ term in the spectrum of Ca I, 2=10208
- Bucka, H. and Schlüssler, H.J. A double resonance experiment on the 6^1P_1 term of the even barium isotope in the Ba I spectrum, 1=4901
- Bucka, H. and von Oppen, G. Hyperfine structure and lifetime of the $8^3\text{P}_{1/2}$ term in the Cs I spectrum, 3=10451
- Buckel, W. The influence of crystal bonds on film growth, 3=16132
- Buckel, W., Dummer, G. and Gey, W. Superconductivity and lattice structure of titanium-rhodium alloys, 3=7407
- Buckel, W., Dummer, G. and Gey, W. Study of the superconductivity of Zr-Rh alloy systems, 3=9688
- Buckel, W. and Gey, W. Superconductivity in gallium at high pressure, 4=8567
- Buckel, W., Grey, W. and Wittig, J. Influence of pressure up to 30,000 kg cm^{-2} on the superconducting transition temperature of Nb_3Sn , 4=27432
- Buckel, W., Hilsch, R. and v. Minnigerode, G. Effect of plastic deformation at low temperatures on the superconductivity of gallium, 0=16955
- Buckel, W. See Fortmann, J., 1=3725
- Bucker, H. P. Normal-mode sound propagation in shallow water, 4=10693
- Bucker, H. P., Whitney, J. A. and Keir, D. L. Use of Stoneley waves to determine the shear velocity in ocean sediments, 4=29261
- Buckey, C.R. See Van Duzer, T., 3=14655
- Buckhoff, F.J. and Pace, E.L. Residual entropy of sulfuric fluoride at 0°K, 2=20935
- Buckholz, E.E. and McPhail, M.K. Apparatus for applying liquids in small droplets to animals, 0=6489
- Buckingham, A.D. Solvent effects in infra-red spectroscopy, 0=1529
- Buckingham, A.D. Frequency dependence of the Kerr constant, 2=11507
- Buckingham, A.D. Pressure-induced shifts and broadenings of infra-red spectral lines, 2=14273
- Buckingham, A.D. Nuclear quadrupole coupling in ionic molecules, 2=20868
- Buckingham, A.D. Temperature-dependent chemical shifts in the N.M.R. spectra of gases, 2=18484

- Buckingham, A.D. X-ray scattering by a crystal in an electric field, 4=26629
- Buckingham, A.D. and Dows, D.A. Dipole moments and polarizabilities of electronically excited molecules through the
- Buckingham, A.D. and Disch, R.L. The quadrupole moment of the carbon dioxide molecule, 3=12835
- Buckingham, A.D. and Lawley, K.P. Nuclear magnetic shielding of a hydrogen atom in (1) an electric field-gradient and (2) a cage, 1=13926
- Buckingham, A.D. and Lovering, E.G. Effects of a strong electric field on n.m.r. spectra. The absolute sign of the spin coupling constant, 3=6419
- Buckingham, A.D. and Pople, J.A. High-resolution n.m.r. spectra in electric fields, 4=6650
- Buckingham, A.D., Schaefer, T. and Schneider, W.G. Solvent effects in nuclear magnetic resonance spectra, 0=7801
- Buckingham, A.D., Schaefer, T. and Schneider, W.G. Solvent effects in nuclear magnetic resonance, 1=8140
- Buckingham, A.D. and Stephens, P.J. The Stark effect in molecules with strong nuclear quadrupole coupling, 4=20005
- Buckingham, A.D. See Andrews, A.L., 1=15957
- Buckingham, A.D. See Bridge, N.J., 4=21186
- Buckingham, A.D. See Bridge, N.J., 3=25078
- Buckingham, A.D. See Dows, D.A., 4=15311
- Buckingham, A.D. See Pitcher, E., 2=2021
- Buckingham, A.D. See Raynes, W.T., 2=16556
- Buckingham, A.D. See Schneider, W.G., 3=15378
- Buckingham, B.E. See Hyde, F.J., 2=6480
- Buckingham, J.D. See Steckelmacher, W., 4=21592
- Buckingham, J.H., Hulme, K.F. and Morgan, J.R. Impurity diffusion and drift in germanium tunnel-diode junctions, 3=20362
- Buckingham, M.J. The nature of the λ -transition, 0=8914
- Buckingham, M.J. Measurement of interplanetary electron density from the earth, 2=11104
- Buckingham, M.J. See Butler, S.T., 2=9570
- Buckingham, R.A. The present status of intermolecular potentials for calculations of transport properties, 2=3794
- Buckingham, R.A. and Duparc, D.M. Remarks on W.A. Bingel's 'Comment on the use of united atom expansions', 3=12811
- Buckingham, R.A. and Fox, J.W. The coefficient of viscosity of atomic hydrogen from 25 to 300°K, 2=9292
- Buckingham, R.A. See Duparc, D.M., 4=19993
- Buckland, N.M. and Ackland, R.G. A phototransistor galvanometer relay, 3=348
- Bückle, C. Metallographic observation of the plastic behaviour of uranium oxide in indentation hardness experiments, 2=19022
- Buckle, E.R. Reduced temperatures for nucleation in supercooled liquids, 0=16287
- Buckle, E.R. Phase changes in salt vapours, 1=11629
- Buckle, E.R. Studies on the freezing of pure liquids. II. The kinetics of homogeneous nucleation in supercooled liquids, 1=16176
- Buckle, E.R. and Hooker, C.N. Phase changes in salt vapours. II. 3=1402
- Buckle, E.R. and Rowlinson, J.S. The liquid state, 4=16088
- Buckle, E.R. and Ubbelohde, A.R. Studies on the freezing of pure liquids. I. Critical supercooling in molten alkali halides, 1=8266
- Buckle, E.R. and Ubbelohde, A.R. Studies on the freezing of pure liquids. III. Homogeneous nucleation in molten alkali halides, 1=16177
- Buckler, A.N. and MacDougall, J.D. A description of the tracer-1 computational scheme, 4=6425
- Buckler, A.N. and Tyrer, J.G. The representation of absorbers in finite difference diffusion codes, 4=9607
- Buckler, P.A.C. and Pull, I.C. Doppler broadening of cross-sections, 3=10418
- Buckley, J.I. See Kitchingman, W.J., 1=1411
- Buckley, J.K. and Hupert, J.J. Experimental verification of the gain formula for parametric amplifiers, 1=7146
- Buckley, R.A., Axon, H.J. and Conacher, J. Lattice spacings of silver-magnesium solid solutions in the ordered and random conditions, 1=15161
- Buckley, R.A. and Hume-Rothery, W. Liquidus = solidus relations in iron-rich alloys of the systems Fe-Tc, Fe-Os, Fe-Ir and Fe-Au, 3=11285
- Buckley, R.A. and Hume-Rothery, W. The liquid = solid and $\delta = \gamma$ equilibria in iron rich alloys, 3=13526
- Buckley, R.A. See Anderson, E., 0=20725
- Buckley, R.A. See Hume-Rothery, W., 4=24430
- Buckley, R.A. See Hume-Rothery, W., 4=24431
- Buckley, S.N. Irradiation growth, 2=20995
- Buckley, T. On the passive circuit adjustment of parametric amplifiers incorporating varactor diodes, 4=18643
- Bucklow, I.A. and Drain, L.E. Spark erosion in liquid argon, 4=30999
- Bucklow, I.A. See Cole, M., 1=9240
- Bucklow, I.A. See Cole, M., 1=16411
- Buckmaster, H.A. Angular variation of axial spin-Hamiltonian eigenvalues in strong magnetic field, 1=18281
- Buckmaster, H.A. Tables of matrix elements for the operators O_2^{+1} , O_4^{+1} , O_6^{+1} , O_6^{+5} , 3=18691
- Buckmaster, H.A. Angular spectra of $\Delta M = \pm 2$ and ± 3 transitions in (0.999 La, 0.001 Gd)·(C₂H₅SO₄)₃·9H₂O, 4=26397
- Buckmaster, H.A. Tables of angular momentum transformation matrix elements $d_{m' m}^{(j)}(\beta)$ ($j = 2, 4, 6$), 4=12565
- Bucur, R. Influence on its potential of the H₂-D₂O isotopic exchange at the surface of the (Pd-H)_{0.8} electrode, 2=4546
- Bucur, R., Mercea, I. and Mercea, V. Investigations on the use of katharometers for isotopic analysis, 0=15668
- Bucur, R.V. The equilibrium isotherm for the β -Pd-H solution, 2=10932
- Bucur, R.V. The partial miscibility of palladium and hydrogen in solid solutions and the properties of the Pd-H electrode, 2=10987
- Bucur, R.V. Anodic oxidation of A (Pd-H) solution in constant current, 3=5166
- Bucur, R.V. Adsorption isotherm for the hydride phases of some transition metals, 4=10619
- Bucur, I. See Atanasiu, G., 1=1574
- Bucur, I. See Atanasiu, G., 1=1575
- Bucur, I. See Atanasiu, G., 1=6647
- Buczko, M. See Csikai, J., 1=5608
- Budagov, Yu.A., Dzhelepov, V.P., Ivanov, V.G., Lomakin, Yu.F., Flyagin, V.B. and Shlyapnikov, P.V. Bubble chamber operation in the regime of auto-oscillations, 3=17131
- Budagov, Yu.A., Ermolov, P.F., Kushnirenko, E.A. and Moskalev, V.I. Excitation of the He⁴ nucleus by 150 MeV π^- -mesons, 1=19297
- Budagov, Yu.A., Ermolov, P.F., Kushnirenko, E.A. and Moskalev, V.I. Interaction between 153 MeV negative π -mesons and helium, 2=16228
- Budagov, Yu.A., Ermolov, P.F., Kushnirenko, E.A. and Moskalev, V.I. Excitation of the He⁴ nucleus by 150 MeV π^- -mesons, 3=4474
- Budagov, Yu.A., Ermolov, P.F., Kushnirenko, E.A. and Mosalev, V.I. Interaction between 153 MeV negative π -mesons and helium, 3=6039
- Budagov, Yu.A., Viktor, S., Dzhelepov, V.P., Ermolov, P.F. and Moskalev, V.I. Electron-positron pairs from the decay $\pi^0 \rightarrow e^- + e^+ + \gamma$, 0=2532
- Budagov, Yu.A., Viktor, S., Dzhelepov, V.P., Ermolov, P.F. and Moskalev, V.I. Observations of the $\pi^0 \rightarrow e^- + e^+ + e^- + e^+$ decay, 0=9399
- Budagov, Yu.A., Viktor, S., Dzhelepov, V.P., Yermolov, P.F. and Moskalev, V.I. Elastic scattering of negative pions by protons at 128 and 162 MeV, 1=5766
- Budagov, Yu.A., Viktor, S., Dzhelepov, V.P., Ermolov, P.F. and Moskalev, V.I. Internal-conversion pairs in the decay of neutral π -mesons, 0=13017
- Budagov, Yu.A., Viktor, S., Dzhelepov, V.P., Ermolov, P.F. and Moskalev, V.I. Elastic scattering of 128 and 162 MeV π^- -mesons by protons, 0=13018
- Budagov, Yu.A., Viktor, S., Dzhelepov, V.P., Yermolov, P.F. and Moskalev, V.I. β -decay of negative pions, 0=7402
- Budak, H. Cl³⁵ isotope in NaClO₃ as nuclear Q.R. thermometer, 4=21340
- Budal, K. Proposals for some multiple detector systems for measurement of particle trajectories, 3=19515
- Budal, K., Høy, E. and Olsen, H. Measurements of acoustic radiation force, 0=141
- Budberg, P.B. See Alisova, S.P., 4=30850
- Budd, H. Chamber's solution of the Boltzmann equation, 2=15501
- Budd, H. Solution of the Boltzmann equation, 3=14069
- Budd, H.F. Low-temperature galvanomagnetic phenomena in an intense electric field, 4=20342
- Budd, H.F. The generalized path variable method, 3=21265
- Budd, H.F. Galvanomagnetic phenomena in high electric fields, 3=22916
- Budde, R., Burger, A., Filthuth, F., Goldschmidt-Clermont, Y., Mayer, H.M., Morrison, D.R.O., Peyrou, C. and Trembley, J. Tract distortion in a liquid hydrogen bubble chamber, 0=2465

- Budde, J., Fischer, K., Menz, W. and Sauerwald, F. Viscosity measurements. XIV. Most probable values of the viscosities of molten tin, lead, bismuth, potassium, 2=7182
- Budde, R. See d'Andlau, C., 3=17328
- Budde, R. See Bartke, J., 1=8513
- Budde, R. See Bartke, J., 2=13883
- Budde, W. Standards of reflectance, 0=3658
- Budde, W. Stability of high-pressure xenon lamps, 2=7316
- Budde, W. Photoelectric analysis of polarized light, 2=15749
- Budde, W. A photomultiplier circuit for precision spectrophotometry, 4=11497
- Budde, W. Integrating sphere for the photometry of the sky, 4=29295
- Budden, K.G. Effect of small irregularities on the constitutive relations for the ionosphere, 0=3344
- Budden, K.G. The edge focusing of a radio signal received from outside the earth by an aerial within the ionosphere, 1=18145
- Budden, K.G. The influence of the earth's magnetic field on radio propagation by wave-guide modes, 2=7756
- Budden, K.G. and Cooper, E. Ionospheric equivalent heights of reflection calculated by a full wave method and by the phase integral method, 2=21647
- Budden, K. G. The impedance of an aerial immersed in an anisotropic medium, 4=5818
- Budden, K. G. The resonant frequencies of cavities in a magnetoionic medium, 4=8929
- Budden, K. G. and Hugill, J. The theory of the cosmic background radio signal received within the ionosphere, 4=10759
- Budden, K. G. and Jull, G. W. Reciprocity and nonreciprocity with magnetoionic rays, 4=8952
- Budden, K.G. and Martin, H.G. The ionosphere as a whispering gallery, 2=5493
- Budden, K.G. See Barron, D.W., 0=7233
- Buddenhagen, D.A., Haef, A.V., Smith, G.F., Oster, G. and Oster, G.K. Observations of ruby-laser beam-intensity patterns with dye-sensitized photopolymers, 2=13448
- Buddenhagen, D.A., Lengyel, B.A., McClung, F.J. and Smith, G.F. An experimental laser ranging system, 2=5154
- Buddery, J.H. and Scott, K.T. A study of the melting of irradiated uranium, 2=6061
- Buddery, J.H. See Scott, K.T., 2=4457
- Budejicky, J. Monochromatic radio-wave radiation of interstellar hydrogen, 0=10485
- Budick, B., Maleh, I. and Marrus, R. Atomic-beam studies of nuclear properties of some rare-earth isotopes, 4=27944
- Budick, B. and Marrus, R. Hyperfine structure and nuclear moments of promethium-147 and promethium-151, 4=989
- Budin, C. Transformation of wave functions under a change of a Galilean system, 2=15481
- Budin, C., Denayrov, F., Lucasson, A. and Lucasson, P. Study of lattice defects in copper by quenching, 3=15481
- Budin, C., Lucasson, A. and Lucasson, P. Isochronal studies of copper annealed in an atmosphere of hydrogen, 4=30606
- Budin, C. See Lucasson, P., 4=1455
- Budini, P. Regge poles in renormalizable field theories, 3=17215
- Budini, P. and Fonda, L. Pion-pion interaction from threshold anomalies in K^+ decay, 1=8490
- Budini, P. and Furlan, G. Electroproduction of schizons, 1=8423
- Budini, P. and Furlan, G. High-energy behaviour of electro-dynamical cross-sections, 3=24583
- Budini, P., Taffara, L. and Viola, C. On the total specific ionization, 1=5423
- Budini, P., Taffara, L. and Viola, C. On a possible enhancement of relativistic increase in ionization, 1=8441
- Budini, P. and Weber, T. Gauge invariance of form factors, 2=9763
- Budini, P. See Andreassi, G., 2=22393
- Budke, J. Dumbbell-shaped single crystals of preselected orientation, 3=23391
- Budker, G.I. Some problems of the spatial stability of a ring current in a plasma, 1=7049
- Budker, G.I. Thermonuclear reactions in a system with magnetic stoppers mirrors and the problem of direct transformation of thermonuclear energy into electrical energy, 1=7419
- Budker, G.I. See Belyaev, S.T., 1=7027
- Budker, G.I. See Belyaev, S.T., 1=13076
- Budnick, D. See Behrend, H.J., 2=12124
- Budnick, D. See Behrend, H.J., 4=6690
- Budnick, J.I. Some studies of the superconducting transition in purified tantalum, 0=16952
- Budnick, J.I. and Bennett, L.H. Nuclear magnetic resonance in tantalum metal, 1=7802
- Budnick, J.I., Bruner, L.J., Blume, R.J. and Boyd, E.L. Nuclear magnetic resonance of Fe^{57} in unenriched Fe, 1=6433
- Budnick, J.I., Ittner, W.B. and Seraphim, D.P. The preparation and purification of tantalum single crystals and measurements of the critical field curve for single and polycrystalline specimens, 0=8955
- Budnick, J.I., La Force, R.C. and Day, G.F. Nuclear magnetic resonance determination of the internal field at Fe^{57} nuclei for small concentrations of iron in cobalt, 3=23258
- Budnick, J.I. See Bennett, L.H., 1=597
- Budnick, J.I. See Boyd, E.L., 2=18937
- Budnick, J.I. See Bruner, L.J., 1=1281
- Budnick, J.I. See Quinn, D.J., 1=10642
- Budnick, J.I. See Seraphim, D.P., 1=16200
- Budnikov, V. N. See Anisimov, A. I., 4=14644
- Budó, A., Dombi, J. and Horvai, R. Contributions to the question of the spectral effect of secondary fluorescence, 1=8126
- Budó, A. and Ketskeméty, I. Influence of secondary fluorescence on the emission spectra of fluorescent solutions, 0=10672
- Budó, A. and Ketskeméty, I. Observations on the question of fluorescence polarization, 1=8129
- Budó, A. and Ketskeméty, I. Energy transport phenomena in the case of molecular fluorescence, 3=3806
- Budó, A., Ketskeméty, I., Salkovits, E. and Gargya, L. Determination of the true degree of polarization of fluorescence from solutions, 0=14661
- Budó, A. and Szalay, L. The true decay-time of fluorescence in solutions, 3=16633
- Budo, Y. and Priest, J. Mechanical stress considerations in thin-film devices, 3=13566
- Budo, Y. See Caswell, H. L., 4=4669
- Budo, Y. See Caswell, H. L., 4=13684
- Budo, Y. See Priest, J., 3=11146
- Budrikis, Z. L. On Burcev's explanation of Kantor's experiment, 4=2808
- Budrikis, Z. L. See Seyler, A.J., 0=4829
- Budrite, S. D., Vizbaraitė, Ya. and Yutsis, A. P. Expressions of the matrix elements of the operator of the electrostatic interaction for different vector coupling schemes, 4=1193
- Budrite, S. D. and Yutsis, A. P. Classification and identification of 3nj coefficients. Some 21j, 24j and 27j coefficients, 4=1192
- Budrite, S. D. See Čhiplys, I. B., 4=1191
- Budrin, S. V. and Nikiforov, A. S. Wave transmission through assorted plate joints, 4=24295
- Budryte, S. D. See Vizbaraitė, J. I., 4=1180
- Budurov, S., Ruseva, E. and Stojčev, N. Electrolytic crystallization of white tin, 4=26610
- Budurov, S. and Stojčev, N. On the equilibrium form of cadmium and zinc, 4=7532
- Budworth, D.W. Calibration curves for density-gradient columns, 2=15530
- Budworth, D.W., Hoare, F.E. and Preston, J. The thermal and magnetic properties of some transition element alloys, 1=1441
- Budworth, D.W. and Pask, J.A. Flow stresses on the $\{100\}$ and $\{110\}$ planes in LiF, and the plasticity of polycrystals, 4=17739
- Budworth, D. W. and Pask, J. A. Effect of temperature on the plasticity of polycrystalline lithium fluoride, 4=23172
- Budyanskii, G.M. Polarization of deuterons elastically scattered on zero-spin nuclei, 0=13243
- Budyansky, G.M., Zavenyagin, Yu. A., Fedorov, N.D. and Khrabrov, V.A. On the possibility of accelerating polarized protons in a cyclotron, 1=9655
- Budýlin, B.V. and Vorob'ev, A.A. Recovery of mechanical properties of irradiated rocksalt after normalizing annealing, 0=18242
- Budýlin, B.V. Effect of radiation on mechanical properties of ionic crystals, 1=12588
- Budýlin, B.V. See Vorob'ev, A.A., 0=11629
- Budzanowski, A., Clifft, R.W. and Hird, B. Inelastic proton scattering asymmetries at 8.9 MeV, 1=19452
- Budzanowski, A., Freindl, L., Grotowski, K., Rzeszutko, M., Słapa, M., Szmider, J. and Hodgson, P. E. Elastic scattering and total reaction cross-sections for the interaction of 12.8 MeV deuterons with ^{12}C , ^{58}Ni and ^{208}Bi nuclei, 4=9558
- Budzanowski, A. and Grotowski, K. Elastic scattering angular distributions and total reaction cross-sections for the interaction of 12.8 MeV deuterons with Ni^{58} and Ni^{60} nuclei, 3=6282
- Budzanowski, A., Grotowski, K., Janik, J. A., Kolos, W., Maniawski, F., Rżany, H., Szkatula, A. and Wanic, A. Estimation of the height of the potential barrier of [internal] hindered rotation in the CH_3SH [methyl mercaptan] molecule by means of thermal neutron scattering, 0=5912

- Budzanowski, A., Grotowski, K., Micek, S., Niewodniczański, H., Sliż, J., Strzałkowski, A. and Wojciechowski, H. Elastic scattering of 24.7 MeV alpha particles, 4=28060
- Budzanowski, A., Grotowski, K., Niewodniczański, H. and Nurzynski, J. The polarization of neutrons from the $^{12}\text{C}(\text{d}, \text{n})^{13}\text{N}$ reaction, 1=719
- Budzanowski, A., Grotowski, K., Niewodniczański, H. and Nurzynski, J. The polarization of neutrons from the stripping reaction $\text{C}^{12}(\text{d}, \text{n})\text{N}^{13}$, 1=13845
- Budzanowski, A., Pellegrini, F. and Wiktor, S. The (d, He^3) reaction on sulphur nuclei, 4=19819
- Budzhak, Ya. S. See Tovstyuk, K. D., 4=1615
- Budzinski, E. See McDiarmid, I. B., 2=4641
- Budzinski, E. E. See McDiarmid, I. B., 4=7899
- Budzinski, E. E. See McDiarmid, I. B., 3=23635
- Buebener, R. P. Thermoelectric power of lattice vacancies in gold, 4=28657
- Bueche, A. M. See Flom, D. G., 0=3478
- Bueche, F. Rate and pressure effects in polymers and other glass-forming substances, 2=13340
- Bueche, F. Viscosity of molten branched polymers and their concentrated solutions, 4=8179
- Bueche, F., Coven, C. J. and Kinzig, B. J. Entanglement effects in concentrated polymer solutions from viscosity measurements, 3=18809
- Bueche, F. and Pavelka, C. An undergraduate laboratory experiment for studying the motion of coupled mechanical systems, 4=11131
- Buechie, F. and Halpin, J. C. Molecular theory for the tensile strength of gum elastomers, 4=7452
- Buechner, W. W. See Enge, H. A., 3=9871
- Buechner, W. W. See Erskine, J. R., 3=681
- Buechner, W. W. See Erskine, J. R., 4=9561
- Buechner, W. W. See Hoogenboom, A. M., 1=19510
- Buechner, W. W. See Hoogenboom, A. M., 2=22841
- Buechner, W. W. See Kashy, E., 2=1796
- Buechner, W. W. See Kashy, E., 4=27966
- Buechner, W. W. See Piraino, D., 0=13147
- Buechner, W. W. See Sperduto, A., 4=15217
- Buechner, W. W. See White, R. E., 0=11414
- Buehler, E. and Tanenbaum, M. Method for the detection of flaws in yttrium iron garnet crystals, 0=6341
- Buehler, E. See Hauser, J. J., 2=2960
- Buehler, E. See Kunzler, J. E., 1=3037
- Buehler, E. See Kunzler, J. E., 1=5399
- Buehler, M. G. and Pensak, L. Minority carrier Hall mobility, 4=22694
- Buehler, W. J., Gilfrich, J. V. and Wiley, R. C. Effect of low-temperature phase changes on the mechanical properties of alloys near composition TiNi, 3=13519
- Buehner, W. L. See Schwartz, M., 4=2876
- Buerger, M. J. Vector space and its application in crystal structure investigation, 0=8199
- Buerger, M. J. Some properties of image functions, 4=23363
- Buerger, M. J., Burnham, C. W. and Peacor, D. R. Assessment of the several structures proposed for tourmaline, 2=15032
- Buerger, M. J. and Wuensch, B. J. Distribution of atoms in high chalcocite, Cu_3S , 3=23448
- Buessem, W. R. See Butler, S. R., 3=3304
- Buessem, W. R. See Butler, S. R., 3=15890
- Buettner, K., Businger, J. and Charlson, R. Discussion of paper by J. Kroening and E. P. Ney, "Atmospheric ozone", 3=13662
- Buettner, K. J. K. The moon's first decimeter, 3=21090
- Buevich, Yu. A. Solution of the first, second, and third Stefan boundary value problems in a semi-infinite space with constant boundary conditions and a uniform or linear initial temperature distribution, 4=26778
- Buff, F. P. The molecular hydrostatic analysis of Gibbs' theory of capillarity, 1=10493
- Buff, E. P. and Wilson, D. J. Some considerations of unimolecular rate theory, 0=6406
- Buff, F. P. and Brout, R. Some tests of the superposition approximation in the liquid phase, 0=19090
- Buff, F. P. and Stillinger, F. H., Jr. Statistical mechanical theory of double-layer structure and properties, 4=2161
- Buff, F. P. and Wilson, D. J. Classical unimolecular rate theory. Rotating anharmonic diatomic molecules, 3=6907
- Buff, F. P. See Stillinger, F. H., Jr., 2=17367
- Buffington, A. See Wahlig, M. A., 2=11849
- Buffington, F. S., Hirano, K. and Cohen, M. Self diffusion in iron, 1=17556
- Buffler, C. R. Ferromagnetic resonance near the upper limit of the spin wave manifold, 0=3109
- Buffler, C. R. Effects of surface irregularities on single crystal resonance parameters, 0=10195
- Buffler, C. R. Resonance properties of single-crystal hexagonal ferrites, 2=14818
- Buffler, C. R., Muller, M. W. and Kantor, R. H. Note on the frequency of ferromagnetic resonance, 2=2293
- Buffler, C. R. See Muller, M. W., 1=6387
- Bufler, H. Determination of Poisson's ratio of a doubly-refracting material by a photoelastic method, 0=16196
- Bugai, A. A. Temperature dependence of the half-width of the e. s. r. envelope of F-centres in alkali halide crystals, 4=1527
- Bugai, A. A. Temperature dependence of the spin-lattice relaxation times of F centres in a KCl crystal, 4=4405
- Bugai, A. A. Passage effects in E. P. R. lines with inhomogeneous broadening when using high frequency modulation of the magnetic field, 3=15932
- Bugai, I. D. See Shestopalov, V. P., 1=265
- Bugai, Yu. P. See Sinel'nikov, K. D., 0=10924
- Bugard, P. Type of endocrine and metabolic reaction to acoustic attack [in young breeding pigs], 2=4887
- Bugard, P. and Romani, J. D. Action of noises on neuromuscular excitability, 0=6502
- Bugard, P. See Romani, J. D., 0=6501
- Bugden, A. R., Hamilton, R. J. and Jones, G. H. S. Application of photoelectric densitometry to the assessment of respirable dust samples, 0=14140
- Bugenis, C. and Preuss, L. E. Some expressions and their application to shadow-cast film prediction, 3=18406
- Bugenis, C. and Preuss, L. E. Some new experimental data on profile families for linear and ring sources, 4=20741
- Bugg, C., Lawson, J. and Sass, R. L. The crystal symmetry of some diazonium salts, 4=23503
- Bugg, D. V. Neutron-proton charge exchange scattering, 4=9210
- Bugg, D. V., Oxley, A. J., Zoll, J. A., Rushbrooke, J. G., Barnes, V. E., Kinson, J. B., Dodd, W. P., Doran, G. A. and Riddiford, L. Proton-proton scattering at 970 MeV, 4=15055
- Bugg, D. V. See Barnes, V. E., 2=285
- Bugg, D. V. See Rushbrooke, J. G., 4=30227
- Bugg, W. See Leitner, J., 1=16901
- Bugg, W. M. and King, D. T. The emission of charged pions in p-p collisions at 2.7 GeV, 0=13047
- Bugg, W. M. and King, D. T. Anelasticity of p-p collisions at 2.7 BeV, 0=15349
- Bugg, W. M. See Block, M. M., 3=12508
- Bugg, W. M. See Gelfand, N., 4=25154
- Bugnolo, D. S. Transport equation for the spectral density of a multiple-scattered electromagnetic field, 0=12674
- Bugnolo, D. S. On the question of multiple scattering in the troposphere, 0=12710
- Bugnolo, D. S. Radio star scintillation and multiple scattering in the ionosphere, 1=9196
- Bugnolo, D. S. Spread F and multiple scattering in the ionosphere, 1=15293
- Bugnolo, D. S. Author's reply to the preceding discussion, 1=21008
- Bugnolo, D. S. On the propagation of electromagnetic waves at optical frequencies in the troposphere, 4=7845
- Bugorkov, S. S. See Bak, M. A., 2=1939
- Bugorkov, S. S. See Petrzhak, K. A., 4=12291
- Bugrienko, V. I. Kinetics of the formation of the photoelectret state in silver chloride, 3=15623
- Bugrienko, V. I. and Belous, V. M. Photoelectret state in silver chloride, 2=21224
- Bugrienko, V. I. and Belous, V. M. Photoelectret state in silver chloride, 3=2964
- Bugrienko, V. I. and Demidov, K. K. Some features of the photoelectret state in HgI_2 , 2=21223
- Bugrienko, V. I. and Demidov, K. K. Some features of the photoelectret state in HgI_2 , 3=2963
- Bugrienko, V. I. and Fridkin, V. M. The electrophotographic opacity of monocrystals of AgCl , 4=1688
- Bugrienko, V. I. See Fridkin, V. M., 4=23670
- Buhaiova, N. I. See Lifshits, Ye. V., 2=19177
- Buhaiova, N. I. See Yerko, V. F., 2=19175
- Buhl, P. A. See Kelsch, J. J., 1=2246
- Buhl, P. A. See Kelsch, J. J., 2=10426
- Buhl, R. Three-beam electron interference with electrostatic biprisms, 1=16417
- Buhl, R. Method of compensating alternating magnetic fields in electron interferometers, 1=16418
- Buhl, R. Reduction of the contamination due to ion bombardment of the walls surrounding the specimen, 2=9328

- Buhler, A., Cabibbo, N., Fidecaro, M., Massam, T., Muller, Th., Schneegans, M. and Zichichi, A. A measurement of the e^+ polarisation in muon decay: the e^+ annihilation method, 4=9232
- Bühler, F. Calculation of the polarization capacity of zirconium for 3.4 MeV neutrons, 4=28037
- Bühler, H. and Schmidt, F.J. Heat transfer from heated bodies to liquids with vaporization, with reference to flow conditions, 1=17228
- Bühler, R.E. See Dorfman, L.M., 2=10965
- Bühler, R.E. See Dorfman, L.M., 2=15161
- Bühler, S. See Lücke, K., 4=28921
- Bühler, S.E., Lücke, K. and Rosenbaum, F.W. Stacking fault energy of silver in the temperature range 172° to 873° K determined by plasticity measurements, 3=15501
- Bühler, S.E. See Benze, F., 4=1924
- Buhrer, C.F. Some properties of bismuth perovskites, 2=6522
- Buhrer, C.F. Optical modulation by light bunching, 4=16196
- Buhrer, C.F., Baird, D. and Conwell, E.M. Optical frequency shifting by electro-optic effect, 3=5536
- Buhrer, C.F., Bloom, L.R. and Baird, D.H. Electro-optic light modulation with cubic crystals, 3=23050
- Buhrer, C.F., Fowler, V.J. and Bloom, L.R. Single-sideband suppressed-carrier modulation of coherent light beams, 2=22067
- Buhrer, C.F., Ho, L. and Zucker, J. Electrooptic effect in optically active crystals, 4=21268
- Buhrer, C.F. See Fowler, V.J., 4=16226
- Buhrer, C.F. See Ho, L., 3=23051
- Bühring, W. Beta decay theory using exact electron radial wave functions, 3=8029
- Bühring, W. Beta decay theory using exact electron radial wave functions. II, 4=9437
- Bühring, W. and Heintze, J. An evaporation apparatus for radioactive substances, 1=1774
- Bühring, W., Rebel, H. and Schatz, G. Method for alignment of a short magnetic lens beta ray spectrometer by utilizing image rotation, 4=21841
- Bühring, W. See Rebel, H., 4=30328
- Bühring, W. See Schatz, G., 4=12190
- Buhrow, J. Traps in inorganic crystalline phosphors in the atomic configuration coordinate model, 1=6222
- Buhrow, J. Parameter determination in inorganic crystalline luminescent materials with the aid of the fluorescence intensity as a function of temperature, 2=8568
- Buhrow, J. Generalized temperature function for the fluorescent intensity of inorganic crystalline luminescent materials, 2=8569
- Buhrow, J. Parameter for the generalized atomic configuration-coordinate model, 3=4981
- Buhrow, J. Parameter calculation for concentration dependence of the fluorescence in non-photoconducting crystalline phosphors, 3=10980
- Buhrow, J. Approximate formulae for concentration-dependent luminescence, 3=20502
- Buhrow, J. Calculation of the activation energies from the temperature dependence of luminescence, 3=3031
- Buhrow, J. Foundations of luminescence model for inorganic crystalline phosphors, 4=26230
- Buhrow, J. See Witzmann, H., 0=2961
- Buhrow, J. See Witzmann, H., 0=6190
- Buhrow, J. See Witzmann, H., 2=8548
- Buhrow, J. See Witzmann, H., 2=8550
- Buhrow, J. See Witzmann, H., 2=12618
- Buhrow, J. See Witzmann, H., 2=12619
- Buhrow, J. See Witzmann, H., 2=18860
- Buhrow, J. See Witzmann, H., 4=17597
- Buhrow, J. See Witzmann, H., 4=26238
- Bui Ai. Study of ionization phenomena in solid insulators by means of an analogous cell, 2=21221
- Bui Ai. Generalization of the analogue method to the study of the phenomenon of ionization in insulating solids, 3=1939
- Bui Dinh-Vuong. Evidence for the conductivity of the support in the study of the conductivity of very thin metallic films (thickness less than 100 Å), 3=22901
- Bui Dinh-Vuong. Determination of the electron mean free path in gold by a study of the conductivity of thin films of the metal as a function of thickness, 4=4117
- Bui Dinh-Vuong. Relation between the electrical conductivity of thin metallic layers and the mean free path of electrons in the case of silver and gold, 4=22683
- Bui Dinh-Vuong and Guizonnier, R. Electrical conductivity of glass, 3=20372
- Buijs, H. L. See Gush, H. P., 4=23779
- Buijs, K. Preparation of selenium polarizers for the near infrared region, 0=14853
- Buijs, K. Infrared absorption of nonequivalent anions in crystalline potassium dithionate, 2=6579
- Buijs, K. and Choppin, G. R. Near-infrared studies of the structure of water. I. Pure water, 4=153
- Buijs, K. and Choppin, G. R. Assignment of the near-infrared bands of water and ionic solutions, 4=21140
- Buijs, K. See Choppin, G. R., 4=154
- Buijs, K. See Schutte, C.J.H., 2=8531
- Buijs, K. See Strasheim, A., 1=7714
- Buijze, C. See Tertoolen, J.F.W., 2=20731
- Buikov, M.V. A generalization of Gor'kov's method for the case of electron-phonon interaction, 0=14922
- Buikov, M.V., Dekhtyar, M. I. and Dukhin, S.S. On the theory of the coarse-droplet part of the cloud droplet spectrum, 4=2194
- Builder, G. Resolution of the clock paradox, 0=40
- Builder, G. Ether and relativity, 0=4929
- Builder, G. The constancy of the velocity of light, 0=4932
- Builder, G. The Lorentz transformations, 0=8542
- Buimistrov, V.M. Excited states of a local electron centre interacting with a quantized field at arbitrary values of the coupling constant. II. Application to the theory of light absorption by local electron centres, 1=11229
- Buimistrov, V.M. Theory of the photodiffusion effect caused by a nonuniform distribution of recombination centres, 4=1674
- Buimistrov, V.M. A continuum model of an F-centre in AgBr, 4=9999
- Buimistrov, V.M. Atomic electron transitions probabilities in inhomogeneous electrical fields with any angular dependence. A new method of calculation, 4=19970
- Buimistrov, V.M. and Deigen, M.F. The theory of absorption of light by impurities in homopolar crystals, 0=6175
- Buimistrov, V.M. and Piskovoi, U.N. Investigation of the accuracy of the variational method in the problem of impurity absorption of light in silicon, 0=13685
- Buimystrov, V. M. and Knab, O. D. Possible mechanism for the appearance of exoemission, 4=3016
- Buinov, N.I. See Zakharova, R.R., 1=15148
- Buinov, N.N. See Rakin, V.G., 1=4015
- Buinov, N.N. See Rakin, V.G., 1=10219
- Buinov, N.N. See Shashkov, O.D., 3=20865
- Buinov, N.N. See Rakin, V.G., 4=17721
- Buinov, N.N. See Shashkov, O.D., 4=10508
- Buinov, N.N. See Shashkov, O.D., 4=17752
- Buinov, N.N. See Shashkov, O.D., 4=20775
- Buinov, N.N., Zakharova, R. R. and Rakin, V. G. The structure of Guinier-Preston zones and metastable precipitates in aluminium-silver and aluminium-copper alloys, 4=26691
- Buishvili, L.L. On the Overhauser effect in saturation of forbidden resonance, 0=13886
- Buishvili, L.L. The Overhauser effect in metals containing paramagnetic impurities, 1=1274
- Buishvili, L.L. The Overhauser effect in metals containing paramagnetic impurities, 1=6424
- Buishvili, L.L. Nuclear relaxation influenced by localized electron centres, 2=782
- Buishvili, L.L. Nuclear relaxation influenced by localized electron centres, 2=4277
- Buishvili, L.L. Spin-lattice relaxation in ferrites with paramagnetic admixtures, 2=8674
- Buishvili, L.L. Spin-lattice relaxation in ferrites with paramagnetic admixtures, 2=14835
- Buishvili, L.L. Nuclear quadrupole relaxation in ferrites, 2=14857
- Buishvili, L.L. Combined resonance in crossed magnetic and electric fields, 2=18657
- Buishvili, L.L. Acoustic paramagnetic resonance of nuclei in ferromagnetic materials, 2=18949
- Buishvili, L.L. Acoustic paramagnetic resonance of nuclei in ferromagnetic materials, 2=23716
- Buishvili, L.L. Nuclear spin-lattice relaxation in ferromagnetics and antiferromagnetics, 3=18137
- Buishvili, L.L. Excitation of Bloch wall oscillations by ultrasound and the nuclear acoustic paramagnetic resonance in ferromagnetics, 3=20592
- Buishvili, L.L. Nuclear spin-lattice relaxation due to local electron centres, 3=20661
- Buishvili, L. L. Forbidden nuclear paramagnetic resonances in ferromagnetics, 4=10337
- Buishvili, L. L. Nuclear magnetic resonance in deformed ferromagnetics, 4=10338

- Buishvili, L. L. Nuclear polarization by hot electrons, 4=30498
- Buishvili, L. L. and Giorgadze, N. P. Nuclear magnetic resonance in ferromagnetics, 4=1893
- Buishvili, L. L. and Giorgadze, N. P. Spin-lattice relaxation of nuclei during nuclear resonance in ferromagnetic substances, 2=10712
- Buishvili, L. L. and Giorgadze, N. P. Spin-lattice relaxation of nuclei during nuclear resonance in ferromagnetic substances, 3=6754
- Buishvili, L. L. and Khutsishvili, G. R. Forbidden transitions in paramagnetic resonance, 0=18214
- Buishvili, L. L., Khutsishvili, G. R. and Chelishvili, O. D. Magnetic relaxation in ferromagnetic metals, 1=3922
- Buissart, M. See Bécart, M., 2=19906
- Buisson, G. and Bertaut, F. Crystallographic study of the compounds TCrO_4 (T = rare earth or yttrium), 4=29135
- Buisson, R., Chicault, R., Deschamps, D., Galland, J. and Soutif, M. Achievements of a ruby maser using cross-relaxation pumping, 1=9683
- Buisson, R. See Ayant, Y., 1=10787
- Buja, Z. Cascade curves for lead, for a primary photon and electron of energy ($3 \times 10^8 - 10^{10}$) eV, 4=19616
- Buja, Z. See Babecki, J., 4=19628
- Buja, Z. See Grigorov, N. L., 2=16254
- Buja, Z. A. See Babayan, H. P., 3=6103
- Bujdosó, E. and Medveczky, L. A study of the sensitivity of Agfa K 2 nuclear emulsion by means of the isotope ^{131}I , 0=7255
- Bujdosó, E. and Medveczky, L. Apparatus for processing nuclear emulsions, 0=17170
- Bujdosó, E., Medveczky, L. and Torok, S. Nomographs for fast neutron spectroscopy, 0=7388
- Bujok, J. and Sujak, B. Changes in absorption of γ -rays in graphitized coal as a consequence of applied pressure, 3=20703
- Bukarev, V. A. Mössbauer effect on Sn^{119} nuclei and an attempt to detect the effect in Pr^{141} , 3=24845
- Bukarev, V. A. A device for measuring fluctuations in recording radioactive radiation, 4=17081
- Bukarev, V. A. The Mössbauer effect on Sn^{119} nuclei, attempt to observe the effect in Pr^{141} , 4=28333
- Bukat, G. M. Calculation of ℓ -forbidden transition probabilities, 1=17042
- Bukat, G. M. Energy level spectrum of Pb^{208} , 3=10276
- Bukat, G. M., Dolginov, A. Z. and Zhitnikov, R. A. The hyperfine structure of many-electron atoms, 0=15644
- Bukat, G. M. and Popov, N. P. Capture of μ -mesons by the B^{10} nucleus, 4=19808
- Bukat, G. M., Sliv, L. A. and Sogomonova, G. A. Residual pair forces in the light nuclei O^{16} and F^{19} , 3=22257
- Bukat, G. M. See Berlovich, E. Ye., 3=4573
- Bukata, R. P., Chin, F. K. and Standil, S. Determination of a pressure coefficient for the photon component of cosmic radiation, 2=9961
- Bukata, R. P. See Chin, F. K., 2=12098
- Bukata, R. P. See Standil, S., 1=7300
- Bukata, R. P. See Standil, S., 4=21970
- Bukhanov, V. M. See Yurasova, V. E., 3=15522
- Bukhanova, A. A. See Petrov, D. A., 1=20437
- Bukhanova, A. A. See Petrov, D. A., 3=20786
- Bukhovtsev, B. B. and Shmal'gauzen, V. I. A photographic method of investigating random processes, 2=1349
- Bukhteev, A. M. and Bydin, Yu. F. Resonance charge exchange of alkali metal ions and atoms, 2=17787
- Bukhteev, A. M., Bydin, Yu. F. and Dukel'skii, V. M. Electron capture by O_2 and Cl_2 molecules bombarded with fast alkali-metal atoms, 2=11618
- Bukhteev, A. M. See Bydin, Yu. F., 0=8988
- Bukhteev, A. M. See Bydin, Yu. F., 0=19611
- Bukhvostov, A. P. and Frenkel', V. Ya. Temperature distribution in round and rectangular plates, cooled by radiation in vacuum and with a constant temperature along their edges, 3=19049
- Bukhvostov, A. P., Frenkel, V. Ya. and Shekhter, V. M. Splitting of a photon into two photons in the Coulomb field of a nucleus, 3=2231
- Bukhvostov, A. P. and Popov, N. P. μ -meson capture by spin $\frac{1}{2}$ polarized nuclei, 4=19804
- Bukhvostov, A. P. and Shmushkevich, I. M. Capture of polarized μ^- -mesons by deuterons, 0=11196
- Bukhvostov, A. P. and Shmushkevich, I. M. Depolarization of μ^- -mesons in the formation of μ -mesic atoms, on spin $\frac{1}{2}$ nuclei, 2=3720
- Bukhvostov, A. P. and Shmushkevich, I. M. Depolarization of μ^- -mesons in the formation of μ -mesic atoms on spin $\frac{1}{2}$ nuclei, 3=4731
- Bukhvostova, N. G. See Lapkin, N. I., 1=6359
- Bukina, L. A. Rate of growth of frazil ice crystals, 3=16039
- Bukina, L. A. On the relation between temperature and ratio of thickness to diameter of frazil ice crystals of disc-like form, 4=10474
- Bukina, L. A. Heat transfer coefficient of disk-like frazil ice crystals, 4=11407
- Bukke, E. E. Measurement of losses in an electroluminescent capacitor, 2=15875
- Bukke, E. E. and Morgenshtern, Z. L. Luminescence yield of ruby, 3=25484
- Bukke, E. E., Vinokurov, L. A. and Fok, M. V. The role of holes in the electroluminescence kinetics of ZnS: Cu, Al, Cl phosphors, 4=26251
- Bukovska, M. and Porai-Koshits, M. A. The structures of Millon's salt and Becton's salt, 1=4056
- Bukovszky, F. Equivalent steps and periodicity in crystal growth, 0=18298
- Bukovszky, F. See Fáthy, F., 0=11562
- Bukovszky, F. See Fáthy, F., 0=11563
- Bukovszky, F. See Gyulai, Z., 4=4532
- Bukowiecki, A. Present day corrosion protective methods for metallic materials, 3=6920
- Bulabojs, J., Duffieux, P. M. and Viénot, J. C. Remarks on some distributions of light from a ruby laser, 3=2997
- Bulabojs, J. See Viénot, J. C., 2=10587
- Bulabojs, J. See Viénot, J. C., 3=12341
- Bulaevskii, L. N. Theory of a linear antiferromagnetic chain, 3=3148
- Bulaevskii, L. N. Theory of nonuniform antiferromagnetic spin chains, 3=25550
- Bulaevskii, L. N. Thermodynamic theory of domain walls in Perovskite-type ferroelectrics, 4=10106
- Bulaevskii, L. N., Fain, V. M. and Freidman, G. I. On the instability of uniform precession of magnetization, 0=21033
- Bulaevskii, L. N. and Ginzburg, V. L. Temperature dependence of the shape of the domain wall in ferromagnetics and ferroelectrics, 4=4345
- Bulaevskii, L. N. and Ginzburg, V. L. Notes on the possibility of the existence of surface ferromagnetism, 4=22967
- Bulakh, B. M. Nonlinear conical flow of a gas, 1=6883
- Bulakh, B. M. Some properties of supersonic conical gas flow, 3=159
- Bulakh, B. M. Some questions concerning the theory of conical flow, 3=162
- Bulakh, B. M. and Miétska, I. B. Introducing microscopic additives into CdS single-crystals during their growth and some properties of alloyed samples, 3=23395
- Bulakh, E. G. Detection of an extra mass and the depth of a two-dimensional body from the anomaly Δg , 3=5180
- Bulakh, E. G. Interpretation of gravitational anomalies obscured by a regional effect, 3=8999
- Bulanin, M. O., Denisov, G. S. and Shchepkin, D. N. A study of equilibria during formation of the hydrogen bond in solutions, using infrared absorption spectra. The case of inseparable bands, 0=3535
- Bulanin, M. O. and Orlova, N. D. On the infrared absorption spectra of hydrogen in solutions, 2=9280
- Bulanin, M. O. and Orlova, N. D. Shapes of infrared absorption bands and the rotational motion of molecules in liquids. Carbon monoxide solutions, 4=5190
- Bulanin, M. O. and Tonkov, M. V. Infrared absorption band shapes and the rotational motion of molecules in liquids. Methyl halides and deuteromethyl halides, 4=24219
- Bulanin, M. O. See Chulanovskii, V. M., 4=7799
- Bulanin, M. O. See Pimentel, G. C., 2=4151
- Bulaniuk, O. M. and Slobodrian, R. J. The $\text{He}^3(\text{d}, \text{p})\text{He}^4$ and $\text{He}^3(\text{d}, \text{d})\text{He}^3$ reactions at 23.2 to 27.0 MeV, 4=12078
- Bulankin, V. S. See Maslov, V. N., 4=30896
- Bulashevich, T. Yu. See Korovin, L. I., 1=12495
- Bulatov, A. S. See Kogan, V. S., 3=6482
- Bulatov, A. S. See Kogan, V. S., 2=16612
- Bulatov, A. S. See Kogan, V. S., 4=13682
- Bulatov, B. P. Albedos of various substances for γ rays from isotropic Co^{60} , Cs^{137} and Cr^{51} sources, 0=3945
- Bulatov, B. P. The albedos of various substances for γ -rays from isotropic Co^{60} , Cs^{137} , and Cr^{51} sources, 2=1676
- Bulatov, B. P. Some rules of the propagation of γ -radiation along the boundary of two media, 4=872

- Bulatov, B.P. and Garusov, E.A. ^{60}Co and ^{198}Au γ -ray albedo of various materials, 1=16736
- Bulatova, G.A. See Troitskaya, V.A., 2=17219
- Bulatova, R.F. and Kogan, V.S. Temperature dependence of isotopic effects in the structural properties of hydrogen isotopes, 4=17842
- Bulatova, R.F., Kogan, V.S. and Lazarev, V.G. Mutual solubility of hydrogen and deuterium at 4.2°K, 0=12099
- Bulatova, R.F., Kogan, V.S. and Lazarev, B.G. Crystal structure of solid deuterohydrogen, 1=4043
- Bulatova, R.F. See Kogan, V.S., 0=21187
- Bulatova, R.F. See Kogan, V.S., 1=15070
- Bulatova, R.F. See Kogan, V.S., 3=21612
- Bulbulian, S. See Bródy, T.A., 2=19206
- Bulbulian, S. See Martínez, A.M., 4=25347
- Buldýrev, V.S. Investigation of the exact solutions of non-stationary diffraction problems in the neighbourhood of wave fronts, 0=1002
- Buldýrev, V.S. and Molotkov, I.A. Investigation of exact solutions of non-stationary diffraction problems in the neighbourhood of sliding fronts, 0=19300
- Buldýrev, V.S. and Yanson, Z.A. Propagation of SH interference waves in elastic spherical layers. I, 3=14239
- Buldýrev, V.S. and Yanson, Z.A. Propagation of SH interference waves in an elastic spherical layer. II, 3=18886
- Bulent Cambel, A. See Warder, R.C., Jr., 4=18903
- Bulewicz, E.M. Electron-molecule and electron-atom collision cross sections from a cyclotron resonance study of flame gases, 2=3678
- Bulewicz, E.M. and Padley, P.J. Asymmetry of cyclotron resonance lines in the reaction zones of low-pressure acetylene and cyanogen flames, 1=20738
- Bulewicz, E.M. and Padley, P.J. Electron-molecule collision cross sections in the burned gases of a variety of fuels, 2=22946
- Bulewicz, E.M. and Padley, P.J. A cyclotron resonance study of ionization in low-pressure flames, 4=5553
- Buley, E. R. and Cummings, F.W. Dynamics of a system of N atoms interacting with a radiation field, 4=19973
- Bulgakov, B.M., Shestopalov, V.P., Shishkin, L.A. and Yakimenko, I.P. Slow waves in a helical guide with plasma, 0=17110
- Bulgakov, B.M., Shestopalov, V.P., Shishkin, L.A. and Yakimenko, I.P. Slow waves in a helical guide with plasma, 1=4724
- Bulgakov, Yu.V. Comments on the paper by N.V. Pleshivtsev "Sputtering of copper by hydrogen ions with energy up to 50 keV", 2=7676
- Bulgakov, Yu.V. Comments on the paper by N.V. Pleshivtsev. "Sputtering of copper by hydrogen ions with energy up to 50 keV", 3=4218
- Bulgakov, Yu.V. On the theory of metal sputtering by light ions, 4=4104
- Bullis, L.A., Kostritsa, A.A. and Kubyshkina, V.D. Calculation and modelling of optimum reactors with flattening of the active zone (age approximation), 2=18373
- Bulkin, B.S., Ponomarev, V.N. and Solntsev, G.S. Pulsed superhigh-frequency discharge in long tubes, 4=24607
- Bulkin, P.S., Solntsev, G.S. and Ponomarev, V.N. Investigation of self-sustained ultra-high-frequency pulse discharges in air and the mechanism of their initiation, 0=5296
- Bulkin, Y.M. See Feinberg, S.M., 3=10421
- Bull, C.S. and Fitch, R.K. Estimation of the total emission of a diode under normal operating conditions without removing the space-charge, 1=16396
- Bull, C.S. See Mee, C.H.B., 2=17882
- Bull, H.T. and Ring, J. A Michelson interferometer for astronomical infra-red spectrometry at a Cassegrain focus, 4=29361
- Bull, R.M., Coates, D.W., Nash, W.F. and Rastin, B.C. A computer method for the analysis of flash tube data, 2=11846
- Bull, R.M., Coates, D.W., Nash, W.F. and Rastin, B.C. The design of flash tube arrays, 2=11847
- Bull, R.M., Nash, W.F. and Rastin, B.C. Some sources of error in measurements of cosmic ray μ -meson spectra, 2=13937
- Bull, R.M., Nash, W.F. and Rastin, B.C. On the illumination of multiplate cloud chambers, 4=21714
- Bull, V.A. and Garbutt, D.A. Proton-proton elastic scattering at 24 GeV/c and 19.8 GeV/c, 2=22514
- Bull, V.A. and Garbutt, D.A. Scattering of 19.2 GeV/c protons on free protons in nuclear emulsion, 3=12458
- Bull, V.A. See Danysz, M., 4=9364
- Bull, V.A. See Danysz, M., 3=22276
- Bull, V.A. See Evans, D., 1=19267
- Bull, W.E. See Palko, A.A., 1=11611
- Bullard, E.C., Mason, C.S. and Mudie, J.D. Curious behaviour of a proton magnetometer, 4=30013
- Bullen, F.P. Discontinuous yielding in zinc single crystals, 2=6738
- Bullen, F.P., Henderson, F., Hutchison, M.M. and Wain, H.L. The effect of hydrostatic pressure on yielding in iron, 4=13416
- Bullen, F.P., Henderson, F., Wain, H.L. and Paterson, M.S. The effect of hydrostatic pressure on brittleness in chromium, 4=23133
- Bullen, F.P. and Hutchison, M.M. Dynamic recovery from strain-hardening in polycrystalline copper and aluminium, 2=23771
- Bullen, F.P. and Hutchison, M.M. The temperature-dependence of strain-hardening in polycrystalline copper, 3=18201
- Bullen, F.P. and Rogers, C.B. Strain hardening in polycrystalline copper, 4=13397
- Bullen, F.P. See Hutchison, M.M., 2=23165
- Bullen, G.J. and Mackay, A.L. Summarized proceedings of a conference on X-ray analysis, London, November 1959, 0=16287
- Bullen, J.M. Atmospheric scale height as a modifying influence on linear trend of F-region electron density with sunspot number, 2=15241
- Bullen, K.E. Oscillations of the earth and the earth's deep internal structure, 2=12989
- Bullen, K.E. The earth's inner core, 2=23995
- Bullen, K.E. Earth's central density, 3=16193
- Bullen, K.E. Rigidity and density in the earth's core, 4=23706
- Bullen, K.E. See Burke-Gaffney, T.N., 0=4769
- Bullen, M.A. See Wells, P.N.T., 4=29719
- Bullen, T.G. Notes on an inexpensive form of Michelson's interferometer, 0=172
- Bullen, T.G. See Braddock, J.V., 1=13454
- Bullen, T.G. Apparatus for determining Brewster's angle, 3=11942
- Bullinger, G. Dielectric after-effect phenomena in barium titanate ceramics, 0=18104
- Bullis, L.H. Vacuum-deposited thin-film thermocouples for accurate measurement of substrate surface temperature, 4=2874
- Bullis, L.H. and Taylor, K. Conversion of a standard vacuum evaporator to the ultra-high vacuum range, 3=23954
- Bullis, W.M. See Cunningham, R.W., 3=10824
- Bullis, W.M. Minority carrier thermoelectric cooling, 3=15638
- Bullock, B.W. See Parker, H.M., 0=3080
- Bullock, E., Tuck, D.G. and Woodhouse, E.J. Unusual spin-spin couplings in n.m.r. spectra of alkyl ammonium salts, 3=21410
- Bullock, E.W. See Ely, R.P., 3=19703
- Bullock, F.W. See Bellière, P., 4=3493
- Bullock, F.W. See Jauneau, L., 3=12511
- Bullock, G. Calorimeter with automatic control, 0=3688
- Bullock, G. Atomic interactions in Cd-Mg-In alloys, 4=20699
- Bullock, J.W. See Vonnegut, B., 2=11029
- Bullock, J.W. See Vonnegut, B., 3=9039
- Bullock, R.E. and Moore, R.G. Jr. Odd-even dependence of nuclear level density parameters, 0=13134
- Bullock, W.R. and Hutton, D.M. Vertical distribution of sodium in the upper atmosphere, 1=21024
- Bulloff, J.J. and Peet, C.S. Eds. Semiconductor abstracts. Vol. VI - 1958 issue, 1=17643
- Bullough, K. Observations of aurorae by radar in Terre Adélie (November 1957 to January 1958), 1=4132
- Bullough, K. Radio-echo observations of the aurora in Terre Adélie, 1=15316
- Bullough, K. Radio-echo observations of the aurora in Terre Adélie. II. The fading characteristics of the radio-echoes and their frequency of occurrence as a function of range, amplitude, height and the aspect effect, 2=17192
- Bullough, K. Radio-echo observations of the aurora in Terre Adélie. III. The association with high latitude geomagnetic agitation and the dependence of radio-echo occurrence on solar declination and zenith angle, 2=19244
- Bullough, K. The radio aurora in high latitudes, 3=13806
- Bullough, K., Davidson, T.W., Kaiser, T.R. and Watkins, C.D. Radio reflections from aurorae. III. The association with geomagnetic phenomena, 0=797
- Bullough, K. See Hall, J.E., 4=20869
- Bullough, R. and Newman, R.C. The flow of impurities to an edge dislocation, 0=7896
- Bullough, R. and Newman, R.C. The spacing of prismatic dislocation loops, 0=20809

- Bullough, R. and Newman, R.C. The kinetics of impurity precipitation on dislocations: small drift theory, 1=8905
- Bullough, R. and Newman, R.C. The growth of impurity atmospheres round dislocations, 2=6339
- Bullough, R. and Newman, R.C. Impurity precipitation on dislocations—a theory of strain ageing, 2=6340
- Bullough, R. and Newman, R.C. The interaction of vacancies with dislocations, 2=10372
- Bullough, R. and Newman, R.C. Comments on a paper by Mura et al. entitled: 'Segregation of solute atoms during strain aging', 3=5139
- Bullough, R. and Newman, R.C. The distribution of vacancies and hard impurity atoms around an edge dislocation, 3=22742
- Bullough, R. and Newman, R.C. The interaction of impurities with dislocations in silicon and germanium, 4=12738
- Bullough, R., Newman, R.C., Wakefield, J. and Willis, J.B. Precipitation in silicon crystals containing aluminum, 0=20826
- Bullough, R., Newman, R.C., Wakefield, J. and Willis, J.B. The kinetics of impurity migration of dislocations, 2=23160
- Bullough, R. See Wilson, A.D., 4=7624
- Bullough, R.K. A molecular theory of electromagnetic wave propagation in two-component anisotropic polymer systems, 2=4116
- Bullough, R.K. On homometric sets. I. Some general theorems, 2=6793
- Bullough, R.K. The scattering of light by freely flexible linear macromolecules in a hydrodynamic field. I. The two-particle correlation function, 3=14163
- Bullough, R.K. The scattering of light by freely flexible linear macromolecules in a hydrodynamic field. III. The depolarisation, 3=14165
- Bullough, R.K. Scattering of light by multi-component systems, 3=23882
- Bullough, R.K. On homometric sets. II. Sets obtained by singular transformations, 4=13558
- Bullough, R.K. Multiple solutions of X-ray diffraction data, 4=17800
- Bullough, R.K. and Davison, S.G. The scattering of light by freely flexible linear macromolecules in a hydrodynamic field. II. The interference factor, 3=14164
- Bullrich, K. Multiple scattering considerations in the calculation of sky radiation and of its degree of polarization in a Rayleigh atmosphere, 2=878
- Bullrich, K. Beginning of fog formation and its optical effects, 4=7838
- Bullrich, K. Mie scattering of an atmospheric air volume, 4=15871
- Bullrich, K. See De Bary, E., 4=23759
- Bullrich, K. See de Bary, E., 4=29292
- Bullrich, K. See Giese, R.H., 2=22061
- Bulman, J.B. and Russek, A. Ionization produced by atomic collisions at keV energies. III, 1=7024
- Bulos, F., Lanou, R.E., Jr., Pless, I.A. and Rosenson, L. Portable 5 cm freon bubble chamber for the investigation of particle beam profiles, 3=17130
- Bulos, F. See Chretien, M., 2=22610
- Bulović, V.F. See Bek-Uzarov, D.N., 1=13723
- Bultman, J.D. See Garrett, W.D., 4=5145
- Bulucea, C. See Drăgănescu, M., 3=22966
- Bulyanitsa, D.S. Effect of an external electric field on the profile of the fundamental absorption edge of nonconducting crystals, 0=11757
- Bulyanitsa, D.S. Characteristic features of the Zeeman and Stark effects in a Mott exciton, 4=1438
- Bulyanitsa, D.S. and Svetlov, Yu. E. Some properties of Bloch-Wannier functions, 3=780
- Bulyanitsa, D.S. See Gross, E.F., 2=21245
- Bulyanitsa, D.S. See Gross, E.G., 3=3005
- Bulychev, D. K., Beresnev, B. I., Gaidukov, M. G., Martynov, E. D., Rodionov, K. P. and Ryabinin, Yu. N. Structure defects and plastic deformation of copper at high pressures, 4=23146
- Bulychev, D. K. See Bersnev, B. I., 4=28930
- Bulychev, V. P. and Veselov, M. G. Calculation of the B_2H_6 molecule in the approximation of two centers, 4=20063
- Bulyga, A.V. A graphical analytical calculation of the dynamic parameters of a thermistor, 2=8390
- Bulyga, A.V. and Abramenko, T.N. Effect of a temperature gradient in the body of a thermistor transducer on the accuracy of semiconductor instruments, 3=19132
- Bulyga, A.V. and Shashkov, A. G. Semiconductor vacuum gauge, 4=11266
- Bulyginskii, D. G. On the possibility of the stable confinement and heating of a plasma in a toroidal trap with a cusped field, 4=18965
- Bulyginskii, D. G., Galaktionov, B. V., Dolmatova, K. A. and Ovsyannikov, V.A. Method of measuring the energy distribution of particles escaping from a plasma, 4=523
- Bulyginskii, D.G. and Sibir, E.E. The nature of the surface films of L-cathode, 0=1146
- Bulyginskii, D.G. See Ovsyannikov, V.A., 2=5356
- Bumble, S. and Honig, J.M. Utilization of order-disorder theory in physical adsorption. I. Fundamental equations, 0=14145
- Bumford, B.A. See Fellows, E.C., 3=16995
- Bumiller, F., Croissiaux, M. and Hofstadter, R. Electron scattering from the proton, 1=2039
- Bumiller, F., Croissiaux, M., Dally, E. and Hofstadter, R. Electromagnetic form factors of the proton, 2=282
- Bumiller, F. See Hofstadter, R., 1=3178
- Bump, T.R. See Kuczen, K.D., 0=12409
- Bumpus, C. See Spiegler, P., 2=10990
- Bunakov, V. E. Nucleon clustering and the shell-model, 4=6192
- Bunakov, V.E. Cluster stripping reaction, 3=15167
- Bunbury, D. St. P., Elliott, J. A., Hall, H. E. and Williams, J. M. Study of diffusion in glycerol by the Mössbauer effect of Fe^{57} , 4=165
- Bunbury, D.S.P. See Boyle, A.J.F., 1=3604
- Bunbury, D.St.P. See Boyle, A.J.F., 1=5831
- Bunbury, D.S.P. See Boyle, A.J.F., 1=6273
- Bunbury, D.St.P. See Boyle, A.J.F., 1=5806
- Bunbury, D.St.P. See Boyle, A.J.F., 2=5790
- Bunbury, D. St. P. See Boyle, A. J. F., 4=12588
- Bunbury, D.St.P. See Boyle, A.J.F., 4=19693
- Bunce, J. See Barry, J. F., 4=30343
- Bunce, J.L. See Barry, J.F., 2=473
- Bunch, S. M., Forster, H. H. and Kim, C. C. Interactions of 31 MeV protons with He^4 , 4=19514
- Bunch, M.D. See Powell, R.L., 0=1686
- Bunch, M.D. See Powell, R.L., 0=7858
- Bunch, S.I. See Bach, D.R., 2=6040
- Bunch, S.M. See Devins, D.W., 4=19776
- Bund, G.W. and Leal Ferreira, P. On the meson mass differences, 1=3228
- Bund, G.W. and Wajntal, W. Fermi system of hard spheres, 3=11721
- Bundel', A.A. Disproportionation in the solid phase as a factor determining the ability of zinc sulphide type crystals to luminesce, 3=25487
- Bundel', A.A., Glagoleva, A.A., Guretskaya, Z.I., Danilevskaya, O.A., Nai-khua, Dou. and Sokolova, L.N. Effect of the chemical nature of the flux on the luminescence properties of zinc sulphide and zinc-cadmium sulphide phosphors, 3=3051
- Bundel', A.A., Guretskaya, Z.I. and Noskova, M.N. Separating the selenium band in the spectra of sulphide-selenide phosphors, 2=10621
- Bundel', A.A., Guretskaya, Z.I. and Taushkanova, L.B. Thermodynamics of the mechanism of activation of sulphide and sulphide-selenide phosphors, 2=14734
- Bundell, J. H. and Ellison, A. J. Recording transient load angle of synchronous machines, 4=24539
- Bunduk, T. See Antuf'iev, Yu.P., 4=17128
- Bundy, F.P. Effect of pressure on e.m.f. of thermocouples, 1=5035
- Bundy, F.P. Melting point of graphite at high pressure: Heat of fusion, 3=6818
- Bundy, F.P. Direct conversion of graphite to diamond in static pressure apparatus, 3=6819
- Bundy, F.P. Direct conversion of graphite to diamond in static pressure apparatus, 3=8793
- Bundy, F.P. Melting of graphite at very high pressure, 3=9656
- Bundy, F.P., Bovenkerk, H.P., Strong, H.M. and Wentorf, R.H.Jr. Diamond-graphite equilibrium line from growth and graphitization of diamond, 1=12621
- Bundy, F.P. and Wentorf, R.H., Jr. Direct transmission of hexagonal boron nitride to denser forms, 3=11203
- Bundy, F.P. See Strong, H.M., 0=1051
- Bunea, V. Selfcorrection of the saturation effects at particle accelerators, 3=24398
- Buneman, O. Maintenance of equilibrium by instabilities, 1=9550
- Buneman, O. Gas law and conductivity of a collision-free plasma, 1=10/02
- Buneman, O. Resistance as dissipation into many reactive circuits: Landau damping and Nyquist's noise theorem, 1=13048

- Buneman, O. Fluctuations in a multicomponent plasma, 1=18820
 Buneman, O. Instability of electrons drifting through ions across a magnetic field, 2=11650
 Buneman, O. Scattering of radiation by the fluctuations in a nonequilibrium plasma, 2=19995
 Buneman, O. Excitation of field aligned sound waves by electron streams, 3=18528
 Buneman, O. See Bell, T. F., 4=11618
 Bünemann, D. Transversal plasma wave instabilities in two counterstreaming plasmas without external fields, 4=8766
 Bunge, G.J. The resolution of different methods of studying textures, 3=20777
 Bunge, H.J. The description of fibre texture. II, 2=835
 Bunge, H.J. The calculation of some physical properties of materials with fibre texture, 2=836
 Bunge, H.J. Determination of the square of the structure factor from fibre photographs, 2=14999
 Bunge, H.J. Determination of the squares of the moduli of structure factors from texture photographs, 2=17013
 Bunge, H.J. The calculation of some physical properties of materials with general texture, 2=23628
 Bunge, H.J. A specimen holder for the investigation of fibre structures, 3=13432
 Bunge, H.J. The orientation distribution of crystallites in cold drawn aluminium wire, 3=25783
 Bunge, H. J. and Sandmann, H. The calculation of the reciprocal pole figure of fibre texture with the aid of the automatic computer Ural I, 4=13666
 Bunge, M. Laws of physical laws, 1=10406
 Bunget, I. See Rosenberg, M., 4=17592
 Bunke, H. Determining the probability for stability of a stochastic system, 4=8023
 Bunke, H. and Seiwert, R. Inelastic collisions between excited and unexcited caesium atoms, 2=18426
 Bunke, H. and Seiwert, R. Inelastic collisions between excited and ground-state Cs atoms, 2=22900
 Bunker, D.L. Mechanics of atomic recombination reactions, 0=8298
 Bunker, D.L. Monte Carlo calculation of triatomic dissociation rates. I. N_2O and O_3 , 2=18488
 Bunker, D.L. Monte Carlo calculations. IV. Further studies on unimolecular dissociation, 4=17317
 Bunker, D.L. See Blais, N.C., 3=25811
 Bunker, D.L. See Blais, N.C., 3=5160
 Bunker, M.E., Dropesky, B.J., Knight, J.D., Starnier, J.W. and Warren, B. Decay of U^{240} and 7.3 min Np^{240} , 0=1380
 Bunker, M.E., Dropesky, B.J., Knight, J.D. and Starnier, J.W. Decay of Y^{92} and Nb^{92} , 2=18292
 Bunker, M. E. See Orth, C. J., 4=1051
 Bunker, P. R. The rotational-torsional wavefunctions of molecules that have two identical co-axial rotors, 4=25612
 Bunkin, F.V. The inversion of Zeeman split levels, 1=10587
 Bunkin, F.V. The theory of electromagnetic fluctuations in a nonequilibrium plasma, 2=189
 Bunkin, F.V. Thermal fluctuations in non-linear systems, 2=5293
 Bunkin, F.V. Contribution to the theory of electromagnetic fluctuations in a non-steady state plasma, 2=5365
 Bunkin, F.V. The theory of electromagnetic fluctuations in a nonequilibrium plasma, 2=22219
 Bunkin, F.V. The theory of irreversible processes in non-stationary systems, 4=74
 Bunkin, F. V., Karapetyan, R. V. and Prokhorov, A. M. Dissociation of molecules in a strong radiation field, 4=25746
 Bunkin, F.V. and Prokhorov, A.M. Excitation and ionization of atoms in a strong radiation field, 4=16425
 Bunn, H.L. Determining electron density and distribution in plasmas, 2=5353
 Bunn, H.L. Microwave diagnostic systems and techniques for use in controlled fusion research, 2=19978
 Bunn, P.B. See Walling, J.C., 0=4267
 Bunn, P.M., Cummings, D.G. and Leavenworth, H.W., Jr. The effect of zirconium on internal friction in columbium [niobium], 2=23738
 Bünnagel, R. A study of the measurement of the phase difference in doubly refracting plates using the Soleil-Babinet compensator, 1=18624
 Bunt, B.P. Measurement of thickness of thin transparent films using fluorescence, 1=5245
 Bunting, L.S. and Kreith, F. Flow-visualization method for three-dimensional incompressible fluid flow, 3=14118
 Bunyaev, V.I. See Andreev, A.P., 2=1638
 Bunyan, D.E. and Samara, H. The measurement of interfacial tension by the adherent drop method, 3=23852
 Bunyan, P.J. Carbon-carbon elastic scattering, 2=12225
 Bunyan, P.J. The polarization by mercury of 1 to 2 keV electrons, 3=12780
 Bunyan, P. J. The effect of multiple elastic scattering in gas electron diffraction, 4=5705
 Bunyatov, S.A., Vrublevskii, A., Kopylova, D.K., Korolevich, Yu.B., Petukhova, N.I., Sidorov, V.M., Skzhipchak, E. and Filipkovskii, A. Emission of Δ^0 -particles upon capture of K-meson by nuclei in emulsion, 0=2597
 Bunyatov, S.A. See Azhgirei, L.S., 0=13233
 Bunyatov, S.A. See Bannik, B.P., 0=2626
 Bunyatov, S.A. See Batusov, Yu.A., 0=20192
 Bunyatov, S.A. See Batusov, Yu.A., 0=20214
 Bunyatov, S.A. See Batusov, Yu.A., 1=2083
 Bunyatov, S.A. See Batusov, Yu.A., 1=16849
 Bunyatov, S.A. See Batusov, Yu.A., 2=310
 Bunyatov, S.A. See Batusov, Yu.A., 3=4439
 Bunyatov, S.A. See Batusov, Yu.A., 3=17318
 Bunyatov, S.A. See Batusov, Yu.A., 4=6111
 Bunyatov, S.A. See Batusov, Yu.A., 4=19549
 Bunyatov, S.A. See Bogachev, N.P., 0=9354
 Bunyatov, S.A. See Bogachev, N.P., 0=9619
 Buon, J.M. See Bizot, J.C., 4=9171
 Bur, A.J. See Broadhurst, M.G., 1=11334
 Burak, I. and Treinin, A. Spectrum of N_2^- in solution, 3=21377
 Burak, N. T. See Sunderland, J. E., 4=22814
 Burakov, K.S. and Dianov-Klokov, V.I. High-sensitivity magnetic susceptibility meter, 2=20089
 Burakov, V. S. and Naumenkov, P. A. Investigation of the gas cloud composition of an a. c. arc, 4=21490
 Burakova, T.N. and Verbitskaya, T.N. Crystal-optical studies of polycrystalline ferroelectrics in the $BaTiO_3$ - ZrO_2 system, 1928
 Buralge, S.R. See Barledzh, S., 1=2823
 Buras, B. Note on the integrated intensity in the time-of-flight method for crystal structure investigations, 4=7599
 Buras, B. and Suwalski, J. In-pile hall coefficient measurements of germanium bombarded by fast neutrons, 0=18016
 Buras, B., Bartenbach, M., Suwalski, J. and Tomczak, Z. Radiation damage as a method of studying the electrical conductivity, Hall-coefficient and thermoelectric power of germanium as functions of carrier concentration, 4=12898
 Buras, B. and Leciejewicz, J. A time-of-flight method for neutron diffraction crystal structure investigations, 4=7598
 Buras, B. and Leciejewicz, J. A new method for neutron diffraction crystal structure investigations, 4=13577
 Buras, B. See Suwalski, J., 2=23325
 Buravikhin, V.A. See Kirenskii, L.V., 1=7753
 Buravikhin, V.A. See Kirenskii, L.V., 1=10152
 Buravikhin, V.A. See Kirenskii, L.V., 2=8636
 Buravikhin, V.A. See Kirenskii, L.V., 2=16912
 Buravikhin, V.A. See Kirenskii, L.V., 2=16913
 Buravikhin, V.A. See Kirenskii, L.V., 2=21318
 Buravikhin, V.A. See Kirenskii, L.V., 2=21319
 Buravikhin, V.A. See Kirenskii, L.V., 2=23661
 Buravikhin, V.A. See Salanskii, N.M., 2=8626
 Buravikhin, V.A. See Salanskii, N.M., 2=21307
 Buravleva, M. G. and Soifer, L. M. Low-angle boundary displacement during annealing, 4=15481
 Buravleva, M.G., Zakharin, Ya. A. and Startsev, V.I. Entry of thallium into the lattice of sodium iodide, 0=16356
 Buravleva, M.G. See Geguzin, Ya. E., 1=4024
 Buravov, L.I. and Eknadiosyants, O.K. On the behaviour of aerosol particles in an acoustic field, 2=17105
 Burbach, J. and Haasen, P. Ageing kinetics of α -iron from damping measurements in the kilocycle region, 2=16948
 Burbank, R.D. Molecular structure in crystal aggregates of linear polyethylene, 1=3579
 Burbank, R.D. Correction for nonlinearity in X-ray counting systems, 1=10874
 Burbank, R.D. A redetermination of the orthorhombic IF₇ structure, 3=8843
 Burbank, R. D. A comparison of ω and 2θ scans for integrated intensity measurement, 4=20748
 Burbank, R.D. and Heidenreich, R.D. Microtwinning in epitaxial nickel-iron films, 0=21170
 Burbank, R.D. and Knox, K. Lorentz polarization absorption corrections in the X-ray precession method, 2=6798
 Burbidge, E.M. Structure in the brightest component of NGC 6166, 3=5266
 Burbidge, E.M. The distribution of gas in spiral and irregular galaxies, 4=10856

- Burbidge, E.M. and Burbidge, G.R. The radio sources in the Cygnus Loop and IC443, 1=18179
- Burbidge, E.M. and Burbidge, G.R. Recent investigations of groups and clusters of galaxies, 2=9097
- Burbidge, E.M. and Burbidge, G.R. Ionized gas in spiral and irregular galaxies, 2=15385
- Burbidge, E.M. and Burbidge, G.R. Nature of the peculiar galaxy NGC 5128, 2=15390
- Burbidge, E.M. and Burbidge, G.R. The origin of ^3He on the surfaces of stars and in primary cosmic radiation, 3=6099
- Burbidge, E.M., Burbidge, G.R. and Hoyle, F. Condensations in the intergalactic medium, 4=4878
- Burbidge, E.M. See Burbidge, G.R., 4=13904
- Burbidge, E.M. See Hoyle, F., 4=23821
- Burbidge, E.M. See Wallerstein, G., 4=20895
- Burbidge, E.M. See Wallerstein, G., 4=26904
- Burbidge, E.M. See Wildey, R.L., 2=4816
- Burbidge, G. The origin of cosmic rays, 2=13923
- Burbidge, G. The detection of stars with neutron cores, 3=16402
- Burbidge, G. On the scale of the Galaxy, 4=4873
- Burbidge, G. See Burbidge, M., 2=15366
- Burbidge, G. See Burbidge, M., 2=15392
- Burbidge, G.R. On a revised table of abundances of elements by A.G.W. Cameron, 0=8469
- Burbidge, G.R. Galactic explosions as sources of radio emission, 1=15563
- Burbidge, G.R. Theoretical explanation of radio emission. Introductory lecture to part VI - Mechanisms of solar and cosmic emission, 2=2572
- Burbidge, G.R. Star formation in elliptical galaxies and intense radio sources, 2=24140
- Burbidge, G.R. Lecture on astrophysics, 3=5283
- Burbidge, G.R. Evolution of galaxies, 4=13900
- Burbidge, G.R., Burbidge, E.M. and Sandage, A.R. Evidence for the occurrence of violent events in the nuclei of galaxies, 4=13904
- Burbidge, G.R., Gould, R.J. and Pottasch, S.R. Excitation conditions in H II regions in spiral and irregular galaxies, 4=7958
- Burbidge, G.R. and Hoyle, F. The galactic halo — a transient phenomenon, 3=23710
- Burbidge, G.R. and Hoyle, F. On cosmic rays as an extragalactic phenomenon, 4=23827
- Burbidge, G.R. See Burbidge, E.M., 1=18179
- Burbidge, G.R. See Burbidge, E.M., 2=9097
- Burbidge, G.R. See Burbidge, E.M., 2=15385
- Burbidge, G.R. See Burbidge, E.M., 2=15390
- Burbidge, G.R. See Burbidge, E.M., 4=4878
- Burbidge, G.R. See Cameron, A.G.W., 3=9248
- Burbidge, G.R. See Gould, R.J., 4=10851
- Burbidge, G.R. See Hoyle, F., 4=23821
- Burbidge, G.R. See Prendergast, K.H., 0=8508
- Burbidge, G.R. See Wildey, R.L., 2=4816
- Burbidge, M. and Burbidge, G. Subdwarf stars, 2=15366
- Burbidge, M. and Burbidge, G. Peculiar galaxies, 2=15392
- Burcev, P. On the theory of gravitational radiation, 1=15601
- Burcev, P. On the mechanics of a mass point in the general theory of relativity, 1=15636
- Burcev, P. Non-gravitational force effect in general theory of relativity, 3=3730
- Burcev, P. On Kantor's experiment, 3=18957
- Burcev, P. On the mechanics of photon rockets in the general theory of relativity, 4=26976
- Burch, D.E., France, W.L. and Williams, D. Total absorptance of water vapor in the near infrared, 3=23933
- Burch, D.E., Gryvnak, D.A. and Williams, D. Total absorptance of carbon dioxide in the infrared, 3=14216
- Burch, D.E., Singleton, E.B. and Williams, D. Adsorption line broadening in the infrared, 2=14272
- Burch, D.E. and Williams, D. Total absorptance by nitrous oxide bands in the infrared, 2=19619
- Burch, D.E. and Williams, D. Test of theoretical absorption band model approximations, 4=9743
- Burch, D.S. See Roberts, T.D., 4=27566
- Burch, D.S. See Smith, S.J., 0=2714
- Burch, D.E. and Williams, D. Total absorptance of carbon monoxide and methane in the infrared, 2=20800
- Burch, F.H. See Bigg, P.H., 2=19364
- Burch, J.J. and Green, A.W., Jr. Magneto-telluric effects observed in Dallas, Texas, from the July 9, 1963, high-altitude nuclear event, 3=13841
- Burch, J.M. Optical research and the solid state laser, 3=9964
- Burch, J.M. Dynamic behaviour of maser oscillations, 3=17079
- Burch, J.M. The metrological applications of diffraction gratings, 4=18013
- Burch, J.M. and Palmer, D.A. Interferometric methods for the photographic production of large gratings, 1=5353
- Burch, P.R.J. Gamma-ray spectra in large organic scintillators, 1=10810
- Burch, P.R.J. See Inuma, T.A., 2=20294
- Burcham, W.E. Nuclear resonant scattering without recoil (the Mössbauer effect), 1=5828
- Burcham, W.E. Rutherford Jubilee International Conference — Manchester, September 1961, 1=19052
- Burcham, W.E., Burkhardt, G.H. and Rolph, P.M. The Birmingham conference on nuclear physics, April 1961, 1=13194
- Burcham, W.E. See Aguilar, J., 0=7583
- Burcham, W.E. See Aguilar, J., 0=20463
- Burcham, W.E. See Bredin, D.J., 0=9447
- Burcham, W.E. See Freeman, J.M., 4=12175
- Burcham, W.E. See Kim, H.G., 4=24772
- Burchenko, P.Ya. See Suprunenko, V.A., 4=16477
- Burchuladze, A.A. See Kokochashvili, V.I., 3=24538
- Burcik, E.J. and Newman, R.C. The damping of vibratory motion by soap films, 1=4318
- Burck, H. The dependence of electron mobility on temperature in mercury, 1=16272
- Burck, H. and Ku Dschi-Yü. The radial density and temperature variations in the very high pressure mercury lamps HBO 500, HBO 200 and HBO 107, 0=16993
- Burck, H. and Worm, M. Radial temperature behavior and mobility in a xenon high-pressure plasma, 3=19192
- Burck, P. and Apel, G. Work hardening properties of doped zinc single crystals, 4=20690
- Burckel, J. See Nikitine, S., 1=1160
- Burckel, J. See Nikitine, S., 3=2765
- Burckel, J. See Nikitine, S., 3=10934
- Burckhardt, C.B. and Strutt, M.J.O. Determination of the magnetic variation of resistance and of the Hall voltage by a resistance network, 3=13050
- Burd, A.N. Symposium on calibration of microphones and hydrophones, London, January 1962, 2=15701
- Burd, L.W. See Baker, E.B., 3=12332
- Burd, L.W. See Baker, E.B., 3=12333
- Burde, J., Catz, A. and Palti, S. Conversion-gamma angular correlation measurements in Gd^{152} populated by the beta decay of Eu^{152} , 3=17417
- Burde, J. and Rakavy, M. Determination of the lifetime of the 283 keV excited level of Dy^{160} , 1=19365
- Burde, J., Rakavy, M. and Engler, G. Lifetime determination of three excited levels in the odd-odd nucleus Pr^{144} , 2=16329
- Burde, J., Rakavy, M. and Engler, G. Absolute transition probabilities in the odd-odd nucleus Pr^{144} , 2=22741
- Burde, J., Rakavy, M. and Ofer, S. Determination of the lifetime of the first-excited state of Gd^{152} , 2=1803
- Burde, J., Rakavy, M. and Rakavy, G. Lifetime determination of the 2+ and 4+ rotational levels in Gd^{154} and the effect of rotation-vibration interaction, 3=10266
- Burde, J. See Bäckström, G., 0=7523
- Burdecki, F. Earth and planets seen from a space vehicle. A study in perspective, 2=2573
- Burden, H.S. See Bennett, F.D., 0=3642
- Burden, H.S. See Bennett, F.D., 2=1189
- Burden, H.S. See Bennett, F.D., 3=18900
- Burden, J.P. Elimination of a glow discharge in an induction-heated vacuum furnace, 0=19640
- Burden, J.P. See Anderson, J.S., 3=8475
- Burdese, A. and Borlera, M.L. Crystal structure of zirconium ortho-phosphate $\text{Zr}_3(\text{PO}_4)_4$, 1=2537
- Burdese, A. and Borlera, M. Lattice constants and powder spectrogram of aluminium niobate, 4=13580
- Burdese, A. and Borlera, M.L. Phases of the calcium ferrite type stabilised by alumina, 4=26643
- Burdet, A. Resolution and collecting power of a spiral orbit β -ray spectrometer, 0=17307
- Burdet, A. and Philbert, G. Emission of hyperfragments in nuclear interactions of 25 GeV protons, 2=14094
- Burdet, A. See Tinland, B., 4=6146
- Burdet, G. Angular distribution of photons scattered in the double Compton effect, 2=9812
- Burdet, G. and Maitrot, M. Theoretical study of the production of two photons in the Compton effect, 2=3296

- Burdet, G. Study of double photon production in Compton effect, 4=19462
- Burdett, G. P. See Benson, F. A., 2=11632
- Burdick, E. E. See Henschel, J. W., 4=19890
- Burdick, G. A. Topology of the Fermi surface of copper, 1=14215
- Burdick, G. A. Energy band structure of copper, 3=4840
- Burdin, Yu. B. See Utkin, V. I., 3=23577
- Burdiyan, I. I. Some additional information regarding solid solutions in the AlSb-GaSb system, 0=6381
- Burdiyan, I. I. and Kolomiets, B. G. Investigation of the conductivity and the Hall effect in the AlSb-GaSb system, 3=25352
- Burdiyan, I. I. and Kolomiets, B. T. A study of the conductivity and the Hall effect in solid solutions of the AlSb-GaSb system, 0=11706
- Burdiyan, I. I., Rozneritsa, Ya. A. and Stepanov, G. I. Thermoelectric properties of solid solutions of the AlSb-GaSb system, 2=2196
- Burdukov, Yu. M., Imenkov, A. N., Nasledov, D. N. and Tsarenkov, B. V. Planar alloy GaAs diodes, 1=12452
- Burea, V., Iliescu, C., Haltrich, S. and Leibovici, I. Magnetic circuit technology for the betatron of the Institute of Atomic Physics. (Roumanian Academy), 3=17009
- Bureau, A. J. and Hammer, C. L. Procedure for making intense sources in an electron synchrotron, 1=5516
- Bureau, A. J. See Anderson, D. W., 3=17453
- Bureau, A. J. See Cliekman, F. M., 2=14075
- Bureau, R. and Dauvillier, A. The solar chromospheric outburst of February 23, 1956. Its cosmic and geophysical effects, 0=6595
- Burenkot, N. I., Voronov, V. A. and Sal'man, F. Ya. A transistorized stabilized converter, 4=16400
- Bürer, Th. Optical activity and absolute configuration of trigonal coordination compounds, 3=23046
- Buret, M. See Roturier, J., 4=17145
- Burfoot, J. C. Wall velocity in ferroelectrics, 0=10015
- Burfoot, J. C. and Peacock, R. V. Growth of ferroelectric hysteresis loops, 0=6150
- Burfoot, J. C. and Latham, R. V. A new method for studying movements of electric domain walls, 4=7041
- Burge, D. A. Osmotic coefficients in aqueous solutions. Studies with the vapor pressure osmometer, 4=8196
- Burge, D. K. See Mutschlechner, J. P., 4=5178
- Burge, E. J. The total proton reaction cross section of carbon from 10-68 MeV by a new method, 0=4093
- Burge, E. J. Definitions of resonance and exact conditions for resonance in some electrical circuits. I. Definitions of resonance for series and parallel LCR circuits, 1=261
- Burge, E. J. Statistical errors in particle polarization measurements, 1=472
- Burge, E. J. Further comments on errors in polarization measurements, 1=473
- Burge, E. J. Definitions of resonance and exact conditions for resonance in some electrical circuits. II. Tuned coupled circuits, 1=4536
- Burge, E. J. Optimum design of experiments on exponential absorption with n observations, 3=5328
- Burge, E. J., Giles, R. A. and Hodgson, P. E. The optical model and proton total reaction cross sections, 3=12663
- Burge, E. J. and Smith, D. A. Theoretical investigation of slit scattering, 2=1685
- Burge, E. J. and Smith, D. A. Theoretical study of slit scattering, 3=5719
- Burge, E. J. See Giles, R. A., 3=19635
- Burge, E. J. See Giles, R. A., 4=9506
- Burge, E. J. See Thomas, R. N., 4=15205
- Burge, R. E. and Munden, H. R. Tilting and rotating specimen stage for electron microscopy and electron diffraction, 0=10340
- Burge, R. E. and Smith, G. H. A new calculation of electron scattering cross sections and a theoretical discussion of image contrast in the electron microscope, 2=9635
- Burge, R. E. and Smith, G. H. Electron microscopy at high beam accelerating voltages, 3=5155
- Burge, R. E. See Silvester, N. R., 1=4090
- Burge, R. E. See Smith, G. H., 2=10861
- Burge, R. E. See Smith, G. H., 3=9866
- Burgeat, J. Modifications of X-ray diffraction phenomena due to substitutional impurities in silicon crystals, 4=2091
- Burgeat, M., Burgeat-Menguy, C. and Lehmann, R. Study by means of microphonic probes of the transmission of acoustical pressure from the airpath to the cochlear fluids, 4=13993
- Burgeat, M. and Hirsh, I. J. Changes in masking with time, 1=12714
- Burgeat, M. and Lehmann, R. Experimental study of the propagation of acoustic waves in the cochlear fluids, 4=13994
- Burgeat-Menguy, C. See Burgeat, M., 4=13993
- Bürger, A. and Šebek, S. Influence of the dislocation density on germanium p-n junctions, 1=19857
- Burger, A. See Budde, R., 0=2465
- Burger, A. J. See Cohen, D., 0=9363
- Burger, A. P. The half-plane diffraction problem for harmonic time dependence, 0=3435
- Burger, E. See Eckardt, A., 1=5523
- Burger, E. E. See Cobine, J. D., 1=10554
- Burger, F. J. and Young, L. Electrolytic capacitors, 4=2934
- Burger, G., Meissner, H. and Schilling, W. Analysis of radiation annealing observed during low temperature irradiation with neutrons and heavy charged particles, 4=12821
- Burger, G., Meissner, H. and Schilling, W. The influence of the initial defect concentration of the annealing of low-temperature irradiated metals, 4=12829
- Burger, H. and Hanke, I. The inclusion of α -Fe₂O₃ in Mn-ferrite single crystals and its influence on the density of dislocations, 2=10394
- Burger, H. See Hanke, I., 2=10401
- Burger, H. See Hanke, I., 2=18590
- Burger, J. F. See Lochner, J. P. A., 0=14330
- Burger, J. F. See Lochner, J. P. A., 0=18531
- Burger, J. F. See Lochner, J. P. A., 1=16046
- Burger, J. F. See Lochner, J. P. A., 2=2578
- Burger, J. F. See Lochner, J. P. A., 2=7054
- Burger, J. F. See Lochner, J. P. A., 2=7055
- Burger, J. F. See Lochner, J. P. A., 2=13216
- Burger, J. F. See Lochner, J. P. A., 4=5339
- Burger, J. F. See Lochner, J. P. A., 4=29725
- Burger, J. P. Hall effect in dilute Pd-Co-H alloys, 1=14383
- Burger, J. P. Magnetic interactions in palladium-rich alloys with some transition elements, 3=3078
- Burger, J. P., Poullis, N. J. and Hass, W. P. A. Nuclear magnetic resonance of protons absorbed in Pd and some dilute Pd-Fe alloys, 1=14827
- Burger, J. P. and Taylor, M. A. Anomalies in the magnetic susceptibility and electrical resistivity of vanadium, 1=7735
- Burger, J. P., Vogt, E. and Wucher, J. Paramagnetic study of hydrogenated dilute palladium-iron alloys, 0=1775
- Burger, J. P., Wendling, R. and Wucher, J. Antiferromagnetism of the alloy Pd₂Mn, 0=13854
- Burger, J. P. and Wucher, J. Thermomagnetic study of dilute Pd-Cr hydrogenized alloys, 1=6257
- Burger, J. P. See Taylor, M. A., 0=16124
- Burger, R. See Bandy, A., 4=27181
- Burger, R. M. See Wortman, J. J., 4=22739
- Burgerjon, J. J., du Toit, S. J. and Kritzing, C. A. J. The Pretoria cyclotron, 0=19842
- Burgerjon, J. J. and Weidemann, W. The Pretoria cyclotron. Second report, 1=18957
- Burgerjon, J. J. See Standing, K. G., 3=5745
- Burgers, A. See Kunze, J. F., 0=5589
- Burgers, J. H. See Rhodes, R. S., 1=11483
- Burgers, J. M. Motion of a completely ionized gas across a magnetic field in the presence of an electric force, 1=5452
- Burgers, J. M. The Boltzmann equation for flows with chemical reactions, 2=4524
- Burgers, J. M. Application of the two-particle distribution function to estimate the collisional damping of plasma oscillations, 3=16290
- Burgers, J. M. The measuring process in quantum theory, 3=16534
- Burgers, J. M. Erratum: The measuring process in quantum theory, 4=8058
- Burgers, J. M. and Thomas, R. N. [Eds]. Proceedings of the Third Symposium on Cosmical Gas Dynamics, 0=16521
- Burgers, W. G. Optical demonstration of Bragg's law, 1=9484
- Burgers, W. G., Rootsart, W. J. M., Bogers, A. J. and Cornet, C. F. Preferential orientations formed on thermal decomposition of single crystals of K₂PtCl₆, K₂PtCl₄ and (NiL)₂PtCl₆, 0=11992
- Burgers, W. G. See Bogers, A. J., 4=9954
- Burgers, W. G. See de Keijzer, A. A., 2=19093
- Burgers, W. G. See De Lange, R. G., 1=11505
- Burgers, W. G. See den Broeder, F. J. A., 3=20245
- Burgers, W. G. See Geudeke, M., 3=15518
- Burgers, W. G. See Klostermann, J. A., 4=15805
- Burgers, W. G. See Ottens, E., 0=557

- Burgers, W.G. See Ottens, E., 0=558
- Burgers, W.G. See Tiedema, T.J., 1=1461
- Burgers, W.G. See Zeedijk, H.B., 2=3965
- Burgers, W.G. See van Zuilichem, A.G., 2=23184
- Burgess, A. A note on the calculation of coronal ionization cross-sections, 0=18751
- Burgess, A. New results on coronal cross-sections, 2=15346
- Burgess, A. The determination of phases and amplitudes of wave functions, 3=9346
- Burgess, A. Dielectronic recombination and the temperature of the solar corona, 4=20930
- Burgess, A. The semi-classical treatment of the excitation and ionization of atoms and positive ions by electron impact, 4=25517
- Burgess, A., Field, G.B. and Michie, R.W. On the possibility of observing interstellar aluminum, 0=12250
- Burgess, A. and Rudge, M.R.H. The ionization of hydrogenic positive ions by electron impact, 3=14519
- Burgess, A. and Seaton, M.J. Cross sections for photoionization from valence-electron states, 0=10872
- Burgess, A. and Seaton, M.J. A general formula for the calculation of atomic photo-ionization cross-sections, 0=17661
- Burgess, A. and Seaton, M.J. The ionization equilibrium for iron in the solar corona, 4=23923
- Burgess, B. Propagation of v.l.f. waves under disturbed conditions, 4=17945
- Burgess, D.D. Electron temperature measurements using the Stark effect, 4=21515
- Burgess, D.S. See Bruszak, A.E., 3=21290
- Burgess, J.H. Double resonance experiments on the $(\text{SO}_3)_2\text{NO}^-$ free radical, 0=17777
- Burgess, J.H., Rhodes, R.S., Mandel, M. and Edelstein, A.S. Magnetic susceptibilities and exchange effects in four organic free radicals, 2=12738
- Burgess, J.H. See Roberts, R.W., 1=3941
- Burgess, J.Q. See Chang, W.S.C., 2=14651
- Burgess, P. See Milligan, N.P., 4=22736
- Burgess, R.D. See Wachspress, E.L., 2=10170
- Burgess, R.E. Negative resistance in semiconductor devices, 0=6098
- Burgess, R.E. Homophase and heterophase fluctuations in semiconducting crystals, 1=3737
- Burgess, R.E. Some topics in the fluctuations of photo-processes in solids, 2=8430
- Burgess, R.E. Negative resistance processes in homogeneous semiconductors, 2=23288
- Burgess, R.E. Low noise possibilities of certain semiconductor amplifying systems, 3=5841
- Burgess, R.E. and Cook, J.G. Transverse waves propagating along an applied magnetic field in a plasma, 4=18869
- Burgess, R.E. See Barrie, R., 2=21130
- Burgess, R.E. See Gibson, A.F., 1=5008
- Burgess, R.E. See Gibson, A.F., 4=12881
- Burgess, R.E. See Gibson, A.F. [Eds.], 0=20877
- Burgess, R.E. See Gibson, A.F. [Eds.], 0=20878
- Burgess, R.E. [Ed.]. See Gibson, A.F. [Ed.], 0=20879
- Burgess, R.E. See Gibson, A.F. (Eds.), 2=14513
- Burgess, R.E. See Gibson, A.F. (Ed.), 2=18670
- Burgess, R.E. See Horita, R.E., 3=20348
- Burgess, R.E. See Nyberg, D.W., 3=342
- Burgess, R.E. See Turner, B.E., 4=22748
- Burgess, T.E. Chemical etching of germanium in $\text{HF}-\text{HNO}_2-\text{H}_2\text{O}$ solutions, 2=10787
- Burgess, T.J. See Brodwin, M.E., 4=5832
- Burgess, V.R. Analogue method for computing the number of spins contributing to a magnetic resonance absorption, 1=4739
- Burgess, V.R. See Bogle, G.S., 1=9694
- Burget, J. and Odehnal, M. The polarization of nuclei by the "effet solide" method and the relaxation of nuclear spins during rapid passage through a field, 1=20247
- Burget, J., Odehnal, M., Petříček, V. and Sacha, J. Dynamical polarization of protons in some polymers using the solid effect method, 3=10114
- Burget, J., Odehnal, M., Petříček, V. and Šácha, J. Two-quantum transitions in electron paramagnetic resonance, 1=20192
- Burget, J., Odehnal, M., Petříček, V. and Šácha, J. Dynamic polarization of protons and fluorine nuclei, 3=25580
- Burget, J., Odehnal, M., Petříček, V., Šácha, J. and Trlifaj, L. Double quantum transitions in free radicals, 2=4247
- Burget, J. and Šácha, J. Nuclear magnetic resonance of F^{19} in teflon irradiated with neutrons, 0=4529
- Burghardt, A. See Hobler, T., 4=21162
- Burghoff, H. See Becker, E.W., 2=7239
- Burriel, J.C., Jaccarino, V. and Schawlow, A.L. Nuclear quadrupole resonance in an antiferromagnet, 1=7807
- Burriel, J.C. and Strandberg, M.W.P. Antiferromagnetic resonance linewidth in MnF_2 near the transition temperature, 4=13303
- Burgman, J.O. and Andersson, G. Ion source for radioisotope separation, 0=19780
- Burgmann, V.D. See Downes, J.G., 1=21154
- Burgov, N.A., Danil'yan, G.V., Dolbilkin, B.S., Lazareva, L.E., and Nikolaev, F.A. The fine structure of the giant resonance, 0=11431
- Burgov, N.A., Danilyan, G.V., Dolbilkin, B.S., Lazareva, L.E. and Nikolaev, F.A. Cross-section for γ -quantum absorption by O^{16} nuclei in the giant resonance region, 2=20594
- Burgov, N.A., Danilyan, G.V., Dolbilkin, B.S., Lazareva, L.E. and Nikolaev, F.A. Cross-section for γ -quantum absorption by O^{16} nuclei in the giant resonance region, 3=8077
- Burgov, N.A., Danilyan, G.V., Dolbilkin, B.S., Lazareva, L.E. and Nikolaev, F.A. Cross section for absorption of γ -quanta by carbon nuclei in the giant resonance region, 4=9476
- Burgov, N.A., Davydov, A.V. and Kartashov, G.R. Lifetimes of the first excited states of Rb^{85} and Pr^{141} , 0=13180
- Burgov, N.A., Davydov, A.V. and Kartashov, G.R. Comparative measurements of the β -spectra of Au^{198} and Zn^{69} , 2=3506
- Burgov, N.A., Davydov, A.V. and Kartashov, G.R. An iron-free toroidal β -spectrometer with high transmission, 2=5622
- Burgov, N.A., Davydov, A.V. and Kartashov, G.R. Comparative measurements of the β -spectra of Au^{198} and Zn^{69} , 3=2418
- Burgov, N.A. and Terekhov, Yu.V. Resonance scattering of ^{24}Mg γ -rays, 0=7534
- Burgov, N.A., Terekhov, Yu.V. and Bizina, G.E. Resonant scattering of gamma rays by Ni^{60} , 0=13215
- Burgov, N.A. See Bizina, G.E., 4=6228
- Burgov, N.A. See Kartashov, G.R., 3=6202
- Burgov, N.A. See Korol'kov, I.Ya., 4=16877
- Burgoynne, N. See Araki, H., 1=446
- Burgoynne, P.N. Remarks on the combinatorial approach to the Ising problem, 4=1337
- Burgreen, D. Vibrations of rods in parallel flow, 0=5072
- Burgreen, D. Hydrodynamics of a liquid poison scram system, 0=13372
- Burgreen, D. Thermoelastic dynamics of rods, thin shells, and solid spheres, 2=8049
- Burgtorf, W. A sound source for the production of short duration pulses, 0=19286
- Burgtorf, W. Investigation of the perceptibility of delayed sound signals, 2=70
- Burgtorf, W. The subjective effect of sound fields in auditoria (backward masking, phantom sound sources), 3=18950
- Burgtorf, W. A method for the reproduction of sound fields in rooms and the investigation of their subjective action, 4=8360
- Burgtorf, W. and Oehlschlägel, H.K. Studies of the directional dependence of the perceptibility of delayed sound signals, 4=26990
- Burgtorf, W. and Seraphim, H.P. Apparatus for the electro-acoustic production of simple sound fields in an anechoic room, 2=81
- Burgtorf, W. See Meyer, E., 0=19341
- Burgus, W.H. See Regier, R.B., 0=17634
- Burgus, W.H. See Simpson, F.B., 2=10122
- Burgy, M.T., Krohn, V.E., Novey, T.B., Ringo, G.R. and Telegdi, V.L. Measurements of spatial asymmetries in the decay of polarized neutrons, 1=500
- Burhop, E.H.S. The capture of K^- mesons in emulsion nuclei and the Y^* isobar, 2=22835
- Burhop, E.H.S. The new unstable objects of fundamental particle physics, 3=4364
- Burhop, E.H.S. Recent experiments with nuclear emulsions, 4=19343
- Burhop, E.H.S., Common, A.K. and Higgins, K. The non-mesic interactions of K^- mesons in deuterium, 3=6068
- Burhop, E.H.S. See Jones, B.D., 1=8500
- Burhop, E.H.S. See Jones, B.D., 1=19502
- Burhop, E.H.S. See Jones, B.D., 2=16241
- Burhop, E.H.S. See Jones, B.D., 2=22834
- Burhop, E.H.S. See K^- -collaboration, 0=1308
- Burhorn, F. and Wienecke, R. Calculation of the internal partition functions of diatomic molecules at high temperatures, 0=5894
- Burhorn, F. and Wienecke, R. Plasma constitution, plasma density, enthalpy and specific heat of oxygen at 1, 3, 10, 30 atm between 1000 and 30000°K, 0=7129

- Burhorn, F. and Wienecke, R. Plasma composition, plasma density, enthalpy and specific heat of nitrogen, nitric oxide and at 1, 3, 10 and 30 atm. In the temperature range between 1000 and 30 000°K, 1=10700
- Burhorn, F. and Wienecke, R. Plasma composition, plasma density, enthalpy and specific heat of hydrogen and water vapour at 1, 3, 10 and 30 atm. In the temperature range between 1000 and 30 000°K, 1=10701
- Burkstein, P. Kh. See Shurmovskaya, N. A., 4=19075
- Burk, M. Determination of the thermal conductivity of beryllia rod by measuring axial temperature distribution, 3=12932
- Burk, P. G., Burke, V. M., Percival, I. C. and McCarroll, R. Electron scattering by atomic hydrogen in the 1s, 2s, or 2p state. I, 2=18409
- Burk, W. Particle sizes and their distribution in radioactive gold colloids, 2=19170
- Burkalov, A. V. Negative photodiodelectric effect, 3=10889
- Burkard, O. A maximum of temperature in the middle ionosphere, 1=7935
- Burkard, O. The total electron content through the entire ionosphere by the Faraday rotation technique, 2=11051
- Burkard, O. Recombination in the upper ionosphere, 2=11066
- Burkard, O. Photoionization in the F region, 3=13768
- Burkard, O. Ionospheric observations at the solar eclipse of 15th February, 1961, 3=25929
- Burkard, O. M. The earth's outer atmosphere, 3=25916
- Burke, B. F. The radio-frequency spectrum of H_2^+ , 0=20617
- Burke, B. F. Contributions of overseas observatories, 1=12778
- Burke, B. F., Ecklund, E. T., Firor, J. W., Tatel, H. E. and Tuve, M. A. Atomic hydrogen survey near the galactic plane, 1=18011
- Burke, D. G. and Johns, M. W. On the absence of a 1.5 MeV gamma transition in the decay of Pm^{151} , 4=6289
- Burke, D. G., Law, M. E. and Johns, M. W. The decay of Pm^{151} , 3=8042
- Burke, D. G. See Cormack, D. V., 0=12905
- Burke, E. A. Variational calculation of the ground state of the lithium atom, 3=15284
- Burke, E. A. Validity of the concept of the core polarization effect in hyperfine structure, 4=25502
- Burke, E. A. and Lowe, L. F. Derivation of thermal neutron spectra from transmission data, 1=505
- Burke, E. A. and Lowe, L. F. Reflection correction for thermal neutron spectra derived from transmission data, 4=3742
- Burke, E. A. and Pettit, R. M. Absorption analysis of X-ray spectra produced by beryllium window tubes operated at 20 to 50 KVP, 0=20105
- Burke, E. A. See Kerwin, J., 2=14199
- Burke, E. A. See Lowe, L. F., 4=8542
- Burke, J. The kinetics of the growth of precipitates from solid solutions, 0=16357
- Burke, J. The growth of precipitates from solid solutions, 0=21230
- Burke, J. The kinetics of precipitation from solid solutions by nucleation and diffusion controlled growth processes, 2=6782
- Burke, J. and Dixon, P. H. The $\alpha \rightleftharpoons \beta$ phase transition in pure uranium, 3=5129
- Burke, J. E. Scattering of surface waves on an infinitely deep fluid, 4=18161
- Burke, J. E. The effect of heat treatment on microstructure, 4=23524
- Burke, J. E., Christensen, E. J. and Lytle, S. B. Scattering patterns for elliptic cylinders, 4=30053
- Burke, J. E., Mower, L. and Twersky, V. Elementary results for scattering by large cones, 2=19729
- Burke, J. E. and Twersky, V. On scattering of waves by an elliptic cylinder and by a semielliptic protuberance on a ground plane, 4=19227
- Burke, J. J. See Kapany, N. S., 1=12975
- Burke, J. J. See Kapany, N. S., 3=1800
- Burke, J. J. See Kapany, N. S., 3=17060
- Burke, P. F. C. Compensated reversed field focusing of electron beams, 4=14757
- Burke, P. G. The convergence of the close-coupling expansion, 3=22501
- Burke, P. G. and Haas, F. A. The elastic scattering of neutrons by deuterons with allowance for polarization 0=12942
- Burke, P. G., Haas, F. and Percival, I. C. On ionic reactions of negative μ -mesons, 0=3981
- Burke, P. G. and Laskar, W. Four-nucleon reactions with central forces, 1=3171
- Burke, P. G., McVicar, D. D. and Smith, K. Calculation of autoionisation levels in He, 4=12356
- Burke, P. G., McVicar, D. D. and Smith, K. The excitation of He⁺ by electrons, 4=15300
- Burke, P. G., McVicar, D. D. and Smith, K. The scattering of electrons by He⁺, 4=25532
- Burke, P. G., Phillips, R. J. N. and Warburton, A. E. A. Strong interactions and dispersion relations, 4=25016
- Burke, P. G. and Schey, H. M. Elastic scattering of low-energy electrons by atomic hydrogen, 2=10218
- Burke, P. G. and Schey, H. M. Polarization and correlation of electron spin in low-energy elastic electron-hydrogen collisions, 2=10219
- Burke, P. G., Schey, H. M. and Smith, K. Collisions of slow electrons and positrons with atomic hydrogen, 3=8211
- Burke, P. G. and Smith, K. The low energy scattering of electrons and positrons by hydrogen atoms, 2=22919
- Burke, P. G. and Smith, K. Resonances and Regge poles in e⁻-H scattering, 4=25555
- Burke, P. G. and Taylor, A. J. Ionization of hydrogen atoms using close coupling wave functions, 4=24579
- Burke, P. G. See Ahmadzadeh, A., 3=19568
- Burke, P. G. See Anderson, J. A., 1=7273
- Burke, P. G. See Anderson, J. A., 1=16867
- Burke, P. G. See Bransden, B. H., 4=3453
- Burke, P. G. See Laskar, W., 1=9739
- Burke, P. G. See Smith, K., 1=11080
- Burke, P. G. See Taylor, A. J., 4=25525
- Burke, T. G. See Smith, D. F., 4=2836
- Burke, V. M. and McCarroll, R. Electron scattering by atomic hydrogen in the 1s, 2s, or 2p state. II, 2=18410
- Burke, V. M. and Seaton, M. J. The calculation of electron-hydrogen collision cross-sections using the Born approximation for the reactance matrix, 1=3509
- Burke, V. M. See Burke, P. G., 2=18409
- Burke-Gaffney, T. N. and Bullen, K. E. On the seismological aspects of the 1954 hydrogen bomb explosions, 0=4769
- Burket, R. E. and Stewart, D. M. A method of magnetic annealing of vanadium Permendur-type alloys, 2=12704
- Burkhalter, T. S. See Hach, R. J., 2=2416
- Burkhammer, E. W. See Ang, C. Y., 1=20646
- Burkhanova, N. D. See Kozlov, P. V., 4=17742
- Burkhardt, D. G. Internal angular momentum in hindered rotation, 1=830
- Burkhardt, M. D., Corliss, E. L. R., Koidan, W. and Biagi, F. Calibration for carrier operated microphones and other reversible transducers, 0=6886
- Burkhardt, G., Fahl, C. and Larenz, R. W. Coupling mechanisms between longitudinal and transverse waves in a plasma, 1=2986
- Burkhardt, G. H. and Caine, C. A. Nuclear shell effects in μ -capture, 0=7629
- Burkhardt, G. H. See Burcham, W. E., 1=13194
- Burkhardt, H. Elementary-particle physics, 0=3939
- Burkhardt, H. See Byers, N., 1=549
- Burkhardt, H. See Gomez, R., 0=17363
- Burkhardt, L. C. and Lovberg, R. H. Current sheet in a coaxial plasma gun, 2=7630
- Burkhardt, W. and Erler, H. Continuous operation of spark counters, 2=16091
- Burkhardt, W. and Herrmann, D. The calibration of beta dose-measurement devices, 1=19068
- Burkhardt, W. See Schubert, K., 1=5099
- Bürkholz, A. See Dickel, G., 2=17505
- Burkig, J. W. Proton alpha-particle scattering at 20.1 MeV, 0=2541
- Burkin, A. L. and Sheftel', I. T. Cobalt-manganese oxide semiconductor bolometers, 0=8836
- Burlage, S. R. See Carome, E. F., 0=6788
- Burlage, S. R. See Gerson, R., 1=20376
- Burlage, S. R. See Sliker, T. R., 3=17943
- Burlakov, A. V. See Oksman, Ya. A., 0=20924
- Burlakov, A. V. See Oksman, Ya. A., 0=20953
- Burlakov, A. V. See Oksman, Ya. A., 1=2434
- Burlakov, A. V. See Oksman, Ya. A., 2=661
- Burlakov, A. V. See Tolstoi, N. A., 3=3050
- Burlaku, I. See Asavine, I., 4=9006
- Burland, J. B. See Jennings, J. E., 0=8590
- Burlankov, D. E. Covariant Conservation laws in the general theory of relativity, 4=39
- Burlatskaya, S. P. The ancient magnetic field of the earth, 3=3521
- Burlefinger, R. and Ewald, H. Sensitivity of Ilford Q₁ plates, 1=9711

- Burlefinger, E. and Ewald, H. The sensitivity of ilford Q1 plates for ions up to 25 keV energies, 4=9037
- Burleigh, R.J. See Haughian, J.M., 3=5789
- Burleson, G.R. Inelastic scattering of electrons from He^+ , 1=2106
- Burleson, G.R., Deshong, J.A., Hoang, T.F., Kalmus, P.I.P., Kuskowski, R.L., Niemela, L.Q., Roberts, A., Romanowski, T.A., Warshaw, S.D. and Yurka, C.E. Optical system and data processing for a large spark chamber system in magnetic field, 3=17149
- Burleson, G.R., Hoang, T.F., Kalmus, P.I.P., Kuskowski, R.L., Niemela, L.Q., Roberts, A., Romanowski, T.A., Warshaw, S.D. and Yurka, G.E. Design and construction of a large magnetic-field spark chamber system, 3=17145
- Burleson, G.R., Hoang, T.F., Kalmus, P.I.P., Kuskowski, R.L., Niemela, L.Q., Roberts, A., Romanowski, T.A., Warshaw, S.D. and Yurka, G.E. Initial operation and performance of a large magnetic-field spark chamber system, 3=17146
- Burleson, G.R. and Kendall, H.W. An experimental search for dipole structure of the electron, 0=20112
- Burleson, G.R., Roberts, A. and Romanowski, T.A. Use of spark chambers in magnetic fields, 1=16631
- Burleson, G.R., Roberts, A. and Romanowski, T.A. Studies in the use of spark chambers in magnetic fields, 2=9755
- Burley, D.M. A lattice model of a classical hard sphere gas, 0=6831
- Burley, D.M. Some magnetic properties of the Ising model, 0=21036
- Burley, D.M. A lattice model of a classical hard sphere gas, II, 1=6378
- Burley, D.M. Critical curves of an antiferromagnetic on the Ising model for loose packed lattices, 1=20152
- Burley, G. Structure of hexagonal silver iodide, 3=18310
- Burley, G. Kinetics and mechanism of the low-cubic to hexagonal phase transformation of silver iodide, 4=23292
- Burley, G. X-ray investigation of strain in cold-worked silver iodide, 4=30784
- Burley, G. See Bienenstock, A., 4=6751
- Burley, J. See Rubin, V.C., 2=24151
- Burley, J. See Rubin, V.C., 4=17981
- Burlin, T.E. Measurement of stopping-power ratio for cavity ionization chambers, 2=3197
- Burlin, T.E. The limits of validity of cavity ionization theory, 2=11823
- Burling, R.L. Electromagnetic induction—some pedagogic comments, 3=14737
- Burling, R.W. See Pond, S., 3=25880
- Burlock, J. See Hess, R., 4=18789
- Burman, R. and Gould, R.N. On the propagation of vertically polarized electromagnetic waves in a horizontally stratified medium, 4=3142
- Burman, R. and Gould, R.N. Extremely low-frequency radio propagation in an inhomogeneous ionosphere, 4=5830
- Burman, R. and Gould, R.N. On the reflection of vertically polarised electromagnetic waves from a horizontally stratified medium, 4=14910
- Burman, R. See Gould, R.N., 4=16663
- Burman, R.L. and Yavin, A.I. Multi-purpose magnetic particle analyzer, 1=1996
- Burman, R.L. See Allen, J.S., 0=1385
- Burmakin, V.A., Gubanova, V.G. and Chistyakov, P.N. Some results of investigation of high-current corona in hydrogen, 0=14990
- Burmakina, O.P. and Savitskii, F.S. Failure of hardened steel under compression along two directions, 1=12608
- Burmeister, C.W., Doan, D.B. and Gavenda, J.D. Resonant absorption of shear waves in Cu by open orbit electrons, 4=6731
- Burmeister, H. See Bellière, P., 4=3493
- Burmeister, H. See Woischig, W., 4=6161
- Burmeister, R., Graber, H., Schintmeister, J. and Weibrecht, R. Determination of the K-conversion coefficients of the 279-keV transitions in Tl^{203} , 3=12629
- Burmeister, R.A. and Stevenson, D.A. Concerning an intermediate phase in the Ag-Sb-Te system, 3=18345
- Burmistrov, V.R. Cascade γ transitions in Cl^{36} accompanying thermal neutron capture, 0=4117
- Burmistrov, V.R. Cascade γ -transitions in Cl^{36} accompanying thermal neutron capture, 1=17120
- Burmistrov, V.R. Energy resolution of a scintillation counter with light output at both crystal faces, 2=1627
- Burmistrov, V.R. and Radchenko, V.P. Two-cascade γ -transition in the Nd^{144} nucleus accompanying capture of thermal neutrons, 1=3412
- Burmistrov, V.R. and Vangai, A.D. Investigation of the decay of Eu^{147} and Eu^{148} by coincidence pulse summation technique, 4=6238
- Burmistrova, N.P. See Berg, L.G., 2=9464
- Burn, I. and Din, F. Liquid-vapour equilibrium of the system argon + oxygen at pressures up to 10 atmospheres, 2=22097
- Burnat, M. On the conditions of simple wave formation, 1=6841
- Burnelle, L. MO treatment of acetylene including all electrons, 0=17801
- Burnelle, L. SCF LCAO study of linear and bent acetylene, 1=11109
- Burnelle, L. Study of the distribution of electron density in the molecules C_2 , C_3 and C_4 , 3=22540
- Burnelle, L. See Roux, M., 2=20849
- Burnes, F.P. See West, H.L., Jr, 2=13775
- Burnett, D.S., Gatti, R.C., Plasil, F., Price, P.B., Swiatecki, W.J. and Thompson, S.G. Fission barrier of thallium-201, 4=19848
- Burnett, J. See Blair, G.W.S., 0=8122
- Burnett, J. See Blair, G.W.S., 0=8123
- Burnett, L.L. See Parker, R.G., 4=26982
- Burnett, R.C. See Bannister, G.H., 0=18284
- Burnett, T.B., Lorch, H.O. and Thompson, J.E. Some problems in the development of a commercial thermoelectric refrigerator, 1=18751
- Burnham, C.W. See Buerger, M.J., 2=15032
- Burnham, D. See Cassen, B., 1=15981
- Burnham, D.C., Brown, F.C. and Knox, R.S. Electron mobility and scattering processes in AgBr at low temperatures, 0=15994
- Burnham, D.C. See Moser, F., 1=4029
- Burnham, J., Reppy, J., Pearson, G., Spees, A.H. and Reynolds, C.A. Transport properties of helium II in fine channels, 0=16938
- Burnham, J.U., Rogers, I.W., Thompson, M.G. and Wolfendale, A.W. An analysis of the characteristics of a neon-alcohol spark chamber, 3=14837
- Burnham, J.U. and Thompson, M.G. Electron attachment in a neon spark chamber, 4=9029
- Burnham, R.W. and Malach, R.J. Color appearance specification with adaptation to daylight and tungsten illumination, 0=18558
- Burnicki, A. See Iwanowska, W., 4=2365
- Burns, A.A. See Colin, L., 4=2281
- Burns, C.L. See Taylor, D.F., 3=13504
- Burns, D.J. See McConkey, J.W., 4=18708
- Burns, E.A. and Lyon, R.J. Errors in the measurement of the temperature of the moon, 3=5240
- Burns, E.A. See Muraca, R.F., 3=14130
- Burns, F. See Duce, R.A., 3=25868
- Burns, G. Polarizabilities and antishielding factors of 10 and 18 electron closed shell atoms, 0=2705
- Burns, G. Nuclear quadrupole coupling in the alums, 0=11959
- Burns, G. Nuclear magnetic resonance in $(\text{NH}_4)_2(\text{BeF}_4)_x(\text{SO}_4)_{1-x}$ and other ferroelectric systems, 1=11496
- Burns, G. Nuclear quadrupole resonance and electron spin resonance in $\text{C}(\text{NH}_2)_2\text{Al}(\text{SO}_4)_2 \cdot 6\text{H}_2\text{O}$ and isomorphous compounds, 1=12573
- Burns, G. Nuclear quadrupole moment of $\text{Fe}^{57\text{m}}$, 1=16971
- Burns, G. Electron spin resonance in powders, 1=20208
- Burns, G. Nuclear quadrupole resonance of Li in ferroelectric compounds, 2=18972
- Burns, G. N.Q.R. and E.S.R. and $\text{AlCl}_3 \cdot 6\text{H}_2\text{O}$, 2=23725
- Burns, G. Shielding and crystal fields at rare-earth ions, 3=6453
- Burns, G. Concentration-dependent electron spin resonance, 4=26370
- Burns, G. Shielding and crystal fields at rare earth ions, 4=28311
- Burns, G. Atomic shielding parameters, 4=30369
- Burns, G., Laff, R.A., Blum, S.E., Dill, F.H., Jr and Nathan, M.I. Directionality effects of GaAs light-emitting diodes, I, 4=5866
- Burns, G., Levitt, R.S., Nathan, M.I. and Weiser, K. Some properties of InP lasers, 4=14947
- Burns, G., Levitt, R.S., Nathan, M.I. and Weiser, K. Laser action in $\text{Ga}(\text{As}_{1-x}\text{P}_x)$ and GaAs, 4=16702
- Burns, G. and Nathan, M.I. Line shape in GaAs injection lasers, 3=14808
- Burns, G. and Nathan, M.I. Quantum efficiency of ruby, 3=24519
- Burns, G. and Nathan, M.I. Room temperature stimulated emission, 4=5870

- Burns, G. and Nathan, M. I. P-n junction lasers, 4=30088
 Burns, G. and Nicholson, W. J. Crystal field comparisons, 3=2623
 Burns, G. and Wikner, E. G. Antishielding and contracted wave functions, 1=795
 Burns, G. See Dunne, T. G., 2=8462
 Burns, G. See Laff, R. A., 4=5867
 Burns, G. See Nathan, M. I., 4=4297
 Burns, G. See Nathan, M. I., 3=4921
 Burns, G. See Nathan, M. I., 3=7735
 Burns, G. See Nathan, M. I., 3=8617
 Burns, G. See Nathan, M. I., 3=24523
 Burns, G. See Nicholson, W. J., 3=8336
 Burns, G. See Nicholson, W. J., 4=12575
 Burns, G. See Wikner, E. G., 3=742
 Burns, G. See Weiser, K., 4=24921
 Burns, J. Angular distribution of secondary electrons from (100) faces of copper and nickel, 0=12633
 Burns, J. and Neumann, M. J. Present status of the channeled image intensifier, 1=3002
 Burns, J. See Allison, R., 4=20505
 Burns, J. F. Experimental detection of auto-ionizing transitions in krypton by electron impact, 2=3000
 Burns, J. F. Auto-ionization and the ionization efficiency curves for krypton and xenon, 4=24583
 Burns, J. H. A second crystalline phase of xenon tetrafluoride, 3=23452
 Burns, J. H., Agron, P. A. and Levy, H. A. Xenon tetrafluoride molecule and its thermal motion: a neutron diffraction study, 3=12844
 Burns, J. H., Ellison, R. D. and Levy, H. A. The crystal structure of the molecular addition compound xenon difluoride-xenon tetrafluoride, 4=4628
 Burns, J. H., Osborne, D. W. and Westrum, E. F., Jr. Heat capacity of uranium tetrafluoride from 1.3° to 20° K and the thermodynamic functions to 300° K. Calorimeter for the range 0.8° to 20° K, 0=15811
 Burns, J. H. See Steinfink, H., 4=23433
 Burns, K. W. See Pickering, F. B., 3=18359
 Burns, M. J. See Toxen, A. M., 3=14448
 Burns, R. G. and Fyfe, W. S. Site of preference energy and selective uptake of transition-metal ions from a magma, 4=26535
 Burns, R. P., DeMaria, G., Drowart, J. and Grimley, R. T. Mass spectrometric investigation of the sublimation of molybdenum dioxide, 0=10697
 Burns, R. P., Demaria, G., Drowart, J. and Inghram, M. G. Mass spectrometric investigation of the vaporization of In_2O_3 , 3=12010
 Burns, R. P., Jason, A. J. and Inghram, M. G. Evaporation coefficient of graphite, 4=16300
 Burns, R. P., Jason, A. J. and Inghram, M. G. Discontinuity in the rate of evaporation of aluminum oxide, 4=18497
 Burns, R. P. See DeMaria, G., 0=10699
 Burns, R. P. See Drowart, J., 0=2324
 Burns, R. P. See Drowart, J., 0=10698
 Burns, R. P. See Grimley, R. T., 0=14971
 Burns, R. P. See Grimley, R. T., 1=4513
 Burns, R. P. See Grimley, R. T., 1=11864
 Burns, R. R. Experimental program with the Iowa State University undergraduate 1.5 MeV cyclotron, 2=11741
 Burns, S. H. and Jeppesen, M. A. Photographing and projecting crystal patterns in convergent polarized light, 1=1383
 Burns, W. R. Some statistical parameters related to the Nakagami-Rice probability distribution, 4=24829
 Burnside, P. B. See Bell, E. E., 1=1842
 Burnstein, R. A., Day, T. B., Martin, F., Sakitt, M., Glasser, R. G., Seeman, N. and Herz, A. J. Example of $\Sigma^+ \rightarrow p + \gamma$ in a hydrogen bubble chamber, 3=22214
 Burnstein, R., Kitamura, T. and Millar, D. D. The anomalous scattering of underground μ -mesons, 1=2075
 Burnstein, R. A. See Brown, J. L., 0=4003
 Burnstein, R. A. See Brown, J. L., 1=8515
 Burnstein, R. A. See Courant, H., 3=17346
 Burov, I. V. See Chechernikov, V. I., 4=7255
 Burov, I. V. See Chechernikov, V. I., 4=23030
 Burov, I. V. See Kripyakevich, P. I., 4=4605
 Burov, L. M. and Varich, N. I. Thermal expansion of aluminium-manganese and aluminium-chromium alloys, 4=20220
 Burov, L. M. See Varich, N. I., 4=15722
 Burov, V. A., Krasil'nikov, V. A. and Sukharevskaya, O. Yu. Ultrasonic splitting of the Mössbauer absorption line in $\text{Sn}^{119}\text{O}_2$, 3=15426
 Burovina, I. V. See Fleishman, D. G., 4=1047
 Burova, N. N. See Estulin, G. V., 3=11287
 Burq, J. See Walker, J. K., 2=7882
 Burq, J. P. and Walker, J. K. Photoproduction of low-energy charged pions from deuterium, 4=930
 Burq, J. P. See Walker, J. K., 3=14388
 Burr, A. See Ianniello, L., 2=21546
 Burr, D. J. and Thompson, N. Dislocations and cracks in zinc, 3=2797
 Burr, J. G. and Goodspeed, F. C. Role of benzene in the radiolysis of cyclohexane-benzene mixtures, 4=13743
 Burr, J. G. and Meyer, R. A. Preferential hydrogen loss in the electron impact dissociation of toluene- d_6 , 4=20116
 Burr, J. G. See Lapp, T. W., 4=23677
 Burr, J. G. See Scarborough, J. M., 3=3411
 Burrell, E. J., Jr. E.P.R. characterization of radicals in irradiated tetra-n-butyl ammonium halides, 0=7797
 Burrell, E. J. See Marquardt, D. W., 2=3774
 Burren, J. W., Morgan, D. and Walkinshaw, W. Production of high density currents for colliding beam accelerators, 1=9648
 Burren, J. W. and Woodley, W. A. The use of a flying line for automatic scanning of bubble chamber photographs, 3=19523
 Burren, J. W. See Bennett, R. G. T., 1=9657
 Burridge, R. The reflexion of high-frequency sound in a liquid sphere, 2=21974
 Burridge, R. The reflexion of a pulse in a solid sphere, 4=5316
 Burrill, E. A. Recent advances in d.c. methods of particle acceleration, 3=24400
 Burris, H. T. An approach for quiet neighborhood planning, 3=14291
 Burris, L. See Hesson, J. C., 4=5167
 Burris, L. Jr. See Dillon, I. G., 0=13293
 Burris, R. W. See Berg, H. F., 4=15284
 Burris-Meyer, H. and Mallory, V. Psycho-acoustics, applied and misapplied, 1=1613
 Burrows, C. R. The history of radio wave propagation up to the end of World War 1, 2=16044
 Burrows, G. Some consequences of the behaviour of mobile molecules, 0=19122
 Burrows, G. See Biram, J., 4=27229
 Burrows, J. R. and McDiarmid, I. B. A study of electrons artificially injected into the geomagnetic field in October, 1962, 4=29321
 Burrows, J. R. See Anderson, J. M., 2=14203
 Burrows, J. R. See McDiarmid, I. B., 3=23635
 Burrows, J. R. See McDiarmid, I. B., 4=7899
 Burrows, J. R. See McDiarmid, I. B., 4=23793
 Burrows, J. R. See McDiarmid, I. B., 4=23794
 Burrows, K. A rocket-borne magnetometer, 0=5372
 Burrows, K. M. Floating multiple probe systems for plasma measurements, 2=19975
 Burrows, M. L. An examination of the coupled-circuit theory of eddy-currents, 4=21447
 Burrus, C. A. Stark effect at 0.93, 1.18, and 1.5 millimeters wavelength: DCl, DBr, and DI, 0=2769
 Burrus, C. A. Gallium arsenide Esaki diodes for high-frequency applications, 1=11317
 Burrus, C. A. High-frequency silicon varactor diodes, 1=11318
 Burrus, C. A. Indium phosphide esaki diodes, 3=884
 Burrus, C. A. A point-contact diode for higher-order harmonic generation of millimeter waves, utilizing shallow diffused junctions, 4=17501
 Burrus, C. A., Jr. Backward diodes for low-level millimeter-wave detection, 4=19204
 Burrus, W. R. Unscrambling scintillation spectrometer data, 1=1987
 Burshtein, A. I. A regenerative scheme of thermoelectric cooling, 0=19602
 Burshtein, A. I. On the efficiency of cascade thermogenerators, 1=268
 Burshtein, A. I. On the efficiency of refrigerating thermobattery cascades, 1=269
 Burshtein, A. I. Hyperfine structure of e.p.r. spectra for single electrons in double potential wells, 1=4893
 Burshtein, E. L. and Solov'ev, L. S. The Hamiltonian of averaged motion, 1=18991
 Burshtein, A. I. External relaxation, 3=20070
 Burshtein, A. I. Nonuniform photoconductivity in organic semiconductors, 3=20396
 Burshtein, A. I. See Kazanskii, V. B., 3=3419
 Burshtein, A. I. See Naberukhin, Yu. I., 3=1178
 Burshtein, E. K. and Voskresenskii, G. V. On the effects of beam loading on the characteristics of a linear electron accelerator, 4=621
 Burshtein, E. L., Ivanov, Yu. S. and Kuz'min, A. A. Method for calculating the automatic system for controlling the radial and phase positions of the beam in proton synchro-

- trons, 4=14811
- Burshtein, E.L. and Solov'ev, L.S. The Hamiltonian of averaged motion, 2=3136
- Burshtein, E.L., Vasil'ev, A.A., Mints, A.L., Petukhov, V.A. and Rubchinskii, S.M. High-energy cyclic accelerators with automatically operated tuning of the magnetic field, 2=5412
- Burshtein, E.L., Vasil'ev, A.A., Mints, A.L., Petukhov, V.A. and Rubchinskii, S.M. High-energy cyclic accelerators with automatically operated tuning of the magnetic field, 2=9660
- Burshtein, E.L., Vasil'ev, A.A., Mints, A.L., Petukhov, V.A. and Rubchinskii, S.M. Application of the magnetic field self-correction principle to cyclic accelerators for ultra-high energies, 2=17913
- Burshtein, E.L., Vasil'ev, A.A., Mintz, A.L., Petukhov, V.A. and Rubchinskii, S.M. Application of the magnetic field self-correction principle to cyclic accelerators for ultra-high energies, 3=7666
- Burshtein, E.L. and Vlasov, A.D. Calculation of a klystron buncher for a linear electron accelerator, 2=1531
- Burshtein, E.L. and Voskresenskii, G.V. The radiation of a single charge in a semi-infinite waveguide filled with a dielectric, 3=22102
- Burshtein, L.L. See Birshtein, T.M., 0=9833
- Burshtein, L.L. See Mikhailov, G.P., 0=7821
- Burshtein, L.L. See Mikhailov, G.P., 3=17925
- Burshtein, R.Kh. and Larin, L.A. The effect of adsorbed oxygen on the work function of germanium, 0=9059
- Burshtein, R. Kh., Larin, L. A. and Sergeev, S. I. Effect of oxygen and water vapour on the surface properties of germanium and silicon, 4=20795
- Burshtein, R.Kh., Larin, L.A. and Voronina, G.F. Chemisorption of oxygen on germanium, 0=10368
- Burshtein, R.Kh., Larin, L.A. and Voronina, G.F. Influence of water vapour on the interaction of germanium and oxygen, 0=16395
- Burshtein, R.Kh. and Sergeev, S.I. The influence of absorbed oxygen on the lifetime of free charge carriers on germanium surfaces, 1=17684
- Bursian, E. and Smirnova, N.P. Monocrystalline BaTiO₃ films grown from melt in an atmosphere of oxygen, 3=2954
- Bursian, E.V. An 1800°C furnace with an oxygen atmosphere for growing crystals of oxides and salts, 3=24094
- Bursian, E.V. and Smirnova, N.P. Monocrystalline BaTiO₃ films grown from melt in an atmosphere of oxygen, 2=21568
- Bursian, E.V. See Bobovich, Ya.S., 2=8538
- Burson, J. H., Iino, K. and Orr, C., Jr. Particle size classifier for the subsieve range, 4=4999
- Burson, S.B. See Grench, H.A., 1=2196
- Burson, S.B. See Helmer, R.G., 0=13175
- Burson, S.B. See Helmer, R.G., 1=10976
- Burson, S.B. See Helmer, R.G., 1=10977
- Burson, S.B. See Schmid, L.C., 0=17532
- Burstein, E., Langenberg, D.N. and Taylor, B.N. Superconductors as quantum detectors for microwave and sub-millimeter-wave radiation, 1=5400
- Burstein, E., Stiles, P.J., Langenberg, D.N. and Wallis, R.F. Azbel'-Kaner cyclotron resonance in semi-conductors and semi-metals, 3=785
- Burstein, E., Stiles, P.J., Langenberg, D.N. and Wallis, R.F. Free carrier magneto-optical phenomena: Azbel'-Kaner type cyclotron resonance, 3=10638
- Burstein, E. See Kleinman, L., 4=21418
- Burstein, E. See Stiles, P.J., 1=12516
- Burstein, E. See Stiles, P.J., 1=17930
- Burstein, E. See Stiles, P.J., 3=784
- Burstein, E. See Stiles, P.J., 3=10831
- Burstein, E. See Taylor, B.N., 3=7408
- Burstein, E. See Testardi, L.R., 3=25240
- Bursuc, I. Thermal conductivity in a bismuth rod under the action of ultrasonic vibrations, 1=9985
- Bursuc, I., Ojog, A. and Tutovan, V. Contributions to the study of the magnetisation of electrolytic deposits of cobalt, 4=17647
- Bursuc, I. See Gemperle, R., 4=7253
- Bursuc, I.D. See Tutovan, V., 1=20097
- Bursuc, I.D. See Tutovan, V., 3=3109
- Burt, F.S. Hydrodynamic research, 1=11736
- Burt, P. and Harris, E.G. Unstable cyclotron oscillations in a cylindrical plasma shell, 1=18902
- Burt, P., Klevans, E. H. and Wu, C. S. Comment on damping of quantized longitudinal electron oscillations in a non-degenerate plasma, 4=3000
- Burt, P. and Wahlquist, H.D. Spin and exchange corrections to plasma dispersion relations, 2=9569
- Burt, P. and Watson, W.K.R. Determination of the coupling strength of ρ mesons and nucleons, 2=7896
- Burt, P. and Watson, W.K.R. Additional solutions to the Dirac equation with Yukawa potential, 3=7768
- Burtin, R. Variation of the optical constant of bismuth in the form of a thin film, as a function of thickness, between 2.5 and 10 μ , 0=10026
- Burtin, R. Optical properties of thin films of tin [at wavelengths] between 0.9 and 11 μ . Experimental results, 2=10570
- Burtin, R. Optical properties of thin films of tin between 0.9 and 11 μ , 2=10571
- Burtnyk, N., McLeish, C.W. and Wolfe, J. Ionosphere layer tilts at Ottawa, Canada, 3=5215
- Burton, B.S. See Williamson, R.M., 0=7585
- Burton, C. H., Lasich, W.B., Noon, J. H. and Parsons, R. W. The refractive index of methyl chloride at 10 Gc/s, 4=239
- Burton, C. H., Lasich, W. B., Noon, J. H. and Parsons, R. W. Collision broadening in the inversion spectrum of methyl chloride at pressures up to two atmospheres, 4=20089
- Burton, E.J. See Ackroyd, R.T., 1=17226
- Burton, J.T.A. See Ziebland, H., 1=18396
- Burton, L.K. and Trott, N.G. The design and applications of a demountable 4 π Geiger-Muller counter, 1=13204
- Burton, L.K., See Anderson, W., 0=11330
- Burton, M. and Dreeskamp, H. Energy transfer and decay times in radiation-induced luminescence of benzene solutions, 0=19159
- Burton, M. and Dreeskamp, H. On luminescence decay times and their relation to mechanisms of energy transfer in radiation chemistry of liquids, 1=5279
- Burton, M. See D'Alessio, J. T., 4=24358
- Burton, M. See Dreeskamp, H., 1=8227
- Burton, M. See Kropp, J.L., 3=1699
- Burton, M. See Kropp, J.L., 3=1700
- Burton, M. See Kuppermann, A., 0=975
- Burton, M. See Lipsky, S., 0=2176
- Burton, M. See Mullin, C. R., 4=18208
- Burton, M. See Nosworthy, J.M., 1=4349
- Burton, M. See Yguerabide, J., 3=1701
- Burton, M. See Yguerabide, J., 4=18207
- Burton, M.S. See Rosen, A., 4=15761
- Burton, W.B. See van de Kamp, P., 2=24131
- Burton, W.M., Butt, E. P., Cole, H. C., Gibson, A., Mason, D. W., Pease, R.S., Whiteman, K. and Wilson, R. Plasma loss in zeta, 4=8787
- Burton, W.M. and Stewart, N.G. Use of long-lived natural radioactivity as an atmospheric tracer, 0=13164
- Burton, W.M. and Wilson, R. Spectroscopic investigations of plasma containment in ZETA, 2=5349
- Burtsev, V.A., Stolov, A.M. and Shakhov, V.V. Measurement of the flow of energy radiated by the plasma in the apparatus "Alpha", 1=5478
- Burtsev, V.A., Stolov, A.M. and Shakhov, V.V. Measurement of the flow of energy radiated by the plasma in the apparatus "Alpha", 1=9604
- Burtsev, V.A. See Kanicheva, I.R., 0=7163
- Burt, R.B., Colligon, J.S. and Leck, J.H. Sorption and replacement of ionized noble gases at a tungsten surface, 1=20690
- Burt, R.B. and Jolliffe, S.A.W. Starfield recognition using television techniques, 3=25965
- Burt, B. P. and Henis, J. Negative-ion-molecule reactions in nitrous oxide, 4=29218
- Burwell, J.R. See Holm, G.B., 0=11323
- Burwell, J.R. See Holm, G.B., 1=8770
- Buryak, E.M. See Karshevskii, A.I., 3=8673
- Buryak, E.M. See Karchevsky, A.I., 2=10642
- Buryak, E.M. See Karchevsky, A.I., 3=6692
- Buryak, E.M. See Kikoin, I.K., 0=1620
- Buryak, E.V., Kaufman, S.A. and Kulikov, K.M. Cross-section for capture of holes by singly charged gold ions in germanium, 3=17852
- Buryakivs'kii, H. Yu. and Mashkevich, V.S. Theory of stationary radiation of a homogeneous system in a multimode resonator. I. Dependence of radiation on the excitation, 4=14879
- Burzlaif, H. See Hellner, E., 4=15792
- Burzynski, Z. Stabilizer of direct currents of 25 mA to 3 A, with a precision of 10⁻⁴, 2=2966
- Busbridge, I.W. On inhomogeneous stellar atmospheres, 1=2634
- Busbridge, I.W. The mathematics of radiative transfer, 1=4289
- Busch, B., Junod, P., Schwob, P., Vogt, O. and Hulliger, F. Induced ferromagnetism in EuTe and GdP, 4=17619
- Busch, C. W. See Smith, H. P., Jr., 4=18332

- Busch, F.v. See v.Busch, F.
- Busch, G. and Fischer, T. Field emission from semi-conductors, 0=3782
- Busch, G. and Fischer, T. Field emission from silicon, 4=3021
- Busch, G. and Fischer, T. Field emission from silicon, 3=12231
- Busch, G., Fröhlich, C., Hulliger, F. and Steigmeier, E. Structure, electrical and thermoelectric properties of SnSe_2 , 1=14475
- Busch, G., Hilti, B. and Steigmeier, E. Thermal conductivity of Ag_2Se , 2=573
- Busch, G. and Hulliger, F. Minerals as models for new semi-conducting compounds, 1=10040
- Busch, G. and Junod, P. Relations between the crystal structure and electronic properties of the compounds Ag_2S , Ag_2Se , Cu_2Se , 0=7946
- Busch, G. and Junod, P. Brillouin zones, chemical bonds and conduction mechanism in Ag_2S and Ag_2Se , 0=13605
- Busch, G., Junod, P., Mooser, E. and Schade, H. The electrical properties of HgIn_2Te_4 , 0=565
- Busch, G., Junod, P., Risi, M. and Vogt, O. Ferromagnetic properties in rare earth compounds, 3=11038
- Busch, G., Junod, P., Vogt, O. and Hulliger, F. Ferro- and metamagnetism of rare earth compounds, 4=1838
- Busch, G. and Madjid, A.H. Field emission distribution measurements on tungsten and silicon, 3=12232
- Busch, G., Menth, A. and Natterer, B. Magnetic susceptibility of InAs , 3=11027
- Busch, G., Menth, A. and Natterer, B. The magnetic susceptibility of InAs and InSb , 4=28766
- Busch, G. and Moldovanova, M. Semiconducting properties of Mg_2Pb , 3=10834
- Busch, G. and Muller, J. Superconductivity of vanadium alloys, 0=8958
- Busch, G., Schade, H., Gobbi, A. and Marmier, P. Evidence of boron on silicon-surfaces with activation analysis, 2=16711
- Busch, G. and Schade, H. Symmetrical silicon-silicon contacts, 3=10796
- Busch, G., Schwob, P., Vogt, O. and Hulliger, F. Magnetic properties of some rare-earth phosphides, 4=28773
- Busch, G. and Steigmeier, E. Thermal and electrical conductivities, Hall effect and thermoelectric power of InSb , 1=7649
- Busch, G. and Tièche, Y. Hall effect in liquid metals, 2=21920
- Busch, G. and Tièche, Y. Electrical conductivity and Hall effect of tellurium in the liquid state, 3=9474
- Busch, G. and Tièche, Y. Electrical resistivity and Hall effect of molten metals and semiconductors, 3=9475
- Busch, G. and Vogt, O. Electrical conductivity and hall effect of Ge-Si alloys, 0=18022
- Busch, G. and Vogt, O. Magnetic susceptibility of Ge-Si mixed crystals, 1=6253
- Busch, G. and Yuan, S. Magnetic susceptibilities of liquid B-elements, 3=9480
- Busch, G. See Baer, Y., 3=2926
- Busch, G. See Spehl, H., 4=15168
- Busch, G.A. and Vogt, O.R. Magnetic susceptibility of Ge-Si alloys, 2=23636
- Busch, H. F. and Green, J. A. An experiment with low-power ionosonde equipment, 4=2280
- Busch, H.F. See Banks, P.M., 3=19464
- Busch, K.H. See Altman, F.G., 0=4986
- Busch, J.S. See Bonilla, C.F., 2=6004
- Buschhorn, G. Low-energy γ -rays in the capture of thermal neutrons in rhodium, 2=12211
- Buschhorn, G. Demonstration of the homogeneous thermoelectric effect of the third degree (first Benedicks effect) in a single crystal of gold, 4=28655
- Buschmann, H.W. and Groth, W. The reaction between hydrogen atoms and 1-C¹³-propene, 3=20989
- Buschmanow, B.N. Growing large single crystals of Zn with a given orientation, 0=8164
- Buschow, K. H. J. and Hoiijtink, C. J. Electronic transitions of some polyacene mononegative and dinegative ions, 4=20093
- Buscombe, W. The scorpio-centaurus association. III. Radial velocities of 70 additional stars, 2=24136
- Buscombe, W. and Kennedy, P.M. The scorpio-centaurus association. IV. Interstellar absorption lines in the southern milky way, 2=24137
- Busemann, A. Onsager relations in Mollier's i-x diagram, 2=15776
- Busen, K. M. Simple greaseless high vacuum valve using a rolling O-ring seal, 4=8273
- Busen, K. M., Casey, J. J. and Skaw, E. R. Evaluation of concentration distributions by test diffusion and junction delineation, 4=20351
- Busen, K.M., Meeks, E.L. and Shirn, G.A. Surface concentration of indium in germanium from gaseous diffusion, 2=8244
- Busen, K. M. and Shirn, G. A. The average conductivity of diffused layers in semiconductors, 4=12869
- Büser, J. The behaviour of a Townsend discharge in a plane electrode spark gap at constant voltage, 0=1118
- Buser, R. and Buser, W. Determination of plasma properties by free-space microwave techniques, 2=15899
- Buser, R. and Sullivan, J.J. Pressure measurements above 1 μ using commercial ionization gauges, 2=17520
- Buser, R.G., Kainz, J. and Sullivan, J. Influence of magnetic fields upon gas discharge lasers, 3=24510
- Buser, W. See Buser, R., 2=15899
- Busey, R. H. and Keller, O. L., Jr. Structure of the aqueous perchlorate ion by raman and infrared spectroscopy. Raman and infrared spectra of crystalline KTCO_4 , KReO_4 , Na_2MoO_4 , Na_2WO_4 , $\text{Na}_2\text{MoO}_4 \cdot 2\text{H}_2\text{O}$, and $\text{Na}_2\text{WO}_4 \cdot 2\text{H}_2\text{O}$, 4=26213
- Busey, R.H. and Sonder, E. Magnetic susceptibility of potassium hexachloroheptate (IV) and potassium hexabromorhenate (IV) from 5° to 300°K, 2=2272
- Bush, A.M. Problems associated with precise determination of the index of refraction of the earth's atmosphere, 0=16476
- Bush, D.E. See Makens, R.F., 2=5994
- Bush, E.T. General applicability of the channels ratio method of measuring liquid scintillation counting efficiencies, 3=22036
- Bush, E. T. Liquid scintillation counting of double-labeled samples. Choice of counting conditions for best precision in two-channel counting, 4=24948
- Bush, G. W. and Read, H. J. X-ray determination of residual stresses in electrodeposited coatings, 4=23181
- Bush, R. H. and Huggins, R. A. Yield points in aluminum at high temperatures, 4=23121
- Bush, S.H. See Fraser, M.C., 0=14070
- Bush, S.H. See Kendall, L.F., 0=12102
- Bush, W.B. The hypersonic approximation for the shock structure of a perfect gas with the Sutherland viscosity law, 3=11854
- Bushby, F.H. and Whitelam, C.J. A three-parameter model of the atmosphere suitable for numerical integration, 2=2461
- Bushmanov, V.K. Hydrodynamic stability of a liquid layer on a vertical wall, 1=18358
- Bushmin, A. S. See Alferov, V. I., 4=470
- Bushnev, L. S., Minaeva, G. G. and Panin, V. E. Electron microscope study of dislocation loops in a quenched Cu-Al alloy, 4=1487
- Bushnyev, L.S. See Panin, V.E., 4=1986
- Bushuev, A.V. See Aksenov, V.A., 3=4594
- Bushuyeva, G. V. See Fredvoditelev, A. A., 4=9968
- Businaro, U.L., Gallone, S. and Morgan, D. On the dependence upon energy of the fission product poisoning of U^{235} , 0=4148
- Busing, W. R. and Levy, H. A. The effect of thermal motion on the estimation of bond lengths from diffraction measurements, 4=10495
- Busing, W. R., Smith, H. G., Peterson, S. W. and Levy, H. A. Experience with the oak ridge automatic three-circle neutron diffractometer, 4=29089
- Busing, J. See Buettner, K., 3=13662
- Busing, J.A. A generalization of the mixing-length concept, 0=6822
- Busing, J. A. See Fleagle, R. G., 4=10695
- Busing, J.A. See Tanner, C.B., 1=15221
- Buslaev, V.S. Dispersion relations in the nonrelativistic scattering theory with spin-orbit interaction, 1=19133
- Buslaev, V.S. Formulae for traces of Schrödinger's operator in a three-dimensional space, 2=15489
- Buslaev, V.S. Formulae for traces of Schrödinger's operator in a three-dimensional space, 2=19438
- Buslaev, V.S. A short-wave asymptote in the problem of diffraction from a convex body, 3=495
- Buslaev, Y.A. See Kharitonov, Y.Y., 3=22575
- Buslavskii, W. G. Spectral energy distribution of late type stars, 4=29391
- Busmann, E. The crystal structure of KGe and isomorphous germanides and silicides, 0=8212
- Busnel, R.G. and Loher, W. Excitation of phonoresponses in *Chorthippus brunneus* (Thbg.) acridinae, 2=1031
- Busol, F.I. See Borovik, E.S., 2=1557
- Busol, F.I. See Borovik, E.S., 3=21456
- Busol, F. I. See Borovik, E.S., 4=14768

- Buss, D.J. See Johnson, W.R., 4=28154
 Buss, J.H. See Myers, H., 2=3031
 Buss, W., Waffler, H. and Ziegler, B. Radiative capture of deuterons by H^3 , 3=17356
 Bussard, R.W. Some considerations of dynamic behavior in the plasma thermocouple, 2=7658
 Busse, J. Paramagnetic resonance of nickel in silver bromide, 4=4412
 Busse, J. Paramagnetic resonance measurements on Ni-doped silver halides, 3=13307
 Busse, W.F. and Starr, F.C. Change of a viscoelastic sphere to a torus by random impacts, 0=55
 Bussetti, G. Thick-walled ionization chamber for measuring γ -ray intensity up to 100 MeV, 1=13210
 Bussey, H.E. and Estlin, A.J. Accurate microwave wavemeters with convenient calibration tables, 0=7216
 Bussey, H.E. and Gray, J.E. Measurement and standardization of dielectric samples, 3=13103
 Bussey, H.E. See Risley, A.S., 4=13281
 Bussian, A.E. and Oppenheimer, F. Baryon-exchange model in isobar production, 4=24998
 Bussi re, P. See Renouf, J.P., 3=20215
 Bussi re de Nercy, A. Study of scattering and resonant absorption of the 10.5 MeV level of magnesium 24, 0=7597
 Bussi re De Nercy, A. Study of the 11.12 MeV level in Si^{28} by resonant scattering and absorption, 1=16993
 Bussi re De Nercy, A. Resonant scattering of photons: giant resonances in C^{12} , Al^{27} and Ca^{40} , 2=419
 Bussi re de Nercy, A. Contribution to the study of the resonant diffusion of Bremsstrahlung, 2=13999
 Bussi re de Nercy, A. and Langevin, M. Resonant scattering and absorption of bremsstrahlung, 1=13763
 Bussi re de Nercy, A., Langevin, M. and Spighe, M. Resonant absorption of the γ -rays from holmium 166 and osmium 193 without nuclear recoil, 0=7533
 Bussi re de Nercy, A., Langevin, M. and Spighe, M. Resonant gamma-ray absorption, without nucleus recoil, by Ho^{166} and Os^{193} , 1=13632
 Bussi re De Nercy, A. See Langevin, M., 1=2203
 Busu, S. See Majumdar, D.K., 0=19162
 Busulini, L. and Naldi, E. Application of radio-isotopes in polarography. II. A radioactive silver micro-coulometer, 4=7763
 Busulini, L. and Naldi, E. Application of radio-isotopes in polarography. III. Determination of the valency of electrochemical processes by means of a radioactive silver microcoulometer, 4=7764
 Busuoli, G., Melandri, C., Rimondi, O. and Righini, B. Compton rejection gamma-rays spectrometer; utilization of the a.c. shield as a well-type counter, 3=17236
 Busurina, L.N. See Volosevich, P.P., 4=16139
 Busyg n,  . P. and Tumakayev, G.K. The measurement of the gas density behind a shock wave in a shock tube by means of an electron beam method, 4=14259
 But, Z.P. Influence of surface working methods on the photoelectric emission of germanium, 1=16379
 But, Z.P. Frequency dependence of the work function of semiconductors, 2=9611
 But, Z.P. Photoelectron emission of germanium subjected to electron bombardment, 3=19314
 Butaux, J. See Barrat, J.P., 2=3706
 Butcher, A.C. and McNamee, J.M. The scattering of alpha particles by helium, 0=1422
 Butcher, B.M. and Ruoff, A.L. Effect of hydrostatic pressure on the high-temperature steady-state creep of lead, 1=14894
 Butcher, B.R. and Bayerstock, D. The effect of α - β - α phase transformation on the preferred orientation of α uranium, 2=4452
 Butcher, B. R. and Hatt, B. A. The mechanical properties of quenched uranium-molybdenum alloys. II. A preliminary survey of the deformation mechanisms, 4=20687
 Butcher, B.R., Minty, D.C., Meredith, K.E.G. and Strong, H. Grain shapes in quenched uranium, 2=4470
 Butcher, B.R. See Barwood, I.F., 3=25652
 Butcher, B. R. See Hills, R. F., 4=20686
 Butcher, B.R. See Minty, D.C., 3=3322
 Butcher, E.G. and Alsop, M. Diaphragm-type pressure balance detector, 2=19501
 Butcher, J.C. and Messel, H. Comparison of the electron number distribution in electron-photon showers in air and aluminium absorbers, 0=9461
 Butcher, J.C. and Messel, H. Electron number distribution in electron-photon showers in air and aluminium absorbers, 0=20264
 Butcher, J.C. See Bolt, B.A., 1=192
 Butcher, J.C. See Messel, H., 2=12085
 Butcher, J.C. See Messel, H., 3=4486
 Butcher, P.N. An introduction to the theory of solid-state masers, with particular reference to the travelling wave maser, 0=3848
 Butcher, P.N. An introduction to the theory of solid-state masers, 0=15138
 Butcher, P.N., Hulbert, J.A. and Hulme, K.F. Indium antimonide tunnel diodes in high magnetic fields, 2=8377
 Butcher, P.N., Hulme, K.F. and Morgan, J.R. Dependence of peak current density on acceptor concentration in germanium tunnel diodes, 3=8537
 Butcher, P. N., Hum, D. M. and Pike, E. R. The W. K. B. approximation for Bloch electrons with an application to interband tunnelling, 4=25871
 Butcher, P.N. and McLean, T.P. The non-linear constitutive relation in solids at optical frequencies, 3=8484
 Butcher, P.N. and McLean, T.P. The non-linear constitutive relation in solids at optical frequencies. II, 4=15512
 Butcher, S. See Cahill, P., 2=3740
 Butcher, S.S. Microwave spectrum of propylene sulphide, 3=20009
 Butcher, S.S. and Wilson, E.B., Jr. Microwave spectrum of propionaldehyde, 4=17308
 Butcher, S.F. See Rigen, J.S., 4=20090
 Buteau, L.J. See Reed-Hill, R.E., 4=7531
 Butement, F.D.S. and Finkelstein, N.P. Radiometer for low-current mass spectrometry, 0=15088
 Butensch n, H. See Aderholz, M., 4=21914
 Butensch n, H. See Aderholz, M., 4=21919
 Butensch n, H. See Aderholz, M., 4=25151
 Butensch n, H. See Bartsch, J., 4=21920
 Butensch n, H. See Bartsch, J., 4=30264
 Butera, R.A., Craig, R.S. and Cherry, L.V. Electromagnetic servo-balance employing a differential transformer, 1=10757
 Butera, R.A. and Giaque, W. F. Heat capacity of $MnCl_2$ from 1.3 to 4.2 K with magnetic fields to 50 kilogauss parallel to the b magnetic axis, 4=20214
 Butera, R.A. and Kofstad, P. Internal friction in the vanadium-hydrogen system, 3=23286
 Butera, R.A. See Giaque, W. F., 4=8886
 Butera, R.A. See Kofstad, P., 2=18986
 Butera, R.A. See Kofstad, P., 3=18168
 Butthal, D.A. See Mathews, J., 3=16137
 Buti, B. Plasma oscillations and Landau damping in a relativistic gas, 2=1463
 Buti, B. Relativistic effects on plasma oscillations and two-stream instability. I, 3=7620
 Buti, B. Relativistic effects on plasma oscillations and two-stream instability. II, 3=7621
 Buti, B. Coherence effects on bremsstrahlung losses from plasmas, 3=21789
 Buti, B. Bremsstrahlung radiation from a relativistic plasma, 4=5615
 Butikov, E.I. See Bir, G.L., 4=15674
 Butikov, E.I. See Bir, G.L., 4=15675
 Butilenko, A. K. Hot hardness [0-600°C] of germanium of various degrees of purity, 4=15708
 Butkevich, L. M., Kondrat'ev, P. A. and Bol'shanina, M. A. Problem of the extent of stacking fault energy in lead, 4=9975
 Butkevich, L. M., Makogon, M. B. and Osukhovskii, V. E. The effect of the application of external stresses during annealing of cold-worked brass L62 upon its mechanical properties, 4=20649
 Butkevich, L. M. See Popov, L. E., 4=23102
 Butler, B. H. A noise-reducing enclosure for a four-die swager, 4=2800
 Butler, C. B. and Jenkins, R. J. Temperature of an iron meteoroid in space, 4=10886
 Butler, C.M. and Van Bladel, J. Electromagnetic fields in a spherical cavity embedded in a dissipative medium, 4=14878
 Butler, C.P. See Parker, W.J., 1=13006
 Butler, C.P. See Jenkins, R.J., 3=11526
 Butler, C. T., Sibley, W. A. and Sonder, E. Variation of coloration rates and luminescence in Harshaw potassium chloride, 4=1525
 Butler, D. Positron annihilation in metals, 2=20980
 Butler, D. The scattering of slow neutrons by heavy water. I. Intramolecular scattering, 3=9445
 Butler, D. The scattering of slow neutrons by heavy water II. Intermolecular scattering, 3=9446
 Butler, D.K. Fission cross section of plutonium-242, 0=7637

- Butler, D.K. and Sjoblom, R.K. Fast-neutron-induced fission cross-sections of Pu^{241} and Am^{243} , 2=507
- Butler, D.S. The numerical solution of hyperbolic systems of partial differential equations in three independent variables, 0=6539
- Butler, E.B. Contact angles and interfacial tensions in the mercury-water-benzene system, 4=144
- Butler, G. A series of thermostats utilizing the thermal gradient along a metal bar, 4=352
- Butler, H.E. British equipment and plans, 2=13199
- Butler, H.E. See Pasquil, F., 4=10710
- Butler, H.S. and Kino, G.S. Plasma sheath formation by radio-frequency fields, 3=21800
- Butler, J., Chollet, P. and Crussard, C. Provision of evidence, by measurement of internal friction, for the formation of two types of carbide during ageing, after α -tempering, of iron-carbon alloys, 3=13539
- Butler, J. See Avery, A. F., 4=30235
- Butler, J.A.V., Laurence, D.J.R., Robins, A.B. and Shooter, K.V. Comparison of the molecular weights of deoxyribonucleic acids is determined from light scattering and from sedimentation and viscosity, 0=7822
- Butler, J.D. Semi-conducting properties of vanadium pentoxide and the catalytic oxidation of sulphur dioxide, 2=4041
- Butler, J.F. Effect of Luders front number of the yield point of iron, 2=10757
- Butler, J.F. Luders front propagation in low carbon steels, 3=1225
- Butler, J.N. Distribution of space charge in homogeneous metal oxide films, 1=11593
- Butler, J.P. and Santry, D.C. $\text{Th}^{232}(\text{n}, 2\text{n})\text{Th}^{231}$ cross section from threshold to 20.4 MeV, 1=7393
- Butler, J.P. and Santry, D.C. Excitation curves for the reactions $\text{Al}^{27}(\text{n}, \alpha)\text{Na}^{24}$ and $\text{Mg}^{24}(\text{n}, \text{p})\text{Na}^{24}$, 3=8109
- Butler, J.P. See Santry, D.C., 3=12687
- Butler, J.P. See Santry, D.C., 4=22152
- Butler, J.W. Energy levels in Ne^{20} from the $\text{F}^{19}(\text{d}, \text{n})\text{Ne}^{20}$ reaction, 0=9535
- Butler, J.W. $\text{Ca}^{40}(\text{p}, \gamma)\text{Sc}^{41}$ reaction, 1=11011
- Butler, J.W. Neutron-absorbing bricks made from CaB_6 , 1=2061
- Butler, J.W. High-efficiency, long-lived vacuum cold trap, 1=5313
- Butler, J.W. and Bondelid, R.O. O^{14} decay energy and the Fermi interaction constant, 1=4847
- Butler, J.W. and Dunning, K.L. Decay of Ne^{18} , 1=4850
- Butler, J.W. and Holmgren, H.D. Radiative proton capture by O^{18} , 0=2661
- Butler, J.W. See Bondelid, R.O., 0=20246
- Butler, J.W. See Bondelid, R.O., 0=20460
- Butler, J.W. See Bondelid, R.O., 3=12672
- Butler, J.W. See Bondelid, R.O., 4=3652
- Butler, J.W. See Bondelid, R.O., 4=19515
- Butler, J.W. See Dunning, K.L., 1=12218
- Butler, J.W. See Hatch, A.J., 2=5347
- Butler, R. Liénard phase plane integrals, 0=4843
- Butler, R. See Fernández, C., 3=3684
- Butler, R. See MacDougall, J., 4=4838
- Butler, R.A. and Honrubia, V. Responses of cochlear potentials to changes in hydrostatic pressure, 3=21168
- Butler, R.A. and Naunton, R.F. Some effects of unilateral auditory masking upon the localization of sound in space, 2=24199
- Butler, R.A. and Naunton, R.F. Role of stimulus frequency and duration in the phenomenon of localization shifts, 4=23965
- Butler, R.A. See Konishi, T., 1=6664
- Butler, S.R. and Buessem, W.R. Variations of the lattice constant and line width of X-ray reflections from manganese ferrite, 3=3304
- Butler, S.R. and Buessem, W.R. Magnetization of manganese ferrite, 3=15890
- Butler, S.T. and Buckingham, M.J. Energy loss of a fast ion in a plasma, 2=9570
- Butler, S.T. and Johnston, I.D.S. Production of high excited neutral atoms for injection into plasma devices, 4=19976
- Butler, S.T., May, R.M. and Johnston, I.D.S. Production of highly excited neutral atoms for injection into plasma devices, 4=24716
- Butler, S.T. and Pearson, C.A. Photostar cross-section from coulomb disintegrations of high energy heavy primaries, 1=10946
- Butler, S.T. and Pearson, C.A. Deuterons from high-energy proton bombardment of matter, 1=12199
- Butler, S.T. and Pearson, C.A. Deuterons from high-energy proton bombardment of matter, 2=1879
- Butler, S.T. and Pearson, C.A. Deuterons from high-energy proton bombardment of matter, 2=14098
- Butler, S.T. and Pearson, C.A. Deuterons from high-energy proton bombardment of matter, 3=6253
- Butler, S.T. and Pearson, C.A. Perturbation theory for the creation of deuterons from high energy proton bombardment of matter, 4=25202
- Butler, S.T. and Small, K.A. The excitation of atmospheric oscillations, 3=21037
- Butler, S.T. See Olley, J.W., 3=6019
- Butler, S.T. See Pearson, C.A., 1=575
- Butler, S.T. See Small, K.A., 2=4594
- Butler, W.L. Absorption of light by turbid materials, 2=5173
- Butler, W.A., Reitz, R.A., Rusert, R.B. and Ford, W.T. Thermoluminescence of X-ray and ultraviolet excited CsBr crystals, 4=30697
- Butler, W.A. See Reitz, R.A., 3=4889
- Butler, W.H. An infra-red source giving high flux density, 2=11530
- Butomo, S.V. See Protopopov, Kh.V., 1=4348
- Butorina, L.N. An electron diffraction study of tungsten carbide WC, 1=11566
- Butorina, L.N. and Pinsker, Z.G. Electron-diffraction study of W_2C , 1=15083
- Butra, F.P., Evkina, Z. F. and Fufaeva, O. L. Variation in the structure of α -uranium single crystals extended to fracture, 4=23222
- Butra, F.P. See Konobeevskii, S.T., 1=3703
- Butrov, M.V. Diffraction of a scalar wave by a slit and by a circular aperture in a screen of arbitrary thickness, 0=19296
- Butsko, M. I. Investigation of certain [photoelectric and electrical] properties silver-antimony sulphide, 4=26152
- Butsko, N.I. Some specific features of photoconductivity of mercuric sulphide, 0=18071
- Butsko, S.S. See Vysotskii, Z.Z., 2=19705
- Butslov, M.M., Komarov, V. I. and Savchenko, O. V. Isotropic discharge chamber for the detection of tracks of relativistic charged particles, 4=30136
- Butslov, M.M., Medvedev, M.N., Chuvilo, I.V. and Sheshunov, M.V. The detection of Vavilov-Cherenkov radiation cone from high-energy single particles, 3=17108
- Butslov, M.M., Medvedev, M.N., Filippov, I.I., Chuvilo, I.V. and Sheshunov, V.M. Recording of the cone of Vavilov-Cherenkov radiation from single particles, 2=20305
- Butslov, M.M., Medvedev, M.N. and Sheshunov, V.M. A method for measurement of charged particle elastic scattering at small angles, 3=17157
- Butslov, M.M., Plakhov, A.G. and Shapkin, V.V. A high light-speed electron-optical system for spectral investigations of plasma, 2=19981
- Butslov, M.M., Plakhov, A. G., Shapkin, V. V. and Yashin, N. M. Electron optical recording of the radiation from a faintly luminous pulsed plasma, 4=21514
- Butslov, M.M. See Akimov, Yu.K., 2=20194
- Butslov, M.M. See Kushnir, Yu.M., 1=4648
- Butslov, M.M. See Zavirosky, E.K., 0=3893
- Butt, D.K. The angular correlation between some coincident γ -rays of ^{192}Pt , 0=7536
- Butt, D.K. and Dutta, B.C. Electron-gamma angular correlation studies with the radiations from the de-excitation of Pt^{192} , 3=6181
- Butt, D.K. and Nicholson, P.W. Vibration micro-dispenser, 1=21164
- Butt, D.K. and Nicholson, P.W. The angular correlation of some coincident gamma rays of Pt^{194} , 2=10078
- Butt, E.P., Carruthers, R., Mitchell, J. T. D., Pease, R.S., Thonemann, P.C., Bird, M.A., Blears, J. and Hartill, E.R. The design and performance of Zeta, 0=5837
- Butt, E.P. and Pease, R.S. The time constants of the sustained diffuse pinch, 3=24293
- Butt, E.P. See Burton, W.M., 4=8787
- Butt, N.M. See O'Connor, D.A., 4=13570
- Butter, C.D. Some properties of cooled InSb photoconductive infrared detectors, 4=11401
- Butterworth, I. See Aderholz, M., 4=21914
- Butterworth, I. See Aderholz, M., 4=21919
- Butterworth, I. See Aderholz, M., 4=25151
- Butterworth, I. See Bartsch, J., 4=21920
- Butterworth, I. See Bartsch, J., 4=30264
- Butterworth, I. See Bondar, L., 4=944
- Butterworth, I. See Bondar, L., 3=19678

- Butterworth, J. Nuclear spin-lattice relaxation in vanadium metal, 1=1284
- Butterworth, J. Nuclear magnetic relaxation in vanadium, 1=10193
- Butterworth, J. Nuclear magnetic relaxation and shift in platinum, 3=3201
- Butterworth, J. Nuclear magnetic relaxation and the magnetic properties of V-Cr alloys, 4=10346
- Butterworth, J. C. See Long, M. W., 4=19206
- Butterworth, J. S. and Campbell, I. G. Chemical consequences of nuclear activation in solids. II. Effects of the $^{35}\text{Cl}(n, \alpha)^{32}\text{P}$ reaction in potassium chloride crystals, 4=7777
- Buttet, J. and Chatelain, A. Paramagnetic resonance in sublimated sulphur, 3=1191
- Buttet, J. See Châtelain, A., 3=20655
- Buttinelli, D. and de Gregorio, G. Cyclic terms of zinc obtained as monocrystals, 1=12625
- Buttino, G. and Cecchetti, A. Role of magnetic hysteresis in the demagnetization of ferrites, operated by decreasing alternating fields, 3=8692
- Buttino, G. and Cecchetti, A. Magnetization of hollow cylinders of ferrite under the simultaneous action of a twisting moment and a magnetic field, 4=13249
- Buttino, G., Cecchetti, A. and Drigo, A. Creep of the hysteresis cycle in ferrites under two orthogonal magnetic fields, 2=10670
- Buttlar, H. v. See v. Buttlar, H.
- Buttle, P. J. A. and Goldfarb, L. J. B. Finite range effects in deuteron stripping processes, 4=19814
- Button, J., Eberhard, P., Kalbfleisch, G. R., Lannutti, J. E., Lynch, G. R., Maglič, B. C. and Stevenson, M. L. Evidence for the reaction $\bar{p} + p \rightarrow \bar{\Sigma}^0 + \Lambda$, 0=13067
- Button, J., Eberhard, P., Kalbfleisch, G. R., Lannutti, J. E., Lynch, G. R., Maglič, B. C., Stevenson, M. L. and Xuong, N. H. Reaction $\bar{p} + p \rightarrow \bar{Y} + Y$, 1=5727
- Button, J., Kalbfleisch, G. R., Lynch, G. R., Maglič, B. C., Rosenfeld, A. H. and Stevenson, M. L. Pion-pion interaction in the reaction $\bar{p} + p \rightarrow 2\pi^+ + 2\pi^- + n\pi^0$, 2=13802
- Button, J. and Maglič, B. Experimental study of the polarization and magnetic moment of the antiproton, 2=18114
- Button, J. and Mermod, R. Complete determination of polarization for a high-energy deuteron beam, 0=11237
- Button, J. See Wolf, S. E., 1=16850
- Button, K. J. and Hartwick, T. S. Microwave devices, 4=21644
- Button, K. J. See Zwerdling, S., 0=7933
- Button, K. J. See Zwerdling, S., 0=11765
- Button, M. J. See Harman, T. C., 4=14472
- Button, K. J. See Mavroides, J. G., 3=8402
- Button, M. J. See Turnbull, T. P., 4=2036
- Buttrey, J. W. See Bragg, R. H., 0=12053
- Buttrey, J. W. See Brophy, J. J., 4=22727
- Buttweiler, T. B. Optimum modulation characteristics for amplitude-modulated and frequency-modulated infrared systems, 1=11828
- Butusov, M. M. and Fridrikhov, S. A. On the anomalous violation of the Hall cut-off condition in strong crossed fields, 4=14765
- Butusov, Yu. M. and Kopytina, M. V. The basis of band theory, 1=14201
- Butyagin, P. Yu., Kolbanov, I. V. and Radstig, V. A. Electron paramagnetic spectra of free radicals in the products of fracture of solid polymers, 4=1885
- Butylenko, A. K. and Gridnyev, V. N. Antiferromagnetism and plasticity of chromium and some of its alloys with transition metals, 4=23028
- Butylenko, O. K., Kurdyumova, I. H. and Trefilov, V. I. Determination of the activation energy of recrystallization of Cr, 1=14985
- Buvet, R. Mechanical and thermal properties of polymers in the solid state. I. Critical account of previous contributions, 0=14049
- Buvet, R. Mechanical and thermal properties of polymers in the solid state. II. Theoretical and experimental study of a method of measuring viscoelastic moduli at ultrasonic frequencies, 0=14050
- Buvet, R. Mechanical and thermal properties of polymers in the solid state. III. Viscoelastic properties of some polymers at ultrasonic frequencies, 0=14051
- Buwalda, P. See Press, F., 1=15422
- Buya, Z. See Babetski, Ya., 4=27928
- Buya, Z. A. See Babetski, S. Yu., 1=19314
- Buya, Z. A. See Babetski, S. Yu., 3=4487
- Buya, Z. A. See Babetski, Ya. S., 2=331
- Buya, Z. A. See Babetski, Ya. S., 2=22675
- Buya, Z. A. See Babayan, Kh. P., 3=19595
- Buyanov, N. V., Komarovskii, A. G. and Sukhenko, K. A. Photoelectric methods of spectrochemical analysis and their use in industry, 3=25848
- Buyanov, R. A., Zel'dovich, A. G. and Pilipenko, Yu. K. A liquefier for producing para-hydrogen and catalysts for the ortho-para conversion of hydrogen, 2=3469
- Buyanov, R. A., Zel'dovich, A. G. and Pilipenko, Yu. K. Para-hydrogen plant and catalysts for the ortho-para conversion of hydrogen, 2=17706
- Buyanov, Y. I. See Karal'nik, S. M., 2=6590
- Buyers, A. G. Calculation of work functions for surfaces composed of ionic crystals, 3=12227
- Buyers, A. G. and Murbach, E. W. Experimental estimate of the free energy of formation of plutonium trifluoride, 0=12101
- Buyers, W. J. L. and Smith, T. The Debye-Waller factors of sodium chloride, 4=22481
- Buyle-Bodin, M. Sensitivity and fidelity of autodyne oscillators in radiofrequency spectroscopy, 0=19954
- Buyle-Bodin, M. A review of recent results on pure nuclear quadrupole resonance, 4=761
- Buyle-Bodin, M. and Le Dang Khoi. Nuclear magnetic resonance of Fe^{57} in local fields for rare-earth iron garnets, 3=3196
- Buyle-Bodin, M. and Pissanetzky, S. The influence of transitions $\Delta m = \pm 1$ and $\Delta m = \pm 2$ on relaxation time in pure quadrupole resonance, 3=25597
- Buyle-Bodin, M. See Le Dang Khoi, 2=4285
- Buyle-Bodin, M. See Le Dang Khoi, 2=6703
- Buyle-Bodin, M. See Le Dang Khoi, 3=23260
- Buyle-Bodin, M. See Uchida, T., 3=24484
- Buys, W. L. Some experimental results on the angular intensity distributions of backscattering and transmission from an isotropic $\text{P}^{32}\beta$ source on thick and thin plane scattering media, 0=2528
- Buyst, L. See Verboven, E., 3=18743
- Buzhinskii, I. M. and Bodrova, N. I. Spectral study of CdS and Cds: CdSe-colored glasses, 2=18820
- Byakov, V. M. The behaviour of the cosmic ray energy spectrum at large energies, 4=3502
- Byakov, V. M. Possible role of intergalactic matter in the maintenance of gas motions in the halo, 3=16327
- Byalkovski, G. See Solov'ev, L. D., 1=19233
- Byalkovski, Ya. See Lyudzevski, E., 4=21829
- Byalobzheskii, A. V. and Val'kov, V. D. Effect of the semiconductor properties of oxide films on the electrochemical behaviour of metals in electrolytes irradiated by ultraviolet light, 0=21282
- Byan' Nan-khua. See Veingerov, M. L., 2=13446
- Byatt, W. J. and DeVault, G. P. An iteration-variation method for wave propagation problems, 1=16579
- Býchkov, A. P. See Belov, S. V., 4=30317
- Býchkov, Yu. A. Quantum theory of the electrical conductivity of metals in strong magnetic fields, 1=3705
- Bychkov, Yu. A. The influence of impurities on the de Hass—Van Alphen effect, 2=730
- Býchkov, Yu. A. and Gor'kov, L. P. Quantum oscillations of the thermodynamic quantities of a metal in a magnetic field according to the Fermi fluid model, 2=6303
- Býchkov, Yu. A. and Gor'kov, L. P. Quantum oscillations of the thermodynamic quantities of a metal in a magnetic field according to the Fermi fluid model, 3=2761
- Býchkov, Yu. A., Gurevich, L. É. and Nedlin, G. M. Thermo-electric phenomena in strong magnetic fields in metals possessing various Fermi surfaces, 0=10004
- Bychkov, Yu. A., Von Vi Chun, Frolov, A. M., Katz, E., Pacuraru, T., Petukhov, V. A., Tsislyak, O. M. and Volkov, V. Ya. A method and device for automatic scanning of nuclear emulsions, 3=17160
- Býchkov, Yu. F., Ivanov, V. A. and Rozanov, A. N. Reversibility of the $\beta \rightarrow \omega$ transformation in a 16% Nb-Zr alloy, 4=23281
- Býchkova, G. N. See Yatsuk, K. P., 0=12422
- Býchkova, M. I. See Savitskiĭ, E. M., 4=27612
- Býchkova, T. I. See Mishin, D. D., 3=20584
- Býchkova, V. E. See Frisman, E. V., 0=12499
- Býchvarov, N. See Khristov, V., 4=25468
- Byckling, E. The equation of state of hard spheres, 1=18311
- Byckling, E. Classical statistical mechanics of a one-dimensional system of molecules, 2=19449
- Byckling, E. The equation of state of a one-dimensional system with attractive potential, 3=65
- Byckling, E. Occupation number representation in classical statistical mechanics, 4=5074

- Byckling, E. An approximation for the combinatorial factor of the Ising lattice, 4=29536
- Býdin, Yu. F. Resonance charge exchange of negative ions of the alkali metals, 4=18692
- Býdin, Yu. F. and Bukhteev, A. M. Resonance multiplication of charges on positive potassium ions, 0=8988
- Býdin, Yu. F. and Bukhteev, A. M. Ionization of fast Na, K, Rb, and Cs atoms on collision with H_2 , D_2 , N_2 and O_2 molecules, 0=19611
- Býdin, Yu. F. See Bukhteev, A. M., 2=11618
- Býdin, Yu. F. See Bukhteev, A. M., 2=17787
- Byelyayev, A. D., Hlinchuk, K. D. and Miselyuk, O. H. Investigation of recombination processes in germanium doped with some impurities. I. Pure and doped with Sb or Ga, 1=11298
- Byelykh, H. V. See Barchuk, I. F., 2=18104
- Byerly, P. E. See Unterberger, R. R., 3=23649
- Byers, C. C. Cross sections of various materials in the [Los Alamos] Godiva and Jezebel critical assemblies, 1=17116
- Byers, H. R. Comments on a paper by B. Vonnegut et al., "Effect of atmospheric space charge on initial electrification of cumulus clouds", 3=25884
- Byers, H. R. and Chary, S. K. Surface tension of water droplets at the critical radius, 4=8159
- Byers, H. R. See Fitzgerald, D. R., 0=21391
- Byers, N. and Burkhardt, H. $\Sigma^0 \rightarrow \Lambda^0 + e^+ + e^-$ and the Σ^0/Λ^0 relative parity, 1=549
- Byers, N. and Fenster, S. Determination of spin and decay parameters of fermion states, 3=22204
- Byers, N., Humphrey, W. E., Rosenfeld, A. H. and Ross, R. R. Parity conservation in $\Sigma^0 \rightarrow \Lambda + \gamma$, 2=12008
- Byers, N. and Yang, C. N. Theoretical considerations concerning quantized magnetic flux in superconducting cylinders, 1=13044
- Byers, N. and Yang, C. N. Physical regions in invariant variables for N-particles and the phase-space volume element, 4=21785
- Byers, N. and Yang, C. N. Phenomenological analysis of reactions such as $K^- + p \rightarrow \Lambda + \omega$, 4=25182
- Byers, N. and Zachariasen, F. A note concerning the magnetic moment of the muon, 1=9755
- Byers, V. W. Two methods of measuring recovery following short-duration fatigue, 3=16447
- Byfield, H. See Bostick, W. H., 4=2976
- Byfield, H. See Bostick, W. H., 3=4125
- Byfield, H. See Bostick, W. H., 4=4796
- Byford, G. H. The fidelity of contact lens eye movement recording, 2=24221
- Bygrave, W., Eccleshall, D. and Yates, M. J. L. The Coulomb excitation of Se^{78} and Se^{76} using oxygen ions, 4=19689
- Bygrave, W. See Douglas, A. C., 4=22029
- Bykov, G. A. Effect of crystalline fields on the shape of the spectrum of resonance absorption of gamma rays, 3=22626
- Bykov, G. A. and Fam Zui Khien. Calculation of the parameters of the experimental γ -quantum resonance absorption spectrum in crystals, 3=2701
- Bykov, G. A. and Xien, Pham Zuy. Calculation of the parameters of an experimental spectrum of the resonant absorption of γ -quanta in crystals, 4=25813
- Býkov, G. V. Relationship between the σ -electron charges of bonds and the energy characteristics of saturated hydrocarbons, 4=15324
- Býkov, M. I. See Bazhenov, N. M., 0=5187
- Býkov, N. S. and Shneider, Yu. G. Experimental study of the effect of surface quality on the damping of surface waves [in solids], 1=18506
- Bykov, N. S. and Shneider, Yu. G. Burnishing of the surface of an acoustic line and its effect on surface wave attenuation, 3=21498
- Býkov, P. N. See Fomin, V. G., 3=25693
- Býkov, S. B., Karateev, A. D., Oreshkin, P. T. and Raeva, I. S. Microthermistors at working temperatures up to 200° C, 4=4194
- Býkov, V. N., Golovkin, V. S., Ageev, N. V., Levdik, V. A. and Vinogradov, S. I. On the magnetic structure of chromium, 0=3041
- Býkov, V. N. and Kazarnikov, V. V. The structure of an intermetallic compound of Zr, 1=20579
- Bykov, V. N. and Levdik, V. A. High-efficiency boron counter, 2=3363
- Býkov, V. N. and Vinogradov, S. I. The arrangement of the carbon atoms in the austenite lattice, 0=12049
- Býkov, V. N. See Lyashenko, V. S., 1=6115
- Býkov, V. N. See Lyashenko, V. S., 1=6116
- Býkov, V. P. Measurements of the energy of a large radiator at 3 cm wavelength, 1=5586
- Býkov, V. P. Investigation of electron packets in a microtron, 2=231
- Býkov, V. P. Investigation of electron packets in a microtron, 3=4229
- Bykov, V. P. Intramolecular energy transfer and masers, 3=17072
- Býkov, V. P. Electron bunches of a microtron, 3=24413
- Býkov, V. P. Effect of an inhomogeneous magnetic field on particle motion in the microtron, 3=24414
- Býkov, V. P. and Kostryukov, V. N. An instrument which automatically maintains a constant level of liquid nitrogen in a Dewar, 0=5242
- Býkov, V. P. and Vainshtein, L. A. Geometrical optics of open resonators, 4=30045
- Býkov, V. P. See Kapitza, S. P., 1=18965
- Býkov, V. P. See Kapitsa, S. P., 1=18966
- Býkov, V. P. See Kapitsa, S. P., 2=22289
- Bykova, T. I. See Neimark, B. E., 4=15424
- Bykova, T. I. See Neymark, B. Ya., 4=12663
- Býkova, T. T. See Berlaga, R. Ya., 1=10065
- Býkova, T. T. See Berlaga, R. Ya., 3=20414
- Býkhovskaya, L. N. A 20-30 kilovolt ion gun, 1=4659
- Býkhovskaya, L. N. and Der-Shvarts, G. V. Some electron-optical properties of single electron lens-filter, 0=2394
- Bykhovskaya, L. N. See Charnaya, F. A., 4=24356
- Bykhovskii, A. I. Kinetics of the transformation of white tin to grey tin, 2=21458
- Býkhovskii, D. N. Some rules of coprecipitation during the formation of anomalous mixed crystals, 3=1275
- Býkhovskii, E. B. On the method of small parameter ("vanishing viscosity") used for a system of gas dynamic equations, 4=18226
- Bykhovskii, V. K. and Nikitin, E. E. Transitions associated with atomic-molecular collisions: quenching of the resonance fluorescence of mercury, 4=22304
- Bykhovskiy, A. A. A peculiarity in the kinetics of diffusion processes, 4=12778
- Býkhovsk'yi, A. I. Transformation of white tin into grey as an example of a polymorphic transformation survey, 4=7514
- Býkhovsk'yi, A. I. Effect of volume pressure on the kinetics of phase transformations of the first kind, 1=14940
- Bylander, E. G. Ion-chamber response in high-level radiation field, 0=15185
- Bylander, E. G. Kinetics of silicon crystal growth from $SiCl_4$ decomposition, 3=13423
- Bylander, E. G. Role of the competing etching process in determining the quality of pyrolytically grown silicon and germanium films, 4=17844
- Bylander, E. G. Vapour deposition of sodium chloride whiskers, 4=29065
- Bylander, E. G. and Gardner, J. R. Automatic ion chamber correction for temperature and pressure, 0=15187
- Bylander, E. G., Hodges, A. J. and Roberts, J. A. Characteristics of a high solar conversion efficiency gallium arsenide p-n junction, 0=16969
- Bylander, E. G., Piedmont, J. R., Subin, L. D. and Smith, R. C. Source of acceptors in low resistivity vacuum-deposited germanium films, 4=6965
- Byram, E. See Kupperian, J. E., Jr., 0=4805
- Byram, E. T., Chubb, T. A. and Friedman, H. Attempt to measure night helium glow — evidence for metastable molecules in the night ionosphere, 1=21031
- Byram, E. T., Chubb, T. A. and Friedman, H. Ultraviolet light from celestial sources, 2=15367
- Byram, E. T. See Bowyer, S., 4=23869
- Byram, E. T. See Chubb, T. A., 4=4864
- Byram, E. T. See Kupperian, J. E., Jr., 0=14199
- Byram, E. T. See Kupperian, J. E., Jr., 1=6629
- Byrne, J. New bands in the second negative system of oxygen, 2=2001
- Byrne, J. Statistics of the electron-multiplication process in proportional counters, 3=2148
- Byrne, J. Study of a proposal for determining the g-factor anomaly for electrons by resonance excitation in a magnetic field, 4=885
- Byrne, J. F. and Cook, C. F. Microwave type bolometer for sub-millimeter wave measurements, 4=19205
- Byrne, J. G. X-ray asterism and work-hardening in crystals, 4=20644
- Byrne, J. G., Fine, M. E. and Kelly, A. Precipitate hardening in an aluminium-copper alloy, 1=20602

- Byrne, J.G. Plastic deformation of Mg-Mn alloy single crystals, 3=25624
- Byrne, J.G. See Di Martini, R.G., 4=17431
- Byrne, J.T. See Bradfield, W.S., 2=15817
- Byrne, W.J. See Maley, S.W., 2=15986
- Byrnes, W.S., Crawford, R.G. and Hall, R.C. Design of automatic recording instruments for magnetic measurements in a hot cell, 0=2417
- Byrnes, W.S. See Hall, R.C., 0=2994
- Byrnes, W.S. See Hall, R.C., 0=3044
- Bȳrnev, P.Kh., Meshcheryakov, V.A. and Nedyalkov, I.P. A set of algebraic equations equivalent to the low equations, 4=16792
- Byrnev, P.Kh. See Nedyalkov, I.P., 4=7810
- Byron, E.S. See Prus, L.G., 0=14057
- Byron, F.W., Jr. and Foley, H.M. Theory of collision broadening in the sudden approximation, 4=17240
- Byron, F.W., Jr., McDermott, M.N. and Novick, R. Self-broadening of optical double resonance lines in cadmium, 4=17245
- Byron, F.W., Jr., McDermott, M.N. and Novick, R. Spin and nuclear moments of 6.7-hour Cd^{107} , 4=3537
- Byron, F.W., Jr., McDermott, M.N., Novick, R., Perry, B.W. and Saloman, E.B. Spin and nuclear moments of 245-day Zn^{65} ; redetermination of the h.f.s. of Zn^{67} and $\tau(^3\text{P}_1)$ of zinc, 4=15294
- Byron, S., Bortz, P.I. and Russell, G.R. Electron-ion reaction rate theory: determination of the properties of non-equilibrium monatomic plasmas in m.h.d. generators and accelerators and in shock tubes, 4=19058
- Byron, S. and Spongberg, R.M. Gasdynamic instrumentation of high enthalpy flows, 4=14739
- Byron, S., Stabler, R.C. and Bortz, P.I. Electron-ion recombination by collisional and radiative processes, 2=13543
- Bysheva, G.K. See Barmin, V.V., 4=14835
- Bysheva, G.K. See Radkevich, I.A., 4=14836
- Bysheva, G.K. See Talyzin, A.N., 4=14827
- Bȳshevski, V., Aleksandrovich, E. and Labno, L. The temperature measurements of the WWR-S reactor fuel element wall, 2=3675
- Bystrand, F.W. See Linderberg, J., 4=28301
- Bȳstrik, P.S. See Dolgoplov, D.G., 4=17686
- Bȳstrikov, A.S. See Predvoditelev, A.A., 1=3667
- Bystritskii, I. and Zul'karneev, R. Contribution of ^3P - and ^3F -waves to meson production in 660 MeV p-p collisions, 4=6049
- Bystrov, N.F. The automation of astrometric measurements of moon photographs by means of a photoelectric instrument, 2=21684
- Bystrov, N.F. The precision of determination of the position of the centre of the moon's mass from photographic observations, 2=24090
- Bystrov, N.F. The precision of determination of the position of the centre of the moon's mass from photographic observations, 3=3545
- Bystrov, N.F. See Potter, Kh.I., 2=24088
- Bȳstrov, V.F., Dekabrun, L.L., Kil'yanov, Yu.N., Stepanyants, A.U. and Utyanskaya, E.Z. A high-resolution nuclear magnetic resonance spectrometer, 2=7774
- Bȳstrov, V.F., Neimȳsheva, A.A., Stepanyants, A.U. and Knunyants, I.L. Additive relations for chemical shifts in magnetic resonance spectra of ^{19}F nuclei in fluorophosphates and fluorophosphonates, 4=25742
- Bȳstrov, V.F., Utyanskaya, E.Z. and Yagupol'skii, L.M. Nuclear magnetic resonance spectra of F 19 in fluorinated aromatic compounds, 1=11127
- Bȳstrova, K.A. See Tumanov, V.I., 4=15720
- Byszewski, P., Kołodziejczak, J. and Żukotyński, S. The thermoelectric power in InSb in the presence of an external magnetic field, 4=1700
- Byszewski, W. See Labno, L., 2=3362
- Byurganovskaya, G.V. and Orlov, N.F. Formation of colour centres in sodium silicate and quartz glasses under the action of gamma radiation, 2=16667
- Byutner, E.K. The time of the establishment of a stationary quantity of oxygen in the atmospheres of planets containing water vapour, 1=20810
- Bywater, S., Johnson, A.F. and Worsfold, D.J. The electronic spectra of some anionic polymerization systems, 4=25796
- Bȳzova, N.L. and Nesterov, V.S. Thermal attenuation of sound in a highly concentrated suspension, 0=19294
- Bzranova, G., Brandshtet, I., Druin, V., Ermakov, V., Zvarova, T., Krzhivanek, M., Malȳ, Ya., Polikanov, S. and Su Khun-gui [Su Hung-kuei]. Production of Md^{256} during irradiation of U^{238} by Ne^{22} ions and study of some of its chemical properties, 3=8140

- Ca Nguyen Dai. See Dai Ca Nguyen.
 Cabala, R. See Potier, R., 3=7636
 Cabala, R. See Potier, R., 3=16129
 Cabana, A., Savitsky, G. B. and Hornig, D. F. Vibration-rotation spectra of CH_4 and CD_4 impurities in xenon, krypton, and argon crystals, 4=6628
 Cabane, G. Attempts to purify metals by arc zone melting, 0=8169
 Cabane, G. and Donzé, G. Stabilization of the γ phase in the ternary alloys with a uranium-molybdenum base, 0=10333
 Cabane, G., Mouturant, P., Pepin, P., Petit, J., Sainfort, G. and Salenne, M. Contribution to the study of fragility of the solid solution Fe-Al, 3=6798
 Cabane, G. See Beaudier, J., 2=4456
 Cabané, J. See Beaumont, J. C., 1=7584
 Cabané, J. See Beaumont, J. C., 1=7585
 Cabane-Brouty, F. and Oudar, J. Reversible chemisorption of sulphur on the (111), (110) and (100) faces of silver, 4=26724
 Cabannes, C. See Chapelle, J., 2=1459
 Cabannes, C. See Cabannes, F., 4=28671
 Cabannes, F. Method of measurement of the thermal diffusivities of refractory materials up to the neighbourhood of the melting point, 0=16909
 Cabannes, F. and Cabannes, C. Reflection and emission coefficients of sintered beryllium oxide, 4=28671
 Cabannes, F., Chapelle, J., Hadni, A. and Rollet, G. The emission from the jet of a "plasma pipe" in the neighbourhood of the plasma frequency (far infrared), 2=22231
 Cabannes, F. and Skowronek, M. Emission spectra of the discharge obtained by the reunion of jets emitted from fine points in air, 0=11510
 Cabannes, F. and Skowronek, M. Ionizing cylindrical shock in a transverse magnetic field, 4=8918
 Cabannes, F. See Anthony, A. M., 4=25990
 Cabannes, F. See Piriou, B., 3=6641
 Cabannes, F. See Skowronek, M., 3=4124
 Cabannes, F. See Skowronek, M., 4=27524
 Cabannes, F. See Sy, A., 2=19979
 Cabannes, F. See Thureau, P., 2=7436
 Cabannes, H. Calculation of the thermal conductivity of an ionic current, 0=1127
 Cabannes, H. The attachment of shock-fronts in two-dimensional flows [round a wedge], 0=9179
 Cabannes, H. Attached stationary shock waves in ionized gases, 1=5569
 Cabannes, H. Pressure and temperature gradients at the nose of a body of revolution, 3=197
 Cabannes, H. Kinetic theory of the viscosity in completely ionized gases, 4=460
 Cabannes, M. [Collab.]. See Ader, M., 0=12770
 Cabannes, M.-P. See Ader, M., 0=9542
 Cabarat, R. New dynamic method for measurement of the elastic modulus and the capacity for damping, 0=18236
 Cabaret, F., Didry, J. R. and Guy, J. Theoretical determination of the magnetic screening constant associated with the protons of the methane molecule, 2=6222
 Cabaret, F., Didry, J. R. and Guy, J. Theoretical determination of the magnetic screening constants of protons in acetylene, 2=23002
 Cabaret, F. and Guy, J. The adjustment of curvilinear integration of the parameters of a characteristic approximate function for the H_2^+ ion molecule, 0=7785
 Cabaret, F. See Baudet, J., 1=7451
 Cabaret, F. See Didry, J. R., 2=10272
 Cabaret, F. See Didry, J. R., 4=3849
 Cabaret, F. See Guy, J., 1=7485
 Cabaret, F. See Guy, J., 1=14097
 Cabaret, F. See Guy, J., 1=14098
 Cabaret, F. See Guy, J., 4=3848
 Cabaret, F. See Mangeot, B., 4=9705
 Cabaret, F. See Sales, A., 2=20764
 Cabaud, B. See Déjardin, G., 3=4204
 Cabaud, B. See Mesnard, G., 4=11524
 Cabe, J., Laurat, M. and Yvon, P. Effective total cross-section of phosphorus for neutrons from 830 to 1200 keV, 4=3675
 Cabe, J., Laurat, M. and Yvon, P. The neutron cross-section of chromium from 500 keV to 1200 keV, 4=19796
 Cabe, J., Laurat, M. and Yvon, P. Study of inelastic scattering of 800 keV neutrons by I^{127} , 4=17149
 Cabé, J. See Blanc, D., 1=2945
 Cabé, J. See Blanc, D., 1=13197
 Cabé, J. See Blanc, D., 4=5884
 Cabell, M. J. The thermal neutron capture cross-section and the resonance capture integral of ^{100}Mo , 1=706
 Cabell, M. J., Eastwood, T. A. and Campion, P. J. The thermal neutron capture cross-section and the resonance-capture integral of ^{236}U , 0=7620
 Cabell, M. J. and Slee, L. J. The ratio of neutron capture of fission for ^{233}U , 2=14148
 Cabell, M. J. See Attree, R. W., 2=5834
 Cabezas, A., Lindgren, I., Lipworth, E., Marrus, R. and Rubinstein, M. Nuclear spins of neodymium-147 and promethium-147, 1=2159
 Cabezas, A., Lipworth, E., Marrus, R. and Winocur, J. Nuclear spin of samarium-153, 0=9514
 Cabezas, A. See McKeown, D., 4=6667
 Cabezas, A. Y. and DeShazer, L. G. Radiative transfer of energy between rare-earth ions in glass, 4=15614
 Cabezas, A. Y. and Lindgren, I. Atomic beam study of the hyperfine structure of thulium-170, 0=20328
 Cabezas, A. Y., Lindgren, I. and Marrus, R. Atomic-beam investigations of electronic and nuclear ground states in the rare-earth region, 1=9500
 Cabezas, A. Y., Lindgren, I. P. K., Marrus, R. and Nierenberg, W. A. Hyperfine structure of praseodymium-142, 2=12295
 Cabibbo, N. The nucleon core in high energy neutrino processes, 1=16768
 Cabibbo, N. Measurement of the linear polarization of γ -rays by the elastic photoproduction of π^0 on He^4 , 2=5615
 Cabibbo, N. Unitary symmetry and leptonic decays, 3=22062
 Cabibbo, N. Unitary symmetry and nonleptonic decays, 4=15099
 Cabibbo, N. and Da Prato, G. Pion production by high-energy neutrinos, 2=18100
 Cabibbo, N., Da Prato, G., De Franceschi, G. and Mosco, U. New method for producing and analysing linearly polarized gamma-ray beams, 3=572
 Cabibbo, N., Da Prato, G., De Franceschi, G. and Mosco, U. Absorption of γ -rays in crystals and the production and analysis of linearly polarized γ -rays, 3=7 9
 Cabibbo, N., Da Prato, G., De Franceschi, G. and Mosco, U. Circular polarization of high-energy γ -rays by birefringence in crystals, 3=14937
 Cabibbo, N. and Doniach, S. Qualitative mechanism for supercurrent destruction by α -particles, 3=12026
 Cabibbo, N. and Ferrari, E. Some rare decay modes of the K-meson, 1=5777
 Cabibbo, N. and Ferrari, E. Quantum electrodynamics with Dirac monopoles, 2=16121
 Cabibbo, N. and Franzini, P. Test of the conserved vector current hypothesis in $\Sigma^\pm \rightarrow \Lambda^0$ leptonic decays, 3=7932
 Cabibbo, N. and Gatto, R. Leptonic decay modes of K-mesons and hyperons, 0=376
 Cabibbo, N. and Gatto, R. Structure of weak interactions and unwanted processes, 0=5577
 Cabibbo, N. and Gatto, R. Pion form factors from possible high-energy electron-positron experiments, 0=9418
 Cabibbo, N. and Gatto, R. The non-renormalization hypothesis for the vector β -decay and rare decay models [modes] of hyperons, 0=15448
 Cabibbo, N. and Gatto, R. Cross sections of reactions produced by high energy neutrino beams, 0=17300
 Cabibbo, N. and Gatto, R. Symmetry between muon and electron, 0=17364
 Cabibbo, N. and Gatto, R. Consistency of the $\text{K}^+ \rightarrow \pi^+ + \pi^0 + \gamma$ rate with the $\Delta T = \frac{1}{2}$ rule, 1=2095
 Cabibbo, N. and Gatto, R. Further remarks on the proposed μ -e selection rule, 1=12048
 Cabibbo, N. and Gatto, R. Theoretical discussion of possible experiments with electron-positron colliding beams, 1=12077
 Cabibbo, N. and Gatto, R. Electron-positron colliding beam experiments, 2=275
 Cabibbo, N. and Gatto, R. Consequences of unitary symmetry for weak and electromagnetic transitions, 2=3259
 Cabibbo, N., Gatto, R. and Zemach, C. A theorem on the elimination of contact muon-electron interactions, 0=13011
 Cabibbo, N. and Maksymowicz, A. Determination of the form factors in $\text{K}_{\mu 6}$ decays, 4=25171
 Cabibbo, N. See Buhler, A., 4=9232
 Cabibbo, N. See Zichichi, A., 2=9849
 Cabicar, J. and Einhorn, F. The regeneration of scintillators, 3=23119
 Cable, J. W., Koehler, W. C. and Wollan, E. O. Magnetic order in rare-earth intermetallic compounds, 4=30716
 Cable, J. W., Moon, R. M., Koehler, W. C. and Wollan, E. O. Antiferromagnetism of praseodymium, 4=26354

- Cable, J.W., Wilkinson, M.K. and Wollan, E.O. Neutron diffraction studies of antiferromagnetism in CrF_2 and CrCl_2 , 0=10184
- Cable, J.W., Wilkinson, M.K. and Wollan, E.O. Neutron diffraction investigation of antiferromagnetism in CrCl_2 , 1=20159
- Cable, J.W., Wilkinson, M.K., Wollan, E.O. and Koehler, W.C. Neutron diffraction investigation of the magnetic order in MnL , 2=8661
- Cable, J.W., Wilkinson, M.K., Wollan, E.O. and Koehler, W.C. Neutron-diffraction study of antiferromagnetic FeCl_3 , 2=18927
- Cable, J.W., Wollan, E.O., Koehler, W.C. and Wilkinson, M.K. Neutron diffraction investigations of ferromagnetic palladium and iron group alloys, 2=12731
- Cable, J.W., Wollan, E.O. and Koehler, W.C. Atomic magnetic moments in dilute iron-palladium alloys, 3=15737
- Cable, J.W., Wollan, E.O. and Koehler, W.C. The crystal structure of nickel hydride, 4=29124
- Cable, J.W., Wollan, E.O., Koehler, W.C. and Child, H.R. Antiferromagnetism of the antiphase domain structure of Pd_3Mn , 3=6729
- Cable, J.W., Wollan, E.O., Koehler, W.C. and Wilkinson, M.K. Neutron diffraction study of metallic erbium, 1=6348
- Cable, J.W. See Child, H.R., 3=20609
- Cable, J.W. See Felcher, G.P., 4=15644
- Cable, J.W. See Koehler, W.C., 0=10188
- Cable, J.W. See Koehler, W.C., 0=13849
- Cable, J.W. See Koehler, W.C., 2=12663
- Cable, J.W. See Koehler, W.C., 2=14810
- Cable, J.W. See Koehler, W.C., 3=1108
- Cable, J.W. See Koehler, W.C., 3=15742
- Cable, J.W. See Koehler, W.C., 4=20516
- Cable, J.W. See Moon, R.M., 4=13273
- Cable, J.W. See Wilkinson, M.K., 0=11849
- Cable, J.W. See Wilkinson, M.K., 1=1251
- Cable, J.W. See Wilkinson, M.K., 1=6347
- Cable, J.W. See Wilkinson, M.K., 2=21349
- Cable, J.W. See Wilkinson, M.K., 3=1107
- Cable, J.W. See Wollan, E.O., 3=1110
- Cable, J.W. See Wollan, E.O., 3=25709
- Cabonell, A. and Canut, M.L. Determination of the elastic vibrational spectrum of a molecular crystal, hexamine, by thermal diffuse diffraction of X-rays, 4=28358
- Cabrera, N. The structure of crystal surfaces, 1=6489
- Cabrespine, A. Modification of the time structure of the synchrocyclotron beam, 0=10999
- Cabrespine, A. Methods of improving the time distribution of the synchrocyclotron external beam, 1=16463
- Cabrespine, A. and Bourgarel, M.P. Shimming of a variable energy, sector-focused isochronous cyclotron by means of different permeability metals, 3=5739
- Cabrespine, A. See Bergamaschi, C., 1=16462
- Cabrini, A. See Vacigao, A., 1=17372
- Cacace, F. Labeled organics in gas chromatography, 1=20776
- Cacace, F., Guarino, A., Montefinale, G. and Possagno, E. Radioactive atoms distribution in aromatic compounds labelled by exposure to tritium gas, 1=15206
- Cacciarelli, R.A. and Stewart, B.B. Vacuum and pressure system for n.m.r. sample preparation, 4=3197
- Cacciari, A. The metallurgy of uranium by the National Committee for Nuclear Research, 0=3392
- Cacciari, A. See Ippolito, F., 1=7412
- Cachaty, C. and Hayon, E. Electron spin resonance evidence of radiation-induced electrons trapped in organic glasses at 77°K, 4=4399
- Cachon, A. On a change of structure in Auger showers at very high energies, 3=15060
- Cachon, P. Studies of specific characteristics of photo-multipliers, 0=7140
- Cachon, P. and Sarazin, A. Light pulse generator in the millicrosecond region and at a high recurrence rate and its use for studying photomultiplier strain, 2=5156
- Caciotti, M. and Sacerdote, G. Measurement of the reverberation time by interrupted and impact sound, 3=18948
- Cadas, J.P., Courpron, C., Lochet, R. and Rousset, A. Energy transfer between triplet states in the crystalline phase at 77°K, 2=12592
- Caddes, D.E., McMurtry, B.J. and Jacquez, A.E. The traveling-wave phototube. I. Theoretical analysis, 4=18371
- Caddes, D.E. See Targ, R., 4=18372
- Caddy, R.S. and Pollard, H.F. Transient sounds in organ pipes, 0=14761
- Caddy, R.S. and Pollard, H.F. Determination of the energy reflection, absorption and transmission coefficients of acoustical materials, 2=17561
- Cade, R. The equilibrium of a double layer, 0=5255
- Cade, R. Surface tension as a double-layer phenomenon, 3=23854
- Cade, R. The electrostatic deformation of a liquid boundary, 4=18166
- Cade, R. Hydrostatic electrostriction and the Clausius-Mosotti law, 4=18210
- Cadena, D.G., Jr. See Bradshaw, W.W., 2=18032
- Cadène, M. and Deloupy, C. Low-temperature chamber for infrared studies of crystals, 0=14829
- Cadenhead, D.A. The neutron irradiation of a graphitized carbon black, 4=10013
- Cadenhead, D.A. Neutron irradiation and surface homogeneity of graphitic materials, 4=29177
- Cadeville, M.C. and Meyer, A.J.P. Magnetic properties of Fe_2P , 1=3889
- Cadeville, M.C. and Meyer, A.J.P. The magnetic properties of Fe_2P , 1=7743
- Cadeville, M.C. and Meyer, A.J.P. Curie points and moments of ferromagnetic borides of the iron group of the type M_2B , M_3B , $(\text{M}_1\text{M}_2)_3\text{B}$ $(\text{M}_1\text{M}_2)_2\text{B}$, 3=8637
- Cadeville, M.C. See Meyer, A.J.P., 3=1018
- Cadle, R.D. The photochemistry of the upper atmosphere of Jupiter, 2=24103
- Cadle, R.D. Rates of chemical reactions in the subionospheric atmosphere, 3=25872
- Cadle, R.D. See Schadt, C.F., 2=2455
- Cadoff, I. See Levine, E., 4=28980
- Cadoff, I. See Medoff, J., 4=17377
- Cadoff, I. See Miller, E., 1=17750
- Cadoff, I.B. See Levine, E., 4=30774
- Cadoff, I.B. See Levine, E., 4=30775
- Cadoff, I.B. See Machonis, A.A., 4=23275
- Cadoret, R. and Monier, J.C. Interpretation of the crystalline forms of the hexagonal non-centrosymmetric form of guanidine iodide, 4=10473
- Cadoret, R. and Monier, J.-C. Experimental studies of the morphology of guanidinium iodide and the orientation of merohedral forms in relation to the structure, 4=2006
- Cadoret, R. See Goureaux, C., 2=14494
- Cadwell, D.O., Elsner, B., Harting, D., Helmholz, A.C., Middelkoop, W.C., Zacharov, B., Dalpiaz, P., Focardi, S., Giacomelli, G., Monari, L., Beaney, J.A., Donald, R.A., Mason, P. and Jones, L.W. π -p and p-p elastic scattering at 8.5, 12.4 and 18.4 GeV/c, 4=15091
- Cady, K.B. and Clark, M., Jr. Neutron transport in cylindrical rods, 4=19886
- Cady, W.G. Comment on monograph by S.A. Basri, 1=5042
- Cady, W.G. Piezoelectricity and ultrasonics, 3=14253
- Cafasso, F.A., Feder, H.M. and Gruen, D.M. Electronic configuration and valency of UCd_{11} , a magnetically dilute alloy, 3=13237
- Cafasso, F.A., Feder, H.M. and Johnson, I. Partition of solutes between liquid metals. I. The aluminum-cadmium system, 2=19551
- Cafasso, F.A. See Selig, H., 2=16889
- Caffier, P. See Magnac-Valette, D., 1=7411
- Caffyn, J.E. and Goodfellow, T.L. The movement of charged dislocations in sodium chloride, 2=14443
- Caffyn, J.E. and Goodfellow, T.L. Sign of charged dislocations in NaCl, 2=18582
- Caffyn, J.E. and Goodfellow, T.L. Electrical effects produced by plastic deformation in sodium chloride crystals, 3=900
- Caffyn, J.E. and Ridley, B.K. Z-centres in sodium chloride containing calcium, 1=3694
- Caffyn, J.E. See Matkin, D.I., 4=23208
- Caforio, A., Ferilli, A., Ferraro, D., Merlin, M., Guerriero, L., Laboragine, L., Salandin, G.A., Waldner, F., Poiani, G. and de P. Cagnodo, M. On the parity conservation in the reaction $K^+ + p = \Sigma^+ + \pi^+$, 1=5780
- Caforio, A., Ferraro, D., Semeraro, S., Fisher, C.M., Mason, A., Venus, W.A., Evans, D., Hossain, A., Votruba, M.F., Wataghin, A., Kasim, M.M., Shaukat, M.S., Herz, A.J., Sichirolo, A.E. and Vegni, G. Coherent production of pions by high-energy pions on complex nuclei, 4=21891
- Caforio, A. See Baldassarre, F., 1=16862
- Caforio, A. See Baldassarre, F., 2=22562
- Caforio, A. See Baldo Ceolin, M., 1=551
- Caforio, A. See Baldo Ceolin, M., 1=10926
- Caforio, A. See Evans, D., 2=22492

- Cafta, H. Modified derivation of the dispersion law for long spin waves in antiferromagnetic regular superstructures, 1=20153
- Cagan, V. Experimental studies of the properties of certain ferrites in the 10 kMc/s range, 1=14737
- Cagan, V. Orientation of single crystal garnet by magnetic resonance, 1=14782
- Cagan, V. Relations between permittivity and Faraday effect at microwave frequencies and in a weak field in Ni-Zn chromite ferrites, 3=1050
- Cagan, V. Measurement of the weak-field permeability tensor and dielectric constant of ferrites as a function of temperature; application to the study of losses by the Faraday effect, 3=21679
- Cagan, V. See Deschamps, A., 4=20555
- Caggia, L. Della. See Della Caggia, L.
- Cagle, F.W., Jr. See Terada, K., 2=4473
- Caglioti, G. Accurate intensity measurements in single-crystal analysis by neutron diffraction, 4=30842
- Caglioti, G., De Agostino, E., Marsili, F., Paoletti, A., Pellegrini, U. and Ricci, F.P. Crystal spectrometer for the diffraction of neutrons at the centre of Ispra, 2=9868
- Caglioti, G. and Farfaletti Casali, F. Rubber Soller slit collimators for neutron spectrometry, 3=2281
- Caglioti, G., Paoletti, A. and Ricci, F.P. Choice of collimators for a crystal spectrometer for neutron diffraction, 0=18335
- Caglioti, G., Paoletti, A. and Ricci, F.P. On resolution and luminosity of a neutron diffraction spectrometer for single crystal analysis, 1=20470
- Caglioti, G. and Ricci, F.P. The structure of liquid bromine, 2=11348
- Caglioti, G. and Ricci, F.P. Resolution and luminosity of crystal spectrometers for neutron diffraction, 2=14969
- Caglioti, G. and Ricci, F.P. Resolution and luminosity of crystal spectrometers for neutron diffraction, 3=1279
- Caglioti, G., Ricci, F.P., Santoro, A. and Scatturin, V. Neutron diffraction work at the Ispra Center, 3=126
- Caglioti, G. See Borgonovi, G., 2=19069
- Caglioti, G. See Borgonovi, G., 4=1381
- Caglioti, G. See Brockhouse, B.N., 3=2708
- Caglioti, V. The problem of the double table of atomic weights and the Report of the Commission for Atomic Weights of the International Union for Chemistry for the year 1954-1955, 1=3523
- Caglioti, V., Furlani, C., Orestano, F. and Capece, F.M. Nuclear quadrupole resonance of Cl^{35} in chloroaurates, 4=12520
- Caglioti, V., Sartori, G. and Furlani, C. On the G matrix elements of $\text{M}(\text{XY})_6$ molecules, 3=4741
- Cagnac, B. Optical detection of the nuclear magnetic resonance of Hg^{201} , 0=17660
- Cagnac, B. Nuclear orientation by optical pumping for odd isotopes of mercury, 2=3708
- Cagnac, B. and Barrat, J.P. Calculation of magnetic resonance in the ground state of odd isotopes of mercury in the presence of an orienting radiation, 0=1472
- Cagnard, R., der Agobian, R., Echard, R. and Otto, J.L. Stimulated emission of some infrared transitions of helium and neon, 4=767
- Cagnard, R. See der Agobian, R., 4=12383
- Cagnard, R. See der Agobian, R., 4=21681
- Cagnard, R. See der Agobian, R., 4=28130
- Cagnard, R. See der Agobian, R., 4=28131
- Cagnard, R. See Otto, J.L., 4=16696
- Cagnet, M., Françon, M. and Thierri, J.C. Atlas of optical phenomena, 3=257
- Cagnet, M. and Moreau, J. Remarks on the use of inert markers for the study of diffusion in plastic phases, 0=17968
- Cagnet, M. See Blum, E.J., 2=2892
- Cagniard, L. Approximate empirical relation between the secular magnetic variation and the fluctuations of the earth's rotation, 1=6650
- Cagniard, L. The magnetic secular variation interpreted as a "Rowland effect" accompanying electromagnetic induction phenomena, 1=9209
- Cagniard, L. Essay on the internal electrical constitution of the earth, 1=20801
- Cagniard, L. See Queilli-Lefèvre, C., 2=19256
- Cahen, M. Study of the singular electromagnetic field in Minkowski space, 0=17074
- Cahen, M. and Sengier-Diels, J. On the ennuple formalism in gravitational theory, 4=27
- Cahen, M. and Sengier-Diels, J. On the energy of gravitational waves, 4=28
- Cahen, M. See Debever, R., 1=2690
- Cahen, M. See Debever, R., 2=4926
- Cahen, O., Dieulesaint, E. and Defranould, P. Influence of the caesium pressure on the working of a plasma thermoelectric converter, 4=444
- Cahen, O. See Arnaud, M., 0=15106
- Cahill, J.A. and Kirshenbaum, A.D. The density of liquid copper from its melting point (1356°K) to 2500°K, and an estimate of its critical constants^{1,2}, 2=19544
- Cahill, J.A. See Grosse, A.V., 2=2700
- Cahill, L.J. and Amazeen, P.G. The boundary of the geomagnetic field, 3=18570
- Cahill, L.J. See Freeman, J.W., 3=18573
- Cahill, L.J., Jr. Investigation of the equatorial electrojet by rocket magnetometer, 0=8424
- Cahill, L.J., Jr. Detection of an electrical current in the ionosphere above Greenland, 0=10416
- Cahill, L.J., Jr. A study of the outer geomagnetic field, 3=25937
- Cahill, L.J., Jr. Study of the outer geomagnetic field, 4=10769
- Cahill, L.J., Jr. See Bailey, V.A., 4=7934
- Cahill, L.J., Jr. See Patel, V.L., 4=17957
- Cahill, P. and Butcher, S. Microwave spectrum and barrier to internal rotation of methyl stannane, 2=3740
- Cahill, P. See Lide, D.R., Jr., 4=12459
- Cahill, P. See Thaddeus, P., 4=28206
- Cahill, W. See Mueller, C.R., 4=11238
- Cahn, J.H. See Rostas, F., 3=5668
- Cahn, J.H. See Simon, R., 1=4551
- Cahn, J.W. Theory of crystal growth and interface motion in crystalline materials, 1=2523
- Cahn, J.W. On spinodal decomposition, 2=6839
- Cahn, J.W. On spinodal decomposition, 2=10780
- Cahn, J.W. The impurity-drag effect in grain boundary motion, 2=21008
- Cahn, J.W. Coherent fluctuations and nucleation in isotropic solids, 3=1251
- Cahn, J.W. Stability of electrically charged conducting droplets, 3=9432
- Cahn, J.W. Magnetic aging of spinodal alloys, 4=7244
- Cahn, J.W. Hardening by spinodal decomposition, 4=7395
- Cahn, J.W. and Kikuchi, R. Theory of domain walls in ordered structures. I. Properties at absolute zero, 1=20086
- Cahn, J.W. See Horvay, G., 1=15004
- Cahn, J.W. See Kikuchi, R., 2=10655
- Cahn, J.W. See Sears, G.W., 0=14888
- Cahn, L. and Schultz, H.R. The Cahn recording gram electrobalance, 4=2507
- Cahn, R.W. and Davies, R.G. X-ray evidence for segregation of solute to stacking faults in a copper-aluminium alloy, 0=21241
- Cahn, R.W. and Feder, R. The electrical resistance of iron-aluminium alloys and its dependence on crystallographic order, 0=20867
- Cahn, R.W. and Feder, R. Search for an anisotropic Debye-Waller factor in cubic copper-base solid solutions, 2=10830
- Cahn, R.W. and Tomlinson, H. The nature of subgrain boundaries due to phase transformation in uranium, 1=1414
- Cahn, R.W. See Birkenbeil, H.J., 1=6280
- Cahn, R.W. See Birkenbeil, H.J., 2=8620
- Cahn, R.W. See Davies, R.G., 2=10906
- Cahn, R.W. See Davies, R.G., 2=14449
- Cahn, R.W. See Feder, R., 0=20866
- Cahn, R.W. See Feder, R., 1=19828
- Cahn, R.W. See Foley, J.H., 3=12986
- Cahn, R.W. See Lawley, A., 2=2398
- Cahn, R.W. See Otte, H.M., 0=4606
- Cahn, R.W. See Sabato, J.A., 2=4471
- Cahn, R.W. See Vidoz, A.E., 3=8775
- Cahn, R.W. See Vidoz, A.E., 3=23352
- Cahoon, B.A. See Bean, B.R., 1=20870
- Caianiello, E.R. Regularization and renormalization. II. Necessary and sufficient conditions, 0=1245
- Caianiello, E.R. Theory of coupled quantized fields, 0=3912
- Caianiello, E.R. Perturbation series. Field equations and their renormalization, 0=7265
- Caianiello, E.R. Remarks on a paper by Bialynicki-Birula on some properties of Green's functions, 1=7187
- Caianiello, E.R. Questions regarding the fundamentals of field theory, 1=11703
- Caianiello, E.R. Asymptotic convergence of renormalized perturbative expansions, 3=5967

- Caianiello, E.R. and Campolattaro, A. A solvable model of field theory, 1=9714
- Caianiello, E.R. and Campolattaro, A. Self-coupled meson field: equations for single propagators, their solution for a numerical model, considerations on the convergence of perturbative expansions, 2=22390
- Caianiello, E.R., Campolattaro, A. and Preziosi, B. Regularization and renormalization. III. Finite-part integrals, 1=5653
- Caianiello, E.R. and Marinaro, M. Renormalization group and completeness of field theories. Nucleon-pion couplings, 3=10012
- Caianiello, E.R. and Okubo, S. An analysis of infrared divergences, 0=18953
- Caianiello, E.R. and Okubo, S. Lie equations for a Lee model, 1=5658
- Caianiello, E.R. and Shen, K.Y. Interferences among Feynman graphs of different topology, 1=13341
- Caianiello, E.R. and Umezawa, H. Unitarity conditions in terms of propagation kernels, 1=12808
- Caid Mohamed Ben. See Mohamed Ben Caid
- Caillat, R. See Aslanian, J., 1=18693
- Caillat, R. See Fraissard, J., 4=4720
- Caillat, R. See Salesse, M., 3=15268
- Caillat, R. See Salesse, M., 4=4093
- Caille, F. See Wertheimer, R., 3=19465
- Cailler, M. An improvement relating to various semi-empirical theories of secondary electron emission from solids, 2=15948
- Caillère, S. and Pobegu, T. Comparison of the thermal properties and the behaviour in the infrared of several carbonates, nitrates, sulphates and simple selenates, 2=17000
- Cailliatte, C. The central condensation of the galaxy, 4=17984
- Caillon, P. See Groubert, E., 1=16236
- Cain, B.J. Determination of mean elements for Brouwer's satellite theory, 2=19355
- Cain, J.C. and Neilon, J.R. Automatic mapping of the geomagnetic field, 4=4820
- Cain, J.C., Shapiro, I.R., Stolarik, J.D. and Heppner, J.P. Whistler signals observed with the Vanguard III satellite, 2=17145
- Cain, J.C., Shapiro, I.R., Stolarik, J.D. and Heppner, J.P. A note on whistlers observed above the ionosphere, 1=20899
- Cain, J.C., Shapiro, I.R., Stolarik, J.D. and Heppner, J.P. Vanguard 3 magnetic-field observations, 3=9125
- Cain, J.C. See Akasofu, S.I., 2=13059
- Cain, J.C. See Akasofu, S., 3=1492
- Cain, J.C. See Akasofu, S.-I., 3=16293
- Caine, C.A. and Jones, P.S.H. μ^- capture in He^4 , 3=17360
- Caine, C.A. See Burkhardt, G.H., 0=7629
- Caines, R. See Ahlburg, H., 2=10864
- Caini, V. and Olsson, I.U. A quenching circuit for self-quenching Geiger-Müller arrays, 2=11589
- Caini, V. and Tove, P.A. A fast-flow coincidence matrix system, 4=19335
- Caird, R.S. See Fowler, C.M., 0=9144
- Caird, R.S., Garn, W.B., Thomson, D.B. and Fowler, C.M. An explosive-driven high-field system for physics applications, 4=11744
- Cairnie, A.B. and Pullar, J.D. Temperature controller based on measurement of rate-of-change of temperature, 0=5222
- Cairns, D.J., Griffith, T.C., Lush, G.J., Metheringham, A.J. and Thomas, R.H. The use of a counter controlled high pressure cloud chamber for experiments with charged particles, 2=3224
- Cairns, E.J. and Prausnitz, J.M. Kinetics of the hydrolysis of acetyl chloride, 0=3307
- Cairns, G.G. See Brown, H.E., 2=24031
- Cairns, J.H. Apparatus for investigating total hemispherical emissivity, 0=8834
- Cairns, R.B. Measurements of resonance rectification using a plasma probe, 3=21805
- Cairns, R.B. See Beynon, J.D.E., 4=8013
- Cairns, R.B. See Blackwell, H.E., 4=14686
- Cairns, R.B. See Ogawa, M., 4=26787
- Cairó, L. A perturbation method for propagation of electromagnetic waves in a plasma which partially fills a circular waveguide, 0=17005
- Cairó, L. and Kahan, T. The variational principle relating to systems of equations with common eigenvalues. Application to the calculation of the propagation constant of electromagnetic waves in anisotropic guides, 1=3064
- Cairo, L. and Kahan, T. Application of the general variational method for calculation of the constant of propagation of a rectangular waveguide partially filled with a gyro-magnetic and gyro-electric medium, 3=5849
- Cairo, L. See Gabarre, L., 0=303
- Cairs, R.E., Jr. and Grant, N.J. The effects of carbon, nitrogen, oxygen and sulfur on the ductile-brittle fracture temperature of chromium, 4=30770
- Čajko, J. See Zaidel', A.N., 0=4159
- Cakenberghe, J. See Gilles, J.M., 2=12547
- Calais, D., Beyeler, M., Mouchnino, M., Van Craeynest, A. and Adda, Y. Diffusion of plutonium and uranium in magnesium, 4=1517
- Calais, D., Lacombe, P. and Simenel, N. Influence of the deformation mechanism on the recrystallization of cold-worked α -uranium monocrystals, 0=10260
- Calais, D. See Ambrosio de Libanati, N., 4=2116
- Calais, D. See Lloyd, L.T., 2=6325
- Calais, D. See Moreau, G., 4=30398
- Calais, D. See Siménel, N., 2=4370
- Calais, J.L. and Appel, K. Inversion of cyclic matrices, 4=25870
- Calais, J.L. and Löwdin, P.O. A simple method of treating atomic integrals containing functions of r_{12} , 2=12277
- Calamai, G. A relativistic effect in light scattering by electrons captured in the Van Allen radiation belts, 3=6996
- Calamai, G. Scattering of electromagnetic radiation by high energy electrons. I, 3=17057
- Calamai, G. Scattering of electromagnetic radiation by high energy electrons. II, 3=17058
- Calame, G., Cooper, P.F., Jr., Engelsberg, S., Gerstein, G.L., Koehler, A.M., Kuckes, A., Meadows, J.W., Strauch, K. and Wilson, R. Some features of regenerative reflection and their application to the Harvard synchrocyclotron, 0=19853
- Calame, G.P. A few-group theory of water gap peaking, 1=17215
- Calame, G.P. The direct calculation of diffusion lengths and diffusion hardened spectra, 2=14165
- Calame, G.P. A comment on the treatment of asymmetric thin regions, 3=4683
- Calame, G.P. Diffusion parameters of water for various scattering kernels, 4=21868
- Calame, G.P. and Federighi, F.D. A variational procedure for determining spatially dependent thermal spectra, 2=6018
- Calame, G.P., Federighi, F.D. and Ombrellaro, P.A. A two-mode variational procedure for calculating thermal diffusion theory parameters, 2=5658
- Calaora, A. See Gavreau, V., 0=5108
- Calaora, A. See Gavreau, V., 3=16901
- Calawa, A.R. Injection electroluminescence in gallium antimonide, 3=15721
- Calawa, A.R., Rediker, R.H., Lax, B. and McWhorter, A.L. Magneto-tunnelling in InSb, 0=18047
- Calawa, A.R. See Lockwood, J.A., 0=394
- Calawa, A.R. See Phelan, R.J., 4=8990
- Calawa, A.R. See Rediker, R.H., 1=19893
- Calbick, C.J. See Gerstenberg, D., 4=13685
- Calboreanu, A. See Martalogu, N., 2=9731
- Calboreanu, A. See Minzatu, I., 3=8089
- Calboreanu, A. See Minzatu, I., 4=9503
- Calboreanu, A. See Minzatu, I., 3=17462
- Calboreanu, A. See Minzatu, I., 3=19646
- Calcaterra, P., Stolz, G.Jr. and Paschke, V. Mechanical reader for oscillograms, 1=11668
- Calcote, H.F. Ion and electron profiles in flames, 4=7756
- Calcote, H.F. and Reuter, J.L. Mass-spectrometric study of ion profiles in low-pressure flames, 3=7435
- Calcott, T.G. Size distribution function, 4=13658
- Caldecourt, V.J. An appearance potential recorder, 3=2056
- Calder, J. See Wade, R.D., 4=6074
- Calder, R.S., Cochran, W., Griffiths, D. and Lowde, R.D. An X-ray and neutron diffraction analysis of lithium hydride, 2=15021
- Calder, R.S. and Forsyth, J.B. An X-ray tube current stabilizer, 3=9701
- Calderale, P.M. Internal damping and notch sensitivity, 4=23212
- Caldero, J.C., Forzani, R. and Schmouker, J. A linear amplifier for use with a junction-type detector, 2=11592
- Calderwood, J.H. See Bennett, R.G., 3=21398
- Caldirola, P. On the ergodic methods in statistical mechanics, 0=2118
- Caldirola, P. The excitation of an airglow by radio waves, 1=21023

- Caldirola, P. Recent developments in the ergodic method in statistical mechanics, 2=34
- Caldirola, P. See Broccheri, F.B., 3=21137
- Caldirola, P. [Ed.]. Ergodic theories, 3=55
- Caldow, C.L. and Coulson, C.A. Lower-bound energies and the virial theorem in wave mechanics, 1=15687
- Caldow, G.L. and Coulson, C.A. Bond energies of halogen molecules, 2=14318
- Caldow, G.L., Cunliffe-Jones, D. and Thompson, H.W. Intermolecular forces and solvent effects. II. Band intensities, 0=10670
- Caldow, G.L. and Thompson, H.W. Intermolecular forces and solvent effects. I. Frequency shifts, 0=10669
- Caldwell, B.A. and Klemperer, D.F. Large ultra-high vacuum valve, 3=7255
- Caldwell, D. J. and Eyring, H. Optical rotation, 4=12328
- Caldwell, D.O. Method for determining the spin of the $K-\pi$ resonance, 1=16886
- Caldwell, D.O., Bleuler, E., Elsner, B., Jones, J.W. and Zacharov, B. Production of $X\rho^0$ mesons at 12 and 17 GeV/c, 2=22611
- Caldwell, D.O. See Bleuler, E., 3=24565
- Caldwell, D.O. See Hill, D.A., 1=4747
- Caldwell, D.R. Oscillating boundary layer in magnetohydrodynamics. I. Nonconducting boundary, 4=24805
- Caldwell, D.R. Oscillating boundary layer in magnetohydrodynamics. II. Conducting boundary, 4=30036
- Caldwell, D.R. and Donnelly, R.J. On the reversibility of the transition past instability in Couette flow, 2=11336
- Caldwell, F.R. Thermocouple materials, 2=11611
- Caldwell, F.R. See Blackburn, G.F., 4=16278
- Caldwell, J. F. See Epstein, A. S., 4=26084
- Caldwell, J. T., Harvey, R.R., Bramblett, R. L. and Fultz, S. C. (γ, n) cross sections for ^{18}O and ^{28}Si , 4=3638
- Caldwell, J.T. See Bramblett, R.L., 3=10329
- Caldwell, J.T. See Bramblett, R. L., 4=12207
- Caldwell, J.T. See Fultz, S.C., 2=18316
- Caldwell, J.T. See Fultz, S.C., 3=6221
- Caldwell, J. T. See Fultz, S. C., 4=12206
- Caldwell, P. See Lippincott, E.R., 1=12271
- Caldwell, R.L., Mills, W.R., Jr. and Hickman, J.B., Jr. Gamma radiation from inelastic scattering of 14 MeV neutrons by the common earth elements, 1=17114
- Caldwell, R.L. See Mills, W.R., Jr., 2=20374
- Caldwell, R.S. See Rosenberg, C., 4=17507
- Calecki, D. See Suchet, J., 4=26043
- Caley, J. R. See Hughes, A. N., 4=10386
- Calfee, R. F. See Gates, D. M., 4=3881
- Calfee, R. F. See Gates, D. M., 4=30447
- Calfee, R. F. See Gates, D. M., 4=30448
- Calhoun, B.A. Magnetic annealing of yttrium iron garnet, 0=3091
- Calhoun, B.A. and Freiser, M.J. Anisotropy of gadolinium iron garnet, 3=15787
- Calhoun, B.A., Freiser, M.J. and Penoyer, R.F. The contribution of rare-earth ions to the anisotropy of iron garnets, 2=12716
- Calhoun, B.A. and Overmeyer, J. E.p.r. of exchange-coupled pairs of Eu^{2+} in CaO SrO , 4=13315
- Calhoun, B.A. See Overmeyer, J., 4=26398
- Cali, J.P. and Lowe, L.F. Direct determination of the half-lives of nine nuclides, 0=5690
- Cali, J. P., Weiner, J. R. and O'Connor, J. J. A non-destructive radioanalytical method for the determination of gallium in substituted yttrium iron garnets, 4=4729
- Califano, S. Infrared spectra in polarized light and vibrational assignment of the infrared active modes of anthracene and anthracene- d_{10} , 2=6164
- Califano, S. Application of a modified Urey-Bradley force field to the in-plane vibrations of anthracene and anthracene- D_{10} , 3=22580
- Califano, S. and Abbondanza, G. Infrared spectra in polarized light and vibrational assignment of the infrared-active modes of pyrene and pyrene- d_{10} , 3=25468
- Califano, S. See Wu, E.L., 2=1989
- Calimani, E. See Aubert, B., 4=25175
- Calimani, E. See Ely, R.P., 2=18173
- Calimani, E. See Ely, R.P., 2=22613
- Calinicenco, N. and Viscrion, I. Recent methods for measuring the elements of the earth's magnetic field, 4=4821
- Calker, J. van. See van Calker, J.
- Calkin, M. G. An action principle for magnetohydrodynamics, 4=5775
- Calkins, G.D. Fuel elements for organically moderated reactors, 2=6060
- Callaby, D.R. Determination of the directions of magnetization in polycrystalline ferrites, 1=6368
- Callaby, D. R. and Fatuzzo, E. Oscillations of ferroelectric bodies, 4=26111
- Calladine, C.R. and Drucker, D.C. Nesting surfaces of constant rate of energy dissipation in creep, 2=14893
- Callahan, J.L., Petrucci, R.H. and Brown, C.A. The hydrothermal growth of molybdena whiskers on $\text{MoO}_3-\text{SiO}_2$ substrate, 1=9119
- Callahan, L.G. and Brown, W.M. One- and two-dimensional processing in line scanning systems, 3=11894
- Callahan, R. G. Simple high gain d. c. amplifier, 4=18642
- Callahan, W.R. Spectrum of doubly ionized gadolinium, 3=12761
- Callahan, W.R. Flexural vibrations of elliptical plates when transverse shear and rotary inertia are considered, 4=21213
- Callahan, W.R. and Meissner, H. Range of order of superconducting electrons in normal conducting barriers, 0=8962
- Callan, E.J. KLL Auger transition probabilities, 2=525
- Callan, E. J. Sensitivity of $L_1L_2M_{4,5}$ Coster-Kronig transition rates to variations in energy levels and screening parameters, 4=12349
- Callan, E. J., Nikolai, P. and McDavid, W. L. Hydrogenic continuum electrostatic integrals, 4=25477
- Callan, J.M. See Bardsley, W., 3=13414
- Callaway, J. Formation of positronium in an electron gas, 0=2533
- Callaway, J. Correlation energy in a model semiconductor, 0=2867
- Callaway, J. Electron wave functions in metallic potassium, 0=13517
- Callaway, J. d bands in cubic lattices. II. 0=17912
- Callaway, J. d bands in cubic lattices. III, 1=4978
- Callaway, J. Low-temperature lattice thermal conductivity, 1=7544
- Callaway, J. Electron wave functions in metallic sodium, 1=11173
- Callaway, J. Energy bands in lithium, 2=2062
- Callaway, J. Effect of point imperfections on lattice thermal conductivity, 2=23081
- Callaway, J. Indirect exchange ferromagnetism in insulators, 3=5003
- Callaway, J. Metal to insulator transition in antiferromagnets, 3=10729
- Callaway, J. Optical absorption in an electric field, 3=13160
- Callaway, J. Thermal resistance produced by point imperfections in crystals, 4=1413
- Callaway, J. Transition processes in semiconductor lasers, 4=3222
- Callaway, J. Scattering of spin waves by magnetic defects, 4=7229
- Callaway, J. Optical absorption in an electric field, 4=17550
- Callaway, J. Theory of scattering in solids, 4=20148
- Callaway, J. Energy band theory, 4=22536
- Callaway, J. and Boyd, R. Scattering of spin waves by magnetic defects, 4=20526
- Callaway, J. and Cumming, F.W. Inelastic scattering of electrons in germanium, 2=8341
- Callaway, J. and Edwards, D.M. Cubic field splitting of D levels in metals, 0=9885
- Callaway, J. and Hughes, A.J. Moment singularity expansion for the density of states, 2=23024
- Callaway, J. and Kohn, W. Electron wave functions in metallic lithium, 2=20954
- Callaway, J. and McCollum, D.C. Second-neighbor exchange integral in EuS , 3=15781
- Callaway, J. and von Baeyer, H.C. Effect of point imperfections on lattice thermal conductivity, 0=20795
- Callaway, J. See Boyd, R. G., 4=22958
- Callaway, J. See LaBahn, R. W., 4=28150
- Callaway, J. See McCollum, D.C., Jr., 3=2729
- Callaway, J. See Weinberg, I., 2=12833
- Callaway, J. See Wolfram, T., 2=21303
- Callaway, J. See Wolfram, T., 3=11102
- Callaway, J. See Wolfram, T., 3=15764
- Callear, A.B. Vibrational relaxation of nitric oxide, 3=6394
- Callear, A.B. and Norrish, R.G.W. The metastable triplet state of mercury $\text{Hg } 6(^3P_0)$: a study of its reactions by kinetic spectroscopy, 2=6877
- Callear, A.B. and Smith, I.W.M. Fluorescence of nitric oxide. I. Determination of the mean lifetime of the $\text{A}^2\Sigma^+$ state, 3=23936

- Callear, A.B. and Smith, I.W.M. Fluorescence of nitric oxide. II. Vibrational energy transfer between $\text{NO } A^2\Sigma^+ (v = 3, 2 \text{ and } 1)$ and $\text{N}_2 X^1\Sigma_g^+ (v = 0)$, 3=23937
- Callear, A.B. See Basco, N., 1=14007
- Callear, A.B. See Basco, N., 2=20817
- Callebaut, D.K. Secondary electron resonance discharge. I. Steady state by debunching, 3=19203
- Callebaut, D.K. and Vanvormhoudt, M.C. Field measurements in resonant cavities, 0=17092
- Callebaut, D.K., Verhaeghe, J.L. and Bouten, M.J. Secondary electron resonance discharge. II. Steady state by return, 4=16552
- Callebaut, D.K. See Voslamber, D., 3=5825
- Callen, E.R. Anisotropic magnetization, 0=10116
- Callen, E.R. Anisotropic Curie temperature, 1=6274
- Callen, E.R. Anisotropic Curie temperature, 1=20074
- Callen, E.R. Temperature dependence of ferromagnetic uniaxial anisotropy coefficients, 2=6664
- Callen, E.R. and Callen, H.B. Anisotropic magnetization, 1=20073
- Callen, E.R. and Callen, H.B. Static magnetoelastic coupling in cubic crystals, 3=6701
- Callen, E.R., Clark, A.E., DeSavage, B., Coleman, W. and Callen, H.B. Magnetostriction in cubic Neel ferrimagnets, with application to YIG, 3=15901
- Callen, E.R. See Callen, H.B., 4=4348
- Callen, E.R. See Clark, A.E., 4=13232
- Callen, E.R. See Clark, A.E., 3=15888
- Callen, E.R. See Stern, E.A., 3=20570
- Callen, H. Note on the back reaction term in ferromagnetic relaxation equations, 1=10165
- Callen, H.B. Statistical mechanics of ferromagnetism, 2=12682
- Callen, H.B. A note on Green functions and the Ising model, 3=13241
- Callen, H.B. Green function theory of ferromagnetism, 3=13242
- Callen, H.B. and Callen, E.R. Theory of high-temperature magnetostriction, 4=4348
- Callen, H.B. and Horwitz, G. Diagrammatic expansion for the Heisenberg ferromagnet with arbitrary spin and range of interaction, 3=982
- Callen, H.B. and Pittelli, E. Anisotropic ferromagnetic resonance linewidth in ferrites, 0=16152
- Callen, H.B. See Bernard, W., 0=902
- Callen, H.B. See Bernard, W., 0=12565
- Callen, H.B. See Callen, E.R., 1=20073
- Callen, H.B. See Callen, E.R., 3=6701
- Callen, H.B. See Clark, A.E., 3=15888
- Callen, H.B. See Callen, E.R., 3=15901
- Callen, H.B. See Haas, C.W., 1=6398
- Callen, H.B. See Haas, C.W., 1=7782
- Callen, H.B. See Haas, C.W., 4=23034
- Callen, H.B. See Horwitz, G., 2=2037
- Callen, H.B. See Strieb, B., 3=15763
- Callen, H.B. See Tahir-Kheli, R.A., 4=13127
- Callen, H.B. See Tahir-Kheli, R.A., 4=13129
- Callen, H.B. See Tahir-Kheli, R.A., 4=26281
- Callender, E.D. On the almost periodicity of satellite motion, 1=6748
- Callendar, G.S. and Egerton, A. An experimental study of the enthalpy of steam, 0=10695
- Calleri, M. and Ferraris, G. Method for obtaining the constants in an analytic expression for atomic scattering factors, 4=23388
- Calleri, M. and Ferraris, G. Crystal-structure investigation of analcite: $\text{Na}(\text{AlSi}_3\text{O}_8)_2\text{H}_2\text{O}$, 4=23477
- Callihan, A.D. See Ergen, W.K., 0=13313
- Callinan, T.D. Digest of literature on dielectrics. Molecular and ionic interactions in dielectrics, 0=2300
- Callinan, T.D. and Parks, A.M. The electrical properties of some natural waxes, 0=18089
- Callinan, T.D. and Parks, A.M. [Eds]. Digest of literature on dielectrics. Vol. 24, 1960, 2=5289
- Callinan, T.D. See Frisco, L.J. [Ed.], 1=1882
- Callomon, J.H. and Davy, A.B. Rotational analysis of the 3000 Å absorption system of cyanogen, C_2N_2 , 3=22582
- Callomon, J.H. and Gilby, A.C. New observations on the Swan bands of C_2 , 3=19975
- Callomon, J.H. and Innes, K.K. Magnetic dipole transition in the electronic spectrum of formaldehyde, 3=12852
- Callomon, J.H. See Brand, J.C.D., 2=539
- Callon, P. and Despujols, J. A modification of the crystalline lattice of certain metallic layers produced by evaporation under a vacuum, 4=17843
- Callow, W.J. See Thomas, D.M.C., 0=17281
- Calogero, F. Covariant spin operators and associated conservation laws for a spinor field, 1=8416
- Calogero, F. Non-local transformations and non-local conservation laws for free fields, 1=8417
- Calogero, F. Modified Lee models and the field-theoretical definition of elementary particle, 2=13727
- Calogero, F. A novel approach to elementary scattering theory, 3=7124
- Calogero, F. The scattering of a Dirac particle on a central scalar potential, 3=7770
- Calogero, F. A variational principle for scattering phase shifts, 3=7800
- Calogero, F. A note on the Riccati equation, 3=11662
- Calogero, F. Analytic continuation and asymptotic behavior in angular momentum of the scattering matrix in potential scattering, 3=12418
- Calogero, F. Maximum and minimum principle in potential scattering, 3=14904
- Calogero, F. Asymptotic behavior of the S-matrix in potential scattering for large imaginary values of angular momentum, 3=14909
- Calogero, F. Perturbation theory and nonanalyticity in the coupling constant in a field-theoretical model, 4=8075
- Calogero, F. Generalization of the phase method to the scattering on nonlocal potentials, 4=24075
- Calogero, F. Approximation for the phase shifts produced by repulsive potentials strongly singular in the origin, 4=27071
- Calogero, F. and Charap, J.M. Analyticity properties in energy of the complex J partial wave amplitudes in the scattering of particles with spin, 4=11927
- Calogero, F. and Charap, J.M. On the Born approximation in the potential scattering of particles with arbitrary spins, 4=11928
- Calogero, F. and Charap, J.M. Asymptotic behaviour for large imaginary values of angular momentum of the amplitudes for the scattering of a Dirac particle on a central scalar potential, 4=21792
- Calogero, F., Charap, J.M. and Squires, E.J. The continuation in total angular momentum of partial-wave scattering amplitudes for particles with spin, 4=9120
- Calogero, F. and Ravenhall, D.G. A generalization of the phase approach to scattering theory, and some numerical results, 4=24074
- Calogero, F. and Zemach, C. Particle creation in electron-electron collisions, 1=485
- Calogero, F. See Barut, A.O., 3=2213
- Calogero, F. See Brown, L.M., 0=9405
- Calogero, F. See Brown, L.M., 1=522
- Caloi, P. The physical nature of the inner core of the earth, 4=10685
- Calucci, G. and Furlan, G. Hyperon photon-decay, 1=16900
- Calucci, G. See Andreassi, G., 3=2251
- Călușaru, A., Rîpeanu, S. and Beneș, L. Structure and magnetic properties of electrolytic cobalt layers used for neutron polarization, 3=23509
- Calvayrac, Y. and Fayard, M. Dislocation pairs in an alloy ordered at short distance, 4=25944
- Calverley, A., Mendelsohn, K. and Rowell, P.M. Some thermal and magnetic properties of tantalum, niobium, and vanadium at helium temperatures, 2=6292
- Calverley, A. and Rose-Innes, A.C. Trapped flux in superconducting mixed-crystals, 0=7027
- Calverley, A. See Birbeck, F.E., 0=4592
- Calvert, J.B. Identification of molecular symmetry groups, 3=22535
- Calvert, J.B. and Amme, R.C. Multiple velocity dispersion in halomethane gas mixtures, 0=19206
- Calvert, J.M., Gale, N.H., Garg, J.B. and Ramavataram, K. Neutron angular distributions from the reaction $^{11}\text{B}(\alpha, n)^{14}\text{N}$, 2=10142
- Calvert, J.M. See Gale, N.H., 3=2383
- Calvert, J.M. See Gale, N.H., 4=9394
- Calvert, J.M. See Garg, J.B., 0=20465
- Calvert, J.M. See Garg, J.B., 1=5932
- Calvert, J.M. See Garg, J.B., 2=1919
- Calvert, J.M. See Garg, J.B., 2=20669
- Calvert, J.M. See Read, F.H., 1=3446
- Calvert, J.M. See Read, F.H., 1=5934
- Calvert, J.M. See Read, F.H., 3=10392
- Calvert, J.M. See Takayanagi, S., 2=3570
- Calvert, L.D. and Draper, P.H.G. A proposed structure for annealed anodic oxide films of tantalum, 3=3355
- Calvert, L.D. and Henry, W.G. The initial lattice distortions of manganese in copper, silver, and gold, 2=23863

- Calvert, L. D. and Morton, J. R. The unit cell and space group of $\text{SF}_6 \cdot \text{BF}_3$, 4=26675
- Calvert, L. D. See Bertie, J. E., 3=11202
- Calvert, L. D. See Bertie, J. E., 4=26553
- Calvert, L. D. See Rand, R. P., 2=10883
- Calvert, L. D. See Saini, G. S., 4=10543
- Calvert, L. D. See Saini, G. S., 4=26664
- Calvert, L. D. See Wilkinson, J. D., 0=21181
- Calvert, L. D. See Wilkinson, J. D., 3=16054
- Calvert, N. M. See Gale, N. H., 1=3460
- Calvert, I. W. G. The determination of stress concentrations with an electrolytic tank model, 1=6808
- Calvert, W. and Cohen, R. The interpretation and synthesis of certain spread-F configurations appearing on equatorial ionograms, 2=11064
- Calvert, W. Instability of the equatorial F layer after sunset, 4=2305
- Calvert, W., Davies, K., Stiltner, E. and Brown, J. T. Equatorial spread-F motions, 3=13775
- Calvert, W. and Goe, G. B. Plasma resonances in the upper ionosphere, 4=10752
- Calvert, W., Vanzandt, T. E., Knecht, R. W. and Goe, G. B. Evidence for field-aligned ionization irregularities between 400 and 1000 km above the earth's surface, 3=16246
- Calvert, W. See Cohen, R., 2=13034
- Calvet, E., Chovin, P., Moureu, H. and Tachoire, H. Calorimetric microbomb suitable for E. Calvet's type of microcalorimeter, 1=2910
- Calvet, E. Use of the differential microcalorimeter compensated by the Peltier effect for quantitative differential thermal analysis, 2=19138
- Calvet, E. and Duthiel, C. Measurements of true specific heats by the Calvet microcalorimeter, 1=18670
- Calvet, E. and Duquesne, R. The calibration of microcalorimeters by the sole use of the Peltier effect, 4=27367
- Calvet, E. and Tikhomiroff, N. Measurement of true specific heats by microcalorimetry, 1=16166
- Calvet, E. See Boivin, P., 3=3916
- Calvet, E. See Boivin, P., 3=12626
- Calvet, E. See Bros, J. P., 4=14434
- Calvet, E. See Bros, J. P., 4=27366
- Calvet, E. See Ozias, Y., 2=5819
- Calvet, J. See Martinod, H., 2=6739
- Calvi, G., Potenza, R., Ricamo, R. and Vinciguerra, D. Neutron reactions in Al from 2.5 to 5 MeV, 3=6269
- Calvi, G., Ricamo, R., Rubbino, A. and Zubke, D. Total cross-sections of Na, Mg and Si for 2.8-5.2 MeV neutrons, 4=6354
- Calvi, G., Rubbino, A. and Zubke, D. $\text{O}^{18}(\text{d}, \text{p})$ and (d, α) reactions in the energy range 0.8-2.0 MeV, 3=2485
- Calvillo, J. See Brody, T. A., 2=19206
- Calvillo, J. See Brody, T. A., 4=24951
- Calvin, M. See Eastman, J. W., 2=8669
- Calvin, M. See Kearns, D. R., 0=6145
- Calvin, M. See Kearns, D. R., 1=10676
- Calvin, M. See Kearns, D. R., 1=11307
- Calvin, M. See Tollen, G., 0=6144
- Calvo, C. On the molecular nature of the dielectric anomalies in thiourea, 1=2431
- Calvo, C. The crystal structure and luminescence of γ -zinc orthophosphate, 3=6849
- Calvo, C. See Chambers, J. G., 4=26572
- Camac, M. O_2 vibration relaxation in oxygen-argon mixtures, 1=4925
- Camac, M. Argon shock thickness, 4=24301
- Camac, M. and Feinberg, R. M. High speed infrared bolometer, 2=22090
- Camac, M., Kantrowitz, A. R., Litvak, M. M., Patrick, R. M. and Petschek, H. E. Shock waves in collision-free plasmas, 3=12216
- Camac, M. and Vaughan, A. O_2 dissociation rates in O_2 -Ar mixtures, 1=4926
- Camac, M. See Berner, F., 2=4874
- Camagni, P., Ceresara, S. and Chiarotti, G. Thermal equilibrium of color centers in doped KCl crystals, 0=9912
- Camagni, P., Chiarotti, G. and Manara, A. Generation of vacancies during plastic deformation of KCl crystals, 1=19763
- Camagni, P. See Bassani, C., 1=10009
- Cambel, A. B., Duclos, D. P. and Anderson, T. P. Real gases, 3=11816
- Cambel, A. B. See Drellishak, K. S., 3=21819
- Cambel, A. B. See Duclos, D. P., 1=18829
- Cambel, A. B. See Knopp, C. F., 3=7502
- Cambel, A. B. See Liu, C. S., 4=16645
- Cambel, A. B. See Liu, C. S., 3=19431
- Cambel, A. B. See Thornton, J. A., 3=1758
- Cambel, A. B. See Thornton, J. A., 4=27527
- Cambel, A. B. See Warder, R., 2=19957
- Cambe, L. A., Ormrod, J. H. and Barber, R. C. Effect of magnetic field nonuniformities on the performance of double-focusing mass spectrometers, 4=8859
- Cambe, L. A. See Barber, R. C., 2=20760
- Cambe, L. A. See Barber, R. C., 3=714
- Cambe, L. A. See Smith, A. J., 3=24389
- Cambe, L. A. See Smith, A. J., 4=27586
- Cambieri, A. See Bollini, D., 2=20069
- Cambou, F. and Ambrosino, G. Difference in shape of scintillation pulses due to γ rays and to neutrons, 0=7245
- Cambou, F., Cotin, F. and Reme, H. New measuring apparatus for atmospheric pressure using a pulse-operated ionization gauge, 4=30927
- Cambou, F., Crettez, J. P. and Ambrosino, G. Discrimination of pulse shape with a mineral scintillator (CsI). Application to the plotting of α -spectra or of proton spectra in the presence of γ -rays, 1=7168
- Cambou, F. and Reme, H. Study of thin targets containing tritium used in accelerators producing neutrons by the D-T reaction, 4=19523
- Cambou, F. See Ambrosino, G., 0=19990
- Cambou, F. See Ambrosino, G., 2=5516
- Cambou, F. See Ambrosino, G., 2=7996
- Cambou, F. See Blanc, D., 2=12202
- Cambou, F. See Blanc, D., 2=13703
- Cambou, F. See Blanc, D., 4=26232
- Cambou, F. See Blanc, D., 4=30228
- Cambou, F. See Vedrenne, G., 4=9009
- Cambou, F. See Vedrenne, G., 4=16901
- Cambrisi, E. See Amadesi, P., 4=25115
- Cameo, M. The use of infrared reflection spectra for the determination of the optical constants of liquids in regions of strong absorption, 1=7668
- Cameo, M. and Vincent-Geisse, J. Calculation of the intensity and the breadth of infrared bands in liquids from dispersion measurements, 1=9334
- Camerini, U., Fry, W. F., Baldo-Ceolin, M., Huzita, H. and Natali, S. Nuclear interaction of θ_2 mesons in emulsion, 0=381
- Camerini, U., Fry, W. F., Gaidos, J. A., Huzita, H., Natali, S. V., Willmann, R. B., Birge, R. W., Ely, R. P., Powell, W. M. and White, H. S. $\text{K}_1^0 - \text{K}_2^0$ mass difference, 2=22624
- Camerini, U., Fry, W. F., Groves, T. and Huzita, H. A fast hyper-fragment produced by a heavy primary cosmic ray, 0=15524
- Camerini, U. See Birge, R., 3=22192
- Camerini, U. See Ely, R. P., 2=18173
- Camerini, W. See Ely, R. P., 2=22613
- Cameron, A. See Gohar, R., 4=16086
- Cameron, A. G. W. A reply to G. R. Burbidge, 0=8469
- Cameron, A. G. W. Neutron star models, 0=10526
- Cameron, A. G. W. Pycnonuclear reactions and nova explosions, 0=11396
- Cameron, A. G. W. Neon and oxygen thermonuclear reactions, 0=11430
- Cameron, A. G. W. Neutron star models, 2=986
- Cameron, A. G. W. Chemical evolution of the stars: introductory report, 2=2549
- Cameron, A. G. W. Star formation in elliptical galaxies and intense radio sources, 2=24140
- Cameron, A. G. W. Missions for nuclear instruments, 3=19718
- Cameron, A. G. W. Contraction of the sun toward the main sequence, 4=7964
- Cameron, A. G. W. The formation of the solar nebula, 4=7968
- Cameron, A. G. W. The early development of the earth, 4=20844
- Cameron, A. G. W. The history of our galaxy, 4=20903
- Cameron, A. G. W. The origin of the solar system, 4=20907
- Cameron, A. G. W. and Burbidge, G. R. Role of turbulence in star formation in elliptical galaxies, 3=9248
- Cameron, A. G. W. See Colgate, S. A., 4=20901
- Cameron, A. G. W. See Jastrow, R., 4=7961
- Cameron, A. G. W. See Jastrow, E., 3=23668
- Cameron, A. G. W. See ter Haar, D., 4=7962
- Cameron, A. J. W. See Birks, J. B., 0=8014
- Cameron, A. G. W. [Ed.]. Interstellar communication, 4=15901
- Cameron, C. See Matthews, G. G., 3=7163
- Cameron, I. R. See Hage, W., 2=10176
- Cameron, J. A., King, H. J., Eastwood, H. K. and Summers-Gill, R. G. The magnetic moment of indium-115m, 2=18242
- Cameron, J. A., Lines, R. A. G., Turrell, B. G. and Wilson, P. J. Nuclear polarisation of Mn^{54} in nickel, 4=3967

- Cameron, J.A., Lines, R.A.G., Turrell, B.G. and P.J. Wilson. Nuclear polarisation of Mn^{54} in iron, 3=17636
- Cameron, J.A. and Summers-Gill, R.G. The nuclear spin of indium-117m, 2=22706
- Cameron, J.A. and Summers-Gill, R.G. The spin of indium-117, 3=17391
- Cameron, J.A. See King, H.J., 1=5820
- Cameron, J.F. The uses of radio-active isotopes in non-destructive testing, 1=13676
- Cameron, J.F. and Boyce, I.S. Liquid scintillation counting of tritiated water, 1=13219
- Cameron, J.F., Boyce, I.S. and Glaister, R.M. Estimation of trace water content in a halogenated oil by means of tritiated water, 0=4766
- Cameron, J.F. and Rhodes, J.R. Beta-excited characteristic X-rays as energy reference sources, 0=3953
- Cameron, J.F. and Rhodes, J.R. Measurement of tinplate thickness using fluorescent X-rays excited by a radioactive source, 0=8290
- Cameron, J.F. and Rhodes, J.R. X-ray spectrometry with radioactive sources, 1=20786
- Cameron, J. F., Rhodes, J. R. and Berry, P. F. Tritium bremsstrahlung and its applications, 4=6014
- Cameron, J.F. See Berry, P.F., 2=7267
- Cameron, J.F. See Berry, P.F., 3=5310
- Cameron, J.F. See Boyce, I.S., 1=13220
- Cameron, J.F. See Boyce, I.S., 1=15210
- Cameron, J.F. See Olive, G., 2=22542
- Cameron, J.R. See Hamburger, E.W., 0=5752
- Cameron, J.R. See Kenney, G.N., 3=19511
- Cameron, L.M. See Gutsche, G.D., 2=3631
- Cameron, L.M. See Holmgren, H.D., 1=19530
- Cameron, L.M. See Holmgren, H.D., 2=1932
- Cameron, L.M. See Holmgren, H.D., 2=3630
- Cameron, L.M. See Holmgren, H.D., 4=3697
- Cameron, L.M. See Schwartz, R.B., 4=17191
- Cameron, R.C. See Hayashi, C., 2=19317
- Cameron, W.S., Glenn, J.H., Carpenter, M.S. and O'Keefe, J.A. Effect of refraction on the setting sun as seen from space in theory and observation, 3=23591
- Camesini, W., Fry, W.F. and Gaidos, J. Sign of the $K_1^0 - K_2^0$ mass difference, 3=22194
- Camia, F. Ballistic equation of heat, following the lines of flux in the case of stable lines of flux, and reaching a universal impulse equation, 1=16145
- Camia, F.M. Ballistic heat equation following the lines of flow in the case of a geometrically stable thermal field for a solid heterogeneous in space and time, 2=10340
- Camia, F.M. Study of the conduction of heat in a discontinuous wall. Solution of the problems of the heterogeneous solid in a stable thermal field by the thermograms of the discontinuous wall, 3=16823
- Camichel, C. Variations and turbulence of a vortex containing a colorant, 1=9373
- Camichel, H. Systematic error in the measurement of the diameters of small celestial bodies with the double-image micrometer, 0=4845
- Camichel, H. Photometric measurements of Saturn and of its ring, 0=4880
- Camichel, H. and Rösch, J. Measurement of the diameter of Mercury during its transit in front of the sun on 7 November, 1960, 2=21702
- Camichel, H. See Boyer, C., 2=6992
- Camiscoli, J.F. See Rosenberg, B., 1=14513
- Camiz, P. and Vinh Mau, N. $2^+ T = 0$ states of O^{18} , 4=22013
- Camky, P. See White, D., 1=1766
- Camm, G.L. Random gravitational forces in a star field, 4=2369
- Camm, J.C. High speed spectrograph shutter, 0=6935
- Camm, J.C., Kivel, B., Taylor, R.L. and Teare, J.D. Absolute intensity of non-equilibrium radiation in air and stagnation heating at high altitudes, 2=1180
- Camm, J.C. and Rose, P.H. Electric arc-driven shock tube, 3=16702
- Camm, J.C. See Allen, R.A., 2=7566
- Camm, J.C. See Allen, R.A., 2=9319
- Cammerer, F. On electric currents in liquid mercury, arising from diffusion of conduction electrons, 0=19150
- Camnitz, H. See Renau, J., 1=19041
- Camona, G. See Bassi, A., 2=17057
- Camona, G. See Bassi, A., 3=3240
- Camona, G. See Bassi, A., 4=26534
- Camp, D.C. and Langer, L.M. Shape of the $0^+ \rightarrow 0^+$ positron spectrum in Ga^{66} , 3=8046
- Camp, D.C., Langer, L.M. and Smith, D.R. Twice forbidden beta-ray transition of Co^{60} , 1=10981
- Camp, D.C. See Hamilton, J.H., 2=20550
- Camp, P. R. and Barter, C. F. An electrical effect on the Campan, J.L. See Beets, C., 2=14120
- Campanile, V.A. See Wagner, C.D., 1=1933
- Campargue, R. High intensity supersonic molecular beam apparatus, 4=12543
- Campayne, F. See Aderholz, M., 4=21914
- Campayne, F. See Aderholz, M., 4=25151
- Campayne, F. See Bartsch, J., 4=21920
- Campayne, F. I. See Bartsch, J., 4=30264
- Campayne, F.I. See Bondar, L., 3=19678
- Campayne, F. I. See Bondar, L., 4=944
- Campbell, A.J. A new method of measuring the gas gain of a flow proportional counter, 3=12366
- Campbell, A.J. K X-ray yields from elements of low atomic number, 3=23089
- Campbell, A.J. and Gibbons, R. X-ray yields from elements in the range beryllium to aluminium, 2=14697
- Campbell, A.J. See Mulvey, T., 0=3881
- Campbell, A.N., Kartzmark, E.M. and Williams, D.F. The conductance of molten lithium chlorate and the effect of additions of traces of nonelectrolytes on the conductance, 2=15148
- Campbell, A. N. and Nagarajan, M. K. Studies on the thermodynamics and conductances of molten salts and their mixtures. I. The densities and molar volumes of lithium chlorate and of lithium chlorate-lithium nitrate mixtures, 4=24186
- Campbell, A. N. and Nagarajan, M. K. Studies on the thermodynamics and conductances of molten salts and their mixtures. II. The viscosities, heats of fusion, and heat capacities of lithium chlorate and lithium chlorate-lithium nitrate mixtures, 4=29620
- Campbell, A.N. and Reynolds, W.F. The system silver-indium-gallium, 2=4438
- Campbell, A.W., Davis, W.C., Ramsay, J.B. and Travis, J.R. Shock initiation of solid explosives, 1=7911
- Campbell, A.W., Davis, W.C. and Travis, J.R. Shock initiation of detonation in liquid explosives, 1=7910
- Campbell, A.W. See Davis, W.C., 0=12457
- Campbell, B.L. and Whitten, R.N. Isotopic discrimination introduced by electron multiplier detectors in mass spectrometry, 2=1526
- Campbell, C.G. and Symonds, J.L. A revision of thermal reactor core calculations, 2=20714
- Campbell, C.K. Magnetization nutations in maser oscillation pulses, 2=1581
- Campbell, C.K. and Van Nest, J.P. The effects of scatter and diffraction on the spiking period of a ruby laser, 4=16709
- Campbell, C.K. and Walmsley, D.G. Joule heat effects in superconducting electromagnets, 3=12037
- Campbell, C.K. See Bijl, D., 1=9682
- Campbell, D.A. Diffusion of magnesium in base nickels for oxide-coated cathodes, 2=14464
- Campbell, D.A. Aluminium films, 3=23039
- Campbell, D.A. and Shepherd, W.G. Temperature transients in oxide-coated cathodes during pulsed operation, 3=21858
- Campbell, D.A. See Schwabe, E.A., 3=15876
- Campbell, D.S. Some observations on switched single crystal barium titanate, 3=897
- Campbell, D.S. Conference on the Electrical and Magnetic Properties of Thin Films in Relation to their Structure, Imperial College, London, December, 1963, 4=17838
- Campbell, D.S. and MacSwan, A.M. The coupling factor of piezoelectric ceramic disks, 1=6920
- Campbell, D.S., Stirland, D.J. and Blackburn, H. A study of the structure of evaporated lithium fluoride, 3=1375
- Campbell, D.S. See Bickley, W.P., 3=2050
- Campbell, D.S. See Bicknell, R. W., 4=26562
- Campbell, D.S. See Blackburn, H., 3=16142
- Campbell, D.S. See Nunn, F.A., 3=13982
- Campbell, E.C. and Fettweis, P.F. Evidence for some new isomeric states, 0=5783
- Campbell, E.C. and Fettweis, P.F. Fast pneumatic transfer tube for the irradiation of samples in a reactor, 2=10002
- Campbell, E.C. See Bernstein, S., 4=3964
- Campbell, E.C. See Bernstein, S., 4=17115
- Campbell, E.C. See Fowler, J.L., 1=8737
- Campbell, E.C. See Fowler, J.L., 2=20634

- Campbell, E.M. See Holloway, A.F., 2=20534
- Campbell, E.S. Existence of a "well defined" specific energy for an ionic crystal; justification of Ewald's formulae and of their use to deduce equations for multipole lattices, 3=10568
- Campbell, F.A. See Baadsgaard, H., 2=4755
- Campbell, F.W. Correlation of accommodation between the two eyes, 0=12229
- Campbell, F.W. and Alpern, M. Pupillomotor spectral sensitivity curve and color of the fundus, 2=21769
- Campbell, F.W. and Gregory, A.H. The spatial resolving power of the human retina with oblique incidence, 0=18552
- Campbell, F.W. See Westheimer, G., 2=21764
- Campbell, I. G. See Butterworth, J.S., 4=7777
- Campbell, J.D. and Marsh, K.J. The effect of grain size on the delayed yielding of mild steel, 3=1227
- Campbell, L. See Borg, D.C., 2=4574
- Campbell, L. E. See Barros, F. De S., 4=9812
- Campbell, L.J. and Kerman, A.K. The scattering of high-energy deuterons from nuclei, 2=1909
- Campbell, M.J., Jauncey, D.L., Murdoch, H.S., Rathgeber, H.D. and Ogilvie, K.W. The momentum spectrum of muons underground, 2=12079
- Campbell, M.J., Murdoch, H.S., Ogilvie, K.W. and Rathgeber, H.D. The momentum spectrum of muons at a depth 7.2 kg cm^{-2} underground, 2=13935
- Campbell, M.J., Murdoch, H.S., Ogilvie, K.W. and Rathgeber, H.D. On the energy loss of muons and their momentum spectrum, 3=17372
- Campbell, P.M. Stellar dynamics of spherical galaxies, 3=11580
- Campbell, P.A. See Small, A.M. Jr., 1=15371
- Campbell, R.A. Low-frequency DL's: effect of a high-frequency noise, 3=18671
- Campbell, R.A. Frequency discrimination of pulsed tones, 3=21160
- Campbell, R. A. Detection of a noise signal of varying duration, 4=4980
- Campbell, R.A. Masker level and noise-signal detection, 4=15980
- Campbell, R. A. and Small, A. M., Jr. Effect of practice and feedback on frequency discrimination, 4=4974
- Campbell, R.A. See Small, A.M., Jr., 1=21121
- Campbell, R.B. and Julien, C.A. Ferromagnetic phase of Mn-Al, 1=6288
- Campbell, R.B. and Julien, C.A. Structure of Alnico V, 1=6525
- Campbell, R.B. and Muldrew, L. Dislocation decoration by precipitation in gold-cobalt alloys, 1=12384
- Campbell, R. H., Ormerod, T., Taylor, D. and Murdoch, P. Control and instrumentation, 4=6434
- Campbell, W.B. and Young, R.A. Oriented mounting of crystalline spheres, 3=25686
- Campbell, W.H. Micropulsations in the earth's magnetic field simultaneous with pulsating aurora, 0=6435
- Campbell, W.H. Studies of magnetic field micropulsations with periods of 5 to 30 seconds, 0=10395
- Campbell, W.H. Natural electromagnetic energy below the e.l.f. range, 0=12213
- Campbell, W.H. Concerning the nature of short-period magnetic micropulsations, 0=16408
- Campbell, W.H., Magnetic micropulsations accompanying meteor activity, 0=16409
- Campbell, W.H. Magnetic micropulsations and the pulsating aurora, 1=1585
- Campbell, W.H. Magnetic micropulsations, pulsating aurora, and ionospheric absorption, 1=15345
- Campbell, W.H. Magnetic field micropulsations and electron bremsstrahlung, 2=4703
- Campbell, W.H. Some auroral zone disturbances at times of magnetic micropulsation storms, 2=15280
- Campbell, W. H. Natural electromagnetic field fluctuations in the 3.0- to 0.02-c/s range, 4=7941
- Campbell, W. H. A study of geomagnetic effects associated with auroral zone electron precipitation observed by balloons, 4=29343
- Campbell, W.H. and Leinbach, H. Ionospheric absorption at times of auroral and magnetic pulsations, 1=15232
- Campbell, W.H. and Matsushita, S. Auroral-zone geomagnetic micropulsations with periods of 5 to 30 seconds, 2=9040
- Campbell, W.H. and Rees, M.H. A study of auroral coruscations, 1=15306
- Campbell, W.H. and Young, J.M. Auroral-zone observations of infrasonic pressure waves related to ionospheric disturbances and geomagnetic activity, 4=13839
- Campbell, W.H. See Brown, R.R., 2=17194
- Campbell, W.H. See Pope, J.H., 1=1517
- Campbell, W.H. See Westcott, E.M., 0=10448
- Campbell, W.S. and Hubert, P.L. The ionospheric disturbance of November 12 and 16, 1960, 1=20913
- Campbell-Allen, D. and Thorne, C.P. The thermal conductivity of concrete, 3=17672
- Campion, P. J. The application of beta-gamma coincidence methods to radioisotopes with complex decay schemes, 4=25335
- Campion, P.J. and Taylor, J.G.V. Statistical errors in disintegration rate measurements by the coincidence technique, 1=19071
- Campion, P.J., Taylor, J.G.V. and Merritt, J.S. The efficiency tracing technique for eliminating self-absorption errors in $4\pi\beta$ -counting, 1=13235
- Campion, P.J. See Bartholomew, G.A., 0=2632
- Campion, P.J. See Brown, F., 2=3593
- Campion, P.J. See Cabell, M.J., 0=7620
- Campion, P.J. See Knowles, J.W., 1=8739
- Campos, F.P. See Sidhu, S.S., 0=14015
- Campion, P.J. See Williams, A., 4=9426
- Campise, A.V. Accuracy of the S_N code in cell calculations, 1=13883
- Campisi, R. See Fracastoro, M.G., 1=18081
- Camplan, J., van Ments, M. and Bernas, R. A study of ionic contamination of electromagnetic isotope separators. Application to the production of high purity isotopes, 1=13973
- Camplan, J. See Bernas, R., 1=5984
- Camplan, J. See Bernas, R., 1=17294
- Campolattaro, A. and Marinaro, M. Some remarks on the Wick product of interacting fields, 2=3243
- Campolattaro, A. See Caianiello, E.R., 1=5653
- Campolattaro, A. See Caianiello, E.R., 1=9714
- Campolattaro, A. See Caianello, E.R., 2=22390
- Camras, M. Current problems in magnetic recording, 2=15988
- Camus, J. The accuracy of the dupligran method for testing photographic objectives, 0=5143
- Camus, M. and le Mezec, J. Propagation of waves in a plasma-filled waveguide in the presence of a magnetic field, 4=720
- Camus, M.M. Production of waves by a plasma-[electron] beam system in a resonant cavity, 4=19007
- Canac, F. Recent studies of open-air theatres, 0=6895
- Canac, F. Ultrasonic beam in a waveguide, 1=6939
- Canac, F., Gorsain, G. and Angelini, T. Production of white noise by clappers, 4=5343
- Canac, F. and Merle, M. Oscillations and sound emission of a jet of compressed air studied with an ultra-rapid electronic camera, 0=6866
- Canac, F. and Merle, M. Flow phenomena associated with a super-sonic wave. Verification (in a shock tube) of theoretical predictions, 1=8150
- Canac, F. and Merle, M. Relation between the wavelength of oscillation of a jet of air, and the wavelength of the sound emitted, 3=1769
- Canavaggia, R. Effect of interstellar absorption on the heterochromatic magnitudes. Qualitative interpretation, 0=18790
- Canavaggia, R. and Mianes, P. A comparison of intrinsic colours of super-giants with those of cepheids, 4=15921
- Canavan, F.L. See Ouseph, P.J., 3=6454
- Cancellieri, P. See Sartori, G., 4=22412
- Candau, S., Zana, R. and Cerf, R. Ultrasonic spectroscopy in solutions of high polymers. Influence of the nature of the polymer and of its molecular weight, 1=10512
- Candau, S., Zana, R. and Cerf, R. Measurements of ultrasonic absorption by polymer solutions, 4=5172
- Candau, S. See Cerf, R., 1=6938
- Candau, S. See Cerf, R., 4=2671
- Candela, G.A. and Mundy, R.E. Absolute magnetic susceptibilities by the Gouy and the Thorpe-Senftle methods, 3=12286
- Candolare, N. R. and Gast, R. C. Non-cell correction to thin-cell homogenization, 4=25465
- Candes, P., Joffre, H. and Stirling, A. The proton synchrotron "Saturne". Radiation control, 0=2412
- Candler, C. The photographic process as a diatomic reaction, 0=19464
- Candler, C. The gradation and inertia of Hurter and Driffield: a study in theory, 1=8244
- Candler, C. The track density of a charged particle in a photographic emulsion, 2=3232
- Candler, C. Photographic characteristic of a monolayer, 2=5194
- Candler, C. Hurter's theory of the photographic characteristic, 2=9413
- Candler, C. The structure of the latent image, 2=13466
- Candler, C. The structure of a development centre, 4=8467

- Candy, C.J. See Griffiths, R.J., 2=20189
 Candy, C.J.N. See Chaplin, G.B.B., 0=17189
 Candy, M.P. Comet notes, 1=4194
 Canel, E. Contribution to the theory of the quasi-particle approximation of the many-body problem, 3=1638
 Canel, E. See Mermin, N.D., 4=11655
 Caner, B. and Perry-Whittingham, A. Record of observations at Victoria Magnetic Observatory for 1959, 3=13822
 Caner, B. and Whitham, K. A semiautomatic magnetogram reader, 3=11463
 Caner, B. and Whitham, K. A geomagnetic observation of a high-altitude nuclear detonation, 3=23616
 Canfield, E.H. See Hess, W.N., 1=13593
 Canfield, E.H. See Lingenfelter, R.E., 1=18033
 Canfield, E.H. See Lingenfelter, R.E., 2=19284
 Canfield, F. B., Leland, T. W. and Kobayashi, R. Volumetric behaviour of gas mixtures at low temperatures by the Burnett method: the helium-nitrogen system, 0° to -140°C, 4=11233
 Canfield, F. B., Watson, J. K. and Blancett, A. L. Electro-magnetic gas pump for low-temperature service, 4=8234
 Canfield, J. See Theimer, O., 2=6554
 Canfield, J. M. See Snow, E. C., 4=28103
 Canfield, L. R., Hass, G. and Hunter, W. R. The optical properties of evaporated gold in the vacuum ultraviolet from 300Å to 2000Å, 4=22869
 Canfield, L.R. See Jacobus, G.F., 3=19005
 Canfield, L.R. See Madden, R.P., 1=11836
 Canfield, L.R. See Madden, R.P., 3=11883
 Canina, V. C. and Cohen, S. Thermoluminescence of vitreous germanium oxide containing aluminium impurity, 0=1769
 Canina, V.G. and Denoncin, J. Optical study of the diffusion of oxygen in the glassy non-stoichiometric germanium oxide, 0=7900
 Canina, V. Garino. See Garino Canina, V.
 Canjar, L.N. See Madonna, L.A., 2=1313
 Cann, G.L. Electrical conductivity of a partially ionized gas, 1=2946
 Cann, J.R. Effect of binding of ions and other small molecules on protein structure. VIII. On isomerization of serum albumin in acidic media, 0=21275
 Cannara, A. B. See Crawford, F.W., 4=2973
 Cannington, P. H. See Lokan, K. H., 4=28020
 Cannon, C.G. and Chappel, F.P. Effect of temperature and moisture content on the orientation produced by the drawing of nylon 66, 0=8116
 Cannon, J. R. The solution of the heat equation subject to the specification of energy, 4=343
 Cannon, J. T. and Jordan, T. F. A no-interaction theorem in classical relativistic Hamiltonian particle dynamics, 4=14015
 Cannon, M. C., Grimes, W. R., Ward, W. T. and Watson, G. M. Adsorption of xenon and argon on graphite, 2=6856
 Cannon, M.R., Manning, R.E. and Bell, J.D. Viscosity measurement. The kinetic energy correction and a new viscometer, 0=6729
 Cannon, P. and Conlin, E. T. Magnesium compounds: new dense phases, 4=30804
 Cannon, P. and Gaines, G.L., Jr. Use of krypton for surface area measurements, 2=2430
 Cannon, P. See Gaines, G.L., Jr., 2=2429
 Cannon, P. See Huggins, C.M., 2=18943
 Cannon, P. See Phillips, V.A., 0=15843
 Cannon, F. M. See Mahan, A. I., 4=18422
 Cano, R., Capet, M., Fidone, I., Mattioli, M. and Papoular, R. Study of arc emission in the visible and infrared regions, 4=18781
 Cano, R. and Chatelain, P. Attempt to verify a theory relating to the rotatory power of cholesteric materials, 4=29628
 Cano, R. See Bassi, P., 1=13243
 Canobbio, E. Radiation from a modulated beam of charged particles penetrating a plasma in a uniform magnetic field, 2=190
 Canobbio, E. The Cherenkov and anomalous Doppler effects in plasmas with magnetic fields, 2=9563
 Canobbio, E. and Croci, R. Modulated beams in a plasma with a magnetic field, 2=5388
 Canobbio, E. and Croci, R. On the radiation from linear modulated beams in a plasma with a magnetic field, 3=7521
 Canobbio, E. and Croci, R. Harmonics of the electron cyclotron frequency in a P. I. G. -discharge, 4=18849
 Cannon, J.R. See Nettleton, L.L., 3=9000
 Canon, J.R. and Duffey, G.H. Cuboctahedral bonding, 1=19648
 Cano Corona, O. and Pastrana de Rivera, L. Absolute intensity method for X-ray fluorescence in the quantitative analysis of heavy elements, 3=8989
 Canon, M. See Bernstein, S., 2=3125
 Canosa, J. Dynamics of an adiabatic point reactor, 4=25460
 Canstein, R. Supernovae, 2=21721
 Cant, N. W. and Little, L. H. An infrared study of the adsorption of ammonia on porous vycor glass, 4=20817
 Cantarell, I. and Almodovar, I. Fatigue in photomultiplier tubes - an effect of the malter type, 4=8819
 Cantarell, I. See Almodovar, I., 4=15228
 Cantieni, E. and Schneider, H. Magnetoacoustic resonance in a cylindrical plasma, 3=397
 Cantieni, E. and Schneider, H. Magnetoacoustic resonance and decay of a plasma, 4=11658
 Cantieni, E. and Schneider, H. Magnetoacoustic resonance in a plasma, 4=19022
 Cantieni, E. See Schneider, H., 4=18973
 Cantin, M. See Brunet, M., 3=21865
 Cantone, B. See Foffani, A., 4=1291
 Cantor, S. Freezing point depressions in sodium fluoride. Effect of alkaline earth fluorides, 2=5221
 Cantor, S. and Ward, W. T. Freezing point depressions in sodium fluoride. III. Effects of 3d transition metal difluorides and cadmium fluoride, 4=5454
 Cantor, S. and Ward, W. T. Freezing point depressions in sodium fluoride. IV. Effects of trivalent fluorides, 4=8505
 Cantow, M. J. R. See Porter, R. S., 4=7773
 Cantrell, R.H., McClure, F.T. and Hart, R.W. Acoustic damping in cavities with mean velocity and thermal boundary layers, 3=11864
 Cantrell, R. H. and Hart, R. W. Interaction between sound and flow in acoustic cavities: Mass, momentum, and energy considerations, 4=18353
 Cantrell, R.H. See Hart, R.W., 3=7287
 Cantu, C. See Bonetti, A., 0=12789
 Cantwell, M. and Goldsmith, M. The effect on calculated clean critical activation shapes of the use of transport approximation in the fast groups, 2=12252
 Cantwell, R.M. See Goldsmith, M., 2=5659
 Canty, B.R. and Kirkpatrick, G.P. Color temperature diagram, 1=13014
 Canut, M. and Hosemann, R. X-ray analysis of ferroelectric domains in the paraelectric phase of NaNO_2 , 4=26128
 Canut, M.L. and Amorós, J.L. On the inversion temperature function of the first order (one phonon) scattering and the determination of Debye characteristic temperatures, 1=9972
 Canut, M.L. and Amorós, J.L. Temperature dependence of the X-ray diffuse scattering of molecular crystals: naphthalene, 2=8160
 Canut, M. L. and Mendiola, J. Critical scattering of X-rays in NaNO_2 , 4=20716
 Canut, M.L., Valdés, L.M. and Amorós, J.L. The use of optical analogues in diffuse X-ray diffraction studies of crystals, 3=25698
 Canut, M.L. See Amorós, J.L., 1=1390
 Canut, M.L. See Amorós, J.L., 1=20455
 Canut, M.L. See Amorós, J.L., 3=11245
 Canut, M. L. See Amorós, J. L., 4=23391
 Canut, M. L. See Cabonell, A., 4=28358
 Canuto, V. On the internal energy and partition function of a Bose system, 2=21846
 Canuto, V. Nuclear level density for an interacting Fermi system, 3=15091
 Canuto, V. and Bauer, M. Spacing of nuclear mass surfaces and the superfluid model of nuclei, 4=12111
 Canuto, V., Garcia Colín, L. Interatomic potentials between helium atoms, 4=12406
 Canuto, V. See Brovetto, P., 4=977
 Canuto, V. See Brovetto, P., 3=6133
 Canuto, V. See Brovetto, P., 3=19742
 Canziani, F. See Carlin, R. L., 4=8212
 Cao Xuan Chuan. The range-energy relation of low-energy light ions in nuclear emulsions, 1=12225
 Cao Xuan Chuan. Nuclear reactions with simultaneous emission of three particles, 2=10080
 Cao Xuan Chuan and Nguyễn bích Nho. Remarks on the use of powders in nuclear emulsions, 1=16636
 Caola, M. and Thomas, J. Interpretation of the law of magnetisation of the ions Yb^{3+} and Nd^{3+} in garnet-type gallates at high temperature, 4=20517
 Cao Xuan Chuan. Study of the reaction $\text{Be}(n,2n)2\alpha$, 0=20489

- Cap, F. Potential current in magnetogasdynamics, 4=27517
- Cap, F., Gröbner, W. and Lesky, P. The astronomical n-body problem with time-dependent forces, 2=24075
- Cap, F. and Hofinger, E. On some classes of stationary two-dimensional solutions of magnetogasdynamics, 0=15117
- Cap, F. and Hommel, R. The theorem of Crocco in magnetogasdynamics, 4=27516
- Cap, F. and Mennig, J. Analytical method for determining n-group neutron fluxes in cylindrical shielding problems using lie series, 4=22262
- Cap, F. and Reimann, H. The continuous solution of the stationary multi-group diffusion equation of a reflected spherical reactor and the adaptation of the cylindrical reactor to the spherical reactor, 1=5487
- Cape, J. and Jacobs, G. Low-temperature properties of H, V, and F centers in KCl and KBr, 0=9910
- Cape, J.A. Photochemically produced color centers in KCl and KBr, 1=7601
- Cape, J.A. Superconductivity and localized magnetic states in Ti-Mn alloys, 4=2923
- Cape, J.A. and Coomes, E.A. Kinetics of strontium oxide on tungsten, 0=3308
- Cape, J.A. and Lehman, G.W. Temperature and finite pulse-time effects in the flash method for measuring thermal diffusivity, 3=16819
- Cape, J.A., Lehman, G.W. and Nakata, M.M. Transient thermal diffusivity technique for refractory solids, 4=6754
- Cape, J.A. See Hake, R.R., 4=27436
- Capece, F.M. See Caglioti, V., 4=12520
- Capel, H.W. The hole-equivalence principle, 4=12343
- Capel, H.W. The Van Vleck relation, 4=12344
- Capel, H.W. Magnetic properties of the kramers ions of the rare earths in rare earth Al garnets and rare earth Ga garnets, 4=26342
- Capella, A. On the quantization of the unified field in the Jordan-Thiry theory in the linear approximation, 0=10586
- Capella, A. On the quantization of the free electromagnetic field in special relativity, 0=18920
- Capella, A. Quantization on a Riemannian manifold, 1=6762
- Capella, A. On the quantization of the super-energy of the gravitational field, 1=15641
- Capella, A. The quantization of the gravitational field, 2=11251
- Capella, A. Impulse-energy tensor of a gravitational field, 2=13246
- Capella, A. On the energy-momentum tensor of the gravitational field, 3=14012
- Capella, A. Minkowskian theory of gravitation, 4=14028
- Capella, L. Epitaxy of crystals of nickel and of iron obtained by reduction in the gaseous phase of nickel chloride and of iron perchloride and their deposition on cleavages of alkali halide and muscovite crystals, 1=15012
- Capella, L. Epitaxy of crystals of arsenic, antimony and bismuth obtained by reduction of the gaseous phase of their sulphides and deposited on different monocrystalline supports, 2=12896
- Capellani, F. See Bassi, P., 2=14111
- Capellaro, D.F. See Kapany, N.S., 1=2844
- Capenos, J.M. and Banerjee, B.R. Transmission electron microscopy of Alnico V, 1=7892
- Capenos, J.M. See Banerjee, B.R., 1=7584
- Capenos, J.M. See Banerjee, B.R., 3=16007
- Capet, M. See Bayle, A., 3=7341
- Capet, M. See Bottiglioni, F., 3=7528
- Capet, M. See Cano, R., 4=18781
- Capildeo, R. The kinematics of inertial frames, 1=15618
- Caplan, H.S. and Stewart, D.T. Simple millimicrosecond pulse generator, 1=5409
- Caplan, H.S. See Prentice, J.D., 4=12138
- Caplan, H.S. See Williams, W.S.C., 2=1860
- Caplan, P. See Fisher, E.L., 4=7837
- Caplan, P.J. See Theissing, H.H., 0=1829
- Caplan, P.J. See Theissing, H.H., 4=30078
- Caplan, P.J. See Theissing, H.H., 3=19476
- Caplinger, E. See Marino, L.L., 3=5629
- Caplinger, E. See Smith, A.C.H., 2=22174
- Capon, I.N. The application of ray tracing methods to radio signals from satellites, 1=6753
- Capon, I.N. The application of Ray tracing methods to calculations of skip distances for radio communications, 2=9722
- Capone, B.R. See Masters, J.I., 1=7159
- Caporaso, A.J. See Laudise, R.A., 4=20737
- Caporiacco, G.D. See Ademollo, M., 0=17521
- Caporiccio, G. See Castellano, S., 2=6224
- Capp, P. See Newson, H.W., 1=13652
- Cappellani, F. and Restelli, G. Construction and performances of silicon surface barrier detectors, 4=14968
- Cappellani, F. See Bassi, P., 3=17480
- Cappellani, F. See Bertolini, G., 1=17015
- Cappellani, F. See Bertolini, G., 2=10026
- Cappellani, F. See Bertolini, G., 4=27828
- Cappellani, F. See Bertolini, G., 4=27830
- Cappeller, U. and Ganssauge, E. Investigation of direction correlation in the γ -radiation of Cd^{116} , 0=1391
- Cappelletti, R., Dalla Croce, L. and Fieschi, R. Growth and bleaching of the Z_1 band in KCl doped with divalent impurities, 3=22846
- Cappelletti, R. See Beltrami, M., 4=25991
- Cappelletti, R.L. See Leslie, J.D., 4=14522
- Capps, R.H. Dispersion relations for pion-hyperon production and a possible pion-hyperon resonance, 0=15456
- Capps, R.H. K^- absorption and $\Pi-\Sigma$ phase shifts, 0=9432
- Capps, R.H. Possible effect of $\bar{K}-N$ reactions on $K-N$ scattering, 1=544
- Capps, R.H. Method of determining the spin and parity of a pion-hyperon resonance, 1=7263
- Capps, R.H. K^- absorption and the $K-N$ parity, 1=8503
- Capps, R.H. Odd $\Sigma-\Lambda$ parity and pion-hyperon scattering, 1=19279
- Capps, R.H. Σ^0 lifetime and associated photoproduction poles, 2=9928
- Capps, R.H. Resonance-interference method for determining $K\bar{N}$ parity, 2=13877
- Capps, R.H. Coupling constants and unsubtracted dispersion relations, 3=4342
- Capps, R.H. The evidence for odd $K\bar{N}$ parity, 3=6066
- Capps, R.H. Heavy pseudoscalar mesons and the $P_{1/2}$ resonances, 3=10168
- Capps, R.H. Prediction of an interaction symmetry from dispersion relations, 3=17219
- Capps, R.H. Dynamical model of the K^* resonance, 3=19577
- Capps, R.H. A model of the pseudoscalar and vector mesons, 4=3433
- Capps, R.H. Bootstrap model of nondegenerate vector-meson octet, 4=5933
- Capps, R.H. Octet mass vector, 4=16799
- Capps, R.H. Self-consistent sets of mesons in a bootstrap model, 4=16819
- Capps, R.H. Many-particle self-consistent model, 4=21747
- Capps, R.H. and Nauenberg, M. Relativistic pion-hyperon dispersion relations, 0=9406
- Capps, R.H. See Akiba, T., 2=20422
- Capps, R.H. See Schult, R.L., 0=12891
- Capps, R.H. See Schult, R.L., 1=12115
- Capps, R.H. See Schult, R.L., 2=7903
- Capptuller, H. Determination of the gyromagnetic ratio of the proton, 1=19191
- Capptuller, H. Fully automatic magnetic material testing device with analogue digital converters, 3=9907
- Caprasse, H. Mathematical aspects of the Lippman-Schwinger equations in non-relativistic quantum mechanics, 3=21243
- Caprioli, G. See Nassau, J.J., 4=23859
- Caprioli, L., Scheggi, A.M. and Toraldo Di Francia, G. Approximate synthesis of a prescribed diffraction pattern by means of different aperture distributions, 2=1278
- Capriotti, E.R. The hydrogen radiation spectrum in gaseous nebulae, 4=10842
- Capriotti, E.R. The effect of self-absorption of balmer-line radiation in gaseous nebulae due to hydrogen atoms in the 2s state, 4=29407
- Capriotti, E.R. See Osterbrock, D.E., 4=2357
- Capron, P. See Gilly, L.J., 4=17189
- Capron, P.C. See Crabs, L., 0=9921
- Capron, P.C. See Crevecoeur, E.G., 0=9543
- Capron, P.C. See Gilly, L.J., 3=22423
- Capron, P.C. See Gilly, L.J., 4=25436
- Capus, J.M. and Cockcroft, M.G. Relative slip and deformation during cold rolling, 2=10763
- Caputo, M. Elastostatics of a stratified sphere and its deformations caused by surface masses, 2=15505
- Caputo, M. Tables for the deformation of an earth model by surface mass distributions, 2=17119
- Caputo, M. A new upper limit to the coefficient of absorption of gravitation, 3=6944
- Caputo, M. Free modes of layered oblate planets, 3=11495
- Caputo, M. Gravity in space and the dimensions and mass of the earth, 4=2178
- Caquot, A. and Tardy, D. Determination of the threshold of plasticity, 4=15691

- Carabateas, E.N. Electron space-charge-limited operation of cesium thermionic converters, 2=9520
- Carabateas, E.N. Thermodynamics of surface films, 2=21560
- Carabateas, E.N., Pezaris, S.D. and Hatsopoulos, G.N. Interpretation of experimental characteristics of cesium thermionic converters, 1=4641
- Carabateas, E.N. See Hatsopoulos, G.N., 4=29863
- Caraboulas, C. The character of the centres of solar activity responsible for geomagnetic storms, 4=7938
- Caracciolo, A. and Fabri, E. The criteria of logical design of the electronic calculator of the centre of studies on electronic calculators at Pisa, 0=3398
- Caracoche, M.C. See Bosch, H.E., 3=14941
- Carapancea, M. Natural functional bio-architectonic structure of the cornea: the constitutional determinism of the corneal tissue realized by six arrays organized in a bio-mechanical system of corneal layers and a Bio-optical system of corneal lenses, 3=16455
- Caravel, A. Passive stabilizers of voltage and current in bridge form, 1=16211
- Carazzolo, G. See Mammi, M., 3=25696
- Carazzolo, G. See Mammi, M., 3=25697
- Carbenay, F. Definition and measurement of the mean field of atmospherics of impulsive type, 1=7930
- Carbenay, F. The notation of sudden ionospheric disturbances (s.i.d.) observed on recordings of atmospherics, 1=20910
- Carberry, J.J. and Bretton, R.H. Determination of molecular diffusivity by gas chromatography techniques, 2=5052
- Carbone, R.J. and Longaker, P.R. Interferometric phase shift technique for measuring short fluorescent lifetimes, 4=15609
- Carbonell, A. See Amoros, J.L., 3=11245
- Carbonell, J.R. A tentative model on binaural hearing, 4=10952
- Carbonell, J.R. and Zuccoli, J.L. Volume per seat and variation of the reverberation time with the size of the audience, 1=9460
- Card, C.S. See Rabatin, J.G., 0=61
- Card, F.E. and Galen, J.J. Method for evaporation in vacuum of sublimable materials, 1=12665
- Cardarelli, J.A. See Hine, G.J., 0=19968
- Carden, W.H. See Potter, J.L., 4=14677
- Carder, B., Hefferman, J. and Barnes, D. Technical photography of surface motion, 3=9004
- Carder, D.S. and Cloud, W.K. Surface motion from large underground explosions, 0=10384
- Cardew, M.H. and Eley, D.D. The semiconductivity of organic substances. III. Haemoglobin and some amino acids, 1=7654
- Cardin, L. See Barloutaud, R., 3=7904
- Cardinell, R.L. See Ostergaard, P.B., 3=18951
- Cardon, F. Polarization and space-charge-limited currents in rutile (TiO_2), 1=17819
- Cardon, F. Relation between polarization phenomenon and space-charge-limited currents in rutile single crystals (TiO_2), 3=895
- Cardon, F. Impact ionization of centers in solids by electrons accelerated by an electric field, 3=8502
- Cardon, F. Photoconductivity, polarization phenomena, and space-charge-limited currents in rutile single crystals (TiO_2), 3=17963
- Cardon, F. On the electrical properties of nearly stoichiometric rutile single crystals (TiO_2), 3=22954
- Cardon, F. See Bube, R.H., 4=28636
- Cardona, M. Optical investigation of the band structure of GaSb, 1=1143
- Cardona, M. Electron effective masses of InAs and GaAs as a function of temperature and doping, 1=2414
- Cardona, M. Optical studies of the band structure of InP, 1=10094
- Cardona, M. Fundamental reflectivity spectrum of semiconductors with zinc-blende structure, 1=17762
- Cardona, M. Optical determination of the conduction band structure of GaSb, 1=19878
- Cardona, M. Voigt effect in semiconductors, 2=6548
- Cardona, M. Temperature dependence of the refractive index and the polarizability of free carriers in some III-V semiconductors, 2=23518
- Cardona, M. Optical properties of the silver and cuprous halides, 3=4975
- Cardona, M. Reflectivity of semiconductors with wurtzite structure, 3=8583
- Cardona, M. Polarization effects in the ultraviolet reflection of crystals with wurtzite structure, 4=4279
- Cardona, M. Band parameters of semiconductors with zinc-blende, wurtzite, and germanium structure, 4=15450
- Cardona, M., Fischer, G. and Rosenblum, B. Microwave surface impedance of superconductors of the second kind: in-Bi alloys, 4=14521
- Cardona, M. and Greenaway, D.L. Reflectivity of gray tin single crystals in the fundamental absorption region, 2=6539
- Cardona, M. and Greenaway, D.L. Fundamental reflectivity and band structure of ZnTe, CdTe, and HgTe, 3=17979
- Cardona, M. and Greenaway, D.L. Optical properties and band structure of Group IV-VI and Group V materials, 4=13042
- Cardona, M. and Harbeke, G. Excitons at the L absorption edge in zinc-blende-type semiconductors, 2=14679
- Cardona, M. and Harbeke, G. Absorption spectrum of germanium and zinc-blende-type materials at energies higher than the fundamental absorption edge, 3=10954
- Cardona, M. and Paul, W. Pressure dependence of the direct energy gap in germanium, 1=17447
- Cardona, M., Paul, W. and Brooks, H. The temperature dependence of the polarizability of the free carriers in germanium and silicon, 0=18028
- Cardona, M. and Rosenblum, B. Resonances of a small plasma sphere in a magnetic field, 3=7537
- Cardona, M. and Rosenblum, B. Microwave observation of superconductivity above the upper critical field, 4=16351
- Cardona, M. and Ruppel, W. Oscillations in germanium with an applied pulsed electric field, 0=18027
- Cardona, M. and Sommers, H.S.Jr. Effect of temperature and doping on the reflectivity of germanium in the fundamental absorption region, 1=8982
- Cardona, M. See Greenaway, D.L., 3=10910
- Cardona, M. See Rosenblum, B., 4=21409
- Cardona, M. See Rosenblum, B., 4=24500
- Cardona, M. See Wang, C.C., 4=26178
- Cardoso, A.H. Demonstration of a commercial Wilson cloud chamber using a point corona discharge, 4=27728
- Cardoso, J.M. See Ghielmetti, H., 0=13093
- Cardoso, J.M. See Roederer, J.G., 0=20283
- Cardoso, J.M. See Roederer, J.G., 0=20284
- Cardozo, B. Lopes. Frequency discrimination of the human ear, 4=10951
- Cardús, J.O. Note on solar, geomagnetic and ionospheric activity, 1=10387
- Cardus, J.O. Note on solar geomagnetic and ionospheric activity, Oct.-Dec. 1960, 2=11126
- Cardus, J.O. Note on the solar, geomagnetic and ionospheric activity, April-June, 1961, 3=13886
- Cardús, J.O. See Román, A., 2=13084
- Cardwell, A.B. See Fry, R.K., 2=3072
- Care, J.M. and Swan, D.W. Some transient phenomena in heat transfer resulting from electric stress, 3=11965
- Careaga, J.A. Table of energy versus/magnetic strength for singly-ionized He^+ particles, 4=25212
- Carel, C. and Vallet, P. Dilatometer study of the different varieties of solid Wüstite and the existence of a metastable triple point between the three varieties, 4=20710
- Carel, C. See Vallet, P., 4=26742
- Carelli, A. and Marinaro, M. Velocity of propagation of thermoelastic waves in liquids, 1=15809
- Caren, R.P. Measurement of electron mobilities in argon gas in a pure vapor cloud chamber, 3=23941
- Careri, G. Foreign particles in liquid helium II, 1=5389
- Careri, G. Ions in liquid helium. Some contemporary aspects, 4=29819
- Careri, G. [Ed.]. Liquid helium [Proceedings of the International School of Physics "Enrico Fermi", Varenna, 1961; Course 21], 4=18507
- Careri, G., Cunsolo, S. and Mazzoldi, P. Critical drift velocity of ions in liquid helium, 1=16189
- Careri, G., Cunsolo, S. and Mazzoldi, P. Periodical discontinuities in the drift velocity of ions in superfluid He, 4=14498
- Careri, G., Cunsolo, S. and Missoni, M.V. Discontinuity of the drift velocity of ions in He II directed by the heat flush effect, 4=14497
- Careri, G., Dupré, F. and Modena, I. Magnetic deflection of positive ions in liquid helium at 0.2°K, 2=1327
- Careri, G., Fasoli, U. and Gaeta, F. Experiments on evaporation of ions in liquid helium II, 0=8901
- Careri, G., Fasoli, U. and Gaeta, F.S. Experimental behaviour of ionic structures in liquid helium II, 0=14915
- Careri, G. and Gaeta, F. Ionic recombination in liquid helium, 1=8271
- Careri, G., Giura, M. and Santini, M. Nuclear magnetic properties of adsorbed He^3 , 3=12020

- Careri, G., Giura, M. and Santini, M. Further measurements on the nuclear magnetic properties of adsorbed He^3 , 3=19091
- Careri, G., McCormick, W.D. and Scaramuzzi, F. Ions in rotating liquid helium II, 2=22108
- Careri, G., McCormick, W.D. and Scaramuzzi, F. Helium ions in rotating helium, 4=14499
- Careri, G., Modena, I. and Santini, M. New measurements of the spin-lattice relaxation time in liquid helium 3, 0=16935
- Careri, G., Scaramuzzi, F. and Thomson, J.O. Heat flush and mobility of ions in helium II, 0=8900
- Careri, G., Scaramuzzi, F. and Thomson, J.O. Heat flush and mobility of electric charges in liquid helium. II. Turbulent flow, 1=5390
- Caretto, A.A., Jr and Wiig, E.O. Interaction of yttrium with protons of energy between 60 and 240 MeV, 0=1405
- Caretto, A.A., Jr. See Gray, J.H., III, 0=20395
- Caretto, A.A., Jr. See Merz, E.R., 1=8645
- Caretto, A.A., Jr. See Merz, E.R., 2=12193
- Caretto, A.A., Jr. See Morrison, D.L., 2=20628
- Caretto, A.A., Jr. See Morrison, D.L., 4=12227
- Caretto, A.A., Jr. See Reuland, D. J., 4=12226
- Caretto, A.A., Jr. See Strohal, P.P., 1=4869
- Carew, J. and Milford, S. N. Born cross-sections for selected inelastic collisions of protons with hydrogen atoms in states up to $n = 10$, 4=3814
- Carey, R. Measurement of optimum domain width in silicon-iron, 1=3901
- Carey, R. The origin of the band structure domain pattern in cube-textured silicon-iron, 3=1147
- Carey, R. and Isaac, E.D. The magnetic structure of cobalt ferrite, 3=11098
- Carey, R. and Isaac, E.D. Variation of domain structure with surface orientation for magnetoplumbite, 4=15650
- Carey, R. and Isaac, E.D. Theory of domain nucleation at inclusions in uniaxial materials, 4=17633
- Carey, R. and Isaac, E.D. The observation of ferromagnetic domains, 3=23161
- Carey, R. See Bates, L.F., 0=16135
- Carey, R. See Bates, L.F., 1=1222
- Carey, R. See Bates, L.F., 2=14780
- Carey, S.W. North-South asymmetry of the earth's figure, 0=4907
- Carey, S.W. Paleomagnetic evidence relevant to a change in the earth's radius, 1=10300
- Carey, W.E. See Kimel, W.R., 0=15630
- Cargillano, R.L. Non-locality in the second order potential, 1=9733
- Carhart, R. See Dallos, P.J., 3=18672
- Carhart, R. A. Weak interaction effects in electrodynamics, 4=5957
- Carignan, G. R. See Brace, L. H., 4=7908
- Carignan, G. R. See Nagy, A. F., 4=13843
- Carignan, G. R. See Spencer, N. W., 2=6935
- Caringella, P. C. and Eisenman, W. L. System for low-frequency noise measurements, 2=17774
- Carini, G. Energy considerations in magnetohydrodynamics, 0=5381
- Caris, J. C., Goodwin, L. K., Kenney, R. W., Perez-Mendes, V. and Perkins, W. A. III. Total cross sections for negative pions on protons at 230, 290, 370, 427, and 460 MeV, 1=7270
- Caris, J. C., Kenney, R. W., Perez-Mendes, V. and Perkins, W. A. III. Charge-exchange scattering of negative pions by hydrogen at 230, 260, 290, 317, and 371 MeV, 1=2086
- Caris, J. C., Knapp, E. A., Perez-Mendez, V. and Perkins, W. A. Positive-pion cross-sections on complex nuclei, 2=10125
- Caris, J. C. See Avakian, P., 4=4313
- Caris, J. C. See Kepler, R. G., 3=18041
- Caris, J. C. See Perkins, W. A., 0=9426
- Caris, J. C. See Perkins, W. A., III, 0=11213
- Carlan, A. and Robrieux, B. Evolution under vacuum of thin layers of calcium, 4=28674
- Carlan, A. See Robrieux, B., 4=26182
- Carles, C. Cross-section measurements for $(n, 2n)$ reactions induced by neutrons of 14 MeV, 3=24951
- Carles, P. See Julg, A., 3=4774
- Carleton, F. J. and Roberts, H. R. Determination of the specific activity of tritiated compounds on paper chromatograms using an automatic scanning device, 1=20777
- Carleton, H. R. Theoretical development of volume reverberation as a first-order scattering phenomenon, 1=5331
- Carleton, H. R. See Kroger, H., 4=26041
- Carleton, N. P. The relation of the recent atmospheric dust measurements of Volz and Goody to the problem of meteoric influx, 3=3469
- Carleton, N. P. and Megill, L. R. Electron energy distribution in slightly ionized air under the influence of electric and magnetic fields, 2=15887
- Carleton, N. P. and Oldenberg, O. Lifetime of the lowest excited level of N_2 , 2=16516
- Carleton, N. P. and Papaliolios, C. Measured variation of the electronic transition moment of the Vegard-Kaplan bands in N_2 , 2=20811
- Carleton, N. P. See Neff, S. H., 4=25776
- Carleton, N. P. See Oldenberg, O., 1=8831
- Carleton, N. P. See Sheridan, W. F., 4=25655
- Carley, D. D. Computations of radial distribution functions for a classical electron gas, 3=21261
- Carley, D. D. Radial distribution functions for the Gaussian model, 4=29548
- Carley, D. D. See Broyles, A. A., 3=14137
- Carlier, J. See Wertheimer, R., 3=19465
- Carlile, R. N. A backward-wave surface mode in a plasma waveguide, 4=19234
- Carlin, R. L. and Canziani, F. Spectral and magnetic properties of some dithioloxalato complexes, 4=8212
- Carlin, R. L. See Piper, T. S., 0=16087
- Carlin, R. L. See Piper, T. S., 0=17870
- Carlin, R. L. See Piper, T. S., 1=19976
- Carlin, R. L. See Piper, T. S., 2=16836
- Carlino, L., Musset, P., Quéru, P., Duthil, R., Garin, J. M. and Marquet, M. Internal hydrogen targets for heavy liquid bubble chamber, 4=30133
- Carlisle, R. W. See Levy, S. E., 1=10563
- Carlson, H. R. Durable narrow absorption band infrared filters utilizing powdered mineral materials on polyethylene substrates, 2=22033
- Carlos, P. See Beil, H., 4=918
- Carlos, P. See Beil, H., 3=20821
- Carlos, P. See Beil, H., 3=24741
- Carlos, P. See Genin, R., 3=12467
- Carlough, W. See Donath, E., 3=9613
- Carlsen, F. L. See Reagan, P. E., 4=17226
- Carlson, A. I. See Francis, A. B., 0=2236
- Carlson, B. C. Fields of an accelerated point charge, 0=3836
- Carlson, B. C. Ellipsoidal distributions of charge or mass, 1=6761
- Carlson, B. C. and Keller, J. M. Eigenvalues of density matrices, 1=2713
- Carlson, B. C. and Morley, G. L. Multipole expansion of Coulomb energy, 3=12059
- Carlson, B. C. and Pao Lu. Charged liquid drop with high angular momentum, 2=3536
- Carlson, B. C. See Lynch, P. J., 2=13737
- Carlson, D. J. See Bauer, E., 4=22845
- Carlson, E. H. Comments on the spectrum of Nd^{3+} in LaCl_3 , 4=25829
- Carlson, E. H. and Dieke, G. H. The state of the Nd^{3+} ion as derived from the absorption and fluorescence spectra of NdCl_3 and their Zeeman effects, 1=8984
- Carlson, F. F. Paramagnetic resonance of nitrogen atoms in X-ray-irradiated sodium azide, 3=25574
- Carlson, F. F., King, G. J. and Miller, B. S. Hyperfine structure of F-center spin resonance in sodium azide, 1=1269
- Carlson, F. F. See King, G. J., 1=8921
- Carlson, F. F. See King, G. J., 1=17579
- Carlson, F. F. See McMillan, R. C., 3=3418
- Carlson, F. F. See King, G. J., 0=8083
- Carlson, H. A. and Wegener, H. A. R. Variant in technique for A. R. Lang's X-ray diffraction topography, 1=7888
- Carlson, H. G. See Westrum, E. F. Jr., 1=19718
- Carlson, H. L. See Parzen, G., 3=5769
- Carlson, H. N. See Brunnschweiler, A., 0=21348
- Carlson, K. D., Gilles, P. W. and Thorn, R. J. Analysis of molecular flow in an isothermal enclosure, 3=14201
- Carlson, K. D., Gilles, P. W. and Thorn, R. J. Molecular and hydrodynamical effusion of mercury vapor from Knudsen cells, 3=16642
- Carlson, K. D. and Kuschner, K. R. Interatomic potential energy functions for Mercury, Cadmium and Zinc from vapour viscosities, 4=25592
- Carlson, K. D. and Moser, C. Molecular orbital calculations of the low-lying electronic states of the titanium monoxide molecule, 4=9729
- Carlson, K. D. and Nesbet, R. K. Wavefunctions and binding energies of the titanium monoxide molecule, 4=28204

- Carlson, K. D. and Skancke, P. N. On the correlation energy in the CH_4 molecule, 4=12507
- Carlson, N. W. See Ellis, R. E., 2=1452
- Carlson, N. W. See Malmberg, J. H., 4=19063
- Carlson, O. N. See Bare, D. W., 4=26538
- Carlson, O. N. See Solie, K. E., 4=23134
- Carlson, P. J. See Ronne, B. E., 2=9850
- Carlson, R. F., Eisberg, R. M., Stokes, R. H. and Short, T. H. Total proton reaction cross section of copper at 9 MeV, 2=20616
- Carlson, R. F. See Meyer, V., 0=7552
- Carlson, R. O. Anisotropic diffusion of copper into bismuth telluride, 0=11643
- Carlson, R. O., Silverman, S. J. and Ehrenreich, H. Nernst effect in n-type GaAs, 2=16722
- Carlson, R. O. See Hall, R. N., 3=4966
- Carlson, R. O. See Silverman, S. J., 3=10819
- Carlson, R. R. The 9.63 MeV state of C^{12} , 2=1799
- Carlson, R. R., Kim, C. C., Jacobs, J. A. and Barnard, A. C. L. Elastic scattering and reactions of protons on O^{16} , 1=7370
- Carlson, R. R. and Norbeck, E. Two-parameter analysis of Be^{10} , B^{11} , B^{12} , and B^{13} spectra, 3=19767
- Carlson, R. R. and Norbeck, E. Two-parameter analysis of lithium reactions, 4=22217
- Carlson, R. R. See Berkowitz, E., 3=685
- Carlson, R. R. See Mendelson, R. A., Jr., 4=28069
- Carlson, R. R. See Nelson, E. B., 2=10103
- Carlson, R. R. See Norbeck, E., 3=15238
- Carlson, R. W., Okuda, T. and Oskam, H. J. Dynamic Langmuir probe studies, 3=1993
- Carlson, R. W., Okuda, T. and Oskam, H. J. Studies of the dynamic properties of Langmuir probes. I. Measuring methods, 4=11637
- Carlson, R. W. See Okuda, T., 4=11638
- Carlson, R. W. See Oskam, H. J., 4=11639
- Carlson, R. W. See Schluderberg, D. C., 1=17232
- Carlson, T. A. Dissociation of $\text{C}_6\text{H}_6\text{T}$ following beta decay, 0=8322
- Carlson, T. A. Recoil energy spectrum of the sodium ions following the β^- decay of Ne^{23} , 4=6274
- Carlson, T. A. Electron shake-off following the Beta decay of Ne^{23} , 3=15141
- Carlson, T. A. Electron shakeoff following the β^- decay of Ar^{41} , 3=19954
- Carlson, T. A. and Milford White, R. Fragmentation of the excited parent ions, $[\text{CH}_3\text{Kr}^{82}]^+$ and $[\text{CH}_3\text{O}^{18}]^+$, following the β^- decay of $\text{CH}_3\text{Br}^{82}$ and the β^+ decay of CH_3F^{18} , 4=2168
- Carlson, T. A., Pleasonton, F. and Johnson, C. H. Electron shake off following the β^- decay of He^6 , 3=10182
- Carlson, T. A. and White, R. M. Decomposition of $(\text{CH}_3\text{Xe}^{131})^+$ following the nuclear decay of $\text{CH}_3\text{I}^{131}$, 2=15159
- Carlson, T. A. and White, R. M. Mass spectrometric analyses of the ions resulting from the nuclear decay of $\text{CH}_3\text{I}^{130}$ and $\text{C}_2\text{H}_5\text{I}^{131}$. Study of xenon-hydrocarbon ions. II, 3=16183
- Carlson, T. A. and White, R. M. Formation of fragment ions from $\text{CH}_3\text{Te}^{125}$ and $\text{C}_2\text{H}_5\text{Te}^{125}$ following the nuclear decays of $\text{CH}_3\text{I}^{125}$ and $\text{C}_2\text{H}_5\text{I}^{125}$, 3=18459
- Carlson, T. A. See Johnson, C. H., 4=3597
- Carlson, T. A. See Krause, M. O., 4=9653
- Carlson, T. N. See Glass, M., 4=7840
- Carlson, W. G. See Strickler, D. W., 4=20405
- Carlsson, A. J. On the mechanism of brittle fracture propagation. Branching, fracture surface appearance, and influence of stresswaves, 3=13381
- Carlsson, A. J. Method for continuous measurement of instantaneous crack propagation velocities, 3=13382
- Carlsson, A. J. and Gilman, J. J. Method for measuring sonic dislocation velocities, 3=22778
- Carlsson, C. G. Line shift in a spectrograph due to variations of atmospheric pressure, and a compensation method, 4=21297
- Carlsson, J. Experimental studies of brittle fracture propagation, 2=14909
- Carlston, C. E. and Magnuson, G. D. High efficiency low-pressure ion source, 2=22274
- Carlston, C. E. See Magnuson, G. D., 4=4103
- Carlston, C. E. See Magnuson, G. D., 3=9843
- Carlston, C. E. See Magnuson, G. D., 3=9844
- Carlton, T. S. and Mahan, B. H. Gaseous ion recombination rates. III, 4=24557
- Carman, E. H. Dependence of [OI] 6300 A airglow on latitude as observed from Townsville, Australia, 4=26825
- Carman, E. H., Gibson-Wilde, B. C. and Conway, R. J. Anomalous v.h.f. trans-equatorial ionospheric propagation recorded at Townsville, 3=14781
- Carman, E. H., Gibson-Wilde, B. C., Kilfoyle, B. P. and Coleman, W. M. Tropical twilight behaviour of the [OI] 6300 A airglow at Townsville, 4=4787
- Carman, E. H. and Kilfoyle, B. P. Relationship between [OI] 6300 A zenith airglow and ionospheric parameters f_oF_2 and $h'F$ at Townsville, 4=7884
- Carman, P. C. See Mason, E. A., 1=18463
- Carman, P. C. See Miller, L., 2=7247
- Carman, P. C. See Miller, L., 4=11240
- Carman, P. D. A large-stage photoelectric planimeter for leaves, 4=8006
- Carman, P. D. and Charman, W. N. Detection, recognition, and resolution in photographic systems, 4=27344
- Carmeli, M. The EIH equations of motion up to the 9th order, 4=18048
- Carmeli, M. Has the geodesic postulate any significance for a finite mass? 4=27052
- Carmen, R. L. See Swartz, C. E., 4=9200
- Carmi, A. See Avinor, M., 2=4170
- Carmi, G. and Bohm, D. Separation of motions of many-body systems into dynamically independent parts by projection onto equilibrium varieties in phase space. II, 4=8089
- Carmi, G. See Bohm, D., 4=8088
- Carmichael, A. J. and Douglas, A. G. Gelatin solution as a model and photoelastic material, 0=16194
- Carmichael, A. J. and Holdaway, H. W. Phenomenological elastomechanical behavior of rubbers over wide ranges of strain, 1=3965
- Carmichael, A. J. and Holdaway, H. W. Application of the three-parameter stress function to natural rubbers of widely different hardness, 1=14866
- Carmichael, C. H. Observation of mixing at optical frequencies in a p-n junction, 3=9981
- Carmichael, C. H. and Dore, M. Electrical effects observed in polycrystalline boron, 2=4032
- Carmichael, C. M. The magnetic properties of ilmenite-haematite crystals, 1=20070
- Carmichael, C. M. The magnetisation of solid solutions of ilmenite in hematite, 3=3523
- Carmichael, G. W. Some elementary statistical properties of a modulation noise limited detection system, 4=14448
- Carmichael, H. and Johnston, H. S. Correlation of activation energies and bond energies in CF_3 reactions, 4=30895
- Carmichael, H. and Steljes, J. F. Unusual cosmic-ray fluctuations on July 17 and 18, 1959, 0=1340
- Carmichael, H. and Steljes, J. F. Collected results from the cosmic ray stations for July 1959, 1=19304
- Carmichael, H. and Steljes, J. F. The solar cosmic-ray increase of November 20, 1960, 2=12026
- Carmichael, H. and Steljes, J. F. Review of recent high energy solar particle events including November 12, 1960, 2=12032
- Carmichael, H., Steljes, J. F., Rose, D. C. and Wilson, B. G. Cosmic-ray neutron increase from a flare on the far side of the sun, 1=3363
- Carmichael, H. See Bercovitch, M., 0=13098
- Carmichael, H. See Steljes, J. F., 1=16935
- Carmichael, J. H. and Waters, P. M. Re-emission of ionically pumped helium by helium ion bombardment, 2=9639
- Carmony, D. D., Lander, R. L., Rindfleisch, C., Nguyen-Huu Xuong and Yager, P. Study of the spin and parity of the B meson, 4=16959
- Carmony, D. D., Pjerrou, G. M., Schlein, P. E., Slater, W. E., Stork, D. H. and Ticho, H. K. Properties of Ξ hyperons, 4=25199
- Carmony, D. D., Rosenfeld, A. H. and Van de Walle, R. T. Evidence that the η meson has isospin zero, 2=22609
- Carmony, D. D. and Van De Walle, R. T. Determination of $\pi - \pi$ cross sections by the Chew-Low extrapolation method, 2=18160
- Carmony, D. D. and Van de Walle, R. T. Differential $\pi - \pi$ cross sections: evidence for the spin of the ρ meson, 2=18163
- Carmony, D. D. See Anderson, J. A., 1=7273
- Carmony, D. D. See Anderson, J. A., 1=16867
- Carmony, D. D. See Rosenfeld, A. H., 2=18172
- Carmony, D. D. See Schlein, P. E., 3=24804
- Carnahan, C. W. Masers, lasers, and the ether drift, 2=11253
- Carnahan, C. W. Light and gravitation, 3=38
- Carnahan, C. W. A proposed first-order relativity test using lasers, 5=5343
- Carnahan, C. W. See Kroll, N. M., 3=12357

- Carnahan, R.D. and Brittain, J.O. Point-defect relaxation in rutile single crystals, 3=25265
- Carnahan, R.D. and White, J.E. Some comments on strain-gauge techniques for determining microstrain, 4=16005
- Carnahan, R.D. See Dahlberg, P., 3=3214
- Carnall, W.T. The near-infrared transitions of the trivalent lanthanides in solution. II. Tb^{+3} , Dy^{+3} , Ho^{+3} , Er^{+3} , Tm^{+3} , and Yb^{+3} , 3=23885
- Carnall, W.T., Fields, P.R. and Toogood, G.E. The near-infrared transitions of the trivalent lanthanides in solution. III. Promethium (III), 4=30381
- Carnall, W.T., Gruen, D.M. and McBeth, R.L. The near infrared transitions on the trivalent lanthanides in solution. I. Praseodymium (III), neodymium (III), samarium (III), and europium (III) ions, 3=9462
- Carnall, W.T. and Wybourne, B.G. Electronic energy levels of the lighter actinides: U^{3+} , Np^{3+} , Pu^{3+} , Am^{3+} , and Cm^{3+} , 4=22310
- Carnevale, E.H., Lynnworth, L.C. and Larson, G.S. Ultra-sonic measurement of elastic moduli at elevated temperatures, using momentary contact, 4=30745
- Carnevale, E.H. See Ziegler, C.A., 2=19507
- Carniglia, S.C. A propos of "X-ray diffraction studies of irradiated BeO" (By B.S. Hickman, T.M. Sabine and R.A. Coyle); an estimation of internal stresses in irradiated BeO, 3=6550
- Carniglia, S.C. and Hove, J.E. Fabrication and properties of dense beryllium oxide, 2=3845
- Carnine, R. See Martinek, J., 0=4375
- Carnuth, W. Diffusion and solubility of hydrogen in cold-worked copper, 3=20220
- Caro, D.E. and Rouse, J.L. The Melbourne University variable energy cyclotron, 2=3114
- Caro, D.E. See Kenny, M.J., 1=17000
- Caro, L.G. Proposed use of magnetic fields in electron microscopic radioautography, 1=18929
- Caro, R. Neutron slowing down in the thermal column of an exponential experiment, 3=15253
- Caroli, B. The perturbations in a metal by two impurity [atoms], 1=14244
- Caroli, B. Infrared absorption in normal alloys, 3=8589
- Caroli, B. Infrared absorption in normal alloys: Bloch electrons, 4=1718
- Caroli, B. Infrared absorption in dilute Au-Ni, 4=1732
- Caroli, C., De Gennes, P.G. and Matricon, J. Properties of superconducting non-magnetic alloys, 3=9674
- Caroli, C., de Gennes, P.G. and Matricon, J. Coherence length and penetration depth of dirty superconductors, 3=12028
- Caroli, C., De Gennes, P.G. and Matricon, J. Bound fermion states on a vortex line in a type II superconductor, 4=21401
- Caroli, C. See Guyon, E., 4=29841
- Caroline, D. and Schirber, J.E. Pressure effect on the Fermi surfaces of Ag and Cu, 3=8398
- Carome, E.F. and Burlage, S.R. Ultrasonic absorption in ethyl acetate, 0=6788
- Carome, E.F., Fleury, P.A. and Wagner, W.J. Theoretical and experimental studies of the propagation of acoustic impulses in relaxing liquids, 4=5174
- Carome, E.F. and Lastovka, J.B. Theoretical and experimental studies of pressure profiles in ultrasonic waveguides, 3=14263
- Carome, E.F., Parks, P.E. and Mraz, S.J. Propagation of acoustic transients in water, 4=21128
- Carome, E.F. and Witting, J.M. Theory of ultrasonic attenuation in cylindrical and rectangular waveguides, 1=4411
- Carome, E.F., Witting, J.M. and Fleury, P.A. Experimental study of diffraction and waveguide effects in ultrasonic attenuation measurements, 1=16029
- Carome, E.F. See Kérom, E., 1=2823
- Carome, E.F. See Lastovka, J.B., 3=18925
- Carome, E.R., Clark, N.A. and Moeller, C.E. Generation of acoustic signals in liquids by ruby laser-induced thermal stress transients, 4=16107
- Caron, A. and Donohue, J. The lattice constants of orthorhombic sulfur and revision of the interatomic distances, 2=8824
- Caron, A., Palenik, G.J., Goldish, E. and Donohue, J. The molecular and crystal structure of trimethylamine oxide, $(CH_3)_3NO$, 4=10561
- Caron, A. See Donohue, J., 1=20531
- Caron, A. See Donohue, J., 4=23447
- Caron, A.P. See Ragle, J.L., 4=22477
- Caron, J. See Bonnal, J.F., 4=19117
- Caron, F.R. and Kodis, R.D. A microwave investigation of self-quenching cylindrical discharges, 4=18706
- Caroubalos, C. and Martres, M.J. A morphological property of sun-spot groups responsible for eruptions accompanied by metre wavelength radiation, 4=15955
- Caroubalos, C. See Anastassiadis, M., 4=23929
- Caroubalos, C. See Anastassiades, M., 1=20915
- Carovillano, R.L. See Rose, M.E., 1=8810
- Carovillano, R.L. See Wildermuth, K., 2=1852
- Carovillano, R.L. See Wildermuth, K., 2=3544
- Carpenter, A. See Morton, J., 3=13950
- Carpenter, C.D. See Fujii, C.T., 2=7167
- Carpenter, C.P. and Mezger, F.W. General spherical harmonics formulation of plasma Boltzmann equation, 1=15740
- Carpenter, D.K. See Krigbaum, W.R., 0=16694
- Carpenter, D.L. New experimental evidence of the effect of magnetic storms on the magnetosphere, 2=6963
- Carpenter, D.L. Electron-density variations in the magnetosphere deduced from whistler data, 2=24050
- Carpenter, D.L. Whistler measurements of electron density and magnetic field strength in the remote magnetosphere, 4=2210
- Carpenter, D.L. Whistler evidence of a "knee" in the magnetospheric ionization density profile, 3=13728
- Carpenter, D.L. and Smith, R.L. Whistler measurements of electron density in the magnetosphere, 4=29309
- Carpenter, D.L. See Helliwell, R.A., 4=2211
- Carpenter, D.L. See Mlodnosky, R.F., 3=16348
- Carpenter, D.L. See Smith, R.L., 1=20855
- Carpenter, D.R. See Alexander, F.B., 4=12933
- Carpenter, E.W. See Savill, R.A., 2=15177
- Carpenter, F.G. See Little, R.C., 3=3907
- Carpenter, F.G. See Rieger, C.J., 0=6951
- Carpenter, G.B. Density of the bonding electrons in diamond, 0=4626
- Carpenter, G.B. Density of bonding electrons in diamond, 0=16308
- Carpenter, G.B. and Colin, L. On a remarkable correlation between whistler-mode propagation and high-frequency northscatter, 4=7857
- Carpenter, G.B. See Bang, W.B., 4=23423
- Carpenter, G.B. See Haaf, W.R., 4=23478
- Carpenter, L. See Musen, P., 3=23669
- Carpenter, L.G., Humphries, D.E. and Mair, W.N. Measurement of thermal accommodation of gases on heated solids, 4=4660
- Carpenter, L.H. and Keulegan, G.H. Disturbances due to the motion of a cylinder in a two-layer liquid system, 0=19079
- Carpenter, M.S., O'Keefe, J.A. III and Dunkelman, L. Visual observations of nightglow from manned spacecraft, 3=11445
- Carpenter, M.S. See Cameron, W.S., 3=23591
- Carpenter, R.D., Mentillo, L.R. and Bleuler, E. Excitation curves for reactions of alpha particles with C^{12} from 15 to 19 MeV, 2=3614
- Carpenter, R.J. and Ochs, G.R. High resolution pulse measurements of meteor-burst propagation at 41 Mc/s over a 1295-km path, 5=16062
- Carpenter, R.J. See Sugar, G.R., 2=1601
- Carpenter, R.J. See Yee, K.W., 4=2739
- Carpenter, R.L. Study of Venus by C.W. radar, 4=13947
- Carpenter, R.L. See Goldstein, R.M., 3=18620
- Carpenter, R.L. See Muhleman, D.O., 1=51
- Carpenter, R.O'B. Comparison of a.m. and f.m. reticle systems, 3=18965
- Carpenter, R.T. and Bollinger, L.M. Parameters and gamma-ray spectra of neutron resonances in the isotopes of mercury, 1=705
- Carpenter, R.T. See Bollinger, L.M., 4=3669
- Carpenter, R.T. See Segel, R.E., 4=9542
- Carpenter, R.T. See Shafroth, S.M., 0=17355
- Carpenter, S.G. See Springer, T.H., 4=6418
- Carpentier, G. See Authier, B., 4=2289
- Carpet, M. See Breton, C., 3=7326
- Carr, A.D. See Kropholler, H.W., 3=5411
- Carr, C.W., McClintock, R. and Sollner, K. Electro-osmosis in cation-selective collodion matrix membranes of graded porosity, 2=11612
- Carr, D.T. See Muller, N., 3=12867
- Carr, E. See Lu, C.S., 2=20057
- Carr, E.A. See Zagorites, H.A., 4=17506
- Carr, E.F. Microwave dielectric measurements in a liquid crystal that shown polymesomorphism, 0=5018

- Carr, E.F. Dielectric loss in the liquid crystal p-azoxyanisole, 2=17477
- Carr, E.F. Influence of an electric field on the dielectric loss of the liquid crystal p-azoxyanisole, 4=196
- Carr, E.F. Influence of electric and magnetic fields on the dielectric constant and loss of the liquid crystal anisaldazine, 3=11803
- Carr, E.F. See Hartt, J.K., 2=17476
- Carr, H. See Kinzer, E.T., 0=5361
- Carr, H.Y. and Sells, R.L. Electromagnetic waves in an introductory physics course, 0=17093
- Carr, H.Y. See Hunt, E.R., 3=16666
- Carr, H.Y. See Streever, R.L., 1=1758
- Carr, J.B. See Bloom, A.L., 0=17712
- Carr, J.M. See Sallo, J.S., 2=12722
- Carr, J.M. See Sallo, J.S., 3=11052
- Carr, J.M. See Sallo, J.S., 3=16097
- Carr, L. See Ballinger, E.R., 3=21151
- Carr, P.H. Problems in establishing standards for vacuum measurements and in calibrating vacuum gauges, 4=18277
- Carr, P.H. and Foner, S. Magnetic transitions in Ti_2O_3 and V_2O_5 , 0=11799
- Carr, P.H., Stewart, R.M., Jr and Senne, J.H. Flash period of 1958 Delta I, 0=17
- Carr, P.H. and Strandberg, M.W.P. The generation of microwave phonons for studying the spin-lattice interaction, 2=18952
- Carr, R.H., McCammon, R.D. and White, G.K. The thermal expansion of copper at low temperatures, 4=25862
- Carr, R.H. and Swenson, C.A. Application of a variable transformer to the study of low temperature thermal expansion, 4=22500
- Carr, R.J. See Lindsay, R.H., 0=11425
- Carr, R.J. See Lindsay, R.H., 1=729
- Carr, T.D., Brown, G.W., Smith, A.G., Higgins, C.S., Bollhagen, H., May, J. and Levy, J. Spectral distribution of the decametric radiation from Jupiter in 1961, 4=29473
- Carr, T.D., Smith, A.G. and Bollhagen, H. Evidence for the solar corpuscular origin of the decameter-wavelength radiation from Jupiter, 1=1658
- Carr, T.D., Smith, A.G., Bollhagen, H., Six, N.F., Jr and Chatterton, N.E. Recent decameter-wave-length observations of Jupiter, Saturn, and Venus, 1=11685
- Carr, T.D. See Smith, A.G., 0=18638
- Carr, T.D. See Smith, A.G., 3=18654
- Carr, T.D. See Smith, A.G., 4=4941
- Carr, T.R. See Masterson, J.E., 1=20888
- Carr, W.J., Jr. Explanation for the low-temperature behavior of the anisotropy of iron, 0=1784
- Carr, W.J., Jr. Energy loss resulting from domain wall motion, 0=3030
- Carr, W.J., Jr. Energy, specific heat, and magnetic properties of the low-density electron gas, 1=8899
- Carr, W.J., Jr. Ground-state energy of metallic hydrogen. I, 2=23113
- Carr, W.J., Jr. Direct exchange, 3=980
- Carr, W.J., Jr. Many-electron perturbation theory for non-metallic low-density systems, 3=25239
- Carr, W.J., Jr, Coldwell-Horsfall, R.A. and Fein, A.E. Anharmonic contribution to the energy of a dilute electron gas—interpolation for the correlation energy, 1=17481
- Carr, W.J., Jr. and Maradudin, A.A. Ground-state energy of a high-density electron gas, 4=11120
- Carr, W.J., Jr. See Albert, P.A., 1=6333
- Carr, W.N. Reversible degradation effects in GaSb tunnel diodes, 2=21173
- Carr, W.N. Energy band parameters of germanium indicated by tunnel diode reverse characteristics, 4=4148
- Carr, W.N. and Biard, J.R. Common occurrence of artifacts or "ghost" peaks in semi-conductor injection electroluminescence spectra, 4=30695
- Carr, W.N. and Pittman, G.E. One-watt GaAs p-n junction infrared source, 4=5861
- Carr, W.N. and Pittman, G.E. Quantum efficiency of a new GaAs spontaneous infrared source, 4=16703
- Carr, W.N. See Biard, J.R., 4=24911
- Carra, M. de T. Determination of the unit cell and symmetry of Mexicanin-E by X-ray diffraction, 2=19084
- Carrara, M. Tracking of artificial satellites, 3=21141
- Carrara, N., Checcacci, P.F. and de Giorgio, M.T. Study of ionospheric absorption during the solar eclipse of February 15, 1961, 4=2286
- Carrara, N., Checcacci, P.F. and Ronchi, L. Radar observations of meteor echoes as a means of investigation in the field of meteor astronomy and physics, 2=11163
- Carrara, N. See Aarons, J., 2=4618
- Carrara, R., Cresti, M., Grigoletto, A., Loria, A., Peruzzo, L., Santangelo, R. and Venchiarutti, D. Pion production by positive pions on protons at 308 MeV K.E., 2=22559
- Carrara, R. See Bartke, J., 2=13883
- Carrara, R. See Bartke, J., 3=22206
- Carrara, R. See Bertanza, L., 1=5765
- Carrassi, M. and Passatore, G. Some remarks on the calculation of the polarization effects. I., 0=327
- Carrassi, M. and Passatore, G. On the double Compton process and some calculations of polarization effects. II, 0=15248
- Carrassi, M. and Passatore, G. Remarks on a possible method for detecting the double Compton effect, 2=7839
- Carrassi, M. and Passatore, G. On the relativistic effects in low-energy pion-nucleon scattering, 3=6046
- Carrassi, M. and Passatore, G. Contribution of the pion-pion interaction to low energy pion-nucleon scattering, 3=10155
- Carrassi, M. and Passatore, G. An analysis of a nuclear scattering resonance by the Regge representation, 4=21807
- Carré, B.A. and Wreathall, N.M. The digital analysis of electron-optical systems, 4=24742
- Carré, J.C., Robin, M. and Vidal, R. Measurement of the absorption cross-section of natural neon for thermal neutrons, 1=13823
- Carrea, A.J., West, D.R.F. and Ball, J.G. A review paper on the constitution of uranium-molybdenum alloys, 0=8275
- Carrelli, A. On Mach's principle, 0=33
- Carrelli, A. and Della Caggia, L. On the dielectric constant of some aqueous solutions, 0=945
- Carrelli, A., Grossetti, E. and Marinaro, M. On the intensity and shape of nuclear quadrupolar signals, 3=6769
- Carrelli, A. and Pauculo, L. The formation of the mechanical moment in dipolar liquids in a rotating electric field, 3=18826
- Carrelli, A. and Porreca, F. On the viscosity of liquids, 1=5250
- Carrelli, A. and Porreca, F. Variation of the rotatory power in an optical antipode, produced by 2 MeV electrons, 1=11355
- Carrelli, A. and Porreca, F. Experimental behaviour of the complex coefficient of viscosity with the temperature for the frequency of 50 Hz, 2=9246
- Carrelli, A. and Ragozzino, E. Nuclear magnetic resonance in paraffin and wax, 4=24250
- Carrer, A. Mechanical stresses caused by currents present in magnetizable matter, 3=24433
- Carrera, N.J., Walker, R.F. and Plante, E.R. Vapor pressures of ruthenium and osmium, 4=24459
- Carrera, N.J., Walker, R.F., Steggerda, C.A. and Nalley, W.M. Microbalance techniques for high-temperature applications. Further developments, 4=2897
- Carreras-Patxot, R. and Sönger, R. A method for studying the diffusion of silver iodide particles in the atmosphere by means of I^{131} , 1=4109
- Carrette, J.D. and Kerwin, L. A study of red phosphorus by mass spectrometry, 2=1393
- Carrier, G.F. Useful approximations in Wiener-Hopf problems, 0=864
- Carrier, G.F. and Avrett, E.H. A non-gray radiative-transfer problem, 1=15751
- Carrière, Z. Sound diagrams of a tuning fork, 2=19651
- Carrigan, R.A., Jr. See Swanson, W.P., 3=14819
- Carriker, A.W. See Levin, G.V., 3=21102
- Carrington, A. Theory of line width alternation in certain electron resonance spectra, 2=20858
- Carrington, A., Ingram, D.J.E., Lott, K.A.K., Schonland, D.S. and Symons, M.C.R. Electron resonance studies of transition metal oxyions. I. Experimental results for the manganate, hypomanganate and ferrate ions, 0=21069
- Carrington, A. and Longuet-Higgins, H.C. Line width variations in the electron resonance spectra of free radicals in solution, 2=20859
- Carrington, A. and Luckhurst, G.R. Electron spin resonance line widths of transition metal ions in solution. Relaxation through zero-field splitting, 4=29646
- Carrington, A. See Bolton, J.R., 2=2018
- Carrington, A. See Golding, R.M., 3=725
- Carrington, R.A.G. See Long, D.A., 3=6407
- Carrington, T. Line shape and f value in the $\text{OH}^+\Sigma^+-\Pi$ transition, 0=2741
- Carrington, T. Rotational transfer in the fluorescence spectrum of $\text{OH}^+(\Sigma^+)$, 0=4191
- Carrington, T. Transition probabilities in multilevel systems: calculation from impulsive and steady-state experiments, 1=14125

- Carrington, T. Fluorescence in comets as a Markov process, 2=15321
- Carrington, T. Interpretation of rate experiments with resolved quantum levels, 3=6379
- Carrington, T. Angular momentum distribution and emission spectrum of OH ($^2\Sigma^+$) in the photodissociation of H_2O , 4=30485
- Carrington, T. See Broida, H.P., 3=8265
- Carrington, T. See Tanaka, I., 1=12321
- Carrington, W., Hale, K.F. and McLean, D. Arrangement of dislocations in iron, 1=14272
- Carrison, L.C. See Sclar, C.B., 4=1744
- Carrison, L.C. See Sclar, C.B., 4=26565
- Carroll, A. See Patel, P.M., 2=18122
- Carroll, A.S., Patel, P.M., Strax, N. and Miller, D. Measurement of neutron-proton polarization at 126 MeV, 4=16900
- Carroll, B. See Rouy, A.L., 3=16807
- Carroll, C.O. and O'Connell, R.F. Third-order Coulomb wave function and single quantum annihilation, 4=6461
- Carroll, C.O. See Johnson, W.R., 2=11285
- Carroll, C.O. See Johnson, W.R., 4=28154
- Carroll, E.E., Jr. and Stephens, W.E. Total gamma absorption in C^{12} , N^{14} , O^{16} , and Al^{27} at 20 MeV, 0=11433
- Carroll, H.B., Eisner, M. and Henson, F.M. Pubber band experiment in thermodynamics, 4=2501
- Carroll, H.F. See Lifshitz, A., 4=1318
- Carroll, J.A. An absolute scale of time, 0=8532
- Carroll, J.B. See Bowman, W.C., 2=18095
- Carroll, J.C. See McGrath, J.W., 0=4536
- Carroll, J.E. A single-velocity analysis of a multi-velocity electron stream, 3=14651
- Carroll, J.E. Effects of space charge on transverse waves in electron beams, 4=21567
- Carroll, J.E. A simple coaxial line vacuum seal, 4=29682
- Carroll, J.G. See Billington, D.S., 0=20849
- Carroll, K.G. Metallurgical applications of the electron microprobe, 3=3377
- Carroll, K.G. See Ohh, S., 0=3279
- Carroll, L.J. See Barlow, J., 4=25123
- Carroll, P.J., Jr. and Kyame, J.J. Matrix representation of thermodynamics of multicomponent systems, 2=9200
- Carroll, P.K. Structure of the triplet bands of Co, 2=14262
- Carroll, P.K. Note on the $^5\Sigma^+$ g state of N_2 , 2=20813
- Carroll, P.K. The structure of the Goldstein-Kaplan bands of N_2 , 3=8262
- Carroll, P.K. The spectrum of N_2 in the far ultraviolet, 3=10513
- Carroll, P.K. and Daly, P.J. The band spectrum of $ZrCl$, 2=3736
- Carroll, P.K. and Hurley, A.C. Identification of an electronic transition of N_2^+ , 2=3734
- Carroll, P.K. and Mahon-Smith, D. Isotopic shifts in some ultraviolet systems of N_2 , 3=25102
- Carroll, P.K. and Rubalcava, H.E. Near infra-red system of nitrogen, 0=1530
- Carroll, P.K. and Rubalcava, H.E. Rotational analysis of the 5-1 band of the B^1-B system of N_2 , 1=2315
- Carroll, P.K. See Mahon-Smith, D., 4=28195
- Carroll, R.M. Argon activation measures irradiation flux continuously, 2=12261
- Carroll, R.M. See Reagan, P.E., 4=17226
- Carron, G.J. The crystal structure and powder data for arsenic telluride, 3=13456
- Carru, H., Gendrin, R. and Reyssat, M. A transatlantic communication experiment via echo I satellite, 1=8030
- Carruthers, J.A. Conductivity of electrons in gases weakly ionized by X-rays, 3=3839
- Carruthers, J.A., Benyon, D.E. and Nicholls, J. Low temperature electrometer circuit, 1=10656
- Carruthers, J.A., Cochran, J.F. and Mendelssohn, K. Thermal conductivity of p-type germanium between 0.2° and 4°K, 2=10464
- Carruthers, J.A. See Clifford, C.E., 0=9599
- Carruthers, J.A. See Young, B.G., 3=14598
- Carruthers, J.R. and Benson, K.E. Solute striations in Czochralski-grown silicon crystals: effect of crystal rotation and growth rates, 4=4530
- Carruthers, J.R., Hoffman, R.B. and Ashner, J.D. X-ray investigation of the perfection of silicon, 4=4056
- Carruthers, P. Possible new resonance in the n^+-p system, 0=9404
- Carruthers, P. Theory of thermal conductivity of solids at low temperatures, 1=8891
- Carruthers, P. Production of pion pairs — isospin, analysis, 1=9757
- Carruthers, P. Pion-nucleon interaction in the region of the higher resonances, 1=10915
- Carruthers, P. Pion production and the higher resonances in pion-nucleon scattering, 1=13484
- Carruthers, P. Integral equations for the process $3\pi \rightarrow 3\pi$, 2=3392
- Carruthers, P. Resonance in phonon-phonon scattering, 2=3836
- Carruthers, P. Thermal conductivity of solids, III. Modification of three-phonon processes by isotopic scattering, 2=23090
- Carruthers, P. Resource letter QSL-1 on quantum and statistical aspects of light, 3=11877
- Carruthers, P. Resonance structure of the pion-nucleon system, 3=22169
- Carruthers, P. Dynamical basis for Regge trajectories in the pion-nucleon system, 3=22170
- Carruthers, P. Excited states of the nucleon, 4=9186
- Carruthers, P. Excited states of baryons, 4=16812
- Carruthers, P. Radiative pion-nucleon scattering, 4=16943
- Carruthers, P. and Bethe, H.A. Role of the $\pi-\pi$ interaction in high-energy π -nucleon interactions, 0=15397
- Carruthers, P. and Wong, H.-s. Photoproduction of pion pairs near threshold, 3=6035
- Carruthers, R. See Butt, E.P., 0=5837
- Carson, A.W., Flanagan, T.B. and Lewis, F.A. Electrical resistance in acidic solution of palladium and palladium alloys containing hydrogen, 0=236
- Carson, D.L. Diagnosis and cure of erratic velocity distributions in sonar projector arrays, 3=219
- Carson, J.W., Devor, D.P. and Hoskins, R.H. Paramagnetic resonance of Cr^{3+} in yttrium oxide, 1=9053
- Carson, J.W., Holcomb, D.F. and Rüchardt, H. Microwave studies of color centers in barium oxide, 0=11630
- Carson, J.W. and White, R.L. Paramagnetic resonance of Yb^{++} in aluminum and gallium garnets, 0=10239
- Carson, J.W. and White, R.L. Zero-field splitting of the Cr^{3+} ground state in YGa and YAl garnet, 1=14806
- Carson, J.W. See Aplet, L.J., 4=21318
- Carson, J.W. See White, R.L., 4=30733
- Carson, R.S. and Hendricks, C.D., Jr. Thermocouple vacuum-gauge indicator, 3=5473
- Carson, R.S. and Hendricks, C.D., Jr. Vacuum seals, 3=9520
- Carstensen, H.R. See Kuttruff, H., 3=1776
- Carstou, J. Hydromagnetic waves in a compressible fluid conductor, 0=5385
- Carstou, J. Analogies and differences between vorticity and the magnetic field, 0=19904
- Carstou, J. On the effects of dissipation in the propagation of magnetohydrodynamic waves, 1=9672
- Carstou, J. Note on hydromagnetic waves in a compressible fluid conductor, 1=16534
- Carstou, J. The movement of magnetic fields, 2=1563
- Carstou, J. Effect of electrical conductivity and viscosity on the propagation of magnetohydrodynamic waves, 2=1564
- Carstou, J. Analogue of the Taylor-Proudman theorem in magnetohydrodynamics, 2=15992
- Carstou, J. Magnetohydrodynamic waves in a constant dipole magnetic field, 2=20121
- Carstou, J. On the effect of Maxwell's displacement current in the propagation of magnetohydrodynamic waves, 4=16636
- Carstou, J. On magnetohydrodynamic waves in a fluid in uniform rotation, 4=16638
- Carstou, J. Some points concerning the electrodynamics of continuous media in motion, 4=14866
- Carswell, A.I. Gas flow visualization using low-density plasma streams, 3=157
- Carswell, A.I. Radio-frequency excited plasma tunnel for laboratory studies of supersonic plasma flow fields, 3=24305
- Carswell, A.I. and Cloutier, G.G. Supersonic plasma streams seeded with electronegative gases, 4=16468
- Carswell, A.I. and Stryland, J.C. The principle of corresponding states applied to binary diffusion coefficients, 3=16650
- Carswell, A.I. See Cloutier, G.G., 3=19237
- Carswell, D.J. and Milsted, J. A new method for the preparation of thin films of radioactive material, 0=3281
- Carswell, W.S. Investigation of strain ageing of quench-aged α -iron containing nitrogen, using internal-friction technique, 1=20611
- Cartacci, A.M., Dagliana, M.G. and Tocci, L. On the application of the nuclear emulsion technique to the study of complex electron conversion spectra, 2=3316
- Cartacci, A.M. See Bizzeti, P.G., 3=7847
- Cartacci, A.M. See Marzari-Chiesa, A., 3=7848

- Carte, A.E. Air bubbles in ice, 1=9114
 Carter, A.F. See Wood, G.P., 1=10715
 Carter, A.W.L. A high accuracy radio-interferometer, 2=15396
 Carter, A.W.L. See Hindman, J.V., 4=10919
 Carter, A.W.L. See Twiss, R.Q., 0=18663
 Carter, A.W.L. See Twiss, R.Q., 3=3626
 Carter, B.S. See Farley, F.J.M., 4=30109
 Carter, C. The homogenization of heterogeneous reactors, 2=3656
 Carter, C. Streaming due to holes in a reactor, 2=3661
 Carter, C. and Jarvis, R.J. Influence of a cylindrical channel on a neutron flux which varies linearly in a direction perpendicular to the axis of the channel, 2=3664
 Carter, C. and Rowlands, G. Some topics in one-velocity neutron transport theory, 2=3350
 Carter, C. See Buckler, A.N., 1=768
 Carter, C.F. See Blau, M., 0=2571
 Carter, C.F. See Blau, M., 0=7256
 Carter, C.F. See Blau, M., 3=8121
 Carter, D.H., Puckett, B.J. and Richards, A.E. Measurements of Pu239:U235 fission ratio using foils at temperatures up to 390°C, 4=28075
 Carter, D.H., Clarke, W.G., Gibson, M., Hobday, R., Hunt, C., Marshall, J., Puckett, B.J., Symons, C.R. and Wass, T. Buckling and reaction rate experiments in plutonium/uranium metal fuelled, graphite moderated lattices at temperatures up to 400°C. I. Experimental techniques and results, 4=28090
 Carter, D.L. A c.w. solid state, push-pull maser in the 5 to 6 millimeter wavelength region, 2=1583
 Carter, D.L. and Okaya, A. Electron paramagnetic resonance of Fe³⁺ in TiO₂ (rutile), 0=11951
 Carter, D.R. See Baer, E., 4=23620
 Carter, D.S. See Allred, J.C., 0=13322
 Carter, E.B. and Davis, R.H. He⁻, H₂⁻, and other negative ion beams available from a duoplasmatron ion source with gas charge exchange, 3=7650
 Carter, E.B., Mitchell, G.E. and Davis, R.H. Elastic scattering of alpha particles by C¹² in the bombarding energy range 10 to 19 MeV, 4=12278
 Carter, E.B. See Mitchell, G.E., 4=12279
 Carter, E.B. See Nelson, J.W., 3=8131
 Carter, F.L. and Mazelsky, R. The ZnSb structure; a further enquiry, 4=29148
 Carter, F.L. and Venturino, A.S. A conversion of the Philips powder camera for single crystal use, 3=13431
 Carter, F.L. See Ryan, F.M., 2=8451
 Carter, G. Electrical clean-up of gases in hot cathode discharge tubes, 1=9433
 Carter, G. Thermal resolution of desorption energy spectra, 3=3368
 Carter, G. Thermal resolution of multiple order desorption energy spectra, 3=13575
 Carter, G. Conference on sorption of evaporated metal films, Liverpool, April 1963, 3=25778
 Carter, G., Colligon, J.S. and Leck, J.H. Ion sorption in the presence of sputtering, 2=7677
 Carter, G., James, L.H. and Leck, J.H. The pumping of nitrogen in an ionization gauge, 2=21957
 Carter, G. and Leck, J.H. Bistable behaviour of the Bayard-Alpert ionization gauge, 0=5061
 Carter, G. and Leck, J.H. A study of the mechanism of ion pumping for the noble gases, 1=20677
 Carter, G. See Bibby, M.M., 4=5559
 Carter, G. See Cobic, B., 1=10552
 Carter, G. See Cobic, B., 2=9325
 Carter, G. See Cobic, B., 3=23946
 Carter, G. See James, L.H., 2=2786
 Carter, G. See James, L.H., 2=3091
 Carter, G. See James, L.H., 3=9518
 Carter, G. See James, L.H., 4=23593
 Carter, G. See Smeaton, G.P., 4=8262
 Carter, G. See Smeaton, G.P., 4=21205
 Carter, G. See Sreenivasan, T., 4=27577
 Carter, G.W., Loh, S.C. and Po, C.Y.K. The field of current in a thin wire ring, 4=24798
 Carter, J.C. and Morehouse, N.F., Jr. The solution of the reactor kinetics equations for large and small excursions, 2=6006
 Carter, J.C., Pinkston, W.T. and True, W.W. Shell model and Pb²⁰⁸, 0=17500
 Carter, J.G., MacRae, R.A., Nelson, D.R., Birkhoff, R.D. and Arakawa, E.T. Interference filter spectrometer for low-intensity extended sources, 4=8422
 Carter, J.G., Nelson, D.R. and Augenstein, L.G. Dependence of thermoluminescence upon sample surface area and environmental gas pressure, 3=18052
 Carter, J.G. See Weinberg, C.J., 2=14758
 Carter, J.R., Jr. Study of energy levels in high energy proton damaged silicon, 4=15458
 Carter, J.R., Jr. and Swalin, R.A. On the kinetics and mechanism of the precipitation of lithium from germanium, 0=12078
 Carter, P.S. and Beverage, H.H. Early history of the antennas and propagation field until the end of World War 1. I. Antennas, 2=16043
 Carter, R.E. Kinetic model for solid-state reactions, 1=11613
 Carter, R.E. See Bethe, H.A., 0=7624
 Carter, R.E. See Bethe, H.A., 0=7625
 Carter, R.E. See Bethe, H.A., 0=7626
 Carter, R.E. See Bethe, H.A., 0=7627
 Carter, R.E. See Meiklejohn, W.H., 0=8041
 Carter, R.E. See Meiklejohn, W.H., 0=10388
 Carter, R.E. See Motz, H.T., 3=16290
 Carter, R.L. See Horton, K.E., 0=11988
 Carter, R.P., Jr. See Griffiths, J.F., 4=25679
 Carter, R.W. See Palmer, R.C., 1=13668
 Carter, W.L. See Peck, V.G., 4=13700
 Carter, W.S. Apparatus for the measurement of tensor permeability and dielectric properties of ferrites at X-band frequencies, 0=2419
 Carter, W.S. The specific heats of two polymorphic forms of manganous sulphide, and the inferred possibility of antiferromagnetic ordering in stacking faults, 1=912
 Carter, W.S. Magnetic interactions in thin films induced by strip line fields, 3=15820
 Carter, W.S. See Green, A., 3=24010
 Carter-Waschek, C. and Linder, B. An isomeric state of Y⁹⁰, 1=19374
 Carterette, E.C. and Cole, M. A comparison of the receiver operating characteristics for messages received by ear and by eye, 2=7060
 Cartier, R., Pindzola, D. and Bruins, P.F. Particle integration rate in crystal growth, 0=4588
 Cartledge, W.A. Compound nucleus formation in nitrogen-oxygen and oxygen-oxygen reactions, 2=3625
 Cartraud, R. and Zouckermann, R. Rotational slip and pseudo-structure of Muscovite mica, 1=10006
 Cartron, S. See Lepechinsky, D., 3=5873
 Cartwright, D.G. Direction-finding on diffuse sources of electromagnetic radiation, 1=9194
 Cartwright, D.G. Rocket observations of very low frequency radio noise at night, 4=17918
 Cartwright, D.G. Rocket observations of the intensity of very low frequency noise above the ionosphere, 4=29307
 Cartwright, D.G. See Ellis, G.R.A., 0=4790
 Cartwright, D.G. See Ellis, G.R.A., 0=4793
 Cartwright, J. and Bishop, A.E. Integrating exposure meter for electron microscopy, 0=4702
 Cartwright, J. See Talbot, J.H., 3=16128
 Cartz, L. Diffuse scattering of X-rays at very low angles from glass fibers, 4=29200
 Caruette, A. See Santoni, A., 4=1052
 Caruso, A. and Cavaliere, A. The structure of the collisionless plasma-sheath transition, 3=5644
 Caruso, A. and Cavaliere, A. The low pressure discharge in the strong ionization regime, 4=27495
 Caruso, A. and Cavaliere, A. A model for the low pressure discharge near limiting current, 4=18699
 Carver, J.H. The reaction ⁹¹V(γ, α)⁸⁷Sc and some remarks on (γ, α) reactions, 1=5898
 Carver, J.H., Coote, G.E. and Sherwood, T.R. Isomeric (γ, n) cross section ratios and the spin dependence of the nuclear level density, 2=22787
 Carver, J.H. and Jones, G.A. Distribution of total radiation widths of Cu⁶⁸, 0=437
 Carver, J.H. and Jones, G.A. Distribution of partial radiative widths in Cu⁶⁰ following proton capture in Ni⁵⁸, 0=4031
 Carver, J.H. and Jones, G.A. Radiative proton capture in Ni⁵⁸, 0=20445
 Carver, J.H. and Jones, G.A. (N - Z) dependence of radiative deuteron capture cross-sections, 1=9879
 Carver, J.H. and Mitchell, P. Ionization chambers for the vacuum ultraviolet, 4=27303
 Carver, J.H. and Peaslee, D.C. Nuclear E1 peak energies, 1=608

- Carver, J.H., Peaslee, D.C. and Taylor, R.B. Nuclear E1 overtones, 2=20506
- Carver, J.H., Taylor, R.B. and Turchinets, W. Photoprotons from tantalum, 1=677
- Carver, J.H. See Waugh, J.B.S., 3=12265
- Carver, T.R. The use of optical orientation for atomic clocks and frequency standards, 0=17695
- Carver, T.R. Optical pumping, 4=3804
- Carver, T.R., Lewis, F.R., Jr., Pollock, R.E. and Schrank, G. Practical differential filter for optical pumping with sodium light, 1=11075
- Carver, T.R. See Arditi, M., 2=524
- Carver, T.R. See Bouchiat, M.A., 1=1772
- Carver, T.R. See Lewis, R.B., 4=26203
- Cary, H., Hawes, R.C., Hooper, P.B., Duffield, J.J. and George, K.R. A recording spectropolarimeter, 4=14399
- Cary, J.W. Onsager's relation and the non-isothermal diffusion of water vapor, 3=11820
- Cary, J.W. An evaporation experiment and its irreversible thermodynamics, 4=21357
- Cary, K.H. See White, D.R., 3=18895
- Casabella, P.A. Determination of nuclear quadrupole coupling constants from nuclear magnetic resonances in polycrystalline solids, 4=13352
- Casabella, P.A. and Miller, N.C. Al^{27} quadrupole coupling in solid $AlCl_3$, 4=12569
- Casabella, P.A. See Negita, H., 0=6283
- Casacci, S. Calculation of axially symmetrically loaded shells of revolution supported on an elastic solid, 3=9387
- Casado, M. Palomares. See Palomares Casado M.
- Casal, F.G. See Vette, J.I., 1=9270
- Casanova, G., Fieschi, R. and Terzi, N. Calculation of the vapour pressure ratio of Ne, Ar, Kr, and Xe isotopes in the solid state, 1=6087
- Casanova, G., Levi, A. and Terzi, N. Mean square force in liquid argon and separation factor of isotopes, 4=21090
- Casanova, G. See Ancona, E., 2=13490
- Casanova, G. See Boato, G., 0=14683
- Casanova, G. See Boato, G., 1=8262
- Casanova, G. See Boato, G., 1=12335
- Casanova, G. See Boato, G., 2=22092
- Casanova, G. See Boato, G., 4=18187
- Casanova, J. Escape fraction of the products of the reaction $Li^6(n, \alpha)$ in nuclear emulsion, and measurement of absolute neutron flux, 2=18331
- Casanova, J. See Catala, J., 0=5808
- Casanova, J. See Catala, J., 0=12757
- Casanova, J. See Catala, J., 1=412
- Casanova, J. See Catala, J., 1=7407
- Casanova, J. See Catala, J., 1=19388
- Casanova, J. See Catala, J., 1=19542
- Casanova, J. See Catala, J., 1=19543
- Casanova, J. See Catala, J., 1=19554
- Casanova, J. See Catala, J., 2=3343
- Casanova, J. See Catala, J., 2=16102
- Casanovas, J. See Maille, C., 4=16130
- Casanovas, J. See Maille, C., 4=26768
- Casarelli, G. A detector for high neutron flux measure-
- Casas, J. and Barcala, J. Some problems in the geometrical optics of toroidal surfaces, 0=14796
- Casas, J. and Barcala, J. Some problems of the geometrical optics of toroidal surfaces, 0=16815
- Casas, J., Lacasta, J. and de F. Moneo, J. Contribution to the calculation of optical systems, 2=17586
- Casas, J., Merino, F. and Valdés, S. The best [optical] image in the presence of aberrations, 2=7320
- Casas, J., Moneo, J. de F. and Lacasta, J. Correction for coma, 2=5145
- Casas, J. and Savirón, J. Ma. Theory of separation of isotopes by thermal diffusion, 4=9680
- Casassa, E.F. Statistical thermodynamics of polymer solutions. III. The second virial coefficient for branched star molecules, 3=1686
- Casavant, D. See Skapski, A., 0=3505
- Casaverde, M. Introduction to geomagnetism: the equatorial electrojet, 1=21082
- Casaverde, M., Giesecke, A. and Cohen, R. Effects of the nuclear explosion over Johnston Island observed in Peru on July 9, 1962, 3=25960
- Casaverde, M. See Silverman, S.M., 1=21029
- Case, K.M. Elementary solutions of the transport equation and their applications, 0=3471
- Case, K.M. Stability of inviscid plane Couette flow, 0=8608
- Case, K.M. Stability of an idealized atmosphere. I. Discussion of results, 0=8679
- Case, K.M. Edge effects and the stability of plane couette flow, 0=10638
- Case, K.M. Taylor instability of an inverted atmosphere, 0=10683
- Case, K.M. An approximation method for diffraction problems, 4=21022
- Case, K.M., Ferziger, J.H. and Zweifel, F.P. Asymptotic reactor theory, 2=6022
- Case, K.M. and Gasiotowicz, S.G. Can massless particles be charged?, 2=3255
- Case, K.M. and Zweifel, P.F. Existence and uniqueness theorems for the neutron transport equation, 4=3420
- Case, K.M. See Aamodt, R., 2=11947
- Case, K.M. See Aamodt, R.E., 2=21672
- Case, K.M. See Aamodt, R.E., 3=9375
- Case, W.E., Harrington, R.D. and Schmidt, L.B. Ferrimagnetic resonance in polycrystalline ferrite and garnet disks at L-band frequencies, 4=23038
- Case, W.E. and Larsen, N.T. Klystron protection circuit, 3=24172
- Casegrande, I. See Brutto, E., 0=6965
- Casella, C. See Mackavey, W.R., 2=2584
- Casella, R.C. Toroidal energy surfaces in crystals with wurtzite symmetry, 1=934
- Casella, R.C. On the possibility of observing a Bose-Einstein condensation of excitons in CdS and CdSe, 3=6498
- Casella, R.C. A criterion for exciton binding in dense electron-hole systems—application to line narrowing observed in GaAs, 3=15659
- Casella, R.C. and Keller, S.P. Polarized light transmission of $BaTiO_3$ single crystals, 0=2932
- Casey, H.C., Jr. See Chang, L.L., 4=22619
- Casey, J. See Castelli, J.P., 1=6595
- Casey, J.J. See Busen, K.M., 4=20351
- Cash, A.H., Hughes, E.W. and Murdock, C.C. The structure of crystalline uranium, 1=20533
- Cash, R.F. See North, R.J., 3=271
- Cashin, J.L. See Nixon, C.W., 4=4976
- Cashion, J.K. Testing of diatomic potential-energy functions by numerical methods, 4=1239
- Cashion, J.K. and Herschbach, D.R. Empirical evaluation of the London potential energy surface for the $H + H_2$ reaction, 4=20129
- Cashion, J.K. and Polanyi, J.C. Infrared chemiluminescence in the system $H + NOCl$, 1=11792
- Cashion, K. See Secrest, D., 2=19428
- Cashion, K. A method for calculating vibrational transition probabilities, 3=12803
- Cashman, R.J. Film-type infrared photoconductors, 0=7962
- Cashman, R.J. See Kannewurf, C.R., 2=8520
- Cashmore, D.J. Integrable transformations between moving observers, 3=3726
- Cashwell, E.D. and Everett, C.J. A practical manual on the Monte Carlo method for random walk problems, 1=2585
- Casimir, H.B.G. A note on multipole radiation, 1=13153
- Casimir, H.B.G. Statistical basis of the Nernst heat theorem, 3=1626
- Casimir, H.B.G., Smit, J., Enz, U., Fast, J.F., Wijn, H.P.J., Gorter, E.W., Duyvesteyn, A.J.W., Fast, J.D. and de Jong, J.J. Report of some research in the field of magnetism at the Philips Laboratories, 0=13742
- Casini, A.J. See Jahn, R.G., 4=11652
- Casini, G., Foggi, C. and Toselli, F. Critical experiments on natural uranium oxide, organic cooled, heavy water moderated lattices, 3=2519
- Casini, G., Passarini, C. and Prosdociimi, A. Nuclear composition of natural uranium fuel under long term irradiation in a thermal reactor, 0=15623
- Časlavský, J. and Polcarová, M. Observation of ferroelectric domains on barium titanate by X-ray diffraction microscopy, 4=26115
- Caspar, A. See Singleton, W.R., 1=15369
- Caspar, P.E. Etching and enlarging of fission fragment tracks by atmospheric moisture, 4=22650
- Caspar, P.E. See Bowden, F.P., 4=12820
- Caspari, M.E., Frankel, S. and Gilleo, M.A. Hyperfine interactions in magnetic materials by γ - γ angular correlation measurements, 0=11883
- Caspari, M.E., Frankel, S., Ray, D. and Wood, G.T. Direction of internal fields in rare earth ions, 1=9039
- Caspari, M.E., Frankel, S. and Wood, G.T. Magnetic hyperfine interaction and electronic relaxation in Sm^{3+} in EuIG, 2=12647

- Caspari, M.E., Frankel, S. and Wood, G.T. Magnetic hyperfine interaction and electronic relaxation in rare-earth ions in europium iron garnet, 2=20908
- Caspari, M.E., Koicki, A., Koicki, S. and Wood, G.T. The magnetic exchange field acting at the rare earth ions in rare earth iron garnets, 4=28848
- Caspari, M.E. See Abramson, E., 3=6545
- Caspari, M.E. See Schneider, I., 4=1530
- Caspari, M.E. See Schneider, I., 3=6543
- Caspari, M.E. See Schneider, I., 4=10003
- Caspary, E.K. and Krautz, E. Field ion microscopic studies in the mixed-crystal system tungsten-molybdenum, 4=29178
- Casper, K.J. See Harpster, J.W., 4=1020
- Casper, K.J. See Harpster, J.W., 4=17099
- Casper, K.J. See Shera, E.B., 3=4372
- Casper, K.J. See Shera, E.B., 4=9026
- Casper, K.J. See Stautberg, M.M., 3=15122
- Caspers, H.H., Buchanan, R.A. and Marlin, H.R. Lattice vibrations of LaF_3 , 4=22478
- Caspers, H.H. See Buchanan, R.A., 2=14685
- Caspers, H.H. See Buchanan, R.A., 4=3973
- Caspers, H.H. See Buchanan, R.A., 4=13043
- Caspers, H.H. See Buchanan, R.A., 3=13177
- Caspers, H.H. See Murphy, J., 4=12614
- Caspers, W.J. The ratio of the isolated and the adiabatic susceptibility of paramagnetic crystals, 0=6216
- Caspers, W.J. The isolated and adiabatic susceptibilities of large systems, 0=13724
- Caspers, W.J. On the theory of spin-spin relaxation. I, 1=7789
- Caspers, W.J. On the theory of spin-spin relaxation. II, 1=7790
- Caspers, W.J. On the theory of spin-spin relaxation. III, 1=7791
- Caspers, W.J. Spin-spin relaxation and magnetic resonances in two copper Tutton salts, 2=4273
- Caspers, W.J. Dispersion relations for nonlinear response (in magnetic systems), 4=11740
- Caspers, W.J. See Van der Lugt, W., 4=28895
- Cassagnou, Y., Iori, I., Levi, C., Mayer-Kuckuk, T., Mermaz, M. and Papineau, L. Angular distributions and a search for fluctuations in the reaction $\text{Al}^{27}(\text{d}, \alpha)\text{Mg}^{25}$ at approaching 10 MeV incident energy, 4=3694
- Cassagnou, Y., Iori, I., Levi, C., Mayer-Kuckuk, T., Mermaz, M. and Papineau, L. The statistical behaviour of the reaction $\text{Al}^{27}(\text{d}, \alpha)\text{Mg}^{25}$ between 2 and 10 MeV, 4=6374
- Cassagnou, Y., Iori, I., Levi, C., Mayer-Kuckuk, T., Mermaz, M. and Papineau, L. Study of the $\text{Al}^{27}(\text{d}, \alpha)\text{Mg}^{25}$ reaction between 2 and 10 MeV and comparison with the theoretical predictions (cross-sections and fluctuations) of the statistical model, 4=17188
- Cassagnou, Y., Iori, I., Levi, C., Mermaz, M. and Papineau, L. Analysis of fluctuations of integrated cross-sections from $\text{Al}^{27}(\text{d}, \alpha)\text{Mg}^{25}$ reactions, 4=15233
- Cassagnou, Y., Iori, I., Levi, C., Mermaz, M. and Papineau, L. On the possibility of separation of reaction mechanisms by the analysis of angular correlations of excitation functions, 4=22098
- Cassagnou, Y., Jeronimo, J.M.F., Levi, L., Papineau, L. and Stanojevic, D. Study by γ -ray detection of the excitation functions of reactions produced by protons in V^{51} , 2=452
- Cassagnou, Y., Jeronimo, J.M.F., Levi, C., Papineau, L. and Stanojević, C. Excitation functions of $\text{V}^{51}(\text{p}, \text{n})\text{Cr}^{51}$ reactions, 2=1887
- Cassagnou, Y., Jeronimo, J.M.F., Mani, G.S., Sadeghi, A. and Forsyth, P.D. The $\text{Li}^7(\text{p}, \alpha)\alpha$ reaction, 2=16408
- Cassagnou, Y., Levi, C., Mermaz, M. and Papineau, L. Indications of the existence of "Ericson fluctuations" in the $\text{Al}^{27}(\text{d}, \alpha)\text{Mg}^{25}$ reactions, 2=22845
- Cassagnou, Y., Levi, C. and Papineau, L. Interpretation of the partial excitation functions of the $\text{V}^{51}(\text{p}, \text{n})\text{Cr}^{51}$ reaction using the statistical model, 4=17135
- Cassagnou, Y. See Ballini, R., 1=695
- Cassagnou, Y. See Ballini, R., 2=3874
- Cassandro, M. Pion production at threshold with strip approximation, 3=2295
- Cassandro, M. and Cini, M. Asymptotic behaviour of the vertex function in field theory, 4=30148
- Cassandro, M., Cini, M., Jona-Lasinio, G. and Sertorio, L. Perturbative expansions of Regge-pole trajectories for Yukawa potential, 3=19570
- Cassayre, C., Dautreppe, D. and Paulevé, J. Resistivity of pure iron irradiated by neutrons, 0=20864
- Cassedy, E.S. and Fainberg, J. Total electromagnetic cross section of imperfectly conducting cylinders, 0=12698
- Casseo, E.S. and Oliner, A.A. Dispersion relations in time-space periodic media. I. Stable interactions, 4=16653
- Cassel, H.M. and Liebman, I. Note on the sublimation of ammonium perchlorate, 1=8261
- Casselman, T.N. and Keffer, F. Right-angled super-exchange, 0=11903
- Casselman, T.N. and Markham, J.J. Some effects of a perturbation in a lattice on the normal modes, 3=15421
- Cassels, J.M. Weak interactions of fermions, 0=5526
- Cassels, J.M. Low energy pion physics, 0=7401
- Cassels, J.M. Pion and muon decay, 0=9313
- Cassels, J.M. Recent experiments with counters at the C.E.R.N. proton synchrotron, 4=21848
- Cassels, J.M., Jones, D.P., Murphy, P.G. and O'Neill, P.L. Neutral pions, 0=5583
- Cassels, J.M. See Wilson, R.R., 1=3165
- Cassellton, R.E.W., Erez, G. and Quinn, T.J. Black-body radiation from partially enclosed cavities, 4=8496
- Cassen, B. and Burnham, D. A method of leak testing hermetically sealed components utilizing radioactive gas, 1=15981
- Casset, J. Measurement by transmittance of phase changes introduced by thin unsupported gold films, 4=22829
- Casset, J. A new determination of the optical constants and thickness of unbacked thin films, 4=26164
- Casset, J. and Bousquet, P. Measurement, with the help of a Michelson interferometer, of transmission phase-shifts introduced by unsupported thin films, 3=14361
- Cassidy, E.C. and Tsai, D.H. New fast-opening, large-aperture shutter for high-speed photography, 3=14384
- Cassidy, E.P. See Curry, J., 3=6593
- Cassidy, G. See Bartholomew, C.Y., 2=5323
- Cassidy, M.E. and Graveson, R.T. A low level beta scintillation counter, 3=24553
- Cassidy, M.E. and Graveson, R.T. A low level beta scintillation counter, 4=3242
- Cassidy, M.E. See Latner, N., 3=24199
- Cassidy, M.E. See Latner, N., 4=3256
- Cassie, A.M. Some theoretical aspects of arcs in nozzles under forced convection, 3=7485
- Cassiers, P.M. Memory effects in electrophotography, 2=15757
- Cassignol, C. Isotopic contamination in electromagnetic isotope separators, 1=13974
- Cassignol, C. and Daniel, F. Formation of an intense molecular jet of mercury. III, 4=30489
- Cassignol, C., Lazeyras, P. and Ranc, G. The stability of ion beams in electro-magnetic isotope separators, 0=19782
- Cassignol, C. and Lennuier, R. Measurement of the isotopic displacement of mercury¹⁹⁸, 3=22484
- Cassignol, C., Ranc, G. and Salvaudon, R. A semi-stigmatic electrostatic analyser for isotope separation, 0=20574
- Cassignol, C. See Bouyer, P., 0=19234
- Cassignol, Ch. Production of an intense molecular beam of mercury. I, 3=20034
- Cassignol, Ch. Production of an intense molecular beam of mercury. II, 4=1324
- Cassignol, E. and Almeida, O.G. The cut-off frequencies of a transistor, 3=2941
- Cassity, C.R. Stress waves in solids, 0=14729
- Cassotta, L. See Jaffe, J., 4=26985
- Cassuto, A. Variations of mass spectra with temperature between -195 and 200°C, 1=9525
- Casswell, C. See Bergman, I., 3=3352
- Casswell, C. See Talbot, J.H., 3=16128
- Castagnoli, C., De Marco, A. and Lamborizio, C. Angular information on nucleon-nucleon scattering at ultra-relativistic energies. II. Determination of the primary energy, 3=17262
- Castagnoli, C., De Marco, A. and Scrimaglio, R. Range-energy relation for ultra-relativistic muons, 4=25127
- Castagnoli, C., Ferro-Luzzi, M., Lepri, F. and Pizella, G. Automatization of photometric measurements in nuclear emulsions, 0=17164
- Castagnoli, C., Lamborizio, C., Ortalli, I. and Barbaro-Galtieri, A. Azimuthal symmetry in 27 GeV jets, 1=12088
- Castagnoli, C. and Manfredini, A. The effect of distortion in measurements of angular distributions in nuclear emulsions, 0=12775
- Castagnoli, C., Muchnik, M., Ghigo, G. and Rinzivillo, R. Photostar production between 500 and 1100 MeV, 0=15591

- Castagnoli, C. and Ortalli, I. Angular information in nucleon-nucleon collisions at ultrarelativistic energies. I. The transverse momentum at 27 GeV. 2=20328
- Castagnoli, C. See Amaldi, E., 0=5561
- Castagnoli, C. See Barbaro-Galtieri, A., 1=17102
- Castagnoli, C. See Baroni, G., 0=12924
- Castagnoli, C. See Baroni, G., 0=15357
- Castagnoli, C. See Baudinet-Robinet, Y., 2=13798
- Castagnoli, C. See Galtieri, A.B., 1=12089
- Castagnoli, G.C. Diffusion of Kr and He in liquid hydrogen, 2=1140
- Castagnoli, G. Cini. Self diffusion of carbon monoxide in liquid phase, 4=21118
- Castagnoli, G.C. and Ricci, F.P. On diffusion in simple liquids, 0=16653
- Castaing, R. and Henry, L. Magnetic filtering of speeds in electron microscopy, 2=22270
- Castaing, R. and Jouffrey, B. Effects of ionic bombardment of short duration on metal single crystals, 1=14345
- Castaing, R., Jouffrey, B. and Slodzian, G. On the possibilities of local analysis of a specimen using its secondary ion emission, 1=3020
- Castaing, R. and Slodzian, G. First attempts at microanalysis by secondary ionic emission, 3=3422
- Castan, P. Magnetic rotation and electronic structure of aliphatic α -ethylenic ketones, 4=15366
- Castangé, R. See Blaquière, A., 3=10412
- Castáns Camargo, M. Quantum statistics of distributions with maximum randomness, 1=5213
- Castans, M. Entropy and uncertainty, 2=13240
- Castel, F. du. See du Castel, F.
- Casteljau, M. de. See de Casteljau, M.
- Castell, L. On the Λ - Σ parity in the non-linear spinor theory, 3=19704
- Castellan, G.W. See Singer, J.M., 0=16379
- Castellano, E. and Schumacher, H.J. Photochemical decomposition of ozone in yellow-red light and the mechanism of its thermal decomposition, 2=21591
- Castellano, S. and Caporiccio, G. N.M.R. spectrum of 3,3,3-trichloropropene, 2=6224
- Castellano, S. and Waugh, J.S. Strong coupling in nuclear resonance spectra. IV. Exact analysis of three-spin spectra, 1=4738
- Castellano, S. and Waugh, J.S. Proton magnetic resonance spectra of tetravinylsilicon, methyl- and ethyl-vinylketone, 3=2657
- Castellano, S. See Waugh, J.S., 2=3186
- Castelli, A. See Bruzzi, L., 4=22063
- Castelli, J. See Basu, S., 3=13936
- Castelli, J.P., Aarons, J., Ferioli, C. and Casey, J. Absorption, refraction, and scintillation measurements at 4700 Mc/s with a traveling-wave tube radiometer, 1=6595
- Castelli, J.P. See Aarons, J., 0=6554
- Castelli, J.P. See Aarons, J., 3=13712
- Castellion, G. A. See Haacke, G., 4=26036
- Castelliz, L. and Clarke, W.W.H. Ferromagnetic after-effect in mumetal, 0=8042
- Castilho Alcarás, J. A., Fagundes, H. V. and Leal Ferreira, P. Zero-point oscillations in the nuclear drop model, 4=15123
- Castillejo, L., Percival, I.C. and Seaton, M.J. On the theory of elastic collisions between electrons and hydrogen atoms, 0=7715
- Castillejo, L. See Ashmore, A., 2=18118
- Castillejo, L. See Brown, G.E., 1=3381
- Castillo-Bahena, R. See Rabson, T.A., 0=20414
- Castillo-Jimenes, F. Photographs of the center of mass, 3=11739
- Castle, A. B., Sr. See Jones, F. E., 4=4991
- Castle, J.G. See Chester, P.F., 0=5434
- Castle, J.G., Jr, Chandrasekhar, B.S. and Rayne, J.A. Cyclotron resonance in indium, 1=9995
- Castle, J.G., Jr, Chester, P.F. and Wagner, P.E. Electron spin-lattice relaxation in dilute potassium chromicyanide at helium temperatures, 0=13878
- Castle, J.G., Jr and Feldman, D.W. Electron spin-lattice relaxation of chromium in MgO, 1=5073
- Castle, J.G., Jr, Feldman, D.W., Klemens, P.G. and Weeks, R.A. Electron spin-lattice relaxation at defect sites; E' centers in synthetic quartz at 3 kilo-oersteds, 3=13009
- Castle, J. G., Jr. See Feldman, D. W., 4=26421
- Castle, J. G., Jr. See Klemens, P. G., 4=17341
- Castle, J. G., Jr. See Klemens, P. G., 4=28387
- Castle, J.G.Jr. See McAvoy, B.R., 1=14333
- Castle, J.G., Jr. See Wagner, P.E., 0=18222
- Castle, R. T. and Finlay, R. W. Circular polarization measurements in Eu^{154} , 4=19732
- Castleman, L.S. An analytical approach to the diffusion bonding problem, 0=13478
- Castleman, L.S. Effect of pressure on intermetallic layer growth, 0=18302
- Castleman, L.S. Layer growth during interdiffusion in the aluminium-uranium alloy system, 2=3937
- Castleman, L. S. and Froot, H. A. Certain necessary restrictions in the analysis of diffusion in a three-component system, 4=8117
- Castlemann, S. See Froot, H. A., 4=6868
- Castles, M.P. See Sherrill, W.M., 3=25980
- Castner, T., Jr, Newell, G.S., Holton, W.C. and Slichter, C.P. Note on the paramagnetic resonance of iron in glass, 0=6373
- Castner, T.G., Jr. Direct measurement of the valley-orbit splitting of shallow donors in silicon, 2=8348
- Castner, T.G., Jr. Saturation of the paramagnetic resonance of a V center, 0=1827
- Castner, T.G. Jr. Raman spin-lattice relaxation of shallow donors in silicon, 3=11119
- Castro, G. See Feliu, S., 2=14933
- Castro, M.B. See Savirón, E.A., 3=22030
- Castro, P.L. See Hollander, L.E., Jr, 0=15966
- Castro, P.L. See Hollander, L.E., Jr., 3=2955
- Castro, P.S. and Happ, W.W. Performance of a thermoelectric converter under constant heat flux operation, 0=14956
- Castro V., I. See Alba A., F., 1=398
- Caswell, H.L. Liquid helium trap for high pumping speed at low pressures, 0=3579
- Caswell, H.L. Analysis of the residual gases in several types of high-vacuum evaporators, 0=10704
- Caswell, H.L. Effect of residual gases on superconducting characteristics of tin films, 1=2921
- Caswell, H.L. See Priest, J., 2=838
- Caswell, H.L. Effect of residual gases on the properties of indium films, 2=1339
- Caswell, H. L. Thermal evaporation techniques, 4=10607
- Caswell, H.L. Effect of residual gases on the superconducting characteristics of tin, indium and lead films, 3=16878
- Caswell, H. L. Role of the intermetallic compounds in determining the superconducting transition temperature of superimposed metal films, 4=27422
- Caswell, H. L. and Budo, Y. Influence of oxygen on the surface mobility of tin atoms in thin films, 4=13684
- Caswell, H. L., Priest, J. R. and Budo, Y. Low-temperature properties of evaporated lead films, 4=4669
- Caswell, H.L. See Priest, J., 1=12663
- Caswell, H.L. See Priest, J., 3=11144
- Caswell, H.L. See Priest, J., 3=11146
- Caswell, R.S. Neutron-insensitive proportional counter for gamma-ray dosimetry, 0=15321
- Caswell, R.S. Nuclear optical model analysis of neutron elastic scattering for calcium, 3=672
- Caswell, R.S. A Fortran code for calculation of eigenvalues and eigenfunctions in real potential wells, 3=2352
- Caswell, R.S., Gabbard, R.F., Padgett, D.W. and Doering, W.P. Attenuation of 14.1 MeV neutrons in water, 0=12972
- Caswell, R. S. See Noyce, R. H., 4=920
- Caswell, R.S. See Spiegel, V. Jr, 0=12986
- Catalá, J., Aguilar, J., García, A., Gil, G. and De La Rubia, J. Scattering of 29 MeV He^3 particles on fluorine, 2=5965
- Catalá, J., Aguilar, J., García, A., Pardo, G. and Lleó, A. Interactions of He^3 particles of 29 MeV on acetylene. I. Elastic scattering $\text{He}^3\text{-C}^{12}$, 2=8008
- Catalá, J. and Casanova, J. Swelling of nuclear emulsions by a treatment with colophane resin, 0=12757
- Catalá, J. and Casanova, J. Recovery of the thickness of nuclear photographic emulsions by treatment with colophony resin, 1=412
- Catalá, J. and Casanova, J. A photographic plate study of the uranium-235 radioactivity, 1=19388
- Catalá, J., Casanova, J. and Domingo, V. Two cases of triple fission of uranium-235, 0=5808
- Catalá, J., Casanova, J. and Domingo, V. Two triple fission events in thermal neutron bombardment of U^{235} , 1=19543
- Catalá, J., Casanova, J., Domingo, V., Senent, F., Villar, E. and Font, R. The upper limit of the energy spectrum of light fragments emitted in thermal neutron fission of U^{235} , 1=19554
- Catalá, J., Casanova, J., Senent, F., Villar, E., Tárrega, P. and Díez, R. Absolute index of measurement of the degree of development of nuclear emulsions. I. Comparative study of the emulsions Ilford C2 and K2, 2=16102

- Catalá, J., de la Cuadra, M., Font, R., Aguilar, J., Casanova, J. and Senent, F. Scattering of 14 MeV neutrons by protons, 2=3343
- Catalá, J., Domingo, V. and Casanova, J. Nuclear emulsion study of the ternary fission of U^{235} bombarded with thermal neutrons, 1=7407
- Catalá, J., Domingo, V., Casanova, J., Senent, F. and Lleó, A. A study of U^{235} fission with emission of a light fragment, 1=19542
- Catalá, J., García, A. and Bolta, J. M. Elastic scattering of 10 MeV deuterons by various nuclei (C, O, Mg, etc), 4=22165
- Catalá, J., García, A. and Bolta, J. M. Interactions on impurities in a vanadium target bombarded with deuterons in the energy range 8.0 to 10.5 MeV, 4=22167
- Catalá, J., García, A. and de la Rubia, J. Interactions of a beam of He^3 particles of 28.5 MeV with S_2C_3 , 3=8129
- Catalá, J., García, A. and Díez, R. Study of the elastic scattering $O^{16}(d,d)O^{16}$ for six energies between 8.0 and 10.5 MeV, 3=24962
- Catalá, J., García, A. and Díez, R. Use of a multichannel magnetic spectrograph in the study of the elastic scattering $V^{51}(d,d)V^{51}$ for $E_d = 8.0, 8.5, 8.9, 9.4, 9.9$ and 10.5 MeV, 4=9550
- Catalá, J., García, A. and Pardo, G. Interactions of 29 MeV He^3 particles with acetylene. II. Inelastic processes, 4=3701
- Catalá, J. and García, A. and Pérez, J. M. Polarization of a group of 29 MeV He^3 particles scattered by a gold target, 3=24976
- Catalá, J., García Rodríguez, A. and Aguilar, J. A study of elastic scattering of He^3 particles on Ne, 2=1925
- Catalá, J., Lleó, A., García, A. and Aguilar, J. Scattering of 29 MeV He^3 particles by CCl_4 . II. Study of the $C^{12}(He^3, \alpha)C^{11}$ pick-up reaction, 2=3612
- Catalá, J., Lleó, A., García, A., Altés, M. C. and Aguilar, J. Scattering of 29 MeV He^3 particles by CCl_4 , 1=17150
- Catalá, J., Miralles, L. and Aguilar, J. Scattering of 38 MeV alpha-particles by C^{12} , 0=20468
- Catalá, J., Senent, F. and Font, R. The separation of short-range deuterons and protons in nuclear emulsions, 0=12766
- Catalá, J., Senent, F., Villar, E., Font, R. and Miralles, L. Precision of a radius of curvature measurement in nuclear tracks, 2=1642
- Catalá, J., Villar, E., García, A., Senent, F. and Aguilar, J. Analysis of elastic and inelastic scattering of 19 MeV deuterons by C^{12} , 1=17118
- Catalá, J., Villar, E., Lleó, A., Pardo, G., Llosá, R., Gómez, J. L. and Pérez, R. Interactions of 12.8 GeV protons in nuclear emulsions, 3=24716
- Catalá, J., Villar, E., Pardo, G., Ruiz, A. and Llosá, R. Nuclear emulsions exposed in a pulsating magnetic field to a 13 GeV proton beam, 4=3400
- Catalá, J., Villar, E., Zielinsky, P., Lleó, A., Pardo, G., Llosá, R. and Gómez, J. L. Factors in the determination of the error in the magnetic field applied to a bunch of relativistic protons with reference to its curvature in emulsions, 4=21853
- Catalá, J. See Aguilar, J., 0=7583
- Catalá, J. See Senent, F., 1=411
- Catalán, L. A. Some computed optical properties of anti-reflection coating, 2=7371
- Catalan, L. A. Observation of transparent isotropic objects, 3=3872
- Catalán, L. A. Dielectric beam splitters between glass media, 3=7321
- Catalan, L. A. Light beam dividers with transparent coatings, 3=21559
- Catalan, L. A. and Putner, T. Study of the performance of dielectric thin film beam dividing systems, 1=16097
- Catalán, M. A., Meggers, W. F. and Garcia-Requeme, O. The first spectrum of manganese, Mn I, 4=15281
- Cataland, G., Edlow, M. H. and Plumb, H. H. Liquid helium vapor pressure regulator, 1=16185
- Cataland, G. and Plumb, H. H. Acoustical interferometer employed as an instrument for measuring low absolute temperatures, 2=17559
- Cataland, G. and Plumb, H. H. Absolute temperatures determined from measurements of the speed of sound in helium, 4=16308
- Catalano, E. and Phillips, N. E. The low temperature heat capacities of antiferromagnetic MnF_2 and CoF_2 , 2=23075
- Catalano, E., Sanborn, R. H. and Frazer, J. W. On the infrared spectrum of hydrazine matrix-isolation studies of the system $NH_2NH_2:N_2$, I, 3=15346
- Catalano, M. See Fracastoro, M. G., 1=18081
- Catalina, F. Analyser filter for an electron-optical system and its application to electron diffraction. II Kikuchi lines and the spots of athracene, 1=6521
- Catalina, F. See Solís, M., 2=15755
- Catalina, F. See Tinaut, D., 2=19107
- Catanese, C. A. See Spitznagel, E. L., 4=18133
- Catania, A. C. See Lane, H. L., 1=4142
- Cater, E. D., Gilles, P. W. and Thorn, R. J. Uranium monosulfide. I. Vaporization, thermodynamics, and phase behaviour, 1=11862
- Cater, E. D., Plante, E. R. and Gilles, P. W. Closed crucible — a new technique in high temperature chemistry. Its application to tantalum and molybdenum oxides, 0=12095
- Cater, E. D., Rauh, E. G. and Thorn, R. J. Uranium monosulfide. II. Mass spectrometric study of its vaporization, 1=11863
- Catesby, C. G. C. The crystal structure of urea ammonium bromide, 3=13487
- Cathcart, J. V., Epperson, J. E. and Petersen, G. F. Epitaxially induced strains in Cu_2O films on copper single crystals. II. Optical effects, 2=17066
- Cathcart, J. V. See Borie, B., 2=17065
- Cathey, E. H., Jr. See Ham, L. B., 2=21759
- Cathey, L. Low level alpha counting with solid state detectors, 2=7910
- Cathey, L. and Jenkins, W. J. The operation of solid-state alpha counters in chemical process streams, 2=18196
- Cathro, K. J. and Walkley, A. The preparation of small metal spheres, 2=13228
- Caticha Ellis, S. X-ray fluorescence spectroscopy, 0=14154
- Caticha-Ellis, S. On the use of anomalous scattering of X-rays in the solution of centrosymmetric structures, 2=21508
- Caticha Ellis, S. Anomalous diffraction of X-rays. I. Its use in the determination of atomic structure, 3=3291
- Caticha Ellis, S. Anomalous diffraction of X-rays. II. The case of a centred structure, 3=3292
- Catillon, P. See Abragam, A., 3=2263
- Catillon, P. See Beurtey, R., 0=4092
- Catillon, P. See Beurtey, R., 1=9883
- Catillon, P. See Beurtey, R., 1=13853
- Catillon, P. See Nisimura, K., 4=15056
- Catillon, P. See Saudinos, J., 1=7402
- Catillon, P. See Saudinos, J., 1=7403
- Catillon, P. See Saudinos, J., 1=13858
- Catino, A., Ceruti, A., Colombino, P. and Levi, A. C. Possible uses for a new type of micro-spectrophotometer, 0=6929
- Catlin, A., Bellemore, A. J., Jr and Humphris, R. R. Epitaxial temperature of germanium deposited on calcium fluoride, 4=10486
- Catlin, A. and Walker, W. P. Mechanical properties of thin single-crystal gold films, 1=1452
- Catlin, A., Walker, W. P. and Lawless, K. R. Mechanical twinning in thin evaporated gold films, 1=4009
- Caton, P. S. See Secker, P. E., 2=13551
- Catron, H. C., Goldberg, M. D., Hill, R. W., LeBlanc, J. M., Stoering, J. P., Taylor, C. J. and Williamson, M. A. Deuterium and beryllium ($n, 2n$) cross sections between 6 and 10 MeV, 1=11023
- Catron, H. C. See Ashby, V. J., 3=8112
- Cattaneo, C. Motion of a free photon in a gravitational field, 0=6668
- Cattaneo, C. The Gauss-Poisson equations for stationary universes, 1=15620
- Cattaneo, C. Relativistic Gauss-Poisson equation in static universes, 1=15631
- Cattaneo, C. On the relative equation of motion of a particle in a gravitational field, 3=18709
- Cattaneo, C. The validity of Mach's principle in general relativity, 3=23753
- Cattaneo, C. The local structure of dynamic equations of a non-holonomous system, 4=11129
- Cattaneo, F. and Germagnoli, E. Influence of silver impurities on the annealing kinetics of quenched gold specimens, 1=14256
- Cattaneo, F. and Germagnoli, E. Recovery of quenched-in resistivity in doped gold, 3=17818
- Cattaneo, F., Germagnoli, E. and Grasso, F. Self-diffusion in platinum, 2=23206
- Cattaneo, F., Germagnoli, E. and Schiavini, G. Activation analysis of zone-refined gold, 3=3345
- Cattaneo, F., Germagnoli, E. and Guarini, G. Annealing kinetics of quenched-in defects in pure gold, 4=20266
- Cattani, D. and Galli, M. On the cosmic ray storms of July 1959, 0=17450

- Cattani, D., Galli, M. and Randi, P. Diurnal variation and Forbush decrease, 1=19320
- Cattani, D. See Priester, W., 2=15287
- Catterall, J.A. and Trotter, J. Soft X-ray emission spectra from lithium and lithium-magnesium alloys, 0=20731
- Catterall, J.A. and Trotter, J. Soft X-ray emission spectra from Cu_3Au , 2=8545
- Catterall, J.A. and Trotter, J. The broadening of soft X-ray emission edges in metals and alloys, 2=23581
- Catterall, J.A. and Trotter, J. The soft X-ray $\text{L}_{2,3}$ emission spectrum from liquid aluminium, 3=16628
- Catterall, J.A. and Trotter, J. Soft X-ray $\text{M}_{2,3}$ emission spectra from Fe-Co alloys, 3=25476
- Catterall, R., Corset, J. and Symons, M.C.R. Effect of added electrolyte on the electron spin resonance spectra of solutions of metals in ammonia, 3=11811
- Cattermole, P.J. See Moore, P., 0=8491
- Cattoni, A. See Bisi, F., 2=3719
- Cattoni, A. See Bisi, A., 2=18097
- Catura, R.C. and Richardson, J.R. New isotope indium-106, 2=10033
- Catz, A. See Burde, J., 3=17417
- Catz, A. L. See Sadeh, D., 4=15193
- Catz, P. See Agrinier, B., 3=19525
- Caubarrere, J.L. See Joffrin-Graffouillere, C., 3=11916
- Cauchois, Y., Bernas, A. and Gazai, A. X-ray dosimetry of an electron accelerator used below 0.2 A and 1 MV, 0=19822
- Cauchois, Y., Bonnelle, C. and de Bersuder, L. The M absorption spectrum of plutonium, 3=8610
- Cauchois, Y., Bonnelle, C. and de Bersuder, L. New researches on the M absorption spectra of the transuranic elements (plutonium and americium), 4=7146
- Cauchois, Y., Bonnelle, C. and Missoni, G. First X-ray spectra of the orbital radiation of the Frascati synchrotron, 4=3079
- Cauchois, Y., Bonnelle, C. and Missoni, G. New observations on X-ray spectra using the orbital radiation from the Frascati synchrotron, 4=3080
- Cauchois, Y., Bonnelle, C. and Orcel, J. The use of natural silicates with a large lattice constant for spectrographs and monochromators for soft X-rays, 3=4230
- Cauchois, Y., Bonnelle, C. and Senemaud, C. Observation of the $\text{K}\beta$ band of aluminium by secondary excitation, 4=13016
- Cauchois, Y., Bruck, H., Ehinger, P., Gazai, A. and Boivin, M. 1 MeV electron accelerator as a source of electrons and X-rays for physicochemical studies, 0=19821
- Cauchois, Y., de Bersuder, L. and Manescu, I. New observations on the X-ray spectra of plutonium, 2=706
- Caudano, R., Delfosse, J. M. and Steyaert, J. Study of the dissociation of H_2^+ and D_2^+ ions by passage through the gases, 4=9778
- Caudle, G.F. See Thun, R.E., 0=7005
- Caudra, M. de la. See de la Caudra, M.
- Caufová, P., Arend, H. and Novák, J. Some crystal chemical and physical properties of monocrystals of barium titanate with cobalt added, 4=30807
- Caughey, T.K. Hula-hoop: an example of heteroparametric excitation, 0=910
- Caughey, T.K. Comments on "On the stability of random systems", 0=18580
- Caughey, T.K. Derivation and application of the Fokker-Planck equation to discrete nonlinear dynamic systems subjected to white random excitation, 4=2749
- Caughey, T.K. Equivalent linearization techniques, 4=2752
- Caughey, T.K. and Dienes, J.K. Analysis of a nonlinear first-order system with a white noise input, 1=17981
- Caughey, T.K. and O'Kelly, M.E.J. Effect of damping on the natural frequencies of linear dynamic systems, 1=18498
- Caughey, W.S. See Roberts, E.M., 1=4948
- Caughlan, G.R. and Towe, G.C. Laboratory performance testing, 1=15590
- Caughlan, G.R. and Fowler, W.A. The mean lifetimes of carbon, nitrogen, and oxygen nuclei in the CNO bi-cycle, 3=3588
- Caughlan, G.R., Fowler, W.A. and Talbot, R.J. Computer results on combined hydrogen and helium burning, 4=29376
- Caulfield, D. and Ullman, R. High-angle limit in low-angle scattering and its effect on the determination of surface area, 2=11795
- Caulton, M., Hershenov, B. and Paschke, F. Experimental evidence of Landau damping in electron beams, 2=7662
- Cauquais, C. Study of the excited levels of Ir^{188} , 3=8016
- Causse, J.P. New rugged high-temperature photo-multipliers, 1=2996
- Causse, R., Crausse, E., Poirier, Y. and Vivès, C. Experimental study of the forced sinusoidal oscillations of a liquid electroconductor in a straight tube of rectangular cross-section in the presence of a transverse magnetic field, 4=16635
- Causse, R. and Poirier, Y. The setting in motion and stopping of a conducting liquid in a rotating cylindrical vessel in a magnetic field, 1=3044
- Causse, R., Poirier, Y. and Vivès, C. An experimental study, in the presence of a magnetic field, of the free oscillations in a vertical U-tube of a conducting, viscous liquid, 2=7722
- Causse, R., Robert, J. and Vivès, C. Experimental study of the damping of a viscous liquid between two instantaneously arrested coaxial cylinders, 2=11332
- Causse, R. See Crausse, E., 2=3140
- Causse, R. See Crausse, E., 2=5451
- Causse, R. See Crausse, E., 4=11769
- Cautius, W. See Boettcher, A., 3=8165
- Cavaillès, P. Geometric introduction of the notion of the Clifford algebra in the theory of spinors, 0=18946
- Cavaillès, P. Intrinsic theory of spinors. Hermitian and Dirac's adjunctions. Charge conjugation, 4=11896
- Cavaillès, P. Intrinsic theory of spinors. Decomposition of the Dirac representation. Geometric interpretation of the spinor, 4=19395
- Cavaillès, P., Jancel, R. and Kahan, T. Statistical mechanics of plasma of several components, 0=12603
- Cavaillès, P., Jancel, R. and Kahan, T. Magnetohydrodynamics of a ternary plasma and associated types of wave, 0=15038
- Cavalca, L. and Nardelli, M. A graphical aid for calculating structure factors, 0=3218
- Cavalca, L., Nardelli, M. and Fava, G. The crystal structure of bis-ethylenethiourea-cadmium thiocyanate, 0=6367
- Cavalconte, C.C. See Guman, W.J., 1=160
- Cavaleru, A., Comşa, G. and Iosifescu, B. Adsorption measurements in high vacuum, 4=10615
- Cavalier, G. Measurement of the viscosity of [liquid] iron, cobalt and nickel, 3=14115
- Cavaliere, A. Relativistic limits to non-linear plasma oscillations, 2=11682
- Cavaliere, A., Crosignani, B. and Gratton, F. Motion of a charge in changing magnetic fields with nonadiabatic intervals, 4=30031
- Cavaliere, A. See Caruso, A., 3=5644
- Cavaliere, A. See Caruso, A., 4=18699
- Cavaliere, A. See Caruso, A., 4=27495
- Cavallaro, M. and Salvadori, P. Cherenkov counters for heavy charged particles, 0=15194
- Cavallaro, S., Potenza, R. and Rubbino, A. $\text{L}\bar{\nu} + p$ interaction and excited states of Be^8 , 2=20509
- Cavalleri, C., Gatti, E. and Redaelli, G. Light chamber or gas-amplified scintillation chamber, 2=22377
- Cavalleri, C., Gatti, E. and Redaelli, G. Light chamber of gas amplified scintillation chamber, 3=17156
- Cavalleri, G., Fabri, G., Gatti, E. and Svelto, V. On the induced charge in semiconductor detectors, 3=12374
- Cavalleri, G., Gatti, E. and Principi, P. A new method to measure thermal electron attachment cross-sections and thermal [electron] diffusion coefficients in gases, 4=8612
- Cavalleri, G., Gatti, E. and Principi, P. Experimental measure of the diffusion coefficient for thermal electrons in pure neon, using an electron-density sampling method, 4=8613
- Cavalleri, G. See Arecchi, F.T., 1=7010
- Cavalleri, G. See Arecchi, F.T., 1=12038
- Cavalleri, G. See Arecchi, F.T., 3=17152
- Cavallin, K. See Persson, R., 0=4140
- Cavallini, A. See Amadesi, P., 4=25115
- Cavanagh, P.E. Measurement of electron polarization, 0=9314
- Cavanagh, P.E., Coleman, C.F., Gard, G.A., Ridley, B.W. and Turner, J.F. The neutron transfer reaction $\text{Ca}^{40}(p, d)\text{Ca}^{39}$ at 30 MeV proton energy, 4=9514
- Cavanaugh, J.R. On imaginary solutions to three-spin spectra, 4=14917
- Cavanaugh, J.R. Note on the exact analysis of three-spin systems, 4=5837
- Cavanaugh, J.R. and Dailey, B.P. N.M.R. spectra of propyl derivatives, 1=6048
- Cavanaugh, J.R. and Dailey, B.P. Proton chemical shifts for the alkyl derivatives, 1=6049
- Cavanaugh, W.J. The school auditorium, 3=14299

- Cavanaugh, W.J., Farrell, W.R., Hirtle, P.W. and Watters, B.G. Speech privacy in buildings, 2=9355
- Cave, E.F. and Holroyd, L.V. Thermal expansion coefficients of bismuth, 0=13493
- Cave, K.J.S. A comment on the calculation of variation of drift transistor cut-off frequency with collector voltage, 3=13100
- Cave, K.J.S. Disaccommodation in nickel-zinc ferrites initiated by small amplitude signals, 4=28845
- Cavellaro, S. and Rubbino, A. $\text{Ca}^{40}(\text{n}, \alpha_{\gamma})$ reaction energy spectra and differential cross sections, 3=22408
- Cavenett, B.C. The allowed and forbidden transitions in the paramagnetic resonance of the manganese ion in cubic zinc selenide, 4=23052
- Cavenor, M.C. See Dutt, T.L., 4=11641
- Caverzasio, C., Kuroda, K. and Michalowicz, A. Proton-proton scattering at 155 MeV, 2=291
- Caverzasio, C. and Michalowicz, A. Proton-proton scattering at 155 MeV: differential cross-section between 30° and 110° c.m., 1=16782
- Caverzasio, C., Michalowicz, A., Kuroda, K., Poulet, M. and Poutcherov, N. Measurement of the P and D parameters of (P, P) scattering at 138 MeV, 4=19511
- Caverzasio, C. See Garron, J.P., 2=1895
- Caviglia, C. and Fidone, I. Analytic 3d wave-functions for atoms of the iron group for small and large distances from the nuclei, 0=2710
- Caw, W.A. and Wylie, R.G. Capillary viscometers of negligible kinetic energy effect, 1=4302
- Caw, W.A. and Wylie, R.G. Effect of dissolved air on the viscosity of water, 1=5367
- Caw, W.A. See Wylie, R.G., 3=3927
- Cawley, J.H. Transistor counting-rate channel for triga reactors, 1=18733
- Cawley, S. and Danyluk, S.S. Anomalous ring proton shifts in triphenyl derivatives of group IV elements, 3=16637
- Cawley, S. See Bates, P., 4=20109
- Cawsey, G.F., Farrands, J.L. and Thomas, S. Observations of detonation in solid explosives by microwave interferometry, 0=8307
- Cayless, M.A. Excitation and ionization rates of mercury in discharge plasmas, 0=7069
- Cayless, M.A. Production of resonance radiation in discharge tubes of non-circular cross-section, 0=19629
- Cayless, M.A. Thermionic generation of electricity, 1=16371
- Cayless, M.A. Average kinetic energy of diffusing particles in discharge and electron tubes, 1=18816
- Cayless, M.A. Theory of low pressure mercury rare-gas discharges, 3=9751
- Cayless, M.A. Resonance radiation reflection by the walls of a discharge, 4=18711
- Cayless, M.A. Theory of the positive column in mercury-rare gas discharges, 4=5567
- Cayless, M.A. See Forster-Brown, A.D., 0=5334
- Cayrel, J. Ballistic measure of small industries fluxes, 2=234
- Cayrel, R. A purely radiative cause of the increase of temperature in a stellar atmosphere at chromospheric densities, 4=10826
- Cayrel, R. Some questions on the theory of stellar atmospheres. I. Gravity determination, 0=18850
- Cayrel, R. Some questions on the theory of stellar atmosphere. II. New approximation formulae for the calculation of radiation and flux intensities, 0=18851
- Cayrel, R. and Jugaku, J. Predicted fluxes and line intensities in late-type model atmospheres, 4=10827
- Cayrel, R. and Piron, H. Calculation of the source function for an atom with two levels plus a continuum in the solar photosphere, 4=4901
- Cayrel, R. and Traving, G. Pressure broadening of the solar Balmer lines, 0=16546
- Cayrel de Strobel, G. Utilization of the central intensities of the Balmer lines for determining the surface and brilliance temperatures, and apparent diameter of 33 stars, 0=18845
- Cayrel de Strobel, G. A comparison of photoelectric and photographic spectrophotometry, 2=6967
- Cazacu, M.D. Similarity method in the water-hammer phenomenon, 2=7185
- Cazemajou, J. See Blaquière, A., 2=1945
- Cazemajou, J. See Blaquière, A., 2=22872
- Cazemajou, J. See Blaquière, A., 3=10412
- Cazier, G.A. See McMurry, H.L., 0=13368
- Cazzola, P. Pion-kaon resonance, 3=7307
- Cazzola, P. See Andreassi, G., 3=2251
- Ceașu, V. See Stoenescu, A., 3=1544
- Cebulla, T.J. See Prosen, R.J., 2=12674
- Cebulla, T.J. See Prosen, R.J., 3=1074
- Ceccaldi, M., Goujon, P., Leicknam, J.P. and Nief, G. Light source for isotopic dosimetry of uranium by emission spectrometry, 3=18999
- Ceccarelli, M. General problems of astrogeophysics, 4=17960
- Ceccarelli, M. See Braccisi, A., 0=18687
- Ceccarelli, M. See Braccisi, A., 0=18819
- Ceccarelli, M. See Braccisi, A., 2=11152
- Cecchetti, A. See Buttino, G., 2=10670
- Cecchetti, A. See Buttino, G., 3=8692
- Cecchetti, A. See Buttino, G., 4=13249
- Cecchi, P. The calculation of the force constants of molecular models on high-speed digital computers. I. A program for the electronic computer of the University of Pisa (c.e.p.), 3=8234
- Cecchi, P. See Bucci, P., 4=25739
- Cecernikov, V.I., Hoffmann, U., Kondorskij, E.I., Krincik, G.S., Mirjasov, N.Z., Parsanov, A.P., Rode, V.E. and Volkov, D.I. Results of studies on certain magnetic and magneto-optical properties of ferromagnetic materials, 0=13757
- Cech, R.E. The nucleation of nickel whiskers, 0=16274
- Cedarholm, J.P. and Townes, C.H. A new experimental test of special relativity, 0=6656
- Cedarlund, R., Horn, A. and Scolnick, M. Solid-state detector for monitoring 14 MeV neutron production, 2=5696
- Cederberg, J.W. and Ramsey, N.F. Magnetic resonance with large angular momentum, 4=22418
- Cederlöf, H., Jonsson, E. and Kajland, A. Annoyance reactions to noise from motor vehicles. An experimental study, 4=2481
- Ceely, F.F., Jr. Simultaneous adjustment of angular and distance measurements, 1=15773
- Cejpek, J. Polarization effects in the heavy particle stripping reaction, 4=22169
- Celano, A. See de Carvalho, H.G., 1=8800
- Celeghini, E. and Gatto, R. The decay modes $\eta^0 \rightarrow \gamma + e^+ + e^-$, $\eta^0 \rightarrow \gamma + \mu^+ + \mu^-$ and $\eta^0 \rightarrow 2\pi + e^+ + e^-$, 3=22189
- Celeghini, E. and Gatto, R. Possible method to determine the η^0 lifetime, 4=25164
- Celeghini, E. See Fujii, A., 3=12499
- Celiński, Z. Device for measuring reactor excess reactivity, 2=6073
- Celiński, Z. See Brzozowski, W.S., 2=19974
- Celiński, Z. See Nowacki, P.J., 3=2117
- Celitans, G. J. and Green, J. H. Formation and quenching of positronium in gases. I. Results obtained with the three-photon coincidence method, 4=19495
- Celitans, G. J. and Green, J. H. Range distribution of ^{22}Na positrons in argon and nitrogen, 4=6028
- Celitans, G. J., Tao, S. J. and Green, J. H. Formation and quenching of positronium in gases. II. Results obtained with the positron lifetime method, 4=19496
- Celitans, G. J. See Tao, S. J., 3=24706
- Celli, V. Screw dislocation in crystals with diamond structure, 1=19775
- Celli, V., Gold, A. and Thomson, R. Electronic states on dislocations in semiconductors, 2=14538
- Celli, V., Kabler, M. and Nimomiya, T. Mobility of dislocations in germanium, 3=23288
- Celli, V., Kabler, M., Nimomiya, T. and Thomson, R. Theory of dislocation mobility in semiconductors, 3=17730
- Celli, V. See Bassani, F., 1=19735
- Celli, V. See Hobart, R., 2=2081
- Celmer, P.R. See Weisberg, L.R., 3=11225
- Čelustka, B. The influence of trapping levels on the recombination in n-type germanium irradiated with gamma rays, 4=6781
- Čelustka, B. and Ogorelec, Z. Density of conduction electrons and holes between the extrinsic and intrinsic conduction range in n-type germanium, 2=18678
- Cely, J. Debye-Walker factor for the diffraction of slow electrons, 4=13574
- Cely, J. See Litzman, O., 1=17396
- Cence, R. J., Lind, D. L., Mead, G. D. and Moyer, B. J. Neutral-pion production from proton-proton collisions at 735 MeV, 3=24724
- Cence, R. J. and Moyer, B. J. Photoprotons produced by 245 ± 15 MeV gamma rays on carbon, 1=8.00
- Cence, R. J. and Waddell, C. N. Search for H^5 , 3=2330

- Cence, R. J. See Mead, G. D., 4=19473
- Cenerini, R. An aqueous homogeneous zero-energy suspension reactor. II. Analysis of the neutron flux fluctuations in an aqueous homogeneous subcritical reactor with circulating UO_2 particles, 2=12266
- Cenja, M. See Boca, I., 4=25387
- Cenja, M. See Maratologu, N., 3=22371
- Center, R. E. Reflected shock interaction with shock tube boundary layers, 3=18903
- Ceolin, C., Duimo, F., Stroffolini, R. and Fubini, S. An integral equation for high-energy cross-sections, 2=22431
- Ceolin, C. and Stroffolini, R. Some remarks about low-energy pion-pion scattering, 2=3393
- Ceolin, C. See Bertocchi, L., 1=5674
- Cerbone, R. J. See Bach, D. R., 2=6040
- Cerceau, O. Note on the electric field produced by accelerated charges, 4=3110
- Cerček, B. Determination of radon in thermal springs, 0=13160
- Cerceo, M. and Childers, H. M. Thermal diffusivity by electron bombardment heating, 3=14396
- Cerceo, M., Meister, R. and Litovitz, T. Ultrasonic absorption in toluene in the kilocycle region, 2=9274
- Cercignani, C. Elementary solutions of the linearized gas-dynamics Boltzmann equation and their application to the slip-flow problem, 3=3826
- Cercignani, C. Shear flow for gas molecules interacting with an arbitrary central force, 3=9498
- Cercignani, C. and Daneri, A. Flow of a rarefied gas between two parallel plates, 4=5217
- Cercignani, C. See Albertoni, S., 3=18841
- Cerenkov [Cherenkov], P. A. Radiation from particles exceeding the velocity of light and several applications of it in experimental physics, 0=17292
- Ceresara, S., Federighi, T., Gelli, D. and Pieragostini, F. Recovery of aluminium after neutron-irradiation at 78°K , 4=4091
- Ceresara, S., Federighi, T. and Pieragostini, F. Recovery of diluted binary Al alloys neutron irradiated at 78°K , 4=1560
- Ceresara, S. See Camagni, P., 0=9912
- Ceresara, S. See Federighi, T., 3=20896
- Ceresara, S. See Panseri, C., 4=4037
- Cerf, R. The variation of the coefficient of diffusion by translation with the viscosity of the solvent: correction term to Einstein's law, 0=14633
- Cerf, R. Statistical mechanics of macromolecules in chains in velocity field, 0=15793
- Cerf, R. The variable path length ultrasonic interferometer, 3=18939
- Cerf, R. The ultrasonic interferometer with two transducers and varying frequency spectroscopy, 4=5333
- Cerf, R., Candau, S. and Zana, P. A possible explanation of the anomalies in the ultrasonic absorption spectra in solutions of high polymers, 4=2671
- Cerf, R., Zana, P. and Candau, S. Ultrasonic spectroscopy employing continuously variable frequencies, 1=6938
- Cerf, R. See Candau, S., 1=10512
- Cerf, R. See Candau, S., 4=5172
- Cerf, R. See Koyama, R., 1=19678
- Cerfontain, H. and Groot, J. Spectrophotometric cell holder, 4=27319
- Cerineo, M., Ilakovac, K., Šlaus, I. and Tomaš, P. Capture of 14.4 MeV neutrons by protons and deuterons, 2=1693
- Cerineo, M., Ilakovac, K., Šlaus, I., Tomaš, P. and Valković, V. Charge dependence of nuclear forces and the breakup of deuterons and tritons, 4=12098
- Cerineo, M. See Cindro, N., 1=711
- Cerineo, M. See Cindro, N., 1=8764
- Cerineo, M. A. See Ajdačić, V. S., 1=13238
- Cerkovnikov, J. A. [Tserkovnikov, Yu. A.]. The convection instability of a diluted plasma, 4=558
- Čermák, I. and Trlifaj, L. Effect of a partially inserted absorbing rod on the density distribution of a neutron flux, 2=10180
- Čermák, J. Wavelength distribution of X-rays in the focus of a [Johansson] monochromator and an estimate of the influence of this distribution on precision measurements of lattice constants, 1=9122
- Čermák, J. The intensity distribution in the focus of curved-crystal monochromators and an estimate of its influence on precision measurements of lattice parameters, 1=15044
- Čermák, J. The distribution of neutron density in the vicinity of a partly inserted black rod in two-group approximation, 2=1946
- Čermák, J. A contribution to the theory of X-ray monochromators, 3=2069
- Čermák, J. Choice of parameters of an X-ray monochromating unit, 3=2070
- Cermak, J. E. See Binder, G. J., 3=23849
- Cermak, J. E. See Malhotra, R. C., 3=18500
- Cermak, J. E. See Malhotra, R. C., 4=11149
- Cermak, V. Mass spectrometer investigations of reactions of electronically excited neutral particles with alkali metal atoms, 4=26736
- Cermák, V., Hanuš, V. and Pacák, M. Mass spectrograph of the Physical Chemistry Institute of the Czechoslovak Academy of Sciences, 0=2404
- Čermák, V. and Herman, Z. Molecular dissociation in charge-transfer reactions, 2=161
- Cernigoi, C., Gabrielli, I. and Iernetti, G. Behaviour of photo-multipliers against high-frequency modulated light, 1=2991
- Cernigoi, C., Gabrielli, I. and Iernetti, G. On the simulation of a synchro-cyclotron particle beam by means of a light modulator, 1=13224
- Cernigoi, C., Gabrielli, I. and Iernetti, G. Behaviour of photo-multipliers against short light-pulses, 2=1487
- Cernigoi, C., Gabrielli, I., Iernetti, G. and Villi, C. A measurement of the forward charge exchange cross-section of 170 MeV negative pions in hydrogen, 3=4435
- Cernigoi, C., Pauli, G. and Polani, C. On the pulse shape in a cylindrical ionization chamber, 0=17137
- Cernogora, J. See Benoit a la Guillaume, C., 3=13133
- Černohorský, M. Determination of accuracy in measuring the parameters of tetragonal and hexagonal lattices, 1=9127
- Černohorský, M. The ratio method for absolute measurements of lattice parameters with cylindrical cameras, 1=15033
- Černohorský, M. The effective-D-method of determination of lattice parameters, 2=4410
- Černohorský, M. A new set of charts for two-parameter lattices, 2=10844
- Cernuschi, F. and Segre, M. Theory of condensation of liquids of one and two components, 2=2935
- Cerny, J., Harvey, B. G. and Pehl, R. H. (α, d) reactions on odd targets, 2=3616
- Cerny, J. and Kaufman, J. V. R. Consideration of "spherical hot spots" arising from pion capture in explosives using thermal initiation theory, 4=17871
- Cerny, J., Kirshenbaum, M. S. and Nichols, R. C. Range-energy relations for protons and alpha-particles in various explosives, 3=17279
- Cerny, J. and Pehl, R. H. Comparison of the $^{16}\text{O}(p, t)$ and $(p, ^3\text{He})$ reactions populating analog final states in ^{14}O and ^{14}N , 4=25396
- Cerny, J., Pehl, R. H., Rivet, E. and Harvey, B. G. Investigation of isobaric-spin conservation in the $\text{O}^{16}(d, \alpha)\text{N}^{14}$ reaction using a high resolution semiconductor E-(dE/dx) system, 4=9560
- Cerny, J. See Garvey, G. T., 4=27963
- Cerny, J. See Harvey, B. G., 1=727
- Cerny, J. See Harvey, B. G., 3=4566
- Cerrai, E. and Gazzarrini, F. Spectrophotometry of thorium, with thoron, in the presence of zirconium, 0=12123
- Cerri, C. See Belletini, G., 3=9839
- Certaine, J. See Goldstein, H., 2=5672
- Certier, M., Grun, J. B. and Nikitine, S. Study of the Zeeman effect of the $n = 1$ line of the yellow series of Cu_2O at 20°K , 4=22854
- Certier, M. See Nikitine, S., 3=10935
- Certier, M. See Nikitine, S., 3=10935
- Certier, M. See Nikitine, S., 3=23068
- Cerulus, F. Consequences of a strong π - π interaction in the statistical theory of p - p annihilation, 0=2572
- Cerulus, F. Statistical weights of many-particle systems in spin or isospin space, 0=9305
- Cerulus, F. Closed formulae for the statistical weights, 1=5740
- Cerulus, F. Statistical theory of multiple meson production with angular momentum conservation, 2=5698
- Cerulus, F. and Martin, A. A lower bound for large angle elastic scattering at high energies, 4=11940
- Cerulus, F. and von Behr, J. Prong analysis of multiple production of pions at bevatron energy according to a statistical theory, 0=15416
- Cerulus, F. and von Behr, J. Prong analysis of multiple production of pions at bevatron energy according to a statistical theory, 0=20216
- Ceruti, A. See Catino, A., 0=6929

- Cerutti, M., Théobald, J.G. and Uebersfeld, J. Paramagnetic electron resonance of a pyrocarbon, 3=13305
- Cervellati, A., Melandri, C. and Rimondi, O. Regression in the concentration of fission products in the air owing to precipitations, 3=9054
- Cervellati, A., Melandri, C. and Rimondi, O. Studies of the general behaviour of the atmospheric radioactivity in Italy in relation to the nuclear explosions of Autumn 1958, 3=9059
- Cervellati, A. See Bruzzi, L., 4=22063
- Červená, J. See Bayer, R., 2=9857
- Červený, V. On shock waves which originate on "weak" interfaces, 0=5084
- Cervini, G. C. See Bordonne-Sacerdote, C., 4=26991
- Červinka, L. X-ray determination of tetragonally distorted $Mn^{3+}O_6^{2-}$ octahedrons in cubic $MnFe_2O_4$, 2=21520
- Červinka, L. Electron diffraction on a thin monocrystalline layer of manganese-zinc ferrite, 2=21525
- Červinka, L., Krupička, S. and Synček, V. To the existence of tetragonally distorted $Mn^{3+}O_6^{2-}$ octahedra, in cubic $MnTe_2O_4$, 2=3913
- Červinka, L. See Bergstein, A., 1=15094
- Červinka, L. See Bergstein, A., 2=826
- Cervinka, L. See Fingerland, A., 4=24777
- Cervone, E. See Sartori, G., 4=22412
- Cesani, F. A. See Coon, J. B., 4=6588
- César, H. L. and Delfosse, J. M. Use of a quadrupole lens in mass-spectrography, 0=9104
- Ceschia, M. and Perlmutter, A. On the nucleon-antinucleon interaction at low energies, 4=25086
- Ceschia, M. See Bartke, J., 1=8515
- Ceschia, M. See Bartke, J., 2=13883
- Cesco, R. P. On the exact solutions of the problem of three bodies, 3=21276
- Cesena, R. A. Nonimmersion technique for electroplating small areas, 4=23665
- Cess, R. D. Laminar-film condensation on a flat plate in the absence of a body force, 1=18446
- Cess, R. D. The effect of radiation upon forced-convection heat transfer, 2=15787
- Cess, R. D. and Shaffer, E. C. Laminar heat transfer between parallel plates with an unsymmetrically prescribed heat flux at the walls, 0=6972
- Cester, R. Characteristics of Λ^0 produced in carbon nuclei by 1.3 GeV π^- , 2=5950
- Cester, R., Ciocchetti, G., Debenedetti, A., Marzari Chiesa, A., Rinaudo, G., Deney, C., Gottstein, K. and Puschel, W. Λ^0 's from K capture in emulsion, 2=3409
- Cester, R. See Bisi, V., 4=21928
- Cester, R. See Bisi, V., 4=25195
- Cester, R. See Marzari-Chiesa, A., 3=19695
- Cetin, I. Capacitance of non-linear capacitors at d.c., a.c., and superposed d.c. and a.c., 4=29857
- Cetiner, E. See Belrose, J. S., 3=1462
- Cetlin, B. N. and Abrahams, S. C. Automatic-diffractometer programs, 3=25684
- Ceulemans, H., de Keyser, A. and Mies, E. Electronic circuits of the BR-1 time-of-flight spectrometer, 1=11891
- Ceulemans, H., Neve de Mévergnies, M. and Poortmans, F. Apparatus and methods used in a slow neutron resonance scattering experiment, 3=6012
- Ceulemans, H. and Poortmans, F. Determination of the spin of the levels of In^{116} and Hf^{178} by resonant scattering of slow neutrons, 2=371
- Ceulemans, H., Poortmans, F. and Nève de Mévergnies, M. Determination of spin in $Sm^{149} + n$ resonances, 4=17172
- Ceuleneer, R. Contribution to the study of nonrelativistic dispersion formulae, 1=19132
- Ceuleneer, R. and Demeur, M. Excitation of collective states by He^3 , 4=17013
- Cevolani, M. and Petralia, S. Cross-section measurement of (n,2n) reactions on 14.1 MeV neutrons, 3=6260
- Cevolani, M., Petralia, S., Righini, B., Valdré, U. and Venturini, G. The $Al^{27}(n,\alpha)Na^{24}$ reaction induced by 15.2 MeV neutrons, 0=15596
- Cevolani, M., Petralia, S., Righini, B., Valdré, U. and Venturini, G. A 500 kV ion accelerator, 1=16445
- Cha, M. H. and Simons, D. G. Geometrical method for relativistic particle kinematics, 3=9323
- Cha, M. H. See Fried, Z., 2=18404
- Cha-Chien. See Chzha-Tsyan',
- Cha-Chien. See Tyapunina, N. A., 2=14871
- Chaban, A. A. Collective excitation of nonaxial even-even nuclei, 0=20334
- Chaban, A. A. See Davydov, A. S., 0=13119
- Chaban, A. A. See Davydov, A. S., 0=17476
- Chaban, A. A. See Davydov, A. S., 1=2169
- Chaban, A. A. See Davydov, A. S., 1=16973
- Chaban, I. A. The scattering of sound in a liquid by bodies of low shear modulus, 3=18931
- Chaban, I. A. The scattering of sound by small spatial variations of the parameters in an elastic medium, 4=285
- Chabbal, R. Spectrometer incorporating Fabry-Perot [etalons], 0=16849
- Chabbal, R. Experimental and theoretical researches on the general use of the Fabry-Perot spectrometer for various spectroscopic applications, 0=16855
- Chabbal, R. The sharpness limit of a Fabry-Perot made from imperfect flats, 0=16879
- Chabbal, R., Clement, M. and Geller, R. Measurement of the temperature of a P.I.G. reflex pulse discharge using a Fabry-Perot interferometer, 3=24229
- Chabbal, R. and Jacquinet, P. Description of a Fabry-Perot interference spectrometer, 2=7382
- Chabbal, R. and Noorman, P. Spectrometer incorporating [Fabry-Perot] etalons for the infrared, 0=16850
- Chabbal, R. and Soulet, M. A device permitting the mechanical displacement of a Fabry-Perot flat, 0=16851
- Chabbal, R. See Brochard, J., 0=7694
- Chabbal, R. See Mack, J. E., 3=24020
- Chabbal, R. See Pelletier, E., 4=21312
- Chabre, M. and Depommier, P. Correction factor of the β -spectrum of Au^{198} , 2=401
- Chabre, M. and Depommier, P. Measurement of the polarization of the γ -rays following the β -disintegration of A^{41} , 2=22759
- Chabre, M. See Bouchez, R., 1=13791
- Chabre, M. See Depommier, P., 1=7340
- Chabre, M. See Depommier, P., 1=16761
- Chabre, M. See Depommier, P., 2=403
- Chabre, M. See de Saintignon, P., 4=15186
- Chabrier, A. See Raoult, G., 0=667
- Chace, W. See Kornelt, T., 4=18350
- Chace, W. G. and Fish, C. V. Exploding wire blast shutter, 3=11957
- Chace, W. G. and Levine, M. A. Classification of wire explosions, 0=12530
- Chace, W. G. and Levine, M. A. Relation of conductor configuration to vaporization in exploding wires, 4=18352
- Chace, W. H. See Reeves, R. R., 4=26744
- Chachakov, A. F. See Demin, A. G., 4=6246
- Chackett, G. A. See Chackett, K. F., 2=20623
- Chackett, K. F., Chackett, G. A. and Ismail, L. The (p, n) reaction cross section of copper for 9.3 MeV protons, 2=20623
- Chacko, O. See Mani, A., 3=9042
- Chackraburty, D. M., Jayadevan, N. C. and Sivaramakrishnan, C. K. Complex oxide systems of barium and plutonium, 4=7606
- Chacón, E. and de Llano, M. Transformation brackets between cartesian and angular momentum harmonic oscillator basis functions with and without spin-orbit coupling tables for the 2s-1d nuclear shell, 4=12094
- Chacón, E. and de Llano, M. Exchange operators in second quantization for malism, 4=30142
- Chacon, E. and Moshinsky, M. Theoretical analysis of the energy levels in Ne^{20} , 2=22736
- Chadan, K. The left-hand cut discontinuity and equivalent potentials, 2=11885
- Chadan, K. and Oneda, S. Leptonic decay modes of the K meson, 0=377
- Chadan, K. and Oneda, S. Final-state interactions and $|\Delta I| = \frac{1}{2}$ selection rule, 0=13053
- Chadan, K., and Renard, F. M. Some remarks on $K_2^+ \pi$ and K_4^+ decays, 3=7917
- Chadda, M. M. and Sinha, A. P. B. Theory of thermoelectric power in low-mobility semiconductors, 3=25425
- Chadderton, L. T. Electron microscopy of crystal lattices: an anomalous effect, 1=12632
- Chadderton, L. T. Dislocation loops in fission fragment bombarded lead iodide, 2=23185
- Chadderton, L. T. Experimental evidence for the concept of the displacement spike, 3=4866
- Chadderton, L. T. Optical properties of the phthalocyanines, 3=18013
- Chadderton, L. T. The radiation damage of crystal lattices: fission fragments, 3=20253
- Chadderton, L. T. On diffraction contrast at particle tracks in crystals, 4=12817
- Chadderton, L. T. Fission fragment damage to crystal lattices: track contrast, 4=25978

- Chadderton, L.T., Fitzgerald, A.G. and Yoffe, A.D. Stacking faults in zinc sulphide, 3=8444
- Chadderton, L.T., Fitzgerald, A.G. and Yoffe, A.D. Stacking faults in cadmium sulphide, 3=17769
- Chadderton, L.T., Fitzgerald, A.G. and Yoffe, A.D. Pressure induced stacking faults in zinc sulphide crystals, 3=20207
- Chadderton, L.T., Fitzgerald, A.G. and Yoffe, A.D. Disorder of defects in single crystals of zinc sulfide, 4=20290
- Chadderton, L.T. and Montagu-Pollock, H.M. Fission fragment damage to crystal lattices: heat-sensitive crystals, 3=22857
- Chadderton, L.T., Montagu-Pollock, H.M. and Torrens, I.McC. Tracks in fission-fragment-bombarded lead iodide, 3=25306
- Chadderton, L.T., Parsons, R.B., Wardzynski, W. and Yoffe, A.D. Exciton lines, lattice defects and strain in single crystals of CdSe, 3=6652
- Chadderton, L.T. See Bowden, F.P., 1=19817
- Chadderton, L.T. See Bowden, F.P., 2=21037
- Chadeau, C. The influence of the abundance of helium on the continuous spectra of B stars, 0=10527
- Chadeau, C. A comparative study of the spectral lines from the helium star Sigma Ori E and from the normal star Sigma Ori E (B.2.5V), 2=4809
- Chadeau, C. The Balmer series in B-type stars, 2=4811
- Chadrashkar, S. The stability of spiral flow between rotating cylinders, 2=2684
- Chadwick, G.A. Solidification of CuAl₂-Al eutectic alloys, 3=11283
- Chadwick, G.A. Modification of lamellar eutectic structures, 3=13509
- Chadwick, G.A. Interlamellar-spacing measurements in certain binary eutectic systems, 4=4650
- Chadwick, G.A. and Argent, B.B. The lattice parameters of the alpha solid solutions of copper-zinc-nickel and copper-zinc-manganese, 1=15158
- Chadwick, G.A. and Argent, B.B. Thermodynamic properties of solid solutions IV. Copper-rich solid solutions of copper + zinc + nickel, 2=6837
- Chadwick, G.B., Collins, G.B., Duke, P.J., Fujii, T., Hien, N.C., Kemp, M.A.R. and Turkot, F. Inelastic proton-proton scattering at 1.35, 2.1, and 2.9 BeV, 3=2261
- Chadwick, G.B., Collins, G.B., Swartz, C.E., Roberts, A., DeBenedetti, S., Hien, N.C. and Duke, P.J. Production of nucleon isobars in proton-proton collisions, 0=15350
- Chadwick, G.B., Crennell, D.J., Davies, W.T., Derrick, M., Mulvey, J.H., Jones, P.B., Radojicic, D., Wilkinson, C.A., Bettini, A., Cresti, M., Limentani, S., Peruzzo, L. and Santangelo, R. Angular correlations in the decay of the K* and N* states, 4=6135
- Chadwick, G.B., Davies, W.T., Derrick, M., Mulvey, J.H., Radojicic, D., Wilkinson, C.A., Cresti, M., Limentani, S., Loria, A. and Santangelo, R. Antiproton annihilations at rest into two charged pions, 2=22522
- Chadwick, G.B., Davies, W.T., Derrick, M., Hawkins, C.J.B., Mulvey, J.H., Radojicic, D., Wilkinson, C.A., Cresti, M., Limentani, S. and Santangelo, R. Study of the annihilation of stopped antiprotons in hydrogen: The reaction, $\bar{p} + p \rightarrow \pi^+ + \pi^- + \pi^0$, 3=10117
- Chadwick, G.B. and Jones, P.B. Interactions of antiprotons in nuclear emulsion, 0=362
- Chadwick, G.B. See Duke, P.J., 2=22504
- Chadwick, G.B. See Fujii, T., 3=2262
- Chadwick, P. On the propagation of thermoelastic disturbances in thin plates and rods, 2=11447
- Chadwick, P. and Powdrill, B. Application of the Laplace transform method to wave motions involving strong discontinuities, 4=24023
- Chadwick, P. and Windle, D.W. Propagation of Rayleigh waves along isothermal and insulated boundaries, 4=24293
- Chadwick, U.R.M. Bibliography on the production and properties of silicon carbide, 4=5000
- Chadwick, W.B. A quick method for estimating the stage of the sunspot cycle, 2=6941
- Chadwick, W.B. Effective sunspot numbers, January 1961 through July 1962, 3=9205
- Chaevskii, M.I., Bryukhanova, L.S. and Likhtman, V.I. The long-term strength of steel in the presence of active metallic melts, 2=14899
- Chaevskii, M.I., Bryukhanova, L.S. and Likhtman, V.I. The long-term strength of steel in the presence of active metallic melts, 2=19004
- Chaffee, W.B. See Kelly, W.H., 0=20410
- Chafik, A. See Mecke, R., 4=15363
- Chagal, J. See Cicchini, A., 2=335
- Chagnon, C.W. and Junge, C.E. The vertical distribution of sub-micron particles in the stratosphere, 2=8964
- Chagnon, C.W. See Junge, C.E., 1=10306
- Chagnon, P.R. Low-level linear microsecond gate, 1=4544
- Chagnon, P.R. Geometrical corrections in triple-correlation experiments, 4=24938
- Chagnon, P.R. and Treado, P.A. Gamma-ray transitions in ³⁵S following proton capture by ³¹P, 3=7989
- Chagnon, P.R. See Davies, G.R., 0=3823
- Chagnon, P.F. See Treado, P.A., 1=4871
- Chagnon, P.R. See Treado, P.A., 2=16376
- Chahine, C. and Jouvet, B. An explanation of the anomalies in β^- and β^+ spectra by an Uhlenbeck-Konopinski type coupling, 1=17019
- Chahine, C. and Jouvet, B. Non-locality and asymmetry of the electron-neutrino interaction in the K_α mode, 4=9170
- Chahine, M.T. Free-molecule flow over nonconvex surfaces, 2=5037
- Chahine, M.T. See Liepmann, H.W., 3=1754
- Chahoud, J., Russo, G. and Selleri, F. Deuteron production in pp collisions, 4=9305
- Chahoud, J.N. Some remarks about pion-pion interaction from pion production experiment, 2=16221
- Chahoud, J.N. See Bergia, S., 3=6047
- Ch'ai K'ai-yüeh. See Fang Shou-hsien, 4=3070
- Chai Ok Chang. See Crowell, A.D., 3=20030
- Chaika, G.V. See Tolpygo, K.B., 2=21203
- Chaika, G.V. See Tolpygo, K.B., 3=2982
- Chaika, M.P. Measurement of the reflection coefficient of partially reflecting layers, 3=21518
- Chaika, M.P. and Fradkin, E.E. A method of transforming spectral line profiles and its use in measurement of temperature and other parameters of a light source, 0=12483
- Chaika, M.P. See Fradkin, E.E., 3=19479
- Chaika, M.P. See Kagan, Yu.M., 2=17602
- Chaika, M.P. See Kaliteevskii, N.I., 0=3634
- Chaika, M.P. See Kaliteevskii, N.I., 0=13123
- Chaika, M.P. See Kaliteevskii, N.I., 0=13420
- Chaika, M.P. See Kaliteevskii, N.I., 1=19345
- Chaika, M.P. See Kaliteevskii, N.I., 2=16298
- Chaika, M.P. See Kaliteevskii, N.I., 3=12562
- Chaika, M.P. See Malyshev, G.M., 0=10774
- Chaika, M.P. See Razumovskii, A.N., 2=18414
- Chaika, M.P. See Turkin, Yu.I., 2=12292
- Chaika, M.P. See Semenov, R.I., 0=10775
- Chaika, M.P. See Zaidel', A.N., 1=13971
- Chaiken, R.F. Comments on hypervelocity wave phenomena in condensed explosives, 0=16378
- Chaiken, R.F., Andersen, W.H., Barsh, M.K., Mishuck, E., Moe, G. and Schultz, R.D. Kinetics of the surface degradation of polymethylmethacrylate, 0=3309
- Chaiken, R.F., Sibbett, D.J., Sutherland, J.E., van de Mark, D.K. and Wheeler, A., 3=1874
- Chaikin, S.W., Anderson, J.R. and Santos, G.J., Jr. Improved probe apparatus for measuring contact resistance, 2=1347
- Chaikovskii, E.F. and Pyatigorskii, G.M. The determination of the heat of evaporation of positive ions with the surface ionization of atoms of the alkali metals, 4=27476
- Chaikovskii, E.F. See Pines, B.Ya., 0=15855
- Chaikovskii, E.F. See Pines, B.Ya., 1=983
- Chaikovskii, E.F. See Pines, B.Ya., 2=8250
- Chaikovskii, E.F. See Pines, B.Ya., 2=8851
- Chaikovskii, E.F. See Pines, B.Ya., 2=23210
- Chaikovskii, E.F. See Pines, B.Ya., 2=23888
- Chaikovskii, E.P. and Pyatigorskii, G.M. The adsorption energy in the ionization of atoms on the surface of a metal, 4=15828
- Chaikovskii, V.G. See Dmitriev, A.B., 0=3891
- Chaikovskii, V.G. See Dmitriev, A.B., 0=5451
- Chaikovskii, V.G. See Tolchenov, Yu.M., 1=13377
- Chaing Tung-cheng. See Sun Chia-chung, 3=25600
- Chaigneau, M., Dayan, E. and Widenlocher, G. Study of the position and width of the nuclear magnetic resonance line of H₂, 3=10539
- Chaigneau, M. See Dayan, E., 4=6642
- Chairotti, G., Giuliani, G. and Lynch, D.W. Alpha and beta bands in KCl and NaCl, 1=993
- Chait, H.N. and Curry, T.R. Y circulator, 0=3832
- Chaklader, A.C.D. Deformation of quartz crystals at the transformation temperature, 3=15990
- Chako, N. On the stability of dynamical systems and Schrödinger's equation. On the passage from geometrical optics to wave optics, 1=1700

- Chako, N. Some remarks on the foundations of quantum mechanics, 4=24057
- Chako, N. On the evaluation of certain integrals and their application to diffraction theory, 4=24836
- Chako, N. Diffraction of electromagnetic waves by circular apertures and discs. Integral representation method. I, 4=24837
- Chakrabarti, A. On certain representations of the Dirac equation, 1=5640
- Chakrabarti, A. Canonical form of the covariant free-particle equations, 4=809
- Chakrabarti, A. Relativistic position operator for free particles, 4=810
- Chakrabarti, A. On the canonical relativistic kinematics of N-particle systems, 4=24087
- Chakrabarti, N. B. and Biswas, B. N. Locking phenomena in phase locked oscillators, 4=27445
- Chakrabarti, N. B. and Dikshit, K. D. Some possible arrangements of parametric amplifiers employing lower frequency pumping, 0=17097
- Chakraborti, P. K. Gas properties at high temperatures on the exponential model, 1=18466
- Chakraborti, P. K. An exact analytic solution for a cylindrical blast wave propagating in still air, 3=3851
- Chakraborti, P. K. Potential energy curve for the interaction of two xenon atoms, 3=8212
- Chakraborti, P. K. Thermal conductivity of dissociating phosphorous pentachloride, 3=9503
- Chakraborti, P. K. See Barua, A. K., 1=17288
- Chakraborti, P. K. See Barua, A. K., 2=13374
- Chakraborti, P. K. See Srivastava, B. N., 4=24270
- Chakraborty, A. K. Influence of ultraviolet absorption frequencies on the intensities of Raman lines, 2=20784
- Chakraborty, A. S. On the magnetic susceptibility and anisotropy of V^{3+} under a crystalline electric field having predominantly cubic symmetry with a small trigonal component, 0=8033
- Chakraborty, A. S. See Bose, A., 4=25830
- Chakraborty, B. B. On the stability of a gravitating liquid cylinder carrying a non-uniform volume current and surface charge, 1=1962
- Chakraborty, B. B. On the stability of a rigidly rotating liquid column with axial magnetic field, 1=18995
- Chakraborty, B. B. Flow of a conducting fluid past a rotating magnetized sphere, 3=14570
- Chakraborty, B. B. Flow of a conducting fluid past a rotating conducting cylinder, 4=3125
- Chakraborty, B. B. and Bhatnagar, P. L. The stability of force-free magnetic fields, 1=16493
- Chakraborty, B. B. and Bhatnagar, P. L. The stability of an infinitely conducting liquid column with uniform volume current and surface charge, 1=18994
- Chakraborty, B. B. and Ramamoorthy, P. On the pulsations of an infinite cylinder with a force-free magnetic field, 0=7209
- Chakraborty, B. B. See Bhatnaga, P. L., 1=25
- Chakraborty, B. B. See Ramamoorthy, P., 1=358
- Chakraborty, I. Energy spectrum of high-energy nuclear-active component of cosmic rays, 4=30285
- Chakraborty, S. C. See Srivastava, R. C., 1=14842
- Chakraborty, S. K. On disturbances generated by a pulse of pressure on the surface of a spherical cavity in an elastic medium, 0=16759
- Chakraborty, S. K. On compressional waves in the direction of the axis of a cylindrical hole in an anisotropic medium having hexagonal symmetry, 0=19259
- Chakraborty, S. K. Disturbances in an elastic medium by impulsive forces in a cylindrical hole, 0=19261
- Chakraborty, S. K. Contribution of electron tridents in cascade showers, 1=13551
- Chakravarty, A. S. On the magnetic susceptibility and anisotropy of trivalent vanadium alum under the crystalline electric field having predominantly cubic symmetry with a small trigonal symmetry, 0=6214
- Chakravarty, A. S. Zero-field splitting in $3d^5$ ions, 3=25164
- Chakravarty, A. S. and Bersohn, R. Zero field splitting in atomic nitrogen, 4=25828
- Chakravarty, A. S. and Chatterjee, R. A short note on the crystalline electric field in hydrated Co^{2+} salts, 0=18162
- Chakravarty, A. S. and Chatterjee, R. A preliminary note on the magnetic anisotropy and susceptibility of $Fe(NH_4SO_4)_2 \cdot 6H_2O$, 1=9017
- Chakravarty, A. S. See Bose, A., 0=8034
- Chakravarty, A. S. See Bose, A., 0=16127
- Chakravarty, A. S. See Bose, A., 1=14697
- Chakravarty, A. S. See Bose, A., 1=14698
- Chakravarty, A. S. See Bose, A., 3=6691
- Chakravarty, A. S. See Dutta-Roy, S. K., 0=18167
- Chakravarty, S. N. See Arnika, H. J., 2=3190
- Chakraverty, B. K. and Pound, G. M. Heterogeneous nucleation at macroscopic steps, 4=23557
- Chakravorti, A. Note on the torsion of curved rods composed of anisotropic material with oval sections, 0=19009
- Chakravorti, A. Torsion and bending of an aeolotropic beam having a curvate section, 1=91
- Chakravorty, K. C. Some interesting features of microseisms associated with cyclonic storms, 3=6947
- Chakravorty, A. U.V. spectrum of $KAuCl_4$, 1=12885
- Chakravorty, A. and Basu, S. Crystal spectra of chromium tris-acetyl acetone, 0=20980
- Chakravorty, A. See Gangopadhyay, A. K., 2=4144
- Chakravorty, D. and Cross, L. E. Dielectric measurements on glass at very high pressure, 4=30645
- Chala, V. H. See Konozenko, I. D., 2=6497
- Chalaya, V. G. See Svyechnykov, S. V., 4=7081
- Chalaya, V. G. See Svyechnykov, S. V., 4=12984
- Chalaya, V. H. See Svyechnikov, S. V., 2=23458
- Chalaya, V. H. See Svyechnykov, S. V., 4=12986
- Chal'ii, A. V. See Smirnov, A. A., 2=19068
- Chalikyan, G. A. See Garibyan, G. M., 0=2505
- Chalk, J. D., III and Downs, B. W. Two-pion-exchange contribution to the three-body Λ -nucleon interaction, 4=6139
- Chalkin, L. P. and Fremlin, J. H. The ionization of fast neutral deuterium atoms by hydrogen and by deuterium, 0=14966
- Challande, R. and David, B. New method for the study of solid particles in the stratosphere, 0=8365
- Challande, R., Hantel, L. and Montgomery, D. On the origin of the charges acquired by crystals by rubbing them with metals, 3=2966
- Challifour, J. and Eden, R. J. Regge surfaces and singularities in a relativistic theory, 3=10044
- Challifour, J. L. and Eden, R. J. Holomorphy domains and asymptotic forms of scattering amplitudes and partial wave amplitudes, 3=10050
- Challifour, J. and Eden, R. J. Regge poles and branch cuts for potential scattering, 3=12412
- Challis, L. J. The calculation of temperature differences from resistance thermometer measurements using a digital computer, 2=5207
- Challis, L. J. Some experiments on the Kapitza resistance between metals and liquid helium II, 2=22123
- Challis, L. J. and Cheeke, J. D. N. The thermal conductance of copper-lead-copper sandwiches at liquid helium temperatures, 3=24150
- Challis, L. J. and Cheeke, J. D. N. Thermal conduction across copper-lead-copper sandwiches at helium temperatures, 4=9873
- Challis, L. J., Cheeke, J. D. N. and Harness, J. B. The thermal conductivity of indium antimonide between 1.2 and $4.0^\circ K$, 3=4830
- Challis, L. J., Dransfeld, K. and Wilks, J. Heat transfer between solids and liquid helium II, 1=13034
- Challis, L. J. and Wilks, J. Heat transfer between solids and liquid helium II, 0=8917
- Challoner, A. R. See Powell, R. W., 0=19121
- Chalmers, B. How water freezes, 0=10802
- Chalmers, B. The origin of substructures formed during the growth of crystals from the melt, 3=22699
- Chalmers, B. See Hauser, J. J., 2=6730
- Chalmers, B. See Larson, D. C., 4=23325
- Chalmers, B. See Li, J. C. M., 3=10656
- Chalmers, B. See Nakada, Y., 3=1232
- Chalmers, B. See Nakada, Y., 4=26512
- Chalmers, B. See Suits, J. C., 2=6724
- Chalmers, B. See Wagner, R. S., 0=7898
- Chalmers, J. A. The vertical electric current during continuous rain and snow, 0=802
- Chalmers, J. A. The electricity of precipitation, 1=20828
- Chalmers, J. A. A criterion for thunderstorm theories, 1=20861
- Chalmers, J. A. The measurement of the vertical electric current in the atmosphere, 2=11030
- Chalmers, J. A. The relation of point-discharge current to potential difference and wind-speed, 2=11032
- Chalmers, J. A. The first suggestion of an ionosphere, 2=13026
- Chalmers, J. A. The laws of electromagnetism and analogue, 2=22302
- Chalmers, J. A. Point-discharge currents through a living tree during a thunderstorm, 3=9035
- Chalmers, J. A. The electrical properties of a living tree in relation to point discharge, 4=10725

- Chalmers, J.A. See Collin, H.L., 4=7847
 Chalmers, J.A. See Kirkman, J.R., 0=1117
 Chalmers, J.A. See Maund, J.E., 1=15235
 Chalmers, J.A. See Smiddy, M., 0=2044
 Chalmers, J.A. See Smiddy, M., 1=15234
 Chalmers, R.A. See Fossan, D.B., 4=27961
 Chalmers, R.A. See Shafroth, S.M., 0=9361
 Chalonge, D., Andriolat, Y. and Andriolat, H. Study of some properties of the solar corona during the total eclipse of 15 February, 1961, 4=4913
 Chaloupka, P., Jireš, M. and Kowalski, T. The influence of small flares on the intensity of the neutron component of cosmic rays. 1=16943
 Chaloupka, P. See Dubinsky, J., 2=3443
 Chaloupka, P. See Hladký, J., 0=5636
 Chaloupka, P. See Krivský, L., 0=20275
 Chalupa, B. See Kopecký, J., 4=905
 Chalupnik, J.D., Rule, E. and Suellentrop, F.J. Pressure response of condenser microphones at low ambient pressures, 1=4417
 Chalupnik, J.D., Rule, E. and Suellentrop, F.J. Statement in answer to comments by Mr. Massa on our paper "pressure response of condenser microphones at low ambient pressures", 1=12950
 Chalya, V.H. See Syvachnykov, S.V., 2=21191
 Chal'yi, A.V. See Smirnov, A.A., 2=14990
 Chamalaun, F.H. and Creer, K.M. A revised Devonian pole for Britain, 3=16309
 Chamany, B. See Barkow, A.G., 1=7258
 Chamberlain, A.C., Eggleton, A.E.J., Megaw, W.J. and Morris, J.B. Behaviour of iodine vapour in air, 1=11635
 Chamberlain, A.C., Garner, R.J. and Williams, D. Environmental monitoring after accidental deposition of radioactivity, 2=3496
 Chamberlain, A.C. See Bryant, F.J., 0=7502
 Chamberlain, G.E., Smith, S.J. and Heddle, D.W.O. Excitation of the 2p state of hydrogen by electrons of near-threshold energy, 4=25524
 Chamberlain, G.E. and Zorn, J.C. Alkali polarizabilities by the atomic beam electrostatic deflection method, 3=6357
 Chamberlain, G.E. See Zorn, J.C., 3=10091
 Chamberlain, J. See Kench, J.R., 3=8908
 Chamberlain, J.E., Gibbs, J.E. and Gebbie, H.A. Refractometry in the far infra-red using a two-beam interferometer, 4=1703
 Chamberlain, J.E. See Pery-Thorne, A., 3=19943
 Chamberlain, J.R. Magnetocrystalline anisotropy and coercivity in a "square-loop" ferrite material, 1=20127
 Chamberlain, J.R. A temperature dependent relaxation in a square loop ferrite, 1=20128
 Chamberlain, J.W. Interplanetary gas. II. Expansion of a model solar corona, 0=6591
 Chamberlain, J.W. Recombination in the F2-layer and the oxygen red lines in the airglow, 0=21377
 Chamberlain, J.W. Interplanetary gas. III. A hydrodynamic model of the corona, 1=5157
 Chamberlain, J.W. On the polarization of the oxygen red line in aurorae, 1=11650
 Chamberlain, J.W. Theory of auroral bombardment, 1=21044
 Chamberlain, J.W. The energies in the spectra of the airglow and aurora, 2=907
 Chamberlain, J.W. Theory of auroral bombardment, 2=15254
 Chamberlain, J.W. Neutral and ionized interplanetary hydrogen, 2=15300
 Chamberlain, J.W. Ultraviolet emission in the aurora, 2=17187
 Chamberlain, J.W. Upper atmospheres of the planets, 3=3548
 Chamberlain, J.W. Theory of auroral bombardment: supplementary remarks, 3=6994
 Chamberlain, J.W. Upper atmosphere of Mars, 3=18604
 Chamberlain, J.W. Airglow and the physics of upper atmospheres, 4=13820
 Chamberlain, J.W. Dayglow spectra of the planets, 4=7977
 Chamberlain, J.W. Planetary coronae and atmospheric evaporation, 4=2399
 Chamberlain, J.W. Plasma instability as a mechanism for auroral bombardment, 4=7887
 Chamberlain, J.W., Hunten, D.M. and Mack, J.E. Resonance scattering by atmospheric sodium. IV. Abundance of sodium in twilight, 0=2029
 Chamberlain, J.W., Kern, J. and Vestine, E.H. Some consequences of local acceleration of auroral primaries, 1=1560
 Chamberlain, J.W. and Sagan, C. The origin of nitrogen ionization in the upper atmosphere, 1=6628
 Chamberlain, J.W. and Smith, C.A. On the excitation rates and intensities of OH in the airglow, 0=8414
 Chamberlain, J.W. and Sobouti, Y. Fluorescent scattering in planetary atmospheres. I. Basic theoretical considerations, 2=15310
 Chamberlain, J.W. and Thorson, H.M. The nightly variation of auroras at a subauroral station, 0=10436
 Chamberlain, J.W. See Brandt, J.C., 0=2030
 Chamberlain, J.W. See Brandt, J.C., 0=14398
 Chamberlain, J.W. See Roesler, F.L., 0=1494
 Chamberlain, J.W. See Rundle, H.N., 0=14287
 Chamberlain, J.W. See Wallace, L., 1=6639
 Chamberlain, L.L. See McLachlan, D.Jr., 1=10366
 Chamberlain, L.L. See McLachlan, D.Jr., 4=17378
 Chamberlain, O., Crowe, K.M., Keefe, D., Kerth, L.T., Lemonick, A., Tin Maung and Zipf, T.E. Measurement of total cross sections of K mesons in hydrogen and deuterium in the momentum region 630 to 1100 MeV/c, 2=7902
 Chamberlain, O., Jeffries, C.D., Schultz, C.H., Shapiro, G. and Van Rossum, L. Pion scattering from a polarized target, 4=9253
 Chamberlain, O. See Booth, N.E., 1=7262
 Chamberlain, O. See Elioff, T., 0=361
 Chamberlain, O. See Elioff, T., 3=586
 Chamberlain, O. See Foote, J.H., 0=5590
 Chamberlain, O. See Foote, J.H., 1=7279
 Chamberlain, O. See Foote, J.H., 1=7280
 Chamberlain, O. See Frankel, S., 2=13831
 Chamberlain, O. See Frankel, S., 3=7876
 Chamberlain, O. See Frankel, S., 3=10134
 Chamberlain, O. See Rogers, E.H., 1=16876
 Chamberlain, O. See Zipf, T.F., 4=16741
 Chamberlain, P.J. See Walker, P.M.B., 3=9595
 Chamberlin, G.J. See Judd, D.B., 2=15718
 Chamberlin, G.J. See Judd, D.B., 2=15719
 Chambers, B., Hofstadter, R., Marcum, A. and Yearian, M. Retractable low temperature targets for high energy physics experiments, 3=24531
 Chambers, B. See Wright, J.K., 1=18876
 Chambers, D.E. See Clarricoats, P.J.B., 4=3159
 Chambers, E.S. Secondary-electron yield on copper-beryllium for H^+ , H_2^+ , H^0 , H_2^0 , and H_3^0 , 4=8828
 Chambers, E.S. Power calorimetry of fast-particle beams, 4=8853
 Chambers, F.W. See Cole, H., 1=16473
 Chambers, F.W. See Cole, H., 2=10818
 Chambers, F.W. See Cole, H., 2=10823
 Chambers, F.W. See Cole, H., 3=23425
 Chambers, J.G., Datars, W.R. and Calvo, C. E.S.R. study of the crystallographic phases in $Zn_2P_2O_7$: Mn and $Zn_2P_2O_7$: Cu, 4=26572
 Chambers, L.G. The Hund gravitational equations and the expanding universe, 0=18600
 Chambers, L.G. The geometrical interpretation of Rayleigh's principle and Schwinger's variational principle, 0=18945
 Chambers, L.G. The steady universe with charge excess, 1=15408
 Chambers, L.G. An unsteady universe with excess of charge, 1=18003
 Chambers, L.G. Some applications of Schwinger's principle, 2=144
 Chambers, L.G. Space time in the Hund gravitational theory, 3=7098
 Chambers, L.G. A Lorentz-invariant universe with charge excess, 3=18589
 Chambers, L.G. Comparison of two generalizations of Maxwell's equations involving creation of charge, 4=3103
 Chambers, L.G. The Hund gravitational equations and the expanding universe, 4=8031
 Chambers, L.G. Provision for the [recession] law r/T in the steady-state theory through the action of a field, 4=30964
 Chambers, R.D. See Wright, J.K., 3=7530
 Chambers, R.G. Shift of an electron interference pattern by enclosed magnetic flux, 0=19760
 Chambers, R.G. Magnetoresistance, 1=17615
 Chambers, R.G. The inversion of specific heat curves, 2=570
 Chambers, R.G. Conference on Solid State Physics, Bristol, January 1964, 4=15394
 Chambers, R.G. and Jones, B.K. Measurement of the high-field Hall effect by an inductive method, 3=840
 Chambers, R.G. and Park, J.G. Measurement of electrical resistivity by a mutual inductance method, 1=16204

- Chambers, R.H. Thermally activated dislocation motion in f.c.c. and refractory b.c.c. metals, 3=18167
- Chambers, R.H. and Schultz, J. Low-temperature stress-relaxation peaks in plastically deformed polycrystalline niobium, 1=6446
- Chambers, R.H. and Schultz, J. Dislocation relaxation spectra of cold-worked body-centered cubic transition metals, 1=7821
- Chambers, R.H. and Schultz, J. Dislocation relaxation spectra in plastically deformed refractory b.c.c. metals, 2=21412
- Chambers, R.H. and Smoluchowski, R. Time-dependent internal friction in aluminium and magnesium single crystals, 0=4558
- Chambers, R.P. See Spencer, E.G., 2=10322
- Chambers, W.G. A note on the mathematical properties of the Boltzmann equation, 3=13996
- Chambers, W. G. Magnetic break-down in a simple model, 4=25878
- Chambré, P.L. Nonlinear heat transfer problem, 0=1052
- Chambré, P.L. On chemical reactions in free molecule flow, 0=3302
- Chambré, P.L. On chemical reactions in internal flow systems, 0=8297
- Chambré, P.L. and Grossman, L.M. On the time-dependent flux distribution of a fixed-fuel thermal nuclear reactor, 3=24998
- Chambre, P.L. See Selim, M.A., 2=4986
- Chambron, W., Dautreppe, D., Néel, L. and Paulevé, J. Irradiation with 1 MeV electrons of a Fe-Ni alloy (50-50 %), 3=3119
- Chaminade, R., Cros, M., Crut, M. and Papineau, A. A detecting system for scattering studies, 1=13207
- Chaminade, R., Cros, M., Papineau, A. and Saudinos, J. Detection system for particles analysed by a magnet, 2=3194
- Chaminade, R., Crut, M., Faraggi, H., Garreta, D., Saudinos, J. and Thirion, J. Excitation of the second level of Zn^{64} , Zn^{66} and Zn^{68} by inelastic scattering of α -particles, 2=494
- Chaminade, R., Crut, M., Faraggi, H., Garreta, D., Saudinos, J. and Thirion, J. Inelastic scattering of 43 MeV α -particles by medium weight nuclei, 2=1923
- Chaminade, R. See Beurtey, R., 0=4092
- Chaminade, R. See Beurtey, R., 1=9883
- Chaminade, R. See Beurtey, R., 1=13853
- Chaminade, R. See Beurtey, R., 3=10374
- Chaminade, R. See Beurtey, R., 4=3495
- Chaminade, R. See Beurtey, R., 4=19602
- Chaminade, R. See Saudinos, J., 1=7402
- Chaminade, R. See Saudinos, J., 1=7403
- Chaminade, R. See Saudinos, J., 1=13858
- Champeau, R.J. and Gerstenkorn, S. Hyperfine structure and nuclear magnetic moment of plutonium 239, 0=20589
- Champeau, R. J., Fred, M., Gerstenkorn, S. and Tomkins, F. S. Spectroscopic determination of the nuclear magnetic moment of Pu^{241} , 4=1214
- Champeix, R. Physics and techniques of electron tubes. Vol. I. Principles of vacuum technique, 2=5075
- Champeney, D.C., Isaak, G.R. and Khan, A.M. Measurement of relativistic time dilatation using the Mössbauer effect, 4=31
- Champeney, D. C., Isaak, G. R. and Khan, A. M. An Aether drift experiment based on the Mössbauer effect, 4=11043
- Champeney, D.C. and Moon, P.B. Absence of Doppler shift for gamma ray source and detector on same circular orbit, 1=5827
- Champeney, D.C. See Brewer, D.F., 2=9472
- Champier, G. Study of the scattering of X-rays by a lithium single crystal. I. Theory, 0=13983
- Champier, G. Study of the scattering of X-rays by a lithium single crystal. II. Results, 0=13984
- Champier, G., Genin, J. M., Janot, C. Dynamics of the graphite lattice, 4=6710
- Champier, G., Scherrer, S. and Toussaint, G. The vibration frequency spectrum of the beryllium lattice and of the magnesium lattice, 3=10578
- Champier, G. and Toussaint, G. Dynamics of the close-packed hexagonal lattice, 2=3818
- Champion, F.C. Diamond physics, 0=20714
- Champion, F.C. See Dean, P.J., 0=7918
- Champion, F.C. See Prior, J.R., 3=964
- Champion, J.A. The grid emitting properties of titanium, 0=7134
- Champion, J.A. Thermionic properties of thorium deposits on control grid materials, 0=7136
- Champion J.A. Surface state levels in silicon as revealed by the pulsed field effect technique, 2=12523
- Champion, J. A. The electrical conductivity of single-crystal alumina, 4=22703
- Champion, J.A. See Woods, J., 0=4356
- Champion, J.V. The measurement of flow anisotropy in pure liquids, 0=8811
- Champion, J.V. and Suddaby, A. Flow anisotropy and the boundary conditions in the molecular theory of liquids, 0=14618
- Champion, J.V. and Suddaby, A. A liquid friction constant form flow anisotropy, 3=21316
- Champion, K. P. and Whitem, R. N. Utilization of increased sensitivity of X-ray fluorescence spectrometry due to polarization of the background radiation, 4=4725
- Champion, K.W. and Minzner, R.A. Atmospheric densities from satellites and rocket observation, 1=6603
- Champion, K.S.W. and Minzner, R.A. Revision of United States standard atmosphere 90 to 700 kilometers, 3=16234
- Champion, K.S.W., Minzner, R.A. and Pond, H.L. Review of the A.R.D.C. Model Atmosphere, 1959, 2=11047
- Champion, K.S.W. See Zimmerman, S.P., 3=21048
- Champlin, K.S. Hall field relaxation in semiconductors at high frequency, 0=18007
- Champlin, K.S. On the influence of diffusion and surface recombination upon the G.R. noise spectrum of semiconductors, 1=8937
- Champlin, K.S. Microwave free carrier Faraday effect in semiconductors-perturbation theory for guided waves, 3=2875
- Champlin, K.S. Frequency dependence of high-frequency transport properties of cubic crystals, 3=12937
- Champlin, K. S., Armstrong, D. B. and Gunderson, P. D. Charge carrier inertia in semiconductors, 4=28541
- Champness, C.H. Magnetoresistance and Hall effect in oriented single crystal samples of n-type indium antimonide, 1=6159
- Champness, C.H. Investigations on the diffusion of minority carriers from a point on silicon, 1=8947
- Champness, C.H. High pulsed field magnetoresistance in indium antimonide and indium arsenide, 3=17887
- Champney, D.C. and Miller, C.A. Measurements of atomic velocity distributions in Hg and HgO by the nuclear resonant scattering of gamma rays, 0=6794
- Champy-Hatem, S. On the ultraviolet absorption of phthalimide and of thalidomide in alkaline environment, 4=9759
- Champy-Hatem, S. On a peculiarity of the [ultra-violet] spectrum of imidazole observed in presence of electro-philic substances, 4=15370
- Chain, S.I. and Das, T.P. Simple evaluation of the paramagnetic part of the proton magnetic shielding constant, 2=22938
- Chan, C.-H. Spin of the K' , 1=7283
- Chan, C.H. Double pion production in $K-\pi$ collisions 1=16891
- Chan, C.H. On decay probabilities of ρ , ω and K particles, 2=16237
- Chan, C.H. On the non-shrinking π -p diffraction peak near 10 GeV, 3=22185
- Chan, C.H. Annihilation production $p + \bar{p} \rightarrow \Lambda + \bar{\Lambda}$, 4=9198
- Chan, C.H. Boson decay probabilities and unitary symmetry, 4=15008
- Chan, C.H. See Itzykson, C., 4=16810
- Chan, H. H. and Razavy, M. Plane-wave approximation for the scattering amplitude, 4=21780
- Chan Hong-Mo. On the Edwards-Matthews approach to π -N scattering, 1=4808
- Chan Hong-Mo. The Reimann surface of the scattering amplitude, 1=13342
- Chan Hong-Mo. New class of kinematic branch points for n-line graphs, 2=7817
- Chan Hong-Mo. Kinematic branch points of n-particle reaction amplitudes, 2=11896
- Chan Hong-mo. Real unitary representation of the many-channel S matrix for complex l and E , 3=21245
- Chan, H.-M., DeCelles, P. C. and Paton, J. E. Symmetry from bootstrap mechanism, 4=9101
- Chan, Hong-Mo, DeCelles, P. C. and Paton, J. E. Resonances in the scattering of pseudoscalar mesons, 4=25030
- Chan Hong-Mo and Valatin, J.G. On the density field description of a boson system, 1=5217
- Chan, K.L., Kanellakos, D.P. and Villard, O.G., Jr. Correlation of short-period fluctuations of the earth's magnetic field and instantaneous frequency measurements, 2=19262
- Chan, K.L. and Villard, O.G., Jr. Observation of large-scale travelling ionospheric disturbances by spaced-path high-frequency instantaneous-frequency measurements, 2=13029
- Chan, K. L. and Villard, O. G., Jr. Sudden frequency deviations induced by solar flares, 4=2270

- Chan, K.L. See Kanellakos, D.P., 2=17161
- Chan, K.S. and Rushton, K.R. The simulation of boundary conditions in heat conduction problems in a resistance-capacitance electrical analogue, 4=27351
- Chan, L. See Ayres, R., 2=5787
- Chan Lin-Yan'. See Van Gan-Chan, 1=16902
- Chan, P. See Müller, K.A., 4=26723
- Chan Shan-fou, Chen Shih-kang and Chiang Yu-min. Analytical atomic wave functions of In and Sb, 3=25051
- Chan, S.I., Ikenberry, D. and Das, T.P. Vibrational and centrifugal effects on the magnetic susceptibility and rotational magnetic moment of the hydrogen molecule, 4=28191
- Chan, S.I., Ikenberry, D. and Das, T.P. Remarks on the determination of electric dipole moments from rotational magnetic moments. The dipole moment of hydrogen fluoride, 4=30435
- Chan, S.I. and Stelman, D. Some energy levels and matrix elements of the quartic oscillator, 3=14030
- Chan, S.I. and Stelman, D. Oscillators perturbed by Gaussian barriers, 3=22523
- Chan, S.I., Zinn, J., Fernandez, J. and Gwinn, W.D. Trimethylene oxide. I. Microwave spectrum, dipole moment, and double minimum vibration, 1=2322
- Chan, S.I., Zinn, J. and Gwinn, W.D. Double minimum vibration in trimethylene oxide, 0=17756
- Chan, S.I., Zinn, J. and Gwinn, W.D. Trimethylene oxide. II. Structure, vibration-rotation interaction, and origin of potential function for ring-puckering motion, 1=7500
- Chan, S.I. See Pitts, J.N., Jr., 3=25833
- Chan, S.I. See Pitts, J.N., Jr., 4=22431
- Chan, Y.W., Ewbank, W.B., Nierenberg, W.A. and Shugart, H.A. Nuclear spin of 9.5 hour $\text{Au}^{196\text{m}}$, 2=18241
- Chanaud, R.C. Experiments concerning the vortex whistle, 3=18916
- Chanaud, R.C. and Powell, A. Experiments concerning the sound-sensitive jet, 2=17424
- Chance, B. Electron transfer in biological systems, 0=6490
- Chance, B., Legallais, V. and Schoener, B. Combined fluorometer and double-beam spectrophotometer for reflectance measurements, 4=7800
- Chance, D.A. and Nobe, K. Effect of illumination on the electrode potential of copper single crystals in water, 3=18451
- Chand, P. and Agarwal, B.K. Capture rates of negative muons by nuclei, 2=13836
- Chand, R. K^- -deuterium interactions, 3=19696
- Chand, R. K^- -nucleon interactions and the possibility of Y_0^* -resonance as a bound state of the $\text{K}-\text{N}$ system, 4=950
- Chand, R. K^- -nucleon interactions and Y_1^* -resonance, 4=9279
- Chand, R. K^- -proton, K_2^0 -proton, K^- -deuterium scattering and absorption processes, and 1405 MeV Y_0^* -resonance, 4=12061
- Chand, R. Λ -nucleon scattering in K^- -deuterium capture reactions at rest, 4=12066
- Chand, R. K^- -nucleon interactions, 4=21935
- Chand, R. Variational calculations on K^- -deuterium elastic scattering, 4=21940
- Chand, R. s-wave K^- -nucleon interactions, 4=25184
- Chand, R. and Dalitz, R.H. Charge independence in K^- -deuterium capture reactions, 3=608
- Chanda, R., Clarkson, J. and Sheline, R.K. New regions of nuclear deformation, 4=22038
- Chanda, R.N. See Sheline, R.K., 2=5797
- Chander, J. Ionization of atomic and molecular beams with a plasma ion source, 2=11614
- Chandler, D.A. See Prakash, Y., 1=13636
- Chandler, H.W. See Odian, G., 3=8959
- Chandler, K.N. On the effects of small errors in the angles of corner-cube reflectors, 0=3602
- Chandra, A.K. Spectral shift in alkyl-phenols, 1=1'018
- Chandra, A.K. Self-consistent field calculation with core approximation on BeH^+ , 2=6214
- Chandra, A.K. Theoretical study of ammonia and phosphine, 3=25112
- Chandra, G. Studies with scintillation coincidence spectrometer: Se^{75} and Sb^{125} , 0=2653
- Chandra, G. Studies with scintillation coincidence spectrometer: Cs^{134} , 0=2657
- Chandra, G. Measurement of half-lives of the 570 keV level of ^{207}Pb and 2083 keV and 2412 keV levels of ^{140}Ce , 4=9459
- Chandra, G. and Pandharipande, V.R. Energy levels of Te^{126} , 3=19784
- Chandra, G. See Klimontovskaya, M.V., 0=11377
- Chandra, G. See Sorokin, A.A., 2=14066
- Chandra, K. Near ultraviolet absorption spectrum of p-bromophenol, 4=22337
- Chandra, K. See Gavin, M.R., 3=9876
- Chandra, K. See Gavin, M.R., 3=12253
- Chandra, R. and Nanda, V.S. Thermodynamics of He^3 and He^4 solutions above the λ temperature of pure He^4 , 3=19089
- Chandra, R. and Nanda, V.S. Thermodynamic properties of He^3 and He^4 solutions. II. Temperatures above the superfluid transition in solution, 4=11444
- Chandra, S. Electron density distribution in the upper F region, 3=18542
- Chandra, S. Plasma diffusion in the ionosphere, 4=10756
- Chandra, S., Gibbons, J.J. and Schmerling, E.R. Vertical transport of electrons in the F region of the ionosphere, 0=14236
- Chandra, S. See Krishnaji, 2=14340
- Chandra, S. See Krishnaji, 3=8279
- Chandra, S. See Krishnaji, 3=12841
- Chandra, S. See Krishnaji, 3=17621
- Chandra, S. See Krishnaji, 4=25678
- Chandrakar, K.R. See Jatar, D.P., 3=12084
- Chandramouli, V.V. and Laddha, G.S. Viscosity of ternary liquid mixtures, 3=23841
- Chandrasekar, S. Hydrodynamic and hydromagnetic stability, 3=9417
- Chandrasekaran, K.S. Perfect polarisation of X-rays by crystal reflection, 0=3190
- Chandrasekaran, K.S. Study of perfection of crystals using polarized X-rays, 0=4615
- Chandrasekaran, K.S. Monitors for diffractometer X-ray beams, 2=813
- Chandrasekhar, B.S. The Seebeck coefficient of bismuth single crystals, 0=11734
- Chandrasekhar, B.S. Spark cutting of metal crystals, 1=11669
- Chandrasekhar, B.S. A note of the maximum critical field of high-field superconductors, 3=1890
- Chandrasekhar, B.S. A note on the possibility of observing De Haas-Van Alphen oscillations in magnetostriction, 4=1824
- Chandrasekhar, B.S. and Bardeen, J.M. The paramagnetic susceptibilities of some uranium-molybdenum alloys between 100°K and 300°K, 2=6657
- Chandrasekhar, B.S. and Flinn, P.A. Electron cloud annealing furnace, 3=5136
- Chandrasekhar, B.S., Gauster, W.F. and Hulm, J.K. Degradation factor and diamagnetic currents in superconductors, 4=3093
- Chandrasekhar, B.S. and Hulm, J.K. Current-carrying capacity of high field superconducting solenoids, 3=16881
- Chandrasekhar, B.S., Hulm, J.K. and Jones, C.K. The temperature dependence of the upper critical field in some niobium solid solution alloys, 3=19119
- Chandrasekhar, B.S. and Rayne, J.A. Limiting value of Debye temperature for superconducting and normal indium from low-temperature elastic constants, 1=2923
- Chandrasekhar, B.S. and Rayne, J.A. Elastic constants of indium from 1.4° to 300°K, 1=20295
- Chandrasekhar, B.S., Walker, M.S., Riemersma, H. and Werner, F.E. The high field superconductivity of niobium-zirconium alloys, 4=16363
- Chandrasekhar, B.S. See Blaughner, R.D., 2=7520
- Chandrasekhar, B.S. See Castle, J.G., Jr., 1=9995
- Chandrasekhar, B.S. See Gallo, C.F., 3=10808
- Chandrasekhar, B.S. See Green, B.A., Jr., 4=7251
- Chandrasekhar, B.S. See Hulm, J.K., 4=19158
- Chandrasekhar, B.S. See Lubell, M.S., 4=405
- Chandrasekhar, B.S. See Lubell, M.S., 4=11477
- Chandrasekhar, B.S. See Lubell, M.S., 4=24784
- Chandrasekhar, B.S. See Rayne, J.A., 1=1293
- Chandrasekhar, B.S. See Rayne, J.A., 1=10203
- Chandrasekhar, B.S. See Rayne, J.A., 2=10355
- Chandrasekhar, B.S. See Riemersma, H., 3=3971
- Chandrasekhar, B.S. See Riemersma, H., 4=16619
- Chandrasekhar, S. Extinction in X-ray crystallography, 1=11555
- Chandrasekhar, S. An experimental method of correcting for extinction in crystals, 1=15039
- Chandrasekhar, S. Optical rotatory dispersion of crystals, 1=16122
- Chandrasekhar, S. A theorem on rotating polytropes, 1=17993
- Chandrasekhar, S. On the point of bifurcation along the sequence of the Jacobi ellipsoids, 3=1594
- Chandrasekhar, S. The optical rotatory dispersion of quartz, 0=2257

- Chandrasekhar, S. The hydrodynamic stability of inviscid flow between coaxial cylinders, 0=4995
- Chandrasekhar, S. The hydrodynamic stability of viscous flow between coaxial cylinders, 0=4996
- Chandrasekhar, S. The stability of non-dissipative Couette flow in hydromagnetics, 0=7025
- Chandrasekhar, S. Magnetohydrodynamics, 0=17078
- Chandrasekhar, S. The points of bifurcation along the Maclaurin, the Jacobi, and the Jeans sequences, 3=16684
- Chandrasekhar, S. Dynamical instability of gaseous masses approaching the Schwarzschild limit in general relativity, 4=15902
- Chandrasekhar, S. The equilibrium and the stability of the Roche ellipsoids, 4=10782
- Chandrasekhar, S. A general variational principle governing the radial and the nonradial oscillations of gaseous masses, 4=10781
- Chandrasekhar, S. A general variational principle governing the radial and the non-radial oscillations of gaseous masses, 4=17971
- Chandrasekhar, S. Correction for extinction errors in crystal structure analysis, 4=23379
- Chandrasekhar, S. Propagation of elastic waves in liquid crystals, 4=24144
- Chandrasekhar, S. The dynamical instability of gaseous masses approaching the Schwarzschild limit in general relativity, 4=29357
- Chandrasekhar, S. The equilibrium and the stability of the Darwin ellipsoids, 4=29359
- Chandrasekhar, S. and Contopoulos, G. The virial theorem in general relativity in the post-Newtonian approximation, 3=18720
- Chandrasekhar, S. and Elbert, D.D. The stability of viscous flow between rotating cylinders in the presence of a magnetic field. II, 1=16527
- Chandrasekhar, S. and Elbert, D.D. The stability of viscous flow between rotating cylinders. II, 2=15538
- Chandrasekhar, S., Elbert, D.D. and Lebovitz, N.R. The stability of viscous flow in a curved channel in the presence of a magnetic field, 1=18999
- Chandrasekhar, S. and Lebovitz, N.R. On super-potentials in the theory of Newtonian gravitation, 2=2604
- Chandrasekhar, S. and Lebovitz, N.R. On the oscillations and the stability of rotating gaseous masses, 2=4794
- Chandrasekhar, S. and Lebovitz, N.R. On superpotentials in the theory of Newtonian gravitation. II. Tensors of higher rank, 3=1592
- Chandrasekhar, S. and Lebovitz, N.R. The potentials and the super-potentials of homogeneous ellipsoids, 3=1593
- Chandrasekhar, S. and Lebovitz, N.R. On the oscillations and the stability of rotating gaseous masses. II. The homogeneous, compressible model, 3=3591
- Chandrasekhar, S. and Lebovitz, N.R. On the oscillations and the stability of rotating gaseous masses. III. The distorted polytropes, 3=3592
- Chandrasekhar, S. and Lebovitz, N.R. On the occurrence of multiple frequencies and beats in the β Canis Majoris stars, 3=3593
- Chandrasekhar, S. and Lebovitz, N.R. On the stability of the Jacobi ellipsoids, 3=16681
- Chandrasekhar, S. and Lebovitz, N.R. On the oscillations of the Maclaurin spheroid belonging to the third harmonics, 3=16682
- Chandrasekhar, S. and Lebovitz, N.R. The equilibrium and the stability of the Jeans spheroids, 3=16683
- Chandrasekhar, S. and Lebovitz, N.R. Non-radial oscillations and convective instability of gaseous masses, 3=25968
- Chandrasekhar, S. and Lee, L. The stability of spiral flow between rotating cylinders. Appendix, 2=2684
- Chandrasekhar, S. and Phillips, D.C. Correction for extinction errors in crystal structure analysis, 1=15040
- Chandrasekhar, S. and Roberts, P.H. The ellipticity of a slowly rotating configuration, 4=4733
- Chandrasekhar, S. and Tooper, R.F. The dynamical instability of the white-dwarf configurations approaching the limiting mass, 4=26897
- Chandrasekhar, S. and Wright, J.P. The geodesics in Gödel's universe, 1=9311
- Chandrasekhar, S. See Horak, H.G., 1=12830
- Chandrasekhar, V. See Bashforth, G.R., 2=17032
- Chandrasekhara Swamy, N.V. Similarity conditions for pseudo-plastic fluid flow, 4=8137
- Chandrasekharaiah, M.S. Dissociation energies of alkaline earth oxides, 4=30483
- Chandrasekharan, V. Scattering matrix for Raman effect in cubic crystals, 3=23059
- Chandrasekharan, V., Rajagopal, E.S. and Krishnan, R.S. Wave-forms of the lattice vibrations of diamond, 1=17398
- Chandrasekharan, V. See Ch'en Shang-Yi., 1=8813
- Chandrasekharan, V. See Krishnan, R.S., 1=6442
- Chandrasekharan, V. See Krishnan, R.S., 1=14845
- Chandrasekharan, V. See Roncin, J.Y., 4=7160
- Chandrasekharan, V. See Roncin, J.Y., 4=17581
- Chandrasekhar Aiya, S.V. Measurement and description of the characteristics of atmospheric radio noise, 0=21399
- Chandrasekhar Aiya, S.V. A lattice model analysis of the Esaki junction characteristics, 3=2938
- Chandrasekhar Aiya, S.V. and Sonde, B.S. Number of cells developed during the lifetime of a thunderstorm, 4=23746
- Chandrasekhar Aiya, S.V. and Khot, C.G. Atmospheric noise interference in the standard broadcast band at Poona, 0=21397
- Chandrasekhar Aiya, S.V., Phadke, K.R., Padmanabhan, S.C. and Sane, C.K. Atmospheric radio noise levels at Poona in the 2.5-20 Mc/s band, 0=21398
- Chandrasekhar, K. Einstein's connections in nonholonomic frame, 4=21033
- Chandrasekhara, K. See Iyengar, K.T.S.R., 2=21857
- Chandratreya, P.V. See Tawde, N.R., 1=14060
- Chandratreya, V.M. See Bhide, V.G., 1=6503
- Chandross, R.J. and Shoemaker, D.P. Atomic magnetic moments in B2 transition alloys I. Alloy VFe, 3=1105
- Chandy, K.C. Orientation of cetyl alcohol in a high d.c. field in relation to Gross's theory of the electret, 2=14644
- Chang, C.C. Magnetohydrodynamic method of injecting charged particles into a magnetic field, 2=7727
- Chang, C.C. Outer Van Allen belts and neutral points on interface between solar wind and geomagnetic field, 2=17211
- Chang, C.C. and Lundgren, T.S. Reply to comments by W.S. Lewellen, 3=7688
- Chang, C.C. and Lundgren, T.S. Flow of an incompressible fluid in a hydromagnetic capacitor, 0=1199
- Chang, C.C. and Lundgren, T.S. Airfoil in a sonic shear flow jet: a mixed boundary value problem for the generalized Tricomi equation, 0=3552
- Chang, C.C. and Lundgren, T.S. Duct flow in magnetohydrodynamics, 2=5463
- Chang, C.C. and Ramanaiah, P. Unified rheological relation of non-Newtonian fluids, 1=11739
- Chang, C.C. and Whang, Y.C. Structures of magneto-hydrodynamic detonation waves, 3=4254
- Chang, C.C. and Yen, J.T. Magnetohydrodynamic channel flow is influenced by wall conductance, 2=20129
- Chang, C.C. See Lundgren, T.S., 1=12008
- Chang, C.C. See Lundgren, T.S., 2=17822
- Chang, C.C. See Whang, Y.C., 2=5344
- Chang, C.C. See Yen, J.T., 1=19003
- Chang Ch'ung-hua. See Chzhan Chun-khua.
- Chang, C.J. Alternative derivation of Møller's energy-momentum pseudotensor in a gravitational field, 4=18043
- Chang Chih-ming. See Chzhan Dzhi-min.
- Chang, C.J. Some generalizations of the Einstein-Fauli theorem, 4=18042
- Chang, C.T. Dynamic instability of accelerated fluids, 0=920
- Chang, C.T. Shock wave phenomena in coaxial plasma guns, 1=11777
- Chang, C.T. On the dissociation of hydrogen behind a magnetically driven shock, 4=18348
- Chang, C.T., Hansen, G.S. and Popović, M. Some experimental studies of collisions of magnetically driven shocks, 4=18829
- Chang Ching-yeh. See Tuan I-shih, 3=23751
- Chang Ching-Ying. See Tseng Chin-Yuen, 0=13117
- Chang, D.B. Amplified whistlers as the source of Jupiter's sporadic decimeter radiation, 4=10911
- Chang, D.B. and Davis, L., Jr. Synchrotron radiation as the source of Jupiter's polarized decimeter radiation, 3=3620
- Chang, D.B. Bremsstrahlung from a plasma, 3=5682
- Chang, D.B. Plasma correction to single-particle cyclotron radiation, 3=7607
- Chang, D.B. See Davis, L., Jr., 2=19255
- Chang, E. See Grønvold, F., 1=19717
- Chang, F.C. Formation of alpha clusters in even-even nuclei, 1=8562
- Chang, F.C. Alpha decay of even-even nuclei, 4=15181
- Chang, F.S.C. Theory of cohesive peeling of adhesive joints, 0=3163
- Chang, G.K. and Jones, R.E. Low-temperature thermal conductivity of amorphous solids, 2=16615

- Chang, G.K., Jones, R.E. and Toxen, A.M. Thermal conductivity of dilute indium-mercury superconducting alloys, 2=7510
- Chang, G.K., Kinsell, T. and Serin, B. Magnetic transition of a superconducting film in a transverse field, 3=19124
- Chang, G.K. See Serin, B., 4=16336
- Chang, G.K. See Toxen, A.M., 2=11561
- Chang, H. Fields external to open-structure magnetic devices represented by ellipsoid or spheroid, 1=5529
- Chang, H., Yelon, A. and Voegeli, O. Internal field, dispersion, creeping, and switching speed of coupled films, 3=15844
- Chang, H. See Shevel, W.L. Jr., 0=10169
- Chang Hua. Theory of excitation of n-alkenes and problems of intramolecular energy, 4=28234
- Chang Huang-ch'ao. See Chzhan Kuan-chao.
- Chang Huang-Ch'üeh. See Ang Wang-Shou, 3=20819
- Chang, I. On the Wall effect correction of the Stokes drag formula for axially symmetric bodies moving inside a cylindrical tube, 1=18362
- Chang, I. C. See Harris, S. E., 4=29736
- Chang, I.-D. On a singular perturbation problem in magnetohydrodynamics, 4=5784
- Chang, I.Y. See Ferguson, E.E., 1=6015
- Chang Jên-ho. Sound field of a plane radiator, 4=18355
- Chang, J. J. Concentration-dependent diffusion of boron and phosphorus in silicon, 4=9993
- Chang, J. T., Gianola, U. F. and Sagal, M. W. Aging and stabilization of electrodeposited cylindrical magnetic thin films, 4=13212
- Chang, K.K.N. Theory of a negative-resistance transmission line amplifier with distributed noise generators, 0=9200
- Chang, K.K.N. Tunnel diodes for low-noise microwave amplification and frequency conversion, 3=6610
- Chang, K.K.N. and Hughes, R.D. High-field study of a Hall-effect microwave converter, 3=10864
- Chang, Kai-i. A study of lattice vibration by Mössbauer effect, 4=25839
- Chang k'ai-ta. See Chzhan Kai-da.
- Chang K'ai-ta. See Galkina, O.S., 2=3985
- Chang King-long. See In Tao-lo, 4=17429
- Chang Kuang-Chüan. See Chzhan Guan-Tszyuan'
- Chang Kuang-ti. See Hsu Shao-hung, 4=4289
- Chang Kuang-yin. See Chzhan Guan-in, 2=17621
- Chang Kuang-yin. See Chzhan Guan-in, 2=16808
- Chang Kuang-yin. See Chzhan Guan-in, 2=19707
- Chang Kuang-yin. See Chzhan Guan-in, 2=21232
- Chang Kuan'yin. See Gross, E.F., 2=12582
- Chang Kuan'yin. See Gross, E.F., 2=14654
- Chang, L. L. and Casey, H. C., Jr. Diffusion and solubility of zinc in indium phosphide, 4=22619
- Chang, L. L. and Pearson, G. L. Diffusion mechanism of Zn in GaAs and GaP based on isoconcentration diffusion experiments, 4=22617
- Chang, L. L. and Pearson, G. L. Diffusion and solubility of zinc in gallium phosphide single crystals, 4=12790
- Chang, L. L. and Pearson, G. L. The solubilities and distribution coefficients of Zn in GaAs and GaP, 4=13458
- Chang Li-ning, An In, Chen Ting-gin and Dai Yuan-beng. Four body decay of π in a composite model, 3=24799
- Chang Li-Ning and Dai Yuan-Beng. The radiative capture of μ -meson by nucleus, 3=17487
- Chang, N. C. Simple method of quantum-efficiency measurement, 4=7171
- Chang, N. C. Fluorescence and stimulated emission from trivalent europium in yttrium oxide, 4=7181
- Chang, N.P. Radiative corrections to $K \rightarrow e\nu$ and $K \rightarrow \mu\nu$ decays, 3=4453
- Chang, N. P. On a generalized $|\Delta I| = \frac{1}{2}$ rule in nonleptonic hyperon decays, 4=21941
- Chang, N. P. and Manib, H. S. Possible effects of strong interactions in Feinberg-Pais theory of weak interactions. II, 4=19417
- Chang Nai-sen. See Chzhan Nai-sen, 2=22581
- Chang Nai-sên. See Syui Guin-chan, 1=19265
- Chang Ngee-Pong. Possible effects of strong interactions in the Feinberg-Pais theory of weak interactions, 4=11915
- Chang Ngee-Pong and Woo Ching-Hung. Zero-mass leptonic decays of W bosons, 4=5938
- Chang Pei-Huan. The spectroscopic estimation of boron in silicon, 1=19864
- Chang, P.K. Separation of flow, 2=4979
- Chang, R. Creep of Al_2O_3 single crystals, 0=8120
- Chang, R. Dislocation relaxation phenomena in oxide crystals, 1=11204
- Chang, R. Phase transformation, twinning and anelastic phenomenon associated with zirconium dihydride, 1=14939
- Chang, R. Flow and recovery properties of nearly stoichiometric polycrystalline uranium carbide and mechanism of work hardening of crystalline solids, 2=6742
- Chang, R. The dilational strain field associated with edge dislocations and edge dislocation walls based on anisotropic elasticity, 3=792
- Chang, R. Electrical resistivity changes of Al_2O_3 crystals during creep, 3=17868
- Chang, R. Dislocation interactions and the mechanical properties of solids, 4=22581
- Chang, R. Perturbation of the V_2 -band in Ca-doped KCl from plastic and elastic deformation, 4=20318
- Chang, R. and Graham, L. J. The elastic interaction between dislocations and defects associated with calcium impurities in sodium chloride, 4=22571
- Chang, R. Mechanical relaxation associated with paired point defects in cubic lattices of O_h point group symmetry, 4=30748
- Chang, R. See Graham, L.J., 3=25599
- Chang, R. See Pratt, P. L., 4=4486
- Chang Run-Hwa. See Evseev, V.S., 4=3684
- Chang, S.-S. and Westrum, E.F., Jr. Thermal properties based upon heat capacity and decomposition pressure of tetramethylammonium hydrogen dichloride. Nature of the hydrogen bond in the $[Cl-H-Cl]^+$ ion, 2=14303
- Chang, S.-S. and Westrum, E.F., Jr. Heat capacities and thermodynamic properties of two tetramethylammonium halides, 2=14381
- Chang, S.S. See Bestul, A.B., 4=27375
- Chang, S.S. See Pugh, H.L.D., 3=15991
- Chang Shih-Chun. The second resonance in π -N elastic scattering, 4=19564
- Chang Siang-k'uei. Dependence on chromium concentration of the width and peak intensity of the e.p.r. absorption line of the Cr^{3+} ion in Al_2O_3 , 4=26385
- Chang Sung-hua. The effect of anharmonic terms in the oscillatory motion of spherical nuclei, 4=19658
- Chang S. Y., Ho, T. C. and Tai, L. C. Rolling textures in cubically aligned nickel-iron, 4=26698
- Chang, T. J. See Zheng, S.M., 4=9893
- Chang, T.S. Configurational partition function of solid solutions, 0=4689
- Chang, T.S. A simplified proof of dispersive relations, 0=11112
- Chang, T.S. Remarks on Chew-Low equations, 0=11114
- Chang, T.S. Regular solid solutions with molecules occupying several sites, 0=12082
- Chang, T.S. Integral representations of commutators, 3=16535
- Chang, T.S. Analyticity of perturbation expansions, 3=17185
- Chang, T.S. Analyticity of perturbation expansions, 3=24665
- Chang, T. S. Asymptotic behaviour of a ladder, 4=25023
- Chang, T.T. and Tanttila, W.H. Paramagnetic resonance of Mn^{2+} in LiF , 3=13303
- Chang, T. T., Tanttila, W.H. and Wells, J.S. Magnetic resonance of Mn^{2+} -doped LiF crystals, 4=4410
- Chang, Ting-yeh. See Chzhan, Din-e, 4=8044
- Chang Tsung. See Chzhan-Tszun.
- Chang Tsung. See Chzhan Tszun, 1=20125
- Chang Tsung. See Smolenskii, G.A., 2=2289
- Chang Tsung. See Smolenskii, G.A., 3=6723
- Chang, W.Y. Jets induced in emulsions and cloud chambers by cosmic-ray particles of energy 10^{11} - 10^{14} eV, 3=17365
- Chang Wan-chu. See Chzhan Van'-chzhu.
- Chang, W.S.C. and Burgess, J.Q. Optical Faraday rotation and microwave interactions in paramagnetic salts, 2=14651
- Chang, W.S.C., Cromack, J. and Siegman, A.E. Cavity maser experiments using ruby at S-band, 0=2434
- Chang, W.S.C. See Angulo, C.M., 0=5411
- Chang, W.S.C. See Williams, R.A., 4=8927
- Chang Wên-yü. See Chzhan Wên-yui.
- Chang, Y.F. Switch-on transients in p-n junctions, 3=17903
- Chang, Y. F. and Thompson, H. W., Jr. Abrupt versus diffused semiconductor junctions, 4=4178
- Chang Yi-Jue, Ts'ao Hsiao-Weng and Kuang Wei-yen. The effect of the decomposition of a Pb-Sb alloy on its normal-superconducting transition characteristics, 4=29836
- Chang Yi-shang. See Chen Shih-kang, 3=25230
- Chang Ying. See Hsiao Jên-hsi, 4=3715
- Chang Yuan-Lung. The growth of NaCl crystals from the sublimed vapour, 0=711

- Chang Yuan-Lung. A combination of X-ray precession camera with two-circle goniometer, 0=3197
- Chang Yuan-Lung. Universal gnomonic protractors for transmission back-reflection Laue photographs, 0=4605
- Chang Yuan-Lung. On the growth of NaCl from the sublimed vapor, 0=4596
- Chang Yuan-Lung. Extension of the reciprocal lattice record by the composite precession photograph, 0=10297
- Chang, Z. C. See Hwa, C. Y., 4=250
- Change, P.K. Analytical study of a forward moving annular jet, 2=19593
- Chanin, L.M. Temperature variation of ionic mobilities in hydrogen, 1=10673
- Chanin, L.M., Phelps, A.V. and Biondi, M.A. Measurements of the attachment of low-energy electrons to oxygen molecules, 3=362
- Chanin, L.M. and Rork, G.D. Experimental determinations of the first Townsend ionization coefficient in helium, 4=8618
- Chanin, L.M. and Rork, G.D. Measurements of the first Townsend ionization coefficient in neon and hydrogen, 4=5555
- Chanin, L. M. and Rork, G. D. Measurements of the first Townsend ionization coefficient in neon and hydrogen, 4=24587
- Chanin, L. M. and Rork, G. D. Primary ionization coefficient measurements in Penning mixtures, 4=21462
- Chanin, L. M. and Steen, R. D. Mobilities of cesium ions in cesium, 4=5562
- Chanin, L. M. and Steen, R. D. Drift velocities of electrons in cesium, 4=29874
- Chanin, L.M. See Biondi, M.A., 1=7228
- Chanishvili, G.V. See Bablidze, R.A., 4=16315
- Channapragada, R. and Rose, W. Capillary pressure and surface discontinuity in porous media, 1=15823
- Chanorasekhar, B.S. See Jones, C.K., 4=18617
- Chantepie, M. See Barrat, J.P., 4=17249
- Chanter, J.B. See Farnell, G.C., 1=16125
- Chanter, J.B. See Farnell, G.C., 3=14383
- Chantreau, J. Calculation of the trajectories of ions in an ion source of the Nier type, in the presence of an auxiliary magnetic field, 1=8359
- Chantreau, J. See Vauthier, R., 1=3013
- Chantrel, H. Research on the hyperfine structure of atomic spectra and on the fine structure of helium, using a Fabry-Perot spectrometer with one or two etalons, 0=5879
- Chantrel, H. A double etalon with pressure scanning, 0=16843
- Chantrel, H., Cojan, J. L. and Giacomo, P. Multilayer dielectric reflecting films for the ultraviolet. Interference measurements on the structure of the mercury resonance line. ($\lambda = 2537\text{\AA}$), 4=24376
- Chantrel, H. See Brochard, J., 0=7694
- Chantrel, H. See Brochard, J., 0=9766
- Chantret, F. Use of a monochromator in a particular case of optical orientation, 3=3897
- Chantret, F. See Bariand, P., 4=2075
- Chantry, G.W. Temperature dependence of Raman intensities, 0=4206
- Chantry, G.W. and Ewing, V.C. The molecular vibrations of sulphur hexafluoride and sulphur tetrafluoride, 2=16533
- Chantry, G.W., Horsfield, A., Morton, J.R., Rowlands, J.R., and Whiffen, D.H. The optical and electron resonance spectra of SO_3 , 2=16565
- Chantry, G.W., Horsfield, A., Morton, J.R. and Whiffen, D.H. The structure, electron resonance and optical spectra of trapped CO_2^- and NO_3^- , 3=6418
- Chantry, G.W. and Plane, R.A. Raman intensities of the A_1 lines of oxyanions, 0=4208
- Chantry, G.W. and Plane, R.A. CN stretching bands in the Raman spectra of some group Ib and group IIb complex cyanides, 0=16706
- Chantry, G.W. and Plane, R.A. Bond polarizability components, 0=17789
- Chantry, G.W. and Plane, R.A. Raman intensities and the structure of some oxyanions of group VII, 1=7474
- Chantry, G.W. and Plane, R.A. Nature of the metal-ligand bond in some complex cyanides from a study of Raman intensities, 1=17333
- Chantry, G.W. and Whiffen, D.H. Electronic absorption spectra of CO_2^- trapped in γ -irradiated crystalline sodium format, 2=10603
- Chantry, P. J. Afterglow measurements in xenon and xenon-water vapour mixtures, 4=24599
- Chantry, P. J. and Schulz, G. J. Interpretation of experiments on dissociative attachment or ionization of molecules, 4=21454
- Chantry, P.J., Wharmby, J.S. and Hasted, J.B. Attachment in oxygen and oxygen-nitrogen mixtures, 3=4009
- Chanturya, G. F. See Askar'yan, G. A., 4=2895
- Chanu, J. and Mousselin, L. The indirect measurement of the temperature gradient by interferometry in a cell with a vertical gradient, 2=7440
- Chanu, J. and Mousselin, L. Remark on the choice of diffusion currents in electrochemical systems, 4=13728
- Chanu, J., Mousselin, L. and Parra, F. Interferometric method for measurement of weak variations in the index gradient of liquids, 2=17592
- Chanu, J. and Parra, F. Principle of a method of studying the Soret effect by photoelectric recording of the variation of the refractive index of electrolytic solutions, 0=8664
- Chanyshev, S.M. and Zgaevskii, V.E. The temperature dependence of the chemical potential of a semi-conductor, 1=12448
- Chao, B.T. Motion of spherical gas bubbles in a viscous liquid at large Reynolds numbers, 2=1120
- Chao, B.T. A note on conduction of heat in anisotropic media, 4=11387
- Chao, B.T. See Azer, N.Z., 1=18645
- Chao, B.T. See Azer, M.Z., 2=5202
- Chao, B.T. See Min, K., 3=16184
- Chao, C.C., Luo, H.L. and Duwez, P. CsCl-type compounds in binary alloys of rare-earth metals with gold and silver, 3=18336
- Chao, C. C., Luo, H. L. and Duwez, P. CsCl-type compounds in binary alloys of rare-earth metals with zinc and copper, 4=10559
- Chao, C.C. See Achenbach, J.D., 2=19484
- Chao Chung-yao. See Chzhao Chzhao-yao.
- Chao Chung-yao. See Yeh Ming-han., 4=623
- Chao, G.Y. See McCullough, J.D., 0=3245
- Chao, H. C., Smith, Y. E. and Van Vlack, L. H. The MnO-MnS phase diagram, 4=10434
- Chao, S.K. Logarithmic characteristic of triode electrometer circuits, 0=2388
- Chao-Chien. See Tyapunina, N.A., 2=10738
- Chao-Ortega, F. A study of the mechanical properties of the dropping mercury electrode, 3=1393
- Chao-Ortega, F. and Laforgue-Kantzer, D. Formation of mercury drops at the bottom end of a capillary. Case of very small pressures, 0=14612
- Chaos, F. See Brovetto, P., 4=977
- Chapdelaine, M. See Cornille, H., 0=15314
- Chapdelaine, M. See Goldzahl, L., 0=344
- Chapelle, J., Cabannes, F., Sy, A. and Cabannes, C. Absorption of infrared electromagnetic radiation by the jet of a plasma blow-pipe, 2=1459
- Chapelle, J. and Taurel, L. Dielectric properties of a single crystal of partially deuterated glycolol [glycine] sulphate, 0=4378
- Chapelle, J. See Cabannes, F., 2=22231
- Chapellier, M. The absolute measurement of nuclear polarisation in a large specimen, 4=28900
- Chapellier, M. See Abragam, A., 3=2365
- Chaperot, D. See Navez, M., 2=4487
- Chaperot, D. See Sella, C., 1=20652
- Chapin, D.S. Packless all-metal ultra-high vacuum valve for temperatures from -196°C or below to 450°C , 3=7257
- Chapin, E.K. Two contrasting theories of capillary action, 0=69
- Chapiro, A. and Stannett, V. Direct radiation grafting on to hydrophilic polymers, 1=15205
- Chaplik, A.V. Quasi-classical wave-function of a system with many degrees of freedom, 2=21826
- Chaplik, A. V. Quantum transitions to a continuous spectrum due to adiabatic perturbations, 4=5069
- Chaplik, A. V. Quantum transitions to a continuous spectrum induced by an adiabatic perturbation. II, 4=27066
- Chaplik, A.V. Nonadiabatic transitions upon intersection of molecular terms of identical symmetry, 3=741
- Chaplik, A.V. Quasi-classical wave-function of a system with many degrees of freedom, 3=7118
- Chaplik, A.V. See Dykhne, A.M., 1=18274
- Chaplik, A.V. See Dykhne, A.M., 1=18988
- Chaplik, A.V. See Dykhne, A.M., 3=2574
- Chaplik, A.V. See Dykhne, A.M., 3=3750
- Chaplin, G.B.B. and Candy, C.J.N. A transistor circuit for fast coincidence measurements, 0=17189

- Chaplin, G.B.B. and Cole, A.J. A linear gate of 10 to 100 μ sec duration, 1=1879
- Chaplin, N.J. See Paulnack, C.L., 2=21128
- Chaplin, R.L. and Shearin, P.E. Energy-dependent behavior of intrinsic close-pair defects within copper, 1=17505
- Chaplin, R.L. and Shearin, P.E. Some experimental techniques of low-temperature radiation damage studies, 2=10427
- Chaplina, A.I. Experimental investigation of the heat transfer along a streamlined plate, 3=19033
- Chaplina, A.I. Application of the method of controlled conditions to the investigation of heat transfer from a plate in a forced turbulent [air] flow, 3=19036
- Chapman, C.J.S., Grace, M.A., Gregory, J.M. and Sowter, C.V. The nuclear alinement of promethium isotopes and the decay scheme of ^{146}Pm , 1=8633
- Chapman, C.J.S., Gregory, J.M., Hill, R.W. and Johns, M.W. Nuclear alinement of cobalt and the decay of cobalt-55, 1=13684
- Chapman, D. and McLachlan, A.D. Bond alternation in [AB] inorganic polymers, 4=9801
- Chapman, D. and Waddington, T.C. Free-electron molecular-orbital calculations for inorganic systems. I. An "electron on a sphere" model for tetrasulphur tetranitride and for tetra-arsenic tetrasulphide, 3=727
- Chapman, D., Warn, R.J., Fitzgerald, A.G. and Yoffe, A.D. Spectra and the semi-conductivity of the $[\text{Sn}]_x$ polymer, 4=15545
- Chapman, D.R. Recent re-entry research and the cosmic origin of tektites, 1=1637
- Chapman, E.F. See Kronick, P.L., 2=14509
- Chapman, F.W. and Llanwyn-Jones, D. Earth-ionosphere cavity resonances and the propagation of extremely low frequency radio waves, 4=26850
- Chapman, F.W., Michel, R.E. and Poplawsky, R. Variation with temperature of the magnetocrystalline anisotropy of several nickel iron ferrites, 4=13247
- Chapman, G.D., Krause, L. and Brockman, I.H. Sensitized fluorescence in vapors of alkali metals. I. Energy transfer in potassium-potassium collisions, 4=15289
- Chapman, H.T. See Skibitzke, H.E., 1=15830
- Chapman, I.D. and McIntosh, R. The dielectric behavior at low temperatures of several gases absorbed upon porous Vycor glass, 2=2779
- Chapman, I.D. See Elmer, T.H., 4=22889
- Chapman, J.A. A systematic method for the correction of astigmatism in the Siemens Elmiskop I, 2=11474
- Chapman, J.A. Preparation of carbon films for electron microscopy, 2=15115
- Chapman, J.A. and Whelan, M.J. Summarized proceedings of a conference on electron microscopy — Exeter, July, 1959, 0=8292
- Chapman, J.A. See Wilson, D.V., 3=25628
- Chapman, J.H. The polar radio black-out of the ionosphere of 7 July, 1958, 0=16430
- Chapman, J.H. and Molozzi, A.R. Interpretation of cosmic noise measurements at 3.8 Mc/s from satellite 1960 η 1, 1=18138
- Chapman, J.H. See Atkins, E.A., 4=4797
- Chapman, J.H. See Blevins, B.C., 0=12258
- Chapman, J.R. See Benson, R.W., 4=27241
- Chapman, K.R. and Gowariker, S. A convenient method of constructing accelerator sections, 1=1936
- Chapman, K.R. and Gowariker, S. A convenient method of constructing accelerator tubes, 2=3108
- Chapman, K.R., Martelli, G., van der Raay, H.B., Reading, D.H. and Rubinstein, R. Stripping cross section for 620 MeV deuterons, 2=16433
- Chapman, K.R. and Wrenn, G.L. Modified design for ion-source canals, 1=1924
- Chapman, K.R. See Martelli, G., 1=16770
- Chapman, P.W., Tufte, O.N., Zook, J.D. and Long, D. Electrical properties of heavily doped silicon, 4=4171
- Chapman, P.W. See Tufte, O.N., 3=887
- Chapman, R.G. and Fielder, G. On the central peaks of lunar craters, 4=23893
- Chapman, R.M. Spectral sensitivity of single neural units in the bullfrog retina, 1=15383
- Chapman, R.M. Cloud distributions and altitude profiles from satellite, 2=11022
- Chapman, R.P. and Harris, J.H. Surface backscattering strengths measured with explosive sound sources, 3=1423
- Chapman, R.P. and Scott, H.D. Surface backscattering strengths measured over an extended range of frequencies and grazing angles, 4=30925
- Chapman, R.P. See Marshall, J.R., 4=10691
- Chapman, S. The outermost ionosphere, 0=8397
- Chapman, S. Disturbance in the lower auroral ionosphere, 0=8405
- Chapman, S. Interplanetary space and the earth's outermost atmosphere, 0=8484
- Chapman, S. Geomagnetic storms and the space around the earth, 0=18460
- Chapman, S. Cosmic examples of heat conduction in very rare rotating or expanding gases, 0=18609
- Chapman, S. Misconception concerning the dynamics of the impact ball apparatus, 0=19031
- Chapman, S. Scale times and scale lengths of variables: with geomagnetic and ionospheric illustrations, 1=5185
- Chapman, S. Regular motions in the ionosphere: electric and magnetic relationships, 1=6604
- Chapman, S. Idealized problems of plasma dynamics relating to geomagnetic storms, 1=6654
- Chapman, S. Dynamical and other aspects of cosmic gases of low density, 2=4715
- Chapman, S. Electric currents in the ionosphere and the aurora, 2=15221
- Chapman, S. Auroral phenomena, 3=3512
- Chapman, S. Comment on Kepler's third law without calculus, 3=13850
- Chapman, S. Geomagnetic nomenclature, 3=16294
- Chapman, S. The energy of magnetic storms, 4=29336
- Chapman, S. and Davies, K. On the approximate daytime constancy of the absorption of radio waves in the lower ionosphere, 0=2009
- Chapman, S. and Kendall, P.C. An idealized problem of plasma dynamics that bears on geomagnetic storm theory; oblique projection, 1=21095
- Chapman, S. and Kendall, P.C. Liquid instability and energy transformation near a magnetic neutral line: a soluble non-linear hydromagnetic problem, 3=5826
- Chapman, S. and Little, C.G. The nondeviative absorption of high-frequency radio waves in auroral latitudes, 0=309
- Chapman, S. See Abbott, W.N., 0=6469
- Chapman, S. See Akasofu, S.I., 1=7943
- Chapman, S. See Akasofu, S., 1=21089
- Chapman, S. See Akasofu, S.I., 2=921
- Chapman, S. See Akasofu, S., 2=13044
- Chapman, S. See Akasofu, S.I., 2=13059
- Chapman, S. See Akasofu, S.I., 2=21667
- Chapman, S. See Akasofu, S., 3=1492
- Chapman, S. See Akasofu, S.I., 3=3520
- Chapman, S. See Akasofu, S.I., 3=6995
- Chapman, S. See Akasofu, S.I., 3=11469
- Chapman, S. See Akasofu, S.-I., 3=21076
- Chapman, S. See Akasofu, S.-I., 3=25947
- Chapman, S. See Akasofu, Syun-Ichi, 4=2236
- Chapman, S. See Akasofu, S. I., 4=26872
- Chapman, S. See Aller, L.H., 0=18766
- Chapman, S. See Mason, E.A., 2=5058
- Chapnik, I.M. A possible criterion for superconductivity, 2=13512
- Chapnik, I.M. A possible criterion for superconductivity, 2=19814
- Chapnin, V.A. See Vavilov, V.S., 2=18567
- Chapnin, V.A. See Vavilov, V.S., 2=23149
- Chapnin, V.A. See Smirnova, I.V., 3=22849
- Chapnin, V.A. See Vavilov, V.S., 3=22704
- Chaporova, I.N. See Baskin, M.L., 3=25295
- Chaporova, I.N. See Gabrilyuk, M.I., 3=11183
- Chappel, F.P. See Cannon, C.G., 0=8116
- Chappelear, D.C. Models of a liquid drop approaching an interface, 2=2694
- Chappelear, J.E. A class of three-dimensional shallow-water waves, 0=8635
- Chappelear, J.E. Direct numerical calculation of wave properties, 1=15808
- Chappelear, J.E. Shallow-water waves, 3=7188
- Chappell, D.G. Permissible voids in photon shields, 0=12893
- Chappell, D.W.G. A relationship between the life of M-regions and the rate of change of solar activity, 0=14420
- Chappell, W.R. See Brittin, W.E., 3=4316
- Chappert, J. and Imbert, P. The Mössbauer effect in the compounds of the Perovskite-type HoFeO_3 and ErFeO_3 , 4=3961
- Chappert, V. The examination of photographic negatives. The Enetra 110 of the Society of Optics and High Precision Mechanics, 3=4305
- Chapuk, J.M., Corso, V.L., Foote, V.S., Jr, Harries, W.L., Sinclair, R.M., Upham, J.L. and Yoshikawa, S. Probe system for plasma research, 4=8727
- Chapyzhnikov, B.A. See Chepel', L.V., 3=14701

- Charakhchyan, A.N. and Charakhchyan, T.N. Energy spectrum of primary cosmic particles, 1=3324
- Charakhch'yan, A.N. and Charakhch'yan, T.N. Energy spectrum and total number of low-energy cosmic-ray photons in the stratosphere, 1=19322
- Charakhch'yan, A.N., Tulinov, V.F. and Charakhch'yan, T.N. Large cosmic-ray intensity fluctuations in the stratosphere, 0=13094
- Charakhch'yan, A.N., Tulinov, V.F. and Charakhch'yan, T.N. Cosmic rays from the sun, 0=20277
- Charakhch'yan, A.N., Tulinov, V.F. and Charakhch'yan, T.N. The energy spectrum and time dependence of the intensity of solar cosmic ray protons, 1=19302
- Charakhchyan, A.N., Tulinov, U.F. and Charakhchyan, T.N. Cosmic rays emitted by the sun, 1=19305
- Charakhchyan, A.N., Tulinov, V.F. and Charakhchyan, T.N. Cosmic ray intensity bursts in the stratosphere in November 1960, 2=13902
- Charakhchyan, A.N., Tulinov, V.F. and Charakhchyan, T.N. The energy spectrum and time dependence of the intensity of solar cosmic-ray protons in flares, 2=13903
- Charakhch'yan, A.N., Tulinov, V.F. and Charakhch'yan, T.N. The energy spectrum and time dependence of the intensity of solar cosmic ray protons, 2=22669
- Charakhch'yan, A.N. See Bazilevskaya, G.A., 4=19619
- Charakhch'yan, A.N. See Rymko, N.P., 0=11279
- Charakhch'yan, T.N. See Charakhch'yan, A.N., 0=13094
- Charakhch'yan, T.N. See Charakhch'yan, A.N., 0=20277
- Charakhchyan, T.N. See Charakhchyan, A.N., 1=3324
- Charakhch'yan, T.N. See Charakhch'yan, A.N., 1=19302
- Charakhchyan, T.N. See Charakhchyan, A.N., 1=19305
- Charakhch'yan, T.N. See Charakhch'yan, A.N., 1=19322
- Charakhch'yan, T.N. See Charakhch'yan, A.N., 2=22669
- Charakhch'yan, T.N. See Charakhch'yan, A.N., 3=4492
- Charakhchyan, T.N. See Samosudov, B.E., 0=11247
- Charan Ray, B. See Kumar Mahapatra, P., 0=6793
- Charap, J.M. On the Azimov conditions for nucleon-nucleon scattering, 4=11986
- Charap, J.M. and Dombey, N. Singular logarithmic potentials in $g\phi^4$ theory, 4=19362
- Charap, J.M. and Fubini, S.P. The field theoretic definition of the nuclear potential. I, 0=1252
- Charap, J.M. and Fubini, S.P. The field-theoretical definition of nuclear potential. II, 0=12858
- Charap, J.M., Lubkin, E. and Scotti, A. Theory of nucleon-nucleon scattering in the strip approximation to the Mandelstam representation, 3=7842
- Charap, J.M. and Squires, E.J. Factorization of the residues of Regge poles, 2=20263
- Charap, J.M. and Squires, E.J. On complex angular momentum in many-channel potential-scattering problems. I, 3=558
- Charap, J.M. and Squires, E.J. On complex angular momentum in many-channel potential-scattering problems. II, 3=7789
- Charap, J.M. and Squires, E.J. On complex angular momentum in many-channel potential-scattering problems. III, 4=5979
- Charap, J.M. and Tausner, M.J. The field theoretic definition of the nuclear potential. III, 1=445
- Charap, J.M. See Calogero, F., 4=9120
- Charap, J.M. See Calogero, F., 4=11927
- Charap, J.M. See Calogero, F., 4=11928
- Charap, J.M. See Calogero, F., 4=21792
- Charap, S.H. Anisotropy of the intrinsic domain magnetization of a ferromagnet, 0=16133
- Charap, S.H. Concerning the theory of anisotropic magnetization, 2=4221
- Charap, S.H. Critical concentrations in magnetism, 2=12751
- Charap, S.H. Spin waves in EuS, 4=13177
- Charap, S.H. and Boyd, E.L. Application of spin-wave theory to EuS, 4=10269
- Charap, S.H. and Weiss, P.R. Pseudodipolar anisotropy in cubic ferromagnets at low temperatures, 0=3001
- Charap, S.H. See Argyle, B.E., 4=7274
- Charap, S.H. See Argyle, B.E., 4=13210
- Charatis, G. and Wilkerson, T.D. Excitation temperature of chromium in the shock tube, 0=484
- Charatis, G. and Wilkerson, T.D. Further studies of Cr I emission from the shock tube, 3=8182
- Charatis, G. and Wilkerson, T.D. Shock tube spectroscopy: Review and recent results, 4=18335
- Charbonnier, F.M. and Martin, E.E. A simple method for deriving, from measured $I(V)$ data, information on the geometry of a field emission current source of unknown characteristic, 2=13581
- Charbonnier, F.M. See Barbour, J.P., 0=7839
- Charbonnier, F.M. See Bettler, P.C., 0=11646
- Charbonnier, F.M. See Dyke, W.P., 0=9068
- Charbonnier, M. and Courty, C. Detection and determination of thiophene in benzene by I.R.-absorption, 4=30912
- Charbonnier, R., Debraine, P., Rastoux, G. and Segalas, R. The proton synchrotron "Saturne". Timing system, 0=2412
- Charette, J.J. The infrared spectrum at large dispersion of three types of diamond and its variations as a function of the temperature, 1=1170
- Charette, J.J. Test of the classification of the infrared absorption bands of diamond, 2=700
- Charette, J.J. Infrared spectra of synthetic diamond, 2=4148
- Charette, J.J. Absorption spectra of Type I and Type II synthetic diamonds, 3=8595
- Chari, M.S.R. Anomalous conductivity and Lorenz parameter in dilute silver-manganese alloys at low temperatures, 1=11257
- Chari, M.S.R. Inelastic scattering of conduction electrons in dilute silver-manganese alloys at low temperatures, 1=14243
- Chari, M.S.R. The Lorenz parameter in dilute silver-manganese alloys at liquid helium temperatures, 2=6294
- Chari, M.S.R. The Lorenz parameter in magnetic fields in dilute silver-manganese alloys at helium temperatures, 2=14395
- Chari, M.S.R. Lattice thermal conductivity of dilute silver-manganese alloys at helium temperatures, 2=14396
- Chari, M.S.R. Anomalous electron scattering in dilute silver-manganese alloys and its analogy with the Ramsbauer effect, 4=17396
- Chari, M.S.R. The Lorenz parameter in high purity metals at helium temperatures, 4=17471
- Chari, M.S.R. and De Nobel, J. Thermal conductivity of some dilute silver alloys at low temperatures and in magnetic fields, 0=6021
- Chari, M.S.R. and De Nobel, J. Thermal conductivity of some steels at low temperatures, 0=6022
- Chari, M.S.R. and De Nobel, J. Thermal conductivity of some non-superconducting alloys at low temperatures, 0=6023
- Charlesby, A. and Thomas, D. A comparison of the effects of ultraviolet and gamma radiation in polymethylmethacrylate, 2=18503
- Chari, M.S.R. Anomalous Lorenz parameter in specimens of high-purity copper at low temperatures, 2=21095
- Chari, R.V. See Purushotham, G., 4=29653
- Charig, J.M., Joyce, B.A., Stirland, D.J. and Bicknell, R.W. Growth mechanism and defect structures in epitaxial silicon, 3=5091
- Charig, J.M. See Joyce, B.A., 4=4563
- Charikov, B.A. See Bolotin, G.A., 3=17977
- Charikov, B.A. See Kirillova, M.M., 3=13146
- Charikov, B.A. See Kirillova, M.M., 4=15601
- Charikov, B.A. See Kirillova, M.M., 4=26209
- Charles, D. Tomograph for industrial radiography, 0=14088
- Charles, D. Theory of the 90° deflection mass spectrometer. III. Ideal magnetic field and trajectories outside the plane of symmetry. Peak form and resolving power, 0=19790
- Charles, D. and Vastel, J. Vacuum technique in mass spectrometry. Employment of titanium pumps, 3=16994
- Charles, G.E. and Mason, S.G. The mechanism of partial coalescence of liquid drops at liquid-liquid interfaces, 0=8645
- Charles, G.E. and Mason, S.G. The coalescence of liquid drops with flat liquid/liquid interfaces, 0=14610
- Charles, G.W. Comments on "the isotope effect in the spectrum of thorium", 4=15291
- Charles, M.P. Determination of the thermal diffusion coefficient for liquid ammonia using pulsed neutron techniques, 4=21865
- Charles, R.G. See Ohlmann, R.C., 4=22934
- Charles, R.J. Polarization and diffusion in a silicate glass, 1=11332
- Charles, R.J. and Harrison, W.A. Size effect in nuclear magnetic resonance, 3=20681
- Charles, R.J. See Hillig, W.B., 1=4072
- Charles, S.W. See Milligan, D.E., 3=3402
- Charlesby, A. Analysis of the solubility behaviour of irradiated polyethylene and other polymers, 0=7820
- Charlesby, A. High-voltage accelerators, 1=1931

- Charlesby, A. and Lloyd, D.G. Competitive reactions in the irradiation of anthracene + cyclohexane solutions, 0=3322
- Charlesby, A. and Partridge, R.H. The thermoluminescence of irradiated polyethylene and other polymers, 3=4994
- Charlesby, A. and Partridge, R.H. The effect of oxygen on the thermoluminescence of irradiated polyethylene, 3=4995
- Charlesby, A. and Woods, R.J. Radiation dosimetry with dyed cellophane, 4=5895
- Charlesby, A. See Black, R.M., 1=7603
- Charlesby, A. See Fukada, E., 1=9080
- Charleston, D. See Harper, P.V., 4=15971
- Charlesworth, A. M. See Scott, G. D., 4=14058
- Charlson, R. See Buettner, K., 3=13662
- Charlson, R.J. Liquid film hygrometer, 4=16131
- Charlson, R.J., Harrison, H. and Hardwick, R. Efficient flash photolysis system, 0=3317
- Charlson, R.J. See Brown, E.A., 1=16136
- Charlton, D.E. and Cormack, D.V. Energy dissipation in finite cavities, 2=18103
- Charlton, M.G. and Southam, F.H. The adsorption of methane by barium films in the presence of a thermionic current, 2=843
- Charman, H.B., and Dell, R.M. Fast neutron damage at the surface of metal oxides, 3=3366
- Charman, H.B. and Dell, R.M. Chemisorption on metal oxides. II. Neutron-irradiated nickel oxide and magnesium oxide, 3=13604
- Charman, H.B., Dell, R.M. and Teale, S.S. Chemisorption on metal oxides. I. Nickel oxide, 3=13603
- Charman, W.N. The production of circular disks of known diameter for calibration purposes in high-resolution microscopy, 2=15725
- Charman, W.N. Some experimental measurements of diffraction images in low-resolution microscopy, 3=9617
- Charman, W.N. Diffraction images of circular objects in high-resolution microscopy, 3=9618
- Charman, W.N. Visual factors in size measurement by microscopy, 3=23719
- Charman, W. N. and Watrasiewicz, B. M. Mach effect associated with microscope images, 4=18392
- Charman, W. N. See Carman, P. D., 4=27344
- Charnaya, F. A. and Bykhouskaya, L. N. Effect of the nature of the gas and electric regime on the luminous intensity of high-pressure pulse lamps, 4=24356
- Charnaya, F.A. See Gurevich, I.M., 3=16978
- Charnaya, F.A. See Vul'fson, K.S., 2=11641
- Charnes, A., Lemke, C.E. and Zienkiewicz, O.C. Virtual work, linear programming and plastic limit analysis, 0=8575
- Charney, E. Use of two polarizing components in prism or grating spectrometers, 1=12990
- Charney, E. See Brackett, F.S., 0=14848
- Charney, J. G. A note on large-scale motions in the tropics, 4=13784
- Charney, J.G. and Eliassen, A. On the growth of the hurricane depression, 4=17883
- Charney, J. G. and Pedlosky, J. On the trapping of unstable planetary waves in the atmosphere, 4=13785
- Charney, J.G. and Stern, M.E. On the stability of internal baroclinic jets in a rotating atmosphere, 2=17131
- Charnock, H. See Bamford, C.R., 1=16485
- Charnyi, I.A., Vil'ker, D.S., Mitel'man, B.I. and Rozenberg, G.D. Supersonic current of [matter in] two phases, 1=11774
- Charnyi, V. I. Concerning isochronous derivatives, 4=15912
- Charnyi, V. I. Optimal trajectories with many impulses, 4=15966
- Charpak, G. The principle of, and preliminary experiments with a new detector permitting the photography of trajectories of ionizing particles in a gas, 0=7248
- Charpak, G. Determination of the trajectory of charge particles by means of a new type of detector "bubble hodoscope", 2=13712
- Charpak, G. Location of the position of a spark in a spark-chamber, 2=20212
- Charpak, G. A triggered liquid track chamber with short resolving time, 3=19537
- Charpak, G., Dick, L. and Feuvrais, L. Location of the position of a particle trajectory in a scintillator, 2=22357
- Charpak, G., Farley, F.J.M., Garwin, R.L., Muller, T., Sens, J.C., Telegdi, V.L., York, C.M. and Zichichi, A. Quenching of muon depolarization by weak magnetic fields, 2=1700
- Charpak, G., Farley, F.J.M., Garwin, R.L., Muller, T., Sens, J.C., Telegdi, V.L. and Zichichi, A. Measurement of the anomalous magnetic moment of the muon, 1=5742
- Charpak, G., Farley, F.J.M., Garwin, R.L., Muller, T., Sens, J.C. and Zichichi, A. A new limit to the electric dipole moment of the muon, 2=3367
- Charpak, G., Farley, F.J.M., Garwin, R.L., Muller, T., Sens, J.C. and Zichichi, A. A new measurement of the anomalous magnetic moment of the muon, 2=13832
- Charpak, G., Favier, J. and Massonnet, L. A new method for determining the position of a spark in a spark chamber by measurement of currents, 4=9032
- Charpak, G. and Gourdin, M. High-energy neutrino-induced reactions, 4=21834
- Charpak, G., Lederman, L.M., Sens, J.C. and Zichichi, A. A method for trapping muons in magnetic fields, and its application to a redetermination of the e.d.m. of the muon, 0=17366
- Charpak, G. and Massonnet, L. Some developments of the discharge chamber, 3=19532
- Charpak, G. and Suzor, F. Nuclear spectrometry using proportional counters in coincidence, 0=17131
- Charpak, G. See Bertrand, F., 0=15652
- Charpak, G. See Suzor, F., 0=15651
- Charpak, G. See Suzor, F., 0=20386
- Charrette, J. Infrared absorption of natural and synthetic diamonds, 4=7129
- Charru, A. Apparatus for the study of the electron paramagnetic resonance in circular excitation. Application to the study of solutions of lithium in liquid ammonia, 1=16600
- Charsley, P. Some observations of slip lines on deformed copper whiskers, 1=1329
- Charsley, P. and Thompson, N. The orientation dependence of cyclic work-hardening in aluminium crystals, 0=701
- Charsley, P. and Thompson, N. The behaviour of slip lines on aluminium crystals under reversed stresses in tension and compression, 3=8441
- Charters, A.C. High-speed impact, 2=15526
- Charters, M.L. See Sawaguchi, E., 0=4583
- Charters, P.E. and Polanyi, J.C. An improved technique for the observation of infrared chemiluminescence: resolved infrared emission of OH arising from the system $H + O_2$, 0=19221
- Chartier, C. See Brun, R., 3=1762
- Charvin, P. The new photoelectric coronameter used at the Paris Observatory, 3=9216
- Charvin, P. Measurement and study of intensity gradients of the coronal line λ 5303 at meudon, 3=13892
- Charvin, P. On the intensity and polarisation of the forbidden lines of the solar corona, 4=15945
- Charvin, P., Rayrole, J. and Semel, M. Apparatus for recording the variation of wavelength along a spectral line, 2=11481
- Charwat, A. See Allègre, J., 3=7229
- Charwat, A.F. Possible aerodynamic lift and moment at the perigees of low altitude satellites, 0=18886
- Charwat, A.F. Molecular flow study of the hypersonic sharp leading edge interaction, 2=2744
- Chary, S. K. See Byers, H. R., 4=8159
- Chasan, B.M., Cocconi, G., Cocconi, V. T., Schectman, R.M. and White, D.H. Multiple meson production by photons in hydrogen, 0=13039
- Chasan, B.M. See White, D.H., 0=17399
- Chasanov, M.G. Heating in liquid helium resulting from neutron and gamma bombardment by a fission source, 0=8871
- Chasanov, M.G. See Schablaske, R.V., 4=17816
- Chase, A.B. See Lefever, R.A., 0=13836
- Chase, A.B. See Lefever, R.A., 1=9113
- Chase, A.B. See Lefever, R.A., 1=10235
- Chase, A.B. See Lefever, R.A., 2=14800
- Chase, C.E. Evidence for the quantization of circulation in liquid helium II, 0=7023
- Chase, C.E. Thermal conduction in rotating liquid helium II, 0=19538
- Chase, C.E. Thermal conduction in liquid helium II. I. Temperature dependence, 2=17711
- Chase, C.E. Thermal conduction in liquid helium II. II. Effects of channel geometry, 3=24130
- Chase, C. E. Effect of a temperature-dependent energy gap on the thermodynamic behavior of liquid helium near the λ point, 4=8544
- Chase, C.E. Critical heat currents in liquid He II, 4=18515
- Chase, C.E., Fineman, J. and Millett, W.E. The effect of a heat current or rotation on sound propagation in liquid helium, 0=10819
- Chase, C.E., Maxwell, E. and Millett, W.E. The dielectric constant of liquid helium, 2=1326

- Chase, C.E., Maxwell, E. and Whitney, W.M. The effect of a density maximum near the λ point on the temperature distribution in liquid helium. I, 1=9509
- Chase, C.E. See Blake, C., 3=24178
- Chase, C.E. See Fineman, J.C., 3=3938
- Chase, C.E. See Fineman, J.C., 4=14496
- Chase, C.E. See Maxwell, E., 0=8899
- Chase, C.E. See Whitney, W.M., 3=319
- Chase, J.D. Sintered plate flowmeter, 4=18222
- Chase, J.D. and Weinberg, F.J. The acetylene decomposition flame and the deduction of reaction mechanism from "global" flame kinetics, 3=25827
- Chase, J.W. See Johnson, N.R., 1=8640
- Chase, L.F., Jr and Igo, G. Evidence for the polarization of B^{12} nuclei produced in a (d,p) reaction, 0=1360
- Chase, L.F., Jr, Johnson, R.G., Vaughn, F.J. and Warburton, E.K. Endothermic deuteron stripping reactions. III. The $C^{14}(d,p\gamma)C^{15}$ and $Li^7(d,p\gamma)Li^8$ reactions, 2=18349
- Chase, L.F., Jr, Johnson, R.G. and Warburton, E.K. Endothermic deuteron stripping reactions. II. $C^{12}(d,p\gamma)C^{13*}$ reaction, 1=718
- Chase, L.F., Jr. See Cladis, J.B., 1=21075
- Chase, L.F., Jr. See Fossan, D.B., 4=27961
- Chase, L.F., Jr. See Johnson, R.G., 1=19526
- Chase, L.F., Jr. See Sharp, R.D., 2=450
- Chase, L.F., Jr. See Warburton, E.K., 1=717
- Chase, L.F., Jr. See Warburton, E.K., 2=16314
- Chase, L.F., Jr. See Warburton, E.K., 4=6217
- Chase, L.F., Jr. See Warburton, E.K., 4=9384
- Chase, L.F., Jr. See Warburton, E.K., 4=17027
- Chase, R.L. Multiple coincidence circuit, 0=16960
- Chase, R.L. A two-dimensional kicksorter with magnetic drum storage, 1=8291
- Chase, R.L. Recent developments in multichannel pulse-height analysis, 2=17745
- Chase, R.L. Status of pulse height analyser equipment, 2=19842
- Chase, R.L. Analog-to-digital converters for pulse-height analysis, 4=21711
- Chase, R.L., Higinbotham, W.A. and Miller, G.L. Amplifiers for use with p-n junction radiation detectors, 1=2938
- Chase, S.C., Kaplan, L.D. and Neugebauer, G. Mariner II: Preliminary reports on measurements of Venus: infrared radiometer, 3=18617
- Chase, S.C., Kaplan, L.D. and Neugebauer, G. The Mariner 2 infrared radiometer experiment [of Venus], 4=10884
- Chashchina, G.I. See Zaidel', A.N., 1=5480
- Chashchina, G.I. See Zaidel', A.N., 1=9606
- Chashkin, Yu.R. See Voronel', A.V., 4=5480
- Chasman, C. and Allen, J. Large active volume, thin entry window semiconductor radiation detectors, 4=5889
- Chasman, C. See Ollerhead, R., 4=22222
- Chasman, C. See Ollerhead, R.W., 4=15241
- Chasman, C. See Sachs, M., 4=22221
- Chasman, C. See Wiener, R., 3=12603
- Chasman, R. Calculations in nuclear evaporation theory, 1=7365
- Chasman, R.R. Eigenvalue problems in matrix mechanics, 1=15675
- Chasman, R.R. New approximation for pairing forces in nuclei, 2=5779
- Chasman, R.R. Nuclear magnetic moments of W^{183} , Os^{187} , and Fe^{57} , 3=10225
- Chasman, R.R. Eigenfunctions of the nuclear pairing Hamiltonian, 4=16996
- Chasman, R.R. Eigenvalues of the nuclear pairing Hamiltonian, 4=982
- Chasman, R.R. and Rasmussen, J.O. Theoretical studies of the alpha decay of U^{233} , 0=1384
- Chasmar, R.P. Electron mobility in indium arsenide, 2=4037
- Chasmar, R.P., Durham, E.W. and Stuckes, A.D. The thermal and electrical properties of cadmium and mercury tellurides, 2=23084
- Chasmar, R.P. and Stratton, R. The thermoelectric figure of merit and its relation to thermoelectric generators, 0=4375
- Chasmar, R.P. See Stuckes, A.D., 4=22717
- Chasnikov, I. Ya., Anzon, Z. V., Takibayev, Zh.S. and Streltsov, I.S. Identification of particles by the photographic emulsion technique, 4=3266
- Chasnikov, I. Ya., Takibaev, Zh.S. and Boos, E.G. Determination of energies of relativistic particles by measurement of multiple Coulomb scattering, 0=1260
- Chasnikov, I. Ya., Takibaev, Zh.S., Tursunov, R.A. and Sharapov, K.V. Measurement of multiple scattering on tracks of protons with an energy of ~ 10 BeV, 4=16898
- Chasnikov, I. Ya. See Boos, E.G., 2=7856
- Chasnikov, I. Ya. See Boos, E.G., 3=6002
- Chasnikov, I. Ya. See Botvin, V.A., 2=288
- Chasnikov, I. Ya. See Botvin, V.A., 2=22511
- Chasnikov, I. Ya. See Granovskii, Ya.I., 0=9468
- Chasnikov, I. Ya. See Takibaev, Zh.S., 1=2052
- Chasnikov, I. Ya. See Vinitsky, A.Kh., 0=9450
- Chassaing, G. Changes in vacuum of the electrical resistance of thin films of antimony produced by evaporation, 4=26003
- Chasset, R. The influence of nitric acid on the sensitivity of nuclear emulsions to α particles, and on the eradication of the tracks, 1=13247
- Chasson, R.L. Fine structure of Forbush decreases, 2=12034
- Chasson, R.L. and Maeda, K. Local and worldwide c.r. intensity variations during geomagnetic storms and small geomagnetic disturbances, 1=3348
- Chasson, R.L. See Anderson, J.C., 1=13557
- Chasson, R.L. See Anderson, J.C., 2=12022
- Chasson, R.L. See French, W.R., Jr, 0=7438
- Chastel, R. See Gauvin, H., 1=17105
- Chastel, R. See Xuan, C., 0=12791
- Chateau, H. and De Cugnac, A. Sub-structures in silver bromide crystals, 1=15073
- Chateau, H., de Cugnac, A., Moncet, M.C. and Pouradier, J. The crystal parameters of hexagonal silver iodide, 3=5102
- Château, H., de Cugnac, A. and Pouradier, J. Crystalline parameters of hexagonal silver iodide (Ag_3I), 4=17817
- Chateau, H., Moncet, M.C. and Pouradier, J. Study of mixed ternary crystals of silver halides, 2=10895
- Chateau, M. See Jacq, J., 1=18654
- Chateau, M. See Jacq, J., 1=18655
- Châtelain, A. and Buttet, J. Study of annealing in purple sulphur by electron paramagnetic resonance, 3=20655
- Châtelain, A. See Buttet, J., 3=1191
- Châtelain, J.E. and Havas, P. The classical limit of the quantum theory of radiation damping, 3=7806
- Châtelain, P. See Cano, R., 4=29628
- Chatenier, F.J. du. See du Chatenier, F.J.
- Chatt, J., Duncanson, L.A., Shaw, B.L. and Venanzi, L.M. The transmission of electronic effects through a heavy metal atom, 1=869
- Chattarji, P.P. On the stresses in twisted composite spherically isotropic [elastic] spheres, 0=6707
- Chattarji, P.P. On the stresses in twisted composite [elastic] paraboloids, 0=6709
- Chattarji, P.P. Stresses in a spherically isotropic truncated cone fitted with two rigid spherical caps due to frictional forces acting on the curved surface, 0=19015
- Chattarji, P.P. Stress concentrations around a small inclusion on the axis of a circular cylinder under torsion, 0=19018
- Chattarji, P.P. Stress concentrations around a small spherical inclusion on the axis of a transversely isotropic circular cylinder under torsion, 0=19020
- Chattarji, P.P. and Dutt, S.B. On the stresses due to a nucleus in the form of a centre of rotation in an infinite elastic solid with spherical inclusion, 0=19007
- Chatterjee, A. Compound nuclear shell effects in 14-MeV (n,α) reactions, 4=17157
- Chatterjee, A. Trends in (n,α) cross-sections at 14 MeV, 4=1088
- Chatterjee, A. Shell effects in the (n,α) cross-sections at 14 MeV, 4=9526
- Chatterjee, A. See Dutt, P.K., 2=20036
- Chatterjee, A. See Hargrove, A., 3=10294
- Chatterjee, A. See Majumdar, N.K., 3=10358
- Chatterjee, B. A note on fourth reflection condition in the ionosphere, 0=18485
- Chatterjee, B.B. Note on the bending of a thin uniformly loaded plate bounded by two equal confocal parabolas, 0=19017
- Chatterjee, B.K., Murthy, G.T., Naranan, S., Rangaswamy, T.N., Sreekantan, B.V. and Srinovasa Rao, M.V. Fluctuations and correlations in the fluctuations of various components of Chatterjee, B.K., Murthy, G.T., Naranan, S., Rangaswamy, T.N., Sreekantan, B.V. and Srinivasa Rao, M.V. The effect of finite thickness of scintillators on the determination of the densities of charged particles in air shower experiments, 3=4510
- Chatterjee, B.K., Murthy, G.T., Naranan, S., Sreekantan, B.V. and Srinivasa Rao, M.V. Studies on extensive air showers. I. Sea level observations on the variation with shower size of the total number of nuclear-interacting particles in showers of ($10^4 - 2.5 \times 10^6$) particles, 1=5805

- Chatterjee, B.K., Murthy, G.T., Naranan, S., Sreekantan, B.V. and Srinivasa Rao, M.V. Studies on extensive air showers. II. Sea level observations on the fluctuations in the densities of N-particles, in showers of the same size, 1=8528
- Chatterjee, B.K. See Miyake, S., 2=12074
- Chatterjee, H.K. Resistance in potential flow with circulation. I. Circular and elliptic cylinders, 2=7184
- Chatterjee, H.K. General formulation for the resistance of an axisymmetrical body in potential flow of a real incompressible fluid, 4=29602
- Chatterjee, H.K. See Ghosh, N.L., 1=122
- Chatterjee, H.K. See Ghosh, N.L., 1=18448
- Chatterjee, H.K. See Ghosh, N.L., 1=18449
- Chatterjee, J.S. Influence of Hall effect on the induced current in the earth owing to magnetic disturbances, 1=1597
- Chatterjee, J.S. Magnetic disturbances and the earth's magnetic field, 1=21084
- Chatterjee, J.S. Some comments on the paper by A.T. Price, "Magnetic disturbance and the earth's main field", 3=13826
- Chatterjee, M.L. and Sen, B. The (n, α) reaction on C^{12} at 14 MeV, 4=15223
- Chatterjee, M.L. See Sen, B., 3=14845
- Chatterjee, P.K. The role played by modulus of rigidity in the process of fusion, 0=16920
- Chatterjee, R. A short note on the nature of the crystalline electric field in trivalent vanadium alum, 3=20049
- Chatterjee, R. and Ghosh, U.S. A short note on the magnetic anisotropy and susceptibility of the Cu^{++} ion, 3=13224
- Chatterjee, R. See Bose, A., 0=8034
- Chatterjee, R. See Bose, A., 0=16127
- Chatterjee, R. See Bose, A., 1=14697
- Chatterjee, R. See Bose, A., 1=14698
- Chatterjee, R. See Bose, A., 3=6691
- Chatterjee, R. See Bose, A., 3=20053
- Chatterjee, R. See Bose, A., 4=20520
- Chatterjee, R. See Bose, A., 4=25830
- Chatterjee, R. See Chakravarty, A.S., 0=18162
- Chatterjee, R. See Chakravarty, A.S., 1=901
- Chatterjee, S. Lattice energy of alkali halides, 3=17627
- Chatterjee, S. See Allen, J.S., 0=15096
- Chatterjee, S. See Barua, A.K., 4=19992
- Chatterjee, S.D. and Sastri, R.C. The influence of a radial thermal gradient in a Geiger counter, 4=11850
- Chatterjee, S.D. See Das, S.K., 4=29304
- Chatterjee, S.K. See Bandyopadhyay, P., 1=20983
- Chatterjee, S.K. See Bandyopadhyay, P., 2=19224
- Chatterjee, S.K. See Dhanalakshmi, C., 0=5407
- Chatterjee, S.N. An electron diffraction camera of simplified design, 0=6344
- Chatterji, C.K. See Nag, B.R., 4=17483
- Chatterji, S. and Jeffery, J.W. Crystal growth during the hydration of $CaSO_4 \cdot \frac{1}{2}H_2O$, 4=20727
- Chatterton, N. See Smith, A.G., 0=18638
- Chatterton, N.E. See Carr, T.D., 1=11685
- Chatterton, P.A. and Craggs, J.D. Measurements of attachment coefficients in oxygen using an electron filter technique, 2=5300
- Chaturvedi, K.C. Dependence of resolving power of Lummer Gehrcke plate and transmission echelon on background intensity and stage of resolution desired [when natural line-width is negligible], 0=8804
- Chaturvedi, K.C. Resolution of spectral lines of unequal intensity in grating, reflecting echelon and prism, 0=12490
- Chaturvedi, R.P. See Mann, K.C., 3=19820
- Chau, J.Y.H. See Long, D.A., 3=6376
- Chau, J.Y.H. See Long, D.A., 3=6402
- Chaudhari, K.R. and Trivedi, G.K. Study of viscosity of highly viscous liquids. I. Simple method of measuring viscosity, 2=4983
- Chaudhari, K.R. and Trivedi, G.K. Study of viscosity of highly viscous liquids. II. Determination of viscosity employing the double cone, sphere and cylinder shapes of rotating solids, 3=1663
- Chaudhri, M.M. See Chaudhri, R.M., 3=5899
- Chaudhri, M.M. See Chaudhri, R.M., 4=19326
- Chaudhri, M.M. See Chaudhri, R.M., 4=22913
- Chaudhri, M.M. See Katti, P.K., 1=10629
- Chaudhri, M.M. See Katti, P.K., 1=15858
- Chaudhri, M.M. See Katti, P.K., 2=7472
- Chaudhri, M.M. See Khan, Y., 4=20487
- Chaudhri, R.M. and Chaudhri, M.M. Photoelectrons and their back diffusion in self-quenching Geiger-Müller counters, 3=5899
- Chaudhri, R.M. and Chaudhri, M.M. Photoelectrons and their back diffusion in self-quenching Geiger-Müller counters, 4=19326
- Chaudhri, R.M., Jehan, A. and Chaudhri, M.M. Emission of ultraviolet radiation from metals by alkali-positive ions, 4=22913
- Chaudhri, R.M. and Khan, M.Y. Emission of soft electromagnetic radiation from metals by the impact of high-energy protons and positive ions, 1=18951
- Chaudhri, R.M. and Khan, M.Y. Emission of ultraviolet and visible radiation from metals by the impact of high-energy hydrogen ions, 2=3970
- Chaudhri, R.M. and Khan, Y. Emission of ultra violet and visible radiation from metals by the impact of high energy protons and positive ions, 3=7657
- Chaudhri, R.M. and Ullah, R. Soft ultra-violet photons in self-quenching Geiger-Müller counters, 1=389
- Chaudhry, R., Vandenbosch, R. and Huizenga, J.R. Fission fragment angular distributions and saddle deformation, 2=10157
- Chaudhry, R. See Bate, G.L., 3=19898
- Chaudhry, R. See Huizenga, J.R., 2=10156
- Chaudhury, A.R., Patel, J.R. and Rubin, L.G. Velocities and densities of dislocations in germanium and other semiconductor crystals, 2=21033
- Chaudhuri, A.R., Patel, J.R. and Rubin, L.G. Erratum: Velocities and densities of dislocations in germanium and other semiconductor crystals, 3=10660
- Chaudhuri, A.R. and Phaneuf, L.E. Grown-in dislocations in calcium tungstate crystals pulled from the melt, 3=22770
- Chaudhuri, A.R. See Patel, J.R., 2=16956
- Chaudhuri, A.R. See Patel, J.R., 3=23322
- Chaudhuri, K.D. Thermal conductivity of superconductors, 3=1904
- Chaudhuri, K.D. Thermal conductivity of superconductors, 3=21650
- Chaudhuri, N. and Sinha, M.S. The direct production of electron pairs by high-energy muons underground (148 m.w.e.), 4=19493
- Chaudhuri, S.N. The calculation of the velocity distribution in the field of a two-dimensional symmetrical aerofoil with arbitrary circulation, 1=15930
- Chaudhury, M.L. Nonlocal potential and alpha-decay barrier penetrability, 0=20375
- Chaudhury, M.L. Effect of nonlocal potential on the barrier penetrability in alpha decay, 3=17424
- Chaudhury, N. See Dutta, A.K., 3=10202
- Chaudhury, N.K. See Ganguly, S.C., 0=1572
- Chaudhury, P.K. Sen. See Sen Chaudhury, P.K.
- Chaudhury, T.K. Note on the unsteady flow of viscous liquid through a channel of rectangular section, 2=15549
- Chaudron, G. See Galtier, F., 3=7590
- Chaudry, R. See Ramanna, R., 1=8689
- Chaulet, R., Guinier, A. and Sebillau, F. Measurements of slight variations of parameters or of line-width by achromatic diagrams, 0=8188
- Chaulia, P.B. and Krishnan, S. Photoelastic study of short beams with varying sections, 2=4970
- Chauveau, J. Analogical study of the propagation of seismic signal, 2=17116
- Chauveau, J. Electro and magnetoseismic effects, 4=10687
- Chauveau, J. See Laverne, M., 2=2818
- Chauvineau, J.P., Galtier, M., Gandais, M. and Rappeneau, Th. The influence of annealing on the structure of thin gold films, 4=23578
- Chauvy, D. See Besson, H., 2=14508
- Chavanel, H. See Bessouat, R., 3=19072
- Chavanel, H. See Bessouat, R., 4=4
- Chavasse, P. The physical definition of the artificial ear of the C.N.E.T., 3=1553
- Chavasse, P. and Lehmann, R. Contribution to the study of the absolute zero [threshold] of audiometers, 0=6885
- Chavchanidze, V.V. and Perel'man, M.E. A contribution to neutrino theory, 0=2525
- Chaventon, J. High resolution infrared absorption spectra in the 1.65μ region for molecules of C_{2v} symmetry, 1=19635
- Chaventon, J. High resolution infrared spectra at 1.65μ for molecules of C_{3v} symmetry. A comparative study of the perpendicular bands of the first harmonic of the anti-symmetric CH_3 stretching mode, 2=1994
- Chaves, R. Calculation of the effective capture sections of electrons by lattice defects in thin films of cadmium sulphide, 2=12540
- Chavet, J. High detectivity microcalorimeters, 3=19057

- Chavet, I. and Levanone, I. Absorption of evaporated ZnS in the ultraviolet, 3=926
- Chavet, I. See Valentin, J., 2=22775
- Chawla, V.K. See Chipionkar, V.T., 3=14548
- Chazalon, R., Bertaut, E. F. and Tran Qui Duc. Parameters of the rare-earth orthorhombic rhodites, 4=23467
- Che Jen Chen and Emrich, R.J. Investigation of the shock-tube boundary layer by a tracer method, 3=7285
- Cheban, A.G. Theory of thermal ionization of F⁻ centres, 2=609
- Cheban, A.G. Theory of photoionization of F-centres, 3=20243
- Cheban, A.G. See Perlin, Yu.E., 3=2838
- Cheban, A.G. See Perlin, Yu.E., 3=15453
- Cheban, A.G. See Tsukerblat, B.S., 4=20311
- Chebkasov, A.V. Some physical properties of vacuum annealed polycrystalline barium titanate, 2=18645
- Chebotarev, G.A. Gravitational spheres of the planets, moon and sun, 4=10876
- Chebotarev, G.A. See Brumberg, V.A., 2=1027
- Chebotarev, G.A. See Gontkovskaya, V.T., 2=1026
- Chebotarev, G.A. See Gontkovskaya, V.T., 2=24188
- Chebotarev, N.T. The connexion between the structure and the anisotropic thermal expansion of uranium, neptunium and plutonium, 3=10606
- Chebotarev, N.T. and Beznosikova, A.V. Thermal expansion of α -plutonium, 1=19726
- Chebotarev, N.T. See Konobeevskii, S.T., 4=7638
- Chebotarev, V.E. See Gorbenko-Germanov, D.S., 3=24033
- Chebotareva, T.E. See Vlasov, A.G., 3=11303
- Checcacci, P. See Aarons, J., 2=4618
- Checcacci, P.F. Ionospheric research by means of artificial satellites, 4=17936
- Checcacci, P. F. and De Giorgio, M. T. Mean electron collision frequency in the ionosphere, 4=7912
- Checcacci, P.F. See Carrara, N., 2=11163
- Checcacci, P. F. See Carrara, N., 4=2286
- Chechernikov, V.I. The temperature dependence of the paramagnetic susceptibility of iron-nickel alloys, 1=5062
- Chechernikov, V.I. Antiferromagnetism of iron-nickel alloys, 2=14813
- Chechernikov, V.I. Temperature dependence of the paramagnetic susceptibility of mixed ferrites, 3=6722
- Chechernikov, V.I. Antiferromagnetism of iron-nickel alloys, 3=6734
- Chechernikov, V.I. Magnetic susceptibility of rare earth metals Ho, Dy, Tb and Gd, 3=11033
- Chechernikov, V.I. and Afonina, L.N. Antiferromagnetic properties of the γ -phase of Fe-Pt and Fe-Co alloys, 3=3146
- Chechernikov, V.I. and Afonina, L.N. Paramagnetic susceptibility of some nickel-base ordered alloys, 4=17626
- Chechernikov, V.I., Burov, I. V. and Savitskii, E. M. Magnetic properties of alloys in the iron-gadolinium system, 4=23030
- Chechernikov, V.I. and Galeev, G.S. Investigation of iron-base alloys in the paramagnetic range, 2=23635
- Chechernikov, V. I. and Iuliu Pop. The magnetic properties of lutetium, 4=20519
- Chechernikov, V. I. and Iuliu Pop. Antiferromagnetism of nickel-chromium alloys, 4=23032
- Chechernikov, V. I. and Iuliu Pop. Temperature dependence of the paramagnetic susceptibility of Gd-Yt alloys, 4=28778
- Chechernikov, V. I., Iuliu Pop and Naumkin, O. P. Magnetic properties of scandium single crystals, 4=1807
- Chechernikov, V. I., Iuliu Pop, Terekhova, V. F. and Kolesnichenko, V. F. Magnetic properties of single crystal and polycrystalline yttrium, 4=17628
- Chechernikov, V. I. and Kol'chenko, V. G. Antiferromagnetic properties of cobaltous oxide, 2=757
- Chechernikov, V. I., Pop, Iuliu, Burov, I. V., Savitskii, E. M. Some magnetic properties of a gadolinium single crystal, 4=7255
- Chechernikov, V. I., Pop, I., Naumkin, O. P. and Terekhova, V. F. The magnetic properties of scandium, 3=25508
- Chechernikov, V. I. and Uchaikina, R. F. Investigation of the ferrites-yttrium and gadolinium garnets, near the ferromagnetic Curie point, 1=10172
- Chechetkin, A. V. The question of aerodynamic resistance of a pseudoliquidified layer, 2=9299
- Chechev, V. P. See Dzhelepov, B.S., 4=6299
- Chechin, G. M. See Sachenko, V. P., 2=8185
- Chechin, G. M. See Sachenko, V. P., 2=20969
- Chechik, L. Yu. See Faizykh, O. M., 1=11399
- Chechkin, V. V., Vasil'ev, M. P., Grigor'eva, L. I. and Smerdov, B. I. Absorption of cyclotron waves in an inhomogeneous plasma, 2=9573
- Chechkin, V. V., Vasil'ev, M. P., Grigoreva, L. I. and Smerdov, B. I. Anomalous plasma diffusion in ion cyclotron resonance, 4=29909
- Chechkin, V. V. See Khizhnyak, N. A., 2=11735
- Chechkin, V. V. See Tolok, V. T., 2=17909
- Chechkin, V. V. See Vasil'ev, M. P., 4=24652
- Chechkin, V. V. See Vasil'ev, M. P., 4=24653
- Chechkin, V. V. See Vasil'ev, M. P., 4=27523
- Chechkin, V. V. See Vasil'ev, M. P., 4=29910
- Chechkov, A. A. and Shirokov, Yu. M. Invariant parametrization of the relativistic scattering matrix, 3=5963
- Cechulin, B. B. and Bodunova, M. B. Specific features of cold-brittleness of technical purity titanium, 4=10403
- Cechurin, S. N. Change of the refractive index of semiconductor films when intensely illuminated, 2=18793
- Cechurin, S. N. Change of the refractive index of semiconductor films when intensely illuminated, 2=21227
- Cechurin, S. N. Effect of a strong electric field on the absorption of microwave electromagnetic radiation in photosensitive layers of lead sulphide, 4=1736
- Cechurin, S. N. See Rogachev, A. A., 2=18750
- Cechurin, S. N. See Rogachev, A. A., 2=23467
- Cecinska, H. See Garlick, G. F. J., 2=8440
- Cecinska, H. See Garlick, G. F. J., 3=20515
- Chęcińska, M. H. Some experimental data on the semiconductor properties of indium sulphide crystals, 4=20374
- Chédin, P. and Moussa, A. Absolute determination of internal conversion coefficients of low energy transitions in Eu¹⁶³, 4=17065
- Chédin, P. See Oms, J., 4=17017
- Chedzev, H. A. See Bardslev, W., 3=13414
- Cheek, C. H. and Linnenbom, V. J. Calculation of absorbed dose, 1=11656
- Cheeke, J. D. N. See Challis, L. J., 3=4830
- Cheeke, J. D. N. See Challis, L. J., 3=24150
- Cheeke, J. D. N. See Challis, L. J., 4=9873
- Chên-K'ô-Ming. See Chên-Ké-Min, 2=6434
- Cheer, D. A. See Moore, A., 2=23831
- Cheetham, F. C. See Hunt, S. E., 3=9885
- Cheglov, E. I. Structure of the valence band of bismuth-type conductivity, 1=7545
- Cheifetz, E., Gilat, J., Yavin, A. I. and Cohen, S. G. Alpha particle emission competing with thermal neutron capture gamma-rays in rare earth isotopes, 2=18341
- Cheishvili, O. D. See Buishvili, L. L., 1=3922
- Cheishvili, O. D. See Vashakidze, I. Sh., 0=2662
- Cheka, J. S. See Ritchie, R. H., 1=1919
- Chekanov, V. A. See Akkerman, A. F., 4=9401
- Chekanov, V. N. See Akkerman, A. F., 3=15149
- Chekanov, V. N. See Batalin, S. S., 3=24200
- Chekirda, A. T. See Barabashov, N. P., 0=18696
- Chekhovskoi, V. Ya. Heat capacity and enthalpy of molybdenum in the temperature range 0-2400°C, 3=20102
- Chekhovskoi, V. Ya. Heat capacity and enthalpy of corundum in the temperature range 500-2000°C, 3=20103
- Chekhovskoi, V. Ya. and Sheindlin, A. E. Laboratory furnace with a graphite heater for experiments at temperatures up to 3100°C, 3=24093
- Chekhovskoi, V. Ya., Shumyatskii, B. Ya. and Yakimovich, K. A. Experimental study of tungsten enthalpy in the temperature range 350° to 2000°C, 3=8361
- Chekhovskoi, V. Ya. See Kirillin, V. A., 2=3839
- Chekhovskoi, V. Ya. See Kirillin, V. A., 2=12386
- Chekhovskoi, V. Ya. See Kirillin, V. A., 2=18528
- Chekhovskoi, V. Ya. See Petrov, V. A., 4=14444
- Chekhovskoi, V. Ya. See Petrov, V. A., 4=30687
- Chekhovskoi, V. Ya. See Sheindlin, A. E., 2=8174
- Chekmarev, I. B. Non-stationary flow of a conducting fluid in a plane tube in the presence of a transverse magnetic field, 0=15120
- Chekmarev, I. B. Some questions of stationary flow of a conducting fluid in an infinitely long annular tube in the presence of a radial magnetic field, 0=17081
- Chekmarev, I. B. Nonstationary flow of incompressible, viscous and conducting fluid in the presence of transverse magnetic field, 0=17083
- Chekmarev, I. B. Nonstationary flow of incompressible viscous and conducting fluid in the presence of transverse magnetic field, 1=4703

- Chekmarev, I.B. Resonance effects in induced oscillations of a layer of incompressible conducting fluid in a transverse magnetic field, 3=24455
- Chekmarev, I.B. The influence of anisotropy of electrical conductivity on the development of flow of a viscous fluid in the initial section of a plane channel, 4=16640
- Chekmarev, I.B. The steady flow of a viscous electrically conducting gas in a plane channel in the presence of transverse [magnetic and electric] fields, 4=3117
- Chekmarev, I.B. and Ufliand, I.A. Some possibilities of accelerating electrically conducting fluids with the use of crossed magnetic fields, 2=17937
- Chekmarev, I.B. See Uflyand, Ya.S., 0=15121
- Chekmarev, I.V. See Uflyand, Ya.S., 0=19892
- Chelam, E.V. Elastic behaviour of matter under very high pressures — simple shear, 1=3959
- Chelam, E.V. Elastic behaviour of matter under very high pressures — considerations of instability, 1=3960
- Chelam, E.V. See Bhagavantam, S., 0=16208
- Chelam, E.V. See Bhagavantam, S., 1=3958
- Chełkowski, A. On dielectric saturation and intermolecular rotation, 3=21393
- Chełkowski, A. Effect of an electric field on the dielectric permittivity of dipole liquids, 4=14177
- Chełkowski, A. See Bigorne, M., 0=19218
- Chełkowski, A. See Piekara, A., 1=12890
- Chelnokov, I.E. See Berezin, A.A., 1=19547
- Chelnokov, I.E. See Flerov, N.N., 1=19546
- Chelnokov, I.E. See Lazukov, N.A., 1=750
- Chelnokov, V.A. On the nature of the recovery of the elastic modulus after plastic deformation, 4=20651
- Chelovskii, A.V. See Vereshchagin, L.F., 2=21946
- Chelovskii, A.V. See Vereshchagin, L.F., 3=1728
- Chelton, D.B., Dean, J.W. and Birmingham, B.W. Closed circuit liquid hydrogen refrigeration system, 0=12540
- Chel'tsov, V.F. Radiative transitions in resonance systems of two-level molecules, 4=30419
- Chel'tsov, V.F. See Galitsky, V.M., 4=27988
- Chemel, B. On the interaction of 300 MeV negative π -mesons with the nuclei of nuclear emulsion, 0=1295
- Chemel, B. and Tsai-Chü. The angular spread of a beam of particles passing through nuclear emulsion, 0=3900
- Chemeresyuk, G.G. See Sera, T. Ya., 4=30659
- Chemla, M. See Lantelme, F., 4=16103
- Chen, A. See Pope, M., 2=14579
- Chen, C.H. See Arns, R.G., 3=7996
- Chen, C.L. Atomic processes in helium-krypton and helium-xenon mixtures, 3=24220
- Chen, C.L. Electron collisions in neon plasma, 4=24586
- Chen, C.L., Leiby, C.C. and Goldstein, L. Electron temperature dependence of the recombination coefficient in pure helium, 1=4562
- Chen, C.L. and Raether, M. Collision cross section of slow electrons and ions with cesium atoms, 3=4724
- Chen, C.L. See Leiby, C.C., Jr., 0=5051
- Chen, C.W. Metallurgy and magnetic properties of an Fe-Co-V alloy, 1=6523
- Chen, C.W. Saturation moments and residual resistivities of iron-cobalt ternary alloys, 3=3103
- Chen, C.W. Electronic structures of manganese-substituted iron-cobalt alloys, 3=4839
- Chen, C.W. Magnetic moments and electronic properties of manganese-substituted iron-cobalt alloys, 3=15784
- Chen, C.W. See Shirane, G., 3=15733
- Chen, C.W. See Shirane, G., 3=17632
- Chen Che Jen. Temperature effect on Langmuir probe measurement, 4=14685
- Chen Chen-chia, Young Cheng-ching and Huang Heng-chi. Diffusion of phosphorus into silicon through silicon dioxide films grown by thermal oxidation, 4=28483
- Chen Chi. Influence of working conditions of the X-ray diffractometer on the position of the centre of gravity, the mean-square width and the profile of interference lines, 3=20816
- Chen Chi, Li Hua-lin and Din Jia-yen. Intensity of mutually-induced X-ray fluorescence between elements, 4=10208
- Chen Chien-Pou. Image-forming characteristics of periodic field lenses, 3=24382
- Chen Chien-pou. See Yeh Ming-han., 4=623
- Chén' Chun'-Hsien, Chén' Shih-Kang and Hē Yü-Ping. Some questions in the theory of super-conductivity, 3=21651
- Chen' Chun'-Syan'. On a new representation in statistical physics. I. Mathematical structure of the Γ^2 -representation, 4=2580
- Chen' Chun'-Syan' and Chen' Shi-Gan'. Method of models in statistical physics, 3=18737
- Chén' Chun'-Syan' and Chzhou Si-Shin'. The basic compensation equation in superconductivity theory when the Coulomb interaction is taken into account, 0=10837
- Chen, C.W. Impurity scattering of electrons in dilute ferromagnetic alloys, 4=4108
- Chen, C.W. and Wiener, G.W. Brittleness of cobalt-iron alloys, 0=3271
- Chen, C.W. See Shirane, G., 4=20544
- Chen, C.Y. See Tsakonas, S., 4=27257
- Chen, C.Y. See Tsakonas, S., 4=29707
- Chen, C.Y. See Woods, J. F., 4=28556
- Chen, D. Modulation of laser output by multiple-reflection Kerr effect on thin magnetic films, 4=19273
- Chen, D. and Gondo, Y. Temperature dependence of the magneto-optic effect and resonance phenomena in oriented MnBi
- Chen, D. and Morrish, A.H. Ferromagnetic resonances in thin films, 2=12672
- Chen, D. See Aagard, R. L., 4=21281
- Chen Er-Chih. See Wang Ao., 3=17255
- Chen, F.F. Low-frequency oscillations in gas discharges, 2=204
- Chen, F.F. Use of electrostatic probes in plasma physics, 2=7626
- Chen, F.F. Radial electric field in a reflex discharge, 2=11628
- Chen, F.F. Electrostatic stability of a collisionless plane discharge, 3=1943
- Chen, F.F. Low-frequency instabilities of a fully ionized gas, 4=19050
- Chen, F.F. Normal modes for electrostatic ion waves in an inhomogeneous plasma, 4=24694
- Chen, F.F. Double-probe method for unstable plasmas, 4=27541
- Chen, F.F. and Cooper, A.W. Electrostatic turbulence in a reflex discharge, 3=4040
- Chen, F.P.H. Kinetic studies of crystallization of synthetic mica glass, 4=13535
- Chen, F.S. See Tabor, W. J., 4=27704
- Chen Fan-Yun. See Molchanov, A.P., 1=2650
- Ch'en feng-ch'i. See Chen' Fyn-Tsi 3=11369
- Chen' Fyn-Tsi. See Sikov, A.A., 3=11369
- Ch'ên Hsiao-Lan. See Chen' Syao-Lan'.
- Chen, H. C. and Cheng, D. K. Scattering of electromagnetic waves by an anisotropic plasma-coated conducting cylinder, 4=24847
- Chen, H. S., Gilman, J. J. and Head, A. K. Dislocation multipoles and their role in strain-hardening, 4=25936
- Chen, H.S.C. Note on a new design for the centripetal force apparatus, 0=6725
- Chen, H.Y. See Benenson, R.E., 1=7398
- Chen, H.Y. See Young, O.B., 0=1337
- Chen, J. C. See Chu, C. M., 4=14089
- Chen, J. C. See Evans, L. B., 4=27653
- Chen, J. C. Y. Theory of electron capture by molecules: dissociative attachment, 3=4785
- Chen, J. C. Y. General relation of fundamental molecular constants between two electronic states, 3=10499
- Chen, J. C. Y. Differentiated Schrödinger equation, 3=11698
- Chen, J. C. Y. Off-diagonal hypervirial theorem and its applications, 4=11076
- Chen, J. C. Y. Theory of subexcitation electron scattering by molecules. I. Formalism and the compound negative-ion states, 4=22336
- Chen, J. C. Y. Theory of subexcitation electron scattering by molecules. II. Excitation and de-excitation of molecular vibration, 4=22337
- Chen, J. C. Y. Vibrational excitation of molecules by slow electron impact, 4=25613
- Chen, J. C. Y. Unitary operator formalism of the Eigenvalue problems, 4=5067
- Chen, J. C. Y. Anharmonicity effects in vibrational excitation of molecules by slow electron impact, 4=12463
- Chen, J. C. Y. and Magee, J. L. Excitation of molecular vibration by slow electron impact, 2=8087
- Chen, J.H. See O'Connor, J.R., 3=15516
- Chen, J.H. See O'Connor, J.R., 4=10167
- Chen Jyh-chen. See Yeh Ming-han., 4=623
- Chen, J.M., Ho, T.H., Sen, D.C. and Tzo, H.Y. The angular distribution of the decay products of hyperons, 0=5614
- Chen, J.M. See Lee, W.T., 0=5602
- Chen, K. L. and Miller, J. M. Comparison between reactions of alpha particles with scandium-45 and deuterons with titanium-47, 4=22189
- Chen, K.W. CH target system for high energy electron scattering experiments, 4=9179

- Chen, K. W., Cone, A. A., Dunning, J. R., Jr, Frank, S. G. F., Ramsey, N. F., Walker, J. K. and Wilson, R. Electron—proton scattering at high momentum transfers, 4=9172
- Chen, K. W., Dunning, J. R., Jr, Rees, J. R., Shlaer, W., Walker, J. K. and Wilson, R. Electroproduction of protons at 1 and 4 BeV, 4=27840
- Chen, K. W. See Dunning, J. R., Jr., 3=19613
- Chén'-Ké-Min. See Chuenkov, V. A., 1=19843
- Chén'-Ké-Min. See Chuenkov, V. A., 2=6434
- Chen' Ké-min. See Chuenkov, V. A., 3=15561
- Ch'ên K'o-ming. See Chen' Ké-min, 3=15561
- Ch'en-K'o-Ming. See Chuenkov, V. A., 1=19843
- Chen, L. H. and Schweikert, D. G. Sound radiation from an arbitrary body, 4=2778
- Chen Lin-Yan'. See Belyakov, V. A., 3=24798
- Chen Lin-yan'. See Belyakov, V. A., 4=3489
- Chen, Lin-Yan'. See Belyakov, V. A., 4=27898
- Chen Lin-yan'. See Van Gan-chan., 1=2099
- Chen Lin-Yan. See Veksler, V. I., 3=22211
- Chen Lin-yan'. See Wang Nai-yen, 4=9537
- Chen Ling-Yen. See Wang Kang-Ch'ang, 3=19702
- Chen Ling-Yen. See Wang Kang-Ch'ang, 3=22208
- Chen, M.-C. Trident production cross-section and quantum electrodynamics at small distances, 2=20321
- Chen, M. M., Berkowitz-Mattuck, J. B. and Glaser, P. E. The use of a kaleidoscope to obtain uniform flux over a large area in a solar or arc imaging furnace, 3=19056
- Chen, N. H. and Othiner, D. F. Correlations for the co-efficients of gaseous diffusion, 4=29671
- Chen, P. The large solar flares of July 10 and 14, 1959, 0=10506
- Chen Pang Wu. On the applicability of the image theory, 4=16624
- Chen Pang Wu. Radiation from dipoles in a magneto-ionic medium, 4=5621
- Chen, R. See Braner, A. A., 3=6653
- Chen, R. L. W. See Shen, C. S., 4=29906
- Chen, S. N. C. The transient phenomenon in an isotropic plasma without collision loss, 3=24301
- Ch'en Shang-Yi and Bennett, R. B. Pressure broadening of the violet triplet of manganese in the presence of argon and helium, 0=13416
- Ch'en Shang-Yi and Chandrasekharan, V. The shift of the absorption lines of Fe I due to the presence of helium, 1=8813
- Ch'en Shang-Yi and Smith, A. The oscillator strengths and the transition probabilities of the first sharp series doublet lines of indium, 1=809
- Ch'en Shang-Yi, Smith, A. and Takeo, M. Pressure effects of helium and argon on the first sharp series doublet of indium, 0=5881
- Chen' Shi-Gan'. See Chen' Chun'-Syan', 3=18737
- Chen Shi-Kang. Theory of linear transport coefficients in quantum statistics, 4=98
- Chen Shi-kang. Perturbation theory of transverse transport processes in strong magnetic fields, 4=29568
- Chen Shi-Lang. Dynamical theory of heat transport process, 3=24079
- Chen' Shi-pin. See Yun Pei-kun', 4=6293
- Chen Shih and Dai Yuan-ben. High-energy nucleon-nucleon scattering in the strip approximation, 3=24712
- Chen Shih and Dai Yuang-beng. N-N scattering at 4 BeV laboratory energy, 4=893
- Ch'ên Shih-Kan. See Hao Pai-Lin, 3=20035
- Chen Shih-kang. Nonlinear integral equations in LCAO-SCF method, 4=1328
- Chen Shih-kang, Chang Yi-shang and Liou De-sen. Influence of the chemical bond on the energy bands of the zinc blende structure, 3=25230
- Chen Shih-kang. See Chan Shan-fou, 3=25051
- Chén Shih-Kang. See Chén' Chun'-Hsien, 3=21651
- Ch'ên Shih-p'ing. See Chen' Shi-pin.
- Chen Sih-yuan. See Tang Au-chin, 3=25082
- Chen' Syao-Lan. See Kho Yuí-Pin, 4=4126
- Chen, S. W. See McDaniels, D. K., 0=20469
- Ch'ên T'a Mei. See Bak, M. A., 2=16417
- Chen Ting-gin. See Chang Li-ning, 3=24799
- Chen To Tai. Evanescent modes in a partially filled gyro-magnetic rectangular waveguide, 0=2446
- Chen To Tai. Wave propagation in an inhomogeneous transversely magnetized rectangular waveguide, 0=7229
- Chen To Tai. An integration of the unified equation of the electromagnetic field by means of the dyadic green function, 0=17073
- Chén Tsin-Syuan. See Van Dé-Yuí, 4=6306
- Chen Tso-yü. See Tang Pu-shan., 4=4168
- Ch'en Tsung-Mo. See Chen' Tsun-Mo, 3=22162
- Chen' Tsun-Mo. See Demina, N. V., 3=22162
- Chen' Tsun-mo. See Solov'ev, L. D., 2=9901
- Chén' Tsun-mo. See Solov'ev, L. D., 3=6041
- Chen' Tsun-mo. See Syan' Din-chan., 1=19160
- Chen' Tsun-mo. See Syan' Din-chan, 2=22466
- Chen Tun. See Furduev, V. V., 0=19347
- Chen' Tya-Mei. See Ch'ên T'a Mei.
- Chen Vei-Tszin' [Ch'êng Wei Chin]. An investigation of the operation of the experimental heavy water reactor of the Chinese Academy of the Sciences (Peking), 3=25025
- Chen, W. K., Koch, F. B. and Silverstein, J. M. Transducer-operated balance for making magnetic susceptibility measurements, 0=19870
- Chen Wei-Kong and Nicholson, M. E. The influence of annealing on the electrical properties of cold-worked Ag-Pd alloys, 4=22684
- Chen, Y. M. Wave propagation in stratified random media, 4=24831
- Chen, Y. N. The effect of neck length and tube-wall sound adsorption on nonlinear undamped resonators, 4=5313
- Chen Yung Ming. See Yung Ming Chen.
- Chenette, E. R. See Bruncke, W. C., 4=12943
- Chenette, E. R. See Huang, C. H., 3=21725
- Cheney, G. T. See Cutler, M., 3=14395
- Cheney, G. T. See Cutler, M., 3=16818
- Cheney, J. E. See Ward, W. H., 0=8583
- Cheng, C. H., Gupta, K. P., van Reuth, E. C. and Beck, P. A. Low-temperature specific heat of body-centred cubic Ti-V alloys, 2=16609
- Cheng, C. H., Gupta, K. P., Wei, C. T. and Beck, P. A. Low temperature specific heat of Fe-Al alloys, 4=25857
- Cheng, C. H., Wei, C. T. and Beck, P. A. Low-temperature specific heat of body-centered cubic alloys of 3d transition elements, 0=17896
- Cheng, C. H. See Gupta, K. P., 3=8367
- Cheng, C. H. See Gupta, K. P., 4=9852
- Cheng, C. H. See Gupta, K. P., 4=12639
- Cheng, C. H. See Gupta, K. P., 4=30520
- Cheng, C. H. See Lounasmaa, O. V., 3=6479
- Cheng, C. H. See Pessall, N., 4=30518
- Cheng, C. H. See Schröder, K., 1=1198
- Cheng, C. H. See Starke, E. A., Jr, 2=14382
- Cheng, C. H. See Straumanis, M. E., 1=20520
- Cheng, C. H. See Wei, C. T., 1=8882
- Cheng Chin-chi and Pu Fu-cho. Application of the Green's function method to the theory of antiferromagnetism for $S > 1/2$, 4=28850
- Cheng Chin-chi. See Pu Fu-cho, 3=25499
- Cheng Chin-chi. See Pu Fu-cho, 3=25555
- Cheng Chin-chi. See Pu Fu-cho, 4=4016
- Cheng, Chin-huan. See Wei, Chuan-tseng, 1=17414
- Cheng, D. K. Relations concerning refracting surfaces, wave-fronts, and phase errors, 0=7221
- Cheng, D. K. See Chen, H. C., 4=24847
- Cheng, D. K. See Tseng, Fung-I., 4=24848
- Cheng, D. K. See Vural, A. M., 4=24841
- Cheng, G. C. H. and Zussman, J. The crystal structure of anhydrite (CaSO_4), 3=25717
- Cheng, H. Spin absorption of solids, 1=20251
- Cheng, H. Dispersion relation for the Regge parameters, 3=12426
- Cheng, H. Discussion of the dynamical equations for the Regge parameters, 4=852
- Cheng, H. and Sharp, D. On the dynamical determination of the Regge pole parameters, 3=19569
- Cheng, H. and Sharp, D. Formulation and numerical solution of a set of dynamical equations for the Regge pole parameters, 4=3355
- Cheng, J. S. H-He cycle in the evolution of massive stars, 0=6609
- Cheng, J. S. Quick method of determining the central temperatures of stars, 0=6625
- Cheng, J. S. The rate of strongly endoergic thermonuclear reactions, 0=7651
- Cheng, L. S. See Tseng, C. Y., 4=978
- Chêng Ling-yen'. See Chen Lin-yan'.
- Chêng Lin-shêng. See Chzhen Lin'-shen.
- Cheng lin-Sheng. See Hsieh Kuang-Chun, 3=22340
- Ch'eng Ling-Yang. See Chen Lin-Yan.
- Ch'eng Ling-Yan'. See Chen Lin-Yan'.
- Ch'êng Ling-Yen. See Van Gan-Chan, 1=16902
- Cheng, P. See Fand, R. M., 3=21582

- Cheng P'u-Ying. See Chzhen Pu-In.
 Ch'eng P'u-Ying. See Wang Shu-Fen, 4=934
 Ch'êng Shên. See Anan'ev, L.M., 3=19388
 Ch'eng Ts'ung-mo. See Solov'ev, L.D., 2=9901
 Ch'êng Ts'ung-mo. See Solov'ev, L.D., 3=6041
 Ch'êng T'ung. See Chen Tun, 0=19347
 Ch'êng Wei Chin. See Chen Vei-Tszin'.
 Cheng Wu-chieh. See Eberhardt, W.H., 0=5932
 Cheng, Y. F. Scattered light photoelastic polariscope for three-dimensional stress analysis, 4=24398
 Chenon, M.T. See Raoult, G., 3=23232
 Chentsov, R. Fifth All-Union conference on low-temperature physics, 1=1857
 Chentsov, R. Sixth all-union conference on low temperature physics, 1=2916
 Chentsov, R. Seventh All-Union Conference on Low Temperature Physics, 2=5223
 Chentsov, Yu. V. and Vertsner, V. N. The television method for increasing the brightness and contrast in an electron microscope, 4=600
 Chentsova, L.G. See Tsinober, L.I., 0=18314
 Chentsova, L. G. See Tsinober, L.I., 4=4100
 Cheo, P. K. and Heer, C. V. Beat frequency between two traveling waves in a Fabry-Perot square cavity, 4=27650
 Cheon, I. T., Kawamura, N. and Takemiya, T. Quasi-free proton-proton scattering from Ca^{40} at 180 MeV, 4=3657
 Chepel', L.V., Viting, B.I. and Chapyzhnikov, B.A. Irradiation inside the accelerating chamber of a betatron, 3=14701
 Chepurinov, V. See Nemirovskii, P.E., 3=15095
 Chepurinov, V. A. and Nemirovsky, P. E. Spin-orbit interaction in deformed nuclei, 4=9378
 Cher, M. Rate of dissociation of N_2O_4 by ultrasonic absorption measurements, 3=4784
 Cherdyn'tsev, V. V., Kashkarov, L. L., Ivanenko, V. M. and Kudashev, E. F. Asymmetry of neutrons from a μ -meson reaction in lead, 1=3304
 Cherednichenko, V.I. The dissociation and ionization of cometary molecules in the solar radiation field, 0=1491
 Cheremisinov, V. P. and Zlomanov, V. P. Vibrational spectra and the structure of tellurium dioxide in the crystalline and glassy states, 2=16819
 Cheremisinov, V. P. See Antropov, E. T., 4=22365
 Cheremisinov, V. P. See Obakhov-Denisov, V. V., 3=15695
 Cheremisinov, V. P. See Sobolev, N. N., 1=2326
 Cheremkhin, M. E. See Lur'e, A. I., 4=15964
 Cheremnykh, P. A. See Afonin, I. P., 3=19283
 Cheremnykh, P. A. See Akhmatov, A. P., 1=4628
 Cheremushkina, A. V. The influence of the breakup of super-saturated solid solutions on the Hall effect, 0=6069
 Cheremushkina, A. V. and Koroleva, M. I. Hall effect and electrical resistance of iron-vanadium alloys, 4=1564
 Cherenkov, P. A. Radiation from high-speed particles, 0=5537
 Cherenkov, P. A. Radiation from charged particles moving faster than light and its utilization in the physics of high-energy particles, 3=10080
 Cherenkov, P. A. See Belousov, A. S., 0=7311
 Cherenkov, P. A. See Belovintsev, K. A., 4=3073
 Cherenkov, P. A. See Belovintsev, K. A., 4=3074
 Cherenkov, P. A. See Belovintsev, K. A., 4=11733
 Cherenkov, P. A. See Belovintsev, K. A., 4=11734
 Cherenkov, P. A. See Cherenkov, P. A., 0=17292
 Cherenkov, P. A. See Denisov, F. P., 0=1403
 Cherenkov, P. A. See Gorbunov, A. N., 0=5519
 Cherenkov, P. A. See Gorbunov, A. N., 2=14077
 Cherenkov, P. A. See Gorbunov, A. N., 3=6227
 Cherepanov, A. M. See Bogdanov, S. V., 2=14612
 Cherepanov, G. P. A nonlinear boundary value problem of the theory of analytic functions encountered in some elastoplastic problems, 3=7154
 Cherepanov, G. P. Inverse elastoplastic problem for anti-plane strain, 4=8128
 Cherepanov, G. P. The hydrodynamic formulation of certain problems in the theory of cracks, 4=23110
 Cherepanov, G. P. See Barenblatt, G. I., 2=19014
 Cherepanov, G. P. See Barenblatt, G. I., 3=5395
 Cherepanov, G. P. See Barenblatt, G. I., 3=18215
 Cherepanov, V. I. A theory of optical properties of electron semiconductors in the infrared spectral region, 0=6163
 Cherepanov, V. I. Influence of unidirectional deformation of cubic crystals on the quadrupole extinction absorption of light, 1=16121
 Cherepanov, V. I. Effect of uniaxial compression of cubic crystals on the quadrupole exciton absorption spectra. II, 2=4135
 Cherepanov, V. I. Effect of uniaxial compression of cubic crystals on the quadrupole exciton absorption spectra. II, 2=6564
 Cherepanov, V. I. Possible enhancement of quadrupole exciton lines of optical absorption in an electric field, 2=10594
 Cherepanov, V. I., Druzhinin, V. V., Kargapolov, Yu. A. and Nikiforov, A. E. The effect of an electric field on the quadrupole lines in the exciton absorption spectrum of light, 2=513
 Cherepanov, V. I., Druzhinin, V. V., Kargapolov, Yu. A. and Nikiforov, A. E. The effect of an electric field on the quadrupole lines in the exciton absorption spectrum of light, 2=4140
 Cherepanov, V. I. and Galishev, V. S. Anisotropy of the quadrupole exciton absorption of light in cubic crystals, 1=17875
 Cherepanov, V. I. See Galishev, V. S., 1=17874
 Cherepanov, V. I. See Men', A. N., 3=20130
 Cherepanov, V. I. See Zhilich, A. G., 2=3876
 Cherkas, K. V. and Fistul', V. I. Low-temperature measurements of the thermal E. M. F. of highly doped N-type germanium, 4=30669
 Cherkas, K. V. See Fistul', V. I., 3=15631
 Cherkashin, E. E., Kripyakevich, P. I. and Oleksiv, G. I. Crystal structures of ternary compounds in the Li-Cu-Al and Li-Zn-Al systems, 4=23452
 Cherkashin, M. I. See Balabanov, E. I., 1=3728
 Cherkashin, V. S. See Drokin, A. I., 3=11061
 Cherkashin, V. S. See Laptie, D. A., 3=11069
 Cherkashin, Yu. N. See Barkhatov, A. N., 2=5119
 Cherkashin, Yu. N. See Barkhatov, A. N., 4=2789
 Cherkasov, A. S. Manifestation of intermolecular reactions in the fluorescence spectra of the solutions of acetylanthracenes in solvent mixtures, 0=10675
 Cherkasov, A. S. Fluorescence yields of acetylanthracenes in some solvent mixtures, 1=9400
 Cherkasov, A. S. Influence of the solvent on the fluorescence spectra of acetylanthracenes, 2=15600
 Cherkasov, A. S. Relaxation of the solvent during the excited lifetime of the solute molecules and fluorescence spectra, 3=9468
 Cherkasov, A. S., Tishchenko, G. A. and Voldaykina, K. G. Photoluminescent characteristics and relative scintillation intensities of plastic scintillators containing anthracene derivatives, 0=9235
 Cherkasov, A. S. See Bakhshiev, N. G., 2=21947
 Cherkasov, A. S. See Vember, T. M., 2=721
 Cherkasov, A. S. See Vember, T. M., 2=14745
 Cherkasova, K. P. See Polovin, R. V., 2=22317
 Cherkasova, K. P. See Polovin, R. V., 3=21783
 Cherkosov, L. V. Development of surface waves generated by travelling variations of pressure, 0=924
 Cherkosov, L. V. Development of waves on the free surface and on the surface separating two fluids under the action of traveling pressures, 4=140
 Cherkasova, K. P. See Polovin, R. V., 2=11776
 Chermak, I. Calculation of a cylindrical reactor, surrounded on all sides by a reflector, with the aid of orthogonal series with special metrics, 4=1155
 Chermalykh, G. N. The Levinson theorem in the dispersive treatment, 4=21769
 Chernavskii, D. S. Non-linear quantization of a spinor equation, 1=18267
 Chernavskii, D. S. Non-linear quantization of a spinor equation, 3=3749
 Chernavskii, D. S. See Dremine, I. M., 0=5556
 Chernavskii, D. S. See Dremine, I. M., 1=19184
 Chernavskii, D. S. See Dremine, I. M., 3=2256
 Chernavskii, D. S. See Dremine, I. M., 3=4385
 Chernavskii, D. S. See Dremine, I. M., 4=9143
 Chernavskii, D. S. See Emel'yanov, A. A., 0=11129
 Chernavskii, D. S. See Feinberg, E. L., 4=6050
 Chernavskii, D. S. See Gramenitskii, I. M., 1=19183
 Chernavskii, D. S. See Gramenitskii, I. M., 1=19245
 Chernavskii, D. S. See Gramenitskii, I. M., 2=22586
 Chernavskii, D. S. See Roisen, I. I., 2=9878
 Chernavskii, D. S. See Roisen, I. I., 3=6021
 Chernavskii, D. S. See Roisen, I. I., 4=827
 Chernavskii, D. S. See Romanov, Yu. A., 0=12922
 Chernavskii, D. S. See Rus'kin, V. I., 1=19249
 Chernavskii, D. S. See Rus'kin, V. I., 2=22584
 Chernavsky, D. S. Effect of annihilation on peripheral nucleon-antinucleon interactions, 4=6038
 Chernavsky, D. S., Dremine, I. M., Feinberg, E. L. and Royzen, I. I. Regge pole method and one-meson approximation, 3=19571

- Chernavsky, D.S., Dremin, I.M., Maximenko, V.M. and Slavatskiy, S.A. Application of diagram method to the calculation of characteristics for nucleon-nucleon interaction at the energy of 300 BeV and their comparison with experimental data, 3=12541
- Chernavsky, D.S., Dremin, I.M. and Roizen, I.I. Interaction of high energy nucleons according to diagram method view point and double dispersion relations, 3=12540
- Chernavsky, D.S. See Roizen, I.I., 4=16835
- Chernavsky, D.S. See Slavatskiy, S.A., 1=3269
- Chernavsky, D.S. See Yemelyanov, A.A., 1=3276
- Chernaya, N.S. The energy distribution of electron states on the surface of germanium in very high vacuum, 1=7637
- Chernaya, N.S. See Lyashenko, V.I., 0=6094
- Chernaya, N.S. See Lyashenko, V.I., 0=15926
- Chernaya, N.S. See Lyashenko, V.I., 1=1045
- Chernenko, A.A. See Dogonadze, R.R., 2=10361
- Chernenko, A.A. See Dogonadze, R.R., 2=14417
- Chernenko, A.A. See Grafov, B.M., 3=18448
- Chernenko, A.I. Spectral line intensity as a function of the mean rate of evaporation of a substance, 2=22037
- Chernenko, V. P., Zaitov, F. N. and Lukantseva, Yu. L. Investigation of the mechanism of recombination luminescence of a NaCl-Ag-crystal phosphor, 4=7188
- Chernets, A.N. See Ganapol'skii, E.M., 2=7286
- Chernets, A.N. See Ganapol'skii, E.M., 3=5492
- Chernets, A.N. See Ganapol'skii, E.M., 3=18913
- Chernets, A.N. See Peskovatskii, S.A., 2=18950
- Chernets, A.N. See Peskovatskii, S.A., 2=18951
- Chernets, A. N. See Podgaetskii, V. M., 4=311
- Chernets, A. N. See Podgaetskii, V. M., 4=30097
- Chernets, A.N. See Pyestovats'kii, S.A., 2=19057
- Chernev, C. M. See Zlateva, A. J., 4=11998
- Chernev, Kh. See Zlateva, A., 4=21907
- Chernev, Kh. M. See Dalkhazhav, N., 4=25150
- Chernev, Kh. M. See Zlateva, A. I., 2=9842
- Chernev, Kh. M. See Zlateva, A. I., 3=24726
- Chernev, Kh. M. See Zlateva, A. I., 4=27886
- Chernevskaya, E. G. Transmittance of mixed CaF_2 - SrF_2 and SrF_2 - BaF_2 monocrystals and the effect of gamma radiation on them, 2=690
- Chernevskaya, E. G. The transparency of CaF_2 , SrF_2 , and BaF_2 crystals and the effect of hard radiation on them, 2=6555
- Chernevskii, M., [Czerniewski], Shul'tz, P., [Szulc], Opatovskii, A., [Opatowski], V. [W.], Pelka, S. Pshona [Pszona], Ya. Podgurski, [J. Podgorski], L. Adamski and E. Varda [Warda]. Critical experiment on the VVR-S "Eva" reactor with graphite reflector, 4=6437
- Cherniack, G. B. and Elliot, A. G. High-temperature behavior of MoSi_2 and Mo_5Si_3 , 4=23279
- Chernick, C. L., Johnson, C. E., Malm, J. G., Perlow, G. J. and Perlow, M. R. The Mössbauer effect in chemical compounds of Xe^{129} , 3=17634
- Chernick, C. L. See Weinstock, B., 3=12839
- Chernick, J. High flux reactors, 0=13308
- Chernick, J. The dynamics of a xenon-controlled reactor, 1=17208
- Chernick, J., Honeck, H. C., Michael, P., Moore, S. O. and Srikantiah, G. The correlation of integral experiments and high energy cross-sections, 2=18379
- Chernick, J., Lellouche, G. and Wollman, W. The effect of temperature on xenon instability, 2=6015
- Chernick, J. and Moore, S. O. Breeding potential of thermal reactors, 1=757
- Chernick, J. and Vernon, R. Some refinements in the calculation of resonance integrals, 0=13280
- Chernick, J. See Rothenstein, W., 1=16806
- Chernikov, A. M. See Korotkov, K. A., 2=14027
- Chernikov, N. A. The relativistic kinetic equation and the equilibrium state of a gas in a static spherically-symmetric gravitational field, 0=14496
- Chernikov, N. A. Bringing the relativistic collision integral into the Boltzmann form, 0=19192
- Chernikov, N. A. The relativistic kinetic equation and the equilibrium state of a gas in a static spherically-symmetric gravitational field, 1=6768
- Chernikov, N. A. The Fock representation of the Duffin-Kemmer algebra, 2=4955
- Chernikov, N. A. Kinetic equation for a relativistic gas in an arbitrary electromagnetic field, 2=17931
- Chernikov, N. A. Relativistic Maxwell-Boltzmann distribution and the integral form of conservation laws, 2=19615
- Chernikov, N. A. Relativistic Maxwell-Boltzmann distribution and the integral form of conservation laws, 2=21941
- Chernikov, N. A. Kinetic equation for a relativistic gas in an arbitrary electromagnetic field, 2=22310
- Chernikov, N. A. The current vector and mass tensor of a relativistic ideal gas, 3=70
- Chernikov, N. A. The current vector and mass tensor of a relativistic ideal gas, 3=1630
- Chernikov, N. A. Derivation of the equations of relativistic hydrodynamics from the relativistic transport equation, 3=18758
- Chernikov, N. A. The relativistic gas in the gravitational field, 3=21215
- Chernikov, N. A. See Logunov, A. A., 1=3124
- Chernikov, N. A. See Logunov, A. A., 1=9727
- Chernikov, N. A. See Logunov, A. A., 2=16134
- Chernikov, N. A. See Logunov, A. A., 3=5958
- Chernikov, N. A. See Tavkhelidze, A. N., 0=3928
- Chernikova, D. M. Reflection and transformation of sound waves incident on the vapour-liquid He II boundary, 4=29824
- Chernikova, D. M. See Sanikidze, D. G., 4=16326
- Chernikova, L. A. See Galkina, O. S., 0=6074
- Chernikova, L. A. See Galkina, O. S., 2=3985
- Chernikova, L. A. See Galkina, O. S., 3=4905
- Chernikova, L. A. See Kondorskiy, E. I., 0=11662
- Chernikova, L. A. See Kondorskiy, E. I., 3=832
- Chernin, J. G. See Golden, S., 4=12451
- Chernin, S. M. and Mal'tsev, A. A. A high temperature furnace for the investigation of the spectra of low-volatile compounds, 3=1817
- Chernitsyn, A. I. See Korepanov, V. D., 4=4421
- Chernogorova, V. A. See Evseev, V. S., 1=19499
- Chernogorova, V. A. See Evseev, V. S., 2=7872
- Chernogorova, V. A. See Evseev, V. S., 2=22832
- Chernogorova, V. A. See Evseev, V. S., 4=3684
- Chernoplekov, N. A., Zemlyanov, M. G., Brovman, E. G. and Chicherin, A. G. Investigation of inelastic scattering of neutrons in the alloy Ti-Zr, 3=17644
- Chernoplekov, N. A., Zemlyanov, M. G. and Chicherin, A. G. Investigation of the phonon spectrum of vanadium, 3=17641
- Chernoplekov, N. A., Zemlyanov, M. G., Chicherin, A. G. and Lyashchenko, B. G. Investigation of the phonon spectrum of nickel, 3=25185
- Chernoplekov, N. A. See Zemlyanov, M. G., 4=5153
- Chernous, E. J. Changes in the geomagnetic field associated with magnetic disturbance, 2=13068
- Chernous'ko, F. L. The reflection of weak converging shock waves in a gas of variable density, 2=19595
- Chernous'ko, F. L. Motions of an ideal fluid with a pressure discontinuity along its boundaries, 3=16582
- Chernous'ko, F. L. The motion of a satellite about its centre of mass under the action of gravitational moments, 4=10937
- Chernous'ko, F. L. Resonance phenomena during a motion of satellite with respect to the mass centre, 4=20888
- Chernous'ko, F. L. See Krylov, N. A., 4=18030
- Chernov, A. A. Theory of non-equilibrium pick-up of impurities during crystal growth, 0=16258
- Chernov, A. A. Velocity of layer-spiral growth of crystals from solution and from the melt, 0=21158
- Chernov, A. A. The theory of "shock wave" steps on a crystal surface, 1=4023
- Chernov, A. A. Velocity of layer-spiral growth of crystals from solution and from the melt, 1=6496
- Chernov, A. A. Layer-spiral growth of crystals, 1=7845
- Chernov, A. A. The kinetics of the growth forms of crystals, 3=20789
- Chernov, A. A. Crystal growth forms and their kinetic stability, 3=23388
- Chernov, A. A. and Dukova, E. D. Influence of supersaturation on the stepped relief of a crystal surface and its rate of growth, 1=14974
- Chernov, A. A. See Bartini, G. R., 4=20732
- Chernov, A. A. See Belyaev, L. M., 4=7541
- Chernov, A. A. See Dukova, E. D., 4=20733
- Chernov, A. A. See Lemlein, G. G., 1=14975
- Chernov, G. M. See Abduzhamilov, Sh., 4=3520
- Chernov, G. M. See Abduzhamilov, Sh., 4=25089
- Chernov, G. M. See Azimov, S. A., 1=16936
- Chernov, G. M. See Azimov, S. A., 2=281
- Chernov, G. M. See Malysheva, T. V., 3=8051
- Chernov, G. M. See Surkov, Yu. A., 2=14044
- Chernov, L. A. See Bljakhman, E. A., 4=8027

- Chernov, N.N. and Chesnokov, V.I. Improving the stability of synchrotron parameters by stabilization of the magnet power supply, 2=3122
- Chernov, N.N. See Komar, A.P., 0=17061
- Chernov, N.N. See Komar, A.P., 1=4683
- Chernov, N.N. See Komar, A.P., 1=5515
- Chernov, N.N. See Komar, A.P., 1=11992
- Chernov, N.N. See Komar, A.P., 2=13618
- Chernov, N.N. See Mikheev, G.F., 0=19859
- Chernov, P.S. See Kuz'min, A.A., 4=14817
- Chernov, P.S. See Pligin, Yu.S., 4=14817
- Chernov, V.M. See Balashov, V.V., 2=20595
- Chernov, V.M. See Balashov, V.V., 3=8078
- Chernov, V.N. and Yakovlev, V.I. Scientific work during flight of an animal in an artificial earth satellite, 2=11210
- Chernov, Yu.M. and Stepanov, A.V. Temperature dependence of the elastic constants of single crystal lithium fluoride, 1=20303
- Chernov, Yu.M. and Stepanov, A.V. Temperature dependence of the elastic constants of single crystal lithium, 2=8705
- Chernov, Yu.P. Stationary rotation of a cosmic gaseous mass in the general theory of relativity, 0=3444
- Chernova, L.P. See Abduzhamilov, Sh., 4=3520
- Chernova, L.P. See Abduzhamilov, Sh., 4=25089
- Chernova, L.P. See Azimov, S.A., 1=16936
- Chernova, L.P. See Azimov, S.A., 2=281
- Chernovolenko, A.F. See Vasil'eva, I.A., 2=1394
- Chernukh, I. See Brabets, V., 4=9417
- Chernyak, Ya.N. The expansion of gas bubbles in liquids of high viscosity, 0=10645
- Chernyakov, E.I. See Shestopalov, V.P., 0=15149
- Chernyakovskii, F.P., Kalmanson, A.E. and Blyumenfel'd, L.A. Electron paramagnetic resonance in crystals of triphenylmethane dyes, 1=5072
- Chernyakovskii, F.P. See Chetverikov, A.G., 4=26437
- Chernyavskaya, I.A. Broadening of the lines of anisotropic scattering and the structure of alcohols, 3=21366
- Chernyavskaya, I.A. See Vuks, M.F., 3=7207
- Chernyavskaya, S.G. See Kirvalidze, I.D., 0=15973
- Chernyavskii, B.G. See Strakhov, L.P., 3=23014
- Chernyavskii, K.K. See Valter, A.K., 1=16566
- Chernyavskii, K.K. See Valter, A.K., 3=4673
- Chernyavskii, K.K. See Val'ter, A.K. [Walter], 2=10149
- Chernyi, B.G. See Braun, M.P., 3=11281
- Chernyi, B.K. See Sinyakov, E.V., 2=18644
- Chernyi, B.M. See Fedorchenko, V.D., 0=9154
- Chernyi, B.M. See Fedorchenko, V.D., 3=9823
- Chernyi, B.M. See Sine'l'nikov, K.D., 0=10955
- Chernyi, B.M. See Strel'nikov, P.L., 2=217
- Chernyi, G.G. Integral methods for the calculation of gas flows with strong shock waves, 2=17499
- Chernyi, V.G. and Gusliyenkov, Yu.A. Problem of crystal structure changes in Nimonic type alloys on ageing, 3=16113
- Chernykh, N.S. See Grasiuk, A.Z., 4=20908
- Chernysh, V.I. A photoelectric method of extracting weak pulse signals, 2=19195
- Chernyshev, K.V. Instrument for measuring amplitudes of small vibrations, 1=9434
- Chernysheva, L.P. See Petrzhak, K.A., 4=12291
- Chernysheva, M.A. See Klassen-Neklyudova, M.V., 1=14891
- Chernyshov, A.A. See Geguzin, Ya.E., 4=1961
- Chernyshov, A.A. See Zhezherun, I.F., 3=2280
- Chernyshov, A.A. See Zhezherun, I.F., 3=4403
- Chernyshov, A.A. See Zhezherun, I.F., 3=4404
- Chernyshov, A.A. See Zhezherun, I.F., 4=9594
- Cheroff, G., Enck, R.C. and Keller, S.P. Effects of polarized light on photocurrents and photovoltages in ZnS, 0=2907
- Cheroff, G., Heer, J. and Triebwasser, S. Trapping and recombination measurement by a light modulation technique, 2=8399
- Cheroff, G., Lanza, C. and Triebwasser, S. Apparatus for light efficiency measurement, 4=3213
- Cheroff, G., Stern, F. and Triebwasser, S. Quantum efficiency of GaAs injection lasers, 3=19490
- Cherpak, V.A. See Rivin, A.N., 0=6889
- Cherpak, V.A. See Rivin, A.N., 1=16037
- Cherpakov, P.V. The thermal inertia of thermocouples, 3=11985
- Cherry, A.R. See Cummerow, R.L., 0=1591
- Cherry, C. On listening with both ears, 4=10954
- Cherry, E.C. and Bowles, J.A. Contribution to a study of the "cocktail party problem", 1=11662
- Cherry, E.C. and Phillips, V.J. Some possible uses of single sideband signals in Forment-tracking systems, 1=12719
- Cherry, J.T., Jr. The aximuthal and polar radiation patterns obtained from a horizontal stress applied at the surface of an elastic half space, 2=11440
- Cherry, L.V. and Wallace, W.E. Magnetic characteristics of some intermetallic compounds between manganese and the lanthanide metals, 1=9024
- Cherry, L.V. and Wallace, W.E. Magnetic studies of some intermetallic compounds between cobalt and the lanthanide elements, 2=10640
- Cherry, L.V. and Wallace, W.E. On intermediate phases in lanthanon-manganese systems, 2=12925
- Cherry, L.V. See Butera, R.A., 1=10757
- Cherry, L.V. See Nassau, K., 1=7877
- Cherry, L.V. See Nassau, K., 1=9041
- Cherry, R.D. Mirror nuclei radii utilizing self-energy term and nonuniform charge distributions, 0=1359
- Cherry, R.D. Thorium and uranium contents of australites, 3=7025
- Cherry, R.D. See Pagano, R., 2=22133
- Cherry, R.D. See Schroeder, B.W., 2=15182
- Cherry, R.J. Three phonon combination bands in GaP, 3=20085
- Cherry, R.J. and Allen, J.W. Some electrical properties of p-type gallium phosphide, 2=12528
- Cherry, R.J. and Allen, J.W. Excited states of copper in semiconductors, 3=10810
- Cherry, R.J. See Allen, J.W., 1=5022
- Cherry, R.J. See Allen, J.W., 2=14554
- Cherry, W.H. and Gittleman, J.L. Thermal and electrodynamic aspects of the superconductive transition process, 2=1333
- Cherry, W.R. Photovoltaic state-of-the-art-1962, 4=27467
- Chervosani, L. See Bartke, J., 1=8513
- Chersovani, L. See Bartke, J., 2=13883
- Chersovani, L. See Bergia, S., 0=15402
- Chersovani, L. See Brautti, G., 1=9758
- Chertock, G. Sound radiation from prolate spheroids, 1=10562
- Chertock, G. Comments on spheroidal wave functions, 2=1228
- Chertock, G. General reciprocity relation, 2=17524
- Chertock, G. Sound radiation from vibrating surfaces, 4=24311
- Chertoprud, V.E. On the nature of P₁ type peaks, 3=11544
- Chertoprud, V.E. and Gudzenko, L.I. An analysis of periodic solar activity, 3=5258
- Chertoprud, V.E. See Gudzenko, L.I., 4=29437
- Cherville, J. See Pacault, A., 1=3764
- Chervyakova, V.V. See Presnyakov, A.A., 1=10215
- Chervonko, E. Green's thermodynamic functions of an isotropic ferromagnetic with arbitrary spin, 3=8648
- Chervonko, E. Thermodynamic Green's functions for an isotropic antiferromagnetic with an arbitrary spin, 4=1849
- Chery, R. Contribution to the measurement of the interval of time of between 10⁻⁹ and 10⁻⁷ seconds: on a differential coincidence selector by time-amplitude conversion adapted to slow scintillators, 0=19991
- Chéry, R. Contribution to the study of the variation of the gain of photomultipliers as a function of the counting rate of pulses, 1=19065
- Chéry, R. Contribution to the study of the nuclear scheme of Sm¹⁵¹, 2=404
- Chéry, R. Experimental study of the nuclear levels of Samarium 151, 2=12144
- Chery, R. and Perrin, A. Contribution to the study of photomultiplier characteristics, 0=17031
- Chéry, R. See Escudie, B., 4=9018
- Chery, R. See Escudie, B., 4=14010
- Chéry, R. See Marguier, G., 4=17064
- Chery, R. See Perrin, A., 0=19967
- Chescoe, D. and Halliday, J.S. Measurement of the thickness of vacuum deposits using the electron microscope, 2=8881
- Cheshire, I.M. Electron capture by fast protons in hydrogen, 3=19952
- Cheshire, I.M. Positronium formation by fast positrons in atomic hydrogen, 4=9184
- Cheshire, I.M. Continuum distorted wave approximation; resonant charge transfer by fast protons in atomic hydrogen, 4=22324
- Cheshire, I.M. Resonant charge transfer by fast protons in atomic hydrogen, 4=24575
- Cheshire, I.M. See Bransden, B.H., 3=14518
- Cheshkov, A.A. and Shirokov, Yu.M. Invariant parametrization of the relativistic scattering matrix, 2=7831
- Cheshkov, A.A. and Shirokov, Yu.M. Invariant parametrization of local operators, 4=859
- Cheshkov, A.A. and Shirokov, Yu.M. Invariant parametrization of local operators, 4=9070

- Chesi, E. See Amato, G., 3=19141
- Chesnokov, N.A. See Shirokov, M.F., 2=5357
- Chesnokov, V.I. See Chernov, N.N., 2=3122
- Chesnut, D.A. Monte Carlo calculations for the two-dimensional triangular lattice gas: super-critical region, 4=84
- Chesnut, D.A. and Salsburg, Z.W. Monte Carlo procedure for statistical mechanical calculations in a grand canonical ensemble of lattice systems, 3=16545
- Chesnut, D.B. Cl^{35} n.m.r. contact shifts in aqueous cobaltous chloride solutions, 0=19168
- Chesnut, D.B. Simple model for some dense magnetic exciton systems, 4=9914
- Chesnut, D.B. Phonon-induced exciton interactions, 4=25908
- Chesnut, D.B. and Arthur, P., Jr. Spin correlation in ion radical salts; the system $(Cs^+)_2(TCNQ)_2$, 2=14827
- Chesnut, D.B., Foster, H. and Phillips, W.D. E.P.R. studies of spin correlation in some ion radical salts, 1=9056
- Chesnut, D.B. and Phillips, W.D. E.P.R. studies of spin correlation in some ion radical salts, 1=14804
- Chesnut, D.B. and Sloan, G.J. Paramagnetic resonance absorption of triphenylmethyl, 0=17773
- Chesnut, D.B. and Sloan, G.J. Paramagnetic resonance absorption of the dimesitylmethyl radical, 1=12319
- Chesnut, D.B. and Suna, A. Fermion behavior of one-dimensional excitons, 3=20143
- Chesnut, D.B. See Jones, M.T., 3=11109
- Chessick, J.J. A criticism of heat of immersional wetting practice, 2=17426
- Chessick, J.J. and Zettlemoyer, A.C. A comparison of integral enthalpies, free energies and entropies of adsorption, 2=2432
- Chessick, J.J. See Srinivasan, G., 3=6890
- Chessick, J.J. See Tcheurekdjian, N., 4=23606
- Chessin, H., Arajs, S. and Colvin, R.V. Paramagnetic susceptibility, electrical resistivity, and lattice parameters of nickel-rich nickel-tantalum alloys, 4=26273
- Chessin, H., Arajs, S., Colvin, R.V. and Miller, D.S. Paramagnetism and lattice parameters of iron-rich iron-germanium alloys, 3=11030
- Chessin, H., Arajs, S. and Miller, D.S. Lattice spacings in some transition metal terminal solid solutions, 4=10490
- Chessin, H. and Whitmore, R.W. Extension of the M function tables for a hindered rotator of Lipscomb and King, 0=10303
- Chessin, H. See Arajs, S., 1=7747
- Chessin, H. See Arajs, S., 2=12739
- Chessin, H. See Arajs, S., 3=15757
- Chessin, H. See Arajs, S., 4=7221
- Chester, G.V. The theory of the interaction of electrons with lattice vibrations in metals, 2=3835
- Chester, G.V. The Boltzmann equation for inhomogeneous electric fields, 3=13030
- Chester, G.V. The theory of irreversible processes, 3=21251
- Chester, G.V. Superfluidity, 4=24477
- Chester, G.V. and Howie, A. Solid-state theory, 3=2686
- Chester, G.V. and Thellung, A. The law of Wiedemann and Franz, 1=8890
- Chester, M. Evidence for a configurational e.m.f. in a conducting medium, 0=17983
- Chester, M. Thermodynamics of a superconducting energy converter, 2=7523
- Chester, M. Second sound in solids, 3=25193
- Chester, M. Theory of a configurational e.m.f., 4=8113
- Chester, P.F. Cross-doping agents for rutile masers, 1=7788
- Chester, P.F. Electron spin resonance in semiconducting rutile, 1=20229
- Chester, P.F. and Bradhurst, D.H. Electrolytically induced conductivity in rutile, 4=6983
- Chester, P.F., Wagner, P.E., Castle, J.G. and Conn, G. Plastic microwave cavities for e.p.r., 0=5434
- Chester, P.F. See Castle, J.G., Jr. 0=13878
- Chester, P.F. See Kamper, R.A., 4=18362
- Chester, P.F. See Wagner, P.E., 0=18222
- Chesterfield, C.M. and Spicer, B.M. Application of a rotational model to Li^+ , 3=12549
- Chesterman, W.D. and Gibson, M.J. An instrument for recording changes of sound velocity in the sea, 0=14756
- Chestnykh, L. See Oshurkov, P., 1=5067
- Cheston, W.B. See Kobe, D.H., 3=3767
- Chetaev, D.N. Effect of the elasticity of the medium on the radiation impedance of a piston set in a baffle, 1=2824
- Chetaev, D.N. A method of solving axisymmetric problems of gyrotropic medium electrodynamics, 3=12296
- Chetaev, D.N. Field of a low-frequency electric dipole situated on the surface of a uniform anisotropic conducting half-space, 3=14740
- Chetaev, D.N. Dipole over a gyrotropic medium, 4=8902
- Chetaev, D.N. See Zernyatko, V.G., 0=9152
- Chetaev, N.G. Extension of the optico-mechanical analogy, 1=6944
- Chetham-Strode, A., Tarrant, J.R. and Silva, R.J. The application of silicon detectors to alpha particle spectroscopy, 1=3254
- Chetham-Strode, A. See Schmitt, H.W., 3=6313
- Chetkarov, M. Successive superposition of high voltage polarizing e.m.f.'s in rhombic sulphur, 4=10098
- Chetkarov, M.L. On the theory of photoelectretites, 1=7654
- Chetkarov, M.L. The effect of temperature on photoelectretite state, 1=7655
- Chetkarov, M.L. The kinetics of E.M.F. from high-voltage polarization of dielectrics, 1=19934
- Chetkarov, M.L. The theory of photoelectrets, 1=19935
- Chetkarov, M.L. The kinetics of e.m.f. from high-voltage polarization of dielectrics, 2=4102
- Chetkarov, M.L. The theory of photoelectrets, 2=4103
- Chetkarov, M.L. Kinetics of the electromotive force of high-voltage polarization in dielectrics, 2=6533
- Chetkarov, M.L. Superposition of the high-voltage polarization e.m.f. in dielectrics, 3=15607
- Chetkin, M.C. See Krinchik, G.S., 2=23535
- Chetkin, M.V. See Krinchik, G.S., 0=13677
- Chetkin, M.V. See Krinchik, G.S., 0=14946
- Chetkin, M.V. See Krinchik, G.S., 1=19957
- Chetkin, M.V. See Krinchik, G.S., 2=685
- Chetkin, M.V. See Krinchik, G.S., 2=12604
- Chetkin, M.V. See Krinchik, G.S., 3=918
- Chetkina, L.A. See Gol'der, G.A., 3=23462
- Chetrou, A. See Agiroiceanu, I., 1=5982
- Chetverikov, A.G., Chernyakovskii, F.P., Blyumenfel'd, L.A., Lyubchenko, L.S. and Moshkovskii, Yu.Sh. Photoinduced paramagnetic centres in triphenylmethane dye crystals, 4=26437
- Chetverikova, G.A. See Mashkova, E.S., 1=13122
- Chetv'orkina, H.Ye. See Zhmuds'kii, O.Z., 2=18634
- Chevalier, H. Lagrangian of the perturbed gravitational field, 2=9165
- Chevalier, H. See Max, J., 4=29848
- Chevalier, J. and Baltensperger, W. Ferro- and antiferromagnetism of rare earth metals, 2=4214
- Chevallier, A. See Gorodetzky, M.S., 3=24344
- Chevallier, P. The determination of the multipole order of nuclear electromagnetic transitions (by measuring the angular correlation of internal conversion pairs), 0=4027
- Chevallier, P. See Gorodetzky, S., 0=7560
- Chevallier, P. See Gorodetzky, S., 0=11321
- Chevallier, P. See Gorodetzky, S., 0=13150
- Chevallier, P. See Gorodetzky, S., 1=7360
- Chevallier, P. See Gorodetzky, S., 1=13736
- Chevallier, P. See Gorodetzky, S., 1=17062
- Chevallier, P. See Gorodetzky, S., 2=376
- Chevallier, P. See Gorodetzky, S., 2=13980
- Chevallier, P. See Gorodetzky, S., 2=13996
- Chevallier, P. See Gorodetzky, S., 2=16327
- Chevallier, P. See Gorodetzky, S., 2=20522
- Chevallier, P. See Gorodetzky, S., 3=19810
- Chevallier, P. See Gorodetzky, S., 4=6222
- Chevallier, P. See Gorodetzky, S., 4=17029
- Chevallier, P. See Gorodetzky, S., 4=17030
- Chevallier, P. See Gorodetzky, S., 4=17031
- Cheverev, N.S. See Arsen'ev, Yu.I., 3=12136
- Chevillon, J. See Pons, L., 3=5075
- Chevillot, J.P. Formation, structure and properties of certain manganese dioxides, 4=26657
- Chevillot, J.P. and Brenet, J. Semiconducting behaviour of dioxides of manganese with foreign ion additives, as a function of the measuring frequency, 0=4364
- Chevillot, J.P. See Abraham, M., 3=14136
- Chevreton, M. Exponential representation of gravitational potentials, 4=27037
- Chevreton, M. and Bertaut, F. Study of chromium selenides, 1=15078
- Chevreton, M. and Bertaut, F. Study of the selenides of titanium and vanadium and the telluride of titanium, 3=1346
- Chevreton, M., Bertaut, E.F. and Jelinek, F. Some remarks on the system Cr-Te, 3=16095
- Chevreton, M. and Brunie, S. Structure of the compound Ti_5Se_8 , 4=29142

- Chevretton, M., Murat, M., Eyraud, C. and Bertaut, E. F. Structure and electrical conductivity of compounds with ordered vacancies in the Cr-Se system, 4=1549
- Chevretton, M. See Bertaut, E. F., 4=13267
- Chevretton, M. See Bertaut, E. F., 4=28800
- Chevretton, M. See Brunie, S., 4=26678
- Chevychelov, A.D. The current-voltage characteristic of an n-p junction calculated with allowance for the generation and recombination of current carriers in the space-charge layer, 0=11675
- Chevychelov, A.D. Refinement of the Bueche fracture criterion for a glassy polymer under an external load in the dynamic theory of strength, 3=20731
- Chevychelov, A.D. See Gubanov, A.I., 0=15833
- Chevychelov, A.D. See Gubanov, A.I., 2=16964
- Chevychelov, A.D. See Gubanov, A.I., 2=19003
- Chevychelov, A.D. See Gubanov, A.I., 3=20038
- Chevychelov, A.D. See Gubanov, A.I., 4=10397
- Chew, G.F. Three pion resonance or bound state, 0=7405
- Chew, G.F. A unified dynamical approach to high and low-energy strong interactions, 1=16678
- Chew, G.F. S-Matrix theory of strong interactions without elementary particles, 3=567
- Chew, G.F. Reciprocal bootstrap relationship of the nucleon and the (3,3) resonance, 3=7841
- Chew, G.F. Self-consistent S-matrix with Regge asymptotic behavior, 3=10047
- Chew, G.F. Artificial singularity in the N/D equations of the new strip approximation, 3=12425
- Chew, G.F. The dubious role of the space-time continuum in microscopic physics, 4=11002
- Chew, G.F. Strong interaction S-matrix theory without elementary particles, 4=9110
- Chew, G.F. Elementary particles, 4=25050
- Chew, G.F. and Frautschi, S.C. Unified approach to high- and low-energy strong interactions on the basis of the Mandelstam representation, 1=4765
- Chew, G.F. and Frautschi, S.C. Dynamical theory for strong interactions at low momentum transfers but arbitrary energies, 1=12054
- Chew, G.F. and Frautschi, S.C. Potential scattering as opposed to scattering associated with independent particles in the S-matrix theory of strong interactions, 1=16702
- Chew, G.F. and Frautschi, S.C. Principle of equivalence for all strongly interacting particles within the S-matrix framework, 2=3270
- Chew, G.F. and Frautschi, S.C. Regge trajectories and the principle of maximum strength for strong interactions, 2=7816
- Chew, G.F., Frautschi, S.C. and Mandelstam, S. Regge poles in $\pi-\pi$ scattering, 2=11991
- Chew, G.F. and Jones, C.E. New form of strip approximation, 4=21803
- Chew, G.F. and Mandelstam, S. Theory of the low-energy pion-pion interaction, 0=13019
- Chew, G.F. and Mandelstam, S. Theory of the low-energy pion-pion interaction. II, 1=5760
- Chew, G.F., Mandelstam, S. and Noyes, H.P. S-wave dominant solutions of the pion-pion integral equations, 0=13020
- Chew, H. Subtractions in forward scattering dispersion relations, 0=17257
- Chew, H. Structure of radiative decay amplitudes, 1=10838
- Chew, H. Evidence against partially conserved currents in K^*_1 decay, 2=11996
- Chew, H. Magnitude of the $\Delta I = \frac{3}{2}$ amplitude in K^*_1 decay, 2=20411
- Chew, H. Final state interaction and CP invariance in radiative $K^*_{\pi 2}$ decay, 3=6063
- Chew, H. Production and scattering in simple models, 4=5964
- Chew, H. Production and scattering in simple models II. Two-body channels, 4=21896
- Cheyne, B., Leroy, J.L. and Prelec, K. Rapid pulsation device for an electrostatic low-energy accelerator, 1=16434
- Cheyura, S.V. See Potykevich, I.V., 4=6949
- Chezem, C.G. A uranium-metal exponential experiment, 1=17166
- Chezem, C.G. Radial buckling modes near the source of an exponential column, 4=6446
- Chezanova, A. Ya. See Beskovnyi, I.M., 4=1031
- Chhabra, A.S. An improved whole body counting geometry with a single NaI (Tl) detector, (8 x 4 inches), 4=25332
- Chhonkar, M.S. See Mookherji, A., 1=11756
- Chhonkar, N.S. See Mookherji, A., 1=12881
- Chhonkar, N.S. See Mookherji, A., 1=12882
- Chhonkar, N.S. See Mookherji, A., 1=15883
- Chhonkar, N.S. See Mookherji, A., 2=5018
- Chhonkar, N.S. See Mookherji, A., 4=2684
- Chi, B.E. and Davidson, J.P. Asymmetric core collective model for odd-A nuclei with applications to the 2s-1d shell, 3=17386
- Chi, S.H. See Mentel, T.J., 4=11269
- Chi, S.W. See Spalding, D.B., 2=11322
- Chi, S.W. See Spalding, D.B., 3=18787
- Chi, Sen-yeng See Tang, Son-yei, 3=18157
- Chia Hwa Chan. The KN resonance at the \bar{K}^*N threshold, 3=6067
- Chia Yi Huang, Jenn Lin Hwang, Yui Chi Hsu and Yui Kwei Tai. Counting efficiency of nuclear multiplate camera, 4=16750
- Chia Yu Huang. See Yui Chi Hsu, 4=17171
- Chiang, H. B. See Jeong, T. H., 4=30396
- Chiang P'i-Huang. See Tszyan Pi-Khuan, 1=9518
- Chiang, R. See Pollack, S.S., 2=4504
- Chiang Shao-chün. See Tszyan Shao-tszyan'.
- Chiang Ti-chieng. Studies of the boundary layer of non-Newtonian fluids, 3=23832
- Chiang, Y. See Whipple, E.B., 4=12515
- Chiang Yu-min. See Chan Shan-fou, 3=25051
- Chiao, L.W. See Rasmussen, J.O., 1=8554
- Chiao, Lung-Wen. See Hansen, P.G., 1=8655
- Chiao, R. and Stoecheff, B.P. Angular dependence of maser-stimulated Raman radiation in calcite, 4=20451
- Chiao, W.F. and Gordon, R.B. Simultaneous measurement of ultrasonic attenuation and yield strength of Mg single crystals, 4=3986
- Chiara, L. Upper limits of the variation of eccentricity in binary systems with decreasing mass, 2=9084
- Chiara, L. On the problem of two bodies of decreasing mass. Variation of the eccentricity and of the true anomaly for the law of emission $-m/m^3 = \text{constant}$, 4=10797
- Chiarini, A. See Benzi, V., 2=16455
- Chiarotti, A.R. See Fieschi, R., 1=11223
- Chiarotti, A.R. See Nardelli, G.F., 1=6104
- Chiarotti, G. Introduction to ionic crystals, 4=28442
- Chiarotti, G. and Nardelli, G.F. Efficiency of the varley mechanism for vacancy production in alkali halides, 4=9947
- Chiarotti, G., del Signore, G., Frova, A. and Samoggia, G. Optical study of surface levels in Ge, 3=2989
- Chiarotti, G. See Balzarotti, A., 3=6584
- Chiarotti, G. See Camagni, P., 0=9912
- Chiarotti, G. See Camagni, P., 1=19763
- Chiavassa, E. See Bonazzola, G., 2=9861
- Chiavassa, E. See Bonazzola, G.C., 4=12239
- Chiavassa, E. See Bonazzola, G.C., 4=15219
- Chiavassa, E. See Brovetto, P., 2=9826
- Chiba, R. $C^{14}(d,n)N^{15}$ reaction, 1=12212
- Chiba, R., Conzett, H.E., Morinaga, H., Mutsuro, N., Shoda, K. and Kimura, M. He^3 -alpha scattering, 1=15331
- Chiba, R. See Yamabe, S., 2=16399
- Chiba, S. Magnetic properties of iron phosphide Fe_3P , 1=9013
- Chiba, S., Oneda, S. and Pati, J.C. $\Sigma - \Lambda$ relative parity and the $\Sigma^0 \rightarrow \Lambda^0 + \gamma + \gamma$ decay, 1=16905
- Chiba, S. See Hirone, T., 1=12527
- Chiba, S. See Hirone, T., 3=1025
- Chiba, S. See Hori, S., 2=13869
- Chiba, S. See Hori, S., 3=22201
- Chiba, S. See Ichinose, N., 4=26359
- Chiba, S. See Oneda, S., 3=6069
- Chiba, S. See Takasu, S., 3=1085
- Chiba, S. See Tsubokawa, I., 1=1248
- Chiba, T. Nuclear quadrupole spectra of boron trichloride and tribromide, 0=685
- Chiba, T. Deuteron magnetic resonance study of several deuterated ammonium salts, 2=6708
- Chiba, T. Deuteron magnetic resonance study of barium chlorate monohydrate, 3=25589
- Chiba, T. Deuteron magnetic resonance study of some crystals containing an O-D...O bond, 4=28894
- Chiba, T., Toyama, M. and Morino, Y. Nuclear quadrupole resonance spectra of N^{14} in urea crystal, 0=6271
- Chiba, Y., Ueki, K. and Sakamoto, M. Aggregation process of dipoles in Ca-doped KCl crystals, 4=1652
- Chibisov, A.K. and Karyakin, A.V. Study of the metastable state of pigments by the pulse photolysis method, 4=15364
- Chibisov, K.V. Methods of raising the effective sensitivity of the photographic system, 1=2895
- Chibisov, K.V. The development of scientific photography in pre-revolutionary and Soviet Russia, 1=9489

- Chibisov, M.I. See Firsov, O.B., 1=17087
 Chibisov, M.I. See Mart'ynenko, Yu.V., 3=22507
 Chibrikov, V.M. See Karimov, Yu.S., 4=15383
 Chicault, R. See Buisson, R., 1=9683
 Chiche, P. Thermodynamics of adsorption. I, 2=19118
 Chiche, P. Thermodynamics of adsorption. II, 2=19119
 Chicherin, A.G. Use of the scattering amplitude to reconstruct the potential near its boundary, 0=11107
 Chicherin, A.G. See Chernoplekov, N.A., 3=17641
 Chicherin, A.G. See Chernoplekov, N.A., 3=17644
 Chicherin, A.G. See Chernoplekov, N.A., 3=25185
 Chicherv, V.M. See Molchanov, V.A., 1=10/45
 Chicherv, V.M. See Molchanov, V.A., 1=11985
 Chicherv, V.M. See Molchanov, V.A., 1=17590
 Chichester, C.O. See Bourne, M.C., 4=27169
 Chichinadze, V.K. See Murusidze, G.Ya., 3=14241
 Chick, B., Anderson, G. and Truell, R. An ultrasonic attenuation unit and its use in measuring attenuation in alkali halides, 0=2206
 Chick, B. See Hikata, A., 2=21436
 Chick, B. See Hikata, A., 3=23320
 Chick, B.B. See Dobbs, E.R., 0=11573
 Chick, B.B. See Fitzgerald, T.M., 4=20263
 Chick, B.B. See Fitzgerald, T.M., 4=28363
 Chick, B.B. See Hikata, A., 3=17762
 Chick, B.B. See Hikata, A., 4=9842
 Chick, D.R. Plasma research, 1=287
 Chick, D.R., Hunt, S.E., Jones, W.M. and Petrie, D.P.R. A Van de Graaff accelerator tube of very low retrograde electron current, 0=19831
 Chick, D.R. See Alibone, T.E., 0=5836
 Chidambaram, R. Signal to noise ratio in nuclear magnetic resonance, 0=11068
 Chidambaram, R. Proton magnetic resonance study of hydrates by spinning crystals, 0=16191
 Chidambaram, R. A magnetic recorder double Fourier series synthesizer using one-dimensional summation, 0=18341
 Chidambaram, R. Q-multiplication for increasing nuclear magnetic resonance signals, 1=383
 Chidambaram, R. A bent hydrogen bond model for the structure of ice-I, 1=20543
 Chidambaram, R. Structure of the hydrogen-bonded water molecule in crystals, 2=15038
 Chidambaram, R. Space group identification by proton magnetic resonance, 4=23414
 Chidambaram, R. and Raghavendra Rao, C. Proton magnetic resonance study of the structure of two Tutton's salts, 3=8740
 Chidambaram, R., Sequeira, A.S. and Sikkia, S.K. Fast recording of neutron diffraction intensity data, 4=29087
 Chidley, B., Goldstein, P., Hinman, G., Summers, R. and Adler, R. Scattering of μ mesons from lead nuclei, 0=2686
 Chidley, B.G., Manuel, T.G. and Tunnicliffe, P.R. Initial conversion ratios and fast fission factors in heavy-water natural-uranium lattices using 19-element UO_2 fuel rods, 4=3734
 Chidley, B.G., Turner, R.B. and Bigham, C.B. Neutron temperatures in a CANDU-type power reactor, 3=25030
 Chidley, B.G. See Bigham, C.B., 3=25001
 Chidley, B.G. See Bigham, C.B., 3=25031
 Chidley, B.G. See Reiter, R.A., 0=17370
 Chidley, B.G. See Tunnicliffe, P.R., 3=12710
 Chids, W.J., Goodman, L.S. and Kieffer, L.J. Nuclear spin and moments of 14 hr Ga^{73} , 1=593
 Ch'ien Ching-jen. Relations between coupling coefficients of waveguides with different surface impedances and its application, 4=19232
 Chien, C.W. See Mason, B.J., 2=13002
 Chien Tsu-Wien. Theory of sound absorption and the relaxation mechanisms of MgSO_4 in water solution, 3=23879
 Chiesa, A. Amplitude distribution analyzer by means of electronic integrators, 2=5099
 Chiesa, A.M., Quassiat, B. and Rinaudo, G. Interactions of 1.15 GeV/c K^- mesons in emulsion. II, 1=8501
 Chiesa, A.M. See Ferrero, M.I., 3=10150
 Chiesa, A. Marzari. See Marzari Chiesa, A.
 Chigo, G. See de Carvalho, H.G., 1=8800
 Ch'ih I-jang. See Chi I-zhan.
 Chi I-zhan. See Malyuchkov, O.T., 2=14858
 Chihara, H. and Shinoda, T. Librational motion in diatomic molecular crystals, 3=745
 Chihara, H. See Beaumont, R.H., 0=17893
 Chihara, H. See Beaumont, R.H., 1=10228
 Chihara, H. See Beaumont, R.H., 2=6270
 Chik, K.-P., Seeger, A. and Rühle, M. Vacancy clusters in quenched copper, 3=17707
 Chikahise, Y. A theory on the relationship between viscosity and molecular weight in bulk polymers, 4=11187
 Chikahisa, Y. See Nakada, O., 1=7505
 Chikalla, T.D., McNeilly, C.E. and Skavdahl, R.E. The plutonium-oxygen system, 4=29016
 Chikawa, J. Multiple-anode proportional counter X-ray diffractometer, 1=9123
 Chikawa, J. X-ray observation of stacking faults in CdS single crystals, 3=15500
 Chikawa, J. X-ray observation of clustering of impurity atoms in CdS crystals, 4=15473
 Chikawa, J. Determination of the sense of the Burgers vector of a dislocation in CdS observed by X-ray diffraction microscopy, 4=22595
 Chikawa, J. Faults in wurzite type CdS crystals, 4=25949
 Chikawa, J. Dislocation images and sense of Burgers vectors in CdS observed by divergent-beam X-ray microscopy, 4=30560
 Chikawa, J., Imamura, S., Tanaka, K. and Shiojiri, M. Crystal structures and electrical properties of alkali antimonides, 1=15081
 Chikawa, J. and Nakayama, T. Dislocation structure and growth mechanism of cadmium sulfide crystals, 4=25938
 Chikawa, J. See Tanaka, K., 0=20109
 Chikazumi, S. Roll magnetic anisotropy of iron-aluminum crystals, 0=10123
 Chikazumi, S. Epitaxial growth and magnetic properties of single crystal films of iron, nickel and permalloy, 1=6318
 Chikazumi, S., Suzuki, K. and Iwata, H. Studies on the magnetic anisotropy induced by cold rolling of ferromagnetic crystal. II. Iron-aluminum alloys, 1=7746
 Chikazumi, S. and Wakiyama, T. Magnetic annealing effect in iron-aluminum single crystals, 3=1040
 Chikazumi, S. See Ishikawa, Y., 3=2085
 Chikazumi, S. See Ishikawa, Y., 4=27609
 Chikazumi, S. See Koikeda, T., 4=23005
 Chikazumi, S. See Tamagawa, N., 2=23651
 Chikazumi, S. See Wakiyama, T., 1=12535
 Chikhachev, B.M. See Basov, N.G., 3=21214
 Chikhachev, B.M. See Karlov, N.V., 1=4215
 Chikhachev, B.M. See Karlov, N.V., 1=4216
 Chikhladze, B.Ya. See Shvangiradze, R.R., 0=15713
 Chikhladze, B.Ya. See Shvangiradze, R.R., 3=1953
 Chikhladze, B.Ya. See Shvangiradze, R.R., 3=16922
 Chikhladze, V.A. See Basina, A.S., 2=16365
 Chikhladze, V.L., Khulelidze, D.E. and Ryukhin, Yu.A. β - and γ -spectra of Rh^{97} , 3=2408
 Chikhladze, V.L., Khulelidze, D.E. and Selinov, I.P. Beta- and gamma-spectra of the isotopes Sb^{113} and Sb^{115} , 0=13201
 Chikhladze, V.L. See Khulelidze, D.E., 3=24902
 Chikhladze, V.L. See Khulelidze, D.E., 4=30357
 Chikhladze, V.L. See Selinov, I.P., 0=15534
 Chikhladze, V.L. See Selinov, I.P., 3=10291
 Chikhladze, V.L. See Vartanov, N.A., 1=19398
 Chikil'dina, L.D. See Romanova, T.A., 3=24570
 Chikin, A.I. Measurement of the spectral line width of a molecular generator, 2=13675
 Chikin, A.I. Measurement of the spectral line width of a molecular generator, 3=5897
 Chikin, R.V. See Akhmatov, A.P., 1=4628
 Chikin, V.A. A generalization of Huygens' theorem, 2=11313
 Chikovani, G.E., Mikhailov, V.A. and Roinishvili, V.N. A track spark chamber, 4=3263
 Chikovani, G.E., Roinishvili, V.N. and Mikhailov, V.A. Investigation of the mechanism of operation of track spark chambers, 4=19340
 Chikovani, G.E., Roinishvili, V.N. and Mikhailov, V.A. Track spark chamber with isotropic properties, in a magnetic field, 4=14991
 Chikovani, G.E. See Manjavidze, Z.Sh., 1=3303
 Chikovani, G.E. See Mikhailov, V.A., 1=13265
 Chikovani, G.E. See Mikhailov, V.A., 4=5915
 Chikovani, R.I. See Mirtskhulava, I.A., 4=1678
 Chikvashvili, Ya.M. Change of [electrical] resistance of bismuth in a strong magnetic field, 2=8274
 Chikvashvili, Ya.M. Variation in the resistivity of bismuth in a strong magnetic field, 2=23244
 Chikvashvili, Ya.M. Theory of absorption of sound in semi-conductors, 3=17649
 Chikvashvili, Ya.M. See Kaganov, M.I., 1=14170

- Chilashvili, G.A. See Kopaleishvili, T.I., 1=4824
 Chilashvili, G.A. See Kopaleishvili, T.I., 1=5818
 Chilashvili, G.A. See Vashakidze, I.Sh., 0=9661
 Chilashvili, G.A. See Vashakidze, I.Sh., 0=13112
 Chilashvili, G.A. See Vashakidze, I.Sh., 0=20492
 Chilashvili, G.A. See Vashakidze, I.Sh., 1=5454
 Chilashvili, G.A. See Vashakidze, I.Sh., 1=5856
 Chilashvili, G.A. See Vashakidze, I.Sh., 1=17077
 Child, H.R., Wilkinson, M.K., Cable, J.W., Koehler, W.C. and Wollan, E.O. Neutron diffraction investigation of the magnetic properties of compounds of rare-earth metals with group V anions, 3=20609
 Child, H.R. See Cable, J.W., 3=6729
 Child, H.R. See Koehler, W.C., 3=15742
 Child, H.R. See Wilkinson, M.K., 0=11849
 Child, H.R. See Wilkinson, M.K., 1=1251
 Child, H.R. See Wilkinson, M.K., 1=9135
 Child, H.R. See Wilkinson, M.K., 3=1107
 Child, M.S. Dynamical Jahn-Teller effect in molecules possessing one four-fold symmetry axis, 1=14100
 Child, M.S. Studies of the Jahn-Teller effect. IV. The vibrational spectra of spin-degenerate molecules, 3=717
 Child, M.S. The rotational levels of electronically degenerate dihydral molecules, 3=718
 Child, M.S. Anomalous spectroscopic properties accompanying a weak dynamical Jahn-Teller effect, 3=19957
 Child, M.S. and Longuet-Higgins, H.C. Studies of the Jahn-Teller effect. III. The rotational and vibrational spectra of symmetric-top molecules in electronically degenerate states, 2=3725
 Child, W.C., Jr. Thermodynamic functions for metastable ice structures I and II, 4=28389
 Childers, H.M. See Cerceo, M., 3=14396
 Childers, R.W. and Holladay, W.G. Regge poles and the photo-production of pions, 4=3442
 Childress, J.D. Intermediary effects in nuclear beta decay, 1=12167
 Childress, J.D. Application of a ferroelectric material in an energy conversion device, 2=11608
 Childress, S. An unsteady problem in magneto-hydrodynamics, 3=19436
 Childs, B.G. The release of stored energy from neutron-irradiated uranium oxides, 2=6393
 Childs, B.G. Fission product effects in uranium dioxide, 4=6439
 Childs, B.G., Gardner, W.E. and Penfold, J. The magnetic susceptibility of vanadium between 20 and 293°K, 0=21029
 Childs, B.G., Gardner, W.E. and Penfold, J. The magnetic susceptibility of vanadium-chromium solid solutions, 1=1195
 Childs, B.G., Gardner, W.E. and Penfold, J. The magnetic susceptibilities of vanadium-based solid solutions containing titanium, manganese, iron, cobalt and nickel, 3=18062
 Childs, B.G. and Ogilvie, A. Effects of irradiation on the electrical resistivity of cast uranium carbide, 4=22664
 Childs, C. and Slifkin, L. Annealing of silver chloride crystals containing internal print-out, 0=6343
 Childs, C.B. Broad-band ultraviolet filters, 1=10579
 Childs, C.B. Quantum yield of gold-cathode photomultipliers, 1=13119
 Childs, C.B. Low-pressure mercury arc for ultraviolet calibration, 3=14329
 Childs, C.B. and Slifkin, L. Room-temperature dislocation decoration inside large crystals, 1=3679
 Childs, C.B. and Slifkin, L. A new technique for recording heavy primary cosmic radiation and nuclear processes in silver chloride single crystals, 2=17980
 Childs, C.B. and Slifkin, L. Detection of nuclear disintegrations produced by 1.55 BeV protons in silver chloride single crystals, 3=5906
 Childs, C.B. and Slifkin, L.M. Delineation of tracks of heavy cosmic rays and nuclear processes within large crystals of silver chloride, 3=7754
 Childs, D.R. Vibrational wave functions and Franck-Condon factors of various band systems, 4=15313
 Childs, J.C. See Dewes, R.A., 0=11473
 Childs, W.J. and Goodman, L.S. Nuclear spin and hyperfine interaction of $\text{In}^{115\text{m}}$, 0=15511
 Childs, W.J. and Goodman, L.S. Nuclear spin of Ho^{166} , 1=7314
 Childs, W.J. and Goodman, L.S. Nuclear spin and magnetic hyperfine interaction of 12-day Ge^{71} , 3=17390
 Childs, W.J. and Goodman, L.S. Electronic g factors of the p^2 configuration in Ge I and Sn I, 4=15278
 Childs, W.J., Goodman, L.S. and Kieffer, L.J. Nuclear spin and magnetic moment of 2.6 hr Mn^{56} , 1=7315
 Childs, W.J., Goodman, L.S. and Von Ehrenstein, D. Magnetic hyperfine interaction of Cr^{53} , 4=6470
 Childs, W.J. See Glicksman, M.E., 3=1270
 Chilikin, V.V. Equipment for measuring the one-dimensional differential and integral distribution laws of chance quantities, 0=3399
 Chilkot, A. See Zastavenko, L.G., 4=25241
 Chilos, G., Cuzzocrea, P., Ricci, R.A. and Vingiani, G.B. Gamma rays from ^{150}Eu , 1=13751
 Chilos, G., Cuzzocrea, P., Vingiani, G.B., Ricci, R.A. and Morinaga, H. Lower excited states of ^{90}Ti , 3=7992
 Chilos, G., Monaro, S. and Ricci, R.A. Excited levels in ^{57}Co from the decay of ^{57}Ni , 3=2386
 Chilos, G., Ricci, R.A., Touchard, J. and Wapstra, A.H. Decay of the $f_{7/2}$ level in Pb^{207} , 4=19703
 Chilos, G., Ricci, R.A., Varcaccio, G. and Vingiani, G.B. On the decay of the ^{98}Tc isomer, 1=8657
 Chilos, G. See Ricci, R.A., 0=17560
 Chilton, C.J. V.L.F. phase perturbation associated with meteor shower ionization, 1=15298
 Chilton, C.J., Steele, F.K. and Norton, R.B. Very-low-frequency phase observations of solar flare ionization in the D region of the ionosphere, 4=7919
 Chilton, F. Pion production in electron-positron collisions, 1=10903
 Chilton, F. Nuclear de-excitation following muon capture and the bound muon decay anomaly, 1=12210
 Chilton, F. An empirical regularity of the weak interactions, 3=2201
 Chilton, F. Cross-section for hyperon production by neutrinos, 4=9284
 Chilton, H. A theoretical study of stability in water flow through heated passages, 0=6749
 Chilton, J.P. See Hunt, J.D., 3=25758
 Chilton, J.P. See Hunt, J.D., 4=4550
 Chiltz, G., Eckling, R., Goldfinger, P., Huybrechts, G., Johnston, H.S., Meyers, L. and Verbeke, G. Kinetic isotope effect in photochlorination of H_2 , CH_4 , CHCl_3 , and C_2H_6 , 3=11356
 Chin Che-tzhu and Hu Ning. The problem on the up-down asymmetries of strange particle decays, 4=25188
 Chin Chen-Zhui [Ch'ing Ch'eng-Jui] and Janouch, F. The internal Bremsstrahlung in β -decay of polarized nuclei, 0=12900
 Chin Chieng-chung. See Yeh Ming-han., 4=623
 Chin, C.W. See Sanders, A.P., 1=1954
 Chin, D. Optical mirror-mount design and philosophy, 4=24360
 Chin, D. and Giguère, P.A. The torsional oscillation frequency of H_2O_2 , 1=7468
 Chin, D. See Giguère, P.A., 0=12098
 Chin, F.K., Bukata, R.P. and Standil, S. A day-night comparison of the cosmic-ray photon intensity near sea-level, 2=12098
 Chin, F.K. See Bukata, R.P., 2=9961
 Chin, F.K. See Standil, S., 1=7300
 Chin Fan Leang. See Bastin-Scoffier, G., 4=30330
 Chin, G.Y., Hosford, W.F., Jr. and Backofen, W.A. Ductile fracture of aluminium, 4=23123
 Chin, G.Y., Hosford, W.F., Jr. and Backofen, W.A. Influence of the mechanical loading system on low-temperature plastic instability, 4=30765
 Chin, G.Y., Vanskike, L.L. and Andrews, H.L. Influence of the thermal and mechanical history on the squareness characteristics of 4-79 molybdenum Permalloy, 4=13215
 Chin, J., Hirshfeld, A.T. and Hoppes, D.D. Solid-state detectors for beta-ray spectroscopy below 4.2°K, 4=3253
 Chin, J.H. and Churchill, S.W. Incorporation of error function absorption coefficient in transport equation, 0=14549
 Ch'in, Jung-hao. Experimental analysis of the polar diagram of a spiral radiating element in a paraboloid of revolution in the 10 cm band, 4=27661
 Chinaglia, B. and Malvano, R. The determination of some elements in aluminium by non-destructive radioactivation analysis, 2=6899
 Chinburg, D.L. Great magnetic storm of March 31-April 3, 1960, 0=18463
 Ch'ing Ch'eng-Jui. See Chin Chen-Zhui, 0=12900
 Ch'ing Ch'eng Jui. See Tsin Chén-Zhui.
 Ch'ing Ch'eng Jui. See Tsin Ch'en-Zhui.
 Ching Lin Wang. See Cork, B., 2=18113
 Ching Ling Qang. See Kumabe, I., 0=20435

- Ching-Sheng, W. Hypersonic viscous flow near the stagnation point in the presence of magnetic field, 2=22313
- Chingholle, L. Apparatus for measuring surface tension, 4=8157
- Chinowsky, W., Goldhaber, G., Goldhaber, S., Lee, W. and O'Halloran, T. On the spin of the K^* resonance, 3=4457
- Chinowsky, W. See Goldhaber, S., 2=22635
- Chinowsky, W. See Goldhaber, G., 3=24791
- Chinowsky, W. See Leipuner, L.B., 4=6131
- Chinowsky, W. See Martin, H.J., 1=8514
- Chinowsky, W. See Slater, W., 2=3403
- Chinowsky, W. See Stubbs, T.F., 1=16896
- Chiodi, L. See Bonera, G., 0=1226
- Chiodi, L. See Bonera, G., 0=16718
- Chiodi, L. See Bonera, G., 1=6550
- Chiodi, L. See Bonera, G., 1=12900
- Chiotti, P., Mason, J. T. and Gill, K. J. Phase diagram and thermodynamic properties of the yttrium-zinc system, 4=5444
- Chiou, C., Connell, R. A. and Seraphim, D. P. Alloy concentration limitations for ideal superconductivity transitions, 3=7403
- Chiou, C. and Klokholm, E. A study of superimposed tin and silver films, 4=24514
- Chiou, C. See Priest, J., 1=12663
- Chiou, C. See Seraphim, D. P., 2=7494
- Chiou, C. See Seraphim, D. P., 4=16344
- Chipak, N. I. See Alpat'ev, Yu. S., 3=4414
- Chipaux, C. See Bernard, M., 4=5864
- Chiplis, I. V. Relation of transformation matrices of six angular momenta with j-coefficients, 4=1182
- Chiplis, I. V. Transformation matrices of six angular momenta expressible in the form of the products of more simple matrices, 4=1183
- Chiplis, V. I. See Vizbaraitė, Ya. I., 1=3502
- Chiplonkar, M. W. and Athavale, V. N. Simultaneous recording of atmospheric activity on four different frequency bands in the low-frequency region, 0=1987
- Chiplonkar, M. W. and Hattiangadi, M. S. Ionospheric propagation of atmospheric activity, 4=7904
- Chiplonkar, M. W. and Karekar, R. N. Radio-meteorological thunderstorm formations, 2=17124
- Chiplonkar, M. W. and Karekar, R. N. A study of sudden enhancement of atmospheric activity on 27 kc/s band, 3=9046
- Chiplonkar, M. W. and Karekar, R. N. The sunrise and sunset effects on the level of atmospheric activity on the 27 kc/s band, 3=9048
- Chiplonkar, M. W. and Karekar, R. N. The afternoon hump in the diurnal variation of atmospheric activity on 27 kc/s, 4=2209
- Chiplonkar, M. W., Karekar, R. N. and Marwadi, P. R. Radio-meteorological study of thunderstorms on 85 kc/s band in the tropics, 1=20862
- Chiplonkar, M. W., Karekar, R. N. and Marwadi, P. R. Midnight fall in atmospheric activity on 27 kc/s band at Poona, 2=4604
- Chiplonkar, M. W. and Kulkarni, P. V. Contamination of the intensities of the oxygen lines by the neighboring OH emission bands in the night airglow, 0=14289
- Chiplonkar, M. W., Marwadi, P. R. and Karekar, R. N. Stepped structure of the sunrise effect in atmospheric activity on 27 kc/s, 4=17902
- Chiplonkar, V. T. and Chawla, V. K. Impedance of a d.c. abnormal glow discharge, 3=14548
- Chiplonkar, V. T. and Desai, S. K. Frequency response of a.c. circuits with negative magnitudes for inductance, capacitance and resistance, 4=18640
- Chiplonkar, V. T. and Joshi, S. B. Space-charge density in the dark space of a cold cathode glow discharge and its dependence on discharge current, 1=18802
- Chiplonkar, V. T. and Joshi, S. B. A note on the longitudinal variation of wall temperature in a glow discharge tube, 2=22191
- Chiplonkar, V. T. and Joshi, S. N. Radial distribution of the positive ionic density on the cathode surface of a d.c. glow discharge, 4=29884
- Chiplonkar, V. T. and Maneck, S. S. Effect of electrical oscillations on the electric field in the cathode dark space of a cold cathode glow discharge, 1=10685
- Chiplonkar, V. T. and Maneck, S. S. Normal glow discharge-controlled constant-current device, 2=11575
- Chiplonkar, V. T. and Maneck, S. S. A.C. Impedance of a normal glow discharge when self-generated electrical oscillations are present, 4=469
- Chiplonkar, V. T. and Maneck, S. S. The a.c. impedance of a normal glow-discharge, 4=2956
- Chiplonkar, V. T. and Mangaly, J. Electrical oscillations in a d.c. glow discharge, 1=4578
- Chiplonkar, V. T. and Nadkarni, S. A. Contribution of photoelectric emission from cathode to secondary processes in a self-maintained cold cathode glow discharge, 1=18801
- Chiplonkar, V. T. and Naik, P. K. Electrical oscillations in a constricted d.c. cold-cathode glow discharge with a three electrode system, 2=9548
- Chiplonkar, V. T. and Rane, S. R. Velocity of propagation of self-generated potential waves in glow discharge plasma, 2=17852
- Chiplonkar, V. T. and Varadajan, B. N. A note on the dependence of the sputtering produced by bombardment by canal rays on their angle of impact, 0=15089
- Chiplonkar, V. T. See Nagamani, K. D. V., 1=13073
- Chiplys, I. B., Budrite, S. D. and Yutsis, A. P. Further investigation of polygonal conditions, 4=1191
- Chipman, D. R. Temperature dependence of the Debye temperatures of aluminium, lead, and beta brass by an X-ray method, 0=20747
- Chipman, D. R. and Batterman, B. W. Contribution of thermal diffuse scattering to integrated Bragg reflections from perfect crystals, 3=11252
- Chipman, D. R. and Jennings, L. D. Measurement of the atomic scattering factor of Ne, Ar, Kr, and Xe, 4=3797
- Chipman, D. R. and Paskin, A. Temperature diffuse scattering [TDS] of X-rays in cubic powders. I. Comparison of theory with experiment, 0=1920
- Chipman, D. R. and Paskin, A. Temperature diffuse scattering [TDS] of X-rays in cubic powders. II. Corrections of integrated intensity measurements, 0=1921
- Chipman, D. R. and Paskin, A. Comments on "determination of atomic scattering factors", 0=12026
- Chipman, D. R. See Batterman, B. W., 1=7433
- Chipman, D. R. See Batterman, B. W., 2=18522
- Chipman, D. R. See Jennings, L. D., 4=29107
- Chipurenko, N. I. See Dmitriev, A. B., 0=5443
- Chirba, V. G. See Gibbons, D. F., 2=20927
- Chirikov, B. V. Passage of a nonlinear oscillatory system through the resonance, 0=114
- Chirikov, B. V. Resonance processes in magnetic traps, 1=9615
- Chirikov, B. V. Kinetics of induced Mössbauer radiation, 4=1351
- Chirikov, B. V. See Volosov, V. I., 0=13576
- Chirikov, N. V. See Umanskii, Ya. S., 4=23397
- Chirkin, G. K. See Arkhangel'skaya, E. D., 3=18130
- Chirkin, G. K. See Vinokurov, V. M., 1=20205
- Chirkin, G. K. See Vinokurov, V. M., 2=4252
- Chirkin, G. K. See Vinokurov, V. M., 2=21360
- Chirkin, G. K. See Vinokurov, V. M., 3=15943
- Chirkin, G. K. See Vinokurov, V. M., 3=20855
- Chirkin, G. K. See Vinokurov, V. M., 4=1874
- Chirkin, G. K. See Vinokurov, V. M., 4=1876
- Chirkin, G. K. See Vinokurov, V. M., 4=1883
- Chirkin, G. K. See Vinokurov, V. M., 4=7327
- Chirkin, L. K. See Pasynkov, V. V., 0=15886
- Chirkin, V. S. Systems of heat removal from nuclear reactors, 0=5831
- Chirkinyan, S. S. See Grigoryan, E. V., 2=15606
- Chirko, V. I. See Pasechnik, M. V., 2=16394
- Chirko, V. I. See Val'ter, A. K., 0=20450
- Chirkov, A. K. and Kokin, A. A. The shape of the electron resonance line in a system of particles with an anisotropic g-factor, 2=764
- Chirkov, N. P., Kuz'min, A. I., Krymskii, G. F., Shafer, G. V. and Filippova, V. A. Unusual phenomena in the variation of cosmic ray intensity during December 1957, 4=27923
- Chirkov, N. P. See Kuz'min, A. I., 4=6166
- Chirkov, N. P. See Kuz'min, A. I., 4=27922
- Chirkov, V. I. See Vainshstein, Z. E., 4=22899
- Chirlian, P. M. Observation of crossed-film cryotron transition phenomena, 3=21671
- Chirlian, P. M. New high vacuum rotary feedthrough for liquid nitrogen, 4=27238
- Chiron, B. and Schoen, R. The proton synchrotron "Saturne". Master-oscillator, 0=2412
- Chisholm, A. See Allaby, J. V., 2=10126
- Chisholm, A. See Allaby, J. V., 3=7855
- Chisholm, C. D. H. and Öpiř, U. A simplified Hartree-Fock procedure for atoms with two electrons outside closed shells, 4=15271
- Chisholm, G. E. See Debardier, J. P., 3=13714

- Chisholm, J. H. and James, J. C. Radar evidence of solar wind and coronal mass motions, 4=29479
- Chisholm, J. H. See Abel, W. G., 2=9113
- Chisholm, J. S. R. Change of variables in quantum field theories, 1=13351
- Chisholm, J. S. R. Relativistic scalar products of γ matrices, 4=2523
- Chisholm, J. S. R. Solution of linear integral equations using Padé approximants, 4=5012
- Chisholm, J. S. R. and Squires, E. J. On the inclusion of hole-hole scattering in the Brueckner t-matrix, 0=5504
- Chisholm, M. and Jacob, L. Current fluctuations in the oxide cathode, 0=5332
- Chisholm, R. C. and Stout, J. W. Heat capacity and entropy of CoCl_2 and MnCl_2 from 11° to 300°K . Thermal anomaly associated with antiferromagnetic ordering in CoCl_2 , 2=6272
- Chisholm, R. C. See Stout, J. W., 2=6273
- Chisholm, R. C. See Stout, J. W., 3=1061
- Chisler, E. V. The effect of the monochromator slit widths on the accuracy of photoelectric measurements of the Raman line intensities, 0=16864
- Chisler, E. V. High-power mercury-vapour lamp, 4=318
- Chisler, E. V. Temperature dependence of the intensity of hydrogen-bond bands in the Raman spectra of gypsum and Rochelle salt, 4=10176
- Chisler, E. V. See Stekhanov, A. I., 2=14690
- Chistoserdiv, V. G. See Borgman, V. A., 3=8478
- Chistovich, L. A. Discrimination of the time interval between two short acoustic pulses, 0=21407
- Chistovich, L. A. Classification of rapidly repeated speech sounds, 1=4146
- Chistovich, L. A. See Alekin, R. O., 2=24198
- Chistovich, L. A. See Lyan Chzhi-an', 1=1605
- Chistyakhov, A. L. See Bocharov, D. A., 1=4272
- Chistyakov, B. I. See Ivanov, G. A., 4=12884
- Chistyakov, B. I. See Ivanov, G. A., 4=26034
- Chistyakov, I. D. and Kruchanov, E. The question of the crystal structure of zinc telluride, 2=8829
- Chistyakov, I. G. Liquid crystals, 1=15838
- Chistyakov, I. G. Liquid crystalline texture of potassium oleate, 2=2706
- Chistyakov, I. G. Investigation of the growth processes of smectic texture, 3=21313
- Chistyakov, I. G. Study of the transparency of liquid crystals, 3=21370
- Chistyakov, I. G. The structure of n, n' -nonoxybenzaltoluidine and cholesteryl caprate in the liquid-crystal state, 4=24171
- Chistyakov, I. G. See Vainstein, B. K., 4=8168
- Chistyakov, L. V. See Borisova, N. I., 0=9621
- Chistyakov, N. S. See Ignatchenko, V. A., 4=1827
- Chistyakov, P. N. Concerning the right branch of the function $U_f = F(\text{pd})$ for inert gases, 0=9002
- Chistyakov, P. N. A method of revealing residual dielectric films on metal surfaces, 4=23562
- Chistyakov, P. N. and Milovanova, R. A. The values of $V_{g,c}$ and ϕ for a molybdenum cathode in argon, 2=19919
- Chistyakov, P. N. See Burmakin, V. A., 0=14990
- Chistyakov, P. N. See Milovanova, R. A., 4=568
- Chistyakov, P. N. See Tatarinova, N. V., 0=19711
- Chistyakov, P. N. See Zubov, V. V., 4=11635
- Chistyakov, V. F. The circulatory nature of the eleven-year cycle of solar activity, 1=18074
- Chistyakov, V. F. A study of the Wilson effect in sunspots, 2=4764
- Chistyakov, V. F. The observed depths of sunspots, 2=24114
- Chistyakov, V. F. The observed depths of sunspots, 3=3570
- Chistyakov, Yu. D. See Indenbaum, G. V., 3=3335
- Chistyakov, Yu. D. See Indenbaum, G. V., 3=15497
- Chistyakov, Yu. D. See Kruchanov, E., 1=4045
- Chistyakova, N. M. See Solntsev, G. S., 0=5298
- Chitá, C. See Giurgea, M., 1=145
- Chitnis, E. V., Sarabhai, V. A. and Clark, G. Arrival directions of cosmic-ray air showers from the equatorial sky, 0=13083
- Chitre, S. M. The structure of sunspots, 4=10898
- Chittenden, D. M., II, Gardner, D. G. and Fink, R. W. New isotope of manganese; cross-sections of the iron isotopes for 14.8 MeV neutrons, 1=7390
- Chittenden, D. M., II. See Kantele, J., 4=15164
- Chittenden, R. A. See Thomas, L. C., 2=16531
- Chiu, H. Y. Annihilation process of neutrino production in stars, 1=10875
- Chiu, H. Y. Neutrino emission processes, Stellar evolution and supernovae, I, 1=15495
- Chiu, H. Y. Neutrino emission processes, stellar evolution, and supernova. II, 2=2541
- Chiu, H. Y. See Stothers, R., 2=17293
- Chiu, H. Y. Neutrino processes and red giants, 3=13902
- Chiu, H. Y. Supernovae, neutrinos, and neutron stars, 4=20899
- Chiu, H. Y. and Morrison, P. Neutrino emission from black-body radiation at high stellar temperature, 1=2636
- Chiu Hong-Yee and Hoffman, W. F. [Eds.]. Gravitation and relativity, 4=8028
- Chiu Hong-Yee and Hoffmann, W. F. Introduction to "Gravitation and relativity", 4=11050
- Chiu Hong-Yee and Salpeter, E. E. Surface X-ray emission from neutron stars, 4=23871
- Chiu Hong-Yee and Stabler, R. C. Emission of photoneutrinos and pair annihilation neutrinos from stars, 1=8445
- Chiu, Y. N. Carbon $2p$, multiple-center dipolar interaction integrals in the matrix element over LCAO molecular orbitals, 4=3843
- Chiu, Y. N. Zero-field splittings in some triplet-state aromatic molecules, 4=3885
- Chiu Ying-Nan. Irreducible tensor expansion of solid spherical harmonic-type operators in quantum mechanics, 4=11080
- Chiuderì, C. and Morpurgo, G. Coulomb photoproduction of π^0 at high energy and π^0 lifetime, 1=5754
- Chiuderì, C. See Ademollo, M., 2=20387
- Chivers, H. J. A. The simultaneous observation of radio star scintillations on different radio-frequencies, 0=14385
- Chivers, H. J. A. Observed variations in the amplitude scintillations of the Cassiopeia (23N5A) radio source, 0=18674
- Chivers, H. J. A. A statistical study of ionospheric drifts measured by the radio star scintillation technique, 1=20937
- Chivers, H. J. A. The location of the irregularities responsible for ionospheric scintillation of a radio source, 3=13713
- Chivers, H. J. A. Radio star scintillations and spread-F echoes, 4=4817
- Chivers, H. J. A. and Davies, R. D. A comparison of radio star scintillations at 1390 and 79 Mc/s at low angles of elevation, 2=21646
- Chivers, H. J. A. and Greenhow, J. S. Auroral ionization and the absorption and scintillation of radio stars, 0=14275
- Chivers, H. J. A. and Wells, H. W. Observations of unusual radiofrequency noise emission and absorption at 80 Mc/s, 0=14316
- Chivers, H. J. A. See Lawrence, R. S., 4=15886
- Chivian, J. S. Ion acoustic oscillations in plasma thermionic energy converters, 4=11716
- Chivian, J. S. See Hartman, T. E., 4=17596
- Chizhevskaya, S. N. See Glazov, V. M., 2=4014
- Chizhevskaya, S. N. See Glazov, V. M., 2=6448
- Chizhevskaya, S. N. See Glazov, V. M., 2=21918
- Chizhevskaya, S. N. See Glazov, V. M., 3=5448
- Chizhevskaya, S. N. See Glazov, V. M., 4=11185
- Chizhikov, D. M. and Edel'shtein, V. M. The coefficient of distribution of tin in selenium, 0=13942
- Chizhikov, D. M. and Schastlivyi, V. P. State diagram and magnetic susceptibility of ferro-calcium silicates, 0=18163
- Chizhikova, Z. A. Luminescence and Vavilov-Cherenkov radiation in solutions acted upon by γ -rays, 0=3540
- Chizhikova, Z. A. Energy yield of luminescence in γ -scintillations in a stilbene crystal, 0=4451
- Chizhikova, Z. A. See Galanin, M. D., 2=6628
- Chizhikova, Z. A. See Galanin, M. D., 2=22021
- Chizhikova, Z. A. See Galanin, M. D., 3=7739
- Chizhikova, Z. A. See Galanin, M. D., 3=8626
- Chizhikova, Z. A. See Galanin, M. D., 3=19487
- Chizhov, V. P. High-energy photonuclear deuterons and tritons, 0=13264
- Chizhov, V. P., Komar, A. P., Kulchitsky, L. A., Kulikov, A. V., Makhnovsky, E. D. and Volkov, Yu. M. Photonuclear reactions with deuteron emission, 2=16389
- Chizhov, V. P. See Komar, A. P., 3=15178
- Chizhov, V. P. See Kulikov, A. V., 1=13240
- Chizhov, V. P. See Volkov, Yu. M., 2=7968
- Chizhov, V. P. See Volkov, Yu. M., 3=6224
- Chizmadzhev, Yu. A. See Dogonadze, R. R., 2=10360
- Chizmadzhev, Yu. A. See Dogonadze, R. R., 2=10361
- Chizmadzhev, Yu. A. See Dogonadze, R. R., 2=14416
- Chizmadzhev, Yu. A. See Dogonadze, R. R., 2=14417

- Chjan Guan-in'. Dispersion shift of discrete absorption bands in uniaxial crystals, 2=23565
- Chkalova, V.V. See Venetsev, Yu.N., 1=20504
- Chkhaidze, L.V. See Anikina, M.Kh., 4=3477
- Chkhaidze, L.V. See Anikina, M.Kh., 4=12056
- Chkhartishvili, Yu.V. Spin resonance of F₂-centres in alkali halide crystals, 4=1529
- Chkhartishvili, Yu.V. See Tsertsvadze, A.A., 2=20899
- Chkhartishvili, Yu.V. See Tsertsvadze, A.A., 3=6451
- Chkhaidze, I.M. See Tsakadze, D.S., 0=12552
- Chkuaseli, D.V., Nikoleishvili, U.D. and Guldashvili, A.I. Resonance charge transfer in the case of positive potassium ions, 1=278
- Chkuaseli, D.V., Nikoleishvili, U.D. and Guldashvili, A.I. Resonance charge transfer in the case of positive potassium ions, 1=4566
- Chkuaseli, D.V., Nikoleishvili, U.D. and Guldashvili, I.G. Resonance charge exchange of position alkali metal ions, 2=17788
- Chkuaseli, Z.D. See Vartanov, N.A., 3=2247
- Chládek, J. See Heller, B., 3=4104
- Chládek, J. See Heller, B., 3=7472
- Chlebowska, D. and Szymański, J. On the possibility of determining the spin of Λ^4 from the angular distribution for mesonic decay, 1=2166
- Chlebowska, D. See Smirnov, Yu.F., 1=13607
- Chleck, D. See Hommel, C.O., 1=20779
- Chleck, D. See Ziegler, C.A., 2=19507
- Chleck, D.J. and Ziegler, C.A. Krypton in a cage-clathrate beta sources, 0=4051
- Chmel', M.H. See Stepko, I.I., 2=8875
- Chmielewski, J. One channel amplitude analyser, 3=12054
- Cho, A.Y.H. Contact charging of micron-sized particles in intense electric fields, 4=27451
- Cho, B.-Y., Nelson, R.C. and Brown, L.C. Electron spin resonance study of some organic photoconductors, 3=23021
- Cho, C.W., Allin, E.J. and Welsh, H.L. Effect of high pressures on the infrared and red atmospheric absorption band systems of oxygen, 4=6578
- Cho, K.S. See Lee, B.W., 1=12113
- Chô, T. See Maki, T., 2=20665
- Chô, T. See Morita, S., 2=489
- Cho Yen Ho. See Penrod, E.B., 1=16252
- Chobanu, G. See Kroitoru, N., 0=17992
- Chobanu, G. A theory of transport on the surfaces of semi-conducting filaments, 1=17647
- Chobanu, G. A theory of transport on the surfaces of semiconductor filaments, 2=4001
- Chobanu, G. and Kroitoru, N. Electrical conductivity of thin films of semiconductors, 1=1039
- Chobanu, G. See Glodyanu, A., 2=6446
- Chobotov, V.A. and Binder, R.C. Nonlinear response of a circular membrane to sinusoidal acoustic excitation, 4=8289
- Chocholle, R. Auditory differential intensity sensitivity [to a sound] in the presence of a contralateral sound of the same frequency, 0=12219
- Chocholle, R. The differential intensity threshold in the presence of a contralateral tone of different frequency, 1=1608
- Chocholle, R. and Saulnier, C. The differential thresholds for frequency on one ear in the presence of a tone on the other ear, 4=13985
- Chodźba, W. See Benisz, J., 1=16632
- Chodorow, M. and Zitelli, L.T. The radio-frequency current distribution in Brillouin flow, 0=5347
- Chodos, A. See Khare, H.C., 4=27833
- Chodura, R. and Keilhacker, M. Energy gain of electrons and the hard X-rays produced thereby in a theta pinch discharge before breakdown, 3=12179
- Choh Yi Ang and Kamber, K.T. Internal friction in beryllium, 4=7411
- Choi, J.Y. and Shewmon, P.G. Surface diffusion of gold and copper on copper, 4=15487
- Choi, J.Y. See Shewmon, P.G., 4=22611
- Choi, S. and Rice, S.A. Exciton-exciton interactions and photoconductivity in organic crystals, 2=14580
- Choi, S.I. and Rice, S.A. Exciton-exciton interactions and photoconductivity in crystalline anthracene, 3=8568
- Choi, S.-I. and Ross, J. Quantum corrections for transport coefficients, 0=18969
- Choi, S.I. and Ross, J. Note on second-order W.K.B. phase shifts, 2=19440
- Choi Sang-il. Ionization of molecular excitons, 4=17404
- Choi, Sang-il and Ross, J. On the semiclassical expansion of scattering phase shifts, 4=20124
- Choi, S.I. See Katz, J.L., 4=6805
- Choi Sang-il. See Jortner, J., 4=9880
- Choi, Sang-il. See Katz, J.I., 4=1430
- Chojnacki, H. Photoconductivity and semiconductivity of the Keynon-Banfield radical, 2=14584
- Chojnacki, H. Anisotropy of electrical conductivity in p-nitrophenol crystals, 4=17465
- Chojnacki, H. On anisotropy of electrical conductivity in anthracene crystals, 4=28579
- Chojnacki, S., Jasinski, A., Kusch, W., Kownacki, J., Lancman, H. and Yutlandov, J.A. γ -spectra of ^{189}Tm and ^{187}Tm , 1=670
- Chojnacki, S., Kopystynski, J., Preibisz, Z., Sosnowski, R., Żylicz, J. and Yutlandov, I. Note on positron radiation from Pr^{140} , 2=1839
- Chojnacki, S., Sosnowski, R., Wołczek, O., Yutlandov, I.A., Lancman, H. and Żylicz, J. Internal conversion electrons of ^{187}Tm , 1=2195
- Chojnacki, S. See Jasinski, A., 3=10310
- Chojnacki, S. See Żylicz, J., 1=13720
- Chojnacki, S. See Żylicz, J., 3=12639
- Chojnacko, S., Jarosiewicz, I., Preibisz, Z. and Żylicz, J. The mean number of conversion electrons per one decay of Tm^{189} , 4=30327
- Chol, G. Superconducting behaviour of binary alloys and isoelectronic alloys of lead and tin, 4=24504
- Cholet, P.H. See Lucovsky, G., 0=16830
- Chollet, L. and Jan, J.P. Structural hardening of copper-Beryllium alloys, 3=1349
- Chollet, L. and Rossel, J. Experimental investigation of the polaron. Measurement of the electron mobility in AgCl and AgBr, 1=949
- Chollet, L. and Rossel, J. Experimental study of the polaron, 3=2768
- Chollet, P. and Crussard, C. Study of the kinetics of precipitation of carbon in iron-carbon alloys after α -tempering, by measurement of internal friction, 3=6867
- Chollet, P. See Butler, J., 3=13539
- Cholpan, P.F. See Golik, A.Z., 1=15872
- Cholpan, P.F. See Golik, A.Z., 4=21106
- Cholpan, P.P. See Holýk, O.Z., 1=20642
- Cholpan, P.P. See Holýk, O.Z., 2=11350
- Cholpan, P.P. See Holýk, O.Z., 2=11351
- Cholpan, P.P. See Holýk, O.Z., 2=21893
- Cholpan, P.P. See Holýk, O.Z., 2=21906
- Cholpan, P.P. See Holýk, O.Z., 2=23016
- Chomka, W. A measurement of the diffusion coefficient of caesium in an NaCl monocrystal [by an integral method with longitudinal section], 2=603
- Chomka, W. Diffusion of cadmium in a magnesium-cadmium alloy near the MgCd composition, 2=15060
- Chomka, W. The influence of ordering on diffusion of cadmium in Mg₃Cd alloy, 4=4076
- Chomka, W. and Andruszkiewicz, J. Diffusion of tin, zinc and cobalt in single crystals and polycrystals of tin, 2=605
- Chomse, H. and Arend, I. Systems capable of luminescence based on crystalline inorganic substances and organic activators, 2=8562
- Chon, H., Fisher, R.A., McCammon, R.D. and Aston, J.G. Interaction of helium, neon, argon, and krypton with a clean platinum surface, 2=8889
- Chonez, A., Gabet, A., Labois, E., Lerond, P., Rastoix, G. and Taillet, J. The proton synchrotron "Saturne". Magnetic measuring equipment, 0=2412
- Chong, A.Y.J. See Hasted, J.B., 2=17791
- Chong, D.P. and Linnett, J.W. Alternant molecular orbital treatment of the allyl cation, radical and anion, 4=30451
- Chong Hui Chang. See Liang-Tseng Fan, 4=24107
- Chong, P. and Inuishi, Y. Drift mobility of photo-injected electrons in hexane-silicone mixture, 1=18427
- Chong, P. and Inuishi, Y. Conductivity induced by injected electrons in liquid dielectrics, 2=9288
- Chong, P., Kawarabayashi, T. and Inuishi, Y. Electrical conduction and breakdown in liquid dielectrics. I, 2=11384
- Chong, P., Sugimoto, T. and Inuishi, Y. Conductivity induced by injected electrons in liquid dielectric, 1=12899
- Chong, P., Yamanaka, C. and Suita, T. Space charge phenomena in nitrobenzene under high electric field, 0=1106
- Chong, P., Yamanaka, C. and Suita, T. Pre-breakdown phenomena in nitrobenzene by means of the Kerr electro-optical effect, 1=5437

- Chong Bai, Z'yong. See Z'yong Chong Bai.
- Chong Pyong-un. See Kikuchi, M., 4=4156
- Chong Pyong-un. See Kikuchi, M., 4=4193
- Chong Pyong-un. See Kikuchi, M., 4=4235
- Chong Wan Lee. See Baranger, E., 1=3394
- Choo, S.C. and Heasell, E.L. Technique for the measurement of short carrier lifetimes, 3=6579
- Choong Chao-Wu. Collective gyromagnetic factor of the nucleus $^{152}_{64}\text{Sm}$, 3=19741
- Choong Shin-Piaw. Influence of magnetic fields and X-rays on etching of quartz, 4=29037
- Chopin, G. See Chopin, M., 0=6728
- Chopin, M. and Chopin, G. Measurement of the density of granular solids and liquids, 0=6728
- Chopin, M. Determination of radial velocities of planetary nebulae with the aid of the electronic camera, 2=19342
- Chopin, M. and Duflo, R. Some nebular spectra obtained with the aid of the electronic camera, 0=6619
- Choppin, G.R. and Buijs, K. Near-infrared studies of the structure of water. II. Ionic solutions, 4=154
- Choppin, G.R. and Kligen, T.J. Excitation functions for nuclear reactions between complex nuclei. I. Neutron emission, 3=15233
- Choppin, G.R., Meriwether, J.R. and Fox, J.D. Low-energy charged-particle-induced fission, 3=24992
- Choppin, G.R. See Buijs, K., 4=21140
- Choppin, G.R. See Buijs, K., 4=153
- Choppin, G.R. See Feld, E.J., 3=17095
- Choppin, G.R. See Kligen, T.J., 3=15234
- Choppin, G.R. See Morton, J.R., III, 2=22854
- Chopra, E.L. and Bobb, L.C. Thin oxide film sandwich structure photocell, 4=17534
- Chopra, K.L. Liquid helium cryostat for X-ray diffraction studies, 2=10815
- Chopra, K.L., Bobb, L.C. and Francombe, M.H. Electrical resistivity of thin single-crystal gold films, 3=15543
- Chopra, K.L. and Bobb, L.C. Electrical resistivity studies on polycrystalline and epitaxially grown gold films, 4=22670
- Chopra, K.L. and Hutchison, T.S. Ultrasonic attenuation in superconducting and normal mercury, 0=232
- Chopra, K.L. See Brill, R., 2=15019
- Chopra, K.L. See Daniels-Hunt, B., 0=8906
- Chopra, K.P. On the radial adiabatic pulsations of an infinite cylinder in the presence of magnetic field parallel to its axis. II, 0=3839
- Chopra, K.P. Induction drag, 0=5391
- Chopra, K.P. On simulation studies of motion of bodies in ionized atmosphere, 1=2668
- Chopra, K.P. Hydromagnetic flow in a circular pipe, 1=4701
- Chopra, K.P. Interactions of rapidly moving bodies in terrestrial atmosphere, 1=12787
- Chopra, K.P. Excitation of plasma waves by bodies moving in ionized atmosphere, 2=3060
- Chopra, K.P. Production of carbon in the upper atmosphere, 2=6956
- Chopra, K.P. and Singh, I.J. Magnetohydrodynamic shock waves in a gas mixture, 1=1971
- Chopra, K.P. and Talwar, S.P. On the radial pulsations of an infinite cylinder with a magnetic field parallel to its axis, 0=3838
- Chopra, K.P. See Singh, I.J., 1=13169
- Chopra, K.P. See Singh, I.J., 1=16524
- Chopra, K.S. See Straumanis, M.E., 4=29091
- Chopra, K.P. See Shen, C.S., 4=5697
- Choquard, P. Remarks on the role of the theory of cumulants in theoretical physics, 2=4911
- Choquard, P. Note on the effect of steric hindrance of the atomic motions on the amplitudes of the crystal vibrations, 3=2712
- Choquard, P. Lattice energy current in solids and lattice thermal conductivity. I, 3=25186
- Choquet, C. See Barloutaud, R., 2=22560
- Choquet, C. See Berthelot, A., 0=4090
- Choquet, C. See Gard, F., 2=1715
- Choquet, C. See Gard, F., 2=22513
- Choquet-Louedec, C. See Barloutaud, R., 2=16231
- Chordash, L. and Mentsel, D. Determination of the unit cell dimensions and space group of the $\frac{1}{2}$ hydrate of potassium thiosulphate $\text{K}_2\text{S}_2\text{O}_5 \cdot \frac{1}{2} \text{H}_2\text{O}$, 0=16331
- Chormonov, T.Kh. Effect of ultrasound on some physical properties of Rochelle salt crystals, 2=16972
- Chorna, N.S. Energetic distribution of electron states on a germanium surface, 1=12438
- Chorna, N.S. Influence of illumination on the field effect, 1=14450
- Chorna, N.S. See Kovbasyuk, V.P., 4=7072
- Chornaya, N.S. Effect of oxygen on the energy distribution of the surface levels of germanium, 2=8343
- Chorna, N.S. See Kovbasyuk, V.P., 4=12991
- Chornaya, N.S. See Lyashenko, V.I., 2=6455
- Chorney, P. Beam-plasma amplifier experiments, 4=18509
- Chorney, P. See Allen, M.A., 3=21735
- Chornyi, V.G. Change in the fine crystalline structure on the aging of a nimonic-type alloy with low titanium content, 2=8854
- Chornyi, V.G. See Kurdyumov, H.V., 1=15127
- Chornyi, V.G. See Markovskiy, Ye.A., 2=8734
- Chornyi, V.H. See Guslienko, Y.A., 2=8853
- Chornii, Z.P. See Vaidan'ych, V.I., 2=8579
- Chornyi, Z.P. See Vyshnevs'kiy, V.N., 3=20519
- Chornyi, Z.P. See Vishnevs'kiy, V.N., 3=23107
- Chotia, B.L. and Bhatawdekar, M.G. Photo-electrons and Joshi-effect, 4=27500
- Chou Ching-liang and Pinsker, Z.G. An electron diffraction study of the Ag-Se system in thin films, 3=13563
- Chou Chui Lue-Yung. Electron magnetic perturbation in diatomic molecules of Hund's case b, 4=20014
- Chou-Huang. See Chzhou-Khuan.
- Chou Hsiao-P'ing. See Chzhou-Syao-Pin., 3=3463
- Chou Hsiao-Tsien. See Shen Hong-Chin, 3=17404
- Chou Hsiao-tsien. See Yu Min, 0=1350
- Chou Hung-Yüan. Integral equation for pion-nucleon scattering at low energies, 1=13492
- Chou Kuang-Chao. See Chzhou Guan-Chzhao, 0=2504
- Chou Kuang-Chao. See Chzhou Guan-Chzhao, 0=20190
- Chou Kuang-chao. See Chzhou Guan-Chzhao, 1=3198
- Chou Kuang-Chao. See Chzhou Guan-Chzhao., 1=19289
- Chou Kuang-chao. See Chzhou Guan-chzhao., 1=19435
- Chou Kuang-Chao. See Ké Tszö-Syu, 1=3211
- Chou Kuang-chao. See Lapidus, L.I., 1=2025
- Chou Kuang-chao. See Lapidus, L.I., 1=16734
- Chou Kuang-chao. See Lapidus, L.I., 2=271
- Chou Kuang-chao. See Lapidus, L.I., 2=318
- Chou Kuang-chao. See Lapidus, L.I., 2=3300
- Chou Kuang-chao. See Lapidus, L.I., 2=22470
- Chou Kuang-chao. See Su Zhao-bin, 4=9240
- Chou Kuang chao. See Chzhou Guan-chzhao.
- Chou Mo-yi. See Sun Chia-chung, 3=25600
- Chou, N.P. and Ké, T.S. Strength and deformation peculiarities of binary metal whiskers, 4=13378
- Chou Pang-hsin. Cold-rolled and recrystallization textures of molybdenum single crystals, 4=2110
- Chou Pang-hsin. A study of the plastic deformation of single crystals of molybdenum, 4=1956
- Chou Pang-Hsin and Yen Ming-Kao. The effect of phosphorus on the recrystallization behavior of cold-rolled copper strips, 4=10576
- Chou Pei-Yuan. Similarity structure of vorticity fluctuation and the theory of turbulence, 0=5001
- Chou Phong Nguyen. See Nguyen Phong Chou.
- Chou Té-ling. See Chzhou Dé-lin.
- Chou Tieh-hsiang, Ts'êng P'o-chu and Ma Li-t'um. The possible application of the F_{11} function in crystal structure analysis analogously to the Patterson function method, 4=17799
- Chou Weh-Hsieng. Functions and the possibility of their application in structural analysis of crystals, 4=7578
- Chou Yüeh-Hua. See Chzhou Yue-Hua.
- Chou, Y.T. Interactions of parallel dislocations in a hexagonal crystal, 2=21034
- Chou, Y.T. Width of an extended dislocation in a hexagonal crystal, 2=23173
- Chou, Y.T. Characteristics of dislocation stress fields due to elastic anisotropy, 3=10661
- Chou, Y.T. The energy of circular dislocation loops in thin plates, 3=23274
- Chou, Y.T. Planar stress field of a dislocation in an anisotropic plate, 4=6839
- Chou, Y.T. The energy of circular dislocation loops in anisotropic hexagonal plates, 4=12746
- Chou, Y.T. and Eshelby, J.D. The energy and line tension of a dislocation in a hexonal crystal, 2=6328
- Chou, Y.T., Garofalo, F. and Whitmore, R.W. Interactions between glide dislocations in a double pile-up in α -iron, 1=2510

- Chou, Y.T. and Louat, N. Linear dislocations in non-uniform stress fields, 3=795
- Chou, Y.T. and Whitmore, R.W. Single and double pile-up of dislocations in MgO crystals, 1=14276
- Chou, Y.T. See Baker, C., 2=3926
- Chou, Y.T. See Garofalo, F., 1=2517
- Chou, Y.T. See Keh, A.S., 0=17932
- Chou Yieh-wa. See Chzhou Yue-Va.
- Choudhury, A. On magnetic and luminescent centres induced in the crystal of lithium fluoride by X-ray irradiation, 1=20051
- Choudhury, A. Thermoluminescence and magnetic properties of irradiated sodium chloride, 2=6653
- Choudhury, A. F-absorption due to high pressure, 2=8254
- Choudhury, A. Inclusion of copper atoms in a crystal of sodium chloride by high pressure, 3=10651
- Choudhury, A. Investigation of self activated and copper activated zinc sulphide, 3=11028
- Choudhury, A. K. and Das, S. R. On a method of simplification of switching functions for synthesis of three level circuits, 4=27444
- Choudhury, A. K., Das, S. R. and Basu, M. S. A new approach to the solution of switching functions having cyclic prime implicant, 4=24015
- Choudhury, A. K. See Roy, B., 1=13679
- Choudhury, D. C. Effects of configuration mixing on the 3^- state of Pb^{208} and the (p,p') reaction in the distorted-wave approximation, 3=8020
- Choudhury, M. H. On the analytic properties and asymptotic behaviour for large l of partial-wave amplitudes in many-channel potential scattering, 4=19436
- Choudhury, N. K. and Ganguly, S. C. The absorption and fluorescence spectra of naphthalene molecules in anthracene crystal, 1=8983
- Choudhury, P. On the effect of prescribed shearing stress on the plane surface of an elastic slab with varying modulus of rigidity, 0=4966
- Choudhury, P. On bending of a circular plate of aeolotropic material under certain non-uniform distribution of load, 0=19016
- Choudhury, P. Thermal stress around a crack in a semi-infinite solid of transversely isotropic material, 3=9382
- Choudhury, S. R. and Pande, L. K. Dynamics of Ω^- , 4=27905
- Choumoff, S. and Legrand, P. Roots pumps, 2=13383
- Choung Van Phan. See Simon, R., 3=427
- Chour, L. I. See Jdanov, A. P., 0=12738
- Chovin, P. See Calvet, E., 1=2910
- Chow, B. S. K. See Wu, K. K. M., 4=15116
- Chow, C. K. Effect of insulating-film-thickness nonuniformity on tunnel characteristics, 3=23011
- Chow, C. K. On tunneling equations of Holm and Stratton, 3=24205
- Chow, C. K. Temperature dependence of BeO tunneling structures, 4=7018
- Chow Chuen-Yen. See Uberoi, M. S., 3=21950
- Chow Chiu, L. Y. See Faust, W. L., 3=8186
- Chow, J. G. Y. and McRickard, S. B. Effects of neutron irradiation on the yield strength and grain size relationship in iron and iron-carbon alloys, 4=10387
- Chow, J. G. Y., McRickard, S. B. and Gurinsky, D. H. Effect of fast-neutron irradiation on the mechanical properties of pure iron, 3=8759
- Chow, L. Y. See White, J. A., 0=2712
- Chow, N. and Wilson, D. J. Intermolecular energy transfer in gas reactions, 2, 10963
- Chow, R. H. Supplemental viewpoints of the relativistic length contraction and time dilation helpful to the teaching of introductory special relativity, 1=11699
- Chow, S. T. See Hsiao, C. C., 0=18273
- Chow Tai, J. See Gutowsky, H. S., 3=21411
- Chow, Y. Scattering of electromagnetic waves by coaxial ferrite cylinders of different tensor permeabilities, 1=16566
- Chow, Y. A note on radiation in a gyro-electric-magnetic medium—an extension of Bunkin's calculation, 2=22202
- Chow, Y. L. See Yen, J. L., 3=7708
- Chow, Y. L. See Yen, J. L., 4=3166
- Chowdary, Y. R. See Beckel, C. L., 4=11075
- Chowdhry, A. M., Ahmad, H. and Qurashi, M. M. Studies in the relationship between viscosity and molecular structure. V. Preliminary investigation of periodicity in the temperature variation of the activation energy in aqueous ethyl alcohol in the temperature range of 5°C to 55°C, 1=15781
- Chowdhury, D. K. and Dehlinger, P. Elastic wave propagation along layers in two-dimensional models, 3=16686
- Chowdhury, M. and Basu, S. Some notes on molecular complexes between iodine and polynuclear aromatic hydrocarbons, 0=11545
- Chowdhury, M. and Basu, S. Nature of intermolecular forces in quinuhydrone, 1=14089
- Chowdhury, M. and Goodman, L. Fluorescence of s-tetrazine, 2=4186
- Chowdhury, M. and Goodman, L. Nature of s-tetrazine emission spectra, 3=18044
- Chowdhury, P. Thermal stresses due to uniform temperature distributed over a band of the cylindrical hole in an infinite body, 0=6706
- Choy, L. See Abeledo, D., 2=5791
- Choy, L. See Ammar, R. G., 3=10229
- Choyke, W. J., Hamilton, D. R. and Patrick, L. Polarized edge emission in SiC, 0=8012
- Choyke, W. J., Hamilton, D. R. and Patrick, L. Optical properties of cubic SiC: luminescence of nitron-exciton complexes, and interband absorption, 4=10218
- Choyke, W. J. and Patrick, L. Exciton recombination radiation
- Choyke, W. J. and Patrick, L. Exciton and interband absorption in SiC, 2=23562
- Choyke, W. J. See Hamilton, D. R., 3=18034
- Choyke, W. J. See Patrick, L., 1=11372
- Choyke, W. J. See Patrick, L., 4=7157
- Chraikh'yan, A. N. and Charakh'yan, T. N. Energy spectrum and total number of low-energy cosmic-ray photons in the stratosphere, 3=4492
- Chrenko, R. M. See Corbett, J. W., 1=3657
- Chrenko, R. M. See Newman, R., 0=653
- Chrenko, R. M. See Newman, R., 0=1732
- Chrest, S. A. See Soberman, R. K., 4=29283
- Chrétien, M. Phenomenological for π -p scattering in the 1 GeV region, 0=15403
- Chretien, M., Bulos, F., Crouch, H. R., Jr, Lanou, R. E., Jr, Massimo, J. T., Shapiro, A. M., Averell, J. A., Bordner, C. A., Jr, Brenner, A. E., Firth, D. R., Law, M. E., Ronat, E. E., Strauch, K., Street, J. C., Szymanski, J. J., Weinberg, A., Nelson, B., Pless, I. A., Rosenson, L., Saladin, G. A., Yamamoto, R. K., Guerriero, L. and Waldner, F. Evidence for spin zero of the η from the two gamma-ray decay mode, 2=22610
- Chrétien, M., Firth, D. R., Yamamoto, R. K., Pless, I. A. and Rosenson, L. The use of an internal liquid hydrogen target with a methyl-iodide bubble chamber, 3=17129
- Chrétien, M., Fischer, V. K., Crouch, H. R., Jr, Lanou, R. E., Jr, Massimo, J. T., Shapiro, A. M., Averell, J. P., Brenner, A. E., Firth, D. R., Hyman, L. G., Law, M. E., Milburn, R. H., Ronat, E. E., Strauch, K., Street, J. C., Szymanski, J. J., Guerriero, L., Pless, I. A., Rosenson, L. and Saladin, G. A. Improved determination of the neutral decay branching ratios of the K_1^0 meson and the Λ^0 hyperon, 3=24787
- Chrien, R. See Hughes, D. J., 1=8667
- Chrien, R. E. Resonance parameters for the 8-eV level of Sm^{152} , 1=17129
- Chrien, R. E. and Benade, A. H. Photoproton and photoneutron production in aluminum and copper, 0=13262
- Chrien, R. E., Bolotin, H. H. and Palevsky, H. Resonance capture γ rays from platinum, 2=20524
- Chrien, R. E., Jain, A. P. and Palevsky, H. Anomalous neutron scattering of Ar^{36} , 2=3581
- Chrien, R. E., Rankowitz, S. and Spinrad, R. J. Time-shared time-of-flight analysis by computer, 4=27870
- Chrien, R. E. See Bolotin, H. H., 3=15211
- Chrien, R. E. See Friedes, J. L., 4=15079
- Chrien, R. E. See Jain, A. P., 4=17166
- Chrien, R. E. See Mann, D. P., 0=4126
- Chrien, R. E. See Moore, J. A., 4=1092
- Chrien, R. E. See Palevsky, H., 3=17285
- Chrien, R. E. See Zimmerman, R. L., 2=5692
- Christ, C. L. See Lindberg, M. L., 0=3230
- Christ, H. A. and Diehl, P. Solvent effects and spin couplings in the nuclear magnetic resonance of O^{17} , 3=11810
- Christ, H. A. and Diehl, P. Quadrupole relaxation in O^{17} nuclear magnetic resonance spectroscopy, 3=22599
- Christ, J., Kornbichler, S., Unger, D. and Springer, T. Study of the shielding correction for resonance absorption, 4=3762
- Christ, J. and Springer, T. Development of a neutron beam tube in the FRM-reactor, 2=10187
- Christakhov, A. L. See Bocharov, D. A., 1=10434
- Christenhuss, R. See Reimer, L., 1=10741
- Christenhuss, R. See Reimer, L., 2=10956
- Christenhuss, R. See Reimer, L., 3=6904
- Christensen, D. See Bak, B., 3=2640

- Christensen, D. See Lide, D.R., Jr. 1=17371
 Christensen, D.A. See Fletcher, H., 3=8563
 Christensen, E. J. See Burke, J. E., 4=30053
 Christensen, H. See Kuper, A. B., 4=4152
 Christensen, J. A. Thermal expansion and change in volume of uranium dioxide on melting, 4=24438
 Christensen, J. A. See Bates, J. L., 2=12235
 Christensen, J. J. See Hale, J. D., 4=8198
 Christensen, L. J. See Bauer, R. W., 3=10258
 Christensen, L. J. See Bauer, R. W., 3=24945
 Christensen, L. J. See Bauer, R. W., 4=3665
 Christensen, P. R. Lifetime of the first 2^+ level in Cm^{244} , 2=22730
 Christensen, P. R. Lifetime of the 74.6 keV level in Np^{239} , 3=10277
 Christensen, P. R., Nielsen, O. B. and Nordby, H. The β -branch from Tl^{207} to the $p_{3/2}$ -level in Pb^{207} , 3=17445
 Christensen, P. R., See Vandenbosch, S. E., 3=10315
 Christensen, R. H. Forking and division of cracks in fatigue crack growth, 4=7392
 Christensen, R. H. Fatigue crack growth affected by metal fragments wedged between opening-closing crack surfaces, 4=7403
 Christensen, R. L. and Ames, I. Absolute calibration of a light detector, 1=4429
 Christensen, R. L., Hamilton, D. R., Bennowitz, H. G., Reynolds, J. B. and Stroke, H. H. Spin and hyperfine structure of arsenic-76, 1=8566
 Christensen, R. L. and Potter, R. J. Double monochromator systems, 4=5385
 Christensen, R. L. See Ames, I., 4=3031
 Christensen, R. M. See Gottenberg, W. G., 2=17531
 Christensen, R. M. See Gottenberg, W. G., 4=23090
 Christensen, R. W. See Hadley, C. P., 0=3617
 Christensen, R. W. See Hadley, C. P., 2=9669
 Christensen, S. H. See Moran, P. R., 1=14330
 Christenson, E. L. Effects of transition metal solutes on the thermoelectric power of copper and gold, 3=13139
 Christenson, E. L. See Domenicali, C. A., 0=17996
 Christenson, E. L. See Domenicali, C. A., 1=17605
 Christian, H. See Macherauch, E., 2=4325
 Christian, J. E., Kessler, W. V. and Ziener, P. L. A 2π liquid scintillation counter for determining the radioactivity of large samples including man and animals, 3=6186
 Christian, J. E. See Dunavant, B. G., 1=13218
 Christian, J. L. See Smith, J. F., 1=1437
 Christian, J. M. and Lynch, D. W. Linear thermal expansion coefficient of the NaCl phase of CsCl, 4=12654
 Christian, J. W. The stress dependence of dislocation velocity, and its relation to the strain rate sensitivity, 4=12745
 Christian, J. W. and Masters, B. C. Low-temperature deformation of body-centred cubic metals. I. Yield and flow stress measurements, 4=28970
 Christian, J. W. and Masters, B. C. Low-temperature deformation of body-centred cubic metals. II. Mechanism of thermally activated flow, 4=28971
 Christian, J. W. See Basinski, Z. S., 1=1315
 Christian, J. W. See Gaunt, P., 0=16311
 Christian, J. W. See Gaunt, P., 0=16312
 Christian, J. W. See Spreadborough, J., 0=1909
 Christian, J. W. See Spreadborough, J., 0=4608
 Christian, R. H. See Alder, B. J., 0=15767
 Christian, R. H. See Alder, B. J., 2=4360
 Christiansen, E. A. See Bryrup, E., 0=9714
 Christiansen, E. A. See Bryrup, E., 0=9715
 Christiansen, E. A. See Bryrup, E., 0=9716
 Christiansen, E. B., Kistler, S. S. and Gogarty, W. B. Design and construction of multi-ring apparatus for use at high pressures, 1=10504
 Christiansen, J. An electronic coincidence unit of high resolution, 0=17188
 Christiansen, J. A., Jensen, C. E. and Vilstrup, T. Displacement potentials and bending of rod-like polyelectrolytes, 2=858
 Christiansen, W. H. Use of fine unheated wires in shock tubes, 1=2786
 Christiansen, W. N., Erickson, W. C. and Högbom, J. A. The Benelux cross antenna project, 4=4936
 Christiansen, W. N. and Högbom, J. A. The cross-antenna of the proposed Benelux radio telescope, 1=15528
 Christiansen, W. N. and Mathewson, D. S. The origin of the slowly varying component, 0=18633
 Christiansen, W. N., Mathewson, D. S., Pawsey, J. L., Smerd, S. F., Boischoit, A., Denisse, J. F., Simon, P., Kakinuma, T., Dodson-Prince, H. and Firor, J. A study of a solar active region using combined optical and radio techniques, 0=18732
 Christiansen, W. N. and Mullaly, R. F. Solar observations at a wavelength of 20 cm with a crossed-grating interferometer, 4=4944
 Christie, D. G. Stress wave propagation as applied to the detection of flaws by ultrasonic detection, 1=10572
 Christie, D. G. Diffraction of an ultrasonic beam by artificial defects, 3=14274
 Christie, D. R., Daniels, J. M. and Farach, H. A. The pulse-height distribution in N.E.102 scintillator monoenergetic neutrons, 4=30237
 Christie, G. and Williams, J. The effect of small additions of yttria on the plasticity of uranium oxides at 940°C, 2=4476
 Christie, M. I. The recombination of halogen atoms, 3=6427
 Christman, D. R. Counting soft betas, 1=13397
 Christman, R. J. and Williams, W. E. Influence of the time interval on experimentally induced shifts of pitch, 3=21158
 Christmas, P. Proton-proton polarization between 30 MeV and 100 MeV, 2=1686
 Christmas, P. Electron capture in Tl^{204} , 4=28003
 Christmas, P. and Taylor, A. E. Proton-proton polarization between 27 MeV and 100 MeV, 3=10111
 Christmas, P. See Bird, L., 1=19198
 Christodouleas, N. and McGlynn, S. P. Energy transfer in charge-transfer complexes. III. Intersystem crossing, 4=13100
 Christodouleas, N. See McGlynn, S. P., 3=2608
 Christoff, J. P. See Veneklasen, P. S., 4=21260
 Christoffersen, R. E. Configuration-interaction study of the ground state of the H_3^+ molecule, 4=28216
 Christoffersen, R. E., Hagstrom, S. and Prosser, F. H_3^+ molecule ion. Its structure and energy, 4=12481
 Christofferson, S. See Lundén, A., 0=1959
 Christofilos, N. C. The Argus experiment, 0=10427
 Christofilos, N. C. Energy balance in the Astron device, 3=12200
 Christofilos, N. C., Hester, R. E., Lamb, W. A. S., Reagan, D. D., Sherwood, W. A. and Wright, R. E. High-current linear induction accelerator for electrons, 4=21604
 Christophe-Glaume, J. Intensification of the oxygen green ray in association with sudden commencements of magnetic storms, 3=11453
 Christophe-Glaume, J. Emission of the green oxygen line along a meridian in October 1962, 3=25930
 Christopher, M. E. See Machlup, S., 1=10083
 Christopherson, D. G. and Dowson, D. An example of minimum energy dissipation in viscous flow, 0=8606
 Christophorou, L. G. See Birks, J. B., 2=11376
 Christophorou, L. G. See Birks, J. B., 3=7215
 Christophorou, L. G. See Birks, J. B., 3=21383
 Christor, S. G. Generalized approximate expression for the transparency of a potential barrier, 4=8069
 Christov, C. On the migration of molecules in a gas mixture, 0=8560
 Christov, C. On the random motions of the molecules in a gas. II, 0=8688
 Christov, L. G. See Zlatanov, Z. M., 4=11997
 Christov, Ph. Experiments with electroacoustic deformations of phonemls, 4=13988
 Christov, S., Pangarov, N. and Pavlov, D. Hydrogen over-potential of cubic cobalt, 4=29228
 Christov, S. G. Quantum mechanical basis for the Tafel equation, 0=8313
 Christov, S. G. Theory of the symmetry factor in electrode kinetics, 3=13607
 Christov, S. G. Relation between the thermal electron emission constants of metal film cathodes, 4=24729
 Christov, V., Damyanov, D. and Bocharov, N. Some results in the study of the operation of corona counters and their use in reactor measurements, 3=24546
 Christy, D. O. and Hall, G. L. Quantum theory of the equilibrium order parameters for disordered solid solutions, 4=10413
 Christy, R. F. Corrections to nuclear Q values resulting from atomic binding and excitation, 1=5882
 Christy, R. F. Energy transport in the hydrogen ionization zone of giant stars, 3=3596
 Christy, R. F. Nuclear evolution in the galaxy, 4=13899
 Christy, R. F. The calculation of stellar pulsation, 4=23852

- Christy, R.F. and Duck, I. γ rays from an extranuclear direct capture process, 1=8682
- Christy, R.W. Electrical conductivity and thermoelectric power in ionic crystals, 0=7878
- Christy, R.W. Formation of thin polymer films by electron bombardment, 0=16360
- Christy, R.W. Thermoelectric power of silver halides, 1=6185
- Christy, R.W. Conducting thin films formed by electron bombardment of substrate, 2=12943
- Christy, R.W. Electrical properties of thin polymer films. II. Thickness 30-150Å, 4=22769
- Christy, R.W. and Daniels, W.E., Jr. Electrical conductivity of NaCl during high-temperature creep, 1=10034
- Christy, R.W. and Davis, W.P., Jr. Power supply for the e/m experiment, 1=1865
- Christy, R.W. and Fukushima, E. Electrical conductivity of X-irradiated KCl, 0=11658
- Christy, R.W., Hseuh, Y.W. and Mueller, R.C. Thermoelectric power of NaCl containing CdCl₂, 3=13143
- Christy, R.W. and Phelps, D.H. Production of V_i centers in KCl by X-rays, 1=17583
- Christy, R.W. See Dewdney, J.W., 0=4922
- Christy, R.W. See Hsueh, Y.W., 4=7085
- Christy, R.W. See Zaleskiwicz, T.P., 4=22636
- Christyakov, Yu.D. See Zelikman, A.M., 2=4422
- Chromey, F.C. Evaluation of Mie equations for colored spheres, 0=10785
- Chromov, V. Generalisation of Kirchoff's theorem for an arbitrarily moving surface, 4=11030
- Chrzanowski, P., Greene, G., Lemmon, K.T. and Young, J.M. Traveling pressure waves associated with geomagnetic activity, 2=4595
- Chrzanowski, P., Young, J.M., Greene, G. and Lemmon, K.T. Infrasonic pressure waves associated with magnetic storms, 2=13078
- Chtranikh, I.V. See Belovitsky, G.E., 0=12786
- Chu, B. Critical opalescence of a binary liquid mixture, n-decane- β , β' -dichloroethyl ether. I. Light scattering, 4=24212
- Chu, B. Versatile light scattering photometer, 4=27283
- Chu, B. See Debye, P., 2=5016
- Chu, B. See Debye, P., 2=17450
- Chu, B. See Debye, P., 2=21595
- Chu, B.T. Stress waves in isotropic linear viscoelastic materials. I, 3=11852
- Chu, B.T. and Parlange, J.Y. On the stability of laminar flame, 3=11980
- Chu, B.T. Finite amplitude waves in incompressible perfectly elastic materials, 4=11280
- Chu B.T. and Ying, S.J. Thermally driven nonlinear oscillations in a pipe with traveling shock waves, 4=5280
- Chu B.T. Analysis of a self-sustained thermally driven nonlinear vibration, 4=5281
- Chu Chiang-chung. See Wang Yeh-ning, 1=1305
- Chu Chuan-chen. See Ma En-tse, 4=30917
- Chu, C.K. Magnetohydrodynamic nozzle flow with three transitions, 2=11771
- Chu, C.K. Dynamics of ionizing shock waves: shocks in transverse magnetic fields, 4=29694
- Chu, C.K. Linearized hyperbolic steady magnetohydrodynamic flow past nonconducting walls, 4=19180
- Chu Chi-ming. Velocity-dependent-potential correction to the magnetic moment of the deuteron, 4=30276
- Chu, C.M., Churchill, S.W. and Pang, S.C. A variable-order diffusion-type approximation for multiple scattering, 4=14019
- Chu, C.M., Leacock, J.A., Chen, J.C. and Churchill, S.W. Numerical solutions for multiple, anisotropic scattering, 4=14089
- Chu Chiang-shih. See tszui Tszzyan-shi,
- Chu Chin-P'êng. See Chzhu Tszin'-pén.
- Chu Chong-Wei. Nonlinear wave motion in a linear pinch, 4=14695
- Chu, E.L. The Lagrangian and the energy-momentum tensors in the perturbation theory of classical electrodynamics, 0=3453
- Chu, E.L. Two alternative definitions of small signal r.f. power of electron beams, 0=3798
- Chu, E.L. Comments of Klüver's paper entitled "Small signal power conservation theorem for irrotational electron beams", 0=3799
- Chu, E.L. On the concept of fictitious surface charges of an electron beam, 0=5344
- Chu, E.L. and Ballam, J. Calculations of a magnetic field momentum-defining slit, 3=19377
- Chu, H.N. High-frequency extensional vibrations of sandwich plates, 3=189
- Chu, Hu-Nan. Simple axisymmetric thickness vibrations of a soft elastic cylinder with a hard, thin, elastic skin, 1=15994
- Chu Hung-yuan. See Khe Tszo-syu, 1=4766
- Chu, L.J. Growth of the antennas and propagation field between World War I and World War II. I. Antennas, 2=16045
- Ch'u Liang-yüan. See Chu Lyan-yuan.
- Ch'u Liang-Yüan. See Chu Lyan-yuan.
- Chu Lyan-yuan. See Lyu Yuan'.
- Chu Lyan-yuan. See Lyu Yuan', 3=6156
- Chu Nay-I. The contribution of the cross diagram in the p-wave resonance of low-energy meson-nucleon (π -N) scattering, 4=25145
- Chu Shan-kên. See Chzhu Shan'-gen'.
- Chu Shang'Ken. See Hsieh Kuang-Chun, 3=22340
- Chu, T.L. and Gavalier, J.R. Stacking faults in vapor grown silicon, 3=22794
- Chu, W.W.L., Wolfe, J.E. and Wagner, B.C. Some observations on evaporated permalloy films, 0=3277
- Chu, Y. Y., Kistner, O. C., Li, A. C., Monaro, S. and Perlman, M. L. E2/M1 ratios in the isomeric transitions of Te¹²¹ and Te¹²³, and the decay of the Te¹²¹ isomers to Sb¹²¹, 4=12184
- Chu, Y. Y. and Perlman, M. L. Empirical screening correction for M-Subshell internal conversion coefficients, 4=25285
- Chuan, R.L. Experimental investigation of electromagnetic propagation through the plasma sheath in a hypersonic low density wind tunnel, 2=3166
- Chuan Xuan Cao. See Cao Xuan Chuan.
- Chuang, L.S. and Lu, M.T. $\bar{\nu}$: Mean number of neutrons emitted per fission of U-238 induced by 14 MeV neutrons, 3=22433
- Chuang, Y.H. See Kê, T.S., 3=20796
- Chubarina, E.V. See Imanyitov, I.M., 0=14304
- Chubarov, R.P. A decatron counter with a transistorized control circuit, 3=24182
- Chubarov, S.I. See Ivanov, A.A., 2=19859
- Chubarov, S.I. See Matalin, L.A., 4=16911
- Chubb, T.A. Problems of the upper atmosphere, 3=5210
- Chubb, T.A. and Byram, E.T. Stellar brightness measurement at 1314 and 1427 Å: Observation of the O₂ twilight glow, 4=4864
- Chubb, T.A., Friedman, H. and Kreplin, R.W. Measurements made of high-energy X-rays accompanying three class 2⁺ solar flares, 0=16539
- Chubb, T.A., Friedman, H. and Kreplin, R.W. X-ray emission accompanying solar flares, 2=15338
- Chubb, T.A., Friedman, H., Kreplin, R.W., Blake, R.L. and Unzicker, A.E. I. X-ray and ultraviolet measurements during the eclipse of October 12, 1958. II. X-ray solar disk photograph, 2=15339
- Chubb, T.A., Friedman, H., Kreplin, R.W. and Mange, P. Lyman-alpha radiation in the night sky, 2=15248
- Chubb, T.A. See Acton, L.W., 4=2451
- Chubb, T.A. See Blake, R.L., 3=9206
- Chubb, T.A. See Bowyer, S., 4=23869
- Chubb, T.A. See Byram, E.T., 1=21031
- Chubb, T.A. See Byram, E.T., 2=15367
- Chubb, T.A. See Kreplin, R.W., 2=11072
- Chubb, T.A. See Kreplin, R.W., 2=19314
- Chubb, T.A. See Kupperian, J.E., Jr., 0=4805
- Chubb, T.A. See Kupperian, J.E., Jr., 1=6629
- Chubinskii, O.V. See Artamonova, K.P., 1=17063
- Chubinskii, O.V. See Gustova, L.V., 0=2654
- Chubinsky, O.V. See Cohen, B.L., 3=24866
- Chuburkov, Yu.T. See Donets, E.D., 2=22855
- Chuburkov, Yu.T. See Donets, E.D., 3=8138
- Chuburkov, Yu.T. See Perelygin, V.P., 2=16443
- Chuburkov, Yu.T. See Perelygin, V.P., 3=6316
- Chuburkov, Yu.T. See Polikanov, S.M., 0=9711
- Chuburkova, I.I. See Kushniruk, V.F., 4=9325
- Chuchmarev, S. K., Esin, O. A. and Pastukhov, É. A. On the form of existence of ions of trivalent iron in molten silicates, 4=2654
- Chudáček, I. Estimation of surface brightness of piezoluminescence in impulse-excited ZnS:Cu, 4=4310
- Chudáček, I. and Sodomka, L. The influence of pressure on luminescence of zinc sulphide single crystals, 3=18035
- Chudáček, I. See Drška, L., 0=3976
- Chudaikin, A.V. See Kazachevskaya, T.V., 4=7880
- Chudaikin, A.V. See Kazachevskaya, T.V., 4=15879

- Chudakov, A.E., Nesterova, N.M., Zatsepin, V.I. and Tukish, E.I.
Cerenkov radiation produced by extensive air showers of cosmic ray, 1=3282
- Chudakov, A.E., Zatsepin, V.I., Nesterova, N.M. and Dadykin, V.L.
A search of photons with the energy of 10^{13} eV from discrete sources of cosmic radiation, 2=20460
- Chudakov, A.E. See Kulikov, G.V., 1=3283
- Chudakov, A.E. See Pontecorvo, B., 3=14953
- Chudakov, A.E. See Vakulov, P.V., 4=7900
- Chudakov, A.E. See Vernov, S.N., 0=395
- Chudakov, A.E. See Vernov, S.N., 0=10397
- Chudakov, A.E. See Vernov, S.N., 1=3309
- Chudakov, A.E. See Vernov, S.N., 1=4815
- Chudakov, A.E. See Vernov, S.N., 1=5797
- Chudakov, A.E. See Vernov, S.N., 1=7946
- Chudakov, A.E. See Vernov, S.N., 1=10939
- Chudakov, A.E. See Vernov, S.N., 2=9029
- Chudakov, A.E. See Vernov, S.N., 2=12087
- Chudakov, A.E. See Vernov, S.N., 2=12089
- Chudakov, A.E. See Vernov, S.N., 2=16256
- Chudakov, A.E. See Zatsepin, G.T., 2=1743
- Chudakov, A.E. See Zatsepin, V.I., 2=16269
- Chudakov, A.E. See Zatsepin, G.T., 2=22694
- Chudakov, A.E. See Zatsepin, V.I., 3=6119
- Chudakov, V.M. Measurements of angles in nuclear interactions of fast particles, 1=13261
- Chudakov, V.M. The azimuthal angular distribution of shower particles, 1=13563
- Chudakov, V.M. See Abduzhamilov, Sh., 4=3520
- Chudakov, V.M. See Abduzhamilov, Sh., 4=25089
- Chudakov, V.M. See Azimov, S.A., 1=16936
- Chudakov, V.M. See Azimov, S.A., 2=281
- Chudakov, V.M. See Rechitskii, I.V., 3=2341
- Chudars, Ya., Taure, I., Mednis, I. and Veveris, O. Determination of boron concentration in gaseous mixtures using a neutron beam, 0=14153
- Chudinov, A.A. Temperature dependence of ultrasonic velocity in PbTe monocrystals at 80-640°K, 2=18525
- Chudinov, A.A. Temperature dependence of the velocity of ultrasound in PbS single crystals in the range 80-640°K, 3=20090
- Chudinov, A.A. Dependence of the velocity of ultrasound on the temperature in monocrystals of PbSe in the range 80-640°K, 4=15415
- Chudley, C.T. and Elliott, R.J. Neutron scattering from a liquid on a jump diffusion model, 1=5271
- Chudnovskii, A.F. Some variants of non-stationary methods for measuring the thermal conductivity of semiconductors, 1=4490
- Chudnovskii, A.F. See Mogilevskii, B.M., 3=19064
- Chudnovskii, F.A. See Moizhes, B.Ya., 2=10312
- Chudnovskii, F.A. See Regel', A.R., 2=8331
- Chudnovskii, F.A. See Regel', A.R., 2=14532
- Chudnovsky, A.F. See Kaganov, M.A., 2=5197
- Chuenkov, V.A. On the deduction of the disturbance criterion of dielectric strength in ionic crystals from the kinetic equation, 0=1706
- Chuenkov, V.A. A theory of the electrical breakdown of semiconductors. I, 0=15910
- Chuenkov, V.A. A theory of the electrical breakdown of semiconductors (p-n junctions), 0=15911
- Chuenkov, V.A. Electrical conduction in valence semiconductors at low temperatures in strong electric fields, 0=15913
- Chuenkov, V.A. and Chén'-Ké-Min. [Ch'en-K'o-Ming]. Generalization of the criterion for breakdown of semiconductors in a constant electric field, 1=19843
- Chuenkov, V.A. and Chén'-Ké-Min [Ch'en-K'o-Ming]. Generalization of the criterion for breakdown of semiconductors in a constant electric field, 2=6434
- Chuenkov, V.A. and Chen' Ké-min [Ch'ên K'o-ming]. Time behaviour of the breakdown process in semiconductors, 3=15561
- Chuev, V.I. See Ogloblin, A.A., 2=20440
- Chuev, V.I. See Vlasov, N.A., 0=9638
- Chuev, V.I. See Vlasov, N.A., 0=9639
- Chuev, V.I. See Vlasov, N.A., 1=728
- Chuev, V.I. See Vlasov, N.A., 1=17142
- Chuev, V.I. See Vlasov, N.A., 1=17149
- Chuev, V.I. See Vlasov, N.A., 2=14133
- Chueva, S.A. See Barkov, L.M., 3=6080
- Chueva, S.A. See Varfolomeev, A.A., 0=355
- Chueva, S.A. See Varfolomeev, A.A., 1=2139
- Chufarov, G.I. See Bogoslovskii, V.N., 4=15654
- Chufarov, G.I. See Men', A.N., 3=20616
- Chufarov, G.I. See Shabalina, O.K., 4=23268
- Chugh, O. P. Kinematics of the burning surface of a propellant grain, 4=29792
- Chuiiko, L.I. See Eremenko, V.V., 1=11365
- Chuikov, B.A. See Morgulis, N.D., 0=18448
- Chuikov, B.A. See Ptushinskii, Yu.G., 3=23541
- Chuikov, B.O. See Ptushyn's kyi, Yu.H., 2=19121
- Chuistov, K.V. See Nesterenko, E.G., 0=16353
- Chuistov, K.V. See Nesterenko, E.G., 1=1412
- Chuistov, K.V. See Nesterenko, Ye.H., 1=15136
- Chuistov, K.V. See Nesterenko, E.G., 3=5126
- Chûjô, R. N.m.r. second moment of a radical oscillating in a periodic potential, 1=9959
- Chûjô, R. Transition phenomena in high polymers, 1=15167
- Chûjô, R. Dynamical degree of crystallinity of partially crystalline polymers, 3=11308
- Chuiô, R. See Miyake, A., 1=881
- Chûjô, R. See Miyake, A., 1=2349
- Chûjô, R. See Miyake, A., 1=10189
- Chukanin, K.I. See Sytinskii, A.D., 4=17882
- Chukhladze, V.L. See Vartanov, N.A., 2=22761
- Chukichev, M.V. and Vavilov, V.S. Formation of lattice defects under the action of thermal neutrons on irradiating silicon single crystals in a nuclear reactor, 1=14347
- Chukichev, M.V. and Vavilov, V.S. The mean energy of generation of non-equilibrium carrier pairs by exposure of germanium to γ -rays from cobalt-60, 1=14443
- Chukichev, M.V. and Vavilov, V.S. Formation of lattice defects under the action of thermal neutrons on irradiating silicon single crystals in a nuclear reactor, 1=17593
- Chukin, V.S. See Veprik, Ya.M., 2=19360
- Chukova, Yu.P. Electret effect in zinc sulphide, 2=6530
- Chukova, Yu.P. Electret effect in zinc sulphide, 2=8472
- Chukreev, F.E. See Baldin, S.A., 0=8668
- Chukreev, F.E. See Karadzhiev, K.V., 3=24932
- Chulanovskii, V.M. Intensity measurements in infrared spectra, 1=4458
- Chulanovskii, V.M., Bulanin, M. O., Denisov, G. S., Shuvalova, E. V. and Shchepkin, D. N. Influence of the solvent on infrared spectra and ways of allowing for this in analytic work, 4=7799
- Chulanovskii, V.M., Gol'denberg, A. L., Pirozhnaya, L. N., Popova, G. S., Tarutina, L. I. and Fratkina, G. P. Spectroscopic investigation of ageing [oxidation] of polymers, 4=4697
- Chulanovskii, V.M., Peisakhson, I.V. and Shchepkin, D.N. Determination of the absolute values of the intensity parameters in an infrared absorption spectrum when secular distortions are absent, 0=12481
- Chulanovskii, V.M., Peisakhson, I.V. and Shchepkin, D.N. Determination of the absolute values of the intensity parameters in an infrared absorption spectrum when secular distortions are absent. II, 0=12482
- Chulius, V. F. See Vlasenko, V. P., 4=12233
- Chulkov, P.M. See Lavrenchuk, V.N., 3=1454
- Chulli, I. See Batusov, Yu.A., 0=2586
- Chulli, I. See Van Zhun, 1=16751
- Chulli, S. Behaviour of the partial wave amplitude for the reaction $\pi\pi \rightarrow \pi\pi$ at threshold, 3=19679
- Chulli, S. and Fisher, J. On the polarization cross-section for scattering of fast nucleons, 1=16775
- Chulli, S. and Fisher, J. On the polarization cross-section for scattering of fast nucleons, 2=22498
- Chulli, S. See Fisher, Ya., 1=4771
- Chulli, S. See Fisher, Ya., 1=19123
- Chulli, S. See Fisher, Ya., 1=19259
- Chulli, S. See Fisher, Ya., 2=22602
- Chulli, S. See Van Zhun, 1=16751
- Chultem, D. See Egorov, L.B., 0=7704
- Chultem, D. See Egorov, L.B., 1=5988
- Chultem, D. See Egorov, L.B., 1=17298
- Chultem, D. See Ignatenko, A.E., 2=14228
- Chultem, D. See Ignatenko, A.E., 2=22930
- Chultem, D. See Ignatenko, A.E., 3=6373
- Chumakov, A.A. and Koptsik, V.A. Experiments on the crystallization of new piezoelectric substances, 0=641
- Chumakov, A.A., Sil'vestrova, I.M. and Aleksandrov, K.S. Growing crystals of l-rhamnose monohydrate and the study of their dielectric, piezoelectric, and elastic properties [by dynamic methods], 0=13650
- Chumakov, A.A. See Sil'vestrova, I.M., 0=13952
- Chumavskii, N.A. See Livshits, B. L., 4=25709
- Chumakova, G.G. See Vernidub, I.I., 3=8987

- Chumakova, G. G. See Vernidub, I. I., 4=13790
- Chumin, V. See Abdurazakov, A., 1=646
- Chumin, V. G. See Abdurazakov, A. A., 2=14025
- Chumin, V. G. See Baranov, V. I., 2=14053
- Chumin, V. G. See Bonch-Osmolovskaya, N. A., 3=24912
- Chun, K. W. Charged-scalar strong-coupling theory for two-nucleon system, 1=7236
- Chun, K. W. See Breit, G., 4=9573
- Chun, W. Wong. Effect of short-range repulsion in nuclear matter, 4=27940
- Chunayev, O. N. See Akhmanov, S. A., 4=5353
- Chung, A. L. H. See Dewar, M. J. S., 4=1203
- Chung, C. The radiation pattern of an array of dipoles in a dielectric slab, 4=30061
- Chung Ching-Chi and Pu Fu-cho. Effect of magnetic annealing on the ferromagnetic resonance linewidth in cobalt-substituted ferrites, 4=1859
- Chung, Dae-Hyun. Elastic moduli of single crystal and polycrystalline MgO, 3=15971
- Chung Gwo-Yang. See Hwang Sheau-Juang, 4=612
- Chung, H. S. and Dahler, J. S. "Improved" free volume theory of liquids. III. Approximate theory of molecular correlations in liquids, 3=1676
- Chung, H. S. and Dahler, J. S. "Improved" free-volume theory of liquids. IV. Supercells, worms, and tunnels, 4=18171
- Chung, K. T. and Parker, P. M. Asymmetric-top vibration-rotation Hamiltonians, 3=8229
- Chung Kyung Tae. See Kyung Tae Chung, 3=9340
- Chung Ming. See Hwang Sheau-Juang, 4=612
- Chung, M. F. See Haneman, D., 3=24386
- Chung, P. M. Langmuir potential associated with Couette flow of viscous plasma, 2=19951
- Chung, P. M. Chemically frozen boundary layer with surface reactions behind a strong moving shock, 3=11857
- Chung, P. M. Electrical characteristics of couette and stagnation boundary-layer flows of weakly ionized gases, 4=8611
- Chung, S. U., Dahl, O. I., Hardy, L. M., Hess, R. I., Kalbfleisch, G. R., Kirz, J., Miller, D. H. and Smith, G. A. Analysis of the 1.0 to 1.4 BeV π - ρ enhancement, 4=25160
- Chung Shiong-lee. See Lin Wei-guan, 4=30022
- Chung, S. U. See Broyles, A. A., 3=1656
- Chung Tehang-II. Graphical analysis of the parameters affecting the voltage tolerance in silicon p-n or n-p junctions, 4=28590
- Chung, T. I. Study of aluminium fusion into silicon, 2=12539
- Chung, T. I. Design theory and experiment for silicon computer diodes, 3=20354
- Chung, V. K. See Barrett, A. H., 3=9020
- Chung Wên-ting. See Chzhun Ven'-Din
- Chung Wook Kim. Deformed-core model results for nuclear beta-moments, 4=9438
- Chung Wook Kim. Relationships between beta-moments and gamma-moments, 4=9439
- Chuo Chi-tsang and Shih Gen-twen. The figure of merit for the alloy-diffused parametric diode, 4=28592
- Chuo Chi-tsang. See Shih Gen-twen, 4=28593
- Chuo Chi-Tsang. See Shih Gen-Twen, 4=30634
- Chuong Phan Van. See Phan Van Chuong.
- Chupakhin, M. S., Glavin, G. G. and Duev, L. T. Polyatomic graphite molecules, 4=25667
- Chupakhin, M. S. and Gradshtain, E. Effect of the guided formation of ions in the three-ribbon ion source of the mass-spectrometer, 2=9650
- Chupis, I. E. Theory of relaxation processes in uni-axial antiferromagnetic dielectrics, 4=13304
- Chupis, I. E. See Kaganov, M. I., 1=11456
- Chupis, I. E. See Kaganov, M. I., 3=25551
- Chupis, I. E. See Kaganov, M. I., 4=6733
- Chupka, W. A. and Berkowitz, J. Kinetics of unimolecular decomposition of excited alkylamine ions, 0=10350
- Chupka, W. A. and Kaminsky, M. Energy distribution and fragmentation processes resulting from electron impact on propane and n-butane, 2=2030
- Chupka, W. A. and Lindholm, E. Dissociation of butane molecule ions formed in charge exchange collisions with positive ions, 4=9779
- Chupka, W. A. See Berkowitz, J., 0=14100
- Chupka, W. A. See Berkowitz, J., 2=13534
- Chupka, W. A. See Berkowitz, J., 4=8516
- Chupka, W. A. See Berkowitz, J., 4=21361
- Chupka, W. A. See Meschi, D. J., 0=14099
- Chupp, E. L., Jewell, R. W., Jr and John, W. Binding energy of the deuteron measured with a bent crystal spectrometer, 1=552
- Chupp, E. L. and Williams, R. W. Intensity of solar proton emissions, 2=12024
- Chupp, E. L. See Hess, W. N., 0=1326
- Chuprov, K. S. See Emelin, V. L., 3=3427
- Churaev, N. V. See Volarovich, M. P., 2=15081
- Churaev, V. A. See Azovskii, Yu. S., 3=14567
- Churaev, V. A. See Azovskii, Yu. S., 4=5630
- Churaev, V. A. See Azovskii, Yu. S., 4=24717
- Churaev, V. A. See Safronov, B. G., 2=17927
- Church, C. H., Haun, R. D., Jr, Osial, T. A. and Somers, E. V. Optical pumping of lasers using exploding wires, 3=22011
- Church, E. L., Schwarzschild, A. and Wenner, J. Sign of the interference particle parameter in conversion-electron directional correlation, 4=9434
- Church, E. L. and Wenner, J. Anomalous electric-dipole internal conversion, 2=1849
- Church, L. B. See Porile, N. T., 4=9515
- Churcher, B. G. Calculation of loudness levels for musical sounds, 3=1558
- Churcher, B. G. The acoustics of churches, 4=11317
- Churchhouse, R. F. The age of the galaxy, 1=10391
- Churchill, D. See Bartell, L. S., 2=5165
- Churchill, D. R., Hagstrom, S. A. and Landshoff, R. K. M. The spectral absorption coefficient of heated air, 4=15327
- Churchill, R. J. Re-ignition of high current spark discharges, 2=1404
- Churchill, R. J. High current spark gap recovery, 3=4049
- Churchill, R. J. Reignition of freely recovering spark channels in hydrogen, 3=14544
- Churchill, R. J. and Curzon, F. L. Axial streamers in the z-pinch, 4=18962
- Churchill, R. J. and Gallaher, D. F. An analogue computer study of the Townsend gas discharge, 3=19201
- Churchill, R. J. and Gallaher, D. F. An analogue computer study of the collapse stage of the linear Z-pinch, 4=8737
- Churchill, R. J., Parker, A. B. and Craggs, J. D. Measurement of re-ignition voltage characteristics for high current spark gaps in air, 2=3012
- Churchill, R. J. See Curzon, F. L., 2=19966
- Churchill, R. J. See Curzon, F. L., 2=22196
- Churchill, R. J. See Curzon, F. L., 3=9762
- Churchill, R. J. See Curzon, F. L., 3=19031
- Churchill, R. J. See Curzon, F. L., 4=540
- Churchill, R. J., See Curzon, F. L., 4=19043
- Churchill, R. J. See Poole, D. E., 3=21739
- Churchill, S. W., Clark, G. C. and Sliepcevich, C. M. Light-scattering by very dense monodispersions of latex particles, 1=11638
- Churchill, S. W. See Chin, J. H., 0=14549
- Churchill, S. W. See Chu, C. M., 4=14019
- Churchill, S. W. See Chu, C. M., 4=14089
- Churchill, S. W. See Evans, L. B., 4=17653
- Churchill, S. W. See Scott, P. H., 0=3612
- Churchman, A. T. Cleavage fracture in niobium, 1=20384
- Churchman, A. T., Barnes, R. S. and Cottrell, A. H. Effects of heat and pressure on the swelling of irradiated uranium, 0=8265
- Churchman, T. N. See Davidenkov, N. N., 1=10209
- Churchouse, R. F. Detection of novae by electronic computer, 2=13140
- Churilovskii, V. N. and Goldis, K. I. An apochromatic catadioptric system equivalent to a parabolic mirror, 4=24345
- Chursin, G. P., Gonchar, V. Yu., Zalyubovskii, I. I. and Klyucharev, A. P. Cross-sections for (n,p) reactions on tin isotopes for 14.5 MeV neutrons, 3=22410
- Chursin, G. P. See Klyucharev, A. P., 4=22157
- Chursin, G. P. See Val'ter, A. K., 4=1093
- Chushkin, P. I. Hypersonic flow around a circle and a sphere in a magnetic field, 4=21642
- Chushkin, P. I. See Korobeinikov, V. P., 4=14266
- Chute, J. H. See Hickman, B. S., 4=4092
- Chutov, Yu. I. See Morgulis, N. D., 2=7555
- Chutov, Yu. I. See Morgulis, N. D., 3=19166
- Chuvaev, K. K. A separation of the light from the night sky into its components, 2=4660
- Chuvaev, K. K. See Grasiuk, A. Z., 4=20908
- Chuvaev, V. F., Kabanov, V. Ya. and Spitsyn, B. I. Study of the state of water in phosphomolybdic acid by the method of nuclear magnetic resonance, 4=23461
- Chuvaev, V. F. See Ivanova, L. V., 1=14871
- Chuvaev, V. F. See Ivanova, L. V., 1=20322
- Chuvatin, S. A. See Luk'yanov, S. Yu., 2=9603

- Chuvilo, I.V. Possibility of setting up a system of "elementary" particles, 0=9278
- Chuvilo, I.V. Possible properties of D^0 -mesons, 0=13048
- Chuvilo, I.V. Resonant interactions of π -mesons with strange particles (experimental data), 3=22174
- Chuvilo, I.V. See Almazov, V.Ya., 3=17120
- Chuvilo, I.V. See Baladin, M.P., 3=17126
- Chuvilo, I.V. See Belonogov, A.V., 3=17127
- Chuvilo, I.V. See Butslov, M.M., 2=20305
- Chuvilo, I.V. See Butslov, M.M., 3=17108
- Chuvilo, I.V. See Ivanovskaya, I.A., 1=19501
- Chuvilo, I.V. See Ivanskaya, I.A., 0=20222
- Chuvilo, I.V. See Ivanovskaya, I.A., 3=2484
- Chuvilo, I.V. See Ivanovskaya, I.A., 3=24796
- Chuvilo, I.V. See Ozhdani, L., 2=9841
- Chuvilo, I.V. See Ozhdani, L., 3=6004
- Chuvilo, I.V. See Pantuev, V.S., 4=15037
- Chuvilo, I.V. See Viryasov, N.M., 0=9364
- Chuyanov, V.A. A multigroup calculation carried out on "Strela" for a power station reactor, 1=19561
- Chuyanov, V.A. Inverse problem in the theory of nuclear reactors, 4=15213
- Chuyanov, V.A. See Moskalev, O.B., 4=12301
- Chuyeva, S.A. See Varfolomeev, A.A., 0=7324
- Chuzhko, R.K. See Tsvetaev, A.A., 4=15471
- Chvanov, N.A. See Vvedenski, V.T., 2=22141
- Chwaszczewska, J., Dakowski, M., Przyborski, W., Sowiński, M., Szechter, A., Kierzek-Pecolt, E., Weydman, Z. and Zalewski, E. Recent results on silicon semiconductor nuclear particle detectors in Poland, 4=9015
- Chwaszczewski, S. Pulsing a high-frequency ion source, 2=221
- Chwaszczewski, S. Energy parameters of an electrodeless discharge in hydrogen, 2=1406
- Chwaszczewski, S. See Khvashchevski, S.
- Chykovani, N.M. See Broude, V.L., 2=18741
- Chyliński, Z. Bremsstrahlung mechanism of the multiple production process in nucleon-nucleon collisions, 3=19670
- Chylinski, Z. See Benisz, J., 0=15323
- Chyliński, Z. See Koba, Z., 0=17322
- Chyliński, Z. See Koba, Z., 0=17323
- Chynoweth, A.G. Pyroelectricity, internal domains, and interface charges in triglycine sulfate, 0=6160
- Chynoweth, A.G. Uniform silicon p-n junctions. II. Ionization rates for electrons, 0=11704
- Chynoweth, A.C. Internal field emission, 1=6134
- Chynoweth, A.G. and Abel, J.L. Built-in nucleation sites in triglycine sulfate, 0=640
- Chynoweth, A.G. and Feldmann, W.L. Ferroelectric domain delineation in triglycine sulphate and domain arrays produced by thermal shocks, 1=17834
- Chynoweth, A.G., Fieldmann, W.L., Lee, C.A., Logan, R.A. and Pearson, G.L. Internal field emission at narrow silicon and germanium p-n junctions, 0=9961
- Chynoweth, A.G., Feldmann, W.L. and Logan, R.A. Excess tunnel current in silicon Esaki junctions, 1=3779
- Chynoweth, A.G. and Gummel, H.K. Photon emission from avalanche breakdown in germanium p-n junctions, 1=17695
- Chynoweth, A.G. and Logan, R.A. Internal field emission at narrow p-n junctions in indium antimonide, 0=11715
- Chynoweth, A.G. and Logan, R.A. On the excess current in silicon Esaki junctions, 2=23419
- Chynoweth, A.G., Logan, R.A. and Thomas, D.E. Phonon-assisted tunneling in silicon and germanium Esaki junctions, 2=4050
- Chynoweth, A.G., Logan, R.A. and Wolff, P.A. Effect of Landau levels upon tunnel currents in indium antimonide, 1=2413
- Chynoweth, A.G. and McKay, K.G. Light emission and noise studies of individual microplasmas in silicon p-n junctions, 0=1648
- Chynoweth, A.G. and Murray, A.A. Pinch effect in indium antimonide, 1=11306
- Chynoweth, A.G., Wannier, G.H., Logan, R.A. and Thomas, D.E. Observation of stark splitting of energy bands by means of tunnelling transitions, 0=18048
- Chynoweth, A.G. See Batdorf, R.L., 0=11703
- Chynoweth, A.G. See Logan, R.A., 2=12527
- Chynoweth, A.G. See Logan, R.A., 3=6574
- Chynoweth, A.G. See Logan, R.A., 3=17679
- Chynoweth, A.G. See Rowell, J.M., 3=326
- Chyrko, V. See Pasichnyk, M.V., 4=25390
- Chyrko, V.I. See Pasichnyk, M.V., 2=12186
- Chyu Si-Tsyzun'. See Van Dé-Yui, 4=6306
- Chyung, C.K. and Taylor, W.E. Elimination of small-angle boundaries in high-purity zinc crystals grown from the melt, 4=17788
- Chyyrko, V.I. See Val'ter, A.K., 1=19455
- Chzan Van'-chzhu. See Sanin, A.A., 4=16404
- Chzha-Tsyzan'. See Tyapunina, N.A., 2=14871
- Chzhan Chun-khua. See Yui Yu-ven, 4=5099
- Chzhan, Din-e. See Duan', I-shi, 4=8044
- Chzhan Dzhi-Min [Chang Chih-Ming]. The relations for constant current in multi-beam one-dimensional electron streams, 0=7154
- Chzhan Dzhi-min. [Chang Chih-ming]. Propagation of perturbations in a one-dimensional two-beam electron flow, 0=9085
- Chzhan Guan-Tsyzuan' [Chang Kuang-Chuan]. Smallest number of sampled points chosen during a numerical solution of the heat conduction equation, 4=18450
- Chzhan Guan-in' [Chang Kuang-yin]. An improved method for observation of structure in the reflection spectra of crystals, 2=17621
- Chzhan Guan-in' [Chang Kuang-yin]. An improved method for observation of structure in the reflection spectra of crystals, 2=19707
- Chzhan Guan-in'. [Chang Kuang-yin] Possible shapes of the reflection band and their variation as a function of the angle of incidence and state of polarization; the dispersion effect of reflection bands, 3=9600
- Chzhan Guan-in'. Observation of the dispersion effect of reflection bands in CdS crystals, 3=15652
- Chzhan Guan-in' [Chuang Kuang-yin]. See Gross, E.F., 3=4971
- Chzhan Guan-in'. See Gross, E.F., 2=14654
- Chzhan Guan-in. See Gross, E.F., 2=16808
- Chzhan Guan-in. See Gross, E.F., 2=21232
- Chzhan Kai-da. See Galkina, O.S., 2=3385
- Chzhan Kai-da [Chang K'ai-ta]. See Galkina, O.S., 3=4905
- Chzhan Khuan-chao [Chang, Huang-ch'ao]. The resolving power of a crystal neutron spectrometer with a flat crystal, 4=6079
- Chzhan Nai-sén. See Likhachev, M.F., 1=19265
- Chzhan Nai-sen. See Likhachev, M.F., 2=22581
- Chzhan Tszun. See Smolenskii, G.A., 1=20125
- Chzhan-Tszun. See Smolenskii, G.A., 2=2289
- Chzhan Vén-yui. See Vishnevskii, V.F., 4=12074
- Chzhao Chzhan-yao. See Chzhou Dé-lin.
- Chzhao Syuon. See Van Dé-Yui, 4=6306
- Chzhao-Tsyzan'. See Tyapunina, N.A., 2=10738
- Chzhen Lin'-Shen. See Chzhou Yue-Hua, 3=24701
- Chzhen Lin'-shen. See Vun Pei-kun', 4=6293
- Chzhen Pu-In [Cheng P'u-Ying]. See Dzhanelidze, L.P., 0=15445
- Chzhen Pu-in. See Dzhanelidze, L.P., 1=19282
- Chzhen Pu-In [Cheng P'u-Ying]. See Lyubimov, V.B., 0=11167
- Chzhen Pu-In. See Zhdanov, G.B., 0=9617
- Chzhou Dé-lin [Chou Té-ling], Mao Chzhen-lin [Mao Chên-ling], Yuan, Zhun-fan [Yüan Jung-fang], Lyan Vén-syue [Liang Wên-hsüeh] and Chzhao Chzhan-yao [Chao Chung-yao]. Elastic scattering of proton of energy 6.8 MeV by the nuclei Cr, Co, Ni, Cu and Zn, 2=10097
- Chzhou De-Syan, Pan' Shi-Lin, Sun' Vuf-In and Lo Méi-Lun. Derivation of new and known equations in the direct method of structure analysis, 4=13567
- Chzhou Guan-Chzhao [Chou Kuang-Chao]. Selection rules in reactions involving polarized particles, 0=2507
- Chzhou Guan-Chzhao [Chou Kuang-Chao]. Some symmetry properties of antihyperon production processes which are connected with antinucleon annihilation, 0=5618
- Chzhou Guan-Chzhao [Chou Kuang-Chao]. Decay of Σ^- -hyperons, 0=15443
- Chzhou Guan-Chzhao [Chou Kuang-Chao]. A possible symmetry property of the π -K system, 0=20190
- Chzhou Guan-Chzhao [Chou Kuang-Chao]. The pseudovector current and lepton decays of baryons and mesons, 1=3198
- Chzhou Guan-chzhao [Chou Kuang-Chao] and Oglevetskii, V.I. Electromagnetic mass of the K meson, 0=11221
- Chzhou Guan-chzhao. See Badalyan, A.M., 0=12913
- Chzhou Guan-Chzhao. See Khé Tszo-Syu, 1=3211
- Chzhou Guan-Chzhao [Chou Kuang-Chao]. See Lapidus, L.I., 0=5533
- Chzhou Guan-Chzhao [Chou Kuang-Chao]. See Lapidus, L.I., 0=7319
- Chzhou Guan-Chzhao. See Lapidus, L.I., 0=9394
- Chzhou Guan-Chzhao [Chou Kuang-Chao]. See Lapidus, L.I., 0=20077

- Chzhou Guan-chzhao. See Lapidus, L.I., 1=2025
 Chzhou Guan-Chzhao. See Lapidus, L.I., 1=16734
 Chzhou Guan-Chzhao. See Lapidus, L.I., 1=19289
 Chzhou Guan-chzhao. See Lapidus, L.I., 1=19435
 Chzhou Guan-chzhao. See Lapidus, L.I., 2=271
 Chzhou Guan-chzhao. See Lapidus, L.I., 2=318
 Chzhou Guan-chzhao. See Lapidus, L.I., 2=3300
 Chzhou Guan-chzhao. See Lapidus, L.I., 2=22468
 Chzhou Guan-chzhao. See Lapidus, L.I., 2=22470
 Chzhou Guan-'chzhao [Chou Kuang-chao]. See Lapidus, L.I., 3=607
 Chzhou Guan-chzhao [Chou Kuang-chao]. See Lapidus, L.I., 3=2240
 Chzhou Guan-Chzhao [Chou Kuang-chao]. See Zastavenko, L.G., 0=7288
 Chzhan Guan'-in'. See Gross, E.F., 2=12582
 Chzhou-Khuan. See Ivanov-Omskii, V.I., 2=18703
 Chzhou Si-Shin'. See Chen' Chun'-Syani', 0=10837
 Chzhou-Syao-Pin [Chou-Hsiao-P'ing]. Development of cumulus clouds, 3=3463
 Chzhou Tsein-Lyan [Chou Ching-Liang], Imamov, R.M. and Pinsker, Z.G. An electron-diffraction study of thin films of Ag-Te, 3=18383
 Chzhou Yue-Hua [Chou Yüeh-Hua], Vun Pei-Kun' [Wung P'ei-Kun'] Chzhen Lin'-Shen [Cheng Lin'-Sheng]. A β -spectrometer with an intermediate image, 3=24701
 Chzhou Yue-va. See Bonch-Osmolovskaya, N.A., 3=10303
 Chzhou Yue-Va. See Bonch-Osmolovskaya, N.A., 3=24912
 Chzhu Khun-yuan'. See Efremov, A.V., 1=19252
 Chzhu Khun-Yuan'. See Efremov, A.V., 2=22603
 Chzhu Khun-yuan'. See Khe Tsoo-syu, 1=4766
 Chzhu Shan'-gen. See Vun Pei-kun', 4=6293
 Chzhu Tszin'-pén. See Vasil'ev, D. M., 4=23210
 Chzhun Ven'-Din [Chung Wên-ting] and Yan Chzhén [Yang Chéng]. Investigation of the magnetic properties of the alloy MnBi after heat treatment under different conditions, 4=1798
 Chzyan' Yu-tai. See Sitenko, A.G., 3=14576
 Ciafaloni, M. Levinson's theorem and Regge poles, 3=24663
 Ciais, A. A simple classical model of the organic exciton, 0=7999
 Ciais, A. Fine structure of the luminescent spectra of organic molecules in crystalline solutions, 1=17917
 Ciais, A. Exciton of naphthalene h-8 and d-8 at 4°K, 2=16817
 Ciais, A. and Pestel, P. Absorption spectra of C_6H_6 , C_6D_6 and of mixed crystals ($C_6H_6 + C_6D_6$) at 20°K, 0=8000
 Ciais, A. and Pestel, P. A new interpretation of the absorption spectrum of solid naphthalene at low temperatures, 2=12595
 Ciais, A. and Pestel, P. Pure crystals and crystallized solutions; excitons, transfers and excimers, 4=187
 Ciais, A. See Pestel, P., 0=6811
 Cialdea, R., Cimino, M. and Fea, G. Photographs taken from high altitudes by means of balloons during the total solar eclipse of 15 February, 1961, 3=1518
 Ciampelli, F. See Morero, D., 0=4676
 Ciampi, M. See Fornaca, G., 1=16311
 Ciampolillo, S. See Aubert, E., 4=25175
 Ciampolillo, S. See Ely, R.P., 2=18173
 Ciampolillo, S. See Ely, P.P., 2=22613
 Ciang-Shuen-U. Experimental investigation of the effect of silica on the structure of sintered molybdenum, 3=20921
 Ciarrapico, J.O., Levialdi, A. and Shoiyet, M. On the change of certain electrical properties of sintered barium titanate as a function of grain size, 2=14637
 Cibois, E. See Lemaire, J., 3=11170
 Cibois, E. See Lemaire, J., 3=11182
 Cicala, P. On certain states of tension in thin elastic shells, 2=15506
 Ciccarello, I. See Nava, R., 4=17353
 Ciccarello, I.S., Cordone, L., Orlando, A. and Palma, M.U. Further experiments with microwaves on the mechanisms of photographic image formation, 1=9490
 Ciccarello, I.S. and Dransfeld, K. Ultrasonic absorption at microwave frequencies and at low temperatures in MgO and Al_2O_3 , 4=20203
 Ciccarello, I.S., Garofano, T. and Santangelo, M. Nuclear hyperfine structure of hydrazyl free radicals, 0=20660
 Ciccarello, I.S., Garofano, T. and Santangelo, M. Further investigations on the electronic structure of free radicals, 1=14106
 Ciccarello, I.S., Palma-Vittorelli, M.B. and Palma, M.U. An electron spin resonance investigation of photographic processes in crystals of $AgCl$ containing traces of $CuCl$, 0=19465
 Ciccarrone, P.A., Thomas, G. and Verly, W.G. Estimation of tritium in a proportional counter. II. Preparation of samples, 0=4757
 Cicchini, A. and Chagalj, J. Absorption mean free path of the nucleonic component of cosmic radiation, 2=335
 Cicchitti, A., Silvestri, M., Soldani, G. and Zavattarelli, R. A critical survey of the literature on burnout studies with wet steam, 0=2698
 Cid-Dresdner, H. See Garyaycochea, E., 1=20467
 Cidilkovskij, I.M. The nature of the scattering process of carriers in $A^{11}B^V$ -type compounds and some ionic crystals as found by thermomagnetic measurements, 2=23066
 Ciddor, P.E. Phase dispersion in interferometry, 1=5352
 Ciddor, P.E. See Bruce, C.F., 0=3637
 Ciechanowicz, W. Transient temperature distribution of the cylindrical fuel element in the case of boundary conditions being time dependent, 2=6031
 Ciechanowicz, W. Influence of the temperature reactivity coefficient on the transient temperature distribution in the rod type fuel element, 2=8050
 Ciechanowicz, W. Simulation of the thermal processes in the reactor core based on an exact solution of the thermal diffusion and heat flow equations, 2=16450
 Cieplinski, E.W. See Ettore, L.S., 2=12942
 Cierjacks, S. See Bormann, M., 2=467
 Cierjacks, S. See Bormann, M., 2=7993
 Cierjacks, S. See Bormann, M., 3=15210
 Cierny, V. See Arend, H., 2=671
 Cieślak, E. and Marquit, E. Proton-proton scattering at 24 GeV/c, 3=7856
 Cieslak, E. and Marquit, E. Proton-proton scattering at 24 GeV/c, 4=27852
 Ciferri, A. See Puett, D., 4=13395
 Ciftan, M. See Koozekanani, S., 3=4283
 Ciftan, M. See Koozekanani, S., 3=5896
 Ciftan, M. See Schuler, C.J., 2=10206
 Cignitti, M. and Allen, T. L. Nonbonded interactions and the internal rotation barrier, 4=25614
 Cilenšek, E., Cvelbar, F. and Ramšak, V. The mass analysis of a high-frequency ion source for a Van de Graaff accelerator, 0=12642
 Cilenšek, E., Cvelbar, F. and Ramšak, V. Design of the base and results of measurements on the high-frequency ion source for a Van de Graaf accelerator, 0=15084
 Cilliers, W.A. The fading of low-frequency radio waves reflected from the ionosphere, 0=19944
 Cilliers, W.A. Changes in the fading speed of low-frequency radio waves, 1=1545
 Cilliers, W.A., Driver, H.S., Irving, J. and Lewin, I. Some magnetic-probe measurements on a theta-type gas discharge, 4=5637
 Cimino, A. and Marezio, M. Lattice parameter and defect structure of cadmium oxide containing foreign atoms, 1=20535
 Cimino, A., Mazzone, G. and Porta, P. A lattice parameter study of defective zinc oxide. I. Zinc excess and distortions in pure ZnO , 4=23500
 Cimino, A., Molinari, E., Cramarossa, F. and Ghersini, G. The relation between photoconductivity and photo-desorption of oxygen in zinc oxide, 2=12548
 Cimino, A., Molinari, E. and Volpi, G.G. Comment on the homogeneous exchange reaction between hydrogen and deuterium, 0=16372
 Cimino, A. and Parry, G.S. Interdomain symmetry in the reversible phase transformation of potassium cyanide, 1=7834
 Cimino, A., Parry, G.S. and Ubbelohde, A.R. X-ray studies of thermal cycles in the transformation of potassium cyanide, 0=21196
 Cimino, M. Astronomical observations from great heights, 3=1500
 Cimino, M. Astronomical observations with space vehicles, 4=4960
 Cimino, M., Giannone, P., Giannuzzi, M.A., Masani, A. and Virgopia, N. Massive homogeneous helium-star models, 3=16398
 Cimino, M. See Cialdea, R., 3=1518
 Cimpl, Z. The dependence of the rectangular hysteresis loop on the external stress in manganese-magnesium and manganese ferrites, 3=23189
 Cindre, N. See Strohal, P., 4=22153
 Cindro, N. A method for charged particles selection, 1=3076

- Cindro, N. A possible method for distinguishing charged particles with semiconductor detectors, 2=7797
- Cindro, N., Cerineo, M. and Strzalkowski, A. Elastic scattering of 13 MeV deuterons on aluminium, 1=711
- Cindro, N., Cerineo, M. and Strzalkowski, A. (d, α) reactions on some light nuclei at 13 MeV, 1=8/64
- Cindro, N., Fossan, D. B. and Zastavniković, D. Protons from the $\text{Cu}^{63}(\text{p}, \text{p}')$ reaction, 4=9498
- Cindro, N., Kulisić, P. and Strohal, P. Fluctuations in the total cross-section of the reaction $^{27}\text{Al}(\text{n}, \alpha)^{24}\text{Na}$, 4=1091
- Cindro, N., Šlaus, I., Tomaš, P. and Eman, B. The $\text{O}^{16}(\text{n}, \alpha)\text{C}^{13}$ reaction by the thin crystal method, 1=2225
- Cindro, N. and Wall, N. S. Elastic scattering of 13.5 and 15 MeV deuterons by nuclei, 0=15575
- Cindro, N. See Delaunay-Olkowsky, J., 3=24931
- Cindro, N. See Klein, P. R., 0=11426
- Cindro, N. See Kulišić, P., 4=22155
- Cindro, N. See Melkanoff, M. A., 2=20662
- Cindro, N. See Olkowsky, J., 3=22382
- Cindro, N. See Strohal, P., 1=19484
- Cindro, N. See Strohal, P., 2=5930
- Cindro, N. See Swenson, W., 1=11035
- Cini, M. Nucleon structure, 0=5552
- Cini, M. and Fubini, S. Theory of low-energy scattering in field theory, 0=15276
- Cini, M. and Fubini, S. The coupling constant of the meson-nucleon interaction, 0=20184
- Cini, M. See Amati, D., 3=17222
- Cini, M. See Amati, D., 4=3337
- Cini, M. See Cassandro, M., 3=19570
- Cini, M. See Cassandro, M., 4=30148
- Cini-Castagnoli, G. Hyperfine structure in paramagnetic free radicals, 0=13449
- Cini-Castagnoli, G., Giardini-Guidoni, A. and Ricci, F. P. Diffusion of neon, HT, and deuterium in liquid hydrogen, 1=10510
- Cini-Castagnoli, G. and Ricci, F. P. Self-diffusion in liquid argon, 0=3514
- Cini-Castagnoli, G. and Ricci, F. P. Diffusion of ^{37}Ar , Kr, Ht in liquid argon between (84-90) $^\circ\text{K}$, 0=14635
- Ciobanu, G. The light scattering on hemispherical particles, 1=1833
- Ciobanu, G. Boundary conditions in the theory of surface conductivity of semiconductors, 2=16691
- Ciobanu, G. and Bányai, L. On the kinetic theory of magneto-optical phenomena by green function method, 4=6909
- Ciobanu, G. and Croitoru, N. Electrical conductivity in thin semiconductor slices, 3=851
- Ciobanu, G. and Popescu, I. On the movement of positive ions through the positive space-charge sheath, 4=8636
- Ciobanu, G. and Popescu, I. On the movement of positive ions in inhomogeneous electric field, 4=11513
- Ciobanu, G. and Toma, E. A contribution to the theory of light scattering by systems of particles, 0=14850
- Ciobanu, G. and Toma, E. Some contributions to the theory of light scattering by systems of particles, 1=16115
- Ciobanu, G. See Grigorovici, D., 1=18618
- Ciobanu, G. See Grigorovici, R., 4=22892
- Ciobotaru, D. See Badareu, E., 3=19219
- Ciobotaru, D. See Badareu, E., 4=11516
- Cioca, V. Technique for growth and processing of large Pb and Zn single crystals for monochromatizing neutron beams, 3=23403
- Ciocchetti, G. The pion-pion interaction in the $\text{K}_{\text{E}4}$ decay, 2=18176
- Ciocchetti, G., Molinari, A. and Malvano, R. A method of determine the life-time of a nuclear state by measuring the K-shell ionization probability, 4=3548
- Ciocchetti, G. See Bosco, B., 3=19710
- Ciocchetti, G. See Cester, R., 2=3409
- Cioffi, P. P. Approach to the ideal magnetic circuit concept through superconductivity, 2=7709
- Ciok, P. Ionization measurements on very steep tracks of singly charged fast particles in nuclear emulsion, 3=22047
- Ciok, P., Saniewska, T., Zieliński, P., Haskin, D. and Lohrmann, E. Emission of slow particles in high energy interactions of nucleons with heavy nuclei in emulsion, 3=8084
- Ciok, P. See Bartke, J., 0=13082
- Ciok, P. See Bartke, J., 1=3262
- Ciok, P. See Bogdanowicz, J., 3=8103
- Ciontea, N. See Stoicovici, E., 2=22288
- Ciorăscu, F. Electron-energy distribution in a very high-frequency discharge in hydrogen, 1=4587
- Ciorăscu, F., Baci, G., Gresescu, M., Haltrich, S., Ilescu, C., and Leibovici, I. Some problems raised by the starting up and adjustment of the betatron of the Institute of Atomic Physics Bucharest, 2=20084
- Cipolline, E. and Gordy, W. Electron spin resonance of a γ -irradiated single crystal of N-acetyl methionine, 2=16550
- Cipollini, E., Owen, J., Thornley, J. H. M. and Windsor, C. Electron transfer in $(\text{IrCl}_6)^{2-}$, 2=12337
- Cirelli, R. and Gulmanelli, P. On the spin-orbit distortion in deuteron stripping reactions, 2=22657
- Cirelli, R. and Stabilini, G. The nucleon-nucleon potential in quantum field theory. I, 2=3290
- Cirelli, R. and Stabilini, G. Pion-nucleon coupling constant from the analysis of depolarization data on nucleon-nucleon scattering, 4=16942
- Čirić, M. See Pupezin, J., 2=23985
- Čirić, M. M. and Pupezin, J. D. Separation of lithium isotopes on the Amberlite IR-120 cation exchanger, 2=22924
- Cirieg, U. See Brini, D., 2=5770
- Cirieg, U. See Brini, D., 2=11197
- Cirilli, V. Metals and alloys for use at high temperatures, 4=26474
- Cirillo, F. N. See Watanabe, T., 2=20758
- Cirilov, S. D. The elastic scattering of deuterons by carbon, 2=1912
- Cirilov, S. D. and Jurić, M. K. Polarization of protons from $\text{C}^{12}(\text{d}, \text{p})\text{C}^{13}$ reaction in function of the incident deuteron energy, 0=20459
- Cirilov, S. D. See Jurić, M. K., 0=17601
- Cisman, A. Lamellary structure of thin ferromagnetic films, 4=23564
- Cisternas, A. See Ben-Menahem, 4=5811
- Ciszewski, R. Magnetic structure of the Mn_2Ge_3 alloy, 4=4364
- Ciszewski, R. Magnetic structure of Mn_2Ge_3 near the Curie point, 4=10281
- Citron, A. Time variations of extensive air showers, 1=3369
- Citron, A., Delorme, C., Farley, F. J. M., Goldzahl, L., Heintze, J., Michaëlis, E. G., Morpurgo, M., Overas, H. and Shtcherbakov, Yu. Intense beam of μ^- -mesons of high purity, 2=5703
- Citron, A., Delorme, C., Fries, D., Goldzahl, L., Heintze, J., Michaëlis, E. G., Richard, C. and Øverås, H. Scattering of μ^- -mesons by carbon, 2=20658
- Citron, A., Delorme, C., Fries, D., Heintze, J., Michaëlis, E. G., Øverås, H. and Shtcherbakov, Yu. An investigation of π^- contamination in μ^- beams, 2=13841
- Citron, A., Hoffmann, L. and Passow, C. Investigation of the nuclear cascade in shielding materials, 2=6043
- Ciudin, T. See Andreescu, I., 3=17311
- Ciudin, T. See Andreescu, I., 4=27880
- Ciuffolotti, L. and Demichelis, F. Disintegration of ^{27}Mg , 3=6199
- Ciuffolotti, L. and Demichelis, F. Isomeric transitions in ^{122}Sb , 4=3572
- Ciuffolotti, L. and Tomasini, G. New results on measurement of ionization in nuclear emulsions, 0=12768
- Ciuffolotti, L. See Beltrametti, E. G., 1=5916
- Ciulli, I., Ciulli, S. and Fischer, J. On the extrapolation of the experimental scattering amplitude to the spectral function region, 2=15490
- Ciulli, I., Glagolev, V. V., Nikitin, V. A., Petržilka, V., Sviridov, V. A. and Tolstov, K. D. On the interactions of π^- -mesons with nucleons and nuclei, 2=22574
- Ciulli, I. See Van Zhun, 1=16751
- Ciulli, S. and Fischer, J. On the theory of angular operators, 0=883
- Ciulli, S. and Fischer, J. A convergent set of integral equations for singlet proton-proton scattering, 1=8458
- Ciulli, S., Ghika, G. and Sthli, M. Regge poles in the presence of a hard core, 4=19449
- Ciulli, S. and Micu, M. Oscillations of a plasma in a static external magnetic field, 1=5485
- Ciulli, S. See Ciulli, I., 2=15490
- Ciulli, S. See Chulli, S., 1=19259
- Ciulli, S. See Chulli, S., 2=22602
- Ciulli, S. See Fisher, Ya., 1=4771
- Ciulli, S. See Fisher, Ya., 1=19123
- Ciulli, S. See Fisher, Ya., 1=19259
- Ciulli, S. See Van Zhun, 1=16751
- Ciurlo, S., Picasso, E., Tomasini, G., Gainotti, A., Lamborizio, C. and Mora, S. π^- -meson inelastic interactions at 16.2 GeV/c in emulsions, 3=8120
- Ciurlo, S. See Marzari-Chiesa, A., 3=7848
- Čížek, J. A new method of approximative calculation of polycentric integrals used in the quantum mechanical study of molecular structure, 3=8221

- Cízek, J. See Koutecký, J., 3=1614
- Cizeron, G. See Guiraldeu, P., 2=6368
- Cizeron, G. See Pinteau, B., 4=13664
- Cizeron, G. See Pinteau, B., 4=17772
- Claassen, H. H. and Knapp, G. Raman spectrum of xenon acid, 4=25689
- Claassen, H. H., Malm, J. G. and Selig, H. Vibrational spectra of ReF_6 , 2=14277
- Claassen, H. H., Selig, H. and Malm, J. G. Vibrational spectra of MoF_6 and TcF_6 , 2=14276
- Claassen, H. H. and Weinstock, B. Search for a Jahn-Teller effect in IrF_6 , 0=15723
- Claassen, H. H. See Weinstock, B., 0=4202
- Claassen, H. H. See Weinstock, B., 3=12839
- Claassen, F. S. Excess and hump current in Esaki diodes, 1=17766
- Claburn, E. J. The development of a pitot-static pressure gauge for obtaining dynamic blast pressure transients, 4=2517
- Clad, R. Theory of the reversal of magnetization in a particular case of local variation of the magneto-crystalline anisotropy coefficient, 4=30708
- Cladis, J. B., Chase, L. F., Jr., Imhof, W. L. and Knecht, D. J. Energy spectrum and angular distributions of electrons trapped in the geomagnetic field, 1=21075
- Cladis, J. B. and Dessler, A. J. X-rays from Van Allen belt electrons, 1=15330
- Cladis, J. B. and Walt, M. Behavior of geomagnetically trapped electrons injected by high-altitude nuclear detonations, 3=9114
- Claes, P., Huyskens, P., Galliez, J. L. and Rza, S. Description of an apparatus permitting irradiation by electrons of 10 to 100 keV, 4=27568
- Claes, P. See Huyskens, P., 0=3676
- Claesson, A. Velocity dependent neutron transport theory with high energy sources, 3=10126
- Claesson, S., Lindqvist, L. and Strong, R. L. A fast 50 kV, 8 kJ flash photolysis apparatus, 4=26761
- Clafin, A. B., White, R. T. and Pool, M. L. Radioactive decay of Ir^{195} , 2=20569
- Claiborne, L. T. Concentration dependence of the transition temperature in dilute superconducting alloys, 4=5498
- Claiborne, L. T. and Einspruch, N. G. Oscillatory behaviour of ultrasonic attenuation in superconducting Nb-Zr alloys, 3=12035
- Claiborne, L. T. and Einspruch, N. G. Ultrasonic absorption by superconducting Nb-Zr alloys, 4=411
- Claiborne, L. T. and Einspruch, N. G. Measurement of ultrasonically produced strains in solids by a calorimetric technique, 4=10356
- Claiborne, L. T. and Einspruch, N. G. Oscillations in ultrasonic attenuation by superconducting tin, 4=14536
- Claiborne, L. T. See Einspruch, N. G., 3=18160
- Claiborne, L. T. See Einspruch, N. G., 4=7442
- Claire, A. D. Le. See Le Claire, A. D.
- Clampitt, B. H. See Hansen, R. S., 1=4107
- Clancy, E. P. Cooperative venture in the philosophy of science, 1=2675
- Clancy, E. P. Woman and physics, 2=19363
- Clapham, P. B. The production and properties of thin films of lead monoxide, 3=8927
- Clapier, R. See Devienne, F. M., 2=12355
- Clapier, R. See Devienne, F. M., 3=24223
- Clapp, P. C. Self-consistent correlation method (S.C.C.M.) applied to ideal Ising and Heisenberg magnetic systems, 4=13128
- Clapp, R. E. A complete orthogonal expansion for the nuclear three-body problem. I. Rotational functions, 1=12142
- Clapp, T. See Donnelly, B. L., 4=19975
- Clardy, D. E. and Tolbert, C. W. Electronic disdrometer, 1=12687
- Clare, A. B. Measurement of the reversal time and of some variations in the anisotropy of electrodeposited Permalloy films, 4=28826
- Clare, D. M., Martin, W. H. and Kelly, B. T. Intercomparison of fast-neutron flux monitors in a hollow fuel element in PLUTO, 4=19914
- Clare, D. M. See Martin, W. H., 4=19915
- Clare, J. W. H. See Blade, J. C., 1=15157
- Clarebrough, L. M. and Hargreaves, M. E. The orientation dependence of work-hardening in crystals of face-centred cubic metals, 1=1332
- Clarebrough, L. M., Hargreaves, M. E., Head, A. K. and Loretto, M. H. Stored energy and flow stress in deformed metals, 1=17505
- Clarebrough, L. M., Hargreaves, M. E. and Loretto, M. H. Order-disorder phenomena in α -brass. II. Influence of quenching, 1=1419
- Clarebrough, L. M., Hargreaves, M. E. and Loretto, M. H. Order-disorder phenomena in α -brass. III. Influence of plastic deformation, 1=1420
- Clarebrough, L. M., Hargreaves, M. E. and Loretto, M. H. Order-disorder phenomena in α -brass. IV. Nature of order and role of atomic mobility, 1=20591
- Clarebrough, L. M., Hargreaves, M. E. and Loretto, M. H. Stored energy and electrical resistivity in deformed metals, 1=17508
- Clarebrough, L. M., Hargreaves, M. E. and Loretto, M. H.; Nicholas, J. F. Discussion of Williams' comments on "The influence of grain size on the stored energy and mechanical properties of copper". I-II, 1=6453
- Clarebrough, L. M., Hargreaves, M. E. and Loretto, M. H. Electrical resistivity of dislocations in face-centred cubic metals, 2=6338
- Clarebrough, L. M. and Loretto, M. H. Order-disorder phenomena in α -brass. I. Development of order, 1=1418
- Clarebrough, L. M., Segall, R. L., Loretto, M. H. and Hargreaves, M. E. The annealing of vacancies and vacancy aggregates in quenched gold, silver and copper, 4=12734
- Clarebrough, L. M. See Hargreaves, M. E., 4=28944
- Clarebrough, L. M. See Matsuo, S., 4=1988
- Clarebrough, L. M. See Segall, R. L., 4=22560
- Clarenburg, L. A. See Princen, L. H., 3=21008
- Clarence, N. D. and O'Brien, P. A. Dispersions of multiple-stroke whistlers, 1=60859
- Claria, A. See Daubèze, M., 1=6842
- Claria, J. See Escande, L., 0=6763
- Claridge, R. F. C. and Maddock, A. G. Chemical effects of radiative thermal neutron capture. XI. Thermal and radiation annealing in neutron irradiated phosphates, 3=22872
- Clark, A., Jr. Production and dissipation of magnetic energy by differential fluid motions, 4=30042
- Clark, A. E., Bozorth, R. M. and Desavage, B. F. Anomalous thermal expansion and magnetostriction of single crystals of dysprosium, 3=20551
- Clark, A. E., DeSavage, B., Coleman, W., Callen, E. R. and Callen, H. B. Saturation magnetostriction of single-crystal YIG, 3=15888
- Clark, A. E., DeSavage, B. F. and Callen, E. R. Magnetostriction of single-crystal dysprosium gadolinium iron garnet and dysprosium iron garnet, 4=13232
- Clark, A. E. and Litovitz, T. A. Ultrasonic measurement of vibrational, rotational isomeric, structural and shear relaxation in isobutyl bromide, 0=17736
- Clark, A. E. and Strakna, R. E. Elastic constants of single-crystal Y.I.G., 1=11502
- Clark, A. E. and Strakna, R. E. The low-temperature excess specific heat of SiO_2 glass, 3=767
- Clark, A. E. See Callen, E. R., 3=15901
- Clark, A. E. See Strakna, R. E., 3=13330
- Clark, A. F. and Wait, D. F. E. p. r. spectrometer for studying crystals under high hydrostatic pressure, 4=21663
- Clark, A. F. See Brown, G. M., 3=4298
- Clark, B. C., Gazis, D. C. and Wallis, R. F. Frequency spectra of body-centered cubic lattices, 4=20184
- Clark, B. C. See Herman, R., 4=1068
- Clark, B. G. A new method of directly measuring the galactic magnetic field, 3=9282
- Clark, B. G., Radhakrishnan, V. and Wilson, R. W. The hydrogen line in absorption, 2=4851
- Clark, B. G. and Spencer, C. L. Some decimeter observations of Venus during the 1962 conjunction, 4=13955
- Clark, B. G. See Morris, D., 4=7990
- Clark, B. G. See Wyndham, J. D., 4=23950
- Clark, C. A. Improved nickel-base alloys for magnetostrictive transducers, 1=10564
- Clark, C. A. and Mason, J. J. Temperature dependence of dynamic magnetostrictive properties in nickel-cobalt-chromium alloys, 4=4366
- Clark, C. A. and Whittle, J. E. Method of reducing the effects of vibration in a magnetic ring balance, 0=5371
- Clark, C. B. Undergraduate curricula for physics majors in a select sample of institutions, 1=5182
- Clark, C. B. Calculated lattice specific heats for seven b.c.c. elements, 2=8166
- Clark, C. B. See Hendricks, J. B., 3=12914
- Clark, C. D. Optical properties of electron and neutron irradiated diamond, 4=1729
- Clark, C. D., Dean, P. J. and Harris, P. V. Intrinsic edge absorption in diamond, 4=10172

- Clark, C.D., Kemmey, P.J. and Mitchell, E.W.J. Optical and electrical effects of radiation damage in diamond, 2=12477
- Clark, C.D., Kemmey, P.J. and Mitchell, E.W.J. The threshold energy for production of irradiation damage effects in diamond, 2=23558
- Clark, C.D., Kemmey, P., Mitchell, E.W.J. and Hennis, B.W. The infrared absorption of hot semiconducting diamonds, 0=16068
- Clark, C.D., Maycraft, G.W. and Mitchell, E.W.J. Polarization of luminescence, 2=4165
- Clark, C.D. and Mitchell, E.W.J. The electronic structure of defects. Optical methods, 2=20986
- Clark, C.D. See Kaufman, J.V.R., 3=10694
- Clark, C.D. See Kaufman, J.V.R., 3=22836
- Clark, D., Jepson, K.S. and Lewis, G.I. A study of the titanium-aluminum system up to 40 At.-% aluminum, 3=13502
- Clark, D. See Brown, A.R.G., 4=23295
- Clark, D. See Forsyth, P.J.E., 2=12869
- Clark, D.E. and Assenheim, J.G. Sensitive method for measurement of magneto-resistance effect with direct currents and with microwaves, 0=6068
- Clark, D.J. International conference on sector-focused cyclotrons, 3=2062
- Clark, D.J., Mackenzie, K.R., Petersen, E.L., Richardson, J.R. and Wright, B.T. The U.C.L.A. 50 MeV sector-focused cyclotron, 2=9662
- Clark, D.J., Richardson, J.R. and Wright, B.T. The criteria and techniques of magnetic field measurement used on the UCLA 50 MeV spiral ridge cyclotron, 2=9677
- Clark, D.J., Richardson, J.R. and Wright, B.T. Design and operation of the U.C.L.A. 50 MeV spiral-ridge cyclotron, 3=5730
- Clark, D.S. See Russell, T.L., 2=2325
- Clark, G. See Chitnis, E.V., 0=13083
- Clark, G. See Hersil, J., 1=3368
- Clark, G. See Hersil, J., 3=4507
- Clark, G. See Suga, K., 1=19060
- Clark, G. See Suga, K., 2=12066
- Clark, G.C. See Churchill, S.W., 1=11638
- Clark, G.L. An action principle in general relativity, 3=1599
- Clark, G.L. and Uznanski, R.M. X-ray dosimetry and contact microradiography with color film, 0=349
- Clark, G.L. and Wuerker, R.F. Plasmoid dipole rotation in a theta pinch, 3=5675
- Clark, G.L., Wuerker, R.F. and York, C.M. High-speed photographic study of the coherent radiation from a ruby laser, 2=16813
- Clark, G.L. See Holshouser, D.F., 2=87
- Clark, G.L. See Ridgway, S.L., 3=14335
- Clark, G.L. See Weibel, E.S., 1=6592
- Clark, G.W. Applications of large scintillation detectors to cosmic ray experiments, 1=2109
- Clark, G.W. Extensive air showers at their maximum development, 3=4514
- Clark, G.W. The relation between cosmic-rays and synchrotron X-rays, 4=10794
- Clark, G.W., Earl, J., Kraushaar, W.L., Linsley, J., Rossi, B.B., Scherb, F. and Scott, D.W. Cosmic-ray air showers at sea level, 1=7287
- Clark, G.W. See Bradt, H.U., 3=4518
- Clark, G.W. See Bradt, H.V., 4=3504
- Clark, G.W. See Kraushaar, W.L., 2=16263
- Clark, G.W. See Kraushaar, W.L., 2=20446
- Clark, G.W. See Kraushaar, W.L., 3=617
- Clark, G.W. See Lefever, R.A., 2=19056
- Clark, H. X-ray reflections in diamond, 4=26188
- Clark, H.K. Reactivity effect of (n,2n) reactions in D₂O, 2=8025
- Clark, H.K. Interaction of fissionable units, 3=8142
- Clark, J. Perturbation techniques for miniaturized coaxial Y-junction circulators, 1=7154
- Clark, J. and Brown, J. A miniaturized ferrimagnetic high power coaxial duplexer-limiter, 2=13682
- Clark, J. and Hitschfeld, W. Heating rates due to ozone computed by the Curtis-Godson approximation, 4=10699
- Clark, J.B. Electron probe test of two theories of "denuded zone" formation in aged alloys, 4=30755
- Clark, J.F. See Bourdeau, R.E., 0=10409
- Clark, J.J. and Fritz, J.F. Temperature dependence of the magnetic properties of nickel-iron alloys, 0=2990
- Clark, J.S. and Brown, N. A study of a dilute concentration of disorder in the β -Cu-Zn superlattice, 2=2406
- Clark, J.W. Effective spin-orbit potential in correlated heavy nuclei, 1=4819
- Clark, J.W. The role of repulsive cores in the photonuclear effect, 1=5886
- Clark, J.W. See Billington, D.S., 0=20849
- Clark, J.W. See Sims, C.T., 4=30771
- Clark, K.C. and Belon, A.E. Spectroscopic observations of the great aurora of 10 February 1958. I. Abnormal vibration of N₂⁺, 0=14281
- Clark, K.C. and Fairchild, C.E. Resonance absorption by nitrogen atoms in afterglows, 4=24611
- Clark, K.C. See Belon, A.E., 0=14282
- Clark, K.C. See Fairchild, C.E., 2=22909
- Clark, K.C. See Fairchild, C.E., 3=22485
- Clark, K.C. See Prag, A.B., 3=22486
- Clark, K.C. See Prag, A.B., 4=12372
- Clark, K.C. See Prag, A.B., 4=3795
- Clark, K.C. See Sharpless, R.A., 1=9427
- Clark, K.C. See Young, R.A., 0=4189
- Clark, K.C. See Young, R.A., 0=4190
- Clark, K.C. See Young, R.A., 1=1552
- Clark, K.C. See Young, R.A., 2=4659
- Clark, M., Jr. See Cady, K.B., 4=19886
- Clark, M., Jr. See de Sobrino, L., 2=5677
- Clark, M., Jr. See de Sobrino, L., 2=5678
- Clark, M., Jr. See de Sobrino, L., 2=5679
- Clark, M., Jr. See Hansen, K.F., 3=11666
- Clark, M., Jr. See Pomraning, G.C., 3=18755
- Clark, M., Jr. See Pomraning, G.C., 3=18756
- Clark, M., Jr. See Pomraning, G.C., 4=2602
- Clark, M., Jr. See Pomraning, G.C., 4=5107
- Clark, M., Jr. See Pomraning, G.C., 4=22253
- Clark, M., Jr. See Robkin, M.A., 1=17215
- Clark, M.A. Transition intensities and conversion coefficients, in Dy¹⁶⁰, 0=2650
- Clark, M.A. The lifetime of the 6.25 keV level in Ta¹⁸¹, 1=17064
- Clark, M.A., Gove, H.E. and Litherland, A.E. Lifetimes of the low-lying levels in Ne²⁰, 1=16590
- Clark, M.A., Gove, H.E. and Litherland, A.E. Lifetimes of the low-lying levels in Ne²⁰, 2=1811
- Clark, M.A. and Robson, J.M. Asymmetries in the beta decay of polarized neutrons, 0=11174
- Clark, M.A. and Robson, J.M. The electron asymmetry in the beta decay of polarized neutrons, 1=2058
- Clark, M.A. and Robson, J.M. A polarized neutron beam produced by Bragg reflection from Co-Falloy, 1=2062
- Clark, M.A. See Almqvist, E., 2=17906
- Clark, M.A. See Broude, C., 3=6165
- Clark, M.A. See Gove, H.E., 2=997
- Clark, M.A. See Gove, H.E., 2=1808
- Clark, M.A. See Gove, H.E., 2=1933
- Clark, M.A. See Gove, H.E., 2=3623
- Clark, M.A. See Gove, H.E., 3=10255
- Clark, M.A. See Litherland, A.E., 1=13660
- Clark, M.A. See Litherland, A.E., 1=16989
- Clark, M.A. See Litherland, A.E., 2=1810
- Clark, M.A. See Litherland, A.E., 2=1812
- Clark, M.A. See Litherland, A.E., 4=12139
- Clark, M.A. See Simpson, J.J., 2=16319
- Clark, N.A. See Carome, E.R., 4=16107
- Clark, R.B., Swift-Hook, D.T. and Wright, J.K. The prospects for alternating current magnetohydrodynamic power generation, 3=7893
- Clark, R.C. The mobility of an ion in a Fermi liquid, 4=2594
- Clark, R.F. and Covington, A.E. A parametric amplifier for the 10.7 cm compound interferometer, 2=13157
- Clark, R.L. See de Bruin, H.J., 4=17437
- Clark, S.P., Jr. Effect of pressure on the melting points of eight alkali halides, 0=2774
- Clark, S.P., Jr. Heat flow from a differentiated earth, 1=20794
- Clark, S.P., Jr. [Appendix] Effect of pressure on the melting of diopside, CaMgSi₂O₆, and albite, NaAlSi₃O₈, in the range up to 50 kilobars, 3=9657
- Clark, W.C. See Latty, J.E., 0=1874
- Clark, W.G. Pulsed nuclear resonance apparatus, 4=17688
- Clark, W.G. and Feher, G. Nuclear polarization in InSb by a d.c. current, 4=22462
- Clark, W.G. See Won Choi, C., 1=9063
- Clark, W.M. and Muldoon, H.A. High altitude sky luminance measurement, 4=29293
- Clark, W.T., Connolly, A. and Hirst, W. The friction and wear of electrographite, 3=8787
- Clark, W.T. and Powell, R.W. Measurement of thermal conduction by the thermal comparator, 3=276
- Clarke, A.M. See Beams, J.W., 2=17403

- Clarke, B.H., Pearson, R.F., Teale, R.W. and Tweedale, K. Rare-earth ion relaxation in ferrimagnetic resonance, 3=15925
- Clarke, B.H. and Teale, R.W. Microwave resonance and relaxation of manganese iron ferrites, 4=13293
- Clarke, B.H. See Teale, R.W., 3=15924
- Clarke, C. See Bonvini, L., 2=13031
- Clarke, C. See Bradley, P.A., 4=29303
- Clarke, D. See Ring, J., 4=23903
- Clarke, D.J. and Richardson, J.R. Measurement of betatron oscillation frequencies on the UCLA 50-MeV cyclotron, 2=20077
- Clarke, E. See Kerwin, L., 1=19620
- Clarke, E.M. See Weingartshofer, A., 4=24574
- Clarke, E.T. and Batter, J.F. Gamma-ray scattering by concrete surfaces, 4=3372
- Clarke, F.J.J. A study of Troxler's effect, 1=1619
- Clarke, F.J.J. Extra-foveal colour metrics, 1=6682
- Clarke, F.J.J. Visual recovery following local adaptation of the peripheral retina (Troxler's effect), 2=2582
- Clarke, F.J.J. Further studies of extra-foveal colour metrics, 4=4990
- Clarke, F.J.J. and Belcher, S.J. On the localization of Troxler's effect in the visual pathway, 2=13227
- Clarke, F.J.J. See Boynton, R.M., 4=10977
- Clarke, F.J.J. See Boynton, R.M., 4=30998
- Clarke, F.J.J. See Jones, O.C., 1=18561
- Clarke, F.J.P. Residual strain and the fracture stress-grain size relationship in brittle solids, 4=10364
- Clarke, F.J.P. The strength of irradiated beryllium oxide, 4=13394
- Clarke, F.J.P., Bowen, D.H. and Wilks, R.S. Irradiation damage in some non-fissile ceramics, 4=22640
- Clarke, F.J.P. and Garton, W.R.S. Grating spectrophotometer for the Schumann ultra-violet range, 0=3632
- Clarke, F.J.P. and Sambell, R.A.J. Micro-cracks and their relation to flow and fracture in single crystals of magnesium oxide, 0=21147
- Clarke, F.J.P., Sambell, R.A.J. and Tattersall, H.G. Mechanism microcrack growth in magnesium oxide crystals, 2=8752
- Clarke, F.J.P., Tappin, G. and Ghosh, T.K. Some irradiation induced property changes in beryllium oxide, 2=3972
- Clarke, F.J.P. and Williams, J. Aspects of irradiation damage in beryllium oxide, 2=3971
- Clarke, F.J.P. See Bowen, D.H., 2=18569
- Clarke, F.J.P. See Bowen, D.H., 3=20169
- Clarke, F.J.P. See Bowen, D.H., 4=12833
- Clarke, F.J.P. See Ghosh, T.K., 1=4014
- Clarke, F.J.P. See Miles, G.D., 2=6753
- Clarke, F.J.P. See Tattersall, H.G., 3=6802
- Clarke, F.R. Confidence ratings, second-choice responses, and confusion matrices in intelligibility tests, 0=2056
- Clarke, G.A. Effects of helium buffer gas atoms on the atomic hydrogen hyperfine frequency, 2=14196
- Clarke, G.R. See London, H., 0=8888
- Clarke, G.R. See London, H., 4=21422
- Clarke, H. See Kluth, E.L.E., 4=23300
- Clarke, H.B., Northrop, D.C. and Simpson, O. The scintillation phenomenon in anthracene I. Radiation damage, 2=6636
- Clarke, H.C. and Hogg, B.G. Positron annihilation in solid cyclohexane as a function of temperature, 3=2774
- Clarke, J.D. and Hutton, P.J. Triggering of undervolted spark gaps by a microsecond pulse of fast electrons, 4=18762
- Clarke, J.F. Radiation-resisted shock waves, 3=1761
- Clarke, J.H. See Ferrari, C., 4=11223
- Clarke, J.L. See Davis, G.V., 4=18483
- Clarke, J.S. See Lambert, J.D., 0=8701
- Clarke, J.T. Surface area measurement of graphite using the γ -radiation of Kr^{85} , 4=23554
- Clarke, J.T. and Gorden, R., Jr. Thermal conductivity of condensed films: methane, 0=6390
- Clarke, K.M. See Huizenga, J.R., 2=14150
- Clarke, L.N. Transformer bridges for use with resistance strain gauges and similar transducers, 0=16959
- Clarke, L.N. Method of measuring static dielectric constant especially of materials with long relaxation times, 2=17768
- Clarke, P.B. See Mitchell, J.T.D., 0=5838
- Clarke, R.B. See Kleppa, O.J., 1=12869
- Clarke, R.H. The effect of wind on the propagation rate of acoustic-gravity waves, 4=10732
- Clarke, R.H. and Hendry, G.O. Prediction and measurement of the coherent and incoherent power reflected from a rough surface, 4=24833
- Clarke, R.L. New type of angular-distribution chamber, 0=17577
- Clarke, R.L. The spectrum of neutrons from the irradiation of uranium by 14 MeV neutrons, 1=17160
- Clarke, R.L., Almqvist, E. and Paul, E.B. Properties of compound nucleus levels excited in (p, α) reactions on O^{18} , P^{31} , Cl^{35} , Cl^{37} , K^{39} and K^{41} , 0=4098
- Clarke, R.L. and Cross, W.G. Elastic and inelastic scattering of 14.1 MeV neutrons from C, Mg, Si and S, 4=19789
- Clarke, R.L. See Ferguson, A.J., 0=1411
- Clarke, R.L. See Hanna, G.C., 1=17161
- Clarke, R.W. Interpretation of "surface brightness" measurements of radio sources, 2=13186
- Clarke, R.W., Scott, P.F. and Smith, F.G. On Hanbury Brown's interpretation of the radio source counts, 3=11605
- Clarke, R.W. See Ryle, M., 1=10368
- Clarke, T.M. See Johnson, D.L., 4=28482
- Clarke, W.B. and Thode, H.G. Mass spectrometric measurements of the half-lives of Kr^{87} , Kr^{88} , Xe^{135} , and Xe^{138} , 4=12182
- Clarke, W.G. See Carter, D.H., 4=28090
- Clarke, W.W.H. See Castelliz, L., 0=8042
- Clarkson, J. See Chanda, R., 4=22038
- Claro, C.J. Thermodynamics of the thermoelectricity in the change of phase, 3=25423
- Clarricoats, P.J.B. and Birtles, A.B. Circular waveguide backward-wave experiments, 4=739
- Clarricoats, P.J.B. and Chambers, D.E. Backward-wave propagation in non-periodic wave-guide structures, 4=3159
- Clarricoats, P.J.B. and Waldron, R.A. Non-periodic slow-wave and backward-wave structures, 0=19926
- Clarricoats, P.J.B. See Courtney, W.E., 3=15883
- Clarricoats, P.J.B. See Courtney, W.E., 4=10285
- Clary, R. See Bächler, W., 4=18259
- Clasen, R. See Deirmendjian, D., 1=8238
- Clason, W.E. Lexicon of international and national Units, 4=18011
- Clason, W.E. See De Vries, L., 4=5002
- Clason, W.E. See De Vries, L., 4=14002
- Class, C.M. See Cramer, J.G., 2=16350
- Class, C.M. See Durham, D.E., 1=8661
- Class, C.M. See Durham, F.E., 0=20398
- Class, C.M. See Farmer, B.J., 0=9555
- Class, C.M. See Rester, D.H., 1=5425
- Clastre, J. See Rabaud, H., 0=4657
- Claudel, J. See Bouster, C., 4=7125
- Claudel, J. See Hadni, A., 3=3006
- Claudel, J. See Munier, J.M., 2=22058
- Clauer, A.H. See Klein, M.J., 4=26501
- Claus, A. Onset of fragility of tantalum caused by hydrogen, at the ambient temperature: influence of nitrogen in solid solution and of the rate of deformation, 3=6804
- Claus, H. and Ulmer, K. Proof of the band structure of some transition metals in the X-ray bremsstrahlung spectrum, 3=4979
- Claus, H. and Ulmer, K. Study of the energy band structure of Ta, Nb, W and Mo by isochromat measurements, 3=15468
- Clauser, E. Conditions of integrability and the motion of a particle in Einstein's latest unified theory, 0=6674
- Clauser, E. Property of a test particle in Einstein's gravitational field, 2=9171
- Clauser, F.H. Concept of field modes and the behavior of the magnetohydrodynamic field, 3=9922
- Clausing, P. On the molecular flow with Langmuirian adsorption of the molecules of the wall of the tube; a correction, 2=9296
- Clausnitzer, G. The production of H atomic beams with unidirectional nuclear spins. Analysis of the beams, proof of maintenance of polarization, 0=2722
- Clausnitzer, G. A source of polarized protons, 3=24732
- Clausnitzer, G. See Hwang, C.F., 3=24731
- Clauss, A. and Kieger, R. Brittleness of niobium in hydrogen at room temperature: influence of O_2 in solid solution and of rate of deformation, 4=1958
- Clauss, G. See Gobrecht, H., 4=1583
- Clauss, J. The determination of "hot-channel factors [Kühlkanalfaktoren]" in nuclear reactor fuel-elements, 1=17229
- Clauss, J. Are fast reactors with small fuel concentrations possible?, 3=2523
- Claussen, B.H. Modulation of light by means of an electric field, 1=11829
- Claussen, B.H. An ellipsometer investigation of vapor adsorption on etched silicon, 4=26722

- Claussen, B.H. and Flower, M. An investigation of the optical properties and the growth of oxide films on silicon, 4=4277
 Claussen, H.C. Microscope objectives with plano-correction, 4=29730
 Claussen, W.F. Detection of the α - γ iron phase transformation by differential thermal conductivity analysis, 0=14043
 Claussnitzer, W. Sliding discharges in gaps, 4=5581
 Clavier, P.A. Propagation in a plasma, 1=8391
 Clavier, P.A. Man-made heating and ionization of the upper atmosphere, 1=10314
 Clavier, P.A. Classical theory of radiation solutions for the Coulomb field, 1=16650
 Clavier, P.A. Erratum: Man-made heating and ionization of the atmosphere, 2=2494
 Clavier, P.A. See Leen, M.W., 2=13657
 Clavilier, J. Influence of frequency on measurements of differential capacity of a platinum electrode in contact with dilute solutions of potassium chloride, 4=15845
 Clawson, A.R. and Wieder, H.H. Bibliography on the Hall-effect theory and applications, 4=22662
 Clawson, A.R. See Wieder, H.H., 2=12564
 Clawson, A.R. See Wieder, H.H., 2=20383
 Claxton, T.A., Craig, D.P. and Thirunamachandran, T. Crystal splitting of the anthracene 3800 Å system, 1=18639
 Claxton, T.A. See Benson, G.C., 3=22632
 Claxton, T.A. See Benson, G.C., 4=17336
 Clay, C.S. Propagation of band-limited noise in a layered wave guide, 0=126
 Clay, C.S. Fluctuations of sound reflected from the sea surface, 1=1794
 Clay, C.S. Array steering in a layered waveguide, 1=10567
 Clay, C.S. Effect of a slightly irregular boundary on the coherence of waveguide propagation, 4=21240
 Clay, G.A. See Westrum, E.F., Jr., 4=6746
 Clay, W.G. See Slattery, R.E., 1=15223
 Clay, W.G. See Slattery, R.E., 2=15627
 Clayden, W.A. Recent research in the A.R.D.E. low density wind tunnel with a plasma jet heater, 2=3052
 Claydon, D.G.W. Defect assessment using ultrasonic waves, 1=14921
 Clayton, B.R. and Farmer, E.G. An instrument for measuring low fluid velocities, 4=2635
 Clayton, B.R. See Dedow, H.R.A., 4=14114
 Clayton, C. and Hill, H.C. A simple device which simultaneously measures and normalizes peak heights on a trace recorded mass spectrum, 4=24760
 Clayton, C.G. Precise tracer measurements of liquid and gas flows, 0=19080
 Clayton, C.G., Webb, J.W. and Whittaker, J.B. The dispersion of gas during turbulent flow in a pipe, 4=213
 Clayton, C.G. and Whittaker, J.B. Bulk photoconductivity detectors suitable for gamma radiation, 3=24677
 Clayton, C.G., Whittaker, J.B., Briggs, G.A. and Kelly, T.G. Dependence of thermo-stimulated current curves on heating rate, 2=2128
 Clayton, C.G. See Oliver, G., 2=22542
 Clayton, C.G. See Snyman, G.C., 3=22109
 Clayton, D.B. The analysis of aluminium intermetallic compounds by the electron-probe microanalyser, 3=11366
 Clayton, D.B., Smith, T.B. and Brown, J.R. The application of electron-probe microanalysis to the study of microsegregation in a low-alloyed steel, 2=10923
 Clayton, D.D. Energy levels of N^{14} from $N^{15}(\text{He}^3, \alpha)N^{14*}$, 3=6162
 Clayton, D.D. A calculation of the abundances of uranium and thorium from the primordial $\text{Pb}^{206}/\text{Pb}^{207}$ ratio, 3=25971
 Clayton, D.D. Cosmoradiogenic chronologies of nucleosynthesis, 4=17983
 Clayton, D.D. Chronology of the galaxy, 4=29411
 Clayton, D.D., Fowler, W.A., Hull, T.E. and Zimmerman, B.A. Neutron capture chains in heavy element synthesis, 1=7389
 Clayton, D.D. and Fowler, W.A. Abundances of heavy nuclides, 2=2548
 Clayton, E.D. See Lloyd, R.C., 0=12958
 Clayton, G.T. and Heaton, L.R. Sample assembly for neutron diffraction studies of liquefied gases, 1=2745
 Clayton, G.T. and Heaton, L.R. Neutron diffraction study of krypton in the liquid state, 1=2746
 Clayton, G.T. and Hendrickson, C. A simple furnace for growing metal crystals, 4=29039
 Clayton, G.T. See Kruh, R.F., 3=7198
 Clayton, G.T. See Young Soo Kim, 1=9378
 Clayton, H.H. Note on an inversion formula by B. Davison, 2=21781
 Clayton, J.C. See Aronson, S., 0=6382
 Clayton, J.C. See Aronson, S., 1=14133
 Clayton, J.O. High speed shutter mechanism, 4=8426
 Clayton, R.N. Oxygen isotope fractionation between calcium carbonate and water, 1=7801
 Claytor, R.N. and Marshall, B.J. Specific heat and elastic constants of sodium iodide at low temperatures, 0=17895
 Cleare, H.M. See Rossmann, K., 4=11379
 Clearfield, A. The synthesis and crystal structure of some alkaline earth titanium and zirconium sulfides, 3=8850
 Cleary, G.F. Preliminary design of a simple low-cost satellite vehicle launched from an aircraft, 2=4876
 Cleary, F.W. See Baily, N.A., 4=30010
 Cleary, J. Breakdown phenomena in thermionic gas-filled diodes, 3=2024
 Cleary, J.G. See Johansen, H.A., 3=10882
 Cleary, J.G. See Johansen, H.A., 4=10093
 Cleaver, B., Rhodes, E. and Ubbelohde, A.R. Melting and crystal structure: volume changes on mixing nitrate melts, 1=16175
 Cleaver, B., Rhodes, E. and Ubbelohde, A.R. Structural influences on ion migration in crystals and melts, 2=16666
 Cleaver, B., Rhodes, E. and Ubbelohde, A.R. Changes of ultra-violet absorption spectra on melting ionic crystals, 2=16822
 Cleaver, B., Rhodes, E. and Ubbelohde, A.R. Studies of phase transformations in nitrates and nitrites. I. Changes in ultra-violet absorption spectra on melting, 4=5451
 Cleaver, B., Rhodes, E. and Ubbelohde, A.R. Studies of phase transformations in nitrates and nitrites. II. Changes in ultra-violet absorption spectra accompanying thermal transformations in the crystals, 4=7509
 Cleek, G.W. See Malitson, I.H., 3=20439
 Cleek, G.W. See Spinner, S., 0=13900
 Clegg, A.B. Rotational bands in the 1p-shell, 1=19449
 Clegg, A.B. The missing $J = \frac{5}{2}$ state of ^7Li , 2=16288
 Clegg, A.B. Energy levels of B^{11} in the unified model, 3=2382
 Clegg, A.B. Possible variation of the coupling scheme with radius in a light nucleus, 4=6210
 Clegg, A.B. Possibility of vector meson exchange in pion production in proton-proton collisions, 4=12030
 Clegg, A.B. Approximate simplicities of intermediate coupling wave functions, 4=12217
 Clegg, A.B. and Foley, K.J. Energy level schemes of Na^{23} , Al^{27} , P^{31} on the unified model, 2=5802
 Clegg, A.B., Foley, K.J., Salmon, G.L. and Segel, R.E. Gamma radiation from the medium energy proton bombardment of lithium, beryllium, boron, carbon and nitrogen, 1=19473
 Clegg, A.B. and Satchler, G.R. Gamma-rays from inelastic scattering of high energy nucleons, 1=19445
 Clegg, A.B. and Satchler, G.R. Gamma-rays from inelastic scattering of high energy nucleons, 2=1867
 Clegg, A.B. See Austin, S.M., 2=1870
 Clegg, A.B. See Austin, S.M., 2=18318
 Clegg, A.B. See Fisher, P.S., 3=19846
 Clegg, A.B. See Foley, K.J., 2=10109
 Clegg, A.B. See Foley, K.J., 2=20615
 Clegg, A.B. See Measday, D.F., 3=19838
 Clegg, A.B. See Newton, D., 2=3568
 Clegg, A.B. See Newton, D., 4=19765
 Clegg, A.B. See Newton, D., 4=25388
 Clegg, A.B. See Rowe, D.J., 2=1872
 Clegg, A.B. See Rowe, D.J., 2=1873
 Clegg, A.B. See Rowe, D.J., 2=5503
 Clegg, A.B. See Rowe, D.J., 3=2451
 Clegg, A.B. See Rowe, D.J., 3=10342
 Clegg, A.B. See Rowe, D.J., 4=22124
 Clegg, A.B. See Salmon, G.L., 2=3565
 Clegg, A.B. See Salmon, G.L., 3=10350
 Clegg, J.A. See Blackett, P.M.S., 1=1578
 Clegg, P.E. and Mitchell, E.W.J. The density of states mass of holes in semiconducting diamond, 4=22533
 Clegg, T.B., Barnard, A.C.L., Swint, J.B. and Weil, J.L. The elastic scattering of protons from He^3 from 4.5 to 11.5 MeV, 4=12004
 Cleiren, A.P. See van Gool, W., 0=13716
 Cleiren, A.P. See van Gool, W., 0=13717
 Cleiren, A.P. See van Gool, W., 2=4181
 Cleland, D. See Slessor, C.G.M., 2=19780
 Cleland, J.W. Transmutation doping and recoil effects in semiconductors exposed to thermal neutrons, 4=30595
 Cleland, J.W., Bass, R.F. and Crawford, J.H., Jr. Lattice defect production in thermal neutron shielded materials, 2=20992

- Cleland, J.W., Bass, R.F. and Crawford, J.H., Jr. The effect of dislocations and disordered regions on Co^{60} photon-induced defects in Ge, 3=20173
- Cleland, J.W. and Crawford, J.H., Jr. Radiation-induced disorder in semiconductors, 2=23326
- Cleland, J.W. See Crawford, J.H., Jr. 0=20850
- Cleland, J.W. See Curtis, O.L., Jr. 0=6109
- Cleland, W. See Ziock, K., 2=18169
- Clem, J.D., Jr. Development of a special thermocouple for measuring transient temperatures within a solid body, 0=7068
- Clemanti, E. and Clemanti, H. Electron distributions in small molecules, 2=14305
- Clemanti, H. See Clemanti, E., 2=14305
- Clemence, G.M. Motion of Jupiter and mass of Saturn, 0=12265
- Clemence, G.M. Controlled experiments in celestial mechanics, 0=14468
- Clemence, G.M. Planetary distances according to general relativity, 2=19283
- Clemens, K.H. and Jaumann, J. Magneto-optical and optical properties of ferromagnetic films in the infrared, 3=10919
- Clement, C. Molar refractions of normal, branched, and halogenated paraffins, 2=22989
- Clément, C. and Bothorel, P. Study of the molecular optical anisotropy of normal alkanes, 4=18201
- Clément, C. See Unanué, A., 4=22343
- Clément, C. and Bothorel, P. Molecular optical anisotropy of normal paraffins in dilute solution, 3=136
- Clement, C.F. Electric polarizability of the deuteron, 3=4472
- Clement, C.F. Effect of the nuclear electric field on the elastic scattering of deuterons, 3=4663
- Clément, G. Photoproduction and electron production of muons of very high energy, 3=24756
- Clément, G. Differential range of photons produced by a very high energy electron in a thick target, 4=6003
- Clément, G. Electron-induced production of beams of very high energy muons, 4=16924
- Clement, J.R. See van Dijk, H., 0=7036
- Clement, J.R. See van Dijk, H., 0=8878
- Clement, M., Consoli, T., Gormezano, C., Ricateau, P. and Weill, M. Experimental study of an r.f. argon torch, 4=18788
- Clement, M. and Le Gardeur, R. Rapid measurement of ionic temperature, 4=18913
- Clement, M. See Boullassier, J.C., 4=11589
- Clement, M. See Chabbal, R., 3=24229
- Clement, M. See Consoli, T., 4=18876
- Clement, M.J.Y. and Ramsay, D.A. Predissociation in the HNO molecule, 1=2352
- Clementi, E. Transition probabilities for low-lying electronic states in C_2 , 1=2335
- Clementi, E. Accurate partition functions in the determination of the C_2 abundance, 1=2336
- Clementi, E. C_2 Ground-state wave functions for linear molecules, 1=9939
- Clementi, E. On the $^3\text{E}_{1u} - ^1\text{A}_{1g}$ intercombination in benzene, 1=14052
- Clementi, E. Electronic states in the C_4 molecule, 2=2005
- Clementi, E. SCF-MO wave functions for the hydrogen fluoride molecule, 2=2013
- Clementi, E. Ground state SCF-LCAO-MO wave function for the carbonyl sulfide molecule, 2=6202
- Clementi, E. Correlation energy for atomic systems, 3=15275
- Clementi, E. Dissociation energy computations in diatomic molecules: an example, 3=20025
- Clementi, E. Correlation energy for atomic systems. II. Isoelectronic series with 11 to 18 electrons, 3=22466
- Clementi, E. Correlation energy in the CH_4 molecule, 4=3896
- Clementi, E. Approximate relativistic correction for 10-18 electrons in atoms, 4=12340
- Clementi, E. Simple basis set for molecular wavefunctions containing first- and second-row atoms, 4=17275
- Clementi, E. Analytical self-consistent field functions. III. Isoelectronic series with 19 to 30 electrons, 4=25488
- Clementi, E. Analytical Hartree-Fock functions. IV. Isoelectronic series for 31 to 36 electrons and conclusions, 4=25489
- Clementi, E. Atomic negative ions: the iron series, 4=28124
- Clementi, E. and McLean, A.D. SCF-LCAO-MO wave function for the $^1\Sigma_g^+$ ground state of C_2 , 2=2014
- Clementi, E. and McLean, A.D. A computation on the ground state wave function for the C_2N_2 molecule, 2=6199
- Clementi, E. and McLean, A.D. SCF-LCAO-MO wave functions for the bifluoride ion, 2=6201
- Clementi, E. and McLean, A.D. Self-consistent-field wave-functions for the N_2^- and NO_2^+ molecules, 3=25110
- Clementi, E. and McLean, A.D. Atomic negative ions, 4=9043
- Clementi, E., McLean, A.D., Raimondi, D.L. and Yoshimine, M. Atomic negative ions, second period, 4=12377
- Clementi, E. and Pitzer, K.S. Low excited states in C_2 , 0=5960
- Clementi, E. and Raimondi, D.L. Atomic screening constants from s.c.f. functions, 3=17521
- Clementi, E., Roothaan, C.C.J. and Yoshimine, M. Accurate analytical self-consistent field functions for atoms. II. Lowest configurations of the neutral first row atoms, 2=22888
- Clementi, E. See Allen, L.C., 4=15832
- Clementi, E. See Hartmann, H., 4=12345
- Clementi, E. See Pitzer, K.S., 0=509
- Clements, T.C. and Müller, E.W. Occurrence of H_3^+ in the field ionization of hydrogen, 3=4019
- Clements, T.P. See Winsberg, L., 1=8683
- Clemesha, B.R. The elongation of irregularities in the equatorial ionosphere, 4=2263
- Clemesha, B.R. Backscatter of radio waves from the equatorial F-region, 4=7928
- Clemesha, B.R. An investigation of the irregularities in the F-region associated with equatorial type spread-F, 4=10763
- Clemesha, B.R. and Wright, R.W. Scattering of radio waves in the ionosphere, 2=4638
- Clemett, C. and Davies, M. Molecular rotation and dielectric relaxation in a crystal lattice, 0=4385
- Clemett, C. and Davies, M. Molecular rotational relaxation in liquids and solids, 1=12898
- Clemett, C. See Davies, M., 2=8871
- Clemett, C.J., Forest, E. and Smyth, C.P. Microwave absorption and molecular structure in liquids. LVI. Dielectric behavior of water and heavy water in dioxane, 4=18211
- Clemmow, P.C. On the theory of the diffraction of a plane wave by a large perfectly conducting circular cylinder, 1=19026
- Clemmow, P.C. Wave amplification in a plasma stream in a medium of high refractive index, 3=1985
- Clemmow, P.C. The mathematics of wave propagation through the ionosphere, 3=16247
- Clemmow, P.C. Summary: The mathematics of wave propagation through the ionosphere, 3=16248
- Clemmow, P.C. On the theory of radiation from a source in a magneto-ionic medium, 4=723
- Clemmow, P.C. and Johnson, M.A. A contribution to the theory of the motion of weak irregularities in the ionosphere, 0=14209
- Clemmow, P.C. and Weston, V.H. Diffraction of a plane wave by a almost circular cylinder, 1=19027
- Clendenen, G.L. and Drickamer, H.G. Effect of pressure on the volume and lattice parameters of magnesium, 4=29120
- Clendenen, R.L. and Drickamer, H.G. The effect of pressure on the volume and lattice parameters of ruthenium and iron, 4=29136
- Clendenin, W. Note on spectrum hardening for non 1/V cross-sections, 3=22460
- Clendenin, W.W. Resonance escape probability in homogeneous lattices, 0=12989
- Clendenin, W.W. The monatomic gas model for thermal neutron distributions in a physical moderator, 1=19212
- Clendenin, W.W. Fresnel diffraction of the plane phase grating, 3=5529
- Clendenin, W.W. Effect of zero gradient boundary conditions on cell calculations in cylindrical geometry, 3=6322
- Clendenin, W.W. Dissociation of H_2 and other diatomic molecules by neutron bombardment, 4=3918
- Clendenin, W.W. Temperature dependence of neutron-pulse parameters in H_2O , 4=17221
- Clendenin, W.W. Large-amplitude solutions of the rate equations for the ruby laser, 4=24926
- Clerc, F. See Villers, G., 3=3124
- Clerc, G. See Aubert, M., 3=1478
- Clerc, H.G. and Liesem, H. Experience of the adjustment of a magnetic deflection and analysis system for the Darmstadt 60 MeV electron linear accelerator, 4=14777
- Clerc, H.G., Wäffler, H. and Berthold, F. Range of Li^+ ions of 40-450 keV energy in hydrogen, deuterium and helium, 1=7107
- Cless-Bernert, T., Duftschmid, K.E. and Vonach, H. Energy determination for β and γ radiation in liquid scintillators, 2=20295
- Cleva, H.V. See Kofoid, M.J., 3=4190
- Cleveland, E.L. Double slit interference, 0=174

- Cleveland, F. F. See Anantarama Sarma, Y., 4=22395
 Cleveland, F. F. See Daykin, P. N., 2=20851
 Cleveland, F. F. See Gilbert, R. L., 0=4207
 Cleveland, F. F. See Gilbert, R. L., 1=14008
 Cleveland, F. F. See Palma, F. E., 4=22396
 Cleveland, F. F. See Pillai, M. G. K., 1=13986
 Cleveland, F. F. See Ramaswamy, K., 2=20838
 Cleveland, F. F. See Sathianandan, K., 2=16541
 Cleveland, F. F. See Sathianandan, K., 4=25686
 Cleveland, F. F. See Sundaram, S., 0=4187
 Cleveland, F. F. See Sundaram, S., 0=4240
 Cleveland, F. F. See Sundaram, S., 0=11524
 Cleveland, F. F. See Sundaram, S., 0=17741
 Cleveland, F. F. See Thyagarajan, G., 0=19200
 Cleveland, F. F. See Thyagarajan, G., 1=6000
 Clews, C. J. B., Maslen, E. N. and Rietveld, H. M. X-ray and neutron diffraction examination of p-diphenylbenzene, 2=827
 Clariotti, G. Some recent Italian contributions to the physics of the solid state, 4=20146
 Cliffe, D. R. and Farr, J. P. G. Growth habits of electrodeposited nickel and cobalt, 4=23346
 Clifford, A. F. See Faeth, P. A., 4=23601
 Clifford, C. E. Gamma dose in a hole in a uniformly contaminated plane: contribution by ground penetration, 1=9822
 Clifford, C. E. Angular differential dose Albedo measurements for 0.66-MeV γ 's incident on concrete, iron, and lead, 4=19467
 Clifford, C. E., Carruthers, J. A. and Cunningham, J. R. γ -radiation at air-ground interfaces with distributed Cs^{137} sources, 0=9599
 Clifford, F. E. and Taylor, R. J. A note on metal-deficient red giant stars, 4=15918
 Clifford, J. Investigation of melting and freezing of glycerides by nuclear magnetic resonance spectroscopy, 2=22098
 Clift, R. W. See Andrews, P. T., 3=4665
 Clift, R. W. See Andrews, P. T., 4=30336
 Clift, R. W. See Andrews, P. T., 4=30348
 Clift, R. W. See Andrews, P. T., 4=30353
 Clift, R. W. See Budzanowski, A., 1=19452
 Clift, J., Curry, C. and Thompson, B. J. Soft X-ray emission spectra of nickel-copper alloys, 3=23087
 Clift, J., Curry, C. and Thompson, B. J. Soft X-ray emission spectra of zinc and a copper-zinc alloy, 3=23088
 Clifton, B. J. See Ratcliff, G., 4=18658
 Clifton, D. G. Calculations of the coefficient of viscosity and the coefficients of diffusion for dissociating hydrogen, 1=15913
 Clifton, D. G. Calculations of the coefficient of thermal conductivity for dissociating hydrogen, 2=2762
 Clifton, D. G. Measurements of the viscosity of krypton, 3=9494
 Clifton, T. E. See Kennedy, A. J., 3=18188
 Cliekman, F. M., Bureau, A. J. and Steward, M. G. Photoproton reaction in Be^9 , 2=14075
 Cliekman, F. M. and Stewart, M. G. Influence of I forbiddenness on the 82 keV transition in Cs^{133} , 0=5668
 Climer, B. J. Electron current densities and transverse velocities in Pierce emission systems, 3=4186
 Clinard, F. W. and Sherby, O. D. Strength of iron during allotropic transformation, 4=23266
 Clinckemillie, A. See Brouillard, F., 4=9648
 Cline, C. F. and Kahn, J. S. Microhardness of single crystals of BeO and other Wurtzite compounds, 4=1931
 Cline, C. F. See Smith, D. K., 3=1320
 Cline, C. F. See Smith, D. K., 4=17775
 Cline, D. Infrared wavelength dependence of the total absorptivity of electroplated silver, 2=14662
 Cline, H. E., Rose, R. M. and Wulff, J. Niobium-thorium eutectic alloy as a high-field, high-current superconductor, 3=14457
 Cline, J. E. and Heath, R. L. Levels in Gd^{156} fed by the decay of 15-day Eu^{156} , 1=5877
 Cline, J. E. and Heath, R. L. Study of the radiations emitted in the decay of Ni^{60} , 3=17434
 Cline, J. E. and Reich, C. W. Investigation of high-spin states in Er^{166} , 3=10269
 Cline, J. E., Yates, E. C. and Turk, E. H. Decay of 27 hr Ho^{166} , 2=5846
 Cline, J. E. See Heath, R. L., 1=10974
 Cline, R. S. See Hsueh, H., 1=7873
 Cline, R. S. See Hu, H., 1=10279
 Cline, T. L. Search for high-energy cosmic gamma rays, 1=13543
 Cline, T. L., Hones, E. W., Jr. and Serlemitsos, P. A double gamma ray spectrometer to search for positrons in space, 2=18105
 Cline, T. L. See Bryant, D. A., 4=2413
 Cline, T. L. See Bryant, D. A., 3=7953
 Clinesmith, C. R. See Talman, R. M., 2=20389
 Clinger, A. H. and Straiton, A. W. Adaptation of the radiosonde for direct measurement of radio refractive index, 0=11045
 Clingman, W. H. and Moore, R. G. Jr. Application of ferroelectricity to energy conversion processes, 1=8296
 Clinton, A. C. Developments in astronautics, 2=4862
 Clinton, W. Sum rule for transition probabilities, 1=3498
 Clinton, W. L. Dynamical Jahn-Teller theorem, 0=7799
 Clinton, W. L. Note on the internal rotation problem, 0=17728
 Clinton, W. L. Forces in molecules. I. Application of the virial theorem, 1=2312
 Clinton, W. L. New potential energy function. I. Empirical, 2=6119
 Clinton, W. L. New potential energy function. II. Theoretical, 2=6120
 Clinton, W. L. Volume dependence of the energy of an enclosed quantum mechanical system, 3=3764
 Clinton, W. L. Forces in molecules. II. A differential equation for the potential-energy function, 3=17550
 Clinton, W. L. and Frattali, S. D. Forces in molecules. III. Analysis of an empirical potential function, 4=6548
 Clinton, W. L. and Hamilton, W. C. Force curves for excited electronic states, 0=17838
 Cloetens, W. On the equation of motion and form factors of charged particles in classical electrodynamics, 4=27619
 Clogston, A. M. Interaction of magnetic crystals with radiation in the range 10^4 - 10^5 cm $^{-1}$, 0=10036
 Clogston, A. M. Transition probabilities for the excited state $d^3\ ^3\Gamma_1$ of Cr^{3+} , 0=11939
 Clogston, A. M. Optical Faraday rotation in ferrimagnetic garnets, 0=13675
 Clogston, A. M. Impurity states in metals, 2=3869
 Clogston, A. M. Upper limit for the critical field in hard superconductors, 3=337
 Clogston, A. M. Strong phonon effects in high-transition-temperature superconductors, 4=29842
 Clogston, A. M., Gordon, J. P., Jaccarino, V., Peter, M. and Walker, L. R. H.F.S. of F^{19} in the electron paramagnetic resonance of Mn:ZnF_2 , 0=6272
 Clogston, A. M., Gossard, A. C., Jaccarino, V. and Yafet, Y. Orbital paramagnetism and the Knight shift of d-band superconductors, 3=336
 Clogston, A. M., Gossard, A. C., Jaccarino, V. and Yafet, Y. Orbital paramagnetism and the Knight shift in transition metal superconductors, 4=20625
 Clogston, A. M. and Jaccarino, V. Susceptibilities and negative Knight shifts of intermetallic compounds, 1=5062
 Clogston, A. M., Jaccarino, V. and Yafet, Y. Interpretation of Knight shifts and susceptibilities of transition metals: platinum, 4=17699
 Clogston, A. M., Matthias, B. T., Peter, M., Williams, H. J., Corenzwit, E. and Sherwood, R. C. Local magnetic moment associated with an iron atom dissolved in various transition metal alloys, 2=4197
 Clogston, A. M., Matthias, B. T., Peter, M., Williams, H. J., Corenzwit, E. and Sherwood, R. C. The local magnetic moment associated with an iron atom dissolved in various transition metal alloys, 3=993
 Clogston, A. M., Suhl, H. and Walker, L. R. Comments on the above letter by Dr. M. A. Gintsburg, 0=13745
 Clogston, A. M. See Matthias, B. T., 1=3882
 Clogston, A. M. See Matthias, B. T., 1=12526
 Clogston, A. M. See Schawlow, A. L., 0=660
 Clogston, A. M. See White, J. A., 3=15725
 Clogston, A. M. See Wolff, P. A., 2=12683
 Cloke, V. C. See Allen, N. L., 4=5685
 Cloke, V. C. See Hemmings, R. F., 4=14728
 Cloney, R. D., Mason, E. A. and Vanderslice, J. T. Binding energy of Ar^+ from ion scattering data, 2=10237
 Cloney, R. D. and Vanderslice, J. T. Interaction energies from scattering cross-sections of hydrogen ions in CH_4 , CF_4 , C_2H_6 , and C_2F_6 , 2=12354
 Cloney, R. D. See Fallon, R. J., 2=20798
 Clorfeine, A. S. Nonlinear reactance and frequency conversion in superconducting films at millimeter wavelengths, 4=21648
 Closs, G. L. See Brandon, R. W., 3=4775
 Closs, R. L. An experimental investigation of back scattering of radio waves from the equatorial electrojet, 4=4792
 Closser, W. H. Drift mobility in neutron irradiated n-type germanium, 0=18017
 Clot, J., Giralt, G. and Lagasse, J. A numerical apparatus for measuring electric charge, 2=22154

- Clot, J. and Urgell, J. On the special action of transistors in the avalanche condition, 4=28598
- Clotfelter, B.E. See Sakuntala, M., 0=1129
- Cloud, W.H., Bither, T.A. and Swoboda, T.J. Exchange inversion in $Mn_{2-x}Cr_xSb$, 1=6374
- Cloud, W.H., Jarrett, H.S., Austin, A.E. and Adelson, E. Neutron diffraction studies of chromium-modified Mn_2Sb , 1=1242
- Cloud, W.H., Schreiber, D.S. and Babcock, K.R. X-ray and magnetic studies of CrO_2 single crystals, 2=12689
- Cloud, W.H. See Austin, A.E., 2=12741
- Cloud, W.H. See Austin, A.E., 3=23197
- Cloud, W.H. See Bierstedt, P.E., 2=6677
- Cloud, W.H. See Bither, T.A., 2=12735
- Cloud, W.H. See Darnell, F.J., 4=13180
- Cloud, W.H. See Darnell, F.J., 3=13282
- Cloud, W.H. See Jarrett, H.S., 3=1026
- Cloud, W.H. See Swoboda, T.J., 0=11916
- Cloud, W.K. See Carder, D.S., 0=10384
- Clough, S. Nuclear resonance spectrum of ortho bromoaniline, 0=20669
- Clough, S. Stochastic theory of nuclear magnetic resonance in rotating solids, 1=10188
- Clough, S. Spin relaxation of a rotating pair of nuclei, 3=15951
- Clough, S. and Gray, K.W. The stochastic theory of the nuclear magnetic resonance line in rotating solids, 2=8682
- Clough, S. and Gray, K.W. Spin diffusion and nuclear magnetic resonance in rotating solids, 3=6762
- Clough, S., Gray, K.W. and McDonald, I.R. The width of nuclear magnetic resonance rotary saturation lines, 3=20674
- Clough, S. See Andrew, E.R. [Conf. rep.], 2=4238
- Clough, S. See Hennel, J.W., 1=14838
- Clough, S.A. See Schurin, B., 3=15339
- Clough, S.A. See Schurin, B., 3=16773
- Clougherty, E.V. and Kaufman, L. The thermodynamic properties of α , f.c.c., nickel-zinc alloys, 3=25746
- Clougherty, E.V. See Kaufman, L., 3=13523
- Cloupeau, M. Properties of shock waves produced by condensed discharges in a low-pressure gas, 1=6888
- Cloupeau, M. On the true nature of luminous phenomena observed in magnetically driven shock tubes, 1=10539
- Cloupeau, M. The origin of the ionization observed in electromagnetically driven shock tubes, 1=18460
- Cloupeau, M. Photoelectric studies in a two-gas, magnetically driven shock tube, 2=5048
- Cloupeau, M. Interpretation of luminous phenomena observed in electromagnetic shock tubes, 3=16701
- Cloupeau, M. Shock waves and plasma jets in magnetically driven shock tubes, 4=24305
- Cloupeau, M. and Lasek, A. Study of the characteristics of a shock tube with magnetic driver, 2=7245
- Cloupeau, M. and Szaniawski, A. Optical study of a magnetically driven shock tube, 1=2784
- Clouser, P. L. and Gordy, W. Millimeter-wave molecular-beam spectroscopy: alkali chlorides, 4=17277
- Clouston, J.G., Gaydon, A.G. and Glass, I.I. Temperature measurements of shock waves by the spectrum-line reversal method, 0=8744
- Clouston, J.G., Gaydon, A.G. and Hurle, I.R. Temperature measurements of shock waves by spectrum-line reversal. II. A double-beam method, 0=14732
- Cloutier, G.G. and Bachynski, M.P. Antenna characteristics in the presence of a plasma sheath, 4=3153
- Cloutier, G.G. and Carswell, A.J. Plasma quenching by electro-negative gas seeding, 3=19237
- Cloutier, G.G. See Bachynski, M.P., 4=27536
- Cloutier, G.G. See Carswell, A.J., 4=16468
- Cloutier, G.G. See French, I.P., 1=18857
- Cloutier, J.A.R. Room temperature stabilization of radiation-produced free radicals in barbituric acids, 1=9173
- Cloutier, J.A.R., Flann, B.C. and Manson, J.M. Study of the effect of gamma radiation on the molecule of pentobarbital, 1=20762
- Cloutier, J.A.R. See Bhatnagar, V.M., 3=1406
- Clow, H. Variation of anisotropy axis dispersion with thickness of nickel-iron films, 1=20104
- Clow, H. Very low coercive force in nickel-iron films, 2=21326
- Clow, H. See Bates, L.F., 0=6229
- Clow, H. See Bates, L.F., 0=13787
- Clowes, M.B. Some factors in brightness discrimination with constraint of retinal image movement, 1=6603
- Clowes, M.B. A note on colour discrimination under conditions of retinal image constraint, 2=7081
- Clowes, M.B. and Ditchburn, R.W. An improved apparatus for producing a stabilized retinal image, 0=18565
- Clube, S.V.M. Some observations of the $H\alpha$ line at the solar limb, 1=2620
- Clube, S.V.M. See Nichols, S., 0=19432
- Clunie, D.M. and Rock, N.H. The laser feedback interferometer, 4=24385
- Clunie, D.M. See Blitz, J., 2=10024
- Clunie, D.M. See Boot, H.A.H., 4=766
- Clunie, D.M. See Boot, H.A.H., 3=9987
- Clusius, K. Simple experiment for the demonstration of a shock wave, 3=9546
- Clusius, K., Flubacher, P., Piesbergen, U., Schleich, K. and Sperandio, A. Results of investigations at low temperatures. XXVII. Comparison of the atomic and melting heats and of the entropies of the condensed isotopes Ne^{20} and Ne^{22} , 0=12416
- Clusius, K. and Franzosini, P. Results of investigations at low temperatures. XXIII. Atomic and electron heats of molybdenum and tungsten between 10^3 K and 273^0 K, 0=1561
- Clusius, K., Franzosini, P. and Piesbergen, U. Results of investigations at low temperature. XXXII. The atomic and electronic heat of vanadium and niobium between 10^3 and 273^0 K, 0=20752
- Clusius, K. and Piesbergen, U. Results of investigations at low temperatures. XXI. Atomic and electron heat of ruthenium between 10 and 273^0 K, 0=1560
- Clusius, K., Schleich, K., Endtinger, F., Bernstein, R. and Vogelmann, M. Relation between the vapour pressures in the systems $C^{12}H_4/C^{13}H_4-C^{12}H_2D$; $N^{14}_2O/N^{15}N^{14}O$; SO^{16}_2/SO^{18}_2 and Ar^{36}/Ar^{40} , 3=19073
- Clusius, K., Sperandio, A. and Piesbergen, U. Results of investigations at low temperatures. XXIV. Comparison of the molar-, transition- and melting-heat and of the entropies of the condensed isotopes N^{14}_2 and N^{15}_2 , 0=1562
- Clusius, K. See Franzosini, P., 4=17364
- Clyne, G., Fessler, H. and Wilson, R.W. Improvements of photoelastic technique for strain measurement on flat surfaces, 1=1713
- Clyne, M.A.A. and Thrush, B.A. Kinetics of the reactions of active nitrogen with oxygen and with nitric oxide, 1=20730
- Clynne, M.A.A. and Thrush, B.A. Isotopic exchange in the $O + NO_2$ reaction, 3=18436
- Cnare, E.C. Electrically imploded-exploded aluminum tube, 1=10688
- Cnare, E.C. Observations on the striation of electrically exploded copper foils, 1=10692
- Coale, F.S. High-speed ferrite rotating half-wave plate, 0=9204
- Coates, D.G. Lead selenide evaporated layer photoconductive detectors for room temperature operation, 3=15633
- Coates, D.G., Lawson, W.D. and Prior, A.C. Single crystal photoconductive detectors in lead selenide, 2=8447
- Coates, D.W. and Nash, W.F. Sea-level momentum spectra of muons, 3=2346
- Coates, D.W. See Bull, R.M., 2=11846
- Coates, D.W. See Bull, R.M., 2=11847
- Coates, R.J. Lunar brightness variations with phase at 4.3 mm wave length, 1=5169
- Coates, R.V. A note on the structure of non-ferroelectric lead metatantalate $[PbTa_2O_6]$, 1=20558
- Coates, R.V. Spectral contamination of sealed-off X-ray tubes, 3=17011
- Coats, G.T. See Saxton, J.A., 3=1706
- Cobb, B. See Hefferlin, R., 0=15666
- Cobb, F.C. See Ganguly, N.K., 4=6063
- Cobb, G.C. See Bucher, W.P., 0=455
- Cobb, G.C. See Bucher, W.P., 0=5564
- Cobb, G.C. See Cooper, C.D., 2=6169
- Cobb, G.C. See Fungsten, H.O., 0=11184
- Cobb, T.B. See Memory, J.D., 4=6644
- Cobb, T.B. See Memory, J.D., 3=17614
- Cobb, W.C. Spins of excited states of Tl^{208} from alpha-gamma angular correlations, 4=3622
- Cobb, W.C. Apparatus for the measurement of $\alpha-\gamma$ angular correlations, 3=24882
- Cobbald, T.E. and Skerrett, E.J. Electronic anemometer, 2=2669
- Cobble, J.W. See Argue, G.R., 2=1305
- Cobble, J.W. See Brandhorst, H.W., Jr., 2=5849
- Cobble, J.W. See Colby, L.J., Jr., 1=3473
- Cobble, J.W. See Colby, L.J., Jr., 1=3474
- Cobble, J.W. See Gunnink, R., 0=1448
- Cobble, J.W. See McDonald, J.E., 2=17084
- Coberly, J.C. See Dratz, A.F., 2=4888
- Čobić, B. Investigation of the characteristics of the ion sorption in a Bayard-Alpert ionization tube, 2=2792

- Čobić, B., Carter, G. and Leck, J.H. Comprehensive study of the ion pumping of the noble gases, 1=10552
- Čobić, B., Carter, G. and Leck, J.H. Pumping of argon, nitrogen and hydrogen in a Bayard-Alpert gauge, 1=15971
- Čobić, B., Carter, G. and Leck, J.H. Further investigation of the bistable operation of the Bayard-Alpert gauge, 2=9325
- Čobić, B., Tošić, D. and Perović, B. An intense magnetron ion source for high-melting point materials, 4=8849
- Čobić, B., Tošić, D. and Perović, B. Aston bands in the electro-magnetic mass separator, 4=11726
- Čobić, B. See Perović, B., 3=7655
- Coble, B. and Carter, G. Concerning the ion pumping mechanism in argon and nitrogen, 3=23946
- Cobine, J.D. The development of gas discharge tubes, 2=15897
- Cobine, J.D. and Burger, E.E. Ionization gauge for transient gas pressures, 1=10554
- Cobine, J.D. and Farrall, G.A. Experimental study of arc stability. I, 1=1899
- Coble, R.L. Sintering crystalline solids. I. Intermediate and final state diffusion models, 1=7880
- Coble, R.L. Sintering crystalline solids. II. Experimental test of diffusion models in powder compacts, 1=7881
- Coble, R.L. A model for boundary diffusion controlled creep in polycrystalline materials, 3=15997
- Coble, R.L. See Kingery, W.D., 3=23357
- Coburn, N. Intrinsic characteristic equations for relativistic compressible hydromagnetic flows, 3=9915
- Coburn, N. and Ong, R.S.B. The characteristic system for three-dimensional, steady, isentropic, compressible, hydromagnetic flows, 1=9670
- Cocca, U. See Bilinski, J.R., 4=4090
- Cocca, U. See Bilinski, J.R., 4=17494
- Cocca, U. See Bilinski, J.R., 3=25308
- Coccia, F. See Bolle, A., 3=1458
- Cocco, A. and Barbariol, I. Studies on the electrical conductivity of oxides at high temperatures, 3=8550
- Coccoli, J.D. See Bekefi, G., 2=22237
- Cocconi, G. Proton-proton elastic scattering at high-energies, 4=25092
- Cocconi, G., Cocconi, V.T., Krisch, A.D., Orear, J., Rubinstein, R., Scarf, D.B., Baker, W.F., Jenkins, E.W. and Read, A.L. Elastic p-p cross sections at high momentum transfers, 4=9193
- Cocconi, G., Diddens, A.N., Lillethun, E., Manning, G., Taylor, A.E., Walker, T.G. and Wetherell, A.M. Elastic and inelastic scattering of high-energy protons from hydrogen, 2=5639
- Cocconi, G., Diddens, A.N., Lillethun, E., Manning, G., Taylor, A.E., Walker, T.G. and Wetherell, A.M. High-energy proton scattering from carbon and deuterium, 2=10095
- Cocconi, G., Diddens, A.N., Lillethun, E., Manning, G., Taylor, A.E., Walker, T.G. and Wetherell, A.M. Elastic and inelastic proton-proton scattering between 12 and 27 GeV, 2=22503
- Cocconi, G., Diddens, A.N., Lillethun, E. and Wetherell, A.M. Elastic and quasi-elastic collisions of protons with momenta between 9 and 25 GeV/c, 1=7243
- Cocconi, G., Lillethun, E., Scanlon, J.P., Ståhlbrandt, C.A., Ting, C.C., Walters, J. and Wetherell, A.M. Differential cross sections for the reaction $p + p \rightarrow \pi^+ + d$ between 2.1 and 8.9 GeV/c, 4=6041
- Cocconi, G., Lillethun, E., Scanlon, J.P., Ståhlbrandt, C.A., Ting, C.C., Walters, J. and Wetherell, A.M. Inelastic proton-proton scattering and nucleon isobar production, 4=15095
- Cocconi, G. and Morrison, P. Searching for interstellar communications, 0=4846
- Cocconi, G. and Salpeter, E.E. Upper limit for the anisotropy of inertia from the Mössbauer effect, 0=7470
- Cocconi, G. See Ashmore, A., 1=3185
- Cocconi, G. See Baker, W.F., 3=7654
- Cocconi, G. See Baker, W.F., 4=25093
- Cocconi, G. See Chasan, B.M., 0=13039
- Cocconi, V.T., Fazzini, T., Fidicaro, G., Legros, M., Lipman, N.H. and Morrison, A.W. Mass analysis of the secondary particles produced by the 25 GeV proton beam of the cern proton synchrotron, 0=17582
- Cocconi, V.T., Fazzini, T., Fidicaro, G., Legros, M., Lipman, N.H. and Morrison, A.W. A redetermination of the Panofsky ratio, 1=19241
- Cocconi, V.T. See Amaldi, U., 2=22516
- Cocconi, V.T. See Baker, W.F., 3=7654
- Cocconi, V.T. See Brandt, S., 3=17324
- Cocconi, V.T. See Chasan, B.M., 0=13039
- Cocconi, V.T. See Cocconi, G., 4=9193
- Coceva, C. Pulse-shape discrimination with a glass scintillator, 3=10132
- Coceva, C. See Bertozzi, G., 2=13704
- Cocharadt, A. Modified strontium ferrite, a new permanent magnet material, 3=15881
- Coche, A. and Henck, R. Effects of alternating and continuous electric fields on the luminescence of certain sulphides of zinc excited by α -rays, 0=18148
- Coche, A. and Laustriat, G. Influence of temperature on photomultipliers, 1=1908
- Coche, A. and Siffert, P. Construction and study of the properties of surface-barrier detectors for heavy particles, 2=5527
- Coche, A. and Siffert, P. Detection of nuclear radiation by gold-silicon surface barrier detectors of very high resistivity, 2=11834
- Coche, A. See Heisel, F., 4=11852
- Coche, A. See Henck, R., 1=14655
- Coche, A. See Henck, R., 1=14656
- Coche, A. See Henck, R., 3=21447
- Coche, A. See Henck, R., 4=30699
- Coche, A. See Laustriat, G., 1=10516
- Coche, A. See Laustriat, G., 1=10517
- Coche, A. See Laustriat, G., 1=18418
- Coche, A. See Laustriat, G., 3=9470
- Coche, A. See Pfeffer, G., 2=5266
- Coche, A. See Pfeffer, G., 2=7357
- Coche, A. See Pfeffer, G., 3=18979
- Coche, A. See Pfeffer, G., 4=774
- Coche, A. See Siffert, P., 3=14830
- Coche, A. See Urban, F., 2=17470
- Coche, A. See Voltz, R., 4=185
- Coche, A. See Walter, G., 1=13746
- Coche, A. See Walter, G., 2=5517
- Coche, A. See Walter, G., 3=20532
- Coche, A. See Walter, G., 4=16733
- Cochet, R. Charge of submicronic particles in ionized electric fields. Measurement of the speed of precipitation of these particles in a uniform electric field, 0=10361
- Cochet, R. See Pauthenier, M., 1=15209
- Cocho, G. B meson and R_s global symmetry, 4=25156
- Cocho Gil, G. Resonance model in nucleon-antinucleon annihilation, 3=17268
- Cochran, D.R.F. and Knight, J.D. Excitation functions of some reactions of 6 to 24 MeV He^3 ions with carbon and aluminum, 3=2497
- Cochran, D.R.F. See Bryant, E.A., 3=12702
- Cochran, D.R.F. See Craig, P.P., 0=13128
- Cochran, D.R.F. See Dash, J.G., 0=17489
- Cochran, D.R.F. See Frauenfelder, H., 1=8569
- Cochran, D.R.F. See Frauenfelder, H., 2=12125
- Cochran, D.R.F. See Nagle, D.E., 1=1210
- Cochran, D.R.F. See Nagle, D.E., 2=4216
- Cochran, E.L. and Adrian, F.J. Electron-spin-resonance identifies radio chemical species, 2=3180
- Cochran, E.L., Adrian, F.J. and Bowers, V.A. Anisotropic hyperfine interactions in the e.s.r. spectra of alkyl radicals, 1=6042
- Cochran, E.L., Adrian, F.J. and Bowers, V.A. E.S.R. detection of the cyanogen and methylene imino free radicals, 2=12351
- Cochran, E.L., Adrian, F.J. and Bowers, V.A. E.S.R. study of ethynyl and vinyl free radicals, 4=12532
- Cochran, E.L. See Adrian, F.J., 2=8124
- Cochran, E.L. See Foner, S.N., 0=7889
- Cochran, E.L. See Jen, C.K., 2=14823
- Cochran, J.F. Specific heat of tantalum and tin near the superconducting critical temperature, 2=19818
- Cochran, J.F. and Mapother, D.E. Superconducting transition in zinc and gallium, 1=4533
- Cochran, J.F. and Yaqub, M. The mean free path of electrons in very pure gallium, 3=22892
- Cochran, J.F. See Carruthers, J.A., 2=10464
- Cochran, J.F. See Lewis, H.R., 0=5232
- Cochran, J.F. See Shiffman, C.A., 4=5519
- Cochran, J.F. See Shiffman, C.A., 4=18612
- Cochran, J.F. See Yaqub, M., 3=17817
- Cochran, L.W. and Forester, D.W. Diffusion of slow electrons in gases, 2=13381
- Cochran, R.G. See Pratt, W.W., 0=4078
- Cochran, R.G. See Pratt, W.W., 0=11354
- Cochran, W. Crystal stability and the theory of ferroelectricity, 0=1565
- Cochran, W. Theory of the lattice vibrations of germanium, 0=9844
- Cochran, W. Lattice dynamics of alkali halides, 0=20740

- Cochran, W. Crystal stability and the theory of ferroelectricity, 1=8971
- Cochran, W. "Effective" ionic charge in crystals, 1=19683
- Cochran, W. Crystal stability and the theory of ferroelectricity. II. Piezoelectric crystals, 1=19936
- Cochran, W. Review paper on lattice vibrations, 3=10576
- Cochran, W. Lattice vibrations, 3=22634
- Cochran, W. Specific heat, neutrons and phonons, 4=3990
- Cochran, W. Lattice dynamics of sodium, 4=6715
- Cochran, W. Lattice dynamics, 4=25832
- Cochran, W. and Cowley, R.A. Dielectric constants and lattice vibrations, 2=14596
- Cochran, W., Fray, S.J., Johnson, F.A., Quarrington, J.E. and Williams, N. Lattice absorption in gallium arsenide, 1=17898
- Cochran, W. and Pawley, G.S. The theory of diffuse scattering of X-rays by a molecular crystal, 4=26171
- Cochran, W. and Phillips, J.C. Microscopic dielectric susceptibility of germanium, 4=20366
- Cochran, W., Srinivasan, R. and Tollin, P. The use of an EDSAC programme for structure analysis, 4=23368
- Cochran, W. See Calder, R.S., 2=15021
- Cochran, W. See Cowley, R.A., 3=20075
- Cochran, W. See Johnson, F.A., 3=10977
- Cochran, W. See Woods, A.D.B., 0=13479
- Cocito, G. and Masani, A. The photoelectric photometer of the Turin astronomical observatory, 0=18586
- Cockayne, B. and Robertson, D.S. The preparation and examination of thin sections of calcium tungstate, 4=23573
- Cockayne, B., Robertson, D.S. and Bardsley, W. Growth defects in calcium tungstate single crystals, 4=30817
- Cockayne, B. and Raynor, G.V. The apparent metallic valencies of transition metals and solid solution, 1=20624
- Cockayne, B. See Bardsley, W., 3=25665
- Cockayne, B. See Massalski, T.B., 0=16314
- Cockayne, B. See Ridley, J.D., 4=30814
- Cockcroft, M.G. See Capus, J.M., 2=10763
- Cockett, G.H. and Davis, C.D. Coating thickness measurement by electron probe microanalysis, 4=2121
- Cockett, G.H. and Davis, C.D. The effect of volume changes on the high pressure $\alpha \rightarrow \gamma$ transformation in Fe-Si alloys, 3=5124
- Cockett, G.H. and Davis, C.D. The lattice expansion of Fe-Si alloys and the volume change at the A₁ point, 3=10602
- Cockett, G.H. and Harris, R. A simple phototransistor temperature controller, 4=11396
- Cocking, S.J. The neutron total cross-section of krypton, 0=7608
- Cocking, S.J. Measurement of the ratio of absorption cross-section to fission cross-section for ²³³U, ²³⁵U, ²³⁹Pu with 0.0011 eV neutrons, 0=7639
- Cocking, S. J. and Ball, A. R. A thin-walled specimen container for neutron scattering studies of liquids at high temperatures and pressures, 4=21095
- Cocking, S.J. and Turberfield, K.C. The dynamics of liquid sodium by neutron scattering, 3=1675
- Cockow, F.W. Reconciliation of two-dimensional ("cross-grating") and three-dimensional phenomena in electron diffraction and resolution of other anomalies on the basis of Bragg reflexions from single crystal lamellae suffering radially progressive shear strain, 0=10307
- Cockroft, H.S., Malein, A. and Shatford, P.A. Stabilized pinch experiment, 3=21801
- Cocks, G.G. See Dettorre, J.F., 4=14225
- Cocks, M. Interaction of sliding metal surfaces, 2=14913
- Cocks, M. Role of displaced metal in the sliding of flat metal surfaces, 4=23115
- Cocuoni, G. An air shower telescope and the detection of 10¹² eV photon sources, 1=2140
- Codd, I. and Petch, N.J. Dislocation-locking by carbon, nitrogen and boron in α -iron, 0=20811
- Codd, I. See Armstrong, R., 2=6733
- Codd, J., Durston, C. and James, M.F. Some calculations of sodium reactivity effects in a dilute fast reactor, 2=20708
- Code, A.D. Stellar astronomy from a space vehicle, 0=14438
- Codegone, C. Characteristic parameters of the phenomenon of diffusion, 3=16649
- Codegone, C. Some properties of the pressure-entropy diagram, 4=8532
- Codegone, C. Thermal radiation of planes in non-isothermal cavities, 2=15798
- Codelupi, R. Movements of electromagnetic fields, 1=3040
- Codina, S. Some astronomical applications of the virial theorem, 3=18591
- Coditã, V. See Andreescu, I., 1=2076
- Codling, K. Ultra-violet extensions of the arc spectra of the alkaline earths: the absorption spectrum of magnesium vapour, 1=9905
- Codling, K. and Madden, R.P. Optically observed inner shell electron excitation in neutral Kr and Xe, 4=17247
- Codling, K. See Garton, W.R.S., 0=7724
- Codling, K. See Garton, W.R.S., 1=17273
- Codling, K. See Garton, W.R.S., 2=14190
- Codling, K. See Madden, R.P., 3=19927
- Codling, K. See Madden, R.P., 4=12355
- Codling, K. See Madden, R.P., 4=15280
- Cody, G.D. and Cohen, R.W. Thermal conductivity of Nb₃Sn, 4=21423
- Cody, G.D., Cullen, G.W. and McEvoy, J.P., Jr. Field and angular dependence of critical currents in Nb₃Sn. II, 4=18596
- Cody, G.D., Hanak, J.J. and Rayl, M. Magnetic field penetration in Nb₃Sn, 4=18260
- Cody, G.D. See Abeles, B., 0=16908
- Cody, G.D. See Abeles, B., 2=3855
- Cody, G.D. See Beers, D.S., 3=10611
- Cody, G.D. See Cullen, G.W., 4=407
- Cody, G.D. See Hanak, J.J., 4=16359
- Cody, G.D. See Woodard, D.W., 4=30624
- Cody, W.J., Lawson, J., Massey, H. and Smith, K. The elastic scattering of slow positrons by hydrogen atoms, 4=17258
- Coe, G.B. See Calvert, W., 4=10752
- Coekelbergs, R., Frennet, A., Lienard, G. and Resibois, P. On the kinetics of chemisorption, 3=23544
- Coelho, R. Calculation of the parameter D of the crystalline field in lattices of the type NaCl and CsCl, 1=17388
- Coelho, R. Optical excitation in the cuprous halides, 2=23563
- Coelho, R. See Fallah, E., 3=10866
- Coelho, R. See Pratt, G.W., Jr., 0=1725
- Coen, E. See Beattie, J.R., 0=6988
- Coen, P. J. See Barrer, R.M., 4=7030
- Coenraads, C.N. and Lavelle, J.E. High speed drives in high vacuum, 2=19639
- Coensgen, F.H., Cummins, W.F., Nexsen, W.E. Jr. and Sherman, A.E. Evidence of containment of a 3 keV deuterium plasma, 1=5467
- Coensgen, F.H., Cummins, W.F., Nexsen, W.E., Jr. and Sherman, A.E. Production and containment of hot deuterium plasmas in multistage magnetic compression experiments, 3=12150
- Coensgen, F.H., Cummins, W.F., Nexsen, W.E., Jr. and Sherman, A.E. Plasma camera, 4=27537
- Coensgen, F.H., Sherman, A.E., Nexsen, W.E. and Cummins, W.F. Plasma injection into a magnetic field of cusped geometry, 0=17000
- Coensgen, F.H. See Nexsen, W.E., 0=17013
- Coester, E. The velocity of ascent of gas bubbles in liquids of varying viscosity and surface tension, 1=9375
- Coester, F. Particles with zero mass and particles with "small" mass, 3=10027
- Coester, F. Systematic approximations for the single-channel scattering amplitude, 4=11934
- Coester, F. and Haag, R. Representation of states in a field theory with canonical variables, 0=5468
- Coester, F., Hamermesh, M. and McGlinn, W.D. Internal symmetry and Lorentz invariance, 4=24979
- Coester, F. and Kümmel, H. Short-range correlations in nuclear wave functions, 0=17456
- Coester, F. and Yen, E. Note on a crude nucleon-nucleon potential, 4=6035
- Coetzer, F.J. and Kessler, W. Remarks on the use of a hot hollow graphite cathode as a spectrochemical light source, 4=4724
- Coffey, D. L., Gauster, W. F. and Rorschach, H. E., Jr. Flux trapping in hollow soft superconducting cylinders, 4=389
- Coffey, H. T. See Glover, R.E., III, 4=21411
- Coffin, C.T., Curtis, L.J., Meyer, D.L. and Terwilliger, K.M. Use of relative ionization for particle identification in multitrack spark chamber pictures, 3=17140
- Coffin, C.T. See Curtis, L.J., 4=3450
- Coffin, C.T. See Yoder, L.L., 4=3451
- Coffin, J.P. See Frick, G., 4=6272
- Coffin, J.P. See Gorodetzky, S., 4=17052
- Coffin, K.P. Effect of argon and helium on the thermal conductivity of the N₂O₄ = 2NO₂ system, 0=2185
- Coffin, L.F., Jr. Low cycle fatigue: a review, 3=13376
- Coffin, L.F., Jr. See Raymond, M.H., 3=20752
- Coffman, M.L. Source equation for magnetic flux density, 3=12282

- Coffou, E. On the polarization of protons in (d,p) stripping reactions, 1=9873
- Coffou, E. The charge asymmetry of the deuteron and nuclear stripping reactions, 3=10380
- Cofta, I. Dependence of spin wave dispersion on the magnetic structure of the antiferromagnetic space lattice, 0=11904
- Cofta, H. Spin waves in various ferrimagnetic superstructures. I. Translation lattices with two kinds of spins, 0=13837
- Cofta, H. Ferrimagnetic spin-wave resonance, 1=6411
- Cofta, H. New possible phenomenon in antiferromagnetics, 1=3916
- Cofta, H. Spin-wave resonances in antiferromagnetics, 1=6410
- Cofta, H. Regular superstructures of magnetic translational lattices, 1=14864
- Cofta, H. Influence of next nearest neighbours on the superstructural anisotropy of spin-wave dispersion, 1=14754
- Cofta, H. Superstructural anisotropy of the spin wave dispersion in antiferromagnetics. I. Theory, 1=14756
- Cofta, H. New methods for determining the exchange interaction ratios in MnO-type superstructure, 2=12795
- Cofta, H. Spin-wave analysis of the existence range of antiferromagnetic superstructures, 2=16927
- Cofta, H. Superstructural anisotropy of the spin wave dispersion in antiferromagnetics. II. Application to the existence problem of superstructures, 3=15902
- Cofta, H. Spin wave spectrum in antiferromagnetics with ferromagnetic double planes, 3=23194
- Cofta, H. See Szczeniowski, S., 0=12669
- Cogan, H. L. See Owen, B. B., 2=1163
- Cogan, V. S. See Ozerov, R. P., 3=1319
- Coggeshall, N. D. Ionization potentials and electrostatic polarization, 0=7792
- Coggeshall, N. D., Quantitative relations in the mass spectra of n-paraffins, 0=20710
- Coggeshall, N. D. Initial kinetic energy discrimination effects in crossed-field ion sources, 2=7671
- Coggeshall, N. D. Studies of metastable ion transitions with a 180° mass spectrometer, 3=2665
- Coggeshall, N. D. See Saraceno, A. J., 1=3571
- Coggeshall, N. D. See Schug, J. C., 1=17360
- Coghill, H. D. See Koller, L. R., 1=6560
- Cohan, N. V., Cotti, M., Iribarne, J. V. and Weissmann, M. Electrostatic energies in ice and the formation of defects, 2=14597
- Cohan, N. V., Pugh, D. and Tredgold, R. H. Band structure of diamond, 3=20135
- Cohan, N. V. See Batana, A., 2=6180
- Cohan, N. V. See Batana, A., 4=6567
- Cohan, N. V. See Cotti, M., 4=25804
- Cohan, N. V. See Tschudi, C. S., 1=4945
- Cohen, A. Further investigation of the effects of intensity upon the pitch of pure tones, 1=15374
- Cohen, A. and Blanchard, C. H. New class of potential functions, 2=10287
- Cohen, A. and Baumann, K. C. Temporary hearing losses following exposure to pronounced single-frequency components in broad-band noise, 4=23971
- Cohen, A. See Schouten, J. F., 2=11219
- Cohen, A. See Strehlow, R. A., 0=8745
- Cohen, A. See Strehlow, R. A., 2=1185
- Cohen, A. D. Generalized trajectory charts, 2=11184
- Cohen, A. D., Freeman, R., McLauchlan, K. A. and Whiffen, D. H. Determination of the signs of long-range proton spin coupling constants by nuclear magnetic triple resonance, 4=5838
- Cohen, A. D. and Whiffen, D. H. Enhanced double quantum signals in nuclear magnetic resonance, 4=20112
- Cohen, A. E. Gamma-ray pinhole television camera, 0=2512
- Cohen, A. F. Low temperature thermal conductivity of lithium fluoride crystal upon irradiation by thermal neutrons and ^{60}Co γ -rays, 0=1575
- Cohen, A. F., Friedberg, S. A. and Wagner, G. R. The low temperature magnetic susceptibility of $\text{Mn}(\text{HCO}_2)_2 \cdot 2\text{H}_2\text{O}$, 4=28769
- Cohen, A. F. See Crawford, J. H., Jr, 0=2832
- Cohen, A. F. See Friedberg, S. A., 2=23072
- Cohen, A. J. Substitutional and interstitial aluminum impurity in quartz, structure and color center interrelationships, 0=15865
- Cohen, A. J. Megashatter cone hypothesis of the origin of lunar volcanoes, 2=4737
- Cohen, A. J. and Hodge, E. S. Zonal specificity and nonspecificity of certain impurities during growth of synthetic α -quartz, 0=1884
- Cohen, A. J. See Smith, H. L., 4=7111
- Cohen, A. V. The non-elastic neutron cross-section for uranium at 13-19 MeV and beryllium at 14 MeV, 2=3584
- Cohen, A. V. and Cookson, J. A. Coulomb excitation of Au^{197} and W^{186} by protons of energy up to 12.6 MeV, 1=5905
- Cohen, A. V. and Cookson, J. A. Scattering by Si^{28} of protons of energy 10.0-12.3 MeV, 1=9854
- Cohen, A. V. and Cookson, J. A. Decay schemes of excited states of Mg^{24} and Si^{28} , 2=1805
- Cohen, A. V. and Cookson, J. A. Decay schemes of excited states in Mg^{24} and Si^{28} and the collective model, 2=5870
- Cohen, A. V., Cookson, J. A., Darcey, W. and Tanner, N. W. Inelastic scattering [of protons and deuterons] from collective nuclei, 2=1874
- Cohen, A. V., Cookson, J. A. and Wankling, J. L. A magnetic particle spectrometer for use with a 12 MeV tandem electrostatic generator, 2=3342
- Cohen, B. G., Snow, W. B. and Tretola, A. R. GaAs p-n junction diodes for wide range thermometry, 4=2870
- Cohen, B. G. See Bond, W. L., 3=10852
- Cohen, B. G. See Logan, R. A., 3=6574
- Cohen, B. L. Reaction mechanism in direct interaction inelastic scattering, 0=1396
- Cohen, B. L. Preformation factor in emission of complex particles from nuclear reactions, 0=20422
- Cohen, B. L. Geiger counter backgrounds, 1=391
- Cohen, B. L. Limitations of accelerator magnetic analyzing systems, 2=3106
- Cohen, B. L. Nuclear structure studies in the zirconium region with stripping reactions, 2=5964
- Cohen, B. L. Neutron-proton interaction between states of same l in nuclear shell model, 2=18234
- Cohen, B. L. Observations on the energies of single-particle neutron states, 3=10247
- Cohen, B. L., Blosser, H. G., Hudson, E. D., Lord, R. S. and Bender, R. S. The Oak Ridge relativistic isochronous cyclotron. II. Magnetic field design for the isochronous cyclotron, 1=1938
- Cohen, B. L. and Chubinsky, O. V. Nuclear structure studies in the zirconium isotopes with (d,p) and (d,t) reactions, 3=24866
- Cohen, B. L., Fulmer, R. H. and McCarthy, A. L. Location of single-particle levels in medium mass nuclei, 2=10017
- Cohen, B. L., Fulmer, R. H., McCarthy, A. L. and Mukherjee, P. Location of neutron single-particle levels from stripping reactions, 3=19762
- Cohen, B. L., Hamburger, E. W. and Price, R. E. Single particle neutron levels in the zirconium region, 2=1824
- Cohen, B. L., Mayo, S. and Price, R. E. Nuclear structure studies in the lead region with (d,t) reactions, 1=3597
- Cohen, B. L., Mead, J. B., Price, R. E., Quisenberry, K. S. and Martz, C. Energy spectra of protons from (d,p) reactions in heavy elements, 0=9635
- Cohen, B. L., Mukherjee, P., Fulmer, R. H. and McCarthy, A. L. Spin-orbit splittings in nuclear shell model, 2=20487
- Cohen, B. L., Patell, R., Prakash, A. and Schneid, E. J. Neutron binding energies in heavy nuclei, 4=25261
- Cohen, B. L. and Price, R. E. Studies of low-lying levels of even-even nuclei with (d,p) and (d,t) reactions, 0=13140
- Cohen, B. L. and Price, R. E. Location of the $3s_{1/2}$ single particle neutron level in various nuclei, 0=17493
- Cohen, B. L. and Price, R. E. Nuclear structure studies in the tin isotopes with (d,p) and (d,t) reactions, 1=4876
- Cohen, B. L. and Price, R. E. Nuclear structure studies in the tin isotopes with (d,p) and (d,t) reactions, 1=8598
- Cohen, B. L. and Price, R. E. Survey of inelastic scattering of deuterons by heavy elements, 1=11050
- Cohen, B. L., Price, R. E. and Mayo, S. Nuclear structure studies in the lead region with (d,p) reactions, 1=3598
- Cohen, B. L. See Baron, N., 3=10382
- Cohen, B. L. See Fulmer, R. H., 3=2390
- Cohen, B. L. See Fulmer, R. H., 4=12270
- Cohen, B. L. See Hamburger, E. W., 1=3456
- Cohen, B. L. See Hjorth, S. A., 4=27969
- Cohen, B. L. See Jolly, R. K., 3=6281
- Cohen, B. L. See Jolly, R. K., 3=15220
- Cohen, B. L. See Lin, E. K., 4=6227
- Cohen, B. L. See Lorenzi, H., 2=7963
- Cohen, B. L. See Mead, J. B., 0=17596
- Cohen, B. L. See Mead, J. B., 2=3604
- Cohen, B. L. See Mukherjee, P., 2=18354
- Cohen, C. J. and Anderle, R. J. Verification of earth's "pear shape" gravitational harmonic, 0=18871
- Cohen, C. J. and Hubbard, E. C. An algorithm applicable to numerical integration of orbits in multirevolution steps, 0=18597

- Cohen, C.J. and Hubbard, E.C. A nonsingular set of orbit elements, 2=6974
- Cohen, C.J. See Lydanne, R.H., 2=11190
- Cohen, D. Feasibility of accelerating polarized protons with the Argonne Z.G.S., 2=7691
- Cohen, D. and Burger, A.J. Acceleration of polarised protons with strong-focusing linear accelerators, 0=9363
- Cohen, D., Moyer, B.J., Shaw, H.C. and Waddell, C.N. Bremsstrahlung from proton bombardment of nuclei, 3=14947
- Cohen, D.H. See Goodkind, J.M., 4=14479
- Cohen, E., El-Hanany, U. and Yatsiv, S. Self-reversal of resonance lines and enhancement of vibronics in gadolinium in crystals, 4=26241
- Cohen, E.G.D. On the connection between various derivations of the Boltzmann equation, 1=8062
- Cohen, E.G.D. Theory of transport phenomena in gases, 1=12924
- Cohen, E.G.D. Theory of transport phenomena in gases. II, 2=5059
- Cohen, E.G.D. On the generalization of the Boltzmann equation to general order in the density, 3=56
- Cohen, E.G.D. Cluster expansions and the hierarchy. I. Non-equilibrium distribution functions, 3=57
- Cohen, E.G.D. Cluster expansions and the hierarchy. II. Equilibrium distribution functions, 3=58
- Cohen, E.G.D. On the kinetic theory of dense gases, 3=11828
- Cohen, E.G.D. and Berlin, T.H. Note on the derivation of the Boltzmann equation from the Liouville equation, 1=6799
- Cohen, E.G.D. and Ernst, M.H.J.J. On the validity of the Kubo formulae for transport coefficients, 3=18850
- Cohen, E.G.D. and Rehmeyer, B.C. Cell-cluster theory of the liquid state. V. A two dimensional fluid of hard spheres, 0=8647
- Cohen, E.G.D. and van Leeuwen, J.M.J. On phase separation in an isotopic mixture of a hard sphere Bose and Fermi gas, 1=9347
- Cohen, E.G.D. and van Leeuwen, J.M.J. On supermobility in an isotopic mixture of a hard sphere Bose and Fermi gas at $T=0$, 2=2650
- Cohen, E.G.D. See Dahler, J.S., 1=5269
- Cohen, E.G.D. See Kruseman Aretz, F.E.J., 1=9150
- Cohen, E.G.D. See Kruseman Aretz, F.E.J., 1=9151
- Cohen, E.G.D. See Sengers, J.V., 1=8060
- Cohen, E.G.D. See van Leeuwen, J.M.J., 4=14502
- Cohen, E.R. The thermal neutron flux in a square lattice cell, 0=12949
- Cohen, E.R. The neutron velocity spectrum in a heavy moderator, 0=12974
- Cohen, E.R. Flux disadvantage factor in plane slab lattices, 0=13341
- Cohen, E.R. Mathematical analysis of the universal physical constants, 1=1675
- Cohen, E.R. Transport mean free path and diffusion length of neutrons calculated from Markov chain statistics, 2=11952
- Cohen, E.R. and Reiss, H. Kinetics of reactant isolation. I. One-dimensional problems, 3=8946
- Cohen, E.R. See Goldstein, R., 2=16202
- Cohen, H. The phase boundary model of superconducting transition, 4=18543
- Cohen, H. and Miranker, W.L. Boundary-layer behavior in the superconductor transition problem, 1=10637
- Cohen, H. See Maille, C., 4=26768
- Cohen, H.A. Measurements of flux of small extra-terrestrial particles, 2=11068
- Cohen, H.M. See Roy, R., 1=12658
- Cohen, I., Lustman, B. and Eichenberg, J.D. Measurement of the thermal conductivity of metal-clad uranium oxide rods during irradiation, 2=3860
- Cohen, I.M. Asymptotic theory of spherical electrostatic probes in a slightly ionized, collision-dominated gas, 4=527
- Cohen, J. Resistance-heated high vacuum furnace for temperatures to 1400°C , 0=8461
- Cohen, J. Polarization effects in electrical "conductivity" of artificial sapphire at high temperatures, 1=17639
- Cohen, J. Tunnel emission into vacuum, 2=13579
- Cohen, J. Tunnel emission into vacuum. II, 3=5692
- Cohen, J. and Cooper, P. A subjective value of a "bit" of information, 3=7060
- Cohen, J., Creer, K.M., Pauthenet, R. and Srivastava, K. Magnetic properties of fine-grained antiferromagnetic substances, 3=1094
- Cohen, J. and Ducloz, J. Measurements of the magnetic susceptibilities of rare earth gallates, 0=13735
- Cohen, J. and Eaton, W. High temperature high vacuum resistance furnace, 0=8724
- Cohen, J. and Gibson, W.A. Vector model for color sensations, 2=15438
- Cohen, J., Oncescu, M. and Rebigan, F. Absolute measurements with the cavity ionization chamber in the I.F.A. Laboratory for Radionuclide Metrology, 4=6264
- Cohen, J., Pauthenet, R. and Srivastava, K.G. Magnetic properties of fine particles of NiO , Cr_2O_3 and $\alpha\text{-Fe}_2\text{O}_3$, 3=3137
- Cohen, J., Pauthenet, R. and Srivastava, K.G. The magnetic properties of fine particle antiferromagnetics, 3=8697
- Cohen, J., Quezel, G. and Rimet, G. Investigation of the magnetic properties of gold-manganese compounds, 1=2470
- Cohen, J. and Sandor, A. Precision method for determination of pore structure by photographic photometry, 1=12660
- Cohen, J. See Weil, L., 3=15758
- Cohen, J.B. and Fine, M.E. Some aspects of short-range order, 3=8905
- Cohen, J.B. and Fine, M.E. A new method for the detection of short-range order, 4=4499
- Cohen, J.B., Hinton, R., Lay, K. and Sass, S. Partial dislocations on the $\{110\}$ planes in the b.c.c. lattice, 2=21023
- Cohen, J.B. and Wagner, C.N.J. Determination of twin fault probabilities from the diffraction patterns of f.c.c. metals and alloys, 2=15108
- Cohen, J.B. and Weertman, J. A dislocation model for twinning in f.c.c. metals, 3=25656
- Cohen, J.B. and Weertman, J. Reply to comments on "A dislocation model for twinning in f.c.c. metals", 4=7530
- Cohen, J.B. See Herman, H., 1=20600
- Cohen, J.B. See Herman, H., 3=8881
- Cohen, J.B. See Mikkola, D.E., 2=8232
- Cohen, J.B. See Schwartz, L.H., 4=26548
- Cohen, J.P. See Albouy, G., 3=4642
- Cohen, J.P. See Albouy, G., 3=19852
- Cohen, J.P. See Valentin, L., 4=6334
- Cohen, J.P. See Valentin, L., 4=30338
- Cohen, K. and Wolfe, B. Development of the fast ceramic reactor, 2=22864
- Cohen, L. Classification of alpha particle wave functions, 1=557
- Cohen, L. Matrix elements for the alpha-particle, 1=5794
- Cohen, L. The construction of wave functions for Li^6 , 2=13949
- Cohen, L. and Dickinson, R.W. The measurement of the resistivity of power station flue dust, 3=9683
- Cohen, L., Fraenkel, B.S. and Kalman, Z.H. Simultaneous diffraction in anthracene, 4=7652
- Cohen, L. and Tobin, R.A. Lifetime of the 3.56 MeV state of Li^6 , 0=4075
- Cohen, L. and Willis, J.B. Alpha-particle S-state binding energy, 0=5627
- Cohen, L. and Willis, J.B. Wave functions and matrix elements for triton, 2=12017
- Cohen, L. See Olkowsky, J., 1=13794
- Cohen, L. See Slater, C., 3=8981
- Cohen, M. Relation between inelastic neutron scattering and thermodynamic functions of liquid helium 0=8872
- Cohen, M. Single-centre expansions for the hydrogen molecular ion. II, 2=3751
- Cohen, M. First-order solutions of atomic Hartree-Fock equations, 4=3772
- Cohen, M. and Coulson, C.A. Appendix by Fox, L. Single-centre expansions for the hydrogen molecular ion, 1=3551
- Cohen, M. and Dalgarno, A. The Hartree energies of the helium sequence, 1=5966
- Cohen, M. and Dalgarno, A. Stationary properties of the Hartree-Fock approximation, 1=8806
- Cohen, M. and Dalgarno, A. An expansion method for calculating atomic properties, 1=13919
- Cohen, M. and Dalgarno, A. Correlation effects in atomic systems, 3=19920
- Cohen, M. and Dalgarno, A. An expansion method for calculating atomic properties. III. The ^2S and $^2\text{P}^{\circ}$ states of the lithium sequence, 3=25052
- Cohen, M. and Dalgarno, A. On the orthogonality problem for excited states, 4=22278
- Cohen, M., Dalgarno, A. and McNamee, J.M. An expansion method for calculating atomic properties. II, 2=22881
- Cohen, M. See Buffington, F.S., 1=17556
- Cohen, M. See Duhal, D., 3=8449
- Cohen, M. See Dwight, K., 0=2300
- Cohen, M. See Harlin, J.B., 0=21404
- Cohen, M. See Hilliard, J.E., 0=16344
- Cohen, M. See Hirano, K., 1=17559
- Cohen, M. See Hirano, K., 2=21057

- Cohen, M. See Hirano, K., 2=23202
 Cohen, M. See Hirano, K., 3=13006
 Cohen, M. See Hirano, K., 4=6874
 Cohen, M. See Hirano Ken-Ichi, 4=12801
 Cohen, M. See Houska, C.R., 0=18374
 Cohen, M. See Puhl, D., 4=20306
 Cohen, M. See Radcliffe, S.V., 3=5122
 Cohen, M. See Revah, I., 4=13962
 Cohen, M. See Richman, M.H., 0=18393
 Cohen, M. See Richman, M.H., 0=21208
 Cohen, M. See Rosenfield, A.R., 4=4529
 Cohen, M. See Sewell, P.B., 2=8879
 Cohen, M. See Sewell, P.B., 3=20928
 Cohen, M. See Sewell, P.B., 4=7671
 Cohen, M. See Sewell, P.B., 4=26711
 Cohen, M.D., Coppens, P. and Schmidt, G.M.J. The phase transformation $\beta \rightarrow \alpha$ p-nitrophenol 4=17779
 Cohen, M. G. and Bloembergen, N. Magnetic- and electric-field effects of the B₁ and B₂ absorption lines in ruby, 4=28703
 Cohen, M.H. Magnetoionic mode coupling at high frequencies, 0=12706
 Cohen, M.H. Energy bands in the bismuth structure. I. A nonellipsoidal model for electrons in Bi, 1=933
 Cohen, M.H. Microwave polarization and coronal magnetic fields, 1=8023
 Cohen, M.H. Radiation in a plasma. I. Čerenkov effect, 1=10704
 Cohen, M.H. Theoretical summary [Fermi surface conference], 1=17462
 Cohen, M.H. Radiation in a plasma. II. Equivalent sources, 2=11663
 Cohen, M.H. Radiation in a plasma. III. Metal boundaries, 2=11664
 Cohen, M.H. Scattering and conversion cross sections in inhomogeneous plasma, 3=499
 Cohen, M.H. Interatomic interactions in metals, 3=8329
 Cohen, M.H. Generalized self-consistent field theory and the dielectric formulation of the many-body problem, 3=14050
 Cohen, M.H. Coherent pairing of the second kind—a suggested explanation of the potassium anomaly, 4=26211
 Cohen, M.H. Hydrodynamic theory of plasma density fluctuations, 4=5656
 Cohen, M.H. Influence of impurities on the interactions responsible for superconductivity, 4=18565
 Cohen, M.H. Radio bursts from the sun, 4=20944
 Cohen, M.H. and Blount, E.I. The g-factor and De Haas-Van Alphen effect of electrons in bismuth, 0=16122
 Cohen, M.H. and Falicov, L.M. Effect of spin-orbit splitting on the Fermi surfaces of the hexagonal-close-packed metals, 1=2384
 Cohen, M.H. and Falicov, L.M. Magnetic breakdown in crystals, 2=675
 Cohen, M.H., Falicov, L.M. and Phillips, J.C. Superconductive tunneling, 2=15847
 Cohen, M.H., Falicov, L.M. and Phillips, J.C. Superconductive tunnelling, 4=18560
 Cohen, M.H. and Fokker, A.D. Some remarks in the polarization of 200 Mc/s solar radio emission, 1=18162
 Cohen, M.H. and Ham, F.S. Electron effective mass in solids — Cohen, M.H., Harrison, M.J. and Harrison, W.A. Magnetic-field dependence of the ultrasonic attenuation in metals, 0=6011
 Cohen, M.H. and Heine, V. Cancellation of kinetic and Cohen, M.H., Känzig, W. and Woodruff, T.O. The hyperfine structures of the V₄-center, 0=4298
 Cohen, M.H. and Phillips, J.C. Dielectric screening and self-consistent crystal fields, 2=2041
 Cohen, M.H. and Phillips, J.C. Evidence for a new collective resonance in a "free electron" metal, 4=26210
 Cohen, M.H. and Turnbull, D. Molecular transport in liquids and glasses, 0=2141
 Cohen, M.H. and Turnbull, D. Composition requirements for glass formation in metallic and ionic systems, 1=6550
 Cohen, M.H. See Akabane, K., 1=2658
 Cohen, M.H. See Allnatt, A.R., 4=17418
 Cohen, M.H. See Allnatt, A.R., 4=17419
 Cohen, M.H. See Ehrenreich, H., 0=516
 Cohen, M.H. See Känzig, W., 0=3127
 Cohen, M.H. See Phillips, J.C., 2=3806
 Cohen, M.H. See Turnbull, D., 1=4073
 Cohen, M.L. See Hoppmann, W.H., II, 4=8294
 Cohen, M.L. Electron-phonon self-energies in many valley semiconductors, 2=23298
 Cohen, M.L. Superconductivity in many-valley semiconductors and in semimetals, 4=14513
 Cohen, M.L. The existence of a superconducting state in semiconductors, 4=18568
 Cohen, M.L. See Schooley, J.F., 4=18602
 Cohen, M.S. Anisotropy in permalloy films evaporated at grazing incidence, 1=7756
 Cohen, M.S. Magnetic properties of Ni-Fe-Cr films, 4=13204
 Cohen, M.S. Spiral and concentric-circle walls observed by Lorentz microscopy, 3=15846
 Cohen, M.S. Influence of anisotropy dispersion on magnetic properties of Ni-Fe films, 3=18083
 Cohen, M.S. A Lorentz attachment for the R.C.A. E.M.U.-3 microscope, 3=18415
 Cohen, M.S., Huber, E.E., Jr, Weiss, G.P. and Smith, D.O. Investigations into the origin of anisotropy in oblique-incidence films, 0=11867
 Cohen, M.S. See Smith, D.O., 0=11869
 Cohen, M.S. See Smith, D.O., 0=18183
 Cohen, M.V. See Falicov, L.M., 3=10626
 Cohen, R. and Bowles, K.L. On the nature of equatorial spread F, 1=21006
 Cohen, R. and Bowles, K.L. The association of plane-wave electron-density irregularities with the equatorial electrojet, 4=2240
 Cohen, R. and Bowles, K.L. Ionospheric v.h.f. scattering near the magnetic equator during the International Geophysical Year, 4=2256
 Cohen, R., Bowles, K.L. and Calvert, W. On the nature of equatorial slant sporadic E, 2=13034
 Cohen, R., Hauser, U. and Mössbauer, R. L. Recoilless resonant absorption in nuclear transitions of the rare earths, 4=12580
 Cohen, R. See Bowles, K.L., 0=18490
 Cohen, R. See Bowles, K.L., 4=2295
 Cohen, R. See Calvert, W., 2=11064
 Cohen, R. See Casaverde, M., 3=25960
 Cohen, R. See Pitteway, M.L.V., 2=11065
 Cohen, R. C., Devons, S. and Kanaris, A. D. μ capture on oxygen, 4=923
 Cohen, R. C., Devons, S. and Kanaris, A. D. Muon capture in oxygen, 4=28053
 Cohen, R. C., Devons, S., Kanaris, A. D. and Nissim-Sabat, C. The isotope shift in the K α μ -mesic X-rays of Ca⁴⁰ and Ca⁴⁴, 4=25600
 Cohen, R.L. Mössbauer effect in Tm¹⁸⁹ in thulium iron garnet, 3=20061
 Cohen, R. L. Mössbauer effect studies of nuclear hyperfine structure in Tm¹⁸⁹ in Fe₂Tm, 4=12600
 Cohen, R.L., McMullin, P.G. and Wertheim, G.K. High velocity drive for Mössbauer experiments, 3=19514
 Cohen, R. L. and Wernick, J. H. Nuclear hyperfine structure in Er¹⁶⁶, 4=17333
 Cohen, R.W. and Abeles, B. Efficiency calculations of thermoelectric generators with temperature varying parameters, 3=14510
 Cohen, R. W. See Abeles, B., 4=8607
 Cohen, R.W. See Ancker-Johnson, B., 2=2166
 Cohen, R. W. See Cody, G. D., 4=21423
 Cohen, S. Relativistic self-consistent solutions for atoms of large atomic number, 0=9741
 Cohen, S. Measurement of the density of liquid rubidium, 0=12398
 Cohen, S. and Crewe, A.V. Regenerative action in high energy accelerators, 0=19838
 Cohen, S., Hiskes, J.R. and Riddell, R.J., Jr. Vibrational states of the hydrogen molecular ion, 0=13434
 Cohen, S., Judd, D.L. and Riddell, R.J., Jr. μ -mesonic molecules. I. Three-body problem, 0=13458
 Cohen, S., Judd, D.L. and Riddell, R.J., Jr. μ -mesonic molecules. II. Molecular-ion formation and nuclear catalysis, 0=13459
 Cohen, S., Lawson, R. D., Macfarlane, M. H. and Soga, M. Effective shell-model interaction for the isotopes of oxygen, 4=19678
 Cohen, S., Lawson, R. D., MacFarlane, M. H. and Soga, M. On the accuracy of linearisation approximations for single-closed-shell nuclei, 4=21985
 Cohen, S., Lawson, R. D., Macfarlane, M. H. and Soga, M. The effective interaction and identical-nucleon seniority for nuclei near Zr⁹⁰, 4=25311
 Cohen, S., Plasil, F. and Swiatecki, W. J. Equilibrium shapes of a rotating charged drop and consequences for heavy ion induced nuclear reactions, 4=22211
 Cohen, S. and Priquelier, M. Effects of prolonged thermal treatments on the thermoluminescence and coloration of vitreous silica doped with aluminium and irradiated by X-rays, 4=4306

- Cohen, S. and Priquelier, M. Optical and thermal bleaching of the colour centres produced by X-ray irradiation in doped silica, 4=15499
- Cohen, S. and Swiatecki, W.J. The deformation energy of a charged drop. IV. Evidence for a discontinuity in the conventional family of saddle point shapes, 2=20683
- Cohen, S. and Swiatecki, W.J. The deformation energy of a charged drop. V. Results of electronic computer studies, 3=19899
- Cohen, S. See Canina, V.C., 0=1769
- Cohen, S.G. The elastic and inelastic scattering of 6 and 7 MeV γ -rays from lead, 0=5776
- Cohen, S.G., Fisher, P.S. and Warburton, E.K. Capture gamma rays from O^{15} and O^{16} in the region of the giant resonance, 0=1434
- Cohen, S.G., Fisher, P.S. and Warburton, E.K. Inverse photo-nuclear reactions $N^{14}(p,\gamma)O^{15}$ and $N^{14}(p,\gamma)O^{16}$ in the region of the giant resonance, 1=2213
- Cohen, S.G. and Gilat, G. Hyperfine interactions of the 2^+ state in Dy^{160} , 3=1155
- Cohen, S.G., Kaplan, N., Ofer, S. and Zmora, H. A study of conduction electron polarisation in ferromagnetic gadolinium using perturbation of γ - γ correlations, 4=4009
- Cohen, S.G., Nowik, I. and Ofer, S. Recent developments in rare-earth Mössbauer studies. II, 4=20172
- Cohen, S.G. and Weinreb, A. The dependence of solvent-solute energy transfer in liquid organic solutions on excitation wavelength, 0=14662
- Cohen, S.G. and Wiener, R. Search for pseudoscalar interaction in beta-decay, 0=5695
- Cohen, S.G. See Bauminger, R., 1=7769
- Cohen, S.G. See Bauminger, R., 1=9037
- Cohen, S.G. See Bauminger, R., 1=11454
- Cohen, S.G. See Bauminger, R., 2=1777
- Cohen, S.G. See Bauminger, R., 3=994
- Cohen, S.G. See Bauminger, R., 4=12581
- Cohen, S.G. See Chelfetz, E., 2=18341
- Cohen, S.G. See Ofer, S., 0=17920
- Cohen, S.I. See Powers, W.D., 4=6443
- Cohen, V.W., Moran, T. and Penselin, S. Hyperfine structure of Cs^{134m} , 2=16477
- Cohen, V.W. See Penselin, S., 2=16478
- Cohen-Addad, C., Ducros, P., Durif, A., Bertaut, E. F. and Delapalme, A. Determination of hydrogen atom positrons in hydrated garnet $Al_2O_3 \cdot 3CaO \cdot 6H_2O$ by nuclear magnetic resonance and neutron diffraction, 4=29093
- Cohen-Addad, Ducros, P., Durif-Varambon, A., Bertaut, E. F. and Delapalme, A. Study of the position of the hydrogen atoms in the hydrogarnet $Al_2O_3 \cdot 3CaO \cdot 6H_2O$, 4=4594
- Cohen-Ganouna, J., Lambert, M. and Schmouker, J. Elastic scattering of protons of energies between 1 and 2 MeV by N^{14} , P^{31} and A^{40} , 2=442
- Cohen-Ganouna, J., Lambert, M. and Schmouker, J. Spin and parity of some levels of S^{32} by analysis of $P^{31}(p,p)P^{31}$ scattering, 3=7988
- Cohen-Ganouna, J., Lambert, M. and Schmouker, J. $A^{40}(p,pA^{40})$ and $A^{40}(p,\gamma)K^{41}$ reactions, determination and study of some excited levels of K^{41} , 3=7991
- Cohen-Ganouna, J., Lambert, M. and Schmouker, J. Spin and parity of 8.926 and 8.988 MeV excited levels of O^{18} , 3=12582
- Cohen-Ganouna, J. See Ghesquiere, C., 4=19575
- Cohen-solal, G., Bailly, F., Vérie, C. and Marfaing, Y. Photo-electric and photomagnetic effects in structures with variable width of forbidden band, 4=4225
- Cohen-Solal, G. See Bailly, F., 4=1508
- Cohen-Solal, G. See Boisot, M.H., 0=1925
- Cohen-Solal, G. W., Bassompierre, A. and Bouhet, C. Electronic polarisability of the OH^- ion. Application to the Raman effect, 4=25651
- Cohen-Solal, L. The infrared photographic reversal [Herschel] effect in the presence of an electric field, 3=3901
- Cohen-Tannoudji, C. Observation of a displacement of a magnetic resonance line caused by optical excitation, 1=7443
- Cohen-Tannoudji, C. Partial conservation of coherence during a cycle of optical pumping, 2=6100
- Cohen-Tannoudji, C. Observation of a displacement of a magnetic resonance line caused by real transitions of optical resonance, 2=20739
- Cohen-Tannoudji, C. Quantum theory of the optical pumping cycle, experimental verification of new predicted effects. I. 3=10464
- Cohen-Tannoudji, C. Quantum theory of the optical pumping cycle. Experimental verification of new predicted effects. II. 3=10465
- Cohen-Tannoudji, C. Quadrupole relaxation of Hg^{201} on quartz walls, 4=6493
- Cohen-Tannoudji, C. and Brossel, J. Nuclear relaxation of Hg^{199} on walls of molten silica. Effect of ultraviolet irradiation, 4=24272
- Cohen-Tannoudji, G. and Messiah, A. M. L. A measure of the polarization of high-energy \bar{p} beam from angular correlation in reaction $\bar{p}p \rightarrow \bar{Y}Y$, 4=25101
- Cohen-Tannoudji, C. See Barrat, J.P., 1=7441
- Cohen-Tannoudji, C. See Barrat, J.P., 1=7442
- Cohen-Tannoudji, C. See Barrat, J.P., 1=13963
- Cohen-Tannoudji, C. See Barrat, J.P., 1=13964
- Cohen-Tannoudji, C. See Lehmann, J. C., 4=28140
- Cohen-Tannoudji, C. See Manuel, J., 3=23943
- Cohn, C. See Duclaux, J., 2=21599
- Cohn, C. See Duclaux, J., 4=25789
- Cohn, C.E. Simplified logarithmic radiation meter using noise, 0=2267
- Cohn, C.E. Errors in reactivity measurements due to photo-neutron effects, 0=15632
- Cohn, C.E. A simplified theory of pile noise, 1=17193
- Cohn, C.E. Reflected-reactor kinetics, 2=14163
- Cohn, C.E. Errors in noise measurements due to the finite amplitude range of the measuring instrument, 4=18634
- Cohn, C.E. Linear detectors for noise measurements, 4=18635
- Cohn, C.E. Applicability of simple reactor kinetics to the interpretation of reactor noise experiments, 4=19875
- Cohn, G.I. See Hodara, H., 2=22332
- Cohn, G.I. See Knop, C. M., 4=24825
- Cohn, G.I. See Tamir, T., 4=8710
- Cohn, G.I. See Zucker, H., 2=17960
- Cohn, H. See Block, M.M., 3=12508
- Cohn, H.O., Bair, J.K. and Willard, H.B. Carbon-13 neutron total cross section, 1=7387
- Cohn, H.O. See Bair, J.K., 0=17499
- Cohn, H.O. See Block, M.M., 0=1372
- Cohn, H.O. See Block, M.M., 0=17416
- Cohn, H.O. See Block, M.M., 1=13500
- Cohn, H.O. See Gelfand, N., 4=25154
- Cohn, H.O. See Leitner, J., 1=16901
- Cohn, J. Theory of electrolytes, 3=8966
- Cohn, M., Wentworth, F. L. and Wiltse, J. C. High-sensitivity 100- to 300-Gc radiometers, 4=745
- Cohn, M. See Wentworth, F. L., 4=26100
- Cohn, M.L. See Brust, D., 3=4960
- Cohn, Z. See Rosenberg, M., 2=10519
- Coiley, J.E. See Simms, D.L., 3=11991
- Coiley, J.H. See Smallmann, R.E., 0=20791
- Coin, A. See Michaudon, A., 1=13868
- Coin, A. See Ribon, P., 1=16385
- Coing-Boyat, J. Unit cell and space group of anhydrous ferrous sulphate, $FeSO_4$, 0=3233
- Coing-Boyat, J. and Bassi, G. Structure of monohydrated sulphates of divalent metals in the "magnesian series", $MSO_4 \cdot H_2O$ ($M = Mg, Mn, Fe, Co, Ni, Cu, Zn$), 3=18327
- Coing-Boyat, J. See Bertaut, E. F., 4=1852
- Cojan, J.L. and Giacomo, P. Hyperfine structure of the mercury time 6123 A ($5d^6 6s^2 6p^1 D_2 \rightarrow 6s 7s^3 S_1$), 0=5880
- Cojan, J.L. and Thibaud, M. Lifetime of the excited state 6^3P_1 of mercury vapour for isotopes with even and odd mass numbers, 0=5856
- Cojan, J. L. See Chantrel, H., 4=24376
- Cojan, J.L. See Sebiere, N., 2=7379
- Cojocaru, V. See Cristu, M., 2=10024
- Cojocaru, L. See Nachman, M., 3=2909
- Cojocaru, L. See Nachman, M., 4=10049
- Cojocaru, V. Gamma rays emitted in the course of thermal neutron capture by indium, 4=6361
- Cojocaru, V. and Cristu, M. Soft gamma-ray spectrum from VVR-S reactor, 4=1150
- Cojocaru, V., Cristu, M., Dorcioman, D. and Dragomirescu, D. Low-energy γ -rays from thermal neutron
- Cojocaru, V. See Kozhokaru, V.
- Coker, E. H., Decius, J. C. and Scott, A. B. Stretching vibration of sulphate ion in potassium chloride: formation of $M^{++}SO_4^{--}$ pairs, 1=12497
- Cola, M., Giuseppetti, G. and Mazzi, F. Crystal structure of copper triethylenediamine, 2=21526
- Colambani, A., Lavney, J. and Lecordier, J. C. The films of indium antimonide used as magnetic microprobes, 1=16480

- Colani, K. See Winstel, G., 2=23438
- Colard, J. and Gal, J. Calibration of solid state p-n detectors with alpha and heavy high-energy particles, 2=20201
- Colard, J., Gepts, P., Grenacs, L., Jones, A. and Lipnik, P. Excited levels of Sn^{116} , 1=13682
- Colard, J. See Del Marmol, P., 2=18306
- Colbert, H.M. and Zankel, K.L. Light diffraction by ultrasonic waves—Fresnel region, 3=9616
- Colbert, H.M. and Zankel, K.L. Light diffraction by ultrasonic-wave visualization, 3=14366
- Colbert, H.M. See Zaukel, K.L., 4=14303
- Colbow, K. Infrared absorption lines in boron-doped silicon, 4=4275
- Colbow, K. and Barrie, R. Half-width of infrared absorption lines in boron-doped silicon, 3=23080
- Colbow, K., Bichard, J.W. and Giles, J.C. Temperature dependence of absorption line width in boron-doped silicon, 2=23556
- Colburn, C.B. and Johnson, F.A. Strength of the N—N bond in tetrafluoro-hydrazine, 1=6054
- Colburn, C.B. See Ettinger, R., 1=12326
- Colburn, C.B. See Kennedy, A., 1=19656
- Colburn, C.B. See Noggle, J.H., 2=16559
- Colburn, C.B. See Piette, L.H., 1=17343
- Colburn, D.S. and Kino, G.S. First-order space-charge correction, 3=21872
- Colburn, P.J. and Hannaford, J. The design and testing of a low frequency spectrum analyser, 3=24161
- Colby, L.J., Jr and Cobble, J.W. Charge distribution in the fission of uranium isotopes induced by 20-40 MeV helium ions, 1=3473
- Colby, L.J., Jr, Shoaf, M.L. and Cobble, J.W. Helium-ion-induced fission cross sections of U^{235} and U^{238} and the nuclear radii of heavy elements, 1=3474
- Coldwell-Horsfall, R.A. Relation between elastic constants and second- and third-order force constants for face-centered and body-centered cubic lattices, 3=4804
- Coldwell-Horsfall, R.A. and Maradudin, A.A. Zero-point energy of an electron lattice, 0=17904
- Coldwell-Horsfall, R.A. and Maradudin, A.A. Erratum: Zero-point energy of an electron lattice, 3=12941
- Coldwell-Horsfall, R.A. and ter Haar, D. Influence of collective effects on the magnetoresistance of metals, 0=568
- Coldwell-Horsfall, R.A. See Carr, W.J., Jr, 1=17481
- Coldwell-Horsfall, R.A. See Maradudin, A.A., 2=568
- Coldwell-Horsfall, R.A. See Maradudin, A.A., 2=569
- Cole, A. Automatic constant signal plotter, 0=9242
- Cole, A.E. Suggestion of a second isopycnic level at 80 to 90 kilometers over Churchill, Canada, 1=20883
- Cole, A.J. See Chaplin, G.B.B., 1=1879
- Cole, A.J. See Griffiths, R.J., 2=20189
- Cole, A.R.H. See Nakajima, H., 2=23003
- Cole, A.R.H. Some aspects of infrared spectroscopy and molecular structure, 3=15316
- Cole, B.G. See Dove, D.B., 3=574
- Cole, C.D. Multipole lines in the spectra of Bi II and Pb II, 4=19950
- Cole, C.F., Jr. The dielectric constant of a semiconductor as related to the intrinsic activation energy, 3=847
- Cole, F.T., Parzen, G., Rowe, E.M., Snowdon, S.C., MacKenzie, K.R. and Wright, B.T. Design of a 720 MeV proton F.F.A.G. accelerator, 4=14793
- Cole, G.D. and Walker, W.W. Positronium decay in cholesteryl acetate, 4=2652
- Cole, G.H.A. Structure of nonuniform liquids, 0=74
- Cole, G.H.A. Pair distribution of simple non-spherical liquids, 0=6773
- Cole, G.H.A. Classical theory of the equilibrium liquid pair distribution, 0=8650
- Cole, G.H.A. Liquid partition function and the free energy, 0=10649
- Cole, G.H.A. The liquid friction constant, 0=10652
- Cole, G.H.A. Fluid superposition approximation and the fourth virial coefficient, 1=10503
- Cole, G.H.A. Consistency and the fifth virial coefficient for a hard sphere gas, 2=7145
- Cole, G.H.A. Scattering of small wavelength neutrons by a gas of hard spheres, 2=9852
- Cole, G.H.A. Hydromagnetic scaling laws for fluid temperature distribution, 2=13669
- Cole, G.H.A. Hydromagnetic heat transfer, 2=15781
- Cole, G.H.A. Fluid dynamics, 2=21867
- Cole, G.H.A. Fourth virial coefficient for a square-mound-potential gas, 3=1721
- Cole, G.H.A. Scattering of small-wavelength neutrons by a square-mound-potential gas, 3=7864
- Cole, H. and Brock, G.E. Self-adjustment of internal radiation field to compensate for linearly varying d spacing in X-ray diffraction, 0=1904
- Cole, H., Chambers, F.W. and Dunn, H.M. Simultaneous diffraction: indexing Umweganregung peaks in simple cases, 2=10818
- Cole, H., Chambers, F.W. and Wood, C.G. X-ray polarizer, 1=16473
- Cole, H., Chambers, F.W. and Wood, C.G. Some geometrical considerations for X-ray collimation in single-crystal diffraction work, 2=10823
- Cole, H., Okaya, Y. and Chambers, F.W. Computer-controlled diffractometer, 3=23425
- Cole, H. and Okrasinski, M. Gimbale goniometer, 2=21499
- Cole, H. and Stemple, N.R. Effect of crystal perfection and polarity on absorption edges seen in Bragg diffraction, 2=14987
- Cole, H.C. See Burton, W.M., 4=8787
- Cole, J.D. Analytic methods and approximation of m.h.d. problems, 3=21954
- Cole, J.D. and Huth, J.H. Some interior problems of hydro-magnetics, 0=1198
- Cole, J.D. and Messiter, A.F. Expansion procedures and similarity laws for transonic flow, 1=6885
- Cole, J.D. See Greifinger, C., 1=7139
- Cole, J.D. See Greifinger, C., 3=7542
- Cole, J.F.I. See McKenzie, A.S.V., 1=16278
- Cole, J.N., Powell, R.G., Oestreicher, H.L. and von Gerke, H.E. Acoustic siren for generating wide band noise, 3=9569
- Cole, K.D. Solar terrestrial relationships, 0=14395
- Cole, K.D. A dynamo theory of the aurora and magnetic disturbance, 1=1588
- Cole, K.D. Hydromagnetics and stellar structure, 1=5156
- Cole, K.D. Electro-hydromagnetic waves in a fully ionized gas. I, 1=7087
- Cole, K.D. On solar wind generation of polar geomagnetic disturbance, 2=2517
- Cole, K.D. Electro-hydromagnetic waves in a fully ionized gas. II, 2=3145
- Cole, K.D. Airglow and the South Atlantic geomagnetic anomaly, 2=11069
- Cole, K.D. Variation of upper atmosphere densities with solar activity, 2=13016
- Cole, K.D. Interaction of trapped radiation and the DS current system, 2=13023
- Cole, K.D. Hydromagnetic radiation of the sun and its effect at the earth, 2=13077
- Cole, K.D. Orbital acceleration of satellites during geomagnetic disturbance, 2=13191
- Cole, K.D. A source of energy for the ionosphere, 2=15224
- Cole, K.D. Joule heating of the upper atmosphere, 2=19209
- Cole, K.D. Atmospheric blow-up at the auroral zone, 2=21668
- Cole, K.D. Magnetic bays at Macquarie Island, 2=24060
- Cole, K.D. A note on partial criticisms of dynamo theory of magnetic disturbance, 3=3490
- Cole, K.D. On Chamberlain's theory of auroral bombardment, 3=6993
- Cole, K.D. The directions of auroral rays, 3=11448
- Cole, K.D. Damping of magnetospheric motions by the ionosphere, 3=25959
- Cole, K.D. Sifting of ions in the ionosphere, 4=2285
- Cole, K.D. Some general theory of electron density irregularities in the ionospheric E-region, 4=2292
- Cole, K.D. Eccentric dipole coordinates, 4=2314
- Cole, K.D. Joule heating of the ionosphere over Halley Bay, 4=4805
- Cole, K.D. Distribution of trapped particles in a magnetic field, 4=5758
- Cole, K.D. The directions of auroral rays. II. Method of determination, 4=10746
- Cole, K.D. Polar geomagnetic disturbance, 4=10771
- Cole, K.D. Distinguishing between the solar, the interplanetary and geomagnetic fields, 4=13854
- Cole, K.D. and Bond, F.R. Criticism of the theory of magnetic bays of Bless, Gartlein, Kimball and Sprague, 1=21093
- Cole, K.D. and Jacka, F. Magnetic bays, auroral orientation, and isochasms, 2=2511
- Cole, K.D. and Simonow, G.V. A ready method for finding eccentric dipole time, 4=13855
- Cole, M., Bucklow, I.A. and Grigson, C.W.B. Technique for the rapid, accurate and strain-free machining of metallic single crystals, 1=9240

- Cole, M., Fisher, C. and Bucklow, I. A. Improved electron gun for zone-melting bombardment, 1=16411
- Cole, M. See Carterette, E. C., 2=7060
- Cole, P. H. and Vaughan, R. A general purpose precision magnet supply, 3=19136
- Cole, R. H. Theories of dielectric polarization and relaxation, 1=7014
- Cole, R. H. Theory of electric dipole relaxation, 3=22539
- Cole, R. H. Dielectric constant and interactions of polar molecules, 4=2933
- Cole, R. H. See Amey, R. L., 4=11209
- Cole, R. H. See Johnston, D. R., 2=2780
- Cole, R. H. See Johnston, D. R., 0=19204
- Cole, R. H. See Koyl, R. Kh., 0=19139
- Cole, R. K. See Bodansky, D., 1=8773
- Cole, R. K. See Bodansky, D., 2=12223
- Cole, R. W. and Honeycutt, C. R. Flux instrument for rapid comparison of crystal anisotropies, 0=2416
- Cole, T. Paramagnetic defects in irradiated NH_4ClO_4 , 1=17594
- Cole, T. and Heller, C. Hyperfine splittings in the $(\text{HOOC})\text{C}^{13}\text{H}(\text{COOH})$ radical, 1=9059
- Cole, T., Heller, C. and Lambe, J. Electron nuclear double resonance in irradiated organic crystals, 1=10184
- Cole, T., Kushida, T. and Heller, H. C. Zero-field electron magnetic resonance in some inorganic and organic radicals, 3=17609
- Cole, T., Pritchard, H. O., Davidson, N. R. and McConnell, H. M. Structure of the methyl radical, 0=503
- Cole, T. See Ager, R., 4=19211
- Cole, T. See Coles, B. R., 2=3998
- Cole, T. See Heller, C., 2=18491
- Cole, T. See McConnell, H. M., 0=13571
- Cole, T. See McIrvine, E. C., 2=13697
- Cole, T. A. and Temmer, G. M. A new method for the containment of $(\alpha + \text{Be})$ neutron sources, 4=15074
- Cole, T. T. and Oppenheimer, F. Polarization by reflection and some optical constants in the extreme ultraviolet, 3=14375
- Cole, W. F. Moisture expansion of a ceramic body and its internal surface area, 3=6878
- Colebourne, N. and Wolfgang, R. Some gas phase reactions of hot and thermal atomic fluorine, 3=21005
- Coleburn, N. L. Compressibility of pyrolytic graphite, 4=13411
- Coleby, B., Bailey, A. J. and Rhodes, D. N. The use of 90 kV X-ray generators as a radiation source, 4=5732
- Colegrove, F. D. and Franken, P. A. Optical pumping of helium in the $^3\text{S}_1$ metastable state, 0=13415
- Colegrove, F. D., Franken, P. A., Lewis, R. R. and Sands, R. H. Novel method of spectroscopy with applications to precision fine structure measurements, 0=2723
- Colegrove, F. D., Schearer, L. D. and Walters, G. K. Polarization of He^3 gas by optical pumping, 4=6497
- Colegrove, F. D., Schearer, L. D. and Walters, G. K. Temperature dependence of helium metastability exchange cross-section, 4=25589
- Colegrove, F. D. See Phillips, G. C., 3=15050
- Colegrove, F. D. See Shearer, L. D., 3=12523
- Colegrove, F. D. See Schearer, L. D., 4=7931
- Colegrove, F. D. See Schearer, L. D., 4=29334
- Colegrove, F. D. See Walters, G. K., 2=22896
- Coleman, A. J. The onset of superconductivity, 4=11465
- Coleman, A. J. Structure of Fermion density matrices, 4=11116
- Coleman, B. D. and Fox, T. G. Multistate mechanism for homogeneous ionic polymerization. I. the diastereosequence distribution, 3=11343
- Coleman, B. D., Gornick, F. and Weiss, G. Statistics of irreversible termination in homogeneous anionic polymerization, 4=7751
- Coleman, B. D. and Markovitz, H. Normal stress effects in second-order fluids, 4=5136
- Coleman, B. D. and Mizel, V. J. Existence of caloric equations of state in thermodynamics, 4=14470
- Coleman, B. D. and Noll, W. Foundations of linear viscoelasticity, 1=11737
- Coleman, B. D. and Noll, W. Steady extension of incompressible simple fluids, 2=15547
- Coleman, B. D. and Truesdell, C. On the reciprocal relations of Onsager, 0=14906
- Coleman, B. D. See Bragg, L. E., 3=11736
- Coleman, B. D. See Bragg, L. E., 3=21273
- Coleman, B. D. See Markovitz, H., 4=18158
- Coleman, B. L. The special theory of electromagnetism, 1=5190
- Coleman, C. F. A network analogue for a quadrupole lens system, 2=5261
- Coleman, C. F. See Cavanagh, P. E., 4=9514
- Coleman, J. and McDowell, M. R. C. Asymptotic form of the impulse approximation electron capture cross section: exact resonance, 4=18691
- Coleman, J. and McDowell, M. R. C. Asymptotic form of the impulse approximation electron capture cross section: exact resonance. II., 4=27487
- Coleman, J. See Oden, L., 4=18088
- Coleman, J. A., Fairhall, A. W. and Halpern, I. Long-range particle emission in coincidence with fission at moderate excitation energies, 4=9589
- Coleman, J. J. Methods of estimating fatigue-curve parameters with a limited number of specimens, 3=20733
- Coleman, J. W. A freezing technique in the microscope giving self-supporting specimens, 3=20968
- Coleman, K. R. Ultra-high-speed photography, 3=21579
- Coleman, K. R. See Brown, B. S., 3=16741
- Coleman, L. W. and Schecter, L. Gamma-gamma directional correlation in Ba^{134} , 4=9408
- Coleman, L. W. See Glasgow, D. W., 1=10811
- Coleman, P. D. Failure to localize the source distance of an unfamiliar sound, 2=9135
- Coleman, P. D. Spanning the microwave infrared gap, 2=16011
- Coleman, P. D. State of the art: background and recent developments—millimeter and submillimeter waves, 4=19186
- Coleman, P. D. and Enderby, C. Megavolt electronics Cerenkov coupler for the production of millimeter and submillimeter waves, 0=17098
- Coleman, P. D. See Baird, J. R., 4=19198
- Coleman, P. D. See Eden, R. C., 4=16198
- Coleman, P. D. See Hakki, B. W., 2=3171
- Coleman, P. D. See Rosenbaum, F. J., 4=19188
- Coleman, P. D. See Steier, W. H., 0=9188
- Coleman, P. D. See Svelto, O., 4=4230
- Coleman, P. J., Jr. The effects of betatron accelerations upon the intensity and energy spectrum of magnetically trapped particles, 1=16504
- Coleman, P. J., Jr., Davis, L., Jr., Smith, E. J. and Sonett, C. P. Interplanetary magnetic fields, 3=7020
- Coleman, P. J., Jr., Davis, L. and Sonett, C. P. Steady component of the interplanetary magnetic field: Pioneer V, 1=9252
- Coleman, P. J., Jr. and Sonett, C. P. Note on hydromagnetic propagation and geomagnetic field stability, 2=4694
- Coleman, P. J., Jr., Sonett, C. P. and Davis, L. Jr. On the interplanetary magnetic storm: Pioneer V, 1=18019
- Coleman, P. J., Jr., Sonett, C. P., Judge, D. L. and Smith, E. J. Some preliminary results of the Pioneer V magnetometer experiment, 0=21317
- Coleman, P. J., Jr. See Judge, D. L., 3=9127
- Coleman, P. J., Jr. See Rosen, A., 0=9490
- Coleman, P. J., Jr. See Rosen, A., 1=7295
- Coleman, P. J., Jr. See Smith, E. J., 0=21318
- Coleman, P. J., Jr. See Smith, E. J., 3=18619
- Coleman, P. J., Jr. See Sonett, C. P., 0=10394
- Coleman, P. J., Jr. See Sonett, C. P., 2=13099
- Coleman, R. F., Herbert, D. N. and Perkin, J. L. Upper limits for the radiative capture cross sections of ^{27}Al and ^{31}P for ^{16}O ions, 1=5943
- Coleman, R. F. and Perkin, J. L. The transfer and exchange transfer of nucleons between ^{16}O and ^{27}Al , 2=3628
- Coleman, R. F. See Barry, J. F., 0=1446
- Coleman, R. F. See Perkin, J. L., 2=3610
- Coleman, R. F. See Perkin, J. L., 2=10148
- Coleman, R. V., Funes, A. J., Plaskett, J. S. and Tapp, C. M. Calculation and comparison to experiment of magneto-resistance in the noble metals, 4=10033
- Coleman, R. V. See Funes, A. J., 3=25329
- Coleman, R. V. See Laukonis, J. V., 1=4030
- Coleman, R. V. See Tichelaar, G. W., 1=2396
- Coleman, S. On partially conserved currents, 4=5954
- Coleman, S. and Glashow, S. L. Electrodynamical properties of baryons in the unitary symmetry scheme, 1=8440
- Coleman, S. and Glashow, S. L. Chiral symmetries, 2=5570
- Coleman, S. and Glashow, S. L. Departures from the eightfold way: theory of strong interaction symmetry breakdown, 4=16801
- Coleman, S., Glashow, S. L. and Kleitman, D. J. Mass formulas and mass inequalities for reducible unitary multiplets, 4=24981

- Coleman, S. and Norton, R.E. Runaway modes in model field theories, 2=4918
- Coleman, S. and Schnitzer, H.J. Mixing of elementary particles, 4=19391
- Coleman, S. See Socolow, R., 4=27901
- Coleman, W. See Callen, E.R., 3=15901
- Coleman, W. See Clark, A.E., 3=15888
- Coleman, W.E. and Pavlovic, A.S. Volume magnetostriction in gadolinium single crystals, 4=26302
- Coleman, W.M. See Carman, E.H., 4=4787
- Coles, B.A., Orton, J.W. and Owen, J. Antiferromagnetic exchange interactions between Mn^{2+} ions in MgO , 0=6274
- Coles, B.A. See Brown, M.R., 2=4218
- Coles, B.A. See Owen, J., 3=3176
- Coles, B.R. Electrical resistance and electronic structure of Cu_3Au , 1=11255
- Coles, B.R. Effects of electron concentration and mean free path on the superconducting behaviour of alloys, 2=8864
- Coles, B.R. Densities of states, superconductivity, and localized moments in transition metals, 4=399
- Coles, B.R. Low-temperature resistivity behaviour of molybdenum-iron, niobium-iron and palladium-iron alloys, 3=13035
- Coles, B.R. Electronic structure and superconductivity of transition metals and their alloys, 4=20229
- Coles, B.R. A new type of low-temperature resistance anomaly in alloys, 4=15525
- Coles, B.R., Cole, T., Lambe, J. and Laurance, N. Electrical resistivity and paramagnetic resonance in gadolinium hexaboride, 2=3998
- Coles, B.R. and Griffiths, D. Ferromagnetic and antiferromagnetic behaviour in the second transition group, 1=1203
- Coles, B.R. and Griffiths, D. Antiferromagnetic behaviour of $GdBr_3$, 1=6383
- Coles, B.R. and Taylor, J.C. The electrical resistivities of the palladium-silver alloys, 2=8277
- Coles, B.R. See Arrott, A., 1=6379
- Coles, B.R. See Bellau, R.V., 3=20554
- Coles, B.R. See Griffiths, D., 3=20555
- Coles, B.R. See Merriam, M.F., 3=14453
- Coles, D. The turbulent boundary layer in a compressible fluid, 4=29588
- Coles, D. See Liepmann, H.W., 2=15632
- Coles, J.A., Phillips, T.J. and Ichikawa, Y. Hot carbon replica technique for thermistors, 3=18409
- Coles, R.E. The permeability of silver to oxygen, 3=13549
- Coles, R.R.A. See Knight, J.J., 0=14336
- Colgate, S.A. and Cameron, A.G.W. Enhancement of light output from a supernova, 4=20901
- Colgate, S.A. and Furth, H.P. Stabilization of pinch discharges, 1=307
- Colgate, S.A., Furth, H.P. and Halliday, F.O. Hydromagnetic equilibrium experiments with liquid and solid sodium, 1=5547
- Colgate, S.A., Grasberger, W.H. and White, R.H. The dynamics of cosmic rays, 0=17437
- Colgate, S.A. See Birdsell, D.H., 4=8739
- Colgate, S.A. See Killeen, J., 0=10897
- Colgate, S.O. Circular chevron diffusion pump baffle, 3=18863
- Colgate, S.O. See Amdur, I., 1=8825
- Coli, M. See Szabo Miszenti, G., 2=5997
- Colin, J.M. Contribution to the design of wide band tuned or untuned amplifiers using transistors up to 250 Mc/s, 1=18729
- Colin, L., Burns, A.S. and Eshleman, V.R. Radar detection of ionized nitric oxide in the lower ionosphere, 4=2281
- Colin, L. and Peretti, J. The pair distribution function of a system of Bose hard spheres calculated up to the first order in a/λ , 0=2135
- Colin, L. See Carpenter, G.B., 4=7857
- Colin, L. See Weisbrod, S., 0=1223
- Colin, R. and Drowart, J. Thermodynamic study of tin sulfide and lead sulfide using a mass spectrometer, 2=20877
- Colin, R. and Drowart, J. Thermodynamic study of germanium monotelluride using a mass spectrometer, 4=20828
- Colin, R., Goldfinger, P. and Jeunehomme, M. Mass-spectrometric studies of the vaporization of the sulphides of calcium, strontium and barium. The dissociation energy of S_2 and SO , 4=16301
- Colin, Y. and Fourier, C. Conductivity and thermoelectric power of samples of cadmium oxide, 2=18698
- Colin, Y. and Tufeu, R. Semiconducting properties of cadmium oxide powders, 3=22940
- Colin, Y. See Le Bott, Jean., 1=14535
- Coll, D.C. and Storey, J.R. Ionospheric sounding using coded pulse signals, 4=30954
- Coll, H. See Debye, P., 0=6805
- Coll, H. See Debye, P., 1=1743
- Coll, J.A. See Marcone, N.J., 4=23259
- Coll, J.A. See Rodriguez, C., 4=20688
- Collard, H. and Hofstadter, R. Structure of the He^3 nucleus, 3=17357
- Collard, H., Hofstadter, R., Johansson, A., Parks, R., Ryneveld, M., Walker, A., Yearian, M.R., Day, R.B. and Wagner, R.T. Electron scattering in tritium and He^3 , 3=25065
- Collard, H. See Schiff, L.I., 4=6143
- Colle, P. and Demers, P. The calculation of the range-energy relationships for several ions in nuclear emulsions, 0=12771
- Colle, P. See Ahmad, I., 0=12782
- Colleau, J. Infinitesimal stability of solutions of Einstein's equations, 3=9339
- Colleau, J. Approximate propagators of order 0 and 1 on the Schwarzschild solution, 4=42
- Colleau, J. Tensorial propagators; approximation in the Schwarzschild solution, 4=43
- Colleau, J. Relative propagators for integral or half-integral spin in a space-time of general relativity, 4=8047
- Coller, E. See Rossmann, M.G., 4=23360
- Collette, M. and Schiltz, J. The visible and near infrared spectrum of the $AuSn$ molecule, 4=6563
- Collette, R. New anisotropy recorder for ferromagnetic thin films, 2=9671
- Colley, D., Gelfand, N., Nauenberg, U., Steinberger, J., Wolf, S., Brugger, H.R., Kramer, P.R. and Plano, R.J. Resonances in strange-particle production, 3=2322
- Colley, D. See Alff, C., 3=4432
- Colley, D. See Alff, C., 3=4433
- Colley, D. See Berley, D., 3=12497
- Colley, D.C. and Ratau, J.T. Experimental study of double-charged pion production in πp collisions at 900 MeV, 3=10149
- Colley, D.C. See Aderholz, M., 4=21914
- Colley, D.C. See Aderholz, M., 4=21919
- Colley, D.C. See Aderholz, M., 4=25151
- Colley, D.C. See Bartsch, J., 4=21920
- Colley, D.C. See Bartsch, J., 4=30264
- Colley, D.C. See Bondar, L., 4=944
- Colli, L., Cristofori, F., Frigorio, G.E. and Sona, P.G. Measurement of the cross-section for the production of hydrogen atoms in the metastable excited 2S state, 3=4717
- Colli, L., Cvelbar, F., Micheletti, S. and Pignaneli, M. Structures in the proton spectra from n,p reactions, 0=1439
- Colli, L., Cvelbar, F., Micheletti, S. and Pignaneli, M. (n,d) reactions with 14 MeV neutron energy, 0=1442
- Colli, L., Cvelbar, F., Micheletti, S. and Pignaneli, M. (n,d) reactions with 14 MeV neutrons on ^{27}Al , ^{40}Ca , ^{55}Mn , ^{63}Cu , ^{103}Rh , 0=5792
- Colli, L., Facchini, U., Iori, I., Marazzan, M.G., Milazzo, M., Menichella, E.S. and Tonolini, F. Study of the Si^{28} (n, α) reaction and experimental evidence of the Ericson fluctuations, 3=2473
- Colli, L., Facchini, U., Iori, I., Marazzan, G.M., Milazzo, M. and Tonolini, F. Fluctuations in the cross section of $Si^{28}(n, \alpha)Mn^{25}$ reaction with fast neutrons, 2=14117
- Colli, L., Fazio, M. and Rossini, T. The discharge chamber developed as an alpha particle detector, 1=561
- Colli, L., Forti, P. and Gadioli, E. A new first excited state of P^{31} at 450 keV detected by means of the pick-up reaction on S^{32} , 4=22021
- Colli, L., Gadioli, E., Micheletti, S. and Lucioni, D. The (n, d) pick-up reaction on f_7^+ proton shell nuclei, 3=19865
- Colli, L., Iori, I., Marazzan, M.G. and Milazzo, M. Ericson fluctuations in the $Si^{28}(n, \alpha)Mg^{25}$ reaction, 2=20650
- Colli, L., Iori, I., Marazzan, G., Merzari, F., Sona, A.M. and Sona, P.G. Angular distributions of protons emitted in $^{24}Mg(n, p)$ and $^{32}S(n, p)$ reactions at 14 MeV, 0=20494
- Colli, L., Iori, I., Marazzan, M.G. and Milazzo, M. Properties of compound nucleus from experimental measurement of the $Si^{28}(n, \alpha)Mg^{25}$ reaction, 3=15212
- Colli, L., Iori, I., Micheletti, S. and Pignaneli, M. The pick-up reaction on the nuclides ^{46}Sc , ^{51}V , ^{52}Cr , ^{54}Fe , ^{56}Fe , ^{55}Mn , ^{58}Co , ^{58}Ni , ^{60}Ni , 1=8749

- Colli, L., Iori, I., Micheletti, S. and Pignanelli, M. Evaporation mechanism and direct effect in n,p reactions on medium weight nuclei, 1=19493
- Colli, L., Mangialajo, M., Marcelja, F., Merzari, F. and Sona, P. G. Measurement of the angular distribution in the reaction $\text{Al}^{27}(\text{n}, \text{p})\text{Mg}^{27}$ at 14 MeV, 4=3673
- Colli, L., Marazzan, G. M., Merzari, F., Sona, P. G. and Tomaš, P. Angular distribution of protons from the reaction $^{28}\text{Si}(\text{n}, \text{p})^{28}\text{Al}$, 1=13826
- Colli, L., Marazzan, M. G., Merzari, F., Sona, P. G. and Tonolini, F. Measurements on pick-up reactions in ^{31}P and ^{32}S , 0=15602
- Colli, L., Sona, P. G., Bassani, G., Cristofori, F., Franceschetti, M. O. and Frigerio, G. Production of a beam of hydrogen atoms in the excited metastable state 2S, 2=22922
- Colli, L. and Tonolini, F. Ericson effect in (d,p) reactions, 3=8127
- Colli, L. See Bassani, G., 2=20646
- Colli, L. See Bassani, G., 3=2584
- Collier, J. R. and Tai, C. T. Propagation of plane waves in lossy moving media, 4=27639
- Collier, R. S. See Harden, J. L., 3=16863
- Colligan, G. and Galasso, F. Structure of vapour-deposited carbon, 1=11564
- Colligan, G. A. and Bayles, B. J. Dendrite growth velocity in undercooled nickel melts, 2=23816
- Colligan, G. A. See Albright, D. L., 4=13652
- Colligon, J. S. Ion bombardment of metal surfaces, 2=9646
- Colligon, J. S. See Burtt, R. B., 1=20690
- Colligon, J. S. See Carter, G., 2=7677
- Collin, H. L. Sign discrimination in field mills, 2=24022
- Collin, H. L., Raisbeck, I. A. and Chalmers, J. A. Measurements of atmospheric electricity at the top and foot of a 25 m mast, 4=7847
- Collin, J. The ionization and dissociation of molecules by mono-energetic electrons. I. Construction and operation of the ion source used, 0=12580
- Collin, J. The ionization and dissociation of molecules by mono-energetic electrons. II. Excited states of the molecular ion of CO_2 and CS_2 , 0=12581
- Collin, J. E. Ionization potential of NO_2 , 3=4014
- Collin, J. E. The Franck-Condon principle and the ionization of molecules, 3=8228
- Collin, J. E. Ionization by charge transfer of adsorbed gases in mass spectrometers, 3=24212
- Collin, R. E. and Eggmann, W. H. Dynamic interaction fields in a two-dimensional lattice, 1=8295
- Collin, R. E. and Rothschild, S. Reactive energy in aperture fields and aperture Q, 4=5821
- Collin, R. E. and Rothschild, S. Reactive energy in aperture fields and aperture Q, 4=5820
- Collin, W., Daniel, H., Margulies, S., Mehling, O., Schmidlin, P., Schmitt, H. and Subudhi, K. S. The spins of Pr^{144} from β - γ correlation measurements, 3=22308
- Collin, W., Daniel, H., Mehling, O., Schmitt, H., Spannagel, G., and Subudhi, K. S. Spins and γ -multipolarities in the decay $\text{Fe}^{50} \rightarrow \text{Co}^{50}$, 4=27991
- Collin, W., Daniel, H. and Schmitt, H. Measurement of five β - γ circular polarization correlations in the decay $\text{Eu}^{152} \rightarrow \text{Gd}^{152}$, 4=25354
- Collingbourne, R. H. The measurement of the vertical electric current in the atmosphere, 3=6964
- Collinge, B. and Marciano, F. Data logging equipment for nuclear physics experiments, 2=19852
- Collings, E. W. and Hedgcock, F. T. Low-temperature magnetic properties of dilute Mg-Mn, Al-Mn, Mg-Fe, and Al-Fe alloys, 2=14763
- Collings, E. W., Hedgcock, F. T. and Muir, W. B. Influence of spin ordering on the low temperature magnetic and electrical properties of the Zn-Mn system, 4=17623
- Collings, E. W., Hedgcock, F. T. and Muto, Y. Role of s-d exchange interactions in dilute alloys exhibiting both low-temperature resistance anomalies and superconductivity, 4=20518
- Collings, E. W., Hedgcock, F. T. and Sakudo, T. Some remarks on the spectroscopic state of paramagnetic ions in dilute alloys, 1=20213
- Collings, E. W., Hedgcock, F. T. and Siddiqi, A. Magnetic properties of chromium between 0° and 550°C, 1=5065
- Collings, P. R. and Hirsch, J. Electrical conductivity in alkali halides induced by electron bombardment, 4=22759
- Collins, C. and Forsyth, P. A. A bistatic radio investigation of auroral ionization, 0=6480
- Collins, C. and Jelly, D. H. Ionospheric disturbance at the time of cosmic ray increases, 1=6606
- Collins, C., Jelly, D. H. and Matthews, A. G. High-frequency radio-wave black-outs at medium and high latitudes during a solar cycle, 1=3069
- Collins, C. See Jelly, D. H., 2=17158
- Collins, C. See Jelly, D. H., 3=5876
- Collins, C. See Reid, G. C., 0=5422
- Collins, C. B. and Robertson, W. W. Helium metastable-admixed gas reactions in a flow-system, 4=11533
- Collins, C. B. and Robertson, W. W. Helium afterglow. I. Atomic spectrum, 4=18727
- Collins, C. B. and Robertson, W. W. Spectra excited in a helium afterglow, 4=12385
- Collins, C. B. and Robertson, W. W. Helium afterglow. II. Molecular spectrum, 4=18728
- Collins, C. B. See Prince, J. F., 4=18725
- Collins, C. V., Hurt, W. B. and Robertson, W. W. The molecular spectrum in a helium afterglow, 4=24612
- Collins, D. On the stress distributions due to force nuclei in an elastic solid bounded internally by a spherical hollow and in an elastic sphere, 0=19022
- Collins, D. A. See Wieder, H. H., 0=18099
- Collins, D. A. See Wieder, H. H., 3=13156
- Collins, D. J. and Hoenig, S. A. Chemisorption detector for oxygen, 4=10683
- Collins, E. R., Glavish, H. F. and Whineray, S. An ion source for polarized protons and deuterons, 4=11988
- Collins, F. Plane compressional Voigt waves, 0=8730
- Collins, F. A. and Bloembergen, N. Stark effects on the nuclear quadrupole coupling of ^{35}Cl in sodium chlorate, 4=23080
- Collins, F. C. See Mandel, G., 0=14619
- Collins, G. See Kivelson, D., 4=24240
- Collins, G. B. See Chadwick, G. B., 0=15350
- Collins, G. B. See Chadwick, G. B., 3=2261
- Collins, G. B. See Duke, P. J., 2=22504
- Collins, G. B. See Fujii, T., 3=2262
- Collins, G. B. See Purcell, E. M., 3=10069
- Collins, G. B. See Turkot, F., 4=9191
- Collins, G. W., II. Continuum emission from a rapidly rotating stellar atmosphere, 4=10829
- Collins, H. D. See Putnam, L. H., 1=13081
- Collins, J. A., Jr. See Wang, E. S. J., 4=11262
- Collins, J. D. A rotator to study the dimensions of non-circular filaments, 3=11647
- Collins, J. G. Low-temperature transport properties of the alkali metals. I. The electron-phonon interaction, 1=17438
- Collins, J. G. On the calculation of the temperature variation of the coefficient of thermal expansion for materials of cubic structure, 3=10607
- Collins, J. G. and Steel, W. H. On a calculus for retardation plates, 2=7410
- Collins, J. G. and Ziman, J. M. Low-temperature transport properties of the alkali metals. II. The transport coefficients, 1=17439
- Collins, J. H. and Daly, P. Calculations for guided electromagnetic waves using finite-difference methods, 3=14773
- Collins, J. H. and Heng, T. M. A ferrite slow-wave structure for backward-wave applications, 4=16658
- Collins, J. L., Richie, W. C. and English, G. E. Soliton infrasonic microphone, 4=24318
- Collins, K. E. and Steele, D. J. High-sensitivity recording optical density meter, 1=6646
- Collins, K. E. and Steele, D. J. Torsion vane flowmeter for the continuous recording of air flow, 2=7236
- Collins, K. E. and Willard, J. E. Szilard-Chalmers chemistry and radiation chemistry of solid hexabromoethane. Thermal annealing and radiation annealing effects, 3=3412
- Collins, L. E. and Brooker, R. J. Ion beam control in a duoplasmatron source, 2=13605
- Collins, L. E. and Stroud, P. T. Extraction of high current ion beams with low divergence, 4=16550
- Collins, M. and Schowalter, W. R. Laminar flow in the inlet region of a straight channel, 3=106
- Collins, M. A. Intensity variations of the cosmic ray nucleonic component, 0=1341
- Collins, M. F. Lattice dynamics of magnesium, 2=18524
- Collins, M. F. Focusing effects in triple-axis neutron spectrometers, 4=916
- Collins, M. F. and Dolling, G. Total cross section of lead for slow neutrons 1=12351
- Collins, M. F. and Forsyth, J. B. The magnetic moment distribution in some transition metal alloys, 3=18098

- Collins, M.F., Jones, R.V. and Lowde, R.D. On the magnetic moments and the degree of order in iron-nickel alloys, 3=1106
- Collins, M.F. and Low, G.G. Neutron diffraction studies of magnetic moments in dilute transition metal alloys, 4=28817
- Collins, M.F. and Wheeler, D.A. Magnetic moments and the degree of order in cobalt-nickel alloys, 3=25539
- Collins, M.F. See Low, G.G.E., 3=15858
- Collins, R. Statistics of a simplified two-dimensional Bernal liquid, 4=14133
- Collins, R. See Lasek, A., 3=9808
- Collins, R.E. and Cooke, C.E., Jr. Fundamental basis for the contact angle and capillary pressure, 0=2157
- Collins, R.E. and Davies, L.W. Energy distribution of hot electrons in aluminum, 3=19301
- Collins, R.E. and Davies, L.W. The transport of hot electrons in Al-Al₂O₃-Al tunnel cathodes, 4=22762
- Collins, R.H. and Napier, D.H. Wide aperture valve for evacuating shock tubes, 4=27235
- Collins, R.H. and Turnbull, J.C. Evolution and absorption of gases in electron tubes, 1=18478
- Collins, R.J. High order cavity modes in optical masers, 3=22009
- Collins, R.J. and Hopfield, J.J. Polarization of the edge emission in CdS, 0=20999
- Collins, R.J. and Kisluk, P. Control of population inversion in pulsed optical masers by feedback modulation, 2=16018
- Collins, R.J. and Kleinman, D.A. Infrared reflectivity of zinc oxide, 0=11767
- Collins, R.J. and Nelson, D.F. The pulsed ruby optical maser, 3=17077
- Collins, R.J., Nelson, D.F., Schawlow, A.L., Bond, W., Garrett, C.G.B. and Kaiser, W. Coherence, narrowing, directionality, and relaxation oscillations in the light emission from ruby, 0=21007
- Collins, R.J. See Boyd, G.D., 2=14667
- Collins, R.J. See Geschwind, S., 0=4508
- Collins, R.J. See Nelson, D.F., 1=12997
- Collins, R.L. Complex cyclotron resonance in dilute gases, 1=6912
- Collins, R.L. and Pettit, R. Mössbauer studies of iron organo-metallic complexes. I. Iron tetracarbonyl complexes, 4=6625
- Collins, S.A. and White, G.R. Interferometer laser mode selector, 3=17085
- Collins, S.C. and Hughes, R.W. New refrigeration cycle for the production of liquid nitrogen, 2=5214
- Collins, T. See Bady, I., 1=14779
- Collins, T. See Bady, I., 3=22978
- Collins, T. See Wade, W., 3=16141
- Collins, T.L. See Baker, P.S., 2=8070
- Collins, W.D. Note on the electrified spherical cap, 0=5251
- Collins, W.D. On some dual series equations and their application to electrostatic problems for spheroidal caps, 1=16241
- Collins, W.D. Note on an electrified circular disk situated inside an earthed coaxial infinite hollow cylinder, 1=16243
- Collins, W.D. Some axially symmetric stress distributions in elastic solids containing penny-shaped cracks. I. Cracks in an infinite solid and a thick plate, 2=6726
- Collins, W.E. Luminosity functions of normal, deuter-anomalous, and deuteranopic subjects as determined by absolute threshold and c.f.f. measurements, 1=4163
- Collins, W.G., Jr and Miller, D.G. Measurement of the triple scattering parameter D_1 in the free n-p system at 170°, 4=16893
- Collins, W.R. Jr. See Welford, G.A., 0=13161
- Collinson, A.J.L. and Demetsopoulos, I.C. Experience with a molecular-sieve backed Penning pump ultra-high vacuum system, 2=11432
- Collinson, A.J.L., Demetsopoulos, I.C., Dennis, J.A. and Zarzycki, J.M. Self-quenching Geiger counter containing mixtures of permanent gases, 0=7238
- Collinson, A.J.L., Demetsopoulos, I.C., Dennis, J.A. and Zarzycki, J.M. Self-quenching Geiger counters containing mixtures of permanent gases, 0=15180
- Collinson, A.J.L., Demetsopoulos, I.C. and Zarzycki, J.M. An investigation into the mechanism of self-quenching Geiger-Müller counters containing argon with small quantities of xenon, oxygen and nitrogen, 2=242
- Collinson, A.J.L. and Haque, A.K.M.M. A scintillation counter for the measurement of radon concentration in air, 4=3243
- Collinson, A.J.L. and Hill, R. The fluorescent response of NaI(Tl) and CsI(Tl) to X-rays and γ -rays, 3=13215
- Collinson, C.D. A class of conserved tensors in an arbitrary gravitational field, 2=9158
- Collinson, C.D. Symmetry properties of Harrison space-times, 4=24044
- Collinson, D.W., Molyneux, L. and Stone, D.B. A total and anisotropic magnetic susceptibility meter, 3=14718
- Collinson, E., Dainton, F.S. and Kroh, J. Effects of linear energy transfer on the radiolysis of water and heavy water, 0=18438
- Collinson, E., Dainton, F.S. and Kroh, J. The radiation chemistry of aqueous solutions. I. The effect of changing linear energy transfer along a polonium α -particle track, 2=4555
- Collinson, E., Dainton, F.S. and Kroh, J. The radiation chemistry of aqueous solutions. II. Radical and molecular yields for tritium β -particles, 2=4556
- Collinson, E., Dainton, F.S. and Kroh, J. The radiation chemistry of aqueous solutions. III. The isotope effect for polonium α -particles and tritium β -particles, 2=4557
- Collis, W.J. See Jacobs, J.E., 4=5334
- Collomby, J. Motion of a u.h.f. discharge in a low-pressure gas, 4=21471
- Collomby, J. See Maleval, C., 3=4037
- Collongues, P. See Perez y Jorba, M., 4=13475
- Collongues, R. See Galtier, F., 3=7590
- Collot, C. and Faivre, R. Effect of cooling rate on the γ - β transformation of U-Nb alloys cooled from the γ -phase, 3=8888
- Collot, C. and Faivre, R. Metallographic study of the structure of uranium-niobium alloys with 2.5 and 5 at.% Nb quenched from the γ -phase, 3=8894
- Collot, C. and Faivre, R. Kinetic study of the transformation of the β -phase retained by quenching from the $\beta + \gamma_1$ -phase in the alloy uranium-2.5 at.% niobium, 3=16100
- Colmin, J. See Bianchi, G., 4=17155
- Colmin, J. See Bianchi, G., 4=17154
- Colmin, J. See Bianchi, G., 4=17155
- Colmin, J. See Bianchi, G., 4=17156
- Colodny, P.C. See Stammer, M., 4=13477
- Colomb, A. Photoneutrons and the control of a pool type reactor, 1=17238
- Colombani, A. and Daridon, H. Hall effect in thin films of cobalt, 1=17626
- Colombani, A. and Daridon, H. Conductivity and perpendicular hall effect of thin films of cobalt, 3=17822
- Colombani, A. and Goureaux, G. Formation of very thin nickel films. Action of an electric field, 0=8283
- Colombani, A., Goureaux, G. and Huet, P. Magnetic properties of thin nickel films deduced from studies of the electrical conductivity and Hall effect, 0=13813
- Colombani, A. and Huet, P. Thermal evolution of the Hall effect in thin films of bismuth. Experimental results, 2=10440
- Colombani, A. and Huet, P. The temperature dependence of the Hall effect of thin films of bismuth: interpretation of experimental results, 2=12495
- Colombani, A. and Huet, P. Hall effect in thin films of bismuth, 3=6564
- Colombani, A. and Huet, P. Thermal evolution of the magnetoresistance of thin films of bismuth, 3=8517
- Colombani, A. and Huet, P. The magnetoresistance of thin plates of bismuth, 3=22904
- Colombani, A., Laniece, B. and Goureaux, G. Variation of the electrical conductivity of thin films of nickel under constraint, 2=6415
- Colombani, A., Laniece, B. and Huet, P. Variation of resistance of a thin metal layer deposited on a deformable substrate, 0=21253
- Colombani, A. and Ranc, G. Automatic air-lock, 4=14230
- Colombani, A. See Daridon, H., 1=14367
- Colombani, A. See Goureaux, G., 0=15889
- Colombani, A. See Goureaux, G., 1=7618
- Colombani, A. See Laniece, B., 1=8924
- Colombani, A. See Vautier, C., 2=23241
- Colombani, A. See Vautier, C., 4=24414
- Colombié, M. See Anagnostidis, M., 4=13609
- Colombie, N. and Phan Van Chuong. Secondary electron emission from metal targets bombarded by ions of mean energy 10-110 keV, 2=1494
- Colombie, N. and Van Chuong, P. Preferential directions of atom ejection and focused collision sequences in single crystals of copper bombarded by 40 keV Ar⁺ ions, 4=4095
- Colombie, N. See Fagot, B., 4=21565
- Colombie, N. See Pradal, F., 1=8354
- Colombie, N. See Simon, R., 3=427

- Colombino, P., Degregori, I., Mayrone, L., Trossi, L. and DeBenedetti, S. Angular correlation of annihilation radiation in sulfur and its compounds, 0=15336
- Colombino, P., Degregori, I., Mayrone, L., Trossi, L. and DeBenedetti, S. Angular correlation of annihilation radiation in silica and aqueous solutions, 1=5715
- Colombino, P., Fiscella, B. and Trossi, L. Point slits versus linear slits in the angular correlation of positron annihilation radiation, 3=7835
- Colombino, P., Fiscella, B. and Trossi, L. Angular distribution of annihilation quanta emerging from Si, Ge and Al crystals, 4=12718
- Colombino, P. See Catino, A., 0=6929
- Colombo, G. and Benedikt, E. T. Instability of motion at the Lagrangian triangular point in the earth-moon system, 2=15306
- Colombo, G., Lautman, D. and Munford, C. On the libration orbits of a particle near the triangular point in the semirestricted three-body problem, 3=11743
- Colombo, L. Infrared spectra in polarized light of acenaphthene crystals and assignment of molecular vibrations, 4=1757
- Colombo, L. and Olcese, G. L. The magnetic behaviour of cerium in intermetallic compounds. III. The systems Ce-Al, Ce-Ga, Ce-In, and Ce-Tl, 4=13116
- Colombo, M. See Asti, G., 4=28832
- Colombo, R. and Frigerio, G. On the occurrence of uranium metal particles in fused UO_2 , 2=14926
- Colombo, R. L. A remark on the structure of non-stoichiometric UO_2 , 4=23496
- Colombo, R. L. See Amato, I., 4=4654
- Colombo, R. L. See Amato, I., 4=7680
- Colombo, R. L. See Amato, I., 4=20790
- Colombo, S. The hydromagnetic theory, 0=11025
- Colombo, S. Cosmical magnetic fields and the hydromagnetic theory of the dynamo effect, 0=19890
- Colomer, J. and Valentin, M. 4π geometry measuring apparatus for small β -activity samples. Period of $\text{Ag}^{110\text{m}}$, 4=19333
- Colonnetti, G. Interpretation of elasto-plastic phenomena by means of a linear hereditary theory, 0=8112
- Colonnetti, G. Fatigue of materials, 2=6755
- Colonnetti, G. Properties of the "coactive" state, 3=20714
- Colonnetti, G. A new instrument for the generation of constraints, 3=84
- Colpa, J. P. and Bolton, J. R. Hyperfine coupling constants and their dependence on charge densities, 3=17552
- Colpa, J. P. and de Boer, E. Spin polarisation versus hyperconjugation in electron spin resonance spectra of substituted aromatic systems, 3=22591
- Colpa, J. P. and Ketelaar, J. A. A. The pressure-induced rotational absorption spectrum of hydrogen. II, 0=493
- Colpa, J. P. and Ketelaar, J. A. A. The absorption intensity of simultaneous vibrational transitions in gas mixtures, 0=7749
- Coltman, M. See McChesney, M., 2=17665
- Coltman, R. R. Reactor irradiation studies at 4°K , 3=10698
- Coltman, R. R. See Blewitt, T. H., 1=1003
- Coltman, R. R. See Blewitt, T. H., 1=20391
- Coltman, R. R. See Blewitt, T. H., 4=354
- Coltman, R. R. See Blewitt, T. H., 4=4094
- Coltman, R. R. Jr., Klabunde, C. E., McDonald, D. L. and Redman, J. K. Reactor damage in pure metals, 3=2847
- Colton, R. The construction and calibration of a variable temperature Gouy magnetic susceptibility apparatus, 3=14717
- Columbani, A. See Vaumoron, J., 3=16143
- Colvin, C. J., Keenan, A. G. and Hunt, J. B. Isotopic tracer study of the chloride-catalyzed thermal decomposition of ammonium nitrate, 3=20988
- Colvin, R. V. and Aarajs, S. Electrical resistivity of scandium, 3=10722
- Colvin, R. V. and Aarajs, S. Thermal conductivity of polycrystalline dysprosium from 5 to 305°K , 4=9872
- Colvin, R. V. and Aarajs, S. Electrical resistivity of polycrystalline gadolinium from 4 to 375°K , 4=10027
- Colvin, R. V., Aarajs, S. and Peck, J. M. Paramagnetic behavior of metallic cerium and europium, 1=7734
- Colvin, R. V., Legvold, S. and Spedding, F. H. Electrical resistivity of the heavy rare-earth metals, 0=18002
- Colvin, R. V. See Alstad, J. K., 1=5003
- Colvin, R. V. See Alstad, J. K., 1=11261
- Colvin, R. V. See Aarajs, S., 1=6259
- Colvin, R. V. See Aarajs, S., 1=10129
- Colvin, R. V. See Aarajs, S., 2=12739
- Colvin, R. V. See Aarajs, S., 2=16894
- Colvin, R. V. See Aarajs, S., 3=15757
- Colvin, R. V. See Aarajs, S., 4=1804
- Colvin, R. V. See Aarajs, S., 4=7221
- Colvin, R. V. See Aarajs, S., 4=12661
- Colvin, R. V. See Aarajs, S., 4=15624
- Colvin, R. V. See Aarajs, S., 4=26304
- Colvin, R. V. See Aarajs, S., 4=30611
- Colvin, R. V. See Chessin, H., 3=11030
- Colvin, R. V. See Chessin, H., 4=26273
- Colwell, J. H., Gill, E. K. and Morrison, J. A. Second transition in solid CH_4 , 2=14379
- Colwell, J. H., Gill, E. K. and Morrison, J. A. Thermodynamic properties of CH_4 and CD_4 . Interpretation of the properties of the solids, 3=22658
- Colwell, J. H., Gill, E. K. and Morrison, J. A. Thermodynamic properties of CH_4 and CD_4 , 4=18494
- Colwell, J. H. and Halsey, G. D., Jr. Vapor pressure studies of sulfur trioxide and the water-sulfur trioxide system, 3=9663
- Colwell, J. H. See Lovejoy, R. W., 2=6161
- Comănescu, V., Oncescu, M., Șandru, P. and Țopa, A. Development and testing of an electrode for neutron-neutron and neutron-gamma radioactive logging, 3=21028
- Comănescu, V., Oncescu, M., Șandru, P. and Țopa, A. Scintillation probe for nuclear logging, 4=30107
- Comaniciu, N. See Agărbiceanu, I. I., 0=5656
- Comaniciu, N. See Agărbiceanu, I., 1=5296
- Comaniciu, N. See Drăgănescu, V., 2=5182
- Comaniciu, N. See Drăgănescu, V., 2=7381
- Combărov, A. C. See Boroditch, V. D., 4=16364
- Combe, J. C. See Baldassarre, F., 1=16862
- Combe, J. C. See Cvijanovich, G., 1=16778
- Combe, J. C. See Hoffmann, L., 2=13713
- Combe, J. C. See Hoffmann, L., 2=18045
- Combe, R. and Feix, M. Theoretical and experimental results concerning loaded waveguides and partially coaxial cavities, 0=15147
- Combes, J. M. See Lanore, J. C., 4=1627
- Combes, L. S., Gallagher, C. C. and Levine, M. A. Plasma behavior in a cusp-mirror magnetic field, 2=22225
- Combes, L. S. See Levine, M. A., 4=18648
- Combet, E. Propagators on a quotient space, 1=15632
- Combet, E. Variation of fields in general relativity, 2=9166
- Combet, E. Quantization of the varied field in general relativity, 2=17350
- Combet-Farnoux, F. and Allard, G. On the accuracy in the approximate calculation of energy levels, 1=6780
- Combourieu, J. See Hajal, I., 3=3850
- Combrisson, J. The increase of nuclear resonance signals by dynamic polarization. II, 0=16184
- Combrisson, J., Ezratty, J. and Abagim, A. Nuclear polarization by rotation of the magnetic field, 4=13340
- Combrisson, J. and Solomon, I. Dynamic polarization of Si^{29} at low temperature, 0=21081
- Combs, C. A., Jr. and Wujek, J. H., Jr. On the static magnetic field associated with a thin film ferromagnetic slab, 4=21619
- Combs, C. M. See Berry, C. R., 0=11914
- Combs, J. F. See Albert, M. P., 3=1650
- Combs, J. F. See Albert, M. P., 4=20350
- Comby, G. See Blanc, D., 4=5884
- Comeaux, A. R. See Mahadevan, P., 3=22511
- Comeford, J. J. and Gould, J. H. Infrared spectra of solid hydrocarbons at very low temperatures, 1=6213
- Comeford, J. J., Mann, D. E., Schoen, L. J. and Lide, D. R., Jr. Infrared spectrum of difluoramine, 3=8275
- Comer, J. J. Electron diffraction data on new compounds in the system platinum-aluminum, 4=23286
- Comes, F. J. Mechanism of He_2^+ formation, 3=14523
- Comes, F. J. The formation of secondary ions in krypton, 4=451
- Comes, F. J. Ion formation in krypton, argon and argon-nitrogen mixtures, 4=11523
- Comes, F. J. and Lessmann, W. Measurements on the excitation states of nitrogen molecules by means of photoionization, 2=3730
- Comes, F. J. and Lessmann, W. New excited states of argon above the continuum limit $^3\text{P}_{3/2}$, 2=10200
- Comes, F. J. and Lessmann, W. Ion formation in nitrogen, 2=22176
- Comes, F. J. and Lessmann, W. The formation of ions in nitrogen, 4=16434
- Comes, F. J. and Lessmann, W. The photoionization of the hydrogen molecule, 4=27484

- Comes, F. J. and Sälzer, H. G. The capillary discharge as light source for photoionization investigations, 4=18719
- Comes, F. J. and Salzer, H. G. Vacuum ultraviolet spectroscopic investigation of the plasma of a low-pressure spark, 4=18855
- Comes, F. J. See Schlag, E. W., 0=14835
- Comisar, G. G. Structure of strong plasma shock waves in a transverse magnetic field, 3=7541
- Comisar, G. G. Collisional damping of plasma oscillations, 3=7619
- Comisar, G. G. Bimodal distributions and plasma shock wave structure, 3=21489
- Comisar, G. G. Erratum: collisional damping of plasma oscillations, 4=5663
- Comisar, G. G. See Taylor, E. C., 4=5657
- Comly, J. B., Penney, T. and Jones, R. V. Spin-wave instabilities in magnetic thin films, 3=15922
- Commerford, G. E. See Nevill, G. E., Jr., 3=19048
- Commins, E. D. and Dobson, D. A. Beta-decay asymmetry and nuclear magnetic moment of neon 19, 3=17427
- Commins, E. D. and Feldman, H. R. Spin, hyperfine structure, and nuclear magnetic dipole moment of O^{15} , 3=19945
- Common, A. K. An investigation of possible bound Σ -hyperon-nucleon systems and their decay, 1=13517
- Common, A. K. See Burhop, E. H. S., 3=6068
- Common, A. K. See Jauneau, L., 3=12511
- Common, A. K. See Jauneau, L., 3=19708
- Comolet, R. Friction of gas on an abutment disk, 2=1177
- Comolet, R. Distribution of pressure on a gas abutment, 2=17495
- Comolet, R. Forced flow of a gas between a surface and a rotating disk, study of the viscous couple exerted on the disk, 3=9485
- Comolet, R. and Sapaly, J. Application of a property of supersonic flow to the design of a pneumatic pivot, 0=16729
- Compaan, K. and Zijlstra, H. Effective-field approach to the problem of interacting polarized particles, 2=13645
- Companion, A. L. and Parr, R. G. Remark on the Mulliken approximation for two-center electron distributions, 2=3769
- Companion, A. and Winslow, G. H. Diffuse reflectance measurements on bulk uranium dioxide, 0=18112
- Companion, A. L. The diffuse reflectance spectra of zinc oxide and zinc peroxide, 3=13190
- Companion, A. L. and Ellison, F. O. Calculation of the dissociation energy of NH by a semiempirical interpolative method, 0=7812
- Companion, A. L. and Wyatt, R. E. The diffuse reflectance spectra of some titanium oxides, 3=23040
- Companion, A. L. The optical energy gap of scandium oxide, 4=20469
- Companion, A. L. See Anysas, J. A., 4=12566
- Compayne, F. See Aderholz, M., 4=21919
- Comper, W. Observation of an eruptive [solar] prominence on two successive days with a polarizing interference filter, 0=6598
- Comperto, M. C. The "sound insulation" of circular and slit-shaped apertures, 4=14285
- Compton, A. H. The scattering of X-rays as particles, 2=272
- Compton, A. H. Effects of filtering and vocal duration upon the identification of speakers, aurally, 4=4967
- Compton, D. M. J. and Schoen, A. H. [Eds.]. The Mössbauer effect, 4=9809
- Compton, D. M. J. See Baker, W. E., 0=17966
- Compton, D. M. J. See Baker, W. E., 0=17967
- Compton, D. M. J. See Baker, W. E., 1=1060
- Compton, V. B., Corenzwit, E., Maita, J. P., Matthias, B. T. and Morin, F. J. Superconductivity of technetium alloys and compounds, 11881
- Compton, V. B. and Matthias, B. T. The crystal structure of Sc_3In , 2=10882
- Compton, V. B. See Bozorth, R. M., 1=9022
- Compton, V. B. See Geballe, T. H., 3=3962
- Compton, V. B. See Matthias, B., 0=1079
- Compton, V. B. See Matthias, B. T., 1=18712
- Compton, V. B. See Matthias, B. T., 3=1900
- Compton, V. B. See Matthias, B. T., 3=14438
- Compton, V. B. See Matthias, B. T., 4=18622
- Compton, W. D. and Arnold, G. W. Lattice displacements by fast electrons, 0=7903
- Compton, W. D. and Arnold, G. W., Jr. Radiation effects in fused silica and $\alpha-Al_2O_3$, 2=12478
- Compton, W. D. See Arnold, G. W., 0=2834
- Compton, W. D. See Arnold, G. W., 0=6045
- Compton, W. D. See Faraday, B. J., 1=14341
- Compton, W. D. See Schnatterly, S., 4=22631
- Comşa, G. On the temperature dependence of the work function of nickel, 0=9063
- Comşa, G. Considerations on the significance of the temperature coefficient of the work function determined on polycrystalline surfaces, 0=19708
- Comşa, G. Variation with temperature of the work function of nickel, 0=19709
- Comşa, G. On the glass wall potential in the ionization pump, 1=15973
- Comşa, G., Gelberg, A., Georgescu, A. and Grabari, V. A circuit for current stabilization during the measurement of changes in work function, 1=5403
- Comşa, G., Gelberg, A. and Iosifescu, B. Temperature dependence of the work function of metals (Mo, Ni), 1=8340
- Comşa, G., Gelberg, A., Iosifescu, B. and Musa, G. Measurement of the temperature variations in the work function of metals, 1=5488
- Comşa, G. and Iosifescu, B. A simple arrangement for measuring the pumping speed of a fore-pump, 2=7262
- Comşa, G. and Iosifescu, B. Study of an ion pump for the evaporation of titanium, 2=7264
- Comşa, G. and Iosifescu, B. Adsorption and desorption phenomena in partial and ultra vacua, 3=18862
- Comşa, G. and Musa, G. A new type of ion pump, 1=2795
- Comşa, G. and Simionescu, C. Ceramic-metal sealing techniques for a bakeable, multiple electrical lead-through in metal ultra high vacuum systems, 4=18300
- Comşa, G. See Băjeu, G., 2=7679
- Comşa, G. See Băjeu, G., 2=22177
- Comşa, G. See Cavaleru, A., 4=10615
- Comstock, C. On the autocorrelation of random inhomogeneities, 4=27076
- Comstock, D. F. See Glaser, P. E., 2=2907
- Comstock, R. L. Parametric coupling of the magnetization and strain in a ferrimagnet. II. Parametric excitation of magnetic and elastic plane waves, 3=13294
- Comstock, R. L. Parallel pumping of magnetoelastic waves in ferromagnets, 4=26296
- Comstock, R. L. and Auld, B. A. Parametric coupling of the magnetization and strain in a ferrimagnet. I. Parametric excitation of magnetostatic and elastic modes, 3=13293
- Comstock, R. L., Auld, B. A. and Wade, G. Parametric effects in magnetoacoustic resonance, 1=6408
- Comstock, R. L. and Dean, W. A. Extension of coincidence limiting frequency range in ferrimagnets, 3=15882
- Comstock, R. L. and LeCraw, R. C. Instability of elastic waves by time-varying elastic modulus in ferromagnets, 3=18096
- Comstock, R. L. and LeCraw, R. C. Generation of microwave elastic vibrations in a disk by ferromagnetic resonance, 3=23958
- Comstock, R. L. and Remeika, J. P. Magnetoacoustic resonance in lithium ferrite, 4=12630
- Comte, R. See Gutmann, M., 0=5673
- Comunetti, A. and Huber, P. Determination of the drift velocity of electrons in gas mixtures, 1=13068
- Comyns, A. E. The probable isomorphism of plutonium (IV) and thorium (IV) acetylacetonates, 0=8239
- Conacher, J. See Buckley, R. A., 1=15161
- Conant, J. W., Corrigan, L. I. and Sparks, R. A. The structure of hydrazinium fluoborate, 4=29113
- Conard, G. P. See Notic, M. R., 4=12771
- Conard, G. P., II. See Richman, R. H., 4=10455
- Conard, J. The measurement of the product $T_1 T_2$ of the relaxation times of carbon as a function of temperature at a frequency of 34.6 kMc/s, 4=13314
- Conda, A. M. See Wait, J. R., 0=1206
- Conda, A. M. See Wait, J. R., 0=3858
- Condas, G. A. Properties and preparation of thin antimony films of high uniformity, 2=21567
- Condas, G. A. Maximum spectral luminous efficiency, 4=29798
- Condas, G. A. and Wooten, F. P. Properties of thin antimony films deposited in high vacuum, 1=7885
- Condas, G. A. See Wooten, F., 3=20328
- Condé, H. and Starfelt, N. Measurement of ν in fast neutron fission of Th^{232} and U^{238} , 2=5981
- Condé, H. See Asplund-Nilsson, I., 3=12707
- Condé, H. See Asplund-Nilsson, I., 3=24988
- Condell, N. J. See Mandelberg, H. I., 4=21304
- Condell, W. J. Device for optical filter selection for use with grating spectrometers, 0=1032

- Condell, W.J. and Mandelberg, H.I. Absorption and emission frequencies in lasers, 3=17086
- Condell, W.J. and Mandelberg, H.I. Optical properties of an isolated resonance with natural or collision broadening, 4=27322
- Condell, W.J., Mandelberg, H.I., Beahn, T.J. and Muehe, C.E. Bakeable absolute pressure gauge for the millimeter of mercury range, 2=7170
- Condell, W.J. See Krolak, C.C., 4=16241
- Condell, W.J. Jr. Helium level populations in a glow discharge, 0=9767
- Condell, W.J., Jr., Van Gunten, O. and Bennett, H.S. Investigation of population inversion in helium, 0=7212
- Conder, P.C., Foster, H. and Boot, H.A.H. A versatile metal to dielectric seal, 1=5311
- Condiff, D.W. and Dahler, J.S. Fluid mechanical aspects of antisymmetric stress, 4=18136
- Condit, H.R. and Grum, F. Spectral energy distribution of daylight, 4=23754
- Condit, R.E. See Aler, G.A., 3=3212
- Condo, G.T. On the absorption of negative pions by liquid helium, 4=20002
- Condo, G.T. and Hill, R.D. Evidence of nuclear structures from K^- -meson absorption, 3=4660
- Condo, G.T., Hill, R.D. and Martin, A.D. Electron emission from mesonic atoms, 4=12416
- Condo, G.T. See Gelfand, N., 4=25154
- Condon, E.U. Graphical representation for unit systems, 1=10405
- Condon, E.U. Intermediate courses in physics, 2=7098
- Condon, E.U. 60 years of quantum physics, 3=3740
- Condon, J.H. and Marcus, J.A. Fermi surface of calcium by the de Haas-Van Alphen effect, 4=15455
- Condrate, R.A. See Nakamoto, K., 3=25120
- Cone, A.A. See Chen, K.W., 4=9172
- Conforto, A.M. Sidereal time variation of low energy cosmic rays, 2=18212
- Conforto, A.M. and Iucci, N. Cosmic ray events in November 1960, 1=13586
- Conforto, A.M. See Bachelet, F., 0=2609
- Conforto, A.M. See Bachelet, F., 0=15490
- Conforto, A.M. See Bachelet, F., 0=15491
- Conforto, A.M. See Bachelet, F., 1=2150
- Conforto, A.M. See Bachelet, F., 1=3344
- Conforto, A.M. See Bachelet, F., 1=16926
- Conforto, G., Conversi, M. and di Lella, L. Observation of radiative capture of negative muons in iron, 2=20660
- Conforto, G., Conversi, M., di Lella, L., Penso, G., Rubbia, C. and Toller, M. Search for neutrinoless coherent nuclear capture of μ^- -mesons, 2=22831
- Conforto, G., Focardi, S., Rubbia, C. and Zavattini, E. Direct measurement of μ^- mesonic molecule formation rates in liquid hydrogen, 3=4795
- Conforto, G., Rubbia, C. and Zavattini, E. Nuclear capture of negative muons from neon, 3=15216
- Conforto, G., Rubbia, C., Zavattini, E. and Focardi, S. Direct measurement of μ^- mesonic molecule formation rates in liquid hydrogen, 4=28296
- Conforto, G. See Blair, I.M., 4=30265
- Conger, R.L. Nonlinear damping losses in YIG, 1=12550
- Conger, R.L. and Moore, G.H. Direct observations of high-speed magnetization reversal in films, 3=14711
- Conger, R.L. and Tomlinson, J.L. Magneto-optic readout for computer memories, 2=13632
- Conger, R.L. See Archibald, P.C., 0=12666
- Conger, R.L. See Hanzel, A.L., 0=1790
- Conger, R.L. See Long, L.T., 4=14955
- Congleton, R.S. See Bortfeld, D.P., 4=24932
- Conjeaud, M. See Souchere, G., 4=17164
- Conjeaud, P. See Sella, C., 0=4286
- Conkie, W.R. Polynomial approximations in neutron transport theory, 0=15303
- Conkie, W.R. An iterative method in neutron transport theory, 0=15364
- Conkie, W.R. An iterative method for neutron transport problems with spherical symmetry, 1=3189
- Conkie, W.R. Velocity dependent neutron transport theory, 1=13433
- Conkie, W.R. An improved spherical-harmonics method, 4=16061
- Conklin, G.E. and Friauf, R.J. Electron spin resonance of the Z_1 band in KCl with SrCl_2 , 3=25304
- Conklin, J.B. See Johnson, L.E., 4=12693
- Conlan, J., Diaz, J.B. and Parr, W.E. On the capacity of the icosahedron, 1=4550
- Conley, J. See Antler, M., 4=8587
- Conley, J.M. Earth's main magnetic field to 152 kilometers above Fort Churchill, 0=14170
- Conley, J.M. See Shorthill, R.W., 1=10377
- Conlin, E.T. See Cannon, P., 4=30804
- Conlon, D.C. and Doyle, W.P. Absorption spectra of vanadium, niobium and tantalum pentoxides, 1=12498
- Conlon, R.D. Refractive index monitor employing Fresnel's principle, 4=5375
- Conlon, T.W. See Kashy, E., 4=25400
- Conn, G. See Chester, P.F., 0=5434
- Conn, G.K.T., Daglish, F.N. and Hogg, A. A three-electrode form of cold cathode ionisation gauge, 0=19230
- Conn, J.B. and Taylor, R.C. Thermoelectric and crystallographic properties of Ag_2Se , 1=6186
- Conn, P.K. See Gelezunas, V.L., 4=1522
- Conn, W.M. Mass transport in arc welding systems. Electric slag welding and electrical contacts, 4=10998
- Connally, R.E. Uranium analysis by gamma absorptiometry, 0=4767
- Connell, R.A. Characteristics of the penetration depth of superconducting indium alloys, 3=9783
- Connell, R.A. See Seraphim, D.P., 0=2292
- Connell, R.A. See Seraphim, D.P., 4=16344
- Connell, R.S. See Chiou, C., 3=7403
- Connolly, B.T. See Porter, G.B., 0=15683
- Conner, J.P. See Bame, S.J., 3=11457
- Conner, J.P. See Bame, S.J., 3=15066
- Connes, J. The field of application of the Fourier transform method, 0=16871
- Connes, J. Spectroscopic studies using Fourier transformations, 2=7389
- Connes, J. Spectroscopic studies using Fourier transformations, 2=7390
- Connes, J. Spectroscopic studies using Fourier transformations, 2=7391
- Connes, J. Spectroscopic studies using Fourier transformations, 2=7392
- Connes, J. Fourier transform spectroscopy: Introductory report, 4=27311
- Connes, J. and Gush, H.P. Night-sky spectroscopy in the infrared by means of Fourier transformation, 0=16469
- Connes, J. and Gush, H.P. A study of the night sky in the near infrared, 1=15303
- Connes, J. and Nozal, V. Mathematical filtration in spectroscopy by Fourier transformation, 1=16074
- Connes, P. Principle and realization of a new type of interference spectrometer, 0=10760
- Connes, P. An interferometric spectrometer for selecting by amplitude modulation, 0=16835
- Connes, P. The spherical Fabry-Perot etalon, 0=16873
- Connes, P. Principle and realization of a new type of interference spectrometer, 1=5354
- Connes, P., Duong Hong Tuan and Pinard, J. Spectral line splitting by high-frequency modulation, 2=11492
- Connes, P., Duong Hong Tuan and Pinard, J. Detection of a weak Doppler effect by the use of superposition fringes, 2=15740
- Connes, P. See Amat, G., 2=13427
- Connes, P. See Bouchareine, P., 3=21540
- Connes, P. See Bouchareine, P., 4=29363
- Connick, R.E. and Fiat, D.N. Coordination numbers of beryllium and aluminium ions in aqueous solutions, 4=207
- Connick, R.E. and Stover, E.D. Rate of elimination of water molecules from the first coordination sphere of paramagnetic cations as detected by nuclear magnetic resonance measurements of O^{17} , 2=1170
- Connick, R.E. See Swift, T.J., 2=19581
- Connolly, A. and Mendelssohn, K. Thermal conductivity of tantalum and niobium below 1°K, 2=8183
- Connolly, A. See Clark, W.T., 3=8787
- Connolly, D.E. A new interpretation of the X-ray diffraction pattern of mallinckrodt UO_3 , 0=3224
- Connolly, D.E. The evaluation of a pure diffraction profile from experimental data, 2=23831
- Connolly, D.E. The crystal structure of alpha uranium, and tables of crystallographic functions, 3=8837
- Connolly, D.E. See Slattery, G.F., 3=8480
- Connolly, D.E. See Slattery, G.F., 4=22654
- Connolly, J.F. Virial coefficients of hydrogen-hydrocarbon mixtures, 2=1196
- Connolly, J.F. Thermodynamic properties of hydrogen in benzene solutions, 2=13327
- Connolly, J.F. Virial coefficients of carbon monoxide-hydrocarbon mixtures, 4=24261

- Connolly, J.F. and Kandalic, G.A. Virial coefficient and intermolecular forces of hydrocarbons, 0=11544
- Connolly, J.I. See Anderson, A.C., 4=27404
- Connolly, P.L., McEwen, J.G. and Orear, J. Elastic scattering of muons in nuclear emulsion, 1=10899
- Connolly, P.L., Hart, E.L., Lai, K.W., London, G., Moneti, G.C., Rau, R.R., Samios, N.P., Skillicorn, I.O., Yamamoto, S.S., Goldberg, M., Gundzig, M., Leitner, J. and Lichtman, S. Existence and properties of the ϕ meson, 3=17330
- Connolly, P.L. See Barnes, V.E., 4=16969
- Connolly, P.L. See Bertanza, L., 2=13854
- Connolly, P.L. See Bertanza, L., 2=22652
- Connolly, P.L. See Bertanza, L., 3=7935
- Connolly, P.L. See Bertanza, L., 3=15037
- Connolly, P.L. See Goldberg, M., 4=21909
- Connolly, T.J. See McDonald, J.S., 1=18658
- Connolly, T.J. See Wray, K.L., 0=1577
- Connor, A.K. Models as an aid in the acoustical design of auditoria, 1=218
- Connor, D. Measurement of the nuclear factor g of Li^8 , 0=1357
- Connor, D. and Tung Tsang. Sign of the Li^8 magnetic moment, 2=12120
- Connor, D. See Tung Tsang, 4=3541
- Connor, D.W. See Wapstra, A.H., 1=5923
- Connor, R.D. The action of fast spherical ionization chambers, 1=394
- Connor, R.D. Concentration of natural and artificial airborne activities near ground level at Winnipeg, 3=21041
- Connor, R.D. and Fairweather, I.L. The β -decay of ^{239}Np , 0=5700
- Connor, R.D. and Husain, M.K. Some factors affecting the gain and resolution of photomultiplier tubes, 1=2992
- Connor, R.D. and MacKenzie, D.R. Higher-energy gamma rays in the decay of neptunium-239, 1=19419
- Connor, R.D. See Konopasek, F., 3=24703
- Connor, R.D. See Van Wijngaarden, W., 4=15190
- Connor, R.J. Millimicrosecond pulsing, 2=5402
- Connor, T.M. Cryostat and sample coil assembly for a spin-echo nuclear resonance spectrometer, 3=14793
- Connor, T.M. and Reid, C. Nuclear resonance studies of hydrogen bonding in alcohols. I. Dilution shift studies, 1=14081
- Connor, T.M. See Allen, G., 3=22592
- Connors, J.F. See Bennett, S., 4=14616
- Connors, M.M. Effect of surround and stimulus luminance on the discrimination of hue, 4=20986
- Connors, M.M. and Kelsey, P.A. Shape of the red and green color zone gradients, 1=10357
- Connors, M.M. and Kinney, J.A.S. Relative red-green sensitivity as a function of retinal position, 2=7080
- Connors, P. and Signell, P. Non-static effect in the nucleon-nucleon interaction, 2=3329
- Conord, A.E. See McDuffie, G.E., Jr., 4=195
- Conrad, B. A spatial angular filter and shutter system for the measurement of charged particles for nuclear reactions, 2=5883
- Conrad, C.M. See Creely, J.J., 2=14980
- Conrad, D. Measurement of the g_J -factors of alkali atoms by means of electron paramagnetic resonance, 1=9914
- Conrad, E.E. [Ed.]. Nuclear Radiation Effects Conference I.E.E.E. Summer General Meeting Toronto, Ontario, Canada, June 16-21, 1963, 4=16713
- Conrad, E.E. See Pliskin, W.A., 4=13678
- Conrad, E.E. See Pliskin, W.A., 4=21004
- Conrad, G.P., II. See Holtzman, A.H., 0=3010
- Conrad, H. Effect of temperature on yield and flow stress of b.c.c. metals, 0=21109
- Conrad, H. Comment on dislocation relaxation phenomena in oxide crystals, 2=8217
- Conrad, H. Effect of grain size on the lower yield and flow stress of iron and steel, 3=11149
- Conrad, H. Yielding and flow of the B.C.C. metals at low temperatures, 4=26472
- Conrad, H., Armstrong, R., Wiedersich, H. and Schoeck, G. Thermally-activated glide in magnesium crystals from 4.2° to 420°K, 1=3986
- Conrad, H. and Frederick, S. The effect of temperature and strain rate on the flow stress of iron, 2=23747
- Conrad, H. and Schoeck, G. Cottrell locking and the flow stress in iron, 1=20352
- Conrad, H. and Stone, G. The effect of stress on the Lüders band velocity in niobium, 4=23193
- Conrad, H. and Wiedersich, H. Activation energy for deformation of metals at low temperatures, 1=1307
- Conrad, H. See Feuerstein, S., 4=20672
- Conrad, H. See Janowski, J.R., 4=22589
- Conrad, H. See Stone, G.A., 4=28972
- Conrad, M.A. and Levy, S. Photo-emission from metal surfaces measured with Geiger counters, 1=16374
- Conradi, J.J. See Parker, D.J., 0=16716
- Conrads, H. A sliding spark with low inductance as a light source for the vacuum ultraviolet, 3=11921
- Conrads, H. and Hartwig, H. A triggered sliding spark gap for the production of emission spectra in the soft X-ray region, 4=24781
- Conrads, H. See Bogen, P., 4=18765
- Conradt, R. See Ruge, I., 4=4181
- Conrath, B.J. See Hanel, R.A., 3=16435
- Conrath, B.J. See Bandeen, W.R., 4=13766
- Conroy, H. Potential energy surfaces for the H_3^+ molecule-ion, 4=12482
- Conroy, H. Molecular Schrödinger equation. I. One-electron solutions, 4=28169
- Conroy, H. Molecular Schrödinger equation. II. Monte Carlo evaluation of integrals, 4=28170
- Conroy, H. Molecular Schrödinger equation. III. Calculation of ground-state energies by extrapolation, 4=28171
- Conroy, H. Molecular Schrödinger equation. IV. Results for one- and two-electron systems, 4=28172
- Conroy, J.J. See Garbuny, M., 4=8570
- Conroy, L.E. See McNeil, W., 2=2116
- Considine, J.P. and Bauman, R.P. Screening parameters for two-, three-, and four-electron systems, 3=10438
- Considine, J.P. See Bauman, R.P., 1=7428
- Consol, T. Recent studies on h.f. discharges not controlled by diffusion, 4=18715
- Consoli, T. Plasma traps without losses, 4=11654
- Consoli, T., Clement, M., Dupas, L., Leroy, J. and Weill, M. Study of the energy transfer mechanism of a right circularly polarized e.m. wave to an ionized medium, 4=18876
- Consoli, T. and Dagai, M. Rotating magnetic polarization in plasmas. Application to the measurement of electron density, 0=7112
- Consoli, T. and Dagai, M. Measurement of electron density in an evolving plasma. Experimental arrangements, 0=7113
- Consoli, T. and Dagai, M. Magnetic rotary polarization in plasmas-application to the measurement of the electron density, 1=9597
- Consoli, T. and Dagai, M. Measurement of the [plasma] electron density by the Faraday effect, 3=4150
- Consoli, T., Dagai, M., Dupas, L. and Ichtenko, G. Experimental verifications of regions of longitudinal propagation of right- and left-handed circularly polarized waves, 2=1418
- Consoli, T., Dagai, M. and Lepechinski, D. Application of the propagation of right circularly polarized waves to u.h.f. diagnosis, 3=4145
- Consoli, T., Dupas, L. and Ichtenko, G. The transmission of circularly polarized waves through a dense plasma, 2=19958
- Consoli, T., Geller, R. and Legardeur, R. Influence of pre-ionization on the efficacy of a magnetic compression. Experimental results, 1=2969
- Consoli, T., Geller, R. and Le Gardeur, R. Pulsed reflex discharge of P.I.G. type at high density, 3=4042
- Consoli, T., Geller, R. and Le Gardeur, R. Influence of the initial conditions on the adiabatic compression of a column of plasma, 3=21795
- Consoli, T., Gormezano, G., Ichtenko, G. and Weill, M. Millimetre guided wave propagation along a magnetic field-description u. h. f. method, 4=18994
- Consoli, T., Hubert, P., Le Quinio, R. and Véron, D. Ion and plasma sources, 0=19769
- Consoli, T. and Hall, R. First experimental verification of the acceleration of a plasma by gradients of a h.f. field and static magnetic field, 4=5605
- Consoli, T. and Hall, R. Acceleration of plasma by electromagnetic and magnetostatic fields gradients, 4=5754
- Consoli, T., Ichtenko, G., Lepechinsky, D., Parlange, F., and Weill, M. Verification of the macroscopic theory of circularly polarized waves in a plasma-application to diagnostics, 4=18981
- Consoli, T., Ichtenko, G., Parlange, F. and Weill, M. Experimental study of the cut-off in the propagation of a right-hand circularly polarized wave along the lines of a magnetic field in an ionized medium, 4=5619
- Consoli, T., Ichtenko, G. and Weill, M. Heating of a plasma by trapping of right-handed circularly polarized waves, 3=9783

- Consoli, T., Ichtchenko, G. and Weill, M. Heating and thermal effects in the propagation of right circularly polarized waves, classification of observable effects, 3=9784
- Consoli, T., Ichtchenko, G. and Weill, M. Experimental verification of plasma heating by the propagation of circularly polarized waves, 3=16951
- Consoli, T., Ichtchenko, G. and Weill, M. Experimental verification of phenomena connected with the propagation of right-handed circularly polarized waves in a hot plasma, 3=19252
- Consoli, T. and Le Gardeur, R. The force equation in the reduction of transverse diffusion losses by h.f. field, 2=13567
- Consoli, T. and Le Gardeur, R. Experimental verifications of the reduction of diffusion losses and of confinement by the superposition of h.f. fields on magnetostatic fields, 2=17841
- Consoli, T., le Gardeur, R., Mourier, G., Vial, P. and Roux, R. Interpretation of experimentally observed results on the confinement of plasmas by high frequency electromagnetic and static magnetic fields under resonant conditions, 3=14589
- Consoli, T., le Gardeur, R., Mourier, G., Vial, P. and Roux, R. Contribution of confinement by h.f. fields to the analysis of the mechanism of formation of "quasi relativistic" layers of electrons observed in orthogonal pinches, 3=14590
- Consoli, T., Le Gardeur, R. and Slama, L. Detection of stationary ion oscillations in a reflex discharge with hot cathodes, 2=1466
- Consoli, T., Le Gardeur, R. and Slama, L. Confinement of a dense plasma by a static magnetic and stationary electromagnetic fields, 3=21794
- Consoli, T. and Lepechinski, D. A method of determining the electron density of a plasma by means of the group velocity, 0=10913
- Consoli, T. and Lepechinski, D. Method of measuring simultaneously a confining magnetic field and the electron density of a plasma, 0=12616
- Consoli, T. and Mourier, G. Acceleration of the particles of an ionized gas by a high-frequency field at cyclotron resonance, 4=8641
- Consoli, T. See Bardet, R., 4=19054
- Consoli, T. See Bardet, R., 4=21550
- Consoli, T. See Bardet, R., 4=27553
- Consoli, T. See Bineau, M., 0=19662
- Consoli, T. See Bineau, M., 0=19663
- Consoli, T. See Clement, M., 4=18788
- Consoli, T. See Dupas, L., 4=8742
- Constabaris, G., Sams, J.R., Jr. and Halsey, G.D., Jr. Adsorption isotherms of neon, argon, krypton, xenon, hydrogen, deuterium methane, and tetradeuteromethane on the highly graphitized carbon black P33 (2700°), 3=1377
- Constabaris, G., Singleton, J.H. and Halsey, G.D., Jr. A precision adsorption apparatus for the study of the interactions between gas atoms and surfaces, 0=14146
- Constabaris, G. See Sams, J.R., Jr., 1=20684
- Constabaris, G. See Sams, J.R., Jr., 2=6854
- Constable, D.N. See Constable, F.H., 0=8336
- Constable, D.N. See Constable, F.H., 0=8337
- Constable, F.H. A relation between the electrical conductivity of rain water and the rate of precipitation, 4=4768
- Constable, F.H. and Constable, D.N. The penetration of liquids in absorbent solids, 0=8336
- Constable, F.H. and Constable, D.N. The relation between the cube root and logarithmic laws for the penetration of liquids into porous solids, 0=8337
- Constans, H. See Mallet, L., 0=314
- Constans, M. Causes of errors in interference metrology, 2=11495
- Constant, E. and de Wavrechin, R. An interferometric method for determining complex permittivity at millimetre wavelengths, 1=16235
- Constant, E. and De Wavrechin, R. Molecular associations of acetic acid in very dilute solutions, 3=21394
- Constant, E. and Lebrun, A. On the radiofrequency [absorption] spectra of some saturated monocarboxylic acids, 1=12894
- Constant, E. and Racz, L. A method of measuring intermolecular association by the study of the static polarization of ternary mixtures, 2=2728
- Constant, E. See Lebrun, A., 1=10796
- Constant, E. See Moriametz, M., 4=29611
- Constant, E. See Racz, L., 1=17826
- Constant, E. See Racz, L., 3=21396
- Constantin, C. See Baruch, P., 2=12458
- Constantinesco, A. See Andreescu, I., 3=17311
- Constantinesco, C., Constantinesco, L. and Ivan, E. A study of the recombination at the third Cu level in n-type Ge, 3=13057
- Constantinesco, L. See Constantinesco, C., 3=13057
- Constantinescu, A. See Andreescu, I., 4=27880
- Constantinescu, A. See Hulubei, H., 4=942
- Constantinescu, A. See Hulubei, H., 4=30257
- Constantinescu, C. A method of determining the capture cross-section for recombination centres in semiconductors, 2=23286
- Constantinescu, C., Constantinescu, L. and Ivan, E. Ge photo-diodes with barrier layer, 4=4232
- Constantinescu, F. See Gherman, O., 3=14772
- Constantinescu, F. See Labuș, A., 1=6361
- Constantinescu, L. Optical properties of cooled mirrors of Ge and Se, 2=19695
- Constantinescu, L. See Constantinescu, C., 4=4232
- Constantinescu, M., Constantinescu, O., Gird, E., Rusi, A., Sabău, C., Spiridon, S. and Ionescu, S. Contribution to a study of the use of organic solvents in cationic exchange, 3=18453
- Constantinescu, M., Constantinescu, O. and Parcaru, I. Contribution to the study of ions absorbed by ion-exchange sorbants by e.p.r. i.e.p.r. spectrum of Cr ions adsorbed by ion-exchange sorbants, 3=8707
- Constantinescu, O. Expressions for chemical bonds from electron paramagnetic resonance spectra, 3=17611
- Constantinescu, O. See Constantinescu, M., 3=8707
- Constantinescu, O. See Constantinescu, M., 3=18453
- Constantinescu-Mociutchi, L. and Ioniscu, E. On the conductivity of thin Pb films deposited at low temperatures, 1=14368
- Conte, R., Dreyfus, B. and Weil, L. Torsional plasticity of iron whiskers, 3=8763
- Conte, R. and Weil, L. A contribution to the study of thin films of iron and of nickel deposited on copper substrates at very low temperatures, 0=13811
- Conticelli, M. Memory for brightness: Stimuli of small size, surrounded by dark, 3=11629
- Conticelli, M. Studies of the fluctuation of apparent brightness, 3=11636
- Contogouris, A.P. Elastic scattering of photons by protons. II, 2=1672
- Contogouris, A.P. Two-pion exchange contribution in proton Compton-scattering, 2=1673
- Contogouris, A.P. Partial wave dispersion relations for photon-nucleon scattering and nucleon-antinucleon production by photons, 2=16180
- Contogouris, A.P. Bethe-Salpeter equation with a nonplanar kernel, 4=19423
- Contogouris, A.P. Possible tests of the elementarity of the photon and the electron, 4=27823
- Contogouris, A.P., Frautschi, S.C. and Wong, H.-S. Regge poles and inelastic scattering at high energies, 3=5952
- Contogouris, A.P., Hadjioannou, F. and Kinoshita, T. Regge poles and the production of high-energy particles by γ -rays, 3=22088
- Contogouris, A.P. and Verganelakis, A. Remarks on the proton-Compton scattering, 4=6002
- Contogouris, A.P. and Wong, H.-S. Weak radiative decays of hyperons, 3=7934
- Contogouris, A.P. See Bowcock, J.E., 4=25044
- Contopoulos, G. A third integral of motion in a galaxy, 0=8512
- Contopoulos, G. On the existence of a third integral of motion, 3=11492
- Contopoulos, G. A classification of the integrals of motion, 4=5110
- Contopoulos, G. Resonance cases and small divisors in a third integral of motion. I., 4=13872
- Contopoulos, G. and Bozis, G. Escape of stars during the collision of two galaxies, 4=23881
- Contopoulos, G. See Chandrasekhar, S., 3=18720
- Contursi, G. See Pozzi, A., 4=26841
- Conversi, M. The electronic calculators and the centre of studies on electronic calculators at Pisa, 0=3397
- Conversi, M. Use of a spark chamber in a search for neutrino-less conversion of muons into electrons, 2=9880
- Conversi, M., di Lella, L., Egidi, A., Rubbia, C. and Toller, M. Nuclear capture of negative muons with electron emission, 1=7260
- Conversi, M., di Lella, L., Egidi, A., Rubbia, C. and Toller, M. Investigation of the process $\mu^- + N = e^- + N$, 1=7261
- Conversi, M., di Lella, L., Egidi, A., Rubbia, C. and Toller, M. On the nuclear capture of muons with electron emission, 1=7395
- Conversi, M., di Lella, L., Egidi, A., Rubbia, C. and Toller, M. Search for electrons from muon capture, 1=8474

- Conversi, M., di Lella, L. and Toller, M. High-current fast-triggering system for spark chambers, 2=20213
- Conversi, M., di Lella, L., Penso, G., Toller, M. and Rubbia, C. Search for conversion of muons into electrons, 2=13834
- Conversi, M., Massam, T., Muller, Th. and Zichichi, A. Search for time-like structure of the proton, 3=19629
- Conversi, M. See Conforto, G., 2=20660
- Conversi, M. See Conforto, G., 2=22831
- Convert, G., Armand, M. and Martinot-Lagarde, P. Laser effect in mercury-rare gas mixtures, 4=21679
- Convert, G., Armand, M. and Martinot-Lagarde, P. Visible laser transitions in ionized argon, 4=27684
- Convington, A.E. See Saito, K., 3=23706
- Conway, B.E. Electrolytic hydrogen-deuterium separation factor and reaction mechanism, 0=748
- Conway, B.E. Anomalous proton conductance and the mechanism of dipole rotation in water and ice, 0=4720
- Conway, B.E. and Bockris, J.O'M. On the theory of proton conductance in water and ice, 0=4721
- Conway, B.E. and Bockris, J.O'M. The mechanism of electrolytic metal deposition, 0=8312
- Conway, B.E., Gileadi, E. and Oswin, H.G. The theory of current distribution and potential profile at an electrode of significant ohmic resistance, 4=4703
- Conway, B.E. See Desnoyers, J.E., 4=30903
- Conway, B.E. See Gileadi, E., 4=7760
- Conway, D.C. Attachment of low-energy electrons to oxygen, 2=13536
- Conway, D.C. and Johnston, W.H. Determination of the low-energy region in the tritium beta spectrum, 0=4053
- Conway, D.C. See Santos-Ocampo, A.G., 1=647
- Conway, D.C. See Santos Ocampo, A.G., 2=22770
- Conway, D.C. See Smith, C.F., Jr., 2=17984
- Conway, D.C. See Yang Jae-Hyun, 4=17319
- Conway, G. See Gruber, J.B., 0=11600
- Conway, H.D. See Becker, E.C.H., 4=29502
- Conway, J.G. Absorption spectrum of UF_4 and the energy levels of uranium V, 0=1731
- Conway, J.G. Energy levels of Am IV in LaCl_3 , 4=20177
- Conway, J.G. Energy levels of 4+ actinides, 4=28316
- Conway, J.G. and Gruber, J.B. Luminescence spectrum of PmCl_3 , 0=11787
- Conway, J.G., Gruber, J.B., Hulet, E.K., Morrow, R.J. and Gutmacher, R.G. Absorption and self-luminescence spectra of $\text{Cf}^3 + (5f^2)$, 2=2248
- Conway, J.G., Hulet, E.K. and Morrow, R.J. Emission spectrum of californium, 2=12288
- Conway, J.G. and Judd, B.R. Missing band in the spectrum of the tripositive americium ion, 4=30377
- Conway, J.G. and Wybourne, B.G. Low-lying energy levels of lanthanide atoms and intermediate coupling, 3=15283
- Coi way, J.G. See Gruber, J.B., 0=6032
- Conway, J.G. See Gruber, J.B., 1=4896
- Conway, J.G. See Gruber, J.B., 2=2232
- Conway, J.G. See Lämmermann, H., 3=8601
- Conway, J.G. See McLaughlin, R.D., 3=13181
- Conway, J.G. See Worden, E.F., 3=18998
- Conway, J.M., Greenwood, D.A., Krumhansl, J.A. and Martienssen, W. Oscillator strength for optical absorption by silver ions in alkali halide crystals, 3=10965
- Conway, R.G. Observations of discrete radio sources at a frequency of 500 Mc/s, 0=18662
- Conway, R.G. Measurement of radio sources at centimetre wavelengths, 4=13941
- Conway, R.G. and Moran, M. Observations of discrete radio sources at frequencies of 240 and 412 Mc/s, 4=23944
- Conway, R.G., Shakeshaft, J.R. and Whitfield, G.R. On the spectra of radio sources, 0=18654
- Conway, R.G. See Allen, L.R., 3=7051
- Conway, R.J. See Carman, E.H., 3=14781
- Conwell, E.M. Galvanomagnetic effects in semiconductors at high electric fields, 1=11285
- Conwell, E.M. Disturbances of carrier concentration in high electric field, 2=630
- Conwell, E.M. Diffusion of excess carriers in a many-valley band structure, 2=21121
- Conwell, E.M. Disturbance of phonon distribution by hot electrons, 4=25835
- Conwell, E.M. Phonon and electron distributions in high electric fields, 4=28340
- Conwell, E.M. Relative energy loss to optical and acoustic modes of electrons in avalanche breakdown in Ge, 4=28560
- Conwell, E.M. and Brown, A.L. Scattering of hot carriers in germanium, 1=17693
- Conwell, E.M. and Fowler, V.J. High-frequency conductivity and dielectric constant versus electric field intensity in germanium, 2=23314
- Conwell, E.M. and Levinger, B.W. Band structure of heavily doped semiconductors, 3=10741
- Conwell, E.M. and Zucker, J. The recombination of hot carriers— theoretical, 2=8405
- Conwell, E.M. See Buhrer, C.F., 3=5536
- Conwell, E.M. See Zucker, J., 2=4024
- Conwell, E.M. See Zucker, J., 2=8404
- Conwell, E.M. See Zucker, J., 3=2891
- Conwell, E.M. See Zucker, J., 3=10784
- Conwell, E.M. See Zylbersztejn, A., 4=9835
- Conzalez, Z. See Giacchetti, A., 4=22308
- Conzemius, R.J. and Svec, H.J. Improvement of the ion transmission in a typical mass spectrometer ion source, 3=24374
- Conzett, H.E., Goldberg, H.S., Shield, E., Slobodrian, R.J. and Yamabe, S. Polarisation of 40 MeV protons elastically scattered from deuterons, 4=25097
- Conzett, H.E., Igo, G., Shaw, H.C. and Slobodrian, R.J. Alpha-alpha scattering in the range 36.8 to 47.3 MeV, 0=5628
- Conzett, H.E., Igo, G. and Knox, W.J. Polarization in the elastic scattering of 22 MeV protons from deuterons, 4=16897
- Conzett, H.E., Isoya, A. and Hadjimichael, E. Phase shift analysis of heavy ion scattering, 4=22194
- Conzett, H.E. See Chiba, R., 1=13531
- Conzett, H.E. See Ghorso, A., 4=22192
- Coogan, C.K., Belford, G.G. and Gutowsky, H.S. N.M.R. studies of phase transitions. I. NaSH , 4=7511
- Coogan, C.K. and Gutowsky, H.S. Diffusion of hydrogen in the γ phase of titanium hydride, 2=2097
- Coogan, C.K. and Gutowsky, H.S. N.M.R. studies of phase transitions. II. NaCN , 4=23294
- Coogan, C.K. See Stalinski, B., 0=18230
- Coogan, C.K. See Stalinski, B., 1=6437
- Cook, A.F. and Franklin, F.A. Rediscovery of Maxwell's Adams prize essay on the stability of Saturn's rings, 4=13920
- Cook, A.F. and Hawkins, G.S. The meteoric head echo, 1=6744
- Cook, A.H. The external gravity field of a rotating spheroid to the order of e^3 , 0=8347
- Cook, A.H. Resonant orbits of artificial satellites and longitude terms in the earth's external gravitational potential, 1=9297
- Cook, A.H. Precise measurements of the density of mercury at 20°C. II. Content method, 1=18339
- Cook, A.H. The comparison of the earth's gravitational potential derived from satellite observations with gravity observations on the surface, 1=20790
- Cook, A.H. Analysis of some new possibilities of interference of electromagnetic waves, 2=7395
- Cook, A.H. Effects of scattering in the far ultra-violet by interstellar hydrogen and helium, 4=2385
- Cook, A.H. Sources of harmonics of low-order in the external gravity field of the earth, 4=4734
- Cook, A.H. and Hitchins, R.G. Differential microdensitometer, 0=3593
- Cook, A.R., Matarrese, L.M. and Wells, J.S. New method for constructing e.p.r. cavities, 4=11814
- Cook, B.C. Least structure solution of photonuclear yield functions, 4=6318
- Cook, B.C. See Anderson, D.W., 3=17453
- Cook, B.D. Determination of finite amplitude distortion by light diffraction, 0=5101
- Cook, B.D. New procedure for computing finite-amplitude distortion, 2=17558
- Cook, B.D. Interference patterns of ultrasonic optical gratings, 3=9610
- Cook, B.D. Calculations of finite-amplitude distortion, 4=5318
- Cook, B.D. and Hiedemann, E.A. Diffraction of light by ultrasonic waves of various standing wave ratios, 1=10601
- Cook, B.M. and Stokes, R.H. The conductance of hydrochloric acid at 50°, 3=23547
- Cook, B.P. See Steward, E.G., 0=8291
- Cook, B.P. See Steward, E.G., 0=14001
- Cook, B.P. See Steward, E.G., 1=4041
- Cook, B.P. See Steward, E.G., 1=10255
- Cook, C.B., Mellish, C.E. and Payne, J.A. Measurement of thin metal layers. Fluorescent X-ray production by radioisotope sources, 0=10630
- Cook, C.F. A fast neutron time-of-flight spectrometer, 2=13820
- Cook, C.F. See Byrne, J.F., 4=19205
- Cook, C.F., Jr. New method for producing platinum preshadowed carbon substrates, 2=8901
- Cook, C.F., Jr. and Kerecman, A.J. Preparation and investigation of Boron as a substrate material, 3=18411

- Cook, C.F., Jr. See Leonhard, F., 0=21262
- Cook, C.J. The asymptotic form of the electron capture cross-sections, 3=9726
- Cook, C.J. and Fredericks, W.J. Interaction of slow electrons with insulating crystals. I. Absorption coefficient for cleaved alkali halides; experimental techniques, 1=7573
- Cook, C.J. and Fredericks, W.J. Interaction of 0.2 to 4.0 eV electron beams with cleaved MgO, 2=6394
- Cook, C.J., Heinz, O., Lorents, D.C. and Peterson, J.R. Energy anomalies observed in ion beams produced by r.f. sources, 2=17897
- Cook, C.J. and Peterson, J.R. Direct and dissociative ionization cross-sections for electrons in N₂, 2=22175
- Cook, C.J. See Bates, D.R., 4=9793
- Cook, C.J. See Fredericks, W.J., 1=11189
- Cook, C.J. See Fredericks, W.J., 3=22694
- Cook, C.M., Jr. The heat of vaporization and the heat of fusion of ferric chloride, 2=9453
- Cook, C.S., Mather, R.L., Johnson, R.F. and Tomnovec, F.M. Fractionation of nuclear weapon debris, 0=20362
- Cook, C.S. See Bisgard, K.M., 3=10271
- Cook, C.W. See Braley, J.E., 0=9670
- Cook, C.W. See Schmitt, H.W., 1=2223
- Cook, C.W. See Walton, R.B., 4=19845
- Cook, D., Kuhn, S.J. and Olah, G.A. Infrared spectra of complexes of NO₂F with BF₃, PF₅ and SbF₅, 1=2325
- Cook, D.M. See Aven, M., 1=14483
- Cook, G.B. See Boys, S.F., 0=17822
- Cook, G.E. Effect of an oblate rotating atmosphere on the orientation of a satellite orbit, 1=15575
- Cook, G.E. Geophysical results obtained from satellite orbits, 2=15171
- Cook, G.E. Luni-solar perturbations of the orbit of an Earth satellite, 2=15412
- Cook, G.E. and Hughes, J.M. The orbits of needle satellites, 2=15414
- Cook, G.E. and King-Hele, D.G. The contraction of satellite orbits under the influence of air drag. IV. With scale height dependent on altitude, 3=25992
- Cook, G.E., King-Hele, D.G. and Walker, D.M.C. The contraction of satellite orbits under the influence of air drag. I. With spherically symmetrical atmosphere, 1=52
- Cook, G.E., King-Hele, D.G. and Walker, D.M.C. The contraction of satellite orbits under the influence of air drag. II. With oblate atmosphere, 1=18220
- Cook, G.E. and Plimmer, R.N.A. The effect of atmospheric rotation on the orbital plane of a near-earth satellite, 0=18877
- Cook, G.E. See Allan, R.R., 4=26977
- Cook, G.E. See King-Hele, D.G., 4=4735
- Cook, G.E. See King-Hele, D.G., 3=13639
- Cook, G.H. Modern trends in cine lenses, 1=2897
- Cook, G.H. Conference on the Physics of Optical Glass, Lathom, Lancs., October 1963, 4=10625
- Cook, G.R. and Metzger, P.H. Improved photoionization and absorption spectra of several gases in the 600 to 1000 Å region, 4=12460
- Cook, G.R. and Metzger, P.H. Photoionization and absorption cross sections of C₂ and N₂ in the 600- to 1000-Å region, 4=25662
- Cook, G.R. and Metzger, P.H. Photoionization and absorption cross sections of H₂ and D₂ in the vacuum ultraviolet region, 4=28190
- Cook, G.R. See Metzger, P.H., 4=12468
- Cook, G.R. See Metzger, P.H., 4=25690
- Cook, G.S. Calculation of the penetration of gamma rays through the edges of a $\frac{1}{8}$ -inch diameter lead collimator, 0=20097
- Cook, H.C. See Weil, R., 2=10939
- Cook, H.D. and Marzetta, L.A. An automatic fringe counting interferometer for use in the calibration of line scales, 1=10600
- Cook, J.B., George, R.E. and Grant, E.H. A transistorized high current stabilizer and field sweep for an electromagnet, 4=18646
- Cook, J.C. R.F. electrical properties of salty ice and frozen earth, 0=16009
- Cook, J.C. On measuring the phase velocity of an oscillating gravitational field, 2=17343
- Cook, J.C. and Kenyon, K.E. Fast-response thermistor probes for temperature microstructure studies at sea, 3=14402
- Cook, J.C. and Levine, H.S. Calorimeter and accessories for very high thermal radiation flux measurements, 0=19523
- Cook, J.G. See Burgess, R.E., 4=18869
- Cook, J.J., Cross, L.G., Bair, M.E. and Arnold, C.B. Radio detection of the planet Saturn, 1=43
- Cook, J.J. See Bair, M.E., 1=8018
- Cook, J.L. Photoproduction of neutral mesons in helium, 1=12097
- Cook, J.L. and Elliott, D. The tabulation of three functions arising in nuclear resonance theory, 0=13216
- Cook, J.M. Asymptotic properties of a boson field with given source, 1=4760
- Cook, J.R. Internal conversion of ¹⁴¹Ce, 1=5872
- Cook, J.S. Dislocation etching solution for potassium chloride and other alkali halides, 1=19792
- Cook, J.S. and Dryden, J.S. The intensity of dielectric absorption in alkali halides as a function of the concentration of divalent cation impurities, 1=1128
- Cook, J.S. and Dryden, J.S. An investigation of the aggregation of divalent cationic impurities in alkali halides by dielectric absorption, 2=18577
- Cook, J.S. See Mason, D.R., 1=5093
- Cook, K.G. and Isaacs, G.G. Deuterium-filled thyrons, 0=7153
- Cook, K.G. See Baker, B.O., 3=4082
- Cook, L.F. See Blankenbecler, R., 2=20286
- Cook, L.F. See Kreps, R.E., 4=12046
- Cook, L.F., Jr and Lepore, J.V. Multiple meson production in nucleon-antinucleon annihilations, 0=20217
- Cook, L.F., Jr and Lee, B.W. Unitarity and production amplitudes, 2=16168
- Cook, L.F., Jr and Lee, B.W. π -N scattering with inelastic contributions, 2=16169
- Cook, L.F., Jr and Tarski, J. Investigation of the five-point function, 1=2019
- Cook, L.F., Jr and Tarski, J. Some properties of the five-point function in perturbation theory, 2=2595
- Cook, L.F., Jr. See Blankenbecler, R., 0=15291
- Cook, L.F., Jr. See Blankenbecler, R., 3=5987
- Cook, L.H. Expansion indicator, 4=22501
- Cook, M.A., Keyes, R.T. and Udy, L.L. Propagation characteristics of detonation-generated plasmas, 0=1133
- Cook, M.A., Keyes, R.T. and Ursenbach, W.O. Measurements of detonation pressure, 3=1751
- Cook, M.A. and Rogers, L.A. Compressibility of solids and liquids at high pressures, 3=23311
- Cook, M.A. See Bauer, A., 1=12915
- Cook, M.I. See Swanson, H.E., 1=15066
- Cook, M.I. See Swanson, H.E., 1=15067
- Cook, M.S. Steady-state stimulated emission in resonant and nonresonant cavities, 4=24888
- Cook, P.A. Effect of final-state interactions on cross-section for process $K^- + d \rightarrow \bar{K}^0 + 2n$, 4=19587
- Cook, P.D. A slow sweep generator, 2=11811
- Cook, R.K. Strange sounds in the atmosphere. I, 2=15206
- Cook, R.K. Radiation of sound by ocean waves, 4=15862
- Cook, R.K. and Young, J.M. Strange sounds in the atmosphere. II, 3=16233
- Cook, R.L. See Winnewisser, M., 4=28202
- Cook, R.L. See Winnewisser, M., 4=28220
- Cook, R.W.E. Light from the corona discharge, 0=5284
- Cook, V., Cork, B., Hoang, T.F., Keefe, D., Kerth, L.T., Wenzel, W.A. and Zipf, T.F. $K^+ - p$ and $K^+ - n$ cross sections in the momentum range 1-4 BeV/c, 1=10927
- Cook, V., Cork, B., Holley, R.W. and Perl, M.L. Elastic-differential cross section of $\pi^+ + p$ at 1.5, 2.0 and 2.5 BeV/c, 3=12490
- Cook, V., Keefe, D., Kerth, L.T., Murphy, P.G., Wenzel, W.A. and Zipf, T.F. Search for positive particles of masses about 500 m_e and 1400 m_e, 1=10867
- Cook, V., Keefe, D., Kerth, L.T., Murphy, P.G., Wenzel, W.A. and Zipf, T.F. Total cross-section measurements of $K^+ - p$ and $K^+ - n$ interactions in the momentum region 0.77 to 2.85 BeV/c, 1=16895
- Cook, V., Keefe, D., Kerth, L., Murphy, P., Wenzel, W. and Zipf, T. K^+ -nucleon total and differential cross-sections in the momentum range 0.8-2.9 BeV/c, 2=22630
- Cook, V., Keefe, D., Kerth, L.T., Murphy, P.G., Wenzel, W.A., and Zipf, T.F. Elastic K^+ -proton scattering at 970, 1170, and 1970 MeV/c, 3=10171
- Cook, V., Jr. See Whitehead, M.N., 0=9433
- Cook, W.R., Jr, Berlincourt, D.A. and Scholz, F.J. Thermal expansion and pyroelectricity in lead titanate zirconate and barium titanate, 3=12929
- Cook, W.R., Jr and Jaffe, H. Digest of literature on dielectrics. Ferroelectric and piezoelectric materials, 0=2300
- Cook, W.R., Jr. See Berlincourt, D., 3=10881

- Cook, W.R. Jr. See Krueger, H.H.A., 3=10883
- Cook, W.R., Jr. See Zare, R., 1=7867
- Cooke, A.H., Edmonds, D.T., Finn, C.B.P. and Wolf, W.P. Dipolar ferromagnetism in dysprosium ethyl sulphate, 0=8040
- Cooke, A.H., Edmonds, D.T., Finn, C.B.P. and Wolf, W.P. De-magnetization experiments on substances with large magnetic dipole interactions, 3=1056
- Cooke, A.H., Edmonds, D.T., McKim, F.R. and Wolf, W.P. Magnetic dipole interactions in dysprosium ethyl sulphate. I. Susceptibility and specific heat between 20 and 1°K, 0=13734
- Cooke, A.H., Edmonds, D.T. and Wolf, W.P. Susceptibility and specific heat of dysprosium ethyl sulphate below 1°K, 0=10094
- Cooke, A.H., Finn, C.B.P., Mangum, B.W. and Orbach, R.L. Spin-lattice relaxation in dysprosium ethyl sulphate, 3=1194
- Cooke, A.H., Finn, C.B.P. and Orbach, R. Spin-lattice relaxation in some rare-earth ethylsulphates, 1=14809
- Cooke, A.H., Lazenby, R., McKim, F.R., Owen, J. and Wolf, W.P. Exchange interactions in antiferromagnetic salts of iridium. II. Magnetic susceptibility measurements, 0=8068
- Cooke, B.A., Pounds, K.A., Russell, P.C. and Stewardson, E.A. Preliminary measurements of the mass absorption coefficients of aluminium in the region 8-14 Å, 2=12611
- Cooke, C.E., Jr. See Collins, R.E., 0=2157
- Cooke, C.H., McKenna, J. and Skinner, J.G. Distribution of absorbed power in a side-pumped ruby rod, 4=28704
- Cooke, D. Moiré fringe technique for vibration measurement, 2=15666
- Cooke, D.J. See Rohan, P., 3=12324
- Cooke, D.J. See Rohan, P., 3=14780
- Cooke, G.M. See Anderson, R.C., 1=10555
- Cooke, I. Ohmic contact to zinc sulfide single crystals, 3=8530
- Cooke, I. and Reed, L.D. The effect of dislocation density on the energy resolution of sodium iodide scintillators, 2=18001
- Cooke, J.C. Three-dimensional turbulent boundary layers, 3=21299
- Cooke, J.W. Experimental determination of the thermal conductivity of molten lithium from 320° to 830°C, 4=16106
- Cooke-Yarborough, E.H. The instrumentation and control circuits of nuclear reactors, 2=14181
- Cooke-Yarborough, E.H. International Symposium on Nuclear Electronics, Paris, November 1963, 4=11843
- Cooke-Yarborough, E.H. and Barnes, R.C.M. Rapid methods for ascertaining whether the activity of a weak radioactive sample exceeds a predetermined level, 0=11328
- Cooks, C.G. See Sclar, C.B., 4=26565
- Cooksey, M.M., Frentress, Z. and Edwards, H.D. Photographic instrumentation for triangulation studies of luminous clouds in the upper atmosphere, 4=17917
- Cooksey, M.M. See Edwards, H.D., 3=21045
- Cookson, J.A. See Cohen, A.V., 1=5905
- Cookson, J.A. See Cohen, A.V., 1=9854
- Cookson, J.A. See Cohen, A.V., 2=1805
- Cookson, J.A. See Cohen, A.V., 2=1874
- Cookson, J.A. See Cohen, A.V., 2=3342
- Cookson, J.A. See Cohen, A.V., 2=5870
- Cool, R. See Lee, T.D., 4=3519
- Cool, R.L., Jenkins, E.W., Kycia, T.F., Hill, D.A., Marshall, L. and Schluter, R.A. Measurement of the magnetic moment of the Λ^0 hyperon, 2=20430
- Cool, R.L. See Baker, W.F., 2=20627
- Cool, R.L. See Baker, W.F., 3=10169
- Cool, R.L. See Cork, B., 0=20236
- Cooley, J.W. Improved eigenvalue corrector formula for solving the Schrödinger equation for central fields, 2=8085
- Cooley, J.W. See Auffray, J.P., 1=7483
- Cooley, J.W. See Auffray, J.P., 1=17006
- Cooley, W.C. Solar direct-conversion power systems, 2=13197
- Coombe, R.A. Measuring temperature and Mach number in a high-temperature gas flow, 3=1718
- Coombe, R.A. Measuring temperatures in the range 1000°C to 5000°C. II, 4=11395
- Coombe, R.A. Measuring temperatures in the range 1000°C to 5000°C. I, 4=2871
- Coombe, R.A. and Walker, J. Neutrons emitted in the $^9\text{Be}(\text{d}, \text{n})^{10}\text{B}$ reaction at a deuteron energy of 80 keV, 3=2488
- Coombe, R.A. and Ward, B.A. The energy spectra of the neutrons from "ZETA", 4=3013
- Coombes, C.A. See Armenteros, R., 0=17338
- Coomes, E.A. See Barnaby, B.E., 4=23611
- Coomes, E.A. See Cape, J.A., 0=3308
- Coomes, E.A. See Gardner, G., 2=8785
- Coomes, E.A. See Gifford, F.E., 0=6328
- Coon, D.D. See Roberts, S., 2=18791
- Coon, G.W. See Dimeff, J., 2=19506
- Coon, J.B., Cesani, F.A. and Loyd, C.M. Evidence for a double-minimum potential in an excited state of ClO_2 , 4=6588
- Coon, J.B., DeWames, R.E. and Loyd, C.M. The Franck-Condon principle and the structures of excited electronic states of molecules, 2=14298
- Coon, S.A. See Berkowitz, E., 3=685
- Coon, S.A. See Norbeck, E., 3=15238
- Cooney, G.H. The New South Wales earthquake of May 22, 1961, 3=13641
- Cooney, J.A. Method of measuring the velocity of a continuously flowing plasma, 4=14683
- Cooney, W.A. See Haendler, H.M., 4=7580
- Coop, W.H. and Hammond, J.A. Phosphorescence of fused quartz and sapphire, 2=16849
- Cooper, A.R., Jr. The effect of the moving boundary on molecular diffusion controlled dissolution or growth kinetics, 3=5436
- Cooper, A.R., Jr. Modification of Noyes-Nernst equation, 3=11787
- Cooper, A.R., Jr. and Kingery, W.D. Kinetics of solution in high viscosity liquids: sodium chloride-glycerol, 2=15581
- Cooper, A.R., Jr. and Kingery, W.D. Dissolution in ceramic systems: I. Molecular diffusion, natural convection, and forced convection studies of sapphire dissolution in calcium aluminum silicate, 4=18188
- Cooper, A.R., Jr. See Ritter, J.E., Jr., 4=4465
- Cooper, A.S. Precise lattice constants of germanium, aluminium, gallium arsenide, uranium, sulphur, quartz and sapphire, 2=15014
- Cooper, A.S., Bond, W.L. and Abrahams, S.C. The lattice and molecular constants in orthorhombic sulfur, 2=15013
- Cooper, A.W. and Oleson, N.L. Critical currents for moving striations in the inert gases, 3=4062
- Cooper, A.W. See Chen, F.F., 3=4040
- Cooper, B.F.C. Use of a Y-type circulator switch with a 21-centimeter maser radiometer, 1=5578
- Cooper, B.F.C. Receivers in radio astronomy, 4=4926
- Cooper, B.F.C. and Price, R.M. Faraday rotation effects associated with the radio source Centaurus A, 3=5281
- Cooper, B.F.C. See Bracewell, R.N., 3=7052
- Cooper, B.F.C. See Jelley, J.V., 1=4214
- Cooper, B.F.C. See Sciama, D.W., 3=11604
- Cooper, B.R. Helical spin arrangement in chromium metal, 0=21019
- Cooper, B.R. Sublattice magnetization and resonance frequency of antiferromagnets with large uniaxial anisotropy, 0=21060
- Cooper, B.R. The variation of periodicity of magnetic structure with dilution and temperature for the heavy rare earth metals, 4=1806
- Cooper, B.R. Theory of the spin wave contribution to the specific heat of dysprosium, 3=3095
- Cooper, B.R., Elliott, R.J., Nettel, S.J. and Suhl, H. Theory of magnetic resonance in the heavy rare-earth metals, 2=14816
- Cooper, B.R. and Elliott, R.J. Spin-wave theory of magnetic resonance in spiral spin structures: effect of an applied field, 3=20635
- Cooper, B.R. and Keffer, F. Paramagnetic resonance width in iron and nickel, 2=4259
- Cooper, C.B. Rubber model for demonstrations and laboratory experiments, 0=16561
- Cooper, C.B. See Woodyard, J.R., 4=18303
- Cooper, C.B. See Woodyard, J.R., 4=27237
- Cooper, C.B. See Woodyard, J.R., 4=14769
- Cooper, C.D., Cobb, G.C. and Tolnas, E.L. Visible spectra of XeO and KrO , 2=6169
- Cooper, D.H. and Guneratne, P.P. Weakened-section thermocouple for use on reactor fuel elements and channel components, 4=28095
- Cooper, E. The properties of low frequency radio waves reflected from the ionosphere, calculated by the phase-integral method, 1=20918
- Cooper, E. See Budden, K.G., 2=21647
- Cooper, E.A. Device for the estimation of the rate of work on passing air by sine wave flow, 0=3554
- Cooper, F.S. See Liberman, A.M., 0=810
- Cooper, H.W., Arrott, A.S. and Paxton, H.W. Magnetic investigation of pure manganese and of several of its alloys, 2=2291
- Cooper, J. Minimum detectable power of a pyroelectric thermal receiver, 2=2929
- Cooper, J. A fast response total-radiation detector, 2=13482

- Cooper, J. A fast-response pyroelectric thermal detector, 2=19766
- Cooper, J. and Greig, J. R. An ultra-rapid scanning Fabry-Perot interferometer, 3=261
- Cooper, J. On the high-frequency response of a Rogowski coil, 4=417
- Cooper, J. and Greig, J. R. The photo-electric recording of spectral line profiles on a microsecond time-scale, 4=18401
- Cooper, J. and Greig, J. R. Rapid scanning of spectral line profiles using an oscillating Fabry-Perot interferometer, 3=21541
- Cooper, J. See Fearn, D. G., 4=11586
- Cooper, J. See Peacock, N. J., 4=18863
- Cooper, J. See Simpson, J. A., 4=15279
- Cooper, J. L. See Hanak, J. J., 4=16359
- Cooper, J. N. See Schmidlin, F. W., 2=5238
- Cooper, J. R. and Hansler, R. L. Variation of electrical resistivity of cubic tantalum carbide with composition, 3=25368
- Cooper, J. R. A. and Raimes, S. The effects of anisotropic relaxation times on the Hall coefficients of some dilute alloys of silver, 0=15895
- Cooper, J. R. A. and Raimes, S. Extension of the theory of the effects of anisotropic relaxation times on the Hall coefficients of some dilute alloys of silver, 0=20726
- Cooper, J. R. A. See Albasiny, E. L., 1=19659
- Cooper, J. R. A. See Albasiny, E. L., 4=3870
- Cooper, J. R. A. See Albasiny, E. L., 3=22554
- Cooper, J. R. A. See Albasiny, E. L., 4=27018
- Cooper, J. W. Calculations of the neutron age in water and heavy water for D-D sources, 2=5670
- Cooper, J. W. The calculation of autoionization probabilities, 4=24567
- Cooper, J. W. Photoionization from outer atomic subshells. A model study, 3=708
- Cooper, J. W., Fano, U. and Prats, F. Classification of two-electron excitation levels of helium, 3=19928
- Cooper, J. W. and Martin, J. B. Electron photodetachment from ions and elastic collision cross sections for O, C, Cl, and F, 2=12298
- Cooper, J. W. and Martin, J. B. Correlation effects in two- and three-electron systems, 3=19922
- Cooper, J. W. See Berger, M. J., 0=7366
- Cooper, K. D. and Stewart, J. C. J. The production of narrow slit images by a scanning technique, 4=5409
- Cooper, L. N. Theory of superconductivity, 0=1073
- Cooper, L. N. Theory of strongly coupled many-fermion systems. I. Convergence of linked-cluster expansions, 1=8083
- Cooper, L. N. Superconductivity in the neighborhood of metallic contacts, 1=11887
- Cooper, L. N. Some elementary theoretical considerations concerning superconductivity of superimposed metallic films, 2=7502
- Cooper, L. N. Theory of the Knight shift in superconductors, 2=13508
- Cooper, L. N., Lee, H. J., Schwartz, B. B. and Silvert, W. Theory of the Knight shift and flux quantization in superconductors, 4=18536
- Cooper, L. N., Mills, R. L. and Sessler, A. M. On the possible superfluidity of liquid ^3He , 0=8924
- Cooper, L. N. See Schwartz, B. B., 4=18535
- Cooper, M. J. The structure of the intermetallic phase θ (Cr-Al), 0=8208
- Cooper, M. J. Dispersion corrections for X-ray scattering for Ag K α and Co K α radiations, 4=3813
- Cooper, M. J. The electron distribution in chromium, 3=6840
- Cooper, M. J. The electron distribution in the phases CoAl and NiAl, 3=16092
- Cooper, M. J. An investigation of the ordering of the phases CoAl and NiAl, 3=16104
- Cooper, M. K., Palmer, A. R. and Stolarski, G. Z. A. The effect of neutron irradiation on the thermal conductivity
- Cooper, P. See Cohen, J., 3=7060
- Cooper, P. F., Jr and Wilson, R. Cross section and asymmetry in the deuteron pickup reaction $\text{C}^{12}(\text{p}, \text{d})\text{C}^{11}$ at 145 MeV, 0=7553
- Cooper, P. F., Jr. See Calame, G., 0=19853
- Cooper, P. F., Jr. See Kuckes, A. F., 1=15525
- Cooper, P. F., Jr. See Stairs, D. G., 3=7850
- Cooper, P. N., Firth, K., Kerridge, M., Mathams, R. F., Salmon, A. J. and Stephens, K. G. Some measurements of reactivity in a light-water moderated highly enriched uranium assembly, 2=10179
- Cooper, P. N., Firth, K. and Stephens, K. G. Use of ring-shaped neutron sources in a research reactor, 1=10894
- Cooper, P. N., Firth, K. and Stephens, K. G. Use of ring-shaped neutron sources in a research reactor, 2=16457
- Cooper, P. W. Correlation detection in a duovelocity medium, with application to seismic disturbances, 4=24296
- Cooper, R. Fast reactor rocket engines—criticality, 2=20698
- Cooper, R. and Fernandez, A. Anisotropy in the electric strength of alkali halide crystals, 2=6528
- Cooper, R., Higgin, R. M. and Smith, W. A. The influence of ionic conductivity on the electric strength of KCl and NaCl, 1=2435
- Cooper, R., Rowson, C. H. and Watson, D. B. Intrinsic electric strength of polythene, 3=13125
- Cooper, R. and Smith, W. A. The electric breakdown of sodium chloride, 2=676
- Cooper, R. See Broadbent, T. E., 2=1351
- Cooper, R. See Pearson, R. F., 1=12529
- Cooper, R. E. Kinetics of elastic twinning in calcite, 3=3260
- Cooper, R. E. See Bowden, F. P., 3=4865
- Cooper, R. H. and Billings, D. E. A long-lived polar coronal region, 2=13132
- Cooper, R. K. See Mahmoud, H., 4=12105
- Cooper, R. W. See Pearson, R. F., 1=6364
- Cooper, R. W. See Pearson, R. F., 3=1049
- Cooper, W. Photovoltaic effect of silver bromide, 2=16758
- Cooper, W. A. Summarized proceedings of a conference on nuclear fuel cycles — London, January 1959, 0=5813
- Cooper, W. A., Filthuth, H., Fridman, A., Malamud, E., Gelsema, E. S., Kluyver, J. C. and Tenner, A. G. Difference in mass between the Y_1^{*+} and Y_1^{*+} isobars, 4=15104
- Cooper, W. A. and Rose, H. Pile oscillator measurements of highly irradiated plutonium, 1=19566
- Cooper, W. A. See Amato, G., 3=17135
- Cooper, W. A. See Bartke, J., 1=8515
- Cooper, W. A. See Bartke, J., 2=13883
- Cooper, W. A. See Bartke, J., 3=22206
- Cooper, W. A. See Gibbs, D. C. C., 2=3673
- Cooper, W. M. See Jacquemin, J., 2=12258
- Cooper, W. M. See Stephens, K. G., 0=15367
- Cooper, W. S. See Boldt, G., 4=28108
- Cooper, W. S., III. See Spillman, G. R., 3=7346
- Cooper, W. S., III. See Wilcox, J. M., 2=1470
- Cooper, W. S., III. See Wilcox, J. M., 2=19948
- Cooper, W. S., III. See Wilcox, J. M., 3=1967
- Cooperman, E. L. and Roy, R. R. Fine structure effects in the fission of U^{235} , 4=1114
- Cooperman, P. Reply to the letters of Szasz, and Bailey and Larkin, 0=14107
- Cooperman, P. Dust space charge in electrical precipitation, 3=24202
- Coopersmith, B. and Curzon, A. E. A simple automatic pumping system, 3=21455
- Coopersmith, M. and Brout, R. Threshold concentration for the existence of ferromagnetism in dilute alloys, 1=20062
- Coopersmith, M. and Brout, R. Statistical mechanical theory of condensation, 3=16548
- Coor, T. Plasma diffusion in stellarators, 1=9016
- Coote, G. E., Turchinets, W. E. and Wright, I. F. Cross-sections for the (γ, n) reaction in Cu^{63} , Cu^{65} , Zn^{64} , Sb^{121} and Pr^{141} , measured with monochromatic gamma rays, 1=5892
- Coote, G. E. See Carver, J. H., 2=22787
- Cooter, I. L. See Sanford, R. L., 2=17921
- Covert, R. E. Surface magnetoconductivity experiments on silicon, 2=2156
- Copan, T. P. See Gulbransen, E. A., 1=4077
- Copan, T. P. See Gulbransen, E. A., 1=6502
- Copan, T. P. See Gulbransen, E. A., 3=18433
- Cope, A. D. and Borkan, H. Isocon scan—a low-noise, wide-dynamic-range camera tube scanning technique, 3=19324
- Cope, A. D. See Luedicke, E., 4=23834
- Cope, F. W. Eye melanin free radical kinetics and mechanism in relation to the Roginsky-Zeldovich (or Elovich) equation and the adsorption of oxygen by semiconductors, 4=20975
- Cope, F. W. See Sever, R. J., 2=24222
- Cope, J. A. See Gribbon, P. W. F., 4=8546
- Cope, J. O. Direct-reading diaphragm-type pressure transducers, 2=19504
- Copeland, C. S. See Allen, P. E. M., 2=17481
- Copeland, C. S. See Benson, S. W., 3=23873
- Copeland, C. S. See Newton, P., 2=19575
- Copeland, C. S. See Pearson, D., 3=18449

- Copeland, C.S. See Pearson, D., 3=18450
 Copeland, J. The crystal-video radiometer, 4=5795
 Copeland, J. and Tyler, W.C. Preliminary results from measurements of 8.6-mm radiation from Venus, 4=13945
 Copeland, J. See Barath, F.T., 4=13954
 Copeland, J. See Barath, F.T., 3=18618
 Copeland, J.A. and Humphrey, F.B. Flux reversal by Néel wall motion, 3=15845
 Copeland, W.C., Whittle, L.S., Saunders, E.G. A mobile audio-metric laboratory, 4=29720
 Copeland, W.C. See Robinson, D.W., 4=4973
 Copeland, W.D. and Nicholson, M.E. X-ray evidence of short range order in Au-Pd system, 4=13645
 Copenhagen, R.M. See Tansley, K., 1=4156
 Čopič, M. Streaming birefringence of polymer solutions: Asymptotic behaviour, 3=16618
 Čopič, M., Kalin, T., Pregel, G. and Žerdin, F. Anisotropy of diffusion constant in media with empty channels, 4=19892
 Copley, D.M. and Whiteman, K.J. Some hydromagnetic equilibria that satisfy the necessary and sufficient stability conditions, 2=11774
 Copley, G.J. See Feltham, P., 0=21105
 Copley, G.J. See Feltham, P.J., 1=3968
 Copley, S.M. Independent slip systems in CsCl-type crystals, 4=1934
 Coppage, F.N. See Harrison, S.E., 4=20402
 Coppel, W.A. On a differential equation of boundary-layer theory, 1=2774
 Coppen, P.J. See Iles, P.A., 0=7919
 Coppens, P. Intramolecular repulsions in substituted aromatic molecules, 2=16540
 Coppens, P. See Cohen, M.D., 4=17779
 Copper, J.A. Experimental investigation of the equilibrium interface technique, 2=15631
 Copper, R. The electric breakdown of alkali halide crystals, 4=1647
 Coppi, B. Criterion for stability against resistive interchange modes, 4=14716
 Coppi, B. Plasma instabilities due to resistivity gradients, 4=14726
 Coppi, B. Ion gyro-radius effects and stabilization of plasma dissipative modes, 4=21537
 Coppi, B. Comments on "Gravitational resistive instabilities in plasma with finite Larmor radius", 4=27556
 Coppi, B. Influence of gyration radius and collisions on hydromagnetic stability, 4=29950
 Coppi, B. See Johnson, J.L., 3=21949
 Coppinger, G.M. and Jungnickel, J.L. Molecular asymmetry, 3=20003
 Coppola, J.C. Systematic operational testing of the von Eller optical synthesis machine, 1=16066
 Coppola, M. See Sayres, A., 4=15078
 Coppola, P.P. Techniques of cathode temperature measurements as applied to commercial cathode-ray tubes, 0=3684
 Cops, A. See Van Isterbeek, A., 1=8117
 Cops, A. See Van Isterbeek, A., 3=23880
 Coquelle, J.M. See Lenoble, J., 4=4772
 Coquin, G.A. Attenuation of guided waves in isotropic visco-elastic materials, 4=21220
 Corazza, G.C. See Amman, F., 4=16582
 Corazza, G.F. See Amman, F., 3=12267
 Corazza, G.F. See Bernardini, C., 1=9653
 Corazza, C.F. See Bernardini, C., 2=7690
 Corazza, G.F. See Bernardini, C., 4=16583
 Corazza, G.F. See Bernardini, C., 3=17005
 Corazza, M.L., Ladu, M., Pelliccioni, M. and Rotondi, E. The response of ionization chambers to pulsed gamma radiation, 3=12368
 Corbe, G. and Yuasa, T. Illumination system for a Wilson cloud chamber allowing visual observation of tracks of small contrast, 0=11071
 Corbe, G. See Yuasa, T., 1=13241
 Corbeau, J. Frequencies of acoustic and optical oscillations travelling along a threefold axis of symmetry in silicon crystals at 293°K, 3=15419
 Corbeau, J. The Compton effect in silicon crystals, 2=2371
 Corbeau, J. Frequency of lattice vibrations in silicon at 239° and 580°K, 3=25181
 Corben, H. A new approach to the theory of baryons, 3=24602
 Corben, H.C. Analysis of the zero power reactor transfer function, 1=756
 Corben, H.C. Spin in classical and quantum theory, 1=4262
 Corben, H.C. Spin precession in classical relativistic mechanics, 1=12794
 Corben, H.C. Radiation damping of spinning particles, 2=13729
 Corben, H.C. Relativistic quantum theory of particles with variable mass. I, 3=4326
 Corben, H.C. Relativistic quantum theory of particles with variable mass. II, 3=4327
 Corben, H.C. Quantum theory of elementary particles, 4=19400
 Corben, H.C. Boson eigenstates in generalized field theory, 3=19545
 Corben, H.C. Application of generalized field theory of baryons, 3=24603
 Corbet, H.C., Dallinga, G., Oltmans, F. and Toneman, L.H. Electron-diffraction by gases apparatus and calculation techniques, 4=30409
 Corbett, H.H. See Grant, C.R., 3=11592
 Corbett, J.D. See Dworkin, A.S., 3=21404
 Corbett, J.D. See Herschaft, A., 2=8826
 Corbett, J.W. Response of anisotropic defects in solids to stress, 3=22695
 Corbett, J.W., McDonald, R.S. and Watkins, G.D. The configuration and diffusion of isolated oxygen in silicon and germanium, 4=28485
 Corbett, J.W. and Walker, R.M. Threshold measurements and the production of radiation damage in the noble metals, 0=6066
 Corbett, J.W. and Watkins, G.D. Silicon divacancy and its direct production by electron irradiation, 2=3905
 Corbett, J.W. and Watkins, G.D. Stress-induced-alignment of anisotropic defects in crystals, 2=3914
 Corbett, J.W., Watkins, G.D., Chrenko, R.M. and McDonald, R.S. Defects in irradiated silicon. II. Infrared absorption of the Si-A center, 1=3657
 Corbett, J.W., Watkins, G.D. and McDonald, R.S. New oxygen infrared bands in annealed irradiated silicon, 4=28707
 Corbett, J.W. and Woodruff, T.O. On anelastic loss processes, 4=17712
 Corbett, J.W. See Watkins, G.D., 1=3656
 Corbett, J.W. See Watkins, G.D., 2=12417
 Corbett, J.W. See Watkins, G.D., 4=20309
 Corbey, M.M.G. See Haas, C., 2=2217
 Corbridge, D.E.C. The crystal structure of sodium triphosphate, $\text{Na}_3\text{P}_3\text{O}_{10}$, Phase I, 0=8223
 Corbridge, D.E.C. See Davies, D.R., 0=8222
 Corciovei, A. Magnetic susceptibility of an antiferromagnetic whose magnetic ions form a f.c.c. lattice, 0=4501
 Corciovei, A. Influence of order on the electrical resistance of binary alloys, 0=17986
 Corciovei, A. Effect of order on the electrical resistance of binary alloys, 0=17987
 Corciovei, A. Magnetic susceptibility of an antiferromagnetic whose magnetic ions form a f.c.c. lattice, 1=1243
 Corciovei, A. The ordering of the sublattices of a binary alloy, 1=1421
 Corciovei, A. Nuclear magnetic absorption curve of a system of three nucleons forming an equilateral triangle, 1=5833
 Corciovei, A. Parallel susceptibility of an antiferromagnetic crystal, with two magnetic sublattices, at low temperatures, 1=6384
 Corciovei, A. On the ferromagnetism of thin films, 1=14716
 Corciovei, A. Magnetic anisotropy in thin ferromagnetic films, 1=17961
 Corciovei, A. The effect of magnetic anisotropy in cobalt ferromagnetic thin films, 2=4226
 Corciovei, A. Spin-wave theory of ferromagnetic thin films, 3=15827
 Corciovei, A. Spontaneous magnetization of ferromagnetic thin films, 3=25533
 Corciovei, A. and Babenco, A. Distribution of vacancies produced in a solid by irradiation, 4=17424
 Corciovei, A. and Babenco, A. Variation of the electric resistivity due to some displaced atom cascades produced by means of irradiation, 4=25999
 Corciovei, A., Babenco, A. and Grecu, D. Distribution function of interstitial atoms and vacancies in a cascade of defects produced by irradiation, 4=9943
 Corciovei, A. and Babenco, A. Effect of displacement cascades produced by irradiation on residual resistivity of metals, 4=12845
 Corciovei, A. and Berinde, A. Thermal vibrations in thin films, 3=4810
 Corciovei, A. and Croitoru, N. Order types of cubic centred binary alloys, 2=4446
 Corciovei, A. and Croitoru, N. Types of ordering in centred cubic binary alloys, 2=6818
 Corciovei, A. and Ghika, G. On the theory of ferromagnetic thin films, 2=16911

- Corciovei, A., Ghika, G. and Grecu, D. The distribution function of irradiation-displace atoms in a solid, 2=21087
- Corciovei, A. and Grecu, D. Energy bands in partially disordered binary alloys, 1=3630
- Corciovei, A. and Grecu, D. Electronic energy bands of partially disordered alloys, 1=8892
- Corciovei, A. and Grecu, D. The effect of long-range order on energy bands in binary alloys, 1=14202
- Corciovei, A. and Grecu, D. The creation of multiple thermal spikes by radiation, 1=17514
- Corciovei, A. and Grecu, D. On order-disorder phenomena in binary alloys, 1=20589
- Corciovei, A. and Grecu, D. Thermal spikes in metals produced by irradiation, 2=6323
- Corciovei, A. and Grecu, D. Multiple thermal spikes produced by irradiations in metals, 2=8209
- Corciovei, A. and Moțoc, C. The specific heat of thin films, 3=12923
- Corciovei, A. and Mugur, M. Nuclear magnetic resonance in a three-nuclei-system, 1=1276
- Corciovei, A. and Musa, G. The Mathiessen rule in disordered binary alloys, 1=12409
- Corciovei, P. A. and Berinde, A. Mössbauer effect in thin films, 3=20060
- Corcoran, V. J. and Pao, Y. H. Detection of laser radiation, 3=1810
- Corcos, G. M. Resolution of pressure in turbulence, 3=9484
- Corcuff, Y. Choice of a parameter characterizing radio whistlers, 1=1548
- Corcuff, Y. Variation of the dispersion of whistlers during magnetic storms, 2=6916
- Corcuff, Y. Whistler dispersion during magnetic storms — nocturnal, annual and semi-annual variations in quiet periods, 3=11410
- Corcuff, Y. and Delaroche, M. Increase of the ionization gradient in the near magnetosphere at times of intense magnetic activity, 4=13837
- Corcuff, Y. and Fisson, F. Variation of occurrence of whistlers and ionospheric noises at the moment of sunrise in the ionosphere, 4=2287
- Corcuff, Y. and Legrand, J. P. Correlations between the very low frequency emissions and the magnetic and cosmic ray storms, 2=21658
- Cordero, F. and Verdager, F. Pulsation of a 600 keV Cockroft-Walton accelerator, 2=20065
- Corderoy, D. J. H. and Honeycombe, R. W. K. Age-hardening in copper-base indium alloys, 4=4461
- Corderoy, D. J. H. See Brindley, B. J., 2=23749
- Cordes, A. W., Kruh, R. F., Gordon, E. K. and Kemp, M. K. The unit cells and space groups of SeCl_4 and TeCl_4 , 4=23469
- Cordes, H. and Döge, G. The self-diffusion of molten potassium, 3=16611
- Cordes, H. and Döge, G. The diffusion coefficients of the alloy components in the liquid lead-antimony system, 4=164
- Cordey, J. G. Solitary waves in a collision-free plasma with an isotropic pressure, 4=18974
- Cordey-Hayes, M., Dyson, N. A. and Moon, P. B. Width and intensity of the Mössbauer line in iron-57, 0=15518
- Cordier, H. Experimental study of thermal contact resistances; influence of pressure, 1=18639
- Cordier, H. and Houseaux, O. Experimental study of the influence of the entry of air on the local coefficient of convection in an annular space, 0=14871
- Cordier, H. and Maimi, R. Experimental study of the effect of pressure on contact thermal resistances, 0=10794
- Cordier, H. See Bouissou, H., 3=281
- Cordier, M. See Astoin, N., 1=855
- Cordone, L. See Ciccarello, I. S., 1=9490
- Corelli, J. C., Bleuler, E. and Tendani, D. J. Scattering of 18 MeV alpha particles by C^{12} , O^{16} and S^{32} , 0=2668
- Coremans, J. M. J. and Beenakker, J. J. M. The influence of the density on the viscosity coefficient of gases, 1=6877
- Coremans, J. M. J., Beenakker, J. J. M., van Isterbeek, A. and Knaap, H. F. P. The quantummechanical modification of the law of corresponding states for the viscosity of simple gases at low temperatures, 0=8705
- Coremans, J. M. J., Beenakker, J. J. M., van Isterbeek, A. and Zandbergen, P. Viscosity measurements of gases between 20 and 80°K, 0=92
- Coremans, J. M. J., van Isterbeek, A., Beenakker, J. J. M., Knaap, H. F. P. and Zandbergen, P. The viscosity of gaseous HD below 80°K, 0=8703
- Coremans, M. J. F. J. See Bots, G. J. C., 1=5386
- Coremans, M. J. F. J. See Reynolds, J. M., 1=5387
- Coren, R. L. Hall effect determination of planar stress in ferromagnetic films, 2=12680
- Coren, R. L. A description of magnetic switching in disperse anisotropy films, 4=7246
- Coren, R. L. and Francombe, M. H. Optical Faraday effect in ferromagnetic and ferrite films, 4=22879
- Coren, R. L. and Juretschke, H. J. Magnetoresistance and magnetic switching in permalloy films, 1=6329
- Coren, R. L. and Juretschke, H. J. Magnetoresistance and domain structure in thin nickel films, 2=12777
- Coren, R. L. See Francombe, M. H., 3=15655
- Corenzwit, E. See Alexander, S., 3=8737
- Corenzwit, E. See Blaugher, R. D., 2=7520
- Corenzwit, E. See Bozorth, R. M., 0=1776
- Corenzwit, E. See Clogston, A. M., 2=4197
- Corenzwit, E. See Clogston, A. M., 3=993
- Corenzwit, E. See Compton, V. B., 1=11881
- Corenzwit, E. See Devlin, G. E., 1=259
- Corenzwit, E. See Geballe, T. H., 1=8285
- Corenzwit, E. See Geballe, T. H., 2=17726
- Corenzwit, E. See Geballe, T. H., 3=3962
- Corenzwit, E. See Hein, R. A., 2=17727
- Corenzwit, E. See Matthias, B. T., 0=1079
- Corenzwit, E. See Matthias, B. T., 0=12557
- Corenzwit, E. See Matthias, B. T., 1=3882
- Corenzwit, E. See Matthias, B. T., 1=12526
- Corenzwit, E. See Matthias, B. T., 1=18712
- Corenzwit, E. See Matthias, B. T., 3=1900
- Corenzwit, E. See Matthias, B. T., 3=7404
- Corenzwit, E. See Matthias, B. T., 4=18622
- Corenzwit, E. See Olsen, J. L., 4=21420
- Corenzwit, E. See Sarachik, M. P., 4=28530
- Corenzwit, E. See Suhl, H., 0=13753
- Coret, A. and Nikitine, S. Study and interpretation of the photoconductivity spectrum of cuprite, 4=7065
- Corfield, M. G., Horzelski, J. and Price, A. H. Rapid method for determining v.h.f. dielectric parameters for liquids and solutions using standing wave procedures, 2=1161
- Corfield, W., McCullough, H. and Lipson, J. Emission regulator designed for mass spectrometer using a chopper amplifier, 0=19793
- Corge, C., Bianchi, G., Vinh-Dinh Huynh, Julien J., Morgenstern, J. and Netter, F. Systematic determination of resonance parameters for neutron transmission by different nuclei, 2=18334
- Corge, C., Huynh, V. D., Julien, J., Mirza, S., Netter, F. and Simic, J. Resonance parameters observed in the absorption of neutrons by W^{183} and Pt^{195} , 1=13828
- Corge, C., Huynh, V. D., Julien, J., Morgenstern, J. and Netter, F. Spectroscopy at intermediate neutron energy, using a time of flight method with high resolution, 1=17112
- Corge, C., Huynh, V. D., Julien, J., Morgenstern, J. and Netter, F. Methods of analysis of resonance parameters in neutron transmission experiments by time of flight, 2=295
- Corge, C., Huynh, V. D., Julien, J., Morgenstern, J. and Netter, F. Statistics of excited nuclear levels produced by the interaction of resonance neutrons with Zr and Pr, 2=388
- Corge, C., Huynh, V. D., Julien, J., Morgenstern, J. and Netter, F. Statistical anomalies for partial widths of energetic radiative transitions in neutron resonance capture by heavy nuclei, 2=415
- Corge, C., Huynh, V. D., Julien, J., Morgenstern, J. and Netter, F. Fluctuations of partial widths of energetic radiative transitions for neutron capture of medium-sized nuclei (Pr and Ag). Application to the determination of the characteristics of level states, 2=416
- Corge, C., Julien, J. and Netter, F. The analysis of s-wave neutron resonances in time-of-flight experiments, 1=12090
- Corge, C. See Bianchi, G., 4=17154
- Corge, C. See Bianchi, G., 4=17155
- Corge, C. See Bianchi, G., 4=17156
- Corge, C. See Bianchi, G., 4=17153
- Corge, C. See Julien, J., 1=16999
- Corge, C. See Julien, J., 2=18332
- Corge, C. See Julien, J., 3=4645
- Corge, C. See Julien, J., 4=28036
- Corge, C. See Netter, F., 1=9870
- Corge, C. R. See Bianchi, G., 3=12469
- Coriell, S. R. and Jackson, J. L. Potential and effective diffusion constant in a polyelectrolyte solution, 4=2666
- Coriell, S. R. See Jackson, J. L., 3=9447
- Coriell, S. R. See Jackson, J. L., 4=17864
- Coriell, S. R. See Jackson, J. L., 4=27084
- Coriell, S. R. See Wagner, P., 0=2923

- Corillault, J. See Billard, P., 4=2811
- Corinaldesi, E. An introduction to dispersion relations, 0=7295
- Corinaldesi, E. Perturbation theory of scattering of a particle by an identical bound particle. I, 2=11284
- Corinaldesi, E. Scattering of a particle by a system of identical particles in a bound state, 2=15491
- Corinaldesi, E. Outline of a perturbation theory of the hydrogen molecule, 3=2615
- Corinaldesi, E. Perturbation theory of scattering of a particle by an identical bound particle. II, 3=9353
- Corinaldesi, E. Outline of a perturbation theory of the hydrogen molecule. III, 4=15333
- Corinaldesi, E. Perturbation method for diatomic molecules, 4=3846
- Corinaldesi, E. An equation for systems of identical particles, 4=25471
- Corinaldesi, E. On a solvable model of the hydrogen molecule, 4=30433
- Corinaldesi, E. and Lin, H.E. Outline of a perturbation theory of the hydrogen molecule - II, 3=15336
- Corinaldesi, E. and Lin, H.E. On a Born approximation for electron-hydrogen scattering, 3=17540
- Corinaldesi, E., Remiddi, E. and Strocchi, F. Perturbation treatment of the molecular helium ion, 4=9712
- Corinaldesi, R. and Hurford, G. J. Quadrupole moment of the hydrogen molecule by the method of the modified Schrödinger equation, 4=20042
- Corio, P.L. The magnetic resonance spectra of some multi-spin systems, 2=11818
- Corio, P.L. Operator techniques in the phenomenological treatment of magnetic resonance, 3=11120
- Cork, B., Dahl, O.I., Miller, D.H., Tenner, A.G. and Ching Lin Wang. Antiproton-proton interaction cross-sections at 45, 90, 145, and 245 MeV, 2=18113
- Cork, B., Kerth, L., Wenzel, W.A., Cronin, J.W. and Cool, R.L. Decay asymmetry of Σ^+ and Λ^0 hyperons, 0=20236
- Cork, B. See Allison, R.W., Jr., 2=1533
- Cork, B. See Armenteros, R., 0=17338
- Cork, B. See Beall, E.F., 1=13264
- Cork, B. See Beall, E.F., 1=19277
- Cork, B. See Beall, E., 2=16245
- Cork, B. See Beall, E.F., 2=11992
- Cork, B. See Beall, E.F., 3=6083
- Cork, B. See Cook, V., 1=10927
- Cork, B. See Cook, V., 3=12490
- Corke, R.L. See Watt-Carter, D.E., 2=11798
- Corkill, J.M., Goodman, J.F., Haisman, D.R. and Harrold, S.P. The thickness and composition of thin detergent films, 2=2696
- Corkill, J.M., Goodman, J.F., Ogden, C.P. and Tate, J.R. The structure and stability of black foam films, 3=9433
- Corkum, P.B. See Magarvey, R.H., 4=16085
- Corl, E. A. and Wimpfheimer, H. Thickness measurement of silicon dioxide layers by ultraviolet-visible interference method, 4=30882
- Corless, G.K. and March, N.H. Electron theory of interaction between point defects in metals, 1=19761
- Corless, G.K. and March, N.H. Saddle-point configuration in impurity diffusion in face-centred cubic metals, 3=2789
- Corliss, C.H. Temperature of a copper arc, 2=7584
- Corliss, C.H. Ionization in the plasma of a copper arc, 2=15884
- Corliss, C.H. Experimental gf-values for seventy elements, 3=2551
- Corliss, C.H. Spectral-line intensities and gf-values in the first spectrum of copper, 3=6352
- Corliss, C.H. and Bozman, W.R. Experimental transition probabilities for spectral lines of seventy elements. Derived from the NBS tables of spectral-line intensities, 3=19917
- Corliss, C.H. See Allen, C.W., 3=22470
- Corliss, C.H. See Bidelman, W.P., 2=17291
- Corliss, C.H. See Kiess, C.C., 0=14397
- Corliss, C.H. See Martin, W.C., 1=17268
- Corliss, C.H. See Meggers, W.F., 2=3691
- Corliss, C.H. See Meggers, W.F., 2=12280
- Corliss, C.H. See Tech, J.L., 2=3693
- Corliss, E.L.R. Indication limit, 4=5010
- Corliss, E.L.R. Resolution limits of analyzers and oscillatory systems, 4=17
- Corliss, E.L.R. See Burkhard, M.D., 0=6886
- Corliss, L. See Bertaut, F., 1=2535
- Corliss, L. See Bertaut, E.F., 2=6814
- Corliss, L.M., Elliott, N. and Hastings, J.M. Antiferromagnetic structure of CrN , 0=6248
- Corliss, L.M., Elliott, N., Hastings, J.M. and Sass, R.L. Magnetic structure of chromium selenide, 1=9042
- Corliss, L.M. and Hastings, J.M. Symmetry of magnetic structures, 0=3101
- Corliss, L.M. and Hastings, J.M. Magnetic structure of manganese chromite, 2=12669
- Corliss, L. M. and Hastings, J.M. A neutron diffraction investigation of the magnetic structure of TbMn_2 , 4=13251
- Corliss, L.M. and Hastings, J.M. Magnetic structure [transition] of MnSn_2 , 3=15754
- Corliss, L. M. and Hastings, J.M. Magnetic structure studies at Brookhaven National Laboratory, 4=28822
- Corliss, L.M., Hastings, J.M. and Weiss, R.J. Antiphase anti-ferromagnetic structure of chromium, 0=1816
- Corliss, L.M. See Hastings, J.M., 3=1112
- Corliss, L.M. See Hastings, J.M., 3=11101
- Corliss, W.R. Nuclear power in outer space, 0=20525
- Corliss, W.R. Power sources for nuclear space instruments, 3=21144
- Corll, J.A. Fabrication of epoxy electrical lead insulation for pressure vessels, 4=23987
- Cormack, A.M. Dead-time losses with pulsed beams, 2=19855
- Cormack, A.M. Representation of a function by its line integrals, with some radiological applications, 3=21198
- Cormack, A.M. Diffraction by atoms distributed at random at lattice sites, 3=25689
- Cormack, A.M. The effects of multiple scattering in small-angle nuclear scattering experiments, 4=15194
- Cormack, A.M. See Palmieri, J.N., 4=3410
- Cormack, A.M. See Steinberg, D.J., 4=28023
- Cormack, D.V. and Burke, D.G. Spectral distributions of primary and scattered 140-Kvp X-rays, 0=12905
- Cormack, D.V. See Charlton, D.E., 2=18103
- Cormack, D.V. See Mak, S., 0=12904
- Cormack, D.V. See Schneider, D.O., 0=3956
- Cormack, G.D. Inductive M. H. D. generator, 4=445
- Cormack, G.D. Acceleration and deceleration of plasmas in electromagnetic shock-tubes, 4=507
- Cormack, G.D. The contact surface in an electromagnetic shock tube, 4=29702
- Cormack, G.D. and Barnard, A.J. Low inductance low pressure spark gap switch, 2=17760
- Cormack, G.D. See Barnard, A.J., 2=11640
- Cormack, G.D. See Barnard, A.J., 4=18827
- Corman, E.G. Optical-model analysis of high-energy neutrons scattered by deformed nuclei, 2=3587
- Corman, E. G., Jewell, R. W., John, W., Sherwood, J. E. and White, D. The polarization of photoneutrons from Be^9 for $E_\gamma = 2.75$ MeV, 4=22110
- Corman, E.G., Sherwood, J.E. and John, W. The energy of the first excited state of Be^9 , 3=22291
- Corman, E.G. See Fowler, J.L., 1=8737
- Cormany, D.D. and Pjerrou, G.M. Leptonic decay of the Ξ^- hyperon, 3=17347
- Cormia, R.L., Mackenzie, J.D. and Turnbull, D. Viscous flow and melt allotropy of phosphorus pentoxide, 3=21311
- Cormia, R.L., Mackenzie, J.D. and Turnbull, D. Kinetics of melting and crystallization of phosphorus pentoxide, 3=23420
- Cormia, R.L., Price, F.P. and Turnbull, D. Kinetics of crystal nucleation in polyethylene, 2=23823
- Cormia, R.L. See Mackenzie, J.D., 3=24109
- Cormia, R.L. See Turnbull, D., 0=8690
- Cormia, R.L. See Turnbull, D., 1=5272
- Cornaz, P. Nuclear relaxation of He^3 gas on the surface of pyrex glass, 4=7350
- Cornaz, P. and Borel, J.P. Study of the paramagnetic resonance of picrylamino-carbazyl as a function of temperature, 2=10703
- Cornaz, P. See Anderegg, M., 4=5833
- Cornaz, P. See Borel, J.P., 0=19493
- Cornbleet, S. The diffraction fields of the non-uniform circular aperture, 4=697
- Cornelius, P. Quantity equations and system variation in electricity, 4=27440
- Corneliussen, R., Rice, S.A. and Yamakawa, H. On the thermodynamic properties of solutions of polar polymers. A comparison of experiment and theory, 3=11790
- Corneliussen, R. See Yamakawa, H., 3=14158
- Corneliussen, R.D. See Lawson, A.W., 0=4304
- Corner, W.D. and Hutchinson, F. The temperature dependence of magnetostriction in polycrystalline gadolinium, 0=11877
- Corner, W.D. and Mason, J.J. The effect of stress on the domain structure of cube-textured silicon iron, 3=13263

- Corner, W.D. and Mason, J.J. The effect of stress on the domain structure of Goss textured silicon-iron, 4=22994
- Corner, W.D., Roe, W.C. and Taylor, K.N.R. The magnetocrystalline anisotropy of gadolinium, 3=1143
- Cornet, C.F. See Burgers, W.G., 0=11992
- Cornet, G. and Raoult, G. Propagation of electromagnetic waves in a loaded waveguide of rectangular section, 4=27658
- Cornet, G. See Raoult, G., 3=24473
- Cornet, N. See Depireux, J., 1=20277
- Cornet, N. See Duchesne, J., 1=6129
- Cornet, Y. See Haeusler, C., 1=16076
- Corney, A. and Series, G.W. Theory of resonance fluorescence excited by modulated or pulsed light, 4=9661
- Corney, A. and Series, G.W. Double resonance excited by modulated light, 4=9662
- Corney, A. and Series, G.W. Magnetic resonance at nutational frequencies, 4=9663
- Cornford, P.V., Kipling, J.J. and Wright, E.H.M. Adsorption from solution: thickness of the adsorbed layer, 2=8893
- Corngold, N. Resonance escape probability in slab lattice, 0=4152
- Corngold, N. Chemical binding effects in the thermalization of neutrons, 1=7252
- Corngold, N. Some transient phenomena in thermalization. I. Theory, 4=19893
- Corngold, N., Michael, P. and Wollman, W. The time decay constants in neutron thermalization, 3=8167
- Corngold, N. and Michael, P. Some transient phenomena in thermalization. II. Implications for experiment, 4=19894
- Corngold, N. and Zamick, L. The effect of diffusion upon the initial phases of the thermalization of neutrons, 2=5668
- Cornides, L., Roosz, J. and Siegler, A. Two lithium ion sources for accelerators, 0=19779
- Cornil, P. See Duchesne, J., 4=7358
- Cornil, P. See Read, M., 4=1312
- Cornille, H. Study of a class of potentials permitting the solution of Schrödinger's equation by iteration, 1=2703
- Cornille, H. Application of the iteration solution of the Schrödinger equation to a class of potentials, 1=2704
- Cornille, H. Approximation method for the determination of semi-phenomenological nucleon-nucleon potentials, 1=19188
- Cornille, H. Determination of the S-matrix for the case of tensor potentials which are non-zero at the origin, 2=9791
- Cornille, H. Approximations for the proton-proton 1S_0 effective range expansion, 4=9192
- Cornille, H. and Chapdelaine, M. Coherent scattering of photons of 2.62 MeV by the K-level electrons of mercury, 0=15314
- Cornille, H. and Martin, A. Analytic properties of the scattering amplitude of two charged particles interacting by a potential of the Yukawa type, 2=22414
- Cornille, H. and Predazzi, E. Singular potentials with short range, 4=21778
- Cornille, H. See Goldzahl, L., 0=344
- Cornille, M. Study of the effect of ionization and of the chemical bond on the electron density of the CH radical, 1=7477
- Cornille, M. See Roux, M., 2=20849
- Cornille, M. See Roux, M., 2=21495
- Cornille, M. See Tavard, C., 4=6522
- Cornforth, A. and Jacob, L. Paschen law and shock-excited breakdown in air, 4=2960
- Cornille, H. Contribution to the study of the scattering properties of the generalised Yukawa type potentials, 4=2551
- Cornille, H. Bound for the high-energy nucleon-nucleon scattering amplitude at angle $\neq 0$ or π and at fixed momentum transfer $\neq 0$, 4=15051
- Cornille, H. Determination of the S-matrix for a superposition of exponential potentials singular like r^{-2} at the origin, 4=25045
- Cornille, H. See Nataf, R., 4=5980
- Cornille, M. See Tavard, C., 3=8220
- Cornish, D.C. Control of the concentration of suspended matter in slurries containing dissolved substances by means of density measurements, 2=4566
- Cornish, D.C. and Nickolds, A.M. Simple device for the measurement of the density of slurries and liquids, 2=2668
- Cornish, D.C. and Watt, I.M. An investigation of the mechanism of glass polishing, 3=18373
- Cornish, E.H. Calculator for solving electron irradiation problems, 1=4006
- Cornish, E.H. Electron and Corona bombardment of polyethylene, 2=12982
- Cornish, E.H. Ionization distribution in water irradiated with fast electrons, 3=14532
- Cornish, E.H. Ionization distribution in cylinders irradiated with monoenergetic electrons, 3=20256
- Cornish, F.H.J. A unified field theory of gravitation and electromagnetism, 3=1603
- Cornish, F.H.J. Møller's energy momentum pseudo-tensor and its application to the Born-Infeld model of a charged particle, 4=5048
- Cornish, F.H.J. General relativity in terms of a background space, 4=5049
- Cornish, R.E. and Ruoff, A.L. Electrical leads for pressure vessels to 10 kilobars, 1=10165
- Corno, S., Facchini, A., Giorcelli, M., Sanguist, V. and Terrani, M. Self-regulating neutron absorbers: their control efficiency and optimization in a gas-graphite reactor, 2=12245
- Corno, S.E. The heterogeneous theory of cylindrical neutron multiplying structures, 0=17644
- Corno, S.E. On the theory of "spiking" in neutron multiplying systems, 1=17187
- Corno, S.E. A theoretical approach to neutron multiplication experiments involving a single fuel element. I., 4=6414
- Corno, S.E. A theoretical approach to neutron multiplication experiments involving a single fuel element. II., 4=9596
- Corno, S.E. A theoretical approach to the neutron multiplication experiments involving a single fuel element. Part III, 4=12311
- Cornou, M. Contribution to the study of non quasi-static compressions, 4=18238
- Cornou, M. See Aubert, M., 2=19585
- Cornsweet, T.N. See Krauskopf, J., 0=8448
- Cornwall, J.B. Method of amplitude control of a.c. signals, 0=3726
- Cornwall, J.B. and Davison, R.M. Rapid counter for small particles in suspension, 0=18447
- Cornwall, J.B., Marshall, D.C. and Boyes, J. A Cuvette oximeter and an extension to the theory of oximetry, 3=13943
- Cornwall, J.M. Total cross sections and slope of Regge trajectories, 3=19573
- Cornwall, J.M., Mahanthappa, K.T. and Singh, V. Regge poles and complex singularities, 3=22090
- Cornwall, J.M. and Ruderman, M.A. Mandelstam representation and Regge poles with absorptive energy-dependent potentials, 3=2215
- Cornwall, J.M. and Singh, V. Leptonic hyperon decays and unitary symmetry, 3=22205
- Cornwall, J.M. See Arroe, H., 0=5884
- Cornwall, J.M. See Bégin, M.A.B., 4=19590
- Cornwell, C.D. See Alexakos, L.G., 4=3198
- Cornwell, C.D. See Alexakos, L.G., 3=19474
- Cornwell, C.D. See Alexakos, L.G., 4=30476
- Cornwell, C.D. See Nugent, L.J., 2=20852
- Cornwell, C.D. See Verdieck, J.F., 2=1609
- Cornwell, J.F. The electronic energy bands of the alkali metals and metallic beryllium, 1=14208
- Cornwell, J.F. The Fermi surfaces of the noble metals, 1=14213
- Cornwell, J.F. The symmetry of the Fermi surface of a system of interacting electrons in a crystal, 4=9909
- Cornwell, J.F. On the theory of the low-temperature spontaneous magnetization of ferromagnetic metals, 4=22964
- Cornwell, J.F. and Wohlfarth, E.P. An energy band interpolation scheme, with application to body-centred cubic lithium, 0=9882
- Cornwell, J.F. and Wohlfarth, E.P. The energy band structure of body centred iron, 2=23109
- Cornwell, J.F. See Wohlfarth, E.P., 1=1208
- Cornwell, J.F. See Wohlfarth, E.P., 1=20066
- Corompt, E. and Bouchez, R. The absolute measurement of β -spectra by 4π scintillation spectrometry, 1=16760
- Coroniti, S.C. See Obayashi, T., 0=3343
- Corradini, P. Structure of tetracarbaldodecarbonyl, 0=4640
- Corradini, P. and Allegra, G. Calculation of the diffraction of X-rays by a structure with disordered layer packets in an ordered structure, 2=10837
- Corradini, P. and Ganis, P. Crystal structure of poly-orthomethylstyrene, 0=4673
- Corradini, P. and Ganis, P. Crystal structure of poly-alpha-vinylnaphthalene, 0=4674
- Corradini, P. See Natta, G., 0=4668
- Corradini, P. See Natta, G., 0=4669
- Corradini, P. See Natta, G., 0=4670
- Corradini, P. See Natta, G., 0=4671
- Corradini, P. See Natta, G., 0=4672
- Corradini, P. See Natta, G., 0=4675

- Corran, E.R. and Cummins, J.D. Preliminary results of statistical dynamic experiments on a heat exchanger, 4=1169
- Correa Villalobos, A. and Garcia Colin, L. Sublimation and the third law of thermodynamics, 4=14463
- Correll, M. Projections of dipole flux patterns, 0=286
- Correll, M. Intermediate physics courses for the undergraduate physics major, 2=7100
- Correll, M. 1962 citations for distinguished service, 2=11239
- Correll, M. Francis Lee Friedman: Oersted Medalist for 1962, 3=21182
- Correll, M. See Oppenheimer, F., 4=11005
- Corriez, P. Effect of circularly polarized light on water saturated with carbon dioxide, 3=1688
- Corrigan, L. I. See Conant, J.W., 4=29113
- Corrigan, S. J. B. See Lunt, R., 4=25770
- Corrigan, W.J. See Onodera, G.C., 2=23440
- Corrsin, L. See Behringer, A.J., 4=7710
- Corrsin, S. Outline of some topics in homogeneous turbulent flow, 0=12168
- Corrsin, S. Turbulent dissipation fluctuations, 3=3789
- Corrsin, S. Estimates of the relations between Eulerian and Lagrangian scales in large Reynolds number turbulence, 3=14107
- Corrsin, S. Further generalization of Onsager's cascade model for turbulent spectra, 4=29594
- Corruccini, R.J. Interpolation of platinum resistance thermometers, 20° to 273.15°K, 0=12538
- Corruccini, R.J. Gaseous heat conduction at low pressures and temperatures, 0=19483
- Corruccini, R. J. Solubility of helium in liquid hydrogen, 4=18182
- Corruccini, R. J. Temperature measurement in cryogenic engineering, 4=14429
- Corruccini, R.J. and Gniewek, J.J. Specific heats and enthalpies of technical solids at low temperatures. A compilation from the literature, 1=910
- Corruccini, R.J. and Gniewek, J.J. Thermal expansion of technical solids at low temperatures. A compilation from the literature, 1=13010
- Corruccini, R.J. See Gniewek, J.J., 0=19518
- Corry, T.M. and Spira, G. Thermoelectric generator design, performance, and application, 2=11605
- Corsan, J.M. See Goldsmid, H.J., 4=15518
- Corsan, J. M. See Goldsmid, H. J., 4=27424
- Corset, J. See Catterall, R., 3=11811
- Corsetti, C. See Bassi, A., 1=6485
- Corso, J. F. Bone-conduction thresholds for sonic and ultrasonic frequencies, 4=4981
- Corso, V. L. See Chapuk, J.M., 4=8727
- Corson, E.M. A unified variational formulation of classical and quantum dynamics, 3=7112
- Corson, E.M. Unified variational formulation of classical and quantum dynamics. II, 3=14027
- Corte, M.Della. See Della Corte, M.
- Cortellessa, G. Protection against stray radiation generated by electron accelerators with maximum energies up to 1 GeV, 0=19817
- Cortellessa, G. and Reale, A. Electronic set-up for an experiment of photoproduction of π^0 -mesons from protons, 1=7264
- Cortellessa, G. and Reale, A. Preliminary results of a measurement of the differential cross-section for single π^0 meson photoproduction in hydrogen, 1=8479
- Cortellessa, G. and Reale, A. Photoproduction of π^0 mesons from hydrogen in the energy range 600-850 MeV, 3=15003
- Cortellessa, G., Reale, A. and Salvadori, P. Study of the structure of the proton by measurement of the differential cross-section for single π^0 -meson photoproduction, and using the Compton effect, 1=13409
- Cortellessa, G. See Berkelman, K., 1=7268
- Cortellessa, G. See Berkelman, K., 2=9913
- Cortellessa, G. See McDaniel, B.D., 0=382
- Cortes, H. and Perrot, M. Graphical method for determining the illumination in any plane from a paraboloidal solar mirror, 2=11469
- Cortese, C. See Bonfiglioli, G., 3=3871
- Cortesi, C. See Bella, F., 1=5609
- Corteville, J. and Pons, L. Evidence of plasticity of tungsten monocarbide, 4=4491
- Cortini, G., Milone, C., Papa, T. and Rinzivillo, R. Photoneutrons from Al, 0=1430
- Cortini, G. See de Carvalho, H.G., 1=8800
- Cortini, G. See de Carvalho, H.G., 3=8146
- Cortini, G. See de Carvalho, H. G., 4=19844
- Cortini, G. See de Carvalho, H. G., 4=19846
- Cortois, J. and Deboudt, M. Momentum distribution of Λ in the reaction $\bar{\nu}^- + d \rightarrow \Lambda + 2n$, 3=24803
- Corvin, I. See Azároff, L.V., 3=16071
- Corvin, I. See Bragg, R.H., 0=12053
- Corwin, R.E. See Pence, E.A., 3=5504
- Cory, H. See Altman, C., 2=17972
- Cory, H. See Altman, C., 3=12328
- Coryell, C.D., Kaplan, M. and Fink, R.D. Search for correlations of most probable nuclear charge Z_p of primary fission fragments with composition and excitation energy, 1=9892
- Coryell, C.D. See Gleit, C.E., 1=7344
- Coryell, C.D. See Gleit, C.E., 2=1800
- Coryell, C.D. See Kaplan, M., 2=1938
- Coryell, C.D. See Pierson, W.R., 0=13174
- Coryell, C.D. See Pierson, W.R., 2=20539
- Cosack, M. See Siemssen, R.H., 4=15232
- Cosden, T.H. See Knestrick, G.L., 2=19203
- Cosenza, G., Sertorio, L. and Toller, M. Multiperipheral scattering and singular Bethe-Salpeter equations, 4=11938
- Cosgrove, G.J., McHugh, J.P. and Tiller, W.A. Effect of freezing conditions on the thermoelectric properties of BiSbTe₃ crystals, 1=8969
- Cosnac, B.De. See De Cosnac, B.
- Cosper, S. W. See Lucas, B. T., 4=12274
- Cosper, S. W. See Lucas, B. T., 4=22182
- Cossee, P. Magnetic properties of Co²⁺ ions in octahedral interstices of an oxide lattice, 1=17944
- Cossee, P. and Van Arkel, A.E. Magnetic properties of Co²⁺ ions in tetrahedral interstices of an oxide lattice, 1=20056
- Cossee, P. See Van Reijen, L.L., 3=13311
- Cosslett, V.E. Co-ordination of light and electron microscopy, 0=12478
- Cosslett, V.E. X-ray microscopy—retrospect and prospect, 1=6659
- Cosslett, V.E. Methods of X-ray microscopy, 4=29155
- Cosslett, V. E. and Thomas, R.N. The plural scattering of 20 keV electrons, 4=13627
- Cosslett, V.E. See Deltrap, J. H. M., 4=591
- Cosslett, V.E. See Green, M., 2=3124
- Cosslett, V.E. See Hawkes, P.W., 2=13598
- Cosslett, V.E. See Pattee, H. H., 4=24773
- Cosslett, V.E. (Conf. rep.). X-ray microscopy and X-ray microanalysis, 0=1944
- Cossutta, D. and Steckelmacher, W. Lens mass-spectrometer leak detector, 0=19237
- Cost, J. R. The kinetics of formation and decay of thermal vacancies in a quenched Ag-Zn solid solution, 4=6828
- Cost, J.R. and Wert, C.A. Metal-gas equilibrium in the niobium-nitrogen terminal solid solution, 3=11298
- Costa de Beauregard, O. The use of de Broglie's electro-magnetic energy-momentum tensor in classical electro-magnetism, 0=3834
- Costa de Beauregard, O. Asymmetric metric and representation of changes in local axes. Application to the theory of the gravitational effect of spin, 0=6648
- Costa de Beauregard, O. On the gravitational interaction on the quantum level, 0=10556
- Costa de Beauregard, O. The hypothesis of the gravitational effect of spin, 0=10564
- Costa de Beauregard, O. The hypothesis of the inertial effect of spin, 0=11091
- Costa de Beauregard, O. The hypothesis of the gravitational effect of spin, 0=12351
- Costa de Beauregard, O. Development of the consequences of D.W.Sciama and D.Park's theory of inertia, 0=14485
- Costa de Beauregard, O. Planck's constant as the square of the gravitational charge, 1=6767
- Costa de Beauregard, O. On the equivalence of information and entropy in the ratio $1/(k \ln 2)$, 1=6791
- Costa de Beauregard, O. Equivalence of the Bayes principle, the principle of increasing entropy and the principle of retarded quantized waves, 1=6792
- Costa de Beauregard, O. The principle of equivalence, negative mass and gravitational repulsion, 1=9317
- Costa de Beauregard, O. An attempt at a phenomenological theory of the proper masses of elementary particles, 1=9738
- Costa de Beauregard, O. Gravitational effect of spin on a particle of spin zero, 2=1052
- Costa de Beauregard, O. Deduction of the existence of our "inertial effect of spin" from the postulates of the Dirac electron theory, 2=3252
- Costa de Beauregard, O. Inertial effect of spin deduced from the postulates of the Dirac theory of the electron, 2=18101

- Costa de Beauregard, O. The spin 2, 1 and 0 graviton particle associated with the asymmetric gravitational field including spin effects, 2=4921
- Costa de Beauregard, O. The graviton of spins 2, 1, 0—A particle associated with the skew symmetric gravitational field with spin effects, 3=28
- Costa de Beauregard, O. Translational inertial spin effect, 3=3711
- Costa de Beauregard, O. On the "55" term in five-dimensional unified (field) theory, 3=9341
- Costa de Beauregard, O. Helicity and transverse momentum of an extremely relativistic fermion in a circular accelerator; effect of the radial limitation of the beam, 4=11903
- Costa de Beauregard, O. The gravitational effect of spin deduced from the Dirac-type wave equation, 3=16499
- Costa de Beauregard, O. Helicity and transverse momentum of an extreme relativistic fermion in a circular accelerator. The effect of the vertical dimensions of the chamber, 4=16581
- Costa de Beauregard, O. Translational inertial spin effect with moving particles, 4=16840
- Costa De Beauregard, O. Helicity and transverse momentum of photons in a coaxial cable, 4=16846
- Costa De Beauregard, O. Inertial effect of photon spin, 4=25052
- Costa De Beauregard, O. Inertial effect of photon spin, 4=25053
- Costa de Beauregard, O. and Goillot, C. The inertial effect of spin as a test of gauge invariance in the theory of the photon, 3=19599
- Costa de Beauregard, O. and Goillot, C. Formula for the inertial effect of the photon spin in the case of the reflection limit, 4=3365
- Costa de Beauregard, O. and Lenoir, M. Extension of the Franz-Kofink formulae to the Dirac-Lichnerowicz theory, 3=36
- Costa De Beauregard, O.C. Matter waves of spin 0 and spin 1 coupled to the gravitational field, 3=14025
- Costa, G. Asymptotic behaviour of the nucleon—nucleon scattering amplitudes according to the multiperipheral model, 3=19556
- Costa, G. A note on baryon and meson resonances, 4=24993
- Costa, G. and Feld, B.T. Mesons and the structure of nucleons. III. Pion—nucleon scattering, 0=11208
- Costa, G. and Feld, B.T. Mesons and the structure of nucleons. IV. The nucleon—nucleon potential, 2=11937
- Costa, G. and Ferrari, F. Polology and ND^{-1} solutions in the multiple-channel problems, 2=1667
- Costa, G., Ferrari, F. and Pusterla, M. Pion—hyperon resonance from K nucleon Coulomb constructive S-wave parameters, 1=13502
- Costa, G., Galindo, A., Hadjioannou, F. and Morales, A. On the peratization of nucleon—lepton interactions, 4=11921
- Costa, G. and Tenaglia, L. On a quadrilinear $K^2-\pi^2$ coupling, 1=538
- Costa, G., Zimmerman, A. and Gluckstern, R. L. K^+ —proton scattering at low energy, 4=21936
- Costa, G. and Zimmerman, A.H. Some remarks about the isovector form factors of the nucleons and the ρ^0 meson, 2=16236
- Costa, G. See Suffert, M., 4=19818
- Costa, M. Influence of absorbed layer on the reflection spectra of powders. I. Study of the spectra of phthalic acid, 3=23062
- Costa, M. Influence of absorbed layer on the reflection spectra of powders. II. Study of the spectra of the double nitrate of neodymium and magnesium, 3=23063
- Costa, N.L., Danon, J. and Moreira Xavier, R. Measurement of nuclear quadrupole interaction in iron complexes using the Mössbauer effect, 3=12905
- Costa, P. Determination of the thermoelectric powers of uranium and plutonium, 0=18082
- Costa, P. and Lallement, R. Resistivity and thermoelectric power of the carbides of thorium, uranium and plutonium, 4=4175
- Costa, P. and Lallement, R. Study of the electronic structure of thorium, uranium and plutonium carbides, 4=28416
- Costa, P. See de Combarieu, A., 4=1398
- Costa, R.B. See Wataghin, A., 1=7367
- Costa, S. Application of the statistical model to multiple photonuclear processes, 0=20481
- Costa, S. A method to measure photoneutron multiplicity, 3=10330
- Costa, S. and Ferroni, S. Measurement of (γ, n) reactions induced by means of a 100 MeV synchrotron, 3=4623
- Costa, S., Ferrero, F., Ferroni, S., Minetti, B., Molino, C. and Malvano, R. Light element photoneutron production in the 0.80 MeV energy range, 4=12200
- Costa, S., Ferroni, S., Wataghin, V. and Malvano, R. On the photo-disintegration of Li^6 , 4=3635
- Costa, S. See Bonazzola, G., 2=16390
- Costa, S. See Bonazzola, G.C., 4=30236
- Costa, S. See Borello, O., 1=17049
- Costain, C.C. Anomalies in the pure rotation spectrum of fluoroform in excited vibrational states, 3=2646
- Costain, C.C. and Dowling, J.M. Microwave spectrum and molecular structure of formamide, 0=4239
- Costain, C.C. and Srivastava, G.P. Study of hydrogen bonding. The microwave rotation spectrum of $CF_3COOH-HCOOH$, 2=3739
- Costain, C. C. and Srivastava, G. P. Microwave rotation spectra of hydrogen-bonded molecules, 4=28241
- Costain, C.C. See Swalen, J.D., 0=4212
- Costain, C.H. The spectrum of the galactic radio emission, 0=18678
- Costain, C.H. and Smith, F.G. The radio telescope for 7.9 metres wavelength at the Mullard observatory, 1=12782
- Costain, C.H. See Locke, J. L., 4=23875
- Coste, J. Effects of the electron—electron correlation on the plasma oscillations in a completely isolated plasma, 4=16505
- Coste, J. Longitudinal dielectric constant of a fully ionized plasma, containing the effect of the correlations—equilibrium correlation function, 4=11568
- Coste, J. Longitudinal dielectric constant of a plasma allowing for correlations, 3=14564
- Coste, J. and Dagens, L. Statistical equilibrium of an electron space-charge with cylindrical symmetry in a magnetron valve, 0=12635
- Coste, J. and Dagens, L. A purely statistical theory of the magnetron, 3=14647
- Coste, M. A study of the angular distribution of α -particles from the bombardment of Li^6 nuclei by nuclei of Li^6 , 3=6299
- Coste, M., Lemeille, C., Marquez, L. and Saunier, N. Study of reactions produced by Li^6 ions in beryllium, 2=500
- Coste, M., Lemeille, C., Saunier, N. and Marquez, L. Nuclear reactions produced by 2 MeV Li^6 on Be^9 , 1=19532
- Coste, M. and Marquez, L. Study of the reaction in which Be^9 nuclei are produced by the collision of two Li^6 nuclei, 2=10147
- Coste, M., Marquez, L. and Shafroth, S. Study of gamma rays from the reaction of Li^6 ions with a round Li^6 target, 4=17020
- Coste, M. See Lemeille, C., 1=13863
- Coste, M. See Manesse, D., 4=25440
- Coste, M. See Quebert, J. L., 4=22218
- Costea, T. See Mantescu, C., 2=17100
- Costea, T. See Mantescu, C., 3=23552
- Costello, D. G., Skofronick, J. G., Morsell, A. L., Palmer, D. W. and Herb, R. G. Atomic effects on nuclear resonance reaction yield curves of aluminium and nickel, 4=12223
- Costello, D.G. See Dahl, P.F., 1=691
- Costello, D.G. See Palmer, D.W., 3=12673
- Costello, D.G. See Walters, W.L., 2=449
- Costello, D.G. See Walters, W.L., 2=10106
- Costigan, P. See Jones, P.R., 3=4725
- Costikas, A. and Grossweiner, L.I. Photoequilibrium between $KClF$ and F^+ centers at 80° K, 2=12470
- Coston, C. and Nachtrieb, N. H. Self-diffusion in tin at high pressure, 4=30580
- Costrell, L. and Brueckmann, R.E. Charge-storage pulse-height analyzers for use with pulsed accelerators, 0=17181
- Costrell, L. See Richardson, A. C. B., 4=3065
- Cote, J.A. See Wall, F.T., 0=4181
- Coté, R. E., Barnes, R. F. and Diamond, H. Total neutron cross section of Cm^{244} , 4=22161
- Coté, R.E. and Bollinger, L.M. Interference in the radiative capture of neutrons, 1=17111
- Coté, R. E., Bollinger, L. M. and Thomas, G. E. Total neutron cross section of manganese, 4=19797
- Coté, R. E., Jackson, H. E., Jr., Lee, L. L., Jr. and Schiffer, J. P. Excited-state spin assignments based on (n, γ) angular correlation measurements on medium-weight nuclei, 4=22024
- Coté, R.E. See Bollinger, L.M., 0=2623
- Coté, R. E. See Bollinger, L. M., 4=3669
- Coté, R.E. See Jackson, H.E., 1=5927
- Coté, R.E. See Leblanc, J.M., 0=5649
- Cotignola, J.M. See Daniels, J.M., 2=23036
- Cotin, F. See Cambou, F., 4=30927
- Cotman, C. W. and Smith, D. M. An electromechanical pH stat providing bidirectional control, 4=29223
- Cotnam, K. D. See Laubitz, M. J., 4=8473
- Cotner, J. and Weertman, J. Fast moving edge dislocations in alpha iron, 2=14437
- Cotner, J. and Weertman, J. Moving edge dislocations in various body centred cubic crystals, 3=10654

- Cotsaftis, M. A general condition for stability of motion, 4=104
 Cotsaftis, M. A condition of stability of motion, 3=3776
 Cotsaftis, M. Lagrangian formulation of the magnetohydrodynamic equations applied to stability studies, 3=12303
 Cotsaftis, M., Mercier, M. and Rebut, P.H. Near-by equilibria and stabilities of cylindrical plasmas, 3=12131
 Cotsaftis, M. See Laval, G., 4=19031
 Cotsaftis, M. See Mercier, C., 1=18992
 Cotsaftis, M. See Mercier, C., 2=3028
 Cotte, M. Various scalar potentials, magnetic and electric fields and magnetic induction in the plane of symmetry of a slab of constant thickness, 1=15125
 Cotte, M. and Durier, R. Potential and field of a uniformly charged disk; application to the leakage field of a [disk] magnet, 1=4692
 Cotter, F.W. See Jaffe, L.D., 4=23218
 Cotter, L. See Meister, R., 0=8051
 Cotter, T.P. See Grover, G.M., 4=27349
 Cotterell, B. Cleavage fracture of polycrystalline aggregates, 4=7391
 Cotterell, K. Scintilligraphy as a means of recording radiographic information, 4=24783
 Cotterell, K. and Sharpe, R.S. The use of carbon tetrachloride as a radiopaque penetrant, 2=23933
 Cotterill, P. The hydrogen embrittlement of metals, 2=8744
 Cotterill, R.M.J. An experimental determination of the electrical resistivity of stacking faults and lattice vacancies in gold, 1=19832
 Cotterill, R.M.J. Correlated electrical resistivity and electron microscope measurements in f.c.c. metals, 2=23230
 Cotterill, R.M.J. The annealing of clustered-vacancy defects in quenched and neutron-irradiated gold (comment), 4=4038
 Cotterill, R.M.J. An experimental determination of the electrical resistivity of dislocations in aluminium, 4=6842
 Cotterill, R.M.J. An experimental determination of the electrical resistivity of dislocations in aluminium [prepared discussion], 4=6848
 Cotterill, R.M.J. and Doyama, M. Removal of stacking-fault tetrahedra in gold, 4=15480
 Cotterill, R.M.J. and Jones, M.W. Irradiation-induced annealing of stacking fault tetrahedra in gold (comment), 4=4065
 Cotterill, R.M.J. and Koppelaar, T.J. Effects of type and density of defects on yield strength of neutron-irradiated Cu and Cu-14 at. % Al alloy, 4=20650
 Cotterill, R.M.J. and Segall, R.L. The influence of impurities on the clustering of vacancies in quenched metals, 3=17708
 Cotterill, R.M.J. and Segall, R.L. The effect of quenching history, quenching temperature and trace impurities on vacancy clusters in aluminium and gold, 3=20162
 Cotterill, R.M.J. See Hirsch, P.B., 3=17770
 Cotterill, R.W. and Fitch, R.K. Anomalous variation of surface tension, 2=2631
 Cotti, M. and Cohan, N.V. Theoretical study of the hydrogen bond and the energy of formation of double faults in ice, 4=25804
 Cotti, M. See Cohan, N.V., 2=14597
 Cotti, P. The production of high, pulsed magnetic fields, 0=19877
 Cotti, P. Measurement of magnetoresistance of rectangular plates, 2=8286
 Cotti, P. A new size effect, 3=13039
 Cotti, P., Olsen, J.L., Daunt, J.G. and Kreitman, M. Size effect in polycrystalline indium plates in a magnetic field, 4=15521
 Cotti, P., Quattropiani, A. and Wyder, P. Helicons in metals, 10728
 Cotti, P., Wyder, P. and Quattropiani, A. Helicon oscillations in indium, 2=18513
 Cottier, J.M., Denis, P., Philippe, M. and Roux, D. Construction of a neutron spectrometer, 1=13447
 Cottin, M. Study of the ions produced by electron impact in water vapour, 0=8987
 Cottingham, D.M. Simple viscometer for use with low melting point metals, 1=18347
 Cottingham, J.G. External beam cross section distribution display, 4=21601
 Cottingham, J.G. and Kovarik, V.J. Liquefied gas level indicator for H₂ and N₂, 4=14474
 Cottingham, J.G. See Barton, M.Q., 4=19150
 Cottingham, J.G. See Feltman, A.V., 4=21610
 Cottingham, N. See Bowcock, J., 1=5764
 Cottingham, W.B. and Buchsbaum, S.J. Electron ionization frequency in hydrogen, 3=12071
 Cottingham, W.B. and Buchsbaum, S.J. Electron ionization frequency in deuterium, 4=18675
 Cottingham, W.N. The neutron proton mass difference and electron scattering experiments, 4=9187
 Cottingham, W.N. and Vinh Mau, R. Theoretical nucleon-nucleon potential, 3=12450
 Cottingham, W.N. See Amati, D., 2=22497
 Cottingham, W.N. See Bowcock, J., 0=15408
 Cottingham, W.N. See Bowcock, J., 1=2088
 Cottini, C., Fabri, G., Gatti, E. and Germagnoli, E. On positron lifetime in anthracene, 0=5549
 Cottini, C., Fabri, G., Gatti, E. and Germagnoli, E. Influence of disorder on the lifetime of positrons in anthracene, 1=17524
 Cottini, C., Gatti, E. and Svelto, V. A new method for analog to digital conversion, 4=11014
 Cottini, C., Gatti, E. and Vaghi, F. A nanosecond Vernier analyzer, 0=17195
 Cottini, C., Gatti, E. and Zaglio, E. A non overload linear amplifier for scintillation and proportional counter, 0=2473
 Cotton, E. Emission and absorption of gamma-rays without recoil of the emitting nucleus, held in a crystal lattice (Mössbauer effect), 1=17394
 Cotton, E. Nuclear lifetimes, 2=5818
 Cotton, E., Gastebois, J. and Picou, J.L. Recoilless gamma emission from Coulomb excitation of Fe⁵⁷, 2=351
 Cotton, E. See Barloutaud, R., 0=5661
 Cotton, E. See Bianchi, L., 0=2403
 Cotton, E. See Bianchi, L., 0=9251
 Cotton, F.A. Relative bond strengths in trigonal bipyramid molecules, 1=11112
 Cotton, F.A. and Kraihanzel, C.S. Vibrational spectra and bonding in metal carbonyls. I. Infrared spectra of phosphine-substituted group VI carbonyls in the CO stretching region, 3=6397
 Cotton, F.A. and Meyers, M.D. Magnetic and spectral properties of the spin-free 3d⁶ systems iron (II) and cobalt (III) in cobalt (III) hexafluoride ion: probable observation of dynamic Jahn-Teller effects, 1=3831
 Cotton, F.A. See Holm, R.H., 0=6213
 Cotton, F.A. See Monchamp, R.R., 0=3550
 Cotton, F.A. See Waugh, J.S., 0=5911
 Cotton, J.D. and Fensham, P.J. Magnetic susceptibility changes during the adsorption of oxygen and carbon monoxide on cuprous oxide, 4=23596
 Cotton, J.D. and Fensham, P.J. Depletive absorption of hydrogen and carbon monoxide on nickel oxide, 3=25781
 Cotton, L. See Déjardin, G., 0=9993
 Cottoni, A. See Amman, F., 4=16582
 Cottrell, A.H. Effect of nuclear radiation on engineering materials, 0=7674
 Cottrell, A.H. Fracture, 2=23781
 Cottrell, A.H. Metallography at the atomic level, 3=3311
 Cottrell, A.H. Fracture, 4=4454
 Cottrell, A.H. Discontinuous yielding, 4=26471
 Cottrell, A.H. Strong solids, 4=28926
 Cottrell, A.H. See Bell, J.C., 2=1947
 Cottrell, A.H. See Bilby, B.A., 4=20634
 Cottrell, A.H. See Churchman, A.T., 0=8265
 Cottrell, T.L., Dobbie, R.C., McLain, J. and Read, A.W. Transition probabilities in molecular encounters. VII. Further evidence for vibrational-rotational energy transfer. Relaxation in AsH₃ and AsD₃, 4=17289
 Cottrell, T.L. and Matheson, A.J. Transition probability in molecular encounters. VI. Vibrational relaxation in NH₃, ND₃, PH₃ and PD₃, 3=22567
 Cottrell, T.L. and Read, A.W. Temperature dependence of relaxation time in nitrogen, 3=8313
 Cottrell, W.B. See Bettis, E.S., 0=13314
 Cotts, R.M. See Gendell, J., 2=18963
 Cotts, R.M. See Holcomb, D.F., 3=3775
 Cotts, R.M. See Schreiber, D.S., 3=20671
 Cotts, R.M. See Wayne, R.C., 3=25501
 Cotts, R.M. See Zamir, D., 4=17695
 Cotts, R.M. See Zamir, D., 4=20318
 Couch, D.E. and Brenner, A. Glow discharge spectra of copper and indium above aqueous solutions, 0=8716
 Couch, W.E. and Swartz, J.C. The dilation of dislocation kinks and jogs, 2=23188
 Couchet, G. Case of integration by quadratures of the movement of the profile of a perfect incompressible fluid in irrotational movement, 4=16077
 Couchet, G., Pagani, A. and Savelli, M. Contribution to the theoretical study of the phenomenon of ionoluminescence at constant ionic intensity, 2=21279

- Couchiat, C.C. The $\Delta T = 0$ isotopic selection rule in fermi transitions and the theory of the vector interaction in beta decay, 2=1834
- Couder, A. The large telescope of the C.N.R.S., general description, 1=7
- Couderc, J.J., Garigue, J., Lafourcade, L. and Nguyen Quat Ti. On the formation of hexagonal gold and copper by condensation from the vapour on the cleavage face (0001) of a zinc single crystal, 0=4595
- Couderc, J.J., Garigue, J., Lafourcade, L. and Nguyen Quat Ti. Dynamic effects in reflection patterns of layers of copper containing several twins, 0=8157
- Couderc, J.J. See Baux, M., 3=16136
- Couderc, P. Observation of galaxies and cosmological models, 0=18833
- Couderc, P. Colour photography of stars, 4=23838
- Couet, C. See Guenebaut, H., 4=23638
- Coufová, P. The absorption spectrum of KCl:Ca coloured by X- and γ -radiation, 0=2938
- Coufová, P. and Arend, H. On the nature of colour centres in oxygen-deficient BaTiO₃ single crystals, 1=14327
- Coufová, P. and Arend, H. On the relation between the thickness dependence of optical absorption and the surface layers of barium titanate single crystals, 1=17873
- Coufová, P. and Arend, H. The defect structure of oxygen-deficient rutile, 2=8830
- Coufová, P. and Arend, H. The thickness dependence of the permittivity of barium titanate single crystals, 2=16787
- Coufová, P. See Arend, H., 2=671
- Coufová, P. See Arend, H., 3=11196
- Coufová, P. See Arend, H.T., 0=4297
- Couget, A. and Lacoste, R. Range of validity of the analytical expression for the absorption current of a chloropolyvinyl, 2=10552
- Coughlin, R. W. See Boehm, H. P., 4=30534
- Coulareau, E. and Fiehrer, M. Electronic circuits, 3=3975
- Couling, C. W. and Young, M. R. A constant deviation ultra-violet microscope illuminator, 3=245
- Couling, S. L. See Adenis, D. J. P., 4=23307
- Coulomb, J. Pulsations of the earth's magnetic field and earth currents, 0=10389
- Coulomb, P. The blocking of dislocations by cavities and small precipitate particles, 0=15842
- Coulomb, P., Leymonie, C. and Lacombe, P. Relation between the segregation of impurities and intergranular self-diffusion in iron, 0=17970
- Coulon, R. Experimental study of the infrared absorption spectra of some compressed gases and gaseous mixtures, 0=972
- Coulson, C.A. Present state of molecular structure calculations, 0=17805
- Coulson, C.A. Interatomic forces: Maxwell to Schrödinger, 2=22880
- Coulson, C.A. and Gołebiewski, A. The Jahn-Teller effect in aromatic ions and radicals, 2=6190
- Coulson, C.A. and Gołebiewski, A. On perturbation calculations for the π -electrons and their application to bond length reconsiderations in aromatic hydrocarbons, 2=6213
- Coulson, C.A., Herraez, M.A., Leal, M., Santos, E. and Senet, S. Formation energy of vacancies in graphite crystals, 3=22753
- Coulson, C.A. and Hurley, A.C. Comment on "Hellmann-Feynman wave functions", 2=20772
- Coulson, C.A. and Neilson, A.H. Electron correlation in the ground state of helium, 2=518
- Coulson, C.A. and Neilson, A.H. Angular correlation diagrams for AH₂-type molecules, 4=6556
- Coulson, C.A., Rèdei, L.B. and Stocker, D. The electronic properties of tetrahedral intermetallic compounds. I. Charge distribution, 3=776
- Coulson, C.A. and Rogers, M.T. Homopolar dipole, 1=12332
- Coulson, C.A. and Schaad, L.J. On the approximation of zero differential overlap, 1=11108
- Coulson, C.A. and Sharma, C.S. Correction for self-interaction in the Thomas-Fermi potential with application to f electrons in atoms, 2=10198
- Coulson, C.A. and Sharma, C.S. A reconsideration of the split-p-orbital (s.p-o.) method in molecular-orbital theory, 3=8258
- Coulson, C.A. and Stamper, J.G. Rydberg levels in CH₂ and CH₃, 4=3883
- Coulson, C.A. and Stocker, D. Steric forces in halogen-substituted benzenes, 0=20683
- Coulson, C.A. and Strauss, H.L. Static Jahn-Teller distortions in the small molecules: CH₄, CF₄, NH₃ (excited state) and NH₃ (excited state), 2=22983
- Coulson, C.A. and Zalewski, K. Internal conversion and the crossing of molecular potential energy surfaces, 2=16504
- Coulson, C.A. and Zauli, C. The K α transition in compounds of sulphur, 3=19997
- Coulson, C.A. See Anno, T., 1=20527
- Coulson, C.A. See Caldwell, C.L., 1=15687
- Coulson, C.A. See Caldwell, G.L., 2=14318
- Coulson, C.A. See Cohen, M., 1=3551
- Coulson, C.A. See Crossley, R.J.S., 3=8214
- Coulson, C.A. See Eisenberg, D., 4=4043
- Coulson, C.A. See Hirschfelder, J.O., 2=6210
- Coulson, C.A. See Johnson, B.P., 4=25643
- Coulson, C.A. See Jortner, J., 2=1955
- Coulson, C.A. See Sharma, C.S., 2=16475
- Coulson, J. and Ellison, J.M. A calibration of the filter-paper method of estimation of smoke, 4=7822
- Coulson, K.L. Characteristics of the radiation emerging from the top of a Rayleigh atmosphere, I, intensity and polarization, 1=6587
- Coulson, K.L. Characteristics of the radiation emerging from the top of a Rayleigh atmosphere, II, total upward flux and albedo, 1=6588
- Coulson, K.L. and Lotman, M. Molecular scattering of solar radiation in the atmosphere of Mars, 4=7979
- Coulter, A. G. and Higginson, G. S. Probe contamination in a hydrogen plasma, 4=2987
- Coulter, A. G., Leckey, R. C. G. and Higginson, G. S. Dissociation in a hydrogen low voltage arc, 4=18784
- Coulter, A. G. See Leckey, R. C. G., 4=5586
- Coulter, J.R.M. Negative sections of moving striations, 0=19637
- Coulter, J.R.M. Negative striations, 1=8314
- Coulter, J.R.M., Armstrong, N.H.K. and Emeleus, K.G. Moving striations and anode spots in neon, 1=5432
- Coulter, J.R.M. See Woolsey, G.A., 1=18796
- Coulter, L.V., Stepanoff, G.L. and Roper, G.C. The nature of the motion of N₂, CO and CH₄ in their β -quinol clathrates at low temperatures, 3=8284
- Coulter, L.V. See Stepanoff, G.L., 4=15376
- Couly, J. See Bouville, A., 4=9424
- Couly, J. See Bouville, A., 4=28076
- Coumat, F.J. and Martinuzzi, S. Utilization of concentrated solar u.v., 0=21285
- Coumes, A. Ferromagnetic resonance and the theory of phases, 0=8075
- Coumes, A. Study of the magnetization in a single crystal of silicon-iron by ferromagnetic resonance, 0=11840
- Coumes, A. Collective oscillations of a system of holes in the presence of phonons, 1=8837
- Coumes, A. A few consequences of the theory of phases of elementary domains on ferromagnetic resonance, 1=11463
- Coumes, A. Superficial and deep layers of a thin metallic film, 3=23206
- Coumes, A. Local study of thin films by ferromagnetic resonance, 3=25556
- Coumes, A. and Ligeon, M. Frequency modulation at constant power in a reflex klystron, 4=19202
- Coumes, A. See Bern, J.P., 3=11105
- Coumes, A. See Bouthinon, M., 4=19201
- Coumou, D.J. Apparatus for the measurement of light scattering in liquids. Measurement of the Rayleigh factor of benzene and of some other pure liquids, 1=6966
- Counsell, J.F. and Everett, D.H. Nature of fluids in the hypercritical region, 1=1769
- Counsell, J.F. See Andon, R. J. L., 4=9858
- Counsell, J.F. See Andon, R. J. L., 4=22493
- Coupiac, P. Study of two filters of small spatial extent, with very large spatial pass band designed for the study of the fine structure of radio sources, 4=20937
- Coupland, J.H. and Howard, K.J. Some model magnet measurements and their application to the design of a 70 inch spiral ridge cyclotron, 3=5751
- Coupland, M.J., Hambleton, K. G. and Hilsum, C. Measurement of amplification in a GaAs injection laser, 4=8989
- Coupland, M.J., Hilsum, C. and Sherwell, R.J. An improved construction for tunnel diodes, 3=13094
- Coupry, G. Relation between space and time dampings, 2=1219
- Coupry, G. The notion of a family of proper functions and its application to thin shells, 2=9213
- Courant, E.D. and Marshall, L. Mass separation of high energy particles in quadrupole lens focusing systems, 0=5350
- Courant, H., Filthuth, H., Franzini, P., Glasser, R.G., Minguzzi-Ranzi, A., Segar, A., Willis, W., Burnstein, R.A., Day, T.B., Kehoe, B., Herz, A.J., Sakitt, M., Sechi-Zorn, B., Seeman, N. and Snow, G. Determination of the relative Σ - Λ parity, 3=17346

- Courant, H. See Amato, G., 3=17001
 Courant, H. See Aubert, B., 3=17333
 Courant, H. See Baltay, C., 1=16906
 Courant, H. See Birge, R.W., 0=17159
 Courant, H. See Hannum, W.H., 0=9402
 Courant, H. See Smith, G.A., 1=3222
 Courant, H. See Smith, G.A., 1=13415
 Courant, H. See Stonehill, D., 1=12102
 Courau, A. Process of disintegration of baryons by cascades, 4=24995
 Courpron, C., Lochet, R., Meyer, Y. and Rousset, A. Molecular luminescence of benzene in dilute solution in cyclohexane at the temperature of liquid nitrogen, 0=11774
 Courpron, C. See Cadas, J.P., 2=12592
 Courrier, G. and Marfaing, Y. Study of photovoltaic effects (lateral and transverse) in p-n junctions of indium antimonide, 0=18069
 Courrier, G. See Marfaing, Y., 3=879
 Court, A. Vertical air flow over North America, 0=14188
 Court, G. R. and Sayers, J. An experimental study of the use of a Langmuir probe to measure electron temperatures and densities in afterglows, 4=21483
 Court, G. R. See Barlow, J., 4=25123
 Court, I. N. and Stevens, K. W. H. The coupling of cavity modes to spins, 4=5793
 Court, I. N. and von Willisen, F. K. Frustrated total internal reflection and application of its principle to laser cavity design, 4=21274
 Courtel, R. A mechanism of sliding friction complementary to that of adhesion, 2=1097
 Courtel, R. On the observation of certain periodic damage caused to surfaces by rubbing, and its interpretation, 2=4350
 Courtel, R. and Guyonnet, J. On a particular mode of wear of sintered tungsten carbide, 3=3247
 Courtel, R., Makram, H. and Pigeat, G. Optical examination and determination of microhardness of single crystals of yttrium garnet and magnetoplumbite, 2=21449
 Courtel, R. and Rougier, P. An "essentially plastic" mechanism of functional wear in simple and polycrystals, 4=13393
 Courtel, R. See Lagarde, F., 3=9422
 Courtès, G. A study of interstellar emission with the aid of a Fabry-Perot etalon, 0=16552
 Courtès, G. Methods for the observation and study of interstellar hydrogen in emission, 0=18610
 Courtès, G. Astrophysical use of very selective interference filters and of a new multiple band-pass filter, 2=11099
 Courtès, G. Interferometric studies of emission nebulosities, 4=23837
 Courtès, G. and Cruvellier, P. Study of the monochromatic emission in the regions of strong stellar concentration, 0=18838
 Courtès, G. and Cruvellier, P. Optical detection of ionized hydrogen in the direction of the galactic centre, 1=4209
 Courtès, G., Gruvellier, P. and Pottasch, S.R. Movement of the bright edges in diffuse nebulae, 2=17298
 Courtès, G. See Blamont, J., 1=15254
 Courtès, G. and Cruvellier, P. The detection of new clouds of ionized hydrogen in the galaxies, 1=18015
 Courtès, G. See Bonnet, R.M., 3=1502
 Courtès, G. See Bonnet, R.M., 3=3885
 Courtney, H.O. See Androulakis, J.G., 3=17125
 Courtney, W. E. and Clarricoats, P. J. B. Experimental studies of spinwaves excited by parallel pumping, 4=10285
 Courtney, W. E. and Clarricoats, P. J. B. Absorption phenomena in parallel-pump experiments, 3=15883
 Courtney, W. G. Remarks on homogeneous nucleation, 2=2934
 Courtney, W. G. Non-steady-state nucleation, 2=13486
 Courtney, W. G. Kinetics of condensation of water vapour, 2=13487
 Courtney, W. G. Kinetics of condensation of water vapor. Experimental, 3=14425
 Courtney-Pratt, J.S. A note on the possibility of photographing a satellite near the Moon, 1=2669
 Courtois, L. and Lemaire, B. Measurement of the susceptibility tensor of ferrites, 3=20612
 Courtois, N. See Boussuge, C., 4=23839
 Courtoy, C. P. and Triaille, E. A. Rotational perturbations in the infrared spectra of $C^{18}O_2$, 3=6399
 Courtoy, C. F. See Triaille, E. A., 4=9736
 Courtoy, C. P. See Triaille, E. A., 4=27314
 Courtrez, R. Radio emission of solar origin, 1=18150
 Courty, C. The calculation of diamagnetic susceptibilities of free cations, 0=13389
 Courty, C. The calculation of diamagnetic susceptibilities of molecules, 0=17719
 Courty, C. On the calculation of the diamagnetic susceptibilities of molecules with multiple bonds, 0=20644
 Courty, C. Calculation of the diamagnetic coefficient of free atoms, 1=8827
 Courty, C. See Charbonnier, M., 4=30912
 Courty, C. See Dupin, M., 4=27162
 Courval, C. de. See de Courval, C.
 Courville, G. E. and Biondi, M. A. Temperature dependence of ionic mobilities in gas mixture, 2=19899
 Courville, G. E., Walsh, P. J. and Wasko, J. H. Laser action in Xe in two distinct current regions of a. c. and d. c. discharges, 4=27691
 Courville, G. E. See Walsh, P. J., 3=25059
 Courvoisier, J. C., Haidinger, W., Jochems, P. J. W. and Tummers, L. J. Evaporation-condensation method for making germanium layers for transistor purposes, 3=23511
 Courvoisier, J. C. See Haidinger, W., 3=23399
 Coury, F. M. and Frank, W. M. Static three-body nuclear forces, 4=3521
 Coury, F. M. See Hellman, W. S., 4=19412
 Cousins, J. E., Dupree, R. and Havill, R. L. An electronic sweep unit for current stabilized electromagnets, 3=19405
 Cousins, J. E. and Nash, W. F. Some aspects of the design of large permanent magnets, 0=5377
 Cousins, J. E. and Nash, W. F. The momentum spectrum of μ^- mesons at 37 m water equivalent underground, 2=7916
 Cousins, J. E. and Nash, W. F. Rate of energy loss of relativistic μ^- mesons, 3=7882
 Cousins, L. R. See Saier, E. L., 2=10248
 Cousins, L. R. See Saier, E. L., 4=25692
 Cousins, T. E. See Bracewell, R. N., 3=7052
 Cousland, S. M. See Wood, W. A., 3=13337
 Cousland, S. McK. and Sargent, K. R. Persistence of voids after annealing of fatigued copper, 4=15705
 Cousland, S. McK. See Wood, W. A., 3=20735
 Cousland, S. McK. See Wood, W. A., 4=1939
 Cousteau, J. Y. See Edgerton, H. E., 0=6900
 Coustham, J. See Abagam, A., 3=2263
 Coutanceau, M. See Bourot, J. M., 3=9429
 Coutant, J. and Prevot, F. Crossed-field circular ion source, 3=7647
 Coutant, J. See Bariaud, A., 4=19115
 Couteur, K. J. Le. See Le Couteur, K. J.
 Coutrez, R. See Delys, C., 3=9238
 Coutts, M. C. See Merl, W., 3=20172
 Coutts, M. D. and Pinch, H. L. Surface decoration and domains in very thin magnetic films, 3=20931
 Coutts, P. W. and Fitch, R. K. Total emission of a diode, 3=21867
 Couture, L., Brunetière, F., Forrat, F. and Trévoux, P. Fluorescence of single crystals of the Perovskite structured $AlLaO_3$ doped with chromium, 3=15702
 Couture, L. See Amat, G., 2=13427
 Couture, L. See Ancenot, C., 1=7710
 Couture, L. See Martin-Brunetière, F., 4=1759
 Couvertier, P. Electrostatic phenomenon resulting from the presence of solid particles in aerodynamic flows, 1=9522
 Cova, S. See Bertolaccini, M., 3=24339
 Covell, D. F. Quality control for the gamma-ray scintillation spectrometer, 3=14942
 Covell, W. P. See Eldredge, D. H., 1=4152
 Covello, A. and Varcaccio, G. Energy-level corrections and transition probabilities in deformed even-even nuclei, 3=15094
 Coven, C. J. See Beuche, F., 3=18809
 Coville, C. See Allen, J. E., 3=4067
 Covington, A. E. A compound interferometer, 0=4878
 Covington, A. E. A compound interferometer, 0=12262
 Covington, A. E. Solar emission at 10 cm wavelength, 1=2648
 Covington, A. E. Solar emission at ten centimetre wave-length, 1947-1960, 1=15550
 Covington, A. E. Microwave radio emission from limb coronal condensations from the eclipse of February 5, 1962, 4=10917
 Covington, A. E. and Harvey, G. A. Resolving power of three antenna patterns derived from the same aperture, 0=828
 Covington, A. E. and Harvey, G. A. The visibility of the 10-cm radio-emissive region and its application in finding the 10-cm quiet sun, 0=18642
 Covington, A. E., Harvey, G. A. and Dodson, H. W. Selected high-resolution strip scans of the 10.7 cm sun, 2=13170
 Covington, A. E. and Harvey, G. A. 10.7 cm solar noise burst of November 20, 1960, 1=4217
 Covington, A. E., Harvey, G. A. and McNarry, L. R. The solar noise burst of November 12, 1960, 1=10303

- Covington, A.E. and Harvey, G.A. Coincidence of the explosive phase of solar flares with 10.7 cm solar noise bursts, 1=18098
- Covington, A.E. See Clark, R.F., 2=13157
- Covington, A.E. See Gaizauskas, V., 3=10191
- Covington, A.E. See Swarup, G., 3=16424
- Covington, A.K., Baird, J.D. and Woolf, A.A. Isothermal mass transfer of aluminium onto molybdenum in liquid metals, 3=3344
- Cowan, C.L., Jr. See Reines, F., 0=3955
- Cowan, D.L. and Anderson, L.W. Fast-passage effects in the nuclear magnetic resonance of Fe^{57} in pure iron metal, 4=28898
- Cowan, D.J. See Hanson, H.P., 1=14620
- Cowan, E.W. Dust-track model of cloud chamber and nuclear emulsion events, 0=5458
- Cowan, F.P. See Philipps, L.F., 4=13979
- Cowan, G.A. Scientific applications of nuclear explosions, 1=12030
- Cowan, G.A., Bayhurst, B.P. and Prestwood, R.J. Symmetry of neutron-induced U^{235} fission at individual resonances. II, 3=15243
- Cowan, G.A., Turkevich, A., Browne, C.I. and Los Alamos Radiochemistry Group. Symmetry of neutron-induced U^{235} fission at individual resonances, 1=8799
- Cowan, G.A. See Bryant, E.A., 3=12737
- Cowan, G.R. and Holtzman, A.H. Flow configurations in colliding plates: explosive bonding, 3=11195
- Cowan, J.D. Conference on redundancy techniques in computing systems, Washington D.C., February, 1962, 2=15454
- Cowan, J.P., Macintyre, W.M. and Werkema, G.J. Cascade: an automatic single-crystal X-ray diffractometer, 3=11244
- Cowan, M. See Gordy, W., 0=11042
- Cowan, R.D. Proposed method of measuring thermal diffusivity at high temperatures, 1=10615
- Cowan, R.D. Pulse method of measuring thermal diffusivity at high temperatures, 3=9634
- Cowan, R.D. See Barnes, J.F., 4=1196
- Coward, D.H., Gittelman, B., Lynch, H.L. and Ritson, D.M. Search for charged particles with rest mass between that of the electron and muon, 3=22094
- Coward, D.H. See Allaby, J.V., 4=11976
- Coward, D.H. See Masek, G.E., 1=17088
- Cowell, R.D., Urry, G. and Weissman, S.I. Electronic interactions between noncoplanar aromatic systems, 3=15362
- Cowen, J.A. and Kaplan, D.E. Spin-echo measurement of the spin-lattice and spin-spin relaxation in Ce^{++} in lanthanum magnesium nitrate, 1=20204
- Cowen, J.A., Kaplan, D.E. and Browne, M.E. Electron spin echo studies of paramagnetic systems, 3=1195
- Cowen, J.A., Schafer, W.R. and Spence, R.D. Polarization of the Al^{27} nuclei in ruby, 0=1838
- Cowen, J.A., Spence, R.D., Van Till, H. and Weinstock, H. Simple glass He^3 cryostat for e.s.r. and n.m.r., 4=24860
- Cowen, J.A. See Gravlin, E.S., 0=310
- Cowen, J.A. See Kaplan, D.E., 2=3177
- Cowen, J.A. See Spence, R.D., 0=6277
- Cowen, J.A. See Wigan, P.E., 1=20197
- Cowen-Solomons, H.B. See Wolf, E., 0=18560
- Cowlard, F.C. See Lewis, J.C., 3=21181
- Cowles, L.E.J. and Dauncey, L.A. Apparatus for the rapid scanning of the Seebeck coefficient of semiconductors, 2=2139
- Cowles, L.E.J. See Bowley, A.E., 1=18752
- Cowles, L.E.J. See Green, A., 0=19468
- Cowley, A.P. Some molecular abundances in a carbon rich atmosphere, 2=24146
- Cowley, A.P. See Cowley, C.R., 4=29438
- Cowley, C.R. On the determination of rotational temperatures from solar lines of cyanogen, 4=26951
- Cowley, C.R. A study of the violet system of cyanogen in the solar atmosphere, 4=23921
- Cowley, C.R. and Cowley, A.P. A new solar curve of growth, 4=29438
- Cowley, C.W., Timson, W.J. and Sawdye, J.A. A method for improving heat transfer to a boiling fluid, 2=15780
- Cowley, J.M. Short- and long-range order parameters in disordered solid solutions, 1=1417
- Cowley, J.M. Diffraction intensities from bent crystals, 2=14994
- Cowley, J.M. The theoretical basis for electron diffraction structure analysis, 4=4589
- Cowley, J.M. The derivation of structural information from absorption effects in X-ray diffraction, 7588
- Cowley, J.M. and Kuwabara, S. Electron diffraction intensities from polycrystalline material containing heavy atoms, 2=10819
- Cowley, J.M. and Moodie, A.F. Fourier images. IV. The phase grating, 1=1831
- Cowley, J.M. and Moodie, A.F. Out-of-focus electron microscope images of edges of crystal lattices, 1=20706
- Cowley, J.M. and Moodie, A.F. The scattering of electrons by thin crystals, 3=1303
- Cowley, J.M., Moodie, A.F., Miyake, S., Takagi, S. and Fujimoto, F. The extinction rule for reflexions in symmetrical electron-diffraction spot patterns, 1=20484
- Cowley, J.M. See Aragon de la Cruz, F., 3=5107
- Cowley, J.M. See Aragon de la Cruz, F., 3=18331
- Cowley, M. and Heffner, H. Gallium phosphide-gold surface barrier, 4=10080
- Cowley, R.A. Some calculations using the Ewald transformation, 2=14352
- Cowley, R.A. The lattice dynamics of ionic and covalent crystals, 2=16590
- Cowley, R.A. The elastic and dielectric properties of crystals with polarizable atoms, 2=16944
- Cowley, R.A. Temperature dependence of a transverse optic mode in strontium titanate, 2=23496
- Cowley, R.A. The lattice dynamics of an anharmonic crystal, 4=9824
- Cowley, R.A. Lattice dynamics and phase transitions of strontium titanate, 4=17348
- Cowley, R.A. The theory of Raman scattering from crystals, 4=26169
- Cowley, R.A., Cochran, W., Brockhouse, B.N. and Woods, A.D.B. Lattice dynamics of alkali halide crystals. III. Theoretical, 3=20075
- Cowley, R.A. See Cochran, W., 2=14596
- Cowling, T.G. Nuclear reactions in stars, 1=12759
- Cowling, T.G. Note on magnetic instabilities in stellar structure, 1=12771
- Cowling, T.G. Magnetohydrodynamics, 3=12297
- Cowling, T.G., Gray, P. and Wright, P.G. The physical significance of formulae for the thermal conductivity and viscosity of gaseous mixtures, 4=234
- Cowling, T.G. See Rubbra, F.T., 2=2539
- Cownie, A.R. Measurement of low absorption in semireflecting films, 0=3636
- Cownie, A.R. Formation of transmissionlike reflection fringes, 3=9609
- Cowperthwaite, M. and Bauer, S.H. Estimation of molecular parameters of C/H fragments, 2=12347
- Cowperthwaite, M. See Tsang, W., 2=12349
- Cowsik, R. See Babu, P., 4=928
- Cox, A. Analysis of present geomagnetic field for comparison with paleomagnetic results, 3=1482
- Cox, A. Angular dispersion due to random magnetization, 4=23820
- Cox, A. and Doell, R.R. Palaeomagnetic evidence relevant to a change in the earth's radius, 1=5132
- Cox, A. and Doell, R.R. Paleomagnetic evidence relevant to a change in the earth's radius, 1=10300
- Cox, A. and Doell, R.R. Magnetic properties of the basalt in hole EM 7, Mohole project, 3=9137
- Cox, A., Doell, R.R. and Dalrymple, G.B. Reversals of the earth's magnetic field, 4=26866
- Cox, A.F.J. See Garlick, G.F.J., 4=20480
- Cox, A.D. and Morland, L.W. Dynamic plastic deformations of simply-supported square plates, 0=12391
- Cox, A.J. Nuclear isomerism in Hg^{197} , Sc^{44} and Y^{87} produced in He^3 bombardments, 4=9422
- Cox, A.J., Kidd, D.E., Powell, W.B., Reece, B.L. and Waterton, P.J. Operation of a 40-inch radial ridge cyclotron, 3=5731
- Cox, A.N. and Brownlee, R.R. A time dependent solar model, 1=18069
- Cox, A.P. and Esbitt, A.S. Fundamental vibrational frequencies in ketene and the deuterketenes, 3=12854
- Cox, A.P. See Sheridan, J., 1=12284
- Cox, B. See Adam, J., 0=2822
- Cox, B. See Adam, J., 0=21211
- Cox, B. See Adam, J., 4=17776
- Cox, C.D. Bulk photoeffects in inhomogeneous semiconductors, 0=18059
- Cox, C.D. and Edwards, W.D. Ice point maintained thermoelectrically and regulated by change of state, 3=19050
- Cox, C.P. Statistical principles for the line of best fit, 3=21202
- Cox, C.W. See Keepin, G.R., 1=17221
- Cox, D.B. Radial flow in the cone-plate viscometer, 2=9245
- Cox, D.E., Shirane, G., Takei, W.J. and Wallace, W.E. Magnetic structures of TbD_2 and HoD_2 , 3=15911

- Cox, D. E., Shirane, G., Flinn, P. A., Ruby, S. L. and Takei, W. J. Neutron diffraction and Mössbauer study of ordered and disordered LiFeO_2 , 4=4394
- Cox, D. E., Takei, W. J., Miller, R. C. and Shirane, G. A magnetic and neutron diffraction study of the Fe_2O_3 - V_2O_5 system, 2=18921
- Cox, D. E., Takei, W. J. and Shirane, G. A magnetic and neutron diffraction study of the Cr_2O_3 - Fe_2O_3 system, 3=13267
- Cox, D. E. See Shirane, G., 2=6663
- Cox, D. E. See Shirane, G., 3=3133
- Cox, D. E. See Shirane, G., 4=13268
- Cox, D. E. See Takei, W. J., 3=8698
- Cox, G. A. and Tredgold, R. H. Double space charge injection in solids, 3=13128
- Cox, G. A. and Tredgold, R. W. Hole drift mobility in BaTiO_3 single crystals, 4=28398
- Cox, G. C. See Bowen, P. H., 2=7987
- Cox, G. C. See Bowen, P. H., 2=13810
- Cox, G. C. See Bowen, P. H., 3=2278
- Cox, G. C. See Bowen, P. H., 3=8105
- Cox, G. C. See Bowen, P. H., 3=10349
- Cox, G. C. See Kerns, Q. A., 2=5267
- Cox, G. E. See Bowen, P. H., 2=1691
- Cox, H. L., Jr and Williams, D. Zeeman splitting of nuclear quadrupole levels in cuprite, 0=6284
- Cox, H. L., Jr. See Bonham, R. A., 4=20029
- Cox, J. Unilateral color deficiency, congenital and acquired, 1=1666
- Cox, J. A. M. Cherenkov radiation, 1=16747
- Cox, J. E. High vacuum thermocouple, 3=24092
- Cox, J. H. and Pidgeon, L. M. The X-ray diffraction patterns of aluminum carbide Al_4C_3 and aluminum oxycarbide $\text{Al}_2\text{O}_3\text{C}$, 3=23445
- Cox, J. P. A preliminary analysis of the effectiveness of second helium ionization in inducing cepheid instability in stars, 1=2630
- Cox, J. P. On second helium ionization as a cause of pulsational instability in stars, 4=2337
- Cox, J. P. and Giuli, R. T. Equilibrium models for stars which derive energy from helium-burning. I. Stars composed of pure helium, 1=8000
- Cox, J. P. and Salpeter, E. E. Equilibrium models for stars which derive energy from helium-burning. II. Helium stars with hydrogen-rich envelopes, 1=5001
- Cox, J. P. and Salpeter, E. E. Equilibrium models for helium-burning stars. III. Semi-degenerate stars of small mass, 4=29374
- Cox, J. R. Many-channel Bargmann potentials, 4=27803
- Cox, J. R., Jr and Bilger, R. C. Suggestion relative to the standardization of loudness-balance data for the telephonics TDH-39 earphone, 0=14752
- Cox, J. R. Jr. and Ray, J. D. Bis-liganded nitrosyl as a reaction intermediate, 1=9168
- Cox, J. T. Special type of double-layer antireflection coating for infrared optical materials with high refractive indices, 2=98
- Cox, J. T., Hass, G. and Jacobus, G. F. Infrared filters of antireflected Si, Ge, InAs, and InSb, 1=10580
- Cox, J. T., Hass, H. and Ramsey, J. B. Improved dielectric films for multilayer coatings and mirror protection, 4=22893
- Cox, J. T., Hass, G. and Thelen, A. Triple-layer antireflection coatings on glass for the visible and near infrared, 2=19678
- Cox, L. C. See Goldsmith, P., 3=11417
- Cox, M. and Bayley, F. J. Effect of flow pulsations on the drag of baffles in pipes, 0=6825
- Cox, M. See Dubois, J. T., 3=16631
- Cox, M. C. See Mysels, K. J., 1=15828
- Cox, M. C. See Mysels, K. J., 2=7189
- Cox, N. L. See Swoboda, T. J., 1=6272
- Cox, P. G. See Small, A. M., Jr, 2=11218
- Cox, R. C. See Drushel, H. V., 4=8429
- Cox, S. A. Fast neutron activation cross section of Au^{197} , 1=8745
- Cox, S. A. Delayed-neutron studies from the thermal-neutron-induced fission of Pu^{241} , 1=12226
- Cox, S. A. Neutron activation cross sections for Br^{79} , Br^{81} , Rh^{103} , In^{115} , I^{127} , and Ta^{181} , 4=9536
- Cox, S. A. See Smith, A. B., 0=1454
- Cox, W. D. G. and Hughes, J. L. Possible applications of the mass-energy cycle on a micro- and macro-scopic scale in the universe, 4=4837
- Cox, W. F. Test setup for microphone calibration, 0=10737
- Coxell, H., Fairchild, W. W. and Pomerantz, M. A. Scintillator meson telescope for studies of cosmic ray intensities, 3=19717
- Coxell, H., Meyer, M. A., Scull, P. S. and Wolfendale, A. W. Optical measurements on neon flash-tubes, 2=3189
- Coxell, H., Scull, P. S., Wolfendale, A. W. The size spectrum and zenith angle distribution of air showers containing 10^5 - 10^6 particles, 3=10195
- Coxell, H. and Wolfendale, A. W. High pressure neon flash tubes, 0=9239
- Coxeter, H. S. M. On Wigner's problem of reflected light signals in De Sitter space, 1=15616
- Coy, J. D. C. and Ricketson, B. W. A. Pumping by gas solidification—a cryogenic pump, 4=11261
- Coyle, R. A. See Garrod, R. L., 4=23143
- Coyle, R. A. See Hickman, B. S., 2=21516
- Coyle, T. D. and Stone, F. G. A. N.M.R. studies on mixed boron halides. Detection of the new halide BBrClF , 0=17780
- Coyne, G. V. Comparative spectrophotometry of selected areas on the lunar surface, 3=11511
- Coyne, J. See Spencer, L. V., 3=5711
- Cozens, J. R. and Grew, K. E. Thermal diffusion in mixtures containing carbon dioxide, 4=29673
- Cozens, J. R. and von Engel, A. New caloelectric effect, 2=13531
- Cozens, J. R. See Von Engel, A., 3=19184
- Cozens, J. R. See von Engel, A., 4=20831
- Crabbe, G. F. and Kearns, G. L. Change-exchange phenomena in a mass spectrometer, 2=5390
- Crabbe, G. F. See Basila, M. R., 1=11093
- Crabs, L., Debaisieux, J., Apers, D. and Capron, P. C. Radiation damage in crystals, 0=9921
- Crabtree, J. M. and Glueckauf, E. Structural analysis of ion semi-permeable membranes by co-ion uptake and diffusion studies, 4=5141
- Cracco, F., Arvia, A. J. and Dole, M. E. S. R. studies of free radical decay in irradiated polyethylene, 3=2671
- Craddock, M. K., Hanna, R. C., Robertson, L. P. and Davies, B. W. Polarisation in proton- He^4 scattering at intermediate energies, 3=22131
- Craddock, M. K. See Stafford, G. H., 2=13801
- Cragg, T. A. Solar activity in 1959, 1=1640
- Cragg, T. A. Solar activity in 1960, 1=19080
- Cragg, T. A. Rotation of Saturn, 2=9062
- Craggs, J. D. Time-resolved spectroscopy, 2=1451
- Craggs, J. D. See Bhalla, M. S., 1=1892
- Craggs, J. D. See Bhalla, M. S., 1=16264
- Craggs, J. D. See Bhalla, M. S., 2=17784
- Craggs, J. D. See Chatterton, P. A., 2=5300
- Craggs, J. D. See Churchill, R. J., 2=3012
- Craggs, J. D. See Prasad, A. N., 1=1891
- Craggs, J. D. See Prasad, A. N., 1=7026
- Craggs, J. D. See Vujnovic, V., 2=17805
- Cragg, T. The eruptive prominence of June 15, 1958, 0=4901
- Cragg, T. See Howard, R., 0=9
- Cragg, T. A. Solar activity in 1958, 0=3421
- Craggs, J. D. Afterglow studies of transient discharges, 4=14610
- Craggs, J. D. and Tozer, B. A. The attachment of slow electrons in carbon monoxide, 0=242
- Craggs, J. D. and Tozer, B. A. The attachment of slow electrons in carbon dioxide, 0=8996
- Craggs, J. D. See Asundi, R. K., 4=5556
- Craggs, J. D. See Asundi, R. K., 4=16436
- Craggs, J. D. See Asundi, R. K., 4=24565
- Craggs, J. D. See Bhalla, M. S., 3=4029
- Craggs, J. D. See Edels, H., 4=236
- Craggs, J. D. See Moruzzi, J. L., 4=5557
- Craggs, J. D. See Prasad, A. N., 0=14961
- Craggs, J. D. See Tozer, B. A., 0=16972
- Craggs, J. W. On the propagation of a crack in an elastic-brittle material, 1=1346
- Craggs, J. W. On axially symmetric waves. III. Elastic waves in a half-space, 4=261
- Craggs, J. W. On axially symmetric waves. I. Linearized compressible flow with axial boundary conditions, 3=18701
- Craggs, J. W. On axially symmetric waves. II. The treatment of a plane boundary, 3=18702
- Craggs, J. W. Dislocations as sources of fracture, 3=23355
- Craig, B. G. See Davis, W. C., 1=9497
- Craig, B. G. See Phelps, C. G., 3=23721
- Craig, D. N., Hoffman, J. L., Law, C. A. and Hamer, W. J. Determination of the value of the faraday with a silver-perchloric acid coulometer, 0=19582
- Craig, D. P. and Hollas, J. M. Analysis of the naphthalene vapour absorption bands at 3200 Å. II. Naphthalene d-8, 1=8844

- Craig, D.P., Hollas, J.M., Redies, M.F. and Wait, S.C. Jr. Analysis of the naphthalene vapour absorption bands at 3200 Å.
I. Naphthalene h-8, 1=8843
- Craig, D.P., Lyons, L.E. and Walsh, J.R. The crystal spectra of very weak transitions I. Measurements of the naphthalene 3200 Å system at 4°K, 1=14592
- Craig, D.P. and Magnusson, E.A. Orbital modification in metal complexes, 1=867
- Craig, D.P. and Thirunamachandran, T. The electronic spectra of mixed crystals, 3=4841
- Craig, D.P. and Walmsley, S.H. The crystal spectra of very weak transitions II. Theoretical, 1=14593
- Craig, D.P. and Wolf, H.C. Note on the absorption and fluorescence of crystalline naphthalene, 4=20473
- Craig, D.P. and Zauli, C. d orbitals in compounds of second-row elements. I. SF₆, 2=20839
- Craig, D.P. and Zauli, C. d orbitals in compounds of second-row elements. II. Comparison of H, C, F, and Cl as ligands, 2=20840
- Craig, D.P. See Claxton, T.A., 1=19639
- Craig, D.R. See Thun, R., 0=3287
- Craig, G.B. and Krausz, A.S. A technique for producing regular patterns on single crystals, 4=13520
- Craig, G.B. See McGrath, J.T., 2=16982
- Craig, G.B. See Rezek, J., 2=14451
- Craig, H. and Lal, D. The production rate of natural tritium, 1=12688
- Craig, J.H. and Jeffress, L.A. Why Helmholtz couldn't hear monaural phase effects, 1=12706
- Craig, K.J. See Yaplee, B.S., 0=18618
- Craig, N.C. and Entemann, E.A. Infrared spectra and vibrational assignments for cis and trans, 1, 2-Difluoroethylenes: HFC = CFH, HFC = CFD, and DFC = FCD, 2=1996
- Craig, N.C. See Flynn, G.W., 3=15385
- Craig, P., Erickson, N., Nagle, D.E. and Taylor, R.D. Mössbauer effect of Fe-57 in pyrographite. Some preliminary results, 4=12590
- Craig, P.P. Drag forces in rotating He II, 2=1328
- Craig, P.P. Turbulent viscosity in rotating He II, 4=18510
- Craig, P.P., Dash, J.G., McGuire, A.D., Nagle, D. and Reiswig, R.D. Nuclear resonance absorption of gamma rays in Ir¹⁹¹, 0=411
- Craig, P.P., Keller, W.E. and Hammel, E.F., Jr. Flow of liquid He II under large temperature and pressure gradients, 3=7398
- Craig, P.P., Nagle, D.E. and Cochran, D.R.F. Zeeman effect in the recoilless γ-ray resonance of Zn⁶⁷, 0=13128
- Craig, P.P., Nagle, D.E. and Reiswig, R.D. Resonant absorption of gamma radiation in superconductors, 1=18713
- Craig, P.P., Nagle, D.E., Steyert, W.A. and Taylor, R.D. Paramagnetism of Fe impurities in transition metals, 2=21294
- Craig, P.P. and Sutin, N. Mössbauer effect in liquids: influence of diffusion broadening, 4=8226
- Craig, P.P., Taylor, R.D. and Nagle, D.E. Mössbauer effect measurements on superconducting indium, 1=19693
- Craig, P.P. See Dash, J.G., 0=17489
- Craig, P.P. See Dash, J.G., 1=8877
- Craig, P.P. See Hammel, E.F., 4=21375
- Craig, P.P. See Nagle, D., 0=11312
- Craig, P.P. See Nagle, D.E., 2=4216
- Craig, P.P. See Nagle, D.E., 0=13126
- Craig, P.P. See Steyert, W.A., 2=23039
- Craig, P.P. See Strongin, M., 4=18582
- Craig, R.A. Auger electron ejection from superconducting metals, 3=9826
- Craig, R.A. A note on the transmissivity of an Elsasser band, 3=15322
- Craig, R.A. and Richards, R.E. Hydrogen and fluorine nuclear magnetic resonances in some adducts of boron trifluoride, 4=3916
- Craig, R.A. and Richards, R.E. Nuclear magnetic resonance in lithium chloride solutions, 4=3917
- Craig, R.D. Surface ionization source for mass spectrometry, 0=5359
- Craig, R.M., Dore, J.C., Greenlees, G.W., Lilley, J.S. and Rowe, P.C. Polarisation in proton-carbon scattering at 28 MeV, 3=8085
- Craig, R.M., Jr. See Crowe, J.W., 4=14943
- Craig, R.R., Jr. Rotating beam with tip mass analyzed by a variational method, 3=18878
- Craig, R.S. See Butera, R.A., 1=10757
- Craig, R.S. See Kamath, G.S., 3=16103
- Craig, R.S. See Kofstad, P., 2=18986
- Craig, R.S. See Piegger, E., 3=20880
- Craig, R.S. See Saba, W.G., 2=2054
- Craig, R.S. See Weinstein, S., 3=15745
- Craig, R.S. See Weinstein, S., 4=1808
- Craig, R.T. See Saltzer, C., 0=12335
- Craik, D.J. and Isaac, E.D. Magnetic interaction domains, 1=3898
- Craik, D.J. and Nuñez, F. The domain structure of ordered platinum-cobalt alloy, 1=14709
- Craik, D.J. and Tebble, R.S. Magnetic domains, 1=14706
- Craik, D.J. See Bates, L.F., 0=10151
- Craik, D.J. See Bates, L.F., 2=10656
- Craik, D.J. See Bates, L.F., 2=21327
- Craik, D.J. See Bates, L.F., 3=1063
- Craik, R.L., Birch, D., Fizzotti, C. and Saraceno, F. Phase equilibria in uranium-rich binary alloys containing molybdenum and zirconium and the effect of ternary additions of carbon, 2=17033
- Craik, R.L. See Hawley, R., 3=12236
- Crain, C.M. Ionization loss rates below 90 km, 1=20903
- Crain, C.M. Decays of ionization impulses in the D and E regions of the ionosphere, 3=18534
- Crain, C.M. and Booker, H.G. The effects of nuclear bursts in space on the propagation of high-frequency radio waves between separated earth terminals, 3=18533
- Crain, C.M. and Tamarkin, P. A note on the cause of sudden ionization anomalies in regions remote from high-altitude nuclear bursts, 1=15271
- Cramariuc, R., Croitoru, M., Croitoru, P., Ionescu, D. and Semenescu, G. Investigation on the charging and discharging of the belt in Van De Graaff generators, 3=19384
- Cramarossa, F. See Cimino, A., 2=12548
- Cramer, E.M. See Ellinger, F.H., 0=8276
- Cramer, E.M. See Johnson, Q. C., 4=23430
- Cramer, E.M. See Tate, R.E., 4=22624
- Cramér, H. The structure of purely non-deterministic stochastic processes, 1=17985
- Cramer, J.G., Jr and Class, C.M. The beat decay of Sc⁴¹, 2=16350
- Cramer, J.G., Jr and Eidson, W.W. Angular correlations and nuclear polarization from the inelastic scattering of alpha particles, 4=28061
- Cramer, J.G., Jr. and Farmer, B.J. A scintillation spectrometer for high energy beta decays, 3=580
- Cramer, J.G., Jr. See Eidson, W.W., 3=15229
- Cramer, J.G., Jr. See Eidson, W.W., 4=28062
- Cramer, J.G., Jr. See LaSalle, R.A., 4=3562
- Cramer, J.G., Jr. See Wortman, D.E., 4=21839
- Cramer, R.M.R. See Yager, W.A., 3=1186
- Cramer, W.A., Telegdi, V.L., Winston, R. and Lundy, R.A. Muon capture rates for Ca⁴⁴ and Ca⁴⁰: observation of the isotope effect, 2=13840
- Cramer, W.A. See Lundy, R.A., 2=20659
- Cramer, W.H. Elastic and inelastic scattering of low-velocity H⁺ and H₂⁺ in hydrogen, 1=13064
- Cramer, W.H. and Marcus, A.B. Elastic and inelastic scattering of low velocity D⁺ and D₂⁺ in deuterium, 0=4168
- Cramer, W.S. Sound absorbing linings for waterfilled tanks, 4=2788
- Crampin, D.J. and Hoyle, F. On the angular-momentum distribution in the disks of spiral galaxies, 4=29412
- Crampin, J. and Hoyle, F. Problem concerning Pleione, 0=18868
- Crampin, J., McCrea, W.H. and McNally, D. A class of transformation in special relativity, 0=14497
- Crampton, S.B., Kleppner, D. and Ramsey, N.F. Hyperfine separation of ground state atomic hydrogen, 4=3777
- Cranberg, L. Time-to-pulse height converter as coincidence and anti-coincidence indicator, 2=7541
- Cranberg, L., Fernald, R.A., Hahn, F.S. and Schrader, E.F. Production of high intensity ion pulses of nanosecond duration, 2=5407
- Cranberg, L. and Glendenning, N.K. Direct-interaction contribution to 3 MeV neutron inelastic scattering from Fe and Pb, 1=8735
- Cranberg, L., Jacquot, A. and Liskien, H. Excitation of the ground and first excited states in the Li⁶(d,n)Be⁷ reaction, 3=15225
- Cranberg, L., Zafiratos, C.D., Levin, J.S. and Oliphant, T.A. Identification of zero-spin states by inelastic neutron scattering, 4=3536
- Cranberg, L. See Ajzenberg-Selove, F., 2=381
- Cranberg, L. See Seagrave, J.D., 0=17435
- Cranberg, L. See Thomson, D.B., 2=10112
- Crancon, J. See Depommier, P., 1=16761
- Crandall, R.S. Formation of hydroxyl ion and U centres in additively coloured potassium, 3=13013
- Crandall, S.H. Relation between strain and velocity in resonant vibration, 3=9528

- Crandall, S. H. Zero crossings, peaks, and other statistical measures of random responses, 4=2750
- Crandall, S. H. Perturbation techniques for random vibration of nonlinear systems, 4=2751
- Crandall, S. H., Khabbaz, G. R. and Manning, J. E. Random vibration of an oscillator with nonlinear damping, 4=26465
- Crandall, W. B. See Dae Hyun Chung, 4=13426
- Crandell, M. E., Kastner, S. O. and Trischka, J. W. Automatic frequency marker, 4=27448
- Crane, D. H. See Bliss J. C., 4=29745
- Crane, G. E. See Ormonde, S., 4=13811
- Crane, H. R. Creative thinking and experimenting, 0=6639
- Crane, H. R. CO₂-CS₂ Geiger counter, 1=13199
- Crane, H. R. Remedial programs, 4=18004
- Crane, H. R. See Schupp, A. A., 1=1921
- Crane, H. R. See Wilkinson, D. T., 3=12441
- Crane, J. L. and Doerner, R. C. Thermal self-shielding and edge effects in absorbing foils, 4=913
- Crane, L., Birch, S. and McCormack, P. D. The effect of mechanical vibration on the break-up of a cylindrical water jet in air, 4=21084
- Crane, L. J. Thermal convection from a horizontal wire, 0=19486
- Crane, L. T. Effect of oxygen upon the heat capacity of gadolinium between 1.3° and 5°K, 2=2053
- Crane, L. T. Specific heats of dilute Au-Co alloys between 1.2° and 5°K, 2=8167
- Crane, L. T. and Zimmerman, J. E. Specific heats of dilute Cu-Co alloys between 1.5° and 4.5°K, 1=11161
- Crane, L. T. and Zimmerman, J. E. The specific heats of single Cu-Mn crystals between 1.4° and 5°K, 2=8170
- Crane, L. T. See Mercereau, J. E., 3=3965
- Crane, L. T. See Mercereau, J. E., 4=394
- Crane, L. T. See Mercereau, J. E., 4=5509
- Crane, L. T. See Mercereau, J. E., 4=21404
- Crane, L. T. See Zimmerman, J. E., 2=10331
- Crane, R. See Murphy, T. W., 2=13205
- Crane, R. A. See Voeks, J. F., 0=207
- Crane-Robinson, C. and Thompson, H. W. Pressure broadening studies on vibration-rotation bands. III. Experimental methods for determining line widths, 3=9510
- Crane-Robinson, C. and Thompson, H. W. Pressure broadening studies on vibration-rotation bands. IV. Optical collision diameters for foreign-gas broadening of CO and DCI bands, 3=9511
- Crangle, J. Some magnetic properties of platinum-rich Pt-Fe alloys, 0=13766
- Crangle, J. Ferromagnetism in Pd-rich palladium-iron alloys, 0=21038
- Crangle, J. and Hallam, G. C. The magnetization of face-centred cubic and body-centred cubic iron + nickel alloys, 3=8670
- Crangle, J. and Martin, M. J. C. Magnetic moments and electron transfer in nickel-rich binary alloys, 0=21037
- Crangle, J. and Parsons, D. The magnetization of ferromagnetic binary alloys of cobalt or nickel with elements of the palladium and platinum groups, 1=1207
- Crangle, J. and Scott, W. R. Magnetic ordering in dilute gold-iron alloys, 4=17651
- Crangle, J. and Shaw, J. A. The range of stability of the superlattice Pt₃Fe, 2=6832
- Crangle, J. and Smith, T. F. Specific heat of metallic palladium between 65 and 105°K, 2=23077
- Crangle, J. See Bacon, G. E., 3=8696
- Crangle, J. See Booth, J. G., 2=14801
- Crangle, J. See Booth, J. G., 2=14802
- Crangle, J. See Ross, J. W., 4=7285
- Crangle, J. See Scott, W. R., 1=18685
- Crannell, H., Helm, R., Kendall, H., Oeser, J. and Yearian, M. Scattering of high-energy electrons from Ca⁴⁰, V⁵¹, Co⁵⁹, In¹¹⁵, Sb^{121,123}, and Bi²⁰⁹, 1=679
- Crannell, H., Helm, R., Kendall, H., Oeser, J. and Yearian, M. Electron-scattering study of nuclear levels in cobalt, nickel, lead, and bismuth, 1=10965
- Cranshaw, T. E., DeBeer, J. F. and Parham, A. G. A triggered spark counter telescope investigation on the mu-meson component of extensive air showers, 1=3292
- Cranshaw, T. E. and Hillas, A. M. A model for the interpretation of air shower data, 1=2137
- Cranshaw, T. E. and Schiffer, J. P. Experiments to test Einstein's principle of equivalence, 0=7467
- Cranshaw, T. E. and Schiffer, J. P. Measurement of the gravitational red shift with the Mössbauer effect, 4=27046
- Cranshaw, T. E., Schiffer, J. P. and Whitehead, A. B. Measurement of the gravitational red shift using the Mössbauer effect in Fe⁵⁷, 0=7468
- Cranshaw, T. E. See De Beer, J. F., 2=7914
- Cranshaw, T. E. See Hay, H. J., 0=7469
- Cranshaw, T. E. See Hillas, A. M., 0=5521
- Cranshaw, T. E. See Hillas, A. M., 0=9310
- Cranshaw, T. E. See Johnson, C. E., 1=10135
- Cranshaw, T. E. See Johnson, C. E., 3=25521
- Cranshaw, T. E. See Johnson, C. E., 4=12559
- Cranshaw, T. E. See Marshall, W., 4=20513
- Crapo, L. M. and Sederholm, C. H. N.M.R. analysis of CF₃CF₂CFCl: example of an unexpected spin-coupling constant, 1=879
- Crapo, W. A. Time decrease of initial permeability in Mn_xFe_{3-x}O_{4+y}, 0=11887
- Crapo, W. A. See McGuire, T. R., 2=12717
- Crary, J. H. Geometrical optics convergence coefficient for the whistler case, 4=17905
- Crary, J. H. See Jean, A. G., 3=16264
- Crasemann, B., Emery, G. T., Kane, W. R. and Perlman, M. L. Properties of radioactive Re¹⁸⁷, 4=3618
- Crasemann, B. See Pengra, J. G., 3=24895
- Cratchley, D. See Arridge, R. G. C., 4=23547
- Crauss, E., Causse, R. and Poirier, Y. Experimental study of the laminar or turbulent velocity increase of a liquid electrical conductor in a tube of circular cross-section in the presence of a transverse magnetic field, 4=11769
- Crauss, E., Causse, R. and Poirier, Y. Experimental study of the laminar setting in motion of an electrically conducting liquid in a tube of rectangular cross-section in a magnetic field, 2=3140
- Crauss, E., Causse, R. and Poirier, Y. Motion between two parallel planes of a conducting fluid under the action of a transverse magnetic field, 2=5451
- Crauss, E., Causse, R. and Poirier, Y. An experimental study of the starting up of turbulent flow of a conducting liquid in a rectangular tube in the presence of a magnetic field, 3=2098
- Crauss, E. and Poirier, Y. Dynamic pressure on an obstacle exerted by a moving conducting liquid in the presence of a magnetic field, 0=11031
- Crauss, E. and Poirier, Y. On the flow of a conducting liquid through a diaphragm, in the presence of a magnetic field, 1=1964
- Crauss, E., Poirier, Y. and Vives, C. Theoretical study of the free oscillations between two-infinite, parallel vertical, planes of a column of dense, viscous, conducting fluids, in the presence of a magnetic field, 3=9916
- Crauss, E., Poirier, Y. and Vives, C. Experimental study of free oscillations in a U-tube with rectangular cross-section by a conducting liquid in a magnetic field, 3=12298
- Crauss, E., Poirier, Y. and Vivès, C. Theoretical study of forced sinusoidal oscillations between infinite parallel planes of an electrically conducting liquid in the presence of a transverse magnetic field, 4=14877
- Crauss, E. See Causse, R., 4=16635
- Crauss, R. See Crauss, E., 3=2098
- Craven, J. D. See Frank, L. A., 3=13816
- Crawford, A. E. Lead zirconate-titanate piezoelectric ceramics, 1=17854
- Crawford, A. E. High power ultrasonic transducers using piezoelectric ceramics, 4=5302
- Crawford, A. E. The measurement of cavitation, 4=29604
- Crawford, B. Jr. and Oppenheim, I. The second law of thermodynamics, 1=8268
- Crawford, B., Jr. and Overend, J. Redundant vibrational coordinates. I. The harmonic potential function, 4=20010
- Crawford, B., Jr. See Golden, D. M., 2=8097
- Crawford, B., Jr. See King, W. T., 1=4928
- Crawford, B., Jr. See St. Louis, R. V., 3=3010
- Crawford, B., Jr. See Wu, E. L., 2=1989
- Crawford, B., Jr. See Zerbi, G., 3=8292
- Crawford, B., Jr. See Zerbi, G., 3=8293
- Crawford, B. H. Measurement of color rendering tolerances, 0=186
- Crawford, B. H. Physical photometry, 3=3862
- Crawford, B. H. The colour rendering properties of illuminants: The application of psychophysical measurements to their evaluation, 3=13972
- Crawford, B. H. Colour-rendering tolerances and the colour-rendering properties of light sources, 3=24002
- Crawford, C. K. Comments on "Erroneous readings of large magnitude in a Baynard-Alpert ionization gauge and their probable cause", 1=11796
- Crawford, D. F. and Messel, H. Energy distribution in low-energy electron-photon showers in lead absorbers, 3=6105
- Crawford, D. F. See Bray, A. D., 4=19617
- Crawford, D. F. See Messel, H., 2=12085

- Crawford, D.F. See Messel, H., 3=4486
- Crawford, D.L. Early-type stars used as standards in photo-electric H β photometry, 0=14458
- Crawford, D.L. U. B. V. and H β photometry for the bright B8- and B9-type stars, 3=11561
- Crawford, F. and Kino, G. Variational solution for the resonances of a plasma. Application of the principle to cylindrical and spherical systems, 4=8767
- Crawford, F.S., Jr. Linearly biased track counting in cross-section determinations, 0=2475
- Crawford, F.S., Jr. Pion-electron scattering cross section at 1.12 BeV/c, 0=5586
- Crawford, F.S., Jr. The "radial kinetic energy" term in the Schrödinger equation for a central force, 4=27068
- Crawford, F.S., Jr., Cresti, M., Douglass, R.L., Good, M.L., Kalbfleisch, G.R., Stevenson, M.L. and Ticho, H.K. Evidence for the $\Delta I = 1/2$ rule, 0=1317
- Crawford, F.S., Jr., Douglass, R.L., Good, M.L., Kalbfleisch, G.R., Stevenson, M.L. and Ticho, H.K. Charge independence in hyperon production, 0=1316
- Crawford, F.S., Jr., Grard, F. and Smith, G.A. Production of π^+K^+ by (π^+, p) interaction at 1170 MeV/c, 2=22650
- Crawford, F.S., Jr., Grossman, R. A., Lloyd, L. J., Price, L. R. and Fowler, E. C. Final-state interactions in the decay $\eta \rightarrow 3\pi$, 4=9258
- Crawford, F.S., Jr., Lloyd, L.J. and Fowler, E.C. Experimental determination of the neutral branching ratios of the η meson, 3=19691
- Crawford, F.S., Jr. See Alexander, G., 2=3411
- Crawford, F.S., Jr. See Alexander, G., 2=20413
- Crawford, F.S., Jr. See Fowler, E.C., 3=12496
- Crawford, F.S. See Shafer, J.B., 3=15028
- Crawford, F.S., Jr. See Stern, D., 4=25174
- Crawford, F.S., Jr. See Wolf, S.E., 1=16890
- Crawford, F.W. Electrostatic sound wave modes in a plasma, 1=11961
- Crawford, F.W. Impedance characteristics of a mercury-vapor plasma, 2=1425
- Crawford, F.W. Frequency spectra of low-frequency fluctuations in plasma, 2=1467
- Crawford, F.W. Low-frequency fluctuations in a plasma, 3=4166
- Crawford, F.W. Collision damping of electrostatic sound waves, 3=16929
- Crawford, F.W. Modulated Langmuir probe characteristics, 3=16953
- Crawford, F.W. The mechanism of Tonks-Dattner plasma resonances, 3=19286
- Crawford, F.W. Electrostatic resonances of hollow plasmas, 3=21764
- Crawford, F.W. An r.f. technique for plasma number density measurement, 4=14675
- Crawford, F.W. Internal resonances of a discharge column, 4=19014
- Crawford, F.W. and Freeston, I. L. The double sheath at a discharge constriction, 4=11543
- Crawford, F.W., Garscadden, A. and Palmer, R. S. A double-probe technique for determining electron velocity distributions, 4=18703
- Crawford, F.W. and Harp, R.S. Circuit for the rapid determination of Langmuir probe data, 3=5678
- Crawford, F.W. and Harp, R. S. The plasma resonance probe in a magnetic field, 4=27540
- Crawford, F.W. and Kino, G.S. Oscillations and noise in low-pressure d.c. discharges, 2=5324
- Crawford, F.W. and Kino, G.S. Plasma dipole resonance in the presence of a magnetic field, 3=21839
- Crawford, F.W. and Kino, G.S. The mechanism of Tonks-Dattner resonances of a discharge column, 4=19016
- Crawford, F.W., Kino, G.S. and Cannara, A. B. Dipole resonances of a plasma in a magnetic field, 4=2973
- Crawford, F.W., Kino, G.S., Self, S.A. and Spalter, J. A microwave method for the study of steady and fluctuating plasma number densities, 3=21803
- Crawford, F.W., Kino, G.S., Self, S.A. and Spalter, J. Some measurements of steady and fluctuating plasma number densities, 3=21804
- Crawford, F.W. and Lawson, J.D. Some measurements of fluctuations in a plasma, 1=16326
- Crawford, F.W. and Pagels, H.R. Light output observations on low-pressure mercury-vapor discharges, 3=14536
- Crawford, F.W. and Self, S.A. Low-frequency waves on plasma columns, 4=19023
- Crawford, G.J.B. Note on the measurement of the figure of merit of thermoelectric materials and of refrigerating junctions, 1=13062
- Crawford, G.W. See Birdwell, B.F., 0=16387
- Crawford, G.W. See Bradshaw, W.W., 2=18032
- Crawford, J.A. Fermi acceleration of electrons in the outer Van Allen Belt, 0=3352
- Crawford, J. A. and Vest, R. W. Electrical conductivity of single-crystal Cr $_2$ O $_3$, 4=26099
- Crawford, J.E. See Stryland, J.C., 1=919
- Crawford, J.H., Jr. Investigations of color centers in alkali halides at Oak Ridge National Laboratory: structure sensitivity of color center production in γ -irradiated KCl, 3=22842
- Crawford, J.H., Jr. Model for radiation equilibrium between F and M centers in KCl, 4=17451
- Crawford, J. H., Jr. Radiation effects in diamond lattice semiconductors, 4=20345
- Crawford, J. H., Jr. Radiation effects in semiconductors, 4=30591
- Crawford, J.H., Jr. and Cleland, J.W. Radiation effects in semiconductors, 0=20850
- Crawford, J.H., Jr. and Cohen, A.F. The effect of fast neutron bombardment on the thermal conductivity of silica glass at low temperature, 0=2832
- Crawford, J.H., Jr. and Nelson, C.M. Defect interactions in irradiated calcium-doped potassium chloride, 1=997
- Crawford, J.H., Jr. and Young, F.W., Jr. Mechanism for the production of F-centers in NaCl by irradiation with gamma rays, 0=17962
- Crawford, J.H., Jr. See Cleland, J.W., 2=20992
- Crawford, J.H., Jr. See Cleland, J.W., 2=23326
- Crawford, J.H., Jr. See Cleland, J.W., 3=20173
- Crawford, J.H., Jr. See Curtis, O.L., Jr., 2=2150
- Crawford, J.H., Jr. See Curtis, O.L., Jr., 2=12514
- Crawford, J.H., Jr. See Curtis, O.L., Jr., 2=12515
- Crawford, J.H., Jr. See Nelson, C.M., 0=16060
- Crawford, J. H., Jr. See Pigg, J. C., 4=28508
- Crawford, J.M., Doty, W.E.N. and Lee, M.R. Continuous signal seismograph, 0=8351
- Crawford, L. and Lemlich, R. Natural convection in horizontal concentric cylindrical annuli, 3=11978
- Crawford, R. B. See Ruby, L., 4=9308
- Crawford, R.C. See Hilton, W.A., 0=4912
- Crawford, R.G. See Byrnes, W.S., 0=2417
- Crawford, R.G. See Hall, R.C., 0=2994
- Crawford, R.G. See Hall, R.C., 0=3044
- Crawford, V.A., Rhee, K.H. and Wilson, M.K. Vibrational spectrum of digermane, 3=2627
- Crawley, G. M. See Allum, F.R., 4=12201
- Crawley, J.C.W. A cooled microscope stage using semiconductor thermoelectric cooling, 3=14327
- Crawshaw, J.K. and Davidson, F.G. Electrolytic hygrometers for measurements in gases down to a few parts per million, 0=5041
- Crayton, N., Levi Setti, R., Raymund, M., Skjeggstad, O., Abeledo, D., Amar, R.G., Roberts, J.H. and Shipley, E.N. Compilation of hyperfragment binding energies, 2=22718
- Crayton, N., Levi Setti, R., Raymond, M., Skjeggstad, D., Abeledo, D., Ammar, R.G., Roberts, J.H. and Shipley, E.N. Summary of binding energy data from nuclei decaying by π -emission, 2=3472
- Crayton, N. See Abeledo, D., 2=5791
- Crayton, N. See Ammar, R.G., 1=607
- Crayton, N. See Ammar, R.G., 3=10229
- Creagan, R. J. and Jones, A.R. Nuclear power plants: how far can we go with P.W.R.'s?, 4=6406
- Creager, C.B., Kocher, C.W. and Mitchell, A.C.G. The disintegration of La 131 , 0=4057
- Creager, C.B. See Kocher, C.W., 0=20389
- Creagh, D.C., Fletcher, N.H. and Somerville, J.M. The decay of a spark channel which has ceased to carry current, 3=9748
- Creamer, R.H. See Harrop, P.J., 3=15610
- Creely, R. W. and Wilson, D. J. Thermodynamic functions of Morse oscillators, 4=28177
- Crecraft, D.I. Ultrasonic wave velocities in stressed nickel steel, 3=6471
- Crecraft, D. I. Launching ultrasonic shear waves into solids at normal incidence by pressure coupling, 4=29710
- Creek, G.E. See Smith, E.C., 0=1444
- Creel, W. See Boomsliitter, P.C., 2=21977
- Creelman, C.D. Detection of complex signals as a function of signal bandwidth and duration, 1=15370

- Creelman, C.D. Human discrimination of auditory duration, 2=13215
- Creelman, C.D. Detection, discrimination, and the loudness of short tones, 3=21161
- Creelman, C.D. Loudness and detectability scaling of bandpass-filtered short tones, 4=23963
- Creelman, S.D. Detection of signals of uncertain frequency, 0=14340
- Creely, J.J. and Conrad, C.M. X-ray diffractometer thermal technique for study of structural changes in cellulosic
- Creer, K.M. Superparamagnetism in red sandstones, 1=21105
- Creer, K.M. An analysis of the geomagnetic field using palaeomagnetic methods, 3=1483
- Creer, K.M. The dispersion of the geomagnetic field due to secular variation and its determination for remote times from paleomagnetic data, 3=1484
- Creer, K.M. Geomagnetic and paleomagnetic evidence of fossil axes of the rotation of the earth, 3=11465
- Creer, K.M. See Chamalaun, F.H., 3=16309
- Creer, K.M. See Cohen, J., 3=1094
- Crees, D.E. and Hogarth, C.A. Current gain in p-n-p-n silicon controlled rectifiers, 3=17921
- Creeth, J.M. Studies of the transport properties of the system thallos sulfate-water. II. Sedimentation coefficients at 25°; a test of the "Svedberg equation" at finite concentration, 3=5172
- Creighton, D.L. See Hoenig, S.A., 4=7393
- Creighton, J.A. and Lippincott, E.R. Vibrational frequency and dissociation energy of the superoxide ion, 4=25661
- Cremer, L. Mechanical model for the demonstration of the movement of basilar membrane, 0=16504
- Cremer, L. Calculation of structure-borne sound processes, 0=19334
- Cremer, L. and Heckl, M. Improvement to the theory of the floating floor, 1=189
- Cremer, L., Keidel, L. and Müller, H. The acoustic properties of the large and the medium sized halls of the new "Liederhalle" in Stuttgart, 0=19344
- Cremer, L., Nutsch, J. and Zemke, H.J. Acoustic considerations in the reconstruction of the Deutsche Oper, Berlin, 3=7299
- Cremer, L., Plenge, G. and Schwarzl, D. Curves of equal loudness with octave-filtered noise in a diffuse sound field, 1=211
- Cremer, L. and Schwantke, G. The problem of radiation from bending waves, 0=19283
- Crémieu, A., Smet, P. and Tillieu, J. Quantum theory of the natural rotary power of molecules, 4=6514
- Crémieu-Alcan, E., Falk-Vairant, P. and Levey, O. [Eds.]. The Aix-en-Provence International Conference on Elementary Particles. Vol. I. Parallel sessions, 2=3291
- Crémieu-Alcan, E., Falk-Vairant, P. and Levey, O. [Eds.]. The Aix-en-Provence International Conference on Elementary Particles. Vol. II. Plenary sessions, 2=3292
- compounds, 2=14980
- Crémieu-Alcan, E. See Hubert, F., 4=11506
- Crémieu-Alcan, E. See Hubert, P., 4=11507
- Crennell, D.J. See Barnes, V.E., 4=16969
- Crennell, D.J. See Chadwick, G.B., 4=6135
- Crespo, V.P., Alexander, J.M. and Hyde, E.K. Ejection of large fragments in high-energy nuclear reactions, 3=22387
- Cressell, I.G. Proceedings of the symposium on tunnel diodes — London, February 1961, 2=2176
- Cressell, I.G. and Powell, J.A. The production of high-quality germanium single crystals, 0=21166
- Cressman, P.J. New type of thermoplastic deformation, 3=23493
- Cresswell, G.R. Sodium layer heights over Mawson, Antarctica during 1960, 4=23784
- Cresswell, G.R. See Mather, K.B., 4=30922
- Cresswell, M.W. and Roy, R.R. On the reaction $\text{Pt}(\alpha\text{Os})$, 2=5943
- Cresti, M. The isobars of the elementary particles, 4=19456
- Cresti, M. See Bellini, G., 2=22573
- Cresti, M. See Carrara, R., 2=22559
- Cresti, M. See Chadwick, G.B., 2=22522
- Cresti, M. See Chadwick, G.B., 3=10117
- Cresti, M. See Chadwick, G.B., 4=6135
- Cresti, M. See Crawford, F.S., Jr., 0=1317
- Cresti, M. See Grard, F., 2=1715
- Cresti, M. See Grard, F., 2=22513
- Creten, W.L. See Verhaeghe, J.L., 4=6076
- Crettez, J.P. See Ambrosino, G., 0=19990
- Crettez, J.P. See Ambrosino, G., 2=5516
- Crettez, J.P. See Cambou, F., 1=7108
- Cretzu, T., Hohmuth, K. and Winter, G. Measurement of decay energy of Gd^{153} , 4=30326
- Creutz, E., De Raedt, J., Deutsch, J.P., Grenács, L. and Siddique, D. Spin of the Pr^{144} ground state. Beta-decay measurements on Ce^{144} and Pr^{144} , 4=3539
- Creutz, E., De Raedt, J. and Grenacs, L. Ground state spin of Pr^{144} , 4=17001
- Creutz, E., Gepts, P., Grenacs, L., Jones, A. and Mariens, P. Excited states of the nucleus Ho^{165} , 4=25319
- Creutz, E., Grenacs, L. and Jones, A. Excited levels of $^{116}_{50}\text{Sn}$, 2=12145
- Creutz, E. See Grenacs, L., 4=17101
- Creutz, E.S. and Zumwalt, L.R. A new semiempirical equation for gas flow through capillaries, 2=19586
- Creuzburg, M. Asymmetry in the intensity distribution of characteristic energy losses, 3=14661
- Creuzburg, M. Angular dependence and its asymmetry for energy losses in Si and Ge, 3=20154
- Creuzburg, M. and Dimigen, H. Energy analysis on the electron diffraction pattern of silicon single crystals, 3=16058
- Creuzburg, M. and Raether, H. Characteristic energy losses in electron scattering at Si cleavage surfaces, 3=4857
- Crevecoeur, E.G., Vander Stricht, A. and Capron, P.C. Precision of the dating method. Standardization of the calculation of the errors and of the maximum age in the C^{14} method, 0=9543
- Crevecoeur, C. Some ternary thallium chalcogenides, 4=23490
- Crew, J.E. Calculated energy dissipation distribution in air by fast electrons from a gun source, 1=16399
- Crewe, A.V., Garwin, E., Ledley, B., Lillithun, E., March, R. and Marcowitz, S. Charge independence in the reactions $p + d \rightarrow \pi^0 + \text{He}^3$ and $p + d \rightarrow \pi^+ + \text{H}^3$ at 450 MeV, 0=1277
- Crewe, A.V., Ledley, B., Lillithun, E., Marcowitz, S.M. and Rey, C. Charge independence in the reactions $p + d \rightarrow \pi^0 + \text{He}^3$ and $p + d \rightarrow \pi^+ + \text{H}^3$ at 450 MeV, 0=9355
- Crewe, A.V. See Cohen, S., 0=19838
- Crews, A.A. and Erath, R.L. Instrument to measure water-wave height, 3=14084
- Crews, J.C. Scattering of helium and argon from the cleavage plane of lithium fluoride, 3=2680
- Cribier, D. Diffuse scattering of X-rays by thermal agitation and the Compton effect in fluorite (CaF_2), 0=8195
- Cribier, D. A method of increasing the transmission of a time-of-flight spectrometer for slow neutrons, 0=17351
- Cribier, D., Farnoux, B. and Jacrot, B. Experimental determination of the principal "optical" frequencies of CaF_2 , 5=20922
- Cribier, D. and Jacrot, B. Neutron scattering and Stark effect in crystalline rare earth oxides, 0=20776
- Cribier, D. and Jacrot, B. Quasi-elastic scattering of cold neutrons by water and coefficient of self diffusion of the liquid, 1=6386
- Cribier, D., Jacrot, B., Madhoo Rao, L. and Farnoux, B. Evidence from neutron diffraction for a periodic structure of the magnetic field in a niobium superconductor, 4=18591
- Cribier, D., Jacrot, B. and Parette, G. Critical scattering of neutrons by nickel, 3=1117
- Cribier, D., Jacrot, B. and Saint-James, D. Scattering of neutrons by phonons in a single crystal, 1=9970
- Cribier, D. See Hautecler, S., 2=12397
- Cribier, D. See Jacrot, B., 3=3120
- Crichlow, W.Q., Roubique, C.J., Spaulding, A.D. and Beery, W.M. Determination of the amplitude-probability distribution of atmospheric radio noise from statistical moments, 0=8429
- Crichlow, W.Q. See Spaulding, A.D., 3=5858
- Crichton, J.H. See Wichmann, E.H., 4=5982
- Criegee, L. Investigation of direct pair production by electrons, 0=7339
- Criegee, L. See Robinson, C.W., 3=4421
- Crimmins, D.H. Transient heat transfer from ceramic fuel pins, 3=17514
- Crisp, L.R. See Norris, G.F., 1=4449
- Crisp, R.S. The soft X-ray L_{23} emission spectrum of magnesium from solid and evaporated targets, 0=7726
- Crisp, R.S. Soft X-ray emission from potassium metal in the 40-1000 Å range, 0=20594
- Crisp, R.S. The reflectivity of glass and aluminium gratings at grazing incidence below 1000 Å, 2=116
- Crisp, R.S. and Williams, S.E. The K emission spectrum of metallic lithium, 0=20732
- Crisp, R.S. and Williams, S.E. The soft X-ray spectra of lithium, magnesium and aluminium and their alloys, 1=1174
- Crisp, R.S. and Williams, S.E. The soft X-ray emission spectra of sodium, beryllium, boron, silicon, and lithium, 1=7439

- Crispin, A. and Hayman, P. J. Ionization loss of muons in a plastic scintillator, 4=19541
- Crispin, A. See Barton, J. C., 2=22139
- Crissman, B. G. Photographic determinations of the parallaxes of fifty-five stars with the thaw refractor, 0=12309
- Crissman, J. M. and McCammon, R. D. Apparatus for measuring the dynamic mechanical properties of polymeric materials between 4° and 300°K, 3=3211
- Cristal, E. G. and Van Bladel, J. Fields in cavity-excited accelerators, 1=13137
- Cristea, I. I. Intrinsic equations for a continuous motion of fluids, 2=4988
- Cristea, P. See Gheorghita, C., 4=1653
- Cristea, V. See Ursu, L., 2=23416
- Cristescu, G. New kind of electric discharge, a spectroscopic source of variable excitation, 2=7589
- Cristescu, G. See Grigorovici, R., 0=5299
- Cristescu, G. D. A new form of electric discharge obtained by the superimposition of two different discharge forms, 1=1896
- Cristescu, G. D. and Giurgea, M. Lasers and ether drift, 3=18711
- Cristescu, N. Spatial motion of elastic-plastic strings, 1=15767
- Cristofori, F., Fenici, P., Frigerio, G. E., Molho, N. and Sona, P. G. Single photon coincidence method for the absolute measure of the efficiency of A 1216 A detector, 4=300
- Cristofori, F., Frigerio, G. E., Molho, N. and Sona, P. G. Absolute measurement of the cross section for production of hydrogen atoms in the 2S state, 4=11528
- Cristofori, F. See Bassani, G., 3=2584
- Cristofori, F. See Colli, L., 2=22922
- Cristofori, F. See Colli, L., 3=4717
- Cristu, M., Dorcioman, D., Cojocaru, V. and Dragomirescu, D. 0-350 keV gamma-rays from thermal neutron capture in S, Sc and J, 2=10024
- Cristu, M. See Cojocaru, V., 1=7383
- Cristu, M. See Cojocaru, V., 4=1150
- Cristy, G. A. See Bettis, E. S., 0=13312
- Critchfield, C. L. The WKB method in three dimensions, 4=21036
- Critchley, J. K. Ternary system copper-zinc-cadmium, 3=8898
- Critchley, J. K. See Lott, R. J., 4=16291
- Critchlow, A. See Hodgkinson, J. R., 0=10362
- Critchlow, P. R. See Bhagat, S. M., 2=5227
- Critchlow, P. R. See Bhagat, S. M., 3=21642
- Critchlow, P. R. See Bhagat, S. M., 4=24475
- Critoph, E. and Pearce, R. M. The reactivity effect due to neutron streaming in an empty tube, 0=5829
- Crittenden, E. C., Jr. See Schmidlin, F. W., 2=5238
- Crittenden, R., Martin, H. J., Kernan, W., Leipuner, L., Li, A. C., Ayer, F., Marshall, L. and Stevenson, M. L. Kp elastic scattering at 2.00 BeV/c, 4=21939
- Crittenden, R. See Leipuner, L. B., 4=6131
- Crittenden, R. R., Walker, W. D. and Ballam, J. Radiative decay modes of the muon, 1=5741
- Croach, J. W. See Sturcken, E. F., 4=7527
- Crocchio, L. See Dobbins, R. A., 3=9575
- Croce, P. The theory of the scattering of waves and the Fourier transformation, 1=20719
- Croce, P. Notes on the dynamic theory of electron diffraction, 3=13439
- Croce, P., Devant, G., Reynaud, J. and Verhaeghe, M. F. The state and evolution of thin gold films, studied by measurements of the elastic tension, 4=23577
- Croce, P., Ehrhart, J., Marraud, A. and Sauvin, M. Electron microscopic study of twinned indium crystals deposited on an amorphous support, 4=30571
- Croce, P. and Gandais, M. Electron diffraction pattern of thin gold films, 4=7712
- Croce, P., Gandais, M. and Marraud, A. Study of the structure of thin films of gold and indium, 2=6848
- Croce, P., Gandais, M. and Marraud, A. Second orientation of crystals in thin layers of indium, 2=19035
- Croci, R. See Canobbio, E., 2=5388
- Croci, R. See Canobbio, E., 3=7521
- Croci, R. See Canobbio, E., 4=18849
- Crocker, A., Gebbie, H. A., Kimmitt, N. F. and Mathias, L. E. S. Stimulated emission in the far infra-red, 4=19295
- Crocker, A. G. Twinned martensite, 2=8768
- Crocker, A. G. Double twinning, 3=5079
- Crocker, A. G. Orientation of dislocation loops in alpha-uranium, 3=20181
- Crocker, A. G. {112̄1} twinning, 3=20779
- Crocker, A. G. and Bevis, M. The determination of the orientation and thickness of thin foils from transmission electron micrographs, 4=26577
- Crocker, A. G. and Bilby, B. A. The crystallography of the martensite reaction in steel, 1=20582
- Crocker, A. G., Heckscher, F. and Bevis, M. The slip plane of crystalline mercury, 4=6855
- Crocker, A. G. See Bacon, D. J., 4=23457
- Crocker, A. G. See Bevis, M., 4=29029
- Crocker, A. G. See Woods, J. D. L. H., 3=9868
- Crocker, A. J. Crystal habits of GaAs and GaP grown from the vapor phase, 2=21462
- Crocker, A. J. See Richards, J. L., 0=11623
- Crocker, G. H. See Kuethe, A. M., 0=16728
- Crocket, J. H. See Laudise, R. A., 1=14966
- Croft, A. J. Helium liquefiers, 1=18686
- Croft, A. J. The new hydrogen liquefier at the Clarendon Laboratory, 4=24467
- Croft, A. J. and Exell, R. H. B. The direct measurement of the magnetization entropy of a paramagnetic substance: thermal and magnetic properties of ferric methylammonium alum at low temperatures, 1=14672
- Croft, J. F. and Perry, K. E. G. A technique for rapid emergency air sampling, 2=20536
- Croft, T. A. and Fenwick, R. B. Chart for determining the effects of ionospheric tilts using an idealized model, 4=3187
- Croft, T. A. and Villard, O. G., Jr. An h.f. radar search for possible effects of earth satellites upon the upper atmosphere, 2=2495
- Croft, V. See McGrath, I. A., 2=17682
- Croft, W. J., Tombs, N. C. and England, R. E. Crystallographic data for pure crystalline silver ferrite, 4=15793
- Croft, W. J. See Greifer, A. P., 0=1805
- Croft, W. J. See Greifer, A. P., 0=3081
- Croft, W. J. See Lemaire, H. P., 1=6351
- Croft, W. L., Pettersson, B. G. and Hamilton, J. H. The K-conversion coefficient of the 279 keV transition in Ti^{203} by a coincidence technique and establishment as a standard, 4=3620
- Croft, W. L. See Pettersson, B. G., 2=18296
- Crofts, W. P. See Steenberg, N. R., 4=6177
- Croghan, R. D. See Watt, A. D., 4=17943
- Croissiaux, M. A study of the excited levels in B^{4+} by angular distribution and correlation measurements in stripping processes, 0=13146
- Croissiaux, M. See Bumiller, F., 1=2039
- Croissiaux, M. See Bumiller, F., 2=282
- Croissiaux, M. See Gorodetzky, S., 0=9631
- Croissiaux, M. See Gorodetzky, S., 0=11321
- Croissiaux, M. See Gorodetzky, S., 0=11322
- Croissiaux, M. See Gorodetzky, S., 0=17597
- Croissiaux, M. See Hofstadter, R., 1=3178
- Croitoru, E. See Mangeron, D., 3=18771
- Croitoru, M. Interaction of fast electrons with free and bound atomic electrons, 3=22505
- Croitoru, M. Scattering of fast electrons in the Coulomb field of the nucleus, 4=3644
- Croitoru, M. Interaction of fast electrons with the plasma of the valence electrons in solids, 4=12712
- Croitoru, M. See Cramariuc, R., 3=19384
- Croitoru, N., Dévényi, A. and Giobanu, G. Temperature dependence of the granulation phenomena of thin films of gold, 0=16362
- Croitoru, N. See Ciobanu, G., 3=851
- Croitoru, N. See Corciovei, A., 2=4446
- Croitoru, N. See Corciovei, A., 2=6818
- Croitoru, N. See Grigorovici, R., 0=16368
- Croitoru, N. See Grigorovici, R., 1=1467
- Croitoru, N. See Grigorovici, R., 1=2548
- Croitoru, N. See Grigorovici, R., 2=6469
- Croitoru, N. See Grigorovici, R., 2=8281
- Croitoru, N. See Grigorovici, R., 2=8282
- Croitoru, N. See Grigorovici, R., 2=8283
- Croitoru, N. See Grigorovici, R., 2=12518
- Croitoru, N. See Grigorovici, R., 2=18682
- Croitoru, N. See Grigorovici, R., 2=18749
- Croitoru, N. See Grigorovici, R., 3=8507
- Croitoru, N. See Kroitoru, N.
- Croitoru, P. On the simple charging of Van De Graaff generators, 3=19383
- Croitoru, P. Simple transport in electrostatic belt generators, 3=21910
- Croitoru, P. See Cramariuc, R., 3=19384
- Croitoru, Z. Space charges in liquid dielectrics, 0=19148

- Croitoru, Z. Electrical conductivity of a weakly-ionized gas in the presence of a magnetic field, 3=7251
- Croitoru, Z. and de Montardy, A. Electrode phenomena, tensor conductivity and electrode heating in seeded argon, 4=18925
- Croll, I.M. See Greiner, J.H., 1=3875
- Croll, I.M. See Greiner, J.H., 1=6285
- Cromack, J. See Chang, W.S.C., 0=2434
- Crombie, D.D. On the mode theory of very-low-frequency propagation in the presence of a transverse magnetic field, 0=17114
- Crombie, D.D. Reflection from a sharply bounded ionosphere for V.L.F. propagation perpendicular to the magnetic meridian, 2=5484
- Crombie, D.D. Periodic fading of VLF signals received over long paths during sunrise and sunset, 4=17946
- Crombie, D.D. The effects of a small local change in phase velocity on the propagation of a v.l.f. radio signal, 4=24856
- Crombie, D.D. and Jean, A.G. The guided propagation of e.l.f. and v.l.f. radio waves between the earth and the ionosphere, 4=30951
- Crombie, D.D., McNeill, F.A. and Allcock, G.M. Variations in phase path of man-made one-hop whistler mode signals at 18.6 kilocycles per second, 4=13809
- Crombie, D.D. See Allan, A.H., 0=304
- Crombie, D.D. See Barber, N.F., 0=15164
- Crombie, D.D. See Brady, A.H., 4=7920
- Cromer, A.H. Theory of inelastic proton-deuteron scattering, 3=7851
- Cromer, A.H. and Thorndike, E.H. Interpretation of quasifree proton-deuteron scattering, 3=22128
- Cromer, A.H. See Koehler, P.F.M., 4=19512
- Cromer, A.H. See Sobel, M.I., 4=6043
- Cromer, D.T. and Larson, A.C. The crystal structure of Ce_2Ni_7 , 0=4638
- Cromer, D.T. and Larson, A.C. The crystal structure of La_2Co , 1=20544
- Cromer, D.T., Larson, A.C. and Roof, R.B., Jr. The crystal structure of UMoC_2 , 4=13608
- Cromer, D.T., Larson, A.C. and Roof, R.B., Jr. The crystal structure of Pu_5Si_3 , 4=26669
- Cromer, D.T., Larson, A.C. and Waber, J.T. Hartree scattering factors for elements 37 through 98, 4=26628
- Cromer, D.T. and Roof, R.B., Jr. The crystal structure of PuNi , 0=3222
- Cromer, D.T. See Larson, A.C., 3=8844
- Cromer, D.T. See Larson, A.C., 4=4620
- Cromer, D.T. See Larson, A.C., 4=23495
- Cromer, D.T. See McDonald, R.R., 4=29138
- Cromer, D.T. See Roof, R.B., Jr., 4=23498
- Crompton, R.W. and Elford, M.T. The mobility of potassium ions in nitrogen and neon at 294°K , 0=1103
- Crompton, R.W. and Elford, M.T. The ratio of drift speed to diffusion coefficient for quasithermal electrons in nitrogen and hydrogen, 4=11254
- Crompton, R.W. and Jory, R.L. On the swarm method for determining the ratio of electron drift velocity to diffusion coefficient, 3=12251
- Crompton, R.W. See Huxley, L.G.H., 0=8995
- Cron, B.F. and Schumacher, W.R. Theoretical and experimental study of underwater sound reverberation, 1=10568
- Cron, B.F. and Sherman, C.H. Spatial-correlation functions for various noise models, 3=3445
- Crone, W.R. See Kraus, J.D., 0=4896
- Crone, W.R. See Kraus, J.D., 0=10540
- Crone, W.R. See Kraus, J.D., 0=12338
- Cronmeyer, D.C. and Beaubien, M.W. Colouring by vacuum reduction in Nd and Pr doped CaWO_4 , 4=12814
- Cronmeyer, D.C. and Beaubien, M.W. Photolytic and reduction coloring of CaWO_4 : Nd, 4=22643
- Cronmeyer, D.C. and Spanberger, L.R. Infrared transmittance and Kerr effect of nitrobenzene, 1=12883
- Cronmeyer, D.C. See Matare, H.F., 4=28645
- Cronhiort, B.T. See Åslund, N.R.D., 4=26770
- Cronin, D. See Guerriero, L., 0=19980
- Cronin, D.J. The temperature variation of gamma for various gases: a student experiment, 4=27217
- Cronin, G.R. Polarity determination of GaAs wafers, 4=4522
- Cronin, G.R., Jones, M.E. and Wilson, O. The growth of crystals from compounds with volatile components, 4=4539
- Cronin, H. See Roach, F.E., 1=15310
- Cronin, H.E. See Odencrantz, F.K., 4=13823
- Cronin, J. See Engels, E., 2=18048
- Cronin, J.W. Numerical evaluation of the pion-nucleon forward scattering amplitude, 0=9408
- Cronin, J.W. Spark chambers—state of the art, 2=18047
- Cronin, J.W. Present status of spark chambers, 3=17138
- Cronin, J.W., Engels, E., Pyka, M. and Roth, R. Electron showers in a lead plate spark chamber, 2=22489
- Cronin, J.W. and Overseth, O.E. Measurement of the decay parameters of the Λ^0 particle, 3=7929
- Cronin, J.W. See Engels, E., Jr., 3=7852
- Cronin, J.W. See Cork, B., 0=20236
- Cronk, E.R. See Steinort, E., 2=12719
- Crook, A.W. Some physical aspects of lubrication and wear, 2=23796
- Crook, G.M., Greenstadt, E.W. and Inouye, G.T. Distant electromagnetic observations of the high-altitude nuclear detonation of July 9, 1962, 3=16306
- Crookall, J.O. See Parker, R.P., 1=10313
- Crooker, A.M. and Dick, K.A. The spectrum of zinc IV., 4=19967
- Crooker, A.M. and Joshi, Y.N. Spark spectra of tellurium, 4=17251
- Crooks, D.D. See Bragg, R.H., 4=20704
- Crooks, J.W., Jr. A simplified high precision 200 million mile tracking, guidance and communication system, 2=11207
- Crooks, M.J. and Fairbank, H.A. The thermal conductivity of solid ^3He and solid ^4He , 4=18525
- Crooks, R.N. See Peirson, D.H., 0=11331
- Croom, S., Robbins, A. and Thomas, J.O. Two anomalies in the behaviour of the F2 layer of the ionosphere, 0=6465
- Croom, S., Robbins, A. and Thomas, J.O. Variation of electron density in the ionosphere with magnetic dip, 0=16425
- Cropper, W.H. Radiation effects on the reactivity of solid surfaces, 3=6896
- Cropper, W.H. See Henley, E.J., 2=12978
- Cros, M. See Chaminade, R., 1=13207
- Cros, M. See Chaminade, R., 2=3194
- Crosby, G.A. and Whan, R.E. Extreme variations of the emission spectra of dysprosium chelates, 0=6194
- Crosby, G.A. and Whan, R.E. Fluorescence spectra of coordinated holmium and thulium ions, 0=16084
- Crosby, G.A. and Whan, R.E. Selective excitation of trivalent thulium via intramolecular energy transfer, 2=6611
- Crosby, G.A., Whan, R.E. and Alire, R.M. Intramolecular energy transfer in rare earth chelates. Role of the triplet state, 1=6228
- Crosby, G.A. See Freeman, J.J., 4=30698
- Crosby, J.K. and Honey, R.C. Nondestructive laser pumping by high explosives, 4=8970
- Crosby, P. and Koerber, B.W. Scattering of light in the lower atmosphere, 3=6963
- Crosby, P. Measurement of visual range, 0=8420
- Crosignani, B. See Cavaliere, A., 4=30031
- Cross, J.D. and Hart, J. The dipole moment of carnauba wax electrets, 4=12972
- Cross, J.L. Reduction of data for piston gage pressure measurements, 3=21289
- Cross, J.L. See Brombacher, W.G., 0=12429
- Cross, L.E. The properties of ferroelectric materials at high frequency, 2=14608
- Cross, L.E. See Chakravorty, D., 4=30645
- Cross, L.G. See Bair, M.E., 1=6012
- Cross, L.G. See Cook, J.J., 1=43
- Cross, L.G. See Makhov, G., 0=9197
- Cross, L.G. See Terhune, R.W., 0=8092
- Cross, N.L. and Picknett, R.G. The liquid layer between a sphere and a plane surface, 3=23860
- Cross, P. See Axton, E.J., 2=3355
- Cross, P. See Axton, E.J., 4=12025
- Cross, P.A.E., Lucas, D.H. and Snowsill, W.L. Instrument for recording the dust nuisance emitted by chimneys, 1=1623
- Cross, P.C. See Redington, R.L., 2=6159
- Cross, P.C. See Spencer, G.H., Jr., 2=1987
- Cross, P.C. See Spencer, G.H., Jr., 2=1988
- Cross, P.D. See Wilson, R.B., 3=10004
- Cross, P.H. Instrument for making individual spheres to a high degree of accuracy, 1=21159
- Cross, R.J., Jr. and Wolfgang, R. Billiard-ball collisions in the reactions on the hydrogen displacement in methane, 2=4561
- Cross, R.J., Jr. See Cumming, J.B., 4=15218
- Cross, S.H. System design and the choice of materials for the "nimrod" vacuum system, 1=18479
- Cross, W.G. and Jarvis, R.G. Scattering of 14.6 MeV neutrons by Mg, Ca, Cd, Ta and Bi, 0=7609

- Cross, W.G. See Bodansky, D., 1=8773
 Cross, W.G. See Bodansky, D., 2=12223
 Cross, W.G. See Clarke, R.L., 4=19789
 Crosse, P.A.E. and Snowsill, W.L. Method of measuring the growth of a control specimen of graphite after irradiation, 1=17246
 Crosser, O.K. See Hamilton, R.L., 2=19747
 Crossiaux, M. Electron-proton coincidences in inelastic electron-deuteron scattering, 2=18102
 Crossland, A.D. and Fowler, G.N. The production of π mesons by high-energy μ mesons, 4=19545
 Crossland, A.D. See Fowler, G.N., 3=12697
 Crossley, R.J.S. Glocker's equation for ionization potentials and electron affinities. II, 4=15265
 Crossley, R.J.S. and Coulson, C.A. Glocker's equation for ionization potentials and electron affinities, 3=8214
 Crossman, L.D., Olsen, D.P. and Duffey, G.H. Bonding in the $Ta_2Cl_{12}^{2+}$ and $Mo_2Cl_8^{4+}$ structures, 3=8281
 Crosswhite, H.M. and Dieke, G.H. Spectrum and magnetic properties of hexagonal $DyCl_3$, 1=19974
 Crosswhite, H.M., Zipf, E.C., Jr and Fastie, W.G. Far-ultraviolet
 Crosswhite, H.M. See Dieke, G.H., 1=11071
 Crosswhite, H.M. See Dieke, G.H., 2=20822
 Crosswhite, H.M. See Dieke, G.H., 3=19947
 Crosswhite, H.M. See Fastie, W.G., 2=916
 Crouch, H.R., Jr. See Chretien, M., 2=22610
 Crouch, H.R., Jr. See Chretien, M., 3=24787
 Crouch, M.F. Experimental measurement of the slowing-down time distribution for neutrons in water, 0=12977
 Crouch, M.F. See Haynam, G.E., 0=12976
 Crouch, M.F. See Holzer, F., 1=504
 Crouch, W.H., Jr. See Kuroda, P.K., 3=9166
 Crouchley, J. A study of whistling atmospheric. I. Occurrence, 1=10308
 Crouchley, J. A study of whistling atmospheric. IV. Comparison of observations at widely spaced stations, 4=17903
 Crouchley, J. A study of whistling atmospheric. V. Dispersion, 4=17904
 Crouchley, J. and Brice, N.M. A study of "chorus" observed at Australian stations, 1=10311
 Crouchley, J. and Duff, K.J. A study of whistling atmospheric. III. Observations at closely spaced stations, 3=13681
 Crouchley, J. and Finn, R.J. A study of whistling atmospheric. II. Diffuseness, 1=10309
 Crouchley, J. See Thomas, J.A., 4=7894
 Croutzeilles, M. See Saulnier, A., 4=7473
 Crouzat-Reynès, G. See Marignan, R., 4=5166
 Crouzy, R. The absolute limit imposed by quantum fluctuations at the differential threshold of luminance, 1=15378
 Crivini, L. and Sartori, S. Thermal noise and absolute temperature, 4=24411
 Crow, S.C. A new method for determining Poisson's ratio, 4=7366
 Crow, T.T. and Holladay, W.G. A contribution to the anomalous magnetic moments of the baryons, 1=3147
 Crowder, J.B. and Marsden, P.L. The diurnal variation of the intensity of the nucleonic component during Forbush decreases, 2=13910
 Crowden, J.B. See Marsden, P.L., 1=579
 Crowder, B.L. and Sienko, M.J. Some solid-state studies of tungsten trioxide and their significance to tungsten bronze theory, 3=13083
 Crowder, L.H. See Radd, F.J., 0=3158
 Crowe, A. Transport of energy and momentum by phonons in fluids, 0=12379
 Crowe, A. A revised calculation of the velocity of sound in liquid helium, 3=9670
 Crowe, C.M. Thermal permeation of gases through polymers. II. The approach to the steady state, 4=29172
 Crowe, J.W. and Craig, R.M., Jr. Small-signal amplification in GaAs lasers, 4=14943
 Crowe, K.M. See Abashian, A., 0=20213
 Crowe, K.M. See Abashian, A., 4=6097
 Crowe, K.M. See Astbury, A., 4=6314
 Crowe, K.M. See Booth, N.E., 1=16846
 Crowe, K.M. See Booth, N.E., 1=16847
 Crowe, K.M. See Booth, N.E., 4=6099
 Crowe, K.M. See Chamberlain, O., 2=7902
 Crowe, K.M. See Haddock, R.P., 0=2569
 Crowe, K.M. See Sard, R.D., 1=2072
 Crowe, R.W. and Devins, J.C. Sparking potential and molecular structure of unsaturated hydrocarbon gases, 0=14999
 Crowe, R.W. See Devins, J.C., 0=19634
 Crowell, A.D. Chemisorption of CO on Ni using a radioactive tracer, 0=14152
 Crowell, A.D. Relationship of Bohr orbital quantum condition to Planck oscillator energy levels, 4=27056
 Crowell, A.D. and Chai Ok Chang. Constants for A (6-exp) potential between simple molecules and graphite, 3=20030
 Crowell, A.D. and Foley, E.L. Ionization gauge as a thermal conductivity vacuum gauge, 4=251
 Crowell, A.D. and Norberg, A.L., Jr. Work function changes produced by chemisorption on surfaces with different types of adsorption sites, 2=20011
 Crowell, A.D. and Steele, R.B. Interaction potentials of simple nonpolar molecules with graphite, 1=7887
 Crowell, A.D. See Krizan, J.E., 4=29190
 Crowell, C.R., Spitzer, W.G., Howarth, L.E. and LaBate, E.E. Attenuation length measurements of hot electrons in metal films, 2=22251
 Crowell, C.R., Spitzer, W.G. and White, H.G. Range of photoexcited holes in Au, 3=908
 Crowell, C.R., Sze, S.M. and Spitzer, W.G. Equality of the temperature dependence of the gold-silicon surface barrier and the silicon energy gap in Au N-type Si diodes, 4=15550
 Crowell, C.R. See Blevis, E.H., 4=8795
 Crowell, C.R. See Spitzer, W.G., 2=18747
 Crowell, C.R. See Sze, S.M., 4=26081
 Crowet, C. and Homès, G.A. The closure by recohesion of surface cracks in polymethylmethacrylate, 4=7446
 Crowet, C. and Homès, G.A. Interpretation of the load-elongation curve of polymethyl methacrylate, 4=13439
 Crowley, P.R. See Reed, S.A., 0=12112
 Crowley-Milling, M.C., Jarvis, T.R., Miller, C.W. and Saxon, G. Pulse-shortening in electron linear accelerators, 1=18952
 Crownfield, F.R., Jr. Interaction of plasma oscillations with conduction in a Penning Gauge, 4=19027
 Crownfield, F.R., Jr. Optimum spacing of coil pairs, 4=21620
 Crownfield, F.R., Jr. See Raiford, M.T., 4=18894
 Crowther, D.L. See Lodi, E.A., 3=14508
 Crowther, R.L. Use of thorium in boiling water reactors, 2=14174
 Crowther, R.L. and Weil, J.W. The effective cross section of Pu^{240} in long-term reactivity calculations, 0=13354
 Crowther, T.J. Automatic range switching of instrumentation in space vehicles for increased accuracy, 3=13940
 Crowther, T.S. Angular and magnitude dispersion of the anisotropy in magnetic films, 3=11083
 Crowther, T.S. See Anderson, A.H., 3=14730
 Crowther, T.S. See Wolf, I.W., 3=15842
 Crowther, W.R. See Heart, F.E., 4=30996
 Crozier, M.H. Search for the Zeeman effect of a color center in sodium chloride, 4=30583
 Crozier, M.H. and Runciman, W.A. Analysis of the spectra of trivalent promethium and holmium, 1=17891
 Crozier, M.H. See Runciman, W.A., 4=4081
 Crozier, W.D. Micrometeorite measurements — satellite and ground-level data compared, 1=21014
 Crozier, W.D. Five years of continuous collection of black, magnetic spherules from the atmosphere, 2=19228
 Crozier, W.D. Electrode effect during nighttime low-wind periods, 3=23593
 Crozier, W.D. Measuring atmospheric potential with passive antennas, 4=2199
 Crozon, M., Leray, T. and Tocqueville, J. Angular distribution of 960 MeV/c π^- mesons scattered by nuclei, 3=24960
 Crozon, M. and Tocqueville, J. Scattering of 960 MeV/c π^- mesons by nuclei, 2=12213
 Cruceanu, E. and Nistor, N. Preparation of HgSe single crystals and revealing of their dislocations, 4=13543
 Crudeli, M. See Spinedi, P., 1=15019
 Crudeli, M. See Spinedi, P., 1=15173
 Cruickshank, A.J.B. The behaviour of two-valued response regulators applicable to adiabatic calorimeters, 1=8260
 Cruickshank, D.W.J. A refinement of the structure of allokainic acid, 0=3253
 Cruickshank, D.W.J. The required precision of intensity measurements for single-crystal analysis, 1=20462
 Cruickshank, D.W.J. Coordinate errors due to rotational oscillations of molecules, 2=10825
 Cruickshank, D.W.J. Refinements of structures containing bonds between Si, P, S or Cl and O or N. IV. $(NH_4)_3P_2O_{12}$, 4=23418
 Cruickshank, D.W.J. Refinements of structures containing bonds between Si, P, S or Cl and O or N. X. β - Ca_2SiO_4 , 4=23431

- Cruikshank, D. W. J. Refinements of structures containing bonds between Si, P, S or Cl and O or N. VI. P_2O_5 , Form III, 4=23462
- Cruikshank, D. W. J. Refinements of structures containing bonds between Si, P, S or Cl and O or N. VIII. $KHSO_4$ (mercurite), 4=23464
- Cruikshank, D. W. J. Refinements of structures containing bonds between Si, P, S or Cl and O or N. VII. $(RbPO_3)_\infty$, 4=23468
- Cruikshank, D. W. J. Refinements of structures containing bonds between Si, P, S or Cl and O or N. I. $NaPO_3NH_3$, 4=23483
- Cruikshank, D. W. J. Refinements of structures containing bonds between Si, P, S or Cl and O or N. II. $Na_2P_2O_7 \cdot 10H_2O$, 4=23484
- Cruikshank, D. W. J. Refinements of structures containing bonds between Si, P, S or Cl and O or N. III. Na_3PO_{10} , phase II, 4=23485
- Cruikshank, D. W. J. Refinements of structures containing bonds between Si, P, S or Cl and O or N. IX. $(NO_2)_2 \cdot S_2O_8$, 4=26663
- Cruikshank, D. W. J. Refinements of structures containing bonds between Si, P, S or Cl and O or N. V. P_4O_{10} , 4=26667
- Cruikshank, D. W. J. and Jones, D. W. A refinement of the crystal structure of potassium imidodisulphate, 3=25723
- Cruikshank, D. W. J., Webster, B. C. and Mayers, D. F. d orbits of sulfur, 4=25682
- Cruikshank, F. D. The design of photographic objectives of the triplet family. II. The initial design of compound triplet systems, 0=12470
- Cruikshank, F. D. and Hills, G. A. Use of optical aberration coefficients in optical design, 0=5145
- Cruise, D. R. A numerical method for the determination of an electric field about a complicated boundary, 4=5536
- Crumevrolle, A. On differential varieties whose coordinates belong to a quadratic extension of the real field, and application to the Einstein-Schrödinger unified theory, 3=14018
- Crump, J. C., III and Mitchell, J. W. Hexagonal networks of linear imperfections in single crystals of cadmium, 3=8436
- Crump, J. C., III and Mitchell, J. W. Hexagonal networks of linear imperfections in single crystals of cadmium, 3=22774
- Crupi, G. The energy theorem in magneto-elasticity, 1=7526
- Crupi, G. A solution of the Euler-Minkowski equations and its physical interpretation, 1=8378
- Crupi, G. On cylindrical magnetohydrodynamic waves, 2=7719
- Crupi, G. On the equations of magneto-elasticity, 2=7720
- Cruse, K. See Bertram, R., 3=14466
- Crussard, C. Decomposition of dislocations in iron and the body centred cubic metals, 1=7579
- Crussard, C. Stacking faults in iron, 2=23198
- Crussard, C., Plateau, J., Henry, G. and Voeltzel, J. A study of several cases of intergranular segregation in metals, 4=4636
- Crussard, C. See Butler, J., 3=13539
- Crussard, C. See Chollet, P., 3=6867
- Crussard, C. See Henry, G., 1=15146
- Crussard, J. See Bellini, G., 4=21894
- Crussard, J. See Berley, D., 2=22633
- Crussard, J. See Boldt, E., 4=9276
- Crussard, J. See Duboc, J., 4=12060
- Crut, M., Sweetman, D. R. and Wall, N. S. The anomalous inelastic scattering of alpha particles, 0=17606
- Crut, M. and Wall, N. S. Measurement of the spin and parity of the anomalous inelastic states in Ni^{58} and Ni^{60} , 0=2620
- Crut, M. See Beurtey, R., 1=9883
- Crut, M. See Beurtey, R., 1=13853
- Crut, M. See Chaminade, R., 1=13207
- Crut, M. See Chaminade, R., 2=494
- Crut, M. See Chaminade, R., 2=1923
- Crut, M. See Saudinos, J., 1=7402
- Crut, M. See Saudinos, J., 1=7403
- Crut, M. See Saudinos, J., 1=13858
- Crutchfield, P. W., Jr. See Merzbacher, E., 0=5785
- Cruvillier, P. Radial velocity of new H II regions, 2=11148
- Cruvillier, P. See Courtès, G., 0=18838
- Cruvillier, P. See Courtès, G., 1=4209
- Cruvillier, P. See Courtès, G., 1=18015
- Cruvillier, P. See Courtès, G., 2=17298
- Cruz, J. E. See Megill, L. R., 0=18517
- Cruzan, O. R. Radiation properties of a thin wire loop antenna embedded in a spherical medium, 0=5417
- Cruzan, O. R. Translational addition theorems for spherical vector wave functions, 2=11791
- Crystal, E. See Wakelin, J. H., 0=1918
- Cryzinski, M. and Sadowski, M. The design and construction of magnetic fields for plasma research, 2=20099
- Csada, I. K. A hydromagnetic discussion of the meridional drift of the sunspots, 1=23
- Csada, I. K. General magnetic field of the sun—based on magnetograms. I, 1=7983
- Csada, I. K. On structure of magnetic field of the sun, 1=9267
- Csada, I. K. A hydromagnetic model of the solar magnetic field, 1=18068
- Csaki, A. A spin echo spectrometer for the study of nuclear relaxation in liquids, 4=18127
- Csaki, A. and Béné, G. A method of measuring T_1 by spin echos, 0=19955
- Csanady, G. T. Turbulent diffusion of heavy particles in the atmosphere, 3=18496
- Csanady, G. T. An atmospheric dust fall experiment, 4=26791
- Csanady, G. T. Turbulent diffusion in a stratified fluid, 4=29593
- Csanady, G. T., Ellenton, H. K. and Deane, R. E. Slicks on Lake Huron, 3=7187
- Csavinszky, P. Low-temperature impurity conduction and magnetoresistivity in n-type germanium, 0=15934
- Csavinszky, P. Treatment of ionized impurity scattering in degenerate semiconductors. Application of the variational technique in the partial-wave method, 2=12507
- Csavinszky, P. Effect of impurity-core on carrier mobility in heavily doped germanium, 1=19851
- Csavinszky, P. Corrections to the ground state energies of shallow donors in silicon and germanium, 3=22681
- Csavinszky, P. Treatment of ionized impurity scattering in degenerate semiconductors. Combination of the variational and perturbational technique in the partial-wave method, 3=25338
- Csavinsky, P. See Brock, E. G., 1=12489
- Csavinszky, P. See Einspruch, N. G., 3=18162
- Csejthey-Barth, M. Proton-nucleon interactions at 14 GeV in nuclear emulsion, 4=19506
- Csejthey-Barth, M. See Bricman, C., 1=17101
- Csejthey-Barth, M. See Davis, D. H., 1=19498
- Csejthey-Barth, M. See Jones, B. D., 1=19502
- Csejthey-Barth, M. See Jones, B. D., 2=16241
- Csejthey-Barth, M. See Jones, B. D., 2=22834
- Cserveny, I. See Pimsner, V., 3=7252
- Csikaj, J., Bacsó, J. and Daróczy, A. Investigation of the cross-section of neutron reactions in the nucleus Rh^{103} , 3=10360
- Csikaj, J., Bornemisza, P. and Hunyadi, I. Nuclear recoil in 14.8 MeV energy neutron reactions, 4=9528
- Csikaj, J. and Bucsko, M. The effect of gamma-background on the BF₃ proportional counter, 1=5608
- Csikaj, J., Daróczy, A. and Dede, K. Measurements of the diffusion length of thermal neutrons in water from 16 to 89°C and in diphyl (Dowtherm A) at 185°C, 2=5665
- Csikaj, J., Gyarmati, B. and Hunyadi, I. Activation cross-sections for Na^{23} and Al^{27} with 14 MeV neutrons, 3=22407
- Csikaj, J., Gyarmati, B., Múnyadi, I. and Németh, J. The forward-backward asymmetry of recoil nuclei in the reaction $Al^{27}(n, \alpha)Na^{24}$, 3=10367
- Csikaj, J., Molnár, E. and Schlenk, B. Investigations about the critical radius of the BF₃ counters, 2=3193
- Csikaj, J. and Pető, G. $N^{14}(d, n)O^{15}$ reaction, 3=15228
- Csikaj, J. See Szalay, A., 2=5618
- Csillag, L. On the experimental verification of the Balmer spectrum theory 2=10204
- Csizmadia, I. G., Sutcliffe, B. T. and Barnett, M. P. A group orbital study of lithium hydride, 4=25653
- Csoma, Z. The width and intensity distribution of the Compton line, 0=7717
- Csoma, Z. The distribution of linear momentum of nucleons in nuclei, 2=343
- Csongar, E. Investigation of γ -rays from Mg^{24} , Mg^{26} isotopes bombarded with $Po \alpha$ particles, 1=5842
- Cubiciotti, D. Lattice energies of the alkali halides and the electron affinities of the halogens, 0=2783
- Cubiciotti, D. Erratum: lattice energies of the alkali halides and the electron affinities of the halogens, 0=20741
- Cubiciotti, D. Erratum: lattice energies of the alkali halides and the electron affinities of the halogens, 1=14163
- Cubiciotti, D. Densities of liquid solutions of bismuth and sulfur, 4=24185
- Cubiciotti, D. The vapor pressure of liquid thallous chloride and the partial pressures of monomer and dimer¹, 4=24448
- Cubiciotti, D. and Eding, H. Heat contents of molten zinc chloride and bromide and the molecular constants of the gases, 4=14156

- Cubiccioni, D. See Johnson, J. W., 4=29812
 Cubiccioni, D. See Keneshea, F. J., 4=11413
 Cubiccioni, D.D. See Keneshea, F. J., 4=16144
 Cucančić, L. A multiple pulse display system, 3=9707
 Cuchý, Z. Dichroism of NaNO_3 single-crystals in ultraviolet and infra-red regions, 4=13057
 Cucka, P. and Barrett, C.S. The crystal structure of Bi and of solid solutions of Pb, Sn, Sb and Te in Bi, 2=21515
 Cucka, P. See Barrett, C.S., 3=18308
 Cuckow, F.W. Progressive lattice distortion in stressed crystal lamellae, 0=10306
 Cucurezeanu, I. Raman spectra of equimolecular solutions of water and acetic acid, 1=146
 Cucurezeanu, I. On the potential energy curves of carboxylic acids, 1=5998
 Cucurezeanu, I. Quantum generators and amplifiers in the optical region (lasers), 3=22006
 Cucurezeanu, I. See Agirbiceanu, I., 2=6090
 Cucurezeanu, I. See Agârbiceanu, I. I., 4=3794
 Cudaback, D.D. Preliminary observations with the Stanford microwave interferometer, 0=6552
 Cuddy, L.J. and Machlin, E.S. Quenching-in and annealing of point defects in silver, 2=23152
 Cueille, J.P. See Raoult, G., 2=11750
 Cuclenaere, A.J. See de Vroomen, A.R., 0=18078
 Cuclenaere, A. J. See Van Baarle, C., 4=10144
 Cuenkov, V.A. The electrical conductivity of valence semiconductors in strong electric fields at low temperatures, 2=23272
 Cürer, P., Pfohl, R. and Gegauff, C. Preliminary research into primary interactions in nuclear reactions induced by Ne^{20} ions of 200 MeV using nuclear emulsions, 2=504
 Cürer, P. See Baumann, G., 1=19350
 Cürer, P. See Baumann, G., 2=10000
 Cürer, P. See Baumann, G., 2=10108
 Cürer, P. See Baumann, G., 2=12189
 Cürer, P. See Baumann, G., 2=18347
 Cürer, P. See Baumann, G., 2=20661
 Cürer, P. See Baumann, G., 3=10226
 Cürer, P. See Baumann, G., 3=15089
 Cürer, P. See Baumann, G., 3=19756
 Cürer, P. See Baumann, G., 3=19872
 Cürer, P. See Baumann, G., 3=22277
 Cürer, P. See Baumann, G., 4=12120
 Cürer, P. See Baumann, G., 4=17176
 Cürer, P. See Baumann, G., 4=17178
 Cürer, P. See Bilwes, R., 1=13701
 Cürer, P. See Braun, H., 1=19477
 Cürer, P. See Braun, H., 2=22816
 Cürer, P. See Debeauvais, M., 4=16984
 Cürer, P. See Debeauvais-Wack, M., 2=3339
 Cürer, P. See Hammen, D. M., 4=19806
 Cürer, P. See Magnac-Valette, D., 0=9113
 Cürer, P. See Magnac-Valette, D., 1=7289
 Cürer, P. See Magnac-Valette, D., 1=7411
 Cürer, P. See Massue, J.P., 4=17181
 Cürer, P. See Samman, A., 0=9508
 Cürer, P. See Schmitt, R., 1=2896
 Cürer, P. See Stein, R., 1=13655
 Cuevas, J., Diaz, J., Harmsen, D., Just, W., Kramer, H., Spitzer, H., Teucher, M. W. and Lohrman, E. Binding energy of very heavy hyperfragments, 4=3545
 Cuevas, J., Garcia-Munoz, M., Torres, P. and Allison, S. K. Partial atomic and ionic stopping powers of gaseous hydrogen for helium and hydrogen beams, 4=25778
 Cuevas, J. See Allison, S.K., 0=19625
 Cuevas, J. See Allison, S.K., 0=19626
 Cuevas, J. See Allison, S.K., 2=1968
 Cuevas, J. See Allison, S.K., 2=18427
 Cuevas, J.E. and Barkow, A.G. Auger electrons associated with stopped π^- interactions in nuclear emulsions, 3=6038
 Cuevas, M. See Fritzsche, H., 0=13595
 Cuevas, M. See Fritzsche, H., 2=23320
 Cuevas, M. See Fritzsche, H., 3=10765
 Cuff, K.F., Ellett, M.R. and Kuglin, C.D. Oscillatory magnetoresistance in the conduction band of PbTe , 1=17748
 Cuff, K.F., Ellett, M.R. and Kuglin, C.D. Band structure and transport properties of PbTe , 3=10830
 Cuff, K.F., Horst, R.B., Weaver, J.L., Hawkins, S.R., Kooi, C.F. and Enslow, G.M. The thermomagnetic figure of merit and Ettinghausen cooling in Bi-Sb alloys, 3=22938
 Cuff, K. F. See Herman, F., 4=9899
 Cuff, K.F. See Kooi, C.F., 3=14408
 Cuff, K.F. See Kuglin, C.D., 1=6162
 Cuffey, J. NGC 5466, 1=5163
 Cugnon, P. Polarization of light from stars, 4=2386
 Čujec, B. Photoneuclear effect with Be^9 , 2=22786
 Čujec, B. Investigation of d-s shell nuclei with (d, He^3) reactions, 3=6128
 Čujec, B. Nuclear structure studies in the palladium isotopes with (d, p) and (d, t) reactions, 3=19783
 Čujec-Dobovšek, B. The mechanism of the reaction $^{16}\text{O}(\gamma, 4\alpha)$, 0=13258
 Culhane, L., Keefe, D., Kernan, A., Losty, J. and Montwill, A. Preliminary results on the interactions in photographic emulsion of K^- mesons at 1.15 GeV/c, 1=2097
 Culhane, L., Kernan, A., Losty, J. and Montwill, A. The interactions of 1.13 GeV/c K^- mesons with nucleon pairs, 4=21933
 Culick, F.E.C. Comments on a ruptured soap film, 0=14608
 Culick, F. E. C. Compressible magnetogasdynamic channel flow, 4=24817
 Cullen, A.L. Propagation of microwaves through a magnetoplasma, and a possible method for determining the electron velocity distributions, 2=1602
 Cullen, A.L. and Dobson, J. The corona breakdown of aerials in air at low pressures, 3=5854
 Cullen, A. L. and Jones, J. A. Proposals for millimetric photomixing using surface waves, 4=19275
 Cullen, A. L., McInnes, P. A. and Stringer, P. E. Surface-wave resonance phenomena on dielectric tubes, 4=11801
 Cullen, A.L. See Allison, J., 2=7568
 Cullen, G.V., Hensler, J.H. and Skewes, H.R. Intergranular brittleness of electrodeposited copper containing molybdenum, 3=3237
 Cullen, G.W., Amick, J.A. and Gerlich, D. The stabilization of germanium surfaces by ethylation. I. Chemical treatment, 2=8335
 Cullen, G. W., Cody, G. D. and McEvoy, J. P., Jr. Field and angular dependence of critical currents in Nb₃Sn, 4=407
 Cullen, G. W. and Novak, R. L. Effect of fast-neutron-induced defects on the current carrying behaviour of superconducting Nb₃Sn, 4=18597
 Cullen, G.W. See Amick, J.A., 2=8336
 Cullen, G. W. See Cody, G. D., 4=18596
 Cullen, G.W. See Gerlich, D., 2=8337
 Cullen, T.L. See Roser, F.X., 3=2170
 Culler, G.J., Fried, B.D., Huff, R.W. and Schrieffer, J.R. Solution of the gap equation for a superconductor, 2=15848
 Culler, G.J. See Fried, B.D., 3=21826
 Culligan, G., Harting, D., Lipman, N.H., Madansky, L. and Tibell, G. The decay of negative π^- -mesons stopped in light elements and insulators, 1=8477
 Culligan, G., Harting, D., Lipman, N.H. and Tibell, G. The decay rate of negative muons bound in K-orbits around iron nuclei, 2=22928
 Culligan, G., Lathrop, J.F., Telegdi, V.L., Winston, R. and Lundy, R.A. Experimental proof of the spin dependence of the muon capture interaction, and evidence for its (F-GT) character, 2=5849
 Culligan, G. and Lipman, N.H. Fast transistorized time-to-pulse-height converter, 0=19993
 Culligan, G. See Block, M.M., 4=3467
 Culligan, G. See Lundy, R.A., 2=20659
 Cullingford, M.C. See Zein Eldine, M.E., 4=21146
 Cullity, B.D. Aligned crystals in metals, 0=11993
 Cullity, B. D. Sources of error in X-ray measurements of residual stress, 4=23098
 Cullity, B.D. See Kuczynski, G.C., 0=18395
 Cullwick, E.G.; Ferraro, V.C.A. Magnetic energy, 1=9667
 Culot, J.P., Piret, P. and Van Meerse, M. Structure of $\text{NaBr} \cdot 2\text{H}_2\text{O}$, 3=6851
 Culp, F.L. and Hooper, H.L. Study of impact cratering in sand, 1=18335
 Culpin, M.F. and Jones, D.M. Measurement of the temperature of a running thread-line, 0=3683
 Culpin, M. J. See Thornton, P. R., 4=3040
 Culshaw, W. High resolution millimeter wave Fabry-Perot interferometer, 0=11044
 Culshaw, W. Resonators for millimeter and submillimeter wavelengths, 1=8386
 Culshaw, W. Double-resonance phenomena in the gaseous laser, 4=27683
 Culshaw, W. and Kannelaud, J. Zeeman and coherence effects in the He-Ne laser, 4=6982
 Culshaw, W., Kannelaud, J. and Lopez, F. Zeeman effects in the helium-neon planar laser, 3=2145

- Culvahouse, J.W. Paramagnetic resonance of chromic ions in double nitrate crystals and frozen solution, 1=20206
- Culvahouse, J.W. Erratum: Paramagnetic resonance of nickel ions in double-nitrate crystals, 3=6749
- Culvahouse, J.W., Unruh, W.P. and Brice, D.K. Direct spin-lattice relaxation processes, 3=8722
- Culvahouse, J.W., Unruh, W. and Sapp, R.C. Magnetic interaction of cerium and cobalt ions in double nitrate crystals, 1=6260
- Culvahouse, J.W. See Levi, M.W., 1=3586
- Culvahouse, J.W. See Unruh, W.P., 3=8723
- Culver, R., Pritchard, J. and Tompkins, F.C. The dipole moment and nature of the chemisorption bond, 0=18452
- Culver, W.H., Satten, R.A. and Viswanathan, C.R. Measurement of the spin-lattice relaxation time of the $E(^4E)$ state of Cr^{3+} in Al_2O_3 by paramagnetic resonance at X band frequency, 3=13298
- Culver, W.H. See Duntley, S.Q., 3=6962
- Culwick, B. See Baltay, C., 3=22209
- Culwick, B.B. and Goldsack, S.J. Measuring machine for bubble chamber photographs, 2=5543
- Culwick, B.B. See Androulakis, J.G., 3=17125
- Culwick, B.B. See Baltay, C., 3=24805
- Culwick, B.B. See Balty, C., 4=3484
- Culwick, B.B. See Barnes, V.E., 4=16969
- Culwick, B.B. See Batson, A.P., 0=1279
- Culwick, B.B. See Batson, A.P., 0=9356
- Culwick, B.B. See Bertanza, L., 2=13854
- Culwick, B.B. See Bertanza, L., 3=12507
- Culwick, B.B. See Brown, H.N., 2=12013
- Culvahouse, J.W. Paramagnetic resonance of nickel ions in double nitrate crystals, 2=14829
- Cummack, C.H. "Chapman behaviour" in the lower ionosphere, 0=6447
- Cummack, C.H. Extensions of the "Chapman" theory of layer formation, 1=20963
- Cummack, C.H. The conductive "Chapman" layer, 1=20964
- Cummack, C.H. Evidence of some geomagnetic control on the F1 layer, 2=899
- Cummack, C.H. The heat balance of the F-region and the saturation effect, 2=4651
- Cummack, C.H. The thermal balance of the ionospheric F-region, 2=21653
- Cummack, C.H. A simple form of the ionospheric diffusive operator, 4=20874
- Cummack, C.H. and King, G.A.M. Disturbance in the ionospheric F-region following the Johnston Island nuclear explosion, 0=4798
- Cummerow, R.L. High-temperature steady-state creep rate in Cummerow, R.L. and Cherry, A.R. Dislocation pinning in n-type germanium, 0=1591
- Cumming, G.L. See Baadsgaard, H., 2=4755
- Cumming, J. and Hendry, A.W. Calculations in the ladder approximation for high energy scattering, 3=2315
- Cumming, J. and Moorhouse, R.G. Partial wave dispersion relations in K-nucleon absorption. II, 2=12003
- Cumming, J.B. Absolute cross section for the $C^{12}(p, pn)C^{11}$ reaction at 50 MeV, 4=9505
- Cumming, J.B., Cross, R.J., Jr, Hudis, J. and Poskanzer, A.M. Study of a fragmentation reaction by thin-target recoil techniques; production of Na^{24} from bismuth by 2.9-GeV protons, 4=15218
- Cumming, J.B., Friedlander, G., Hudis, J. and Poskanzer, A.M. Spallation of aluminum by 28 GeV protons, 2=18326
- Cumming, J.B., Friedlander, G. and Katcoff, S. $C^{12}(p, pn)C^{11}$ cross-section at 28 GeV, 2=10107
- Cumming, J.B., Hudis, J., Poskanzer, A.M. and Kaufman, S. $Al^{27}(p, 3pn)Na^{24}/C^{12}(p, pn)C^{11}$ cross-section ratio in the GeV region, 3=6252
- Cumming, J.B., Katcoff, S., Porile, N.T., Tanaka, S. and Wytenbach, A. Differential range study of products formed by 2.9 GeV proton irradiation of silver, 4=22140
- Cumming, J.B. and Porile, N.T. Decay of Zn^{63} , 1=8644
- Cumming, J.B., Poskanzer, A.M. and Hudis, J. Loss of C^{11} from plastic foils and its effects on cross-section measurements, 1=11008
- Cumming, J.B., Schwarzschild, A., Sunyar, A.W. and Porile, N.T. Nuclear resonance fluorescence in Cu^{63} . Lifetimes of excited states and the slowing down of recoils (3-100 eV) in condensed media, 1=611
- Cumming, J.B. See Poskanzer, A.M., 3=4639
- Cumming, J.B. See Poskanzer, A.M., 4=12221
- Cummings, D.B. A stabilized switching ignitron, 4=14546
- Cummings, D.G. See Bunn, P.M., 2=23738
- Cummings, F.W. Long-time transition probabilities for a two-level system interacting with a stochastic electromagnetic field, 3=3744
- Cummings, F.W. See Bauer, E., 2=6237
- Cummings, F.W. See Buley, E.R., 4=19973
- Cummings, F.W. See Callaway, J., 2=8341
- Cummings, J.P. See Solomons, C., 4=16284
- Cummings, P. See Maxwell, A., 4=23930
- Cummings, U.K. See Wiggen, P.E., 3=15839
- Cummings, W.C. See Steinberg, J.C., 2=17576
- Cummings, W.V. X-ray diffraction studies of defect structures in irradiated metals, 3=22766
- Cummings, W.V. See Holden, A.N., 2=18625
- Cummings, W.V., Jr. See Gray, D.L., 1=2399
- Cummins, D.O. and Delaney, C.F.G. Design studies for a Cs-137 irradiator, 1=13671
- Cummins, D.O., Delaney, C.F.G. and McAulay, I.R. Light collection in liquid scintillation cells, 1=1984
- Cummins, H., Knable, N., Gampel, L. and Yeh, Y. Frequency shifts in light diffracted by ultrasonic waves in liquid media, 3=7210
- Cummins, H.Z. On the spectral line shape of a laser beam, 3=19480
- Cummins, H.Z. and Knable, N. Single sideband modulation of coherent light by Bragg reflection from acoustical waves, 4=5358
- Cummins, H.Z., Knable, N. and Yeh, Y. Spurious harmonic generation in optical heterodyne, 3=21508
- Cummins, H.Z., Knable, N. and Yeh, Y. Observation of diffusion broadening of Rayleigh scattered light, 4=14142
- Cummins, H.Z. See Abella, I.D., 1=12488
- Cummins, J.D. Statistical estimation of nuclear reactor dynamic parameters, 3=693
- Cummins, J.D. A transfer function model of the BEPO reactor for control studies, 3=12729
- Cummins, J.D. Period meter output during startup transients, 3=12741
- Cummins, J.D. Pulse counting period meter output during start-up transients, 3=12742
- Cummins, J.D. See Corran, E.R., 4=1169
- Cummins, W.F. Diagnostic techniques of the high compression and neutral injection experiments, 2=7625
- Cummins, W.F. and Branum, D.R. Stretcher for short counter pulses, 0=20006
- Cummins, W.F. See Coensgen, F.H., 0=17000
- Cummins, W.F. See Coensgen, F.H., 1=5467
- Cummins, W.F. See Coensgen, F.H., 3=12150
- Cummins, W.F. See Coensgen, F.H., 4=27537
- Cummins, W.F. See Nexsen, W.E., Jr., 0=17013
- Cundall, J.A. See Newman, P.C., 4=20759
- Cundall, R.B., Fletcher, F.J. and Milne, D.G. Photo-sensitized cis-trans isomerization of butene-2, 4=13739
- Cundy, D.C., Donald, R.A., Evans, W.H., Hadley, D.W., Hart, W., Mason, P., Newport, R.W., Plane, D.E., Smith, J.R. and Thomas, J.G. Internally produced electron pairs from π^- -mesons captured in hydrogen, 2=5716
- Cundy, D.C., Evans, W.H., Hadley, D.W., Mason, P., Newport, R.W., Smith, J.R. and Williams, P.R. Systematic track distortion in a 10 in. diameter liquid hydrogen bubble chamber, 0=15201
- Cundy, D.C. See Alston, M.H., 0=15200
- Cundy, D.C. See Bellière, P., 4=3493
- Cundy, D.C. See Jauneau, L., 3=12511
- Cundy, D.C. See Jauneau, L., 3=19708
- Cuniberti, C. See Bianchi, U., 3=18811
- Cuninghame, J.G., Edwards, M.P., Kitt, G.P. and Lokan, K.H. Charge distribution in photofission of U^{238} and Th^{232} , 3=19895
- Cuninghame, J.G., Kitt, G.P. and Rae, E.R. The ratio of asymmetric to symmetric fission in p-wave neutron fission of U^{235} , 1=17169
- Cunliffe, A., Garlick, G.F.J. and Jones, M.N. The correlation of the electron spin resonance spectra and the luminescence properties of some manganese activated phosphors, 4=26411
- Cunliffe, A. See Garlick, G.F.J., 2=10409
- Cunliffe-Jones, D. See Caldwell, G.L., 0=10670
- Cunnell, F.A. and Gooch, C.H. Diffusion of cadmium into gallium arsenide, 1=6111
- Cunnell, F.A. and Gooch, C.H. Diffusion of zinc in gallium arsenide, 1=17565
- Cunnell, F.A., Harding, W.R. and Wickham, R. Floating zone refining of gallium arsenide, 4=29054
- Cunnell, F.A. and Saker, E.W. Properties of the III-V compound semiconductors, 0=20923

- Cunnell, F.A. and Wickham, R. Apparatus for the floating-zone refining of gallium arsenide, 0=18317
- Cunningham, D.A. See Thomasson, C.V., 4=18472
- Cunningham, D.E. and Olsen, L.O. Collision processes in mixtures of mercury vapor and foreign gases, 0=13400
- Cunningham, D.E. and Olsen, L.O. Collision processes in mixtures of mercury vapor and foreign gases, 0=17691
- Cunningham, F.G. See Geiger, F.E., Jr., 4=20225
- Cunningham, G.W. and Spretnak, J.W. A study of the effect of applied pressure on surface contact area, 2=14914
- Cunningham, G.W. and Spretnak, J.W. Interfacial voids in pressure bonded copper, 3=16114
- Cunningham, J. Radiation-induced optical absorption in KNO_3 crystals, 2=18832
- Cunningham, J. The analytic structure of functions defined by multiple integrals, 4=3325
- Cunningham, J. Complex singularities in production amplitudes, 4=19553
- Cunningham, J. The number of independent variables for an N-particle collision, 4=15021
- Cunningham, J. and Steele, L.R. Lattice compressibility and its relation to the radiolysis of ionic nitrates at 700 atmospheres, 2=21090
- Cunningham, J. and Tompkins, F.C. Spectra of sodium and potassium azide crystals coloured by ultra-violet and X-ray radiation, 0=8008
- Cunningham, J.G. See Ryl, R., 4=7665
- Cunningham, J.R. See Clifford, C.E., 0=9599
- Cunningham, J.R., Jr. and Anderson, E.E. Samarium substitutions in yttrium iron garnet, 0=10136
- Cunningham, J.R. Jr. and Anderson, E.E. Effect of indium substitution in yttrium iron garnet. High permeability garnets, 1=6372
- Cunningham, J.R., Jr. See Anderson, E.E., 0=3089
- Cunningham, J.R., Jr. See Anderson, E.E., 0=21056
- Cunningham, J.R. Jr. See Anderson, E.E., 3=1048
- Cunningham, J.R. Jr. See McDuffie, G.E. Jr., 0=10137
- Cunningham, R.G. Frictional electrification of belts of insulating materials, 4=27454
- Cunningham, R.L., Gow, K.V. and Ng-Yelim, J. Ion bombardment of single crystals of aluminum, 3=10706
- Cunningham, R.L., Haymann, P., Lecomite, C., Moore, W.J. and Trillat, J.J. Etching of surfaces with 8-keV argon ions, 0=8173
- Cunningham, R. L. and Ng-Yelim, J. Orientation determinations of crystals using ejection patterns resulting from ion bombardment, 4=23303
- Cunningham, R.W. Apparatus for the measurement of the photomagnetolectric effect, 3=7411
- Cunningham, R.W., Harp, E.E., and Bullis, W.M. Deep acceptor levels in indium antimonide, 3=10824
- Cunningham, R.W. See Beattie, A.R., 2=4074
- Cunningham, R.W. See Beattie, A.R., 4=12989
- Cunningham, T.M. and Young, R.L. The radiative properties of cryodeposits at 77°K, 4=13015
- Cunsolo, S. A method for the measurement of the mobility of electric charges in liquids, 1=15904
- Cunsolo, S. and Mazzoldi, P. The influence of pressure on the mobility of electric charges in liquid helium II, 1=13032
- Cunsolo, S. See Careri, G., 1=16189
- Cunsolo, S. See Careri, G., 4=14497
- Cunsolo, S. See Careri, G., 4=14498
- Cuny, Y. The influence of temperature inhomogeneities on the central intensity of Fraunhofer lines, 0=12288
- Cuny, Y. Study of the continuous solar spectrum; systematic investigation of deviations from local thermodynamic equilibrium, 1=15447
- Cuny, Y. The influence of deviations from local thermodynamic equilibrium of hydrogen on the continuous spectrum of the sun and stars, 4=4852
- Cuny, Y. Determination of the source function of a spectral line formed by an atom not in thermodynamic equilibrium, 4=20705
- Cuny, Y., Lefèvre, J., and Pecker, J.C. The influence of the inhomogeneities on the central intensity of the Fraunhofer lines, 2=4776
- Cupcic, A. Young's modulus of an aggregate of p cells, 2=6713
- Cuperman, S. Search for pseudoscalar interaction in $\frac{1}{2}^+ \rightarrow \frac{1}{2}^-$ β -decay transition, 0=4049
- Cuperman, S. Search for pseudoscalar interaction in $\frac{1}{2}^+ \rightarrow \frac{1}{2}^-$ β -decay transitions. I. Measurement of the longitudinal polarization of the β^- -particles emitted in the transition $^{81}\text{Tl}^{207} \rightarrow ^{82}\text{Pb}^{207}$, 2=3514
- Cuperman, S. Search for pseudoscalar interaction in $\frac{1}{2}^+ \rightarrow \frac{1}{2}^-$ β -decay transitions. II. On the calculation of the longitudinal polarization of β^- -particles emitted in $\frac{1}{2}^+ \rightarrow \frac{1}{2}^-$ transitions and the relative contribution of the pseudoscalar interaction, 2=10039
- Cuperman, S. Impurity radiation from non-Maxwellian spherical plasmas, 4=18844
- Cuperman, S., Engelmann, F. and Oxenius, J. On impurity radiation losses from a hot spherical plasma, 2=22206
- Cuperman, S., Engelmann, F. and Oxenius, J. Nonthermal impurity radiation from a spherical plasma, 3=7605
- Cuperman, S., Engelmann, F. and Oxenius, J. Nonthermal impurity radiation from a spherical plasma. II, 4=14653
- Cuperman, S., Engelmann, F. and Oxenius, J. Nonthermal line radiation from an optically thick plasma, 4=18851
- Cupp, C.R. The effect of neutron irradiation on the mechanical properties of zirconium-2.5% niobium alloy, 3=1234
- Cupp, C.R. and Flubacher, P. An autoradiographic technique for the study of tritium in metals and its application to diffusion in zirconium at 149° to 140°C, 2=21073
- Cupp, R.E. See Lichtenstein, M., 3=21984
- Curcio, J.A. Evaluation of atmospheric aerosol particle size distribution from scattering measurements in the visible and infrared, 1=9186
- Curcio, J.A. See Knestrick, G.L., 2=19203
- Curcio, P. and Nankivell, J.F. An exposure meter for an electron microscope, 2=11718
- Curé, E. See Arnulf, A., 1=9189
- Curelaru, I. See Hulubei, H., 4=942
- Curelaru, I. See Hulubei, H., 4=30257
- Curie, C. and Roux, J. Measurement of the vertical velocity of a float, 4=27141
- Curie, D. Calculation of emission spectra by use of multi-coordinate configurational diagrams, 0=4424
- Curie, D. Calculation of emission spectra in the configuration coordinate model. A simple interpretation of the results, 0=4425
- Curie, D. Crystal luminescence, 0=6187
- Curie, D. Theories of electroluminescence, 0=21013
- Curie, D. Defects in ionic luminescent crystals, 4=1526
- Curie, D. Symmetry of the crystalline field acting on the Mn^{++} ion in ZnS:Mn , 4=20494
- Curie, D. See Curie, G., 1=7722
- Curie, G. Contribution to the study of the stimulation of phosphorescence by infrared [radiation], 0=11786
- Curie, G. and Curie, D. Green and blue emission bands of ZnS:Cu , 1=7722
- Curie, M.D. Calculation of thermal extinction energies of luminescence, 3=25477
- Curien, H. Point defects in lithium fluoride, 4=1458
- Curien, H. The structure of liquids studied by means of X-rays, 4=27154
- Curien, H. and Fructus-Ricquebourg, J. Dielectric dispersion in lithium fluoride crystals irradiated with neutrons, 2=659
- Curien, H., Petiau, J., Fructus-Ricquebourg, J. and Petitjean, C. Study of the lattice defects in normal and neutron irradiated lithium fluoride by dielectric relaxation measurements, 3=22702
- Curien, H. and Petitjean, C. Dielectric dispersion in crystals of Curien, H., Rimsky, A. and Defrain, A. Atomic structure of a crystalline phase of gallium, unstable at atmospheric pressure, 2=2386
- Curl, R.F. See Tolles, W.M., 2=20831
- Curl, R.F., Jr. Microwave spectrum of chlorine dioxide. III. Interpretation of the hyperfine coupling constants obtained in terms of the electronic structure, 2=20830
- Curl, R.F., Jr., Heidelberg, R.F. and Kinsey, J.L. Microwave spectrum of chlorine dioxide. II. Analysis of hyperfine structure and the spectrum of $\text{Cl}^{35}\text{O}^{16}\text{O}^{18}$, 2=20829
- Curl, R.F., Jr. and Kilpatrick, J.E. Atomic term symbols by group theory, 0=5841
- Curl, R.F. Jr. and Kinsey, J.L. Calculation of interaction matrix elements for asymmetric rotors with resultant electronic spin and nuclear spin, 1=19623
- Curl, R.F., Jr., Kinsey, J.L., Baker, J.G., Baird, J.C., Bird, G.R., Heidelberg, R.F., Sugden, T.M., Jenkins, D.R. and Kenney, C.N. Microwave spectrum of chlorine dioxide. I. Rotational assignment, 1=3536
- Curl, R.F., Jr., Rao, V.M., Sastry, K.V.L.N. and Hodgeson, J.A. Microwave spectrum of methyl isocyanate, 4=6629
- Curl, R.F., Jr. See Bird, G.R., 4=22379
- Curl, R.F., Jr. See Hodgeson, J.A., 4=9744
- Curl, R.F., Jr. See Krishna Pillai, M.G., 3=6398
- Curl, R.F., Jr. See Kwei, G.H., 0=13439

- Curl, R.F., Jr. See Miller, R.F., 1=12287
 Curl, R.F., Jr. See Rao, V.M., 4=22417
 Curl, R.F., Jr. See Sastry, K.V.L.N., 4=25710
 Curl, R.L. See Finnie, I., 3=9638
 Curle, N. The steady compressible laminar boundary layer, with arbitrary pressure gradient and uniform wall temperature, 0=2181
 Curle, N. The origins of aerodynamic noise, 1=12956
 Curlee, N.J. See Henry, A.F., 0=13349
 Curnutte, B. See Tsao, C.J., 2=12305
 Curnutte, Jr. See Katz, R., 4=29560
 Curran, D.R. On the possibility of detecting shock-induced second-order phase transitions in solids. The equation of state of Invar, 1=14937
 Curran, D.R. Nonhydrodynamic attenuation of shock waves in aluminum, 3=21490
 Curran, R. and Donahue, T.M. Electron capture and loss by hydrogen atoms in molecular hydrogen, 0=11502
 Curran, R.K. Low energy process for F-formation in SF₆, 1=8858
 Curran, R.K. Positive and negative ion formation in CCl₄, 1=10668
 Curran, R.K. Negative ion formation in ozone, 2=1391
 Curran, R.K. Formation of NO₂⁻ by charge transfer at very low energies, 2=3009
 Curran, R.K. Formation of SF₆⁻ by inelastically scattered electrons, 3=12068
 Curran, R.K. Mass-spectrometer investigation of electron-impact processes at pressures to 1 mm Hg, 3=16992
 Curran, R.K. and Fox, R.E. Mass spectrometer investigation of ionization of N₂O by electron impact, 1=8307
 Curran, R.K. See Fox, R.E., 1=8309
 Curran, S.C. See Drever, R.W.P., 0=17132
 Curran, T.F. See Hodara, H., 4=16651
 Current, J.H. and Rabinovitch, B.S. Decomposition of chemically activated ethyl-d₃ radicals. Primary intramolecular kinetic isotope effect in a non-equilibrium system, 3=11347
 Current, J.H. and Rabinovitch, B.S. Large statistical secondary isotope effects in nonequilibrium reaction systems. Unimolecular decomposition of chemically activated ethyl-d₁ and ethyl-d₃ radicals, 3=16154
 Current, J.H. and Rabinovitch, B.S. Collisional deactivation of vibrationally excited ethyl-D₃ radicals by D₂ and He, 4=22441
 Current, J.H., Rabinovitch, B.S., Heller, C.A. and Gordon, A.S. Decomposition of chemically activated ethyl-D₁ radicals, 4=10639
 Current, J.H., Raper, O.F., Kramer, H.H. and Bair, E.J. Stroboscopic flash source for kinetic spectroscopy, 0=10778
 Current, J.H. See Rabinovitch, B.S., 0=4711
 Current, J.H. See Rabinovitch, B.S., 2=10241
 Currie, B.W. Widespread occurrences of noctilucent clouds over Canada, June 26 to July 6, 1963, 4=4784
 Currie, B.W. See Baker, K.D., 1=20838
 Currie, B.W. See Bhartendu, 4=7850
 Currie, B.W. See Bhartendu, 4=20849
 Currie, B.W. See Kim, J.A., 0=18507
 Currie, D. Luminescence in crystals, 3=6664
 Currie, D. See Nudelman, S., 3=10979
 Currie, D.G. Interaction contra classical relativistic Hamiltonian particle mechanics, 4=5030
 Currie, D.G., Jordan, T.F. and Sudarshan, E.C.G. Relativistic invariance and Hamiltonian theories of interacting particles, 4=826
 Currie, D.R. and Kreielsheimer, K.S. A double field mill for the measurement of potential gradients in the atmosphere, 0=21320
 Currie, J.A. Gaseous diffusion in porous media. I. A non-steady state method, 0=14692
 Currie, J.A. Gaseous diffusion in porous media. II. Dry granular materials, 0=14693
 Currie, J.A. Gaseous diffusion in porous media. III. Wet granular materials, 1=11588
 Currie, M.R. See Brewer, G.R., 2=7045
 Currie, M.R. See Mueller, W.M., 0=1156
 Currie, R.G., Grommé, C.S. and Verhoogen, J. Remanent magnetization of some upper cretaceous granitic plutons in the Sierra Nevada, California, 3=18577
 Currie, W.E. See Hueter, T.F., 1=11820
 Currie, W.M. Lifetime of the 2.083 MeV state in Ce¹⁴⁰, 2=13983
 Currie, W.M. Lifetimes in Sn¹²⁰, Ba¹³⁸ and Ce¹⁴⁰, 4=6229
 Currie, W.M. Measurements of isomeric lifetimes in V⁴⁸ and W¹⁸⁰, 4=3566
 Currie, W.M., Azuma, R.E. and Lewis, G.M. Measurements of instrumental time delay and resolution in a fast coincidence system, 2=5277
 Currier, E.W. See Shanefield, D., 4=29072
 Currin, C.G. Effects of gamma radiation at 25°C on silicone dielectrics, 0=2173
 Currin, C.G. and Earleywine, E. Advances in elemental semiconductors, 4=26028
 Currin, J.D. Theory of exchange relaxation of hyperfine structure in electron spin resonance, 2=14321
 Currin, J.D. See Denison, A.B., 4=20614
 Curry, C. and McNeill, D.J. Soft X-ray emission spectra of some transition and noble metals, 1=5514
 Curry, C. See Clift, J., 3=23087
 Curry, C. See Clift, J., 3=23088
 Curry, E.T., Fay, T.H., Jr and Hutton, C.L. Experimental study of the relative intelligibility of alphabet letters, 0=16507
 Curry, J. and Cassidy, E.P. Effect of halogens on the resistance of single crystals of copper phthalocyanine, 3=6593
 Curry, M.A., Legvold, S. and Spedding, F.H. Electrical resistivity of europium and ytterbium, 0=6080
 Curry, N.A. See Bacon, G.E., 0=4660
 Curry, N.A. See Bacon, G.E., 2=4430
 Curry, N.A. See Morrish, A.H., 4=10279
 Curry, T.R. See Chait, H.N., 0=3832
 Curtain, C.C. Photoelectric comparator for Rayleigh fringe electrophoresis patterns, 0=10748
 Curtain, C.C. A photoelectric scanning microscope, 3=16753
 Curtet, R. and Grosjean, C. Measurement of small local velocities in liquids with a hot wire anemometer using a constant current, 3=14090
 Curti, R. and Riganti, V. Crystallographic data for 5-oxiphenazine, 0=4662
 Curtindale, E.G. See Whipple, C.L., 4=20414
 Curtis, A.J. Dielectric properties of polymeric systems, 1=7681
 Curtis, A.J. Dielectric properties of polyamides, 1=12305
 Curtis, A.J. Dielectric loss in "nonpolar" polymers, 2=18763
 Curtis, A.J. and Boykin, T.R., Jr. Response of two-degree-of-freedom systems to white noise base excitation, 1=6925
 Curtis, A.R. See Sherry, N.P.R., 3=11661
 Curtis, B.J. See Harrison, F.W., 2=12908
 Curtis, C.D. See Harrison, G.R., 0=5749
 Curtis, C.W. See DeVault, G.P., 2=9220
 Curtis, D.A. See Thorp, J.S., 4=23534
 Curtis, E.C. See Frost, A.A., 0=17829
 Curtis, G.C. and Sherwin, J. Magnetic method for the estimation of ferrite in stainless steel welds, 1=12002
 Curtis, G.D. E.L.F. electromagnetic radiation from small explosive charges in air and water, 3=4265
 Curtis, G.W. See Newkirk, G.A., 0=4897
 Curtis, H.J. Limitations on space flight due to cosmic radiations, 1=5173
 Curtis, L.J., Coffin, C.T., Meyer, D.I. and Terwilliger, K.M. Production of the 1385-MeV (Y₁⁺)⁰ in 1.5-BeV/c π p interactions, 4=3450
 Curtis, L.J. See Coffin, C.T., 3=17140
 Curtis, O.L., Jr. Effect of a phase transformation on the vapor phase growth of single-crystal HgS, 2=16976
 Curtis, O.L., Jr. and Cleland, J.W. Monoenergetic neutron irradiation of germanium, 0=6109
 Curtis, O.L., Jr. and Crawford, J.H., Jr. Radiation-induced recombination and trapping centers in germanium. I. The nature of the recombination process, 2=2150
 Curtis, O.L., Jr. and Crawford, J.H., Jr. Carrier recombination and trapping processes in irradiated germanium, 2=12514
 Curtis, O.L., Jr. and Crawford, J.H., Jr. Radiation-induced recombination and trapping centers in germanium. II. Annealing in gamma-irradiated, antimony- and arsenic-doped material, 2=12515
 Curtis, R.D. See Bahcall, J., 1=16750
 Curtis, R.B. See Wellner, M., 1=16641
 Curtis, S.B. See Neddermeyer, S.H., 3=19735
 Curtis, S.B. See Nickols, N.A., 2=22716
 Curtis, W.D. Production of strange particles in proton-neutron collisions, 3=7927
 Curtiss, C.F. Expansions of integrals of Bessel functions of large order, 4=16014
 Curtiss, C.F. and Dahler, J.S. Kinetic theory of nonspherical molecules. V, 3=16653
 Curtiss, C.F., Hirschfelder, J.O. and Taylor, M.H. Propagation of A + B → C flames, 1=11619

- Curtiss, C. F. and Powers, R. S., Jr. An expansion of binary collision phase shifts in powers of \hbar , 4=20123
- Curtiss, C. F. See Gioumousis, G., 1=4955
- Curtiss, C. F. See Gioumousis, G., 3=6436
- Curtiss, C. F. See Hirschfelder, J. O., 1=4098
- Curtiss, C. F. See Hollinger, H. B., 0=19194
- Curtiss, C. F. See Livingston, P. M., 0=3558
- Curtiss, C. F. See Livingston, P. M., 1=10546
- Curtiss, C. F. See Snider, R. F., 1=171
- Curtiss, C. F. See Wood, H. T., 4=28283
- Curtiss, L. E. See Hett, J. H., 1=8226
- Curtius, P. On perturbation expansions in axiomatic quantum field theory, 3=24578
- Curzon, A. E. A study of the orientation of thin films of tin on single crystal substrates, 3=13562
- Curzon, A. E. and Kimoto, K. An evaporator for use in an electron microscope, 4=4640
- Curzon, A. E. and Pawlowicz, A. T. Electron diffraction patterns from solid deuterium, 4=13589
- Curzon, A. E. and Pawlowicz, A. T. Electron diffraction patterns from solid deuterium—a correction, 4=23439
- Curzon, A. E. and Pawlowicz, A. T. An apparatus for electron beam studies at liquid helium temperatures, 4=27400
- Curzon, A. E. See Blackman, M., 4=5518
- Curzon, A. E. See Coopersmith, B., 3=21455
- Curzon, F. L. and Churchill, R. J. Framing camera studies of the Z-pinch in nitrogen, 2=19966
- Curzon, F. L. and Churchill, R. J. Image-smearing errors in framing camera photographs, 3=19031
- Curzon, F. L., Churchill, R. J. and Howard, R. Streamers in the nitrogen pinch, 2=22196
- Curzon, F. L., Churchill, R. J. and Howard, R. Pressure dependent characteristics of the Z pinch in argon and nitrogen, 3=9762
- Curzon, F. L., Folkierski, A., Latham, R. and Nation, J. A. Experiments on the growth rate of surface instabilities in a linear pinched discharge, 0=19655
- Curzon, F. L. and Greig, J. R. A time-resolved spectrograph for use with triggered light sources, 1=9477
- Curzon, F. L., Hodgson, R. T. and Churchill, R. J. Delayed implosion of the Z-pinch in nitrogen, 4=540
- Curzon, F. L., Hodgson, R. T. and Churchill, R. J. Excitation of $m = 0$ instabilities in a Z-pinch discharge, 4=19043
- Curzon, F. L. and Howard, R. A proposal to use microwave cavities to study the surface properties of high density plasmas, 2=1444
- Curzon, F. L. See Churchill, R. J., 4=18962
- Curzon, F. L. See Greig, J. R., 3=7584
- Curzon, F. L. See Howard, R., 3=19441
- Curzon, F. L. See Latham, R., 0=15012
- Cusachs, L. C. On the calculation of the polarizabilities of atoms with incomplete shells, 1=2273
- Cusachs, L. C. Dependence of induction and dispersion energies at finite internuclear distances, 2=3714
- Cusachs, L. C. Study of a simple semi-empirical potential function for covalent diatomic molecules, 2=20789
- Cusachs, L. C. Induction energies: the spherical term, 3=17568
- Cusack, N. and Enderby, J. E. A note on the resistivity of liquid alkali and noble metals, 0=7909
- Cusack, N. and Kendall, P. A note on the viscosity and resistivity of liquid gallium, 0=12419
- Cusack, N. and Kendall, P. The hall coefficient of liquid mercury, 1=8134
- Cusack, N. E. The electronic properties of liquid metals, 3=21401
- Cusack, N. E. and Enderby, J. E. Some properties and problems of the liquid state, 0=933
- Cusack, N. E. and Kendall, P. W. The Hall effect in a liquid alloy, 3=9476
- Cusack, N. E., Kendall, P. W. and Marwaha, A. S. Electron transport properties in liquid gallium, 3=1710
- Cusack, N. E. and Marwaha, A. S. Electron transport properties in liquid gallium, 4=21152
- Cusack, N. E. See Kendall, P. W., 1=4356
- Cusano, D. A. CdTe solar cells and photovoltaic hetero-junctions in II-VI compounds, 3=20420
- Cusano, D. A. See Aven, M., 4=13088
- Cushing, J. T. A double dispersion relation for a class of non-local potentials, 3=14911
- Cushing, J. T. A simple nonlocal model for high-energy scattering, 4=21794
- Cushing, J. T. Analyticity of compound-particle scattering amplitudes, 4=27804
- Cushing, R. L. See Attree, R. W., 2=5834
- Cushing, R. L. See Davies, J. A., 0=19804
- Cushing, V. Erratum. Induction flowmeter, 1=6845
- Cushing, V. Magnetolectric flowmeter, 4=14105
- Cushner, S. H. Combined optical-microwave system considerations, 0=14812
- Cusminsky, J. B. de. See de Cusminsky, J. B.
- Cusson, Y., Lucasson, P. and Walker, R. M. The production of atomic displacements near threshold in Fe and Cu. II. Preliminary results on monocrytals irradiation, 2=23169
- Cuthbert, J. Units in vacuum measurements, 4=18254
- Cuthbert, J., Hart, F. and Prosser, N. J. D. Improvements to an M. S. 2 type mass spectrometer, 4=21591
- Cuthbert, J. See Barber, M., 3=21902
- Cuthbert, J. D. and Petch, H. E. N.M.R. studies of hydrated sodium tetraborate minerals. I. Boron-oxygen polyion in borax and tincalconite, 3=15963
- Cuthbert, J. D. and Petch, H. E. N.M.R. studies of hydrated sodium tetraborate minerals. II. Na^{23} sites in borax and tincalconite, 3=25591
- Cuthbert, J. D. and Petch, H. E. Nuclear magnetic resonance study of ferroelectric lithium hydrazinium sulphate, $\text{Li}(\text{N}_2\text{H}_5)\text{SO}_4$, 4=1902
- Cuthill, J. R. See Wyman, L. L., 2=21536
- Cuthill, J. R. See Yakowitz, H., 2=21256
- Cutkosky, R. D. Evaluation of the N. B. S. unit of resistance based on a computable capacitor, 2=5248
- Cutkosky, R. E. Interaction of static nucleons, 0=2536
- Cutkosky, R. E. Some applications of the generalised unitarity relation, 0=15254
- Cutkosky, R. E. Singularities and discontinuities of Feynman amplitudes, 0=17216
- Cutkosky, R. E. Anomalous thresholds, 1=16709
- Cutkosky, R. E. Wave functions, 2=3286
- Cutkosky, R. E. Expansion of the scattering matrix in terms of multiple impulsive peripheral interactions, 2=22441
- Cutkosky, R. E. A mechanism for the induction of symmetries among the strong interactions, 3=22071
- Cutkosky, R. E. A model of baryon states, 4=3298
- Cutkosky, R. E. Self-consistency of superglobal multiplet assignments, 4=19387
- Cutkosky, R. E., Kalckar, J. and Tarjanne, P. A dynamical scheme for meson-baryon interactions based on SU_3 symmetry, 2=13827
- Cutkosky, R. E. and Leon, M. Normalization of Bethe-Salpeter wave functions and bootstrap equations, 4=27787
- Cutkosky, R. E. and Tarjanne, P. Self-consistent deviations from unitary symmetry, 4=3324
- Cutkosky, R. E. See Tarjanne, P., 4=11923
- Cutkosky, R. E. See Young, H. D., 0=5620
- Cutler, C. C. Radio communication by means of satellites, 2=11208
- Cutler, D. and Powles, J. G. Microwave spin echoes, electron spin relaxation and electron diffusion in metal-ammonia solutions, 2=17488
- Cutler, D. and Powles, J. G. Electron spin relaxation in metal-ammonia solutions, 3=18834
- Cutler, D. and Powles, J. G. Electron spin relaxation and diffusion in metalammonia solutions by microwave spin echoes, 3=21414
- Cutler, D. See Powles, J. G., 0=8672
- Cutler, I. B. See Johnson, D. L., 4=13662
- Cutler, I. B. See Johnson, D. L., 4=13663
- Cutler, I. B. See Wagstaff, F. E., 4=23348
- Cutler, M. Thermoelectric behavior of p-n junctions, 1=5033
- Cutler, M. Thermoelectric measurements at small-area contacts, 1=11901
- Cutler, M. and Cheney, G. T. Measurement of thermal conductivity of electrical conductors at high temperatures, 3=14395
- Cutler, M. and Cheney, G. T. Heat-wave methods for the measurement of thermal diffusivity, 3=16818
- Cutler, M., Fitzpatrick, R. L. and Leavy, J. F. The conduction band of cerium sulfide $\text{Ce}_{1-x}\text{S}_x$, 3=10628
- Cutler, M. and Leavy, J. F. Electronic transport in high-resistivity cerium sulfide, 4=10048
- Cutler, M., Leavy, J. F. and Fitzpatrick, R. L. Electronic transport in semimetallic cerium sulfide, 4=10047
- Cutler, M. and Mallon, C. E. Thermoelectric study of liquid semiconductor solutions of tellurium and selenium, 3=3813
- Cutler, P. H. and Davis, J. C. Reflection and transmission of electrons through surface potential barriers, 4=29960

- Cutler, P.H., Davis, J.C. and Gibbons, J.J. Numerical calculations of reflection coefficients for different surface potential barrier models, 3=15471
- Cutler, P.H. See Loucks, T.L., 4=9900
- Cutler, P.H. See Loucks, T.L., 4=12701
- Cutler, P.H. See Nagy, D., 4=24726
- Cutler, S. See Senitzky, B., 3=14767
- Cutler, S. See Senitzky, B., 4=19196
- Cutler, W.H. High-frequency oscillations in a thermal plasma, 4=14712
- Cutolo, M. The upper atmosphere and a new property of plasma [ionosphere], 4=26840
- Cutteridge, O.P.D. Orbits of natural satellites, 3=5245
- Cuttitta, F. See Pankey, T., 4=4395
- Cuttriss, D.B. Relation between surface concentration and average conductivity in diffused layers in germanium, 1=7636
- Cutts, D. See Astbury, A., 4=28052
- Cutts, E.J. See Knowles, D.R., 4=12831
- Cuvellier, J. See Boulassier, J.-C., 3=21773
- Cuvellier, J. See Boulassier, J.C., 4=11589
- Cuypers, R. and Amelinckx, S. Annealing of X-ray induced surface hardening in NaCl, 1=2398
- Cuzzocrea, P., Notarrigo, S., Ricamo, R. and Vinci, F. Total neutron cross-section of P and S in the 3 to 5 MeV energy range, 1=5925
- Cuzzocrea, P., Notarrigo, S. and Rubbino, A. α -particles from (n, α) reactions in Mo isotopes at $E_n \approx 15$ MeV, 4=25411
- Cuzzocrea, P. and Pappalardo, G. The $P^{31}(n, \alpha)Al^{28}$ excitation function up to 5 MeV neutron energy, 4=6356
- Cuzzocrea, P., Pappalardo, G. and Ricamo, R. Cross section for $P^{31}(n, p)^{31}Si$ reaction up to 5 MeV, 0=15601
- Cuzzocrea, P. See Chilosi, G., 1=13751
- Cuzzocrea, P. See Chilosi, G., 3=7992
- Cvelbar, F., Hudoklin, A., Mihailovic, M.V., Najzer, M. and Ramsak, V. Gamma-ray spectrum from the radiative capture of 14 MeV neutrons in Al^{27} , 3=10366
- Cvelbar, F., Hodoklin, A., Mihailovic, M.V. and Ramšak, V. A telescope pair spectrometer for 5-20 MeV gamma-rays, 2=16181
- Cvelbar, F. See Cilenšek, E., 0=12642
- Cvelbar, F. See Cilenšek, E., 0=15084
- Cvelbar, F. See Colli, L., 0=1439
- Cvelbar, F. See Colli, L., 0=1442
- Cvelbar, F. See Colli, L., 0=5792
- Cvetanović, R.J. Temperature dependence of the rates of addition of oxygen atoms to olefins, 0=21273
- Cvetanović, R.J. and Doyle, L.C. Molecular rearrangement in the mercury-photosensitized reaction of butene-1, 2=19158
- Cvetanović, R.J., Falconer, W.E. and Jennings, K.R. Mechanism of the mercury photosensitized decomposition of n-butane, 1=20753
- Cvetanović, R.J. See Falconer, W.E., 3=20993
- Cvetanović, R.J. See Jennings, K.R., 1=20732
- Cvetanović, R.J. See Yamazaki, H., 4=6491
- Cvetanović, R.J. See Yamazaki, H., 4=10634
- Cvijanovic, G., Egli, P., Koch, W., Nikolic, M., Schneeber, R., Winzeler, H., Czapek, G. and Kellner, G. Elastic scattering of high energy protons on hydrogen nuclei, 2=22515
- Cvijanovich, G.B. Diffraction scattering of 24 BeV protons at very small angles, 2=5904
- Cvijanovich, G.B., Egli, P., Gorgé, V., Hofer, H., Koch, W., Nikolic, M., Schneeberger, R., Winzeler, H., Zulauf, M., Czapek, G. and Kellner, G. Elastic scattering of 24 GeV protons on hydrogen nuclei, 2=5638
- Cvikevich, S. See Guentert, O. J., 4=23446
- Cybulska, E.W. and Marquez, L. The decay of ^{44}Ti , 0=1388
- Cybulska, E.W. and Marquez, L. Gamma rays in the decay of ^{141}Nd , 0=5727
- Cyrot, M. and Thuillier, J.M. P.M.E. effect in bismuth-antimony alloys, 3=8572
- Cyvin, B.N., Cyvin, S.J. and Kristiansen, L. A. Vector methods in the theory of molecular vibrations, 4=1240
- Cyvin, B.N. See Cyvin, S.J., 4=12425
- Cyvin, B.N. See Cyvin, S.J., 4=25616
- Cyvin, S.J. Mean amplitudes of vibration of the benzene ring, 0=5909
- Cyvin, S.J. Vibrational mean-square amplitude matrices. VII. Treatment of tetrahedral XY_4 molecules, 0=17729
- Cyvin, S.J. Vibrational mean-square amplitude matrices. VIII. Mean-square parallel and perpendicular amplitudes of tetrahedral XY_4 molecules, 1=7459
- Cyvin, S.J. Vibrational mean-square amplitude matrices. IX. Germanium tetrachloride, 1=7460
- Cyvin, S.J. Present status of the study of mean amplitudes of vibration, 1=11092
- Cyvin, S.J. and Meisingseth, E. Out-of-plane molecular vibrations and "shrinkage effects" in naphthalene skeleton, 2=22993
- Cyvin, S.J. Elementary treatment of secular equations with special reference to some problems in the theory of molecular vibrations, 3=10485
- Cyvin, S.J. Vibrational mean-square amplitude matrices. XX. Coriolis coupling coefficients in bent symmetrical XY_2 molecules, 4=3840
- Cyvin, S.J. Vibrational mean-square amplitude matrices. XXII. Coriolis coupling in tetrahedral XY_4 molecules, 4=9693
- Cyvin, S.J., Brunvoll, J., Cyvin, B.N., Kristiansen, L. A. and Meisingseth, E. Influence of atomic masses on the Coriolis coupling coefficients in some symmetrical molecules. I. Tetrahedral XY_4 molecules, 4=12425
- Cyvin, S.J., Brunvoll, J., Cyvin, B.N. and Meisingseth, E. Influence of atomic masses on the Coriolis coupling coefficients in some symmetrical molecules. II. Tetrahedral XY_4 molecules and ions, 4=25616
- Cyvin, S.J.; Decius, J.C. Comments on Decius' compliance matrix, and reply, 4=3836
- Cyvin, S.J. and Slater, N.B. Invariance of molecular "inverse" force-constants, 1=824
- Cyvin, S.J. See Cyvin, B.N., 4=1240
- Cyvin, S.J. See Kristiansen, L., 4=3839
- Cyvin, S.J. See Meisingseth, E., 2=18434
- Cyvin, S.J. See Morino, Y., 2=10267
- Czachor, A. Fraunhofer diffraction at $0^\circ K$ of field emitted electrons passing through an infinite slit, 4=19106
- Czachor, A. Longitudinal modes of a linear chain with many neighbours interactions, 4=20179
- Czachor, A. and Piekoszewski, J. Effect of reactor fast neutrons on electron-hole recombination in germanium, 1=14442
- Czachor, A. See Piekoszewski, J., 4=12900
- Czachowska, Z. See Bartke, J., 1=13550
- Czaja, W. Thermodynamic theory of irreversible processes, 2=2643
- Czaja, W. Theory of the energy required for the production of electron-hole pairs in semiconductors of Group IV, 2=6436
- Czaja, W. and Gränacher, I. A relation between the gap energy and the dielectric constant in semiconductors of diamond structure, 4=12867
- Czaja, W. See Adolph, J., 4=1690
- Czaja, W. See Baldinger, E., 1=13052
- Czaja, W. See Baldinger, E., 2=6478
- Czaja, W. See Baldinger, E., 2=9744
- Czaja, W. See Baldinger, E., 3=10859
- Czaja, W. See Bilger, H., 3=25307
- Czajkowski, M. and Opanowicz, A. Influence of the activation temperature on spectral distribution of photosensitivity of Czajkowski, M. See Bączynski, A., 0=3537
- Czajkowski, M. See Baczynski, A., 1=2762
- Czajkowski, M. See Baczynski, A., 1=6398
- Czajkowski, M. See Baczynski, A., 3=904
- Czajkowski, M. See Bączynski, A., 4=28639
- Czan Czum Da, Rauluszkiewicz, J. and Wardziński, W. Some optical properties of heavily doped cadmium selenide single crystals, 3=915
- Czanderna, A.W. and Honig, J.M. The composition, resistivity, and thermoelectric power of cerium oxides below $500^\circ C$, 0=606
- Czanderna, A.W. and Wieder, H. Magnetic susceptibility of partially oxidized copper films at $25^\circ C$, 4=4329
- Czanderna, A.W. and Wieder, H. Erratum: Magnetic susceptibility of partially oxidized copper films at $25^\circ C$, 4=17625
- Czanderna, A.W. See Wieder, H., 2=6878
- Czapek, G., Kellner, G. and Pietschmann, H. Determination of the slope of the Pomeranchuk trajectory from high energy elastic scattering, 2=20266
- Czapek, G. See Breitenlohner, P., 4=6046
- Czapek, G. See Cvijanovic, G., 2=22515
- Czapek, G. See Cvijanovich, G.B., 2=5638
- Czapek, G. See Kellner, G., 2=18346
- Czapp, B. See Bartke, J., 3=22206
- Czapp, B. See Kellner, G., 2=18346
- Czarnecki, J. Parameters of radiation gauges, 2=5613
- Czarnecki, S. Spectral analysis of acoustic waves in the transitory region in a closed chamber, 0=14773
- Czarnecki, S. Anomalous phosphorescence of naphthalene in methyl methacrylate polymer, 1=20023

- Czarnota, I. See Baranowski, B., 4=23649
 Czarny, J. See Felenbok, P., 4=30439
 Czarycki, W. Obtaining ultra-high vacuum by means of getter-ion pumps, 2=15657
 Czech, J. See Fucks, W., 3=7276
 Czekajewski, J., Tove, P.A. and Grabowski, Z. A solid-state spectrometer for measuring the distribution of charged particles in aurorae, 4=17930
 Czekalla, J. Electric fluorescence polarization: the determination of dipole moments of excited molecules from the degree of polarization of fluorescence in strong electric fields, 1=9396
 Czekalla, J., Briegleb, G. and Herre, W. Fluorescence and absorption spectra of molecular compounds in glassy solutions at low temperatures, 0=3262
 Czekalla, J., Briegleb, G., Herre, W. and Vahlensieck, H.J. Phosphorescence spectra and decay times of aromatic hydrocarbons and their donor acceptor complexes, 0=662
 Czekalla, J., Liptay, W. and Döllefeld, E. Anisotropy of fluorescence and phosphorescence. Naphthalene and some halogen derivatives, 4=13101
 Czekalla, J., Liptay, W. and Meyer, K.-O. Effect on the fluorescence of molecules of an external electric field. II. Determination of the dipole moments of excited molecules, 3=22528
 Czekalla, J. and Wick, G. The determination of the absolute transition moment directions and of the dipole moments of excited molecules from measurements of the electrical dichroism. II. Results, 2=20780
 Czekalla, J. See Liptay, W., 1=14118
 Czekalla, J. See Liptay, W., 2=8101
 Czepa, O. On harmonic analysis of observed sequences, 3=21199
 Czerlinski, G. Versatile temperature jump apparatus for following chemical relaxations, 3=5158
 Czerlinsky, E.R., Johnson, A.D. and Schwutke, G.H. New studies on insulating and semiconducting diamonds, 3=22944
 Czerniewski, M., Dabek, W., Rzeszot, T. and Warda, E. Void coefficient measurements in "EWA" reactor, 4=1154
 Czerniewski, M. See Chernevski, M.
 Czerny, M. A procedure for simplified evaluation of the Planck radiation law, 1=18661
 Czerny, M. See Bruder, C., 2=7356
 Czerwonko, J. Asymptotic behaviour of higher factorial moments of electron-photon cascades at large depths, 0=5545
 Czerwonko, J. Equations for multi-component lattice gas (one parameter theory), 0=6009
 Czerwonko, J. On the generalization of the variational method of Bogoljubov, 1=71
 Czerwonko, J. On a generalization of Peierl's theorem, 1=2711
 Czerwonko, J. On the asymptotical formula for the thermo-dynamical potential of Fermi particles, 1=15729
 Czerwonko, J. Quantum statistical mechanics of antiferromagnetics. I, 3=5027
 Czerwonko, J. Quantum statistical mechanics of antiferromagnetics. II, 3=8693
 Czerwonko, J. On thermodynamic Green's functions of the isotropic ferromagnetic with an arbitrary maximal spin, 3=18064
 Cziffra, P. and Moravcsik, M.J. Determination of the pion-nucleon coupling constant from n - p scattering angular distribution, 0=1297
 Czirr, J.B. Determination of π -meson masses by neutron time of flight, 3=10144
 Czirr, J.B. The α/β ratio of several organic scintillators, 4=11853
 Czirr, J.B. See Haddock, R.P., 0=2569
 Czjzek, G., Seeger, A. and Mader, S. Stability of stacking fault tetrahedra in quenched f.c.c. metals and alloys, 2=14450
 Czubek, J., Florkowski, T., Górski, L. and Zuber, A. Comparison of spectra obtained for various measurement parameters in a single-channel automatic gamma-ray spectrometer, 2=3305
 Czubek, J.A. Neutron-neutron well logging theory. I. Epithermal neutron distribution in the cylindrical geometry, 3=10118
 Czudek, H. Strength of an unlimited disc with a rigid medium, 1=87
 Czulijs, W., Engler, H.D. and Kuckuck, H. Semiconductor-insulating layer counters, 2=16093
 Czulijs, W., Engler, H.D. and Kuckuck, H. Semiconductor barrier-film counters, 4=3250
 Czyż, P. See Kawski, A., 3=21378
 Czyż, W. On the microscopic theory of giant dipole resonance, 2=3547
 Czyż, W. Production of photons in high energy pion-nucleon collisions, 2=9898
 Czyż, W. Inelastic electron scattering from nuclei and single-particle excitations, 3=24858
 Czyż, W. and Glashow, S.L. Multiple production of mesons in pion-nucleon collisions, 1=3200
 Czyż, W. and Gottfried, K. The momentum distribution in a dilute Fermi gas at zero temperature, 1=4780
 Czyż, W. and Gottfried, K. Inelastic electron scattering from fluctuations in the nuclear charge distribution, 3=8080
 Czyż, W., Ericson, T. and Glashow, S.L. A new model for multiple meson production at high energies, 0=3979
 Czyż, W. and Walecka, J.D. Neutrino production of Lepton pairs, 4=11973
 Czyż, W. and Walecka, J.D. Electro-production of pions from nuclei, 4=12208
 Czyzak, S.J., Bow, N. and Payne, H. On the tensile stress-strain relation and the Bauschinger effect for polycrystalline materials from Taylor's model, 1=20320
 Czyzak, S.J. and Krueger, T.K. Forbidden transition probabilities for some P, S, Cl, and A ions, 3=25055
 Czyzak, S.J. and Krueger, T.K. On the calculation of electron excitation cross sections for forbidden lines occurring in gaseous nebulae, 4=25518
 Czyzak, S.J., Manthuruthil, J.C. and Reynolds, D.C. Etch pit studies of ZnS crystals, 2=2351
 Czyzak, S.J. See Bieniewski, T.M., 3=13152
 Czyzak, S.J. See Payne, H., 1=1311
 Czyzak, S.J. See Reynolds, D.C., 0=1584
 Czyżewski, O. Multiple meson production in 7 GeV π^- -carbon nucleus collisions, 3=4659
 Czyżewski, O., Danysz, J. and Strugalski, Z. Photon energy measurement in xenon bubble chamber in the energy interval 20-1000 MeV, 4=19464
 Czyżewski, O. and Krzywicki, A. A phenomenological study of very-high energy collisions. Angular distribution of secondaries in jets, 4=5943
 Czyżewski, O. and Łoskiewicz, J. Production of neutral pions in the interactions of 8.4 GeV/c π^- mesons with Xe nuclei, 3=2483
 Czyżewski, O. and Łoskiewicz, J. π^0 -meson production in 8.4 GeV/c π^- -xenon nucleus collision, 3=7892

- Daams, H. See Holuj, F., 2=16019
 Daane, A. H. See Baudry, E. J., 4=5443
 Daane, A. H. See Hanak, J. J., 1=10247
 Daane, A. H. See Johnson, R. W., 3=8330
 Daane, A. H. See Miller, A. F., 3=18685
 Daane, A. H. See Miller, A. E., 4=23265
 Daane, A. H. See Smidt, F. A., Jr., 3=13033
 Daane, A. H. See Wunderlin, W. J., 4=13459
 Dabbs, J. W. T., Roberts, L. D. and Parker, G. W. Alpha-particle and fission anisotropies from oriented actinide nuclei, 0=11341
 Dabbs, J. W. T. See Hanauer, S. H., 2=393
 Dabbs, J. W. T. See Roberts, L. D., 1=8791
 Dabbs, J. W. T. See Walter, F. J., 0=12725
 Dabbs, J. W. T. See Walter, F. J., 1=3089
 Dabek, W. Ion current chambers used in the control of nuclear reactors, 1=763
 Dabek, W. See Czerniewski, M., 4=1154
 Dabek, W. See Łabno, L., 2=3362
 Dabosi, F. Several micrographic observations of Weiss domains in zone-refined iron, 2=6667
 Dabosi, F. and Dubois, B. The magnetic properties of zone-melted iron. The influence of small additions of carbon, 2=12764
 Dabosi, F., Epelboin, I. and Talbot, J. The magnetization of specimens of zone-melted iron of thickness less than the mean width of Weiss domains, 2=8635
 Dąbrowska-Gawda, H. See Dombrowska-Gawda, Kh.
 Dabrowski, J. Scattering of particles on heavy nuclei and the nucleon-nucleon correlations, 1=5901
 Dabrowski, J. On the role of one-pion exchange in nuclear structure problems, 3=622
 Dabrowski, J. The energy and isotropic spin dependence of the nuclear optical model potential, 4=12112
 Dabrowski, J. and Rohoziński, G. On the complex effective mass in the calculation of the optical model potential, 3=6231
 Dabrowski, J. and Sawicki, J. The medium and high energy optical model and the correlations in the nuclear wave function, 0=4086
 Dąbrowski, J. and Sawicki, J. The high energy optical model and nuclear forces, 1=5814
 Dabrowski, J. and Sobiczewski, A. The effect of the exclusion principle on the real part of the optical potential, 1=9795
 Dąbrowski, J. and Sobiczewski, A. On the optical model for the nucleon-nucleus scattering, 1=17089
 Dabrowski, J. and Sobiczewski, A. The isotopic spin dependence of the nuclear optical model potential, 3=19749
 Dabrowski, J., Sobiczewski, A. and Zielińska, M. Calculation of the optical potential with the nucleon-nucleon phase shifts, 2=1868
 Dabrowski, J., Sobiczewski, A. and Zielińska, M. Calculation of the optical potential with the nucleon-nucleon phase shifts in the Thomas-Fermi approximation, 2=10093
 Dabrowski, J. See Borysowicz, J., 2=1910
 Dabrowski, J. See Borysowicz, J., 2=14124
 Dąbrowski, J. See Borysowicz, J., 3=4661
 Dabrowski, J. See Brueckner, K. A., 4=19633
 Dacey, G. C. See Batdorf, R. L., 0=11703
 Dacey, G. C. See Batdorf, R. L., 0=11714
 Dacey, J. R. and Edwards, M. H. Adsorption of helium four on saran charcoal at temperatures below 5° K, 4=13690
 Dacey, J. R., Frohnsdorff, G. J. C. and Gallagher, J. T. The effects of adsorbed water on the electrical resistance and the length of saran charcoal rods—a preliminary account, 4=30604
 Dachelet, P. See de Hemptinne, M., 4=9747
 Dachert, F. and Schmouchkovitch, A. Measurement of permeability tensor of ferrites at 3000 and 8500 Mc/s, 1=7116
 Dachille, F. Axis changes in the earth from large meteorite collisions, 3=21022
 Dachille, F. and Glasser, L. S. D. High pressure forms of BPO_4 and BaSO_4 ; quartz analogues, 0=2231
 Dachille, F. See Gallant, R., 4=20846
 Dachille, F. See Myers, M. B., 3=16469
 Dachs, H. Determination of hydrogen positions in manganite, MnOOH , by neutron diffraction, 3=1335
 Dachs, H. The magnetic structure of manganite MnOOH at 4.2° K, 4=28770
 Dachs, J. Short report on American, English and French work on the use of image storage tubes and image intensifiers in astronomical observations, 1=5126
 Dachselt, W. D. and Pfefferkorn, G. Growth of cupric oxide needles and the determination of their rate of growth, 0=16277
 Da Costa, R. C. T. On the diffraction of a pulse by a half-plane, 2=17957
 Da Costa, R. C. T. On the diffraction of a pulse at the open end of a parallel-plate waveguide, 2=17961
 da Costa, R. C. T. On fluctuations in statistical mechanics, 4=18081
 Da Cruz, M. T. See Lattes, C. M. G., 3=15058
 Da Cruz, M. T. See Lattes, C. M. G., 4=25231
 Dacus, E. N. See Scott, F. R., 2=22034
 Dacus, E. N. See Stern, M. O., 1=4615
 Dadda, L. Circuits to increase the speed of carry propagation in parallel adders, 0=16512
 Daddi, L. Determination of the end-point energy of a β -spectrum by the absorption coefficient in aluminium, 2=9825
 Daddi, L. and D'Angelo, V. On the identification of β -emitters by absorption measurements, 3=12607
 Daddi, L. and D'Angelo, V. On the absorption of the β -particles in aluminium, 4=3390
 Daddi, L. and de Franceschi, L. Influence of the humidity on the spark formation in Rosenblum counters, 1=13212
 Dadić, Z. On the application of the supposition of the uniform velocity in a straight line at determination of the orbits of comets, 3=18586
 Dadivanyan, A. K. See Frisman, E. V., 4=22444
 Dadivanyan, A. K. See Frisman, E. V., 4=25788
 Dadykin, V. L. Large Cherenkov detector of cosmic radiation, 4=962
 Dadykin, V. L. See Chudakov, A. E., 2=20460
 Dae Hyun Chung, Swica, J. J. and Crandall, W. B. Relation of single-crystal elastic constants to polycrystalline isotropic elastic moduli of MgO , 4=13426
 Daehler, M. See Ring, J., 4=23903
 Daehnick, W. and Sherr, R. Pulse shape discrimination in stilbene scintillators, 1=10813
 Daehnick, W. W. Neutron polarization in the reaction $\text{D}(d,n)\text{He}^3$ at $E_d = 8.2$ MeV, 0=443
 Daehnick, W. W. Elastic and inelastic scattering of 13- to 19-MeV protons by O^{16} , 4=28024
 Daehnick, W. W. and Sherr, R. Energy dependence of elastic and inelastic scattering from C^{12} for protons between 14 and 19 MeV, 4=12213
 Daehnick, W. W. See Fulmer, R. H., 4=19821
 Daehnick, W. W. See Schrank, G., 2=20609
 Dael, W. Van. See Van Dael, W.
 Daen, J. and de Boer, P. C. T. Some studies on argon, helium and carbon dioxide, with an integrated-Schlieren instrumented shock tube, 2=7244
 Daev, D. S., Serdinov, A. I. and Tarkhov, A. G. Model simulation of problems bearing upon the method of radiowave sounding, 4=8940
 Daev, D. S. See Karandejev, K. B., 4=29256
 Dafler, J. R. A note on specific impulse and rocket performance, 3=1545
 Dagai, M. Techniques and apparatus for the measurement of plasma densities of the order of 10^{14} electrons/cm³, 3=4149
 Dagai, M., Lecomte, J. and Rastoin, G. The proton synchrotron "Saturne". Magnetic triggering of the integrator, 0=2412
 Dagai, M. See Boulossier, J. C., 4=11589
 Dagai, M. See Consoli, T., 0=7112
 Dagai, M. See Consoli, T., 0=7113
 Dagai, M. See Consoli, T., 1=9597
 Dagai, M. See Consoli, T., 2=1418
 Dagai, M. See Consoli, T., 3=4145
 Dagai, M. See Consoli, T., 3=4150
 Dagens, L. See Coste, J., 0=12635
 Dagens, L. See Coste, J., 3=14647
 Dagg, I. R. and Reesor, G. E. A wave-guide method of measurement of the dielectric constant of low-loss liquids, 3=21676
 Dagg, I. R. See Embleton, T. F. W., 0=5106
 Dagg, I. R. See Embleton, T. F. W., 2=15712
 Dagg, M. The origin of the ionospheric irregularities responsible for radio-star scintillations and spread-F—I. Review of existing theories, 0=769
 Dagg, M. The origin of the ionospheric irregularities responsible for radio-star scintillations and spread-F—II. Turbulent motion in the dynamo region, 0=770
 Dagher, M. L. See Velasco, R., 4=22301
 Dagis, R. S., Rudzikas, Z. B., Katilyus, R. V. and Yutsis, A. P. Calculation of two-electron matrix elements of the orbit-orbit interaction operator, 4=22282

- Dagis, R.S., Rudzikas, Z. B., Vizbaraitė, Ya. I. and Yutsis, A. P. Effect of the orbit-orbit interaction in the case of equivalent electrons, 4=19929
- Dagkesanskii, P.D. and Korchak, A. A. The determination of distances to radio sources, 4=2453
- Dagley, P., Grace, M.A., Gregory, J.M. and Hill, J.S. Nuclear alignment of manganese-56, 0=9515
- Dagley, P., Haerberli, W. and Saladin, J.X. The $C^{13}(p,n)N^{13}$ reaction cross section from threshold to 13 MeV, 1=8729
- Dagley, P., Haerberli, W., Saladin, J.X. and Borchers, R.R. The neutron yield from the $C^{13}(pn)N^{13}$ reaction, 1=8715
- Dagliana, M.G., Della Corte, M. and Tocci-Cecchi, L. Photometric track profiles of heavy relativistic nuclei, 2=3233
- Dagliana, M.G. See Bizzeti, P.G., 3=7847
- Dagliana, M.G. See Cartacci, A.M., 2=3316
- Daglish, H.N. Passage of current through the glass envelope of a receiving-type valve, 0=17036
- Daglish, H.N. See Conn, G.K.T., 0=19230
- Dagnac, R. See Blanc, D., 4=5259
- Dagnac, R. See Blanc, D., 4=18291
- Dagonnier, R. See Résibois, P., 4=2596
- Dagonnier, R. See Résibois, P., 3=22885
- Dagonnier, R. See Résibois, P., 4=25988
- Daguillon, J. See Barbier, D., 1=7942
- Dahake, S.L. See Jain, S.C., 3=12962
- Dahake, S.L. See Jain, S.C., 4=17467
- Dahanayake, C., Fernando, P.C.B. and Kannangara, M.L.T. The flux of primary cosmic ray α -particles, 3=19722
- Dahl, A.I. Effective heat sinks in cryogenic devices, 4=11443
- Dahl, A.J. See Weigang, O.E., Jr., 1=12278
- Dahl, H. See Soonpaa, H.H., 4=8593
- Dahl, L.F., Martell, C. and Wampler, D.L. Structure of and metal-metal bonding in $Rh(CO)_2Cl$, 1=11573
- Dahl, L.F. and Rundle, R.E. The crystal structure of dimanganese decacarbonyl, $Mn_2(CO)_{10}$, 3=13489
- Dahl, L.F. and Wampler, D.L. The crystal structure of α -niobium tetraiodide, 2=21518
- Dahl, O., Horwitz, N., Miller, D. and Murray, J. Production of Σ^0 and Λ hyperons by Σ^- capture in deuterium, 0=5617
- Dahl, O., Horwitz, N., Miller, D. and Murray, J. Upper limit for production of Σ^+n hyper-fragments by K^- capture in deuterium, 0=11327
- Dahl, O., Miller, D., Murray, J.J. and Horwitz, N. K^- interactions in deuterium: π^-p Y final states, 3=7921
- Dahl, O. See Berge, J.P., 1=10932
- Dahl, O.I., Horwitz, N., Miller, D.H., Murray, J.J. and White, P.G. Influence of the $\Lambda\pi$ resonance on correlations in the reaction $K^- + d \rightarrow \Lambda + \pi^- + p$, 1=5781
- Dahl, O.I. See Alexander, G., 3=7924
- Dahl, O.I. See Bastien, P.L., 2=22608
- Dahl, O.I. See Chung, S.U., 4=25160
- Dahl, O.I. See Cork, B., 2=18113
- Dahl, O.I. See Kalbfleisch, G.R., 3=17349
- Dahl, O.I. See Kalbfleisch, G.R., 4=27891
- Dahl, O.I. See Miller, D.H., 3=19698
- Dahl, O.I. See Smith, G.A., 4=21918
- Dahl, P. See Bisgard, K.M., 3=10318
- Dahl, P.F., Costello, D.G. and Walter, W.L. Aluminium (d, γ) resonances with H^+ , H^+ and H^+ ions, 1=691
- Dahl, P.F. See Bjerregaard, J.H., 4=15155
- Dahl, R.E. and Yoshikawa, H.H. Neutron-spectra calculations for radiation-damage studies, 4=17231
- Dahl, R.E. See Prevo, P.R., 4=28091
- Dahl-Jensen, E. Automatic silver concentration control for nuclear emulsion fixing baths, 1=2000
- Dahl-Jensen, E. Investigations on hypersensitized Ilford emulsion, 1=13257
- Dahl-Jensen, E., Gailloud, M., Lock, W.O. and Vanderhaeghe, G. Two modes of measuring spurious scattering in nuclear emulsion, 2=5553
- Dahl-Jensen, E. and Skrzypczak, E. The influence of heating on fading in nuclear emulsions, 2=11845
- Dahl-Jensen, E. See Hooper, J.E., 0=15211
- Dahlberg, E. On the one-dimensional flow of a conducting gas in crossed fields, 2=3146
- Dahlberg, E. On radial flow of a conducting gas in crossed fields, 3=12306
- Dahlberg, E. Quasi-one-dimensional analyses of magnetohydrodynamic channel flows, 3=14752
- Dahlberg, E. An attempt at a one-dimensional treatment of the flow in a Hall-effect MHD-generator channel, 3=14760
- Dahlberg, E. An attempt at a one-dimensional treatment of the flow in a Hall-effect m.h.d.-generator channel, 3=17045
- Dahlberg, E. On the stellar-wind equations, 4=29388
- Dahlberg, E.P. Characteristics of twinning on fracture surfaces of single and polycrystalline tungsten, 3=18210
- Dahlberg, P., Carnahan, R.D. and Brittain, J.O. Dislocation damping in magnesium oxide crystals at low frequencies, 3=3214
- Dahlberg, R., Jirlow, K. and Johansson, E. Measurements of some resonance activation integrals, 2=7994
- Dahlblom, T., Fogel, K. G., Qvist, B. and Törn, A. Investigation of some long-range force corrections to the ground-state energy of nuclear matter, 4=27938
- Dahlborg, U. See Larsson, K.E., 0=7387
- Dahlborg, U. See Larsson, K.E., 1=4966
- Dahlborg, U. See Larsson, K.E., 2=10321
- Dahlborg, U. See Larsson, K.E., 4=27165
- Dahler, J.S. Angular momentum transport in quantum statistical mechanics, 3=7139
- Dahler, J.S. and Cohen, E.G.D. A cell-cluster theory for the liquid state. VI. Binary liquid solutions and hole theory, 1=5269
- Dahler, J.S., Franklin, J.L., Munson, M.S.B. and Field, F.H. Rare-gas molecule-ion formation by mass spectrometry. Kinetics of Ar_2^+ , Ne_2^+ and He_2^+ formation by second- and third-order processes, 2=16569
- Dahler, J.S. and Hirschfelder, J.O. "Improved" free-volume theory of liquids. II, 0=3508
- Dahler, J.S. and Sather, N.F. Kinetic theory of loaded spheres. I, 3=16654
- Dahler, J.S. and Scriven, L.E. Angular momentum of continua, 2=1087
- Dahler, J.S. and Scriven, L.E. Theory of structured continua. I. General consideration of angular momentum and polarization, 3=23781
- Dahler, J.S. See Becker, P.M., 3=19951
- Dahler, J.S. See Becker, P.M., 4=30388
- Dahler, J.S. See Chung, H.S., 3=1676
- Dahler, J.S. See Chung, H.S., 4=18171
- Dahler, J.S. See Condiff, D.W., 4=18136
- Dahler, J.S. See Curtiss, C.F., 3=16653
- Dahler, J.S. See O'Toole, J.T., 0=6698
- Dahler, J.S. See O'Toole, J.T., 0=18977
- Dahler, J.S. See O'Toole, J.T., 0=19195
- Dahler, J.S. See O'Toole, J.T., 4=6662
- Dahler, J.S. See Sather, N.F., 2=1198
- Dahler, J.S. See Sather, N.F., 2=15537
- Dahler, J.S. See Sather, N.F., 3=1724
- Dahlquist, J.A. Back diffusion of electrons in nitrogen, hydrogen, and argon, 3=5693
- Dahlquist, J.A. Drift velocities of ions in nitrogen, 3=24221
- Dahlquist, J.A. See Varney, R.N., 4=14578
- Dahlström, J. See Brimberg, S., 3=4687
- Dahmen, H.D. and Schaarschmidt, A. Calculation of response and resolution of a Compton-coincidence scintillation spectrometer, 2=9740
- Dahmouch, E.S. See Lamble, J.H., 0=4398
- Dahn, C.C. See Page, T., 2=7023
- Dähne, S. Visible and infrared spectra of photographically active dyes adsorbed on silver halides, 2=9411
- Dähne, S. On the origin of photographic desensitisation, 4=16260
- Dähne, S., Frenzel, G. and Seiwert, R. Spectral analytical determination of the chromium content of Al_2O_3 - Cr_2O_3 mixed crystals, 2=862
- Dähne, S. and Leupold, D. The anomalous bathochromic shift in Wurster salts, 4=6639
- Dähne, W. See Hoppe, R., 2=21519
- Dai Ca Nguyen. See Nakamura, T., 2=5913
- Dai Ca Nguyen. See Yanabu, T., 2=8007
- Dai Ca Nguyen. See Yanabu, T., 2=16425
- Dai Guǐ-Lyan. See Sanin, A.A., 4=16758
- Dai, Y.B., Ho, T.H. and Tzu, H.Y. The effect of the structure of the nucleon on the capture of μ -meson by proton, 0=356
- Dai Yuan-beng. Effects of the weak interaction on the electromagnetic properties of leptons, 3=24600
- Dai Yuan-ben. The radiative decay of an ω particle, 4=16962
- Dai Yuan-ben. See Chen Shih, 3=24712
- Dai Yuan-beng. See Chang Li-ning, 3=24799
- Dai Yuang-beng. See Chen Shih, 4=893
- Daiber, J.W. and Williams, M.J. Transition probabilities for nitric oxide in the far ultraviolet, 2=8108
- Daiber, J.W. See Freedman, E., 1=7904
- Daich, A.R., Tsirlin, Yu.A. and Pargamanik, L.É. Passage of light through optical waveguides, 0=14807
- Daich, A.R. See Tsirlin, Yu.A., 2=15748

- Daigre, J. See McGlynn, S. P., 4=10231
- Dailey, B. P. Halogen bond character in the alkyl halides, 1=2341
- Dailey, B. P. See Cavanaugh, J. R., 1=6048
- Dailey, B. P. See Cavanaugh, J. R., 1=6049
- Dailey, B. P. See Gordon, S., 1=8141
- Dailey, B. P. See Jonathan, N., 2=14328
- Dailey, B. P. See Martin, J., 3=4779
- Dailey, B. P. See Martin, J. S., 4=1316
- Dailey, B. P. See Neikam, W. C., 3=8297
- Dailey, B. P. See Rothschild, W. G., 2=14266
- Dailler, M. See Déjardin, G., 1=7675
- Dailler, M. See Déjardin, G., 3=2978
- Dailler, M. See Déjardin, G., 3=25837
- Daino, B. See Bertolotti, M., 4=30077
- Dainoff, M. J. See Onley, J. W., 3=11642
- Dainton, F. S. See Collinson, E., 0=18438
- Dainton, F. S. See Collinson, E., 2=4555
- Dainton, F. S. See Collinson, E., 2=4556
- Dainton, F. S. See Collinson, E., 2=4557
- Daion, M. I. Energy losses of fast μ -mesons in thick layers of matter, 1=4817
- Daion, M. I. and Klimanova, L. F. On the "air" spark chambers for the recording of particle showers, 4=14959
- Daion, M. I. and Leksin, G. A. Spark detectors for charged particles, 4=14958
- Daion, M. I. and Volynskii, V. Kh. Measurement of the momenta of fast charged particles and investigation of nuclear interactions in the 10^{10} - 10^{12} eV energy range, 0=12805
- Daion, M. I., Volynskii, V. Kh. and Potapov, L. I. A telescope of spark counters in a magnetic field as a means of measuring the momentum of a fast charged particle, 2=17989
- Daion, M. I. See Volynskii, V. Kh., 2=20215
- Daion. See Dayon, M. I.
- Dairaku, J. See Takagi, T., 3=291
- Daire, M. and Boissier, J. Reactivity anomalies in alloys of Fe-Al and Co-Al at the Curie point of the magnetic component, 3=11337
- Daire, M. and Forestier, H. Anomaly in reactivity in the system cobalt-palladium at the Curie point for cobalt, 3=20982
- Dais, C. F. See Shine, H. J., 3=20013
- Daitch, P. B. and Ebeoglu, D. B. Asymptotic and transient analysis of pulsed moderators, 4=6444
- Daitch, P. B. See Ohanian, M. J., 4=25107
- D'Aiuto, C. T. Explorer XVI yields first meteoroid-
- Daiyasu, K., Kobayakawa, K., Murota, T. and Nakano, T. On hard showers produced by μ -mesons, 2=12080
- Daiyasu, K., Kobayakawa, K., Murota, T. and Nakano, T. Comments on standpoint for analyses of hard showers by μ -mesons, 3=4531
- Daiyasu, K., Kobayakawa, K., Yajima, N. and Yokomi, H. A semi-phenomenological approach to multiple meson production 2=11968
- Daiyasu, K., Kobayakawa, K., Yajima, N., Yokomi, H., Kobayashi, T., Mori, K. and Yomeyama, T. A semi-phenomenological approach to multiple meson production, 3=12530
- Daiyasu, K. and Sugano, R. $K^+ - K^0$ mass difference, 1=3229
- Daiyasu, K. See Kobayakawa, K., 3=17366
- Dakhno, L. G. See Anisovich, V. V., 3=22096
- Dakhno, L. G. See Anisovich, V. V., 4=19441
- Dakhno, L. G. See Anisovich, V. V., 4=19554
- Dakhno, L. G. See Anisovich, V. V., 4=21898
- Dakhovskii, I. V. Anisotropic scattering of electrons in Ge and Si, 4=1424
- Dakhovskii, I. V. Calculation of thermomagnetic coefficients for semiconductors, 4=6938
- Dakhovskii, I. V. See Samoilovich, A. G., 1=17703
- Dakhovskii, I. V. See Samoilovich, A. G., 1=19858
- Dakhovskii, I. V. See Samoilovich, A. G., 2=3893
- Dakhovskii, I. V. See Samoilovich, A. G., 2=6440
- Dakhovskii, I. V. See Samoilovich, A. G., 2=8202
- Dakhovskii, I. V. See Samoilovich, A. G., 2=10454
- Dakin, T. W. and Berg, D. Luminous spots on electrodes in insulating oil gaps, 0=3541
- Dakin, T. W. and Berg, D. Theory of gas breakdown, 2=19927
- Dakin, T. W. and Works, C. N. Gas discharges in insulating systems at pressures between atmospheric and high vacuum, 4=20957
- Dakovski, M. See Khvashchevskaya, Ya., 4=19331
- Dakowski, M. and Sowiński, M. Low-noise charge-sensitive pre-amplifier for use with semiconductor radiation detector, 4=3251
- Dakowski, M. See Chwaszczewska, J., 4=9015
- Dakowski, M. See Sowiński, M., 4=3682
- D'Alagni, M., De Santis, P., Liquori, A. M. and Mazzarella, L. On the solid state polymerization of trioxane, 4=23659
- Dalby, E. W. See Bennett, R. G., 0=7777
- Dalby, F. W. See Bennett, R. G., 0=15698
- Dalby, F. W. See Bennett, R. G., 2=3761
- Dalby, F. W. See Bennett, R. G., 4=12456
- Dalby, F. W. See Dayton, I. E., 0=15754
- Dalby, F. W. See Paul, D. E., 2=20882
- Dale, B. and Smith, F. P. Spectral response of solar cells, 1=10067
- Dale, D., Hodgkin, D. C. and Venkatesan, K. The determination of the crystal structure of factor V IA, 4=23505
- Dale, E. B. and Senecal, G. Annealing effects in evaporated InSb films, 2=16726
- Dale, E. B., Senecal, G. and Huebner, D. Evaporation techniques and properties of InSb films, 4=20808
- Dale, J. R. and Josh, M. J. Alloys for GaAs devices, 4=12924
- Dale, J. W. G. A beta-gamma ionization chamber for substandards of radioactivity. II. Instrument response to gamma radiation, 1=13209
- Dale, J. W. G., Perry, W. E. and Pulfer, R. F. A beta-gamma ionization chamber for substandards of radioactivity. I. Uses and calibration, 1=13208
- Dale, J. W. G. See Axton, E. J., 4=25102
- Dale, J. R. Defects in epitaxially vapour grown germanium deposits, 2=19062
- D'Alessio, J. T., Ludwig, P. K. and Burton, M. Ultraviolet lamp for the generation of intense, constant-shape pulses in the subnanosecond region, 4=24358
- Daley, H. L. See Medved, D. B., 4=10077
- Daley, J. T. See Sodha, M. S., 4=10933
- Dalfes, A. A mean square stability criterion for nuclear reactors, 4=6412
- Dalfes, A. The Fokker-Planck and Langevin equations of a nuclear reactor, 4=9605
- Dalfes, A. The correlation function and power spectral density of nuclear reactors, 4=17224
- Dalfes, A. See Akcasu, A. Z., 1=17202
- Dalgarno, A. The altitudes and excitation mechanisms of the night airglow, 0=4806
- Dalgarno, A. Perturbation theory for atomic systems, 0=9729
- Dalgarno, A. The correlation energies of the helium sequence, 0=9739
- Dalgarno, A. Low energy stopping power of atomic hydrogen, 0=9755
- Dalgarno, A. The stopping powers of atoms, 1=3522
- Dalgarno, A. Spin-change cross-sections, 1=17290
- Dalgarno, A. Charged particles in the upper atmosphere, 2=880
- Dalgarno, A. Transport properties of atomic hydrogen, 2=2770
- Dalgarno, A. Perturbation theory calculations, 2=3680
- Dalgarno, A. Intermolecular potentials for ionic systems, 2=3716
- Dalgarno, A. Rayleigh scattering near an absorption line, 4=327
- Dalgarno, A. Sum rules and atomic structure, 4=12348
- Dalgarno, A. Intermolecular forces, 4=12537
- Dalgarno, A. Corpuscular radiation in the upper atmosphere, 4=17922
- Dalgarno, A. Inelastic heavy particle collision processes, 4=25578
- Dalgarno, A., Davison, W. D. and Stewart, A. L. The quadrupole polarizabilities and nuclear shielding factors of the helium sequence, 0=20545
- Dalgarno, A. and Ewart, R. W. Sum rules for the oscillator strengths of H^- , 2=20741
- Dalgarno, A. and Griffing, G. W. Energy per ion pair for electron and proton beams in atomic hydrogen, 0=8984
- Dalgarno, A. and Henry, R. J. W. Spin-change cross sections between hydrogen atoms, 4=9677
- Dalgarno, A. and Henry, R. J. W. Transport properties and scattering in molecular gases, 4=25764
- Dalgarno, A., Henry, R. J. W. and Stewart, A. L. The photo-ionization of atomic oxygen, 4=19978
- Dalgarno, A. and Kingston, A. E. The refractive indices and verdet constants of the inert gases, 1=8164
- Dalgarno, A. and Kingston, A. E. Van der Waals forces for hydrogen and the inert gases, 1=17289
- Dalgarno, A. and McNamee, J. M. The Hartree perturbation method for helium, 1=9805
- Dalgarno, A. and McNamee, J. M. Calculation of polarizabilities and shielding factors, 2=1954
- Dalgarno, A. and Parkinson, D. The polarizabilities of atoms from boron to neon, 0=9736

- Dalgarno, A. and Parkinson, D. Photoionization of atomic oxygen and atomic nitrogen, 1=1888
- Dalgarno, A., Patterson, T. N. L. and Somerville, W. B. The hyperfine structure of the hydrogen molecular ion, 0=20647
- Dalgarno, A. and Smith, F. J. The thermal conductivity and viscosity of atomic oxygen, 2=9316
- Dalgarno, A. and Smith, F. J. The viscosity and thermal conductivity of atomic hydrogen, 2=11426
- Dalgarno, A. and Stewart, A. L. A perturbation calculation of oscillator strengths of HeH^{2+} , 0=7740
- Dalgarno, A. and Stewart, A. L. The relativistic and radiative corrections to the eigenvalues of the helium sequence, 0=9740
- Dalgarno, A. and Stewart, A. L. The screening approximation for the helium sequence, 0=20546
- Dalgarno, A. and Stewart, A. L. The Lamb shift of helium, 1=805
- Dalgarno, A. and Stewart, A. L. A perturbation-variation calculation of eigenvalues, 1=7430
- Dalgarno, A. and Williams, D. A. Raman and Rayleigh scattering of Lyman α by molecular hydrogen, 2=22968
- Dalgarno, A. and Williams, D. A. Rayleigh scattering by molecular hydrogen, 3=3587
- Dalgarno, A. See Allison, D. C. S., 3=4718
- Dalgarno, A. See Arthurs, A. M., 0=19620
- Dalgarno, A. See Arthurs, A. M., 0=20609
- Dalgarno, A. See Bernstein, R. B., 3=22611
- Dalgarno, A. See Cohen, M., 1=5966
- Dalgarno, A. See Cohen, M., 1=8806
- Dalgarno, A. See Cohen, M., 1=13919
- Dalgarno, A. See Cohen, M., 2=22881
- Dalgarno, A. See Cohen, M., 3=19920
- Dalgarno, A. See Cohen, M., 3=25052
- Dalgarno, A. See Cohen, M., 4=22278
- Dalhaye, M. See Gcunelle-Cras, M., 4=5388
- Dalinenko, N. K. See Vil'dgrube, G. S., 2=20019
- Dalinenko, N. K. See Vil'dgrube, G. S., 3=9837
- Dalitz, R. H. Strange particle decay processes and the Fermi interaction, 0=386
- Dalitz, R. H. The decay of strange particles, 1=8497
- Dalitz, R. H. K-nucleon bound state interpretation of the 1385 MeV $\pi^- \Lambda$ resonance, 1=9766
- Dalitz, R. H. On the strong interactions of the strange particles, 1=16912
- Dalitz, R. H. Hypernuclei and the hyperon-nucleon interaction, 2=1783
- Dalitz, R. H. Some topics in strange particle physics, 3=4462
- Dalitz, R. H. The Λ - Λ hypernucleus and the Λ - Λ interaction, 4=994
- Dalitz, R. H. and Liu, L. Pionic decay modes of light Λ hypernuclei, 0=2629
- Dalitz, R. H. and Miller, D. H. Bose statistics and Y^* production and decay in K^-p collisions, 1=10933
- Dalitz, R. H. and Rajasekharan, G. The spins and lifetimes of the light hypernuclei, 2=13974
- Dalitz, R. H. and Rajasekharan, G. Resonance poles and mass differences within unitary multiplets, 4=11924
- Dalitz, R. H. and Rajasekharan, G. The binding of Λ -hypernuclei, 4=12122
- Dalitz, R. H. and Setti, R. Some possibilities for unusual light hypernuclei, 4=6204
- Dalitz, R. H. and Tuan, S. F. The energy dependence of low energy K^- -proton processes, 0=379
- Dalitz, R. H. and Tuan, S. F. The phenomenological representation of K^- -nucleon scattering and reaction amplitudes, 0=15435
- Dalitz, R. H. and Von Hippel, F. Electromagnetic Λ - Σ^0 mixing and charge symmetry for the Λ -hyperon, 4=21948
- Dalitz, R. H. See Block, M. M., 3=22210
- Dalitz, R. H. See Chand, R., 3=608
- Dalkhazhav, N., Zlateva, A. I., Korbel, Z. F., Markov, P. K., Todorov, T. S., Tuvdendorzh, D., Chernev, Kh. M. and Shafranov, M. G. Elastic scattering of 4 GeV/c π mesons by protons, 4=25150
- Dalkhazhav, N. See Barachenkov, V. S., 0=4088
- Dalkhazhav, N. See Belyakov, V. A., 1=19244
- Dalkhazhav, N. See Van Shu-fen., 1=19182
- Dalkhazhav, N. See Van-Shu-Fen', 2=18043
- Dalkhazhav, N. See Zlateva, A. I., 4=27886
- Dalkhsuren, B., Levenberg, I. Yu., Murin, A. N., Norseev, Yu. V., Pokrovskii, V. P. and Yutlandov, I. A. Concerning the $Yb^{164} \rightarrow Tm^{164} \rightarrow Er^{164}$ decay chain, 2=14023
- Dalkhsuren, B., Levenberg, I. Yu., Norseev, Yu. V., Pokrovskii, V. N. and Khainatskii, S. S. The neutron-deficient isotope ^{155}Ho , 3=8048
- Dalkhsuren, B. See Abdurazakov, A., 1=646
- Dall, H. E. Maksutov telescopes, 4=2332
- Dalla Croce, L. See Baldini, G., 1=17580
- Dalla Croce, L. See Cappelletti, R., 3=22846
- Dallaporta, N. Some aspects of the problem of the heavy unstable particles, 0=7420
- Dallaporta, N. Baryon mass differences and isobar states, 2=253
- Dallaporta, N. Some aspects of the problem of the heavy unstable particles, 2=5588
- Dallaporta, N. Baryon mass differences and isobar states, 2=22463
- Dallaporta, N. and De Santis, V. Hypercharge independence of K interactions, 0=5605
- Dallaporta, N. and De Santis, V. On the electromagnetic form factors of mesons and baryons, 2=18143
- Dallaporta, N. and Pandit, L. K. Baryon mass-differences and symmetries of strong interactions, 0=17226
- Dallaporta, N. and Pandit, L. K. Parity conservation and baryon mass-differences in strong interactions, 1=5659
- Dallaporta, N. and Toyoda, T. On the transformation properties of strong interactions, 0=1244
- Dallaporta, N. See Bonometto, S., 2=20255
- Dallas, P. J. See Tillman, T. W., 4=15975
- Dallenbach, W. Mixed sustained and self-sustained discharge mechanism in shock-ionized argon, 4=8640
- Dalling, G. See Corbet, H. C., 4=30409
- Dall'olmo, U. Observations of Jupiter during the 1958 opposition, 2=6990
- Dall'olmo, U. Observations of Jupiter around the 1959 and 1960 oppositions, 3=18597
- Dallos, P. J. and Carhart, R. Cumulation of DL's for intensity change at low sensation levels, 3=18672
- Dallos, P. J. and Olsen, W. O. Integration of energy at threshold with gradual rise-fall tone pips, 4=20969
- Dally, E. See Bumiller, F., 2=282
- Dally, E. B. Electron-electron scattering at 500 MeV, 1=12081
- Dalman, G. C. and Wen, T. S. Laser-heated cathode, 4=16521
- Dalmas, J. and Garron, R. Optical scattering by thin films of magnesium, 4=2846
- Dalmas, J. See Garron, R., 4=22837
- Dalpiaz, P. See Cadwell, D. O., 4=15091
- Dalrymple, G. B. See Cox, A., 4=26866
- Dalseide, H. See Gjellestad, G., 3=11468
- Dalseide, H. See Gjellestad, G., 3=18571
- Dalsgaard, S. C. On the sensitivity of condenser microphones to a non-uniform pressure distribution on the diaphragm, 4=8327
- D'Alte da Veiga, L. M. The aluminium-rhenium and aluminium-technetium systems: the new phases ReAl_6 and TcAl_6 , 3=5115
- d'Alte da Veiga, L. M. The phase diagrams of the aluminium-rhenium and aluminium-technetium systems, 3=20882
- d'Alte da Veiga, L. M. and Walford, L. K. The aluminium-technetium system. The new phases TcAl_{12} , TcAl_4 and Tc_2Al_3 , 3=13520
- d'Alte da Veiga, L. M. See Forsyth, J. B., 2=15045
- d'Alte da Veiga, L. M. See Forsyth, J. B., 3=18333
- Dalton, A. W., Kirk, A., Parry, G. and Scott, H. D. The $^{51}\text{V}(\text{d}, \text{p})^{52}\text{V}$ reaction, 0=7577
- Dalton, A. W., Parry, G. and Scott, H. D. Gross structure in the proton spectra from the $^{51}\text{V}(\text{d}, \text{p})^{52}\text{V}$ reaction, 1=13851
- Dalton, A. W., Parry, G., Scott, H. D. and Swierszczewski, S. The $^{58}\text{Ni}(\text{d}, \text{p})^{59}\text{Ni}$ and $^{60}\text{Ni}(\text{d}, \text{p})^{61}\text{Ni}$ reactions, 1=9878
- Dalton, A. W., Parry, G., Scott, H. D. and Swierszczewski, S. The $^{56}\text{Mn}(\text{d}, \text{p})^{56}\text{Mn}$ reaction, 1=17145
- Dalton, G. R. Interaction of adjacent neutron detectors, 2=16208
- Dalton, G. R. and Kunaish, H. H. The beta self-shielding correction for 2π geometries, 4=19490
- Dalton, G. R. and Osborn, R. K. Flux perturbations by thermal neutron detectors, 2=5651
- Dalton, G. R. and Ritchie, R. H. Re: "Thermal neutron flux depression by absorbing foils" and "Flux perturbations by thermal detectors", 2=9859
- Dalton, M. L., Jr. Nonparallel light, plane grating monochromator, 2=19694
- Dalton, M. L., Jr. Slit-introduced errors in pressure-broadened line measurements, 4=5379
- Dalton, N. W., Domb, C. and Sykes, M. F. Dependence of critical concentration of a dilute ferromagnet on the range of interaction, 4=13140
- Dalton, R. H. Sealing with solder glass, 4=23990
- Dalven, R. Absorption edge in β -silicon carbide, 0=16062
- Daly, C. See Milberg, M. E., 4=7732
- Daly, N. R. Scintillation type mass spectrometer ion detector, 0=7260
- Daly, N. R. High sensitivity mass spectrometer leak detector, 0=12439

- Daly, N.R. See Wilson, H.W., 3=14685
 Daly, N.R. New type of positive ion detector for the simultaneous measurement of two beams, 4=3053
 Daly, N.R. See Wilson, H.W., 2=5389
 Daly, P. See Collins, J.H., 3=14773
 Daly, P. J., Rook, J. R. and Hodgson, P. E. Direct radiative proton capture reactions in cerium and bismuth, 4=28033
 Daly, P. J. and Shaw, P. F. D. Radiative proton capture cross-sections in heavy nuclei, 4=28032
 Daly, P. J. See Carroll, P. K., 2=3736
 Daly, R. and Sims, S. D. An improved method of mechanical Q-switching using total internal reflection, 4=30080
 Daly, R. A. and Hill, B. J. Basic semiconductor devices, 2=10498
 Dam, P. See Bjørnholm, S., 0=19843
 Damania, V. V. The double tetrahedron—a method of notation for Cph structures, 4=9961
 Damany, H. Electrical conductivity of thin films of gold deposited on a substrate of silicon, 0=7911
 Damany, H. Experimental study of the electrical conductivity of complex gold-silicon deposits obtained by evaporation in vacuum, 3=20331
 Damany, N. See Roncin, J. Y., 4=7160
 Damany, N. See Roncin, J. Y., 4=17584
 Damany, S. See Robin-Kandare, S., 0=19423
 Damany-Astoin, N., Sanson, L. and Bonnelle, M. C. On the absorption spectra of carbon dioxide in the extreme ultraviolet, 0=7781
 Damany-Astoin, N., Sanson, L., Romand, J. and Vodar, B. Absorption spectra of carbon dioxide, and nitrogen in the region, 160-1000 Å, 2=14286
 Damany-Astoin, N. See de Reillac, L., 4=15341
 Damany-Astoin, N. See Roncin, J. Y., 3=17528
 Damany-Astoin, N. See Schwob, J., 3=5680
 Damaschun, G. and Unangst, D. A new structure for silicone rubber, 3=3349
 Damasius, G. and Thodos, G. Reduced state correlation for the Enskog modulus of substances of simple molecular structure, 3=14096
 Damaschun, G. See Unangst, D., 2=23927
 Damask, A. C. Radiation effects in non-fissionable alloys, 2=21547
 Damask, A. C. Effects of neutron irradiation on non-fissionable alloys, 3=10702
 Damask, A. C. Recent progress in a theory of vacancy annealing in metals, 4=30555
 Damask, A. C. and Dienes, G. J. The production of vacancy clusters during cold work, 0=17953
 Damask, A. C. and Dienes, G. J. Theory of vacancy annealing in impure metals, 0=17957
 Damask, A. C. and Dienes, G. J. Kinetics of vacancy-interstitial annihilation. I. Impurity-interstitial trapping, 2=3901
 Damask, A. C. and Dienes, G. J. Theory of point defect annealing in metals, 3=22727
 Damask, A. C. and Dienes, G. J. Effect of mobile vacancy-impurity complexes on vacancy annealing kinetics, 4=22557
 Damask, A. C., Furhman, Z. A. and Germagnoli, E. Electrical resistivity changes in annealed Cu Au above the critical temperature, 2=2110
 Damask, A. C. See Arndt, R. A., 4=15736
 Damask, A. C. See Ascoli, A., 2=3935
 Damask, A. C. See Dienes, G. J., 2=2058
 Damask, A. C. See Dienes, G. J., 2=3902
 Damask, A. C. See Dienes, G. J., 3=6510
 Damask, A. C. See Fujita, F. E., 4=15735
 Damask, A. C. See Fujita, F. F., 3=22866
 Damask, A. C. See Johnson, R. A., 4=17426
 Damask, A. C. See Larsen, R. E., 4=28479
 Damask, A. C. See Wagenblast, H., 2=15070
 Damask, A. C. See Wagenblast, H., 2=21395
 Damask, A. C. See Wagenblast, H., 4=15737
 Damaskin, B. B. Selection of equations for the adsorption isotherm, 4=23591
 Damaskin, B. B. and Grigor'ev, N. B. Effect of potential on the mutual attraction between adsorbed organic molecules, 3=20938
 Damaskinskii, E. A., Korolev, G. A. and Kocharov, G. E. Attachment effects of electrons in the ionization chamber 5=22356
 Damašková, S. Course of electroluminescence of ZnS:Cu, Damašková, S. Absorption in zinc sulphide, 3=10970
 Damašková, S. and Pátek, K. The electroluminescence of ZnS:Cu, Mn, 1=17923
 Damašková, S. and Pátek, K. Influence of an electric field on the absorption edge of ZnS, 1=19988
 Damašková, S. and Pátek, K. A shift of the absorption edge of ZnS single crystals in an electric field, 3=6655
 Damay, H. See Fabre, D., 1=16095
 Damburg, N. See Tumul'kan, A., 1=16742
 Damburg, R. and Gailitis, M. Calculations in the vicinity of the 2s, 2p threshold of the cross sections for the excitation of hydrogen atoms by electrons, 4=6495
 Damburg, R. and Kravchenko, V. Strong-coupling estimate of the effective cross-section for electrons scattered by alkali elements, 0=13254
 Damburg, R. and Peterkop, R. Application of the multichannel effective range theory to electron-hydrogen scattering, 2=22921
 Damburg, R. and Peterkop, R. Excitation of hydrogen by electron collision allowing for exchange and 1s-2s-2p strong coupling, 3=15297
 Damburg, R. See Gailitis, M., 3=22502
 Damburg, R. See Gailitis, M., 3=25044
 Damburg, R. See Veldre, V., 0=4164
 Damburg, R. See Veldre, V., 0=4165
 Damburg, R. Ya. Flow of a viscous conducting liquid round an infinite cylinder in the presence of a magnetic field, 0=5387
 Damburg, R. Ya. Excitation of the 2s and 2p levels of the hydrogen atom by electron impact, 3=17541
 Damburg, R. Ya. and Iolin, E. M. Calculation of the diamagnetic susceptibility of helium, 2=18411
 Damburg, R. Ya. and Iolin, E. M. Calculation of the diamagnetic susceptibility of helium, 3=6348
 Damburg, R. Ya. and Karule, E. M. Scattering of positrons by atomic hydrogen, 3=17542
 Damburg, R. Ya. and Kravchenko, V. Ya. Excitation of hydro-magnetic waves in a plasma by a moving charge, 0=5325
 Damburg, R. Ya. and Peterkop, R. K. On the role of the scattered wave with momentum $L-1$ for 1s-2p transitions, 3=2555
 Damburg, R. Ya. and Peterkop, R. K. Strong bond and exchange taken into account in the collisions of electrons with hydrogen atoms, 3=10472
 Damburg, R. Ya. and Peterkop, R. K. Excitation of the 2s and 2p levels of the hydrogen atom by slow electrons, 3=15298
 Damburg, R. Ya. and Peterkop, R. K. Resonances in the scattering of electrons on hydrogen atoms, 3=22508
 Damburg, R. Ya. See Gorshanova, A. F., 2=20752
 Damerow, W. See Lassmann, G., 4=29234
 Damerell, C. J. S. Electronic elimination of noise pulses in scintillation counting, 2=13705
 Damerell, C. J. S. See Pagano, R., 2=22133
 Damerow, R. A., Ries, R. R. and Johnson, W. H., Jr. Atomic masses from ruthenium to xenon, 4=3533
 Damerow, R. A. See Ries, R. R., 4=3532
 Damgaard, J. and Winther, A. First-forbidden β -decays of Ti^{207} and Pb^{208} , 4=22080
 Damiani, A., De Santis, P., Giglio, E. and Ripamonti, A. Crystallographic programmes for the I.B.M. 1620 card read-punch unit. I. Correction of intensities and calculation of structural parameters, 3=3295
 Damiani, A., De Santis, P., Giglio, E. and Ripamonti, A. Crystallographic programmes for the IBM 1620 read-punch unit. II. Statistical methods of analysis of the crystal symmetry centre and calculation of the structure factors, 3=18300
 Damiani, A., De Santis, P., Giglio, E. and Ripamonti, A. Crystallographic programs for the IBM 1620 computer punch card unit. III. Calculation of the Fourier differential synthesis for the refinement of a three-dimensional crystal structure, 4=13571
 Damiani, A., Giglio, E. and Ripamonti, A. Effect of thermal oscillations and the finite radius of the reflection sphere on the electronic distributions obtained by a Fourier synthesis. II. Three-dimensional case, 4=10498
 Damiano, V. V. Direct observations of etch pits at dislocations in beryllium, 3=17755
 Damiano, V. V. and Brown, N. Dislocation sources at inclusions in zinc, 4=25940
 Damiano, V. V. and Tint, G. S. Dislocations and impurity boundaries in zinc crystals grown from the melt, 1=19772
 Damiano, V. V., Tint, G. S. and Herman, M. Three dimensional aspects of dislocations and substructures in bulk zinc crystals, 4=6852
 Damiano, V. V. See Tint, G. S., 1=7844
 D'Amico, C. See Hagstrum, H. D., 0=8726
 Damle, P. S. and Biswas, S. N. Λ - Λ binding in light hyper-nuclei, 4=19645

- Damle, R.V. See Bhide, V.G., 0=11740
 Damle, R.V. See Bhide, V.G., 0=18092
 Damle, R.V. See Bhide, V.G., 0=18093
 Damle, V. See Applequist, J., 4=3943
 Damle, V.N. and Desai, A.G. Simple exercise to verify the Debye-Huckel limiting law for the activity coefficient of strong electrolytes, 3=16167
 Damm, C.C., Foote, J.H., Futch, A.H. and Post, R.F. Cooperative oscillations in a high-temperature plasma formed by neutral atom injection, 3=16969
 Damm, C.C., Futch, A.H., Gordon, F., Hunt, A.L., Popp, E.C., Post, R.F. and Steinhaus, J.F. Plasma production by the trapping of energetic atoms, 2=15912
 Damm, C.C. See Futch, A.H., Jr., 3=1964
 Damm, C.C. See Futch, A.H., Jr., 4=6494
 Damm, C.C. See Gordon, F.J., 3=25070
 Damm, C.C. See Hunt, A.L., 1=15974
 Damm, C.C. See Hunt, A.L., 4=11265
 Damm, J.Z. and Tompkins, F.C. Thermal bleaching of V- and F-centres in X-irradiated potassium chloride crystals, 2=12472
 Damm, J.Z. The relationship between colour centres and dislocations in γ -irradiated potassium chloride crystals, 4=10005
 Damm, J.Z. and Kowalczyk, J. The influence of plastic deformation on thermal bleaching of colour centres in potassium chloride crystals irradiated by γ -rays, 4=30584
 Damm, J.Z. and Lukaszewicz, K. Birefringence induced by light in potassium chloride crystals coloured by ionizing radiation, 4=1741
 Dammann, H. See Böttcher, W., 4=5611
 Dämmig, P. Measurement of the diffusivity of sound fields by means of correlation, 0=14771
 Dämmig, P. A microphone arrangement with large directional response, 1=8196
 Dämmig, P. See Naake, H.J., 0=16682
 Dämmig, P. See Naake, H.J., 0=16683
 Dämmig, P. See Venzke, G., 0=19346
 Dämmig, P. See Venzke, G., 2=2851
 Dämmig, P., Loudon, M. and Venzke, G. Use of room corners in sound-pressure measurements in architectural acoustics, 2=2849
 Damon, D.H. and Gerritsen, A.N. Magnetic susceptibility of weakly interacting donors in germanium, 2=16890
 Damon, D.H., Martin, C.R. and Miller, R.F. Evidence for the existence of overlapping valence and conduction bands in SnTe, 3=25233
 Damon, D.H. See Gerritsen, A.N., 2=7701
 Damon, E.K. and Flynn, J.T., Δ liquid calorimeter for high energy lasers, 3=9984
 Damon, E.K. and Tomlinson, R.G. Observation of ionization of gases by a ruby laser, 3=19170
 Damon, K.R. See Hinteregger, H.E., 0=10451
 Damon, P.E. See Titley, S.R., 3=8458
 Damon, R.W. and Eshbach, J.R. Magnetostatic modes of a ferromagnetic slab, 2=1593
 Damon, R.W. Ferromagnetic resonance at high power, 4=28862
 Damon, R.W. and Eshbach, J.R. Magnetostatic modes of a ferromagnetic slab, 0=10193
 Damon, R.W., Kroger, H. and Prohfsky, E.W. Collective elastic waves in piezoelectric semiconductors, 4=30516
 Damon, R.W. and van de Vaart, H. Dispersion of long-wavelength spin waves from pulse-echo experiments, 4=26363
 Damon, R.W. See Eshbach, J.R., 0=11817
 Damon, R.W. See Kroger, H., 4=3987
 Damouth, D.E., Jones, L.W. and Perl, M.L. Pion-proton elastic scattering at 2.00 GeV/c, 4=3460
 Danyanov, D. See Christov, V., 3=24546
 Danyanov, D. See Hristov, V., 4=21880
 Danyanov, D. See Kristov, V., 4=24942
 Dana, L. See Laures, P., 4=30084
 Dana, L.I. and Zenner, G.H. Phase equilibria compositions of mixtures of carbon dioxide, oxygen, and nitrogen, 0=8709
 Danan, H. The interpretation of magnetization measurements for pure iron and nickel polycrystals in the neighbourhood of saturation, 0=13807
 Danan, H. and Barbier, R. The $1/H^2$ term in the law of approach to saturation as a function of magneto-crystalline energy for several types of poly-crystalline ferromagnetics, 1=17939
 Danan, H., Schüppel, W. and Andrä, W. Kerr effect apparatus for the study of magnetic domain structure in thin films after evaporation in vacuo, 4=10265
 Danan, H., Schüppel, W., Andrä, W. and Gengnagel, H. Study of the magnetization reversal of thin cobalt films using the magneto-optical Kerr effect, 1=20100
 Danan, H. See Andrä, W., 2=12763
 Danby, G., Gaillard, J.-M., Goulianos, K., Lederman, L.M., Lee, T.D., Mistry, N., Schwartz, M. and Steinberger, J. Remarks concerning the recent high-energy neutrino experiment, 3=14952
 Danby, G., Gaillard, J.M., Goulianos, K., Lederman, L.M., Mistry, N., Schwartz, M. and Steinberger, J. Observation of high-energy neutrino reactions and the existence of two kinds of neutrinos, 2=20308
 Danby, J.M.A. Integration of the equations of planetary motion in rectangular coordinates, 2=17251
 Danby, J.M.A. Stability of the triangular points in the elliptic restricted problem of three bodies, 4=14092
 Danby, J.M.A. The stability of the triangular Lagrangian points in the general problem of three bodies, 4=23829
 Danchenk, V. and Mitrofanov, N. Chlorine-neon Geiger-Müller counters with energy independent gamma-ray efficiency, 4=27714
 Dancy, W.H., Jr. See Parker, H.M., 0=3080
 Dandekar, B.S. and Bhonsle, R.V. An experimental arrangement for scanning night airglow over the sky, 2=4662
 Dandekar, B.S. and Silverman, S.M. The effect of solar flares on the [O I] Green line of the nightglow, 4=29315
 Dandl, R.A. See Ard, W.B., 3=19913
 Dandl, R.A. See Ard, W.B., 4=18929
 Dandl, R.A. See Becker, M.C., 3=12209
 Dandl, R.A. See Dunlap, J.L., 3=12196
 Dandl, R.A. See May, F.T., 1=7007
 d'Andlau, C., Astier, A., Ghesquière, C., Grégory, B., Rahm, D., Rivet, P., Solmitz, F., Armenteros, R., Budde, R., Montanet, L., Morrison, D.R.O., Nilsson, S., Shapira, A. and Vandermeulen, J. A new determination of the branching ratio (neutral modes/all modes) of the decay of the ω^0 meson, 3=17328
 D'Andlau, Ch. See Ghesquiere, C., 4=19575
 Dandurand, L. See Simon, R., 3=427
 Dandurand, P. Automatic control of the E13 reactor, 1=2255
 Dandy, D. See Deuchars, W.M., 0=15598
 Dandy, D. See Deuchars, W.M., 1=11037
 Danelian, L.S. See Pevzner, M.I., 3=24956
 Danelya, I.A. See Akhiezer, I.A., 4=11626
 Danelyan, L.S., Adamchuk, Yu. V., Moskalev, S.S., Pevzner, M.I. and Yastrebov, S.S. Radiative capture cross-sections for dysprosium isotopes in the energy range 0.023-1 eV, 4=15226
 Danelyan, L.S. and Efimov, B.V. Radiative capture cross-sections of tellurium isotopes as a function of neutron energy up to 1.5 keV, 4=3679
 Danelyan, L.S., Efimov, B.V., Sotnikov, S.K. and Kakhramanov-Dzhazairov, V. Intensities of γ -transitions to the ground rotational band in neutron resonances of the Gd^{155} (n, γ) Gd^{156} reaction, 4=9540
 Danelyan, L.S. See Efimov, B.V., 2=18140
 Danelyan, L.S. See Erokolimsky, B.G., 0=4135
 Danelyan, L.S. See Pevzner, M.I., 0=4123
 Daneri, A., Loinger, A. and Prosperi, G.M. Quantum theory of measurement and ergodicity conditions, 2=17357
 Daneri, A. See Cercignani, C., 4=5217
 Daneyrolle, C. See Sapet, J.C., 1=18443
 Danford, M.D. and Levy, H.A. The structure of water at room temperature, 3=9444
 Danford, M.D. See Levy, H.A., 0=3193
 Danford, M.D. See Levy, H.A., 0=4247
 Danforth, W.E. Desorption of a thorium monolayer, 2=8896
 Danforth, W.E. On the theory of monolayer evaporation, 2=15088
 Danforth, W.E. and Goldwater, D.L. Density of a thorium monolayer for maximum thermionic emission, 0=17026
 Danforth, W.E. and Williams, A.J. III. On the thermionic properties of ZrC, UC, and a ZrC-UC mixture, 1=11964
 Danforth, W.E. See Anderson, J., 3=21856
 Danforth, W.E. See Goldwater, D.L., 1=1851
 Dang Do, G. See Do Dang, G.
 Dang Giu Do. See Do Dang Giu.
 Dang Khoi Le. See Le Dang Khoi
 Dang Ngoc Minh. See Huetz-Aubert, M., 2=1197
 Dang Ngoc Minh. See Huetz-Aubert, M., 2=15648
 Dang Ngoc Minh. See Huetz-Aubert, M., 2=19621
 Dang Ngoc Minh. See Huetz-Aubert, M., 4=28164
 Dang Tran Quan. Origin of the phenomenon of dipolar relaxation in green a manganese sulphide, 4=20406
 Dang Tran Quan. See Le Bot, Jean., 1=14535

- Dang Tran Quan. See Le Bot, J., 2=4087
- Dang-Vu-Huyen. The derivation of the Moller energy-momentum tensor by the application of the Schrodinger affine theory to general relativity, 3=9338
- Dang-Vu-Huyen. The Einstein equations in a flat space, 4=29521
- D'Angelo, N. Excited levels in Mn^{56} , 0=4024
- D'Angelo, N. Recombination of ions and electrons, 1=1894
- D'Angelo, N. Low-frequency oscillations in cesium thermionic converters, 1=11968
- D'Angelo, N. Ion waves in an inhomogeneous plasma, 3=16964
- D'Angelo, N. Cesium and potassium plasma experiments, 4=8671
- D'Angelo, N. Diffusion of a cesium plasma in a magnetic field, 4=27515
- D'Angelo, N., Dimock, D., Fujita, J., Grieger, G., Hashmi, M. and Stodiek, W. Particle losses of a cesium plasma in a stellarator, 4=11680
- D'Angelo, N., Eckhardt, D., Grieger, G., Guilino, E. and Hashmi, M. Excitation of low-frequency waves in a curved magnetic field geometry, 4=11660
- D'Angelo, N. and Motley, R.W. Electrostatic oscillations near the ion cyclotron frequency, 2=13577
- D'Angelo, N. and Motley, R.W. Low-frequency oscillations in a potassium plasma, 3=9820
- D'Angelo, N. and Rynn, N. Diffusion of a cold cesium plasma across a magnetic field, 1=4600
- D'Angelo, N. and Rynn, N. Diffusion and recombination of a highly ionized cold plasma in a magnetic field, 1=16322
- D'Angelo, N. See Motley, R.W., 3=9819
- D'Angelo, N. See Rynn, N., 1=2981
- D'Angelo, N. See Wong, A.Y., 3=4128
- D'Angelo, N. See Wong, A.Y., 4=8752
- D'Angelo, V. See Daddi, L., 3=12607
- D'Angelo, V. See Daddi, L., 4=3390
- D'Angio, G. J. and Lawrence, J. H. Medical research with high-energy heavy particles, 4=7995
- Dangle, R. See Salisbury, S.R., 2=16405
- Dangle, R. L., Oppliger, L. D. and Hardie, G. $O^{16}(p, \alpha)N^{13}$ and $O^{16}(p, p')O^{16*}$ differential cross sections, 4=9508
- Dangle, R. L. See Hardie, G., 3=4631
- Dangor, A. E. See Holt, D. B., 4=6849
- Danguy, G. Factors influencing photographic sensitivity to nuclear particles, 1=5619
- Danguy, G. Effect of the conditions of precipitation on the properties of silver bromide emulsions, 2=9415
- Danguy, G. Effect of chemical sensitization of silver bromide emulsions on their developability with respect to light and ionizing agents, 2=17659
- Danguy, G. Physico-chemical factors of the precipitation and the physical maturation influencing the tabular growth in gelatinous emulsions of silver bromide, 4=10478
- Danguy, L., Franeau, J. and Lhost, A. Determination of the maximum energy of β radiation by the measurement of the half-thickness of actual absorption, 1=9749
- Dani, R. H. See Bhide, V. G., 0=11740
- Dani, R. H. See Bhide, V. G., 1=19839
- Daniel, A. F. Solar batteries, 0=14950
- Daniel, D. J. Ben. See Ben Daniel, D. J.
- Daniel, E. On the use of the positron for studying the electronic structure of metals, 0=2776
- Daniel, E. The Knight shift of impurities in metals, 0=4525
- Daniel, E. Effect of impurities on the electronic density in metals. I, 0=13511
- Daniel, E. Effect of impurities on the electronic density in metals. II, 0=13512
- Daniel, E. On the resistivity and Knight shift of liquid alloys of sodium, 0=16693
- Daniel, E. Electric and magnetic properties of dilute alloys of transition metals in copper, gold and hydrogenated palladium, 2=16675
- Daniel, E. Electronic structure of dilute alloys, 3=8388
- Daniel, E. and Friedel, J. The polarization of the spin of conduction electrons in ferromagnetic metals, 4=15443
- Daniel, E. and Vosko, S. H. Momentum distribution of an interacting electron gas, 1=952
- Daniel, E. See Blandin, A., 0=4526
- Daniel, E. See Blandin, A., 0=16186
- Daniel, E. D. On the dependence of absorption coefficients upon the area of the absorbent material, 3=11865
- Daniel, E. D. and Levine, I. Experimental and theoretical investigation of the magnetic properties of iron oxide recording tape, 0=2222
- Daniel, E. D. and Levine, L. Determination of the recording performance of a tape from its magnetic properties, 0=3592
- Daniel, E. D. and Noble, R. The effect of angular variations in field on fine-particle remanence, 2=12725
- Daniel, E. D. and Wohlfarth, E. P. Fine particle magnetic recording media, 3=1091
- Daniel', E. V. See Andreev, S. I., 3=14547
- Daniel, E. V. See Andreev, S. I., 4=315
- Daniel, F. See Cassagnol, C., 4=30489
- Daniel, H. Theory of a high-resolution beta-ray spectrometer with high luminosity, 0=7162
- Daniel, H. The decay of Ta^{182} , 0=9565
- Daniel, H. The four radioactive decay series, 1=4839
- Daniel, H. The β -spectrum of RaE , 2=10046
- Daniel, H. Some possible applications of homogeneous circular magnetic fields with $H_z = H_0$ and $H_\theta = \text{const.}$, 4=8894
- Daniel, H. and Eakins, G. W. Beta-gamma directional correlation in the decay of Co^{60} and Na^{22} , 0=7515
- Daniel, H., Huefner, J., Lorenz, T., Schult, O. W. B. and Gruber, U. $Ta^{182} \rightarrow W^{182}$ decay, 4=28001
- Daniel, H., Hujner, J. and Mehling, O. Decay scheme and matrix elements for the β -transition $Cs^{134} \rightarrow Ba^{134}$, 4=1046
- Daniel, H. and Jahn, P. Coil arrangement for a β -ray spectrometer with curved exit slit, 2=13773
- Daniel, H. and Kuntze, M. $\beta - \gamma$ circular polarization correlation in Sc^{46} and V^{48} , 1=7350
- Daniel, H., Kuntze, M. and Mehling, O. $\beta - \gamma$ circular polarization correlation in K^{42} , Co^{56} , Rb^{86} , Ag^{110m} and Pr^{30} , 2=3525
- Daniel, H. and Laslett, L. J. Theory of a high dispersion double focusing beta-ray spectrometer, 0=19759
- Daniel, H. and Laslett, L. J. Beta-ray spectrometer with curved exit slit, 2=3317
- Daniel, H. and Lührs, G. Construction of an automatically operating $\pi\sqrt{2}$ spectrometer and study of the conversion line spectrum of In^{114m} and ThB with their daughter products, 4=3607
- Daniel, H., Mehling, O., Müller, O., Schmidlin, P., Schmitt, H., Subudhi, K. S. and Neuburger, E. $\beta - \gamma$ circular-polarization correlation of Sc^{46} and the chemical form of the source, 3=22328
- Daniel, H., Mehling, O., Müller, O. and Subudhi, K. S. $\beta - \gamma$ circular-polarization correlation in the decay of Mn^{52} , 2=22768
- Daniel, H., Mehling, O., Schmidlin, P., Schotte, D. and Thummernicht, E. Decay schemes, β -matrix elements and γ -multipolarities for the transitions $Co^{56} \rightarrow Fe^{56}$ and $I^{131} \rightarrow Xe^{131}$, 4=19719
- Daniel, H., Mehling, O. and Schotte, D. Decay scheme and matrix elements for the β -transition $Ag^{110m} \rightarrow Cd^{110}$, 3=8038
- Daniel, H. and Panussi, P. The β -spectrum of In^{114} , 1=17023
- Daniel, H., Schupp, G. and Jensen, E. N. Continuous electron spectrum accompanying K capture, 0=5710
- Daniel, H. and Schmitt, H. Beta-spectrum of Cs^{137} , 2=14034
- Daniel, H. See Collin, W., 3=22308
- Daniel, H. See Collin, W., 4=25354
- Daniel, H. See Collin, W., 4=27991
- Daniel, H. See Fehrentz, D., 2=3509
- Daniel, H. See Schupp, G., 0=17546
- Daniel, J. L. See Newkirk, H. W., Jr, 1=17587
- Daniel, J. L., Jr. Reflection microscopy of irradiated UO_2 crystals, 3=20959
- Daniel, M. R. and Mackinnon, L. The magnetoacoustic effect and the Fermi surface of cadmium, 3=22686
- Daniel, M. R. and Mackinnon, L. Magnetoacoustic effect with perpendicular magnetic field in cadmium, 4=15421
- Daniel, M. R. See Mackinnon, L., 2=12377
- Daniel, M. R. See Mackinnon, L., 2=20926
- Daniel, M. R. See Mackinnon, L., 4=15422
- Daniel, R. R. and Durgaprasad, N. The chemical composition of the primary cosmic radiation above the earth's atmosphere, 2=9950
- Daniel, R. R., Kameswara Rao, N., Malhotra, P. K. and Tsuzuki, Y. Some characteristics of inelastic proton-nucleon collisions produced by protons of energy 6.2 GeV in nuclear emulsions, 0=12923
- Daniel, R. R., Lavakare, P. J. and Aditya, P. K. A method for detecting the possible existence of high energy deuterons in the primary cosmic radiation, 0=20258
- Daniel, R. R. and Prasad, N. D. The composition of heavy nuclei of the primary cosmic radiation above the earth's atmosphere, 2=18201
- Daniel, R. R. See Badhwar, G. D., 4=6157
- Daniel, T. B. and Stump, R. Positron annihilation in helium, 0=1274
- Daniel, T. B. See Bryant, P. J., 0=3181

- Daniel, T.B. See Lavik, M.T., 1=14931
- Daniel, V. Dielectric effects of flaws in hydrogen bonding. III, 4=25803
- Daniel, V. and Vein, P.R. High-field effects for linear chains of dipoles or conducting paths of limited length, 4=27455
- Daniel-Szabó, J. and Gengnagel, H. Reptation and bascule effect in Fe-Al single crystals, 2=4333
- Daniel-Szabó, J. and Gengnagel, H. Reptation and bascule effect in Fe-Al simple crystals, 3=1229
- Daniel-Szabó, J. See Gengnagel, H., 3=13248
- Daniel-Szabó, J. See Hajko, V., 0=3021
- Daniel-Szabó, J. See Hajko, V., 1=7749
- Daniel-Szabó, J. See Hajko, V., 3=23158
- Daniel-Szabó, J. See Kavečanský, V., 4=1834
- Danielian, A. Ground state of an Ising face-centred cubic lattice, 1=12366
- Danielian, A. On interpreting high temperature magnetic susceptibility data, 3=990
- Danielian, A. The ordering of a face-centred cubic lattice, 3=8649
- Danielian, A. Low-temperature behavior of a face-centered cubic antiferromagnet, 4=13259
- Danielian, A. and Stevens, K.W.H. The estimation of antiferromagnetic exchange interactions, 1=3918
- Danielian, A. and Stevens, K.W.H. Exchange interactions in the polymorphic forms of MnS, 1=3920
- Danielmeyer, H.G. Molecular sound absorption in benzene and cyclohexane, 4=16109
- Danielmeyer, H.C. and Kneser, H.O. Sound absorption in liquid and solid bromine, 3=9458
- Danielmeyer, H.G. and Kneser, H.O. Vibrational relaxation in liquid and solid bromine, 4=14163
- Daniels, F. See Blytas, G.C., 2=15576
- Daniels, F. See Johnson, N.M., 1=7731
- Daniels, F.B. Radar determination of the scattering properties of the moon, 0=18651
- Daniels, F.B. A theory of radar reflection from the moon and planets, 1=15557
- Daniels, F.B. Generation of infrasound by ocean waves, 2=7282
- Daniels, F.B. Author's comments on the preceding discussion, 2=11155
- Daniels, F.B. Radar determination of the root mean square slope of the lunar surface, 3=11597
- Daniels, F.B. Radar determination of lunar slopes: correction for the diffuse component, 4=2457
- Daniels, F.B. Radar reflections from a rough moon described by a composite correlation function, 4=13942
- Daniels, F.B., Bauer, S.J. and Harris, A.K. Vertically traveling shock waves in the ionosphere, 0=16773
- Daniels, F.B. and Harris, A.K. Note on "Vertically travelling shock waves in the ionosphere", 2=6933
- Daniels, F.B. See Bauer, S.J., 0=10415
- Daniels, J.M. and Cotignola, J.M. The interpretation of the angular distribution of gamma rays from assemblies of oriented nuclei, 2=23036
- Daniels, J.M. and Dorain, P.B. Electron paramagnetic resonance of sulfur monoxide, 4=17309
- Daniels, J.M. and Farach, H.A. "Spin-flip narrowing" of paramagnetic resonance lines, 0=4510
- Daniels, J.M. and Felsteiner, J. The low-temperature ordered state of cerium magnesium nitrate and its influence on nuclear orientation, 4=28317
- Daniels, J.M. and Goldemberg, J. Nuclear reactions with oriented target nuclei and polarized beams, 2=12179
- Daniels, J.M. and Griffiths, D.J. Nuclear orientation of Mn^{54} in $\text{MnSiF}_6 \cdot 6\text{H}_2\text{O}$, 2=23037
- Daniels, J.M. and Griffiths, D.J. The angular distribution of γ -rays from Mn^{54} oriented in antiferromagnetic $\text{CoCl}_2 \cdot 6\text{H}_2\text{O}$, 2=23687
- Daniels, J.M. and LeBlanc, M.A.R. Some observations on nuclear alignment in cobalt metal, 0=4285
- Daniels, J.M., Giles, J.C. and LeBlanc, M.A.R. Nuclear orientation in antiferromagnetic single crystals, 1=3585
- Daniels, J.M. and Rieckhoff, K.E. Spin lattice relaxation in neodymium ethylsulphate at liquid helium temperatures, 0=10232
- Daniels, J.M. and Wesemeyer, H. The influence of paramagnetic resonance saturation on the Faraday effect, 0=10216
- Daniels, J.M. See Christie, D.R., 4=30237
- Daniels, R.E. Stable electronic integrator switch, 2=13526
- Daniels, R.E. See DeShong, J.A., Jr., 4=25221
- Daniels, T. See Moreh, R., 4=25295
- Daniels, W.B. Pressure variation of the elastic constants of sodium, 0=13904
- Daniels, W.B. Low-temperature limit of Grüneisen's gamma of germanium and silicon, 2=8177
- Daniels, W.B. The anomalous thermal expansion of germanium, silicon and compounds crystallizing in the zinc blende structure, 3=10603
- Daniels, W.B. and Jones, M.T. Simple apparatus for the generation of pressures above 100 000 atmospheres simultaneously with temperatures above 3000°C, 1=12729
- Daniels, W.E., Jr. See Christy, R.W., 1=10034
- Daniels-Hunt, B., Chopra, K.L. and Brown, J.B. Acoustic streaming in liquid helium, 0=8906
- Danielsen, E.F. Trajectories: isobaric, isentropic and actual, 1=20820
- Danielson, G.C. See Ellerbeck, L.D., 1=11259
- Danielson, G.C. See Heller, M.W., 2=16761
- Danielson, G.C. See Heller, M.W., 2=23404
- Danielson, G.C. See Koenig, P., 2=4152
- Danielson, G.C. See Nishina, Y., 1=11292
- Danielson, G.C. See Shanks, H.R., 3=15449
- Danielson, G.C. See Wallace, D.C., 0=1558
- Danielson, R.E. An attempt to detect energetic gamma radiation from the sun, 0=16460
- Danielson, R.E. The structure of sunspot penumbras. I. Observations, 1=15462
- Danielson, R.E. The structure of sunspot penumbras. II. Theoretical, 1=15463
- Danielson, R.E. The structure of sunspot umbras. I. Observations, 4=10896
- Danielson, R.E. Plans for planetary observations with stratoscope II, 3=16350
- Danielson, R.E., Gaustad, J.E., Schwarzschild, M., Weaver, H. F. and Woolf, N.J. Mars observations from Stratoscope II, 4=23897
- Danielsson, L. See Lindberg, L., 3=16966
- Danielsson, O. See Ronne, B.E., 2=9850
- Danielsson, O. See Ronne, B.E., 2=13849
- Danikin, I.S. and Rabinovich, M.S. Resonant perturbations of synchrotron oscillations in heavy-particle accelerators, 0=9126
- Danilenko, V.M. A theory of scattering of X-rays by domain structures, 1=7876
- Danilenko, V.M. Cottrell atmosphere in dilute solid solutions, 1=15155
- Danilenko, V.M. The solubility of impurities in solids, 1=15156
- Danilenko, V.M., Krivoglaз, M.A., Larikov, L.N. and Smirnov, A.A. Ukrainian conference on the theory of metals and alloys, 1=2359
- Danilenko, V.M., Ryzdvyanskii, D.R. and Smirnov, A.A. Ordering in ferromagnetic alloys with face-centered cubic crystal lattice, 4=15634
- Danilenko, V.M., Ryzd'yanetskii, D.P. and Smirnov, A.A. The ordering of ferromagnetic and antiferromagnetic alloys, 4=29000
- Danilenko, V.M. and Smirnov, A.A. Theory of ordering ferromagnetic alloys. I., 3=25518
- Danilenko, V.M. See Geichenko, V.V., 3=8904
- Danilevskaya, O.A. See Bundel', A.A., 3=3051
- Danilkin, I.S. and Tsytovich, V.N. Influence of weak stationary turbulence on the motion of fast particles in a plasma, 4=29907
- Danilov, A.D. Molecular ions in the upper atmosphere, 1=12698
- Danilov, A.D. Formation of NO^+ in the upper atmosphere, 2=8985
- Danilov, A.D. Formation of O_2^+ ions in the upper atmosphere, 2=8990
- Danilov, A.D. Formation of molecular ions in the upper atmosphere, 2=11045
- Danilov, A.D. The mechanism of excitation of the red oxygen line in the nightglow, 2=11074
- Danilov, A.D. Formation of O_2^+ ions in the upper atmosphere, 2=15212
- Danilov, A.D. Molecular nitrogen in the upper atmosphere, 2=19246
- Danilov, A.D. The mechanism of excitation of the red oxygen line in the nightglow, 2=21662
- Danilov, A.D. Molecular nitrogen in the upper atmosphere, 3=9067
- Danilov, A.D. Ion exchange processes in the upper atmosphere, 4=26809
- Danilov, A.D. Notes on recombination and ionization in earth's atmosphere, 4=7896
- Danilov, A.D. On the ionization of argon in the upper atmosphere, 4=26838

- Danilov, A. V. and El'Mosli, M. Effect of copper and silver on the photoelectric properties of glassy As_2Se_3 , 4=1677
- Danilov, G. S. The three-body problem with short-range forces, 1=16713
- Danilov, G. S. The three-body problem for short-range forces in the linear approximation in the force range, 3=14919
- Danilov, G. S. The role of short-range three-particle forces in processes with the generation of three particles near threshold, 3=14920
- Danilov, G. S. and Lebedev, V. I. Calculation of the doublet neutron-deuteron scattering length in the theory of zero-range forces, 3=24737
- Danilov, G. S. See Ansel'm, A. A., 1=19111
- Danilov, G. S. See Gribov, V. N., 1=19152
- Danilov, G. S. See Ansel'm, A. A., 2=22450
- Danilov, G. S. See Gribov, V. N., 2=269
- Danilov, G. S. See Gribov, V. N., 2=22424
- Danilov, G. S. See Gribov, V. N., 3=569
- Danilov, I. B. See Kapitsa, P. L., 2=133
- Danilov, I. B. See Kapitsa, P. L., 3=5560
- Danilov, I. B. See Malkov, M. P., 1=4916
- Danilov, O. B. See Belousova, I. M., 4=3208
- Danilov, O. B. See Golant, V. E., 4=18813
- Danilov, V. I., Denisov, Yu. N., Dmitrievsky, V. P., Dzelepov, V. P., Glazov, A. A., Kolga, V. V., Kropin, A. A., Lu Ne-Chuan, Rybalko, V. S., Sarkisyan, L. A., Savenkov, A. L., Vasilevskaya, D. P., Zamolodchikov, B. I. and Zaplatin, N. L. Starting up of the cyclotron with space variation of the magnetic field, 1=344
- Danilov, V. I., Enchevich, I. B., Zamolodchikov, B. I., Marchenko, B. N., Novikov, D. L., Polferov, E. A., Rozanov, E. I., Savenkov, A. L. and Safonov, A. N. Proton beam increase of the 6-metre synchrocyclotron at the joint institute for nuclear research, 4=14792
- Danilov, V. I. and Savchenko, O. V. Method of focusing charged particles from an accelerator, 0=1166
- Danilov, V. N. Investigation of the conditions of the formation of hillocks, etch pits and unstable faces in silver at high temperature, 3=17714
- Danilov, V. N. See Deryugin, I. A., 2=18587
- Danilov, V. N. See Deryugin, I. A., 2=23176
- Danilov, Yu. I. and Galitseiskii, B. M. Solution of the equation of motion of a gas in a uniform channel with friction and heat transfer, 3=14194
- Danilova, A. V. See Garif'yanov, N. S., 3=1712
- Danilova, T. V., Denisov, E. V. and Nikol'skii, S. I. Determination of the total number of nuclear-active particles in extensive air showers containing from 3×10^5 to 10^7 particles, 4=19620
- Danilova, T. V., Denisov, E. V., Nikolsky, S. I. and Pomansky, A. A. Nuclear-active particles in showers with different number of particles, 3=4497
- Danil'tsev, E. N. See Vladimirkii, V. V., 4=16600
- Daniltseva, G. E., Zubov, V. A., Sushchinskii, M. M. and Shuvalov, I. K. The use of a laser in the investigation of the Raman spectra of powder samples, 4=2841
- Danilyan, G. V. and Korol'kov, I. Ya. Spectrum of internal conversion pairs produced in thermal neutron capture in Gd, 4=6362
- Danil'yan, G. V. See Burgov, N. A., 0=11431
- Danilyan, G. V. See Burgov, N. A., 2=20594
- Danilyan, G. V. See Burgov, N. A., 3=8077
- Danilyan, G. V. See Burgov, N. A., 4=9476
- Danil'ychev, V. A. and Osipov, B. D. Mechanism of the effect of microwaves on the electrical conductivity of N-type InSb at low temperatures, 4=1614
- Danil'ycheva, M. N. See Strukov, B. A., 3=20101
- Danis, S. and David, J. P. Reflection and transmission coefficients at oblique incidence for a thin film of silver, 1=10089
- Danjard, J. C. Evolution of some physical properties of vulcanized rubber in its fluidifying degradation, 1=14885
- Danjon, A. Problems of dividing accurately the circles of meridian instruments, 0=12242
- Danjon, A. Observation on the astrolabe of fundamental stars of both hemispheres, 0=12294
- Danjon, A. Analysis of inequalities in the rotation of the earth. I. Method, and the annual term, 1=10303
- Danjon, A. Variations in the rotation of the earth associated with the solar flares of February 23, 1956 and July 10-14-16, 1959, 1=18021
- Danjon, A. Analysis of inequalities in the earth's rotation. II. The progressive variation and the period of rotation, 1=18025
- Danjon, A. Analysis of inequalities in the earth's rotation. III. Examination of a new hypothesis; conclusion, 1=18026
- Danjon, A. Continuous variation of the earth's rotation, 2=13101
- Danjon, A. Terrestrial rotation and quiet sun, 2=15305
- Danko, J. C., Kilp, G. R. and Ferrari, H. M. An investigation of $\text{Li}_x\text{Ni}_{1-x}\text{O}$ as a mixed-valence thermoelectric material, 2=10547
- Dannberg, W. On the rotational choice of rays to be traced through an optical system, 0=5146
- Dannberg, W. and Würtz, G. On the effect on distortion of a thick aspherized glass plate at the image plane of an objective, 2=7327
- Danneberg, W. and Krautz, E. Self-diffusion in molybdenum, 2=6371
- Dannecker, A., Kiefer, H. and Maushart, R. The measurement of low α and β activity in water, 0=5691
- Dannenberger, H., Forbes, J. W. and Jones, A. C. Infrared spectroscopy of surface coatings in reflected light, 0=6925
- Dannemiller, M. C. See Nimeroff, I., 2=5136
- Dannemiller, M. C. See Nimeroff, I., 2=15439
- Danner, H. R., Safford, G. J., Boutin, H. and Berger, M. Study of low-frequency motions in polyethylene and the paraffin hydrocarbons by neutron inelastic scattering, 4=12551
- Danner, H. R. and Stiller, H. H. Low quantum transitions in water and ice, 1=11158
- Danner, H. R. See Boutin, H., 4=4565
- Danner, H. R. See Boutin, H., 4=20176
- Danner, H. R. See Safford, G. J., 4=3952
- Danner, H. R. See Safford, G. J., 4=12552
- Dannhäuser, F. Two-band theory for the magnetoelectric and thermomagnetic transversal effects, 2=6416
- Dannhäuser, F. and Koch, K. M. On the anomaly of the Righi-Leduc effect in the system Ni-Cu, 1=9020
- Dannhäuser, W. Temperature dependence of dielectric constant, 0=6797
- Dannhauser, W. and Bahe, L. W. Dielectric constant of hydrogen bonded liquids. III. Superheated alcohols, 4=18213
- Dannhauser, W. and Flueckinger, A. F. Dielectric constant of hydrogen-bonded liquids. I. Cyanoacetylene, 3=7216
- Danno, A. See Koike, M., 1=11138
- Danno, A. See Yahagi, K., 0=9949
- Danno, A. See Yahagi, K., 3=10874
- Danofsky, R. A. Cross-power spectral measurements in the two-core University Training Reactor-10, 4=19868
- Danofsky, R. A. and Uhrig, R. E. The kinetic behavior of the coupled regions of the UTR-10 reactor, 4=3752
- Danon, F. and Pitzer, K. S. Volumetric and thermodynamic properties of fluids. VI. Relationship of molecular properties to the acentric factor, 2=2677
- Danon, F. and Pitzer, K. S. Corresponding states theory for argon and xenon, 2=15643
- Danon, J. Nuclear isomer shift and covalency in iron complexes, 3=25125
- Danon, J. See Costa, N. L., 3=12905
- Danos, M. and Greiner, W. The γ -absorption cross-section of holmium in the dynamic collective theory, 4=12110
- Danos, M. and Greiner, W. Dynamic theory of the nuclear collective model, 4=16993
- Danoy, M. See Latière, H. J., 2=12858
- Danos, M. See Spokas, O. E., 2=17925
- Danos, M. See Stovall, T., 4=9318
- Danovich, J. F. and Smith, J. Microscopy of structural changes of coated titanium alloy under high-load wear conditions, 3=20890
- Dansercoer, W., Boucique, R. and Mortier, P. The mobility of positive ions in Geiger discharges, 4=11846
- Dansercoer, W. See Mortier, P., 3=7459
- Danti, A., Lafferty, W. J. and Lord, R. C. Far infrared spectrum of trimethylene oxide, 0=17755
- Danti, A. See Koster, D. F., 4=28260
- Danti, A. See Plyler, E. K., 0=6938
- Danti, A. See Plyler, E. K., 1=16075
- Danti, G. Thermal expansion of H_2O and D_2O single crystals, 2=3847
- D'Antonio, C., Hirschhorn, J. and Tarshis, L. The strength of vapor-deposited nickel films, 4=13435
- Dantsiger, A. Ya. and Fesenko, E. G. Dielectric parameters of rubidium nitrate, 4=22779
- Dantu, P. Use of the "moiré" method for the study of problems of elasticity in three dimensions, 4=24123
- Dantzig, G. B. and DeHaven, J. C. On the reduction of certain multiplicative chemical equilibrium systems to mathematically equivalent additive systems, 2=15125

- Danýlenko, V.M. Theory of X-ray scattering by ordered alloys, 1=20593
- Danýlenko, V.M. Scattering of X-rays by incompletely ordered alloys, 2=6799
- Danýlenko, V.M. Theory of α -ray scattering in substitutional alloys with a domain structure of ordering, 2=8814
- Danýlenko, V.M. Theory of X-ray scattering by substitutional, 2=8815
- Danýlenko, V.M. and Kozýrs'kí, H.Ya. Intensity of X-ray reflections, 1=20695
- Danýlenko, V.M. and Matýsina, Z.A. The theory of nuclear scattering of slow neutrons in alloys, 1=12655
- Danyluk, S.S. See Bates, P., 4=20109
- Danyluk, S.S. See Cawley, S., 3=16637
- Danýsh, M.Ya. See Bannik, B.P., 0=7546
- Danysh, M.Ya. See Gramenitskii, I.M., 0=1401
- Danyusz, J. See Czyżewski, O., 4=19464
- Danyusz, J.A. Emission of the heavy particles in the interactions at energies greater than 10^6 eV, 3=4658
- Danyusz, M., Garbowska, K., Pniewski, J., Pniewski, T., Zakrzewski, J., Fletcher, E.R., Lemonne, J., Renard, P., Sacton, J., Toner, W.T., O'Sullivan, D., Shah, T.P., Thompson, A., Allen, P., Sr, Heeran, M., Montwill, A., Allen, J.E., Beniston, M.J., Davis, D.H., Garbutt, D.A., Bull, V.A., Kumar, R.C. and March, P.V. Observation of a double hyperfragment, 3=22276
- Danyusz, M., Garbowska, K., Pniewski, J., Pniewski, T., Zakrzewski, J., Fletcher, E.R., Lemonne, J., Renard, P., Sacton, J., Toner, W.T., O'Sullivan, D., Shah, T.P., Thompson, A., Allen, P., Heeran, M., Montwill, A., Allen, J.E., Beniston, M.J., Davis, D.H., Garbutt, D.A., Bull, V.A., Kumar, R.C. and March, P.V. The identification of a double hyperfragment, 4=9364
- Danyusz, M., Garbowska, K., Saniewska, T. and Skrzypczak, E. On the determination of the particle momenta in the nuclear emulsion exposed in a strong magnetic field, 3=24572
- Danyusz, M. and Pniewski, J. An isomeric state of ${}^7\text{He}$ hyperfragment, 4=27949
- Danyusz, M. See Bogdanowicz, J., 1=12122
- Danyusz, M. See Pniewski, J., 2=13975
- Dänzer, H. On the stationary vibrations of organ pipes, 1=9453
- Danziger, I.J. The 5577 ÅOI emission line of the airglow at Brisbane, 2=9012
- Da Prato, G. Single pion production in proton-proton collisions according to the one-particle exchange model, 2=301
- Da Prato, G. and Putzolu, G. Three-pion form factor from electron-positron experiments, 2=5628
- Da Prato, G. See Cabibbo, N., 2=18100
- Da Prato, G. See Cabibbo, N., 3=7819
- Da Prato, G. See Cabibbo, N., 3=14937
- da Providencia, J. Perturbation theory in finite nuclei, 1=3376
- Da Providencia, J. A variational principle for Brueckner theory, 2=18080
- Da Providência, J. Intrinsic symmetries of nuclear rotational states, 3=2374
- Da Providência, J. Perturbation theory in nuclear matter with regular but velocity dependent interactions, 3=7967
- Da Providência, J. Linked graph expansion for the logarithm of the norm of many-body wave functions, 3=18747
- Da Providência, J. Cluster expansion of operator averages for systems of many particles, 3=23790
- Dar, A. Diffraction mechanism for direct nuclear reactions, 4=9471
- Dar, A. Diffraction mechanism for elastic scattering and direct nuclear reactions, 4=25362
- Dar, A., de-Shalit, A. and Reiner, A.S. Contribution to the theory of Coulomb stripping, 3=22424
- Dar, A., Kugler, M., Dothan, Y. and Nussinov, S. Diffraction patterns for inelastic elementary particle processes, 4=15057
- Dar, A., Kugler, M., Dothan, Y. and Nussinov, S. Diffraction patterns for elastic scattering of elementary particles, 4=27811
- Dar, A. and Tobocman, W. Effect of strong absorption in particle exchange reactions, 4=21776
- Dar, Y., Loebenstein, H. M. and de Boer, J. A simple electron bombardment evaporator for high melting point materials, 4=27712
- Dar, Y. See Blaugrund, A.E., 0=20397
- Dar, Y. See Blaugrund, A.E., 1=8597
- Dar, Y. See Blaugrund, A.E., 3=19794
- Darby, J.B., Jr. The CsCl-type ordered structure in VMn, 4=13613
- Darby, J.B., Jr., Downey, J.W. and Norton, L.J. Intermediate phases in the tantalum-palladium system, 4=7513
- Darby, J.B., Jr., Jugle, D.B. and Kleppa, O.J. The rate of solution of some transition elements in liquid aluminum, 3=16614
- Darby, J.B., Jr., Tomizuka, C.T. and Balluffi, R.W. Self-diffusion in silver during plastic deformation in torsion, 1=7598
- Darby, J.B., Jr. and Ziegler, S.T. Comments on superconducting phases in the Mo-Tc system, 3=19113
- Darby, W. See Galasso, F., 2=8145
- Darby, W. See Galasso, F., 3=3306
- Darby, W. See Galasso, F., 4=1623
- Darcey, W. See Cohen, A.V., 2=1874
- Darchiya, S.P. Some problems of the method of astroclimate investigation, 4=13878
- D'Arcy, R.G. See Brown, R.R., 0=1339
- D'Arcy, R.G. See Brown, R.R., 1=20948
- Dardel, G. von See von Dardel, G.
- Darden, S.E., Donoghue, T.R. and Kelsey, C.A. The polarization of neutrons from the $\text{Li}^7(p, n)\text{Be}^7$ reaction. I, 1=5911
- Darden, S.E., Kelsey, C.A. and Donoghue, T.R. Polarization of 1.0 MeV neutrons scattered from deuterium, 0=11180
- Darden, S.E. See Austin, S.M., 1=5912
- Darden, S.E. See Behof, A.F., 3=19637
- Darden, S.E. See Donoghue, T.R., 4=22146
- Darden, S.E. See Donoghue, T.R., 4=22147
- Darden, S.E. See Kelsey, C.A., 3=6243
- Darden, S.E. See Seller, F., 4=19606
- Dardis, J.G. See Kenney, V.P., 2=302
- Darevskii, V.M. and Kshnyakin, R.I. Stability of a cantilever cylindrical shell with strengthened edges, under external pressure, 0=12387
- Darevskii, V.M. and Kshnyakin, R.I. Stability of a cylindrical shell, strengthened with rings, under action of external pressure, 0=19013
- Darevskii, V.M. and Kukudzhanov, S.N. Stability of an anisotropic cylindrical shell under torsion, with an internal pressure, 0=700
- Darewych, G. and Neamtan, S.M. On the mean life of H^- ions in accelerating devices, 3=12083
- Darewych, G. See Neamtan, S.M., 2=18406
- Dargan, C.L. See Binns, D.F., 4=16455
- Dargent, R., Lacaze, J. and Marty, C. Relations between jet currents and centres of depressions, 3=11387
- Daridon, H. and Colombani, A. Electrical conductivity and Hall effect in thin films of cobalt, 1=14367
- Daridon, H. See Colombani, A., 1=17626
- Daridon, H. See Colombani, A., 3=17822
- Darken, L.S. See Turkdogan, E.T., 3=24120
- Darley, H.C.H. See Hight, R., Jr., 2=19167
- Darling, B.T. Quantum mechanical Hamiltonian in group operator form and the molecular Hamiltonian, 4=58
- Darling, B.T. and Nadeau, G. Theory of nonlinear homonuclear triatomic molecules and the O_3 molecule, 4=3841
- Darling, W.R. Biprism method of determining the equivalent focal length of flat field lenses, 3=3866
- Darling, W.R. See Washer, F.E., 0=3610
- Darling, W.R. See Washer, F.E., 0=3611
- Darling, W.R. See Washer, F.E., 3=237
- Darling, W.R. See Washer, F.E., 4=8469
- Darlington, S. Guidance and control of unmanned soft landings on the moon, 2=11205
- Darlow, S.F. Errors in bond angles, 1=14114
- Darmon, J., Rousset, A. and Six, J. Direct measurement of the mean-life of the K_2^0 meson, 3=4456
- Darnall, W.H. and Birch, J.N. Intelligibility of frequency-modulated speech, 4=26984
- Darnell, A.J. and Libby, W.F. Indium antimonide: The metallic form at atmospheric pressure, 3=13517
- Darnell, A.J. and Libby, W.R. Artificial metals: InSb, the Sn alloys with InSb, and metallic InTe, 4=29114
- Darnell, A.J., Yencha, A.J. and Libby, W.F. Indium telluride metal, 4=10428
- Darnell, A.J., See Bömmel, H.E., 3=12031
- Darnell, A.J. See Bömmel, H.E., 4=8568
- Darnell, A.J. See Tittmann, B.R., 4=27420
- Darnell, F.J. Magnetization process in small particles of CrO_2 , 1=1042
- Darnell, F.J. Exchange anisotropy in oxidized iron-cobalt particles, 1=6306
- Darnell, F.J. See Baum, F.J., 2=10632
- Darnell, F.J. Temperature dependence of lattice parameters for Gd, Dy, and Ho, 3=15444
- Darnell, F.J. Magnetostriction in dysprosium and terbium, 4=1831

- Darnell, F.J. Lattice parameters of terbium and erbium at low temperatures, 4=4626
- Darnell, F.J. and Cloud, W.H. Magnetization of gadolinium near its Curie temperature, 4=13180
- Darnell, F.J., Cloud, W.H. and Jarrett, H.S. X-ray and magnetization studies of Cr-modified Mn_2Sb , 3=13282
- Darnell, F.J. and Moore, E.P. Crystal structure of dysprosium at low temperatures, 3=15755
- Darnell, F.J. See Bierstedt, P.E., 2=6677
- Darnell, F.J. See Flippen, R.B., 3=15750
- Darnell, F.J. See Gillson, J.L., Jr., 2=4193
- Darnell, F.J. See Jarrett, H.S., 1=6375
- Darnell, F.J. See Jarrett, H.S., 3=1026
- Darnell, F.J. See Opegard, A.L., 1=6305
- Darner, C.L. Velocity of cavitation bursts, 3=5421
- Daróczy, A. See Csikai, J., 2=5665
- Daróczy, A. See Csikai, J., 3=10360
- Darovskikh, V.F., Kocherov, N.P. and Perfilov, N.A. Fragmentation of bismuth nuclei, 0=9623
- Darovskikh, V.F., Makarov, M.M. and Ostroumov, V.I. Decay of ^9Be nuclei observed in nuclear emulsion, 2=3535
- Darovskikh, V.F., Makarov, M.M. and Ostroumov, V.I. Decay of ^9Be nuclei observed in nuclear emulsion, 2=7956
- Darovskikh, V.F. See Goritchev, P.A., 2=14151
- Darovskikh, V.F. See Perfilov, N.A., 0=12736
- Darovskikh, V.F. See Perfilov, N.A., 0=13297
- Darrieus, G. Langevin's paradox of the traveller and special relativity, 0=18916
- Darriulat, P., Igo, G., Pugh, H.G., Meriwether, J.M. and Yamabe, S. Scattering of 64.3-MeV alpha particles from nickel-58 and iron-58, 4=15237
- Darriulat, P. See Beurtey, R., 2=20073
- Darriulat, P. See Harvey, B.G., 4=17201
- Darriulat, P. See Rosen, L., 2=16400
- Darrou-Collignon, M. and Faivre, R. Revealing the presence of polygonization and recrystallization in aluminium wires by the method of interrupted tensile testing, 4=1925
- Dartt, D.G. See Belmont, A.D., 4=29274
- Darvas, J. Alpha-spectrum from the decay of Li^8 , 3=24890
- Darveniza, M. Light emission from organic liquids and solids due to excitation by high d.c. fields, 4=20495
- Darveniza, M. and Tropper, H. Electrical properties of organic insulating liquids containing fluorescent solutes, 2=59
- Darwent, B.deB. See Jackson, W.M., 3=3384
- Darwent, B.deB. See Jackson, W.M., 3=3390
- Darwin, C. The gravity field of a particle, 0=2101
- Darwin, C. The gravity field of a particle. II, 1=15603
- Darwish, D.A.E. See Antoufiev, Y.P., 3=19811
- Darwish, D.A.E. See Antoufiev, Y.P., 4=22020
- Darwish, D.A.E. See Antoufiev, Y.P., 4=30311
- Daryusina, S.A. See Distler, G.I., 3=13564
- Daryusina, S.A. See Distler, G.I., 3=16050
- Daryusina, S.A. See Distler, G.I., 4=17794
- Daryusina, S.A. See Distler, G.I., 4=30824
- Das, A. On the geometization of electromagnetism, 0=2430
- Das, A. On the p-p scattering at high energies, 0=5558
- Das, A. The artificial satellite and the relativistic red shift, 0=14505
- Das, A. Spinning charged test-particles in general relativity, 1=2688
- Das, A. Cellular space-time and quantum field theory, 1=5629
- Das, A. Birkhoff's theorem for electromagnetic fields in general relativity, 1=18256
- Das, A. A class of exact solutions of certain classical field equations in general relativity, 2=9170
- Das, A. Complex scalar field in general relativity, 3=7104
- Das, A. On the unification of matter fields, 3=10024
- Das, A., Florides, P.S. and Syge, J.L. Stationary weak gravitational fields to any order of approximation, 1=15604
- Das, A.J. On the relativity of uniform rotation, 1=58
- Das, A.K. Note on twisting of an isotropic circular cylinder embedded in a resisting medium acted upon by couple at one end, the other end being fixed, 1=6809
- Das, A.K. Oppositions of Mars in 1954 and 1956, 1=15427
- Das, A.K. The solar cycle and the associated behaviours of sunspots and prominences, 1=15464
- Das, A.K. Note on stresses in a truncated cone with the ends fixed due to shearing forces produced by a circular ring on the curved surface, 2=9219
- Das, A.K. Note on twisting of non-homogeneous truncated cone, 3=90
- Das, A.K. and Narayana, J.V. Momentary bursts of cosmic radiation, 0=20268
- Das, B.N. See Azároff, L.V., 4=17562
- Das, B.N. See Klems, G.J., 4=13758
- Das, B.R. Thermoelastic stresses in a long cylinder due to a hot ring in contact with its outer surface, 2=1095
- Das, B.R. Note on thermoelastic stresses in a thin semi-infinite rod due to some time dependent temperature applied to its free end, 3=14082
- Das, B.R. Two-dimensional problems of steady-state thermal stresses in aeolotropic solids, 3=23808
- Das, C.D., Keer, H.V. and Rao, R.V.G. Lattice energy and other properties of some ionic crystals, 4=22448
- Das, C.D. See Rao, R.V.G., 2=19538
- Das, C.D. See Rao, R.V.G., 3=8365
- Das, C.D. See Rao, R.V.G., 4=21350
- Das, D. A jewel mounted micro-balance for the measurement of magnetic susceptibilities of crystals, 4=19155
- Das, J.N. Study of rectifying characteristics of FeS_2 and germanium point contact rectifiers, 0=612
- Das, J.N. On variation of magnetic susceptibility with temperature of pyrolusite (polycrystalline ore of MnO_2), 0=10186
- Das, K.B. and Gerritsen, A.N. Electrical resistivity of dilute alloys of magnesium and neodymium, 3=829
- Das, M. and Bhattacharya, R. Simple perturbation calculations on the energy levels of π -electron systems. II, 1=3563
- Das, M.B. and Boothroyd, A.R. On the determination of the minority carrier lifetime in the base region of transistors, 0=15980
- Das, M.K. Point-to-plane discharges in pure and mixed inert gases and also with added electronegative gases, 2=9545
- Das, M.R., Patankar, A.V. and Venkataraman, B. Electron spins resonance studies of the free radicals derived from tetraphenylhydrazine, 1=9951
- Das, M.R. and Venkataraman, B. C^{13} H.F.S. in the e.s.r. spectrum of p-benzo-semiquinone-1- C^{13} ion, 2=3776
- Das, M.R. and Venkataraman, B. C^{13} hyperfine interactions in semiquinones, 3=22589
- Das, P. Influence of wind shear on the growth of hail, 3=1437
- Das, P. Effect of surface recombination velocity on carrier lifetime for cylindrical geometry, 3=2868
- Das, P. Role of condensed water in the life cycle of a convective cloud, 4=29281
- Das, P. and Nag, B.R. Hot electron Hall mobility of n-type germanium, 4=6970
- Das, P. See Le Pair, C., 2=13497
- Das, P. See Le Pair, C., 4=382
- Das, P. See Le Pair, C., 4=8550
- Das, P. See Le Pair, C., 4=14485
- Das, P. See Nag, B.R., 3=10760
- Das, P. See Nag, B.R., 3=13048
- Das, P. See Nag, B.R., 3=19454
- Das, P. See Nag, B.R., 4=4129
- Das, P. See Nag, B.R., 4=4158
- Das, P. See Nag, B.R., 4=4160
- Das, P. See Nag, B.R., 4=6940
- Das, P.K. Cumulative concept of fatigue damage under limited stress levels, 4=28946
- Das, P.P. See Jones, W.R.D., 1=20372
- Das, R.K., Hatibara, J. and Mahanta, P.C. Elastic constants of sodium fluoride, potassium chloride and potassium bromide by diffuse X-ray reflection, 4=1963
- Das, R.K. See Mahanta, P.C., 3=8370
- Das, S.R. Heterochromatic luminance and brightness on the basis of the Stiles' Pilot colour-mixture functions, 2=1245
- Das, S.B. and Gerritsen, A.N. Anomalous resistivity of dilute magnesium-neodymium alloys, 2=14489
- Das, S.B. and Gerritsen, A.N. Deviations from the Matthiessen rule due to possible changes in the phonon spectrum of dilute magnesium alloys, 4=28531
- Das, S.C. Comparison of flow lines in various types of rheological bodies, 0=3161
- Das, S.K., Sandell, P.K., Sastri, R.C. and Chatterjee, S.D. Analysis of gamma-ray spectrum of radioactive fallout over Calcutta, 4=29304
- Das, S.R. Foveal increment thresholds in dark adaptation, 4=15989
- Das, S.R. Foveal sensitivity for a protanope in relation to Stiles' "blue" and "green" mechanisms, 4=20992
- Das, S.R. See Bhuchar, V.M., 4=18377
- Das, S.R. See Choudhury, A.K., 4=24015
- Das, S.R. See Choudhury, A.K., 4=27444

- Das, T.P. and Bersohn, R. Electric and magnetic properties of the hydrogen molecule, 0=508
- Das, T.P. and Dick, B.G. Nuclear quadrupole interactions in alkali-halide solid solutions, 2=19025
- Das, T.P., Jette, A.N. and Knox, R.S. Theory of the optical and magnetic properties of the self-trapped hole in lithium fluoride, 4=17453
- Das, T.P. and Karplus, M. Magnetic properties of hydrogen fluoride. I. Rotational moment, 2=14239
- Das, T.P. and Mukherjee, A. Variational calculation of magnetic hyperfine interaction. Nitrogen atom, 1=3503
- Das, T.P. and Pomerantz, M. Nuclear quadrupole interaction in pure metals, 1=14207
- Das, T.P. and Sondheimer, E.H. Diamagnetic shielding of nuclei in metals, 1=5061
- Das, T.P. See Bernheim, R.A., 1=3574
- Das, T.P. See Bersohn, R., 3=10575
- Das, T.P. See Chan, S.I., 2=22938
- Das, T.P. See Chan, S.I., 4=28191
- Das, T.P. See Chan, S.I., 4=30435
- Das, T.P. See Dick, B.G., 2=19024
- Das, T.P. See Dick, B.G., Jr, 2=21456
- Das, T.P. See Gaspari, G.D., 4=17935
- Das, T.P. See Hurst, R.P., 2=20807
- Das, T.P. See Joshi, S.K., 4=17702
- Das, T.P. See Karplus, M., 1=8853
- Das, T.P. See Khubchandani, P.G., 2=10199
- Das, T.P. See Pomerantz, M., 0=11960
- Das, T.P. See Taylor, T. T., 4=12568
- Das, Y.C. Bucking of rectangular orthotropic plates, 3=85
- Das, Y.C. See Hsiao, C.C., 0=11980
- Dasannacharya, B.A. See Brockhouse, B.N., 4=9831
- Dasannacharya, B.A. See Iyengar, P.K., 2=8660
- Dasannacharya, B.A. Iyengar, P.K., 3=1111
- Dasarathy, C. See Ramachandran, E.G., 1=6537
- Dasarathy, C. See Ramachandran, E.G., 1=6538
- Dasarathy, C. See Ramachandran, E.G., 1=6539
- D'Asaro, L.A. Diffusion and oxide masking in silicon by the box method, 1=14318
- D'Asaro, L.A. See Nelson, D.F., 3=20514
- Dascola, G. Observation methods of electron cyclotron resonance in diodes, 3=9851
- Dascola, G., Giori, C. and Schianchi, G. Faraday effect associated with the paramagnetic resonance in a single crystal of potassium chrome alum, 4=4268
- Dascola, G., Giori, C. and Varacca, V. Magnetic double refraction associated with E.P.R. in a single crystal of chromium potassium alum, 4=13022
- Dascola, G., Giori, D. C. and Varacca, V. On the measurements of Faraday effect, associated with e.p.r. in a birefringent medium, 4=26173
- Dascola, G., Giori, C. and Varacca, V. Faraday effect in a single crystal of copper sulphate pentahydrate, in the region of the paramagnetic resonance, 4=30679
- Dascola, G., Lamborizio, C., Mora, S. and Ortali, I. Emission of hyperfragments in capture stars of negative hyperons at rest, 0=15525
- Dascola, G. See Baudinet-Robinet, Y., 2=13798
- Dascola, G. See Quarenì, G., 0=7417
- Das Gupta, A. See Bagai, S.K., 3=14088
- Das Gupta, A. See Barua, A. K., 4=5236
- Das Gupta, A. See Dutta, A.K., 3=10202
- Das Gupta, A.K. Unipolar machines. Association of the magnetic field with the field-producing magnet, 3=14741
- Dasgupta, A.K. See Farrar, H., 1=7534
- Dasgupta, A. K. See Palkar, G. D., 4=6867
- Dasgupta, D.R. and Mackay, A.L. β -ferric oxyhydroxide and green rust, 0=21198
- Das Gupta, D. R. Q_1 and Q_2 propagation and ionospheric absorption, 4=5829
- Das Gupta, D. R. Refractive index and absorption index of the ionosphere and the polarization characteristics of the down-coming radio wave, 4=23796
- Dasgupta, D. R. A note on the transformation of manganite, 4=26561
- Das Gupta, K. Smekal-Raman type modified X-ray scattering, 0=347
- Das Gupta, K. Conical two-crystal monochromator for scattering, diffraction, and absorption cross-section work with slow neutrons, 1=12091
- Das Gupta, K. Characteristic modified X-ray scattering, 3=5982
- Das Gupta, M.K. and Basu, D. Slowly varying component of solar radio emission, 3=9262
- Das Gupta, M.K. and Basu, D. Solar radio bursts in relation to flare importances, 3=16377
- Das Gupta, M. K. and Basu, D. Effect of the earth's orbital eccentricity on incident solar flux at 10.7 cm, 4=20943
- Das Gupta, M. K. and Sen, A. K. Sudden enhancement of atmospherics associated with high altitude nuclear explosions, 3=1450
- Das Gupta, M.K. and Sen, A.K. Integrated field intensity of atmospherics in relation to local thunderstorms, 3=23597
- Dasgupta, M. K. See Mitra, R. K., 4=2298
- Dasgupta, P. Regge trajectory and resonant partial wave amplitude, 3=10046
- Dasgupta, P. and Vij, K.K. Statistical analysis of fading of a single down-coming wave, 0=17121
- Dasgupta, P. See Mitra, S.N., 1=4125
- Dasgupta, S. Dielectric measurements at 1 kMc/s, 2=11599
- Das Gupta, S. and Gunye, M. R. On the necessity of axial asymmetry in some nuclei, 4=19649
- Dasgupta, S. and Mohan, G. Mechanism of dielectric absorption in the microwave region, 2=12557
- Dasgupta, S. and Mohan, G. Anomalous behaviour of dielectric absorption, 4=10102
- Das Gupta, S. and Preston, M. A. Calculations of the question of axial asymmetry in nuclei, 4=9345
- Dasgupta, S. See Skribljak, M., 0=3237
- Das Gupta, S.R. On the solution of transport equation for neutron diffusion in the Milne-Eddington model, 0=16633
- Das Gupta, S.R. On the exact solution of transfer equation in the Milne-Eddington model: scattering according to Rayleigh phase function, 0=16634
- Das Gupta, S.R. On the exact solution of transfer equation in the Milne-Eddington model: Conservative grey isotropic scattering, 0=19001
- Dash, H.H. Constant energy differences in atomic structure, 3=22472
- Dash, J. and Otte, H.M. Thin film transmission observations of a thermal transformation in stainless steel, 3=23474
- Dash, J. See Otte, H. M., 4=23409
- Dash, J.G. Viscosity of liquid helium II near the lambda point, 0=8904
- Dash, J.G. and Siegwirth, J. Simple heat switch for low temperature use, 4=5488
- Dash, J.G., Taylor, R.D., Craig, P.P., Nagle, D.E., Cochran, D.R.F. and Keller, W.E. Mössbauer effect in Fe^{57} at very low temperatures, 0=17489
- Dash, J.G., Taylor, R.D., Nagle, D.E., Craig, P.P. and Visscher, W.M. Polarization of Co^{57} in Fe metal, 1=8877
- Dash, J.G. See Craig, P.P., 0=411
- Dash, J. G. See Housley, R. M., 4=25817
- Dash, J.G. See Nagle, D., 0=11312
- Dash, J. G. See Tough, J. T., 4=5495
- Dash, J. G. See Tough, J. T., 4=29600
- Dash, S. and Brown, N. An investigation of the origin and growth of annealing twins, 3=25756
- Dash, W.C. Improvements on the pedestal method of growing silicon and germanium crystals, 0=12006
- Dash, W.C. Gold-induced climb of dislocations in silicon, 1=2390
- Dash, W.C. A method for measuring the thickness of epitaxial silicon films, 2=17402
- Dash, W.C. Oxidation of thin films of germanium and silicon, 2=23957
- Dash, W.C. and Tweet, A.G. Observing dislocations in crystals, 2=14448
- Dash, W.C. See Phillips, V.A., 2=6347
- Dash, W.C. See Philipp, H.R., 2=18799
- Dashchenko, A.I. See Zapesochnyi, I.P., 2=18423
- Dashen, R.F. New approach to low-energy potential scattering, 3=11700
- Dashen, R.F. Some extensions of the born approximation for phase shifts, 3=14906
- Dashen, R.F. Theory of electron backscattering, 4=16874
- Dashen, R. F. Unitary symmetry and the photoproduction of η -mesons, 4=19581
- Dashen, R. F. The baryon octet $\frac{1}{2}^+$ decuplet reciprocal bootstrap and the magnetic moments of the baryons, 4=27783
- Dashen, R. F. Calculation of the proton-neutron mass difference by S-matrix methods, 4=27839
- Dashen, R. F. and Frautschi, S. C. S-matrix method for calculation of electro-magnetic corrections to strong interactions, 4=27797
- Dashen, R. F. and Sharp, D. H. Experimental consequences of ϕ - ω mixing, 4=12063

- Dashevskii, M. Ya. and Mirgalovskaya, M. S. Some structural peculiarities of indium antimonide dendrites, 4=2037
- Dashevskii, M. Ya. See Voronov, B. K., 3=25671
- Dashkovskii, A. I. and Savitskii, E. M. Internal friction in strontium, 2=8710
- Dashkovskii, A. I. and Savitskii, E. M. The damping capacity of strontium, 3=1216
- Da Silva, A. G. See De Carvalho, H. G., 0=12755
- Da Silva, A. G. See De Carvalho, H. G., 0=12759
- Da Silva, A. G. See De Carvalho, H. G., 0=12762
- da Silva, A. G. See de Carvalho, H. G., 1=8801
- da Silva, A. G. See de Carvalho, H. G., 1=13259
- da Silva, E. See Balkanski, M., 1=2440
- da Silva, E. See Balkanski, M., 4=1469
- da Silva, E. See Nazarewicz, W., 2=17583
- Da Silva, E. M. Evaporation source with controlled characteristics, 0=16361
- Da Silva, E. M. and White, P. Electrical properties of evaporated aluminum oxide films, 2=10551
- da Silva, X. A. See Bemski, G., 4=12561
- da Silveira, A. Kemmer wave equation in Riemann space, 1=4763
- da Silveira, A. Unusual eigenvalues of the energy operator, 2=11279
- da Silveira, R. A contribution to the study of nuclear spallation reactions, 3=19851
- Da Silveira, R. Influence of the deformation of an excited nucleus on the evaporation of charged particles, 4=22060
- Das Sarma, J. M. Band spectrum of manganese oxide (MnO), 0=2768
- Dassault, P. On the ballistic waves generated by supersonic aeroplanes in level flight, 0=992
- Dassù, G. See Bassi, A., 2=17057
- Dassù, G. See Bassi, A., 3=3240
- Datars, W. R. Cyclotron resonance in antimony, 2=6308
- Datars, W. R. Electron spin resonance in antimony, 2=12814
- Datars, W. R. Cyclotron resonance in antimony at 35 Gc/sec and 70 Gc/sec, 3=4851
- Datars, W. R. Cyclotron resonance in KCl, 3=20149
- Datars, W. R. and Dexter, R. N. Cyclotron resonance in antimony, 1=14235
- Datars, W. R. and Eastman, P. C. A new effect in the magneto-resistance of antimony at 4.2°K, 2=12524
- Datars, W. R., Fischer, G. and Eastman, P. C. Paramagnetic resonance in tellurium, 3=13308
- Datars, W. R. See Chambers, J. G., 4=26572
- Datars, W. R. See Eastman, P. C., 3=8512
- Datars, W. R. See Eastman, P. C., 3=21643
- Date, M. Antiferromagnetic resonance in $\text{CoCl}_2 \cdot 6\text{H}_2\text{O}$, 1=1256
- Date, M. Magnetic resonance in MnCO_3 , 1=12560
- Date, M. Magneto-plasma resonance in semiconductors, 1=14406
- Date, M. Antiferromagnetic resonance in $\text{CoCl}_2 \cdot 6\text{H}_2\text{O}$, 1=14784
- Date, M. Anomalous paramagnetic resonance in $\text{Ni}(\text{NH}_3)_6\text{Cl}_2$, 2=774
- Date, M. Antiferromagnetic resonance and anisotropic exchange interactions in $\text{CoCl}_2 \cdot 6\text{H}_2\text{O}$, 3=1176
- Date, M. On a shift of impurity paramagnetic resonance in paramagnetic crystals, 4=10311
- Date, M., Kanamori, J. and Tachiki, M. Origin of magnetoelectric effect in Cr_2O_3 , 2=6418
- Date, M. and Miyako, Y. Electron spin resonance of some magnetic ions in TiO_2 under an external stress, 4=26435
- Date, M., Motokawa, M. and Yamazaki, H. Temperature dependence of paramagnetic resonance line width in copper benzoate, 4=10318
- Date, M. and Nagata, K. Antiferromagnetic resonance in hydrated copper salts, 3=15929
- Date, M. See Fukada, E., 2=23729
- Date, M. See Haseda, T., 0=21028
- Date, M. See Nakada, M., 4=28876
- Ďatlov, J., Boháček, V., Jakubka, K., Klima, R. and Váňa, J. Circular electron accelerator with toroidal waveguide, 3=9886
- Ďatlov, J., Kopecký, V. and Musil, J. Influence of a cylindrical glass tube on the microwave field in the region occupied by the plasma column, 4=16488
- Datsenko, L. I. X-ray images of various dislocation lines obtained without special sharp-focusing sources, 2=12443
- Datsenko, L. I. X-ray method of observing and determining small densities of dislocations in germanium, 2=18586
- Datsenko, L. I. Quick determination of the orientation of Ge and Si single crystals on URS-25I diffractometer, 2=19036
- Datsenko, L. I. See Vasylevska, V. M., 2=21038
- Datsenko, L. I. See Vasilevskaya, V. N., 4=1485
- Datsko, O. I. The effect of the mechanical state of ferromagnetic nickel upon its internal friction, 4=23178
- Datsko, O. I. and Pavlov, V. A. Temperature dependence of internal friction of pure nickel, 1=3862
- Datskovskii, V. M. The optimum parameters for the thermodynamic cycle of an atomic power station, 1=4886
- Datsyshyn, A. M. See Vyshevs'kii, V. N., 3=20520
- Datta, B. K. Static electromagnetic fields in general relativity, 1=8049
- Datta, B. K. Static electromagnetic fields in general relativity. III, 1=18254
- Datta, R. K., Roy, D. M., Faile, S. P. and Tuttle, O. F. Glass formation in carbonate systems, 4=23615
- Datta, R. L. See Krishnamurti, S., 3=9435
- Datta, R. L. See Krishnamurthi, S., 4=14131
- Datta, R. L. See Krishnamurthy, P. G., 4=14132
- Datta, R. L. See Raman, M. S., 4=2159
- Datta, R. L. See Weingaertner, E., 1=4915
- Datta, R. N. Some studies on the spread-F, double-F and forked-F traces as observed at Haringhata (Calcutta), 1=15296
- Datta, R. N. See Datta, S., 0=16431
- Datta, R. N. See Datta, S., 0=16448
- Datta, S. A note on the motion of viscous fluid subjected to uniform or periodic body force acting for a finite time, 0=6744
- Datta, S. A note on stress waves in visco-elastic rod, 0=14714
- Datta, S. On the F_2 -region of the ionosphere, 1=9200
- Datta, S. Steady rotation of magnetized sphere in viscous conducting fluid, 4=19173
- Datta, S. Slip flow over a magnetized sphere rotating steadily in a conducting fluid, 4=27625
- Datta, S., Bandyopadhyay, P. and Datta, R. N. Ionospheric observations on the F-region during the solar eclipse of 19 April, 1958, 0=16448
- Datta, S. and Datta, R. N. Gyro-frequency in the ionospheric regions, 0=16431
- Datta, S. K. Note on forced torsional vibration of a visco-elastic circular cylinder, 0=19250
- Datta, S. K. On the steady motion of an idealized elastico-viscous liquid through channels with suction and injection, 1=12843
- Datta, S. K. Some experiments on the growth and purity of alkali halide crystals and their darkenability under X-irradiation, 1=14980
- Datta, S. K. Slow steady rotation of a sphere in a non-Newtonian inelastic viscous fluid, 3=111
- Datta, S. K. Laminar flow of non-Newtonian fluid in channels with porous walls, 3=7182
- Datta, S. K. Flow formation in Couette motion of an elastico-viscous Maxwell fluid in the presence of a transverse magnetic field, 4=5787
- Datta, S. K. and Daw, A. N. The Hall side resistance of a Hall generator, 4=26088
- Datta, S. K. See Bose, A., 0=1778
- Datta, S. K. See Kamb, W. B., 0=16319
- Datta-Roy, S. K. See Bose, A., 3=6691
- Dattilo, J. A. and Van Bladel, C. Fields in gap-excited circular ducts, 1=1974
- Dattner, A. Current-induced instabilities of a mercury jet, 2=5464
- Dattner, A. A study of plasma resonance, 3=7611
- Dattner, A. Experiments on plasma resonance, 3=19251
- Dattner, A. Resonance densities in a cylindrical plasma column, 3=21835
- Dattner, A. Experiments on plasma resonance, 4=18887
- Dattner, J. and Fischler, J. Calculations of oxygen isotope abundance ratios in a mass spectrometer, 3=25071
- Dattner, J. See Pelah, I., 3=21904
- Datz, S., Herschbach, D. R. and Taylor, E. H. Collision mechanics in crossed Maxwellian molecular beams, 1=19680
- Datz, S. and Minturn, R. E. Study of the reaction of Cs with Br_2 in crossed molecular beams, 4=28286
- Datz, S., Minturn, R. E. and Taylor, E. H. Thermal positive ion emission and the anomalous flicker effect, 0=9094
- Datz, S., Minturn, R. E. and Taylor, E. H. Multiple aperture slits for molecular beam sources, 1=4958
- Datz, S., Smith, W. T. Jr., and Taylor, E. H. Molecular association in alkali halide vapors, 1=6061

- Datz, S. and Snoek, C. Large-angle, single-collision scattering of argon ions (40-80 keV) from metals, 4=14766
- Datz, S. and Snoek, C. Atomic scattering from ionic bombardment of metallic surfaces, 4=19121
- Datz, S. and Taylor, E.H. Atom-molecule reaction of hydrogen studied by molecular beams, 4=3930
- Datz, S. See Fluit, J.M., 4=13671
- Datz, S. See Minturn, R.E., 0=9093
- Datzeff, A. The interpretation of quantum mechanics. Case of the presence of an electromagnetic field, 0=5471
- Datzeff, A. On the interpretation of quantum mechanics. Case of relativistic velocity of a spinless particle, 0=7268
- Datzeff, A. On the physical meaning of the special theory of relativity, 0=16575
- Datzeff, A. On the interpretation of quantum mechanics. Uncertainty relations, 1=1701
- Datzeff, A. The interpretation of quantum mechanics. Non-relativistic case of a particle with spin, 2=9186
- Datzeff, A. The interpretation of quantum mechanics. Relativistic case of a particle with spin, 2=9187
- Datzeff, A. On the stable directions in the motion of molecules in some rectilinear configurations, 2=11417
- Datzeff, A. On the experimental verification of the special relativity, 4=24032
- Datzeff, A.B. An interpretation of quantum mechanics. I. A new hypothesis. Qualitative effects, 0=17212
- Datzeff, A.B. A case of gas dynamics, 0=19190
- Datzeff, A.B. Interpretation of quantum mechanics. II. Determination of probability of occurrence, 1=9323
- Datzeff, A.B. The interpretation of quantum mechanics. III. Mathematical formalism, 1=15670
- Datzeff, A.B. The interpretation of quantum mechanics. IV. Observation and reality, 1=15671
- Datzeff, A.B. Interpretation of quantum mechanics. V. Spin and relativity, 2=16126
- Daub, C.T. The Zanstra mechanism for nebular condensations, 3=9345
- Daub, E.E. The pseudo-critical constants of gaseous mixtures, 1=4374
- Daub, G.H. See Birkeland, S.P., 0=16710
- Dauben, C.H. See Templeton, D.H., 0=10312
- Dauber, P.M. K^+p charge-exchange scattering at 1.80 GeV/c, 4=21938
- Daubèze, M. and Claria, A. A note on the measurement of the forces exerted by moving fluids on immersed bodies, oscillating about an axis, 1=6842
- D'Aubigné, Y.M. and Srivastava, K.G. Resonance of fine anti-ferromagnetic grains, 3=15905
- d'Aubigné, Y.M. and Winter, J.H. Magnetic resonance in fine anti-ferromagnetic grains, 3=23218
- Daubin, S.C. A geometrical introduction to special relativity, 3=34
- Daubin, S.C. Geometrical demonstration of velocity transformation in special relativity, 3=23747
- Daucourt, G. On the characteristic initial-value problem for the Einstein field equations, 4=5036
- Daudel, R. The calculations of molecular wave-functions, 0=9777
- Daudel, R. A simple presentation of some general results in quantum chemistry, 0=9778
- Daudel, R. See Bratoz, S., 0=17836
- Daudin, A., Jabiol, M.A., Kochowski, C., Lewin, C., Rogozinski, A., Mongelli, S., Picciarelli, V., Romano, A. and Waloschek, P. Elastic π^+p scattering at 1.6 GeV/c, 4=30260
- Daudin, A., Jabiol, M.A., Kochowski, C., Lewin, C., Selleri, F., Mongelli, S., Romano, A. and Waloschek, P. On the universal coupling of the ρ -meson, 4=6125
- Daudin, A. See Alitti, J., 2=16229
- Daudin, A. See Alitti, J., 2=18156
- Daudin, A. See Berthelot, A., 0=4090
- Daudin, A. See Berthelot, A., 1=19281
- Dauenbaugh, C.E. See Palmer, D.R., 1=1047
- Dauenbaugh, C.E. See Palmer, D.R., 1=6157
- Dauenbaugh, C.E. See Palmer, D.R., 3=6497
- Dauglton, J.M., Smay, T.A., Pohn, A.V. and Read, A.A. Magnetic film devices using passive loading, 1=7120
- Daughtry, J.W. See Pondrom, L.G., 1=3248
- Daughtry, J.W. See Segel, R.E., 1=10971
- Daughtry, J.W. See Sprenkel, E.L., 2=417
- Daujat, P. See Bergere, R., 3=5728
- Daum, A. See Barriol, J., 2=8074
- Daum, A. See Régnier, J.F., 3=3838
- Daum, C. The $^{23}\text{Na}(d,p)^{24}\text{Na}$ reaction and the nuclear structure of ^{24}Na , 3=19875
- Daum, C. The nuclear structure of ^{24}Na and some remarks on the nuclear structure of ^{25}Mg , 4=12142
- Daume, E.Ya. and Freidman, G.I. Doppler effect when an electromagnetic wave is reflected by a magnetization wave in a ferrite, 3=4269
- Daumezon, P., Moriamez, M. and Arnoult, R. Use of a graphic analogue method for analysing the results of dielectric relaxation phenomena; application to solutions of chlorobenzene-nitrobenzene, 3=21392
- Dauncey, L.A. See Cowles, L.E.J., 2=2139
- Daune, M., Freund, L. and Spach, G. Hydrodynamic analysis of the dimensions of rigid particles in dilute solutions, 2=19557
- Daune, M. See Jacob, M., 3=9454
- Daune, M. See Klenine, S., 0=12111
- Daune, M. See Varoqui, R., 2=11359
- Däunert, U. See Eder, F.X., 0=8097
- Däunert, U. See Sizmann, R., 3=8457
- Daunt, J.F. See Brewer, D.F., 0=8879
- Daunt, J.G. Liquid helium-3, 0=8859
- Daunt, J.G., Kreitman, M., Baltensperger, W. and Olsen, J.L. The variation of critical current in superconducting alloys with field direction, 2=17725
- Daunt, J.G. and Olsen, J.L. Compressibility, zero-point energy, and specific heat in superconductors, 1=6998
- Daunt, J.G., Schuch, A.F. and Mills, R.L. Proposed nomenclature for helium allotropes, 4=13487
- Daunt, J.G. See Brewer, D.F., 0=223
- Daunt, J.G. See Brewer, D.F., 0=224
- Daunt, J.G. See Brugger, K., 0=10098
- Daunt, J.G. See Cotti, P., 4=15521
- Daunt, J.G. See Edwards, D.O., 2=15834
- Daunt, J.G. See Edwards, D.O., 2=17719
- Daunt, J.G. See Edwards, D.O., 1=18689
- Daunt, J.G. See Edwards, D.O., 3=323
- Daunt, J.G. See Edwards, D.O., 4=14504
- Daunt, J.G. See Gaines, J.R., 4=13488
- Daunt, J.G. See Lerner, E., 4=15643
- Daunt, J.G. See Lerner, E., 4=30609
- Daunt, J.G. See Milford, F.J., 4=17666
- Daunt, J.G. See Pandorf, R.C., 4=30608
- Daunt, J.G. See Sreedhar, A.K., 0=5321
- Dauphinee, T.M. Acoustic pump, 1=210
- Dauphinee, T.M., Kirby, C.G.M. and Preston-Thomas, H. Direct reading resistance thermometer bridge. II, 0=7004
- Dauphinee, T.M. and Preston-Thomas, H. Direct reading resistance thermometer bridge. I, 0=7003
- Dauphinee, T.M. See Preston-Thomas, H., 0=10628
- D'Auria, J.M. and Preiss, I.L. Decay properties of the delayed proton emitter Ne^{17} , 4=25342
- Dauscher, R., Fischer, E.W. and Stuart, H.A. Light scattering in crystalline high polymers; studies on spherulites with ring-structure, 0=14053
- Dautcourt, G. On the solution of the Einstein equation $g_{\mu\nu}$; $\rho = 0$, 0=876
- Dautcourt, G. Energy, momentum and angular momentum in the general theory of relativity, 1=18248
- Dautcourt, G., Papapetrou, A. and Treder, H. One-dimensional gravitational fields, 3=5333
- Dautel, R. See Roszinski, H., 4=3869
- Dautov, R.A. The change of the electrical resistivity of ferromagnetic metals in a radiofrequency magnetic field, 1=7617
- Dautov, R.A. See Korepanov, V.D., 0=12428
- Dautov, R.A. See Korepanov, V.D., 4=4421
- Dautova, L.I. See Presnyakov, A.A., 0=13496
- Dautova, L.I. See Presnyakov, A.A., 1=6125
- Dautova, L.I. See Presnyakov, A.A., 4=1978
- Dautova, L.I. See Presnyakov, A.A., 4=29108
- Dautreppe, D., Hivert, V., Moser, P. and Salvi, A. Peaks of the internal friction owing to localized defects in iron obtained by zone melting that has been irradiated with neutrons at 78° K, 4=26513
- Dautreppe, D., Langier, J., Paulevé, J. and Néel, L. The effect of neutron irradiation on 50-50 Fe-Ni alloy, 3=11056
- Dautreppe, D., Moser, P. and Paulevé, J. Magnetic methods for studying radiation damage in ferromagnetic substances, 2=12475
- Dautreppe, D., Paulevé, J., Moser, P. and Brissonneau, P. Application of magnetic measurements to the study of irradiation effects, 2=21084
- Dautreppe, D. See Bonnet, G., 0=12663

- Dautreppe, D. See Cassayre, C., 0=20864
 Dautreppe, D. See Chambron, W., 3=3119
 Dautreppe, D. See Georgopoulos, C., 4=6976
 Dautreppe, D. See Marchand, A., 4=7496
 Dautreppe, D. See Minier-Cassayre, C., 3=13034
 Dautreppe, D. See Moser, P., 1=1227
 Dautreppe, D. See Moser, P., 3=8469
 Dautreppe, D. See Moser, P., 4=1832
 Dautreppe, D. See Néel, L., 4=13207
 Dautreppe, D. See Paulevé, J., 0=13769
 Dautreppe, D. See Paulevé, J., 2=6830
 Dautreppe, D. See Paulevé, J., 3=8900
 Dautreppe, D. See Paulevé, J., 4=1457
 Dautreppe, D. See Peretto, P., 4=13196
 Dauvillier, A. Cathodic sputtering and cometary nuclei, 0=12276
 Dauvillier, A. New principle of photography, 2=1284
 Dauvillier, A. On the age and rotation of galactic stars, 2=4797
 Dauvillier, A. Cosmic debris. Interplanetary, interstellar and intergalactic sources, 2=6979
 Dauvillier, A. Lunar magnetism, 3=5237
 Dauvillier, A. Cosmic cybernetics and stellar evolution, 3=5267
 Dauvillier, A. Paleogeomagnetism and evolution of the earth-moon system, 3=9136
 Dauvillier, A. Planetary albedoes and glacial periods. The glaciation of Venus, 3=9180
 Dauvillier, A. Cosmological hypotheses and the theory of cosmic cycles, 3=25970
 Dauvillier, A. Is the earth the only magnetized dwarf planet? 4=10877
 Dauvillier, A. The origin of the earth-moon system, 4=2392
 Dauvillier, A. The origin of tektites, 4=29260
 Dauvillier, A. See Botley, C.M., 3=23629
 Dauvillier, A. See Bureau, R., 0=6595
 Dave, J.V. On the intensity and polarisation of the light from the sky during twilight, 0=4804
 Dave, J.V. Importance of higher order scattering in a molecular atmosphere, 4=17894
 Dave, J.V. and Furukawa, P. The effect of Lambert-type ground reflection on umkehr measurements, 4=23753
 Dave, J.V., Sheppard, P.A. and Walshaw, C.D. Ozone distribution and the continuum from observations in the region of the 1043 cm^{-1} band, 4=2186
 Dave, J.V. See Sekera, Z., 1=2564
 Dave, J.V. See Sekera, Z., 2=4591
 Dave, S.M. See Saxena, S.C., 1=15947
 Dave, S.M. See Saxena, S.C., 3=3821
 Dave, S.M. See Saxena, S.C., 3=7233
 Dave, S.M. See Saxena, S.C., 3=16651
 Da Veiga, L.M.D'Alte. See d'Alte da Veiga, L.M.
 Davenport, P.A. Rectification in a 50-cycle discharge, 1=11921
 Davern, W. See Dubout, P., 0=16787
 Davey, G. and Mendelssohn, K. Heat conductivity of pure metals below 1°K, 4=6757
 Davey, J.E. Textural properties of germanium films, 1=7886
 Davey, J.E. Epitaxy of germanium films on germanium by vacuum evaporation, 2=8800
 Davey, J.E. and Deiter, R.H. Structure in residual contaminants on glass, 4=13647
 Davey, J.E. and Montgomery, M.D. Simultaneous contamination and conversion effects in germanium heated to temperatures in the evaporation range, 4=20368
 Davey, J.E. and Pankey, T. Structural and optical characteristics of thin GaAs films, 4=23579
 Davey, J.E., Tiernan, R.J., Pankey, T. and Montgomery, M.D. The effect of vacuum-evaporation parameters on the structural, electrical and optical properties of thin germanium films, 3=20926
 Davey, J.E. See Grant, H.L., 3=16668
 Davey, J.E. See Ostriker, J.P., 0=14900
 Davey, P.G., Hulsizer, R.I., Humphrey, W.E., Munson, J.H., Ross, R.R. and Schwemin, A.J. Scanning and measuring projector, 4=27302
 Davey, P.O. and Valk, H.S. Nuclear photodisintegration of the three-body system, 4=6319
 Davey, P.O. and Valk, H.S. Remarks on mixed symmetry states and the nuclear photo-effect in He^3 and H^3 , 4=9321
 David, B. See Challande, R., 0=8365
 David, C.W. Hard-line mixtures, 4=18087
 David, E.E. and Hanson, R.L. Binaural hearing and free field effects, 4=10953
 David, E.E., Jr. The reproduction of sound, 2=15697
 David, E.E., Jr. Computer-catalyzed speech research, 4=10945
 David, E.E., Jr., Mathews, M.V. and Pfafflin, S.M. An energy detection model for monaural auditory detection, 4=13391
 David, E.E., Jr. See Guttman, N., 0=18538
 David, E.E., Jr. See Mathews, M.V., 1=4143
 David, E.E., Jr. See Schodder, G.R., 0=21406
 David, F. See Paris, P., 3=24908
 David, H.G. and Ewald, A.H. Photographic observations on shock waves in liquids, 0=19127
 David, H.G. and Hamann, S.D. Lennard-Jones and Devonshire equation of state at low temperatures, 3=20117
 David, J.E., Krafft, J., Bouchez, R. and Felici, N. Magnetic analysis of the [proton] beam of the 600 keV electrostatic accelerator at Grenoble, 1=18953
 David, J.P. Attempts to explain theoretically the variations of certain optical properties of very thin metallic layers as a function of various parameters, 0=8801
 David, J.P. Optical properties and structure of thin films of silver, 1=7700
 David, J.P. Study of the reflection and transmission of light by a thin metallic film with a granular structure, 2=5177
 David, J.P., Martinuzzi, S. and Japavaire, R. Electrical properties of thin films of Ga in relation to their method of preparation and structure, 3=17875
 David, J.P. and Tortosa, J. Description of an experimental arrangement allowing the study, under vacuum, of the optical properties of thin metallic films, 0=19422
 David, J.P. See Danis, S., 1=10089
 David, J.P. See Dumontet, P., 0=6392
 David, J.P. See Perrot, M., 4=23560
 David, K.H. The centre-limb variation of the Balmer lines $H\alpha$ - $H\beta$ over the solar disk, 1=15470
 David, K.H. and Elste, G. Effect of scattered light on the photometry of the solar surface, 2=7004
 David, M.M. See Davis, E.J., 4=24409
 David, R. and Blangé, T. Sound velocity in indium at low temperatures, 1=9974
 David, R. and Poulis, N.J. Ultrasonic attenuation in superconducting aluminium, 4=16341
 David, R., van der Laan, H.R. and Poulis, N.J. Attenuation of longitudinal ultrasonic waves in aluminium at low temperatures, 2=10323
 David, R., van der Laan, H.R. and Poulis, N.J. Attenuation of ultrasonic shear waves in superconducting aluminium, 3=14446
 David, R. See Guptill, E.W., 0=8870
 David, W. See Berry, R.S., 4=25493
 David-Boyer, R. See Vergnes, M., 1=9704
 Davidenko, D.F. Problem of solution of Poisson's equation having axial symmetry with the air of a relaxation method, 4=18029
 Davidenko, D.F. See Nikolaev Yu. G., 4=1143
 Davidenko, N.I. and Fakidov, I.G. Anisotropy of the Nernst-Ettingshausen longitudinal thermomagnetic effect in magnetite in the region of the low-temperature transformation, 2=3995
 Davidenko, N.I. and Fakidov, I.G. Anisotropy of the Nernst-Ettingshausen longitudinal thermomagnetic effect in magnetite in the region of the low-temperature transformation, 2=8293
 Davidenko, N.I. Anisotropy of even effects in crystals with orthorhombic and rhombohedral lattices, 3=23166
 Davidenko, N.I. and Fakidov, I.G. "Anomaly" in the longitudinal Nernst-Ettingshausen thermomagnetic effect, 3=25532
 Davidenko, N.I., Samokhvalov, A.A. and Fakidov, I.G. Anisotropy of the longitudinal Nernst-Ettingshausen effect in [single-crystal] magnetite in the low-temperature inversion region, 2=2125
 Davidenko, V.A. Age of nuclei and the continuation of nuclear synthesis, 4=4744
 Davidenko, V.A., Pogrebov, I.S. and Saukov, A.I. The shape of the excitation curve for the $T(d,n)^4\text{He}$ reaction, 0=7576
 Davidenkov, N.N. Kinetics of formation of tooth-like curves in deformation graphs, 1=20317
 Davidenkov, N.N. Measurement of residual stresses in electrolytic coatings, 1=20323
 Davidenkov, N.N. Kinetics of formation of tooth-like curves in deformation graphs, 2=4315
 Davidenkov, N.N. Correction to the article of N.N. Davidenkov "On measurement of residual stresses in electrolytic coatings", 3=15983

- Davidenkov, N.N. More about the kinetics of abrupt deformation [reply to the paper by L.E. Popov, M.A. Bol'shakova and N.A. Aleksandrov], 3=23318
- Davidenkov, N.N. and Bozhokina, I.A. A mechanical criterion of cold-brittleness, 0=16240
- Davidenkov, N.N. and Brainin, E.I. The nature of "flow areas" in metals, 0=6305
- Davidenkov, N.N. and Brainin, E.I. The nature of shear formation in the flow area of metals, 0=21128
- Davidenkov, N.N., Brainin, E.I. and Vasil'ev, D.M. The formation of Lüder's lines and the geometry of the plastic deformation of steel specimens at yield-point elongation, 2=23758
- Davidenkov, N.N. and Brainin, E.I. The question of the mechanism of plastic deformation of metals, 3=15987
- Davidenkov, N.N., Brainin, E.I. and Vasil'ev, D.M. The mechanism of formation of Lüder's lines and geometry of plastic deformation of steel in yield plateau, 2=8722
- Davidenkov, N.N. and Churchman, T.N. The effect of temperature on the compression stress-strain curves for metals, 1=10209
- Davidenkov, N.N. and Efimova, I.S. Effect of the surface condition (finish) on cold brittleness, 0=6317
- Davidenkov, N.N., Likhachev, V.A. and Ivanov, V.G. Size effect in irreversible thermal expansion, 2=20939
- Davidenkov, N.N., Likhachev, V.A. and Mal'gin, G.A. Irreversible, thermally-induced changes of the shape of cadmium-lead and cadmium-zinc alloy [specimens], 1=1440
- Davidenkov, N.N., Smirnov, B.I. and Yaroshevich, V.D. The effect of temperature on the yield point of metals with a body-centred cubic lattice, 2=2324
- Davidenkov, N.N. and Yaroshevich, V.D. Effect of low-temperature deformation on subsequent ageing of Armco iron, 2=12929
- Davidenkov, N.N. and Yaroshevich, V.D. Effect of low-temperature deformation on subsequent ageing of Armco iron, 2=15068
- Davidenkov, N.N. and Yaroshevich, V.D. Effect of deformation temperature on the deformation ageing of metals, 4=1915
- Davidge, P.C. and Lock, C.J.L. Neutron poison by gaseous fission products, 0=7665
- Davidge, R.W. The sign of charged dislocations in NaCl, 3=25278
- Davidge, R.W. The temperature dependence of the charge on dislocations in NaCl and the determination of the separate free energies of formation of positive and negative-ion vacancies, 4=1483
- Davidge, R.W. Direct interactions between dislocations and point defects in X-irradiated NaCl, 4=28462
- Davidge, R.W. and Pratt, P.L. Formation of colour centres in undeformed and deformed NaCl, 3=13011
- Davidge, R.W. and Pratt, P.L. Plastic deformation and work-hardening in NaCl, 4=30786
- Davidge, R.W., Silverstone, C.E. and Pratt, P.L. The generation of point defects by deformation and fatigue in alkali halides, 1=6483
- Davidge, R.W. and Whitworth, R.W. Evidence for the production of debris by moving dislocations in sodium chloride, 1=3678
- Davidon, W.C. See Holbrow, C.H., 4=30175
- Davidovich, M., Popescu, I.M. and Vais, A.M. Apparatus for the detection of magneto-optical double resonance, 3=5533
- Davidovich, N.M. and Dorin, V.A. Electrical [methods in] studies of TiO_{2-x} films [formed] on titanium by diffusion, 4=26714
- Davidovici, M., Popescu, I.M. and Weiss, A.M. A device with constant magnetic field for investigation of double magneto-optical resonance, 2=7412
- Davidovici, M., Popescu, I.M. and Weiss, A.M. Magneto-optical double resonance detector, 2=17977
- Davidovich, Ya. G. See Fialkov, A.S., 4=10624
- Davidovits, P. An optically pumped ^{87}Rb laser oscillator, 4=24906
- Davidovits, P. and Knable, N. Efficiency of a Rb^{85} filter in optical pumping of Rb^{87} , 4=22313
- Davidovskii, V.G. Oscillation of spatially non-uniform plasma in a magnetic field, 4=2997
- Davidovskii, V.G. Oscillation of spatially nonuniform plasma in a magnetic field, 4=18986
- Davidovskii, V.G., Dubovoi, L.V. and Ponomarenko, A.G. The resonance probing of a plasma in a magnetic field, 4=27543
- Davids, D.A. and Wagner, P.E. Magnetic field dependence of paramagnetic relaxation in a Kramers salt, 4=17679
- Davids, N. See Huang, Y.K., 3=21486
- Davids, N. See Hwang Shoi-Yean, 1=168
- Davids, N. See Nahmani, G., 2=14905
- Davidson, B. and Herbach, L. Two-dimensional diffusion of a polydispersed cloud, 4=23748
- Davidson, B. See Lappe, U.O., 4=10707
- Davidson, B. See Littman, H., 1=5032
- Davidson, C.W. and Farvis, W.E.J. Microwave studies of a pulsed glow discharge, 2=19918
- Davidson, D. Nuclear burst effects on long-distance high-frequency circuits, 3=14782
- Davidson, D.F. See Bentley, P.G., 0=3812
- Davidson, D.F. See Bishop, J., 1=5986
- Davidson, D.W. Dielectric relaxation in liquids. I. The representation of relaxation behavior, 1=9404
- Davidson, D.W. Some dielectric properties of carbonyl chloride, 3=177
- Davidson, D.W., Davies, M.M. and Williams, K. Dielectric absorption and molecular motion in gas hydrates, 4=22771
- Davidson, D.W. See Grant, R.F., 1=1753
- Davidson, E.R. First excited $^1\Sigma_g^+$ state of H_2 . A double minimum problem, 1=834
- Davidson, E.R. Comparison of theoretical calculations on diatomic molecules with experiment, 1=5999
- Davidson, E.R. First excited $^1\Sigma_g^+$ state of the hydrogen molecule, 1=17328
- Davidson, E.R. Ground-state potential energy of diatomic molecules, 2=14237
- Davidson, E.R. Natural expansions of exact wave functions. I. Method, 2=19427
- Davidson, E.R. Potential curves for H_2^+ , 2=20805
- Davidson, E.R. Natural expansions of exact wave functions. III. The helium-atom ground state, 3=25045
- Davidson, E.R. and Jones, L.L. Direct-product representation of wave functions, 3=1610
- Davidson, E.R. and Jones, L.L. Correlation splitting in the hydrogen molecule, 3=2616
- Davidson, E.R. and Jones, L.L. Natural expansion of exact wave functions. II. The hydrogen-molecule ground state, 3=6392
- Davidson, E.R. Single-configuration calculations on excited states of helium, 4=25483
- Davidson, F.D. and Wyckoff, R.W.G. X-ray fluorescent yields from several light elements, 3=3033
- Davidson, F.D. See Wyckoff, R.W.G., 3=14703
- Davidson, F.D. See Wyckoff, R.W.G., 4=17874
- Davidson, F.G. See Crawshaw, J.K., 0=5041
- Davidson, G., Ozaki, S. and Weinstein, R. Use of oxide-coated cathodes in high current electron accelerators, 0=2378
- Davidson, J.M. See Helm, J.W., 4=28504
- Davidson, J.P. A model for odd parity states in even nuclei, 2=18231
- Davidson, J.P. See Chi, B.E., 3=17386
- Davidson, J.P. See Lipas, P.O., 1=13643
- Davidson, J.P. See Williams, S.A., 2=22723
- Davidson, N. See Duff, R.E., 0=1957
- Davidson, N. See Stewart, R.F., 3=13978
- Davidson, N. See Stewart, R.F., 3=25131
- Davidson, N.R. See Cole, T., 0=503
- Davidson, P.M. Theory of the temporal growth of ionization in gases, involving the action of metastable atoms and trapped radiation, 0=2315
- Davidson, P.M. Theory of temporal growth of ionization between parallel plates in the inert gases, 2=17783
- Davidson, P.M. The statistics of ionization currents in gases between parallel plates, 4=8614
- Davidson, R.M. Spectral variation of index of refraction, 3=20432
- Davidson, T.E. and Homan, C.G. Some observations on the effects of hydrostatic pressures to 20 000 atm on the structure of polycrystalline bismuth, 3=16017
- Davidson, T.E. and Lee, A.P. The study of the structural and transformation characteristics of the pressure-induced polymorphs in bismuth, 4=30795
- Davidson, T.W. Measurements of lunar time variations in the intensity of oxygen 5577A airglow, 4=7885
- Davidson, T.W. See Bullough, K., 0=797
- Davidson, W. Steady-state cosmology treated according to general relativity, 0=16523
- Davidson, W. Number count relations in observational cosmology, 0=18604
- Davidson, W. Angular measurements in observational cosmology, 0=18605
- Davidson, W. Use of an artificial satellite to test the clock "paradox" and general relativity, 1=2692
- Davidson, W. Cosmological significance of angular measurements of distant radio sources, 1=9248

- Davidson, W. The cosmological implications of the recent counts of radio sources. I. Analysis of the results and their immediate interpretation, 2=15293
- Davidson, W. The cosmological implications of the recent counts of radio sources. II. An evolutionary model, 2=21688
- Davidson, W. Radio background as a criterion for cosmological models, 3=9157
- Davidson, W. Re-entrant motion in special relativity, 3=9338
- Davidson, W. and Davies, M. Interpretation of the counts of radio sources in terms of a 4-parameter family of evolutionary universes, 4=20955
- Davidson, W. and McCrea, W.H. Interpretation of cosmology, 0=18606
- Davidson, W.; Singer, S.F. Use of an artificial satellite to test the clock "paradox" and general relativity, 1=2692
- Davie, O.H. A nanosecond light source based on a conventional pulse generator, 2=19697
- Davies, A.E. and Gosling, D.S. Non-ohmic behaviour in silicon, 2=16710
- Davies, A.J., Evans, C.J. and Jones, F.Llewellyn. Electrical breakdown of gases: the spatio-temporal growth of ionization in field distorted by space charge, 4=29886
- Davies, A.L. See Garwood, R.D., 1=15130
- Davies, A.L. See Garwood, R.D., 1=20368
- Davies, B. and Delves, L.M. An exactly soluble two-body problem with non-central forces, 3=24664
- Davies, B.F. Photometric considerations in observing Venus, 3=18622
- Davies, B.W. See Craddock, M.K., 3=22131
- Davies, C.M., Jr. and Litovitz, T.A. The origin of sound absorption in water, 4=14159
- Davies, C.N. Deposition of lycopodium spores upon glass slides exposed in a wind tunnel, 1=164
- Davies, C.N. Measurement of particles, 3=1651
- Davies, C.N. Measuring airborne dust and mist, 4=17887
- Davies, C.N. Distribution of particle size in dust, 4=23537
- Davies, D. and Long, G. Abnormal kinetics in the release of inert gases from uranium dioxide, 3=22441
- Davies, D., Long, G. and Stanaway, W.P. The emission of volatile fission products from uranium dioxide, 3=22440
- Davies, D. See Long, G., 4=15496
- Davies, D.A. Two thermocouples suitable for measurement of temperatures up to 2800°C, 0=7006
- Davies, D.E., Dawson, G.A. and Gozma, C.F. The influence of cathodic surface layers on Townsend discharge parameters in hydrogen, 3=4033
- Davies, D.E. and Fitch, R.K. Influence of the cathode work function on the sparking potential in hydrogen, 0=5329
- Davies, D.E. and Hopkins, B.J. Cathode work function, sparking potentials and secondary ionization coefficients for oxide-coated cathodes in hydrogen, 0=5328
- Davies, D.E. and Milne, J.G.C. First ionization coefficients in hydrogen, neon and argon, 0=5271
- Davies, D.E., Smith, D. and Myatt, J. Townsend ionization coefficients and the breakdown of Paschen's law in hydrogen, deuterium, and mercury vapour, 3=4010
- Davies, D.E. See Dawson, G.A., 3=9736
- Davies, D.E. See Fletcher, J., 4=18681
- Davies, D.E. See Maddison, R.C., 4=21554
- Davies, D.E. See Smith, D., 4=18683
- Davies, D.H. See Jones, B.D., 1=19502
- Davies, D.K. The incipient condensation of water vapour on a gold surface, 3=21635
- Davies, D.K. and Jones, E. Note on ionization coefficients in methane, 3=24214
- Davies, D.K., Jones, F.Llewellyn and Morgan, C.G. Primary ionization coefficient of helium, 2=19898
- Davies, D.K., Jones, F.Llewellyn and Morgan, C.G. Ionization growth times and secondary processes in helium, 3=9725
- Davies, D.K., Jones, F.Llewellyn and Morgan, C.G. The contribution of positive ions and non-resonance radiation to secondary ionization processes in helium, 4=8619
- Davies, D.K., Llewellyn-Jones, F. and Morgan, C.G. Ionization in helium, 4=18679
- Davies, D.K., Llewellyn-Jones, F. and Morgan, C.G. The role of delayed photon processes and metastable atoms in ionization growth in helium, 4=24570
- Davies, D.K. See Wylie, R.G., 3=3927
- Davies, D.M. and Martin, J.W. The effect of inclusions on the fracture of uranium, 2=4344
- Davies, D.R. and Corbridge, D.E.C. The crystal structure of sodium triphosphate, $\text{Na}_3\text{P}_3\text{O}_{10}$, phase II, 0=8222
- Davies, D.R. and Oakes, M.B. On the problem of formulating a realistic model of the general atmospheric circulation, 3=3456
- Davies, D.R. See Gee, J.H., 4=4762
- Davies, D.W. Separation theorem for degenerate eigenvalues, 0=16603
- Davies, D.W. Self-consistent molecular orbital calculations on π -electron systems. II. Diamagnetic susceptibilities, 2=6215
- Davies, D.W. Quantum-mechanical theories of the electronic structure of molecules, 3=22533
- Davies, D.W. Some remarks on the diamagnetic anisotropy of C-C and C-H bonds in saturated hydrocarbons, 3=22585
- Davies, E.A. The interphase surface energy in some pure and impure superconductors, 0=7028
- Davies, E.A. Hot-electron emission from n-silicon, 4=15543
- Davies, E.A. and Gosling, D.S. Mains-operated cold trap filler, 3=18867
- Davies, E.A. See Banbury, P.C., 3=10782
- Davies, F.C. See Myers, E.J., 1=20465
- Davies, F.J. and Reinhardt, P.W. Instrumentation in aircraft for radiation measurements, 0=12723
- Davies, G. See Morris, D.P., 4=7494
- Davies, G. See Sitte, K., 0=11241
- Davies, G.J. See Titchener, A.L., 3=8814
- Davies, G.R. and Chagnon, P.R. High energy, high current synchrotron injector, 0=3823
- Davies, G.R., Jennings, R.E., Porreca, F. and Rand, R.E. Magnet design of a 29 MeV microtron, 1=16467
- Davies, G.W. See Morris, D.P., 2=10682
- Davies, H. On the convergence of the Born approximation, 0=3932
- Davies, H. Hamiltonian approach to the method of summation over Feynman histories, 3=3747
- Davies, H.W. See Schwarz, M., 4=22730
- Davies, J.A., Ball, G.C., Brown, F. and Domeij, B. Range of energetic Xe^{125} ions in monocrystalline silicon, 4=22652
- Davies, J.A., Brown, F. and McCargo, M. Range of Xe^{133} and Ar^{41} ions of kiloelectron volt energies in aluminium, 3=19372
- Davies, J.A., Domeij, B. and Uhler, J. The range of Kr^{85} ions in aluminium and tungsten in the energy interval 2-600 keV, 3=14675
- Davies, J.A., McIntyre, J.D., Tushing, R.L. and Lounsbury, M. The range of alkali metal ions of kiloelectron volt energies in aluminium, 0=19804
- Davies, J.A., McIntyre, J.D. and Sims, G. The range of Cs^{137} ions of keV energies in germanium, 2=22276
- Davies, J.A. and Sims, G.A. The range of Na^{24} ions of kiloelectron volt energies in aluminium, 1=7106
- Davies, J.A. See Bergström, I., 3=12608
- Davies, J.A. See Bergström, I., 3=14676
- Davies, J.A. See Brown, F., 3=19373
- Davies, J.A. See Domeij, B., 3=14677
- Davies, J.A. See Domeij, B., 4=19119
- Davies, J.A. See Domeij, B., 4=27580
- Davies, J.A. See Graham, R.L., 4=1536
- Davies, J.A. See McCargo, M., 3=22878
- Davies, J.A. See McCargo, M., 3=24385
- Davies, J.A. See Piercy, G.R., 3=15521
- Davies, J.A. See Piercy, G.R., 4=22642
- Davies, J.B., Goldsmith, B.J. and McGinty, G.K. Modes in circular iris-loaded waveguides, 4=24768
- Davies, J.D. See Barlow, J., 4=25123
- Davies, J.G., Evans, J.V., Evans, S., Greenhow, J.S., Hall, J.E., Neufeld, E.L. and Thomson, J.H. Radar observations of the second Russian earth satellite (Sputnik II 1957 β), 0=8528
- Davies, J.G. and Gill, J.C. Radio echo measurements of the orbits of faint sporadic meteors, 1=12785
- Davies, J.G. and Lovell, A.C.B. Observations of the Russian moon rocket Lunik II, 0=3428
- Davies, J.G. and Turski, W. The formation of the Giacobinid meteor stream, 2=11120
- Davies, J.G. See Brierley, D.M., 4=13961
- Davies, J.G. See Haslam, C.G.T., 2=24166
- Davies, J.H. and Yaffe, L. Nuclear charge dispersion in the high-energy fission of uranium, 3=15249
- Davies, J.H. and Yaffe, L. The ratio of the independent formation cross-sections of the isomeric states of Cs^{134} in the proton-induced fission of uranium, 3=24995
- Davies, J.L. High temperature pressurized furnace, 2=2923
- Davies, J.T. The volume magnetostriction of gadolinium metal near the Curie temperature, 2=8645

- Davies, J. T. Effect of nonuniform magnetization on the spin-wave spectrum in thin ferromagnetic films, 4=13279
- Davies, J. T. and Mayers, G. R. A. Studies on the interfacial viscosities of monolayers, 1=15782
- Davies, J. T. and Vaughan, J. M. A new tabulation of the Voigt profile, 3=16764
- Davies, J. T. and Wiggill, J. B. Diffusion across the oil/water interface, 0=8656
- Davies, K. A study of 2 Mc/s ionospheric absorption measurements at high latitudes, 0=16429
- Davies, K. The effect of the earth's magnetic field on m.u.f. calculations, 0=17119
- Davies, K. Ionospheric effects associated with the solar flare of September 28, 1961, 2=19221
- Davies, K. A study of 2 Mc/s ionospheric absorption measurements at high latitudes, 3=5871
- Davies, K. Doppler studies of the ionospheric effects of solar flares, 3=13704
- Davies, K. The measurement of ionospheric drifts by means of a Doppler shift technique, 3=13729
- Davies, K. and King, G. A. M. On the validity of some approximation to the Appleton-Hartree formula, 1=12695
- Davies, K., Watts, J. M. and Zacharisen, D. H. A study of F_2 -layer effects as observed with a Doppler technique, 2=9004
- Davies, K. See Agy, V., 0=3345
- Davies, K. See Agy, V., 2=4642
- Davies, K. See Agy, V., 3=5875
- Davies, K. See Calvert, W., 3=13775
- Davies, K. See Chapman, S., 0=2009
- Davies, K. See Knecht, R. W., 1=20987
- Davies, K. See Knecht, R. W., 2=4653
- Davies, K. T. R. and Baranger, M. Symmetry properties of the S-Matrix with application to resonance reactions, 3=557
- Davies, K. T. R. and Satchler, G. R. Spin-spin interactions and scattering from polarized nuclei, 4=19763
- Davies, K. T. R., Satchler, G. R., Drisko, R. M. and Bassel, R. H. Scattering from oriented deformed nuclei, 3=19828
- Davies, L. See Edwards, D. H., 4=29703
- Davies, L. J. and Brough, R. The physical properties of ceramic bodies at high temperatures. I. The measurement of modulus of elasticity, 4=23088
- Davies, L. J. and Brough, R. The physical properties of ceramic bodies at high temperatures. II. The measurement of transverse strength, 4=23089
- Davies, L. W. Recombination radiation from hot electrons in silicon, 0=2887
- Davies, L. W. Electron tunneling in solids, 2=12414
- Davies, L. W. Electron-hole scattering at high injection-levels in germanium, 2=16700
- Davies, L. W. The use of P-L-N structures in investigations of transient recombination from high injection levels in semiconductors, 4=15529
- Davies, L. W. Heat liberation in alloy-junction silicon diodes, 4=20392
- Davies, L. W. Solid-state diffusion effects in zone-refining, and the use of a getter, 4=23321
- Davies, L. W. and Storm, A. R., Jr. Recombination radiation from silicon under strong-field conditions, 1=2410
- Davies, L. W. See Collins, R. E., 3=19301
- Davies, L. W. See Collins, R. E., 4=22762
- Davies, M. and Clemett, C. Energy and apparent entropy terms for quasi-spherical molecular rotations, 2=8871
- Davies, M., Williams, G. and Loveluck, G. D. The relaxation times of polyethylene glycols, 0=14656
- Davies, M. See Clemett, C., 0=4385
- Davies, M. See Clemett, C., 1=12898
- Davies, M. See Davidson, W., 4=20955
- Davies, M. G. and Oldfield, D. E. S. Tones from a choked axisymmetric jet. I. Cell structure, eddy velocity and source locations, 3=1767
- Davies, M. G. and Oldfield, D. E. S. Tones from a choked axisymmetric jet. II. The self excited loop and mode of oscillation, 3=1768
- Davies, M. J. See Bowen, P. J., 4=26811
- Davies, M. M. See Davidson, D. W., 4=22771
- Davies, M. O. Transport phenomena in pure and doped magnesium oxide, 3=15611
- Davies, P. G., Dutton, J. and Llewellyn-Jones, F. Mobilities of positive ions in gases, 3=7437
- Davies, P. G., Dutton, J. and Llewellyn-Jones, F. Drift velocities of low energy nitrogen ions in nitrogen, 4=24591
- Davies, P. G. See Gunn, W. F., 4=19080
- Davies, P. O. A. L. and Fisher, M. J. Heat transfer from electrically heated cylinders, 4=24403
- Davies, P. T. The setting of single crystals, 2=8809
- Davies, P. W. and Dennison, J. P. The role of voids in creep and fracture of a pure metal, 1=20357
- Davies, P. W. and Dennison, J. P. Observations on the creep and fracture of stable and unstable solid solutions of nickel-tin alloys, 2=4328
- Davies, P. W., Dennison, J. P. and Evans, R. W. The high-temperature creep and fracture of polycrystalline gold, 4=28953
- Davies, P. W., Finniear, T. C. and Wilshire, B. The effect of compressive prestrain on the creep and fracture properties of pure nickel at 500°C, 3=13361
- Davies, P. W., Greenough, A. P. and Wilshire, B. The ledge theory of recrystallization in polycrystalline metals, 1=14979
- Davies, P. W., Richards, J. D. and Wilshire, B. The influence of cold work on the creep and fracture behaviour of a dilute nickel alloy, 2=16962
- Davies, P. W. and Wilshire, B. Stress concentration effects in tertiary creep, 2=12857
- Davies, P. W. and Wilshire, B. An experiment on void nucleation during creep, 3=3227
- Davies, P. W. and Wilshire, B. Incidence of grain boundary cracking in creep failure, 3=18195
- Davies, R. D. Twenty-one-cm studies of some interstellar clouds, 0=8478
- Davies, R. D. On the nature of the Cygnus-X radio source as derived from observations in the continuum and at the hydrogen-line frequency, 0=18666
- Davies, R. D. A study of neutral hydrogen in the solar neighbourhood of the Milky Way, 0=18828
- Davies, R. D. Substructure within galactic spiral arms as derived from studies at 21 cm, 1=18009
- Davies, R. D. Radio emission from interstellar neutral hydrogen, 2=24174
- Davies, R. D. Radio astronomy at Jodrell Bank, 4=4921
- Davies, R. D. The identification of some new shell sources of radio emission, 4=4955
- Davies, R. D. The galactic spur, 4=29485
- Davies, R. D. A search for intergalactic neutral hydrogen. II. Data of cosmological significance derived from the observations, 4=29491
- Davies, R. D., Gottesman, S. T., Reddish, V. C. and Verschuur, G. L. Limits to the neutral hydrogen mass of several galaxies, 4=13971
- Davies, R. D. and Hazard, C. A survey of the anticentre region of the galaxy at 237 Mc/s, 2=24176
- Davies, R. D. and Jennison, R. C. Red-shift absorption spectrum of the Cygnus-A radio source, 0=4868
- Davies, R. D. and Jennison, R. C. A radiometer for hydrogen-line extra-galactic studies for continuum observations, 1=2664
- Davies, R. D. and Jennison, R. C. High resolution studies with the 250 ft radio telescope at Jodrell Bank, 1=2665
- Davies, R. D. and Jennison, R. C. A search for intergalactic neutral hydrogen. I. The observations, 4=29490
- Davies, R. D. and Shuter, W. L. H. An experiment to measure the magnetic field of the galaxy. III. Discussion of the magnetic field measurements, 4=7956
- Davies, R. D., Shuter, W. L. H., Slater, C. H., Verschuur, G. L. and Wild, P. A. T. An experiment to measure the magnetic field of the galaxy. I. Techniques of measurement, 4=7954
- Davies, R. D., Shuter, W. L. H., Slater, C. H. and Wild, P. A. T. An experiment to measure the magnetic field of the galaxy. II. Results and derivation of magnetic field intensities, 4=7955
- Davies, R. D., Slater, C. H., Shuter, W. L. H. and Wild, P. A. T. A new limit to the galactic field set by measurements of the Zeeman splitting of the hydrogen line, 1=31
- Davies, R. D. and Verschuur, G. L. Polarization and classification of radio sources, 3=9259
- Davies, R. D., Verschuur, G. L. and Wild, P. A. T. Measurement of magnetic fields in interstellar clouds, 3=5282
- Davies, R. D. See Chivers, H. J. A., 2=21646
- Davies, R. D. See Gardner, F. F., 4=23954
- Davies, R. D. See Hanbury Brown R., 1=4213
- Davies, R. G. On the activation energy for high temperature steady state creep, 2=4326
- Davies, R. G. Steady state creep in iron-15 to 20 at.% aluminum alloys, 3=15995
- Davies, R. G. Steady state creep in a Ni-Fe alloy, 3=23336

- Davies, R.G. An X-ray and dilatometric study of order and the "K-state" in iron-aluminum alloys, 3=23467
- Davies, R.G. Simple diffracted beam monochromator, 4=27599
- Davies, R.G. and Cahn, R.W. Short range order in aluminium bronze, 2=10906
- Davies, R.G. and Cahn, R.W. Stacking fault densities in filings of some copper- and silver-base solid solutions, 2=14449
- Davies, R.G. and Funes, A.J. X-ray study of order in CuAu₃ alloys, 2=4461
- Davies, R.G. and Funes, A.J. Effect of cold work upon order in Au₃Cu alloys, 2=4462
- Davies, R.G. and Stoloff, N.S. Work hardening in Fe₃Al, 4=4473
- Davies, R.G. and Stoloff, N.S. Order and domain hardening in Cu₃Au type superlattice alloys, 4=7483
- Davies, R.G. and Stoloff, N.S. Strain hardening of ordered f.c.c. alloys, 4=17730
- Davies, R.G. and Stoloff, N.S. Mechanical properties and superlattice formation of Mg₂Cd, 4=23176
- Davies, R.G. See Cahn, R.W., 0=21241
- Davies, R.G. See Stoloff, N.S., 4=17735
- Davies, R.L. and Gentry, E.E. Control of electric field at the surface of p-n junctions, 4=28582
- Davies, R.O. Some theorems on the perturbation of Brownian motion, 0=8563
- Davies, R.O. The kinetics of isomeric reactions, 1=1472
- Davies, R.O. [Ed.]. Proceedings of the Eighth International Conference on Low Temperature Physics, 4=11428
- Davies, R.O. and Parke, S. A generalization of Grüneisen's theory of solids and its application to solid argon, 0=15798
- Davies, R.O. and Reader, A.V. Space correlations in simple crystals, 4=17337
- Davies, R.O. See Dévis, R.,
- Davies, R.W. and Langer, J.S. Self-consistent field approximation for the frequency spectrum of a disordered chain, 3=17638
- Davies, S.M. Simulating Sizewell reactor transients with an analog computer, 3=22455
- Davies, T.J. See Evans, P.E., 3=8812
- Davies, T.J. See Evans, P.E., 4=2093
- Davies, T.V. The magneto-hydrodynamic boundary layer in the two-dimensional steady flow past a semi-infinite flat plate. I. Uniform conditions at infinity, 3=14753
- Davies, T.V. The magneto-hydrodynamic boundary layer in the two-dimensional steady flow past a semi-infinite flat plate. III. The influence of an adverse magneto-dynamic pressure gradient, 3=14755
- Davies, V.de L. Mechanisms of crystallization in binary eutectic systems, 4=30862
- Davies, V.de L. and West, J.M. Factors affecting the modification of the aluminium-silicon eutectic, 4=13476
- Davies, V.de L. and West, J.M. Influence of small additions of sodium on the surface tension of aluminium and aluminium-silicon alloys, 4=14152
- Davies, V.de L. and West, J.M. A discharge method for surface-tension measurements, 4=24149
- Davies, W. Thermal transients in graphite-copper contacts, 0=7066
- Davies, W. Thermal transients in graphite-copper contacts, 0=16966
- Davies, W.C. See Campbell, A.W., 1=7911
- Davies, W.E.R. and Ramsden, S.A. Scattering of light from the electrons in a plasma, 4=14670
- Davies, W.E.R. and Wyszecski, G. Physical approximation of color-mixture functions, 2=13433
- Davies, W.O. Infrared absorption by carbon monoxide at high temperature, 2=2776
- Davies, W.O. Emissivity of carbon dioxide at 4.3 μ , 4=14217
- Davies, W.O. Carbon dioxide dissociation at 3500° to 6000°K, 4=28268
- Davies, W.O. See Steinberg, M., 1=6906
- Davies, W.T. See Chadwick, G.B., 2=22522
- Davies, W.T. See Chadwick, G.B., 3=10117
- Davies, W.T. See Chadwick, G.B., 4=6135
- Davies, W.T. See Dodd, P., 2=22508
- Davies, W.T. See Goldsack, S.J., 2=9888
- D'Avignon, J. See Power, B.A., 4=23750
- Davis, A. See Buchwald, V.T., 1=16008
- Davis, A.F. See Howl, D.A., 2=11532
- Davis, A.F. See Howl, D.A., 2=11533
- Davis, A.H. and Harris, I. Interaction of a charged satellite with the ionosphere, 2=4628
- Davis, A.M.J. Small disturbances in a conducting fluid in the presence of a current-carrying conductor, 4=27624
- Davis, B.L. X-ray diffraction data on two high pressure phases of calcium carbonate, 4=30799
- Davis, B.L. and Adams, L.H. Transition rates of KNO₃ high-pressure polymorphs, 3=20772
- Davis, B.L. and Adams, L.H. X-ray diffraction evidence for a critical end point for cerium I and cerium II, 4=17757
- Davis, B.L. See Adams, L.H., 2=23806
- Davis, C. Operator-valued entropy of a quantum mechanical measurement, 2=7143
- Davis, C.D. and Hunter, S.C. Assessment of the strain-rate sensitivity of metals by indentation with conical indenters, 1=14925
- Davis, C.D. See Cockett, G.H., 3=5124
- Davis, C.D. See Cockett, G.H., 3=10602
- Davis, C.F. See Strandberg, M.W.P., 0=10215
- Davis, C.M., Jr and Ferebee, S.F. Effect of composition and processing on the activity of some magnetostrictive materials, 0=3064
- Davis, D.D. and Bozorth, R.M. Magnetic properties of thulium metal, 0=11811
- Davis, D.D. See Bozorth, R.M., 0=1776
- Davis, D.D. See Bozorth, R.M., 0=11844
- Davis, D.D. See Bozorth, R.M., 0=16956
- Davis, D.D. See Bozorth, R.M., 0=19564
- Davis, D.D. See Bozorth, R.M., 1=9022
- Davis, D.D. See Bozorth, R.M., 3=992
- Davis, D.D. See Geller, S., 0=11895
- Davis, D.D. See Slichter, W.P., 3=11125
- Davis, D.D. See Slichter, W.P., 4=6672
- Davis, D.F., Kwak, N. and Kaplon, M.F. K⁺ scattering in the energy range 100-250 MeV, 0=5607
- Davis, D.F., Kwak, N. and Kaplon, M.F. K⁻-meson elastic scattering by emulsion nuclei, 0=5608
- Davis, D.G., Ghani, A., Hanna, R.C., Heymann, F.F., Heymann, G. and Read, A.L. The polarization of protons recoiling from π^+ + p collisions at 265 MeV, 3=24730
- Davis, D.G., Hanna, R.C., Heymann, F.F. and Whitehead, C. An experimental test of parity conservation in π^0 -meson production by neutrons, 0=15411
- Davis, D.H. See K⁻-collaboration, 0=1308
- Davis, D.H. See K⁻-Collaboration, 0=15430
- Davis, D.H. Monte Carlo calculation of molecular flow rates through a cylindrical elbow and pipes of other shapes, 0=12431
- Davis, D.H., Csejthey-Barth, M., Sacton, J., Jones, B.D., Sanjeevaiah, B. and Zakrzewski, J., 1=19498
- Davis, D.H., Hill, R.D., Jones, B.D., Sanjeevaiah, B., Zakrzewski, J. and Lagnaux, J.P. Elastic scattering of low energy K⁻ mesons on protons, 1=5782
- Davis, D.H., Jones, B.D. and Zakrzewski, J. The inelastic scattering of Σ^+ hyperons with emulsion nuclei, 0=2595
- Davis, D.H., Levenson, L.L. and Milleron, N. Theoretical and experimental studies of molecular flow through short ducts, 2=5033
- Davis, D.H., Levenson, L.L. and Milleron, N. Effect of "Rougher-than-rough" surfaces on molecular flow through short ducts, 4=11222
- Davis, D.H., Levi Setti, R. and Raymund, M. A determination of the spin of Li⁸, 3=10230
- Davis, D.H., Levi Setti, R., Raymund, M., Skjeggstad, O., Tomasini, G., Lemonne, J., Renard, P. and Sacton, J. Binding energy of Λ^0 hyperons in heavy hypernuclei (60 < A < 100), 3=6147
- Davis, D.H., Levi Setti, R., Raymund, M. and Tomasini, G. Probable example of the decay $\Sigma^0 \rightarrow \Lambda + e^+ + e^-$ in nuclear emulsion, 2=18191
- Davis, D.H., Setti, R.L., Raymund, M. and Tomasini, G. Loading of emulsion stacks with aqueous solutions of lithium acetate, 4=5918
- Davis, D.H. See Ammar, R.G., 3=10229
- Davis, D.H. See Andersen, B., 4=6207
- Davis, D.H. See Anger, H.O., 4=19471
- Davis, D.H. See Beniston, M.J., 3=7975
- Davis, D.H. See Danysz, M., 3=22276
- Davis, D.H. See Danysz, M., 4=9364
- Davis, D.H. See Evans, D., 1=19267
- Davis, D.H. See Jones, B.D., 1=8500
- Davis, D.H. See Jones, B.D., 1=9772
- Davis, D.H. See Jones, B.D., 2=16241
- Davis, D.H. See Jones, B.D., 2=22834
- Davis, D.H. See Lagnaux, J.P., 3=17489
- Davis, D.H. See Sacton, J., 2=10128

- Davis, D.H. See Zakrzewski, J., 3=10227
 Davis, D.S. Estimation of Prandtl numbers, 0=6740
 Davis, D. T. M., Jr. See Macek, W. M., 4=21007
 Davis, D. T. M., Jr. See Macel, W. M., 3=9401
 Davis, E. A., Bonner, T. W., Worley, D. W., Jr. and Bass, R. Disintegration of O^{16} and C^{12} by fast neutrons, 4=3672
 Davis, E. A., Bonner, T. W., Worley, D. M., Jr. and Bass, R. The disintegration of Ar^{36} and Ar^{40} by neutrons, 4=28046
 Davis, E. A., Gabbard, F., Bonner, T. W. and Bass, R. The disintegration of B^{10} and F^{19} by fast neutrons, 1=19487
 Davis, E. A. See Bonner, T. W., 1=8577
 Davis, E. C., Jr. See Thomas, H. C., 3=17431
 Davis, E. J. and David, M. M. Two-phase gas-liquid convection heat transfer, 4=24409
 Davis, F. N. See Podgurski, H. H., 1=15978
 Davis, F. N. See Podgurski, H. H., 2=1175
 Davis, G., Jr. and Grannemann, W. W. Point contact diodes utilizing single-crystal reduced rutile titanium dioxide, 3=10854
 Davis, G. See Moreh, R., 2=18361
 Davis, G. D. See Cockett, G. H., 4=2121
 Davis, G. L. Hot resistivity of tungsten wires, 3=10723
 Davis, G. T. See Taft, R. W., 3=8300
 Davis, H. Advances in the neurophysiology and neuroanatomy of the cochlea, 3=3660
 Davis, H. See Eldredge, D. H., 1=4152
 Davis, H. See Teas, D. C., 3=3662
 Davis, H. and Kranz, F. International audiometric zero, 4=29498
 Davis, H. F. The Laplace operator, 4=16010
 Davis, H. F., Ewart, T. E., Masek, G. E., Platner, E. D., Toutonghi, J. P. and Williams, R. W. Elastic scattering of 1.2 BeV/c muons from hydrogen, 3=24757
 Davis, H. L. New method for treating the antiferromagnetic ground state, 0=18208
 Davis, H. L. Application of configuration interaction to the 2^3S state of helium, 2=22893
 Davis, H. L. A note on the antiferromagnetic spin-wave theory of the BCC lattice, 3=1156
 Davis, H. L. Application of configuration interaction to the 2^3S state of helium. II, 3=25046
 Davis, H. L. Radial limit in the configuration-interaction method for the 1^1S state of the helium isoelectronic sequence, 4=1204
 Davis, H. L. Nuclear power plants: how big will power plants get?, 4=6405
 Davis, H. L. and Beam, J. E. Perturbation formulas for the energy levels of the slightly asymmetric top, 1=7457
 Davis, H. L., Beckjord, E., Edwards, R. A., Gaines, W. M., Glass, T. J., Lennox, C. G. and Pearson, A. On-line computers for power reactors, 2=20717
 Davis, H. L. and Narath, A. Spin-wave renormalization applied to ferromagnetic $CrBr_3$, 4=15645
 Davis, H. L. See Banister, J. R., 2=4622
 Davis, H. L. See Beam, J. E., 0=20603
 Davis, H. L. See Brugger, K., 0=10098
 Davis, H. M. and Lockwood, W. H. A photoelectric device for setting a measuring microscope, 0=10753
 Davis, H. M. See Bovey, L., 3=698
 Davis, H. M. See Garton, E. W. J. (Conf. rep.), 0=8342
 Davis, H. T. and Résibois, P. On the relaxation effect in the electrical conductivity of plasmas and electrolytes, 4=21500
 Davis, H. T. and Rice, S. A. Perturbation theory of the heats of mixing of fused salts, 4=24198
 Davis, H. T., Rice, S. A. and Meyer, L. On the kinetic theory of simple dense fluids. XI. Experimental and theoretical studies of positive ion mobility in liquid Ar, Kr and Xe, 2=21895
 Davis, H. T., Rice, S. A. and Meyer, L. Theory of electronic and ionic mobility in liquid He^4 and liquid He^3 , 3=317
 Davis, H. T., Rice, S. A. and Meyer, L. Kinetic theory of dense fluids. XII. Electronic and ionic motion in liquid He^4 and liquid He^3 , 3=1677
 Davis, H. T., Rice, S. A. and Meyer, L. On the kinetic theory of dense fluids. XIII. The mobility of negative ions in liquid Ar, Kr, Xe, 3=1678
 Davis, H. T., Rice, S. A. and Sengers, J. V. On the kinetic theory of dense fluids. IX. The fluid of rigid spheres with a square-well attraction, 2=1116
 Davis, H. T. See Lowry, B. A., 4=15076
 Davis, H. T. See Meyer, L., 2=15832
 Davis, H. T. See Meyer, L., 4=14491
 Davis, H. T. See Résibois, P., 4=21061
 Davis, J. An instrument for measuring angles on curved photographic plates, 1=2590
 Davis, J. The design and performance of three meniscus Schmidt meteor cameras, 3=16319
 Davis, J. Photoelectric meteor observations and the colour indices and visual magnitudes of meteors, 4=13925
 Davis, J., Greenhow, J. S. and Hall, J. E. Combined photographic and radio echo observations of meteors, 0=8480
 Davis, J., Greenhow, J. S. and Hall, J. E. The effect of attachment on radio echo observations of meteors, 0=8481
 Davis, J. and Hall, J. E. Meteor luminosity and ionization, 3=5252
 Davis, J. See Walker, W. D., 0=13022
 Davis, J. A. and Keffer, F. Effect of surface pinning on the magnetization of thin films, 3=15838
 Davis, J. A., Rodewald, N. and Kurata, F. An apparatus for phase studies between $20^\circ K$ and $300^\circ K$, 4=5487
 Davis, J. A. See Gelbard, E. M., 2=18130
 Davis, J. A. See Rodewald, N. C., 4=14454
 Davis, J. C. See Cutler, P. H., 3=15471
 Davis, J. C. See Cutler, P. H., 4=29960
 Davis, J. G. See Aronson, S., 4=30605
 Davis, J. I. and Sooy, W. R. The effects of saturation and regeneration in ruby laser amplifiers, 4=21687
 Davis, J. I. See Schmidt, L. W., 0=14951
 Davis, J. L., Devlin, G. E., Jaccarino, V. and Schawlow, A. L. Structure-sensitivity of the high-frequency N.M.R. [F^{19}] in powdered antiferromagnetic MnF_2 , 0=3107
 Davis, J. W. See Brodwin, M. E., 1=16393
 Davis, K. G. Strain rate dependence of the flow stress in cadmium crystals, 3=23338
 Davis, K. G. and Fryzuk, P. Substructures in melt-grown zinc-0.1% thallium alloy crystals, 4=28472
 Davis, K. G. and Teghtsoonian, E. Deformation twins in cobalt, 3=8800
 Davis, K. G. and Teghtsoonian, E. Plastic deformation in cobalt crystals, 4=7426
 Davis, L., Jr. The effect of solar disturbances and the galactic magnetic field on the interplanetary gas, 2=13100
 Davis, L. Spontaneous polarization noise in polar dielectrics, 4=22757
 Davis, L., Jr. and Chang, D. B. On the effect of geomagnetic fluctuations on trapped particles, 2=19255
 Davis, L. See Biermann, L., 1=3332
 Davis, L. See Coleman, P. J., Jr., 1=9252
 Davis, L., Jr. The origin of cosmic rays, 0=4008
 Davis, L., Jr. On the diffusion of cosmic rays in the galaxy, 1=2145
 Davis, L., Jr. A possible solar particles acceleration mechanism, 1=3331
 Davis, L., Jr. and Beard, D. B. A correction to the approximate condition for locating the boundary between a magnetic field and a plasma, 3=16307
 Davis, L., Jr. See Biermann, L., 1=29
 Davis, L., Jr. See Coleman, P. J., Jr., 1=18019
 Davis, L., Jr. See Midgley, J. E., 2=9577
 Davis, L., Jr. See Midgley, J. E., 4=2321
 Davis, L., Jr. See Chang, D. B., 3=3620
 Davis, L., Jr. See Coleman, P. J., Jr., 3=7020
 Davis, L., Jr. See Smith, E. J., 3=18619
 Davis, L., Jr. See Sonett, C. P., 2=13099
 Davis, L. A., Gordon, R. B., Tien, J. K. and Vaisnys, J. R. Simple technique for introducing electrical leads into a high pressure vessel, 4=23988
 Davis, L. D. See McNeill, K. G., 2=15422
 Davis, L. R., Fichtel, C. E., Guss, D. E. and Ogilvie, K. W. Rocket observations of solar protons on September 3, 1960, 1=10937
 Davis, L. R., Fichtel, C. E., Guss, D. E. and Ogilvie, K. W. Rocket observations of solar protons on September 3, 1960, 2=16259
 Davis, L. R. and Ogilvie, K. W. Rocket observations of solar protons during the November 1960 events. II, 2=16260
 Davis, L. R. See Hoffman, R. A., 3=7955
 Davis, L. R. See Ogilvie, K. W., 2=12091
 Davis, L. R. See Ogilvie, K. W., 2=13900
 Davis, L. W., McCall, S. L. and Rodgers, A. P. Raman maser study of optical difference frequency production, 4=27277
 Davis, L. W. See McCall, S. L., 4=8366
 Davis, M. M. See van de Hulst, H. C., 2=2658
 Davis, M. P. and Tallan, N. M. Grain-boundary migration in LiF bicrystals, 4=23531

- Davis, M.V. The Doppler coefficient of U^{235} fuel elements, 0=15625
- Davis, N.O. See Arakawa, E. T., 4=22551
- Davis, N.O. See Arakawa, E. T., 4=22552
- Davis, P.A. An analysis of the atmospheric heat budget, 3=9024
- Davis, P.F. Thermomagnetic behavior of ferromagnetic domain nuclei, 0=11846
- Davis, P.F. See Bates, L.F., 0=4488
- Davis, P.H., Jr. Recent trends in the design of school sound systems, 3=13994
- Davis, P.W., Kern, J. and Sheline, R. K. Beta decay of Y^{90m} , 4=27992
- Davis, P.W. and Shilliday, T.S. Some optical properties of cadmium telluride, 0=10028
- Davis, P.W., Timberlake, A.B. and Shilliday, T.S. A method for measuring thermal diffusivities in small semiconducting samples, 2=8239
- Davis, P.W. See Aukerman, L.W., 4=6899
- Davis, Q. V. A high temperature termination for use at short millimetre wavelengths, 4=738
- Davis, Q. V., Clarke, J. L. and Morris, R. G. T. Measurement of power at short millimetre wavelengths, 4=18483
- Davis, R., Jr. Solar neutrinos. II. Experimental, 4=20919
- Davis, R., Jr. See Stoenner, R.W., 1=15436
- Davis, R.C. and Wilson, D.J. Pressure dependence of fluorescence spectra. IV. Effects of vibrational energy transfer between fluorescing molecules, 2=20787
- Davis, R.H. Nuclear band structure in Sc^{41} , 0=1365
- Davis, R.H. Grazing collisions of complex nuclei, 0=13253
- Davis, R.H. Complex nucleus aspects of alpha-particle scattering, 4=22180
- Davis, R.H. and Hosack, H.H. Double barrier in thin-film triodes, 3=10861
- Davis, R.H. See Carter, E.B., 3=7650
- Davis, R.H. See Carter, E.B., 4=12278
- Davis, R.H. See Feldl, E. J., 4=30100
- Davis, R.H. See Mehta, M. K., 4=3702
- Davis, R.H. See Mitchell, G. E., 4=12279
- Davis, R.H. See Nelson, J.W., 2=10105
- Davis, R.H. See Nelson, J.W., 3=8131
- Davis, R.H. See Seaborn, J.B., 3=10391
- Davis, R.J. U.S. plans for space telescopes for planets, stars and nebulae, 2=13198
- Davis, R.J. Parasitic radiations in X-ray tubes, 3=9896
- Davis, R.J. and Godfredsen, E.A. Optimum resolving power for an ultraviolet space telescope, 2=4712
- Davis, R.J. and Rustgi, O.P. Ultraviolet instrumentation for Telescope—an astrophysical reconnaissance satellite, 2=11198
- Davis, R.J. See Whipple, F.L., 0=14439
- Davis, R.M., Jr. See Blair, J.C., 2=5490
- Davis, R.S. See Doherty, P.E., 3=11335
- Davis, R.S. See Johnson, P.C., 2=6821
- Davis, S.G., Anthrop, D.F. and Searcy, A.W. Vapor pressure of silicon and the dissociation pressure of silicon carbide, 1=4514
- Davis, S.P. Hyperfine structure, Zeeman effects, and separation of lines in terbium spectra, 0=17714
- Davis, S.P. Photoelectric effect experiment, 1=17788
- Davis, S.P. Selection of multilayer dielectric coatings for Fabry-Perot interferometry, 3=19003
- Davis, S.P. See Kleiman, H., 3=17529
- Davis, S.P. See Porter, T.L., 2=22973
- Davis, S.P. See Porter, T.L., 3=6395
- Davis, S.P. See Reader, J., 3=10463
- Davis, S.P. See Reader, J., 3=24026
- Davis, T.N. The morphology of the polar aurora, 1=21046
- Davis, T.N. The morphology of the auroral displays of 1957-1958. I. Statistical analyses of Alaska data, 2=6953
- Davis, T.N. The morphology of the auroral displays of 1957-1958. II. Detail analyses of Alaska data and analyses of high-latitude data, 2=6954
- Davis, T.N. Horizontal auroral motions and magnetic disturbance at the auroral zone, 2=13045
- Davis, T.N. Negative correlation between polar-cap visual aurora and magnetic activity, 4=2232
- Davis, T.N. and DeWitt, R.N. Twenty-four-hour observations of aurora at the southern auroral zone, 4=13828
- Davis, T.P. See DeMott, D.W., 0=8454
- Davis, W.C. A high-speed rotating-mirror framing camera, 2=17664
- Davis, W.C. and Campbell, A.W. Ultra-high-speed photographs refuting "Cohesion in plasma", 0=12457
- Davis, W.C. and Craig, B.G. Smear camera technique for free-surface velocity measurement, 1=5497
- Davis, W.C. See Campbell, A.W., 1=7910
- Davis, W.D. Detection of 10- to 100-keV ions by nuclear track plates, 2=20052
- Davis, W.D. Gauge calibration in the ultra-high vacuum range, 4=18279
- Davis, W.D., and Vanderslice, T.A. Ion energies at the cathode of a glow discharge, 3=16916
- Davis, W.D. See White, F.A., 1=18823
- Davis, W.P., Jr. Rate meter construction project, 0=17174
- Davis, W.P., Jr. The senior physics laboratory course at Dartmouth College, 2=17333
- Davis, W.P., Jr. and Worthington, W.C. Light pulse from halogen-quenched GM counter discharges, 2=1619
- Davis, W.P., Jr. See Christy, R.W., 1=1865
- Davis, W.R. and Katzin, G.H. Mechanical conservation laws and the physical properties of groups of motions in flat and curved space-times, 3=19
- Davis, W.R., Katzin, G. H. and York, J. W., Jr. A note on a decomposition of the Lorentz transformation, 4=11037
- Davis, W.R. and Moss, M.K. On the conservation laws in the theory of general relativity, 3=11684
- Davis, W.W. See Hook, L., 3=7356
- Davison, A., Giachetti, A. and Stanley, R.W. Interferometric wavelengths of thorium lines between 2650 Å and 3400 Å, 2=8064
- Davison, B. Multilayer problems in the multigroup spherical harmonics method, 0=1284
- Davison, B. Effective thermal diffusion length in a sandwich reactor, 0=7662
- Davison, B. On the rate of convergence of the spherical harmonics method. (For the plane case, isotropic scattering), 0=20148
- Davison, M., Hopkins, H.W.K., Lyons, L. and Shaw, D.F. Proton-deuteron interactions at 77 MeV, 3=12516
- Davison, M., Hopkins, H.W.K., Lyons, L. and Shaw, D.F. Proton-deuteron scattering at 77 MeV, 3=22129
- Davison, M. See Hopkins, H.W.K., 2=5541
- Davison, R.M. See Cornwall, J.B., 0=18447
- Davison, S.G. See Amos, A.T., 4=17399
- Davison, S.G. See Bullough, R.K., 3=14164
- Davison, W.D. Rotational energy transfer in molecular collisions: transitions in parahydrogen, 3=6435
- Davison, W.D. General distorted-wave treatment of rotational transitions in molecular collisions, 4=25766
- Davison, W.D. See Dalgarno, A., 0=20545
- Davisson, J.W. See Pasternak, J., 2=8775
- Davisson, R.J. See Pine, J., 0=13088
- Davisson, R.J. See Pine, J., 1=2119
- Davitashvili, T.Sh. Automatic recording of a thermoluminescence curve, 0=4467
- Davoine, F. and Gauthier, R. Luminous emission of cadmium sulphide crystals under electron bombardment, 2=10630
- Davoine, F., Macqueron, J. L. and Nouailhat, A. A study of the energy of a laser beam by calorimetric measurements, 4=14954
- Davoine, F., Pinard, P. and Martineau, M. Microscopic observation for cadmium sulphide bombarded by 5 keV electrons, 1=7725
- Davoine, F. See Bernard, R., 0=1763
- Davoine, F. See Bernard, R., 1=1463
- Davoine, F. See Macqueron, J. L., 4=14449
- Davy, A.B. See Callomon, J.H., 3=22582
- Davy, D.R. and Green, R.M. Detection of fresh fission products in Sydney from the 1962 Christmas Island nuclear test series, 3=15128
- Davy, L. G. T. and White, J. S. The kinetics of the $\beta \rightarrow \alpha$ transformation in plutonium-titanium alloys, 4=29017
- Davy, P. Measurement of the impedance of low pressure discharges and determination of equivalent circuit, 4=18723
- Davydov, A. Rotation-vibration interaction in non-axial even atomic nuclei, 1=8615
- Davydov, A.S. Intensity rules for beta transitions to different rotational states of even-even daughter nuclei, 0=9578
- Davydov, A.S. Rotational states of odd nuclei without axial symmetry, 0=11317
- Davydov, A.S. Coupling of nuclear rotation and motion of the outer nucleon, 0=11319
- Davydov, A.S. Collective excitations corresponding to quadrupole nuclear surface vibrations, 1=9799

- Davydov, A.S. Rotational energy of even-even and odd nuclei, 2=13954
- Davydov, A.S. New results in the theory of nonaxial nuclei, 3=10204
- Davýdov, A.S. Dispersion relations for the refractive index and absorption coefficient in media with exciton absorption, 3=15643
- Davýdov, A.S. Excitons in very thin crystals, 4=4024
- Davydov, A.S. and Chaban, A.A. Rotation-vibration interaction in nonaxial even nuclei, 1=2169
- Davýdov, A.S. and Filippov, G.F. The shape of even-even nuclei, 0=9503
- Davýdov, A.S. and Filippov, G.F. Collective excitations of [axially-symmetric] even-even atomic nuclei, 0=15521
- Davýdov, A.S., Rabotnov, N.S. and Chaban, A.A. Rotational energy and moments of inertia of nonaxial nuclei, 0=13119
- Davydov, A.S., Rabotnov, N.S. and Chaban, A.A. Rotational energies and moments of inertia of non-axial nuclei, 0=17476
- Davýdov, A.S. and Rostovskii, V.S. Transition probabilities between the levels of the rotational band of non-axial nuclei, 0=11318
- Davydov, A.S., Rostovsky, V.S. and Chaban, A.A. The shape of the atomic nucleus and zero spin excited states, 1=16973
- Davýdov, A.S. and Sardaryan, R.A. Rotational states of odd nuclei with small non-axiality, 1=19358
- Davydov, A.S. and Sardaryan, R.A. Excited states of odd-mass nuclei with small non-axiality, 2=20504
- Davýdov, A.S. and Sardaryan, R.A. Rotational states of odd nuclei with small non-axiality, 3=4560
- Davýdov, A.V. See Bizina, G.E., 4=6228
- Davýdov, A.V. See Burgov, N.A., 0=13180
- Davydov, A.V. See Burgov, N.A., 2=3506
- Davydov, A.V. See Burgov, N.A., 2=5622
- Davýdov, A.V. See Burgov, N.A., 3=2418
- Davýdov, A.V. See Kartashov, G.R., 3=6202
- Davydov, B.E. See Airapetyants, A.V., 3=20341
- Davýdov, B.I. Phenomenological equations of statistical dynamics of an incompressible turbulent liquid, 0=68
- Davýdov, B.I. Statistical dynamics of turbulent [flow of an] incompressible liquid, 0=926
- Davýdov, B.I. Contribution to the statistical theory of turbulence, 0=927
- Davýdov, B.I. A contribution to the statistical dynamics of turbulent [flow of] incompressible liquids, 1=4308
- Davýdov, B.I. A contribution to the statistical dynamics of turbulent [flow of] incompressible liquids, 1=10488
- Davydov, B.S. Measurement of small-amplitude mechanical vibrations, 2=2803
- Davydov, B.S. Two interference methods of measuring the amplitude of oscillation of mechanical systems, 3=23957
- Davydov, L. A. See Men Syan'chzhen', 4=10308
- Davýdov, O. S. Rotational and single-particle excitations of nonspherical odd nuclei, 4=996
- Davýdov, V. V. See Alekseev, N. V., 4=3414
- Davýdov, V. V. See Alekseev, N. V., 4=6145
- Davýdov, V. V. See Alekseev, N. V., 4=30279
- Davýdov, V. Ya., Kiselev, A. V. and Lýgin, V. I. Variation of the spectrum of surface hydroxyl groups, and the heat of adsorption on the surface of silica, 3=8922
- Davydova, I. V. See Vul, B. M., 3=10768
- Davydova, I. V. See Vul, B. M., 3=20311
- Davydova, N. I. Model studies of the dependence of the dynamic characteristics of longitudinal head waves on the thickness of the refracting layer, 2=17540
- Davýdovskii, V. Ya. The possibility of accelerating charged particles by electromagnetic waves in a constant magnetic field, 3=2091
- Daw, A. N. On the variation of the transport factor of a junction transistor with injected carrier concentration, 1=8963
- Daw, A. N. See Datta, S. K., 4=26088
- Daw, H. A. Investigation of laser modulation by modifying the internal reflection barrier, 3=16763
- Daw, A. N. See Deb, S., 0=19919
- Daw, H. A. A two-dimensional air table, 4=10989
- Daw, H. A. and Harris, F. S. Jr. The determination of m/e for free electrons by momentum transfer, 1=13391
- Daw, H. A. and Izatt, J. R. Cast plastic laser pump cavities, 4=30095
- Daw, H. A. and Mitchell, J. P. Conservation of momentum experiment, 2=13293
- Daw, N. W. Why after-images are not seen in normal circumstances, 3=9310
- Daw, N. W. See Land, E. H., 3=3691
- Daw, N. W. See Land, E. H., 3=7075
- Dawance, M. M., Ben Israel, D. H. and Fine, M. E. Magnetic study of deformation in an age hardened Ni-Ti alloy, 4=23189
- Dawber, P. G. and Elliott, R. J. Theory of optical absorption by vibrations of defects in silicon, 3=10581
- Dawber, P. G. and Elliott, R. J. The vibrations of an atom of different mass in a cubic crystal, 3=12916
- Dawe, J. A. See Garstang, R. H., 3=9200
- Dawood, R. I. and Forty, A. J. The electrical conductivity and photodecomposition of small crystals of lead iodide. I. The measurement of electrical conductivity, 3=2921
- Dawood, R. I. and Forty, A. J. The formation of photographic images in single crystals of lead iodide, 3=17960
- Dawood, R. I. See Forty, A. J., 4=21323
- Dawson, B. Atomic scattering factors from wave functions calculated by the poly-detector method: Cl, Cl⁻, S and S⁻, 1=17285
- Dawson, B. Aspherical atomic scattering factors for S, S⁻ and Cl, 2=4412
- Dawson, B. Comparison of atomic scattering factors and mean radii for the charge distributions in Na⁺, Ne and F⁻ obtained from Hartree-Fock and poly-detector calculations, 2=10857
- Dawson, B. Atomic scattering amplitudes for electrons for some of the lighter elements, 2=10858
- Dawson, B. Atomic scattering amplitudes for electrons for some of the lighter elements, 2=10863
- Dawson, B. Location and shape of peak maxima in the Gaussian ellipsoid approximation, 2=15001
- Dawson, B. Aspherical atomic scattering factors in crystal structure refinement I. Coordinate and thermal motion effects in a model centrosymmetric system, 4=26625
- Dawson, B. Aspherical atomic scattering factors for some light atoms in sp³, sp² and sp hybrid valence state approximations, 4=26626
- Dawson, C. Complementary techniques for the study and measurement of strain, 3=7170
- Dawson, D. G., Hannaford, J. and Bentley, P. G. A low-frequency cross spectrum analyser, 4=8
- Dawson, D. J. See McNeill, K. G., 1=17007
- Dawson, E. and Loomer, E. I. The North magnetic dip pole, 4=15895
- Dawson, E. F. and Young, N. O. Helical Kerr cell, 0=2256
- Dawson, G. A. and Davies, D. E. Short formative time lags (3-100 nsec) in hydrogen at low pressures (5-50 mmHg), 3=9736
- Dawson, G. A. See Davies, D. E., 3=4033
- Dawson, I. M. and Follett, E. A. C. An electron microscope study of synthetic graphite, 0=10343
- Dawson, I. M. and Follett, E. A. C. Observations on structural aspects of graphite oxidation, 3=20985
- Dawson, J. On Laundau damping, 1=10727
- Dawson, J. One-dimensional plasma model, 2=9571
- Dawson, J. Investigation of the double-stream instability, 4=8777
- Dawson, J. Some investigations of instabilities in one-dimensional plasmas, 4=16511
- Dawson, J. and Oberman, C. High-frequency conductivity and the emission and absorption coefficients of a fully ionized plasma, 2=11667
- Dawson, J. and Oberman, C. Effect of ion correlations of high-frequency plasma conductivity, 3=9769
- Dawson, J. See Guernsey, R., 4=21499
- Dawson, J. See Oberman, C., 3=7606
- Dawson, J. See Oberman, C., 4=18988
- Dawson, J. See Ron, A., 4=560
- Dawson, J. B. Test-tube adaptor for use in optical density measurements, 0=14783
- Dawson, J. B. See Ewles, J., 0=11627
- Dawson, J. F., Talmi, I. and Walecka, J. D. A calculation of the level spectrum of O¹⁸ from the free two-nucleon potential, 2=16324
- Dawson, J. F. and Walecka, J. D. Level spectra of A = 6 nuclei from the free nucleon-nucleon interaction, 3=12579
- Dawson, J. M. Plasma oscillations of a large number of electron beams, 0=9050
- Dawson, J. M. Thermal relaxation in a one-species, one-dimensional plasma, 4=14629
- Dawson, J. M. On the production of plasma by giant pulse lasers, 4=24628
- Dawson, P. H. Magnetic crack detector, 1=21156
- Dawson, P. H. and Robertson, A. J. B. Catalytic reaction of propylene on incandescent niobium, 3=13605

- Dawson, P.H. and Tickner, A.W. Detection of H_2 in the hydrogen glow discharge, 2=22190
- Dawson, P. H. and Tickner, A. W. Ion clusters in the ammonia glow discharge, 4=21481
- Dawson, P. H. and Tickner, A. W. Positive ions in the carbon dioxide glow discharge, 4=18726
- Dawson, P.H. See Haigh, R.E., 1=17231
- Dawson, P.H. See Knewstubb, P.F., 3=14552
- Dawson, R., Brackett, E.B. and Brackett, T.E. A high temperature calorimeter; the enthalpies of α -aluminum oxide and sodium chloride, 3=25198
- Dawson, S. See Muller, M.W., 2=21312
- Dawson, W.K. See Neilson, G.C., 0=2552
- Dawson, W.K. See Neilson, G.C., 1=8587
- Dawton, R.H.V.M. A 200 microampere negative ion source, utilising a supersonic mercury jet, 2=3090
- Dawton, R.H.V.M. A negative ion source using a mercury pool cathode, 3=4207
- Dawton, R. H. V. M. A negative ion source using a mercury pool cathode, 4=5718
- Day, D. E. Determining the co-ordination number of aluminium ions by X-ray emission spectroscopy, 4=20062
- Day, D.H., Fox, W.N. and Hyder, H.R. Measurement and calculation of fast neutron flux in a zero-energy reactor, 3=22149
- Day, E.A. See Kerst, D.W., 0=19837
- Day, G., Gauld, C.F., McCusker, C.B.A. and Peak, L.S. The interaction mean free path of protons at 3 TeV, 3=7849
- Day, G.F. and Hultgren, R. Thermodynamics of the gold-nickel system, 2=23867
- Day, G.F. See Budnick, J.I., 3=23258
- Day, G.F. See LaForce, R.C., 1=7800
- Day, G.F. See Force, R.C.La., 3=1200
- Day, G.F. See Streever, R.L., 3=3199
- Day, G.F. See Streever, R.L., 3=15967
- Day, G. F. See Toth, L. E., 4=12770
- Day, H.M. and Macpherson, A.C. P-N junctions in lead telluride, 4=12929
- Day, J. A. See Kilgore, E. G., 4=21086
- Day, J. D. A. Superconducting magnet design, 4=3094
- Day, J. H. Grain boundary cracking in a magnesium zirconium alloy, 4=20667
- Day, J.W.B. See Blevis, B.C., 3=21068
- Day, J.W.B. See James, J.C., 0=8408
- Day, M.C., Hulett, L.D. and Willis, D.E. Counter torque quartz fiber adaptation of the Curie-Chéneveau type magnetic balance, 0=19872
- Day, P., Scregg, G. and Williams, R.J.P. Reply to Fielding and MacKay's paper, 'Spectra and photoconduction of phthalocyanine complexes', 3=20496
- Day, P. and Williams, R.J.P. Spectra and photoconduction of phthalocyanine complexes. I, 2=18751
- Day, P. See Klema, E.D., 1=13644
- Day, P. See Unik, J., 2=18287
- Day, P. See Vandenbosch, S.E., 2=7938
- Day, P.P. See Freedman, M.S., 1=13399
- Day, R. B., Blair, A. G. and Armstrong, D. D. The 4^- state in Zr^{90} , 4=25312
- Day, R.B. and Walt, M. Gamma rays from neutron inelastic scattering in B^{10} , F^{19} , and Fe^{56} , 0=7605
- Day, R.B. See Collard, H., 3=25065
- Day, R.B. See Lind, D.A., 1=7381
- Day, R.B. See Wagner, R.T., 3=15208
- Day, R.P., Wallner, R.A. and Lodi, E.A. An experimental study of energetic proton radiation effects on IRI lead sulfide infrared detectors, 2=9448
- Day, S.M. and Squire, C.F. Nuclear relaxation in KI at liquid helium temperatures, 0=4533
- Day, S.M. See Otsuka, E., 2=18966
- Day, T.B. K^- -meson capture by helium, 1=545
- Day, T.B. Demonstration of quantum mechanics in the large, 1=3232
- Day, T.B. Radiation from fast particles moving through magnetic materials, 1=8443
- Day, T.B., Rodberg, L.S., Snow, G.A. and Sucher, J. Determination of K^+-n , P-wave phase shifts from K^+-d reactions, 0=17418
- Day, T.B., Rodberg, L.S., Snow, G.A. and Sucher, J. Note on rearrangement collisions, 1=10858
- Day, T.B. and Snow, G.A. Capture of K^- mesons from high S orbitals in helium, 0=17671
- Day, T.B., Snow, G.A. and Sucher, J. K^- -deuteron scattering and the K^- -nucleon scattering lengths, 0=13051
- Day, T.B., Snow, G.A. and Sucher, J. High-orbital S-state capture of π^- mesons by protons, 0=9417
- Day, T.B., Snow, G.A. and Sucher, J. K^- -nucleon scattering lengths and the K^- -d scattering reactions, 0=1311
- Day, T.B. and Sucher, J. Possibility of a spin wave magnetic-moment detector, 1=16486
- Day, T.B. See Burnstein, R.A., 3=22214
- Day, T.B. See Courant, H., 3=17346
- Day, T.B. See Sucher, J., 0=342
- Day, T.B. See Sucher, J., 1=8426
- Day, W. B. See Wyatt, J. L., 4=19056
- Day, W. C. and Kathren, R. L. Applications of the double moderator DePangher neutron dosimeter near accelerators, 4=25117
- Dayal, B. Derivation of potential energy of crystals from thermodynamic data, 1=909
- Dayal, B. and Mathur, S.C. Structure of morellin, 0=8241
- Dayal, B. and Sharan, B. The use of electron gas modification in the evaluation of the vibration frequencies and the specific heat of lithium, 1=8880
- Dayal, B. and Sharan, B. The use of electron gas modification in the evaluation of the vibration frequencies and the specific heats of sodium and potassium, 1=14232
- Dayal, B. and Singh, S.P. Correct enumeration of vibration frequencies in the Brillouin zone, 1=1552
- Dayal, B. and Singh, S.P. Participation of the electron gas in lattice vibrations, 2=6262
- Dayal, B. and Singh, S.P. Thermal expansion of silicon at high temperatures by X-rays, 3=4824
- Dayal, B. and Srivastava, P. L. Phonon spectrum and thermal energy of sodium by Toya's method with a modified interference factor, 4=6716
- Dayal, B. and Srivastava, R.S. Vibration spectrum of silver based on metallic interaction, 3=2716
- Dayal, B. and Tolpadi, S. A theoretical study of the compressibility, thermal expansion and equation of state of rocksalt up to its melting point, 1=917
- Dayal, B. and Tripathi, B.B. A revision of Kellermann's calculations of the specific heats of sodium chloride, 1=6076
- Dayal, B. and Tripathi, B.B. Fuch's relations and the contribution of the free electrons to the elastic constants of metals, 2=4310
- Dayal, B. and Tripathi, B.B. Metallic cohesion and vibration spectrum of copper, 2=14369
- Dayal, B. and Tripathi, B.B. A new approach to lattice dynamics of metals, 3=2706
- Dayal, B. See Deo, R. G., 4=25851
- Dayal, B. See Dutta, B.N., 3=10605
- Dayal, B. See Dutta, B.N., 3=12963
- Dayal, B. See Dutta, B. N., 4=6753
- Dayal, B. See Dutta, B. N., 4=20223
- Dayal, B. See Pandey, H. D., 4=20219
- Dayal, B. See Srivastava, R. S., 4=20196
- Dayal, B. See Verma, M.P., 3=15447
- Dayal, B. See Verma, M. P., 4=28367
- Dayal, Y. See Primak, W., 3=10708
- Dayan, E. and Widenlocher, G. A study of the position of the nuclear resonance line of saturated hydrocarbons in the gas phase, 4=1311
- Dayan, E., Widenlocher, G. and Chaigneau, M. Nuclear magnetic resonance study of the molecules H_2 and HD in the gaseous state, 4=6642
- Dayan, E. See Chaigneau, M., 3=10539
- Dayan, E. See Jouve, P., 4=759
- Dayan, E. See Widenlocher, G., 3=21451
- Dayan, E. See Widenlocher, G., 4=28265
- Daybell, M. See Gomez, R., 0=17363
- Dayem, A.H. and Martin, R.J. Quantum interaction of microwave radiation with tunneling between superconductors, 2=11571
- Dayet, J. and Vincent-Geisse, J. The application to absorbing media, of methods of total internal reflection for the determination of refractive indices, 4=302
- Dayet, J. and Vincent-Geisse, J. Determination of refractive index by the methods of critical refraction. Case of transmission through absorbing media, 4=303
- Dayhoff, E.S. Will photoelectrons from magnetic metals be polarized 0=2379
- Dayhoff, E.S. Emission patterns of a ruby laser, 2=19702
- Dayhoff, E.S. and Kessler, B. High-speed sequence photography of a ruby laser, 2=15727
- Dayhoff, E.S. See Kerns, D.M., 0=7224
- Daykin, P.N., Sundaram, S. and Cleveland, F.F. Potential energy constants, and thermodynamic properties of methylacetylenes, 2=20851
- Daykin, P.N. See Wright, R.H., 1=6953

- Dayon, M.I. [Daion] and Potapov, L.I. μ -meson spectrum at a depth of ~ 40 m water equivalent. Measurement of the mass of cosmic radiation particles below the surface of the earth, 0=9457
- Dayton, B. Electrons in the galactic cosmic radiation, 4=26886
- Dayton, B. See Cvijanovich, G., 1=16778
- Dayton, B.B. See Stickney, W.W., 4=18272
- Dayton, I.E. The Pierre S. du Pont Science Building Swarthmore College, 1=15587
- Dayton, I.E. Toward a more effective introductory laboratory, 2=7105
- Dayton, I.E., Dalby, F.W. and Bennett, R.G. Radiative lifetime of the $B^2\Sigma^+$ state in N_2O^+ , 0=15754
- Dayton, I.E. and Pettus, W.G. The effective resonance integral of thorium and thorium oxide, 0=13274
- Dayton, J.A., Jr, Verdeyen, J.T. and Virobik, P.F. Method for detecting weak sound waves in a low pressure
- Dayton, J.A., Jr. See Goldstein, L., 4=19019
- Dayton, R.W., Oxley, J.H. and Townley, C.W. Ceramic coated particle nuclear fuels, 4=12320
- Daywitt, W.C. See Wells, J.S., 4=24826
- Dazai, T. An analysis of the $F^{19}(d,p)F^{20}$ reaction, 2=10136
- Dazai, T. See Kjellman, J., 2=5967
- Dazai, T. See Sugiyama, K., 1=12170
- Dazev, M.H. See Josephson, V., 1=1903
- Dazey, M.H. See Josephson, V., 1=2976
- Dchang Juan-Ling. See Mou Kuo-Kwang, 4=24373
- De, A.C. On the determination of the structure and refractive index of the lower troposphere (lowest 1000 ft) over Dum Dum Airport, 0=16417
- De, A.C. Some experiments on the determination of the structure and refractive index of the lower troposphere (lowest 200 ft) over Dum Dum Airport, Calcutta, 0=16418
- De, A.C. Reflection of micro-waves from earth's surface, 0=17100
- De Achaval, E.M. See De Pena, R.G., 2=22101
- Dé, J. Magneto-acoustic waves in a plasma, 4=14671
- De, M. On thick lenses. I. Spherical aberration, 0=19375
- De, M. Aberrations of single thick lenses, 2=1248
- De, M. Maximization of the factor of encircles energy by amplitude filters, 2=5152
- De, M. and Sen Gupta, M.K. Measurement of wave aberrations of microscope and other objectives, 1=4439
- De, M. and Som, S.C. Diffraction images of circular openings with partially coherent illumination, 2=7397
- De, M. and Som, S.C. Diffraction images of circular phase objects in partially coherent light, 3=14317
- De, M.L. and Sarkar, N.H. Optical density of thin carbon films, 2=7373
- De, M.L. On the dependence of electron scattering cross-section of atoms on their atomic number, 2=20749
- De, M.L. The optimum resolving power of the electron microscope, 2=22269
- De, M.L. On an analytical expression for the axial field of electromagnetic lenses, 3=4197
- Dea, B.E. Epitaxial deposition of silicon in a hot-tube furnace, 2=14966
- de Abeledo, M.J., de Benyacar, M.R. and Galloni, E.E. Crystallographic study of potassium bromostannate, 4=23463
- de Acha, A. See Amorós, J.L., 1=1390
- De Achával, E.M., Levi, L. and Suraski, E. Chemical etching in ice crystals, 4=23317
- De Achaval, E.M. See De Pena, R.G., 4=21354
- Deacle, R.E. See Kronstein, M., 3=11882
- Deacon, G.E.R. Physics of the ocean, 1=11645
- Deacon, R.F. and Barella, D. A high temperature ultra-violet microscope, 2=22006
- De Agostino, E. See Beneventano, M., 1=13227
- De Agostino, E. See Caglioti, G., 2=9868
- Deahl, J., Derrick, M., Fetkovich, J., Fields, T. and Yodh, G.B. π -p interactions at 224 MeV, 2=1712
- Deahl, J. See Derrick, M., 0=20187
- Deahl, K.J. See McIlwain, R.L., 2=16190
- Deal, B.E. See Grove, A.S., 4=26089
- Deal, R.M. and Koski, W.S. Inequality of the coupling constants of the hydrazyl nitrogens in DPPH, 0=4221
- De Alba, E. and Paranjape, V.V. Energy distribution of holes in electric fields, 4=25875
- De Alfaro, V., Fiamberti, M., Predazzi, E. and Rossetti, C. Mathematical structure of a model for asymptotic nonforward scattering amplitudes, 4=3335
- De Alfaro, V. and Predazzi, E. Charge distribution of the nucleon, 0=2535
- De Alfaro, V., Predazzi, E. and Rossetti, C. A perturbative expansion for large angular momenta, 4=5993
- De Alfaro, V., Predazzi, E. and Rossetti, C. Analyticity in the angular momentum in potential scattering, 4=9127
- De Alfaro, V. and Regge, T. A discussion of the Noyes and Wong equation for potential scattering, 1=12807
- De Alfaro, V., Regge, T. and Rossetti, C. A dynamical equation for the Jost function, 2=21825
- De Alfaro, V., Regge, T. and Rossetti, C. Dynamical equations and angular momentum, 3=5365
- De Alfaro, V. and Rossetti, C. Potential model of deuteron photodisintegration and Mandelstam representation, 1=5676
- De Alfaro, V. and Rossetti, C. A note on the deuteron photodisintegration, 1=12130
- De Alfaro, V. and Vitale, B. Pion-pion interactions and proton-antiproton annihilation at rest, 1=13423
- De Alfaro, V. and Vitale, B. Possibility of a 4-pion structure in the $T = J = 1$ pion-pion scattering amplitude, 1=13494
- Deall, L. and Badar, L. Preparatory curriculum of P.S.S.C. and other physics programs, 3=11652
- Dealy, J.M. and Pehlke, R.D. Interaction parameters in dilute molten alloys, 3=16603
- Dealy, J.M. and Pehlke, R.D. Activity coefficients in binary liquid metallic solutions at infinite dilution, 4=7766
- Deam, A.P. Radiosonde for atmospheric refractive index measurements, 2=9714
- Deam, A.P. See Boggs, J.E., 0=5988
- Deam, A.P. See Boggs, J.E., 0=14696
- Deam, A.P. See Boggs, J.E., 1=3535
- Deam, A.P. See Boggs, J.E., 1=15983
- Deam, A.P. See Straiton, A.W., 3=7718
- Deam, A.P. See Tipton, A.B., 4=14220
- Dean, C. Recording r.f. spectrometer for nuclear quadrupole Zeeman spectra, 0=17123
- Dean, C. See Baer, R., 0=4539
- Dean, C. See Rehn, V., 0=5429
- Dean, F.V., Kerr, J.R. and Hellawall, A. Factors affecting the solute distribution during the normal freezing of lead-antimony alloys, 2=9460
- Dean, G. See Poole, M.J., 0=19825
- Dean, G.J. Microscope hot stages, 0=19386
- Dean, J.W. and Timmerhaus, K.D. Thermal conductivity of solid H_2O and D_2O at low temperatures, 4=12660
- Dean, J.W. See Chelton, D.B., 0=12540
- Dean, L.W., III. Interactions between sound waves, 2=17564
- Dean, L.W., III and Ball, N.A. Low resonant-frequency barium-titanate, 2=7305
- Dean, P. Vibrational spectra of diatomic chains, 0=7845
- Dean, P. Vibrational spectra of diatomic chains. II, 1=14167
- Dean, P. The vibrations of three two-dimensional lattices, 3=12915
- Dean, P. A new Monte Carlo method for percolation problems on a lattice, 3=13997
- Dean, P. and Bacon, M.D. The nature of vibrational modes in disordered systems, 3=10582
- Dean, P. and Bacon, M.D. Vibrational modes of disordered linear chains, 3=22638
- Dean, P. and Martin, J.L., Functional equations for the vibrational spectra of diatomic chains, 0=9843
- Dean, P. and Martin, J.L. A method for determining the frequency spectra of disordered lattices in two-dimensions, 1=8874
- Dean, P. See Bacon, M.D., 2=14370
- Dean, P. See Bacon, M.D., 2=16596
- Dean, P.J. and Jones, I.H. Recombination radiation from diamond, 4=13072
- Dean, P.J., Kennedy, P.J. and Ralph, J.E. Particle excited luminescence in diamond, 1=1183
- Dean, P.J. and Male, J.C. Luminescence and birefringence in a semiconducting diamond, 4=10213
- Dean, P.J. and Male, J.C. Luminescence excitation spectra and recombination radiation of diamond in the fundamental absorption region, 4=10214
- Dean, P.J. and Male, J.C. Electronic excitation of diamond by energetic charged particles, 4=17408
- Dean, P.J., Royce, B.S.H. and Champion, F.C. Bombardment conductivity and photoconductivity in rhombic sulphur, 0=7918
- Dean, P.J. See Clark, C.D., 4=10172
- Dean, P.J. See Kennedy, P.J., 0=5245
- Dean, R.C., Jr. See McKae, H.B., 4=14732
- Dean, T.J., Jones, G.O., Martin, D.H., Mawer, P.A. and Perry, C.H. A superconducting bolometer and spectrometer for the far infra-red, 0=8837

- Dean, T.J., Jones, G.O., Martin, D.H., Mawer, P.A. and Perry, C.H. Superconducting bolometers and spectrometry in the far infra-red, 0=19495
- Dean, T.J. See Bloor, D., 1=16077
- Dean, W.A. See Comstock, R.L., 3=15882
- de Andrés, M.P. See Jellinghaus, W., 0=6081
- de Andrés, M.P. See Jellinghaus, W., 1=3714
- de Andrés, M.P. See Jellinghaus, W., 1=6128
- de Andrés, M.P. See Jellinghaus, W., 1=10031
- de Andres Sanz, M.P. Hall effect and resistivity in binary iron alloys, 2=21102
- Deane, R.E. See Csanady, G.T., 3=7187
- DeAngelis, A., Martellucci, S. and Tondello, G. Spectroscopic techniques of time resolution for the study of a rapid θ -pinch discharge, 4=18959
- De Angelis, A. See Ascoli-Bartoli, U., 1=5473
- de Angelis, A. See Ascoli-Bartoli, U., 3=4146
- De Angelis, A. See Ascoli-Bartoli, U., 4=18714
- DeAngelis, H.M. Retention of krypton-85 trapped during positive ion bombardment, 2=18627
- De Angelis, R.J. and Schwartz, L.H. Computer programs for analysis of broadening of diffraction peaks, 3=23435
- De Angelis, X. and Niblack, W. Electro-optic interference filter light modulator, 4=5359
- Dear, D.J.A., Eley, D.D. and Johnson, B.C. Heat of wetting of aluminium powder, 3=16131
- Dearborn, E.F. See Laudise, R.A., 2=12743
- Dearborn, E.F. See Nielsen, J.W., 1=2525
- Dearden, E.W. The geometry of radio reflections from field-aligned ionization irregularities in the ionosphere, 2=9719
- Deardorff, J.W. On the direction and divergence of the small-scale turbulent heat flux, 1=20821
- Deardorff, J.W. A numerical study of two-dimensional parallel-plate convection, 4=29791
- de Arellano, M.E. Ramirez. See Ramirez de Arellano, M.E.
- Dearman, H.H. and Lefebvre, R. Method of alternant orbitals for allyl, 1=3560
- Dearman, H.H. and McConnell, H.M. Spin densities in several odd alternant radicals, 1=6055
- Dearman, H.H., Porterfield, W.W. and McConnell, H.M. Paramagnetic resonance of bis-cyclopentadienyl vanadium in ferrocene, 1=9058
- Dearman, H.H. See Hanna, M.W., 2=18495
- Dearman, H.H. See Lefebvre, R., 0=4233
- Dearman, H.H. See McLachlan, A.D., 0=15680
- De Armond, K. See Forster, L.S., 1=14630
- Dearnaley, G. Preparation of this self-supporting carbon films, 0=4692
- Dearnaley, G. Experience at Harwell with surface-barrier detectors, 1=1992
- Dearnaley, G. Semiconductor nuclear radiation detectors, 2=22365
- Dearnaley, G. and Ferguson, A.T.G. Evidence for a new first-excited state in Mg^{20} , 2=1806
- Dearnaley, G. and Ferguson, A.T.G. Semiconductor neutron counters, 2=9864
- Dearnaley, G. and Ferguson, A.T.G. Two new semiconductor detectors for fast neutrons, 2=11964
- Dearnaley, G. and Ferguson, A.T.G. Neutron induced reactions in silicon, 2=18339
- Dearnaley, G., Ferguson, A.T.G. and Morrison, G.C. Semiconductor fast neutron detectors, 2=18135
- Dearnaley, G., Gemmell, D.S. and Hanna, S.S. States in B^{10} from elastic scattering of alphas by Li^6 , 2=18252
- Dearnaley, G., Gemmell, D.S., Hooton, B.W. and Jones, G.A. Excited states in O^{16} , 2=18265
- Dearnaley, G., Lawrence, L.G. and Tresise, H.C. Large storage binary-to-decimal converter, 0=12235
- Dearnaley, G. and Lewis, J.C. A lithium-drifted silicon surface-barrier detector for nuclear radiations, 4=14969
- Dearnaley, G. and Whitehead, A.B. How Harwell makes surface-barrier detectors, 1=17785
- Dearnaley, G. and Whitehead, A.B. The semiconductor surface barrier for nuclear particle detection, 2=5528
- Deatherage, B.H. Binaural interaction of clicks of different frequency content, 1=4149
- Deatherage, B.H. See Jeffress, L.A., 2=21760
- Deatherage, B.H. See Jeffress, L.A., 2=24201
- Deaton, B.C. Observation of a resistance minimum in cadmium by magneto-acoustic measurements, 4=6730
- Deaton, B.C. and Bowen, D.E. Electrical resistance of barium at elevated pressure and temperature [for melting point measurements], 4=16293
- Deaton, B.C. and Gavenda, J.D. Electron relaxation time anisotropy in copper, 3=8383
- Deaton, B.C. and Graf, R.B. Pressure distribution and hysteresis effects in a tetrahedral anvil device, 5=7168
- Deaton, B.C. See Blum, F.A., Jr., 4=26568
- Deaton, B.C. See Gavenda, J.D., 2=16601
- Deaver, B.S. Jr. and Fairbank, W.M. Experimental evidence for quantized flux in superconducting cylinders, 1=13042
- Deaver, B.S. Jr. and Fairbank, W.M. Quantized magnetic flux in superconducting cylinders, 4=16382
- Deaver, B.S. Jr. See Taimuty, S.I., 1=18400
- Deb, D. Note on stresses in a thin inhomogeneous circular plate with central circular hole, rotating about a diameter, 2=9216
- Deb, K.K. and Banerjee, S.B. Raman, infrared and luminescence spectra of some trisubstituted benzenes, 1=14035
- Deb, S. and Daw, A.N. Molecular and allied devices for generation and amplification of microwaves, 0=19919
- Deb, S. and Nag, B.R. Measurement of lifetime of carriers in semiconductors through microwave reflection, 2=14528
- Deb, S. and Sen, J.K. Transistorized electronic analog multiplier, 1=4181
- Deb, S.K. Ultraviolet absorption spectra of alkali metal azides, 2=4143
- Deb, S.K. Exciton absorption in cuprous iodide, 3=20473
- Deb, S.K. Photoelectric properties of the alkali metal azides, 3=25415
- Deb, S.K. Optical and photoelectric properties of barium and strontium azides, 3=25450
- Debaisieux, J. See Crabs, L., 0=9921
- Debaix, A. See Vigroux, E., 3=16207
- DeBala, S. See Garn, P.D., 2=11318
- De Bar, R.B. Evaluation of the Van Hove correlation functions for certain physical systems, 3=11703
- DeBar, R.B. See Bosco, B., 3=2326
- Debarbat, S. and Kovalevsky, J. Discussion of observations of Mars made by the automatic astrolabe a danjon, 3=13863
- Débarbat, S. and Pecker, J.C. Radio radiation from the sun at different phases of the solar cycle, 0=6555
- Debarber, J.P., Chisholm, G.E. and Ross, W.J. The nature of the irregularities in ionization density causing scintillations in satellite signals, 3=13714
- De Barr, A.E. The application of single crystals, 2=23809
- de Bary, E. and Bullrich, K. Calculated effects of aerosol size distribution on the degree of polarization of scattered sky radiation, 4=23759
- de Bary, E. and Bullrich, K. Calculation of sky radiation with allowance for aerosols and multiple scattering, 4=29292
- de Bary, E. See Giese, R.H., 2=22061
- De Bast, J. and Gilard, P. Variation of the viscosity of glass and the relaxation of stresses during stabilization, 4=4679
- De Batist, P. On the deformation induced internal friction peaks in niobium, 3=23303
- De Batist, R. Low-frequency mechanical relaxation peaks in cold-worked body-centred cubic metals, 2=16950
- De Batist, R. See Strumane, R., 3=22777
- De Batist, R. See Strumane, R., 4=1484
- De Batist, R. See Turner, T.J., 4=26523
- Debeau, M. Determination of optical constants of sodium chlorate and bromate crystals by infrared reflection spectra, 3=20438
- Debeau, M. Higher order infrared absorption spectra of zinc oxide, 4=28714
- de Beaumont, H. and Andre-Talamon, T. The bilinear equation of state and its relation to Nernst's principle, 2=11545
- de Beaumont, H. and Andre-Talamon, T. Bilinear equation of state and its relation to the Nernst principle, 2=17701
- de Beaumont, H. See Aubert, M., 2=4977
- de Beauregard, O. Costa. See Costa de Beauregard, O.
- Debeauvais, M. and Clier, P. The detection of individual tracks of low energy α particles in films of cellulose nitrate, 4=16984
- Debeauvais, M., Maurette, M., Mory, J. and Walker, R. Registration of fission-fragment tracks in several substances and their use in neutron detection, 4=19344
- Debeauvais-Wack, M. The latent image in nuclear emulsions due to light and particles, at low temperatures, 0=12764
- Debeauvais-Wack, M. Comparative study of the sensitivity of nuclear emulsions in the range +20 to -196°C to light radiation and to α -particles from polonium, 1=414
- Debeauvais-Wack, M. Microdosage of radium in solution using a nuclear photographic emulsion, 3=4582
- Debeauvais-Wack, M. A study of the sensitivity of nuclear emulsion as a function of temperature, and application to particle physics, 3=14839

- Debeauvais-Wack, M., Braun, H. and Cuer, P. Study of the formation of the latent image due to protons at plateau energies in G5 emulsion, 2=3339
- De Beer, A. See Kramer, P., 2=16361
- De Beer, A. See Kramer, P., 2=16362
- De Beer, A. See Kramer, P., 2=16363
- de Beer, J. F. An experiment to determine the heights of origin of mu-mesons in extensive air showers, 3=4501
- De Beer, J. F., Cranshaw, T. E. and Parham, A. G. Observations on extensive air showers. IX. An experimental investigation into the Mu-meson component by means of triggered spark counters, 2=7914
- DeBeer, J. F. See Cranshaw, T. E., 1=3292
- de Beer, Z. See Rinderer, L., 4=27430
- Debel, D. The calculation and calibration of a "constant sagitta" scheme for Agfa K2 nuclear emulsion, 0=5461
- de Belatini, P. C. M. Inadequacy of scattering mechanisms in tropospheric radio propagation, 0=4792
- DeBell, A. G. See Simmons, F. A., 2=2927
- Debelli, V. See Mayer, A., 4=26499
- Debenedetti, A. See Cester, R., 2=3409
- Debenedetti, A. See Foster, F., 3=19721
- Debenedetti, A. See Marzari-Chiesa, A., 3=19695
- DeBenedetti, S., Lang, G. and Ingalls, R. Electric quadrupole splitting and the nuclear volume effect in the ions of Fe^{57} , 1=6261
- DeBenedetti, S. See Chadwick, G. B., 0=15350
- DeBenedetti, S. See Colombino, P., 0=15336
- DeBenedetti, S. See Colombino, P., 1=5715
- DeBenedetti, S. See Lang, L. G., 3=996
- DeBenedetti, S. See Lang, L. G., 4=12587
- DeBenedetti, S. See McGervey, J. D., 1=18436
- Debenetti, A. See Bisi, V., 4=21928
- de Benyacar, M. R. See de Abeledo, M. J., 4=23463
- Deberdeiev, M. U. See Bogomolov, C. S., 0=15216
- de Bergevin, F. and Muldower, L. Crystallographic investigation of some iron-rhodium alloys, 1=9145
- de Bergevin, F. See Averbuch, P., 0=4527
- de Bergevin, F. See Bertaut, E. F., 2=12662
- de Bergevin, F. See Bertaut, E. F., 3=3320
- de Bergevin, F. See Bertaut, E. F., 3=15856
- de Bergevin, F. See Muldower, L., 2=4220
- de Bersaques, J. Relation between the absorption and the quenching of liquid scintillation samples, 4=4728
- de Bersuder, L. See Cauchois, Y., 2=706
- de Bersuder, L. See Cauchois, Y., 3=8610
- de Bersuder, L. See Cauchois, Y., 4=7146
- de Bethune, A. J. and Rowell, R. L. The intrinsic geometrical and flow properties of powder packs, 4=7685
- De Beukelaer, R. C. See Willis, A. H., 1=12235
- Debevec, L., Kramer, V., Marsel, J. and Vrščaj, V. Mass spectrometric measurements of UF_6 , 0=12124
- Debever, J. M. See Tric, C., 3=6639
- Debever, R. The super-energy tensor, 0=867
- Debever, R. The super-energy tensor and the Riemann tensor: singular case, 0=2110
- Debever, R. Super-energy tensor and irreducible components of the Riemann tensor, 0=6646
- Debever, R. Space-times of Petrov type III, 1=1690
- Debever, R. and Cahen, M. Constant electromagnetic fields in general relativity, 1=2690
- Debever, R. and Cahen, M. On space-times that admit a parallel field of null-vectors, 2=4926
- Debiesse, J. and Klein, S. The appearance of an electromotive force caused by the turbulent state of an ionized fluid, 2=19894
- Debiesse, J., Klein, S., Koch, L., Kraus, P., Labeyrie, J. and Bacconnet, E. Method of measuring the piezoresistance coefficient of single-crystal silicon as a function of temperature, 4=12914
- Debiesse, J., Klein, S. and Taillet, J. Test of a physical interpretation of a phenomena of the conversion of energy, 3=7449
- Debiesse, J. See Bacconnet, E., 3=19181
- De Bievre, P. See Debus, G. H., 4=6072
- DeBitetto, D. J., Fisher, L. H. and Ward, A. L. Negative current-voltage characteristics in hydrogen at high pressure using plane parallel electrodes, 0=10886
- DeBitetto, D. J. See Bady, I., 1=14779
- Deblor, W. R. See Yih Chia-Shun, 4=18152
- De Blois, R. W. Miniature coils for high magnetic field research, 1=10763
- De Blois, R. W. Ferromagnetic nucleation sources on iron whiskers, 1=11426
- DeBlois, R. W. and Bean, C. P. Nucleation of ferromagnetic domains in iron whiskers, 0=3031
- DeBlois, R. W. and De Sorbo, W. Surface barrier in type-II superconductors, 4=18595
- De Blois, R. W. and Rodbell, D. S. Magnetic first-order phase transition in single-crystal MnAs, 3=13226
- De Blois, R. W. and Rodbell, D. S. Magnetic first-order phase transition and anisotropy in single-crystal MnAs, 3=15753
- DeBlois, R. W. See Bean, C. P., 0=1088
- Deblois, R. W. See Fontanella, E. L., 0=3185
- De Boelpaep, J. See Van Isterbeek, A., 4=21356
- de Boer, E. Synthesis of bass-reflex loudspeaker enclosures, 2=76
- de Boer, E. Note on phase distortion and hearing, 2=7052
- De Boer, E. Note on the critical bandwidth, 2=17322
- de Boer, E. and Bos, C. E. On the concept of the critical band, 4=5342
- de Boer, E. and Mackor, E. L. On the influence of second-order splitting and sign of the coupling constant in the e.s.r. spectra of polyatomic free radicals, 2=20861
- de Boer, E. and Mackor, E. L. Sign of C^{13} coupling constants in aromatic free radicals, 3=15384
- de Boer, E. and Mackor, E. L. Second-order splitting, anomalous relaxation and sign of the coupling constant in e.s.r. spectra of radical ions, 3=22590
- de Boer, E. See Colpa, J. P., 3=22591
- De Boer, J. The equation of state of gases at low temperatures, 0=8704
- De Boer, J. Excitation model for liquid helium II, 4=24472
- de Boer, J. A study of resonances in view of spin determination. I, 4=19407
- de Boer, J., Goldring, G. and Winkler, H. Multiple Coulomb excitation of rotational levels in even-even nuclei, 4=19661
- de Boer, J., Goldring, G. and Winkler, H. Multiple Coulomb excitation of rotational levels in even-even nuclei, 4=22003
- De Boer, J. and Rogers, J. D. Concerning the magnetic properties of deformed nuclei in the region $153 \leq A \leq 187$, 3=7970
- De Boer, J. See Bernstein, E. M., 0=17482
- de Boer, J. See Dar, Y., 4=27712
- de Boer, J. See Goldring, G., 4=22042
- de Boer, J. See van Leeuwen, J. M. J., 0=14647
- De Boer, J. H. and Menon, P. G. Entropy and mobility of adsorbed molecules. VII. Adsorption of N_2 and CO alumina at high and at a low pressure, 2=17076
- de Boer, J. H. See Lippens, B. C., 4=30844
- de Boer, J. L. See Elema, R. J., 3=13476
- De Boer, P. C. T. Curvature of shock fronts in shock tubes, 3=18904
- de Boer, P. C. T. See Daen, J., 2=7244
- De Boer, T. J., Voorthuis, H. and Blok, J. The half-lives of the first excited states of ^{200}Tl and ^{192}Pt , 2=12146
- De Boer, T. J. See Blok, L., 0=7520
- De Boer, Th. J., Klein, S. S., Napel, E. W. T. and Blok, J. A new gamma detector for fast coincidence measurements with a good energy resolution, 3=19603
- De Boer, Th. J., Ten Napel, E. W. and Blok, J. Half-lives of the first excited states of ^{102}Ru , ^{129}Xe , ^{198}Hg , ^{160}Dy , ^{164}Er , ^{168}Er and ^{160}W , 3=24871
- De Borde, A. H. and Haas, F. A. Axial conduction and radiation losses in a stabilized linear pinch, 2=194
- de Bortoli, M. See Malvicini, A., 3=12612
- DeBortoli, R. A., Grimble, R. E. and Zerbe, J. E. Average and local heat transfer for cross flow through a tube bank, 0=12523
- Debot, R. and Rey, W. Measurement of the statistical distribution of the transparency of photographic emulsions, 4=21320
- de Bouard, M. X. See Langevin-Joliot, H., 1=13784
- De Bouard, X. Multicellular ionization chamber for studying the 150 MeV proton beam of the Orsay synchrocyclotron, 2=5413
- De Bouard, X., Fox, J. G., Geoffrion, B., Marty, N., Rolland, C. and Tatischeff, B. Study of the higher excited levels in C^{12} from the polarization of inelastically scattered protons, 4=19669
- De Bouard, X., Langevin-Joliot, H., Marty, N. and Tatischeff, B. Study of $(p, p'\gamma)$ reactions at 151 MeV for the 15.1 MeV level of C^{12} , 2=438
- De Bouard, X., Langevin-Joliot, H., Marty, N. and Tatischeff, B. Excitation of the 15.1 MeV level of C^{12} by the inelastic scattering of 150 MeV protons, 2=3566
- De Bouard, X. See Dekkers, D., 4=30258

- de Bouard, X. See Marty, N., 1=8723
 De Bouard, X. See Tatischeff, B., 4=19764
 De Bouard, Z. See Tatischeff, B., 4=12212
 Deboudt, M. See Cortois, J., 3=24803
 Debraine, P., Segalas, R. and Locque, R. The proton synchrotron "Saturne". Monitoring and control system, 0=2412
 Debraine, P. See Belna, R., 0=2412
 Debraine, P. See Charbonnier, R., 0=2412
 Debras-Guédon, J. and Liodec, N. The use of a beam from a ruby laser as a source of energy to excite the emission spectra of elements, 4=16239
 Debras-Guédon, J. See Vilnat, J., 4=9642
 de Broglie, L. Two remarks in relation to the problem of the rotating disk in the theory of relativity, 0=872
 de Broglie, L. The interpretation of wave mechanics, 0=16597
 de Broglie, L. Thermodynamics of the isolated particle, 1=18283
 de Broglie, L. A new way of presenting the thermodynamics of an isolated particle, 3=9354
 de Broglie, L. Remarks on the interpretation of the wave-particle duality, 3=16520
 de Broglie, L. On the introduction of free energy into hidden thermodynamics of particles, 4=8060
 de Broglie, L. Researches into the theory of quanta, 4=11060
 de Broglie, L., Bohm, D., Hillion, P., Halbwachs, F., Takabayasi, T. and Vigier, J. P. Rotator model of elementary particles considered as relativistic extended structures in Minkowski space, 3=4324
 de Broglie, L., Bohm, D., Halbwachs, F., Million, P., Takabayasi, T. and Vigier, J. P. New isobaric spin group, 3=2226
 de Broglie, L., Halbwachs, F., Hillion, P., Takabayasi, T. and Vigier, J. P. Space-time model of relativistic extended particles in Minkowski space. II. Free particle and interaction theory, 3=4325
 de Broglie, L., Hillion, P. and Vigier, J. P. Classical properties bilocal representation of the rotator of Nakano, 0=3442
 de Broglie, L. See Vigier, J. P., 3=17174
 de Broglie, L. See Vigier, J. P., 4=807
 de Bruin, H. J. and Clark, R. L. Precision lapping device for the determination of diffusion coefficients in ceramic materials, 4=17437
 Debrunner, H. and Houtermans, F. G. Day-to-day variation of nucleon components of cosmic rays at Jungfraujoch, 2=18209
 Debrunner, H., Houtermans, S. F. G. and Lindt, W. The diurnal solar periodicity of the cosmic rays, 0=17445
 Debrunner, H., Houtermans, F. G. and Lindt, W. The sudden short-term increase of cosmic radiation on 4 May 1960 as observed by registration of the nucleon component at the Jungfraujoch, 1=3372
 Debrunner, P. and Klindig, W. γ - γ correlation measurements on Sm^{152} , Gd^{152} and Gd^{154} : spin sequence, mixing ratio and g-factor, 0=17554
 Debrunner, P. See Berthier, J., 1=2188
 Debrunner, P. See Margulies, S., 3=12566
 Debrunner, P. See Pipkorn, D. N., 4=28327
 Debrunner, P. See Sunier, J. W., 0=20411
 de Bruyn, P. L. See Devereux, O. F., 3=2090
 de Bruyn Ouboter, R. Landau and Ginzburg's theory applied to a thin layer, 4=8554
 de Bruyn Ouboter, R. and Beenakker, J. J. M. Some thermodynamic considerations on the properties of liquid ^3He - ^4He mixtures, 1=8275
 de Bruyn Ouboter, R. and Beenakker, J. J. M. First and second order transitions in liquid binary mixtures, 1=18674
 de Bruyn Ouboter, R., Beenakker, J. J. M. and Taconis, K. W. A calculation of the thermodynamic properties of ^3He - ^4He solutions, 0=14919
 de Bruyn Ouboter, R., Taconis, K. W. and le Pair, C. Heat capacity of ^3He - ^4He solutions, 0=19543
 de Bruyn Ouboter, R., Taconis, K. W., le Pair, C. and Beenakker, J. J. M. Thermodynamic properties of liquid ^3He - ^4He mixtures derived from specific heat measurements between 0.4°K and 2°K over the complete concentration range, 1=8272
 de Bruyn Ouboter, R. See Beenakker, J. J. M., 4=21378
 de Bruyn Ouboter, R. See Fokkens, K., 4=18145
 de Bruyn Ouboter, R. See Gorter, C. J., 4=11471
 de Bruyn Ouboter, R. See le Pair, C., 2=13497
 de Bruyn Ouboter, R. See le Pair, C., 4=382
 de Bruyn Ouboter, R. See le Pair, C., 4=8550
 de Bruyn Ouboter, R. See le Pair, C., 4=14485
 de Bruyn Ouboter, R. See Sasaki, W., 1=17700
 De Bruyn Ouboter, R. See Staas, F. A., 0=8912
 de Bruyn Ouboter, R. See van Beeken, H., 4=18618
 de Bruyn Ouboter, R. See van Beelen, H., 3=17027
 de Bruyn Ouboter, R. See van Beelen, H., 4=8898
 de Bruyn Ouboter, R. See Van den Maydenberg, C. J. N., 0=8909
 de Bruyn Ouboter, R. See van den Meijdenberg, C. J. N., 1=8278
 de Bruyne, N. A. The action of adhesives, 3=124
 De Bruyne, P. See De Jager, E. M., 3=11737
 Debuc, A. Use of abundance-equivalent-width diagrams with a view to determining the chemical composition of a stellar atmosphere, 2=7014
 Debus, G. H. The determination of mass discrimination in a mass spectrometer, 2=20059
 Debus, G. H., De Bievre, P. and Spaepen, J. Thermal neutron absorption cross section of boron, 4=6072
 Debye, P. X-ray scattering in solids with irregular structure, 0=718
 Debye, P. Light scattering and molecular forces, 4=20126
 Debye, P., Coll, H. and Woermann, D. Critical opalescence of polystyrene solutions, 0=6805
 Debye, P., Coll, H. and Woermann, D. Critical opalescence of polystyrene in cyclohexane, 1=1743
 Debye, P. and Chu, B. Spectrophotometry and light scattering on supported platinum, 2=21595
 Debye, P., Chu, B. and Kaufmann, H. Critical opalescence of binary liquid mixtures: methanol-cyclohexane; aniline-cyclohexane, 2=17450
 Debye, P., Chu, B. and Woermann, D. Critical opalescence of polystyrene in cyclohexane: range of molecular forces and radius of gyration, 2=13373
 Debye, P. and van Beek, L. K. H. Effect of adsorbed water on the optical transmission properties of isotropic powders, 0=3650
 Debye, P., Woermann, D. and Chu, B. Critical opalescence of polystyrene in cyclohexane transmission measurements, 2=5016
 Debye, P. P. See Klein, C. A., 2=23324
 de Camargo, W. G. R. and Valarelli, J. V. Preliminary X-ray study on the dioxane addition compounds of hydrated rare earth perchlorates, 3=20861
 de Campos Costa, M. J. See do Carmo Anta, M., 2=22476
 Décamps, E. and Hadni, A. Study of substances of transparent in the far-infrared (50-2500 μ), 0=10035
 Decamps, E. See Hadni, A., 0=1224
 Decamps, E. See Hadni, A., 0=6927
 Décamps, E. See Hadni, A., 0=8810
 Decamps, E. See Hadni, A., 0=19442
 Décamps, E. See Hadni, A., 3=3006
 Decamps, E. See Hadni, A., 4=14620
 Decamps, E. See Munier, J. M., 2=22058
 de Carli, P. S. and Jamieson, J. C. Formation of an amorphous form of quartz under shock conditions, 0=6324
 DeCarlo, V. and Griffing, V. An SCF-LCAO-MO study of H_2^+ and H_2 , 2=16512
 DeCarlo, V. J. See Schädler, H. W., 4=30524
 De Carlos, J. and Brosed, A. Electronic instrumentation for 4 π absolute activity measurements, 4=22059
 De Carlos, J. E. See De Carlos, J. E.
 De Carlos, J. E. See Tanarro, A., 2=10182
 de Carvalho, H. G., Celano, A., Cortini, G., Rinzivillo, R. and Chigo, G. The photofission of Bi, Th and U between 300 and 1000 MeV, 1=8800
 de Carvalho, H. G., Cortini, G., Del Giudice, E., Potenza, G., Rinzivillo, R. and Ghigo, G. Photofission of Bi, W and Ag from 300 to 1000 MeV, 4=19844
 de Carvalho, H. G., Cortini, G., Muchnik, M., Potenza, G., Rinzivillo, R. and Lock, W. O. Fission of uranium, thorium and bismuth by 20 GeV protons, 3=8146
 de Carvalho, H. G., Cortini, G., Muchnik, M., Rinzivillo, R. and Sassi, E. Some recent results concerning fission and fragmentation at high energies, 4=19846
 De Carvalho, H. G. and Da Silva, A. G. The development of nuclear emulsions loaded with a metallo-organic complex of ethylenedinitrilo-tetra-acetic acid (development at the "Isoelectric" point), 0=12755
 De Carvalho, H. G. and Da Silva, A. G. The kinetics of the development of minimum ionizing tracks in nuclear emulsions, 0=12759
 De Carvalho, H. G. and Da Silva, A. G. The grain diameter and the sensitivity of nuclear emulsions, 0=12762
 de Carvalho, H. G. and da Silva, A. G. Discrimination of tracks of photofission fragments with very high background of alpha-particles and electrons in nuclear emulsions, 1=13259

- de Carvalho, H.G., da Silva, A.G. and Goldemberg, J. Angular distribution of photofission fragments from uranium, 1=8801
- de Carvalho, H.G., Manfredini, A., Muchnik, M., Severi, M., Bösch, H., Lang, J., Müller, R. and Wülfli, W. ^{232}Th and ^{238}U fission induced by low-energy monochromatic γ -rays, 2=18367
- de Carvalho, H.G., Manfredini, A., Muchnik, M., Severi, M., Bösch, R. and Wülfli, W. ^{232}Th and ^{238}U fission induced by low-energy monochromatic gamma-rays. II. Angular distributions at 6.61 MeV, 3=24991
- de Carvalho, H.G., Potenza, G., Rinzivillo, R., Sassi, E. and Vanderhaeghe, G. Experimental results on the nuclear fission produced by 600 MeV protons, 2=20688
- De Carvalho, J. See Amaldi, E., 2=22461
- de Casteljau, M. See Thurceau, P., 2=7242
- De Castro, E.M. See Gaines, J.R., 4=13488
- Decaux, B. Frequency standards, 0=855
- Decaux, B. High frequency chronometry, 0=10545
- Decaux, B., Francès, A. and Gabry, A. Seasonal evolution of the diurnal variation of the phase of myriametric waves on the path Panama-Bagneux, 3=9945
- Decaux, B., Francès, A. and Gabry, A. Rapid changes with season in the diurnal variation of the time of travel of v.l.f. waves passing within the Arctic circle, 3=24481
- Decaux, B., Francès, A., Gabry, A. and Reyssat, M. Perturbations produced by the high altitude thermonuclear explosions (in particular that of 9th July 1962) on the path length and amplitude of v.l.f. waves, 3=9951
- Decaux, B. and Gabry, A. Diurnal variation of the path length of 10 km waves, 1=12686
- Decaux, B. and Gabry, A. A two-year comparison of spatially separated atomic frequency standards, 2=4976
- Decaux, B., Gabry, A., Lachâtre, J. and Lucas, J. Influence of the total eclipse of the sun on February 15th 1961 on the travel time of very long waves, 1=16588
- Decell, R.F. See McEvoy, J.P., Jr., 3=21923
- Decell, R.F. See McEvoy, J.P., Jr., 4=11475
- Decell, R.F. See McEvoy, J.P., Jr., 4=11479
- de Celles, M. Contribution of a bignon and tripion to the nuclear potential in nonlocal theory, 4=9095
- De Celles, P. and Feldman, G. Dispersion relations in the Lee model, 0=5494
- De Celles, P.C. Renormalization constants in quantum electrodynamics, 1=421
- De Celles, P.C. See Baqi Bég, M.A., 1=5776
- De Celles, P.C. See Baqi Bég, M.A., 1=6767
- De Celles, P.C. See Baqi Bég, M.A., 2=5732
- De Celles, P.C. See Baqi Bég, M.A., 2=22617
- De Celles, P.C. See Bég, M.A.B., 1=16881
- De Celles, P.C. See Chan, H.-M., 4=9101
- De Celles, P.C. See Chan, Hong-Mo, 4=25030
- De Celles, P.C. See Durand, L., III, 2=13732
- Dechand, C.O. Strange particle production by bevatron neutrons in propane, 0=1319
- Dechant, J. See Ruscher, Ch., 3=16127
- de Chateau-Thierry, A. First results obtained with a source of hydrogen negative ions utilizing charge exchange in the gas, 1=18936
- de Chatel, P. See Kedves, F.J., 4=10142
- de Chelle, F. See Robin-Kandare, S., 4=1724
- de Chelle, F. See Robin-Kandare, S., 4=7161
- Decius, J.C. Compliance matrix and molecular vibrations, 3=8230
- Decius, J.C., Malan, O.G. and Thompson, H.W. The effect of intermolecular forces upon the vibrations of molecules in the crystalline state. I. The out-of-plane bending of the carbonate ion in aragonite minerals, 3=25189
- Decius, J.C. See Coker, E.H., 1=12497
- Decius, J.C. See Cyvin, S.J., 4=3836
- Decius, J.C. See Kalman, O.F., 2=1153
- Decius, J.C. See Martinez, J.V., 4=11246
- Decius, J.C. See Woodmansee, W.E., 2=13376
- Deck, J.C. See Schug, J.C., 3=4781
- Deck, R.M.R. See Klovestrom, F.A., 1=17235
- Deck, R.T., Mullin, C.J. and Hammer, C.L. High-frequency limit of the bremsstrahlung spectrum, 4=16872
- Deck, R.T. See Johnson, W.R., 2=9193
- Deck, R.T. See Leisi, H.J., 3=10245
- Deck, R.T. See Weber, T.A., 3=14955
- Decker, G. See Herold, H., 4=18868
- Decker, J.A., Jr. Ion wave resonance and plasma instability in a cesium discharge, 4=11671
- Decker, L. See Pollack, I., 0=6509
- Decker, M.T. See Hartman, W.J., 2=4882
- Decker, U. Well-contrasted images free from disturbances by surface charges of highly insulating surfaces using secondary electrons, 3=9845
- Decker, U. Contrast improvement in the secondary electron emission microscope through removal of object contamination by means of ion bombardment, 3=9884
- Decker, U. Contrast reversal in the electron emission microscope, 3=20973
- Deckers, H. Calculation of recoil spectra induced by fast neutron spectra in nuclear emulsions, 2=5652
- Deckers, H. See Beets, C., 2=8017
- Deckers, J. and Fenn, J.B. High intensity molecular beam apparatus, 3=8316
- Deckers, J. See Koros, R.M., 0=14609
- Deckers, J.M. See Valteau, J.P., 4=12540
- Declerck, F. See Becart, M., 1=2330
- de Combarieu, A., Costa, P. and Michel, J.C. The specific heat of the monocarbide of uranium at low temperatures, 4=1398
- Decomps, B., Dumont, M. and Durand, G. Polarization of the signal emitted from a He-Ne laser, 3=22017
- Decomps, B. and Kastler, A. Distribution of N particles among G cells. Fluctuation law, 3=9359
- Decomps, B., May, A.D. and Pebay-Peyroula, J.C. Magnetic resonance of energy levels of Zn and He⁴ atoms excited by electron impact, 1=12258
- Decomps, B., Pebay-Peyroula, J.C. and Brosset, J. Magnetic resonance of atomic levels of helium-4 excited by electron bombardment, 1=2280
- Decomps, B., Pebay-Peyroula, J.C. and Brosset, J. Magnetic resonance of atomic levels of He³ excited by electronic bombardment, 1=7431
- Decomps, B. See Brachet, C., 2=20140
- Decomps, B. See Descoubes, J.P., 4=28111
- Deconninck, G. and Demortier, G. Study of the Li⁶ (α , d₀) Be⁸ reaction at medium energies, 4=9567
- Deconninck, G., Demortier, G. and Martegani, A. Method of measurement of the differential cross-section for elastic scattering of 14 MeV neutrons, 0=15594
- Deconninck, G., Demortier, G., De Vroey, M., Meulders, J.P. and Simonet, J. Angular distributions of the neutrons from the reaction Be⁹(α , n) C¹² in the neighbourhood of 20 MeV, 2=20676
- Deconninck, G., de Vroey, M., Meulders, J.P. and Simonet, J. Interaction mechanism in the (α , n) reactions in Be⁹ and C¹³, 4=19825
- Deconninck, G., De Vroey, M., Meulders, J.P. and Simonet, J. (α , n) reactions in light nuclei, 4=9568
- Deconninck, G., Gonze, A., Macq, P. and Neulders, J.P. Total cross-sections for 28.4 MeV neutrons, 2=465
- Deconninck, G. and Martegani, A. Total cross-section measurements for neutrons between 2.1 and 3.1 MeV, 0=1438
- Deconninck, G. and Martegani, A. Excited states of Mg²⁵ and Ca⁴¹, 0=9532
- Deconninck, G. and Martegani, A. Angular correlations in C¹²(n, n') C¹² at 14 MeV, 1=703
- Deconninck, G., Martegani, A., Meulders, J.P. and Stoquart, J. Small-angle elastic scattering of 14 MeV neutrons, 1=13810
- Deconninck, G. See Demortier, G., 3=22427
- De Cosnac, B. See Bok, J., 2=5686
- DeCoster, M. and Amelinckx, S. Evidence from Mössbauer experiments for the association of aliovalent ions and vacancies in potassium chloride, 2=23167
- de Coster, M., Mewissen, L. and Verschueren, M. Note on the Mössbauer effect observed in UO₂ single crystals [for investigation of impurities], 4=17428
- de Coster, M., Pollak, H. and Amelinckx, S. A study of Mössbauer absorption in iron silicates, 3=8341
- de Coster, M., Pollak, H. and Amelinckx, S. The resonance absorption of the gamma emission from Fe⁵⁷ in N and P type silicon and germanium, 4=15404
- de Coster, M. See Pollak, H., 3=4802
- de Coster, M. See Pollak, H., 4=12586
- de Coster, M. See Pollak, H., 4=15405
- De Courreges, M.M. See Astier, A., 2=22614
- de Courval, C. See van Zeggeren, F., 0=2163
- de Courville, J. See Buchet, G., 2=19928
- Decours, J. See Lehmann, J., 4=29167
- Decowski, P. See Brzosko, J., 3=22406
- DeCrescente, M.A. See Vozzella, P.A., 4=24458
- de Croës, M. and Bäckström, G. Transitions following the decay of Se⁷⁶, 0=13204
- de Croës, M., Deutsch, J.P. and Lipnik, P. Measurement of the beta-gamma circular polarization correlation in Au¹⁹⁸ and Sb¹²³, 1=15726

- De Croës, M., Parker, W. and Sevier, K., Jr. Thin film thickness distribution by alpha absorption, 1=630
- De Croës, M. See Parke, W., 1=629
- Decroocq, D. and Junger, J.C. The dielectric constant of ideal mixtures of liquids, 1=8132
- De Crouette, E. See Granier, R., 3=22488
- De Crouette, E. See Granier, R., 4=1211
- de Csernatony, L. The elimination of resistive films in hot cathode ionization gauges, 3=23949
- de Csernatony, L. See Power, B.D., 4=18263
- De Cugnac, A. See Chateau, H., 1=15073
- de Cugnac, A. See Chateau, H., 3=5102
- de Cugnac, A. See Chateau, H., 4=17817
- de Cusminsky, J.B. See Arvia, A.J., 2=8920
- Dede, K. See Csikai, J., 2=5665
- De De Micheli, S. M. and Lubart, L. Thermal etching of ice in vacuum, 4=23316
- Dedek, W. and Weiss, C.F. The production of air-equivalent material, 1=19069
- DeDelara, G. and Buchanan, A.E. Design and construction of a Markoffian generator, 4=427
- Dedenko, L.G. Calculation of some extensive air shower characteristics with allowance for fluctuations, 1=16939
- Dedenko, L.G. Calculation of the fluctuations of the total number of μ -mesons in extensive air showers, 4=19621
- Dedenko, L.G. and Zatspeyn, G.T. Calculation of some characteristics of air showers taking fluctuations into account, 1=2136
- Dedenko, L.G. See Gorjunov, N., 3=6098
- Dedenko, L.G. See Goryunov, N.N., 3=19720
- Dederichs, P.H. and Leibfried, G. Focusing collisions in face-centred cubic crystals, 3=2844
- De Dominicis, C. Thermodynamical variables in terms of distribution functions of quasi-particles, 1=5229
- De Dominicis, C. Variational formulations of equilibrium statistical mechanics, 3=62
- De Dominicis, C. Variation statistical mechanics in terms of "observables" for normal and superfluid systems, 3=11719
- De Dominicis, C. and Martin, P.C. Stationary entropy principle and renormalization in normal and superfluid systems. I. Algebraic formulation, 4=8100
- De Dominicis, C. See Balian, R., 1=12810
- De Dominicis, C. See Balian, R., 1=18289
- De Dominicis, C. and Martin, P.C. Stationary entropy principle and renormalization in normal and superfluid systems. II. Diagrammatic formulation, 4=8101
- De Dominicis, C. See Balian, R., 0=10603
- De Dominicis, C. See Balian, R., 0=12371
- De Dominicis, C. See Balian, R., 0=18980
- De Dominicis, C. See Balian, R., 4=11102
- De Dominicis, C.T. Direct interaction in nuclear reactions, 0=9609
- Dedow, H.R.A., Wilkie, M.J., Clayton, B.R. and Farmer, E.G. Measurement of low fluid velocities, 4=14114
- Dedrick, K.G. Kinematics of high-energy particles, 3=2224
- Dedrick, K.G. and Wilson, R.N. Use of the displacement vector in electromagnetic theory, 2=5439
- Dedrick, K.G. See Brady, M.M., 3=5599
- Dé Dýk Man. See Nesmeyanov, A.N., 0=13473
- Deeds, W.E. See Herget, W.F., 2=20809
- Deeds, W.E. See Herndon, J.A., 2=20808
- Deeg, E. and Hertweck-Crone, I. The calculation of non-stationary temperature distributions in stratified media with electronic analogue computers, 0=14864
- Deeg, E.W. A general method for calculating temperature or concentration in laminated systems, 3=7368
- Deeg, E.W. See Reitmayr, F.O., 4=5906
- Deehr, C.S. and Rees, M.H. The eclipse of 20 July 1963. Spectrophotometry of atmospheric emissions, 4=29312
- Deehr, C.S. See Rees, M.H., 2=9015
- Deehr, C.S. See Rees, M.H., 2=19229
- Deem, H.W. and Wood, W.D. Flash thermal-diffusivity measurements, 3=3910
- Deem, T.E. See Igel, E.A., 0=6916
- Deeming, T.J. The magnesium b lines in late-type stars, 0=18841
- Deeming, T.J. Stellar spectral classification. I. Application of component analysis, 4=23857
- Deenadas, C. See Gopala Rao, R.V., 4=6678
- Deering, W. See Theimer, O., 4=14569
- Deery, R.F. and Neddermeyer, S.H. Cloud-chamber study of hard collisions of cosmic-ray muons with electrons, 1=5743
- Deetscreek, V.D. See Schuele, W.J., 1=6355
- Deetscreek, V.D. See Schuele, W.J., 2=12668
- Deev, V. I. and Soloviev, A. N. On the boiling mechanism of liquid sodium on the heating surface with natural convection, 4=29809
- Deev, Yu.S. See Krongauz, A.N., 0=15988
- Deev, Yu.S. See Plaksir, I.N., 2=20444
- Deézy, I. β -bands of the upper vibration state No.7 in the spectrum of the NO molecule, 0=7790
- Deézy, I. A recent rotational analysis of the γ bands of the NO molecule (including the unpublished data of R.Schmid and L.Gert), 0=15704
- Deézy, I. and Mátrai, T. Further bands in the γ , ϵ and β band systems of the molecular spectrum of nitric oxide, 0=5943
- Defares, J.G. Cybernetic analysis of the respiratory "chemostat", 3=3636
- Defares, J.G. On the theory of pulmonary carbon dioxide diffusion and its application to the measurement of cardiac output in man, 3=3637
- Defares, J.G. and Wise, M.E. Unequal ventilation, 3=3635
- Defay, R. and Defour, L. Volumetric hindrance to nucleation, 3=1272
- Defay, R. and Hommelen, J.R. Measurement of dynamic surface tensions of aqueous solutions by the falling meniscus method, 0=3503
- Defay, R. and Petre, G. Correcting surface tension data obtained by the oscillating jet method, 2=21884
- Defay, R. and Sanfeld, A. The electrical repulsion between two diffuse ionic layers and the possibility of the existence of thin liquid films, 4=24228
- Defay, R. See Dufour, L., 4=13789
- Defay, R. See Sanfeld, A., 2=12972
- Defay, R. See Sanfeld, A., 2=12973
- Defebvre, A. See Segard, N., 4=14385
- Defebvre, A. See Segard, N., 4=16250
- de Feiter, L.D. The profiles of $H\alpha$ in solar flares, 2=4780
- de Feiter, L.D., Fokker, A.D. and Roosen, J. Association of radio outbursts with solar flares, 0=4898
- de Feiter, L.D., Fokker, A.D., Van Lohuizen, H.P.Th. and Roosen, J. Solar radio events and geomagnetic storms, 1=10341
- de Feiter, L.D., Freon, A. and Legrand, J.P. The cosmic-ray flares of Nov. 12 and 15, 1960, 2=5764
- de Feiter, L.D. and Legrand, J.P. On a maximum of cosmic-ray intensity prior to a prebaisse effect, 2=16251
- de Feiter, L.D. See Roosen, J., 2=15277
- DeFelice, J. See Fireman, E.L., 1=12754
- DeFelice, J. See Fireman, E.L., 1=15437
- DeFelice, J. See Fireman, E.L., 2=2529
- De Feo, P. and Sacerdoti, G. Decay of trapped-flux in a superconducting ring subjected to irradiation by α -particles from a ^{210}Po source, 3=3955
- Defoix, C. See Ghesquiere, C., 4=19575
- DeFord, J.W. See Bauer, W., 3=2846
- Defossez, A. See de Hemptinne, M., 4=9747
- de Fouquet, J. See Levasseur, M., 4=13375
- de Fouquet, J. See Mazot, P., 3=16111
- Defouw, R. J. See Maxwell, A., 4=23930
- Defrain, A. The latent heat of fusion of a phase of gallium unstable at atmospheric pressure, 0=5225
- Defrain, A. and Epelboin, I. On some thermodynamic properties of a solid phase of gallium unstable at atmospheric pressure, 1=11527
- Defrain, A. See Bosio, L., 0=9930
- Defrain, A. See Bosio, L., 2=4447
- Defrain, A. See Bosio, L., 2=7465
- Defrain, A. See Bosio, L., 3=8836
- Defrain, A. See Bosio, L., 4=24435
- Defrain, A. See Curien, H., 2=2386
- Defrain, A. See Delcroix, S., 3=13527
- Defrance, R. See Gaume, F., 3=21514
- De Franceschi, G. See Boccaletti, D., 1=8480
- De Franceschi, G. See Cabibbo, N., 3=7819
- De Franceschi, G. See Cabibbo, N., 3=14937
- de Franceschi, L. See Daddi, L., 1=13212
- de Francisco Sainz, J. L. Determination of the effective delayed neutron fraction of a reactor or multiplicative configuration, 4=22270
- Defranould, P. See Cahen, O., 4=444
- Defranould, P. See Dieulesaint, E., 4=8608
- Defranould, P. See Dieulesaint, E., 4=29864
- Defranould, P. See Piquendar, J.E., 3=9714
- de Freitas Mourao, R.R. The latitudes of Jupiter's belts during the years 1959 and 1960, 2=4744

- de Freitas Mourão, R.R. A search for periodicity in the thickness of Jupiter's north equatorial belt, 3=23677
- Degaonkar, S.S. See Hanson, W.B., 4=10749
- Degaonkar, S.S. Changes in the electron density distribution in the ionosphere over Ahmedabad associated with solar flares and magnetic storms. I. July 10-19, 1959, 1=20995
- Degaonkar, S.S. Variation of the geomagnetic field with solar activity at Tucson, 4=13866
- Degaonkar, S.S. and Bhonsle, R.V. Ionospheric disturbances and change in cosmic radio noise absorption on 25 Mc/s at Ahmedabad associated with some solar events and geomagnetic storms in November 1960, 2=15238
- Degaonkar, S.S. See Ramanathan, K.R., 1=20982
- de Garza, D. B. See Moreno y Moreno, A., 4=25215
- de Gaudemaris, G. See Prévê, J., 0=15196
- DeGeeter, D.J. Photographic observations of a prebreakdown discharge transition between metal electrodes in vacuum, 3=9758
- Degeilh, A. and Blanc, D. Induction discharge in positive-ion sources with high-frequency excitation, 3=19189
- Degeilh, A. See Blanc, D., 0=15085
- Degeilh, A. See Blanc, D., 0=19771
- Degeilh, A. See Blanc, D., 1=3022
- Degeilh, A. See Blanc, D., 1=16428
- Degeilh, A. See Blanc, D., 2=1519
- Degeilh, A. See Blanc, C., 2=11397
- Degeilh, A. See Blanc, C., 2=15883
- Degeilh, A. See Blanc, D., 3=5716
- Degeilh, R. and Marsh, R.E. A refinement of the crystal structure of diketopiperazine (2,5-Piperazinedione), 0=3251
- Degen, V. See May, A.D., 2=1204
- Degenhart, H. J. and Pratt, I. H. Thickness and composition of nickel-chromium films, 4=20809
- de Gennes, P.G. Liquid dynamics and inelastic scattering of neutrons, 0=14651
- de Gennes, P.G. Canted spin arrangements, 0=1779
- de Gennes, P.G. Effects of double exchange in magnetic crystals, 0=10182
- De Gennes, P.G. A method for determining the spin of a compound nucleus in the scattering of neutrons by polarized nuclei, 1=13617
- De Gennes, P.G. Indirect interactions between 4f shells in rare earth metals, 3=3076
- De Gennes, P.G. Charge (or spin) polarization in the vicinity of an impurity in an alloy, 3=8380
- de Gennes, P.G. Certain dynamic effects in the nuclear resonance of magnetic materials, 3=23246
- de Gennes, P.G. Collective motions of hydrogen bonds, 4=7043
- de Gennes, P.G. Self-consistent calculation of the Josephson current, 4=5507
- de Gennes, P.G. Theory of neutron scattering by magnetic crystals, 4=17632
- de Gennes, P.G. Boundary effects in superconductors, 4=18544
- De Gennes, P.G. and Guyon, E. Superconductivity in "normal" metals, 3=5583
- de Gennes, P.G. and Hartmann-Boutron, F. Deformation modes of a Bloch wall, 1=20249
- de Gennes, P.G. and Hartmann-Boutron, F. Nuclear relaxation of Fe⁵⁷ in yttrium iron garnet, 2=6704
- de Gennes, P.G., Hartmann-Boutron, F. and Pincus, P.A. Precession modes of the nuclear magnetization in a magnetic substance, 2=12829
- De Gennes, P.G., Hartmann-Boutron, F., Pincus, P.A. and Saint-James, D. Contribution of static crystal-field effects to the line-width in rare-earth-doped yttrium iron garnets, 2=21353
- De Gennes, P.G., Kittel, C. and Portis, A.M. Theory of ferromagnetic resonance in rare earth garnets. II. Line widths, 0=1821
- de Gennes, P.G., Lafore, P. and Millot, J.P. Random clusters in disordered solid solutions, 0=3268
- De Gennes, P.G., Lafore, P. and Millot, J.P. On an example of propagation in a disordered medium, 0=18404
- de Gennes, P. G. and Matricon, J. Collective modes of vortex lines in superconductors of the second kind, 4=21390
- de Gennes, P.G., Pincus, P.A., Hartmann-Boutron, F. and Winter, J.M. Nuclear magnetic resonance modes in magnetic material. I. Theory, 3=8726
- De Gennes, P.G. and Saint-James, D. Elementary excitations in the vicinity of a normal metal-superconducting metal contact, 3=12027
- de Gennes, P. G. and Saint-James, D. Helical structures of the heavy rare earth metals, 4=22548
- de Gennes, P.G. and Sarma, G. Some relations between superconducting and magnetic properties, 3=14442
- de Gennes, P.G. and Villain, J. Magnetization fluctuations and critical opalescence, 0=11802
- de Gennes, P-G. See Benoit, H., 3=18155
- De Gennes, P.G. See Caroli, C., 3=9674
- de Gennes, P.G. See Caroli, C., 3=12028
- De Gennes, P. G. See Caroli, C., 4=21401
- de Gennes, P.G. See Friedel, J., 1=3945
- Degerman, G. and von Sydow, E. The thermal expansion of the crystalline B- and C-forms of stearic acid, 0=18368
- Degerman, G. and von Sydow, E. An X-ray investigation of the binary system stearic acid-palmitic acid, 0=18369
- De Geus, A. See Sleswyk, A.W., 3=13403
- de Geus, A. See Sleswyk, A.W., 4=17732
- de Giorgio, M. T. See Carrara, N., 4=2286
- De Giorgio, M. T. See Checcacci, P. F., 4=7912
- Degit, R.H. and Archer, D.H. Thermoelectric effects in fused ionic materials, 3=9477
- Degli Antoni, G. See Boella, G., 3=22222
- Degois, M. and Faivre, R. Determination by isothermal dilatometry of the transformation curves of uranium-chromium alloys quenched from the β -phase, 3=6858
- De Gottal, P. See Balescu, R., 2=1417
- de Gottal, P. See Prigogine, I., 3=21767
- Degpois, M. and Badilian, B. Study of the erosion produced by high-frequency ultrasonic waves, 4=11311
- de Graaf, A.M. On the diamagnetism of the conduction electrons in the alkali metals, 3=8638
- De Graaf, A.M. and Strässler, S. Superexchange band model, 3=11032
- De Graaf, A. M. and Sussmann, J. A. Information about the phonon spectrum of some rare earth ethyl sulfates from the specific heat and the thermal conductivity, 4=6714
- de Graaf, A.M. See Baltensperger, W., 1=6252
- De Graaff, A.M. See Gomes, A.A., 4=15433
- de Graaff, W. See Michels, A., 0=6838
- de Graaff, W. See Michels, A., 0=14909
- de Graaff, W. See Michels, A., 1=5294
- de Graaff, W. See Michels, A., 1=6897
- De Graaff, W. See Michels, A., 3=23930
- de Graaf, W.P. See Wanmaker, W.L., 0=13710
- de Gramont, A. Optical telescope as plumb line, 4=3
- Degras, D. See Schram, A., 3=23947
- Degras, D.A. Evapor-ion pump [with liquid helium trap], 0=3571
- Degras, D.A. High vacua in atomic and nuclear research, 2=17516
- Degras, D.A. Adsorption of binary mixtures of gases at very low temperatures, 4=26719
- Degras, D.A. See Petermann, L.A., 2=23920
- Degras, D.A. See Petermann, L.A., 3=16147
- DeGrasse, R.W. Low-loss gyromagnetic coupling through single crystal garnets, 0=3118
- De Grasse, R.W., Hogg, D.C., Ohm, E.A. and Scovil, H.E.D. Ultra-low-noise measurements using a horn reflector antenna and a traveling wave maser, 0=3855
- DeGrasse, R.W. and Scovil, H.E.D. Noise temperature measurement on a traveling-wave maser preamplifier, 0=9198
- Degregori, I. See Colombino, P., 0=15336
- Degregori, I. See Colombino, P., 1=5715
- de Gregorio, G. See Buttinelli, D., 1=12625
- De Greve, L. See Vrambout, R., 1=14719
- de Grinberg, D.K. Some new observations on the growing of cadmium crystals, 2=6766
- de Grinberg, D.K. and Grinberg, A. The relation between etch pits and the purity of NaCl single crystals, 1=20414
- de Grinberg, D.K. See Krasnapolsky, D. See Krasnapolsky de Grinberg, D.
- Degrois, M. and Badilian, B. Relaxation phenomenon in solutions under ultrasonic radiation, 2=5013
- Degrois, M. and Badilian, B. Effect of relaxation phenomenon, produced in a solution irradiated by ultrasound, on the yield of chemical effects and on luminescence, 2=11370
- Degrois, M. and Badilian, B. Study of the onset and of the development of cavitation in liquids radiated by ultrasound, by means of a thermocouple, 2=11455
- Degrois, M. and Badilian, B. Relaxation of cavities of gas and vapour in solutions under ultrasonic irradiation, 2=15587
- Degrois, M. and Badilian, B. Mathematical expression for the relaxation times t_1, t_2 , for gas cavitation and vapour cavitation, caused by high-frequency ultrasonic radiation, 4=8148
- Degrois, M. and Badilian, B. Relation in certain ultrasonically irradiated liquids between luminescence and relaxation of gas and vapour cavitations, 4=14117
- deGroot, J.H. See Swanson, H.E., 1=15067

- de Groot, M.S. and van der Waals, J.H. Paramagnetic resonance in phosphorescent aromatic hydrocarbons. II. Determination of zero-field splitting from solution spectra, 1=14091
- de Groot, M.S. and van der Waals, J.H. Paramagnetic resonance in phosphorescent benzene and some of its derivatives, 3=21417
- De Groot, M.S. and Van Der Waals, J.H. The two-quantum transition in the electron resonance spectrum of phosphorescent aromatic hydrocarbons, 4=6641
- de Groot, M.S. See van der Waals, J.H., 0=21080
- De Groot, S.R. Non-equilibrium thermodynamics, 0=16643
- de Groot, S.R. Non-equilibrium thermodynamics of systems in an electromagnetic field, 1=9668
- de Groot, S.R. On the thermodynamics of irreversible heat and mass transfer, 2=15824
- de Groot, S.R. Reactions due to high-energy neutrinos and the existence of two kinds of neutrino, 3=10084
- De Groot, S.R. On the development of nonequilibrium thermodynamics, 3=11711
- de Groot, S.R. Experimental confirmation of the "conservative vector current" theory of weak interactions, 3=12403
- de Groot, S.R. and Vlieger, J. On the statistical derivation of Maxwell's equations for a system of charged point particles, 4=21629
- De Groot, S.R. and Vlieger, J. On the derivation of Maxwell's equations, 4=24795
- de Groot, S.R. See Vlieger, J., 0=8553
- de Groot, S.R. See Vlieger, J., 1=8073
- de Groot, S.R. See Vlieger, J., 2=4956
- de Groot, S.R. See Vlieger, J., 2=4957
- de Groot, T. Spectra of short-lived transients in solar noise at 400 Mc/s, 1=6737
- de Groot, T. Fast-response, narrow-band spectroscopy, 1=18155
- de Groot, W. The formulae $\frac{1}{2}nmv^2$ and $\frac{1}{2}nv$ in kinetic gas theory, 3=9499
- de Groot, W. Some remarks on Maxwell's velocity distribution, 3=16540
- de Groot, W. A rainbow in a fountain, 3=21521
- de Groot, W. The international system of units, modern form of the metric system, 4=27012
- Degtiarev, V.G. On the stability of motion in the generalized problem of two immovable centers, 3=21084
- Degtyarev, I.F. See Dylgerov, V.D., 1=17960
- Degtyarev, I.F. See Ignatchenko, V.A., 3=25531
- Degtyarev, I.F. See Kirenski, L.V., 0=1795
- Degtyarev, I.F. See Kirenski, L.V., 0=10145
- Degtyarev, I.F. See Kirenski, L.V., 2=21321
- Degtyarev, S.F. See Kukhtevich, V.I., 4=12240
- Deguchi, Y. Proton hyperfine spectra of diphenyl picryl hydrazyl, 0=10680
- Deguchi, Y. See Nishiguchi, H., 4=15378
- Deguchi, Y. See Ohta, M., 4=12303
- De Haan, R.E. Supersonic ejectors with mixing at constant cross section. I. Theoretical part, 4=18233
- de Haan, Y.M. Interdiffusion method of the preparation of single crystals of certain hydroxides and basic salts, 4=20726
- De Haan, Y.M. and Visser, M.P. Structures of sulfur-selenium mixtures, 1=6514
- de Haas, E. See Sluyters, T.J.M., 1=275
- de Haas, N. See Walker, R.E., 0=10688
- de Haas, N. See Walker, R.E., 0=12519
- de Haas, N. See Westernberg, A.A., 2=7253
- de Haas, N. See Westernberg, A.A., 3=16655
- de Haas, N. See Westernberg, A.A., 4=23687
- de Halas, D.R. Understanding UO_2 thermal conductivity, 4=12664
- De Halas, D.R. and Horn, G.R. Evolution of uranium dioxide structure during irradiation of fuel rods, 3=25650
- Dehalt, O., Groschwitz, E. and Hofmeister, E. The influence of "forming" upon the characteristic of germanium point-contact diodes, 4=4183
- DeHaven, J.C. See Dantzig, G.B., 2=15125
- de Heer, F.J. and van den Bos, J. Excitation of helium by helium ions, 4=19944
- De Heer, F.J. and Van Eck, J. Excitation of Ne induced by H^+ and He^+ impact (5-35 keV), 4=25540
- de Heer, F.J., van Eck, J. and Kistemaker, J. Electron capture into an excited state by H^+ and He^+ incident on H_2 and noble gases (5-35 keV), 4=11527
- de Heer, F.J. See Gugelot, P.C., 1=8752
- de Heer, F.J. See Tjin A Djie, H.R.E., 1=19072
- De Heer, F.J. See Van Eck, J., 3=2560
- de Heer, F.J. See van Eck, J., 3=4005
- de Heer, F.J. See van Eck, J., 3=12770
- de Heer, F.J. See Van Eck, J., 4=18407
- de Heer, F.J. See van Eck, J., 4=25533
- de Heer, J. Studies on the alternant molecular orbital method. III. A many-parameter energy expression for systems with closed-shell structure, 3=2602
- de Heer, J. A refined alternant molecular orbital treatment of the ground state of benzene, 3=12848
- de Heer, J. The method of different orbitals for different spins and its application to alternant hydrocarbons, 4=15319
- de Heer, J. and Pauncz, R. Molecular electronic integrals for cyclic systems, 1=4942
- de Heer, J. and Pauncz, R. Studies on the alternant molecular orbital method. V. A many-parameter energy expression for states with different multiplicities; application to benzene, 4=3889
- de Heer, J. See Löwdin, P.O., 1=4173
- de Heer, J. See Pauncz, R., 2=14306
- de Heer, J. See Pauncz, R., 2=14307
- de Heer, J. See Swalen, J.D., 4=9695
- De Heer, R.J. See Van Eck, J., 4=22316
- de Hemptinne, M., Greindl, F. and van Riet, R. Rotation spectrum of SO_2 , 3=4763
- de Hemptinne, M. and Van Riet, R. Rotational spectra of the molecules $S^{32}O^{16}O^{18}$ and $S^{34}O^{16}O^{18}$ in the ground state, 4=28230
- de Hemptinne, M., Van Riet, R., Defossez, A., Bruyninckx, F. and Dachelet, P. Rotation spectra of the molecules $S^{32}O^{16}O^{18}$ and $S^{32}O^{18}O^{18}$ in their ground states, 4=9747
- de Hemptinne, M. See Triaille, E.A., 4=27314
- de Hemptinne, M. See Van Riet, R., 2=14280
- Dehl, R. and Fraenkel, G.K. Electron spin resonance spectra of cyclic ketals and ortho-semiquinones, 4=1305
- Dehl, R. See Berry, R.S., 1=12313
- Dehlinger, P. and Yungul, S.H. Experimental determination of the reliability of the LaCoste and Romberg surface-ship gravity meter S-9, 3=8997
- Dehlinger, P. See Allan, T.D., 3=8995
- Dehlinger, P. See Chowdhury, D.K., 3=16686
- Dehmelt, H.G. Spin resonance of free electrons, 0=16162
- Dehmelt, H.G. Comments on "Optically pumped nuclear magnetometer", 4=29335
- Dehmelt, H.G. and Jefferts, K.B. Alignment of the H_2^+ molecular ion by selective photodissociation. I, 2=6229
- Dehmelt, H.G. and Major, F.G. Orientation of $(He^4)^+$ ions by exchange collisions with cesium atoms, 2=17785
- Dehn, J.T. Interference patterns in the near field of a circular piston, 1=1797
- Dehn, J.T. Varying orbital exponents in molecular orbital theory, 3=4738
- Dehn, J.T., Marzolf, J.G. and Salmon, J.F. Multipole mixtures in the Mössbauer effect, 4=27947
- Dehne, H.C., Raubold, E., Söding, P., Teucher, M.W., Wolf, G. and Lohrmann, E. Proton-antiproton interactions at 3.6 GeV/c and one pion exchange, 4=19518
- Dehne, H.C. See Escoubès, B., 3=19630
- Dehne, K., Köhrmann, W. and Lenné, H. Measurement of the formative time lag for sparks in air, hydrogen, and nitrogen, 4=8657
- Dehnen, H. A representation of Einstein's field equations analogous to Maxwell's equations, with some applications, 2=9174
- Dehnen, H. The relative nature of the Coriolis and centrifugal forces for an expanding Friedmann-Lemaître model, 2=9176
- Dehnen, H. On the energy tensor of the gravitational field, 4=18051
- Dehnen, H. On the energy density of static gravitational fields according to the Newtonian approximation to general relativity, 4=18052
- Dehnen, H. On general relativistic dynamics, 4=18056
- Dehnen, H. and Hönl, H. Finite universe and Mach's principle, 3=5348
- Dehnen, H., Hönl, H. and Westpfahl, K. Independence of the Sommerfeld fine-structure constant from the gravitational field, 2=521
- Dehnen, H. See Hönl, H., 0=2074
- Dehnen, H. See Hönl, H., 1=1691
- Dehnen, H. See Hönl, H., 2=9175
- Dehnen, H. See Hönl, H., 3=3736
- Dehnen, H. See Hönl, H., 4=2536

- Dehnert, H. The vibrating membrane, its relation and application to molecular physics, 0=5901
- Dehnhard, D., Kamke, D. and Kramer, P. Evidence for three alpha particle break-up of C^{12*} (16.11 MeV), 2=1833
- Dehnhard, D., Kamke, D. and Kramer, P. Three alpha-particle decay of C^{12*} (16.11 MeV), 2=10038
- Dehnhard, D., Kamke, D. and Kramer, P. Generalized Dalitz-diagrams in low-energy nuclear physics, 3=8061
- Dehnhard, D. and Kramer, P. A reaction chamber for measurements on complex nuclear reactions, 4=22092
- DeHoff, R. T. The determination of the geometric properties of aggregates of constant-size particles from counting measurements made on random plane sections, 4=23541
- De Hoff, R. T., Baldwin, D. H. and Rhines, F. N. Size sensitivity of the two-particle sintering model, 2=17058
- de Hon, B. See Bijvoet, J., 4=10029
- de Hoog, F. J. See Klaassen, F. M., 1=7674
- de Hoog, F. J. See Klaassen, F. M., 1=8955
- De Hoop, A. T. A reciprocity theorem for the electromagnetic field scattered by an obstacle, 0=7223
- de Hoop, A. T. A modification of Cagniard's method for solving seismic pulse problems, 1=15214
- De Hoop, A. T. Impulsive radiation from a vertical electric dipole situated above a plane, non-conducting, earth, 2=3152
- de Hoop, A. T. and Frankena, H. J. Radiation of pulses generated by a vertical electric dipole above a plane, non-conducting, earth, 1=16549
- De-Hou, Rhen. See Levenberg, I., 4=15215
- Dehoust, O. Measurement of photovoltaic potentials in CdS crystals, 3=907
- Dehoust, O. Effect of the contact on the current impulses induced by α -particles in cadmium sulphide crystals, 3=6594
- Dehoust, O. The production of pure CdS single crystals, 3=18258
- de Hulst, H. C. van. See van de Hulst, H. C.
- Deibler, V. H. See Rosenstock, H. M., 4=13706
- Deich, A. N. The determination of the photographic position of an artificial earth satellite, using two reference stars, 0=8525
- Deicha, G. and Sella, C. Crystallization lacunae and secondary corrosion cavities in quartz, 2=2087
- Deicha, G. and Sella, C. Crystallization holes and mosaic structure in sodium chloride studied by electron microscopy, 3=1263
- Deicha, G. See Sella, C., 3=17776
- Deichsel, H. The production and demonstration of polarized electron beams by double scattering of low energy glow electrons (1-2 keV) off atomic beams of mercury, 1=16426
- Deichsel, H. Investigations on thin alkali metal films. V. Optical and electrical properties of thin potassium films. Influence of temperature and surface of substrate, 3=18389
- Diechsel, H. and Reichert, E. Energy distribution of secondary electrons from insulators, 0=17033
- Deigen, M. F. The theory of paramagnetic resonance and paramagnetic relaxation of local electron centres in semiconductors, 2=23697
- Deigen, M. F. and Glinchuk, M. D. An exciton near the surface of a covalent crystal, 4=9911
- Deigen, M. F. and Glinchuk, M. D. Optical properties of local electron centres near the surface of a semiconductor, 4=12741
- Deigen, M. F. and Korobko, G. V. Theory of paramagnetic relaxation of F-centres in magnetic fields of arbitrary magnitude, 3=17797
- Deigen, M. F. and Roitsin, A. B. The shape and temperature dependence of electron spin resonance lines of local electron centres in crystals, 0=8087
- Deigen, M. F. and Roitsin, A. B. A possibility of realizing zero-field resonance in many-level systems, 1=20246
- Deigen, M. F. and Roitsin, A. B. A possibility of realizing zero-field resonance in many-level systems, 2=8665
- Deigen, M. F. and Roitsin, A. B. On orientation of nuclei, 4=25268
- Deigen, M. F. and Zevin, V. Ya. Spin-lattice relaxation of local electron centres in non-metallic crystals, 1=20244
- Deigen, M. F. See Buimistrov, V. M., 0=6175
- Deigen, M. F. See Glinchuk, M. D., 3=18145
- Deigen, M. F. See Vinetski, V. L., 0=2944
- Deigen, M. F. See Glinchuk, M. D., 4=1578
- Deighton, M. O. Statistical errors arising from use of a gated pulse train for total live time measurement during pulse amplitude analysis, 2=5285
- Deighton, M. O. The d.c. characteristics of uniform-base transistors, 4=22753
- Deihen, M. F. and Roitsin, O. B. Double paramagnetic resonance of crystal-incorporated atoms and F-centres in mixed crystals, 1=14815
- Deimel, E. Iterative computations on high-perveance electron guns using digital computers, 3=5700
- Deineka, P. G. See Tolstol, N. A., 1=20016
- Deineko, A. S. Multiwire counter for charged particles, 0=3890
- Deineko, A. S., Popov, A. L., Sorokin, P. V. and Taranov, A. Ya. Double-focusing magnetic spectrometer, 2=16099
- Deineko, A. S. See Andreev, G. B., 3=5147
- Deineko, A. S. See Andreev, G. B., 4=6329
- Deineko, A. S. See Val'ter, A. K., 2=16395
- Deineko, O. S. Measurement of the effective cross-section of the $C^{12}(p, \gamma)$ reaction, 1=11009
- Deiness, S. See Pauthier, M., 2=10585
- Deinker, N. Yu. See Shulman, L. A., 1=13910
- Deinzer, W. and Salpeter, E. E. Equilibrium models for helium-burning stars. IV. Massive stars and nuclear abundances, 4=29375
- Deirmendjian, D. Theory of the solar aureole. II. Applications to atmospheric models, 0=18519
- Deirmendjian, D. Atmospheric extinction of infra-red radiation, 1=20840
- Deirmendjian, D. Note on the photometry of the sea surface, 2=23998
- Deirmendjian, D. Scattering and polarization properties of polydispersed suspensions with partial absorption, 4=15867
- Deirmendjian, D. Scattering and polarization properties of water clouds and hazes in the visible and infrared, 4=13793
- Deirmendjian, D., Clasen, R. and V ieze, W. Mie scattering with complex index of refraction, 1=8238
- Deirmendjian, D. and Vestine, E. H. Some remarks on the nature and origin of noctilucent cloud particles, 1=6627
- Deiss, D. L. See Nikitine, S., 3=10936
- Deiss, J. L., Grun, J. B. and Nikitine, S. Observation of two new feeble lines in the spectrum of cuprous oxide at 4.2°K interpretation, 3=20474
- Deiss, J. L. See Nikitine, S., 3=8405
- Deiss, J. L. See Nikitine, S., 3=10932
- Deiss, W. J. Evaporation of uranium in vacuum, 3=8925
- Deissler, R. G. A theory of decaying homogeneous turbulence, 0=8626
- Deissler, R. G. Effects of inhomogeneity and of shear flow in weak turbulent fields, 1=15922
- Deissler, R. G. Turbulence in the presence of a vertical body force and temperature gradient, 2=24011
- Deissler, R. G. Pressure fluctuations in a weak turbulent field with a uniform transverse velocity gradient, 3=156
- Deissler, R. G. Turbulent heat transfer and temperature fluctuations in a field with uniform velocity and temperature gradients, 3=11969
- Deissler, R. G. Magneto-fluid dynamic turbulence with a uniform imposed magnetic field, 3=21951
- Deissler, R. G. An analysis of second-order slip flow and temperature-jump boundary conditions for rarefield gases, 4=21167
- Deissler, R. G. and Perlmutter, M. Analysis of the flow and energy separation in a turbulent vortex, 1=18375
- Deiter, R. H. See Davey, J. E., 4=13647
- Deitz, V. R. See Little, R. C., 3=3907
- De Jager, C. Optical and radiophenomena associated with a solar activity centre, 0=3417
- De Jager, C. Dynamical features of the chromosphere, 0=3418
- de Jager, C. The structure of the chromosphere and the low corona, 0=18629
- de Jager, C. The genesis of the elements, 1=15412
- de Jager, C. Interpretation of solar radio-observations, 1=18154
- De Jager, C. Asymptotic widening parameters for the hydrogen lines, 2=3695
- De Jager, C. The solar chromosphere, 2=9081
- de Jager, C. Loss of matter by stars, 2=11136
- de Jager, C. Non-thermal solar X-rays and radio emission, 2=17281
- de Jager, C. The temperature fluctuations in the solar photosphere, 3=16370
- de Jager, C. Energy transfer in a sunspot, 4=2426
- De Jager, C. The infrared solar spectrum; introductory report, 4=29453
- De Jager, C., Kanno, M. and Neven, L. A program for the computation of bn tables for H and He, 2=4803

- de Jager, C. and Neven, L. Saturation effects in very faint Fraunhofer lines, 0=847
- de Jager, C. and Neven, L. The influence of the metal abundance of the continuous stellar spectra, 1=18118
- De Jager, C. and Neven, L. The C-multiplet near 10700 angstrom in the solar spectrum, 4=29444
- de Jager, C. See Blamont, J.E., 2=882
- de Jager, C. See Blamont, J.E., 3=3479
- De Jager, C. See De Loore, C., 4=29393
- De Jager, E.M., Van Den Tempel, M. and De Bruyne, P. Permeability of plastic disperse systems, 3=11737
- De Jager, G. and Gledhill, J.A. The enhancement of the F1-cusp and the appearance of the F1 $\frac{1}{2}$ -layer during solar eclipses, 4=2301
- de Jager, J.T. Parametric amplifiers for radio astronomy, 3=7044
- Déjardin, G., Janin, J. and Cotton, L. Photoconductivity of the halophosphates of calcium, 0=9993
- Déjardin, G., Janin, J. and Dailier, M. Photoconductivity of magnesium fluorogermanate, 1=7675
- Déjardin, G., Janin, J. and Dailier, M. Study of the growth of photoconductivity of magnesium fluorogermanate under irradiation, 3=2978
- Déjardin, G., Janin, J. and Dailier, M. Origin of the photocoloration of magnesium fluorogermanate and the growth, under the action of ultraviolet radiation, of the photoconductivity of this substance, 3=25837
- Dejardin, G., Janin, J. and Souillat, J.C. Green photoluminescence from magnesium fluorogermanate at different temperatures, 1=9006
- Déjardin, G., Mesnard, G., Piquet, A. and Uzan, R. Electron emission from cold cathodes of magnesia, 4=19078
- Déjardin, G., Mesnard, G., Uzan, R. and Cabaud, B. Contribution to the study of the evolution of emissive materials from oxide cathodes of alkaline earths, 3=4204
- Déjardin, G., Mesnard, G. and Vasilescu, D. The dielectric properties of ceramic barium titanate between 50 kc/s and 25 Mc/s, 1=1132
- Déjardin, G. See Janin, J., 3=18053
- Dejon, B. and Smith, K. Shadow effect in the scattering of GeV pions and nucleons by deuterons, 1=2087
- de Jong, A.N. A novel prism for total reflection, 3=21527
- de Jong, J.J. See Casimir, H.B.G., 0=13742
- De Jong, L. N. J. and Blaisse, B. S. A model for the magnetic behaviour and the I-H curve of superconductors with an anchored filament structure, 4=21402
- de Jong, M. The anisotropy of the Zener relaxation, 2=21400
- De Jong, M. Migration and binding energy of vacancies in copper, 4=9944
- de Jong, M. and Koeler, J.S. Diffusion of single vacancies and divacancies in quenched gold, 3=4863
- de Jong, M. and Koehler, J.S. Annealing of pure gold quenched from above 800°C, 3=4864
- de Jong, M. and Rathenau, G.W. Remarks on the alpha-gamma transformation in pure iron, 2=8842
- de Jong, M. and Rathenau, G.W. Comment on "Irreversible plastic deformation of pure iron during phase changes", 3=23472
- De Jong, M. See Shapink, F.W., 4=22558
- de Jong, W.M.C. See Aten, A.H.W., Jr, 1=17008
- de Jonge, J. See Steketee, J.W., 3=2970
- de Jonge, J. See Steketee, J.W., 3=13129
- de Jongh, A. P. See Boerboom, A. J. H., 4=16562
- de Jongh, J.G.V. See Black, W., 1=20397
- de Josselin de Jong, G. Singularity distributions for the analysis of multiple-fluid flow through porous media, 1=15833
- Dejours, P. See Borot, M., 4=19133
- DeJuren, J. See Klein, D., 0=13339
- DeJuren, J.A. Slowing-down time of neutrons in water, 2=7867
- DeJuren, J.A. Note on calibration of the N.B.S. standard thermal neutron density, 2=18390
- De Juren, J.A., Reier, M. and Stooksberry, R.W. Spatial distribution in water at indium resonance of neutrons from a 1.4 MeV D-D source, 2=5649
- DeJuren, J.A. and Stooksberry, R.W. Measurement of the O¹⁶(n,p)N¹⁶ cross section at 14.7 MeV, 0=20496
- DeJuren, J.A., Stooksberry, R.W. and Wallis, M. Measurement of the O¹⁶(n,p)N¹⁶ cross section from 11 to 19 MeV, 2=18338
- de Juren, J.A. See Reier, M., 2=3348
- Deka, G.C. Mesonic decays of hyperfragments, 0=13151
- Deka, G.C. The lifetime of hyperfragments, 1=13685
- Deka, G.C., Evans, D., Prowse, D.J. and Baldo-Coelin, M. "Hammer" tracks emitted from nuclear disintegrations produced by 4.6 GeV/c π^- -mesons, 1=5930
- Deka, G.C. and Goswami, A.K. Observation of Be⁸-direct production, 4=19807
- Deka, G.C. and Pathak, K.M. Ejection of a Li⁹-"hammer" track, 2=22836
- Deka, G.C. and Pathak, K.M. Observation of "hammer" stars caused by Li⁹ decay, 3=22325
- Deka, G. C. and Pathak, K. M. "Double emission of heavy fragments (Z \geq 3) in the disintegration of emulsion nuclei", 4=25418
- Dekabrun, L.L. A method of measuring and recording extremely small currents, 0=14939
- Dekabrun, L.L. See Bystrov, V.F., 2=7774
- Dekabrun, L.L. See Tal'roze, V.L., 4=18563
- de Kamp, P. van. See van de Kamp, P.
- Dekany, S. Parallelism tolerances for binocular telescopes, 0=6921
- Dékány, S. Two new methods to produce colour vision and an investigation of the possibility of using them in film technology and TV, 3=3693
- Dekartova, N.V. and Rozhanskii, V.N. Investigation of the surface activity of some metals relative to zinc, using the method of internal friction, 2=8697
- Dekartova, N.V. and Rozhanskii, V.N. Investigation of the surface activity of certain metals in relation to zinc, by the internal friction method, 2=21569
- Dekartova, V.N., Rozhanskii, V.N. and Shchukin, E.D. Recording the damping of the oscillations of a torsional pendulum on a loop oscillograph during the measurement of internal friction, 2=2316
- de Kazinczy, F. On the pressure of hydrogen in cavities of steel, 0=18391
- de Keijzer, A.A. and Burgers, W.G. Lorentz effects in electron diffraction patterns of a decomposing gold-nickel alloy, 2=19093
- Deketelaere, A. See Remaut, G., 2=23772
- de Keyser, A. See Ceulemans, H., 1=11891
- Dekeyser, W. See Bontinck, W., 0=16280
- Dekeyser, W. See Remaut, G., 2=23772
- Dekeyser, W. See Rueda, F., 1=7629
- Dekeyser, W. See Rueda, F., 1=14275
- Dekeyser, W. See Rueda, F., 3=8435
- Dekeyser, W. See Rueda, F., 4=22754
- Dekeyser, W. See Strumane, R., 0=18255
- Dekeyser, W. See Vennik, J., 1=19778
- Dekeyser, W. See Vermout, P., 0=21171
- Dekhtyar, I.Y. and Madatova, E.H. Change in the coercive force during cyclic heat treatment above and below the Curie point and its connection with dislocation structure, 1=11429
- Dekhtyar, I.Ya. and Levina, D.A. The effect of [hydrostatic] pressure on the atomic magnetic moment and on the exchange interaction parameter in some iron alloys, 3=3097
- Dekhtyar, I.Ya. and Levina, D.A. The effect of [hydrostatic] pressure on the atomic magnetic moment and on the exchange interaction parameter in some iron alloys, 3=6699
- Dekhtyar, I. Ya. and Levina, D. A. ΔI_c effect due to plastic deformation of ferromagnetics, 4=10261
- Dekhtyar, I.Ya., Levina, D.A. and Mikhalenikov, V.S. Saturation magnetization of alloys of iron and nickel under volumetric compression, 3=8668
- Dekhtyar, I. Ya, Levina, D. A. and Mikhalenikov, V. S. The annihilation of positrons with electrons in plastically deformed metals, 4=28434
- Dekhtyar, I. Ya, Litovchenko, S.G. and Mikhalenikov, V.S. A study of electron-positron annihilation in ordered alloys, 3=17694
- Dekhtyar, I.Ya., Litovchenko, S.H. and Fedchenko, R.H. Investigation of the effect of plastic deformation on the electrical resistance of alloys, 2=6404
- Dekhtyar, I.Ya., Litovchenko, S.H. and Ursul, D.A. Effect of short-range order on the residual resistance of nickel alloys, 1=15128
- Dekhtyar, I.Ya. and Madatova, E.G. The change of saturation magnetostriction on annealing quenched ferromagnetic [nickel], 2=8644
- Dekhtyar, I. Ya. and Madatova, E.G. Variation in saturation magnetostriction on the annealing of quench-hardened ferromagnetic materials, 2=23671

- Dekhtyar, I.Ya. and Madatova, E.G. Change in coercive force as a result of annealing of quenched nickel, 3=11059
- Dekhtyar, I.Ya. and Mikhalekov, V.S. Angular correlation of gamma quanta from electron-positron annihilation in bismuth, 1=2046
- Dekhtyar, I.Ya. and Mikhalekov, V.S. Angular correlation of gamma quanta from electron-positron annihilation in bismuth, 1=3151
- Dekhtyar, I.Ya. and Mikhalekov, V.S. The effect of temperature on the angular correlation of γ -rays emitted during electron-positron annihilation in bismuth, 1=6095
- Dekhtyar, I.Ya. and Mikhalekov, V.S. The effect of temperature on the angular correlation of γ -rays emitted during electron-positron annihilation in bismuth, 1=11185
- Dekhtyar, I.Ya. and Mikhalekov, V.S. Investigation of atomic mobility at high-temperature axial compression in ferrite-type alloys, 1=14309
- Dekhtyar, I.Ya. and Mykhalekov, V.S. Effect of plastic flow on diffusion in nickel-molybdenum alloys, 1=14324
- Dekhtyar, I.Ya. and Mikhalekov, V.S. A study of the angular correlation of γ -rays produced during the annihilation of positrons and electrons in zinc, 2=3558
- Dekhtyar, I.Ya. and Mikhalekov, V.S. A study of the angular correlation of γ -rays produced during the annihilation of positrons and electrons in zinc, 2=8194
- Dekhtyar, I.Ya. and Polotnyuk, V.V. Change in the coercive force after the annealing of deformed nickel alloys with cerium, praseodymium and gadolinium, 3=23159
- Dekhtyar, I.Ya. and Polotnyuk, V.V. The variation of the dislocation density during annealing of deformed metals, 4=12747
- Dekhtyar, I.Ya. and Shalayev, A.M. Effect of gamma radiation on certain magnetic properties of iron and its alloys, 2=8628
- Dekhtyar, I.Ya. See Hertsricken, S.D., 1=20625
- Dekhtyar, I.Ya. See Herzriken, S.D., 2=6413
- Dekhtyar, M.I. Theory of the diffusion of interstitial atoms in ordered alloys of the CuPt type, 4=1509
- Dekhtyar, M.I. See Bulkov, M.V., 4=2194
- Dekhtyar, M.V. Antiferromagnetic properties of the Ni_3Fe alloy in relation to its ordered state, 0=21062
- Dekhtyar, M.V. Uncompensated antiferromagnetism and anomalous temperature dependence of magnetic properties of the Fe_3Cr alloys and their relationship with atomic ordering, 2=16925
- Dekhtyar, M.V. Antiferromagnetic properties of the alloy Ni_3Mn in relation to atomic ordering, 2=16926
- Dekhtyar, M.V. Uncompensated antiferromagnetism and anomalous temperature dependence of magnetic properties of the Fe_3Cr alloy and their relationship with atomic ordering, 2=18924
- Dekhtyar, M.V. Antiferromagnetic properties of the alloy Ni_3Mn in relation to atomic ordering, 2=18925
- Dekhtyar, M.V. Anomalous temperature dependence of the magnetization of the ordered alloy Ni_3Mn , 3=20583
- Dekhtyar, M.V. Atomic and magnetic ordering of quenched Ni_3Mn alloys, 3=20623
- Dekhtyar, M.V. Atomic and magnetic ordering of the Fe_3Cr alloy, 4=10427
- Dekhtyar, M.V. and Kazantseva, N.M. Anomalous temperature dependence of the magnetic properties of alloyed Permalloy and the influence of ordering on its magnetic transition, 0=8074
- Dekhtyar, I.Ya. and Shalaev, A.M. Influence of lattice defects on the velocity of domain wall motion, 3=11068
- de Kienlin, A., Kornetzi, M. and Rabl, H. Ferrites having hysteresis loops annealed by heat treatment in a weak magnetic field, 0=13822
- DeKinder, R.E., Jr. See Keck, P.H., 3=21534
- de Kinder, W. and Vennik, J. The measurement of the lifetime of minority carriers in semiconductors, 1=2405
- de Kinder, W. See Vanwormhandt, M., 4=18396
- Dekker, A.J. Variation of secondary electron emission of single crystals with angle of incidence, 0=7149
- Dekker, A.J. The resistivity of dilute magnetic alloys, 1=1010
- Dekker, A.J. Resistivity due to exchange scattering in dilute magnetic alloys, 3=8487
- Dekker, A.J. Electrical resistance and spin disorder in metals, 3=10715
- Dekker, A.J. The Mössbauer effect in the study of matter in bulk, 3=20057
- Dekker, A.J. See Arends, J., 4=6883
- Dekker, A.J. See Arends, J., 4=20315
- Dekker, A.J. See Soshea, R.W., 1=4640
- Dekker, A.J. See van Peski-Tinbergen, T., 3=25319
- Dekker, J. A. See Bijvoet, J., 4=10029
- Dekker, L. See Altes, J.P.K., 0=10467
- Dekker, R.H. See Bleichrodt, J.F., 1=13682
- Dekker, W. See van Ruyven, L.J., 2=10808
- Dekkers, D., Jordan, B., Mermond, R., Ting, C.C., Weber, G., Willits, T.R., Winter, K., De Bouard X. and Vivargent, M. Experimental study of the $\pi^+ + d \rightarrow p + p$ reaction between 0.65 and 1.95 GeV/c, 4=30258
- Dekkers, D. See von Dardel, G., 2=13853
- Dekkers, D. See Von Dardel, G., 3=12481
- De Klerk, D. See Goedemoed, S.H., 3=11066
- De Klerk, D. See Goedemoed, S.H., 4=27423
- de Klerk, J. See Bolef, D.I., 2=14869
- De Klerk, J. See Bolef, D.I., 2=15708
- de Klerk, J. Stub-tuner impedance matching in a helium cryostat, 3=12015
- de Klerk, J. Recent advances in microwave phonon generation and detection and their application to the study of phonon-phonon interactions in quartz, 4=30057
- de Klerk, J., Bolef, D.I. and Klemens, P.G. "Bottleneck" in the attenuation of hypersonic waves in quartz at low temperatures, 4=22485
- de Klerk, J. and Kelly, E.F. Coherent phonon generation in the gigacycle range via insulating cadmium sulphide films, 4=28353
- de Klerk, J. See Bolef, D.I., 3=8753
- De Kluiver, H. See Michels, A., 0=7727
- de Kluiver, H. See Michels, A., 1=808
- De Kowalewski, D.G. Long-range interaction between protons, along C-N bonds, 2=16560
- De Kowalewski, D.G., Kükleritz, P. and Selen, H. On the microwave spectrum and electric dipole moment of fluorobenzene, 0=4210
- de Kowalewski, D.G. and Kowalewski, V.J. Nuclear magnetic resonance spectra of various olefins. Influence of a [magnetic] field on spectra of the type ABX_2 , 1=14105
- de Kowalewski, D.G. and Kowalewski, V.J. Long-range coupling in the N.M.R. spectra of aldehydic protons in aromatic compounds, 2=20873
- de Kowalewski, D.G., Kowalewski, V.J., Freymann, R. and Martin, M. Nuclear magnetic resonance spectra of several olefinic compounds, 1=15911
- de Kowalewski, D.G. See Kowalewski, V.J., 0=11538
- de Kowalewski, D.G. See Kowalewski, V.J., 1=3567
- de Kowalewski, D.G. See Kowalewski, V.J., 2=2023
- de Kowalewski, D.G. See Kowalewski, V.J., 3=4780
- Dekhtyar, I.Ya. and Levina, D.A. A study of the influence of plastic and elastic deformation on the coercive force in ordering and non-ordering alloys, 2=23657
- Dekhtyar, I.Ya. and Mikhalekov, V.S. Influence of crystal lattice defects on the magnetic susceptibility of paramagnetic metals, 4=7214
- Delabaye, M., Deutsch, J. and Lipnik, P. Measurement of β - γ angular correlation polarization of Re^{186} , 2=5858
- Delabaye, M., Deutsch, J.P. and Lipnik, P. Measurement of the β -circularly polarized γ angular correlation in As^{70} , 2=16372
- Delabaye, M., Deutsch, J.P. and Lipnik, P. Measurement of the angular correlation of circularly polarized gamma rays with beta rays for Ag^{111} , 4=17095
- Delabrouille, R.C. See Rinck, E., 4=16295
- Delacote, G. and Schott, M. Hall effect and mobility of charge carriers in a molecular crystal (copper phthalocyanine), 3=2911
- de la Cuadra, M. See Aguilar, J., 1=16796
- de la Cuadra, M. See Catalá, J., 2=3343
- De La Cuesta S.H. and Ames, W.F. Techniques for the determination of heat transfer in fluids and nonhomogeneous bodies, 3=14393
- de Ladonchamps, J.R.L. and Grossman, L.M. Neutron diffusion in a temperature gradient, 2=7861
- de Laet, C. Properties of the ground state of deformed nuclei, 0=9506
- De Laet, C. Evaluation of the attractive potential between two lithium-6 nuclei, 2=5775
- De Laet, C. and Demeur, M. Note on the theory of atomic Coulomb excitation, 0=5850
- de Laet, J. Specific heats of helium vapours below 4.2°K, 1=4522
- de Laet, L. See Van Gerven, L., 0=10227
- De Laet, L. See Van Gerven, L., 4=25727

- Delafeld, H.J. See Goldsmith, P., 3=11417
- de Lafond, Y.G. See Blanc, D., 2=13703
- De Lafond, Y. G. See Blanc, D., 4=26232
- Delafosse, J. and Mongodin, G. Computations in vacuum techniques, 1=15967
- de la Fouchardière, A. See Le Donche, L., 4=15725
- de Lafond, Y.G. and Bouyssou, J. Difference in the form of pulses from organic scintillators due to electrons and alpha-particles, 3=17103
- de la Garanderie, H.P. The relation between the lifetime and the intensity of fluorescence in the region of thermal extinction, 3=8613
- de la Garanderie, H.P. See Nikolitch, K., 0=16088
- de La Harpe, A. and Perroud, P. Experimental study of heat transfer with gaseous hydrogen in turbulent flow in a tube and in an annular space (with smooth walls), 1=6973
- de La Harpe, A. See Perroud, P., 0=6978
- de La Harpe, G. See O'Brien, B.J., 0=8416
- Delahay, P. and Mohilner, D.M. Rate equation for adsorption of a neutral substance at a metal-electrolyte interface, 3=6889
- Delahay, P. See Senda, M., 2=2451
- De Lamotte, M. See Vinard, R., 0=2412
- Delaney, C.F.G. and McAulay, I.R. A radiocarbon dating system using scintillation techniques, 1=2178
- Delaney, C. F. G. and Walton, P. W. Single electron spectra in photomultipliers, 4=14750
- Delaney, C.F.G. See Cummins, D.O., 1=1984
- Delaney, C.F.G. See Cummins, D.O., 1=13671
- Delaney, E. See Ferretti, A., 1=7846
- Delaney, J.A. See Beeler, J.R., Jr., 3=13530
- Delaney, W.C. See Barnes, V.E., 4=18969
- de Lang, H. A precision mounting for bending the analyzing crystal in X-ray and γ -spectrometers, 0=17297
- de Lang, H. Ferromagnetic domain structure as a microscopic object, 3=20589
- De Lang, H. and Bouwhuis, G. A gas laser with a non-degenerate configuration of three plane mirrors, 3=24530
- De Lang, H. and Bouwhuis, G. Experimental analysis of Zeeman polarisation effects in the output of a He-Ne laser, 4=5850
- De Lang, H. and Bouwhuis, G. Polarisation effects in a He-Ne laser in the presence of a weak longitudinal magnetic field, 4=21678
- De Lang, H. See Haisma, J., 3=9977
- De Lang, H. See Van Bueren, H.G., 3=5888
- Delang, W. See Engels, W., 4=27968
- de Lange, H., Dzn. Eye's response at flicker fusion to square-wave modulation of a test field surrounded by a large steady field of equal mean luminance, 1=6673
- De Lange, O. E. Long-distance light propagation, 4=8439
- De Lange, P.W., Schneider, H. and De Villiers, J.W.L. The β -decay of ^{234}Pa (UZ), 0=2638
- de Lange, P.W. See Abrahams, K., 2=11961
- De Lange, P.W. See Du Plessis, I.D., 0=20007
- De Lange, P.W. See Schneider, H., 0=1386
- De Lange, R.G. and Burgers, W.G. Stress release in plastically deformed silverchloride by annealing, 1=11505
- Delannoy, J. On the twilight observations of the lithium line during the International Geophysical Year, 1=1554
- Delannoy, J. See Blum, E.J., 1=15526
- Delano, E. First-order design and the y, \bar{y} diagram, 4=8390
- DeLano, R.B., Jr. Edge effects in superconducting films, 2=11567
- DeLano, R.B. Jr. See Kahan, G.J., 0=10854
- Delany, M.E. The optic-acoustic effect in gases, 0=967
- Delany, M. E. A new determination of the acoustical impedance of human ears, 4=13987
- DeLap, J.H. See Poirier, J.C., 1=10511
- Delapalma, A. See Bertaut, E.F., 2=12662
- Delapalme, A. See Bertaut, E.F., 3=3139
- Delapalme, A. See Bertaut, E.F., 3=3320
- Delapalme, A. See Bertaut, E. F., 4=1852
- Delapalme, A. See Bertaut, F., 4=1853
- Delapalme, A. See Bertaut, E. F., 4=4354
- Delapalme, A. See Bertaut, E. F., 4=13267
- Delapalme, A. See Bertaut, E. F., 4=28802
- Delapalme, A. See Cohen-Addad, 4=4594
- Delapalme, A. See Cohen-Addad, C., 4=29093
- de la Peña, V.C. See Vázquez, M., 3=22294
- de la Perrelle, E.T. The measurement of absorptivity and reflectivity, 2=17584
- de la Perrelle E. Y., Moss, T.S. and Herbert, H. The measurements of absorptivity and reflectivity, 3=16789
- Delaroche, M. See Corcuff, Y., 4=13837
- De La Rubia, J. See Catalá, J., 2=5965
- de la Rubia, J. See Catalá, J., 3=8129
- De La Rue, R.E. and Halden, F.A. Arc-image furnace for growth of single crystals, 0=3178
- De La Rue, R.E. and Tobias, C.W. On the conductivity of dispersions, 0=3330
- Delattre, P. Two atomic piles considered as physics instruments, 0=20523
- Delattre, P. Some factors of vowel duration and their cross-linguistic validity, 2=21752
- Delattre, P. See Liberman, A.M., 0=810
- de Launay, J., Dolecek, R.L. and Webber, R.T. Magnetoresistance of copper, 0=4317
- de Launay, J., Dolecek, R.L. and Webber, R.T. Magnetoresistance of copper, 0=9940
- Delaunay-Oldowsky, B. Installation of the H. V. E. C. 12 MeV tandem at Saclay, 4=16578
- Delaunay-Olkowsky, B., Bianchi, L., Meurgues, J.P. and Petres, J. A lithium ion source, 4=16547
- Delaunay-Olkowsky, J., Strohal, P. and Cindro, N. Total reaction cross-sections of proton induced reactions, 3=24931
- Delaunay-Olkowsky, J. See Redon, D., 4=16851
- DeLaurier, J. See Law, L.K., 4=4824
- de la Vega, J.R. and Hameka, H. F. Improved bond angle calculations, 4=6541
- Delavignette, P. Determination of some instrumental constants of the electron microscope Phillips EM 200, 3=21882
- Delavignette, P. and Amelinckx, S. Dislocation ribbons and stacking faults in graphite, 0=17941
- Delavignette, P. and Amelinckx, S. Dislocation nets in bismuth and antimony tellurides, 0=20815
- Delavignette, P. and Amelinckx, S. Large dislocation loops in antimony telluride, 1=12385
- Delavignette, P. and Amelinckx, S. Interaction between vacancies and stacking fault ribbons in graphite, 1=7585
- Delavignette, P. and Amelinckx, S. Dislocation patterns in graphite, 2=6346
- Delavignette, P. and Amelinckx, S. Electron microscopic observation of antiferromagnetic domain walls in nickel oxide, 3=20622
- Delavignette, P. and Amelinckx, S. Dislocation multiribbons and stacking faults in chromium chloride and chromium bromide, 4=22585
- Delavignette, P., Kirkpatrick, H.B. and Amelinckx, S. Dislocations and stacking faults in aluminium nitride, 1=11217
- Delavignette, P., Tournier, J. and Amelinckx, S. Direct observation of dislocations due to epitaxy, 2=4398
- Delavignette, P. and Vook, R. W. A method for measuring the thickness of thin bent foils in transmission electron microscopy, 3=13583
- Delavignette, P. See Aerts, E., 2=23199
- Delavignette, P. See Aerts, E., 3=17764
- Delavignette, P. See Amelinckx, S., 0=7886
- Delavignette, P. See Amelinckx, S., 0=17946
- Delavignette, P. See Amelinckx, S., 1=969
- Delavignette, P. See Amelinckx, S., 1=3674
- Delavignette, P. See Amelinckx, S., 1=4985
- Delavignette, P. See Amelinckx, S., 2=10391
- Delavignette, P. See Art, A., 3=17765
- Delavignette, P. See Blank, H., 3=4874
- Delavignette, P. See Gevers, R., 2=6336
- Delavignette, P. See Gevers, R., 4=13635
- Delavignette, P. See Heerschap, M., 3=20175
- Delavignette, P. See Heerschap, M., 4=22588
- Delavignette, P. See Remaut, G., 4=17667
- Delavignette, P. See Ruedl, E., 1=11246
- Delavignette, P. See Ruedl, E., 2=612
- Delavignette, P. See Ruedl, E., 2=16661
- Delavignette, P. See Ruedl, E., 3=8437
- Delavignette, P. See Ruedl, E., 3=17701
- Delavignette, P. See Siems, R., 2=3927
- Delavignette, P. See Siems, R., 2=12439
- Delavignette, P. See Siems, R., 2=14427
- Delavignette, P. See Siems, R., 3=16060
- Delavignette, P. See Siems, R., 3=17734
- Delavignette, P. See Siems, R., 4=9977
- Delbecq, C.J. Hole photoconductivity in KBr crystals containing Br^- molecule ions, 2=8425
- Delbecq, C.J. A study of M center formation in additively colored KCl, 3=4892

- Delbecq, C.J., Hayes, W., O'Brien, M.C.M. and Yuster, P.H. Paramagnetic resonance and optical absorption of trapped holes and electrons in irradiated KCl: Ag, 3=5044
- Delbecq, C.J., Hayes, W. and Yuster, P.H. Absorption spectra of F_2^- , Cl_2^- , Br_2^- , and I_2^- in alkali halides, 1=3840
- del Bianco, W. and Stephens, W. Photoneuclear activation cross-sections at 20.5 MeV, 1=8690
- Del Bianco, W.E. and Stephens, W.E. Photoneuclear activation by 20.5 MeV gamma rays, 2=10083
- Delboulle, L. and Migeotte, M. Infrared solar spectroscopy at the Jungfraujoch (Switzerland), 1=27
- Delboulle, L., Neven, L. and Roland, G. First results obtained with the double pass solar spectrograph at the Jungfraujoch, Switzerland, 4=2424
- Delboulle, L. See Gebbie, H.A., 1=16078
- Delboulle, L. See Gebbie, H.A., 2=13108
- Delbourgo, R. Final state scattering, 3=2196
- Delbourgo, R. Calculation of the Yukawa coupling constant, 3=10051
- Delbourgo, R. Renormalization of a Cp-invariant theory, 4=21755
- Delbourgo, R. See Salam, A., 4=27749
- Delbove, F. Determination of the heat and entropy of fusion of fluorite, by the cryometric method at high temperature ($> 1400^\circ\text{C}$), 1=9507
- Delbove, F. See Petit, G., 2=9463
- del Callar, A. See Bondelid, R.O., 0=20246
- Delchar, T., Eberhagen, A. and Tompkins, F.C. A static capacitor method for the measurement of the surface potential of gases on evaporated metal films, 3=9824
- Delchev, M. See Dragnev, T., 4=25375
- Delcourt, B., Lefrançois, J., Perez, J. P., Jorba, Y. and Walker, J.K. Photoproduction of the η meson near threshold, 4=6122
- Delcourt, J., Revah, I. and Spizzichino, A. Utilization of a goniometer in the study of the lower ionosphere, 4=23797
- Delcroix, C. See Fer, F., 3=24406
- Delcroix, C. See Fer, F., 3=24407
- Delcroix, J.L. Microscopic theory of ionized gases, 1=15720
- Delcroix, J.L., Denisse, J.F. and Quemada, D. Theory of adiabatic waves associated with the non-diagonal terms of the pressure tensor in plasmas, 2=1432
- Delcroix, J.L., Denisse, J.F. and Quemada, D. The theory of adiabatic waves associated with non-diagonal terms for the pressure tensor in plasmas, 3=12215
- Delcroix, J.L. and Quemada, D. A study of the relative importance of anisotropic disturbances in a weakly perturbed plasma, 0=2372
- Delcroix, J.L. and Quemada, D. On the possibility of amplifying the electron density in a magnetic bottle, 0=3761
- Delcroix, J.L. and Salmon, J. Some special properties of the Boltzmann elastic collision operator, 0=18979
- Delcroix, J.L. See Briand, J., 1=18783
- Delcroix, J.L. See Brin, A., 0=1130
- Delcroix, J.L. See Legentil, M., 3=7648
- Delcroix, S., Defrain, A. and Epelboin, I. Diagrams of alloys of Ga I or II with tin, zinc or indium, 3=13527
- Del Duca, B.S. See Potter, A.E.Jr., 1=15299
- De Leener, M. and Bellemans, A. Ground state energy of an electron gas in a lattice of positive ions, 3=25260
- De Leener, M. See Bellemans, A., 1=12371
- de Léon, J. Montes Ponce. See Montes Ponce de Léon, J.
- Deler, B. See Alitti, J., 2=18156
- Deler, B. See Alitti, J., 2=16229
- Delesalle, J. A semi-circular magnetic β spectrograph with photographic detection and post-acceleration, 0=13158
- Deleuil, R. See Bousquet, P., 4=22818
- Delève, N. Pseudo-Hermitian space, 0=10464
- Delezenne, E. See Bergere, R., 2=22285
- Delf, B.W. Response of an X-ray opposite-window monitor system to changes in tube conditions, 1=16469
- Delf, B.W. The effect of absorption in the β filter on the mean wavelength of X-ray emission lines, 1=16472
- Delf, B.W. Method of determining the specimen-surface displacement of an X-ray diffractometer, 1=20466
- Delf, B.W. The practical determination of lattice parameters using the centroid method, 3=16064
- Delf, B.W. A note on the alignment of X-ray diffractometers, 4=4586
- Delf, B.W. A comment on centroid truncation procedures, 4=26630
- Delf, B.W. See Wilson, A.J.C., 2=5428
- Del Fabbro, R., De Pretis, M., Jones, R., Marini, G., Odian, A. Stoppini, G. and Tau, L. Two-body effective mass spectra in the products of the reaction $\gamma + p \rightarrow p + \pi^+ + \pi^-$, 4=25088
- Delfosse, J.M. See Brouillard, F., 4=9648
- Delfosse, J.M. See Brouillard, F., 4=27491
- Delfosse, J.M. See Caudano, R., 4=9778
- Delfosse, J.M. See César, H.L., 0=9104
- Delfosse, J.M. See Steyaert, J., 2=11622
- Delfs, H. See Kortüm, G., 4=10618
- Delgado, R.M. The study of emulsions by microscopy and diffraction. I. Completed studies, 1=9177
- Delgado, R.M. Study of emulsions by microscopy and diffraction. II. The interphase membrane, 1=9178
- Delgado, R.Márquez. See Márquez Delgado, R.
- Del Giudice, E. See de Carvalho, H. G., 4=19844
- Del Greco, F.P. See Golden, D.M., 4=6580
- Del Greco, F.P. See Kaufman, F., 2=6232
- Delgrosso, E.J. See Harrison, R.W., 4=13711
- Delhaes, P. and Marchand, A. The temperature variation of diamagnetism and Hall effect of polycrystalline graphite doped with boron, 4=28765
- Delhaès, P. See Marchand, A., 3=15759
- Delhaye, M. and Delhaye-Buisset, M.B. Raman spectra of polyhalogen molecules obtained with a plane-grating spectrometer, 1=847
- Delhaye, M. See Bridoux, M., 2=19714
- Delhaye, M. See Migeon, M., 4=5380
- Delhaye-Buisset, M.B. See Delhaye, M., 1=847
- de Lhery, G. See Theissing, H.H., 3=19476
- de Lhery, G. See Theissing, H. H., 4=30078
- D'Elia, G. Critical investigation of models of the atmosphere, 4=26783
- de Libanati, N.N.A. and de Tanis, S.V. Increase in the ductility of uranium by partial annealing after work-hardening, 3=6795
- Delibrias, G. See Bibron, R., 1=8629
- Delibrias, G. See Tamers, M.A., 1=19476
- Delie, A. See Deprit, A., 2=4943
- Delie, A. See Deprit, A., 3=14070
- Delimarskii, Yu.K., Grishchenko, V.F. and Gorodyskii, A.V. The capacity of the double layer in a PbCl_2 -KCl binary melt, 3=3400
- Delimarskii, Yu.K. and Shapoval, V.I. The study of fused electrolytes by oscillopolarography at a given sinusoidal potential, 3=16173
- Delimarskii, Yu.K. See Gorodyskii, A.V., 3=16168
- Delisle, C. See Lansraux, G., 3=266
- Dell, G.F. See Bowsher, H.F., 1=4868
- Dell, G.F. See Hausman, H.J., 0=11410
- Dell, G.F., Jr. See Humes, R.M., 3=12675
- Dell, H.A., Hobbs, D.S. and Richards, M.S. An automatic particle counter and sizer, 1=101
- Dell, R.M. and Allbutt, M.A. The nitrides and sulphides of uranium, thorium and plutonium: a review of present knowledge, 3=16473
- Dell, R.M. See Charman, H.B., 3=3366
- Dell, R.M. See Charman, H.B., 3=13603
- Dell, R.M. See Charman, H.B., 3=13604
- Della Caggia, L. See Carrelli, A., 0=945
- Della Corte, M. See Bizzetti, P.G., 0=199
- Della Corte, M. See Bizzetti, P.G., 0=12777
- Della Corte, M. See Bizzetti, P.G., 3=7847
- Della Corte, M. See Dagliana, M.G., 2=3233
- Dellagi, M. A simple gap meter for the study of nuclear emulsions tracks, 1=16637
- de Llano, M. See Chacón, E., 4=12094
- de Llano, M. See Chacón, E., 4=30142
- Dell'Antonio, G. See Aizu, K., 4=16807
- Dell'Antonio, G.F. Support of a field in p space, 2=8
- Dell'Antonio, G.F. On the connection between spin and statistics, 2=1045
- Della Porta, C. Ultra-high vacua, 3=5474
- della Porta, P. and Argano, E. Nitrogen sorption by barium films, 2=846
- della Porta, P., Giorgi, T. A. and Michon, L. The measurement of residual gases in electron tubes, 4=21597
- della Port, P., Giorgi, T. A. and Sormani, G. Methods employed for measuring the gas evolution from getters during evaporation, 4=21206
- della Porta, P. and Origlio, S. Hydrogen sorption by barium films, 2=845

- della Porta, P. and Origlio, S. The sorption of hydrogen by barium getters, 2=5086
- della Porta, P. See Ricca, F., 2=844
- Della Riccia, G. Calculation of the band structure of complex crystals by the free-electron network model, 3=12939
- Della Torre, E. See Woodward, J.G., 0=1792
- Della Torre, E. See Woodward, J.G., 0=11870
- Della Torre, E. See Woodward, J.G., 1=7763
- Dellepiane, G., Bianchi, U. and Rossi, C. Potential barriers and internal rotations. Note I: On the importance of some approximations used in the calculation of physical quantities dependent on the internal rotation in chain macromolecules, 4=9797
- Dellepiane, G., Bianchi, U. and Rossi, C. Potential barriers and inner rotations. II. Some considerations of the dependence of the temperature coefficient of the macromolecular dimensions on the shape of the potential barriers, 4=28291
- Dellepiane, G. See Bianchi, U., 3=18811
- Dellepiane, G. See Magnasco, V., 4=25632
- Dellepiane, G. See Magnasco, V., 4=25633
- Deller, R. High frequency and impulse characteristics of thin weakly magnetic tapes, 3=15794
- Delli Santi, S. See Mannino, G., 2=13168
- Delli Santi, S. See Mannino, G., 2=17303
- Dellis, A.N. and Weaver, J.M. Measurement of a high refractive index for transmission of 3 cm microwaves through a plasma, 2=13565
- Dellis, A.N. and Weaver, J.M. Whistler-mode propagation in a laboratory plasma, 4=14660
- Delloue, J. The magnetic flash of the nuclear test of 13th February 1960 at Reggane, 0=9203
- Delloue, J. The determination of the direction of arrival and the polarization of whistling atmospherics. I. Experimental apparatus, 1=20850
- Delloue, J. The determination of the direction of arrival and the polarization of whistling atmospherics. II. Results, 1=20851
- Delloue, J. and Garnier, M. Emergence of whistlers from the ionosphere, 4=7852
- Delloue, J., Garnier, M., Glangeaud, F. and Bildstein, P. The polarization of whistlers in relation to their direction of arrival, 4=4773
- Del'man, E.V. See Efimova, B.A., 2=12525
- Del'man, E.V. See Efimova, B.A., 2=14546
- Del Marmol, P. and Colard, J. The decay of 62 min Sn^{128} and 10.8 min Sb^{128} , 2=18306
- Delmas, G. See Beydon, J., 0=17678
- Delmas, G. See Nishikawa, K., 1=16179
- Delmas, R. See Bel, A., 0=8464
- Delmas, R. See Bel, A., 2=834
- Delmau, J. and Barbier, C. Geminal and vicinal spin-spin coupling constants in substituted metadioxanes, 4=28261
- Del Monaco, A. See Serra, M., 2=6634
- Deloach, B.C. A 54 Gc parametric amplifier and doubler, 4=14882
- De Loach, B.C., Jr and Shaffer, W.H. The vibrations of certain one-, two-, and three-dimensional lattices, 1=7529
- Delobea, F. See Aycoberry, C., 3=4139
- Delobea, F. See Brin, A., 4=18795
- Deloff, A. Relativistic Coulomb wave function with definite asymptotic momentum and polarization, 0=5515
- Deloff, A. The field theoretical Λ - Λ potential, 3=19707
- Deloff, A. The Λ - Λ interaction in the Λ Λ Be^{10} hypernucleus, 3=24847
- Deloff, A. The effect of a pion production on the low-energy pion-nucleon scattering, 4=938
- Deloff, A., Szymanski, J. and Wrzcionko, J. On the π^+ decay of a hyperfragment, 1=605
- Deloff, A. and Wrzcionko, J. The phenomenological Baryon-Baryon scattering theory and the relative parity determination, 1=2017
- Deloff, A. and Wrzcionko, J. Directional correlation of mesons in a cascade decay of baryons resulting from a baryon-baryon reaction, 1=3209
- Deloff, A. and Wrzcionko, J. A note on the fermion Regge poles and high-energy backward scattering, 3=19681
- Deloli, E. P. See Jull, E.V., 4=30975
- Deloncle, M. Photoelectric mist droplet measurer, 0=12110
- Deloncle, M. Photoelectric study of volatile aerosols, 3=21009
- Deloncle, M. Absorption of I.R. radiation by atmospheric gases, 4=30933
- Deloncle, M. See Bricard, J., 0=19453
- Deloncle, M. See Bricard, J., 0=21295
- Delone, B.N. Reduction theory, 1=14945
- Delone, G.A. and Savchenko, M.M. The motion of plasmoids in an external magnetic field, 4=29916
- Delone, N.B. See Aleksandrov, Yu.A., 3=2177
- Delone, N.B. See Aleksandrov, Yu.A., 3=24560
- Delone, N.B. See Aleksandrov, Yu.A., 4=14988
- Delone, N.B. See Aleksandrov, Yu.A., 4=16768
- Delone, N.B. See Aleksandrov, Yu.A., 4=16771
- Delone, N.B. See Askar'yan, G.A., 4=18966
- Delong, A., Drahoš, V., Specálný, J. and Zobač, L. Experimental electron microscope having a high resolving power, 0=10965
- Delong, A. See Drahoš, V., 0=10341
- Delong, A. See Komrska, J., 4=21569
- De Long, B.C. See Tiedema, T.J., 1=1461
- de Long, M. See Koehler, J.S., 3=22719
- de Loo, G.P. The effect of moisture on the dielectric constant of hardened Portland cement paste, 2=10553
- de Loo, G.P. Some dielectric measurements on Portland cement paste, 3=22982
- De Loore, C., Van den Heuvel, E. P. J. and De Jager, C. On some spectral characteristics of magnetic stars, 4=29393
- de López, E.O. Determination of the angular characteristics of the ground and first excited states of O^{17} at moderate energies (~ 1.6 MeV) in and out of a resonance of F^{18} , 2=5803
- de López, M.E.O. New level in Na^{24} with 2.512 MeV excitation energy, 4=25301
- De López, M.E.O., Rickards, J. and Mazari, M. Angular distributions of the $^{18}\text{F}(\text{d}, \text{p})^{20}\text{F}$ reaction and angular momentum assignments to excited states of ^{20}F , 4=12266
- Delorme, C. See Banaigs, J., 4=16774
- Delorme, C. See Bouchez, R., 1=13796
- Delorme, C. See Citron, A., 2=5703
- Delorme, C. See Citron, A., 2=13841
- Delorme, C. See Citron, A., 2=20658
- Delorme, J. Note on the competition between the emission of γ -rays and protons in the decay of the compound nucleus, 3=15230
- Delorme, J. Influence of the hyperfine structure of mesic atoms on the capture of μ mesons by lithium 6, 3=17548
- Delorme, J. Competition between proton and γ -ray emission in the de-excitation of the compound nucleus, 4=3626
- Delorme, J. Hyperfine effects in muon capture, 4=22328
- Delorme, P. and Hadni, A. A small-grating spectrometer for the far infrared (45-150 μ), 1=6952
- Delorme, P. and Lorenzelli, V. Specimen preparation techniques in the far infrared, 3=3879
- Delorme, P. See Lorenzelli, V., 1=14598
- DeLosh, R.G. See Phillips, R.L., 1=7156
- Deloupy, C. Measurement of the optical constants of beryllium hydroxyacetate from the reflection spectrum between 650 and 900 cm^{-1} , 1=17862
- Deloupy, C. See Cadène, M., 0=14829
- Delpech, J.F. See Benoit, H., 4=30074
- Del Re, G. On the non-orthogonality problem in the semi-empirical MO-LCAO method, 0=20676
- Del Re, G. and Parr, R.G. Toward an improved π -electron theory, 4=12440
- Del Re, G. See Berthier, G., 4=17322
- del Rió, C. Sánchez. See Sánchez del Rió, C.
- Delsasso, L.P. The effect of reverberation time upon seat spacing, 4=5347
- Delsasso, L.P. See Leonard, R.W., 4=14311
- Delsemme, A. and Delsemme, D. The night-sky red line at the equator, 1=15302
- Delsemme, D. See Delsemme, A., 0=4807
- Delsemme, D. See Delsemme, A., 1=15302
- del Signore, G. See Chiarotti, G., 3=2989
- Deltenre, R.W. See McDonald, R.K., 3=16219
- Deltour, R. See Philippot, J., 3=23254
- Deltrap, J.H.M. and Cosslett, V.E. Measurement of aperture aberrations of magnetic quadrupoles, 4=591
- Del Turco, A.M. See Bertolini, G., 1=2175
- De Luca, L.B. and Orr, R.S. Crystallite orientation and spiral structure of cotton: considerations for measuring crystallinity, 2=15086
- Del'va, V.O. Spectral analysis of biological materials, 2=19174
- Delvaille, J., Kendzierski, F. and Greisen, K. Independence of lateral distribution and size of e.a.s., 1=3285
- Delvaille, J., Kendzierski, F. and Greisen, K. Absence of solar and sidereal time variations of e.a.s. during 1958, 1=3326

- Delvaile, J., Kendzioriski, F. and Greisen, K. Absorption length versus size of extensive air showers (e a s), 1=5802
- Delvaile, J., Kendzioriski, F. and Greisen, K. Spectrum and isotropy of EAS, 2=12062
- Delvaile, J. See Bennett, S., 2=12070
- Delvaile, J. See Greisen, K., 1=2132
- Delvenne, L. See Heertje, L., 4=28047
- Delvenne, L. See Heertje, L., 4=30341
- Delves, L.M. Low-energy photodisintegration of H^3 and He^3 and neutron-deuteron scattering, 0=11239
- Delves, L.M. Tertiary and general-order collisions. II, 1=3134
- Delves, L.M. Elastic and inelastic scattering of neutrons by deuterons near the inelastic threshold, 1=13426
- Delves, L.M. Variational principles for many-channel scattering systems, 2=5585
- Delves, L.M. Three-particle photo-disintegration of the triton, 2=5777
- Delves, L.M. Deuteron capture by deuterons and the structure of 4He , 2=9931
- Delves, L.M. Test of an approximation method for breakup reactions, 2=16164
- Delves, L.M. The neutron-deuteron polarization below 2 MeV, 2=16200
- Delves, L.M. A variation principle for arbitrary operators, 3=10066
- Delves, L.M. Upper and lower bounds on scattering matrix elements for complex systems, 3=22083
- Delves, L.M. Variation principles for an arbitrary operator. II. Off-diagonal elements and scattering states, 3=22093
- Delves, L.M. Upper and lower bounds on generalized Fourier coefficients, 4=27021
- Delves, L.M. Upper and lower bounds on the matrix elements of an arbitrary bounded operator, 4=27022
- Delves, L.M. Expectation values of various operators in the triton, 4=27913
- Delves, L.M. and Derrick, G.H. Two-body methods for three-body problems, 3=21240
- Delves, L.M. and Lyness, J.N. Upper bound on the neutron-deuteron doublet scattering length. I. Matrix elements of the Hamiltonian, 3=19638
- Delves, L.M., Lyness, J.N. and Blatt, J.M. An upper bound on the neutron-deuteron 2S scattering length, 4=21856
- Delves, L.M. and Whale, H.A. The short-term statistics of a fading radio wave 2=9717
- Delves, L.M. See Barton, G., 0=4021
- Delves, L.M. See Davies, B., 3=24664
- Delves, R.T. The prospects for Ettinghausen and Peltier cooling at low temperatures, 2=21129
- Delves, R.T. HgTe-MnTe alloys. II. Electrical properties, 3=20335
- Delves, R.T. Figure of merit for cooling, 4=12997
- Delves, R.T., Bowley, A.E., Hazelden, D.W. and Goldsmid, H.J. Anisotropy of the electrical conductivity in bismuth telluride, 2=640
- Delves, R.T. and Lewis, B. Zinc blende type HgTe-MnTe solid solutions. I, 3=13543
- Delwaulle, M.L. and Wallart, F. Isotopic structure of the Raman line of liquid chlorine and solvent effect of chlorine on arsenic chloride, 1=18414
- Delwiche, J. Influence of instrumental factors on the measurement of ionization potentials by mass spectrometry, 4=21458
- Delwiche, R. See Eberhardt, A., 4=24749
- Delyagin, N.N. Electric quadrupole γ transitions in even-even nuclei, 0=9582
- Delyagin, N.N. Resonance scattering of gamma-quanta on Cd^{114} nuclei, 0=9597
- Delyagin, N.N. Resonance scattering of γ -quanta on Se^{76} nuclei, 0=13143
- Delyagin, N.N. and Preisa, M. M1-transition in V^{51} and the seniority quantum number, 0=11389
- Delyagin, N.N., Shpinel', V.S. and Bryukhanov, V.A. Resonance absorption of 23.8 keV γ -quanta by Sn^{119} nuclei in crystals, 2=3553
- Delyagin, N.N., Shpinel', V.S. and Bryukhanov, V.A. Resonance absorption of 23.8 keV γ -quanta by Sn^{119} nuclei in crystals, 3=2431
- Delyagin, N.N., Shpinel', V.S., Bryukhanov, V.A. and Zvenglinskii, B. The hyperfine structure of γ -rays, due to the quadrupole interaction in a crystal lattice, 0=20788
- Delyagin, N.N., Shpinel', V.S., Bryukhanov, V.A. and Zvenglinskii, B. The nuclear Zeeman effect in Sn^{119} , 1=2164
- Delyagin, N.N. and Sorokin, A.A. Investigation of the decay scheme of As^{76} by the $\gamma\gamma$ -coincidence method, 0=13213
- Delyagin, N.N. See Aleksandrov, A.Yu., 3=15415
- Delyagin, N.N. See Aleksandrov, A.-Yu., 3=17633
- Delyagin, N.N. See Aleksandrov, A. Yu., 4=28332
- Delyagin, N.N. See Bryukhanov, V.A., 2=554
- Delyagin, N.N. See Bryukhanov, V.A., 2=10930
- Delyagin, N.N. See Bryukhanov, V.A., 2=16299
- Delyagin, N.N. See Bryukhanov, V.A., 3=744
- Delyagin, N.N. See Bryukhanov, V.A., 3=2368
- Delyagin, N.N. See Bryukhanov, V.A., 3=6141
- Delyagin, N.N. See Bryukhanov, V.A., 3=6877
- Delyagin, N.N. See Bryukhanov, V.A., 4=1345
- Delyagin, N.N. See Bryukhanov, V.A., 4=6687
- Delyagin, N.N. See Bryukhanov, V.A., 4=12592
- Delyagin, N.N. See Bryukhanov, V.A., 4=25811
- Delyagin, N.N. See Bryukhanov, V.A., 4=25820
- Delyagin, N.N. See Shpinel', V.S., 2=555
- Delyagin, N.N. See Shpinel', V.S., 2=5810
- Delyagin, N.N. See Shpinel', V.S., 3=4571
- Delyon, G., Gomez, G., Lescroel, Y. and Pierrot, A. The proton synchrotron "Saturne". Ferrites and the magnetic circuit of the accelerating cavity, 0=2412
- Delys, C., Coutrez, R. and Schatzman, E. Dissymmetry of cepheid spectral lines, 3=9238
- DeLyser, H. See Friedland, S.S., 2=18198
- Dema, I. See Kostya, T., 3=17700
- De Maeyer, L. See Bergmann, K., 4=5202
- De Maeyer, L. See Dewald, R.R., 4=7746
- de Maeyer, L. See Eigen, M., 0=4722
- De Maeyer, L. See Eigen, M., 0=7738
- De Maeyer, L. See Eigen, M., 4=15844
- De Maine, P.A.D. and Russell, E.R. Design and calibration of an inexpensive free-flow electroviscometer, 1=18348
- de Malleman, R. Refractivity, dispersion and rotativity, 2=13342
- Demanins, F., Pisent, G., Poiani, G. and Villi, C. Scattering of neutrons by alpha particles, 2=3420
- De Marco, A., Garfagnini, R. and Piragino, G. Polarisation of photoneutrons from Bi, 4=22119
- De Marco, A. See Ballario, C., 1=8407
- De Marco, A. See Bartke, J., 2=13883
- De Marco, A. See Castagnoli, C., 3=17262
- De Marco, A. See Castagnoli, C., 4=25127
- De Marco, J.J. and Weiss, R.J. Experimental determination of excitation in crystals, 3=1291
- DeMarco, J.J. See Batterman, B.W., 1=7433
- DeMarco, J.J. See Jennings, L.D., 4=29107
- de Marco-Trabucco, A. See Bigi, A., 4=30254
- de Marco-Trabucco, A. See Bigi, A., 4=30255
- De Marcus, W.C. The influence of specular reflection on the Knudsen conductance of circular capillaries, 2=5035
- DeMarcus, W.C. and Reynolds, R.T. The constitution of Uranus and Neptune, 3=16338
- DeMaria, A.J. Ultrasonic-diffraction shutters for optical maser oscillators, 3=24016
- Demaria, A.J. Note on hole burning model of oscillation for ruby lasers, 4=5857
- DeMaria, A.J. Optically-induced ultrasonic waves in transparent dielectrics, 4=17349
- DeMaria, A.J. Ultrasonic control of laser action, 4=19271
- DeMaria, A.J. and Barnard, G. Visual observation of piezoelectric modes, 3=21469
- DeMaria, A.J. and Gagosz, R. Hole-burning model of oscillation of ruby laser, 3=22013
- DeMaria, A.J., Gagosz, R. and Barnard, G. Ultrasonic-refraction shutter for optical maser oscillators, 3=12348
- DeMaria, G., Burns, R.P., Drowart, J. and Inghram, M.G. Mass spectrometric study of gaseous molybdenum, tungsten, and uranium oxides, 0=10699
- DeMaria, G., Drowart, J. and Inghram, M.G. Thermodynamic study of InSb with a mass spectrometer, 0=965
- De Maria, G., Guerra, R. and Malaspina, L. Mass spectrometric determination of cross-sections of molecules for ionization by electrons. II. Cross-sections of some hydrocarbons, 4=2942
- DeMaria, G. See Burns, R.P., 0=10697
- Demaria, G. See Burns, R.P., 3=12010
- DeMaria, G. See Drowart, J., 0=2324
- DeMaria, G. See Drowart, J., 0=10698
- De Maria, G., Malaspina, L. and Piacente, V. Mass spectrometric determination of cross-sections of molecules for ionization by electrons. I. Method and preliminary results, 4=2941
- Demarque, P. Interior models for subdwarf stars, 0=18784

- Demarque, P. The structure of population II stars, 0=18866
- Demarque, P. and Geisler, J.E. Models for red giant stars. I., 3=16395
- Demarque, P. F. and Percy, J. R. A series of solar models, 4=29435
- Demarque, P. R. See Larson, R. B., 4=29369
- de Mars, G. See Paladino, A. E., 4=10168
- de Mars, G. See Tang, C. L., 3=19489
- de Mars, G. See Tang, C. L., 3=23054
- de Mars, G. A. See Rimai, L., 0=6269
- De Mars, G. A. See Rimai, L., 2=12714
- De Mars, G. A. See Rimai, L., 2=18945
- de Mars, G. A. See Rimai, L., 4=26441
- De Mars, G. A. See Statz, H., 1=6419
- De Mars, G. A. See Statz, H., 3=3167
- de Mars, G. A. See Tang, C. L., 4=30689
- Demars, H. and Lehr, P. The rolling and recrystallization textures of zirconium, 2=4363
- Demars, H. and Lehr, P. Mechanical anisotropy of zirconium sheet, 2=10746
- Demarsh, L. E. See Pinney, J. E., 4=336
- De Martini, F. Limit value of sensitivity and signal-to-noise ratio of the autodyne as applied to paramagnetic resonance, 4=5831
- De Martini, F. and Gatti, E. Optimum linear filter for pulse shape recognition in the presence of thermal noise, 5=158
- Demartiny, F., See Longuequeue, J. P., 3=11319
- De Mastus, H. and Wood, M. Short-wave fadeouts without reported flares, 0=12285
- De Mastry, J. A., Bauer, A. A. and Dickerson, R. F. How irradiation at 1100-1800°F affects Nb-U alloys, 4=9613
- De Mastry, J. A. and Dickerson, R. F. Niobium - promising high-temperature reactor-core material, 1=5952
- De Mastry, J. A., Shober, R. and Dickerson, R. F. Niobium-20 w/o uranium, high-temperature metallic fuel of the future, 2=6062
- De Matteis, A. and Giacobbe, P. Some Montecarlo experiments for the study of a neutron detector, 0=11183
- De Matteis, A. See Arecchi, F. T., 1=7171
- Demau, C. X-band measurements of the dielectric constants and dielectric anisotropy of various crystals, 4=1846
- Demau, C. See Servant, R., 2=6515
- Demau, C. See Servant, R., 3=25391
- Demay, P. See Bishop, G. R., 0=9637
- De May, S. J. See Weil, R., 4=30870
- Dembinski, S. On the renormalization effects in the threshold behaviour of the perturbation expansion term of the two-point Green function in quantized field theory, 1=13279
- Dembinski, S. Remarks on complex singularities of the vertex function and Nakanishi's conjecture, 2=3282
- Dembinski, S. T. On the Dyson method in the theory of magnetism, 4=21611
- Dembitskii, A. D. and Sumarokova, T. N. Raman spectra of systems formed by tin tetrachloride with esters. I, 2=18468
- Dembitskii, A. D., Sumarokova, T. N. and Usanovich, M. I. The Raman spectra of systems formed by tin chloride with complex esters. III, 4=5189
- Demchuk, I. G., Kralina, A. A. and Romanov, E. P. Growth of indium whiskers on an indium-magnesium alloy, 4=20738
- de Meester, P., Raghavan, K. S. and Kuhlmann-Wilsdorf, D. A method of preparing thin gold and silver foils of uniform thickness by electrolyse, 3=1367
- De Meester, P. J. See Gilissen, R., 4=21165
- Demeis, M. See Paul, W., 3=10833
- Dem'khin, V. F. See Blokhin, M. A., 3=23094
- Demekhin, V. F. See Shuvaev, A. T., 3=3273
- Demekhin, V. F. See Shuvaev, A. T., 3=8862
- de Mendonça, F. Ionospheric electron content and variations measured by Doppler shifts in satellite transmissions, 2=19220
- de Mendonça, F. and Garriott, O. K. Ionospheric electron content circulated by a hybrid Faraday-Doppler technique, 2=13030
- de Mendonça, F. and Garriott, O. K. The effect of the earth's magnetic field on measurements of the Doppler shift of satellite radio transmissions, 3=6997
- de Mendonça, F. See Garriott, O. K., 4=2282
- Dement'eva, A. V. See Kirsanova, T. S., 3=19296
- Dementii, V. S. See V'yuhov, P. M., 2=5823
- Dementii, V. S. See V'yuhov, P. M., 2=9732
- Dementii, V. S. See V'yuhov, P. M., 2=22538
- Dementii, V. S. See V'yugov, P. N., 3=4411
- Demer, L. J. Westwood, A. R. C., 0=11626
- Demer, L. J. See Kramer, I. R., 2=8742
- Demer, L. J. See Riggs, B. A., 3=25634
- Demer, L. J. See Walker, W. W., 4=26518
- Demerdache, A. See Sugden, T. M., 2=20823
- Demers, J. See Ahmad, I., 0=5188
- Demers, J. and Demers, P. Automatic development at one temperature, 0=12754
- Demers, J. and Demers, P. Ultra-fine grain chloro-bromide and polyvinyl alcohol emulsions, 0=12739
- Demers, J. See Ahmad, I., 0=12782
- Demers, J. See Fournaux, J., 1=1997
- Demers, J. See Fujii, E., 0=3899
- Demers, J. See Grant, J. J., 0=12767
- Demers, P. [Ed.]. Particle photography, 0=2261
- Demers, P. The theory of diffusion in the development of thick emulsion pellicles, 0=12760
- Demers, P. [Ed.]. Particle photography [photographie corpusculaire]. II, 0=17169
- Demers, P. and Ahmad, I. An optical model of the grain structure of tracks, 0=12783
- Demers, P. See Ahmad, I., 0=197
- Demers, P. See Ahmad, I., 0=12782
- Demers, P. See Batthyany, L., 1=9708
- Demers, P. See Colle, P., 0=12771
- Demers, P. See Demers, J., 0=12739
- Demers, P. See Demers, J., 0=12754
- Demers, P. See Fournaux, J., 1=1997
- Demers, P. See Fujii, E., 0=3899
- Demers, P. See Grant, J. J., 0=12767
- Demeshina, A. I. and Murzin, V. N. Absorption and reflection spectra of BaTiO₃ in the long-wavelength infrared region, 3=23064
- Demeshina, A. I. See Murzin, V. N., 4=1722
- Demeshina, A. I. See Murzin, V. N., 4=30677
- Demeter, I. See Berkes, I., 0=7714
- Demeter, I. See Berkes, I., 1=329
- Demeter, I. See Berkes, I., 2=11826
- Demeter, I. See Keszthelyi, L., 1=5896
- Demeter, I. See Keszthelyi, L., 2=5518
- Demeter, I. See Keszthelyi, L., 2=5910
- Demeter, I. See Keszthelyi, L., 4=876
- Demetriades, A. Electric-field heating threshold for charged particles, 2=22217
- Demetriades, A. See Marlotte, G., 1=2958
- Demetriades, S. T. Novel method of measurement of plasma properties by momentum change techniques, 2=3048
- Demetriades, S. T. and Ziemer, R. W. Measurements of electrode drag and conductance in a supersonic free jet of plasma, 2=3055
- Demetsopoulos, I. C. See Collinson, A. J. L., 0=7238
- Demetsopoulos, I. C. See Collinson, A. J. L., 0=15180
- Demetsopoulos, I. C. See Collinson, A. J. L., 2=11432
- Demetsopoulos, I. C. See Collinson, A. J. O., 2=242
- Demeur and Reidmeister. Quasi-molecular states of light nuclei, 4=19641
- Demeur, M. Direct interactions and nuclear models, 1=5881
- Demeur, M. On the quasi-molecular interaction between two light nuclei, 1=13596
- Demeur, M. Angular distribution in the reaction (n,n'), 1=13805
- Demeur, M. Anomalous vibrational spectra of even-even spherical nuclei, 3=2370
- Demeur, M. Recent contributions from the physics of heavy ions to nuclear physics, 4=19827
- Demeur, M. and Gribaumont, A. Transfer nuclear reactions. II, 0=5735
- Demeur, M., Janssens, P. and Lardinois, J. Individual states at the fission threshold, 0=17630
- Demeur, M. and Joachain, C. Nuclear polarization in a mesic deuterium atom, 0=17485
- Demeur, M. and Joachain, C. Remarks on a method of summation in perturbation theory, 0=18944
- Demeur, M. and Joachain, C. Nuclear polarization in a mesic deuterium atom, 1=13628
- Demeur, M. and Joachain, C. Rearrangement collisions in the Born approximation, 1=19128
- Demeur, M. and Meert, M. Effect of nuclear recoil on the ionization due to a rapid change of charge by radioactivity, 2=23972
- Demeur, M. and Meert, M. Ionization accompanying the decay of He⁸, 4=17087
- Demeur, M. See Bouten, M., 2=390
- Demeur, M. See Ceuleneer, R., 4=17013
- Demeur, M. See De Laet, C., 0=5850

- Demiański, M. and Infeld, E. Note on the field method of obtaining the conservation laws and solving the two body problem in general relativity, 2=11260
- Demiański, M. and Infeld, E. The radiative energy and the motion of particles, 4=2608
- Demiański, M. and Infeld, E. The field method of obtaining the conservation laws and the Lagrangian, 3=3739
- de Micheli, R., Giulotto, L. and Nardelli, G.F. A model for nuclear spin relaxation [in a crystal lattice] by diffusion or by hindered rotations, 3=23248
- De Micheli, R., Giulotto, L. and Nardelli, G.F. Nuclear magnetic relaxation by hindered rotations, 3=23269
- Demicheli, R. See Bonazzola, G.C., 4=15219
- de Micheli, S. M. See Levi, L., 4=10461
- De Michelis, B. See Bisi, F., 0=19648
- De Michelis, B. See Bisi, F., 2=3719
- De Michelis, F. Nuclear scintillation spectroscopy and the RIDL 100-channel analyser, 0=7259
- Demichelis, F. The ground state spin of ^{212}Po , 1=5821
- Demichelis, F. New metrological problems in the calculation of quantities, 2=21779
- Demichelis, F. The decay scheme of Mg^{27} , 3=2405
- Demichelis, F. New metrological problems in the calculation of quantities, 3=16486
- Demichelis, F. and Lovera, G. γ -ray spectroscopy of artificial radioactive samples from atmospheric air, 0=17513
- Demichelis, F. See Aliverti, G., 0=429
- Demichelis, F. See Bishop, G.R., 0=9637
- Demichelis, F. See Ciuffolotti, L., 3=6199
- Demichelis, F. See Ciuffolotti, L., 4=3572
- Demichev, V. F. and Matyukhin, V. D. Investigation of the properties of fast-moving plasmoids, 4=11604
- Demichev, V. F. and Strunnikov, V. M. Interaction of plasmoids of high density with magnetic fields, 4=11605
- Demichev, V. F. See Bazilevskaya, O.A., 3=7561
- Demidenko, A. A. Microtheory of Frenkel excitons with and Demidenko, A. A. Theory of the scattering of optical excitons by phonons, 4=1435
- Demidenko, A. A. Calculation of the probability of scattering of optical excitons on phonons, 4=6802
- Demidenko, I. I., Padalka, V. G., Safronov, B. G. and Sinel'nikov, K. D. The interaction of plasma blobs with a transverse magnetic field, 4=27520
- Demidenko, I. I. See Borisov, M.D., 2=14657
- Demidenko, I. I. See Sinel'nikov, D. K., 4=18918
- Demidenko, N. I. See Votinov, M.P., 3=15935
- Demidenko, N. I. See Votinov, M.P., 3=15949
- Demidenko, O. A., Demidenko, Z. A. and Tolpýgo, K. B. Normal frequencies and amplitudes and the heat capacity of KBr, 1=12353
- Demidenko, S. G. See Vetshtein, V.E., 2=20058
- Demidenko, S. G. See Vetshtein, V.E., 2=20061
- Demidenko, Y. Y., Mýtýna, N. Y. and Padalka, V. H. Investigation of plasmoids by means of a thermocouple, 4=2989
- Demidenko, Z. A. Calculation of the internal field in NaCl- and diamond-type crystals, 2=2040
- Demidenko, Z. A. Spectrum of natural frequencies and amplitudes of lattice vibrations in LiF crystals calculated for the symmetrical directions of the wave vector, 2=20921
- Demidenko, Z. A. Spectrum of natural frequencies and amplitudes of lattice vibrations in LiF crystals calculated for the symmetrical directions of the wave vector, 3=6466
- Demidenko, Z. A. Calculation of structure factors for the inelastic scattering of slow neutrons in NaCl-type crystals, 3=22643
- Demidenko, Z. A., Kucher, T. I. and Tolpýgo, K. B. Normal frequencies of vibration of germanium lattice, calculated in different approximations, 1=19699
- Demidenko, Z. A., Kucher, T. I. and Tolpýgo, K. B. Normal frequencies of vibration of germanium lattice calculated in different approximations, 2=3827
- Demidenko, Z. A., Kucher, T. I. and Tolpýgo, K. B. Vibration frequencies and amplitudes for a diamond type crystal for waves directed along the cube diagonal, 2=12371
- Demidenko, Z. A., Kucher, T. I. and Tolpýgo, K. B. Vibration frequencies and amplitudes for a diamond type crystal for waves directed along the cubic diagonal, 2=14368
- Demidenko, Z. A. and Tolpýgo, K. B. [Carrier] injection on the passage of a current through an inhomogeneous semiconductor, 1=3741
- Demidenko, Z. A. and Tolpýgo, K. B. The normal vibrations of alkali halide crystals including ionic size effect, 2=8158
- Demidenko, Z. A. and Tolpýgo, K. B. The normal vibrations of alkali halide crystals including ionic size effect, 2=10315
- Demidenko, Z. A. See Demidenko, O. A., 1=12353
- Demidov, A. M. Modern methods of gamma-spectroscopy, 3=24683
- Demidov, A. M. See Groshev, L. V., 0=2704
- Demidov, A. M. See Groshev, L. V., 0=4115
- Demidov, A. M. See Groshev, L. V., 0=7483
- Demidov, A. M. See Groshev, L. V., 0=7628
- Demidov, A. M. See Groshev, L. V., 0=9592
- Demidov, A. M. See Groshev, L. V., 0=9674
- Demidov, A. M. See Groshev, L. V., 0=13285
- Demidov, A. M. See Groshev, L. V., 1=4888
- Demidov, A. M. See Groshev, L. V., 1=17110
- Demidov, A. M. See Groshev, L. V., 2=3476
- Demidov, A. M. See Groshev, L. V., 2=5799
- Demidov, A. M. See Groshev, L. V., 2=7930
- Demidov, A. M. See Groshev, L. V., 2=13766
- Demidov, A. M. See Groshev, L. V., 2=14113
- Demidov, A. M. See Groshev, L. V., 3=15118
- Demidov, A. M. See Groshev, L. V., 3=24959
- Demidov, A. M. See Groshev, L. V., 4=6239
- Demidov, A. M. See Groshev, L. V., 4=12246
- Demidov, A. M. See Groshev, L. V., 4=13756
- Demidov, B. A. and Fanchenko, S. A. Observation of relativistic charged particles in a luminescence chamber, 1=3374
- Demidov, B. A., Ivanov, G. A. and Fanchenko, S. D. Pulse methods for control of image in investigation of fast processes by multistage electro-optical transducers, 4=431
- Demidov, B. A., Skachkov, Yu. F. and Fanchenko, S. D. Channel expansion in small intense sparks, 1=18790
- Demidov, B. A., Skachkov, Yu. F. and Fanchenko, C. D. Comment on a remark by S. I. Andreev and M. P. Vanyukov about the article "Channel broadening of high power miniature sparks", 3=16913
- Demidov, B. A. See Fanchenko, S. D., 4=16493
- Demidov, K. K. and Pozihun, K. A. Photoelectrochemical properties of thallium halides in the presence of desensitizers, 1=15201
- Demidov, K. K. See Bugrienko, V. I., 2=21223
- Demidov, K. K. See Bugrienko, V. I., 3=2963
- Demidov, V. D., Frank-Kamenetskii, D. A. and Yakimenko, V. L. Magnetic sound in a hot plasma. I. Propagation across the magnetic field and dissipation due to collisions, 3=14612
- Demidov, V. P. Two-photon transitions between the hyperfine structure levels of the 1S-state of the hydrogen atom, 2=12283
- Demidov, V. P. Two photon transitions between the hyperfine structure levels of the 1S-state of the hydrogen atom, 2=14195
- Demidov, V. P. The excitation of a waveguide with plasma by means of specified currents, 3=7712
- Demidov, V. P. Wave structure in the cross-section of a plasma-filled waveguide, 3=24476
- Demidov, V. P. and Frank-Kamenetskii, D. A. Collisional dissipation at cyclotron harmonics in a plasma, 4=8718
- Demidov, V. P. and Frank-Kamenetskii, D. A. Relativistic dissipation at cyclotron harmonics in a plasma, 4=11629
- Demidov, V. P., Frank-Kamenetskii, D. A. and Yakimenko, V. L. Magnetic sound in a thermal plasma. II. Absorption of magnetoacoustic waves, 3=24327
- Demidov, V. S., Kirillov-Ugryumov, V. G., Ponosov, A. K., Protasov, V. P. and Sergeev, F. M. Elastic scattering of π^- mesons by carbon at 5 to 15 MeV, 2=18344
- Demidov, V. S., Kirillov-Ugryumov, V. G., Ponosov, A. K., Protasov, V. P. and Sergeev, F. M. Absorption of stopped π^- mesons in carbon, 3=24781
- Demidov, V. S., Kirillov-Ugryumov, V. G., Ponosov, A. K., Protasov, V. P. and Sergeev, F. M. Elastic scattering of π^- mesons by carbon at 5 to 15 MeV, 3=6059
- Demidov, V. S., Verebrusov, V. S., Kirillov-Ugryumov, V. G., Ponosov, A. K. and Sergeev, F. N. Absorption of slowed down π^- mesons in propane, 4=19568
- Demidov, V. S., Zhizhin, E. D., Kirillov-Ugryumov, V. G., Ponosov, A. K., Sergeev, F. M. and Shalamov, Ya. Ya. Effect of the nucleus on π^0 -meson production, 4=3444
- De Miguel, L. Geomagnetic observations effects at Toledo during the IGY and the succeeding year, 2=17212
- Demikhovskii, V. Ya. and Tavger, B. A. Magnetization of thin ferromagnetic films at low temperatures, 4=7249
- Demikhovskii, V. Ya. See Tavger, B. A., 4=1428
- Demildt, A. Excitation functions of (d, α) and (d, α_n) reactions on natural tungsten, 1=5937
- Demin, A. G., Kushakevich, Yu. P., Makoveev, E. A., Rozman, I. M. and Chachakov, A. F. Millisecond thallium isomers, 4=6246
- Demin, A. G. and Rozman, I. M. New short-period isomers of Ruthenium and tellurium, 4=12153

- Demin, V.G. Orbits in the problem of two fixed centres, 1=17994
 Demin, V.G. New classes of periodic solutions in the restricted problem of three bodies, 2=936
 Demin, V.G. Almost circular orbits of artificial earth satellites, 2=11179
 Demin, V.G. Almost circular orbits of artificial earth satellites, 2=21747
 Demin, V.G. See Aksenov, E.P., 2=1180
 Demin, V.G. See Aksenov, E.P., 2=21746
 Demin, V.G. See Aksenov, E.P., 3=16437
 Demina, N.V., Evteev, V.L., Kovalenko, V.A., Solov'ev, L.D., Khrenova, R.A. and Chen' Tsun-Mo [Ch'en Tsung-Mo]. Derivation of the photoproduction amplitude from dispersion relations, 3=22162
 Deming, L.S. Selected bibliography of statistical literature, 1930 to 1957. I. Correlation and regression theory, 0=6546
 Deming, L.S. Selected bibliography of statistical literature, 1930 to 1957. II. Time series, 0=6547
 Deming, L.S. Selected bibliography of statistical literature, 1930 to 1957. III. Limit theorems, 0=18579
 de Minville-Devaux, I.B. See Awunor-Renner, E.R.T., 0=15497
 de Miranda, A.F. and Preston, M.A. The effect of pairing correlations on nuclear transition rates, 3=19802
 Demirchyan, K.S. See Neiman, L.R., 0=19590
 Demirkhanov, R.A., Alikhanov, S.G., Komin, A.V., Podlesny, G.G. and Khorassanov, G.L. Diffusion of plasma in a magnetic field, 3=7522
 Demirkhanov, R.A. and Dorokhov, V.V. Mass of the Pu^{240} isotope, 1=19611
 Demirkhanov, R.A., Dorokhov, V.V. and Dzkuya, M.I. Isotope masses and binding energy of nuclei in the region from strontium to ruthenium, 1=19612
 Demirkhanov, R.A., Dorokhov, V.V. and Dzkuya, M.I. Masses of Lu, Yb and Tm isotopes, 3=4727
 Demirkhanov, R.A., Dorokhov, V.V. and Dzkuya, M.I. Isotope masses and binding energy of nuclei in the region from strontium to ruthenium, 3=4728
 Demirkhanov, R.A., Gevorkov, A.K., Popov, A.F. and Zverev, G.I. High frequency oscillations in bounded plasma, 0=15043
 Demirkhanov, R.D., Gevorkov, A.K. and Popov, A.F. Interaction of a beam of charged particles with a plasma, 1=297
 Demirkhanov, R.A., Gutkin, T.N. and Dorokhov, V.V. The masses of ^{13}C , ^{14}N and ^{15}N , 0=7707
 Demirkhanov, R.A., Gutkin, T.I. and Dorokhov, V.V. The mass of ^3He , 0=7708
 Demirkhanov, R.A., Gutkin, T.I. and Dorokhov, V.V. Atomic masses and binding energies of nuclei with masses between 186 and 196, 0=9510
 Demirkhanov, R.A., Gutkin, T.I. and Dorokhov, V.V. Mass of the nuclide Pu^{238} , 0=15669
 Demirkhanov, R.A., Gutkin, T.I., Samadashvili, O.A. and Karpenko, I.I. Atomic masses of tin and antimony isotopes, 3=8215
 Demirkhanov, R.A., Gutkin, T.I. and Soldatenkov, T.R. Particle containment in a "bumpy" current-carrying system, 4=3059
 Demirkhanov, R.A., Gutkin, T.I. and Soldatenkov, T.R. On the equilibrium of a plasma in a spatially periodic magnetic field, 4=14696
 Demirkhanov, R.A., Kadish, Ya. and Khodyrev, Yu.S. Skin effect in a high frequency ring discharge, 4=18717
 Demirkhanov, R.A., Khodyrev, Yu.S., Leont'ev, N.I. and Gutkin, T.I. Interaction of high frequency electro-magnetic fields with plasma, 3=14579
 Demirkhanov, R.A., Khodyrev, Yu.S., Romashko, N.D. and Nadykto, B.T. Investigation of a discharge excited by a travelling wave, 2=22188
 Demirkhanov, R.A., Kursanov, Yu. B., Baratov, D. G. and Kharin, G. V. The resonance trapping of electrons in a mirror machine with a spatially periodic helical magnetic field, 4=14699
 Demirkhanov, R.A., Kursanov, Yu. V., Baratov, D. G. and Kharin, G. V. Motion of electrons in a space-periodic helical magnetic field, 4=19100
 Demirkhanov, R.A., Leont'ev, N.I. and Kosyi, I.A. Measurement of the charged-particle density in an intense pulsed r.f. discharge with a travelling magnetic field, 2=19911
 Demirkhanov, R.A., Leont'ev, N.I., Kosyi, A.I. and Filatova, T.M. Instability of a plasma in a toroidal discharge excited by a travelling electromagnetic field, 2=9584
 Demirkhanov, R.A., Leont'ev, N.I., Kosyi, A.I. and Filatova, T.M. Instability of plasma in a toroidal discharge excited by a travelling electro-magnetic field, 3=5670
 Demirkhanov, R.A., Leont'ev, N.I., Logvinov, V.V. and Udovichenko, Yu.K. Penetration of high-frequency travelling magnetic field in a plasma, 3=14585
 Demirkhanov, R.A. See Shyutse, V., 4=16557
 Demkin, N.B. See Shlykov, Y.P., 3=16821
 Demkin, Yu.I. Nucleation of brittle transcrystalline cracks on twin and grain boundaries in molybdenum, 3=6803
 Demkin, Yu.I. Structure of subgrain boundaries in monocrystalline molybdenum, 3=20212
 Demkin, Yu.I. Crystallography of cleavage in molybdenum single crystals, 4=13428
 Demkin, Yu.I. Etching-induced movement of dislocations in monocrystalline molybdenum, 4=22600
 Demkin, Yu. I. Movement of dislocations in a deformed molybdenum crystal, 4=25939
 Demkov, J. N. Charge exchange with small energy transfer, 4=24554
 Demkov, Yu.N. Variational principles for non-stationary quantum-mechanical problems and perturbation theory, 1=4778
 Demkov, Yu.N. The virial theorem for the classical problem of the scattering of a particle by a centre of force, 1=15695
 Demkov, Yu.N. The virial theorem for the classical problem of the scattering of a particle by a centre of force, 1=16693
 Demkov, Yu.N. Determination of the symmetry group of a quantum system. Anisotropic oscillator, 4=60
 Demkov, Yu. N. Charge exchange in the case of a small resonance defect, 4=3805
 Demkov, Yu.N. Detachment of electrons in slow collisions between negative ions and atoms, 4=16429
 Demny, J. Evidence from Moiré twisting for lattice imperfections, 0=11617
 Demny, J. Observations on specially prepared crystal moiré patterns, 2=6865
 Demny, J. Multiple contrast and dislocations in mica, 3=20189
 Demny, J. Electron microscopic investigations on very thin mica foils. I. Dislocations in mica and their contrasts, 4=10585
 Demny, J. Electron microscopic investigations on very thin mica foils. II. The behaviour of mica in strong electron irradiation, 4=10586
 Demny, J. See Rang, O., 0=10966
 de Montardy, A. See Croitoru, Z., 4=18925
 De Montgolfier, C. and Papillon, Y. Measurement of [high-current] intensities with a Rogowski belt using a compensating coil, 2=11577
 de Moraes, A. and Pompeia, P.A. Time distribution analysis related to statistical physics, 1=15392
 de Moraes, R.J. See Gross, B., 2=12573
 de Moraes, R.J. See Gross, B., 2=18781
 de Moraes, R.J. See Murphy, P.V., 3=17947
 de Moraes, R.J. See Murphy, P.V., 4=1668
 De More, W. and Raper, O. F. Reaction of O (^1D) with nitrogen, 3=3408
 DeMore, W. B. and Raper, O. Hartley band extinction coefficients of ozone in the gas phase and in liquid nitrogen, carbon monoxide and argon, 4=18200
 DeMore, W. B. See Raper, O. F., 4=13734
 DeMore, W. B. See Raper, O. F., 4=13735
 Demortier, G., Dossin, J. B., Savariraj, G. A. and Deconninck, G. Angular distribution of deuterons from the reaction $\text{Li}^6(\alpha, d_0)\text{Be}^8$ in the region of 24 MeV, 3=22427
 Demortier, G., Jodogne, J. C. and Macq, P. C. Statistical models in the study of the reaction $\text{Al}^{27}(d, \alpha)\text{Mg}^{25}$, 1=13841
 Demortier, G. and Macq, P. C. Elastic scattering of 11.85 MeV deuterons in Al, Si, P, S, 2=477
 Demortier, G. See Deconninck, G., 0=15594
 Demortier, G. See Deconninck, G., 2=20676
 Demortier, G. See Deconninck, G., 4=9567
 de Morton, M. E. Magnetomechanical damping in chromium, 1=20309
 de Morton, M. E. Measurement of nitrogen diffusion in chromium by anelastic methods, 2=21061
 de Morton, M. E. Nonelastic transitions in chromium, 3=25615
 de Morton, M. E., Lott, S. A. and Stainsby, D. F. Measurement of internal friction by velocity observations of torsional oscillations, 3=20697
 Demos, J. R. See Greenfield, I. G., 4=17460
 Demos, P. See Bertozzi, W., 1=8689
 Demos, P. T. See Bertozzi, W., 3=12513
 DeMott, D. W. and Davis, T. P. Entoptic scatter as a function of wavelength, 0=8454
 De Moura, L. A., Schwachheim, G. and Willner, E. R. An analysis of the solar daily variations of the primary cosmic radiation measured with the IGY neutron monitor network, 2=3441
 Dempesy, C. W. See Gordon, J. E., 1=17424

- Dempsey, C. W., Gordon, J. E. and Romer, R. H. Hyperfine specific heat of uranium metal, 4=9850
- Dempsey, D. F. Focusing trajectories for projectiles in an inverse square field, 0=3479
- Dempsey, D. F. Focusing of neutral particle beams by fictitious force fields, 4=2615
- Dempsey, E. Continuous reading balance for oxidation studies, 0=4984
- Dempsey, E. Bonding in the refractory hard-metals, 3=10567
- Dempsey, E. On the equivalence of the quasi-chemical method and the limiting case of the method of Kramers and Wannier for the treatment of co-operative phenomena, 4=11104
- Dempsey, E. and Benson, G. C. Tables of the modified Bessel functions of the second kind for particular types of argument, 0=6541
- Dempsey, E. See Benson, G. C., 1=3589
- Dempsey, E. See Benson, G. C., 2=6245
- Dempsey, E. See Benson, G. C., 3=25768
- de M. Rudolf, N. Optical combination of two sources avoiding multiple images, 4=21287
- Demshina, A. I. See Murzin, V. N., 3=14351
- Demtröder, W. Determination of oscillator strengths through life-time measurements of the first excited states of the elements Ga, Al, Mg, Tl and Na, 2=10216
- Demtröder, W. See Brehm, B., 1=17272
- Demus, D. See Arnold, H., 3=24107
- Demuth, H. B. See Balcomb, J. D., 2=6027
- Demutskii, V. P. The Hugoniot adiabatic in magnetohydrodynamics, 2=16004
- Demutskii, V. P. Detonation and combustion in magnetohydrodynamics, 3=2116
- Demutskii, V. P. and Polovin, R. V. Shock ionization and detonation in magnetohydrodynamics, 2=1576
- Demutskii, V. P. See Polovin, R. V., 2=1569
- Demutskii, V. P. See Polovin, R. V., 2=1570
- Demutskii, V. P. See Polovin, R. V., 3=4262
- Demuyneck, J. See Dorikens, M., 4=15166
- Demuyneck, J. See Dorikens, M., 4=17063
- Demuyneck, J. See Dorikens-Vanpraet, L., 3=24868
- Demuyneck, J. See Segaert, O. J., 0=11358
- Demuyneck, J. L. and Segaert, O. J. Stabilizing the sum coincidence spectrometer, 3=5979
- Demuyneck, J. L. See Segaert, O. J., 0=11359
- Demuyneck, J. L. See Segaert, O. J., 3=15114
- Dem'yanchuk, A. S. A universal light source and a standard procedure for the spectral analysis of metals and alloys, 2=17635
- Dem'yanenko, G. K. See Ostrovskii, E. K., 4=8870
- Dem'yanenko, G. K. See Zýkov, A. I., 4=8871
- Dem'yanets, L. N., Garashina, L. S. and Litvin, B. N. Crystallization of wulfenite (PbMoO_4) under hydrothermal conditions, 4=26602
- Dem'yanov, A. V. See Afanas'ev, N. G., 3=14650
- Dem'yanov, A. V. See Afanas'ev, N. H., 4=3041
- Dem'yanov, O. V. See Hryshaev, I. O., 4=6026
- Dem'yanova T. A. See Vdovenko, V. M., 4=22386
- Demyashkevich, B. P. See Ryabinin, Yu. N., 3=1215
- Demyashkevich, V. P. See Ivanov, V. E., 4=14109
- Demyashkevich, V. P. See Vereshchagin, L. F., 4=14191
- Den, N. See Matuzawa, T., 3=18478
- Denayer, M. See Nagels, P., 3=25372
- Denayer, M. See Nagels, P., 4=15546
- Denayrou, F. See Lucasson, P., 4=1455
- Denayrov, F. See Budin, C., 3=15481
- den Berg, G. J. van. See van den Berg, G. J.
- den Bergh, S. Van. See Van den Bergh, S.
- Den Besten, I. E., Fox, P. G. and Selwood, P. W. The mechanism of chemisorption: carbon monoxide and carbon dioxide on nickel, 2=10980
- Denbigh, J. S. and Lomer, W. M. Induced orbital paramagnetism in metallic chromium, 3=20561
- Denbigh, P. N. See Grigson, C. W. B., 3=18404
- den Bos, W. H. van. See van den Bos, W. H.
- den Broeder, F. J. A. and Burgers, W. G. F-bands in binary mixed crystals of KCl , RbCl and KBr , 3=20245
- den Broek, J. van. See van den Broek, J.
- Denby, E. F. Monochromatic aberrations of symmetrical optical systems. I. Expansion of the aberration function, 2=1249
- Denby, E. F. Monochromatic aberrations of symmetrical optical systems. II. Computing formulas, 2=1250
- Dench, W. A. Adiabatic high-temperature calorimeter for the measurement of heats of alloying, 3=24097
- Dench, W. A. and Kubaschewski, O. Heat capacity of iron at 800° to 1420°C ., 3=10598
- Denčev, K. See Deržhanski, A., 4=29298
- Denchev, R. A non-linear boundary value problem in the theory of analytic functions occurring in the quantum field theory, 4=19413
- Denda, S. See Tarui, Y., 2=8388
- Denda, S. I. Pits on germanium surface formed by molten indium, 0=1900
- Dendl, G. See Dreizler, H., 4=22404
- Denecke, B. See Spornol, A., 4=15180
- Denecke, B. See Spornol, A., 4=19714
- Deneke, K. See Juza, R., 0=671
- Denenstein, A. See Everitt, C. W. F., 3=318
- de Nercy, A. Bussière. See Bussière de Nercy, A.
- De Nercy, A. De Bussière. See Bussière De Nercy, A.
- Denes, P. B. On the statistics of spoken English, 3=18670
- Denes, P. and Mathews, M. V. Spoken digit recognition using time-frequency pattern matching, 0=21405
- DeNeui, R. J. See Bartell, L. S., 0=20693
- deNeui, R. J. See Bartell, L. S., 1=17370
- Deney, C. See Cester, R., 2=3409
- Dengel, O., Eckener, U., Plitz, H. and Riehl, N. Ferroelectric behaviour of ice, 4=22775
- Dengel, O. and Riehl, N. Diffusion of protons (tritons) in ice crystals, 3=22816
- Den Ge Sen, See Pines, B. Ya., 1=9084
- Den Ge Sen, See Pines, B. Ya., 1=9085
- den Handel, J. van. See van den Handle J.
- Denholm, A. S. The space environment as a dielectric, 4=20956
- Denholm, A. S. See Arnold, K. W., 4=18752
- Denholm, A. S. See Britton, R. B., 3=12097
- Denholm, J. V. Some auroral observations inside the southern auroral zone, 1=21051
- Denholm, J. V. and Bond, F. R. Orientation of polar auroras, 1=10331
- Deniérou, L. See Blanc, M., 4=14145
- Denis, P. and Roux, D. Total effective cross-section of vanadium as a function of temperature, 1=17132
- Denis, P. See Cottier, J. M., 1=13447
- Denis, V. I. See Makaryūnas, K. V., 4=3703
- Denisenko, G. F. See Perfilov, N. A., 0=13297
- Deniskin, N. A. See Tikhonov, A. N., 1=20798
- Denison, A. B., James, L. W., Currin, J. D., Tanttila, W. H. and Mahler, R. J. Ultrasonically induced nuclear spin transitions in antiferromagnetic KMnF_3 , 4=20614
- Denison, D. R., Winters, H. F. and Donaldson, E. E. The effect of filament impurities on the operation of Bayard-Alpert ionization gauges, 4=18283
- Denison, D. R. See Winters, H. F., 2=13387
- Denison, D. R. See Winters, H. F., 3=14680
- Denison, J. S. See Norton, R. B., 3=13746
- Denison, W. C. See Albrecht, H. O., 0=2177
- Denisov, A. E. See Gridnev, K. A., 4=22172
- Denisov, E. See Mikaelyan, L., 3=24925
- Denisov, E. I. See Mikaelyan, L. A., 3=24924
- Denisov, E. P. See Shchemelev, V. N., 3=19323
- Denisov, E. V., Zatsepin, V. I., Nikol'skii, S. I., Pomanskii, A. A., Subbotin, B. V., Tukish, E. I. and Yakolev, V. I. Investigation of nuclear-active particles and electron-photon showers with
- Denisov, E. V. See Danilova, T. V., 3=4497
- Denisov, E. V. See Danilova, T. V., 4=19620
- Denisov, F. P. Activation method for the determination of the thickness of thin films and foils, 3=23828
- Denisov, F. P. and Cherenkov, P. A. Ranges of Na^{24} recoil nuclei and the mechanism of certain photonuclear reactions, 0=1403
- Denisov, F. P. and Kolesov, V. E. Measurement of angular and energy distributions of radioactive recoil nuclei, 1=12187
- Denisov, F. P. See Belovintsev, K. A., 4=21606
- Denisov, F. P. See Gorbunov, A. A., 0=13265
- Denisov, F. P. See Volkova, L. V., 0=1402
- Denisov, G. S. See Bulanin, M. O., 0=3535
- Denisov, G. S. See Chulanovskii, V. M., 4=7799
- Denisov, L. M. See Gerasimov, F. M., 4=18424
- Denisov, N. G. The absorption of radio waves in resonance regions of a non-homogeneous plasma, 1=5600
- Denisov, N. G. and Dolin, L. S. Diffraction of fluctuating fields, (review of Soviet papers), 4=2527
- Denisov, S. G., Ivanov, D. P., Komar, A. P. and Korobochko, Yu. S. Investigation of the electron distribution in the vacuum chamber of a betatron, 0=19860
- Denisov, S. P. See Agafonov, V. P., 3=24678
- Denisov, S. P. See Govorkov, B. B., 2=13847

- Denisov, S.P. See Govorkov, B.B., 3=6036
 Denisov, S.P. See Govorkov, B.B., 3=24762
 Denisov, S.P. See Govorkov, B.B., 3=24763
 Denisov, S.P. See Govorkov, B.B., 4=993
 Denisov, V.P., Kulikov, A.V. and Kul'chitskiĭ, L.A. Cross-section of the reaction $C^{13}(\gamma, p)B^{12}$, 4=22112
 Denisov, Yu.I. See Bakhrakh, L.E., 3=21875
 Denisov, Yu.N. A universal nuclear magnetometer, 2=1547
 Denisov, Yu.N. Nuclear magnetometers for measuring field strength and gradient in highly inhomogeneous fields, 4=14853
 Denisov, Yu.N., Dmitrievsky, V.P., Dzelepov, V.P., Glasov, A.A. Problems of theory and modelling of a ring shaped phasotron with spiral field distributions, 3=9880
 Denisov, Yu.N. and Troshin, Ya.K. [Wave] structure of gaseous detonation in pipes, 0=12104
 Denisov, Yu.N. See Danilov, V.I., 1=344
 Denisov, Yu.N. See Vasilev'skaya, D.P., 0=5373
 Denisov, Yu.N. See Vasilev'skaya, D.P., 2=20090
 Denisova, A.D. See Glinchuk, K.D., 4=4170
 Denisse, J.F. The sources of radio emission on the sun [introductory lecture to Part II — the Sun], 0=18628
 Denisse, J.F. The relation between solar cosmic-ray increases and certain radiofrequency bursts, 1=6735
 Denisse, J.F. Study of electromagnetic waves in plasmas beginning with Boltzmann's equation, 1=15725
 Denisse, J.F. Remarkable radio-frequency emissions in July 1959, 1=18148
 Denisse, J.F. Assessment of Landau damping and of the linear approximation in the study of plasma oscillations, 2=1461
 Denisse, J.F. and McLean, D. Observations on the Landau absorption of plasma oscillations, 2=19993
 Denisse, J.F. See Christiansen, W.N., 0=18732
 Denisse, J.F. See Delcroix, J.L., 2=1432
 Denisse, J.F. See Delcroix, J.L., 3=12215
 Denissenko, G.F. See Perfilov, N.A., 0=12736
 Denisjuk, Yu.N. Representation of optical properties of an objective by means of wave pattern of light scattered by it, 2=19679
 Denisjuk, Yu.N. Representation of optical properties of an objective by means of wave pattern of light scattered by it, 3=1799
 Denisjuk, Yu.N. Manifestation of the optical properties of an object in the wave field of light scattered by it, 3=7304
 Denisjuk, Yu.N. On the reproduction of the optical properties of an object by the wave field of its scattered radiation, 4=11363
 Denisjuk, Yu.N. and Protas, I.R. Improved Lippman photographic plates for recording stationary light waves, 3=24068
 Deniz, V.C., Iyengar, S.B.D. and Ramanna, R. On a time of flight method of studying the velocity distribution of neutrons from diffusing media, 0=9369
 Denman, H.H. Amplitude-dependence of frequency in a linear approximation to the simple pendulum equation, 0=56
 Denman, H.H. See Kikuchi, R., 0=16934
 Dennen, W.H. See Bisson, W.J., 2=9390
 Dennery, P. Theory of the electro- and photoproduction of π -mesons, 2=3377
 Dennery, P. Pion production in neutrino-nucleon collisions, 2=18154
 Dennery, P. and Kroll, N.M. On conservation of probability in the Lee model, 1=3127
 Dennery, P. and Primakoff, H. Remarks on weak-interaction form factors, 2=13747
 Dennery, P. and Primakoff, H. Three-body leptonic decays of the K mesons, 3=19694
 Dennery, P. and Primakoff, H. On a method of mass determination for the muon-neutrino, 4=881
 Denney, D.J. and Ring, J.W. Dielectric relaxation in the 1-propanol-2-methylpentane system, 3=23898
 Denney, J.M., Downing, R.G., Lackman, S.R. and Oliver, J.W. Estimate of space-radiation effects on satellite solar-cell power supplies, 2=13195
 Denney, J.M. See Friedland, S.S., 0=5630
 Denney, J.M. See Simon, G.W., 3=8474
 Dennis, A.S. Correlation between hourly median scattered signals and simple refractivity parameters, 2=16063
 Dennis, A.S. Comments on X-band radiometric sky temperatures. Reply, 4=29468
 Dennis, J.A. Measuring neutron dose rates, 3=17292
 Dennis, J.A. See Basson, J.K., 3=690
 Dennis, J.A. See Collinson, A.J.L., 0=7238
 Dennis, J.A. See Collinson, A.J.L., 0=15180
 Dennis, J.H. and Kingston, R.H. Index of refraction of K. D. P., 4=10184
 Dennis, N.T.M. See Power, B.D., 4=18263
 Dennis, R.N., Jr. See Hirshfield, J.L., 4=19001
 Dennis, S.C.R., Mercer, A.McD. and Poots, G. Forced heat convection in laminar flow through rectangular ducts, 0=6984
 Dennis, W. See Miller, D.G., 1=1854
 Dennis, W. See Miller, D.G., 2=17700
 Dennis, W.L. The growth of hygroscopic drops in a humid air stream, 1=11746
 Dennison, D.M. Note on the determination of the potential functions of polyatomic molecules, 1=826
 Dennison, D.M. See Weeks, W.T., 2=6142
 Dennison, J.P. and Wilshire, B. Observations on the influence of impurities on the creep and fracture behaviour of nickel at 500 and 600°C, 3=25631
 Dennison, J.P. and Wilshire, B. A comparison of the creep and fracture behaviour of pure nickel, nickel-0.1 at.-% gold, and nickel-0.1 at.-% silver alloys at 500 and 600°C, 4=23184
 Dennison, J.P. See Davies, P.W., 1=20357
 Dennison, J.P. See Davies, P.W., 2=4328
 Dennison, J.P. See Davies, P.W., 4=28953
 Denny, D.A. and Brodkey, R.S. Kinetic interpretation of non-Newtonian flow, 2=15545
 de Nobel, D. Phase equilibria and semiconducting properties of cadmium telluride, 0=2893
 De Nobel, J. and Du Chatenier, F. Heat capacities of some diluted alloys of manganese in silver and copper, 0=9859
 de Nobel, J. and du Chatenier, F.J. Specific heats of dilute alloys of manganese in silver and copper at low temperatures and in magnetic fields, 0=18408
 de Nobel, J. and du Chatenier, F.J. Specific heats of some soft solders, 4=6744
 de Nobel, J. and du Chatenier, F.J. Heat capacities of some dilute alloys, 4=17361
 de Nobel, J. See Chari, M.S.R., 0=6021
 de Nobel, J. See Chari, M.S.R., 0=6022
 de Nobel, J. See Chari, M.S.R., 0=6023
 de Nobel, J. See du Chatenier, F.J., 2=8171
 de Nobel, J. See du Chatenier, F.J., 4=28371
 de Nobel, J. See van den Berg, G.J., 3=8496
 Denoncin, J. See Canina, V.G., 0=7900
 Denoux, M. Some aspects of the pulverization of copper by medium-energy protons, 2=2109
 Denoux, M. and Trillat, J.J. Production of thin oriented films of zirconium and their oxidation, 4=26715
 DeNoyer, J. and Pollack, H. Measurements of the velocity of crack propagation in glass plates, 3=13380
 DeNoyer, J. See Meecham, W.C., 2=11442
 DeNoyer, L. See Roesler, F.L., 4=18812
 Den Pkhen Su. See Alekseeva, K.J., 3=19596
 Dentan, J.P. The influence of the pH and the development temperature on the distortion of nuclear photographic emulsions, 0=12774
 Dente, M. Thermal exchange for non-Newtonian fluids in laminar motion in circular tubes. I(1). Thermal exchange for constant wall temperature, 1=5255
 Dente, M. Thermal exchange for non-Newtonian fluids in laminar motion in circular tubes. I(2). Thermal exchange for constant wall temperature, 1=5256
 Dente, M. Thermal exchange for non-Newtonian fluids in laminar motion in circular tubes. II. Thermal exchange for variable wall temperature, 1=10617
 Denton, D.H., Jr. See King, R., 1=12693
 Denton, E.H., Lucero, S.C. and Roellig, L.O. Apparatus for measuring the solubility of a gas in a low-temperature liquid, 3=9453
 Denton, M.J. and Lipson, S.G. Electrolytic tank for studying the flow of liquids through tubes of various cross sections, 1=5264
 Denton, R.A. See Peters, J.L., 4=19134
 Denton, R.T. Theoretical and experimental characteristics of a ferromagnetic amplifier using longitudinal pumping, 1=5582
 Denton, R.T. and Spencer, E.G. Ferromagnetic resonance loss in lithium ferrite as a function of temperature, 2=12806
 Denton, R.T. and Spencer, E.G. Elastic measurements on magnetic materials, 3=16572
 Denton, R.T. See Spencer, E.G., 2=10322
 Denton, R.T. See Spencer, E.G., 3=25601
 Denton, R.T. See Spencer, E.G., 4=28863
 Deo, B. On fermion loops of two vertices, 1=8439
 Deo, B. On zero mass meson-meson scattering, 1=8466
 Deo, B.B. Interacting fermions in two dimensions, 2=16163

- Deo, B.B. Mass spectrum from four-beson contact interaction, 2=17379
- Deo Bibhuti Bhusan. See Bibhuti Bhusan Deo
- Deo, P. G. and Sharma, S.D. Dissolution spirals in sodium chloride crystals, 4=2019
- Deo, P. G. and Sharma, S.D. Spiral configurations in sodium chloride crystals, 4=12767
- Deo, R. G. and Dayal, B. The equation of state of sodium fluoride, 4=25851
- Deodhar, G.B. X-ray satellites and their origin—a general survey, 3=10442
- Deodhar, G.B. and Abidi, S.T.H. New relationships in the X-ray K and L satellites, 1=2296
- Deodhar, G.B. and Padalia, B.D. An extended study of a new relationship in the case of the K_{α} and K_{β} satellites, 2=10214
- Deodhar, G.B. and Padalia, B.D. Behaviour of some faint K_{β} lines for elements As(33) to Ru(44), 2=14212
- Deodhar, G.B. and Padalia, B.D. New non-quadrupole transitions in the L-spectrum of thallium 81, 2=20746
- Deodhar, G.B. and Padalia, B.D. Forbidden transitions in the L-spectrum of iridium, 3=2566
- Deodhar, G.B. and Padalia, B.D. New nonquadrupole transition in the L-spectrum of gold, 3=8183
- Deodhar, G.B. and Padalia, B.D. A new non-quadrupole transition in the L-spectrum of thorium 90, 3=8192
- Deodhar, G.B. and Padalia, B.D. Screening doublet law and X-ray satellite spectra, 3=10443
- Deodhar, G. B. and Padalia, B.D. Screening doublets in X-ray quadrupole and non-quadrupole transitions, 4=9632
- de Oliveira, C.G. and Tiomno, J. Representations of dirac equation on general relativity, 2=13261
- de Oliveira, C.G. See Ferreira, E.M., 3=6070
- de Oliveira, D.R. See Katayama, Y., 1=3167
- de Oliveira, D.R. See Osada, J., 1=13696
- De Oliveira E Souza, J.B. See Rodrigues, E., 3=19469
- Deoryashin, A.S., Levitskii, L.S. and Pankratov, A.K. A study of flares in the X-ray spectral region, 3=3579
- de Oyarzabal, G.S. See Prieto, F.E., 1=19560
- de Oyarzabal, G.S. See Prieto, F.E., 3=22670
- de Oyarzabal, J. Angular distributions in β -disintegration, 1=9827
- de Packh, D.C. The water-bag model of a sheet electron beam, 3=4189
- de Packh, D.C. The behaviour of a large number of electrons oscillating between the plates of a condenser, 4=8840
- de Packh, D.C. and Ulrich, P.B. Brillouin flow in relativistic beams, 1=5494
- De Packh, D.C. See Godlove, T.F., 0=19737
- de Pagter, J. and Sard, R.D. Interactions of fast μ mesons in lead with small-energy transfer, 0=11194
- de Pagter, J. K., Boyarski, A., Glass, G., Friedman, J. I., Kendall, H. W., Gettner, M., Larrabee, J. F. and Weinstein, R. Wide-angle photoproduction of Mu pairs, 4=25371
- de Pain, L. Passivity conditions for three-terminal networks, 2=7774
- De Palma, J.J. and Lowry, E.M. Sine-wave response of the visual system. II. Since-wave and square-wave contrast sensitivity, 2=7085
- De Palma, J.J. See Lowry, E.M., 1=10354
- de Pangher, J. Double moderator neutron dosimeter, 0=17359
- De Pasquali, G., Frauenfelder, H., Margulies, S. and Peacock, R.N. Nuclear resonance absorption and nuclear Zeeman effect in Fe^{57} , 0=7465
- De Pasquali, G. See De Waard, H., 3=19786
- De Pasquali, G. See Hafemeister, D. W., 4=28326
- De Pasquali, G. See Pipkorn, D. N., 4=28327
- de Pasquali, G. See Yavin, A. I., 4=929
- Depatie, D., Reppy, J.D. and Lane, C.T. Persistent currents in He II., 4=16323
- Depatie, D. See Reppy, J.D., 1=4528
- Depatie, D. See Reppy, J. D., 4=16325
- Dépaux, B. Determination of the multiple scattering of charged particles in nuclear emulsions, 2=20577
- Dépaux, B., Desprez-Rebaud, S. and Tsai-Chü. Determination of cell noise from crossed product terms in the second differences of the Saggitta method, 0=15204
- Dépaux, B., Habaru, J.M. and Tsai-Chü. Application of the centre of gravity method to the determination of the multiple scattering in nuclear emulsion of the tracks of 27 GeV protons produced by the CERN proton synchrotron, 2=3333
- de P. Cagnodo, M. See Caforio, A., 1=5780
- De Paz, M. See Bernè, A., 2=18595
- De Pena, R. G. and De Achaval, E. M. Effect of ions on the freezing temperature of water drops, 4=21354
- De Pena, R.G., Iribarne, J.V. and De Achaval, E.M. The freezing of supercooled droplets of electrolytic solutions, 2=22101
- Depietri, C. See Barbetta, M.G., 1=5804
- de Pinho, A. Electromagnetic transitions in deformed odd-odd nuclei, 3=6150
- De Pinho, A. See Foucher, R., 2=10069
- de Pinho, A. See Foucher, R., 2=22766
- de Pinho, A. See Foucher, R., 3=2395
- de Pinho, A. See Foucher, R., 3=22312
- De Pinho, A.G. Some considerations of the nature of levels in Pa^{234} , 4=17076
- De Pinho, A.G. See Abou-leila, H., 4=17106
- De Pinho, A.G. See Foucher, R., 2=414
- de Pinho Filho, A.G. Effects of photon polarization on the azimuthal angular distribution in (γ, N) reactions, 0=17615
- Depireux, J., Cornet, N., Read, M. and Duchesne, J. Nuclear quadrupole resonance in irradiated crystals, 1=20277
- Depireux, J., Duchesne, J. and Van de Vorst, A. On the nuclear quadrupole resonance line-width in solids subjected to high-energy irradiation, 0=6282
- Depireux, J. See Duchesne, J., 1=6129
- Depireux, J. See Duchesne, J., 2=14863
- Depireux, J. See Van de Vorst, A., 1=9952
- Depken, S. Remark to the solution of the neutron transport equation, 4=9214
- Depken, S. Resonance absorption of neutrons in heterogeneous reactors, 4=30360
- Deplanté, J.L. See Blandin, A., 3=8389
- Deplante, J.L. See Blandin, A., 3=22757
- Depommier, P. and Chabre, M. Exact shape of the β -spectrum from Au^{198} , 1=7340
- Depommier, P. and Chabre, M. Anomalous β -spectrum of Depommier, P., Chabre, M., Crançon, J. and Vialettes, H. Properties of a beta-spectrometer of the Siegbahn-Slatis type, 1=16761
- Depommier, P., Heintze, J., Mukhin, A., Rubbia, C., Soergel, V. and Winter, K. Determination of the $\pi^+ \rightarrow \pi^0 + e^+ + \nu$ decay rate, 3=594
- Depommier, P., Heintze, J., Rubbia, C. and Soergel, V. Further measurements of the $\pi^+ \rightarrow \pi^0 + e^+ + \nu$ decay rate, 3=22161
- Depommier, P., Heintze, J., Rubbia, C. and Soergel, V. Further measurements on the decay $\pi^+ \rightarrow e^+ + \nu + \gamma$, 4=9236
- Depommier, P., Nguyen-Khac, U. and Bouchez, R. Transition probabilities for orbital electron capture and K/β^+ ratios, 1=17048
- Depommier, P. See André, S., 4=30325
- Depommier, P. See Bouchez, R., 1=2192
- Depommier, P. See Chabre, M., 2=401
- Depommier, P. See Chabre, M., 2=22759
- Depommier, P. See de Saintignon, P., 4=15186
- De Poorter, G.L. and Searcy, A.W. Energy exchange between a hot tungsten surface and cold gases, 3=24078
- Depraz, J. Some investigations and improvements on high current, h.f. [ion] sources, 0=9097
- Depraz, J., Duborgel, B., Grenier, G. and Salin, R. The use of silicon junction detectors for the measurement of neutron outputs from the DD and DT reactions, 3=2276
- Depraz, J., Duborgel, B., Grenier, G. and Salin, R. A search for a level at 1'33 MeV in the Mg^{26} nucleus, 3=7987
- Depraz, J., Legros, G. and Salin, R. The X and γ -ray yields and spectra of the supports of targets bombarded by low energy protons (0.3 to 1 MeV), 1=13795
- Depraz, J., Legros, G. and Salin, R. Cross-section measurements on some (n,p), (n, α), (n,2n) reactions, 1=13814
- De Pretis, M. and Poiati, G. Some results concerning heavy unstable nuclear fragments ejected from interaction of 4.5 GeV π^- in emulsion, 0=9691
- De Pretis, M. See Alberigi-Quaranta, A., 3=7879
- De Pretis, M. See Del Fabbro, R., 4=25088
- De Prins, J. N^{15}H_3 double-beam maser as a primary frequency standard, 3=12346
- De Prins, J., Menoud, C. and Kartaschoff, P. N^{15}H_2 double-beam maser as a primary frequency standard, 2=3161
- de Prins, J., Menoud, C. and Kartaschoff, P. Double beam masers as primary frequency standards, 2=5466
- de Prins, J., Menoud, C. and Kartaschoff, P. Double-beam N^{15}H_3 masers, 4=770
- Deprit, A. and Delie, A. Canonical reduction of the flat-not-plane case of the n-body problem, 2=4943
- Deprit, A. and Delie, A. Curvature of the riemannian metric of the plane problem of three bodies, 3=14070

- Deprit, A. and Roels, J. A canonical reduction of the coplanar three-body problem, 3=5231
- Depuydt, H. and Neve de Mevergnies, M. Average cross section of the $^{32}\text{S}(n,p)^{32}\text{P}$ and $^{27}\text{Al}(n,\alpha)^{24}\text{Na}$ reactions for fission neutrons, 3=8116
- Dera, J. See Kalinowski, J., 4=24222
- De Raad, B. See Bellière, J., 3=24775
- De Raad, B. See Bellini, G., 2=22573
- de Raad, B. See Bellini, G., 3=7899
- De Raad, B. See Di Corato, M., 2=22627
- de Raad, B. See Fretter, W. B., 3=2301
- de Raad, B. See Giesch, M., 3=17243
- De Raad, B. See Jones, L. W., 3=17003
- der Raay, H. B. van. See van der Raay, H. B.
- Derado, I. Experimental evidence for the pion-pion interaction at 1 GeV, 0=17382
- Derado, I. and Schmitz, N. Results on the π^- -proton scattering at 1 BeV and a comparison with the Lindenbaum-Sternheimer model, 0=9410
- Derado, I. and Van de Walle, R. Some remarks on the phase-shift analysis with D-waves for track-chamber histograms, 1=5698
- Derado, I. See Biswas, N. N., 3=4434
- Derado, I. See Biswas, N. N., 3=17133
- Derado, I. See Biswas, N. N., 4=19557
- Derado, I. See Bondár, L., 3=19678
- Derado, I. See Bondár, L., 4=944
- De Raedt, J. See Creutz, E., 4=3539
- De Raedt, J. See Creutz, E., 4=17001
- De Raedt, J. See Grenacs, J., 4=17091
- De Raedt, J. See Grenacs, L., 4=17101
- de Rafael, E. Strong interaction symmetries and relations between polarizations for $\bar{p}p \rightarrow \bar{Y}Y$, 2=18185
- de Rafael, E. Σ^0 - Λ^0 relative parity from $\Lambda^0 \rightarrow \Sigma^0$ conversion induced by the Coulomb field of a nucleus, 3=6088
- de Rafael, E. A new test for the spin-parity determination of strange baryonic resonances, 4=27778
- de Rafael, E. See Nuyts, J., 4=6138
- De Rafael Gavalda, E. See Fernández Ferrer, J., 1=16503
- der Agobian, R. A new method of measuring the variations of electron density of a plasma of a function of time, 2=19976
- der Agobian, R., Cagnard, R., Echard, R. and Otto, J. L. A new set of stimulated transitions of neon, 4=21681
- Der Agobian, R., Otto, J. L., Cagnard, R. and Echard, R. Experimental study of cascade transitions stimulated in helium-neon mixture, 4=28130
- Der Agobian, R., Otto, J. L., Cagnard, R. and Echard, R. Cascade transitions stimulated in pure neon, 4=28131
- der Agobian, R., Otto, J. L., Echard, R. and Cagnard, R. Stimulated emission of new infrared transitions in neon, 4=12383
- der Agobian, R. See Cagnard, R., 4=767
- der Agobian, R. See Otto, J. L., 4=16696
- Der Agobian, R. See Waelbroeck, F., 3=12207
- De Rango, C. See Assadi, P., 4=2040
- Deranleau, D. A. Multiple equilibria in macromolecular systems, 4=20138
- Derbeneva, S. S. See Kudryavtsev, E. M., 4=30429
- Derblom, H. See Ombolt, A., 2=11077
- Derblom, H. See Stoffregen, W., 0=7728
- Derblom, H. See Stoffregen, W., 0=14227
- Derblom, H. See Stoffregen, W., 3=3514
- Derblom, H. See Stoffregen, W., 3=13782
- der Bogaerde, J. Van. See Van der Bogaerde, J.
- Derby, S. E. See Henschke, E. B., 3=22875
- Derbyshire, A. J. See Norkus, F. J., 0=16509
- Derbyshire, W. The coupling between an unpaired electron spin and a proton two bonds away, 2=14338
- Derbyshire, W. See Poullis, J. A., 3=14155
- Derbyshire, W. See Roberts, G., 2=1614
- d'Erceville, I. and Kunetz, G. The effect of a fault on the earth's natural electromagnetic field, 3=5184
- d'Erceville, I. See Kunetz, G., 3=9537
- de Reilhac, L. and Damany-Astoin, N. On the absorption spectrum of oxygen in the far ultraviolet, 4=15341
- Derem, A. See Baloutaud, R., 2=16231
- Derem, A. See Barloutaud, R., 3=7904
- Dereñ, J., Haber, J. and Wilkova, T. Investigation of the electrical conductivity of zinc oxide, 0=2849
- Dereppe, J. M. See Van Meerssche, M., 3=6652
- Dereppe, J. M. See Van Meerssche, M., 3=8848
- Dereppe, J. M. See Van Meersche, M., 3=8859
- Dereppe, J. M. See Van Tiggelen, P., 3=20853
- Deresiewicz, H. Effect of boundaries on waves in a thermoelastic solid: reflexion of plane waves from a plane boundary, 0=19295
- Deresiewicz, H. A note on thermoelastic Rayleigh waves, 1=16006
- Deresiewicz, H. Effect of boundaries on waves in a thermoelastic solid, 2=11448
- Deresiewicz, H. The effect of boundaries on wave propagation in a liquid-filled porous solid. IV. Surface waves in a half-space, 2=17537
- Deresiewicz, H. A note on Love waves in a homogeneous crust over-lying an inhomogeneous substratum, 2=17538
- Deresiewicz, H. On the transmission of thermoelastic plane waves across a plane boundary, 3=7156
- Deresiewicz, H. The effect of boundaries on wave propagation in a liquid-filled porous solid. VI. Love waves in a double surface layer, 4=11285
- Deresiewicz, H. and Rice, J. T. The effect of boundaries on wave propagation in a liquid-filled porous solid. III. Reflection of plane waves at a free plane boundary (general case), 2=17536
- Deresiewicz, H. and Rice, J. T. The effect of boundaries of wave propagation in a liquid-filled porous solid. V. Transmission across a plane interface, 4=11284
- De Rezende Chaves, A. A. Optical magnification beyond Rayleigh's limits, 3=14315
- De Rezende Chaves, A. A. Optical magnification beyond Rayleigh's limits, 3=14316
- De Rezende Chaves, A. A. Study of optical magnification beyond Rayleigh's limit in relation to the theory of diffraction, 4=8388
- Derfler, H. Theory of r.f. probe measurements in a fully ionized plasma, 3=7575
- Derham, C. J. and Geake, J. E. Luminescence of meteorites, 4=23892
- Deribas, A. A. and Pokhozhaev, S. I. On the formulation of the problem of a strong explosion at the surface of a liquid, 3=118
- Deribas, A. A. and Pokhozhaev, S. I. On the formulation of the problem of a strong explosion at the surface of a liquid, 3=5422
- Derick, L. See Frosch, C. J., 1=17734
- de Ridder, J. See Kramer, P., 2=20307
- Derighetti, B. See Brun, E., 2=4297
- Derighetti, B. See Müller, K. A., 4=23074
- Derjaguin, B. V. The force between molecules, 2=14341
- Derjaguin, B. V. and Bakanov, S. P. Thermophoresis of aerosol particles, 3=5173
- Derjaguin, B. V., Bakanov, S. P. and Kurghin, I. S. The influence of a foreign film on evaporation of liquid drops, 1=10494
- Derjaguin, B. V. and Greene-Kelly, R. Birefringence of thin liquid films, 4=16091
- Derjaguin, B. V., Vlasenko, G. Ja., Storozhilova, A. I. and Kudryavtseva, N. M. Flow-ultramicroscopic method of determining the number concentration and particle size analysis of aerosols and hydrosols, 3=3415
- Derjaguin, B. V. See Bakanov, S. P., 1=11634
- Derjansky, A. See Kamburov, C., 4=27984
- Derkacheva, L. D. Dependence of fluorescence of naphthalene derivatives on the concentration of hydrogen ions in a solutions, 1=2764
- Derkacheva, L. D. Symmetry of the third excited state of naphthalene, 2=20855
- Derkacheva, L. D. Negative absorption by certain organic compounds, 4=14166
- Derkksen, W. J. and Gardner, W. R. Calculations of turbulent exchange coefficients in air at Wageningen, 1=12690
- Derkksen, W. J. See Van Wijk, W. R., 1=1509
- der Laan, H. R. van. See van der Laan, H. R.
- der Leun, C. van. See van der Leun, C.
- der Linde, L. van. See van der Linde, L.
- der Lugt, W. van. See van der Lugt, W.
- der Marel, L. C. van. See van der Marel, L. C.
- Der Mateosian, E. and Sehgal, M. L. Isomeric transition in $\text{Sb}^{122\text{m}}$, 2=5861
- der Mateosian, E. and Sehgal, M. L. Note on the decay of $\text{Sb}^{122\text{m}}$, 3=10264
- Dermendzhiev, E. G. See Protopopov, A. N., 0=9702
- Dermit, G. Tunnel-diode power, 2=12534
- Dermit, G. Alternant orbitals in crystals, 2=18510
- Dermit, G. See Weinreich, O., 1=11297
- Dermit, G. See Weinreich, A. O., 3=11317
- Dermon, H. See Auphan, M., 4=5368
- Derner, P. Electron microscopic studies of the surfaces of polycrystalline copper after plastic deformation 3=18199

- Derner, P. and Kappler, E. The relationship between polycrystalline and single crystal strain curves for aluminium, 0=4556
- Derner, P. and Kappler, E. The work-softening effect in polycrystalline aluminium, 0=4562
- Derner, P. and Kappler, E. On temperature change investigation during the plastic deformation of face-centred cubic metals, 1=11510
- der Pauw, L.J. van. See van der Pauw, L.J.
- De Rocco, A.G. and Hoover, W. Second virial coefficient for the spherical shell potential, 2=7248
- De Rocco, A.G. and Hoover, W.G. Some remarks on the equation of state for hard-sphere repulsive potentials, 3=11825
- de Rocco, A.G. See Hoover, W.G., 1=8082
- De Rocco, A.G. See Hoover, W.G., 2=17378
- de Ronde, F.C. See van Es, C.W., 1=7152
- de Ronde, F.C. See van Es, C.W., 1=7153
- De Roo, A.M. See Hirayama, C., 3=21637
- de Roodenbeke, A.† Kent. See † Kent Roodenbeke, A.
- De Rosny, G. See Bruyant, F., 4=21915
- De Rosset, A.J. Diffusion of hydrogen through palladium membranes, 0=14061
- De Rossi, M. Mass telespectrometry, 3=21906
- De Rossi, M. Storage system in measuring problems, 4=24524
- der Rlas, T. See van der Rlas, T.
- Derr, V.E. Irreversibility of systems perturbed by random forces, 0=6690
- Derr, V.E., Gallagher, J.J., Johnson, R.E. and Sheppard, A.P. Microwave emission from an optically pumped atomic system, 0=19918
- Derr, V.E., Klein, E. and Fine, S. Presence of free radicals in laser-irradiated biological specimens by electron-spin resonance, 4=26980
- Derr, V.E. See Lichtenstein, M., 4=12479
- Derr, V.E. See Wharton, L., 3=10510
- Derrick, G., Mustard, D. and Blatt, J.M. Binding energy of the triton, 1=5793
- Derrick, G.H. Kinetic and potential energy matrix elements for the triton, 0=11238
- Derrick, G.H. On the choice of D-state wave functions in triton calculations, 0=17434
- Derrick, G.H. Triton matrix elements of the quadratic LS operator, 2=16248
- Derrick, G.H. Representation of annihilation operators in the space of periodic functions, 3=14858
- Derrick, G.H. Simple variational bound to the entropy, 4=11098
- Derrick, G.H. and Blatt, J.M. Tensor and L · S forces in the triton, 0=17432
- Derrick, G.H. See Deives, L.M., 3=21240
- Derrick, M. The extraction and processing of data from bubble chamber photographs, 3=532
- Derrick, M., Fetkovich, J.G., Fields, T.H. and Deahl, J. Internal pairs following π^+ capture in hydrogen, 0=20187
- Derrick, M. See Chadwick, G.B., 2=22522
- Derrick, M. See Chadwick, G.B., 3=10117
- Derrick, M. See Chadwick, G.B., 4=6135
- Derrick, M. See Deahl, J., 2=1712
- Derrick, M. See Dodd, P., 2=22508
- Derrick, M. See Fetkovich, J.G., 0=13460
- Derrick, M. See Fields, T.H., 0=20207
- Derrick, M. See Goldsack, S.J., 2=9888
- Derrick, M. See Loken, J.G., 3=10110
- Derrick, M. See McIlwain, R.L., 2=16190
- Derrick, M. See Pewitt, E.G., 3=22179
- Derricott, R. T. See Richards, T. L., 4=26521
- Derrien, H. See Michaudon, A., 3=6259
- Derrien, H. See Michaudon, A., 4=17077
- Derrien, H. See Michaudon, A., 4=25327
- Der Sarkissian, M. A study of low-energy π -A scattering. II, 4=6116
- Der Sarkissian, M. A study of low-energy π -A scattering. I., 4=9244
- Der Sarkissian, M. The Khuri representation and its use in studying low-energy π -N scattering in the $J = \frac{3}{2}, I = \frac{3}{2}$ state, 4=12042
- Der Sarkissian, M. See Bose, S.K., 4=9302
- Dershin, H. See Knuth, E. L., 4=5220
- Der-Shvarts, G.V. and Belen'ki, S.A. A study of aberration or electrostatic lens filters, 3=19345
- Der-Shvarts, G.V. and Kushnir, Yu.M. The problem of lens achromatization and scale distortion correction in reflex electron microscopes, 1=4649
- Der-Shvarts, G.V., Kushnir, Yu.M., Rozenfel'd, L.B., Zaitsev, P.V. and Bezlepkin, S.V. Modernization of the UEM-100 electron microscope, 3=2038
- Der-Shvarts, G.V. and Rachkov, V.P. Design of magnets for the lenses of magnetostatic electron microscopes, 3=2032
- Der-Shvarts, G.V. See Bykhovskaya, L.N., 0=2394
- Der Spuy, E. Van. See Van Der Spuy, E.
- der Steeg, M.G. van. See van der Steeg, M.G.
- De Rujula, A. See Duclos, J., 4=16923
- Deruytter, A. A 4π -fission detector, 1=1990
- Deruytter, A.J. The fission cross-section of ^{235}U from 0.01 eV to 0.1 eV and its absolute value at 0.0253 eV, 2=5983
- Deruytter, A.J. Evaluation of the absolute activity of alpha emitters and of the number of nuclei in thin alpha active layers, 2=14013
- Deruytter, A. J. Pulse height-defect of surface barrier detectors for fission fragments, 4=28080
- Deruytter, A.J., Schröder, I.G. and Moore, J.A. A precise measurement of the half-life of U^{235} for α -emission, 4=17107
- Deruytter, A.J. See Prosdociimi, A., 3=12694
- Deruytter, A.J. See Schroder, I.G., 4=17210
- Deruytter, J., Moore, J. A. and Schröder, I. G. Large gold-silicon surface barrier detectors for fission experiments, 4=27721
- der Veen, K. van. See van der Veen, K.
- Derviz, T.E. Kuprevich, N.F. and Mitrofanova, L.A. The dependence of line intensities in the solar spectrum on the phase of solar activity, 2=958
- der Vlugt, N.J. van. See van der vlugt, N.J.
- der Waals, J.H. van der. See van der Waals, J.H.
- Der Walt, A.J. van. See Van Der Walt, A.J.
- Derwin, C. C. See Moore, F. L., Jr, 4=8432
- Derwish, G. A. W., Galli, A., Giardini-Guidoni, A. and Volpi, G. G. Ion-molecule reactions in gaseous ammonia, 4=2141
- Derwish, G. A. W., Galli, A., Giardini-Guidoni, A. and Volpi, G. G. Ion-molecule reactions in methane and in ethane, 4=11538
- Derwish, G. A. W., Galli, A., Giardini-Guidoni, A. and Volpi, G. G. High-pressure mass spectrum of N_2O , 4=21599
- Derwish, G. A. W. See Griffiths, V. S., 4=30453
- Deryabina, V.I. See Goryunova, N.A., 0=1939
- Deryabina, V. I. See Moroz, L. S., 4=13430
- Deryagin, B. V. Surface forces and their effect on the properties of heterogeneous systems, 4=7692
- Deryagin, B. V. and Aleinikova, I. N. Measurement of the true density of the double electric layer at a metal dielectric interface, 4=7695
- Deryagin, B.V. and Al'tshuler, M.A. Extraction by diffusion from porous materials in the process of capillary impregnation, 3=6906
- Deryagin, B.V. and Bakanov, S.P. Theory of the thermomolecular pressure drops and the thermosmosis of gases in wide capillaries, 3=152
- Deryagin, B.V. and Bakanov, S.P. Theory of the thermomolecular pressure drops and the thermosmosis of gases in wide capillaries, 3=5453
- Deryagin, B.V. and Bakanov, S.P. Theory of thermophoresis of large solid aerosol particles, 3=7230
- Deryagin, B. V., Bakanov, S. P., Dukhin, S. S. and Batova, G. A. Diffusional phoresis of aerosol particles, 4=10658
- Deryagin, B.V. and Fedyaikin, N.N. Peculiar properties and viscosity of liquids condensed in capillaries, 3=7195
- Deryagin, B. V. and Kurgin, Yu. S. Evaporation at varying rate of drops which are covered by an adsorption layer, 4=18493
- Deryagin, B.V. and Martynov, G.A. "Wedge" pressure of a gas film, 3=1723
- Deryagin, B.V. and Metsik, M.S. The role of electrical forces in the process of cleaving of mica, 0=8174
- Deryagin, B. V., Prokhorov, P. S., Velichko, M. V. and Leonov, L. F. A new method for obtaining constant and uniform super saturations, 4=5463
- Deryagin, B.V., Prokhorov, P.S., Velichko, M.V. and Leonov, L.F. Diffusion chamber with supersaturation constant throughout the volume and in time, 4=16764
- Deryagin, B.V., Talaev, M.V. and Zakhavaeva, N.N. An experimental investigation of the filtration of rarified airfired air through porous media under free molecular and mixed flow conditions, 3=9483
- Deryagin, B.V. and Toporov, Yu. P. Applicability of the two-term friction law to the frictional properties of polymers, 3=13387
- Deryagin, B. V. and Yalamov, Yu. I. Theory of thermophoresis of medium size particle aerosols, 4=23682
- Deryagin, B. V., Zakhavaeva, N. N., Talaev, M. V., Parfanovich, B. N. and Makarova, E. V., 4=7696

- Deryagin, B.V. See Bakanov, S.P., 1=18445
 Deryagin, B.V. See Bakanov, S.P., 2=1172
 Deryagin, B.V. See Bakanov, S.P., 4=7782
 Deryagin, B.V. See Grin-Kelli, R., 4=15853
 Deryagin, B.V. See Kudryavtseva, N.M., 4=10661
 Deryagin, B.V. See Talaev, M.V., 4=5218
 Deryagin, B.V. See Toporov, Yu.P., 4=17720
 Deryagin, B.V. [Ed.]. Research in surface forces, 3=23498
 Deryagin, O.G., Paleolog, E.A. and Tomashov, N.D. Anodic dissolution of germanium containing a p-n junction, 1=7657
 Deryugin, I.A. Danilov, V.N. and Danilov, V.V. Visualization of dislocations in single crystals of ferrites with hexagonal structure, 2=18587
 Deryugin, I.A. Danilov, V.N. and Danilov, V.V. Visualization of dislocations in single crystals of ferrites with hexagonal structure, 2=23176
 Deryugin, I.A. and Lyashenko, N.I. Noise in a magnetized ferrite, 3=20631
 Deryugin, I.A. and Sigal, M.A. Dispersion of the permeability and permittivity of artificial dielectrics in the frequency range 500-35000 Mc/s, 1=10074
 Deryugin, I.A. and Sigal, M.A. Dispersion of the permeability and permittivity of artificial dielectrics in the frequency range 500-3500 Mc/s, 1=12470
 Deryugin, I.A. and Sigal, M.A. Natural ferromagnetic resonance in single-domain particles of Fe, Co and Ni due to the anisotropy field, 2=18930
 Derzhanski, A. A new method for detecting nuclear magnetic resonance absorption, 1=382
 Derzhanski, A., Stainov, G., Vankov, I., Zhablenski, N., Yaneva, N. and Denchev, K. Determination of the characteristics of shadow bands at the total solar eclipse of 15 Feb. 1961, 4=29298
 Derzhanski, A. See Stainov, G., 0=18575
 Derzhanski, D. A new autodyne method for high resolution nuclear resonance spectroscopy, 3=24495
 de Sa, S. and Molyneux, L. A spinner magnetometer, 3=9905
 De Sabbata, V. The photonuclear reactions and the giant resonance. II. Energy and angular distributions of photo-neutrons and photoprotons and fine structure of the giant resonance, 0=4111
 De Sabbata, V. and Tomasini, A. On the surface effect in nuclear photoreactions, 0=2675
 de Sabbata, V. and Tomasini, A. Surface effects in (γ, n) and (γ, p) reactions, 15587
 De Sabbata, V. On the triple angular correlation, 1=17033
 De Sabbata, V. On the triple angular correlation and time reversal invariance in strong interaction, 3=10033
 de Sabbata, V. and Gualdi, C. Neutrino-induced reaction in ^9Be , 3=19886
 De Sabbata, V. and Gualdi, C. Neutretto emission from the stars, 4=7952
 de Sabbata, V. See Boccaletti, D., 3=23693
 de Sabbata, V. See Boccaletti, D., 4=30965
 Desai, A.G. See Damle, V.N., 3=16167
 Desai, B.P. Low-energy pion-pion s-wave phase shifts, 1=10914
 Desai, B.R. Proton-antiproton annihilation in protonium, 0=15355
 Desai, B.R. Pion multiplicity in nucleon-antinucleon annihilation, 0=15356
 Desai, B.R. Low-energy pion-photon interaction: The ($2\pi 2\gamma$) vertex, 2=307
 Desai, B.R. Shrinkage of the diffraction pattern and short-range forces, 3=19582
 Desai, B.R. Diffraction width in terms of f^0 and the residue of the pomeranchuk pole, 4=21806
 Desai, B.R. and Newton, R.G. Angular momentum poles of the non-relativistic S matrix for spin $\frac{1}{2}$ particles, 3=7803
 Desai, B.R. and Newton, R.G. Representations of the S matrix in terms of its angular momentum poles, 3=7804
 Desai, B.R. and Newton, R.G. Threshold motion of Regge poles, 3=14915
 Desai, D.D. and Pandhare, N.H. Dipole moments of o-, m- and p-anisidines, 4=12495
 Desai, D.D. See Tawde, N.R., 0=7769
 Desai, D.D. See Vaidya, W.M., 4=15328
 Desai, H.S. See Gogate, D.V., 0=8826
 Desai, H.S. See Gogate, D.V., 0=19475
 Desai, H.S. See Rao, R.D., 1=13007
 Desai, R.C. Rastogi, B.P. Srinivasan, K.R. and Trasi, M.S. Physics calculations of the Canada-India reactor: comparison with experimental results, 2=5998
 Desai, S.K. See Chiplonkar, V.T., 4=18640
 Desai, U.D. See Bryant, D.A., 3=7953
 Desai, U.D. See Bryant, D.A., 4=2413
 de Saintignon, P., Chabre, M. and Depommier, P. Measurement of the correlation between β -particles and circularly polarized γ -rays in the $2^- \rightarrow 2^+$ transition in K^{42} , 4=15186
 de Salaberry, H. See Olsen, J.L., 3=14461
 Desalvo, A., Condi, P., Levi, F.A. and Zignani, F. Electrical conductivity of high-purity zinc, 4=12865
 De Santis, P., Giglio, E., Liquori, A.M. and Ripamonti, A. Conformational analysis of some linear polymers in the solid state, 3=3351
 De Santis, P., Giglio, E., Mazzarella, L. and Ripamonti, A. Application of optical methods in the analysis of fibre diagrams of linear macromolecules, 4=3945
 De Santis, P. See D'Alagni, M., 4=23659
 De Santis, P. See Damiani, A., 3=3295
 de Santis, P. See Damiani, A., 3=18300
 De Santis, P. See Damiani, A., 4=13571
 de Santis, V. On some consequences of charge independence for K^+ -nucleon interactions, 1=13501
 De Santis, V. See Dallaporta, N., 0=5605
 De Santis, V. See Dallaporta, N., 2=18143
 DeSanto, G. See Ohring, G., 3=7022
 De Sarbata, V. See Boccaletti, D., 4=25060
 de Saussure, G. A note on the measurement of diffusion parameters by the pulsed-neutron source technique, 2=11953
 De Saussure, G., Henry, K. and Perez-Belles, R. Reactivity worth of the central fuel element in the Bulk Shielding Reactor-I [Oak Ridge National Laboratory], 2=6036
 deSaussure, G. and Silver, E.G. Measurements of the transport mean free path of thermal neutrons in beryllium as a function of temperature, 0=15361
 DeSaussure, G. See Macklin, R.L., 1=17163
 de Saussure, G. See Macklin, R.L., 3=2504
 De Saussure, G. See Perez-Belles, R., 2=12253
 DeSavage, B. See Callen, E.R., 3=15901
 DeSavage, B. See Clark, A.E., 3=15888
 Desavage, B.F. See Clark, A.E., 3=20551
 DeSavage, B.F. See Clark, A.E., 4=13232
 Desbrandes, R., Norel, G. and Morineau, Y. On the behaviour of tubes of rare gases ionized during the passage of a short pulse, 1=16254
 Descamps, D. and Merle D'Aubigne, Y. Electron paramagnetic resonance of the Er^{3+} ion in magnesium oxide, 4=13316
 Descamps, D. See Ayant, Y., 1=10787
 Descamps, A. and Cagan, V. Centimetre wave (X-band) properties of ferrites of mixed magnesium-manganese with substituted titanium-nickel ion groups, 4=20555
 Descamps, A. See Bertaut, E.F., 0=13829
 Descamps, D. See Buisson, R., 1=9683
 Descamps, G.A. Scattering diagrams in electromagnetic theory, 4=708
 Descamps, G.A. and Weeks, W.L. Charts for computing the refractive indexes of a magneto-ionic medium, 2=16069
 Descamps, G.A. See Mittra, R., 4=724
 Descamps, P. Electron microscope observation of Guinier-Preston zones, 3=8876
 Descamps, P. See Pannetier, G., 1=20731
 Descamps, P. See Pannetier, G., 3=20990
 Descamps, R. Conditions for obtaining germanium transistors by double diffusion, 0=11686
 Descamps, R. Conditions for the application of double diffusion to produce germanium transistors, 0=13622
 Descamps, R. Properties of germanium transistors made by double diffusion, 0=15978
 Descamps, R. A relation between crystalline and molecular ionicity, 2=23026
 Deschizeaux, M.N. See Nédelec, O., 4=12381
 des Cloizeaux, J. Transition between metallic and insulating states for an electron gas. Application to impurity bands and antiferromagnetics. I, 0=17909
 des Cloizeaux, J. Study of the transitions between metallic and insulating states. Application to impurity bands and antiferromagnetics. II, 0=20775
 des Cloizeaux, J. Extension of a Lagrange formula to some eigenvalue problems, 1=2701
 des Cloizeaux, J. Orthogonal orbitals and generalized Wannier functions, 3=6452
 des Cloizeaux, J. Energy bands and projection operators in a crystal: analytic and asymptotic properties, 4=25891
 des Cloizeaux, J. Analytical properties of n-dimensional energy bands and Wannier functions, 4=25892
 des Cloizeaux, J. and Pearson, J.J. Spin-wave spectrum of the antiferromagnetic linear chain, 3=6730

- des Cloizeaux, J. See Balkanski, M., 1=3619
- des Cloizeaux, J. See Balkanski, M., 1=17445
- des Cloizeaux, J. See Balkanski, M., 1=17472
- Descoubes, J. P. Fine structure of the n^3p levels of He, 4=30375
- Descoubes, J. P., Decomps, B. and Brossel, J. Study of the structure of several levels of He^3 excited by electrons, 4=28111
- Descoubes, J. P. See Archambault, Y., 1=17460
- de Segovia, J. L. See Martin, C. S., 1=16132
- de Segovia, J. L. See Schuermann, W. C., 4=18284
- Desemme, A. and Delsemme, D. Unexpected behaviour of the red line in the night sky near to the equator, 0=4807
- Deser, S. Note on Möller's gravitational stress-tensor, 4=5047
- Deser, S. Canonical method in general relativity and problems of quantization, 4=11033
- Deser, S. Asymptotic properties of the gravitational field, 4=11034
- Deser, S., Furlan, G. and Mahoux, G. Renormalization group and Regge behaviour, 3=22091
- Deser, S., Gilbert, W. and Sudarshan, E. C. G. Structure of the forward scattering amplitude, 0=3934
- Deser, S., Gilbert, W. and Sudarshan, E. C. G. Integral representations of two-point functions, 0=3935
- Deser, S. See Arnowitt, R., 0=2106
- Deser, S. See Arnowitt, R., 0=6660
- Deser, S. See Arnowitt, R., 0=10579
- Deser, S. See Arnowitt, R., 0=10583
- Deser, S. See Arnowitt, R., 0=16586
- Deser, S. See Arnowitt, R., 0=18910
- Deser, S. See Arnowitt, R., 0=18935
- Deser, S. See Arnowitt, R., 0=18936
- Deser, S. See Arnowitt, R., 1=61
- Deser, S. See Arnowitt, R., 1=4249
- Deser, S. See Arnowitt, R., 1=5192
- Deser, S. See Arnowitt, R., 1=8047
- Deser, S. See Arnowitt, R., 2=20232
- Deser, S. See Arnowitt, R., 3=14028
- Deser, S. See Arnowitt, R., 3=23750
- Deser, S. See Arnowitt, R., 4=9046
- Deser, S. See Boulware, D. G., 4=2563
- Deser, S. See Boulware, D. G., 4=5014
- De-Shalit, A. Effective moments in K^{39} and K^{40} , 1=5822
- de Shalit, A. Models of finite nuclei, 1=8534
- de-Shalit, A. Core excitations in nondeformed, odd-A nuclei, 1=8616
- de-Shalit, A. Nuclear moments, 4=9358
- de-Shalit, A. and Talmi, I. Nuclear shell theory, 3=12545
- De-Shalit, A. and Walecka, J. D. Spectra of odd nuclei, 1=5835
- de-Shalit, A. See Dar, A., 3=22424
- de-Shalit, A. and Walecka, J. D. Ground states of odd-odd nuclei, 1=588
- de-Shalit, A. See Braunstein, A., 2=18257
- de-Shalit, A. See Katz, A., 0=14924
- de Shalit, A. See Lemmer, R. H., 2=357
- DeShazer, L. G. See Cabezas, A. Y., 4=15614
- DeShazer, L. G. and Dieke, G. H. Spectra and energy levels of Eu^{3+} in LaCl_3 , 3=15683
- Deshmukh, K. G. See Bhide, V. G., 2=21220
- Deshong, J. A. See Burleson, G. R., 3=17149
- De Shong, J. A., Jr. Techniques used to evaluate the dynamic performance of a natural recirculation boiling water reactor, 1=3495
- DeShong, J. A., Jr., Daniels, R. E., Hildebrand, R. H. and Meyer, P. Spark chamber and magnet system for photographing cosmic-ray tracks at balloon altitudes, 4=25221
- De Shong, J. A., Jr., Hildebrand, R. H. and Meyer, P. Ratio of electrons to positrons in the primary cosmic radiation, 4=12087
- Deshotels, W. J. Ultraviolet transmission of dihydrogen arsenate and phosphate crystals, 0=13686
- DeShong, J. A., Jr. Spark chamber track measuring system, 2=20216
- Deshpande, B. B. Automatic tuning of the musical scale, 2=19658
- Deshpande, C. S. See George, K. A., 1=341
- Deshpande, D. D. Detection of molecular complexes in gases by ultrasonic method, 1=10547
- Deshpande, D. D. Vibration relaxation times of gaseous halogen molecules, 3=9405
- Deshpande, D. D. See Jatkar, S. K. K., 1=8162
- Deshpande, L. V. and Bhide, V. G. Dielectric properties of SnO_2 , 1=8974
- Deshpande, L. V. and Kelkar, V. B. Scattering of high energy electrons by carbon and oxygen, 1=680
- Deshpande, M. D. See Lingappa, N., 3=639
- Deshpande, N. G. and Gerstein, I. S. On the consistency of $z_3 = 0$ and finite mass renormalisation, 4=30141
- Deshpande, N. G. See Balachandran, A. P., 1=16679
- Deshpande, N. G. See Bhamathi, G., 1=9768
- Deshpande, N. G. See Ramakrishnan, A., 1=13370
- Deshpande, S. D. Favoured duration of sudden ionospheric disturbance, 4=17940
- Deshpande, S. M. Surface origin of Joshi effect in carbon monoxide, 4=467
- Deshpande, V. K. The reaction mechanism of the $\text{C}^{13}(\text{d}, \text{n})$ and $\text{C}^{13}(\text{d}, \text{p})$ reactions between 3.2 and 4.1 MeV, 3=24970
- Deshpande, V. K., Fulbright, H. W. and Verba, J. W. A study of the (He^3, n) reaction on C^{12} and C^{13} , 4=17200
- Deshpande, V. K. See Bilaniuk, O. M. P., 3=33
- Deshpande, V. T. Thermal expansion of sodium fluoride and sodium bromide, 2=10338
- Deshpande, V. T. and Khan, A. A. X-ray determination of the thermal expansion of ammonium and dihydrogen phosphate, 3=25202
- Deshpande, V. T. and Mudholker, V. M. On the evaluation of the coefficients of thermal expansion of crystals from X-ray data, 2=572
- Deshpande, V. T. and Pawar, R. X-ray determination of the thermal expansion of tungsten, 3=15441
- Deshpande, V. T. and Sirdeshmukh, D. B. Thermal expansion of tetragonal tin, 1=19723
- Deshpande, V. T. and Sirdeshmukh, D. B. Thermal expansion of ammonium bromide, rubidium bromide and rubidium chloride, 1=19724
- Deshpande, V. T. and Sirdeshmukh, D. B. Thermal expansion of tin in the β - γ transition region, 2=10336
- Dési, S., Graff, G., Lajtai, A. and Nagy, L. The angular distribution of γ -rays from the fission of U^{235} , 3=12711
- Dési, S., Lajtai, A. and Nagy, L. The time distribution of the gamma radiation emitted in the fission of U^{235} , 3=6307
- Dési, S. See Nagy, T., 1=18773
- DeSilva, A. W. See Boley, F. I., 3=19291
- DeSilva, A. W. See Bradley, D. J., 4=3219
- DeSilva, A. W. See Wilcox, J. M., 0=3843
- DeSilva, A. W. See Wilcox, J. M., 2=1470
- DeSilva, A. W. See Wilcox, J. W., 2=19948
- DeSilva, A. W. See Wilcox, J. M., 3=1967
- de Silva, C. M. See do Carmo Anta, M., 2=22476
- DeSilva, C. N. and Tersteeg, G. E. Axisymmetric vibrations of thin elastic shells, 4=18312
- Desjardins, J. S., Rosen, J. L., Havens, W. W., Jr. and Rainwater, J. Slow neutron resonance spectroscopy. II. Ag, Au, Ta, 1=700
- Desjardins, M. See Baun, W. L., 4=9782
- Desjardins, J. S. See Rainwater, J., 0=9381
- Desjardins, J. S. See Rosen, J. L., 0=9685
- Deslattes, R. See Brumberger, H., 4=30011
- Deslattes, R. D. Lifetime of d-band holes in InSb, 2=8525
- Deslattes, R. D. $\text{K}\beta$ emission spectra of argon and KCl , I, 4=7147
- Deslattes, R. D. $\text{K}\beta$ spectra of argon and KCl . II. Satellite excitation, 4=7148
- Deslattes, R. D., Peterson, T. J., Jr and Tomboulis, D. H. Penning discharge as a source in the extreme ultraviolet, 3=7348
- Desler, H. and Pfefferkorn, G. Incineration as a method of preparation in electron microscopy, 4=2105
- Desloge, E. A. Exchange of energy between gases at different temperatures, 3=1725
- Desloge, E. A. Coefficients of diffusion, viscosity, and thermal conductivity of a gas, 3=3825
- Desloge, E. A. Fokker-Planck equation, 3=9574
- Desloge, E. A. Transport properties of a simple gas, 4=29667
- Desloge, E. A. Transport properties of a gas mixture, 4=29668
- Desloge, E. A. and Matthysse, S. W. Collision term in the Boltzmann transport equation, 0=51
- Desloge, E. A. See Bloch, S. C., 3=5667
- Desmarescaux, P. and Lacombe, P. Effect of the passage of an electric current through a layer of ferrous oxide, 3=25831
- Desmarescaux, P. and Lacombe, P. Determination of the ionic transport number of ferrous oxide, 4=29227
- Desmedt, J. E. Auditory-evoked potentials from cochlea to cortex as influenced by activation of the efferent olivo-cochlear bundle, 3=3664

- Desnoyers, J. E. and Conway, B. E. Activity coefficients of electrolytes at intermediate concentrations and the "cube-root" law, 4=30903
- de Sobrino, L. and Clark, M. Jr. Comparison of Wilkins equation with experiments on water systems, 2=5677
- de Sobrino, L. and Clark, M. Jr. Comparison of the Wilkins equation and higher order approximations for solid moderators, 2=5678
- de Sobrino, L. and Clark, M. Jr. A study of Wilkins equation, 2=5679
- de Sobrino, L. See Gyftopoulos, E. P., 0=13379
- de Sobrino, R. See Olson, H. F., 3=1551
- De Socio, L. Supersonic wakes, 4=24254
- de Socio, M. An electromagnetic wave-front in an ionized gas subjected to a magnetic field, 0=11049
- De Socio, M. Further communication on an electromagnetic wave-front in an ionized gas subjected to a magnetic field, 1=5595
- de Socio, M. Waveguides with a particular nonuniform dielectric constant, 4=27655
- de Soete, D. and Hoste, J. Predicting gamma resolution, 2=11924
- De Soete, D. and Hoste, J. γ -spectrometry compensated for the Compton effect, 2=20290
- De Soete, D., Hoste, J. and Leliaert, G. Preparation of carrier-free Cr^{51} , 1=17297
- DeSorbo, W. Calorimetric studies on annealing quenched-in defects in gold, 0=4288
- DeSorbo, W. Study of the intermediate state in superconductors using cerium phosphate glass, 0=10848
- DeSorbo, W. Low temperature calorimetric measurements on isothermal aging of Al-Ag, 1=4068
- Desorbo, W. Quenched-in defects in tin and the superconducting transition temperature, 1=17507
- DeSorbo, W. Magnetization studies on some superconducting transition metal solutions, 3=15747
- DeSorbo, W. Size factor and superconducting properties of some transition metal solutions, 3=16871
- DeSorbo, W. Effect of dissolved gases on some superconducting properties of niobium, 4=408
- DeSorbo, W. The peak effect in substitutional and interstitial solid solutions of high-field superconductors, 4=18563
- DeSorbo, W. Resistive transition and current density characteristics in superconducting niobium containing dissolved gases, 4=18592
- DeSorbo, W. Concerning the ratio H_{c3}/H_{c2} in superconducting Nb and Nb-O solutions, 4=29839
- DeSorbo, W. and Newhouse, V. L. Optical detection of domain structure and current flow in superconducting lead films, 2=7512
- De Sorbo, W. See DeBlois, R. W., 4=18595
- DeSouza, P. D., Snow, G. A. and Meshkov, S. S-wave hyperon-nucleon interactions and SU_3 symmetry, 4=25187
- de Souza Santos, H. Effects of electron bombardment upon inorganic substances observed in an electron microscope, 1=14342
- D'Espagnat, B. $|\Delta S|=1, |\Delta I|=\frac{1}{2}$ rules with two charged intermediate boson fields, 1=432
- d'Espagnat, B. A proposed experimental test of the Day, Snow and Sucher argument based on antiproton annihilation into kaons, 1=13422
- D'Espagnat, B. The existence of two neutrinos and the analysis of the leptonic currents structure in strangeness non-conserving processes, 2=22484
- D'Espagnat, B. Possible unitary symmetry properties of the intermediate bosons and their interactions, 4=9089
- D'Espagnat, B., Martin, A. and Prentki, J. Experimental tests of certain hypotheses of symmetry relative to strong interactions, 1=434
- d'Espagnat, B. and Prentki, J. Incompatibility between the hypothesis of restricted symmetry and certain experimental results, 0=15391
- d'Espagnat, B. and Prentki, J. The unitary symmetry and a connection between the $\Delta S \neq \frac{1}{2}$ and $\Delta I = 2$ rules, 2=11875
- d'Espagnat, B. and Renard, F. M. Interplay of competing resonances, 4=5941
- d'Espagnat, B. and Villachon, Y. Intermediate bosons and unitary symmetry, 4=25009
- D'Espagnat, B. See Bouchiat, C., 4=9105
- Despic, A. R. and Bockris, J. O' M. Kinetics of the deposition and dissolution of silver, 0=4713
- Desportes, H. See Tsai, B., 0=2412
- Desportes, H. See Tsai, B., 3=4246
- Despres, J. See Bobin, J. L., 1=7718
- Despres, R. and Pollet, J. The production of a test chart with sinusoidal density by filtering of spatial frequencies, 0=19396
- Despres, R. and Pollet, J. Production and use of a sine-wave test-object, 4=27342
- Despres-Rebaud, S. See Dépau, B., 0=15204
- Despres-Rebaud, S. See Lory, J., 4=3785
- Despres-Rebaud, S. See Morand, M., 0=2716
- Despres-Rebaud, S. See Morand, M., 1=7179
- Despres-Rebaud, S. See Morand, M., 1=9709
- Despujols, J. Stacking faults in gold films obtained by evaporation in vacuum, 0=8282
- Despujols, J. Extension of the theory of diffraction of X-rays by perfect crystals, 2=12902
- Despujols, J. See Callon, P., 4=17843
- Desré, P. See Bonnier, E., 1=1435
- Desré, P. See Bonnier, E., 1=19711
- Desré, P. See Bonnier, E., 1=20583
- Desré, P. See Bonnier, E., 3=5116
- Desré, P. See Bonnier, E., 3=14152
- Desré, P. See Bonnier, E., 4=8165
- Dessaux, O. See Pannetier, G., 2=20818
- Dessaux, O. See Pannetier, G., 3=12876
- Dessaux, O. See Pannetier, G., 4=12443
- Dessel, N. F. Prediction of success in physics for high-ability students—a small sample study, 4=11004
- Dessens, H. and Vaillant, J. The formation of clouds and rain by controlled convection, 3=25886
- Dessens, J. A procedure for studying atmospheric ice crystals by optical sounding, 2=4596
- Dessler, A. J. Upper atmosphere density variations due to hydromagnetic heating, 0=8371
- Dessler, A. J. Ionospheric heating by hydromagnetic waves, 0=9181
- Dessler, A. J. Effect of magnetic anomaly on particle radiation trapped in geomagnetic field, 0=10425
- Dessler, A. J. Discussion of paper by R. L. Arnoldy, R. A. Hoffman, and J. R. Winckler, "Observations of the Van Allen radiation regions during August and September 1959. I", 1=15333
- Dessler, A. J. The stability of the interface between the solar wind and the geomagnetic field, 2=4693
- Dessler, A. J. Hydromagnetic picture of earth storms, 2=13079
- Dessler, A. J. Further comments on stability of interface between solar wind and geomagnetic field, 3=21071
- Dessler, A. J. and Fejer, J. A. Interpretation of K_p index and M-region geomagnetic storms, 3=23651
- Dessler, A. J., Francis, W. E. and Parker, E. N. Geomagnetic storm sudden-commencement rise times, 1=15348
- Dessler, A. J. and Hanson, W. B. Possible energy sources for the aurora, 2=6950
- Dessler, A. J. Hanson, W. B. and Parker, E. N. Formation of the geomagnetic storm main-phase ring current, 2=4695
- Dessler, A. J. Hanson, W. B. and Parker, E. N. Mechanism to establish the magnetic storm ring current, 2=13076
- Dessler, A. J. and Karplus, R. Some properties of the Van Allen radiation, 0=8400
- Dessler, A. J. and Karplus, R. Some effects of diamagnetic ring currents on Van Allen radiation, 1=21074
- Dessler, A. J. and Parker, E. N. Hydromagnetic theory of geomagnetic storms, 0=12138
- Dessler, A. J. and Vestine, E. H. Maximum total energy of the Van Allen radiation belt, 1=1569
- Dessler, A. J. and Walters, G. K. Hydromagnetic coupling between solar wind and magnetosphere, 4=20858
- Dessler, A. J. See Ahluwalia, H. S., 2=16278
- Dessler, A. J. See Axford, W. I., 3=16368
- Dessler, A. J. See Cladis, J. B., 1=15330
- Dessler, A. J. See Francis, W. E., 0=21312
- Dessy, J. L. Distortion free aplanatic telescopes, 4=13875
- Dessy, J. L. Some lesser known properties of Ritchey-Chretien telescopes, 4=13876
- de Staebler, H., Jr. See Blumenthal, R. B., 4=9473
- DeSteele, J. G. Thermionic emission characteristics of rhenium with low cesium coverage, 3=14624
- De Stefano, P. See Bonera, G., 1=9068
- de Stefano, P. See Bonera, G., 1=11482
- De Stefano, P. See Bonera, G., 2=4544
- De Stefano, P. See Bonera, G., 2=23960
- De Stefano, P. See Bonera, G., 3=23545
- De Stefano, P. See Bonera, G., 4=206
- Destouches, J. L. Gravitation in a nonlinear microphysical theory, 0=6653

- Destouches, J.L. A boundary property of the mean wave in the functional theory of particle systems, 1=8078
- Destouches, J.L. The graviton in the functional theory of particles, 0=14489
- Destouches, J.L. Properties of equations of the gravitation in functional theory, 0=14490
- Destouches, J.L. Fusion in functional theory, 0=15258
- Destouches, J.L. Particles fusion in functional theory, 1=13296
- Destouches, J.L. Properties of fused systems in the functional theory [of particles], 1=13297
- Destouches, J.L. The functional theory of corpuscles, 3=17175
- Destouches, J.L. See Aeschlimann, F., 0=3914
- Destouches-Aeschlimann, F. Fusion of particles in functional theory, 0=15257
- De Strobel, G. Cayrel. See Cayrel De Strobel, G.
- De Sutter, W. See Beels, R., 0=21167
- Desvignes, F. Photovoltaic solar cells, 2=19889
- Desvignes, F. and Robert, M. An accumulation phenomenon in cooled germanium p-n junctions, 1=14477
- Desvignes, F. See Besse, A., 0=180
- Desvignes, F. See Grandjean, C., 0=7996
- de Swaan Arons, J. and Diepen, G.A.M. Thermodynamic study of melting equilibria under pressure of a supercritical gas, 3=21616
- de Swaan Arons, J. and Diepen, G.A.M. Immiscibility of gases. The system He-Xe, 4=5215
- de Swart, J.J. Theory of the photodisintegration of the deuteron and n-p capture, 0=7424
- de Swart, J.J. The Λ - Λ interaction, 4=957
- de Swart, J.J. The crossing matrix in the octet model, 4=9069
- de Swart, J.J. The octet model and its Clebsch-Gordon coefficients, 4=11026
- de Swart, J.J. and Dullemond, C. Hyperon-nucleon scattering, 2=3408
- de Swart, J.J. and Dullemond, C. Effective range theory and the low energy hyperon-nucleon interactions, 2=22642
- de Swart, J.J. and Iddings, C.K. Λ -nucleon scattering and the pion-hyperon coupling constants, 3=4468
- de Swart, J.J. and Iddings, C.K. Low-energy Σ^+ p and Σ^- d interactions and the pion-hyperon coupling constants, 3=10176
- de Swart, J.J. and Marshak, R.E. Photodisintegration of the deuteron in the medium energy range, 0=17429
- de Swart, J.J. See Dullemond, C., 1=7242
- de Swart, J.J. See Dullemond, C. 2=20428
- de Swiniarski, R. See Bouchez, R., 1=13791
- de Tanis, S.V. See de Libanati, N.N.A., 3=6795
- Detch, J.L. See Bennett, W.R., Jr., 4=19286
- Detenbeck, R.W. See Marion, J.B., 1=16820
- Deterding, L.G. High-precision, stain-free mounting of large lens-elements, 2=17588
- Detert, K. Investigations on a new kind of secondary recrystallization in Fe-3% Si alloys, 0=16264
- Detert, K. and Thomas, L. The influence of vacancies of the decomposition kinetics during the zone formation in aluminum-magnesium alloys, 4=15729
- Detert, K. See Aurich, D., 3=16098
- Detko, J.F. See Luce, J.C., 4=19061
- Detkov, S.P. The problem of radiation exchange between grey surfaces, 0=12525
- Detoeuf, J. See Brisson, J.C., 0=3989
- Detoeuf, J.F. Nucleon isobars and resonant states of systems of several π -mesons, 3=4430
- Detoeuf, J.F., Ducros, Y., Merlo, J.P., Stirling, A., Thevenet, B., van Rossum, L. and Zsemberg, J. Measurements of the $\pi^+\pi^0 \rightarrow \pi^+\pi^0$ cross section from 0.5 to 1.5 GeV/c, 4=15089
- Detoeuf, J.F., Ducros, Y., Merlo, J.P., Stirling, A., Thevenet, B., van Rossum, L. and Zsemberg, J. Study of the reaction $\pi^- + p \rightarrow \pi^0 +$ (charged particles), between 0.5 and 1.5 GeV/c, 4=12048
- Detoeuf, J.F. See Bareyre, P., 1=13418
- Detoeuf, J.F. See Brisson, J.C., 0=2412
- Detoeuf, J.F. See Brisson, J.C., 1=5770
- Detoeuf, J.F. See De Witt, C., 1=18296
- Detoeuf, J.F. See De Witt, C. [Eds], 1=6800
- Detoeuf, J.F. See Duboc, J., 1=13226
- De Tollis, B. On μ -meson electron scattering, 0=2562
- de Tollis, B. Anomalous moment of the μ -meson for different models of breakdown of quantum electrodynamics, 0=15382
- De Tollis, B. Dispersive approach to photon-photon scattering, 4=19372
- De Tollis, B., Ferrari, and Munczek, H. The influence of a possible pion-pion interaction on the photoproduction of charged pions, 1=521
- De Tollis, B., Lasinio, G.J. and Liotta, R.S. Inelastic scattering of high energy photons in the Coulomb field of a nucleus with production of electron-positron pairs (radiative pair production), 1=5887
- De Tollis, B. and Verganelakis, A. Pion-pion interaction in the photoproduction of neutral pions with polarized γ rays, 1=8485
- De Tollis, B. and Verganelakis, A. The effect of a pion-pion interaction on the π^0 photoproduction, 2=3376
- Detoni, S. See Blinc, R., 1=17833
- Detoni, S. See Blinc, R. 2=2208
- de Torné, B.C. Measurement of spin lattice relaxation times of Cu^{63} as a function of temperature, 0=6275
- de Toullec, R. See Balkanski, K., 4=25837
- Detraz, C. See Bachelier, D., 4=12222
- Detraz, C. See Bachelier, D., 4=19780
- Detraz, C. See Genin, J., 2=453
- Detraz, C. See Radvanyi, P., 2=1892
- Detraz, C. See Radvanyi, P., 2=3571
- Dettmann, F.F. and Lange, F.K. Critical currents in superconducting wires and ribbons covered with Nb₃Sn, 4=27431
- Dettmann, K. and Ludwig, W. Localized vibration states in cubic crystals with point defects, 4=17344
- Dettorre, J.F., Knorr, T.G., Hartman, N.F. and Cocks, G.G. Ultrahigh vacuum system for use with a polarizing spectrometer, 4=14225
- de Turville, C. A note on continuous creation, 0=14380
- de Turville, C.M. Terrestrial accretion from the solar wind, 1=11651
- de Turville, C.M. Terrestrial accretion from the solar wind, 2=15181
- de Turville, C.M. See Frith, R., 1=20806
- Detweiler, R.M. See Kulp, B.A., 3=8476
- Detweillers, R.M. See Kulp, B.A., 3=25480
- Detwiler, C.R., Garrett, D.L., Purcell, J.D. and Tousey, R. The intensity distribution in the ultraviolet solar spectrum, 2=2480
- Detwiler, C.R., Purcell, J.D. and Tousey, R. The extreme ultraviolet spectrum of the sun, 2=15341
- Detwiler, D.P. See Tallan, N.M., 3=15612
- Deubner, A., Heise, R. and Wenzel, K. Establishment of the piezoelectric effect in ice, 1=3811
- Deubner, A. and Schulz, F. Conductivity variations of cuprous oxide layers with an electrostatic charge, 0=7939
- Deubner, F.L. Observation on the problem of the coincidence of eruptions and the magnetic zero-line, 2=15359
- Deubner, F.L. Application of wide spectrograph slits in photoelectric polarization measurements on Fraunhofer lines, 3=270
- Deubner, F.L., Kiepenheuer, K.O. and Liedler, R. The magnetograph of the Fraunhofer Institute, 1=15402
- Deuchars, W., Perkin, J.L. and Batchelor, R. The $^1\text{H}(t,n)^3\text{He}$ reaction as a neutron source, 3=24742
- Deuchars, W.M. and Dandy, D. γ -radiation from interaction of 14 MeV neutrons, 0=15598
- Deuchars, W.M. and Dandy, D. Angular correlations in the reactions $^{18}\text{O}(\alpha, n\gamma)^{21}\text{Ne}$ and $^{22}\text{Ne}(\alpha, n\gamma)^{25}\text{Mg}$, 1=11037
- Deuchars, W.M. and Lawrence, G.P. Interaction of 14 MeV neutrons with a silicon semiconductor nuclear particle detector, 1=19495
- Deuchars, W.M. and Lawrence, G.P. The reaction silicon-29(n, α) magnesium-26 at 14 MeV neutron energy, 2=7997
- Deuel, R.W. See Dickerman, P.J., 4=24665
- de Unamuno, S. See Escoubes, B., 3=19630
- Deutch, B.I. Nuclear resonance fluorescence from the 343 keV level of Lu^{175} , 2=7954
- Deutch, B.I. Measurement of the magnetic moment of the 279-keV state in Tl^{203} using resonance fluorescence, 2=12122
- Deutch, B.I. The shape of the Doppler-broadened nuclear resonance fluorescence line, 3=629
- Deutch, B.I. and Gerholm, T.R. An experimental search for β -decay rate changes with high centrifugal forces, 4=9435
- Deutch, B.I. and Goldberg, N. Nuclear structure effects in Tl^{203} , 0=5713
- Deutch, B.I. and Metzger, F.R. Nuclear resonance fluorescence from the 279 keV level of Tl^{203} with an ultracentrifuge, 1=7357

- Deutsch, B.I., Metzger, F.E. and Wilhelm, F.J. Nuclear resonance fluorescence with the 105 keV E1 transition of Gd^{155} using an ultracentrifuge, 0=11380
- Deutsch, A. J. and Righini, G. An airborne observation of the coronal spectrum at the eclipse of July 20, 1963, 4=26955
- Deutsch, C. Calculation of the deuteron ground state with spherical symmetry, 1=2100
- Deutsch, C. Relativistic calculation of the deuteron ground state, 1=2101
- Deutsch, C. and Lefort, M. Cross-sections for production of Po^{206} , Po^{208} and Po^{210} by bombardment of Bi^{208} by protons of 155 MeV, 0=15570
- Deutsch, E. Determination of the displacements and stresses on the surface of a semi-infinite elastic medium under the action of a normal axisymmetric force, 2=19477
- Deutsch, E.R. Optical scanning of liquid concentration in flow studies with porous models, 0=10635
- Deutsch, E.W. See Barrow, R.F., 3=4758
- Deutsch, E.W. See Barrow, R.F., 3=25105
- Deutsch, F. and Avivi, P. Time lag of the gas breakdown in crossed electric and magnetic fields, 3=5646
- Deutsch, F. See Avivi, P., 4=479
- Deutsch, F. See Avivi, P., 4=8669
- Deutsch, F. See Avivi, P., 4=11634
- Deutsch, H. Gas mixture processes in alternating current discharges, 1=1898
- Deutsch, J. See Delabaye, M. 2=5858
- Deutsch, J.L. and Barrow, R.F. The state $1^1\Sigma$ of carbon monoxide, 2=20799
- Deutsch, J.L. See Barrow, R.F., 1=14006
- Deutsch, J.L. See Barrow, R.F. 2=6145
- Deutsch, J.P., Grenacs, L., Lehmann, J. and Lipnik, P. Study of the β - γ cascade in the de-excitation of Rb^{86} , 2=407
- Deutsch, J.P., Grenacs, L. and Lipnik, P. Experimental study of the β - γ cascade in Ce^{141} , 2=408
- Deutsch, J.P., Grenacs, L. and Lipnik, P. The β - γ correlation in Ho^{166} , 2=5859
- Deutsch, J.P., Grenacs, L. and Lipnik, P. Note on the character of the 2+ first excited levels of Yb^{170} , Os^{186} and Os^{188} , 3=22309
- Deutsch, J.P., Grenacs, L. and Lipnik, P. Note on the β - γ directional correlation in Rb^{86} , 4=9449
- Deutsch, J.P. and Lipnik, P. Conical polarimeter for γ -rays: β - γ circular polarization correlation measurements of Au^{198} , 0=2655
- Deutsch, J.P. and Lipnik, P. Angular dependence of the β - γ correlation (circularly polarized) in Au^{198} , 1=8647
- Deutsch, J.P. and Lipnik, P. Circularly polarized beta-gamma correlation measurements on Re^{187} , 1=9835
- Deutsch, J.P. and Lipnik, P. Measurements of the beta-gamma correlation in the circular polarization of γ -rays from Au^{198} and Sb^{122} , 1=17036
- Deutsch, J.P. and Lipnik, P. Analysis of certain once forbidden beta transitions of the $J = 1$ type for a verification of the conserved vector current theory of weak interactions, 4=17086
- Deutsch, J.P. See de Croës, M., 1=13726
- Deutsch, J.P. See Creutz, E., 4=3539
- Deutsch, J.P. See Delabaye, M. 2=16372
- Deutsch, J.P. See Delabaye, M., 4=17095
- Deutsch, J.P. See Lipnik, P. 2=7943
- Deutsch, M. A spark chamber automatic scanning system, 4=21716
- Deutsch, M. and Bauer, R.W. Spins of the isomeric states of Hf^{178} and Hf^{180} , 1=594
- Deutsch, M. and Bauer, R.W. Spins of the isomeric states of Hf^{178} and Hf^{180} , 1=8549
- Deutsch, M., Mencuccini, C., Querczoli, R., Salvini, G., Silvestrini, G.V. and Stiening, R. The single photoproduction of neutral pions in hydrogen in the energy range 600 to 800 MeV. Use of the spark chamber technique, 2=22557
- Deutsch, M. See Bauer, R.W., 0=4076
- Deutsch, M. See Bauer, R.W., 0=11307
- Deutsch, M. See Bauer, R.W., 0=20326
- Deutsch, M. See Bauer, R.W., 2=1822
- Deutsch, M. See Bauer, R.W., 3=628
- Deutsch, M. See Stiening, R., 1=4828
- Deutsch, M. See Stiening, R., 1=10978
- Deutsch, M. See Stiening, R.F., 3=19601
- Deutsch, R.V. See Doich, R.V.
- Deutsch, R.W. Temperature dependence of the thermal diffusion length in water, 0=12948
- Deutsch, R.W. Method for analysing low-enrichment, light-water cores, 2=3657
- Deutsch, R.W. Spatial dependence of thermal-neutron spectra and the interpretation of thermal utilization measurements, 2=8039
- Deutsch, R.W. Re "Spatial dependence of thermal-neutron spectra and the interpretation of thermal utilization measurements", 2=16454
- Deutsch, S. Effect of heat on the coloration of the pleochroic haloes in biotite, 0=13866
- Deutsch, S. Fast-response temperature-control unit for a spectroscopic sample chamber, 2=9442
- Deutsch, T. Polarization effects in the infrared lattice absorption bands of CdS, 2=8533
- Deutsch, T. Lattice absorption in zinc sulphide, 3=10967
- Deutsch, T., Ellis, R.C., Jr. and Warschauer, D.M. Radiative recombination effects in GaSb diodes at high current densities, 3=17913
- Deutsch, T., Paul, W. and Brooks, H. Pressure dependence of the Hall constant of the alkali metals, 1=17625
- Deutsch, T. See Rimal, L., 4=10325
- Deutschmann, M. See Aderholz, M., 4=21914
- Deutschmann, M. See Aderholz, M., 4=25151
- Deutschmann, M. See Bartsch, J., 4=21920
- Deutschmann, M. See Bartsch, J., 4=30264
- Deutschmann, M. See Bondar, L., 4=944
- Deutschmann, M. See Lengeler, H., 3=22242
- Deutschmann, M. See Lengeler, H., 3=22369
- Dev, D. The elasto-plastic problem of a thin rotating disc with a central circular hole and variable thickness, I, 2=2664
- Dev, I. See Ballentyne, D.W.G., 4=10226
- De Valois, R.L., Jacobs, G.H. and Jones, A.E. Responses of single cells in primate red-green color vision system, 3=11643
- Devanathan, C. Oscillations of a three-component assembly with or without magnetic field, 2=9610
- Devanathan, C. On gravitational instability, 3=9154
- Devanathan, C. and Bhatnagar, P.L. Hydromagnetic waves in a compressible fluid, 1=19006
- Devanathan, C. and Bhatnagar, P.L. Motion of a charged particle through plasma, 4=505
- Devanathan, C. and Uberoi, C. Harmonic and anharmonic oscillations of a cylindrical plasma in the presence of a uniform axial magnetic field and a steady axial current, 4=5661
- Devanathan, C. See Bhatnagar, P.L., 4=14705
- Devanathan, M.A.V. and Stachurski, Z. The adsorption and diffusion of electrolytic hydrogen in palladium, 2=23207
- Devanathan, M.A.V. See Bockris, J.O'M., 3=21002
- Devanathan, V. Elastic scattering of charged pions by deuterons at 300 MeV, 3=17322
- Devanathan, V. and Ananthanarayanan, K. Photoproduction of charged pions from deuterons, 4=19552
- Devanathan, V. and Ramachandran, G. A note on photo-mesons from deuterons, 1=5751
- Devanathan, V. and Ramachandran, G. Photo-production of charged pions from nuclei, 3=2430
- Devanathan, V. See Ramakrishnan, A., 1=8481
- Devanathan, V. See Ramakrishnan, A., 1=15699
- Devanathan, V. See Ramakrishnan, A. 2=5725
- Devanathan, V. See Ramachandran, G., 4=6317
- Devanathan, V. See Ramachandran, G., 4=12119
- Devant, G. See Croce, P., 4=23577
- Devanathan, C. Flow of finitely conducting fluid between torsionally oscillating parallel infinite plane discs in the presence of uniform magnetic field perpendicular to the discs, 3=4257
- De Vany, A.S. Optical design for two telescopes, 3=11487
- De Vany, A.S. A note on testing homogeneity of glass, 4=21285
- De Vany, A.S. Supplement to "A note on testing the homogeneity of glass", 4=27300
- Devare, H.G. On the decay of I^{133} , 1=19395
- Levare, H.G. and Tandon, P.N. Effect of the non-linear response of NaI(Tl) on the single crystal summing spectra, 3=14944
- Devare, H.G. See Devare, S.H., 3=22334
- Devare, H.G. See Devare, S.H., 4=19729
- Devare, H.G. See Jha, S., 0=1376
- Devare, H.G. See Jha, S., 0=15562
- Devare, H.G. See Jha, S., 1=663
- Devare, H.G. See Jha, S., 1=5829
- Devare, H.G. See Jha, S., 1=5868
- Devare, H.G. See Jha, S., 1=8637
- Devare, H.G. See Jha, S., 1=13749
- Devare, H.G. See Jha, S. 2=16373
- Devare, H.G. See Sharma, R.P., 3=17438

- Devare, H. G. See Tandon, P. N., 4=19721
- Devare, H. G. See Devare, S. H., 4=9406
- Devare, S. H. and Devare, H. G. Decay scheme of the isomers of Te^{129} , 4=19729
- Devare, S. H. and Devare, H. G. Decay of the 9.4-min and 9.7-day isomers of Sn^{125} , 4=9406
- Devare, S. H., Tandon, P. N. and Devare, H. G. Decay of the 25-min activity of Te^{131} , 3=22334
- Devare, S. H. See Sharma, R. P., 2=10043
- de Vaucouleurs, A. See Mayall, N. U., 2=19340
- de Vaucouleurs, G. Rotation and mass of the large magellanic cloud, 0=6614
- de Vaucouleurs, G. Large-scale structure and direction of rotation in galaxies, 0=8511
- de Vaucouleurs, G. Remarks on Mars and Venus, 0=10493
- de Vaucouleurs, G. Transit of mercury observed at Austin, Texas, 1=4192
- de Vaucouleurs, G. Multicolor photometry of Mars in 1958, 1=6700
- de Vaucouleurs, G. Recent studies of clusters and superclusters, 2=9103
- de Vaucouleurs, G. Precision mapping of Mars, 3=23675
- de Vaucouleurs, G. and de Vaucouleurs, A. Search for systematic errors in galaxy redshift measurements, 3=11576
- de Vaucouleurs, G. and Menzel, D. H. Results of the occultation of Regulus by Venus, July 7, 1959, 1=15
- de Vaucouleurs, G. See de Vokur, Z., 0=18823
- Devaut, J., Pollard, J. and Lehr, P. Observation of dislocations generated in zirconium by the $\beta \rightarrow \alpha$ phase change, 4=1486
- DeVault, G. P. and Curtis, C. W. Elastic cylinder with free lateral surface and mixed time-dependent end conditions, 2=9220
- DeVault, G. P. See Byatt, W. J., 1=16579
- Devaure, J. See Saumagne, P., 1=18413
- DeVaux, L. H. See Rieke, F. F., 0=8840
- Devaux, P., Schott, M. and Lazerges, M. Electronic properties of the phthalocyanines. Photoconductivity of solid copper phthalocyanine, 4=10137
- de Veer, J. D. See van Heel, A. C. S., 3=16566
- De Veer, S. M. and Meyer, H. J. G. Infra-red absorption by free electrons in germanium, 3=10825
- Develey, G. and Rimet, G. Shape of electromagnet pole pieces for the measurement of paramagnetic susceptibilities, 4=8895
- Devell, L. See Westermarck, T., 1=19399
- Deveni, A. [Devenyi] and Meneile, R. The effect of non-uniformity of thickness on the electrical conductivity of thin metallic films, 2=12491
- Deveni, A. See Grigorovich, R., 4=9891
- Dévényi, A. The anomalies produced by cracks in thin low-temperature evaporated Ag and Pb-films in relation to the changes in conductivity caused by tempering, 1=6561
- Dévényi, A. Causes of the anomalous variations of electric resistance as a function of temperature in silver films deposited at low temperatures, 1=17614
- Devenyi, A. and Manaila, R. Influence of non-uniform thickness on the electrical conductivity of thin metallic films, 2=18636
- Dévényi, A., Rusu, C. and Boțilă, T. Determination of the crystallite size in evaporated beryllium layers by means of electron diffraction, 4=10449
- Devenyi, A. See Croitoru, N., 0=16362
- Devenyi, A. See Grigorovici, N., 2=6469
- Devenyi, A. See Grigorovici, R., 0=16368
- Devenyi, A. See Grigorovici, R., 1=1467
- Dévényi, A. See Grigorovici, R., 1=2548
- Devenyi, A. See Grigorovici, R., 2=8281
- Devenyi, A. See Grigorovici, R., 2=8283
- Devenyi, A. See Grigorovici, R., 2=10438
- Devenyi, A. See Grigorovici, R., 2=16620
- Devenyi, A. See Grigorovici, R., 2=16681
- Devenyi, A. See Grigorovici, R., 2=18635
- Devenyi, A. See Grigorovici, R., 2=18749
- Devenyi, A. See Grigorovici, R., 2=20979
- Dévényi, A. See Grigorovici, R., 3=4906
- Dévényi, A. See Grigorovici, R., 3=8494
- Dever, D. F. See Walsh, P. N., 2=1317
- Dever, D. F. See White, D., 2=1316
- Dever, D. F. See White, D., 4=3862
- Deverall, LaM. I. Solution of the time-dependent thermal neutron diffusion equation, 0=12956
- Devereaux, H. L. See Odencrantz, F. K., 3=9096
- Devereux, O. F. and de Bruyn, P. L. Numerical evaluation of the van der Waals forces of interaction between two macroscopic bodies, 3=2090
- Deveryi, A. See Deveni, A.
- de Veubeke, B. F. The method of eigenfunctions in the problems of transmission of heat in a transient regime, 0=19471
- de Veubeke, B. F. Variational principles in the mechanics of compressible fluids, 1=4303
- Devichev, M. I. See Bolotov, V. N., 4=27730
- Devienne, F. M. Realization of a molecular gun, 2=14342
- Devienne, F. M., Clapier, R. and Roustan, J. Detection and Measurement of Velocity of Fast Molecules and Neutral Atoms, 2=12355
- Devienne, F. M., Roustan, J. C. and Souquet, J. A study of the physical factors which influence the electronic emission produced by the impact of high-energy molecules at metallic surfaces, 4=11700
- Devienne, F. M. and Souquet, J. Production of a molecular beam at a very high speed and relatively great density; development of a molecular gun, 2=3801
- Devienne, F. M., Souquet, J. and Clapier, R. Study of the efficiency of charge exchange between a jet of neutral gas molecules and a beam of ions, 3=24223
- Devienne, M. Method of obtaining molecular beams of very high velocity, 1=19679
- de Vijver, R. E. van. See van de Vijver, R. E.
- Deville-Cavellin, J. See Lajzerowicz, J., 3=10880
- de Villepin, J. An experimental study of the magnetic anisotropy of localized bonds. I. General outline of the method. Application to the study of iodine, 3=8640
- de Villepin, J. An experimental study of the magnetic anisotropy of a localized band in several molecules, 4=7212
- Devillers, D. See Ambrosino, G., 2=7996
- De Villers, D. See Blanc, D., 2=12202
- De Villiers, J. A. M. See Meyer, M. A., 0=20253
- De Villiers, J. A. M. See Meyer, M. A., 0=20254
- De Villers, J. A. M. See Meyer, M. A., 2=2097
- De Villers, J. A. M. See Meyer, M. A., 2=3425
- De Villers, J. A. M. See Meyer, M. A., 2=8001
- De Villers, J. A. M. See Meyer, M. A., 2=13920
- De Villiers, J. W. L. See De Lange, P. W., 0=2638
- de Villiers, J. W. L. See Schneider, H., 0=1386
- Devin, B. and Vandevyver, M. Maximum theoretical efficiency of thermionic emission energy convertor, 2=19885
- Devin, C., Jr. Survey of thermal, radiation, and viscous damping of pulsating air bubbles in water, 0=119
- Devins, D. W., Forster, H. H., Bunch, S. M. and Kim, C. C. Quasi-elastic proton-deuteron collisions in Li^6 at 30 MeV, 4=19776
- Devins, D. W., Forster, H. H. and Gigas, G. G. Elastic and inelastic scattering of 30.8 MeV protons from Ni^{60} and Pb^{208} , 2=16404
- Devins, D. W. See Forster, H. H., 1=19458
- Devins, J. C. and Crowe, R. W. Electric strength of methane and deuteromethane, 0=19634
- Devins, J. C. and Reynolds, S. I. Digest of literature on dielectrics. The breakdown of dielectrics, 0=2300
- Devins, J. C. See Crowe, R. W., 0=14999
- Devins, J. C. See Leblanc, O. H., Jr., 1=1890
- Deviot, B. and Barriol, M. Abnormal permittivity of casein hydrate at hyperfrequencies, 3=22988
- Devir, S. E. On the coagulation of aerosols. I, 4=4717
- Dévis, R. and Gudman, F. [Davies, R. O. and Goodman, F. O.] On Popov's relation between the symmetry of transport coefficients and thermodynamics, 0=14544
- Devishev, M. I., Rakitin, D. F. and Ryabikov, S. V. Peculiarities in photographing particle tracks in the case of simultaneous pulse and ionization measurements in large Wilson cloud chambers, 4=781
- Devishev, M. I. See Bolotov, V. N., 3=14496
- Devishev, M. I. See Bolotov, V. N., 4=5916
- Devlin, G. E. and Corenzwit, E. Isotope effect in Nb, Sn, 1=259
- Devlin, G. E., McKenna, J., May, A. D. and Schawlow, A. L. Composite rod optical masers, 2=6560
- Devlin, G. E. See Davis, J. L., 0=3107
- Devlin, G. E. See Schawlow, A. L., 0=2293
- Devlin, G. E. See Schawlow, A. L., 1=6246
- Devlin, J. P. Urey-Bradley "nonbonded" forces, 4=6552
- Devlin, J. P. See Bandy, A., 4=27181
- Devlin, J. P. See Hisatsune, I. C., 0=2751
- Devlin, J. P. See Hisatsune, I. C., 0=17750
- Devlin, T. J., Barish, B. C., Hess, W. N., Perez-Mendez, V. and Solomon, J. $\pi^\pm - p$ total cross-sections in the range, 0=11206
- Devlin, T. J., Moyer, B. J. and Perez-Mendez, V. $\pi^\pm - p$ total cross sections in the range 450 to 1650 MeV, 2=3386

- Devlin, T. J. See Helland, J. A., 4=19566
 Devlin, T. J. See Helland, J. A., 3=10161
 Devlin, T. J. See Helland, J. A., 4=19567
 Devochkin, F. K. and Sokolov, Yu. Ya. Angular distribution of β -radiation from thick sources, 2=12159
 DeVoe, H. Effect of weak coupling on the absorption spectrum of an aggregate of chromophores, 2=22985
 DeVoe, H. Optical properties of molecular aggregates. I. Classical model of electronic absorption and refraction, 4=26165
 de Vokuler, Zh. [de Vaucouleurs, G.]. The local supercluster of galaxies, 0=18823
 De Volpi, A. and Porges, K. G. Rejection of gamma background radiation pulses in Hornvak buttons, 2=18013
 Devolpi, A. See Porges, K. G. A., 4=30322
 Devons, S. Neutrinos in theory and experiment, 1=3160
 Devons, S. Detector developments in elementary particle physics, 1=8398
 Devons, S. New states of elementary particles, 1=13365
 Devons, S. Limitations and needs in instrumentation for nuclear physics, 2=1618
 Devons, S. Superconducting magnets, 2=19809
 Devons, S. Some developments in elementary particle physics, 3=4365
 Devons, S. The properties of the muon, 3=17297
 Devons, S. The search for the magnetic monopole, 4=5735
 Devons, S., Gidal, G., Lederman, L. M. and Shapiro, G. Muon mass and charge by critical absorption of mesonic X-rays, 1=517
 Devons, S. See Bartlett, D. 2=13830
 Devons, S. See Cohen, R. C., 4=923
 Devons, S. See Cohen, R. C., 4=25600
 Devons, S. See Cohen, R. C., 4=28053
 Devons, S. See Nassibian, G. 2=1532
 Devonshire, A. F. Some recent work on ferro-electrics, 4=26113
 Devooght, J. See Gyftopoulos, E. P., 1=17196
 Devooght, J. See Gyftopoulos, E. P., 1=17209
 Devooght, J. See Gyftopoulos, E. P. 2=6025
 Devooght, J. See Mockel, A., 3=2527
 Devor, D. P. Extension of the laser-pumped ruby maser to millimeter wavelengths, 3=22003
 Devor, D. P., D'Haenens, I. J. and Asawa, C. K. Microwave generation in ruby due to population inversion produced by optical absorption, 2=20144
 Devor, D. P. and Pastor, R. C. Crystal constituent effects. IV. Magnetic resonance and partition studies on Cr^{3+} in $\text{Zn}_3\text{La}_2(\text{NO}_3)_{12} \cdot 24\text{H}_2\text{O}$, 0=4507
 Devor, D. P. See Carson, J. W., 1=9053
 de Vore, R. V. See Narahari Rao, K., 3=24019
 Devoret, R. Experimental nuclear physics and radio-chemistry. Detection of radiations and methods of study of nuclear structure, (Appendix), 1=4744
 de Vos, J. A. Covariant description of the motion of a particle with spin in a homogenous electromagnetic field, 2=7716
 De Vos, K. J. Magnetic properties and the structure of Alnico-alloys, 4=26692
 de Vos, K. J. Refined replicating technique for studying structural changes in alnico-type permanent-magnet alloys, 4=13631
 de Vos, K. J., Velge, W. A. J. J., van der Steeg, M. G. and Zijlstra, H. Permanent magnetic properties of iron-cobalt-phosphides, 2=12724
 de Vos, K. J., Velge, W. A. J. J., Steeg, M. G. v. d. and Zijlstra, H. The use of intermetallic compounds as materials for permanent magnets, 3=15786
 de Vos, K. J. See Koch, A. J. J., 0=10135
 de Vos, K. J. See Koch, A. J., 1=1235
 de Vos, K. J. See Van Steeg, M. G., 4=17645
 de Vos, K. J. See Velge, W. A. J. J., 4=7218
 de Vorst, A. Van. See Van de Vorst, A.
 Devrainne, P. and Heubel, J. Factors influencing the critical dimensions of a parent-crystal of potassium nitrate from its supersaturated solution, 2=21488
 Devrainne, P. See Heubel, J. 2=4373
 Devreese, J. and Evrard, R. Validity of Lee, Low and Pines method in the case of the interaction of an electron with a single lattice oscillator, 4=4025
 Devreese, J. See Nagels, P., 3=25372
 Devreese, J. See Nagels, P., 4=15546
 De Vries, A. E. Fractionation of lithium isotopes by crystallisation, 0=1474
 de Vries, A. E. and Haring, A. Inversion temperature in the separation of isobaric Co molecules by thermal diffusion, 4=20841
 de Vries, A. E. and Laranjeira, M. F. Thermal diffusion of ternary mixtures, 0=14690
 de Vries, A. E. See Slieker, C. J. G., 3=21430
 de Vries, A. E. See van der Valk, F., 1=8156
 de Vries, A. E. See van der Valk, F., 3=14203
 de Vries, A. J. See Benoît, H., 3=5531
 de Vries, C. Determination of absolute B_p -values of conversion lines, 0=20402
 de Vries, C., Bleeker, E. J. and Salomons-Grobbe, N. Absolute and relative conversion determinations of pure E2 transitions occurring in Hg^{198} , Hg^{199} , Pt^{194} and Pt^{198} , 0=20404
 de Vries, C. and Dijkstra, J. H. Precision measurements of energies of gamma-rays following the decay of some gold isotopes, 0=20403
 de Vries, C., Hofstadter, R., Johansson, A. and Herman, R. Inelastic electron-deuteron scattering experiments and nucleon structure, 4=19487
 De Vries, C. and Wapstra, A. H. A Siegbahn-Edvarson type iron-free double focusing beta-ray spectrometer, 1=5495
 De Vries, C. See Dijkstra, J. H., 1=5873
 de Vries, C. See Hofstadter, R., 1=7233
 de Vries, D. A. and Peck, A. J. On the cylindrical probe method of measuring thermal conductivity with special reference to soils. II. Analysis of moisture effects, 0=5203
 de Vries, G. The influence of interstitially dissolved carbon and nitrogen on the magnetic anisotropy of iron and on the mobility of Bloch walls, 0=13773
 De Vries, G. The transition in chromium and in some alloys of chromium with small amounts of other transition elements, 0=13844
 de Vries, G., van Geest, D. W., Gersdorf, R. and Rathenau, G. W. Determination of the magnetic anisotropy energy, caused by interstitial carbon or nitrogen in iron, 0=13772
 De Vries, G. F. See Krisement, O., 4=26503
 de Vries, G. H. F. See Recourt, A., 1=18967
 De Vries, H., Stuiver, M. and Olsson, I. A proportional counter for low level counting with high efficiency, 0=17134
 de Vries, H. L. See Kippenhahn, R., 0=15011
 De Vries, K. J. and Van Santen, J. H. Note on the Koch and Wagner effect in lead chloride single crystals, 3=17926
 DeVries, K. L., Baker, G. S. and Gibbs, P. Pressure dependence of the creep of lead, 3=23333
 DeVries, K. L., Baker, G. S. and Gibbs, P. Effect of pressure on creep in tin, 3=23334
 DeVries, K. L. and Gibbs, P. Pressure dependence of creep in Zn and Cd, 3=25630
 DeVries, K. L., Gibbs, P., Miles, H. and Staten, H. S. Pressure dependence of creep in white phosphorus, 4=15712
 De Vries, L. and Clason, W. E. [Compiled by]. Dictionary of Pure and Applied Physics. I. German-English, 4=5002
 De Vries, L. and Clason, W. E. [Comp.]. Dictionary of pure and applied physics. Vol. 2. English-German, 4=14002
 de Vries, C., Hofstadter, R. and Herman, R. Neutron form factors and nucleon structure, 2=13805
 de Vries, C., Hofstadter, R., Herman, R. and Krasner, S. Recent results on the form factors of the neutron and on the structure of neutron and on the structure of nucleons, 2=22523
 de Vries, C. See Bleeker, E. J. 2=5864
 de Vries, G. See Bosman, A. J. 2=4222
 De Vries, L. J. and Udo, F. A fast pulse-shape discriminator with applications as a spectrometer and sensitive monitor for 1-30 MeV neutrons, 2=5272
 de Vries, R. See van den Berg, J. M., 4=20762
 DeVries, R. C. Growth of single crystals of BaTiO_3 by exaggerated grain growth, 4=20724
 DeVries, R. C. The system Al_2SiO_5 at high temperatures and pressures, 4=29002
 DeVries, R. C. and Sears, G. W. Growth of aluminum oxide whiskers by vapor deposition, 0=3183
 DeVries, R. C. and Sears, G. W. Step formation during the growth of BaTiO_3 crystals, 1=5091
 DeVries, R. C. See Lawless, W. N., 4=30673
 DeVries, R. C. See Lawless, W. N., 4=28669
 DeVries, R. C. See Lawless, W. N., 4=30678
 DeVries, R. C. See Sears, G. W., 0=3176
 DeVries, R. C. See Sears, G. W., 1=11549
 DeVries, R. C. See Sears, G. W., 4=7567
 De Vroey, M. See Deconninck, G. 2=20676
 De Vroey, M. See Deconninck, G., 4=9568
 de Vroey, M. See Deconninck, G., 4=19825
 de Vroomen, A. R. A practical interpolation procedure for carbon thermometry between 1.5°K and 30°K, 0=215

- De Vroomen, A.R. and Van Baarle, C. The thermal and electrical behaviour of some metals in the impurity-scattering region, 0=9861
- de Vroomen, A.R., van Baarle, C. and Cuelenaere, A.J. The contribution due to phonon drag to the thermopower of aluminium, 0=18078
- de Vroomen, A.R. and Potters, M.L. On the origin of the giant thermopowers in some metals at low temperatures, 2=652
- De Vuyst, A. Results of observations of the terrestrial magnetic field in 1962 (made at) the geophysical centre, Dourbes, 3=16299
- De Vuyst, A. See Bossy, L., 0=15153
- De Vuyst, A. See Lahaye, E. 2=13065
- Devyatko, Yu. N., Lomonosov, V. V. and Urin, M. G. Vibration—rotational interaction in deformed nuclei, 4=27934
- Devyatkov, A. G. See Basov, N. G., 4=21684
- Devyatov, A.M. See Dzhumakuliev, R., 3=1947
- Devyatov, A.M. See Volkova, L.M., 0=9759
- Devyatov, A.M. See Volkova, L.M. 2=16479
- Devyatkova, E.D., Kornfel'd, M.I., Lemanov, V.V. and Smirnov, I.A. Phonon scattering by impurities in crystals, 3=10584
- Devyatkova, E.D., Kornfel'd, M.I. and Smirnov, I.A. Scattering of phonons by impurity ions in a crystal of sodium chloride, 2=10324
- Devyatkova, E.D., Kornfel'd, M.I. and Smirnov, I.A. Scattering of phonons by impurity ions in a crystal of sodium chloride, 3=6473
- Devyatkova, E.D., Kornfel'd, M.I. and Smirnov, I.A. Scattering of phonons by the impurity ions Ag, Br, K, Li, I and Rb in crystals of sodium chloride, 3=22644
- Devyatkova, E.D., Petrov, A.V., Smirnov, I.A. and Moizhes, B.Ya. Fused quartz as the standard material in heat conductivity measurements, 0=10795
- Devyatkova, E.D., Petrov, A.V. and Smirnov, I.A. The transfer of heat by the bipolar diffusion of current carriers in lead telluride and selenide, 1=14189
- Devyatkova, E.D., Petrov, A.V. and Smirnov, I.S. The transfer of heat by the bipolar diffusion of current carriers in lead telluride and selenide, 1=17432
- Devyatkova, E.D. and Smirnov, I.A. Thermal conductivity of p- and n-type germanium samples with various carrier densities at 80-440°K, 0=15930
- Devyatkova, E.D. and Smirnov, I.A. Thermal conductivity and variation of the Lorentz number of PbSe with temperature and with the degree of electron-gas degeneracy, 0=20946
- Devyatkova, E.D. and Smirnov, I.A. Influence of halogen impurities on the thermal conductivity of lead telluride, 1=19729
- Devyatkova, E.D. and Smirnov, I.A. The mechanism of the scattering of charge carriers in lead telluride, 1=19916
- Devyatkova, E.D. and Smirnov, I.A. Influence of halogen impurities on the thermal conductivity of lead telluride, 2=3857
- Devyatkova, E.D. and Smirnov, I.A. The mechanism of the scattering of charge carriers in lead telluride, 2=4082
- Devyatkova, E.D. and Smirnov, I.A. Thermal conductivity of p-and-n-type germanium, 2=20950
- Devyatkova, E.D. and Smirnov, I.A. NaCl and KCl monocrystals as standard materials for measurement of thermal conductivity in the 80-460°K range, 2=22077
- Devyatkova, E.D. and Smirnov, I.A. Thermal conductivity of P- and N-type germanium, 3=2741
- Devyatkova, E.D. and Smirnov, I.A. NaCl and KCl monocrystals as standard materials for measurement of thermal conductivity in the 80-460°K range, 3=5548
- Devyatkova, E.D. and Smirnov, I.A. Temperature dependence of the thermal resistance of some crystals near the Debye temperature, 3=17670
- Devyatkova, E.D. and Smirnov, I.A. Thermal conductivity of plastically deformed NaCl single crystals, 4=1411
- Devyatkova, E.D. See Smirnov, I.A. 2=23401
- Devyatych, G.G. and Bbriso, G.K. Separation of the isotopes of silicon by the thermal diffusion of monosilane, 3=25072
- Dew, G.D. Multi-sectional gratings for linear measurement, 2=7401
- Dew, G. D. A method for the precise evaluation of interferograms, 4=11355
- Dew-Hughes, D. The dynamical behaviour of dislocations in germanium, 3=6519
- Dew-Hughes, D. and Brock, G.E. On the delayed yield in germanium and indium antimonide, 0=2876
- Dew-Hughes, D., Jones, A.H. and Brock, G.E. Improved automatic four-point resistivity probe, 0=2856
- Dew-Hughes, D. and Robertson, W.D. Dispersed particle hardening of aluminum—copper alloy single crystals, 0=18264
- Dew-Hughes, D. and Robertson, W.D. The mechanism of hardening in aged aluminum—copper alloys, 0=18265
- Dew-Hughes, D. See Narlikar, A. V., 4=4051
- Dew-Hughes, D. See Narlikar, A. V., 4=27426
- De Waard, C. and Henning, J.C.M. Spin densities in di-methyl substituted naphthalene mononegative ions, 3=12857
- de Waard, C. See Henning, J.C.M. 2=3777
- De Waard, C. See Henning, J.C.M. 2=22995
- De Waard, C. See Henning, J.C.M., 3=8295
- de Waard, H. An automatic changer for liquid samples, 1=13225
- De Waard, H., De Pasquali, G. and Hafemeister, D. Mössbauer determinations of isomeric shift and quadrupole splitting in some ^{120}I compounds, 3=19786
- De Waard, H., Garrell, M.H. and Hafemeister, D. Lifetime of the 26.8 keV state of ^{120}I , 3=12594
- de Waard, H. and van der Woude, F. E2/M1 mixing ratio of the 123-keV transition in ^{57}Fe determined from a Mössbauer coincidence experiment, 3=7995
- de Waard, H. See Boskma, P., 0=4054
- de Waard, H. See Gerholm, T.R., 0=17142
- de Waard, H. See Hafemeister, D. W., 4=28326
- de Waard, H. See van Klinken, J. 2=20546
- De Waard, R. and Wormser, E.M. Thermal radiation detectors, 0=8839
- De Waard, R. See Astheimer, R.W. 2=1028
- Dewald, J.F. The charge and potential distributions at the zinc oxide electrode, 0=13618
- Dewald, J.F. The charge distribution at the zinc oxide-electrolyte interface, 1=1484
- Dewald, J.F. On the transition to metallic behaviour in zinc oxide, 1=19886
- Dewald, J. F. See Peck, W. F., Jr, 4=26029
- Dewald, R. R., Dye, J. L., Eigne, M. and DeMaeyer, L. Kinetics of the reaction between solvated electrons and water in ethylenediamine, 4=7746
- de Walle, R.T. Van. See Van de Walle, R.T.
- DeWames, R. E. and Lehman, G.W. Re-examination of the lattice dynamics of white tin using a modified axially symmetric model, 4=22482
- DeWames, R. E. and Wolfram, T. Vibrational analysis of substituted and perturbed molecules. I. The exact isotope rule for molecules, 4=12423
- DeWames, R.E., Wolfram, T. and Lehman, G.W. Temperature dependence of the Debye—Waller factor for copper and aluminium, 3=20082
- DeWames, R.E., Wolfram, T. and Lehman, G.W. Temperature dependence and anisotropy in the Debye—Waller factor for white tin, 3=20083
- DeWames, R. E. See Bass, C. D., 4=22372
- DeWames, R.E. See Coon, J.B. 2=14298
- De Wames, R.E. See Lehman, G.W., 3=2711
- De Wames, R.E. See Lehman, G.W., 3=4806
- DeWames, R.E. See Lehman, G.W., 3=20063
- De Wames, R.E. See Wolfram, T., 3=8346
- Dewan, E.M. Generalizations of the Saha equation, 1=10666
- Dewan, E.M. Remarks on the derivation of the Lorentz transformation, 2=2610
- Dewan, E.M. Stress effects due to Lorentz contraction, 3=11681
- Dewan, R. K. and Van Holde, K. E. Role of hydrodynamic interaction in the diffusion of n-alkanes in carbon tetrachloride, 4=166
- Dewar, M.J.S. The SPO method, reply to Dr. J.S.Griffith, 2=10269
- Dewar, M. J. S. Quantum theory of conjugated systems, 4=12436
- Dewar, M. J. S. and Chung, A. L. H. SPO (split-p-orbital) method. IV. Calculations for the $(2p)^2$ state of helium, 4=1203
- Dewar, M.J.S. and Hojvat, N.L. The SPO (split p-orbital) method and its application to ethylene, 1=6039
- Dewar, M.J.S. and Hojvat, N.L. The Sp-O (split-p-orbital) method. II. further definition and application to acetylene, 2=2009
- Dewar, M.J.S. and Talati, A.M. A new organometallic semiconductor, 3=22950
- Deware, H.G. See Nainan, T.D., 0=2395
- Dewasnes, P. See Robin, J., 0=14684
- de Wavrechin, R. See Constant, E., 1=16235
- De Wavrechin, R. See Constant, E., 3=21394
- Dewchamps, Y. See Avignon, P. 2=482
- Dewdney, J.W. Improvement to the Franck-Hertz experiment, 0=238

- Dexter, D.L. Optical absorption by a pair of ions, 4=15580
 Dexter, D.L. Optical erosion, 4=17455
 Dexter, D.L. See Fowler, W.B., 2=16669
 Dexter, D.L. See Fowler, W.B., 3=6666
 Dexter, D.L. See Fowler, W.B., 4=4034
 Dexter, D.L. See Rimmer, M.P., 0=7990
 Dexter, R.N. See Baer, W.S., 4=28431
 Dexter, R.N. See Datars, W.R., 1=14235
 Dexter, R.N. See Zook, J.D., 3=8523
 Dewdney, J.W. Isobaric analysis of total beta decay energies, 3=17426
 Dewdney, J.W. Poor man's mass spectrometer, 4=5723
 Dewdney, J.W. and Christy, R.W. Nonsecret laboratory examinations, 0=4922
 Dewdney, J.W. and Dewdney, S.H. Least squares fitting by a pair of parallel straight lines, 3=18695
 Dewdney, J.W. See Ananiades, C.S., 1=5795
 Dewdney, S.H. See Dewdney, J.W., 3=18695
 Dewes, R.A. and Childs, J.C. Delayed neutron detection methods applied to the detection and location of reactor fuel element failures, 0=11473
 de Wet, J.F. The crystal structure of Mn_2Hg , 2=10878
 de Wet, W. J. and Los, J. The separation of light gaseous isotopes by mass diffusion columns. I, 4=25598
 de Wet, W. J. and Los, J. The separation of light gaseous isotopes by mass diffusion columns. II, 4=25599
 De Wette, F.W. On the capacity of a sphere inside a cube, 0=5252
 de Wette, F.W. Effects of atomic polarization in ionic crystals, 1=894
 de Wette, F.W. Electric field gradients in point-ion and uniform-background lattices, 1=11143
 de Wette, F.W. Lattice defects and the self-diffusion and anomalous specific heat in solid $\alpha\text{-He}^3$, 3=8422
 de Wette, F.W. Note on the electron lattice, 4=25914
 de Wette, F.W. and Nijboer, B.R.A. The electrostatic potential in multipole lattices, 0=7837
 Dewey, J. M. The air velocity in blast waves from T. N. T. explosions, 4=24308
 Dewey, J. M. and Anson, W. A. A blast wave density gauge using beta-radiation, 4=2777
 Dewey, M.A.P. and Lewis, T.G. A holder for the rapid electrolytic preparation of thin metal foils for transmission electron microscopy, 3=20933
 Dewey, W.C. and Sinclair, W.K. Criteria for evaluating collimators used in "in vivo" distribution studies with radio-isotopes, 1=15366
 Dewhirst, D.W. The optical identification of radio sources, 1=18198
 Dewhirst, D.W. See Blackwell, D.E., 0=8504
 Dewhirst, D.W. See Blackwell, D.E., 0=16540
 Dewhirst, D. W. See Beggs, D. W., 4=20915
 Dewhirst, D. W. See Beggs, D. W., 4=20916
 de Wijn, H.W. High voltage square-wave generator, 1=10664
 de Wijn, H.W. The refractive index of $^{14}\text{NH}_3$ in the microwave inversion spectrum, 3=21362
 de Wijn, H.W. and Heineken, F.W. The Lorentz-Lorenz functions of argon, nitrogen and carbon dioxide up to 50 atmospheres at a wavelength of 12 mm, 0=8713
 De Wijn, H.W. and Henning, J.C.M. Determination of the g-tensor anisotropy of triclinic DPPH at 4.5 mm wavelength, 2=14828
 de Wijn, H.W., Severin, P.J. and van der Veen, K. The refractive index of $^{14}\text{NH}_3$ near the (3, 3) line of the microwave inversion spectrum, 2=1200
 de Wijn, H.W. See Heineken, F.W., 0=14697
 de Wind, G. See Penning, P., 0=13913
 DeWire, J. See Mozley, R.F., 3=14949
 DeWire, J.W., Feldman, M., Highland, V.L. and Littauer, R. Elastic scattering of photons by protons, I, 2=1671
 DeWire, J.W. See Jackson, H.E., 0=15415
 DeWire, J.W. See Feldman, M., 1=2092
 DeWire, J.W. See Highland, V.L., 4=3441
 de Wit, G. and Koehler, J.S. Interaction of dislocations with an applied stress in anisotropic crystals, 0=3153
 de Wit, G. See Koehler, J.S., 0=3154
 de Wit, M. and Estle, T. L. Electron paramagnetic resonance of iron in gallium arsenide, 4=1879
 de Wit, M., Fischer, C.R. and Zickendraht, W. Compensations in electron excitation effects in p-p and p-n scattering, 0=1278
 DeWit, M. See Estle, T. L., 4=26389
 de Wit, R. Self-energy of a helical dislocation, 0=2819
 de Wit, R. Theory of dislocations: an elementary introduction, 3=22775
 Dewdney, J.W. Energy loss from the filament of an incandescent lamp, 0=1093
 Dewdney, J.W. Graphical method for comparing galvanometer sensitivities, 0=7043
 Dewdney, J.W. Undergraduate mass spectrometer, 0=7172
 Dewdney, J.W. Domino rule. A way of handling relative velocities, 1=4182
 Dewdney, J.W. Energy distributions of photoelectrons from metals due to a surface effect, 2=3071
 Dewdney, J.W. Apparatus review: open air alpha particle counter, 2=5753
 de Wit, R. On the growth of helical dislocations, 4=12756
 DeWitt, B.S. Invariant commutators for the quantized gravitational field, 0=10566
 DeWitt, B.S. Quantization of fields with infinite-dimensional invariance groups, 1=4759
 DeWitt, B.S. Quantum theory without electromagnetic potentials, 2=9765
 DeWitt, B.S. Definition of commutators via the uncertainty principle, 2=19434
 DeWitt, B.S. Quantization of field with infinite-dimensional invariance groups. II. Anticommuting fields, 2=19435
 DeWitt, B.S. Quantization of fields with infinite-dimensional invariance groups. III. Generalized Schwinger-Feynman theory, 3=5357
 DeWitt, B. S. The quantization of geometry, 4=24039
 DeWitt, B. S. Theory of radiative corrections for non-Abelian gauge fields, 4=24970
 DeWitt, B.S. and Brehme, R.W. Radiation damping in a gravitational field, 0=8538
 DeWitt, B.S. See Utiyama, R. 2=19396
 De Witt, C. and Detoeuf, J.F. [Eds.]. The theory of neutral and ionized gases. The problem of n bodies at non-zero temperature, 1=6800
 De Witt, C. and Detoeuf, J.F. [Eds.]. The theory of neutral and ionized gases. The problem of n bodies at non-zero temperature, 1=18296
 Dewitt, C.M. Green's functions in Riemann space: Method of calculation for weak fields: Explicit expression, to order G, for a static spherically symmetric field, 3=16510
 DeWitt, C.M. Motion of an electron in a stationary gravitational field of given spherical symmetry. Energy loss by gravitational drag, 3=18708
 De Witt, C.M. and Ging, J.L. Gravitational radiation damping, 1=2681
 deWitt, H.E. Thermodynamic functions of a partially degenerate, fully ionized gas, 1=9340
 DeWitt, H.E. Analytic properties of the quantum corrections to the second virial coefficient, 3=68
 deWitt, H.E. Evaluation of the quantum-mechanical ring sum with Boltzmann statistics, 3=5374
 De Witt, H.E. See Brush, S.G., 3=21258
 DeWitt, H.E. See Kidder, R.E., 1=9543
 DeWitt, R. See Anderson, K. A., 4=2230
 DeWitt, R.N. The occurrence of aurora in geomagnetically conjugate areas, 2=17183
 DeWitt, R.N. See Basler, R.P., 0=14477
 DeWitt, R.N. See Basler, R.P. 2=9024
 DeWitt, R. N. See Davis, T. N., 4=13828
 DeWitt, R.N. See Westcott, E.M., 4=13863
 de Witte, A.J. A kinetic theory of liquid displacement, 0=8604
 Dewitz, W. and Jahne, E. Magnetic susceptibility of CdS single crystals, 3=4998
 Dewitz, W. and Jahne, E. A high-sensitivity torsion balance for susceptibility measurements, 4=639
 de Wolf, D. A. Frequency dependence of the resistivity of a fully ionized plasma, 4=19004
 de Wolff, P.M. Diffractometer measurement of low-order powder reflexions, 1=15029
 de Wolff, P.M. Reliability of unit cells derived from powder diffraction patterns, 1=20512
 de Wolff, P. M. Indexing of powder diffraction patterns, 4=10503
 De Wolff, P. M. and Peterse, W. J. A. M. Space group of $\text{Nd}_2\text{Mg}_2(\text{NO}_3)_{12} \cdot 24\text{H}_2\text{O}$, 4=7632
 de Wolff, P.M. See Engmann, R., 3=25713
 de Wolff, P.M. Laudy, J.H.A., 3=23376
 Dewsberry, R. The Richardson plots of porous emitters, 4=5693
 Dexter, D.L. Varley mechanism for defect formation in alkali halides, 0=9894
 Dexter, D.L. Cooperative optical absorption in solids, 2=14665
 Dexter, D.L. Electron-hole pair production, 2=23273
 Dexter, D.L. Cooperative optical absorption in solids, 3=23058
 Dexter, D. L. Orientation of the M-center, 4=12812

- Dexter, W.L. and Smith, B.H. Application of silicon diodes to cyclotron oscillator and magnet power supplies, 3=5796
- Dey, B.N. and Quader, M.A. An X-ray study of the ϵ -CuCd₃ phase, 3=25735
- Dey, B.N. See Quader, M.A., 2=12389
- Dey, K.K. and Kulshreshtha, A.P. The received power patterns due to micro-wave paraboloidal reflector, 0=19938
- Dey, S.K. See Birss, R.R., 1=17601
- Déyardin, G. See Gaume-Mahn, F., 4=1774
- Deyda, H. See Bäumlér, P., 4=26127
- D'Eye, R.W.M. Physical factors affecting line profile, 2=23831
- Deyub, I.P. and Lubchenko, A.F. The influence of the forced oscillations of a crystal on the spectrum of scattered γ -quanta, 2=23539
- de Zarauz, Y. X-ray study of the action of heat on the structural state of a polythene irradiated under vacuum by γ -rays, 0=4681
- de Zafra, R.L. Optical pumping, 0=17693
- de Zafra, R. L. See Lurio, A., 4=19968
- Deželić, G., Deželić, N. and Težak, B. A simple method for particle size determination by turbidity measurement, 4=13749
- Dezelic, G.J. and Kratochvil, J.P. Influence of sodium chloride on light scattering by colloidal silica, 2=23977
- Deželić, N. See Deželić, G., 4=13749
- Dezhi, I. and Kestkheli, L. Observation of the Mössbauer effect in Tb¹⁵⁹, 4=28330
- Dezlodzh, E. See Margenau, N., 0=3730
- Dezshi, I. See Berkesh, I., 4=9510
- Dézi, I., Hryniewicz, A. Z. and Kulgawczuk, D.S. Zeeman splitting of the 14.4 keV gamma line of ⁵⁷Fe in CoFe₂O₄ investigated by the Mössbauer effect, 4=15402
- Dezsi, I. See Berkes, I., 2=11826
- Dézi, I. See Berkes, I., 3=6242
- Dézi, I. See Berkes, I., 3=15193
- Dezsi, I. See Imre, L., 2=12150
- Dézi, I. See Keszthelyi, L., 4=15170
- D'Haenens, I.J. and Asawa, C.K. Stimulated and fluorescent optical emission in ruby from 4°2' to 300°K: zero-field splitting and mode structure, 3=2143
- D'Haenens, I.J. See Devor, D.P., 2=20144
- D'Haenens, I.J. See Maiman, T.H., 1=11391
- Dhaliwal, R.S. Bending [for small deflections] of isotropic thin square plates by concentrated edge couples and forces, 0=14557
- Dhaliwal, R.S. Stresses in certain thin plates rotating about an axis lying in their middle plane, 0=19032
- Dhanalakshmi, C. and Chatterjee, S.K. Phase change on transmission of microwaves through metal disc delay dielectrics, 0=5407
- Dhari Pandey, J. See Prakash, S., 3=7395
- Dharmaphanija, C. and Suttipongse, T. Ground level cosmic ray stars at latitude 13° 46' (N), 4=6163
- Dharmatti, S.S., Govil, G., Kanekar, C.R. and Virmani, Y.P. Proton magnetic resonance study of hydrogen bonded systems, 1=12902
- Dharmatti, S.S., Govil, G., Kanekar, C.R. and Virmani, Y.P. N.M.R. spectra of five spin systems. I. The N.M.R. spectrum of nitrobenzene, 3=738
- Dharmatti, S.S., Iyer, S.A. and Vijayaraghavan, R. Nuclear magnetic resonance in hydrates of sodium tetraborates, 3=8739
- Dharmatti, S.S. and Kanekar, C.R. Chemical shifts in the nuclear magnetic resonance of Co⁵⁹ and the ligand field theory, 0=4229
- Dharmatti, S.S., Radhakrishna Setty, D.L. and Ramakrishna Rao, U. Nuclear magnetic resonance in intermetallic compound Na₃Pb₄, 3=20676
- Dharmatti, S.S., Shankar Rao, V.U. and Vijayaraghavan, R. Knight shifts in the intermetallic compound PtSn₃, 2=6706
- Dharmatti, S.S., Shankar Rao, V.U. and Vijayaraghavan, R. Knight shifts in the intermetallic compound PtSn₂, 3=5051
- Dharmayya, S.S. and Rao Rama, K. Apparatus for testing deflection due to thin prisms, 3=235
- Dhashi, T. See Abte, T., 2=4369
- Dheer, P.N. The surface impedance of normal and superconducting indium at 3000 Mc/s, 1=14361
- Dheer, P. N. See Thomson, A. L., 4=2911
- d'Heurle, F.M., Feder, R. and Nowick, A.S. Equilibrium concentration of lattice vacancies in lead and lead alloys, 3=22739
- d'Heurle, F. M. See Mader, S., 4=10422
- d'Heurle, F. M. See Seraphim, D. P., 4=18581
- d'Heurle, F.N. See Seraphim, D.P., 3=9682
- Dhosi, J. M., Gazzara, C. P. and Middleton, R. M. Oriented single crystals of aluminum for X-ray analysis, 4=10467
- Dhuicq, D. First-order study of an optical system consisting of four electrostatic quadrupole lenses, 1=3015
- Dhuicq, D. and Septier, A. An optical system of rotational symmetry formed by combining two doublets of strong convergence, 0=3806
- d'Hulst. See Radvanyi, P., 2=1892
- Dhumwad, R. K. and Bass, A. M. A low-pressure arc source for the emission spectrum of the FeO molecule, 4=9741
- Di Béi-Vén'. See Van Dé-Yuif, 4=6306
- Dia Yuan-Beng. See Chang Li-Ning, 3=17487
- Diaconescu, A. Monitor for fast neutrons with separation of background γ , 4=9227
- Diago, M.C. See Velasco, R., 3=19948
- Diamandescu, E. See Armeanu, V., 3=9640
- Diambrini, G., Figuera, A.S., Rispoli, B. and Serra, A. Bremsstrahlung spectrum of the 1000 MeV electronsynchrotron at Frascati, 1=5524
- Diambrini, G., Figuera, A.S., Serra, A. and Rispoli, B. Preliminary results of the determination of the Bremsstrahlung spectrum of the Frascati electron synchrotron, 0=15099
- Diambrini, G. See Barbiellini, G., 2=13755
- Diambrini, G. See Barbiellini, G., 2=20302
- Diambrini, G. See Barbiellini, G., 3=5980
- Diambrini, G. See Barbiellini, G., 3=17234
- Diambrini, G. See Bologna, G., 0=7340
- Diambrini, G. See Bologna, G., 0=12899
- Diambrini, G. See Bologna, G., 2=5610
- Diambrini-Palazzi, G. Interaction of high-energy photons and electrons in crystals, 3=10101
- Diamant, A.Ya. See Galanina, N.D., 0=20355
- Diamond, A.L. Brightness of a field as a function of its area, 2=13224
- Diamond, H. Variation of permittivity with electric field in perovskite-like ferroelectrics, 1=7688
- Diamond, H., Fields, P.R., Stevens, C.S., Studier, M.H., Fried, S.M., Inghram, M.G., Hess, D.C., Pyle, G.L., Mech, J.F., Manning, W.M., Ghiorso, A., Thompson, S.G., Higgins, G.H., Seaborg, G.T., Browne, C.L., Smith, H.L. and Spence, R.W. Heavy isotope abundances in Mike thermonuclear device, 0=17512
- Diamond, H. See Coté, R. E., 4=22161
- Diamond, M. Sound channels in the atmosphere, 3=23588
- Diamond, R. Fourth and higher order inequalities, 3=18286
- Diamond, R. Microwave optics, 4=8004
- Diamond, R. and Whittle, J.E. Instrument for the measurement of elastic hysteresis in torsion, 1=20285
- Diamond, R.M., Elbek, B. and Stephens, F.S. Coulomb excitation of Tb¹⁶⁰, Ho¹⁶⁵ and Tm¹⁶⁹ with O¹⁶ ions, 3=15120
- Diamond, R.M., Hollander, J.M., Horen, D.J. and Naumann, R.A. The neutron deficient iridium isotopes Ir¹⁸², Ir¹⁸³ and Ir¹⁸⁴, 1=13752
- Diamond, R.M. and Stephens, F.S. Isomeric levels in the light thallium isotopes, 3=22310
- Diamond, R. M. and Stephens, F.S. Metastable states in the light thallium isotopes produced in heavy ion reactions, 4=22048
- Diamond, R. M. See Ghiorso, A., 4=22192
- Diamond, R.M. See Stephens, F.S., Jr, 0=448
- Diamond, R.M. See Stephens, F.S., 4=17011
- Diamond, R. M. See Stephens, F.S., 4=22043
- Diana, E., Kind, A. and Pierpaoli, V. A Monte Carlo calculation of the N¹⁶ production in a latina type reactor, 0=11471
- Diana, E. See Blässer, G., 4=1135
- Dianov, D.B. Emission of ultrasonic waves through plane-parallel layers, 0=125
- Dianov, D.B., Merkulov, L.G. and Nikitenko, V.I. Precipitation of zinc oxide aerosol in an acoustic field, 2=23974
- Dianov, E.M. See Irisova, N.A., 1=2323
- Dianov-Klovov, V.I. A logarithmic photometer for the 0.2-0.7 μ region, 1=5345
- Dianov-Klovov, V.I. Form of absorption bands in condensed oxygen, (\approx 300-4773 Å), 3=1692
- Dianov-Klovov, V.I. Absorption spectrum of α -oxygen in the region 6300-3000 Å, 3=6395
- Dianov-Klovov, V. I. Absorption spectrum at oxygen at pressures from 2 to 35 atm in the region from 12600 to 3600 Å, 4=25677
- Dianov-Klovov, V.I. See Burakov, K.S., 2=20089
- Diatroptov, D.B. A gas analyzer based on measurements of thermal conductivity in the pressure range 5-10 mm Hg, 4=17875
- Diaz, F.A. A weak telluric band of carbon dioxide, 3=9045

- Diaz, J. See Cuevas, J., 4=3545
- Diaz, J.A., Kaplan, S.N. and Pyle, R.V. Nuclear fission induced by radiationless transitions in the mu-mesonic atoms Th^{232} , U^{235} and U^{238} , 3=8145
- Diaz, J.A. See Baijal, J.S., 4=9682
- Diaz, J.B. See Conlan, J., 1=4550
- Diáz-Bejarne, J. The Trouton-Noble experiment in the Palacios theory of relativity, 1=15617
- Diaz Pena, M. Recurrent partition function, 2=4948
- Dibai, E.A. The origin of cometary nebulae, 1=34
- Dibai, E.A. Origin of cometary nebulae. II., 4=10843
- Dibai, E.A. and Kaplan, S.A. Cumulative shock waves in interstellar space, 4=29417
- Dibbern, U. Investigation with a photomultiplier of the electron components of single avalanches, 1=16270
- Dibbern, U. Investigation of electron avalanche component by photomultiplier, 3=4086
- Dibble, D. See Sekera, Z., 3=19028
- Dibeler, V.H. and Reese, R.M. Mass spectrometric study of the photoionisation of acetylene and acetylene- d_2 , 4=16440
- Dibeler, V.H. and Rosenstock, H.M. Metastable transitions in mass spectra of methane and the deuteromethanes, 3=25148
- Dibeler, V.H. and Rosenstock, H.M. Mass spectra and metastable transitions of H_2S , HDS , and D_2S , 4=6653
- Dibeler, V.H. See Herron, J.T., 0=3291
- Dibeler, V.H. See Herron, J.T., 0=16973
- Dibeler, V.H. See Herron, J.T., 1=273
- Dibeler, V.H. See Herron, J.T., 1=17361
- Dibeler, V.H. See Krauss, M., 0=7070
- Dibeler, V.H. See Shields, W.R., 2=14227
- Dibeler, V.H. See Wacks, M.E., 0=3738
- Dibelius, N.R. See Mullaney, G.J., 1=8167
- di Caporiacco, G. See Bizzetti, P.G., 3=8073
- di Caporiacco, G. See Bocchini, M., 0=17563
- Di Capua, E., Dore, U., Gialanella, G.C., Guidoni, P., Laakso, I. and Moneti, G.C. A four liters liquid helium bubble chamber, 2=18039
- Di Capua, E., Garland, R., Pondrom, L. and Streizoff, A. Study of the decay $\pi \rightarrow e + \nu$, 4=12027
- Di Capua, E. See Bizzarri, R., 3=6026
- Di Capua, E. See Bizzarri, R., 4=30244
- Di Castro, C. and Valatin, J.G. Change of energy gap with a magnetic field in superconducting films, 4=16339
- Dichworth, H.E. See Isenor, N.R., 0=11494
- DiCianni, N. See Pierce, L., 2=3737
- Di Cianni, N. See Pierce, L., 3=8278
- DiCianni, N. See Pierce, L., 3=19995
- Dick, B.G. Exchange charge contributions to the failure of the Cauchy relations in alkali halide crystals, 3=8750
- Dick, B.G. and Das, T.P. Lattice deformations in alkali-halide solid solutions, 2=19024
- Dick, B.G., Jr. and Das, T.P. Theory of alkali halide solid solutions, 2=21456
- Dick, B.G. See Das, T.P., 2=19025
- Dick, C.E. See Motz, J.W., 4=6502
- Dick, K.A. See Crooker, A.M., 4=19967
- Dick, L., Feuvrais, L., Di Lella, L. and Spighe, M. A measurement of the depolarisation in matter of longitudinally polarised positrons, 4=25069
- Dick, L., Feuvrais, L., Madansky, L. and Telegdi, V.L. A new method for determining proton polarization, 2=22490
- Dick, L., Feuvrais, L., Madansky, L. and Telegdi, V.L. A novel efficient method for measuring the polarisation of positrons, 3=10100
- Dick, L., Feuvrais, L. and Spighe, M. Measurement of the polarization of positrons emitted in the disintegration of Na^{22} , B^8 and μ^+ , 4=6027
- Dick, L. See Charpak, G., 2=22357
- Dick, L. See Foucher, R., 0=5675
- Dick, L.A. See Bloom, S., 4=15081
- Dick, P.J. See Harvey, D.G., 4=2476
- Dicke, R.H. Eötvös experiment and the gravitational red shift, 0=4935
- Dicke, R.H. Experimental tests of Mach's principle, 2=1057
- Dicke, R.H. Mach's principle and invariance under transformation of units, 2=9156
- Dicke, R.H. Implications for cosmology of stellar and Galactic evolution rates, 2=13096
- Dicke, R.H. Lee-Yang vector field and isotropy of the universe, 2=13717
- Dicke, R.H. Long-range scalar interaction, 2=13718
- Dicke, R.H. Dating the Galaxy by uranium decay, 2=15389
- Dicke, R.H. Dirac's cosmology and Mach's principle, 2=17229
- Dicke, R.H. The earth and cosmology, 3=5234
- Dicke, R.H. Cosmology, Mach's principle and relativity, 3=23660
- Dicke, R.H. Possible effects on the solar system of ϕ waves if they exist, 4=13911
- Dicke, R.H. Remarks on the observational basis of general relativity, 4=11051
- Dicke, R.H. The significance for the solar system of time-varying gravitation, 4=13910
- Dicke, R.H. The many faces of Mach, 4=14025
- Dicke, R.H. The sun's rotation and relativity, 4=23904
- Dicke, R.H. Mach's principle and equivalence, 4=27050
- Dicke, R.H. and Peebles, P.J.E. Evolution of the solar system and the expansion of the Universe, 4=20882
- Dicke, R.H. and Wittke, J.P. Introduction to quantum mechanics, 1=6779
- Dicke, R.H. See Brans, C., 2=1051
- Dicke, R.H. See Peebles, P.J., 2=17338
- Dicke, R.H. See Peebles, P.J., 3=7017
- Dicke, R.H. See Peebles, J., 3=11523
- Dicke, R.H. See Roll, P.G., 4=14027
- Dickel, G. The asymmetric separation column, 2=17504
- Dickel, G. What is thermal diffusion? 3=9493
- Dickel, G. Does a pressure dependence of thermal diffusion exist? 3=21429
- Dickel, G. Transformation theory of separation cascades. II. The extremum field of separation cascades, 4=14085
- Dickel, G. Transformation theory of separation cascades. I. Characteristic quantity representation of the general transport equation, 4=14084
- Dickel, G. and Burkholz, A. Determination of the parasitic currents in the separation column, 2=17505
- Dickel, G. and Richter, K. The concentration dependence of the isotope separation factors for lithium isotopes in ion exchange methods, 4=20000
- Dickel, G. and Schildknecht, D. The transformation principle of separatory tube cascades, 3=15308
- Dickel, H.R. See Howard, W.E., 4=4954
- Dickens, B. and Lipscomb, W.N. Molecular and valence structures of complexes of cyclo-octatetraene with iron tricarbonyl, 3=2643
- Dickens, J.K., Haner, D.A. and Waddell, C.N. Elastic and inelastic scattering of 31.1-MeV protons by carbon-12, 3=6236
- Dickens, J.K., Perey, F.G. and Silva, R.J. Level structure of Ni^{64} , 4=3567
- Dickens, J.K., Perey, F.G., Silva, R.J. and Tamura, T. Proton excitation of two phonon levels, 4=1001
- Dickens, P.G. and Linnett, J.W. Efficiencies of third bodies in the reaction $\text{H} + \text{O}_2 + \text{M} = \text{HO}_2 + \text{M}$, 0=21272
- Dickens, P.G., Linnett, J.W. and Sovers, O. Collisional energy transfer between electronic and vibrational degrees of freedom, 3=6433
- Dickens, P.G. and Ripamonti, A. Calculation of vibrational relaxation times in gases, 2=3726
- Dickens, P.G. and Schofield, D. Multiple vibrational relaxation in gaseous dibromomethane, 1=12280
- Dickerman, C.E., Sowa, E.S., Monaweck, J.H. and Barsell, A. In-pile experiments on meltdown of EBR-II Mark I fuel elements in stagnant sodium, 4=17227
- Dickerman, C.E., Sowa, E.S. and Okrent, D. Fast-reactor studies in treat - a status report, 1=12234
- Dickerman, P.J. and Alpiner, B.P. Spectral line shapes and transition probabilities for argon, 3=8180
- Dickerman, P.J. and Deuel, R.W. Technique for measuring self-absorption of spectral lines in plasmas, 4=24665
- Dickerman, P.J. and Price, C.F. Flow of a partially ionized gas in an axial magnetic field, 0=7119
- Dickerson, R.E. A general method for determining film-to-film scaling constants, 0=3200
- Dickerson, R.F. See De Mastry, J.A., 2=6062
- Dickerson, R.F. See De Mastry, J.A., 1=5952
- Dickerson, R.F. See De Mastry, J.A., 4=9613
- Dickerson, R.F. See Rough, F.A., 0=20524
- Dickey, D.E. and McEwen, J.E. Slide rule simplifies Xenon computations, 0=9723
- Dickey, D.H. See Harman, T.C., 2=4034
- Dickey, D.H. See Strauss, A.J., 3=10936
- Dickey, F.E. See Hudson, J.B., 0=2297
- Dickey, F.P. See Bell, E.E., 1=1842
- Dickey, F.P. See Gailar, N.M., 0=5929
- Dickey, F.P. See Horn, E.F., 4=28199
- Dickey, F.P. See Rogge, W.H., 0=15730
- Dickey, V.F. See Will, G., 4=7595

- Dickinson, B. See Ellison, R.J., 2=16315
- Dickinson, H., Bostick, W.H., DiMarco, J.N. and Koslov, S. Experimental study of Rayleigh-Taylor instability in plasma, 2=19952
- Dickinson, H., Bostock, W.H., Dimarco, J.N. and Koslov, S. Observation of apparent flute-type plasma instability, 0=12618
- Dickinson, H. See Azam, M.N., 0=8979
- Dickinson, H. See Azam, M.N., 1=17851
- Dickinson, H.O. See Barr, J., 2=1381
- Dickinson, J.M. See Reissig, R.D., 4=26563
- Dickinson, M. See Ronne, B., 4=19458
- Dickinson, M.B. See Yagoda, H., 0=12747
- Dickinson, N. See Kellermann, E.W., 0=1332
- Dickinson, N.B. See Padfield, D.G., 0=6710
- Dickinson, P.H.G. and Sayers, J. Ion charge-exchange reactions in oxygen afterglows, 1=277
- Dickinson, R.M. See Saxton, J.A., 3=1706
- Dickinson, R.W. Coolant block damages SRE fuel, 0=5828
- Dickinson, R.W. See Cohen, L., 3=9693
- Dickinson, W.C., Passell, L. and Hapern, O. Studies of the optics of neutrons. I. Measurement of the neutron-proton coherent scattering amplitude by mirror reflection, 2=9853
- Dickinson, W.C. See Passell, L., 1=10896
- Dickson, A.K. Nuclear heating of non-fissile material by thermal neutron reactions, 2=20722
- Dickson, C. See Loeb, M., 1=11660
- Dickson, E.W. The observation of sharp internal friction peaks in beryllium, 0=21099
- Dickson, E.W. and Pashley, D.W. Double positioning in silver and gold layers deposited on mica, 3=1376
- Dickson, E.W. and Strauch, H. Apparatus for the measurement of internal friction and dynamic Young's modulus at kilocycle frequencies, 0=4549
- Dickson, G.O. The origin of small, randomly directed magnetic moments in demagnetized rocks, 3=13848
- Dickson, J.G., Katz, L. and Ward, R. Compounds with the hexagonal barium titanate structure, 1=15100
- Dickson, J.M. See Stafford, G.H., 2=13801
- Dickson, R.W. See Peiser, H.S., 4=4514
- Dickstein, S. See Galun, R., 1=2725
- Di Corato, M., Gelsema, E.S., Minguzzi-Ranzi, A., Belliere, J., Bingham, H.H., Bloch, M., Hennessy, J., Mittner, P., Orkin-Lecourtis, A., Ferrero, M.I., Garelli, C.M., Vigone, M., Grigoletto, A., Limentani, S., Loria, A., Waldner, F., Baglin, C., Drijard, D., Lagarrigue, A., Rancon, P., Rousset, A., De Raad, B., Salmeron, R. and Voss, R. V^0 pairs produced in the Ecole polytechnique one meter propane bubble chamber by π^- of 6.1, 11.6 and 18.1 GeV/c, 2=22627
- Di Corato, M. See Amerighi, M.C., 0=12776
- Di Corato, M. See Baldassarre, F., 1=16862
- Di Corato, M. See Belliere, J., 3=24775
- Dicorato, M. See Bellini, G., 4=6114
- di Corato, M. See Evans, D., 1=19267
- Di Corato, M. See Jones, B.D., 1=8500
- di Corato, M. See Veillet, J.J., 3=10163
- di Corato, M. See Veillet, J.J., 3=17313
- Didenchenko, R. and Gortsema, F.P. Some electric and magnetic properties of rare earth monosulfides and nitrides, 3=20342
- Diddens, A.N. Results from the CERN proton synchrotron, 2=3119
- Diddens, A.N., Galbraith, W., Lillethun, E., Manning, G., Parham, A.G., Taylor, A.E., Walker, T.G. and Wetherell, A.M. Particle production in proton-proton collisions at 19 and 24 GeV/c, 4=11989
- Diddens, A.N., Jenkins, E.W., Kycia, T.F. and Riley, K.F. K^-p total cross section between 2.7 and 5.2 BeV/c, 4=6133
- Diddens, A.N., Jenkins, E.W., Kycia, T.K. and Riley, K.F. Structure in the pion-proton total cross-section between 2 and 3 BeV, 3=22183
- Diddens, A.N., Lillethun, E., Manning, G., Taylor, A.E., Walker, T.G. and Wetherell, A.M. High-energy nucleon-nucleon total cross-sections, 2=20331
- Diddens, A.N., Lillethun, E., Manning, G., Taylor, A.E., Walker, T.G. and Wetherell, A.M. High-energy proton-proton diffraction scattering, 2=20335
- Diddens, A.N., Lillethun, E., Manning, G., Taylor, A.E., Walker, T.G. and Wetherell, A.M. High-energy proton-proton scattering, 2=20336
- Diddens, A.N. See Allaby, J.V., 1=5725
- Diddens, A.N. See Allaby, J.V., 0=7347
- Diddens, A.N. See Ashmore, A., 1=3185
- Diddens, A.N. See Ashmore, A., 0=5559
- Diddens, A.N. See Cocconi, G., 1=7243
- Diddens, A.N. See Cocconi, G., 2=5639
- Diddens, A.N. See Cocconi, G., 2=10095
- Diddens, A.N. See Cocconi, G., 2=22503
- Dideikin, T.S. Kinetics of a reactor leaving the sub-critical state, 4=12302
- Didenko, A.N. Influence of the quantum character of radiation on radial-phase oscillations in electron cyclic accelerators at high energies, 0=10996
- Didenko, A.N. Cherenkov radiation emitted by charged particles moving in a circle of screened waveguides with rectangular cross-sections, 4=16865
- Didenko, A.N. and Kovalenko, E.S. Effectiveness of a waveguide as the accelerating system of an electron synchrotron, 2=3121
- Didenko, A.N. and Kovalenko, E.S. The problem of choosing the frequency of the accelerating field for a high-energy cyclic electron accelerator, 3=21911
- Didenko, A.A., Nemilov, Yu.A. and Fomina, V.I. Investigation of the conductivity induced [by electron bombardment] in thin layers of zinc sulphide, 0=15968
- Didenko, A.N. and Salivon, Yu.A. The influence of the field of a bunch on the phase oscillations of particles in a cyclic waveguide accelerator, 4=19145
- Didenko, A.N. and Serdyutskii, V.A. Comparison of the Kramers method and the hypergeometric-series technique for computing particle loss in cyclical accelerators, 3=12270
- Didenko, A.N. and Vall, A.N. The application of Kramer's method to the calculation of particle losses in cyclical accelerators due to the influence of scattering because of betatron oscillations, 2=5421
- Didenko, A.N. See Vorob'ev, A.A., 2=13622
- Didier, D. Measurement of 14.7 MeV neutron cross-sections: use of the alpha-particle associated with the neutron in the reaction $T(d, n)He^4$, 2=5685
- Didier, D. and Dillemann, H. Measurement of inelastic collision cross-section of beryllium for 14.2 MeV [neutrons], 4=17143
- Didier, D., Fort, E. and Thouvenin, P. (n, α) reactions for nuclei of silicon 28 and 29 for neutrons of energy 13.4 and 13.8 MeV, 3=8108
- DiDomenico, M., Jr., Johnson, D.A. and Pantell, R.H. Ferroelectric harmonic generator and the large-signal microwave characteristics of a ferroelectric ceramic, 2=12563
- DiDomenico, M., Jr., Pantell, R.H., Svelto, O. and Weaver, J.N. Optical frequency mixing in bulk semi-conductors, 3=9970
- DiDomenico, M. Jr. Direct demodulation and frequency conversion of microwave-modulated light in a CdSe bulk photoconductor, 4=16199
- DiDomenico, M., Jr. and Anderson, L. K. Microwave signal-to-noise performance of CdSe bulk photoconductive detectors, 4=30660
- DiDomenico, M., Jr. and Svelto, O. Solid-state photodetection: a comparison between photodiodes and photoconductors, 4=15574
- DiDomenico, M., Jr. See Auld, B.A., 3=4277
- DiDomenico, M., Jr. See Pantell, R.H., 4=20234
- Di Domenico, M., Jr. See Svelto, O., 3=11906
- DiDomenico, M., Jr. See Svelto, O., 4=4230
- Didry, J.R., Cabaret, F. and Guy, J. Topological considerations of the contributions of localized molecular orbitals to the magnetic screening constants, 2=10272
- Didry, J.R. and Guy, J. Diagram of the magnetic shielding constants associated with an aliphatic C-C bond, 4=1253
- Didry, J.R., Guy, J. and Cabaret, F. Diagrams of magnetic screening constants associated with a C-H bond (tetrahedrally hybridized) and of a methyl group in free rotation, 4=3849
- Didry, J.R. See Cabaret, F., 2=6222
- Didry, J.R. See Cabaret, F., 2=23002
- Didry, J.R. See Guy, J., 1=7485
- Didry, J.R. See Guy, J., 1=14098
- Didry, J.R. See Guy, J., 2=12342
- Didry, J.R. See Guy, J., 4=1252
- Didry, J.R. See Guy, J., 4=3848
- Didyk, R. I. See Tsai, N.A., 4=26589
- Diebel, R.N. See Perkins, R.W., 1=2033
- Diebold, R. Photoproduction of single neutral pions from hydrogen at energies 0.6 to 1.2 BeV, 3=15004
- Diebold, R., Gomez, R., Talman, R. and Walker, R.L. Photoproduction of single neutral pions from hydrogen at 60° in the 600-1100 MeV region, 2=1709
- Diebold, R. See Ronne, B., 4=19458

- Diebold, R.E. See Kilner, J.R., 1=2093
 Diechsel, H. See Keck, K., 1=7085
 Dieckamp, H.M., Balent, R. and Wetch, J.R. Compact reactors for space power, 1=15580
 Dieckvoss, W. Systematic errors in the AGK2 and final reductions in the "AGK3"-program, 3=7005
 Dieckvoss, W. The Bergedorf 32" conventional Schmidt telescope as an astrometric instrument, 0=12241
 Dieckvoss, W. Progress of the AGK3, 0=12291
 Diederichs, E. Optical contrast transfer theory applied to surface quality, 2=1256
 Diefendorf, R.J. See Klein, C.A., 2=4035
 Diehl, H. Theory of p-n junction with consideration of recombination in the transition region, 3=2934
 Diehl, H. and Flügge, S. New calculation of the binding energy of the hydrogen molecular ion, 1=4924
 Diehl, H., Flügge, S., Schröder, U., Völkel, A. and Weiguny, A. Quantum mechanical three-body problem. I. Foundations, 1=4922
 Diehl, J. The influence of neutron irradiation on the mechanical properties of face-centred cubic metal crystals, 3=8467
 Diehl, J., Leitz, C. and Schilling, W. Hardening of copper single crystals by neutron irradiation at low temperatures, 3=23340
 Diehl, J. See Blewitt, T.H., 1=7608
 Diehl, J. See Seeger, A., 2=20993
 Diehl, P. and Freeman, R. The influence of molecular shape on solvent shifts in the proton magnetic resonance spectra of polar solutes, 1=15909
 Diehl, P. and Grünacher, I. Determination of relative signs of spin coupling constants in an AB₂X nuclear magnetic resonance spectrum, 1=11122
 Diehl, P. and Pople, J.A. The analysis of complex nuclear magnetic resonance spectra. II. Some further systems with one strong coupling constant, 1=14095
 Diehl, P. See Christ, H.A., 3=11810
 Diehl, P. See Christ, H.A., 3=22599
 Diehl, P. See Grünacher, I., 0=91
 Dieke, G.H. Energy levels of and energy transfer in rare earth salts, 4=25823
 Dieke, G.H. Note on comment by J.T. Hougen, 4=28310
 Dieke, G.H. and Crosswhite, H.M. The ultraviolet bands of OH. Fundamental data, 2=20822
 Dieke, G.H. and Crosswhite, H.M. The spectra of the doubly and triply ionized rare earths, 3=19947
 Dieke, G.H., Crosswhite, H.M. and Dunn, B. Emission spectra of the doubly and triply ionized rare earths, 1=11071
 Dieke, G.H. and Dorman, E. Ion pair absorption in PrCl₃, 3=23075
 Dieke, G.H. and Heath, D.F. Structure of the infrared Y bands of N₂, 0=15724
 Dieke, G.H. and Pandey, B. Spectroscopy of trivalent rare earth ions, 4=19296
 Dieke, G.H. and Pandey, B. Absorption, fluorescence, and energy levels of Ho³⁺ in hexagonal LaCl₃, 4=30685
 Dieke, G.H. and Sarup, R. Fluorescence spectrum and the energy levels of the Sm²⁺ ion, 2=4176
 Dieke, G.H. and Singh, S. Absorption and fluorescence spectra with magnetic properties of ErCl₃, 1=12493
 Dieke, G.H. See Axe, J.D., 3=2692
 Dieke, G.H. See Carlson, E.H., 1=8984
 Dieke, G.H. See Crosswhite, H.M., 1=19974
 Dieke, G.H. See DeShazer, L.G., 3=15683
 Dieke, G.H. See Magno, M.S., 3=3016
 Dieke, G.H. See Thomas, K.S., 3=15689
 Dieke, G.H. See Varsanyi, F., 0=1747
 Dieke, G.H. See Varsanyi, F., 1=2447
 Dieke, G.H. See Varsanyi, F., 2=6577
 Dieke, G.H. See Varsanyi, F., 2=6603
 Dieke, G.H. See Varsanyi, F., 2=14678
 Dieleman, J. Paramagnetic resonance of a photosensitive centre in CdS: Cu, Ga, 3=23224
 Dieleman, J., Title, R.S. and Smith, W.V. Paramagnetic resonance studies of Cr³⁺ in cubic and hexagonal ZnS, 3=3170
 Dieleman, J. See Bleekrode, R., 3=8713
 Dieleman, J. See Bleekrode, R., 3=11113
 Diemer, G. Nature of an ohmic metal-semiconductor contact, 1=14496
 Diemer, G. Field effects on photoconductivity quenching, 2=10524
 Diemer, G. Opto-electronics, 2=14411
 Diemer, G. Note to the Kiess-Stöckman mechanism of photo-current saturation, 4=22791
 Diemer, G. and Bölgner, B. Proposal for reduction of diffraction losses in p-n lasers, 3=22021
 Diemer, G., van Gurp, G.J. and Hoogenstraaten, W. Analysis of mixed ambipolar and exciton diffusion in CdS crystals, 0=13525
 Diemer, G. and Zalm, P. The role of exhaustion barriers in electroluminescent powders, 0=8026
 Diemer, G. See Stieltjes, F.H., 4=4221
 Dieminger, W. Transient fine structure of the E-layer, 0=18493
 Dieminger, W. and Kohl, H. Effects of nuclear explosions on the ionosphere, 2=15223
 Dieminger, W., Oksman, J. and Rose, G. Ionospheric D-region phenomena associated with auroral disturbances at Sodankylä, 3=1461
 Dieminger, W.E. Clouds in the sporadic E-layer, 0=21354
 Diener, A. See Fetz, H., 2=11704
 Diener, G., Heinrich, D. and Lenk, R. Corrections to the cascade theory of defect production, 4=4035
 Diener, J.J. See Androulakis, J.G., 3=17125
 Dienes, G.J. Introduction — defects in silicas, 0=13530
 Dienes, G.J. and Damask, A.C. An estimate of the effect of radiation on the thermal conductivity of beryllium, 2=2058
 Dienes, G.J. and Damask, A.C. Kinetics of vacancy-interstitial annihilation. II. Di-interstitial formation, 2=3902
 Dienes, G.J. and Damask, A.C. Theory of annealing of vacancies and divacancies in pure metals, 2=12423
 Dienes, G.J. and Damask, A.C. Kinetics of vacancy-interstitial annihilation. III. Interstitial migration to sinks, 3=6510
 Dienes, G.J. See Damask, A.C., 0=17953
 Dienes, G.J. See Damask, A.C., 0=17957
 Dienes, G.J. See Damask, A.C., 2=3901
 Dienes, G.J. See Damask, A.C., 3=22727
 Dienes, G.J. See Damask, A.C., 4=22557
 Dienes, G.J. See Hatcher, R.D., 1=17503
 Dienes, G.J. See Hatcher, R.D., 4=12735
 Dienes, G.J. See Larsen, R.E., 4=28479
 Dienes, J.K. See Caughey, T.K., 1=17981
 Dieniène, M.V. See Banis, T.Ya., 4=1580
 Diepen, G.A.M. See de Swaan Arons, J., 3=21616
 Diepen, G.A.M. See de Swaan Arons, J., 4=5215
 Dierckx, R. Threshold detectors for measuring fast neutron spectra, 2=22537
 Diercks, K.J., Goldsberry, T.G. and Horton, C.W. Circumferential waves in thin-walled air-filled cylinders in water, 3=7271
 Diercks, K.J. and Jeffress, L.A. Interaural phase and the absolute threshold for tone, 2=7321
 Diercks, K.J., McCormack, K. and James, D.B. Phase velocity of plane longitudinal waves in infinite plates, 3=5483
 Diercks, K.J. See Horton, C.W., 3=5500
 Diesel, T.J. and Love, W.F. Transverse magnetoresistance of germanium in the quantum limit, 1=17698
 Diesel, T.J. See Hollander, L.E., 0=6097
 Diesel, T.J. See Hollander, L.E., 0=7943
 Diesel, T.J. See Hollander, L.E., Jr., 0=7949
 Diesen, R.W. Mass spectral studies of kinetics behind shock waves. II. Thermal decomposition of hydrazine, 4=4692
 Diesen, R.W. and Felmler, W.J. Mass spectral studies of kinetics behind shock waves. I. Thermal dissociation of chlorine, 4=4691
 Diesen, R.W. See Harrington, R.E., 0=8301
 Diesendruck, L. Electromagnetic fields of a charge and isotropic medium in relative motion, 2=9684
 Diestel, H.G. Determination of the pressure sensitivity of microphones, 1=214
 Diestel, H.G. Reciprocity calibration of microphones in a diffuse sound field, 1=6941
 Diestel, H.G. Absolute determination of the response characteristic of microphones in the diffuse sound field, 1=8197
 Diestel, H.G. Sound propagation in an almost anechoic room, 2=15713
 Diestel, H.G. Probability distribution of sinusoidal sound pressure in a room, 4=5350
 Diestel, H.G. See Bocker, P., 2=4889
 Diestel, H.G. See Mrass, H., 1=1606
 Diestel, H.G. von. See von Diestel, H.G.
 Dietel, W. See Eckardt, A., 4=18652
 Dieter, F.A. See Theissing, H.H., 0=1829
 Dieter, G.E. See Leslie, W.C., 2=23846
 Dieter, N.H. A search for H I in Centaurus A, 2=13180
 Dieter, N.H. Neutral hydrogen in M33, 2=13185
 Dieter, N.H. Neutral hydrogen in IC 342, 2=17308
 Dieter, N.H. Neutral hydrogen in M 101, 2=17309
 Dieter, N.H. Neutral hydrogen near the north galactic pole, 4=23945

- Dieter, N. H. and Ewen, H. I. Radio observations of the inter-stellar OH line at 1,667 Mc/s, 4=20950
- Dieter, N.H. See Miczaika, G.R., 2=11206
- Diethorn, W. Alpha sources for low-thrust tasks in space, 4=13975
- Diethorn, W.S. $\text{Sr}^{90}\text{-Y}^{90}$ beta sources for radiation chemistry studies, 2=5620
- Diethorn, W.S. A contribution to the theory of recoil-atom behavior, 4=29994
- Diethorn, W.S. See Townley, C.W., 2=4577
- Dietl, J. See Luchner, K., 4=7351
- Dietrich, C. See Zeil, W., 4=6606
- Dietrich, F.S. Subcritical reactor as a college facility, 0=5814
- Dietrich, F.S. See Ajzenberg-Solove, F., 2=381
- Dietrich, H. Properties of nonmagnetic steel, 4=28779
- Dietrich, H. See Fischer, W.A., 4=28612
- Dietrich, H. See Fischer, W.A., 4=30535
- Dietrich, I. Determination of the energy gap of superconducting tantalum with the help of the tunnel effect, 2=11569
- Dietrich, I. Measurements of the energy gap in superconducting tantalum single crystals, 4=14531
- Dietrich, I. Energy gap of the high field superconductor NbZr, 4=21425
- Dietrich, I. and Honrath-Barkhausen, M. On the formation of resistive layers of organic origin on electric contacts, 0=2304
- Dietrich, I. and Honrath-Barkhausen, M. Experiments on the transport of matter in make and break contacts using radioactive isotopes, 1=18814
- Dietrich, I. and Kerps, D. Switching time measurements for the determination of the critical current in thin superconducting films, 3=5587
- Dietrich, I., Pfisterer, H., Richter, H., Weyl, R. and Zwicker, U. Measurements on wires of hard superconductors of the niobium-zirconium system, 3=14460
- Dietrich, K. Application of the pair model to the nuclear physics five-body problem, 2=9982
- Dietrich, K. On the energy spectrum of (p, 29) reactions, 2=20622
- Dietrich, K. On the connection of the independent-pair model with a variational principle, 4=16997
- Dietrich, K., Folk, R. and Mang, H.J. Binding energies of light hyperfragments, 1=19349
- Dietrich, K., Mang, H.J. and Folk, R. Binding energies of light hyperfragments, 4=9365
- Dietrich, K., Mang, H.J. and Pradal, J.H. Conservation of particle number in the nuclear pairing model, 4=21983
- Dietrich, M.W. and Wahl, A.C. Nuclear magnetic resonance studies of electron transfer between tris (2,2'-dipyridyl) osmium (II) and (III) ions, between bis (cyclopentadienyl) iron (II) and (III) ions, and between tris (2,10-phenanthroline) iron (II) and (III) ions, 3=12866
- Dietrich, O. See Als-Nielsen, J., 4=12083
- Dietrich, W. Reversible and irreversible magnetization variations in thin magnetic films, 1=3904
- Dietrich, W. Incomplete switching processes in thin magnetic films, 2=12783
- Dietrich, W. and Proebster, W.E. Millimicrosecond magnetization reversal in thin magnetic films, 0=11857
- Dietrich, W., Proebster, W.E. and Wolf, P. Nanosecond switching in thin magnetic films, 0=10157
- Dietrich, W. and Seiler, H. The energy distribution of electrons released by ions and electrons in traversing thin foils, 0=5342
- Dietrich, M. See Leistner, M., 3=24535
- Dietz, G. and Jaumann, J. Ultrasonic propagation in ferromagnetic substances, 2=12379
- Dietz, J.H. See Wolf, A.A., 3=11671
- Dietz, K. Effect of the pion-pion interaction on pion-nucleon scattering phases, 3=599
- Dietz, K. The effect of a pion-pion interaction on low-energy pion-nucleon scattering, 3=7905
- Dietz, K. and Domokos, G. Bootstrapping of vector mesons? 4=27772
- Dietz, K. and Hühler, G. The prediction of the photoproduction of π^+ by the dispersion method, 0=5596
- Dietz, K. and Hühler, G. The compatibility of a dispersion relation for pion-nucleon scattering with experimental data, 0=2577
- Dietz, K., Hühler, G. and Müllensiefen, A. Comparison of the photoproduction of a π^0 -meson on a proton with the prediction of the dispersion theory, 0=9424
- Dietz, K. See Höhler, G., 1=2090
- Dietz, K. See Höhler, G., 1=13470
- Dietz, L.A. Electrostatic field correction using tapered rose shims, 1=16435
- Dietz, L.A. Transmission optics of focused ion beams used in mass spectrometry, 0=19794
- Dietz, L.A., Pachucki, C.F. and Land, G.A. Half lives of cesium-137 and cesium-134 as measured by mass spectrometry, 3=22337
- Dietz, L.A. See White, F.A., 1=9920
- Dietz, R.D. See Zirin, H., 4=4909
- Dietz, R.E., Hopfield, J.J. and Thomas, D.G. Excitons and the absorption edge of ZnO, 1=17477
- Dietz, R.E., Kamimura, H., Sturge, M.D. and Yariy, A. Electronic structure of copper impurities in ZnO, 4=4042
- Dietz, R.E. and Selwood, P.W. Effect of chemisorbed hydrogen on the magnetization of nickel at low temperatures, 0=3070
- Dietz, R.E. and Selwood, P.W. Effect of chemisorbed hydrogen on the magnetization of nickel, 1=11432
- Dietz, R.E., Thomas, D.G. and Hopfield, J.J. "Mirror" absorption and fluorescence in ZnTe, 2=16861
- Dietz, R.E. See Gershenson, M., 3=10949
- Dietz, R.E. See Johnson, L.F., 4=5878
- Dietz, R.E. See Johnson, L.F., 4=30089
- Dietz, R.E. See Lynch, R.T., 3=16049
- Dietz, R.E. See Pappalardo, R., 1=11380
- Dietz, R.S. Meteorite impacts, lunar maria, lopoliths and ocean basins, 3=11384
- Dietz, R.S. See Halacree, J., 4=23695
- Dietze, H.D. Statistical theory of coercive field, 3=1089
- Dietze, H.D. Disaccommodation and frequency dependence of the magnetic aftereffect at high temperatures in iron-silicon alloys. I. Theory, 4=7259
- Dietze, H.D. Theory of coercive force for randomly distributed lattice defects and precipitations, 4=10263
- Dietze, H.D. and Balthesen, E. Magnetic relaxation in silicon iron under irradiation by neutrons, 3=1042
- Dietze, H.D. and Thomas, H. Bloch- and Néel-walls in thin ferromagnetic films, 1=20093
- Dietzel, A. See Amrhein, E.M., 1=19034
- Dietzmann, G., Kröttsch, M. and Wolf, S. Electric conductivity and porosity of Ni-Zn ferrites, 3=4939
- Dietzsch, O., Douglas, R.A. and Gomes, V. A search for an isomeric state in Mn^{54} , 1=13693
- Dietzsch, O., Hama, Y., Hamburger, E.W. and Zawislak, F.C. Study of the $\text{O}^{16}(\text{d}, \text{n})\text{F}^{17}$ reaction, 1=17147
- Dietzsch, O., Kuchnir, M., Phillips, W.R. and Sala, O. The lifetime of the 3.85 MeV level in ^{13}C , 0=15535
- Dietzsch, O. See Landim, E., 2=18138
- Dietzsch, W. Measuring sensitiveness and measuring accuracy in industrial β -ray thickness measurement, 2=1102
- Dietzsch, W. Measurement sensitivity and error in thickness and density measurement with radioactive isotopes by the transmission method, 3=9396
- Dieulesaint, E. and Defranould, P. Plasma diode permitting thermionic conversion, 4=8608
- Dieulesaint, E. and Defranould, P. Experimental study of a caesium plasma converter, 4=29864
- Dieulesaint, E. See Cahen, O., 4=444
- Dieulesaint, E. See Piquendar, J.E., 3=9714
- Diez, R. See Catala, J., 2=16102
- Díez, R. See Catalá, J., 3=24962
- Díez, R. See Catalá, J., 4=9550
- Díez, R. See García, A., 4=22166
- Di Federico, I. See Foraboschi, F.P., 4=14419
- Diffey, C.A. See Maglic, B.C., 1=12105
- Di Francia, G., Toraldo. See Toraldo Di Francia, G.
- Di Franco, J.V. See Rubin, W.L., 3=14761
- Di Giacomo, A. On some phenomena related to the saturation of rotational resonances, 0=5919
- Di Giacomo, A. Electric dipolar transitions in gases involving two quanta, 4=28210
- Di Giacomo, C. Realization of the control of the G2 reactor, 1=2256
- Di Giorgio, V.E. and Robinson, G.W. Rotational fine structure in the $^3\text{A}_2 \leftarrow ^1\text{A}_1, \pi^* \leftarrow n$ transition of formaldehyde, 0=5922
- Di Gueno, G. See Bernardini, C., 4=16583
- Dignam, M.J. Oxide films on aluminium. I. Ionic conduction
- Dignam, M.J. Oxide films on aluminium. II. Kinetics of formation in oxygen, 2=10938
- Dignum, R. Brief review of ultrasonic attenuation with some emphasis on work at ultrahigh frequency, 4=22483
- Di Guigno, G. See Bernardini, C., 3=17005
- Diikov, U.V. See Gordov, A.N., 1=5381
- Dijk, H.van. See van Dijk, H.

- Dijkerman, H.A. and Dymanus, A. The σ -stark effect of rotational transitions. II. The microwave spectrum of methyl alcohol, 3=734
- Dijkerman, H.A. See Dymanus, A., 0=5428
- Dijkerman, H.A. See Dymanus, A., 1=12282
- Dijkgraaf, C. Influence of enhanced singlet-triplet transition probabilities on rotatory dispersion, 3=19971
- Dijkstra, A. See Bokhoven, C., 0=16402
- Dijkstra, J.H. and De Vries, C. Differences in natural widths of conversion lines, 1=5873
- Dijkstra, J.H. See de Vries, C., 0=20403
- Dik, V.B. and Ostroborodova, V.V. Apparatus for growing very pure single germanium crystals, 1=7851
- Dik, V.B. See Pokrovskii, Ya.E., 1=7846
- Dikarev, V.S. Transforming neutron spectrum of a nuclear reactor by means of a converter, 4=1167
- Dikarev, V.S. See Mostovoi, V.I., 3=25029
- Dike, R.S. and Kemp, E.L. Design of a low-inductance capacitor and switch assembly, 4=21446
- Dikhoof, J.A.M. Cross-sectional resistivity variations in germanium single crystals, 2=8342
- Dikii, G.P. Spherical eddy sources in magnetohydrodynamics, 4=19175
- Dikii, G.P. and Tarapov, I.E. Some "self-reproducing" magnetohydrodynamic problems with axial symmetry, 3=14757
- Dikii, G.P. and Tarapov, I.E. Some problems of steady-state magnetohydrodynamics with axial symmetry, 3=14758
- Dikii, L.A. Stability of plane-parallel streams of ideal liquids, 1=2734
- Dikina, L.S. and Shpunt, A.A. Strength of "cleavage whiskers", 2=19006
- Dikshit, K.D. See Chakrabarti, N.B., 0=17097
- Dilla, M.A. Van. See Van Dilla, M.A.
- Di Lella, L. Forbidden processes in weak interactions, 4=12026
- di Lella, L. See Conforto, G., 2=20660
- di Lella, L. See Conforto, G., 2=22831
- di Lella, L. See Conversi, M., 1=7260
- di Lella, L. See Conversi, M., 1=7261
- di Lella, L. See Conversi, M., 1=7395
- di Lella, L. See Conversi, M., 1=8474
- di Lella, L. See Conversi, M., 2=13834
- di Lella, L. See Conversi, M., 2=20213
- Di Lella, L. See Dick, L., 4=25069
- Diliberto, S.P., Kyner, W.T. and Freund, R.B. The application of periodic surface theory to the study of satellite orbits, 1=6745
- Dill, F.H., Jr. See Burns, G., 4=5866
- Dill, F.H., Jr. See Howard, W.E., 4=5871
- Dill, F.H., Jr. See Laff, R.A., 4=5867
- Dill, F.H., Jr. See Nathan, M.L., 3=7735
- Dill, M.W. See Yun, S.S., 2=13337
- Dilla, M.A. Van. See Van Dilla, M.A.
- Dillamore, I.L. Factors affecting the rolling recrystallisation textures in f.c.c. metals, 4=29038
- Dillamore, I.L., Harris, I.R. and Smallman, R.E. The rolling texture and stacking-fault energy of thorium, cerium and thorium-cerium alloys, 4=13656
- Dillamore, I.L. and Roberts, W.T. Rolling textures in f.c.c. and b.c.c. metals, 4=13637
- Dillamore, I.L. and Roberts, W.T. Crystallographic texture variations through rolled aluminium and copper sheet, 4=13638
- Dillamore, I.L., Smallman, R.E. and Roberts, W.T. A determination of the stacking-fault energy of some pure f.c.c. metals, 4=12769
- Dillard, C.R. and Lawson, J.R. Infrared and Raman spectra of some tin-alkyls, 1=843
- Dillard, C.R. See May, L., 1=7471
- Dillemann, H. See Didier, D., 4=17143
- Dillenburg, D. and Maris, T.A.J. The effect of statistical perturbations on angular correlations, 2=16337
- Dillenburg, D. and Maris, Th.A.J. On the mechanism of nuclear spin relaxation, 3=22273
- Dillenburg, D. and Maris, T.A.J. The spin relaxation in X-gamma angular correlations, 4=19655
- Diller, D.E. See Goodwin, R.D., 2=7191
- Diller, D.E. See Goodwin, R.D., 3=14146
- Diller, D.E. See Goodwin, R.D., 4=14146
- Diller, D.E. See Roder, H.M., 3=14424
- Diller, D.E. See Weber, L.A., 2=15805
- Diller, D.E. See Younglove, B.A., 3=11784
- Dilley, J. See Barut, A.O., 4=2569
- Dilley, J. See Barut, A.O., 4=19565
- Dilling, M. See Vratny, F., 2=6578
- Dillinger, J.R. See Anderson, O.T., 0=3697
- Dillinger, J.R. See Barnes, L.J., 3=19108
- Dillinger, J.R. See Neeper, D.A., 4=28385
- Dillinger, J.R. See Netzel, R.G., 1=1867
- Dillman, L.T. Improvements in measurement of the speed of light, 4=24334
- Dillman, L.T., Kraushaar, J.J. and McCullen, J.D. The decay of Sc^{4+} and Sc^{4m} , 3=12623
- Dillon, G. and Armington, A. Purification of ammonium alum, 3=1265
- Dillon, I.G. and Burris, L., Jr. Estimation of fission product spectra in discharged fuel from fast reactors, 0=13293
- Dillon, J.A., Jr. Asymmetries in the surface properties of the (III) and (III) faces of zinc telluride, 2=7644
- Dillon, J.A., Jr. Purification methods in the study of semiconductor surfaces, 4=29173
- Dillon, J.A., Jr. and Oman, R.M. Ion-bombardment etching of silicon and germanium, 0=1898
- Dillon, J.F., Jr. Ferromagnetic resonance in CrBr_3 , 2=12687
- Dillon, J.A., Jr. and Oman, R.M. Surface diffusion effects and ion bombardment cleaning of silicon and germanium, 2=23203
- Dillon, J.F. Jr. New characteristic in the temperature dependence of ferrimagnetic resonance linewidth in some rare-earth doped yttrium iron garnets, 1=6406
- Dillon, J.F., Jr. Ferrimagnetic resonance in rare-earth-doped yttrium iron garnet. III. Linewidth, 2=18939
- Dillon, J.F., Jr. Ferrimagnetic resonance line width in rare earth doped yttrium iron garnet, 3=1174
- Dillon, J.F., Jr. Domains and domain walls, 4=13138
- Dillon, J.F., Jr., Kamimura, H. and Remeika, J.P. Magnetic rotation of visible light by ferromagnetic CrBr_3 , 3=919
- Dillon, J.F., Jr., Kamimura, H. and Remeika, J.P. Magneto-optical studies of chromium tribromide, 3=15656
- Dillon, J.F., Jr. and Olsen, C.E. Ferromagnetic Resonance of EuO , 4=26358
- Dillon, J.A., Jr. and Oman, R.M. Work-function measurements and lattice defects, 4=19074
- Dillon, J.F., Jr. Optical absorptions and rotations in the ferrimagnetic garnets, 0=13676
- Dillon, J.F., Jr. Magnetostatic modes in disks and rods, 0=16154
- Dillon, J.F., Jr. and Nielsen, J.W. Ferrimagnetic resonance in impurity doped yttrium iron garnet (YIG), 0=10211
- Dillon, J.F., Jr. and Nielsen, J.W. Ferrimagnetic resonance in rare-earth doped yttrium iron garnet. I. Field for resonance, 0=18211
- Dillon, J.F., Jr. and Remeika, J.P. Diffraction of light by domain structure in ferromagnetic CrBr_3 , 3=11072
- Dillon, J.F., Jr. and Remeika, J.P. Visual observation of magnetostatic modes, 3=23200
- Dillon, J.F., Jr. and Remeika, J.P. Ferromagnetic and paramagnetic resonance line widths in CrCl_3 and CrBr_3 , 3=23204
- Dillon, J.F., Jr. and Teague, M. Preparation of CrBr_3 samples, 4=23993
- Dillon, J.F., Jr. and Walker, L.R. Ferrimagnetic resonance in rare-earth doped yttrium iron garnet. II. Terbium substitution, 1=20185
- Dillon, J.F., Jr. and Walker, L.R. Erratum: ferrimagnetic resonance in rare-earth doped yttrium iron garnet. II. Terbium substitution, 2=14820
- Dillon, J.F., Jr. See Wood, D.L., 3=25454
- Dillon, J.H. See Shibukawa, T., 3=13326
- Dillon, M.A. See Mullin, C.R., 4=18208
- Dillon, M.A. See Yguerabide, J., 4=18207
- Dillon, O.W., Jr. A nonlinear thermoelasticity theory, 2=11308
- Dillon, O.W., Jr. An experimental study of the heat generated during torsional oscillations, 2=21417
- Dillon, O.W., Jr. Temperature generated in aluminium rods undergoing torsional oscillations, 2=23741
- Dillon, O.W. Jr. Coupled thermoplasticity, 3=9380
- Dillon, O.W. Jr. Experimental data on aluminium as a mechanically unstable solid, 4=1926
- Dillon, P.L.P. See Marchant, J.C., 1=8245
- Dills, D.H. See Rabinovitch, B.S., 0=4711
- Dil'man, V.V. Method for the determination of the coefficient of longitudinal turbulent diffusion in a finite channel, 4=11162
- Dil'man, V.V. A one-dimensional problem of unsteady convective diffusion, 3=11786
- Dils, R.R., Martin, G.W. and Huggins, R.A. Chromium distribution in synthetic ruby crystals, 3=8808
- Dils, R.R. and Sullivan, C.P. Solute distribution near a grain boundary in a high-temperature nickel-base alloy, 4=13464

- Dils, R.R., Zeitz, L., Keith, D.L. and Huggins, R.A. Modification of a Cosslett-Nixon microfocus X-ray tube for use as an X-ray microanalyzer, 1=13146
- Dilworth, C., Morrison, D. R. O. and Mambriani, G. On the measurement of ionization in hydrogen bubble chambers, 4=21715
- Dilworth, C. See Boella, G., 3=22222
- Dilworth, C. See Bridge, H.S., 1=15583
- Dilworth, C. See Bridge, H.S., 2=12055
- Dilworth, C.C. See Jones, B.D., 1=8500
- Dilworth, C. See K⁻-collaboration, 0=1308
- Dilworth, C. See K⁻-Collaboration, 0=15430
- DiMaggio, F.L. and Silbiger, A. Free extensional torsional vibrations of a prolate spheroidal shell, 1=2806
- DiMaggio, F.L. See Shiraishi, N., 3=1744
- Di Marco, J.N. and Bostick, W.H. Experimental observations of colliding plasmas in cusped and mirror-geometry magnetic fields, 2=17832
- Dimarco, J.N. See Dickinson, H., 0=12618
- Dimarova, E.N. See Andrievskii, A.I., 2=14393
- Dimarova, E.N. See Andrievskii, A.L., 2=12392
- DiMarco, J.N. See Dickinson, H., 2=19952
- DiMarzio, E.A. Contribution to a liquid-like theory of rubber elasticity, 2=8140
- Di Martini, R.G. and Byrne, J.G. Dislocation boundaries in irradiated sodium nitrate single crystals, 4=17431
- DiMarzio, E.A. Statistics of orientation effects in linear polymer molecules, 1=12341
- DiMarzio, E.A. and Stillinger, F.H., Jr. Residual entropy of ice, 4=17330
- DiMarzio, E.A. See Stillinger, F.H., Jr., 4=16288
- DiMattia, A.P. See McDaniel, G.W., 2=19687
- Dimchev, Z. T. and Sýrnev, L. Changes in work function of PbS monocrystals with change in gas medium, 4=21552
- Dimeff, J. and Lane, J. W. Vibrating membrane electrometer with high conversion gain, 4=18636
- Dimeff, J., Lane, J.W. and Coon, G.W. New wide-range pressure transducer, 2=19506
- DiMeglio, A.F. See Jablonski, F.E., 0=12996
- Dimic, V. See Strnad, J., 1=15929
- Dimick, R.C. and Trezek, G.J. Photodiode as a sensitive temperature probe, 3=24088
- Dimigen, H. Energy analysis of the electron scattering diagram of a thin silicon foil, 2=821
- Dimigen, H. See Creuzburg, M., 3=16058
- Dimitriades, B. See Keenan, A.G., 3=3398
- Dimitriev, A.V. See Kuznetsov, V.G., 3=25734
- Dimitriev, V. D. See Ibragimov, Sh. Sh., 4=23282
- Dimitrijević, Ž. See Krašnicki, Sz., 4=28828
- Dimitrijević, Z. See Ribon, P., 2=462
- Dimitrijevic, Z. See Ribon, P., 2=12143
- Dimitrijević, Z.D. See Ajdačić, V.S., 1=13238
- Dimitrov, O. and Albert, P. Study of the influence of very small quantities of impurities on the change at low temperatures of the electrical resistance of cold-worked aluminium, 0=2839
- Dimitrov, O. See Frois, C., 1=10236
- Dimitrov, O. See Frois, C., 2=4391
- Dimitrov, O. See Frois, C., 4=12850
- Dimitrov, O. See Frois, C., 4=26002
- Dimitrova, M. See Stainov, G., 0=18575
- Dimmick, F.L. See Siegel, M.H., 2=24230
- Dimmock, J.O. Use of symmetry in the determination of magnetic structures, 3=13233
- Dimmock, J.O. Representation theory for nonunitary groups, 4=10
- Dimmock, J.O. and Wheeler, R.G. Exciton structure and Zeeman effects in cadmium selenide, 1=17474
- Dimmock, J.O. and Wheeler, R.G. I reducible representations of magnetic groups, 2=16897
- Dimmock, J.O. and Wheeler, R.G. Symmetry properties of wave functions in magnetic crystals, 2=18884
- Dimmock, J. O. and Wright, G. B. Band edge structure of PbS, PbSe, and PbTe, 4=25905
- Dimmock, J.O. See Wheeler, R.G., 0=533
- Dimmock, J.O. See Wheeler, R.G., 2=10359
- Dimock, D. See D'Angelo, N., 4=11680
- Dimock, D.L. Temperature compensation of sine-drive monochromators, 0=14830
- Dimock, E.L. See Szabo, A., 2=2883
- Dimond, R. K. See Alderson, J. E. A., 4=7186
- Dimov, G.I. Modelling methods for electric and magnetic fields, 0=10863
- Dimov, N.A. An integrating stellar spectrophotometer, 2=927
- Din Da-Tsao (Ling La-Ts'ao), Van Tsu-Tszen and Van Gan-Chan. Strong interaction of strange particles, 4=3483
- Din Da-tsao [Ting Ta-ts'ao]. See Birger, N.G., 2=3391
- Din Da-tsao [Ting Ta-ts'ao]. See Van Gan-Chan [Wang Kang-ch'ang], 3=2302
- Din Da-Tsao [Ting Ta-Ts'ao]. See Van Gan-Chan [Pang Kang-Ch'ang], 0=15358
- Din Da-Tsao [Ting Ta-Ts'ao]. See Van Gan-Chan [Pang Kang-Chang], 0=15455
- Din Da-Tsao. See Van Gan-Chan, 0=9415
- Din Da-tsao. See Van Gan-Chan., 1=2099
- Din Da-Tsao. See Van Gan-Chan, 1=16902
- Din Da-tsao. See Van Gan-Chan, 1=19284
- Din Da-Tsao. See Van Gan-Chan, 3=19709
- Din, F. See Burn, I., 2=22097
- Din, G. See Bonner, T.W., 1=8577
- Din, G. U., Kuan, H.M. and Bonner, T.W. Excitation functions and angular distributions for the reaction C¹²(He³, n) O¹⁴, 4=9563
- Din, G.U., Hsin-min Kuan and Bonner, T.W. Mechanism of the reaction C¹²(He³, n) O¹⁴, 2=1926
- Din Jia-yen. See Chen Chi, 4=10208
- Din Ty Nguen. See Nguen Din Ty
- D'Incan, J., Marchand, J., Stringat, R. and Janin, J. Postluminescence of mixtures of nitrogen and carbonized products in the presence of halogens, 4=9732
- d'Incan, J. See Janin, J., 3=22547
- Dinger, H.E. A four-year summary of whistler activity at Washington, D.C., 0=14317
- Dinger, H.E. Radio frequency interference measurements and standards, 2=15410
- Dinger, H. E. and Garner, W. E. Whistler observations in connection with nuclear explosions, 4=7856
- Dinger, J. E.; Mason, B. J. and Matthews, J. B. Electrification accompanying melting of ice and snow, 4=23767
- Dinger, J.E. See Mastenbrook, H.J., 1=20819
- Dingle, H. On inertial reference frames, 3=1587
- Dingle, H. A radio-astronomical test of the ballistic theory of light emission, 1=6943
- Dingle, H. Relativity and electromagnetism: An epistemological appraisal, 1=9315
- Dingle, H. The special theory of relativity, 1=11695
- Dingle, H. The origin and present status of the special relativity theory, 0=12354
- Dingle, H. Special theory of relativity, 3=16506
- Dingus, R.S. See Lu, D.C., 3=4586
- Dinh - Lien - Pham. See Pham - Dinh - Lien.
- Dinh Tuong Guyen. See Guyen Dinh Tuong
- Dinh-Vuong, B. Influence of the rate of evaporation on the electrical conductivity of thin metallic films, 2=14498
- Dinhofer, A.D. Localized mode detection by means of the Mössbauer effect, 3=20056
- Dinichert, P. See Jan, J.P., 0=12044
- Dinichert, P. See Jan, J.P., 0=14008
- Dininsky, R.E. and Pace, E.L. Infrared spectrum and the fundamental frequency assignments for trifluoromethanethiol (CF₃SH), 0=4205
- Dininsky, R.E. and Pace, E.L. Thermodynamic properties of trifluoromethanethiol from 12°K to its boiling point. Entropy from molecular and spectroscopic data, 0=5017
- Dinkelacker, A. Measurements and observations on flow noise in water-filled plastic tubes, 3=5505
- Dinkelacker, A. See Meyer, E., 1=16012
- Dinklage, J. and Frerichs, R. X-ray diffraction and diffusion in metal film layered structures, 3=23437
- Dinklage, J.B. The effect of core current on magnetic materials, 1=6337
- Dinter, H. See Bienlein, J. K., 4=25346
- Dinter, R. See Holzmüller, W., 1=106
- Dintzis, F.R. and Stein, R.S. Observations on depolarization ratios of scattered light by some low molecular weight gases and n-paraffin vapours, 4=14218
- Dintzis, F.R. See Gill, S.J., 3=5441
- Dismant, J.H. Reviving the classical theory of friction by a modern dislocation theory of deformation revision, 0=3166
- Dismukes, C.R. See Bryan, R.A., 3=22122
- Dismukes, J.P. See Abeles, B., 2=3855
- Distanov, B.G. See Nagornaya, L.L., 4=16735
- Distéfano, J.N. On stability in the visco-elastic region where a linear law is followed. I, 0=8576
- Distéfano, J.N. On stability in the visco-elastic region where a linear law is followed. II, 0=8577
- Distéfano, J. N. The relationship between the various deformations in nonhomogeneous viscoelastic solids, 4=21066

- Distler, G.I. and Daryusina, S.A. An electron microscope study of the formation of layers of lead sulphide, 3=13564
- Distler, G.I. and Daryusina, S.A. A new method of decorating a crystal surface, 3=16050
- Distler, G. I. and Daryusina, S. A. Mechanism of secondary decoration of crystal surfaces, 4=30824
- Distler, G.I., Daryusina, S.A. and Gerasimov, Yu.M. Early stages of crystallization as a method of establishing inhomogeneities of crystalline surfaces, 4=17794
- Distler, G. I. See Grechushnikov, B. N., 4=14368
- Distler, G. I. See Grechushnikov, B. N., 4=14367
- Distler, R. J. Hysteresis loop analysis, 4=8891
- Ditchburn, R.W. The absorption spectrum of neon, 0=9770
- Ditchburn, R.W. Absorption cross-section for photo-ionization, 3=9722
- Ditchburn, R.W. A new apparatus for producing a stabilized retinal image, 4=10979
- Ditchburn, R.W. and Hudson, R.D. The absorption of light by calcium vapour (2100 to 1080 Å), 0=19220
- Ditchburn, R.W. and Young, P.A. The absorption of molecular oxygen between 1850 and 2500 Å, 2=8106
- Ditchburn, R.W. See Bennet-Clark, H. C., 4=10980
- Ditchburn, R.W. See Clowes, M.B., 0=18565
- Ditchfield, C.R. Noise limits of a maser system, 3=5891
- Ditchfield, C.R. The prediction of the optimum noise performance of a reflection cavity maser, 4=11816
- Ditkovsky, H. See Aharoni, A., 3=20979
- Ditsman, A.S. Investigation of the region of a microfocus source in an X-ray microanalyser, 3=5801
- Ditsman, S.A. Reflection of X-rays from a bent crystal in the case of a microfocus source, 2=14978
- Ditsman, S.A. Reflection of hard X-radiation by bent crystals, 3=6835
- Ditsman, S.A. See Borovskii, I.B., 3=4233
- Dittfield, H. -J. and Voigt, J. Comparative studies of thermally stimulated conductivity curves on CdS single crystals, 4=1595
- Dittmar, W. and Neumann, K. Growth and evaporation rate of needle-like potassium crystals, 0=13961
- Dittmar, W. and Neumann, K. Observations on the effect of surface diffusion on the growth of potassium crystals in supersaturated vapour, 0=18309
- Dittmar, W. and Neumann, K. Remarks on the contribution of S.J.Hruska and J.P.Hirth on growth and evaporation of potassium whiskers, 1=20446
- Dittmar, W., Meissner, H. D. and Köhler, A. The growth of needle-shaped potassium crystals, 4=26606
- Dittmer, D.C. See Anderson, J.M., 3=12864
- Ditzenberger, J.A. See Whelna, J.M., 2=23386
- Diu, B. Elementary and composite particles in the Lee model, 3=17171
- Diu, B. Mass relations and simple Lie groups of rank 2, 3=19549
- Diu, B., Gervais, J.L. and Rubinstein, H.R. K^* generation by ρ exchange, 3=15025
- Diu, B., Gervais, J. L. and Rubinstein, H. R. Some remarks about "bootstrap" calculations, 4=9246
- Diu, B., Gervais, J. L. and Rubinstein, H. R. Calculation of the K^* parameters from nearby singularities, 4=9274
- Diu, B. and Rubinstein, H. R. Incompatibility of the exact and approximate bootstrap conditions in a soluble model, 4=15010
- Diu, B. and Rubinstein, H.R. A nearly singularity prediction of a resonance, 4=16951
- Diu, B. and Rubinstein, H. R. Note on the "bootstrap" explanation of the N and N_{33} , 4=19497
- Divakaran, P.P. Equivalence theorems and point transformations in field theory, 3=12421
- Divakaran, P. P. See von Hippel, V., 4=12079
- Divan, L. and Pecker, C. A study of the spectra taken by Bernard Lyot at the Khartoum Eclipse on 28th February 1952. I. Experimental results, 0=14433
- Divari, N.B. and Asaad, A.S. Photoelectric observations of the zodiacal light in Egypt, 0=18722
- Divari, N. B. and Krilova, S. N. Photoelectric observations of zodiacal light at the high mountain station on Tien-Shan, 4=2414
- Divary, N. B. The influence of the moon on the brightness of zodiacal light, 4=4895
- Divatia, A.S. See George, K.A., 1=341
- Diven, B.C., Terrell, J. and Hemmendinger, A. Radiative capture cross sections for fast neutrons, 0=17624
- Diven, B.C. See Hopkins, J.C., 2=8016
- Diven, B. C. See Hopkins, J. C., 4=6390
- Diven, B.C. See Jarmie, N., 4=17190
- Divnich, L.F. See Vysotskii, Z.Z., 2=19705
- Dix, C.H. Cagniard's method and associated numerical techniques, 3=23570
- Dix, C. H. Use of the function $\sin x/x$ in gravity problems, 4=27036
- Dixit, K.R. Epitaxial growth of thin films, 0=6391
- Dixit, R.M. See Asundi, R.K., 4=15612
- Dixit, R.M. See Asundi, R.K., 4=17595
- Dixmier, J. and Doi, K. X-ray diffraction study of the atomic structure of chemical "Kanigen" nickel, 4=7674
- Dixon, A.E., Woods, A.D.B. and Brockhouse, B.N. Frequency distribution of the lattice vibrations in sodium, 3=15422
- Dixon, F.A. The influence of aberration and detector response on optical images, 0=10750
- Dixon, H.D. See Ross, G.S., 1=1844
- Dixon, I. Stabilisation of a gamma-ray spectrometer, 4=11968
- Dixon, J.A. See Moniz, W.B., 3=16638
- Dixon, J.A. See Nelson, R.R., 1=2747
- Dixon, J.A. See Silvestri, A.J., 2=2015
- Dixon, J.M., LaGrange, L.D., Merten, U., Miller, C.F. and Porter, J.T., II. Electrical resistivity of stabilized zirconia at elevated temperatures, 3=20376
- Dixon, J.R. Problem of materials for composite models in photoelastic frozen-stress work, 2=2662
- Dixon, J.R. Optical absorption mechanisms in indium arsenide, 2=23573
- Dixon, J.R. and Ellis, J.M. Optical properties of n-type indium arsenide in the fundamental absorption edge region, 1=12487
- Dixon, J.R. and Riedl, H.R. The optical properties of p-type lead telluride in the infra-red region, 3=10907
- Dixon, M.E. Astrometry with a Schmidt camera. I, 3=9149
- Dixon, M.E. Astrometry with a Schmidt Camera. II, 3=21081
- Dixon, M.E. Astrometry with a Schmidt camera. III, 3=21082
- Dixon, M. E. The conversion of the cape three-colour observations to the U, B, V system, 4=26906
- Dixon, M. E. Galactic evolution and the two-colour diagram, 4=4875
- Dixon, P.A. See Maradudin, A.A., 0=11835
- Dixon, P.H. See Burke, J., 3=5129
- Dixon, R.N. The 0-0 and 1-0 bands of the $A(^3\Pi_1)-X(^3\Sigma^-)$ system of NH, 0=495
- Dixon, R.N. The absorption spectrum of the free NCO radical, 1=856
- Dixon, R.N. A $\pi-\pi^*$ electronic band system of the free NCO radical, 0=2765
- Dixon, R.N. The carbon monoxide flame bands, 3=25091
- Dixon, R.N. Carbon monoxide flame bands, 4=6560
- Dixon, R. N. Higher vibrational levels of a bent triatomic molecule, 4=28168
- Dixon, R.N. and Kroto, H.W. High-resolution study of the spectrum of the CBr radical, 3=25092
- Dixon, R.N. See Barrow, R.F., 1=6003
- Dixon, R. W. and Bloembergen, N. Linear electric shifts in the nuclear quadrupole interaction in Al_2O_3 , 4=28907
- Dixon, R. W. and Bloembergen, N. Electrically induced perturbations of halogen nuclear quadrupole interactions in polycrystalline compounds. I. Phenomenological theory and experimental results, 4=28909
- Dixon, R. W. and Bloembergen, N. Electrically induced perturbations of halogen nuclear quadrupole interactions in polycrystalline compounds. II. Microscopic theory, 4=28910
- Dixon, S., Jr. High-power characteristics of single-crystal ferrites with planar anisotropy, 2=12745
- Dixon, S., Jr. Effect of surface polishing on the linewidth and high-power properties of single-crystal spheres of ZnY, 4=7316
- Dixon, S., Jr. See Tauber, A., 4=13289
- Dixon, T.E. and Kane, R.A. Growth of manganese oxide whiskers, 3=23413
- Dixon, W.B. and Wilson, E.B.Jr. Microwave spectrum of methyl nitrate, 1=11096
- Dixon, W.B. See Bak, B., 3=2640
- Dixon, W.R. The (n, p), (n, d) and (n, α) reactions induced by 14.6 MeV neutrons in CsI(Tl) scintillation crystals, 3=12689
- Dixon, W.R. and Aitken, J.H. Absolute cross section of the $K^{3p}(n,p)A^{3p}$ reaction for 2.5-MeV neutrons, 1=8747
- Dixon, W.R. and Aitken, J.H. Pulse shape discrimination and energy response of calcium tungstate crystals, 1=19062
- Dixon, W.R. and Storey, R.S. The forward-backward asymmetry of recoil nuclei in the reaction $Al^{27}(n, \alpha)Na^{24}$, 3=19868
- Dixon, W.R. See Aitken, J.H., 2=20651
- Dixon, W.R. See Jarvis, C.J.D., 3=19863
- Dixon, W.R. See Szilvasi, A.J.D., 1=17152

- Dixon-Lewis, G. and Isles, G. L. Sharp-focusing Schlieren systems for studies of flat flames, 2=7352
- Dixon-Lewis, G. and Jackson, E. G. High intensity, high speed, multiframe apparatus, 0=3616
- Dixon-Lewis, G., Sutton, M. M. and Williams, A. The kinetics of hydrogen atom recombination, 3=6426
- Dizer, M. Sudden disappearance of filaments and geomagnetic activity, 3=11467
- Dizer, M. Long-lived filaments and geomagnetic storms, 3=16305
- Dizer, M. Influence of sunspot activity on the geomagnetic activity in the northern and southern solar hemispheres, 3=18575
- Djakov, E., Grigorov, G. and Popov, G. Frequency response of the striking voltage for an electrodeless discharge in a toroid, 4=5587
- Djakov, E., Orlov, V., Zarkova, L. and Konstantinov, E. Low-frequency oscillations in thermionic converter with caesium vapours, 4=11504
- Djakov, E., Orlov, V., Zarkova, L. and Konstantinov, E. High-frequency oscillations in a thermionic converter under low pressure of cesium vapours, 4=29865
- Djuric, J. Gravitational fields, 2=11252
- Djuric, J. On gravitational waves and non-linear electro-magnetic theory—author's reply, 3=5352
- Djurle, E. Precision phase contrast refractometry and its application to heavy—light water, 0=12471
- Djurle, E. and Bäck, A. Some measurements of the effect of air turbulence on photographic images, 1=13003
- Dlouhy, Z. A measurement of the neutron age in graphite by the pulsed source method, 3=2285
- Dlouhy, Z. and Kvitek, J. Measurements of the temperature dependence of thermal neutron diffusion parameters in water and ice, 3=6017
- Glubac, J. J., Lee, S. C. and Melehy, M. A. On the measurement of minority carrier lifetime in p-n junctions, 4=1626
- Glutzyk, H. Derivatives of the Seidel aberrations, 3=3867
- Glutzyk, H. Spherical aberrations of concentric systems, 3=14313
- Glutzyk, H. Roof prism without ray splitting, 3=21526
- Glutzyk, H. Oblique reflection and prisms in optical instruments, 4=308
- Glutzyk, H. The spherical aberration of concentric systems. II, 4=8394
- Glutzyk, H. Optico-mechanical surface tester, 4=8398
- Dmitrenko, I. M. See Verkin, B. I., 0=1773
- Dmitrenko, I. M. See Verkin, B. I., 1=20048
- Dmitriev, A. A. The application of the thermodynamic determination of entropy in a gravitation field, 2=9467
- Dmitriev, A. A. The distribution of radiant intensity measured with a wide-angle receiver, 3=24105
- Dmitriev, A. A. Two-dimensional problem of recovery of the true brightness indicatrix from the measured smoothed brightness, 4=27282
- Dmitriev, A. B. Variable-pressure differential gamma-chamber, 4=16862
- Dmitriev, A. B. and Leven-Fisher, N. P. Apparatus for the production of inert gases at high pressures, 1=4167
- Dmitriev, A. B. and Leven-Fisher, N. P. A system for centralized evacuation of vacuum devices, 2=19637
- Dmitriev, A. B., Tolchenov, Yu. M., Filatov, A. I. and Chaikovskii, V. G. Corona counters for heavily ionizing particles, 0=5451
- Dmitriev, A. B., Peskov, D. I., Kheifets, A. B. and Chaikovskii, V. G. Dose characteristics of low-voltage halogen counters, 0=3891
- Dmitriev, A. B. and Vorob'ev, M. G. Boron trifluoride chamber with gamma-background compensation, 1=10805
- Dmitriev, A. B., Vorob'ev, M. G., Kosmarskaya, L. G. and Chipurenko, N. I. Construction of boron ionization chambers, 0=5443
- Dmitriev, A. B. See Shevryev, V. S., 2=20185
- Dmitriev, A. G. See Gromov, K. Ya., 2=14049
- Dmitriev, A. I. See Ortenberg, F. S., 4=25660
- Dmitriev, A. V. Discharge in a narrow gas space bounded by a dielectric on one or both sides, 4=21477
- Dmitriev, A. V. The investigation of a discharge in narrow gaps limited on one or both sides by dielectrics, 4=29877
- Dmitriev, A. V. Statistical theory of the breakdown of air at atmospheric pressure in small gaps, 4=29889
- Dmitriev, A. V. See Boltneva, L. I., 3=5185
- Dmitriev, I. S., Kikolayev, V. S., Fateeva, L. N. and Teplova, Ya. A. Experimental investigation of electron loss by multicharged ions in gases, 2=9535
- Dmitriev, I. S. and Nikolaev, V. S. Calculation of the cross-sections for electron loss by fast ions in light media, 3=21706
- Dmitriev, I. S. and Nikolaev, V. S. A semi-empirical method for calculation of the equilibrium distribution of charges in a fast ion beam, 4=29990
- Dmitriev, I. S., Nikolaev, V. S., Fateeva, L. N. and Teplova, Ya. T. Investigation of the loss of several electrons by fast multicharged ions, 3=712
- Dmitriev, I. S., Nikolaev, V. S., Fateeva, L. N. and Teplova, Ya. A. Concerning the mean charge of ions passing through matter, 2=15892
- Dmitriev, I. S., Nikolayev, V. S., Fateeva, L. N. and Teplova, Ya. A. Experimental investigation of electron loss by multicharged ions in gases, 3=7448
- Dmitriev, I. S., Teplova, Ya. A., Nikolaev, V. S. and Fateeva, L. N. Measuring the thickness of thin celluloid films, 1=9358
- Dmitriev, I. S. See Nikolaev, V. S., 1=18779
- Dmitriev, I. S. See Nikolaev, V. S., 1=18940
- Dmitriev, I. S. See Nikolaev, V. S., 2=163
- Dmitriev, I. S. See Nikolaev, V. S., 2=22168
- Dmitriev, I. S. See Nikolaev, V. S., 4=8852
- Dmitriev, I. S. See Teplova, Ya. A., 2=7674
- Dmitriev, I. S. See Teplov, I. B., 2=10100
- Dmitriev, I. S. See Teplov, I. B., 3=6245
- Dmitriev, I. S. See Teplov, I. B., 4=6335
- Dmitriev, I. S. See Teplova, Ya. A., 3=5722
- Dmitriev, L. M. See Kapustin, A. P., 3=18798
- Dmitriev, M. T. A convection manometer, 0=3549
- Dmitriev, M. T. Dosimetry of ionizing radiation using nitrogen reactions, 4=5893
- Dmitriev, N. A. The equation of state of a crystal at zero temperature, 2=14348
- Dmitriev, N. A. The equation of state of a crystal at zero temperature, 3=6449
- Dmitriev, N. A. and Zeldovich, Ya. B. Energy of random movement in the expanding universe, 4=10779
- Dmitriev, S. P. See Boiko, S. N., 4=14805
- Dmitriev, V. A. Transition effect for electrons in walls of an ionization chamber, 0=1230
- Dmitriev, V. A. and Khristiansen, G. B. Investigation of the energy spectrum of high energy muons at a depth of 40 meters water equivalent underground, 3=22243
- Dmitriev, V. A., Kulikov, G. V. and Khristiansen, G. B. Investigation of high-energy nuclear-active particles at sea level, 0=11270
- Dmitriev, V. A., Kulikov, G. V., Massal'skii, E. I. and Khristiansen, G. B. Lateral distribution of the energy flux of the electron—proton component of extensive air showers, 0=9467
- Dmitriev, V. A. See Bekkerman, I. M., 2=1739
- Dmitriev, V. A. See Khristiansen, G. B., 3=4513
- Dmitriev, V. A. See Shalimova, K. V., 4=20803
- Dmitriev, V. A. See Vedenev, O. V., 3=22240
- Dmitriev, V. A. See Vernov, S. N., 1=3280
- Dmitriev, V. A. See Vernov, S. N., 1=3287
- Dmitriev, V. A. See Vernov, S. N., 1=3288
- Dmitriev, V. A. See Vernov, S. N., 3=4525
- Dmitriev, V. A. See Vernov, S. N., 0=13084
- Dmitriev, V. A. See Vernov, S. N., 0=15478
- Dmitriev, V. A. See Vernov, S. N., 2=20462
- Dmitriev, V. A. See Vernov, S. N., 3=19719
- Dmitriev, V. A. See Vernov, S. N., 3=19738
- Dmitriev, V. D. See Boronin, I. M., 2=10430
- Dmitriev, V. G. See Akhmanov, S. A., 3=21979
- Dmitriev, V. I. The effect of a non-homogeneous earth on the field of a straight infinitely long cable, 0=1974
- Dmitriev, V. I. The measurement of the gas pressure in sealed cathode-ray tubes, 2=2799
- Dmitriev, V. I. Diffraction of electromagnetic waves at a conducting plate in a conducting medium, 3=2125
- Dmitriev, V. M., Drapchinskii, L. V., Petrzhak, K. A. and Romanov, Yu. F. Comparison of probabilities of the triple fission of U^{233} , U^{235} and Pu^{239} , 0=20515
- Dmitriev, V. N., Drapchinskii, L. V., Petrzhak, K. A. and Romanov, Yu. F. Energy distribution of the fragments of triple U^{235} fission, 1=3475
- Dmitriev, V. N., Drapchinskii, L. V., Petrzhak, K. A. and Romanov, Yu. F. Comparative characteristics of uranium and plutonium triple fission, 4=3716
- Dmitriev, V. N., Drapchinskii, L. V., Petrzhak, K. A. and Romanov, Yu. F. Measurement of the energy of even fission fragments, 4=1118

- Dmitriev, V.N., Drapchinskii, L.V. and Romanov, Yu.F. PTFE insulators for ionization chambers and counters, 4=16729
- Dmitriev, V.N., Petrzhak, K.A. and Romanov, Yu.F. Kinetic energy of fragments and alpha-particles in double and triple fission of U^{235} , 4=6396
- Dmitrieva, L.V. and Moskalev, V.V. Calculation of the second moment of a nuclear magnetic resonance line in the case of isotropic rotation of molecules, 4=1894
- Dmitrieva, N.N. See Sanin, A.A., 2=19857
- Dmitrieva, T.G. See Vitman, F.F., 3=15984
- Dmitrievskaya, T.I., Kravtsev, V.V. and Tsvetaeva, N.E. Application of end-window counters to the measurement of low-activity beta radiation, 4=17083
- Dmitrievskii, O.D. and Nikitin, V.A. Scanning distortions with single-beam spectrometers, 0=10776
- Dmitrievskii, O.D. and Nikitin, V.A. Measurements of the "Instrument function" of an IKS-11 spectrometer, 0=12487
- Dmitrievskii, V.A. and Migachev, A.I. Dissociation of UF_6 by uranium fission fragments, 1=1491
- Dmitrievskii, V.P. See Glazov, A.A., 4=5727
- Dmitrievskii, V.P. See Glazov, A.A., 4=30003
- Dmitrievsky, V.P., Kolga, V.V. and Zamolodchikov, B.I. On the particle loss at a synchrocyclotron limit radius, 1=18962
- Dmitrievsky, V.P. See Danilov, V.I., 1=344
- Dmitrievsky, V.P. See Denisov, Yu.N., 3=9887
- Dmytrenko, Y.P. See Shpak, M.T., 2=21277
- Dneprovskaya, I.A., Iofe, V.K. and Levitas, F.I. Attenuation of sound as it propagates through the atmosphere, 3=16232
- Dneprovskii, I.S. New isotopes of erbium and holmium, 2=12152
- Dneprovskii, I.S. See Gromov, K.Ya., 3=10308
- Dnestrovskii, Yu.N. and Kostomarov, D.P. Radiation from a modulated beam of charged particles in flight through a round opening in a plane screen, 0=278
- Dnestrovskii, Yu.N. and Kostomarov, D.P. Study of ultra-relativistic charge particles during the passage through a circular hole in a screen, 0=279
- Dnestrovskii, Yu.N. and Kostomarov, D.P. Electromagnetic waves in a half-space filled with a plasma, 1=4729
- Dnestrovskii, Yu.N. and Kostomarov, D.P. The dispersion equation for an extraordinary wave moving in a plasma across an external magnetic field, 2=3061
- Dnestrovskii, Yu.N. and Kostomarov, D.P. Stability of plane electron beams in bounded systems with a decelerating electric field, 2=20028
- Dnestrovskii, Yu.N. and Kostomarov, D.P. The dispersion equation for an ordinary wave moving in a plasma perpendicular to an external magnetic field, 1=18868
- Dnestrovskii, Yu.N. and Kostomarov, D.P. The dispersion equation for an extraordinary wave moving in a plasma across an external magnetic field, 3=2008
- Dnestrovskii, Yu.N. and Kostomarov, D.P. The dispersion equation for an ordinary wave moving in a plasma perpendicular to an external magnetic field, 3=4138
- Dnestrovskii, Yu.N. and Kostomarov, D.P. Stability of plane electron beams in bounded systems with a decelerating electric field, 3=7642
- Dnestrovskii, Yu.N. and Kostomarov, D.P. Cyclotron instability of a plasma, 3=21830
- Dnestrovskii, Yu.N. and Kostomarov, D.P. Stability of a weakly inhomogeneous plasma, 4=5684
- Dnestrovskii, Yu.N. and Kostomarov, D.P. Instability of inhomogeneous magneto-active plasma, 4=19047
- Dnestrovskii, Yu.N. and Kostomarov, D.P. Propagation of electromagnetic waves in plasma at right angles to an external magnetic field, 4=18875
- Dnestrovskii, Yu.N., Kostomarov, D.P. and Skrydlov, N.V. Plasma waves in cyclotron resonance regions, 4=11630
- Dio, W.H., Grün, A.E. and Oldekop, W. Experimental determination of the p-factors of reactor lattices using the argonaut reactor, 4=1165
- Dionisio, J.S. The spectra of low energy electrons from thoron and radon active deposits. I. Energies and intensities of Auger L electron lines, 0=5711
- Dionisio, J.S. Contribution to the study of the spectra of low energy electrons, 4=25065
- Dionisio, J.Sant'ana. See Sant'ana Dionisio, J.
- Dionne, J.G.G. See Wilson, B.G., 1=9785
- Diorio, A.F. See Mandelkern, L., 1=1605
- Diorio, A.F. See Posner, A.S., 0=8251
- Di Paolo, F.S. See Long, H.M., 0=8845
- Di Pasquantonio, F. Calculation of first-collision probabilities for heterogeneous lattice cells composed of n media, 3=15260
- Di Pietro, M.A. See Sampson, J.L., 4=4537
- Di Porto, P. See Bietti, A., 3=14997
- DiPrima, R.C. Some variational principles for problems in hydrodynamic and hydromagnetic stability, 1=9549
- DiPrima, R.C. Stability of nonrotationally symmetric disturbances for viscous flow between rotating cylinders, 1=10484
- DiPrima, R.C. See Krueger, E.R., 3=1714
- Diringer, M. Isotopic displacements in the spectrum of uranium, 0=5890
- Dirac, P.A.M. A reformulation of the Born-Infeld electrodynamics, 0=19883
- Dirac, P.A.M. The vacuum in quantum electrodynamics, 0=20024
- Dirac, P.A.M. An extensible model of the electron, 2=16184
- Dirac, P.A.M. Dirac's cosmology and Mach's principle, 2=17229
- Dirac, P.A.M. Particles of finite size in the gravitation field, 3=3720
- Dirac, P.A.M. The conditions for a quantum field theory to be relativistic, 3=4315
- Dirac, P.A.M. A remarkable representation of the 3 + 2 de Sitter group, 3=18693
- Dirac, P.A.M. Foundations of quantum mechanics, 4=27055
- Dirks, D. See Jerger, J., 1=9224
- Dirks, I.P., Van der Haak, P.J. and Sixma, F.L.J. Evaluation of a simple method for optical rotatory dispersion measurements in the visible and ultraviolet regions, 4=29778
- Disch, R.L. See Buckingham, A.D., 3=12835
- Dischler, B. and Englert, G. The analysis of some nuclear resonance spectra of type A_2B_2 , 2=6220
- Dischler, B. and Maier, W. Direct analysis of complex nuclear magnetic resonance spectra of the type A_2B_2 , 2=3781
- Dischler, B., Räuber, A. and Schneider, J. An e.s.r. analysis of thermally activated motional effects in the ZnS A-centers, 4=28446
- Disdier, D. See Gorodetzky, S., 4=6222
- Dishington, R.H. Rate of strain invariants in the kinematics of continua, 0=14582
- Dishkant, D.P. Strata in electrodynamic vacuum, 1=10769
- Dishkant, H.P. Possible equation of motion of quantum particles along a trajectory, 1=12072
- Do, C. A study by Grad's method of the thermal conductivity and viscosity of an ionized stream, 4=5598
- Do Dinh, C. and Durif, A. Crystallographic study of some silicates and germanates of the type Al_2BaO_4 , 4=23473
- Do In Seb. Remark on the range-energy relationship, 2=20285
- Do In Seb. Remark on the range-energy relationship, 3=7818
- Do In Seb. Range straggling of charged particles in various substances, 4=3363
- Do In Seb [To ying sên], Kirillova, L.F., Korbel, Z.F. and Shafranov, M.G. Some properties of emulsion chambers impregnated with water or ethylene glycol, 3=24571
- Do In Seb, Kirillova, L.F., Markov, P.K., Popova, L.G., Silin, N.I., Tsyganov, E.N., Shafranov, M.G., Shakhbazyan, B.A. and Yuldashev, A.A. Scattering of 8.5 BeV protons, 2=5640
- Do In Seb, Kirillova, L.F., Markov, P.K., Popova, L.G., Silin, N.I., Tsyganov, E.N., Shafranov, M.G., Shakhbazyan, B.A. and Yuldashev, A.A. Scattering of 8.5 BeV protons on protons, 3=4393
- Do In Seb, Kirillova, L.F. and Shafranov, M.G. Elastic scattering of 8.35 BeV protons on protons, 3=24727
- Do In Seb. See Asimov, S.A., 2=9845
- Do In Seb. See Azimov, S.A., 3=6007
- Do In Seb. See Batusov, Yu.A., 4=6111
- Doak, P.E. Acoustic radiation from a turbulent fluid containing foreign bodies, 0=8684
- Doak, P.E. Fluctuations of the sound pressure level in rooms when the receiver position is varied, 0=16810
- Doan, D.B. See Burmeister, C.W., 4=6731
- Doan, R.L. MTR-ETR operating experience, 2=6041
- Doane, J.W. and Hultsch, R.A. Nuclear double irradiation in sodium bromate, 4=10344
- Dobbertin, R. The application of the method of Green's functions to some problems of quantum statistical mechanics, 4=86
- Dobbertin, R. The quantization of the energy-momentum tensor in a dielectric medium, 0=14514
- Dobbertin, R. Distribution functions of a system of charged particles in thermodynamic equilibrium, 4=24095
- Dobbie, R.C. See Cottrell, T.L., 4=17289
- Dobbins, R.A., Crocco, L. and Glassman, I. Wide-range photographic photometry, 3=9575
- Dobbs, E.R. Is there an ideal crystal? 0=4251
- Dobbs, E.R. and Betjemann, A.G. The velocities of sound in solid argon, 0=9848
- Dobbs, E.R., Chick, B.B. and Truett, R. Attenuation of sound in a germanium crystal at ultra-high frequencies and low temperatures, 0=11573

- Dobbs, E.R. and Finegold, L. Measurement of the velocity of sound in liquid argon and liquid nitrogen at high pressures, 0=19132
- Dobbs, E.R. and Perz, J.M. Ultrasonic determination of the energy gap in superconducting niobium, 4=14526
- Dobbs, E.R. and Perz, J.M. Anisotropy of the energy gap in niobium from ultrasonic measurements, 4=18588
- Dobbs, F.W. See Waugh, J.S., 0=7802
- Dobbs, H.E. Quenching and adsorption in liquid scintillation counting, 3=2160
- Dobbs, H.E. Effect of naphthalene on the quenching of liquid scintillation solutions, 3=11801
- Dobbs, J.M., Lande, K., Mann, A.K., Reibel, K., Sciulli, F.J., Uto, H., White, D.H. and Young, K.K. Ratio of form factors in the leptonic decays of the K^0 meson, 2=11995
- Dobelli, A.C. Piezoelectric transducers, 0=5090
- Dobiash, I. See Benda, F., 2=15971
- Dobierzewska-Mozrzymasowa, E. See Wesołowska, C., 3=25434
- Dobierzewska-Mozrzymasowa, E. See Wesołowska, C., 4=28686
- Dobin, C. See Goldstein, B., 3=20227
- Döbler, F. Variation with time of the electron density in the nitrogen afterglow plasma, 4=532
- Dobler, H., Petrich, G., Hüfner, A., Kienle, P., Wiedemann, W. and Eicher, H. Hyperfine splitting and g-factor of the 80.6 keV state of Er^{168} , 4=27978
- Dobo, J. See Pug, J.R., 1=20765
- Dobos, S. See Lengyel, B., 4=10096
- Dobranski, G.F. See Belyaev, L.M., 0=16270
- Dobrego, V.P., Rogachev, A.A., Rývkin, S.M. and Yaroshetskii, I.D. Low-temperature breakdown in germanium, connected with radiation defects, 1=17852
- Dobrego, V.P. and Ryvkin, S.M. Negative photoconductivity in germanium at the temperature of liquid helium, 2=16755
- Dobrego, V.P. See Ryvkin, S.M., 2=23339
- Dobrego, V.P. See Rývkin, S.M., 3=6583
- Dobrego, V.P. See Rývkin, S.M., 3=10769
- Dobresku, K. See Iftode, I., 3=25022
- Dobretov, L.N. See Bacal, M., 2=5594
- Dobretsov, L.N. Thermionic thermal-electrical energy converters, 0=14935
- Dobretsov, L.N. See Bol'shov, V.G., 0=7139
- Dobretsov, Yu.P. See Ali-Zade, S.A., 0=15378
- Dobretsov, Yu. P. See Gurevich, I.I., 4=30246
- Dobrev, D. See Pangarov, N., 4=29030
- Dobriansky, B. J. See Schwarz, M., 4=22730
- Dobrikov, V.N., Zaika, N.I. and Nemets, O. F. Precision cyclotron monitor, 2=1534
- Dobrikov, V.N. See Gofman, Yu.V., 3=7744
- Dobrikov, V.N. See Gofman, Yu. V., 4=6369
- Dobrilovic, L. and Milojevic, A. Investigation of the efficiency of vapor condensation on ions in a Wilson cloud chamber, 2=3221
- Dobrodeeva, N.M. See Vasil'ev, D.M., 2=12853
- Dobrodeeva, N.M. See Vasil'ev, D.M., 2=14881
- Dobrokhoto, E.I. See Artimovich, L.A., 0=5317
- Dobrokhoto, V.K. See Naboikin, Yu.V., 2=14748
- Dobrokhoto, V.K. See Naboikin, Yu.V., 3=963
- Dobrokhoto, V.K. See Naboikin, Yu. V., 4=3240
- Dobrolyubov, G.N. See Atlaskin, N.N., 2=20075
- Dobromyslov, V. A. See Rummyantsev, S. V., 4=9411
- Dobronravova, A. N., Levskii, L. K., Murin, A. N. and Titov, N. E. Cross-sections for production of isotopes of krypton and xenon from uranium fission induced by 680 MeV protons, 4=6401
- Dobrossierdova, E.P. See Bogomolov, C.S., 0=12744
- Dobrotin, D.D. See Bogorodskii, V., 4=4746
- Dobrotin, N.A. International Cosmic-Ray Conference, 1=2108
- Dobrotin, N.A. and Feinberg, E.L. Information on strong interactions from research on cosmic rays, 4=16818
- Dobrotin, N.A., Guseva, V.V., Kotelnikov, K.A., Lebedev, A.M., Ryabikov, S.V., Slavatinsky, S.A. and Zelevinskaya, N.G. Experimental data on nucleon-nucleon interactions at energies >100 GeV, 2=13786
- Dobrotin, N.A. See Grigorov, N.L., 1=5801
- Dobrotin, N.A. See Güseva, V.U., 3=6100
- Dobrotin, N.A. See Guseva, V.V., 3=19618
- Dobrotin, N.A. See Guseva, V. V., 4=27835
- Dobrott, D. Plasma conductivity kernel and accrual of perturbations along particle histories, 4=2969
- Dobrott, D. and Ishimaru, A. East-West effect on v.l.f. mode transmission across the earth's magnetic field, 2=7770
- Dobrott, R. D., Briedman, L. B. and Lipscomb, W. N. Molecular and crystal structure of $B_{20}H_{16}$, 4=13583
- Dobrott, R.D. and Lipscomb, W.N. Structure of $Cu_2B_{10}H_{10}$, 3=3303
- Dobrott, R. D. See Friedman, L. B., 4=7748
- Dobrott, R. D. See Simpson, P. G., 4=4602
- Dobrov, W.I. Selection rules and angular dependence in paramagnetic acoustic resonance, 4=17357
- Dobrov, W.I. and Browne, M.E. Microwave ultrasonic spin-phonon interaction experiments, 3=23242
- Dobrov, W. I. and Browne, M. E. Low temperature relaxation in ruby from microwave acoustic measurements, 4=26430
- Dobrov, W.I. See Browne, M.E., 3=1190
- Dobrov, Yu.V. See Korotkov, K.A., 3=22327
- Dobrova, O.N. See Feigel'son, E.M., 3=9043
- Dobrovenskii, V.V. An apparatus for growing monocrystals of refractory substances from powder in a controlled atmosphere, 2=2367
- Dobrovenskii, V. V. and Potemkin, A. Ya. The effect of heat treatment at $1200^\circ C$ upon the variation in electrical resistivity and lifetime of the minority charge carriers in the volume of silicon single crystals, 4=12909
- Dobrovenskii, V.V. and Zherebtsova, N.D. A high-temperature resistance furnace with a graphite heater, 1=5369
- Dobrovinskaya, E.R. and Eidel'man, L.G. Influence of certain factors on the energy resolution of NaI:Tl crystal scintillation counters, 2=8588
- Dobrovinskaya, E.R. and Eidel'man, L.G. Influence of crystallization conditions on the distribution of thallium in single crystals of sodium iodide, 1=14976
- Dobrovol'skaya, Z. N. Concerning the nature of the free surface contact of a liquid with a solid boundary, in the problem of penetration of a wedge, 4=11169
- Dobrovol'skii, G.V. See Pelykh, N.A., 3=14094
- Dobrovol'skii, V.N. Diffusion and recombination in the measurement of the drift mobility, 0=541
- Dobrovol'skii, V.N. Diffusion of the excess current carriers in an anisotropic cubic crystal in the presence of a magnetic field, 1=14401
- Dobrovol'skii, V.N. Diffusion of the excess current carriers in an anisotropic cubic crystal in the presence of a magnetic field, 1=17661
- Dobrovol'skii, V.N. Effect of a magnetic field on the diffusion of injected current carriers, 2=6442
- Dobrovol'skii, V.N. Photo-Hall effect and photoconductivity in a magnetic field, 2=18728
- Dobrovol'skii, V.L. Plane plastic strain problems for anisotropic materials, 2=14885
- Dobrovol'skii, V.N. Investigation of the conductivity, due to excess carriers, in a magnetic field, 3=20299
- Dobrovol'skii, V.N. and Gritsenko, Yu.I. Use of the Hall current to study scattering of carriers in semiconductors, 3=17845
- Dobrovol'skii, V.N. and Litovchenko, V.G. The calculation of bulk lifetime and surface recombination rate of current carriers, 1=6144
- Dobrovol'skii, V.N. and Lyashenko, V.I. Investigation of the drift of excess current carriers in a magnetic field, 2=4012
- Dobrovol'skii, V.N. and Lyashenko, V.I. Investigation of the drift of excess current carriers in a magnetic field, 2=6432
- Dobrovol'skii, V.N. and Lyashenko, V.I. Method for determination of diffusion coefficients of current carriers, 2=21115
- Dobrovol'skii, V.N. See Lashkarev, V.E., 0=15927
- Dobrovol'skiy, V.D. See Karal'nik, S.M., 2=18853
- Dobrovol'skiy, V.M. See Lashkar'ov, V. Ye., 1=14453
- Dobrowolski, T. and Walker, J. Time analyser using a crystal-controlled trochotron tube, 0=14481
- Dobrowolski, T. and Young, J. The determination of the half-life of RaC' , 1=13702
- Dobry-Duclaux, A. and Ulinska, A. On the intermicellar liquid and the volume restricted in colloidal solutions, 3=18464
- Dobryakov, D., Nikolaev, V. and Saulite, U. Installation of electromagnetic transportation system ("Post") for an atomic reactor, 4=28096
- Dobrynin, Yu.P. See Apalin, V.F., 2=1941
- Dobrynin, Yu.P. See Apalin, V.F., 3=12713
- Dobrynin, Y.P. See Dorofeev, G.A., 0=7643
- Dobrynin, Y.P. See Erozolimsky, B.G., 0=4135
- Dobrynin, Y.P. See Spivak, P.E., 0=4133
- Dobrynin, Y.P. See Spivak, P.E., 0=4134
- Dobrynin, Yu.P. See Apalin, V.F., 0=4137
- Dobrynin, Yu.P. See Sosnovskii, A.N., 0=2546
- Dobrynin, Yu.P. See Sosnovskii, A.N., 0=12937
- Dobryshman, E.M. and Shakina, N.P. The nonlinear theory of local winds in a turbulent atmosphere, 2=19198
- Dobrzanskii, G.F. See Belyaev, L.M., 1=14632

- Dobrzhanskii, G.F. See Belyaev, L.M., 2=4390
 Dobrzhanskii, G.F. See Belyaev, L.M., 2=14732
 Dobrzhanskii, G.F. See Belyaev, L.M., 4=15604
 Dobrzhanskii, G.F. See Grum-Grzhimailo, S.V., 3=13180
 Dobrzhanskii, G.F. See Karpenko, A.G., 2=4389
 Dobrzhanskii, G.F. See Shaskol'skaya, M.P., 3=12970
 Dobrzhanskii, G.F. See Sonin, A.S., 2=16776
 Dobson, D.A. See Commins, E.D., 3=17427
 Dobson, G.M.B. Note on the measurement of ozone in the atmosphere, 4=2187
 Dobson, G.M.B., Brewer, A.W. and Houghton, J.T. The humidity of the stratosphere, 2=11013
 Dobson, G.M.B. and Normand, C.W.B. Comments on paper by H.C. Willett, "The relationship of total atmospheric ozone to the sunspot cycle", 3=13660
 Dobson, J. See Cullen, A.L., 3=5854
 Dobson, P.S. and Wilman, H. The compression textures of polycrystalline materials of rocksalt type, 1=20700
 Dobson, P.S. and Wilman, H. The compression textures of polycrystalline materials of caesium chloride structure type, 2=14928
 Dobson, P.S. and Wilman, H. The re-orientation caused by unidirectional abrasion on materials of rocksalt structure type, 2=19033
 Dobson, P.S. and Wilman, H. The re-orientation caused by abrasion on materials of CsCl structure type, 2=19034
 Dobson, P.S. and Wilman, H. The friction and wear, and their interrelationship, in abrasion of a single crystal of brittle nature, 3=11188
 do Carmo Anta, M. de Campos Costa, M.J., Namorado Rosa, R., de Silva, C.M. and Novais, H.M. X-rays produced by the bremsstrahlung effect in a thick target with electrons, 2=22476
 d'Occhieppo, K. Ferrari, See Ferrari d'Occhieppo, K.
 Dockrill, A.G. See Wood, D.L., 1=20508
 Doclo, R.J. See Iserentant, C.M., 4=28857
 Doclo, R.J. See Robbrecht, G.G., 3=5029
 Do Dang, G. Theory of the (p, p') reaction at high energies. Application to the 15.1 MeV level in C^{12} , 2=439
 Do Dang Giu and Marty, C. On (p, p') reaction with excitation of the 15.1 MeV level of ^{12}C by 150 MeV protons, 2=1880
 Dodd, C.X. and West, T.W. Spectral transmittance properties of rare-earth glasses, 1=19961
 Dodd, D.M., Wood, D.L. and Barnes, R.L. Spectrophotometric determination of chromium concentration in ruby, 4=15857
 Dodd, D.M. See King, J.C., 0=11764
 Dodd, J.G. Kinetics of the photolysis of sodium azide, 1=20758
 Dodd, J.G. Elementary quantities and the uncertainty principle, 2=9140
 Dodd, J.G. and Hughes, R.H. Spectra induced by proton impact on helium, 4=25485
 Dodd, J.N. A "level crossing" experiment in mercury, 1=9908
 Dodd, J.N. The g_I value of the 6^3P_1 level in mercury, 1=12244
 Dodd, J.N., Fox, W.N., Series, G.W. and Taylor, M.J. Light beats as indicators of structure in atomic energy levels, 0=9743
 Dodd, J.N., Kaul, R.D. and Warrington, D.M. The modulation of resonance fluorescence excited by pulsed light, 4=22305
 Dodd, J.N. and Kinnear, R.W.N. The hyperfine structure of the $^{32}P_{3/2}$ state of sodium and the quadrupole moment of ^{23}Na , 0=7701
 Dodd, J.N. and Series, G.W. Theory of modulation of light in a double resonance experiment, 1=17275
 Dodd, J.N., Series, G.W. and Taylor, M.J. The modulation of light in a double resonance experiment, 3=10471
 Dodd, L.R. and McCarthy, I.E. Time-dependent scattering experiment, 4=19743
 Dodd, L.R. and McCarthy, I.E. Scattering of energy-time wave packets from many-body systems, 4=18072
 Dodd, M. See Gerdanian, P., 2=10776
 Dodd, P., Jobes, M., Kinson, J., Tallini, B., French, B.R., Sherman, H.J., Skillicorn, I.O., Davies, W.T., Derrick, M. and Radojicic, D. Pion production by 24 GeV/c protons in hydrogen, 2=22508
 Dodd, R.A. See Hardwick, J.M., 4=28949
 Dodd, R.A. See Helfrich, W.J., 4=1461
 Dodd, R.A. See Helfrich, W.J., 4=23493
 Dodd, R.A. See Nielsen, E.J., 2=15065
 Dodd, W.P., Doran, G.A., Kinson, J.B., Riddiford, L. and Tallini, B. Operation of a 9 inch bubble chamber with deuterium, 2=5542
 Dodd, W.P. See Aderholz, M., 4=21914
 Dodd, W.P. See Aderholz, M., 4=21919
 Dodd, W.P. See Aderholz, M., 4=25151
 Dodd, W.P. See Barnes, V.E., 2=285
 Dodd, W.P. See Bartsch, J., 4=21920
 Dodd, W.P. See Bartsch, J., 4=30264
 Dodd, W.P. See Bondar, L., 3=19678
 Dodd, W.P. See Bondar, L., 4=944
 Dodd, W.P. See Bugg, D.V., 4=15055
 Dodge, R.P., Templeton, D.H. and Zalkin, A. Crystal structure of vanadyl bisacetyl-acetate, geometry of vanadium in five-fold coordination, 1=11574
 Dodge, W.R. and Barber, W.C. Photoprotons from oxygen, fluorine, neon, and other light elements, 2=20592
 Dodgen, H.W. See Hunt, J.P., 2=4525
 Dodgen, H.W. See Klanberg, F., 3=13316
 Dodin, L. See Asher, H., 0=14859
 Dodo, T. Formation of a plasma by low energy ion injection and cyclotron heating, 1=8333
 Dodo, T. Heating of a plasma by acoustic waves, 1=9595
 Dodo, T. Microwave attenuation by cyclotron resonance in a slightly ionized gas, 1=13087
 Dodo, T. Measurements on collision frequencies of electrons in neon gas, 1=16424
 Dodo, T. Quantum theory of negative energy in microwave tubes, 4=8943
 Dodo, T. See Kihara, T., 3=12436
 Dodson, H.W. and Hedeman, E.R. Survey of number of solar flares observed during the International Geophysical Year, 0=10505
 Dodson, H.W. and Hedeman, E.R. Problems of differentiation of flares with respect to geophysical effects, 4=26960
 Dodson, H.W. See Covington, A.E., 2=13170
 Dodson, H.W. See McMath, R.R., 0=8496
 Dodson, H.W. See Teske, R.G., 4=23918
 Dodson, M.H. A theoretical study of the use of internal standards for precise isotopic analysis by the surface ionization technique. I. General first-order algebraic solutions, 3=14686
 Dodson-Prince, H. See Christiansen, W.N., 0=18732
 Dодt, E. and Jessen, K.H. Change of threshold during light and dark adaptation following exposures to spectral lights of equal scotopic and equal photopic efficiencies, 2=1033
 Doede, J.H. Muon reactions in liquid hydrogen and liquid deuterium, 4=3953
 Doede, J.H., Hildebrand, R.H., Israel, M.H. and Pyka, M.R. Moderation and absorption times of negative pions in liquid hydrogen, 3=10162
 Doehler, A.O. See Arnaud, J., 2=3080
 Doehler, O. See Boucher, G., 0=16980
 Doehring, A., Jahr, R. and Schmidt-Rohr, U. Elastic and inelastic scattering of deuterons on Al at 11.8 MeV, 0=13244
 Doell, R.R. See Cox, A., 1=5132
 Doell, R.R. See Cox, A., 1=10300
 Doell, R.R. See Cox, A., 3=9137
 Doell, R.R. See Cox, A., 4=26866
 Doelle, L.L. and Vagi, O.G. Acoustical design of the Quebec Academy Auditorium, Quebec, Canada, 4=8361
 Doenitz, F.-D. See Albrecht, G., 4=2076
 Doepker, R.D. and Ausloos, P. Gas-phase photolysis of methyl iodide. Reactions of hot methyl radicals with added organic compounds, 4=28271
 Doerbeck, G.G. See Schuetze, H.J., 4=20811
 Doering, J.P. Cross sections for some N_2^+ and N II emissions excited by 1- to 10-keV N_2^+ on N_2 , 4=12462
 Doering, J.P. 1-10 keV collisional detachment cross-sections for O^- and O_2^- on argon and nitrogen, 4=27492
 Doering, J.P. and Mahan, B.H. Photolysis of nitrous oxide. I. 1236 Å, 1=9174
 Doering, J.P. and Mahan, B.H. Photoionization of nitric oxide, 2=5299
 Doering, J.P. and Mahan, B.H. Photolysis of nitrous oxide. II. 1470 and 1830 Å, 2=8926
 Doering, J.P. and Mahan, B.H. Erratum: Photoionization of nitric oxide, 3=5622
 Doering, W.P. See Caswell, R.S., 0=12972
 Doerner, E.C. Wiener-spectrum analysis of photographic granularity, 2=13467
 Doerner, R.C., Armani, R.J., Zagotta, W.E. and Martens, F.H. Age of fission energy neutrons to indium resonance in water, 2=5985
 Doerner, R.C. See Crane, J.L., 4=913
 Dofe, T., Ichimiya, T. and Tamaki, F. Some experiments on probe characteristics in drifting plasma, 3=19280
 Dogadkin, B.A. See Gul', V.E., 3=20388
 Dogadkina, N.P. See Semenchko, V.K., 0=18260

- Döge, G. See Cordes, H., 3=16611
 Döge, G. See Cordes, H., 4=164
 Dogliotti, L. See Wettermark, G., 4=15847
 Dogniaux, R. Solar radiation at the King Baudouin base, 3=11404
 Dognon, A. The importance of differing experimental conditions in the study of ultrasonic effects in a liquid medium, 4=8203
 Dognon, A., Dutheil, R. and Mensch, B. Study of phase separation in a concentrated aqueous solution of polymers, 4=24179
 Dogonadze, R.R. A semiclassical discussion of electron exchange in solutions, 2=17092
 Dogonadze, R.R., Chernenko, A.A. and Chizmadzhev, Yu.A. Electrical conductivity of polar crystals with carriers of small mobility. II. Calculation of the mobility, 2=10361
 Dogonadze, R.R., Chernenko, A.A. and Chizmadzhev, Yu.A. Electrical conductivity of polar crystals with carriers of small mobility. II. Calculation of the mobility, 2=14417
 Dogonadze, R.R. and Chizmadzhev, Yu.A. Electrical conductivity of polar crystals with carriers of small mobility. I. The structure of the energy spectrum, 2=10360
 Dogonadze, R.R. and Chizmadzhev, Yu.A. Electrical conductivity of polar crystals with carriers of small mobility. I. The structure of the energy spectrum, 2=14416
 Dogonadze, R.R. See Levich, V.G., 0=19171
 Dogramadzi, N.N. and Zmbov, K.F. Mass spectrometric detection of free methyl radicals in methane subjected to electrical discharge, 1=1477
 Dohán, I., Gémesy, T., Sándor, T. and Somogyi, A. The determination of the photon-electron ratio in extensive cosmic ray air showers, using a cloud chamber, 0=17441
 Doherty, G. An approximation to the Doppler broadening function $J(\theta, \beta)$ for resonance absorption calculations, 4=12308
 Doherty, J.T. See Kooi, C.F., 3=1168
 Doherty, L.H. Air-mass effects on tropospheric radio scatter, 4=20851
 Doherty, L.R. See Menzel, D.H., 2=15345
 Doherty, P.E. and Davis, R.S. Direct observation of the oxidation of aluminium single-crystal surfaces, 3=11335
 Doherty, R.D. and Martin, J.W. The effect of a dispersed second phase on the recrystallization of aluminium-copper alloys, 3=25757
 Doherty, R.H. See Hefley, G., 1=6592
 Doherty, R.H. Experimental observations and theoretical calculations leading to a model for the lower ionosphere, 3=16254
 Doherty, R.H. See Hefley, G., 0=16902
 Doherty, W.R. See Matthews, H., 1=11997
 Dohi, S. Tensile deformation of single crystal of pure iron at high temperature, 0=3147
 Dohi, S. Recrystallization of the stretched iron single crystal plates, 1=14868
 Dohi, S. Tensile straining and deformation bands of single crystal of pure iron, 1=14902
 Dohi, S. The (110) [001] primary recrystallization texture in cold-rolled iron sheets, 3=18353
 Dohi, S. and Yamashita, T. Tensile deformation of single crystal of pure iron, 0=4561
 Dohi, S. See Fujiwara, T., 4=7432
 Dohi, S. See Fujiwara, T., 4=15478
 Dohi, S. See Fujiwara, T., 4=26695
 Dohnanyi, J.S. Nuclear magnetic relaxation in the presence of paramagnetic ions, 2=8679
 Dohnanyi, J.S. Nuclear magnetic relaxation in the presence of paramagnetic ions, II, 2=21384
 Dohner, A.S. and Wilson, D.J. Photochemical decomposition of nitril chloride, 1=20756
 Doi, K. The structure analysis of a Guinier-Preston zone by means of a Fourier method, 0=4630
 Doi, K. The structure analysis of AuCu₃ by means of a Fourier transformation of X-ray diffuse scatterings, 1=11567
 Doi, K. Interpretation of line profiles by the Fourier method, with special reference to the size distribution of carbon black crystallites, 2=10841
 Doi, K. A possible approach to the problem of the propagation of order (in solid solutions) by means of the Fourier transformation of X-ray diffuse scattering, 2=10918
 Doi, K. See Dixmier, J., 4=7674
 Doi, K. See Kunitomi, N., 4=29146
 Doi, K. See Mori, M., 4=13699
 Doi, M. A possible mode of twin in the ϵ -phase of Cu-Sb alloy, 1=9102
 Doi, Ya., Shimizu, K., Tsuboi, T. and Kouno, T. An automatic calibrating apparatus for standard scales by counting interference fringes, 4=24004
 Doich, R.V. Attenuation of [weak] magnetohydrodynamic and magnetoacoustic waves in a plasma with anisotropic conductivity and viscosity, 1=18862
 Doich, R.V. The structure of weak shock waves in a plasma, 3=1980
 Doich, R.V. [Deutsch, R.V.]. Attenuation of magnetoacoustic waves and the width of shock waves in anisotropic relativistic magnetohydrodynamics, 3=24453
 Doidge, P.R. A cyclic superconducting refrigerator, 0=8952
 Doig, J.R.Jr. and Schwartz, C.M. Amorphous lead lacquer for X-ray diffraction, 1=9126
 Doll'nitsyn, E. Ya., Novikov, A. G., Stakhanov, I. P. and Stepanov, A.S. Temperature relaxation of neutron gas, 4=6068
 Doll'nitsyn, E. Ya. and Novikov, A. G. Measurement of thermal neutron spectra in solutions of boric acid, 4=911
 Doinikov, N. I. The resistance of a toroidal coil for a constant current, 4=18656
 Doinikov, N. I. Problem of calculating the magnetic field of a cylindrical conductor of elliptical cross-section (Comment on an article by Yu. I. Kulakov), 4=24786
 Doke, T. A new method for the reduction of alpha-ray background in a gridded ionization chamber, 2=11824
 Doke, T., Awamura, K. and Nakamoto, A. A new sample changer for a gridded ionization chamber, 2=7787
 Doke, T., Nakamoto, A., Takami, Y., Hattori, M. and Okano, S. Angular dependences of efficiencies for sodium-iodide crystals, 1=12036
 Doke, T. See Ogawa, I., 1=13211
 Doke, T. See Ogawa, I., 2=5507
 Dokhnovskii, S. B. See Anufriev, B. F., 4=425
 Dokopil, Z. See Omar, M.H., 2=1311
 Dokoupil, Z. See Omar, M.H., 2=9461
 Dokoupil, Z. See Omar, M.H., 2=11365
 Dokoupil, Z. See Omar, M.H., 2=11541
 Dokoupil, Z. See Versteegen, W.A.J., 0=8710
 Dokoupil, Z. See Voorhoeve, W.H.M., 1=17417
 Doktorov, Yu. A. See Akishin, A. I., 4=8826
 Doktorov, Yu. A. See Akishin, A. I., 4=14602
 Dokuchaev, Ia. P. The specific α -activity of Pu²³⁹ and Pu²⁴⁰, 1=17014
 Dokuchaev, Ia. P. and Osipov, I.S. The specific α -activity and half-life of U²³³, 2=396
 Dokuchaev, V.P. Contribution to the theory of emission of sound waves by small bodies moving in gases, 3=1719
 Dokuchaev, V.P. The electric discharge during the flight of meteors in the earth's atmosphere, 0=6577
 Dokuchaev, V.P. Magnetohydrodynamic instability of solar corpuscular streams, 3=9213
 Dokuchaev, V.P. Formation of an ionized meteor trail, 0=18712
 Dokuchaev, V.P. Build-up of magnetohydrodynamic waves in a plasma moving through an ionized gas, 0=19910
 Dokuchaeva, O.D. and Kraush, L.Ya. Increasing the sensitivity of astronomical photographic plates, 3=7361
 Dokuchaeva, O.D. See Manova, G.A., 0=18727
 Dokuchayev, V. P. Radiation of magneto-acoustic waves during the motion of stars in cosmic space, 4=13894
 Dokunikhin, N.S. See Nurmukhametov, R.N., 1=10114
 Dokunikhin, N.S. See Nurmukhametov, R.N., 2=17473
 Dokunikhin, N.S. See Shigorin, D.N., 3=25086
 Dokunikhin, N.S. See Shigorin, D.N., 4=1786
 Dolan, E. E.S.R. signals observed in ultraviolet irradiated glasses of organic solutions, 3=5041
 Dolan, E. and Albrecht, A.C. Stimulated emission in a photo-sensitized rigid-glass solution, 3=959
 Dolan, E. and Albrecht, A.C. On the lifetime of infrared stimulated emission in photo-sensitized rigid glass solutions, 3=10989
 Dolapchiev, B. and Sendov, B. Symmetric flow about a circular cylinder with two vortices in the rear. Trajectories of the vortices and drag of the cylinder, 0=919
 Dolan, W.W. See Barbour, J.P., 0=7839
 Dolbilkin, B.S., Zapevalov, V.A., Korin, V.I. and Nikolaev, F.A. Shape of the bremsstrahlung spectrum near the upper limit, 3=24684
 Dolbilkin, B.S. See Bogdankevich, O.V., 2=1862
 Dolbilkin, B.S. See Burgov, N.A., 0=11431
 Dolbilkin, B.S. See Burgov, N.A., 2=20594
 Dolbilkin, B.S. See Burgov, N.A., 3=8077
 Dolbilkin, B.S. See Burgov, N.A., 4=9476
 Dolby, R.M. Absolute intensity measurements of the carbon and aluminium X-ray K-lines with a proportional counter, 0=5876

- Dolby, R.M. X-ray microanalysis of the light elements, 3=18467
- Dold, B. and Keussler, V.v. Determination of refractive index in the infrared with the aid of a recording spectrophotometer. Refractive index of silicon, 3=20433
- Dolder, K.T., Harrison, M.F.A. and Thonemann, P.C. A measurement of the ionization cross-section of helium ions by electron impact, 1=18765
- Dolder, K.T., Harrison, M.F.A. and Thonemann, P.C. A measurement of the ionization cross-section of Ne^+ to Ne^{2+} by electron impact, 3=21703
- Dolder, K. and Hide, R. Experiments on the passage of a shock wave through a magnetic field, 1=5549
- Dolder, K.T. See Harrison, M.F., 3=7425
- Dolder, K.T. See Harrison, M.F.A., 3=21702
- Doldon, R. The fatigue behaviour of magnesium-zirconium and magnesium-aluminum casting materials, 3=25762
- Dole, M. and Inokuti, M. Conditions for first- or second-order kinetics during multiple zone reactions, 3=25810
- Dole, M. and Williams, T.F. Energy transfer in polyethylene and polyethylene-polybutadiene mixtures during gamma irradiation, 1=7920
- Dole, M. See Cracco, F., 3=2671
- Dole, M. See Inokuti, M., 3=17626
- Dole, S.H. The gravitational concentration of particles in space near the earth, 2=24086
- Dolecek, R.L. Effect of oxygen on the magnetoresistance of copper, 0=15894
- Dolecek, R.L. and Schultz, D.J. Residual resistance of copper annealed in an O_2 atmosphere, 1=6124
- Dolecek, R.L. See Alers, P.B., 2=21267
- Dolecek, R.L. See Alers, P.B., 3=10992
- Dolecek, R.L. See de Launay, J., 0=4317
- Dolecek, R.L. See de Launay, J., 0=9940
- Dolega, U. Capacitance measurements on selenium rectifiers, 2=10512
- Dolega, U. Theory of the p-n contact between semiconductors and various crystal lattices, 3=25375
- Dolega, U. Investigation of the electrical properties of cadmium selenide, 4=4144
- Doleiden, F.H. See Fuller, C.S., 0=15941
- Doleiden, F.H. See Fuller, C.S., 2=2146
- Dolejší, J. The influence of admixtures of elements of group II on the thermoluminescence of sodium chloride crystals activated by copper and silver, 1=20033
- Dolejší, J. and Bohun, A. Spectral composition of thermoluminescence of coloured NaCl crystals, 1=14662
- Dolejší, J. and Bohun, A. Contribution to the explanation of the emission bands at 3600 Å in NaCl crystals, 2=6606
- Dolejší, J., Lebl, M. and Trnka, J. The X-ray luminescence of NaCl crystals with cobalt, 2=6607
- Dolejší, J. and Trnka, J. The X-ray luminescence of NaCl crystals with admixtures of elements of the iron group, 2=18863
- Dolejší, J. See Bohun, A., 3=813
- Dolejší, J. See Bohun, A., 3=4985
- Dolejší, J. See Bohun, A., 1=4598
- Dolejší, J. See Bohun, A., 0=5335
- Dolejší, J. See Bohun, A., 3=18008
- Dolekší, J., Kantůrek, J., Bohun, A. and Trnka, J. The luminescence, coloration and exo-electron emission of CaF_2 crystals coloured by different methods, 0=6192
- Dolenga, A. See Gifford, F.E., 4=23991
- Dolgikh, V.A. Relay manometer, 3=1653
- Dolginov, A.Z. and Gnedin, Yu. N. Multiple scattering, 4=19742
- Dolginov, A.Z. and Kharitonov, E.V. Angular distribution and polarization of β -particles in second forbidden transitions, 0=9579
- Dolginov, A.Z. and Moskalev, A.N. Relativistic spherical functions. III, 0=7289
- Dolginov, A.Z. and Toptygin, I.N. Clebsch-Gordan expansion for infinite-dimensional representations of the Lorentz group, 0=2479
- Dolginov, A.Z. and Toptygin, I.N. Relativistic spherical functions. II, 0=9281
- Dolginov, A.Z. See Bukat, G.M., 0=15644
- Dolginov, A.Z. See Gnedin, Yu. N., 4=5070
- Dolginov, K.Z. and Popov, N.P. Polarization of β -electrons from oriented RaE , 0=20387
- Dolginov, S.Sh., Eroshenko, E.G., Zhuzogov, L.N., Pushkov, N.V., and Tyurmina, L.O. Magnetic measurements of the second space rocket, 2=11082
- Dolginov, S.Sh. and Pushkov, N.V. Magnetic field of the outer corpuscular region, 1=3306
- Dolginov, S.Sh. and Pushkov, N.V. Results of the measurement of the magnetic field of the earth by a space rocket, 0=3340
- Dolginov, S.Sh. and Pushkov, N.V. Study of the magnetic field in cosmic space, 4=26925
- Dolginov, S.Sh., Zhuzogov, L.N. and Pushkov, N.V. A preliminary report on geomagnetic measurements from the third Soviet artificial earth satellite, 2=13063
- Dolginov, S.Sh., Zhuzogov, L.N. and Selytin, V.A. The magnetometer apparatus of Sputnik III, 2=9133
- Dolgoborodova, M.A. See Dzhelepov, B.S., 2=14072
- Dolgolenko, A.G. See Barmin, V.V., 4=3471
- Dolgolenko, A.G. See Barmin, V.V., 4=9269
- Dolgolenko, A.G. See Barmin, V.V., 4=12039
- Dolgolenko, A.G. See Barmin, V.V., 4=12054
- Dolgolenko, T.F. See Brandt, N.B., 4=7210
- Dolgopopolov, D.G. and Bystryk, P.S. Effect of electron diamagnetism on the nuclear magnetic resonance frequencies in metals, 4=17686
- Dolgopopolov, D.L. Diffusion coefficient in polycrystals, 3=4882
- Dolgopopolov, V.V., Ermakov, A.I., Nazarov, N.I., Stepanov, K.N. and Tolok, V.T. Experimental observations of Landau damping in plasma, 4=5667
- Dolgopopolov, V.V. and Stepanov, K.M. Damping of magneto-hydrodynamic waves in a rarefied plasma, 2=1433
- Dolgopopolov, V.V. and Stepanov, K.N. Theory of high-frequency heating of an inhomogeneous high-temperature plasma, 4=8695
- Dolgopopolov, V.V. and Stepanov, K.N. Plasma absorption of energy from a high-frequency field through multiple ion gyroresonance, 4=24661
- Dolgopopolov, V.V. See Vasil'ev, M.P., 4=24652
- Dolgopopolov, V.V. See Vasil'ev, M.P., 4=24653
- Dolgopopolov, V.V. See Vasil'ev, M.P., 4=27528
- Dolgopopova, A.V. See Skorobogatov, B.S., 4=28736
- Dolgoshein, B., Luchkov, B. and Rodionov, B.V. A streamer chamber, 4=27731
- Dolgoshein, B., Luchkov, B. and Ushakov, V. Polarization of low energy cosmic-ray muons at sea level, 2=13933
- Dolgoshein, B., Lochkov, B. and Ushakov, V. The polarization of cosmic ray muons of different energies, 3=4521
- Dolgoshein, B., Luchkov, B. and Ushakov, V. Polarization of low energy cosmic-ray muons at sea level, 3=6116
- Dolgoshein, B. See Berezinskii, V., 2=13934
- Dolgoshein, B. See Berezinskii, V., 3=6117
- Dolgoshein, B.A. and Kuzin, L.A. Quick-acting valve for bubble chambers, 2=3228
- Dolgoshein, B.A. and Luchkov, B.I. A new gas-discharge track detector-streamer chamber, 4=14993
- Dolgoshein, B.A. and Luchkov, B.I. A new gas-discharge track detector streamer chamber, 4=24956
- Dolgoshein, B.A., Luchkov, B.I. and Ushakov, V.I. A pulse hodoscope for studying muon decay, 4=963
- Dolgoshein, B.A., Luchkov, B.I. and Ushakov, V.I. Polarization of cosmic muons of different energies, 3=24823
- Dolgoshein, B.A., Luchkov, B.I. and Ushakov, V.I. Operation of gas-discharge counters at large pulsed overvoltages, 4=14957
- Dolgoshein, B.A. See Borisov, A.A., 4=785
- Dolgoshein, B.A. See Borisov, A.A., 3=17151
- Dolgov, G.G. Polarization of radiation of helium atoms excited by electron collisions, 0=4173
- Dolgov, G.G. See Vainshtein, L.A., 0=4163
- Dolgov-Savel'ev, G.G., Mukhovatov, V.S., Savenkov, A.M. and Yavlinskii, N.A. Influence of impurities on ionization and heating of deuterium plasma, 4=8686
- Dolgov-Savel'ev, G.G., Mukhovatov, V.S., Strelkov, V.S., Shepelev, M.N. and Yavlinskii, N.A. Investigation of a toroidal discharge in a strong magnetic field, 0=9029
- Dolgov-Savel'ev, G.G. See Gorbunov, E.P., 4=8685
- Dolgov-Savel'ev, G.G. See Vasilev, A.P., 3=12137
- Dolin, I.S. See Denisov, N.G., 4=2527
- Dolinskii, É.I. On a method for determining the parity of strange particles, 0=2599
- Dolinskii, É.I. Absorption of [unpolarized] μ -mesons by polarized nuclei. Angular distribution of the neutrons, 0=9687
- Dolgova, E.I. Spiral distribution of ionospheric magnetic disturbances, 2=15218
- Dolhopolov, D.H. and Bahrov, M.M. Measurements of the diffusion coefficient in liquids by the method of saturation from the gas phase, 2=9265
- Dolinskii, É.I. and Popov, V.S. Regge poles and resonance nuclear reactions. II, 4=30334
- Dolinskii, É.I. See Akimova, M.K., 1=17134

- Dolinskii, E.I. See Blokhintsev, L.D., 2=3371
 Dolinsky, E.I. See Blokhintsev, L.D., 2=16349
 Dolinskii, E.I. See Blokhintsev, L.D., 2=18058
 Dolinskii, E.I. See Blokhintsev, L.D., 3=4415
 Dolinskii, E.I. See Blokhintsev, L.D., 3=5966
 Dolinsky, E.I. See Blokhintsev, L.D., 3=8059
 Dolinskii, E.I. See Blokhintsev, L.D., 3=14867
 Dolinskii, E.I. See Blokhintsev, L.D., 3=15165
 Dolinskii, E.I. See Popov, V.S., 4=17109
 Dolinskii, E.I. See Popov, V.S., 4=19451
 Dolinsky, E.I. See Akimova, M.K., 1=5929
 Dolique, J.M. Leakage — in a steady regime — of a plasma with two temperatures, confined by a magnetic field, 1=2970
 Dolique, J.M. Study of a plasma column continuously fed and subjected to an electromagnetic field: condition for the existence of non-central Maxwellian solutions: equations for the densities, 0=15020
 Dolique, J.M. Neutralization of a beam of ions by injection of electrons. Solutions independent of time, 1=18776
 Dolique, J.M. Neutralization of a beam of ions by injection of electrons. General time-dependent solutions, 1=18777
 Dolique, J.M. Injection of electrons into a bundle of ions; nonlinear phenomena, 2=11621
 Dolique, J.M. A theoretical study of the neutralization of a beam of ions by injection of electrons, 3=12128
 Dolique, J.M. Penetration of a neutralized beam of ions and electrons into a magnetic barrier. Conditions relating to the height of the barrier, 3=19423
 Dolique, J.M. Penetration of a neutral ion-electron beam across a magnetic barrier. Condition concerning the gradient of the magnetic field, 4=504
 Dolique, J.M. Macroscopic exchange of momentum and energy between electrons and ions, by Coulomb collisions, in plasma flow, 4=14637
 Dolique, J.M. and Bernard, M.Y. Study of a plasma column continuously supplied and subjected to a magnetic field: first-order approximation for the diffusion velocities; manifestation of a frontier zone, 0=15021
 Dolkhazhav, N. See Barashenkov, V.S., 2=1869
 Dolkhazhav, N. See Barashenkov, V.S., 0=3966
 Döll, G. Excitation and deterioration of the luminescence of CaWO_4 and Zn:Ag by means of ions, 1=9002
 Doll, R. Measurements of the gyromagnetic effect on superconducting lead-spheres of macroscopic and microscopic dimensions, 0=8949
 Doll, R. Method for the determination of the quantization of the magnetic flux in a superconducting hollow cylinder, 3=16860
 Doll, R., Meissner, H., Riehl, N., Schilling, W. and Schmeissner, F. A low-temperature irradiation plant for the Munich research reactor, 4=28085
 Doll, R. and Nöbauer, M. Experimental proof of magnetic flux quantization in a superconducting ring, 1=13043
 Doll, R. and Nöbauer, M. Experimental evidence of the frozen-in magnetic flux in a superconducting hollow cylinder, 3=12022
 Doll, R. See Meissner, W., 0=2287
 Dollard, J.D. Asymptotic convergence and the Coulomb interaction, 4=18075
 Döllefeld, E. See Czekalla, J., 4=13101
 Dollezhal', N.A. See Feinberg, S.M., 3=10421
 Dollfus, A. Method of observing the solar corona and jets up to a great height, 1=1645
 Dollfus, A. A new technique for stratosphere balloons and a direct study of the origin of stellar scintillations, 2=21621
 Dollfus, A. Measurement of the global dimensions of the planet Mars, 3=3550
 Dollfus, A. Some properties of solar coronal jets observed in white light, 0=4895
 Dollfus, A. Characteristics of monochromatic emission from the solar corona, 3=9215
 Dollfus, A. A measurement of the quantity of water vapour contained in the atmosphere of the planet Mars, 3=13864
 Dollfus, A. A modulator of polarized light for a photo-electric polarimeter, 3=14378
 Dollfus, A. Discussion of F. Link's paper (see preceding abstract), 3=18606
 Dollfus, A. Observation of water vapour on the planet Venus, 3=21098
 Dollfus, A. and Leroy, J.L. Polarization of light at the edge of the solar disk, 0=4894
 Dollfus, A., Marin, M. and Leroy, J.L. Observation of the solar corona before, during, and after the total eclipse of 15 February 1961, 1=15483
 Dollfus, A. See Blackwell, D.E., 0=16540
 Dollimore, D., Dollimore, J. and Nowell, D.V. The pore structure of coal briquettes prepared at various compacting pressures, 3=13550
 Dollimore, J. See Dollimore, D., 3=13550
 Dolling, G. and Brockhouse, B.N. Lattice vibrations in pyrolytic graphite, 3=2710
 Dolling, G. See Collins, M.F., 1=12351
 Dolling, G. See Gilat, G., 4=20190
 Dolling, G. See Waught, J. L. T., 4=6709
 Dolmatova, K.A. and Kelman, V.M. A longitudinal β -spectrometer with compensated spherical aberration, 0=19758
 Dolmatova, K.A. See Bul'ginskii, D. G., 4=523
 Dolmatova, K.A. See Galaktionov, B.V., 4=29955
 Dolmatova, K.A. See Kel'man, V.M., 0=10959
 Dolmatova, K.A. See Ovsyannikov, V.A., 2=5356
 Dol'nikov, A.E. Determination of forces due to vortices, 3=14120
 Dologopolov, V.V. and Stepanov, K.N. Heating plasma under conditions of magnetosonic resonance, 3=7613
 Doloupil, Z., Kapadnis, D.G., Sreeramamurthy, K. and Taconis, K.W. Specific heat of mixtures of ^4He and ^3He between 1°K and 4°K , 1=255
 Dolph, C.L. The extant nonlinear mathematical theory of plasma oscillations, 3=19287
 Dolph, C. L. and Lomax, R. J. On the nonlinear theory of multi-stream electronic devices, 4=21646
 Dolph, C.L. and Weil, H. On the change in radar cross-section of a spherical satellite caused by a plasma sheath, 2=4879
 Dolphin, G.W., Megaw, W.J. and Rundo, J. Health physics, 2=13203
 Dolphin, L.T. See Dyce, R.B., 0=10443
 Dolphin, L.T. See Scholbohm, J.C., 0=10441
 Dols, C.G. Measurement of beam phase of the Berkeley 88-inch cyclotron, 3=5792
 Dolya, G.P. See Samoilov, V.P., 2=21958
 Doman, B.G.S. An exact result for the Ising ferromagnet, 3=18068
 Doman, B.G.S. and ter Haar, D. On the use of Green functions in the theory of the Ising ferromagnet, 2=21304
 Doman, B.G.S. See Tahir-Kheli, R.A., 3=11047
 Doman, R. C. See Alper, A. M., 4=20713
 Domange, L. See Flahaut, J., 4=4625
 Domanic, F. and Sailor, V.L. Dependence of the In^{116} activation ratio on neutron energy, 0=13287
 Domanskaya, L. I., Omel'yanovskii, E. M., Fistul', V. I. and Tsidil'kovskii, I. M. Nernst-Ettingshausen effect in strongly doped n-type Ge, 4=6961
 Domashevskaya, E.P. Use of silicon as the analyzer crystal in a high-resolution X-ray spectrograph, 3=21920
 Domashevskaya, E. P. See Ugai, Ya. A., 4=28302
 Domb, C. (Conf. rep.). Fluctuation phenomena and stochastic processes, 0=4957
 Domb, C. Excluded-volume effect for two- and three-dimensional lattice models, 3=16544
 Domb, C. Lattice dynamics, 4=17338
 Domb, C. On the theory of cooperative phenomena in crystals, 0=18178
 Domb, C. Transition points, 4=20509
 Domb, C. and Hiley, B.J. On the method of Yvon in crystal statistics, 2=16579
 Domb, C. and Isenberg, C. The calculations of thermodynamic functions in lattice dynamics, 2=12381
 Domb, C., Isenberg, C. and Tripp, C. Lattice dynamics of isotopic mixtures, 4=17339
 Domb, C. and Sykes, M.F. Use of series expansions for the Ising model susceptibility and excluded volume problem, 1=6264
 Domb, C. and Sykes, M.F. Cluster size in random mixtures and percolation processes, 1=7512
 Domb, C. and Sykes, M.F. Effect of change of spin on the critical properties of the Ising and Heisenberg models, 2=23646
 Domb, C. and Wood, W. New method of deriving high-temperature expansions for the Heisenberg model, 4=15630
 Domb, C. See Dalton, N.W., 4=13140
 Domb, C. On one-dimensional vibrating systems, 4=8082
 Domenicali, C.A. Thermoelectricity and resistivity in metal alloys at low temperatures, 0=6146
 Domenicali, C.A. and Christenson, E.L. Effects of internal oxidation and heat treatment on the electrical resistivity of dilute CuMn, CuFe, and CuCo alloys, 0=17996
 Dombey, N. Intermediate boson production in pion-proton collisions, 1=5761
 Dombey, N. Weak pion production, 2=18153
 Dombey, N. On massive and massless photons, 4=21734

- Dombey, N. Regge-pole theory of the photoproduction of pions, 4=12032
- Dombey, N. See Charap, J. M., 4=19362
- Dombi, J., Hevesi, J. and Horvai, R. A simple experimental method for the determination of the intensity of secondary fluorescence, 1=8127
- Dombi, J. See Budó, A., 1=8126
- Dombi, J. See Ketskemeti, I., 1=18411
- Dombi, J. See Ketskemeti, I., 2=1156
- Dombi, J. See Ketskemeti, I., 2=13346
- Dombi, J. See Ketskemeti, I., 3=1695
- Dombrovskaya, G. V., Rafalovich, E. and Solkovski, Ch. Measurement of the resistance of copper whisker crystals as affected by temperature, 4=4116
- Dombrovskaya, I. G. See Averkin, A. A., 3=17889
- Dombrovski, A. See Khvashchevskaya, Ya., 4=19331
- Dombrovskii, R. V. and Kalust'yan, R. T. An anechoic chamber with sound absorbers composed of stable fibreglass wedges, 3=16716
- Dombrowski, N. See Fraser, R. P., 2=15764
- Domeij, B., Bergström, I., Davies, J. A. and Uhler, J. A method of determining heavy ion ranges by analysis of α -line shapes, 3=14677
- Domeij, B., Brown, F., Davies, J. A. and McCargo, M. Ranges of heavy ions in amorphous oxides, 4=27580
- Domeij, B. See Davies, J. A., 3=14675
- Domeij, B. See Bergström, I., 3=14676
- Domeij, B. See Davies, J. A., 4=22652
- Domeij, B. See Uhler, J., 3=14678
- Domeij, E., Brown, E., Davies, J. A., Piercy, G. R. and Kornelsen, E. V. Anomalous penetration of heavy ions of keV energies in monocrystalline tungsten, 4=19119
- Domen, H. Piezo-remnant magnetism in rock and its field evidence, 3=1498
- Domen, S. R. See Pruitt, J. S., 2=20306
- Domen, S. R. See Pruitt, J. S., 3=2151
- Domenicali, C. A. and Christenson, E. L. Effects of transition metal solutes on the electrical resistivity of copper and gold between 4° and 1200°K, 1=17605
- Domenici, M. A possible use of absorption filters in neutron diffraction, 4=29088
- Domer, F. R. and Hayes, F. N. Background vs. efficiency in liquid scintillators, 0=5447
- Domian, H. A. and Aaronson, H. I. Self-diffusion of silver in beta-AgMg, 4=15494
- Domich, E. G. See Hanson, A. R., 3=23859
- Domich, E. G. See Hanson, A. R., 4=24155
- D'Omin, A. G. See Selinov, I. P., 1=17010
- Domingo, V. See Catalá, J., 0=5808
- Domingo, V. See Catalá, J., 1=7407
- Domingo, V. See Catalá, J., 1=19542
- Domingo, V. See Catalá, J., 1=19543
- Domingo, V. See Catalá, J., 1=19554
- Domínguez, A. G. See Bollini, C. G., 4=14996
- Dominguez, R. See Jaidar, A., 2=5800
- Dominici, P. Sporadic-E ionization observed by the back-scatter technique, 3=23620
- Dommaschk, W. See Schaff, F., 2=20025
- Domokos, G. On the stability of a solution of a phenomenological optical model, 1=4822
- Domokos, G. Simple non-localizable systems, 0=5512
- Domokos, G. Regge poles and elastic scattering at high energies, 3=5945
- Domokos, G. Proposal for the determination of the mesonic mean square radius of nucleons from "knock-on" pion production, 1=8452
- Domokos, G. On the asymptotic behaviour of the elastic $\pi\pi$ and πN scattering amplitudes, 2=11987
- Domokos, G. Asymptotic behaviour of the vertex part in pseudo-scalar meson theory, 3=12479
- Domokos, G. On the high energy behaviour of the pion-nucleon elastic scattering amplitude, 1=15483
- Domokos, G. Multiple of heavy unstable particles in extremely energetic nucleon-nucleon collisions, 0=15338
- Domokos, G. Antihyperon production in antinucleon-nucleon collisions near threshold, 0=17425
- Domokos, G. On algebraic problems in the theory of complex angular momentum, 3=24660
- Domokos, G. Diagram technique and Regge poles, 3=24661
- Domokos, G. High energy scattering in systems with anomalous thresholds, 4=19446
- Domokos, G. and Malicskó, L. Investigation of concentration distribution around crystals in aqueous solutions, 0=4586
- Domokos, G. and Sebestyen, A. Optical model analysis of negative pion-proton elastic scattering between 1.4 and 6.8 GeV, 1=523
- Domokos, G. and Suranyi, P. Three-particle states in the relativistic theory of complex angular momentum, 4=5977
- Domokos, G. and Surányi, P. On the behaviour of Green functions at small distances, 4=19348
- Domokos, G. and Suranyi, P. Bound states and analytic properties in angular momentum, 4=21743
- Domokos, G. and Surányi, P. The problem of bound states in pion-pion interaction, 4=25133
- Domokos, G. and Wolf, J. Regge-poles and form factors, 3=566
- Domokos, G. See Bozoki, G., 0=2603
- Domokos, G. See Dietz, K., 4=27772
- Domokosh, D. Behavior of the amplitude for elastic high energy pion-pion scattering, 3=6055
- Domokosh, G. Behavior of the amplitude for elastic high energy pion-pion scattering, 2=9909
- Domokosh, G. The question of calculation of the Regge-poles, 2=22444
- Domokosh, G. The analytic behaviour of the amplitude for the elastic $\pi-\pi$ scattering in the l -plane, 2=22598
- Domokosh, G. The analytic behaviour of the amplitude for the elastic $\pi-\pi$ scattering in the l -plane, 3=2309
- Domokosh, G. Scattering of fast particles by compound systems, 4=28010
- Domokosh, G. See Vol'f, Yu., 2=13856
- Domokosh, G. See Vol'f, Yu., 3=6043
- Domoryad, I. A. See Starodubtsev, S. V., 1=14849
- Domoryad, I. A. See Starodubtsev, S. E., 0=16203
- Domoryad, I. A. See Starodubtsev, S. V., 1=20306
- Don Khva Li. See Li Don Khva
- Donaghy, J. J. See Stewart, A. T., 2=23118
- Donahoe, F. J. See Testardi, L. R., 2=23372
- Donahue, D. J. Angular distribution of 2.6 MeV gamma rays from the reaction $Pb^{208}(n,n'\gamma)Pb^{208}$, 1=17127
- Donahue, D. J. Neutron inelastic scattering from some collective nuclear states, 3=2465
- Donahue, D. J., Bennett, R. A. and Lanning, D. D. The absorption cross section of copper for thermal neutrons, 1=15820
- Donahue, D. J., Lanning, D. D., Bennett, R. A. and Heineman, R. E. Determination of k_{∞} from critical experiments with the PCTR, 0=13326
- Donahue, D. J. and Roberts, R. D. Angular distributions of gamma-rays from $(n,n'\gamma)$ reactions in Mg^{24} and Fe^{56} , 4=12232
- Donahue, D. J. See Green, L., 4=25377
- Donahue, D. J. See Welsh, R. E., 1=2207
- Donahue, D. J. See Young, C. S., 4=3630
- Donahue, T. M. The Rayleigh scattering correction in measurements on the sodium twilight flash, 0=786
- Donahue, T. M. A note on polar blackouts, 2=895
- Donahue, T. M. H_{α} excitation in the hydrogen near the earth, 4=17995
- Donahue, T. M. and Blamont, J. E. Sodium in the upper atmosphere, 2=908
- Donahue, T. M., Blamont, J. E. and Lory, M. L. The influence of resonance absorption in the sodium layer on temperature and density measurements in the upper atmosphere, 2=4625
- Donahue, T. M. and Hunten, D. M. The correction of sodium twilight glow observations, 0=2033
- Donahue, T. M. and Hushfar, F. Formation of negative ions in CO by electron capture from fast hydrogen atoms, 0=1102
- Donahue, T. M. and Hushfar, F. Formation of negative ions in a gas by charge transfer from a fast atomic hydrogen beam, 1=16277
- Donahue, T. M. and Hushfar, F. Detection of negative ions formed by charge transfer, 0=18622
- Donahue, T. M. and Stull, V. R. Excitation of the sodium twilight glow, 0=21382
- Donahue, T. M. and Thomas, G. Distribution of hydrogen in the outer atmosphere, 3=13788
- Donahue, T. M. and Thomas, G. E. Lyman α scattering in the earth's hydrogen geocorona. II, 4=2229
- Donahue, T. M. See Blamont, J. E., 0=4802
- Donahue, T. M. See Blamont, J. E., 0=4803
- Donahue, T. M. See Blamont, J. E., 1=10319
- Donahue, T. M. See Blamont, J. E., 1=21016
- Donahue, T. M. See Curran, R., 0=11502
- Donald, D. K. Thermal behavior in vacuum zone refining, 1=10613
- Donald, D. K. Experiments on mercury-silicon surface barriers, 3=15598
- Donald, D. K. See Jaklevic, R. C., 3=15719

- Donald, H.J. See Polansky, T.S., 0=14058
- Donaldson, I.G. A theory for the square guarded hot plate — a solution of the heat conduction equation for a two layer system, 2=2905
- Donald, R.A. See Cadwell, D.O., 4=15091
- Donald, R.A. See Cundy, D.C., 2=5716
- Donaldson, E.E. and Rabinowitz, M. Effects of glass contamination and electrode curvature on electrical breakdown in vacuum, 3=8759
- Donaldson, E. E. See Denison, D.R., 4=18283
- Donaldson, E.E. See Haque, C.A., 3=14668
- Donaldson, E.E. See Winters, H.F., 3=14680
- Donaldson, I.G. Temperatures under steadily heated floors, 1=19623
- Donaldson, I.G. Free convection in a vertical tube with a linear wall temperature gradient, 2=5204
- Donaldson, I.G. Computed errors for a square guarded hot plate for the measurement of thermal conductivities of insulating materials, 3=3911
- Donaldson, I.G. Temperature errors introduced by temperature-measuring probes, 0=5218
- Donaldson, J.D. See Barclay, A., 1=11552
- Donaldson, R.H. and Edmonds, D.T. Magnetic field dependent thermal conductivity in an antiferromagnet, 2=23092
- Donat, K. See Lihl, F., 2=15112
- Donath, E. Differential pumping of a narrow slot, 4=18258
- Donath, E. and Carlough, W. Radial shearing interferometer, 3=9613
- Donath, E. See Potter, R.J., 3=5513
- Donath, W.E. Atomic wave functions for the ground states of Na^+ , Ne , and F^- , 1=13930
- Donath, W.E. Atomic calculations. II. Polarizabilities and London force constants for F^- , Ne , and Na^+ , 4=3790
- Donath, W.E. Vibrational interactions in Pariser-Parr theory. I. Bandwidths and transition intensities, 4=25703
- Donath, W.E. Pariser-Parr calculations and electro-optical effects in benzene, 4=12497
- Donath, W.E. See Mattis, D., 3=3094
- Donato, L. See Mannelli, I., 3=7414
- Donato, R.J. The S head wave at a liquid-solid boundary, 4=260
- Donato, R.J. Amplitude of the head wave near the critical angle, 4=8151
- Donato, R.J. Amplitude of P-head waves, 4=8152
- Donato, R.J. Head waves from liquid layers, 4=8153
- Dönauf, F. See Alexander, K.F., 3=15112
- Dondes, S., Harteck, P. and Kunz, C. Production of the oxygen 5577 Å emission by polonium-210 alpha radiation, 4=15287
- Dondes, S., Harteck, P. and von Weyssenhoff, H. The gamma radiolysis of carbon monoxide in the presence of rare gases, 4=13741
- Dondes, S. See Harteck, P., 0=498
- Donets, E.D., Karnaukhov, V.A., Kumpf, G., Gvozdev, B.A. and Chuburkov, Yu.T. Investigation of the nuclear reaction $\text{Th}^{232}(\text{Ne}^{22}, 4n)\text{Fm}^{250}$, 2=22855
- Donets, E.D., Karnaukhov, V.A., Kumpf, G., Gvozdev, B.A. and Chuburkov, Yu.T. Investigation of the nuclear reaction $\text{Th}^{232}(\text{Ne}^{22}, 4n)\text{Fm}^{250}$, 3=8138
- Donets, E.D., Shchegolev, V.A. and Ermakov, V.A. Synthesis of an isotope of element 102 with mass number 256, 4=19740
- Donets, E.D. See Flerov, G.N., 4=3708
- Donets, E.D. See Flerov, G.N., 4=22239
- Donets, E.D. See Kumpf, H., 3=24983
- Donets, E.D. See Perelygin, V.P., 0=7592
- Dong Nguyen Van. See Nguyen Van Dong.
- Dong Van Nguyen. See Nguyen Van Dong.
- Dong Van Guyen N. See Guyen Van Dong, N.
- Dongorozi, C.S. Crystallization asymmetry, 2=8782
- Donhoffer, D. Determination of the half-life of naturally occurring Sm^{147} and Lu^{176} nucleides by means of liquid scintillators, 4=12187
- Doniach, S. Lattice screening in polar semiconductors, 0=2868
- Doniach, S. Catalytic magnetization of atomic hydrogen, 1=13970
- Doniach, S. Many-electron contribution to the cohesive energy in Van der Waals crystals, 3=8328
- Doniach, S. and Yamada, E. Pion-nucleon attraction at short distances, 0=17377
- Doniach, S. See Cabibbo, N., 3=12026
- Doniach, S. See Martin, D.H., 4=22871
- Donjon, J. See Marie, G., 4=18370
- Donkersloot, H.C. See Van Vucht, J.H.N., 4=10632
- Donley, J.L. Experimental evidence for a low ion-transition altitude in the upper night-time ionosphere, 4=2262
- Donley, J.L. See Bourdeau, R.E., 2=8993
- Donley, J.L. See Bourdeau, R.E., 4=29330
- Donley, J.L. See Serbu, G.P., 2=6936
- Donley, R. See Ostergaard, P.B., 4=14313
- Donn, B. On ion clusters in the interstellar gas, 1=13
- Donn, B. The characteristics of distant comets, 3=5247
- Donn, B. Validity of the cloud model of the interstellar medium, 0=10476
- Donn, B. and Powell, R.S. Angular scattering from irregularly shaped particles with application to astronomy, 4=18427
- Donn, B. and Sears, G.W. Planets and comets: Role of crystal growth in their formation, 4=4881
- Donn, B. See Sears, G.W., 4=4555
- Donn, W.L. and Ewing, M. Atmospheric waves from nuclear explosions. II. The Soviet test of 30 October 1961, 2=15187
- Donnachie, A. The photodisintegration of the deuteron, 2=13893
- Donnachie, A. Dispersion relations for the photo-disintegration of the deuteron, 3=612
- Donnachie, A. and Hamilton, J. Semiphenomenological solutions of pion-nucleon partial-wave dispersion relations, 4=12044
- Donnachie, A., Hamilton, J. and Lea, A.T. Prediction of p-, d-, and f-wave pion-nucleon scattering, 4=25143
- Donnachie, A. and O'Donnell, P.J. The photodisintegration of the deuteron, 4=19603
- Donnadieu, A. See Savornin, F., 2=14495
- Donnadieu, A. See Savornin, J., 1=1258
- Donnadieu, G.A. Study of the thermal exchanges between the fluid and the solid particles in fluidized media, 1=2899
- Donnadieu, G.A. Study of the circulation of particles in a fluidized bed, 1=15835
- Donnelly, B. and Sanders, T.M., Jr. Simple transistor marginal oscillator for magnetic resonance, 0=17127
- Donnelly, B.L. Coincidence circuit, 3=9705
- Donnelly, B.L. and Bernal, G.E. Some experiments on nuclear magnetic resonance, 3=25583
- Donnelly, B.L., Clapp, T., Sawyer, W. and Schultz, M. Metastable hydrogen atoms produced in charge exchange, 4=19975
- Donnay, G. See Belov, N.V., 3=1100
- Donnay, G. See Donnay, J.D.H., 1=7860
- Donnay, G. See Donnay, J.D.H., 1=11571
- Donnay, G. See Donnay, J.D.H., 1=20400
- Donnav, G. See Donnav, J.D.H., 3=13471
- Donnay, G. See Donnei, G., 0=16251
- Donnay, J.D.H. Demonstration of the relation between four faces in a zone, 4=23311
- Donnay, J.D.H. and Donnay, G. "Packing relations" and crystalline structure, 1=7860
- Donnay, J.D.H. and Donnay, G. Outline of a crystal structure by morphological analysis, 1=11571
- Donnay, J.D.H. and Donnay, G. Replacement by points [punctualisation] of charges in crystal structures of ionic type, 1=20400
- Donnay, J.D.H. and Donnay, G. Centres of charges inferred from barite morphology, 3=13471
- Donnay, J.D.H. See Belov, N.V., 3=1100
- Donneaux, E. See Baudinet-Robinet, Y., 4=17158
- Donneaux, E. Beets, C., 3=12695
- Donnei, G. [Donnay], Belov, N.V., Neronova, N.N. and Smirnova, T.S. The Shubnikov groups, 0=16251
- Donnelly, G.J. See Henderson, M.C., 2=13417
- Donnelly, J.D. See Breed, W.L., 4=2799
- Donnelly, R.J. Experiments on the hydrodynamic stability of helium II between rotating cylinders, 0=1070
- Donnelly, R.J. Experimental confirmation of the Landau law in Couette flow, 3=23835
- Donnelly, R.J. Experiments on the stability of viscous flow between rotating cylinders. III. Enhancement of stability by modulation, 4=24143
- Donnelly, R.J. and Fultz, D. Experiments on the stability of viscous flow between rotating cylinders. II. Visual observations, 0=19052
- Donnelly, R.J. and Fultz, D. Experiments on the stability of spiral flow between rotating cylinders, 0=19062
- Donnelly, R.J. and Ozima, M. Hydromagnetic stability of flow between rotating cylinders, 0=12686
- Donnelly, R.J. and Ozima, M. Experiments on the stability of flow between rotating cylinders in the presence of a magnetic field, 2=5454
- Donnelly, R.J., Reif, F. and Suhl, H. Enhancement of hydrodynamic stability by modulation, 3=1664
- Donnelly, R.J. and Schwarz, K.W. The approach to equilibrium in nonlinear hydrodynamics, 4=5127
- Donnelly, R.J. See Caldwell, D.R., 2=11336

- Donnelly, R.J. See Meyer, L., 2=15832
- Donnelly, T. L., Hudson, J. B. and Sears, G. W. Simple temperature controller for induction heating, 4=14437
- Donnelly, T. L. See Hudson, J. B., 4=8270
- Donnelly, T. L. See Hudson, J. B., 4=20137
- Donnet, J. B., Bouland, J. C. and Jaeger, J. On the internal structure of carbon black particles, 3=25804
- Donnet, J. B., Filosof, G. and Jaeger, J. Alteration of TiO_2 in the course of examination in an electron microscope, 3=3925
- Donoghue, T. R., Behof, A. F. and Darden, S. E. Elastic scattering of neutrons from N^{15} , 4=22146
- Donoghue, T. R., Behof, A. F. and Darden, S. E. Angular distributions of neutrons elastically scattered from O^{18} , 4=22147
- Donoghue, T. R. See Darden, S. E., 1=5911
- Donoghue, T. R. See Darden, S. E., 0=11180
- Donoho, P. L. Spin-lattice relaxation in ruby, 4=10320
- Donoho, P. L. and Hemphill, R. B. Spin-lattice interaction in ruby, 4=23055
- Donohue, J. On the crystal structure of protactinium metal, 0=1876
- Donohue, J. On the structure of uranium in thin film, 2=822
- Donohue, J. A refinement of the positional parameter in [solid] α -nitrogen, 2=15012
- Donohue, J. The relationship between atomic radii in close-packed and body-centered cubic structures, 3=18305
- Donohue, J. and Caron, A. The crystal structure of iron pentacarbonyl: space group and refinement of the structure, 4=23447
- Donohue, J., Caron, A. and Goldish, E. The crystal and molecular structure of S_8 (sulfur-8), 1=20531
- Donohue, J. and Heilbronner, E. On the treatment of ill-conditioning, 1=20506
- Donohue, J. See Caron, A., 2=8824
- Donohue, J. See Caron, A., 4=10561
- Donohue, J. See Sharma, B. D., 3=25712
- Donohue, R. J. and Majkowski, R. F. Spectroscopic measurements of temperatures and densities in a cesium plasma, 2=1447
- Donovan, B. Note on the treatment of impurity scattering in optical absorption in semiconductors, 1=5826
- Donovan, B., Kanazawa, H. and March, N. H. Effect of long-range correlations on free electron diamagnetism, 0=15111
- Donovan, B. and March, N. H. Screening of point singularities in metals with particular reference to positron annihilation, 0=4296
- Donovan, B. and Medcalf, T. The inclusion of multiple reflections in the formulation of the Faraday effect in semiconductors, 4=10159
- Donovan, B. and Medcalf, T. The inclusion of multiple reflections in the theory of the Faraday effect in semiconductors, 4=30674
- Donovan, B. and Reichenbaum, G. Electrical properties of chalcopyrite, 0=7938
- Donovan, B. and Webster, J. The Faraday effect in non-degenerate semiconductors, 1=12431
- Donovan, B. and Webster, J. The theory of the Faraday effect in anisotropic semiconductors, 2=4121
- Donovan, B. and Webster, J. Note on the Faraday effect in anisotropic semiconductors, 2=12581
- Donovan, B. and Webster, J. The theory of the Faraday effect in anisotropic semiconductors. II. Application to n-type germanium, 3=4964
- Donovan, B. and Webster, J. The anisotropic Faraday effect in n-type germanium, 3=10778
- Donovan, B. See Anderson, J. C., 0=10199
- Donovan, B. See Webster, J., 3=6643
- Donovan, J. W. and Duncan, A. B. F. Mean lifetime of the lowest excited singlet state of benzene, 1=17356
- Donovan, P. See Alburger, D. E., 1=9830
- Donovan, P. F. Some applications of the Chase two-dimensional analyzer at Brookhaven National Laboratory, 4=21704
- Donovan, P. F., Alburger, D. E. and Wilkinson, D. H. Conservation of spin and parity in the alpha decay of O^{18} , 1=19387
- Donovan, P. F., Harvey, B. G. and Wade, W. H. Recoil studies of heavy element nuclear reactions. I, 0=13219
- Donovan, P. F., Kane, J. V., Pixley, R. E. and Wilkinson, D. H. States of Be^{11} , B^{11} , and C^{11} , 1=10964
- Donovan, P. F., Kane, J. V., Zupančič, Č., Baker, C. P. and Mollenauer, J. F. Angular and energy correlations in the reaction $\text{O}^{18}(\alpha, 2\alpha)\text{C}^{12}$ at 40-MeV incident alpha-particle energy, 4=22188
- Donovan, P. F., Mollenauer, J. F. and Warburton, E. K. Inelastic scattering of 10.2 MeV protons by N^{14} , 4=9488
- Donovan, P. F. See Alburger, D. E., 4=1040
- Donovan, P. F. See Becker, J. A., 4=25302
- Donovan, P. F. See Harvey, B. G., 0=13220
- Donovan, P. F. See Miller, G. L., 1=3082
- Donovan, P. F. See Miller, G. L., 1=3088
- Donovan, P. F. See Wilkinson, D. H., 3=15138
- Donovan, R. See Atkins, K. R., 0=9968
- Donovan, R. E. and Vuylsteke, A. A. On the possibility of maser action in nuclear quadrupole systems, 0=11041
- Donovan, R. E. and Vuylsteke, A. A. Paramagnetic resonance spectrum of manganese in CdWO_4 , 2=14832
- Donovan, T. M. and Ashley, E. J. Reflectance of evaporated germanium films, 4=28690
- Donovan, T. M., Ashley, E. J. and Bennett, H. E. Effect of surface damage on the reflectance of germanium in the 2650-10000-Å region, 4=7133
- Donovan, T. M. and Seraphin, B. O. Undamaged germanium surfaces of high optical quality, 3=6880
- Donskoi, K. V., Drobyshevskii, É. M. and Nazarov, É. V. Effect of an ion wind on the rotation on a plasma in crossed fields, 4=18801
- Donskoi, K. V., Dunaev, Yu. A. and Prokof'ev, I. A. Measurement of electrical conductivity in gas streams, 3=24156
- Donth, E. Temperature behaviour of boiling liquids in Dewar flasks, 1=16144
- Donth, E. and Gladun, C. Measurement of thermal conductivity at low temperatures by a non-stationary method, 2=15767
- Dontsov, Yu. P. The isotopic shift in the spectrum of molybdenum, 0=15661
- Dontsov, Yu. P., Morozov, V. A. and Striganov, A. R. Isotopic shift in the spectrum of neodymium, 0=15662
- Dónvold, S. See Grimeland, B., 4=25114
- Donze, G. Nature of the $\alpha \rightleftharpoons \beta$ transformation of uranium near equilibrium, 2=6823
- Donze, G., Dutilloy, D., Le Hazif, R. and Adda, Y. Morphology of a liquid phase with an aluminium basis in the grain boundaries of beryllium, 2=19088
- Donze, G., le Hazif, R., Maurice, F., Dutilloy, D. and Adda, Y. Diffusion and solubility of iron in beryllium, 2=12455
- Donze, G. See Adda, Y., 2=8210
- Donze, G. See Beaudier, J., 2=4456
- Donzé, G. See Cabane, G., 0=10333
- Doo, V. Y. Polygonization of 31% alpha-brass, 0=17950
- Doolen, R. B. See Plunkett, R., 3=23964
- Dooley, J. A. See Easley, J. W., 0=11678
- Dooley, M. T. See Brewer, L. E., 2=17845
- Doolittle, H. D., Singer, B. and Varadi, P. F. Volume and surface effects on metal outgassing, 4=21208
- Doolittle, R. D., III, and Hasen, W. E. Small air showers at sea level, 0=11242
- Doorenbos, H. E. and Loy, B. R. E. s. r. of the $\text{N}_2\text{F}_4\text{-NF}_3$ equilibrium, 4=6654
- Döös, B. R. The influence of exchange of sensible heat with the earth's surface on the planetary flow, 2=17133
- Dooth, D. L. Steady states in reactors with positive reactivity coefficients, 2=3660
- Döpel, R. Photographic demonstration of the cathode parts of a glow discharge, 4=5574
- Döpel, R. Range and energy loss of heavy particles in the energy range of the normal cathode fall of a glow discharge, 4=14592
- Doplicher, S. On Borchers' second theorem, 3=24645
- Dorain, P. B. Electron paramagnetic resonance of europium (II) in single crystals of cadmium sulfide, 0=21071
- Dorain, P. B. and Locker, D. Angular modulation of the magnetic field in electron paramagnetic resonance experiments, 3=13295
- Dorain, P. B. and Rahn, R. Electron paramagnetic resonance of rhenium [IV] in a cubic field, 2=8671
- Dorain, P. B. See Daniels, J. M., 4=17309
- Dorain, P. B. See From, W. H., 4=26412
- Doran, D. G. Hugoniot equation of state of pyrolytic graphite to 300 kbars, 3=10608
- Doran, D. G. and Goettelman, R. Variation of sound velocity at Fe-Fe transition in $\text{PbZr}_{0.8}\text{Ti}_{0.2}\text{O}_3$, 3=15618
- Doran, G. A. Ionization gauge power supply for use in a pulsed magnetic field, 1=15980
- Doran, G. A., Finlay, E. A., Shaylor, H. R. and Winn, M. M. Extraction of protons from the Birmingham 1000 MeV synchrotron, 1=1945
- Doran, G. A. and Jobes, M. An automatic track following device, 2=5544
- Doran, G. A. See Bugg, D. V., 4=15055

- Doran, G.A. See Dodd, W.P. 2=5542
- Dorcas, D.S. and Scott, R.N. Instrumentation for measuring the d.c. conductivity of very high resistivity materials, 4=28518
- Dorchoman, D., Kardon, B., Kish, D. and Samosvat, G. Search of interference of resonance capture of neutrons with potential capture at the 4.9 eV resonance in gold nuclei, 4=19799
- Dorcioman, D. See Cojocaru, V., 1=7383
- Dorcioman, D. See Cristu, M. 2=10024
- Dorda, G. Changes in surface recombination caused by sorption of water molecules, 1=14398
- Dorda, G. Influence of relative humidity on surface conductivity of germanium, 1=14431
- Dorda, G. Effect of the relative humidity on the electrical properties of germanium, 2=23331
- Dorda, G. The influence of different forms of surface oxide on the fast states of germanium, 3=20138
- Dorda, G. Internal field emission on germanium surface at a.c. field effect, 3=21854
- Dorda, G. Observation of slow states on germanium surface by tunneling at d.c. field effect, 4=20360
- Dordević, M. See Juric, M., 1=13451
- Dordević, M.M. See Raišić, N.M., 1=13903
- Dordová, A. A note on the formation of etch pits on deformed AgCl crystals, 4=9966
- Dore, J.C. See Craig, R.M., 3=8085
- Dore, M. See Carmichael, C.H. 2=4032
- Doré, R. Some problems arising from the evacuation of a cascade for isotope separation by gas diffusion, 1=3525
- Dore, U. See Bizzarri, R., 3=6026
- Dore, U. See Bizzarri, R., 4=30244
- Dore, U. See Di Capua, E. 2=18039
- Dore, U. See Quaranta, A.A., 0=1290
- Dorel, F. See Abeles, F., 0=4394
- Dorémieux-Morin, C. See Lecomte, J., 4=15353
- Dorémieux-Morin, C. See Lecomte, J., 4=17814
- Doremus, R.H. Structural information from transport measurements in glass, 3=1362
- Doremus, R.H. Pre-exponential factor of temperature in the diffusion equation, 1=11782
- Doremus, R.H. The diffusion of carbon during precipitation in α -iron, 0=15866
- Doremus, R.H. Optical properties of small gold particles, 4=23681
- Doremus, R.H. Exchange and diffusion of ions in glass, 4=30575
- Dorenbusch, W.E. and Browne, C.P. Heavy-particle stripping in the $\text{Be}^9(\text{He}^3, \alpha)\text{Be}^8$ reaction and energy levels of Be^8 , 3=19882
- Dorenbusch, W.E. and Browne, C.P. Continuum spectra from the $\text{Be}^9(\text{He}^3, \alpha)2\text{He}^4$ reaction, 4=3699
- Dorenbusch, W.E. See Browne, C.P. 2=3617
- Dorendorf, H. See Wöfle, R. 2=21065
- Dorfman, A.Sh. Calculation of a laval nozzle, 1=8101
- Dorfman, L.M. Buhler, R.E. and Taub, I.A. Absolute rate constant for the reaction of hydroxyl radicals with benzene in water, 2=10965
- Dorfman, L.M. and Sauer, M.C., Jr. Correlation of molecular yields in hydrocarbon radiolyses with mass spectral data, 0=16385
- Dorfman, L.M. Taub, I.A. and Bühler, R.E. Pulse radiolysis studies. I. Transient spectra and reaction-rate constants in irradiated aqueous solutions of benzene. 2=15161
- Dorfman, L.M. See Arai, S., 4=30908
- Dorfman, L.M. See Matheson, M.S., 0=16383
- Dorfman, L.M. See Sauer, M.C., Jr., 1=12681
- Dorfman, L.M. See Taub, I.A., 4=29232
- Dorfman, M. See McNeal, R.J., 4=17853
- Dorfman, R. Note on the linearized Boltzmann integral equation for rigid sphere molecules, 4=8116
- Dorfman, Ya.G. Chemical shifts in nuclear magnetic resonance in the light of new investigations of magnetic properties, 1=877
- Dorfman, Ya.G. Life and physical discoveries of Torricelli, 1=1669
- Dorfman, Ya.G. Diamagnetism and interatomic bonds in molecules and non-metallic crystals, 0=1774
- Dorfman, Ya.G. Concerning the nature of the unusual magnetic phenomena exhibited by certain organic materials, 2=14766
- Dorfman, Ya.G. Concerning the nature of the unusual magnetic phenomena exhibited by certain organic materials, 2=16896
- Dorfsmüller, T. See Haul, R., 4=14155
- Dorikens, M., Demuyne, J., Dorikens-Vanpraet, L. and Segart, O. Measurement of life time of the Zn^{65} keV level in Ce^{140} , 4=17063
- Dorikens, M., Dorikens-Vanpraet, L., Demuyne, J. and Segart, O. Lifetime of the first excited state in ^{160}Dy , 4=15166
- Dorikens, M. See Dorikens-Vanpraet, L., 3=24868
- Dorikens, M. See Segart, O.J., 3=15114
- Dorikens, M. See van Camp, K., 1=9710
- Dorikens-Vanpraet, L., Segart, O., Dorikens, M. and Demuyne, J. Gamma-gamma angular correlations in ^{140}Ce , 3=24868
- Dorikens-Vanpraet, L. See Dorikens, M., 4=15166
- Dorikens-Vanpraet, L. See Dorikens, M., 4=17063
- Dorikens-Vanpraet, L. See van Camp, K., 1=9710
- Dorikens-Vanpraet, L.V. See Segart, O.J., 3=15114
- Dorin, V.A. and Filaretova, G.M. Growth of a lead selenide layer, 1=10230
- Dorin, V.A. and Filaretova, G.M. Investigation of the growth of a lead sulphide layer at the interface of lead with liquid sulphur, 0=16259
- Dorin, V.A., Kuznetsov, B.I. and Nasledov, D.N. Studies of the growth of an electronic semiconductor layer at the contact of cadmium with selenium, 0=602
- Dorin, V.A. and Patrakova, A. Ya. Investigation of the electrical properties of the TiO_2 -Ag contact with an intermediate insulating layer, 4=1629
- Dorin, V.A. and Tartakovskaya, F. M. A study of the effect of oxygen formed during reduction of TiO_2 upon the oxidation of titanium, 4=23643
- Dorin, V.A. See Davidovich, N. M., 4=26714
- Doring, W. Saturation magnetization of thin films, 2=8638
- Doring, W. Ferromagnetism of a plane lattice, 2=14769
- Döring, W. The present state of the quantum theory of ferromagnetism, 4=22954
- Döring, W. and Simon, G. The direction dependence of magnetostriction, 0=10161
- Döring, W. and Simon, G. Correction and addition to the papers "Directional dependence of the crystal energy" and "Directional dependence of magnetostriction", 3=13261
- Döring, W. and Vial, H. Influence of heterogeneities on the ferromagnetic resonance in metals, 0=13857
- Dork, R.A., Schubring, N. W. and Nolte, J. P. Switching behaviour in ferroelectric potassium nitrate, 4=26124
- Dorland, M. Construction of a hyperfrequency cavity, 4=11788
- Dorling, E. B. See Bowen, P. J., 4=26811
- Dorman, E. See Dieke, G.H., 3=23075
- Dorman, F. and Lin, C. C. Determination of the cubic anharmonic potential constants from the vibration-rotation interaction constants of the OCS and N_2O molecules, 4=15352
- Dorman, F. H. and Morrison, J. D. Ionization potentials of doubly-charged oxygen and nitrogen, 4=2945
- Dorman, F.H. and Morrison, J.D. Determination of relative electronic transition probabilities by impact methods, 1=6029
- Dorman, F.H. and Morrison, J.D. Ionization potentials of multiply charged krypton, xenon, and mercury, 1=7023
- Dorman, F.H. and Morrison, J.D. Double and triple ionization in molecules induced by electron impact, 1=11906
- Dorman, F.H., Morrison, J.D. and Nicholson, A.J.C. Probability of multiple ionization by electron impact, 0=2318
- Dorman, F.H., Morrison, J.D. and Nicholson, A.J.C. Threshold law for the probability of excitation by electron impact, 0=3736
- Dorman, G. On the universality of the weak interactions mediated by vector bosons, 4=21775
- Dorman, L.I. On coupling coefficients between the primary and secondary variations of cosmic radiation in the high-energy range, 0=9463
- Dorman, J. Period equation for waves of Rayleigh type on a layered, liquid-solid half space, 2=11445
- Dormann, J.L. Propagation of electromagnetic waves in a rectangular guide containing transversely magnetized ferrite slabs. Application to nonreciprocal resonant channels, 3=9939
- Dorman, L.I. Intensity variations of cosmic rays, 1=2146
- Dorman, L.I. On the character of cosmic-ray intensity variations during magnetic storms, 1=2149
- Dorman, L.I. On the question of a unified procedure for introducing corrections for meteorological effects into data obtained by means of meson telescopes and ionization chambers, 1=3333
- Dorman, L.I. On the theory of second order meteorological effects of cosmic radiation, 1=3338
- Dorman, L.I. On the energy spectrum and duration, on earth, of a cosmic ray intensity increase caused by a shock wave and albedo from the front magnetised face of a corpuscular stream, 1=3343
- Dorman, L.I. On the theory of the modulation of cosmic rays by the solar wind, 1=3358

- Dorman, L.I. On the initial stage of charged-particle acceleration, 1=7307
- Dorman, L.I. On the structure of solar corpuscular streams and the interplanetary medium, 0=10507
- Dorman, L.I. On the problem of the nature of soft radiation in the upper atmosphere, 0=11245
- Dorman, L.I. Geophysical and astrophysical aspects of cosmic radiation, 4=26884
- Dorman, L.I. Variations in cosmic rays and electromagnetic conditions in the vicinity of the earth, in corpuscular fluxes and in interplanetary space, 4=6165
- Dorman, L.I. and Mikhailov, Yu.M. Investigation of electromagnetic phenomena involved in the motion of bodies in a conducting fluid in a magnetic field, 3=2115
- Dorman, L.I. See Blokh, Y.L., 1=19308
- Dorman, L.I. See Blokh, Ya.L., 1=3345
- Dorman, L.I. See Blokh, Ya.L., 1=3346
- Dorman, L.I. See Blokh, Ya.L., 1=3347
- Dormann, J.L. Calculation of the propagation coefficients of modes propagating in a rectangular guide loaded with a thin ferrite plate magnetized transversely, 1=13178
- Dormann, J.L. Calculation and measurement of the attenuation due to thin magnetized ferrite plate placed in a rectangular guide at 3.7G c/s, 1=13179
- Dormont, H. Particle optics of ray systems with curved axes, 0=3811
- Dormont, H. Random effects of transit times and secondary-emission multiplications in a multiplier phototube, 2=15947
- Dormont, H. and Saget, P. Secondary emission by transmission, 0=15062
- Dorn, D. See Bieger, W., 2=11677
- Dorn, D. See Bieger, W., 3=7591
- Dorn, D.W. Predictions of spontaneous fission half-lives for heavy nuclei, 1=4880
- Dorn, D.W. Mike results — implications for spontaneous fission, 2=10153
- Dorn, J.E. Thermodynamics of stacking faults in binary alloys, 3=12989
- Dorn, J.E. and Rajnak, S. Nucleation of kink pairs and the Peierls' mechanism of plastic deformation, 4=30751
- Dorn, J.E. See Jaffe, N., 4=13391
- Dorn, J.E. See Mitra, S.K., 4=7408
- Dorn, J.E. See Mukherjee, A.K., 4=30785
- Dorn, J.E. See Rosen, A., 4=30783
- Dorn, J.E. See Raymond, L., 4=23122
- Dorn, W.S. Variational principles for chemical equilibrium, 0=10690
- Dornberger-Schiff, K. Relation to symmetry to structure in twinning, II, 2=14967
- Dornberger-Schiff, K. The symmetry and structure of strontium germanate, $\text{Sr}(\text{GeO}_3)_2$, as a structure model for α -wollastonite, $\text{Ca}(\text{SiO}_3)_2$, 3=18316
- Dornberger-Schiff, K. Structure analysis of two-dimensional disordered OD-structures. The structure determination of sodium tetrametaphosphate $\text{Na}_4\text{H}_2\text{P}_4\text{O}_{12}$, 4=23482
- Dornberger-Schiff, K. and Grell-Niemann, H. On the theory of order-disorder (OD) structures, 1=20483
- Dörnenburg, E. and Hintenberger, H. The appearance of polyatomic carbon molecules in the high frequency spark between graphite electrodes, 0=2351
- Dörnenburg, E. and Hintenberger, H. Darkening of photographic plates by various heavy carbon molecular ions, 1=19077
- Dorner, B. and Stiller, H. Frequency spectrum in solid methane at 6.5°K, 4=22479
- Dorofeev, G.A. and Dobrynin, Y.P. Effective fission cross-sections of ^{235}U , ^{235}U , ^{239}Pu , and ^{240}Pu in the neutron energy range 30 keV-5 MeV, 0=7643
- Dorofeev, G.A. See Karamyan, A.S., 1=17155
- Dorofeev, G.A. See Spivak, P.E., 0=4133
- Dorofeev, G.A. See Spivak, P.E., 0=4134
- Dorofeev, G.A. See Vasil'ev, R.D., 4=6085
- Dorokhov, V.I. See Ivanov, V.E., 4=13716
- Dorokhov, V.I. See Verkhorobin, L.F., 4=10638
- Dorokhov, V.V. See Demirkhanov, R.A., 1=19611
- Dorokhov, V.V. See Demirkhanov, R.A., 1=19612
- Dorokhov, V.V. See Demirkhanov, R.A., 3=4727
- Dorokhov, V.V. See Demirkhanov, R.A., 3=4728
- Dorokhov, V.V. See Demirkhanov, R.A., 0=7707
- Dorokhov, V.V. See Demirkhanov, R.A., 0=7708
- Dorokhov, V.V. See Demirkhanov, R.A., 0=9510
- Dorokhov, V.V. See Demirkhanov, R.A., 0=15669
- Dorokhova, M.P. See Zhukovskii, V.I. 2=16990
- Doron, Z. See Hälg, W., 4=6426
- Doronin, Yu.P. See Borisenkov, E.P., 4=26776
- Dorosh, M.M., Parlag, A.M., Shkoda-Ulyanov, V.A., Shabalina, L.A. Contradictory results of the measurement of the (γ, n) reaction cross section for lead, 4=19755
- Doroshchenko, A.V. Effect of ordering on the saturation magnetization of the alloy Ni_3Mn , 4=28825
- Doroshek, S.I. The effect of cobalt upon the mechanical, electrical and elastic properties of iron-nickel alloys, 4=17736
- Doroshek, S.I. The effect of molybdenum upon the physical anomalies and properties of dispersion-hardened alloys of the Invar type, 4=17737
- Doroshek, S.I. The effect of structure and [addition] of a third [alloying] element upon the ΔE -effect and physical anomalies of Fe-Ni alloys of the invar type, 4=23166
- Doroshek, S.I. Physical anomalies and properties of dispersion-hardening alloys of the invar type, 4=13419
- Doroshenko, A.V., Klyushin, V.V., Loshmanov, A.A. and Goman'kov, V.I. Neutron diffraction analysis of manganese telluride, 3=5019
- Doroshenko, G.G., Glagolev, V.I., Barabanov, I.R. and Figyushkin, I.V. Reliability analysis of the methods for studying the continuous spectra of fast neutrons and γ -quanta, 4=16917
- Doroshenko, G.G. and Stolyarova, E.L. Method of discriminating pulses due to fast neutrons from pulses due to γ -ray by means of photomultiplier space charge, 2=13818
- Doroshenko, G.G. and Stolyarova, E.L. A fast-neutron scintillation counter with a low sensitivity to γ -rays, 2=20365
- Doroshenko, G.G. See Zolotukhin, V.G., 4=6077
- Doroshenko, H.A. See Vatset, P.I. 2=5536
- Dorosheski, G. See Keywell, F., 0=15898
- Doroshkevich, A.G. Storage of cold neutrons, 2=20376
- Doroshkevich, A.G. Storage of cold neutrons, 3=7870
- Doroshkevich, A.G. and Novikov, I.D. The mean density of radiation in the metagalaxy and certain questions of relativistic cosmology, 4=17965
- Doroshkevich, A.G. and Zeldovich, Y.B. The development of perturbations of arbitrary form in a homogeneous medium at low pressure, 4=10784
- Dorozhkin, A.A. and Petrov, N.N. Ion-electron emission of some metals in the presence of hydrogen, 3=24347
- Dorozhkin, A.A. See Petrov, N.N., 1=16391
- Dörr, F., Gropper, H. and Mika, N. Effect of heavy substituents on the polarization of the singlet-triplet emission. Monohalogen derivatives of naphthalene, 4=4317
- Dorr, F., Kern, J., Thies, J. and Zanker, V. A method for the determination of the polarization of triplet-triplet transitions in organic dyestuff molecules, 2=10277
- Dorr, F. See Brand, H. 2=6627
- Dörr, F. See Kern, J., 1=11099
- Dörr, F. See Maier, W., 0=7765
- Dörr, F. See Müller, R., 0=5949
- Dorrestein, R. On the deviation of the average pressure at a fixed point in a moving fluid from its "hydrostatic" value, 2=4987
- Dorsey, W.W. See Ruegg, F.W. 2=9305
- Dorsi, D. See Wernick, J.H. 2=17042
- Dorst, J.H. Full-scale magnetic measurements on the Berkeley 88-inch cyclotron, 3=5750
- Dørum, O. See Andersen, S.L., 1=5915
- Dosay, K. See Bojtor, I. 2=16098
- Dosch, H.G. The reaction $\pi + d \rightarrow p + p$ in impulse approximation, 4=19559
- Dosch, H.G., Kosiek, R., Maier, K., Schechter, M. and Zimmerer, J. Pulse-shape discrimination at high gamma background, 3=16892
- Dosch, H.G., Lindenberger, K.H. and Brix, P. Integrated cross sections for the reactions $A^{40}(\gamma, p)$ and $A^{40}(\gamma, np)$, 0=20475
- Dosch, P. Reactor power oscillations in the prompt critical region for a ramp reactivity perturbation, 3=8160
- Dosdat, J. See Lelong, P. 2=4515
- Dosse, J. Present position of development and application of transistors, 1=2417
- Dossin, F., Fehrenbach, C., Haser, L. and Swings, P. Spectrum of the comet Burnham (1959 k), 2=6994
- Dossin, F. and Rousseau, C. Spectroscopic and photographic observations of the Comet Humason (1961e), 3=13871
- Dossin, J.B. See Demortier, G., 3=22427
- Dosso, H.W. The magnetic field at the surface of a stratified flat conductor in the field of plane waves with application to geophysics, 3=4243

- Dosso, H.W. and Vidal, R.H. Simple apparatus for angular motion demonstrations, 2=13292
- Dosso, H.W. and Vidal, R.H. Magnetic field demonstrations, 3=5813
- Dosso, H.W. and Vidal, R.H. Large demonstration electro-scope, 3=12062
- Dosso, H.W. See Singh, P.P., 0=4082
- Dostrovsky, I., Fraenkel, Z. and Friedlander, G. Monte Carlo calculations of nuclear evaporation processes. III. Applications to low-energy reactions, 0=1397
- Dostrovsky, I., Fraenkel, Z. and Hudis, J. Formation of N^{13} in high-energy nuclear reactions, 1=12198
- Dostrovsky, I., Fraenkel, Z. and Rabinowitz, P. Monte Carlo calculations of nuclear evaporation processes. V. Emission of particles heavier than He^4 , 0=13218
- Dostrovsky, I., Fraenkel, Z. and Winsberg, I. Monte Carlo calculations of nuclear evaporation processes. IV. Spectra of neutrons and charged particles from nuclear reactions, 0=13217
- Dostrovsky, I., Katcoff, S. and Stoenner, R.W. Decay of Y^{85} isomers, 4=6281
- Dostrovsky, I. and Stoenner, R.W. The half-life and radiations of Kr^{76} , 3=15144
- Dostrovsky, I. See Hudis, J., 3=4641
- Dote, T., Ichimiya, T. and Tamaki, F. Some experiments on probe characteristics in drifting plasma, 3=12180
- Dote, T. and Sugiura, M. Negative characteristics of a probe in a magnetic field, 3=5634
- Dote, T., Takayama, K. and Ichimiya, T. Analysis of probe characteristics in drifting plasma, 2=6942
- Dote, T. See Ichimiya, T., 1=11648
- Dothan, Y. Unitary parity, 4=3293
- Dothan, Y., Goldberg, H., Harari, H. and Ne'eman, Y. Protonium two-mesons annihilation, 3=583
- Dothan, Y. and Harari, H. Processes forbidden by the G_2 symmetry, 4=19380
- Dothan, Y., Harari, H. and Nussinov, S. Discussion of a $\frac{1}{2}^-$ octet, 3=10173
- Dothan, Y. See Dar, A., 4=15057
- Dothan, Y. See Dar, A., 4=27811
- Dötsch, H. and Happ, H. Temperature dependence of the absorption of NaCl between 1 and 3 mm wavelengths, 4=10195
- Dotsenko, B.B. On the collective excitations in superfluid nuclear matter, 1=8536
- Dotsenko, B.B. Pion and electromagnetic structure of nucleons, 0=11153
- Dotsenko, B.B. The theory of the superfluid state of a system of Fermi-particles with isotopic spin. I, 1=13611
- Dotsenko, B.B. The pionic and electromagnetic structure of nucleons, 2=5630
- Dotsenko, B.B. Collective excitations in superfluid nuclear matter, 2=13964
- Dotsenko, B.B. Influence of collective excitations of the superfluid phase in nuclei on the nuclear moments of inertia, 3=10222
- Dotsenko, B.B. and Salsyuk, V.M. Two-nucleon problem with nonlocal potentials, 2=22699
- Dotsenko, B.B. and Salasyuk, V.M. Determination of the nucleon-core repulsive potential in nucleon interactions, 4=892
- Doty, J.P. See Hughes, D.S., 4=4470
- Doty, W.E.N. See Crawford, J.M., 0=8351
- Doty, W.R. and Ryason, P.R. Greaseless vacuum valve useful in kinetic studies, 1=6915
- Dou Nai-khua. See Bundel' A.A., 3=3051
- Doubré, H. See Ruhla, C., 4=22135
- Doucet, H. The role of field emission in the maintenance of the electrical discharge at the cathode in a gas at low pressure, 0=5331
- Doucet, H. Reflex discharge at low pressure in a radially increasing magnetic field, 4=18696
- Doucet, H. and Lamain, H. Measurement of electron temperature and density in a magnetic field, 4=18898
- Doucet, Y. and Ravoux, J.P. Realisation and utilisation of the thermoelectric fixed points, 0=3685
- Doucet, Y. and Vallier, J. On the splitting of Raman frequencies in fused nitrates, 3=4761
- Doucet, Y. and Vallier, J. Study of the Raman effect in the eutectic KNO_3 - $LiNO_3$, 4=8211
- Douch, L.S. See Kolsky, H., 2=21416
- Dougal, A.A. Optical maser probing theory for magnetoplasma diagnostics, 4=18910
- Dougal, A.A. See Engelhardt, A.G., 2=1435
- Dougal, A.A. See Takeda, S., 0=5294
- Dougan, P.W., Ledingham, K.W.D. and Drever, R.W.P. The L/K-capture ratio of Argon 37, 2=7950
- Dougan, P.W., Ledingham, K.W.D. and Drever, R.W.P. The decay of chlorine-36 to sulphur-36, 2=22771
- Dougherty, D.E. and Shen, C.N. The space-time neutron kinetic equations obtained by the semidirect variational method, 2=16452
- Dougherty, J.E. See Johnson, V.J., 3=6616
- Dougherty, J.P. The anisotropy of turbulence at the meteor level, 1=20960
- Dougherty, J.P. On the influence of horizontal motion of the neutral air on the diffusion equation of the F-region, 1=20988
- Dougherty, J.P. Some comments on dynamo theory, 4=2265
- Dougherty, J.P. Magnetohydrodynamics of the small-scale structure of the F region, 0=12185
- Dougherty, J.P. A statistical theory of ionospheric drifts, 0=21345
- Dougherty, J.P. and Farley, D.T., Jr. A theory of incoherent scattering of radio waves by a plasma. III. Scattering in a partly ionized gas, 4=5623
- Dougherty, J.P. and Farley, D.T. A theory of incoherent scattering of radio waves by a plasma, 0=19931
- Dougherty, J.P. See Farley, D.T., 1=16314
- Dougherty, P.H. See LuValle, J.E., 3=11950
- Doughty, D.C. and Mossman, P. Vibrating reed magnetometer, 1=352
- Doughty, D.C. and White, E.A.D. Imperfections in yttrium iron garnet crystals, 1=14986
- Doughty, D.D. See Skorinko, G., 3=14643
- Doughty, D.D. See Wachtel, M.M., 0=10757
- Doughty, N.A. and Fraser, P.A. The bound-free absorption coefficient of the negative hydrogen ion, 4=25482
- Doughty, S.P., Jr and Infante, E.F. Matrix proof of the theorem of Rodrigues and Hamilton, 4=29571
- Douglas, A.C. Double Coulomb excitation in even nuclei, 3=12577
- Douglas, A.C., Bygrave, W., Eccleshall, D. and Yates, M.J.L. Second-order effects in the heavy ion Coulomb excitation of Se^{76} and Se^{78} , 4=22029
- Douglas, A.C. and Macdonald, N. Compound nucleus processes in medium mass nuclei, 0=4084
- Douglas, A.C. See Macdonald, N., 1=9813
- Douglas, A.E. Electronically excited states of ammonia, 4=6583
- Douglas, A.E. and Frackowiak, M. The electronic spectra of PF and PF^+ , 2=16520
- Douglas, A.E. and Hollas, J.M. The 1600 Å band system of ammonia, 1=8845
- Douglas, A.E. Howe, L.L. and Morton, J.R. The spectrum of the SnS molecule, 2=6167
- Douglas, A.E. and Milton, E.R.V. Zeeman effect and rotational analyses of the near-ultraviolet bands of CS_2 , 4=25670
- Douglas, A.E., Møller, C.K. and Stoicheff, B.P. The absorption spectrum of ^{35}Cl from 4780 to 6000 Å, 3=19976
- Douglas, A.E. and Morton, J.R. An extension of the $^4\pi-\Sigma$ system of CH^+ and the identification of the $\lambda 3579$ interstellar line, 0=6551
- Douglas, A.E. and Potter, J.G. A ten-meter grating spectrograph for the vacuum ultraviolet, 3=14348
- Douglas, A.E. and Zanon, I. The 2100 Å bands of CS_2 , 4=20065
- Douglas, A.E. See Milton, E.R.V., 1=17:11
- Douglas, A.G. See Carmichael, A.J., 0=16194
- Douglas, A.S. and Carstang, R.H. Transition integrals for Si IV and Ca II, 2=10210
- Douglas, A.W. Consistent deviations from nonadditivity of substituent effects on C^{13} -H coupling constants, 4=20108
- Douglas, D.G. The gamma spectrum of terbium-160 below 1 MeV, 2=16375
- Douglas, D.L. and Liebhaufsky, H.A. Fuel cells, 0=14126
- Douglas, E. Solubilities of oxygen, argon, and nitrogen in distilled water, 4=11184
- Douglas, J.Jr. and Gunn, J.E. Two high-order correct difference analogues for the equation of multi-dimensional heat flow, 3=14392
- Douglas, J.E., Bratt, L.C. and Kinderman, E.M. Peculiarities of ozone formation in electron irradiation of nitrogen-oxygen mixtures, 0=4729
- Douglas, J.N. and Smith, H.J. Presence and correlation of fine structure in Jovian decametric radiation, 2=4841
- Douglas, J.N. and Smith, H.J. Decametric radiation from Jupiter. I. Synoptic observations 1957-1961, 3=13922
- Douglas, J.N. and Smith, H.J. Observations bearing on the mechanism of Jovian decametric emission, 3=18655

- Douglas, J.N. and Smith, H.J. Change in rotation period of Jupiter's decameter radio sources, 4=4942
- Douglas, J.N. See Smith, H.J., 0=18622
- Douglas, L. See Kolk, A. 2=13633
- Douglas, R.A. See Dietzsch, O., 1=13693
- Douglas, R.W. Some observations of the anelasticity of glasses, 3=15979
- Douglas, R.W. See Bates, T., 0=10041
- Douglas, R.W. See Kurkjian, C.R., 0=8255
- Douglas, R.W. See Mohyuddin, I., 0=18246
- Douglas, T.B. Modification of the Born-Mayer potential function as applied to the crystalline alkali halides, 3=17628
- Douglas, T.B. High-temperature thermodynamic functions for zirconium and unsaturated zirconium hydrides, 4=3989
- Douglas, T.B. Statistical model for the beta zirconium hydrides, 4=20766
- Douglas, T.B. and Victor, A.C. Enthalpy and specific heat of nine corrosion-resistant alloys at high temperatures, 2=4445
- Douglas, T.B. See Victor, A.C., 1=14182
- Douglas, T.B. See Victor, A.C., 3=25196
- Douglass, D.C. Self-diffusion and velocity correlations, 1=10453
- Douglass, D.C. Quadrupole resonance spectrum of chloranil and its hexamethylbenzene complex, 0=16193
- Douglass, D.C. and Fratiello, A. Volume magnetic susceptibility measurements by n.m.r., 4=8888
- Douglass, D.C., McCall, D.W. and Anderson, E.W. Self-diffusion of nearly spherical molecules. Neopentane tetramethyl silane, 1=4330
- Douglass, D.C. See Bovey, F.A., 3=25158
- Douglass, D.C. See Fratiello, A., 4=203
- Douglass, D.C. See Fratiello, A., 4=30743
- Douglass, D.C. See McCall, D.W., 0=3513
- Douglass, D.C. See McCall, D.W., 1=4331
- Douglass, D.C. See McCall, D.W., 0=14632
- Douglass, D.C. See McCall, D.W., 1=15855
- Douglass, D.C. See McCall, D.W., 0=16192
- Douglass, D.C. See McCall, D.W., 3=16606
- Douglass, D.C. See McCall, D.W., 3=24499
- Douglass, D.H.Jr. Magnetic field dependence of the superconducting energy gap, 1=8282
- Douglass, D.H., Jr. Direct experimental measurement of the magnetic field dependence of the superconducting energy gap of aluminum, 1=11888
- Douglass, D.H.Jr. Magnetic field dependence of the superconducting penetration depth in thin specimens, 1=18704
- Douglass, D.H.Jr. Magnetic field dependence of the superconducting energy gap in Ginzburg-Landau theory with application to Al, 2=7499
- Douglass, D.H.Jr. Phenomenological theory of superimposed films of normal and superconducting metals, 2=22112
- Douglass, D.H., Jr. Properties of a thin hollow superconducting cylinder, 4=391
- Douglass, D.H., Jr. Superconducting thin films, 4=21398
- Douglass, D.H.Jr. and Blumberg, R.H. Precise critical-field measurements of superconducting Sn Films in the London limit, 2=19820
- Douglass, D.H., Jr. and Meservey, R.H. Measurements of the superconducting energy gap in lead and aluminium films, 4=16347
- Douglass, D.H., Jr. and Meservey, R. Energy gap measurements by tunneling between superconducting films. I. Temperature dependence, 4=21413
- Douglass, D.H.Jr. and Strandberg, M.W.P. Antiferromagnetic resonance in manganous chloride, 1=9051
- Douglass, D.H., Jr. and Strandberg, M.W.P. Stages in the education of a physicist: An attempted solution of a pedagogical problem, 3=23726
- Douglass, D.H.Jr. See Dresselhaus, M.S., 4=16369
- Douglass, D.H., Jr. See Meservey, R., 4=21414
- Douglass, D.H.Jr. See Simmons, W.A. 2=22122
- Douglass, D.L. A comparison of niobium-vanadium and niobium-zirconium alloys for structural applications in boiling water reactors, 2=4330
- Douglass, D.L. See Bronisz, S.E., 3=11331
- Douglass, R.L. Spin-wave spectrum of yttrium iron garnet, 1=1250
- Douglass, R.L. See Crawford, F.S., Jr., 0=1316
- Douglass, R.L. See Crawford, F.S., Jr., 0=1317
- Douglass, R.L. Heat transport by spin waves in yttrium iron garnet, 3=8374
- Douglass, R.M. See Johnson, V.J., 3=6616
- Doulat, J., Goodman, B.B., Renard, M. and Weil, L. The effect of neutron irradiation on the superconducting properties of rhenium, 0=3706
- Doulat, J. See Bloch, J. 2=4442
- Doulat, J. See Quéré, Y., 1=10022
- Dourgnon, J. Mutual reflections between diffusing surfaces, 1=5337
- Dourgnon, J. The geometry of radiation, 1=12963
- Douslin, D.R., Harrison, R.H., Moore, R.T. and McCullough, J.P. Tetrafluoromethane: P-V-T and intermolecular
- Douslin, D.R. See Scott, D.W. 2=20847
- Dousmanis, G.C. Fast-risetime excitation scheme to achieve nonequilibrium and amplifying carrier distributions, 1=14221
- Dousmanis, G.C. Inverted nature and significance of negative-mass Landau levels, 1=19736
- Dousmanis, G.C. Duncan, R.C.Jr. Thomas, J.J. and Williams, R.C. Cyclotron resonance and Landau levels of negative masses, 2=23131
- Dousmanis, G.C., Faughnan, B.W. and Josephs, R.M. Further aspects of negative mass cyclotron resonance work, 3=10773
- Dousmanis, G.C., Mueller, C.W. and Nelson, H. Effect of doping on frequency of stimulated and incoherent emission in GaAs diodes, 4=7012
- Dousmanis, G.C., Mueller, C.W., Nelson, H. and Petzinger, K.G. Evidence of refrigerating action by means of photon emission in semiconductor diodes, 4=10082
- Dousmanis, G.C. See Alexandrakis, G.C., 3=25348
- Dousmanis, G.C. See Nelson, H., 4=24912
- Douthett, D. and Friedberg, S.A. Effects of a magnetic field on heat conduction in some ferrimagnetic crystals, 1=4972
- Douthett, D. See Friedberg, S.A., 0=9866
- Douthett, D.D., Kaufman, I. and Risley, A.S. Microwave harmonic generation by ferrimagnetic crystals, 1=14751
- Douthett, D.D. Kaufman, I. and Risley, A.S. Frequency doubling in anisotropic ferrites, 2=9710
- Douthwaite, R.M. See Armstrong, R. 2=6733
- Douzou, P. and Thuillier, J.M. The semiconducting properties of serum albumin, 0=15970
- Douzou, P. and Wippler, C. Some problems in the study and applications of photochromism, 4=13736
- Dove, D.B. Simple electrical analogue for the solution of linear simultaneous equations, 0=4841
- Dove, D.B. Photography of magnetic domains using the transverse Kerr effect, 3=17023
- Dove, D.B. Image contrasts in thin carbon films observed by shadow electron microscopy, 4=23574
- Dove, D.B. Note on the longitudinal Kerr effect signal-to-noise ratio, 4=26174
- Dove, D.B. and Cole, B.G. The absolute calibration of gamma radiation dosimeters by calorimetry, 3=574
- Dove, D.B. See Basinski, Z.S. 2=8231
- Dove, D.B. See Basinski, Z.S., 3=10662
- Dove, D.B. See Jaswon, M.A., 0=8155
- Dove, D.B. See Stilwell, G.R., 3=18375
- Dove, R.B. See Ambler, E., 1=10633
- Dove, R.B. See Ambler, E., 4=11442
- Dovenko, A.G. See Broder, D.L., 4=17042
- Dovhyi, Ya.O. Some characteristics of the optical properties of doped 9,10-dihydroanthracene-anthracene crystals, 2=18824
- Dovgii, Ya.O. See Brodin, M.S. 2=16804
- Dovhyi, Ya.O. See Brodin, M.S. 2=18849
- Dovnorovich, V.I. The state of stress in an elastic body with a plane crack (cut), 3=18216
- Dovnorovich, V.I. A stationary problem in heat conduction theory, 3=19040
- Dovzhenko, O.I. Calculation of the transition effect at various distances from the electron-photon shower axis, 1=16637
- Dovzhenko, O.I., Nikolskii, S.I. and Rakobol'skaya, I.V. Energy spectra of the electron-photon component in extensive air showers near the shower axis, 0=20265
- Dovzenko, O.I., Nikolsky, S.I. and Rakobolskaja, I.V. Study of the electron-photon component of extensive air showers near the shower axis, 1=2129
- Dovzhenko, O.I. and Pomanskii, A.A. Radiation units and critical energies for various substances, 4=6012
- Dovzenko, O.I., Zatsepin, G.T., Murzina, E.A., Nikolsky, S.I. and Iakovlev, V.I. On the energy spectrum of nuclear-active particles from cosmic rays at an altitude of 3860 m and the associated extensive air showers, 1=3290
- Dovzhenko, O.I. See Emel'yanov, A.A., 1=3367

- Dow, D.G. Plasma confinement by direct-current magnetic fields assisted by an arbitrary external force, 2=13569
- Dow, D.G. Reply to comments by J. Slepian, 4=14690
- Dow, D.G. and Knechtli, R.C. Plasma containment by r.f. and d.c. field combinations, 0=5322
- Dow, D.G. See Muller, M.W., 3=15327
- Dow, R.G. Electron-beam probing of a Penning discharge, 3=21731
- Dow, W.G. See Miller, M.H., 1=3012
- Dowden, R.L. Low-frequency (100 kc/s) radio noise from the aurora, 0=4815
- Dowden, R.L. Simultaneous observations of v.l.f. noise ("hiss") at Hobart and Macquarie Island, 1=20853
- Dowden, R.L. A theoretical model of electron density distribution along a geomagnetic line of force in the exosphere, 1=21079
- Dowden, R.L. Wind-band bursts of V.L.F. radio noise (Hiss) at Hobart, 2=11081
- Dowden, R.L. Doppler-shifted cyclotron radiation from electrons: a theory of very low frequency emissions from the exosphere, 2=17195
- Dowden, R.L. Theory of generation of exospheric very-low-frequency noise (hiss), 2=19248
- Dowden, R.L. Very low-frequency discrete emissions received at conjugate points, 2=21657
- Dowden, R.L. "Scale frequency" of the exosphere, 3=5211
- Dowden, R.L. Cyclotron theory of very-low-frequency discrete emissions, 3=5214
- Dowden, R.L. Author's reply to the preceding discussion, 3=13695
- Dowden, R.L. Method of measurement of electron energies and other data from spectrograms of v.l.f. emissions, 3=13700
- Dowden, R.L. Effect of magnetic anomalies on very low frequency discrete emissions, 4=13803
- Dowden, R.L. Ionospheric thermal radiation at radio-frequencies in the auroral zone, 0=14277
- Dowden, R.L. Doppler shifted cyclotron generation of exospheric very-low-frequency noise ("hiss"), 3=23606
- Dowden, R.L. Polarization measurements of Jupiter radio bursts at 10.1 Mc/s, 3=25982
- Dowden, R.L. Geomagnetic noise at 230 kc/s, 0=21396
- Dowell, J.D., Duteil, P., Leontic, B., Lundby, A., Meunier, R., Stroot, J.P. and Szeptycka, M. Effect of Cherenkov light polarisation on total reflection counter, 3=17110
- Dowell, J.D., Fowler, E.C., Hill, J.G., Martelli, G., Musgrave, B. and Riddiford, L. Further study of proton-proton interactions at 970 MeV, 0=1280
- Dowell, J.D., Frisken, W.R., Martelli, G. and Musgrave, B. The propane bubble chamber used with the Birmingham proton synchrotron, 1=408
- Dowell, J.D., Frisken, W.R., Martelli, G. and Musgrave, B. Proton-proton elastic interactions at 930 MeV, 0=1281
- Dowell, J.D., Frisken, W.R., Martelli, G., Musgrave, B., van der Raay, H.B. and Rubinstein, R. Proton-proton differential cross section at 1 GeV, 1=5724
- Dowell, J.D., Frisken, W.R., Martelli, G. and Musgrave, B. Momentum distribution of protons in carbon, 0=7443
- Dowell, J.D., Koch, W., Leontic, B., Lundby, A., Meunier, R., Stroot, J.P. and Szeptycka, M. Strange particle spectroscopy, 2=13890
- Dowell, J.D., Leontic, B., Lundby, A., Meunier, R., Petmezias, G., Stroot, J.P. and Szeptycka, M. Counter study of hyperon production in π -p collisions, 2=22641
- Dowell, J.D. See Barbier, M., 3=17002
- Dowell, J.D. See Martelli, G., 1=16770
- Dowell, J.T. See Schulz, G.J. 2=22974
- Dowell, L.G. and Berwaldt, O.E. Experiments with fluorescent X-rays in the 10-to 50-A wavelength region, 2=9670
- Dowell, L.G. and Rinfret, A.P. Low-temperature forms of ice as studied by X-ray diffraction, 1=6518
- Dowell, T.M. and Mackinnon, J.A. Measurement of cyclic strain, 0=8101
- Dowell, T.M. and Mackinnon, J.A. Measurement of cyclic strain, 0=16197
- Dowell, W.C.T. The observation of crystal lattices with small spacings in the electron microscope, 3=1286
- Dowell, W.C.T. The use of tilted illumination for the observation of crystal lattices, 3=18289
- Dowell, W.C.T. Determination of the magnification of an electron microscope by electron interference, 4=13632
- Dowell, W.C.T. Development of films suitable for electron microscope specimen holders of large transmission area and their application to the study of crystals, 4=17824
- Dowell, W.C.T. Electron microscopic image of the net planes [of a crystal] and its contrast, 4=2061
- Dowell, W.C.T. Errors in diffraction patterns produced and recorded with electron lenses, 4=8834
- Dowker, J.S. Application of the Chew and low extrapolation procedure to $K^- + d \rightarrow Y + n + \pi$ absorption reactions, 1=12114
- Dowker, J.S. π -Y resonances and K^- absorption reactions, 2=5735
- Dowker, J.S. Remarks on the limit $Z_3 \rightarrow 0$, 2=20223
- Dowker, J.S. A note on Salam's compositeness conditions, 4=5928
- Dowker, J.S. Further note on compositeness conditions, 4=24963
- Dowker, J.S. Cosmology and weak interactions, 4=29351
- Dowker, J.S. and Paton, J.E. Bootstraps and compositeness conditions, 4=5929
- Dowker, J.S. See Bonnevey, G., 1=19113
- Dowley, M.W. High field gaussmeter for use at liquid helium temperatures, 3=5805
- Dowley, M.W. Current behavior in a superconducting solenoid prior to and at breakdown, 4=11489
- Dowley, M.W. Field energy removal from a superconducting solenoid, 4=24791
- Dowley, M.W. See Walstedt, R.E. 2=18967
- Downes, J.G. See McMahon, G.B. 2=15625
- Downes, J.G. See McMahon, G.B. 2=22094
- Dowling, J.M. Centrifugal distortion in planar molecules, 1=13995
- Dowling, J.M. Direct interpretation of far-infrared interferograms with application to diatomic and linear molecules, 4=16229
- Dowling, J.M. See Costain, C.C., 0=4239
- Dowling, J.M. See Gilbert, R.L., 0=4207
- Dowling, J.M. See Gilbert, R.L., 1=14008
- Dowling, J.M. See Norris, T.P., 1=17327
- Dowling, P.H. See Poleshuk, M., 3=25383
- Downes, J.G., Mackay, B.H., Bellamy, L.G. and Burgmann, V.D. Direct-reading balances for percentage moisture content, 1=21154
- Downes, J.G. and Nordon, P. The thermal or ultra-dry bulb hygrometer, 4=2718
- Downes, J.G. See Algie, J.E., 0=11655
- Downey, J.W. See Darby, J.B., Jr., 4=7513
- Downey, J.W. See Ziegler, S.T., 4=13612
- Downie, D.B. Thermodynamic and structural properties of liquid zinc/copper alloys, 4=24203
- Downing, M. See Gill, S.J., 1=3034
- Downing, R.G. See Denney, J.M. 2=13195
- Downing, R.G. See Simon, G.W., 3=8474
- Downs, B.W. Elementary theory of resonance scattering, 2=9762
- Downs, B.W. Remarks on the bound states of a central potential in quantum mechanics, 3=9347
- Downs, B.W. and Phillips, R.J.N. Λ -N potentials from single-particle exchanges, 4=25196
- Downs, B.W. and Schriels, R. Possibility of a $[\sigma(1) - \sigma(2)]$. L term in hyperon-nucleon interactions, 2=18186
- Downs, B.W., Smith, D.R. and Truong, T.N. Analysis of the hypertriton in terms of hard-core potentials, 3=10179
- Downs, B.W. and Ware, W.E. Binding energy of a Λ -particle in nuclear matter and the Λ -nucleon interaction, 4=9366
- Downs, B.W. See Chalk, J.D., III, 4=6139
- Downs, B.W. See Ram, B., 4=9292
- Downs, B.W. See Schenter, R.E., 3=10335
- Downs, B.W. See Schenter, R.E., 4=9484
- Downs, B.W. See Schriels, R., 3=17344
- Downs, B.W. See Smith, D.R., 4=9316
- Downs, R. See Traite, M., 0=16501
- Dows, D.A. Infrared spectra of crystalline CD_3Cl and CD_3Br , 1=2445
- Dows, D.A. Infrared spectrum of crystalline boron trifluoride, 0=2940
- Dows, D.A. Intermolecular coupling of vibrations in molecular crystals. II. Intermolecular forces in CH_3Cl and CD_3Cl , 1=11155
- Dows, D.A. Intermolecular coupling of vibrations in molecular crystals, 0=11566
- Dows, D.A. Infrared spectra of crystalline C_2H_4 and C_2D_4 , 2=14686
- Dows, D.A. Intermolecular coupling of vibrations in molecular crystals. III. Intermolecular potential and crystal structure of ethylene, 2=15040
- Dows, D.A. and Bottger, G. Infrared spectrum of crystalline boron trichloride, 1=7713
- Dows, D.A. and Buckingham, A.D. Electric field-induced spectra, 4=15311
- Dows, D.A. and Hollenberg, J.L. Study of infrared reflection spectrum of liquid C_6H_6 , 0=12426

- Dows, D.A. See Buckingham, A.D., 4=6540
- Dows, D.A. See Hollenberg, J.L., 1=7716
- Dows, D.A. See Hollenberg, J.L., 2=23576
- Dows, D.A. See Hollenberg, J.L., 3=23081
- Dows, D.A. See Schatz, P.N., 1=4343
- Dows, D.A. See Swenson, C.A., 0=2939
- Dows, D.A. See Wieder, G.M., 3=6656
- Dowson, D. A generalized Reynolds equation for fluid-film lubrication, 2=15558
- Dowson, D. See Christopherson, D.G., 0=8606
- Dowson, D.C. Criticality of interacting arrays of fissile material. I. General theory, 3=12705
- Dowson, D.C. and Abbey, F. Criticality of interacting arrays of fissile material. II. Unreflected air-spaced arrays of spheres, 3=12706
- Doyama, M. and Koehler, J.S. Quenching of lattice vacancies in pure silver, 0=13549
- Doyama, M. and Koehler, J.S. Quenching and annealing of lattice vacancies in pure silver, 2=16646
- Doyama, M. and Koehler, J.S. Quenching and annealing of zone-refined aluminum, 4=15468
- Doyama, M. See Cotterill, R.M.J., 4=15480
- Doyama, M. See Suzuki, T., 0=3156
- Doyle, G.J. Self-nucleation in the sulfuric acid-water system, 1=20771
- Doyle, G.J. See Ford, H.W., 0=8315
- Doyle, H.A., Everingham, I.B. and Hogan, T.K. Seismic recordings of large explosions in south-eastern Australia, 0=4768
- Doyle, L.C. See Cvetanovic, R.J., 2=19158
- Doyle, L.R. See Wachtman, J.B., Jr., 4=23219
- Doyle, M.V. See Bean, C.P., 2=22119
- Doyle, M.V. See Bean, C.P., 3=14464
- Doyle, P.H. See Neufeld, J., 1=2965
- Doyle, V. See Bean, C.P., 3=338
- Doyle, W.T. The selective photoelectric effect, 0=5339
- Doyle, W.D. Determination of the anisotropy in thin permalloy films, 2=12775
- Doyle, W.D. Torque and rotational hysteresis in f.c.c. single-crystal cobalt films, 4=13169
- Doyle, W.D. and Prutton, M. Anisotropy distributions and unidirectional hysteresis in thin permalloy films, 3=15837
- Doyle, W.D., Rudisill, J.E. and Shtrikman, S. Angular dependence of torque in anisotropic permalloy films, 1=14723
- Doyle, W.D., Rudisill, J.E. and Shtrikman, S. Unidirectional hysteresis in thin Permalloy films, 2=12677
- Doyle, W.D., Rudisill, J.E. and Shtrikman, S. Angular dependence of torque in anisotropic permalloy films, 3=1071
- Doyle, W.D. See Baltz, A., 4=23001
- Doyle, W.D. See Flanders, P.J., 2=20092
- Doyle, W.D. See Flanders, P.J., 3=15836
- Doyle, W.M. Use of time resolution in identifying laser transitions in a mercury-rare gas discharge, 4=16701
- Doyle, W.M. and Marrus, R. Hyperfine structure of erbium-169, 3=22479
- Doyle, W.M. and Marrus, R. Atomic beam studies of some radioactive isotopes of refractory group elements, 4=9418
- Doyle, W.P. Optical absorption of some oxides in the Schumann ultra-violet region, 1=17893
- Doyle, W.P. and Lonergan, G.A. Optical absorption in the divalent oxides of cobalt and nickel, 0=20977
- Doyle, W.P. and Pearson, B.D. Effect of film thickness and substrate on the absorption spectrum of solid lead chloride, 2=12598
- Doyle, W.P. See Conlon, D.C., 1=12498
- Doyle, W.T. Coagulation, optical absorption, and photoconductivity of colloid centres in alkali halides, 0=11634
- Doyle, W.T. Amplitude modulation in ENDOR studies, 2=7777
- Doyle, W.T. Electron-nuclear double resonance studies of color centers, 2=12471
- Doyle, W.T. Structure of the F center in NaF, 3=20241
- Doyle, W.T., Ingram, D.J.E. and Smith, M.J.A. Electron spin resonance of colloid centres in lithium hydride, 0=1598
- Doyle, W.T. and Williams, W.L. Resolved isotropic hyperfine structure of the electron paramagnetic resonance absorption of F-centers in NaH, 1=11239
- Doylerush, E. Television reflections from aurorae, 2=17967
- Drabble, J.R. Summary of Conference on the Physics of Semiconductors, Exeter, 1962, 3=6567
- Drabble, J.R. Review of transport theory, 3=10731
- Drabble, J.R. The physical properties of single crystal bismuth telluride, 4=13530
- Drabble, J.R. and Goldsmid, H.J. Thermal conduction in semiconductors, 2=3852
- Drabble, J.R. and Groves, R.D. Strain-induced changes in the Seebeck coefficient of n-type germanium, 0=1643
- Drabble, J.R. and Groves, R.D. The effect of strain on the Seebeck coefficient of n-type germanium, 0=11735
- Draben, R. Fluorescence yield of eosin solutions in collodion and in glucose, 1=1179
- Drabkin, G.M. The analysis of the energy spectrum of polarized neutrons with the help of a magnetic field, 3=2269
- Drabkin, G.M. and Zhitnikov, R.A. The production of "supercold" polarized neutrons, 0=20154
- Dracass, J. See Anderson, D.G., 0=15192
- Drachev, L.A. Measurement of the variation of the phase path of a signal reflected from the ionosphere, 1=4733
- Drachinskii, A.S., Moiseev, V.F. and Trefilov, V.I. Dependence of the type of plastic deformation (slip or twinning) on grain size in polycrystalline iron, 4=15709
- Drachman, R.J. Extension of the variational method for hard-sphere bosons, 1=2717
- Drachman, R.J. Ground-state energy of the nucleon, 2=7849
- Drachman, R.J. Hard-sphere boson gas with weak attraction or repulsion, 3=21264
- Drachman, R.J. Electric polarization of the deuteron by a point charge, 4=959
- Dracott, E.D. A method of measuring the potential distribution in a cylindrical r.f. cavity containing plasma, 1=5472
- Drăgănescu, V. See Agarbiceanu, I.I., 0=5656
- Drăgănescu, M. The general condition for the abrupt increase of the inverse current of a p-n junction in the Zener region, 1=14489
- Drăgănescu, M. Theory of the high-injection-level transistor (dependence of the surface recombination velocity on the injection-level in the transistor base), 2=10514
- Drăgănescu, M. Diffusion capacity of a p-n junction, 2=21168
- Drăgănescu, M. The dependence of the small signal a.c. parameters of a junction transistor on the injection level. A theoretical approach, 3=2939
- Drăgănescu, M. Theory of the indusitor, 4=12949
- Drăgănescu, M., Samachisa, Gh. and Bulucea, C. On the operating regime of the inductive transistor, 2=22966
- Drăgănescu, V. Determination of the nuclear magnetic moment of Na²³ from the hyperfine structure of the absorption lines D₁ and D₂, 1=19343
- Drăgănescu, V. Comaniciu, N. Blanaru, L. and Tatu, V. Fabry-Perot grating with improvements, 2=5182
- Drăgănescu, V. Comaniciu, N. Blanaru, L. and Tatu, V. Fabry-Perot etalon with improved properties, 2=7381
- Drăgănescu, V., Komanichu, N., Tatu, V. and Ionescu-Pallas, N. Zh. The hyperfine and isotropic structure of the 5535 Å line of BaI, 4=22300
- Drăgănescu, V. See Agirbiceanu, I., 1=5982
- Drăgănescu, V. See Agarbichanu, I.I., 1=19342
- Draganić, I. Oxalic acid: the only aqueous dosimeter for in-pile use, 3=22453
- Draganic, I. See Gal, O., 2=18372
- Draganic, I. See Radak, B., 2=6000
- Draganic, I.G. See Radak, B.B., 2=18092
- Drăganu, M. On the Fokker-Planck equation of a plasma, 0=9024
- Drăganu, M. On the solution of the Fokker-Planck equation for a plasma, 0=19657
- Drăganu, M. Dispersion relation in the theory of nonlinear longitudinal oscillations of a relativistic plasma, 2=15934
- Dräger, G. See Brümmer, O., 4=7118
- Drăghicescu, P. Calculation of the signal to noise ratio for certain equipment used for recording nuclear resonance, 0=19953
- Drăghicescu, P. Shape of the paramagnetic electronic resonance curve in polycrystalline, 3=23223
- Dragica, Z.N. See Mira, J.K., 0=17600
- Dragin, R. See Berovic, N., 2=5999
- Dragnev, T. Solid angle of a rectangular detector with respect to a rectangular source (target), 2=7782
- Dragnev, T. and Delchev, M. Fine structure in the energy distribution of protons in the reaction Al²⁷(γ , p)Mg²⁶, 4=25375
- Dragnev, T., Kashukeev, N., Pancheva, N. and Yaneva, N. About the moment of emission of prompt neutrons in the fission of heavy nuclei, 4=25441
- Dragnev, T.N. and Konstantinov, B.P. The energy and angular distributions of protons from the Ca⁴⁰(γ , p)K³⁹ reaction with E $_{\gamma\text{max}}$ = 22 MeV, 2=10085

- Dragnev, T.N. and Konstantinov, B.P. The energy and angular distributions of protons from the $\text{Ca}^{40}(\gamma, p)\text{K}^{39}$ reaction with $E_{\gamma\text{max}} = 22\text{ MeV}$, 3=6226
- Drago, A. See Bertanza, L., 1=5765
- Drago, F., Noci, G. and Rigutti, M. Notes on a new method for setting up telescopes on an equatorial mounting, 1=18584
- Drago, F. G., Noci, G. C. and Tagliaferri, G. L. Solar flux fluctuations at 225 Mc/s and noise-level of atmospherics at 27 kc/s, 4=2460
- Drago, R.S. See Matwiyoff, N.A., 3=20022
- Drago, R.S. See Piper, T.S. 2=1148
- Drago-Chiuderi, F. See Rigutti, M., 3=21107
- Dragomirescu, D. Dutescu, G. Marinescu, L. Neagu, D. and Radulescu, C. Study of the establishment of optimum working conditions in a Wilson chamber, 2=22369
- Dragomirescu, D. See Cojocaru, V., 1=7383
- Dragomirescu, D. See Cristu, M. 2=10024
- Dragomirescu, D., Apostolescu, S., Mateichuk, V. and Beshliu, M. Total effective neutron cross-section of arsenic in the energy range from 0.01 to 0.1 eV, 0=17625
- Dragon, R. See Wesolowski, J., 1=14658
- Dragon, R. See Wesolowski, J., 4=20427
- Dragonette, L. R. See Neubauer, W. G., 4=29624
- Dragos, L. The theory of magnetohydrodynamic flow past a thin foil, 3=2096
- Dragos, L. The theory of magnetohydrodynamic flow past a thin foil, 3=2097
- Dragos, L. On the movement of a viscous fluid in an elastic tube, 3=5404
- Dragos, L. Thin aerofoil theory in magnetoaerodynamics, 3=12300
- Dragos, L. Three dimensional flow of a perfectly conducting compressible fluid, 3=14750
- Dragos, L. Flow of a conducting gas in the presence of thin profiles, 3=19426
- Dragos, L. Theory of thin profiles in magneto-aerodynamics, 4=5776
- Dragsdorf, R. and Johnson, R. T. Jr. Parallel dislocations in cobalt whiskers, 2=6332
- Dragsdorf, R. D. Elastic moduli of face-centred cubic cobalt, 0=6291
- Dragsdorf, R. D. and Forgeng, W. D. The intermetallic phases in the cobalt-tantalum system, 2=15044
- Dragsdorf, R. D. See Spencer, W. J., 2=4394
- Dragt, A. J. Effect of hydromagnetic waves on the lifetime of Van Allen radiation protons, 1=21069
- Dragt, A. J. and Karplus, R. Analyticity and unitarity of general transition amplitudes, 2=22428
- Dragt, A. J. and Karplus, R. Poles in coupled scattering amplitudes, 4=9123
- Dragt, A. J. See Karplus, R., 3=9074
- Dragun, G. S. Kurnosova, L. V. Logachev, V. I. Razorenov, L. A. Sirotkin, I. A. and Fradkin, M. I. Apparatus for the investigation of the nuclear cosmic ray component from space rockets and artificial earth satellites, 2=17314
- Drahokoupil, J. Monochromator unit with high resolving power, 3=4231
- Drahokoupil, J. See Bubáková, R., 1=9134
- Drahokoupil, J. See Bubáková, R., 1=15030
- Drahokoupil, J. See Bubáková, R., 1=15069
- Drahokoupil, J. See Bubáková, R. 2=21511
- Drahokoupil, J. See Bubáková, R., 3=5097
- Drahoš, V. and Delong, A. A simple method for obtaining perforated supporting membranes for electron microscopy, 0=10341
- Drahoš, V. See Delong, A., 0=10965
- Drahoš, V. See Komrska, J., 4=21569
- Drain, L. E. The broadening of magnetic resonance lines due to field inhomogeneities in powdered samples, 3=5048
- Drain, L. E. Nuclear magnetic resonance in chromium-vanadium alloys, 3=8741
- Drain, L. E. Nuclear magnetic resonance in vanadium alloys, 1=10194
- Drain, L. E. Nuclear magnetic resonance and its application to the testing of materials, 1=10199
- Drain, L. E. Nuclear magnetic resonance in platinum, 3=13315
- Drain, L. E. The temperature dependence of the nuclear magnetic resonance of vanadium, 4=20626
- Drain, L. E. Nuclear magnetic resonance in silver-cadmium, 0=21084
- Drain, L. E. The magnetic moment of Ni^{61} , 4=30298
- Drain, L. E. See Bucklow, I. A., 4=30999
- Draisbach, H. C. Jeschke, D. and Stuart, H. A. The adsorption and diffusion of gases in polyethylene glycol-terephthalic acid ester, 2=23923
- Drake, C. See White, J. A., 0=2712
- Drake, C. W., Bonar, D. C., Headrick, R. D. and Hughes, V. W. Production and detection of an accelerated beam of completely polarised deuterons, 1=13524
- Drake, C. W. See Lurio, A., 0=17669
- Drake, D. G. Rayleigh's problem in magnetohydrodynamics for a non-perfect conductor, 1=16509
- Drake, F. D. Radio emission from the planet, 1=12779
- Drake, F. D. Project ozma, 1=12781
- Drake, F. D. The nature of the radio source Cygnus-X, 1=18181
- Drake, F. D. Neutral hydrogen in galactic clusters, 1=18195
- Drake, F. D. Microwave spectrum of Saturn, 3=5274
- Drake, F. D. 10 cm observations of Venus near superior conjunction, 3=5275
- Drake, F. D. Microwave observations of Venus, 1962-1963, 4=13956
- Drake, F. D. Optimum size of radio astronomy antennas, 4=15950
- Drake, F. D. How can we detect radio transmissions from distant planetary systems? 4=20934
- Drake, F. D. Project Ozma, 4=20935
- Drake, F. D. See Bash, F. N., 4=23937
- Drake, F. D. See Pike, E. M., 4=15958
- Drake, J. E. and Jolly, W. L. Proton magnetic resonance spectra of silylphosphine, silylarsine, germylphosphine, and germylarsine, 3=12863
- Drake, M. See Wiin-Nielsen, A., 4=10704
- Drake, S. Galileo and the law of inertia, 4=27117
- Draley, J. E. See Greenberg, S., 0=14068
- Draley, J. E. See Kittel, J. H., 0=12084
- Drangeid, K. E., Gutzwiller, M. C., Sommerhalder, R. and Thomas, H. On the sign reversal of a magnetic field penetrating a superconducting layer, 3=16862
- Drangeid, K. E. and Sommerhalder, R. Observed sign reversal of a magnetic field penetrating a superconductor, 2=17731
- Drangeid, K. E. and Sommerhalder, R. Observed sign reversal of a magnetic field penetrating a superconductor, 4=16372
- Drangeid, K. E., Sommerhalder, R., Müller, H. and Seitz, H. Attenuation of a magnetic field by a superconductor, 4=14533
- Dransfeld, K. Ultrasonic absorption in liquid helium at temperatures below 0.6°K, 2=15839
- Dransfeld, K. Size dependent ultrasonic absorption in superfluid helium, 4=24480
- Dransfeld, K., Frisch, H. L. and Wood, E. A. Dielectric relaxation of water absorbed on γ -alumina, 2=8891
- Dransfeld, K. See Bömmel, H. E., 0=7867
- Dransfeld, K. See Challis, L. J., 1=13034
- Dransfeld, K. See Ciccarello, I. S., 4=20203
- Dransfeld, K. See Nava, R., 4=17353
- Drapak, I. T. See Vereshchagin, I. K. 2=21282
- Drapak, I. T. See Vereshchagin, I. K. 2=23622
- Drapak, I. T. See Verescagin, I. K., 3=18048
- Drapchinskii, L. V., Kovalenko, S. S., Petrzhak, K. A. and Tyutyugin, I. I. Ratio of probabilities of ternary fission of U^{235} and U^{238} induced by neutrons of different energy, 4=19829
- Drapchinskii, L. V. See Dmitriev, V. N., 4=1118
- Drapchinskii, L. V. See Dmitriev, V. N., 1=3475
- Drapchinskii, L. V. See Dmitriev, V. N., 4=3716
- Drapchinskii, L. V. See Dmitriev, V. N., 4=16729
- Drapchinskii, L. V. See Dmitriev, V. M., 0=20515
- Drapchinskii, L. V. See Vyazemskii, V. O. 2=1353
- Drapchinskii, L. V. See Vyazemskii, V. O. 2=1367
- Draper, J. Semigraphical solution of focusing and transmission of quadrupole lens systems, 3=19369
- Draper, J. E. Multiple neutron interactions in resonant foils, 0=13269
- Draper, J. E. and Bostrom, C. O. Fluctuations of partial radiation widths of U^{235} , Hf^{178} and Pt^{196} , 0=4080
- Draper, J. E. and Bostrom, C. O. Transition intensities from thermal (n, γ) in Be, Al, Cl, Sc and Ti, 3=24948
- Draper, J. E. and Fleischer, A. A. Fast coincidence circuit for slow pulses, 0=2470
- Draper, J. E. and Fleischer, A. A. Soft gamma rays from Eu^{152} and Eu^{154} following resonance neutron capture, 0=5724
- Draper, J. E. and Fleischer, A. A. Investigations of the reaction $\text{Cl}^{35}(n, \gamma \gamma)\text{Cl}^{36}$, 1=8746
- Draper, J. E. and Fleischer, A. A. Apparatus and analysis for sum-coincidence (n, γ) spectrometer, 1=16740

- Draper, J.E. and Hickok, R.L. Thermal and resonance neutron-capture gamma-rays from Nd^{144} and Nd^{146} , 1=2224
- Draper, J.E. and Springer, T.E. Multiplicity of resonance neutron capture gamma rays, 0=11439
- Draper, J.E. See Bostrom, C.O., 1=13360
- Draper, J.E. See Wasson, O.A., 4=9541
- Draper, L. Self-contained integrating irradiance meter for use underwater, 2=1243
- Draper, P.H.G. A radio-tracer study of the composition of anodic films, 3=25830
- Draper, P.H.G. and Harvey, J. The structure of anodic films. I. An electron diffraction examination of the products of anodic oxidation on tantalum, niobium and zirconium, 3=23507
- Draper, P.H.G. See Calvert, L.D., 3=3355
- Drashchev, M. A measuring device for small d.c. voltages by conversion through a photo-resistor, 0=19596
- Drasković, R. See Ristić, S., 0=21191
- Dratz, A.F. Coberly, J.C. and Rohrer, R.H. Body-cross-section scan phantom for the study of scintillation counting problems in nuclear medicine, 2=4888
- Dravnieks, F. See Reitz, D.C., 1=7486
- Dravnieks, F. See Reitz, D.C., 1=12306
- Dravskikh, A. V. A stabilizer for D. C. heater supplies, 4=14561
- Drawbaugh, D.W. On the solution of transport problems by conditional Monte Carlo, 2=4968
- Drawbaugh, D.W. and Noderer, L.C. The double spherical harmonic method for cylinders and spheres, 0=15617
- Drawin, H.W. The applicability of a capacity micro-manometer as an absolute pressure measuring instrument, 0=6843
- Drawin, H.W. Representation by formula of the ionization cross-section for electron impact, 1=18759
- Drawin, H.W. Contributions to a theory of the continuously indicating viscosity vacuum gauge, 2=19636
- Drawin, H.W. Spectroscopic measurements on a titanium plasma gun with hydrogenated electrodes, 3=7519
- Drawin, H.W. Spectroscopic temperature and density measurement of plasmas in the absence of thermodynamic equilibrium, 3=9806
- Drawin, H.-W. "Slant line effect" in axial gas discharges with superposed axial magnetic fields, 3=19200
- Drawin, H.W. Gas viscosity by a continuously indicating oscillating-viscosity vacuum gauge, 4=14194
- Drawin, H. W. See Nguyen-Hoe, 4=25481
- Dražić, V.G. See Stevančević, D.B., 0=20631
- Drazin, M.P. and Otte, H.M. The systematic determination of crystallographic orientations from three octahedral traces on a plane surface, 3=16023
- Drazin, P.G. On stability of parallel flow of an incompressible fluid of variable density and viscosity, 2=21879
- Drazin, P.G. On one-dimensional propagation of long waves, 3=14023
- Drechsel, D. and Scheid, W. Density distribution in the atomic nucleus according to the drop model, 4=25248
- Drechsel, L. Sheet polarizers especially for the ultraviolet spectral region, 3=5532
- Drechsel, L. Optical properties of mechanically oriented organic glass plates, 4=22863
- Drechsel, L. and Görlich, P. On the photoelectric properties of polyvinylene foil, 4=12995
- Drechsel, W. The increase of meridian magneto-optical Kerr rotations by evaporated layers, 1=19958
- Drechsel, W. Arrangement for the photographic recording of Weiss domains using exposure times of the order of 1 msec, 1=20094
- Drechsler, M. Temperature dependence of field electron Drechsler, M. Addition to "Temperature dependence of field electron emission at very-low current densities", 2=22248
- Drechsler, W. and Gräff, G. Determination of the molecular properties of $\text{Ti}^{205} \text{F}^{19}$ from combined Stark-Zeeman effect measurements using the molecular beam method, 1=12293
- Drechsler, W. and Stech, B. The induced pseudoscalar interaction and the μ -capture in He^3 , 4=12084
- Drecin, G. See Zăgănescu, M., 3=4256
- Dreeben, A. Effect of CdS on the electroluminescence of ZnS: Cu, halide phosphors, 4=4309
- Dreeben, A. Precipitation of impurities in large single crystals of CdS, 4=13479
- Dreeben, A. Hollow centre CdS crystals, 4=29046
- Dreeben, A. B. and Bube, R. Photoconductivity performance in large single crystals of cadmium sulfide, 4=1679
- Dreeben, A.B. See Bube, R.H., 0=1663
- Dreeben, A.B. See Bube, R.H., 3=906
- Drees, J. and Paul, W. Acceleration of electrons in a plasmabetatron, 4=30006
- Dreesen, J.A. Effect of order on the Hall constants of Ni_3Mn , 2=6422
- Dreesen, J.A. and Pugh, E.M. Hall effect and resistivity of Ni-Pd alloys, 0=20869
- Dreesen, J. A. See Ehrlich, A. C., 4=10031
- Dreeskamp, H. Indirect nuclear spin coupling between protons and elements of group IV, 4=15382
- Dreeskamp, H., Ghosh, A.K. and Burton, M. Measurement of nanosecond scintillation decay times, 1=8227
- Dreeskamp, H. and Sackmann, E. Indirect spin-spin coupling between protons and C^{13} , 3=12862
- Dreeskamp, H. See Burton, M., 1=5279
- Dreeskamp, H. See Burton, M., 0=19159
- Dregichesku, M., Yankulovich, B., Ivanov, T. and Todiryanu, D. Glass proportional counters for thermal neutron detection, 3=24746
- Dreher, J.J. Linguistic considerations of porpoise sounds, 2=7067
- Dreicer, H. Electron and ion runaway in a fully ionized gas. II, 0=3775
- Dreicer, H. Electron velocity distributions in a partially ionized gas, 0=5274
- Dreicer, H. Enhanced radiation from ionized gases, 4=18686
- Dreicer, H. Kinetic theory of an electron-photon gas, 4=18794
- Dreicer, H., Karr, H.J., Knapp, E.A., Phillips, J.A., Stovall, E.J., Jr and Tuck, J.L. Cyclotron resonance in the static magnetic field of a helix, 3=12122
- Dreicer, H. and Mjolsness, R. Formation of drift instabilities by collisional relaxation of high-energy particles, 3=5651
- Dreicer, H. and Mjolsness, R. Drift instabilities due to collisional relaxation of high-energy particles, 3=7526
- Dreier, W.M., Jr. See Ranz, W.E., 4=14125
- Dreiner, R. and Garnache, R. Precision orientation of germanium crystals in the [111] direction using alloy pits, 2=8767
- Dreitlein, J. and Kessemeier, H. Theory of resonance absorption of energy by a rotating solid, 1=11493
- Dreitlein, J. and Primakoff, H. Radiative decay of the neutral K meson: $K^0 \rightarrow \gamma + \gamma$, 1=16878
- Dreitlein, J. and Primakoff, H. Properties of Σ decays and the Σ^0 lifetime, 2=5743
- Dreitlein, J. and Primakoff, H. Possible neutrinoless decay modes of the muon, 2=9881
- Dreitlein, J.F. "Nucleon-structural" corrections to first unique beta transitions, 0=4048
- Dreizler, H. Group theory treatment of the microwave spectrum of molecules with hindered rotation of two methyl groups, with different carbon isotopes 1=17514
- Dreizler, H. Group-theory treatment of microwave spectra of molecules with two three-fold symmetrical groups showing hindered internal rotation, 2=8092
- Dreizler, H. and Dendl, G. Rotation spectrum, r_0 -structure and dipole-moment of dimethylsulphoxide, 4=22404
- Dreizler, H., Maier, W. and Rudolph, H.D. A microwave spectrograph with backward-wave oscillators as radiation sources. Microwave spectrum, structure and hindered internal rotation of dimethyl sulfide, 1=9691
- Dreizler, H. and Peter, R. Tables for the analysis of rotational spectra containing centrifugal distortion and torsional splitting, 4=3834
- Dreizler, H. and Rudolph, H.D. On the Stark effect of the microwave absorption line of methanol at 19967.3 Mc/s, 0=513
- Dreizler, H. and Rudolph, H.D. A special stark-effect of a K-doublet in the microwave spectrum of methanol, 1=3539
- Dreizler, H. and Rudolph, H.D. Torsional fine structure in the rotational spectrum of dimethyl sulphide and the internal barrier potential, 3=2644
- Dreizler, H., Schirdewahn, H. G. and Starck, B. Numerical values of perturbation-sums for the analysis of torsional fine structure in rotation spectra, 4=6538
- Dreizler, H. See Reichenbach, H., 0=5085
- Dreizler, H. See Rudolph, H.D., 0=9807
- Dreizler, H. See Rudolph, H.D., 0=20627
- Dreizler, R. M. Low-lying positive parity states of Ne^{21} , 4=3564
- Drell, S.D. Production of particle beams at very high energies, 0=20095
- Drell, S.D. Pion parameters from high-energy inelastic interactions, 1=439
- Drell, S.D. Peripheral contributions to high-energy interaction processes, 1=16684

- Drell, S.D. High-energy physics above 10 GeV, 3=4361
- Drell, S.D. and Hiida, K. Quasi-elastic peak in high-energy nucleon-nucleon scattering, 1=16774
- Drell, S.D. and Pratt, R.H. Extrapolation to cuts and the scattering of electrons and positrons, 2=5573
- Drell, S.D. and Ruderman, M.A. Infrared radiation from the atmosphere resulting from high altitude explosion X-rays, 3=11418
- Drell, S.D. and Walecka, J.D. Quenching of magnetic moments in nuclei, 1=596
- Drell, S.D. and Walecka, J.D. Electrodynamical processes with nuclear targets, 4=22120
- Drell, S.D. and Zachariasen, F. High-energy limit of form factors, 0=12826
- Drell, S.D. and Zachariasen, F. Observation of π - π resonance in pion production, 0=17407
- Drell, S.D. See Berman, S.M., 4=5996
- Drell, S.D. See Berman, S.M., 4=9255
- Drellishak, K.S., Knopp, C.F. and Cambel, A.B. Partition functions and thermodynamic properties of argon plasma, 3=21819
- Dremin, A.N. Critical diameter for detonation of liquid explosives, 3=9548
- Dremin, A.N. and Adadurov, G.A. Shock adiabatics in marble, 0=3585
- Dremin, I.M. Peripheral π -meson-nucleon [inelastic] interaction at high energies, 0=20201
- Dremin, I.M. The analytic properties of the total π -N interaction cross-section as a function of virtuality, 1=19250
- Dremin, I.M. The analytic properties of the total π -n interaction cross-section as a function of virtuality, 2=22585
- Dremin, I.M. and Chernavskii, D.S. Peripheral nucleon interactions at energies of 9 BeV, 0=5556
- Dremin, I.M. and Chernavskii, D.S. Nucleon-nucleon interactions at an energy of $E \approx 10^{11}$ eV, 1=19184
- Dremin, I.M. and Chernavskii, D.S. Interaction cross-sections for virtual particles, 3=2256
- Dremin, I.M. and Chernavskii, D.S. Nucleon-nucleon interactions at an energy of $E \approx 10^{11}$ eV, 3=4385
- Dremin, I.M. and Chernavskii, D.S. Inelastic processes due to various types of moving poles, 4=9143
- Dremin, I.M. See Chernavskii, D.S., 3=12540
- Dremin, I.M. See Chernavskii, D.S., 3=12541
- Dremin, I.M. See Chernavskii, D.S., 3=19571
- Dremin, I.M. See Gramenitskii, I.M., 1=19183
- Dremin, I.M. See Gramenitskii, I.M., 1=19245
- Dremin, I.M. See Gramenitskii, I.M., 2=22586
- Drescher, K. and Garte, D. N.M.R. stabilization of high-resolution n.m.r. spectrometers, 4=3196
- Drescher, K., Garte, D. and Suhle, A. A multi-purpose nuclear resonance spectrometer, 2=7773
- Drescher, K., Garte, D. and Suhle, A. A dual purpose n.m.r. spectrometer, 3=24494
- Dreschler, M. Field emission microscopy at low current densities with a superorthikon image intensifier, 2=8904
- Dresden, M. Recent developments in the quantum theory of transport and galvanomagnetic phenomena, 1=15741
- Dresden, M. Connection between field theory and axiomatic S-matrix theory, 4=21721
- Dresden, M. and Kahn, P.B. Field theories with persistent one particle states. I. General formalism, 3=535
- Dresner, J. Quenching effects and negative photoconductivity in amorphous selenium, 1=19909
- Dresner, J. The photo-Hall effect in vitreous selenium, 4=22805
- Dresner, J. and Shallcross, F.V. Rectification and space-charge limited currents in CdS films, 2=18718
- Dresner, J. and Shallcross, F.V. Crystallinity and electronic properties of evaporated CdS films, 3=22941
- Dresner, L. Comparison theorems for the estimation of average collision probabilities, 0=12959
- Dresner, L. Effect of geometry on resonance neutron absorption in uranium, 0=13268
- Dresner, L. The influence of the geometric symmetries of a heterogeneous reactor on the flux distribution, 1=764
- Dresner, L. Comparison theorems for the estimation of average collision probabilities. II, 1=13432
- Dresner, L. On the validity of the second fundamental theorem in a medium with anisotropic scattering, 1=17192
- Dresner, L. Isoperimetric and other inequalities in the theory of neutron transport, 1=19206
- Dresner, L. Inelastic scattering of neutrons by U^{238} below 1 MeV, 2=5927
- Dresner, L. Comparison theorems for the estimation of criticality in bare, one-velocity reactors, 2=6009
- Dresner, L. Resonance self-shielding in the measurement of radiative capture cross sections, 2=20649
- Dresner, L. A variational principle for the Poisson-Boltzmann equation. Activity coefficient of a salt in a charged microcapillary, 4=5103
- Dresner, L. and Weinberg, A.M. Recent developments in the theory and technology of chain reactors, 3=6320
- Dresner, L. See Kuhn, E., 0=7376
- Dressel, H. See Gengnagel, H., 4=636
- Dressel, R.W. Image loop probe for measurement of microwave surface currents, 2=9491
- Dressel, R.W. Electron current pulse monitor for linear accelerators, 3=24401
- Dressel, R.W. Use of polymethyl methacrylate plates for electron beam measurements at energies above 1 MeV, 4=29975
- Dresselhaus, G. Ferro- and antiferromagnetism in a cubic cluster of spins, 2=14768
- Dresselhaus, G. Ferro- and antiferromagnetism in a simple cubic lattice, 2=18896
- Dresselhaus, G. Ferromagnetism and antiferromagnetism in a simple cubic lattice, 4=20524
- Dresselhaus, G. and Dresselhaus, M.S. Surface impedance of a superconductor in a magnetic field, 0=8926
- Dresselhaus, G. and Dresselhaus, M.S. R.F. Hall effect in a superconductor, 1=260
- Dresselhaus, G. and Dresselhaus, M.S. Interband transitions in superconductors, 2=5233
- Dresselhaus, G. See Dresselhaus, M.S., 0=10850
- Dresselhaus, G. See Dresselhaus, M.S., 2=4109
- Dresselhaus, M.S., Douglass, D.H. Jr. and Kyhl, R.L. New method for measuring changes in surface impedance: Application to superconducting tin as X-band, 4=16369
- Dresselhaus, M.S. and Dresselhaus, G. High-frequency studies on superconducting tin, 0=10850
- Dresselhaus, M.S. and Dresselhaus, G. Interband transitions for metals in a magnetic field, 2=4109
- Dresselhaus, M.S. and Mavroides, J.G. Magnetoreflexion experiments in graphite, 4=22540
- Dresselhaus, M.S. See Brown, R.N., *1=17488
- Dresselhaus, M.S. See Brown, R.N., 0=20969
- Dresselhaus, M.S. See Dresselhaus, G., 0=8926
- Dresselhaus, M.S. See Dresselhaus, G., *1=260
- Dresselhaus, M.S. See Dresselhaus, G., 2=5233
- Dresselhaus, M.S. See Harman, T.C., 2=4034
- Dresselhaus, M.S. See Strauss, A.J., 3=10936
- Dressler, K. Ultraviolet absorption spectrum of ammonia in solid argon at 4.2°K, 1=11100
- Dressler, K. Absorption spectroscopy of condensed gases at low temperatures, 3=10929
- Dressler, K. and Ramsay, D.A. The electronic absorption spectra of NH_3 and ND_3 , 0=4214
- Dressler, K. and Schnepf, O. Absorption spectra of solid methane, ammonia, and ice in the vacuum ultraviolet, 0=13696
- Dressler, K. See Milligan, D.E., 1=6010
- Dressler, K. See Schnepf, O., 0=13699
- Dressler, K. See Schnepf, O., 0=14128
- Dressler, K. See Stoeckly, R., 4=10863
- Drest, H., Timm, U. and Puppe, H. Two forms of the low-pressure glow discharge in oxygen, 4=2958
- Dresvin, S.V. See Bamberg, E.A., 3=21727
- Dresvin, S.V. See Bamberg, E.A., 3=21728
- Dreval, V.E. See Tager, A.A., 2=21890
- Drever, R. See Pound, R.V., 2=5868
- Drever, R.W.P. Upper limit to anisotropy of inertial mass from nuclear resonance, 1=4245
- Drever, R.W.P. A search for anisotropy of inertial mass using a full precession technique, 1=12795
- Drever, R.W.P., Moljk, A. and Curran, S.C. A proportional counter system with small wall effect, 0=17132
- Drever, R.W.P. See Dougan, P.W., 2=22771
- Drevinsky, P.J. See Martell, E.A., 1=1520
- Drew, B. and Pye, J.J. Measurements of surface diffusion coefficients on silver single crystals, 3=17792
- Drew, C.M. and Gordon, A.S. Reaction of acetylene with methyl radicals, 0=4710
- Drew, C.M. See Gordon, A.S., 2=4551
- Drew, J.B. See Amar, H., 4=12781
- Drewes, G.W.J. and Gorter, C.J. Some data on spin-lattice relaxation in copper Tutton salts obtained by paramagnetic resonance methods, 4=23045
- Drewes, G.W.J. See Palma-Vittorelli, M.B., 1=7775
- Drewes, G.W.J. See Swanenburg, T.J.B., 3=20672

- Drewes, G.W.J. See Verstelle, J.C., 1=7793
- Drexhage, K.H., Zwick, M.M. and Kuhn, H. Sensitized fluorescence with radiationless energy transition through thin films, 3=13195
- Drexler, O. Ceramic dielectric materials, 3=20370
- Dreyer, I. See Dreyer, R., 4=4677
- Dreyer, I. See Dreyer, R., 4=13696
- Dreyer, K. and Mark, J.T. The ultra-high-vacuum system for the C-stellarator, 1=4619
- Dreyer, R. and Dreyer, I. Some investigations on the adsorption of phosphate on zirconium surfaces, 4=4677
- Dreyer, R. and Dreyer, I. Investigations on the adsorption of anions on zirconium surfaces. II. Communication: Br^- and SO_4^{2-} , 4=13696
- Dreyfus, B. Spectrum of spin waves in the garnet structure, 2=14807
- Dreyfus, B. Effect of pressure and of impurities in pure nuclear quadrupole resonance, 2=14862
- Dreyfus, B. Vacancies and interstitials in antiferromagnets, 3=15483
- Dreyfus, B. Imperfections in antiferromagnetics, 3=15904
- Dreyfus, B., Ayant, Y. and Peretti, J. Exact calculation of the specific heat for a particular model of a solid, 0=11585
- Dreyfus, B., Goodman, B.B., Lacaze, A. and Trolliet, G. The specific heats of the rare-earth metals between 0.5 and 4°K, 2=2051
- Dreyfus, B., Goodman, B.B., Trolliet, G. and Weil, L. The specific heat hyperfine structure of samarium, 1=9977
- Dreyfus, B., Goodman, B.B., Trolliet, G. and Weil, L. The specific heat of dysprosium between 0.5° and 4°K, 1=19712
- Dreyfus, B., Lacaze, A. and Michel, J.C. Nuclear specific heat of an alloy of praseodymium and gadolinium, 4=6748
- Dreyfus, B., Lacaze, A., Thomas, P. and Weil, L. Thermal conduction of gold-cobalt alloys at low temperatures, 3=10614
- Dreyfus, B., Lacaze, A. and Zadworny, F. Thermal conductivity of dilute paramagnetic single crystals at low temperature in a magnetic field, 2=16614
- Dreyfus, B., Mercier, J. and Weil, L. Nature and production of certain active forms of hydrogen at very low temperatures, 3=10550
- Dreyfus, B., Verdone-Thullier, J. and Veyssie-Counillon, M. Absorption spectra near 0.65 μ of erbium ferrite with garnet structure, 1=10100
- Dreyfus, B., Verdone-Thullier, J. and Veyssie-Counillon, M. Absorption spectrum of erbium ferrite with garnet structure in the near infrared, 3=20475
- Dreyfus, B. and Zadworny, F. Thermal conduction of crystals doped with magnetic impurities at low temperatures and under a magnetic field, 3=2742
- Dreyfus, B. See Conte, R., 3=8763
- Dreyfus, B. See Paulevé, J., 0=13862
- Dreyfus, M.G. Wedge-immersed thermistor bolometer, 2=22088
- Dreyfus, M.G. Spectral variation of blackbody radiation, 4=2882
- Dreyfus, M.G., Bishop, R.E. and Moorhead, J.E. Aplanatic cemented doublet design, 0=5140
- Dreyfus, M.G. and Hilleary, D.T. Satellite infrared spectrometer, 2=15194
- Dreyfus, R.W. Dielectric relaxation due to impurity-vacancy complexes in NaCl crystals, 1=6189
- Dreyfus, R.W. Effect of growth atmosphere on impurity precipitation in alkali halide crystals, 4=7546
- Dreyfus, R.W. and Laibowitz, R.B. Anelastic and dielectric relaxation due to impurity-vacancy complexes in NaCl crystals, 4=28983
- Dreyfus, R.W. and Nowick, A.S. Energy and entropy of formation and motion of vacancies in NaCl and KCl crystals, 2=3900
- Dreyfus, R.W. and Nowick, A.S. Ionic conductivity of doped NaCl crystal, 2=12501
- Dreze, C. and Duquesne, H. Device for cooling the targets of particle accelerators, 4=30102
- Driatski, V.M. and Besprozvannaya, A.S. Ionospheric conditions in the circumpolar region (according to observations, made at the drifting station SP-3 during 1954-1955), 0=18487
- Driatski, V.M. See Besprozvannaya, A.S. 2=4789
- Drichko, I.L., Mochan, I.V. and Obrastsov, Yu.N. Investigation of the anisotropy of the electrical conductivity of tellurium, 3=17820
- Drichko, N.M. See Ioffe, S.B., 0=2081
- Drickamer, H.G. Revised calibration for high pressure optical bomb, 1=5348
- Drickamer, H.G. Pressure and electronic structure, 4=12667
- Drickamer, H.G. See Aust, R.B., 3=18229
- Drickamer, H.G. See Aust, R.B., 4=30602
- Drickamer, H.G. See Balchan, A.S., 0=8798
- Drickamer, H.G. See Balchan, A.S., 1=8288
- Drickamer, H.G. See Balchan, A.S., 1=10050
- Drickamer, H.G. See Balchan, A.S., 1=11364
- Drickamer, H.G. See Balchan, A.S., 1=11367
- Drickamer, H.G. See Balchan, A.S. 2=2229
- Drickamer, H.G. See Bentley, W.H., 1=11569
- Drickamer, H.G. See Clendenen, G.L., 4=29120
- Drickamer, H.G. See Clendenen, R.L., 4=29136
- Drickamer, H.G. See Edwards, A.L., 0=4408
- Drickamer, H.G. See Edwards, A.L., 1=8886
- Drickamer, H.G. See Eppler, R.A., 0=9906
- Drickamer, H.G. See Eppler, R.A., 0=13555
- Drickamer, H.G. See Eppler, R.A., 1=19984
- Drickamer, H.G. See Gregg, D.W., 0=8020
- Drickamer, H.G. See Gregg, D.W., 1=20019
- Drickamer, H.G. See Keating, K.B., 1=3832
- Drickamer, H.G. See Keating, K.B., 1=3834
- Drickamer, H.G. See Minomura, S. 2=16704
- Drickamer, H.G. See Minomura, S., 0=13556
- Drickamer, H.G. See Minomura, S., 1=4965
- Drickamer, H.G. See Minomura, S., 1=14589
- Drickamer, H.G. See Minomura, S., 3=859
- Drickamer, H.G. See Minomura, S., 3=25370
- Drickamer, H.G. See Perez-Albuerné, E.A., 4=10518
- Drickamer, H.G. See Pipkorn, D.N., 4=28327
- Drickamer, H.G. See Riggelman, B.M., 1=17889
- Drickamer, H.G. See Riggelman, B.M. 2=21156
- Drickamer, H.G. See Riggelman, B.M., 3=17812
- Drickamer, H.G. See Samara, G.A. 2=16705
- Drickamer, H.G. See Samara, G.A. 2=18633
- Drickamer, H.G. See Samara, G.A. 2=18651
- Drickamer, H.G. See Samara, G.A. 2=18701
- Drickamer, H.G. See Samara, G.A. 2=22988
- Drickamer, H.G. See Samara, G.A. 2=23257
- Drickamer, H.G. See Stager, R.A., 3=13038
- Drickamer, H.G. See Stager, R.A. 2=23877
- Drickamer, H.G. See Stager, R.A., 3=25323
- Drickamer, H.G. See Stager, R.A., 4=1559
- Drickamer, H.G. See Stager, R.A., 4=10035
- Drickamer, H.G. See Stager, R.A., 4=12854
- Drickamer, H.G. See Stephens, D.R., 1=6206
- Drickamer, H.G. See Stephens, D.R., 1=12490
- Drickamer, H.G. See Stephens, D.R., 1=12491
- Drickamer, H.G. See Stephens, D.R., 1=12492
- Drickamer, H.G. See Suchan, H.L., 0=4405
- Drickamer, H.G. See Suchan, H.L., 0=4407
- Drickamer, H.G. See Tischer, R.E. 2=23901
- Drickamer, H.G. See Wiederhorn, S., 0=16037
- Drickamer, H.G. See Zahner, J.C., 0=4406
- Drickamer, H.G. See Zahner, J.C., 1=3833
- Drickamer, H.G. See Zahner, J.C., 1=11089
- Drickamer, H.G. See Zahner, J.C., 1=17888
- Drickey, D.J. and Hand, L.N. Precise neutron and proton form factors at low momentum transfers, 3=14971
- Drickey, D.J. and Mozeley, R.F. Possible evidence for a retardation term in low-energy π photoproduction, 2=13846
- Driescher, H. and Hiller, W. Recording colorimeter for determining reflection curves of coloured bodies such as flower petals, 0=3657
- Drietein, J. and Lee, B.W. Lifetime of the Σ^0 , 2=322
- Drigo, A. On the possibility of modifying the magnetic properties of ferromagnetic bodies by neutron irradiation, 0=8058
- Drigo, A. See Buttino, G., 2=10670
- Drigo, L., Manduchi, C., Nardelli, G.C., Russo-Manduchi, M.T. and Zannoni, G. Polarization of protons scattered from C^{12} , 4=19766
- Drijard, D. See Bellière, J., 3=24775
- Drijard, D. See Bellini, G., 3=7899
- Drijard, D. See Bellini, G. 2=22573
- Drijard, D. See Di Carato, M. 2=22627
- Drijard, D. See Fretter, W.B., 3=2301
- Drijard, D. See Lloret, A., 4=12036
- Drijard, D. See Veillet, J.J., 3=17313
- Driker, G.Ya. See Mitrofanov, K.P., 4=15658
- Drimer, D., Țăranu, P., Hafner, A., Vescan, L. and Nemoda, L. Contribution to the study of the diffusion of antimony in silica monocrystals, 3=25294
- Driml, M. and Koutskii, Z. Problem of generation of ordinary magnitudes with the aid of counters, 4=18008
- Drinchko, N.M. See Ioffe, S.B. 2=928
- Drinkard, W.C. See Holmes, J.R. 2=16558
- Drinkard, W.C. See Holmes, J.R. 3=9449

- Drisco, R.M., Bassel, R.H. and Satchler, G.R. Distorted-wave analysis of quasi-elastic (p,n) and (He³,t) reactions, 3=2455
- Driscoll, R.L. Electronic g factor of rubidium, 4=30382
- Driscoll, W.G. A feature direct-reading spectrograph, 4=14359
- Driscoll, W.J. See Scott, B.J., 1=20768
- Drisko, R.M. and Satchler, G.R. "Finite-range" effects in the distorted-wave theory of stripping reactions, 4=22094
- Drisko, R.M., Satchler, G.R. and Bassel, R.H. Ambiguities in the optical potential for strongly absorbed projectiles, 3=22361
- Drisko, R.M., Satchler, G.R. and Bassel, R.H. Pickup of heavy clusters, 4=22175
- Drisko, R.M. See Austern, N., 3=661
- Drisko, R.M. See Austern, N., 4=9467
- Drisko, R.M. See Bassel, R.H., 1=8780
- Drisko, R.M. See Bassel, R.H., 3=6294
- Drisko, R.M. See Bassel, R.H., 4=22198
- Drisko, R.M. See Davies, K.T.R., 3=19828
- Drisko, R.M. See Halbert, E.C., 1=19430
- Drisko, R.M. See Haybron, R.M., 4=17151
- Drisko, R.M. See Satchler, G.R., 3=19764
- Drittlein, J. See Behrends, R.E. 2=11876
- Drits, V.A. The quantitative X-ray phase analysis of clay minerals, 3=13480
- Drits, V.A., Kashaev, A.A. An X-ray study of a single crystal of kaolinite, 1=10265
- Drits, V.A. and Kashaev, A.A. An X-ray study of some structures consisting of mixed layers, 2=2383
- Drittler, K. Model calculation of Bragg X-ray reflections by dislocations, 4=9965
- Driver, H.S. See Cilliers, W.A., 4=5637
- Driver, H.S. See Smy, P.R., 4=18897
- Driver, M.C. and Wright, G.T. Thermal release of trapped space charge in solids, 3=4949
- Driver, R.D. A two-body problem of classical electrodynamics: The one-dimensional case, 3=7680
- Drobachenko, O.V. Effect of repulsion forces between nucleons on the photoeffect cross-section, 2=20492
- Drobachenko, O.V. See Sytenko, A.H. 2=20491
- Drobachenko, O.V. See Sytenko, O.G., 4=1063
- Drobachenko, O.V. See Sytenko, A.H., 4=3401
- Drobyshevskii, E.M. Effect of Hall current on the rotation of a plasma in crossed fields, 4=18802
- Drobyshevskii, E.M. The volt-ampere characteristics of a homopolar cell, 4=24718
- Drobyshevskii, E.M. See Donskoi, K.V., 4=18801
- Drofa, V.N. The permanent axes of motion for a heavy gyrostat near an imovable point, 2=17400
- Drokin, A.I., Cherkashin, V.S., Smolin, R.P. and Ershov, R.E. Concerning anhyseretic magnetization curves of ferromagnetic metals and alloys, 3=11061
- Drokin, A.I. and Dylgerov, V.D. Domain structure of magnesium-manganese ferrite single crystals, 4=13238
- Drokin, A.I., Dylgerov, V.D., Sudakov, N.I. and Starostin, I.I. Temperature dependence of the rotational hysteresis losses in magnesium-manganese ferrites, 3=18101
- Drokin, A.I., Dylgerov, V.D., Sudakov, N.I. and Zagirova, K. Rotational hysteresis and the dynamics of domain structure in rotational fields in single crystals of ferrocobalt ferrites, 3=13269
- Drokin, A.I., Dylgerov, V.D. and Zolotareva, Yu.M. Dynamics of powder figures in mono-crystalline magnesium-manganese ferrites, 1=17977
- Drokin, A.I., Smolin, R.P. and Ryabinkina, L.I. Temperature dependence of the magnetization during heating and cooling of lithium ferrite-chromite in weak magnetic fields, 4=4383
- Drokin, A.I., Sudakov, N.I., Gendele, S.Sh., Isotova, T.P. and Ryabinkina, L.I. Temperature dependence on the first anisotropy constant in iron-nickel ferrite single crystals, 4=26338
- Drokin, A.I. See Dylgerov, V.D. 2=751
- Drokin, A.I. See Kirenskii, L.V., 1=10148
- Drokin, A.I. See Kirenskii, L.V., 3=13273
- Droniuk, M.I. See Sandulova, A.V., 4=10471
- Dronov, A.P., Sviridov, A.G. and Sobolev, N.N. Measurement of flame temperatures by the method of relative intensities of spectral lines, 0=217
- Dronov, A.P., Sviridov, A.G. and Sobolev, N.N. Study of the state of krypton behind a shock wave, 2=63
- Dronov, A.P., Sviridov, A.G. and Sobolev, N.N. The continuous emission spectra of krypton and xenon behind a shock wave, 3=14218
- Dronyuk, M.I. See Sandulova, A.V. 2=2098
- Dronyuk, M.I. See Sandulova, A.V., 3=20180
- Dronyuk, M.I. See Sandulova, H.V. 2=21060
- Dronyuk, M.I. See Sandulova, A.V., 4=10480
- Dropesky, B.J., Schardt, A.W. and Shull, T.T. Note on the decay of the new nuclide Cr⁵⁶, 0=11351
- Dropesky, B.J. See Bunker, M.E., 0=1380
- Dropesky, B.J. See Bunker, M.E., 2=18292
- Dropesky, B.J. See Orth, C.J., 1=8639
- Dropkin, D. See Gelb, G.H., 4=8486
- Dropkin, D. See Marcus, B.D., 4=2862
- Dropkin, J.J. See Goldstein, B. 2=12627
- Dropkin, J.J. See Ullman, F.G., 1=6182
- Droppleman, L. See Megill, L.R. 2=5163
- Droppleman, L. See Shafer, A.B., 4=18403
- Droppleman, L.K. See Megill, L.R., 3=23633
- Drost, H., Lindemann, G., Timm, U. and Pupke, H. Investigation of a plasma source of negative ions. II. The auxiliary electrode, 4=8848
- Drost, H., Timm, U., Behlke, H. and Pupke, H. A new method of increasing the output of a plasma source of negative ions, 4=8846
- Drost, H., Timm, U. and Pupke, H. Extraction of negative ions from a stratified oxygen discharge, 3=4063
- Drost, H., Timm, U. and Pupke, H. Investigation of a plasma source of negative ions. I. The ion source, 4=8847
- Drott, J. Growth of silver sulphide whiskers, 0=16275
- Drott, J. See Fischmeister, H., 0=16257
- Drouard, E. Study of the hydroxyls in crystalline strontium hydroxide octahydrate by Raman scattering and infrared absorption, 1=7717
- Drouard, E. Study of the vibrational spectra of single crystals containing OH groups, 3=4968
- Drougard, M.E. Detailed study of switching current in barium titanate, 0=6157
- Drougard, M.E. and Landauer, R. On the dependence of the switching time of barium titanate crystals on their thickness, 0=1699
- Drougard, M.E. See Schlosser, H., 1=10076
- Drougard, R. Optical transfer properties of fiber bundles, 4=18395
- Drouin, J.R.S. and Yaffe, L. Determination of the disintegration rate of nuclides decaying by electron capture, 1=7353
- Drouin, J.R.S. and Yaffe, L. The half-life of Ca⁴¹, 2=16360
- Droulers, Y., Lacour, J. and Raieviski, V. Measurement of the mean free path of neutrons in graphite, 0=7364
- Droulers, Y. See Nikitine, S., 3=17998
- Drowart, J., Burns, R.P., DeMaria, G. and Inghram, M.G. Mass spectrometric study of carbon vapor, 0=2324
- Drowart, J., DeMaria, G., Burns, R.P. and Inghram, M.G. Thermodynamic study of Al₂O₃ using a mass spectrometer, 0=10698
- Drowart, J. See Ackerman, M., 1=3573
- Drowart, J. See Ackerman, M., 2=8127
- Drowart, J. See Burns, R.P., 0=10697
- Drowart, J. See Burns, R.P., 3=12010
- Drowart, J. See Colin, R. 2=20877
- Drowart, J. See Colin, R., 4=20828
- Drowart, J. See DeMaria, G., 0=965
- Drowart, J. See DeMaria, G., 0=10699
- Drowart, J. See Verhaegen, G., 3=305
- Drowart, J. See Verhaegen, G., 4=12525
- Drowart, J. See Verhaegen, G., 4=17318
- Droz-Vincent, P. Generalization of the Einstein equations corresponding to a non-zero mass for the graviton, 0=3437
- Droz-Vincent, P. General covariance and conservation laws, 0=16565
- Droz-Vincent, P. Harmonic approximation and quantization of the Rosen metric, 1=2691
- Droz-Vincent, P. The equations of variational unified field (theory), 1=15661
- Droz-Vincent, P. Methods for quantization of the gravitational field, 1=6766
- Droz-Vincent, P. Poisson brackets in the case of a field with linear Lagrangian, 2=7136
- Droz-Vincent, P. Coupling equations for certain types of theories based on a linear Lagrangian, 3=3710
- Droz-Vincent, P. Quantization of a linearized five-dimensional field, 4=27735
- Drozdz, L. and Levshin, V.L. Spectral distribution of radiation from nonactivated ZnS-CdS phosphors as a function of temperature, 2=716
- Drozdz, L. and Levshin, V.L. Location of energy levels in ZnS-CdS phosphors, 2=10626
- Drozdz, I.A. See Aksenov, G.I., 4=23526

- Drozdzov, S.I. The scattering of neutrons by para- and ortho-hydrogen, 0=2548
- Drozdzov, S.I. Scattering of fast protons by non-spherical nuclei, 0=7545
- Drozdzov, S.I. Excitation of nuclear collective states in charged particle scattering, 0=9616
- Drozdzov, S.I. The excitation of collective states in nuclei by scattering of charged particles, 0=11310
- Drozdzov, S.I. Pairing and quadrupole interactions in configurations j^n , 3=620
- Drozdzov, S.I. Excitation of collective states of nuclei in the scattering of charged particles, 3=22290
- Drozdzov, S.I. Pairing and quadrupole interactions in configurations j^n , 4=6185
- Drozdzov, S.I. and Zaretskii, D.F. Pair correlation effects near closed shells, 1=13608
- Drozdzov, S.I., Zaretskii, D.F. and Migdal, A.B. Effects of pair correlation near closed shells, 1=8599
- Drozdzov, S.I. See Grin', Yu.T., 0=5641
- Drozdzov, S.I. See Grin', Yu.T., 0=13118
- Drozdzov, S.I. See Grin', Yu.T., 1=8551
- Drozdzov, S.V. The determination of latitude variations from observations of zenith programme stars, 4=2176
- Drozdzova, L.N. See Kuzin, N.N., 3=8524
- Drozdzova, L.N. See Semerchan, A.A., 4=1616
- Drozdzova, L.N. See Semerchan, A.A., 4=10061
- Drozdzzhina, V.I., Zatspepin, N.N., Ponomarev, Yu.F., Fridman, L.A., Shurkin, D.A. and Yanus, R.I. On the theory of ferro-probes with longitudinal symmetrical saturating excitation, 1=16479
- Drška, L., Chudáček, I. and Stěrba, F. Measurement of some neutron spectra by the nuclear emulsion method, 0=3976
- Druaux, J. See Bariaud, A., 4=19115
- Druaux, J. See Beydon, J., 0=17678
- Drucker, D.C. See Calladine, C.R. 2=14893
- Druin, V. See Bzranova, G., 3=8140
- Druin, V.A. Cross-section of Md^{258}_{101} production in irradiation of U^{238}_{92} as a function of Ne^{32}_{10} ion energy, 3=8135
- Druin, V.A., Lobanov, Yu.V. and Polikanov, S.M. Angular distribution of fission fragments in fission induced by heavy ions, 0=9712
- Druin, V.A., Mikheev, V.L. and Skobelev, N.K. Spontaneous fission of Am^{241} , 1=19540
- Druin, V.A., Mikheev, V.L. and Skobelev, N.K. Spontaneous fission of Am^{241} , 3=4675
- Druin, V.A., Perelygin, V.P. and Khlebnikov, G.I. Spontaneous fission periods of Np^{237} , Pu^{238} and Pu^{242} , 1=19541
- Druin, V.A., Perelygin, V.P. and Khlebnikov, G.I. Spontaneous fission periods of Np^{237} , Pu^{238} and Pu^{242} , 3=4676
- Druin, V.A. See Flevov, G.N., 0=7497
- Druin, V.A. See Flerov, G.N., 4=3708
- Druin, V.A. See Flerov, G.N., 4=22239
- Druin, V.A. See Mikheev, V.L., 0=11465
- Druin, V.A. See Polikanov, S.M. 2=16442
- Druin, V.A. See Polikanov, S.M., 3=6315
- Drukarev, G.F. The Massey parameter in the theory of atomic collisions, 0=11500
- Drukarev, G.F. Adiabatic approximation for degenerate or almost degenerate states, 4=5063
- Drum, C. M. and Mitchell, J. W. Electron microscope examination of role of axial dislocations in growth of AlN whiskers, 4=23354
- Drumheller, C. A. Theory of the optical properties of thin polycrystalline metal layers, 4=22817
- Drumheller, J.E. Electron spin resonance of s-state ions in barium fluoride, 3=11111
- Drumheller, J. E. and Rubins, R. S. "Forbidden" hyperfine transitions in the electron paramagnetic resonance of Mn^{2+} in cubic MgO , 4=10327
- Drumheller, J. E. See Müller, K. A., 4=23074
- Drummond, A.J. See Ångström, A.K., 0=16825
- Drummond, A.J. See Ångström, A.K., 0=19387
- Drummond, A.J. See Ångström, A.K., 2=19672
- Drummond, A.J. See Hickey, J.R., 3=9606
- Drummond, A.J. See Karoli, A.R., 0=14880
- Drummond, I.T. Analytic properties of partial differential cross-sections, 2=11864
- Drummond, I.T. Regge cuts and three-particle states in a non-relativistic model, 3=23770
- Drummond, I.T. Singularities of Feynman amplitudes, 3=24610
- Drummond, I. W. See Thornton, P. R., 4=3040
- Drummond, J.E. The connection between ionospheric patterns and field strengths reflected on the ground, 0=759
- Drummond, J.E. High frequency propagation across an ion plasma wave, 3=4163
- Drummond, J.E., Gerwin, R.A. and Springer, B.G. The concept of conductivity, 1=9557
- Drummond, J. E., Nelson, D. J. and Hirshfield, J. L. Collision-induced instability in a plasma with an isotropic velocity-space distribution, 4=18979
- Drummond, J.E. See Ancker-Johnson, B., 3=25261
- Drummond, J. E. See Ancker-Johnson, B., 4=6810
- Drummond, W.E. Nucleon correlation effects in high-energy electron scattering, 0=1426
- Drummond, W.E. Cyclotron radiation from a hot plasma, 1=9573
- Drummond, W.E. Microwave scattering from unstable plasma waves, 3=4168
- Drummond, W.E. Theory of plasma wave probes in a collisionless plasma, 3=19281
- Drummond, W. E. Spatially growing electrostatic turbulence, 4=18987
- Drummond, W. E. and Pines, D. Non-linear stability of plasma oscillations, 4=8748
- Drummond, W. E. and Pines, D. Nonlinear plasma oscillations, 4=27550
- Drummond, W.E. and Rosenbluth, M.N. Cyclotron radiation from a hot plasma, 0=3773
- Drummond, W.E. and Rosenbluth, M.N. Comments on synchrotron radiation, 1=11938
- Drummond, W.E. and Rosenbluth, M.N. Anomalous diffusion arising from micro-instabilities in a plasma, 3=5652
- Drummond, W.E. and Rosenbluth, M.N. Cyclotron radiation from a hot plasma, 3=9786
- Drummond, W.E. See Amadi, R.E., 4=16501
- Drummond, W. E. See Malmberg, J. H., 4=19063
- Drury, J.S. See Garretson, H.H., 1=10291
- Drury, J.S. See Palko, A.A., 0=17676
- Drury, J.S. See Palko, A.A., 1=11611
- Drury, J. S. See Palko, A. A., 4=10633
- Drury, J. S. See Zucker, D., 4=28157
- Drury, T. and Roberts, J. P. Diffusion in silica glass following reaction with tritiated water vapour, 4=4078
- Drushel, H. V., Sommers, A. L. and Cox, R. C. Correction of luminescence spectra and calculation of quantum efficiencies using computer techniques, 4=8429
- Druschel, R.E. See Halperin, J., 3=22434
- Druyanov, B.A. Method for solving statically indeterminate problems of plane flow of an ideally plastic body, 2=15516
- Druyanov, B.A. Method for solving statically indeterminate problems of plane flow of an ideally plastic body, 2=19481
- Druyvesteyn, M.J. The rate of attainment of equilibrium in the cooling of alloys, 1=9152
- Druyvesteyn, M.J. Diffusion in solid metals, 3=15507
- Druyvesteyn, M.J., Schannen, O.F.Z. and Swaving, E.C.J. Influence of cold work on the rigidity of copper, 1=1335
- Druyvesteyn, W. E., van Ooijen, D. J. and Berben, T. J. Variation of the critical fields of superconducting lead with the residual resistivity, 4=18579
- Druyvesteyn, W.F. and Blaisse, B.S. Change in the modulus of elasticity of copper after deformation in the temperature range from 4.2-78°K, 2=18981
- Druyvesteyn, W.F. and Jongenburger, P. Models for the reduction in torsional and elastic modulus after plastic deformation, 2=18982
- Druyvesteyn, W.F. and Van Ooijen, D.J. Influence of cold-rolling at 78°K on the superconducting transition of lead, 3=5588
- Druyvesteyn, W.F. and van Ooijen, D.J. Influence of neutron-irradiation at 78°K on the critical field of superconducting lead, 3=14451
- Druyvesteyn, W.F. See Van Ooijen, D.J., 3=5592
- Druyvesteyn, W.F. See Van Ooijen, D.J., 3=24147
- Druzhinin, A.V. Procedure for determining the work function of surface microregions on thermionic cathodes, 3=2010
- Druzhinin, V.V. and Prasova, T.I. Effect of magnetic structure on the eddy current loss in electrical steel, 3=10727
- Druzhinin, V.V. See Cherepanov, V.I. 2=4140
- Druzhinin, V.V. See Cherepanov, V.I., 2=8513
- Druzhinin, V. V. See Finkel'shtein, S. D., 4=20785
- Druzyak, N.P. See Subashiev, V.K., 2=17733
- Dryabchuk, A.A. See Kachkacheva, M.M., 2=14618
- Dryburgh, P. M. A cell for the small scale electrodeposition of radioactive metals, 4=30906
- Dryden, J.S. The aggregation of divalent impurities and their associated cation vacancies in alkali halides, 3=22760
- Dryden, J.S. and Meakins, R.J. Anomalous behaviour of dielectric absorption, 4=12965

- Dryden, J.S. See Cook, J.S., 1=1128
 Dryden, J.S. See Cook, J.S. 2=18577
 Dryden, J.S. See Weir, K.G., 3=14477
 Dryden, V.W. Exact solutions for space-charge flow in spherical coordinates with application to magnetron injection guns, 2=22258
 Dryukova, I. N. See Tomenko, Yu. S., 4=26529
 D'Stefan, D.J. See Klein, D.L. 2=8779
 Du Yan'-tsai See Belyakov, V.A., 3=24798
 Du Yuan-cai. See Belyakov, V.A., 4=3491
 Du Yuan'-tsai. See Belyakov, V.A., 3=24784
 Du, Yuan-Tsai. See Belyakov, V.A., 4=27898
 Du Yuan'-tsai. See Van Yun'-chan, 3=2305
 Du Yuan'-tsai. See Vishnevskii, V. F., 4=12074
 Duan', I-shi (Tuan I-shih) and Chzhan, Din-e (Chang Ting-yeh). Law of conservation of energy and momentum in the general theory of relativity, 4=8044
 Duane, B.H. Albedo logic for S_n transport analysis, 2=11954
 Dubb, H.E. See Whitman, D.R., 0=4227
 Dubbeldam, P.S., Jonker, C.C. and Boersma, H.J. Energy and angular dependence of the left-right asymmetry of D-D neutrons scattered by carbon, 0=7606
 Dubbeldam, P.S., Jonker, C.C. and Heemskerck, F.J. Measurement of the polarization of D-D neutrons by a solenoid, 0=17346
 Dubbeldam, P.S. and Walter, R.L. Polarization of D-D-neutrons for deuteron energies from 1.9 to 11 MeV, 2=1732
 Dubbeldam, P.S. See Walter, R.L. 2=7908
 Dubé, A. See Van Neste, A., 3=3209
 Dubé, A. See Van Neste, A., 3=6779
 Dubeck, L., Lindenfeld, P., Lynton, E.A. and Rohrer, H. Thermal conductivity of superconductors of the second kind, 3=12032
 Dubeck, L., Lindenfeld, P., Lynton, E.A. and Rohrer, H. Magnetic and thermal properties of second-kind superconductors. II. Thermal conductivity in the mixed state, 4=18572
 Dubenskii, K. K., Maksakov, B. I. and Razumova, T. K. Samarium-activated zinc sulphide monocrystals, 4=13090
 Dubenskii, K. K. See Ryskin, A. I., 4=22875
 Dubey, D. Prasad. See Prasad Dubey, D.
 Dubimina, E. M. See Pýt'eva, M. B., 4=8803
 Dubin, M. Meteoritic dust measured from Explorer I, 1=6706
 Dubin, M. Remarks on the article by A.R. Hibbs, "The distribution of micrometeorites near the earth", 1=18062
 Dubin, M. and McCracken, C.W. Measurements of distributions of interplanetary dust, 2=17235
 Dubin, M. See McCracken, C.W., 2=24085
 Dubin, M. See Sissenwine, N., 3=5187
 Dubinin, E. L., Esin, O. A. and Vatolin, N. A. Effect of electro-magnetic forces on the removal of nonmetallic occlusions from liquid iron, 3=20912
 Dubinin, E. L., Esin, O. A. and Vatolin, N. A. Concentration dependence of the magnetic susceptibility of some molten alloys, 3=23905
 Dubinin, E. L., Esin, V. A. and Vatolin, N. A. Magnetic susceptibility of liquid metal alloys, 3=3816
 Dubinin, E. L., Yesnin, O. A. and Vatolin, N. A. Magnetic susceptibility of Fe-Si, Fe-P, and Mn-Si alloys at elevated temperatures, 4=10273
 Dubinin, G. N. Electrical and magnetic properties of metals and alloys whose surface layers have been saturated with [various] elements, 4=28535
 Dubinin, G. N. and Gribovskii, L. Residual stresses in the surface layers of carbon steel following diffusion saturation by elements, 4=1952
 Dubinin, V. G. A paramagnetic-resonance study of the effect of a flux on the state of an activator in a phosphor, 1=14636
 Dubinin, V. G. An investigation of the effect of a flux on activator concentration in a phosphor by the paramagnetic absorption method, 2=6608
 Dubinin, V. G. and Trapeznikova, Z. A. An electron spin resonance study of the activator-valence change on excitation of the SrS:Eu:Sm phosphor, 1=3857
 Dubinin, V. G. and Trapeznikova, Z. A. An electron spin resonance study of SrS:Eu phosphors, 1=3858
 Dubinin, V. G. See Antonov-Romanovskii, V. V., 0=13713
 Dubinin, V. G. See Antonov-Romanovskii, V. V. 2=14730
 Dubinin, V. I. See Aleksandrov, A. P., 4=7309
 Dubinina, E. M. See Pýt'eva, M. B., 4=14767
 Dubinina, E. M. See Sbitnikova, I. S. 2=1509
 Dubinskaya, N. and Ulmanis, U. Passage of γ -rays through a collimator, 1=3155
 Dubinskaya, N. and Ulmanis, U. Spectral distribution of scattered gamma-radiation, 1=5701
 Dubinskii, B. A. See Kotel'nikov, V. A., 4=2459
 Dubinskii, B. A. See Kotel'nikov, V. A., 4=26818
 Dubinskii, I. H. See Yerko, V. F. 2=19175
 Dubinsky, J. and Chaloupka, P. On the lunar variation of cosmic radiation, 2=3443
 Dubner, H. Optical design for infrared missile-seekers, 0=16831
 Duboc, J., Banaigs, J. and Detoef, J. F. Construction and test of a compressed-gas Cherenkov counter. Study of the contamination of a beam [of mesons], 1=13226
 Duboc, J., Duong, H. N., Eberhard, P., George, R., Henri, V. P., Lévy, F., Poyen, J., Pripstein, M. and Crussard, J. $K^+ + p \rightarrow K^0 + \pi^+ + p$ at 1.14 GeV/c, 4=12060
 Duboc, J. See Berley, D. 2=22633
 Duboc, J. See Berley, D., 4=9281
 Duboc, J. See Boldt, E., 4=9276
 Dubois, B. and Waché, A. M. Variation of the recrystallization temperature of nickel with degree of purity, 3=18263
 Dubois, C. See Avan, L., 1=1998
 Dubois, B. See Dabosi, F. 2=12764
 DuBois, D. F. Electron interactions. II. Properties of a dense electron gas, 0=526
 DuBois, D. F. and Gilinsky, V. Incoherent scattering of radiation by plasmas. I. Quantum mechanical calculation of scattering cross sections, 4=11631
 DuBois, D. F. and Gilinsky, V. Incoherent scattering of radiation by plasmas. II. Effect of Coulomb collisions on classical plasmas, 4=11632
 Dubois, D. F. and Gilinsky, V. Incoherent scattering of radiation by plasmas, 4=18884
 DuBois, D. F. and Gilinsky, V. Scattering of light by light in plasmas, 4=27337
 Du Bois, D. F. and Gilinsky, V. Conductivity of a hot electron gas, 4=27511
 DuBois, D. F. Gilinsky, V. and Kivelson, M. G. Collision damping of plasma oscillations, 2=20001
 DuBois, D. F., Gilinsky, V. and Kivelson, M. G. Propagation of electromagnetic waves in plasmas, 3=9788
 DuBois, D. F. and Kivelson, M. G. Quasi-chemical theory of electron correlations in atoms, 2=18398
 Dubois, E. and Bathier, M. Study of the photoelectric emission of metals, 2=17868
 Dubois, F. See Duvaux, Y., 0=2412
 Dubois, I. Study of the absorption spectrum of the SO_2 molecule. I. Vibrational structure of the 2400-2000 Å system, 4=12489
 Dubois, I. Study of the absorption spectrum of the SO_2 molecule. II. System α_2 : isotope effect and force constants, 4=25683
 Dubois, I. and Rosen, B. Absorption spectrum of sulphur dioxide in the vacuum ultra-violet, 4=6601
 Dubois, J. Virtual levels in the vanadium isotopes from proton bombardment of the titanium isotopes, 1=5844
 Dubois, J. A level density analysis of excited states formed by radiative proton captures, 2=12129
 Dubois, J. Low energy excited levels in some vanadium isotopes, 3=17406
 Dubois, J. An investigation of the $S^{34}(p, \gamma)Cl^{35}$ reaction, 3=17469
 Dubois, J. The ion beam energy stabilization system of the Van De Graaff generator at Gothenburg, 3=19378
 Dubois, J. Measurement of the electric charge on water and salt-solution droplets during evaporation and condensation, 4=5539
 Dubois, J. and Albinsson, H. Radiative proton capture in Ca^{44} , 3=17470
 Dubois, J. and Broman, L. The $Ca^{42}(p, \gamma)Sc^{43}$ reaction and the decay of Sc^{43} , 3=17471
 Dubois, J. and Maripuu, S. Radiative proton capture in Sc^{45} , 3=12665
 Dubois, J. and Maripuu, S. New levels in Sc^{46} from radiative capture of protons in Ca^{48} , 4=15156
 Dubois, J. and Rivier, D. Hall effect in cobalt at low temperatures, 2=6421
 Dubois, J. T. Primary processes in the gaseous photolysis of polyatomic molecules. I. Biacetyl, 0=14129
 Dubois, J. T. and Cox, M. Singlet-singlet energy transfer in fluid solutions, 3=16631
 Dubois, J. T. and Van Hemert, R. L. Lifetime of excited states in solution by the quenching method, 4=14174
 Dubois, J. T. and Wilkinson, F. Triplet state of benzene, 3=16630
 Dubois, J. T. and Wilkinson, F. Radiative lifetime of triplet biacetyl, 3=25489
 Dubois, J. T. See Wilkinson, F., 3=23890

- Dubois, M., Berge, P. and Blanc, G. The effects of neutron irradiation at low temperatures on the electrical conductivity of LiF, 1=10020
- Dubois, M., Berge, P. and Blanc, G. Influence of radiations on the electrical and optical properties of LiF, 2=12481
- Dubois, M. and Tournarie, M. A contribution to the radio-crystallographic study of the effect of neutrons on single crystals of LiF, 2=15020
- Dubois, M. See Berge, P., 2=615
- Dubois, M. See Bergé, P., 4=30646
- Dubois, M. See Blanc, G., 3=2946
- Dubois, M. See Perio, P., 3=22981
- DuBois, R.L. Magnetic characteristics of a massive hematitic body, 3=1494
- DuBois, R.L. Remanent, induced, and total magnetism of a suite of serpentine specimens from the Sierra Nevada, California, 3=11476
- Dubois-Salmon, A. Remarks on the errors involved by Milne-Eddington type approximations, 2=13094
- Duborgel, B. See Depraz, J., 3=2276
- Duborgel, B. See Depraz, J., 3=7987
- Dubose, C.K.H. See Stiegler, J.O., 3=22780
- Dubose, C.K.H. See Stiegler, J.O., 4=13518
- Duboshin, G.N. On the stability of regular motions of artificial celestial bodies, 0=18885
- Duboshin, G.N. and Okhotsimskii, D.E. Some problems in astrodynamics and celestial mechanics, 4=26888
- Dubost, H., Lefort, M., Peter, J. and Tarrago, X. Emission of He^+ and He^0 from heavy nuclides bombarded by 155 MeV protons, 4=19785
- Dubout, P. Observations of persistence of post-stimulus masking, 1=1610
- Dubout, P. and Davern, W. Calculation of the statistical absorption coefficient from acoustic impedance tube measurements, 0=16787
- Dubov, E.E. The energy balance in the chromosphere, 2=979
- Dubov, E.E. A possible mechanism for the luminosity of chromospheric flares, 4=2448
- Dubov, G.A. See Regel', V.R., 2=1283
- Dubovik, A.S. and Sitsinskaya, N.M. The use of high-speed cameras in combination with shadow apparatus, 2=19738
- Dubovik, A.S. See Garnov, V.V., 4=16262
- Dubovik, A.S. See Shnirman, G.L., 4=16263
- Dubovik, M.F. See Pines, B.Ya., 3=23510
- Dubovits'ka, N.V., Zasyrchuk, O.E., Larikov, L.N. and Petrov, Yu.M. X-ray investigation of the growth kinetics of recrystallization centres [in Ni], 3=20794
- Dubovoi, L.V. and Nesterikhin, Iu. E. Generation of ultrafast plasma bunches by railtrack acceleration, 4=21549
- Dubovoi, L.V. and Ponomarenko, A.G. Measurement of plasma parameters in a magnetic field, 2=17846
- Dubovoi, L.V., Ponomarenko, A.G. and Kornilov, V.A. Plasma resonance of electrons in a magnetic field, 3=7614
- Dubovoi, L.V. and Shvets, O.M. Procedure for measuring total particle collision cross-sections in dense plasma, 2=22200
- Dubovoi, L.V., Shvets, O.M. and Ovchinnikov, S.S. Ion cyclotron resonance in dense plasmas, 1=16351
- Dubovoi, L.V., Shvets, O.M. and Ovchinnikov, S.S. Measurement and stabilization of magnetic fields by means of electron cyclotron resonance, 4=16610
- Dubovoi, L.V. See Davidovskii, V.G., 4=27543
- Dubovoi, L.V. See Glasov, O.A., 1=5486
- Dubovoi, L.V. See Glasov, O.A., 1=11958
- Dubovskii, B.G. A procedure for safely starting up a reactor, 0=11474
- Dubovskii, B.G. Sectionalized reactor systems, 2=8038
- Dubovskii, B.G., Kamaev, A.V., Kuznetsov, F.M., Vladyskov, G.M., Popov, G.A. and Palamarchuk, Yu. D. Critical parameters of aqueous solutions of $\text{UO}_2(\text{NO}_3)_2$ salt, 4=12316
- Dubovskii, B.G., Kamaev, A.V., Vladyskov, G.M., Kuznetsov, F.M., Nozik, V.Z., Palamarchuk, Yu. D., Popov, G.A. and Vavilov, V.V. Interaction of subcritical reactors, 4=12300
- Dubovskii, B.G. and Lantsov, M.N. Organic compounds as moderators in nuclear reactors, 1=17245
- Dubovsky, B.G. See Gromova, Z.I., 0=7667
- Dubow, A.A. See MacGregor, M.H., 4=25079
- Dubreuil, R. Solid state diffusion. Applications to semiconductors, 4=25957
- DuBridge, L.A. Fun in space, 0=18872
- Dubrov, V.A. See Golik, V.R., 4=7506
- Dubrovin, K.P. Konobeyevskiy, S.T. Levitskiy, B.M. Panteleyev, L.D. Platonov, P.A. and Pravdyuk, N.F. The relaxation of elastic stresses under neutron irradiation, 2=23769
- Dubrovin, K.P. See Konobeevskii, S.T., 0=10332
- Dubrovin, K.P. See Konobeevskii, S.T., 2=12926
- Dubrovin, M.M. See Babayan, C.P., 1=3271
- Dubrovin, V.F. See Mirovitskii, D.I., 4=16383
- Dubrovin, V.M. See Kotel'nikov, V.A., 2=11174
- Dubrovin, V.M. See Kotel'nikov, V.A., 3=9272
- Dubrovin, V.M. See Kotel'nikov, V.A., 4=2459
- Dubrovina, V.A. See Gorbunov, A.N., 2=14077
- Dubrovina, V.A. See Gorbunov, A.N., 3=6227
- Dubrovskaya, A.E. See Brandt, N.B., 0=11804
- Dubrovskaya, I.N. See Vinogradova, M.N., 3=20426
- Dubrovskaya, L.B., Shveikin, G.P. and Gel'd, P.V. Phase constituents of the tantalum-carbon system, 4=13463
- Dubrovskii, G.B. The quantum yield of p-n junction CdTe photocells in the ultraviolet region, 0=15987
- Dubrovskii, G.B. The optical properties of CdTe, 2=680
- Dubrovskii, G.B. Dependence of the forbidden energy-gap width of the compound InAs_{1-x} on composition, 4=4017
- Dubrovskii, G.B. Energy dependence of the absorption spectrum in the vicinity of the intrinsic absorption band in heavily doped germanium and silicon, 4=26198
- Dubrovskii, G.B. and Subashiev, V.K. Determination of the recombination parameters from the spectral response of a photocell with a p-n junction. II, 0=15909
- Dubrovskii, G.B. and Subashiev, V.K. Effect of heavy doping on the intrinsic absorption edge of silicon, 3=15688
- Dubrovskii, G.B. and Subashiev, V.K. Effect of strong doping on the ultraviolet reflection spectrum of silicon, 3=18007
- Dubrovskii, G.B. See Subashiev, V.K., 0=13634
- Dubrovskii, G.B. See Subashiev, V.K., 0=18062
- Dubrovskii, G.V. Nonadiabatic transitions in slow collisions between heavy particles, 4=16842
- Dubrovskii, G.V. Charge exchange of multi-charged ions, 4=29871
- Dubrovskii, I.M. The theory of condensation, the critical point and the metastable state, 3=21634
- Dubrovskii, V.A. Quasiclassical asymptotic solution of Dirac's equation, 4=53
- Dubus, F. Method of measuring the complete permittivity of a plasma at low and high frequencies, 4=18915
- Dubrovsky, V.G. and Kramarenko, S.A. On the morphology of ionospheric disturbances depending on the character of commencement of the geomagnetic storms, 2=15237
- Dubus, M. See Bouchez, R., 2=12133
- Ducasse, M., Goethals, R. and Lemonnier, P.E. Determination of the initial conditions for the outflow of a compressible fluid leading to the given conditions of exit, 3=7224
- du Castel, F. Role of partial reflection processes in wave propagation, 2=20158
- Du Castel, F. Specular and diffuse reflection in a stratified medium, 4=5804
- du Castel, F. The interpretation of long-range echoes observed on certain ionograms of the satellite Alouette, 4=26846
- du Castel, F., Misme, P., Spizzichino, A. and Voge, J. On the role of the process of reflection in radio wave propagation, 2=16041
- Ducat, A. and Thomas, R.H. The half life of In^{116} , 0=9550
- Duce, R.A., Wasson, J.T., Winchester, J.W. and Burns, F. Atmospheric iodine, bromine, and chlorine, 3=25868
- du Chatenier, F.J., Boerstael, B.M. and de Nobel, J. Specific heat of $\text{Ni}(\text{O}_2)_2 \cdot 2\text{H}_2\text{O}$ at low temperatures, 4=28371
- Du Chatenier, F.J. and Goedemoed, S.H. Some properties of a superconducting Al-Fe alloy, 4=8566
- du Chatenier, F.J. and de Nobel, J. Heat capacities of some dilute alloys, 2=8171
- Du Chatenier, F.J. See de Nobel, J., 0=9859
- du Chatenier, F.J. See de Nobel, J., 0=18408
- du Chatenier, F.J. See de Nobel, J., 4=6744
- du Chatenier, F.J. See de Nobel, J., 4=17361
- Duchaux, A.M. See Raoult, G., 1=14794
- Duchene, J., Lavergne, J. and Weill, J. Compensated ionization chamber suitable for thermal neutron reactor control, 0=3882
- Duchesne, J. and Depireux, J. Effect of ionizing radiations on crystals, 2=14863
- Duchesne, J., Depireux, J., Bertinchamps, A., Cornet, N. and van der Kaa, J.M. Thermal and electrical properties of nucleic acids and proteins, 1=6129
- Duchesne, J., Read, M. and Cornil, P. Stark effect in pure quadrupolar spectroscopy, 4=7358
- Duchesne, J. See Depireux, J., 0=6282
- Duchesne, J. See Depireux, J., 1=20277
- Duchesne, J. See Read, M., 4=1312
- Duchesne, J. See Van de Vorst, A., 1=9952

- Duchesne, J. See Ven de Vorst, A., 0=7743
- Duchesne, M. A new technique in the use of the electronic camera, 1=17990
- Duchesne, M., Gallouet, L. and Guinot, B. Measurement of the radial velocity of Venus by electronic photography, 1=18041
- Duchesne, M. and Meallet, M. Linearity of response of an electron camera, 2=15765
- Duchesne, M. See Lallemand, A., 0=18591
- Duchesne, M. See Lallemand, A., 1=2591
- Duchon, J. See Bizard, G., 4=30344
- Düchs, D. Numerical calculations and comparison with measurements investigating the influence of the neutral gas in θ -pinch discharges, 3=19271
- Düchs, D. Three fluid model for a partially ionized plasma in θ -pinch discharges, 4=18951
- Duck, I. Muon capture in the shell model, 2=13838
- Duck, I. On the vector form factor in pion beta decay, 3=19666
- Duck, I. See Christy, R. F., 1=8682
- Duck, M. J. See Wait, E., 3=10699
- Duckworth, H. E. Masses of atoms of $A > 40$, 0=20568
- Duckworth, H. E. The new unit of atomic mass, 1=8035
- Duckworth, H. E. See Barber, R. C., 2=20760
- Duckworth, H. E. See Barber, R. C., 3=714
- Duckworth, H. E. See Barber, R. C., 3=12627
- Duckworth, H. E. See Barber, R. C., 4=25257
- Duckworth, H. E. See Bishop, R. L., 4=3535
- Duckworth, H. E. See McLatchie, W., 4=19638
- Duckworth, H. E. See McLatchie, W., 4=25258
- Duckworth, H. E. See Ormrod, J. H., 3=22510
- Duckworth, H. E. See Van Wijngaarden, A., 3=4394
- Duckworth, H. E. See Venkatasubramanian, V. S., 3=7659
- Duclaux, J. and Cohn, C. Theory of colloids. Valency of compensator ions, 2=21599
- Duclaux, J. The theory of real gases. XXVI, 2=19605
- Duclaux, A. M. See Raoult, G., 3=23232
- Duclaux, A. M. See Raoult, G., 3=25567
- Duclaux, F. Diurnal variation of the earth's magnetic field at Tamanrasset between 1948 and 1955 (horizontal component) 2=15272
- Duclaux, J. Theory of gases, XXIII. Calculation of the condensation coefficients. Laws of isocondensation, 0=6834
- Duclaux, J. Theory of gases. XXV. Calculation of the coefficients of the law of mass action, 0=14681
- Duclaux, J. Corresponding states of gases, 1=9417
- Duclaux, J. Theory of gases. XXVII. Equation of state at high temperatures, 3=11824
- Duclaux, J. Theory of gases. XXVIII. The law of corresponding states, 3=21433
- Duclaux, J. Theory of gases. XXIX. Isocondensed states. Methods of calculation, 4=229
- Duclaux, J. First correction of the partition function, 4=5479
- Duclaux, J. Critical isotherm of carbon dioxide, 4=8527
- Duclaux, J. Gas theory, XXX, critical state and liquefaction, 4=14460
- Duclaux, J. and Cohn, C. Sedimentation of macromolecules and measurement of the molecular weight, 4=25789
- Duclaux, J. P. E. On the possible existence, for fluids at all temperatures, of two states, one expanded, the other contracted, 0=10647
- Duclos, D. P., Aronowitz, L. and Fessenden, F. P. Effect of capacitor arrangement on the symmetry of linear pinch discharges, 4=5642
- Duclos, D. P. and Cambel, A. B. The effective ionization potential of atoms in the interior of a plasma, 1=18829
- Duclos, D. P. See Cambel, A. B., 3=11816
- Duclos, J. Construction of a chronotron for a fast neutron spectrometer, 0=17353
- Duclos, J. Construction of a chronotron for measurement of flight time of fast neutrons, 1=7011
- Duclos, J. and Fleury, J. Calibration of a chronotron with the aid of a Rosenblum pulse generator, 1=2927
- Duclos, J., Heintze, J., De Rujula, A. and Soergel, B. Measurement of the e^+ polarisation in muon decay by means of Bhabha scattering, 4=16923
- Duclos, J., Van Zurk, R., André, S. and Fleury, J. The measurement of short time intervals, 1=18740
- Duclos, J. See Bouchez, R., 2=12133
- Duclos, J. See Bouchez, R., 3=15206
- Duclos, J. See Bouchez, R., 4=17144
- Duclos, J. See Cohen, J., 0=13735
- Ducot, C. A comparison between thermal and quantum noise in radio reception, 3=2119
- Ducros, G. See Sarazin, A., 1=5410
- Ducros, P. and Pare, X. The nuclear magnetic resonance of protons in the water in zeolites, 1=11768
- Ducros, P. See Ayant, Y., 4=1903
- Ducros, P. See Cohen-Addad, 4=4594
- Ducros, Y. See Amblard, B., 4=21770
- Ducros, P. See Cohen-Addad, C., 4=29093
- Ducros, Y. See Borgeaud, P., 4=21905
- Ducros, Y. See Detoef, J. F., 4=12048
- Ducros, Y. See Detoef, J. F., 4=15089
- Ducros, P. and Dupont, M. Study of the water in clays by nuclear magnetic resonance, 3=23261
- Ducros, P. See Averbuch, P., 0=4535
- Ducross, P. See Lajzerowicz, J., 3=10880
- Ducuing, J. and Bloembergen, N. Observation of reflected light harmonics at the boundary of piezoelectric crystals, 3=18956
- Ducuing, J. and Bloembergen, N. Statistical fluctuations in non-linear optical processes, 4=13014
- Ducuing, J. See Armstrong, J. A., 2=19665
- Ducuing, J. See Blomebergen, N., 3=24017
- Duda, J. L. and Vrentas, J. S. Macroscopic approach to irreversible thermodynamics, 4=29541
- Duda, L. See Kryukova, L. N., 3=8053
- Dudarev, E. F. and Panin, V. E. Suzuki atmospheres in some copper-base solid solutions, 4=23233
- Dudarev, E. F. See Fadin, V. P., 3=20868
- Dudarev, E. F. See Fadin, V. P., 4=1987
- Dudarev, E. F. See Panin, V. E., 3=18349
- Dudarev, E. F. See Panin, V. E., 4=20638
- Dudarev, V. Ya. Measurement of the thickness of thin coatings on thick substrates, 4=17840
- Dudarev, V. Ya., Zhdanov, G. S. and Alekseev, B. A. X-ray investigation of deposits obtained by bombarding metals with ions of other metals, 3=4219
- Dudaryev, E. F. See Panin, V. E., 4=1984
- Dudek, B. See Bouchez, R., 1=13796
- Dudek, G. O. H^1 - P^{31} spin coupling in phosphate esters, 0=17782
- Dudelzak, B. and Lehmann, P. Measurement of electric and magnetic form factors of the proton for a square of four-momentum transfer of $0.60 f^{-2}$, 3=12455
- Dudelzak, B., Sauvage, G. and Lehmann, P. Elastic electron-proton scattering in weak transfers, 3=2243
- Dudelzak, B., Sauvage, G. and Lehmann, P. Measurements of the form factors of the proton at momentum transfers $q^2 \geq 2 \text{ fermi}^{-2}$, 3=14980
- Dudelzak, B. and Taylor, R. E. Excitation of the 15.1 and 16.1 MeV levels of the C^{12} nucleus by scattering of electrons, 2=431
- Dudenkova, A. V. Sealed-off molecular generator, 2=18500
- Dudkin, L. D. On the question of the formation of semiconducting phases in systems containing transition metals, 0=1625
- Dudkin, L. D. Peculiarities of the crystal chemistry of transition metal semiconducting compounds, 0=13932
- Dudkin, L. D. and Abrikosov, N. Kh. Doping of the semiconducting compound cobalt antimonide, 0=607
- Dudkin, L. D. and Vaidanich, V. I. The nature of the electrical conduction in some transition-metal compounds with the $CuAl_2$ -type lattice, 0=13577
- Dudkin, L. D. and Vaidanich, V. I. Chemical bond type and electrical conductivity of compounds with FeS_2 -type structure, 1=3769
- Dudkin, L. D. and Vaidanich, V. I. Electrophysical properties of a number of compounds of the $M_{1-x}B_x$ type, 4=1550
- Dudkin, L. D. See Zobnina, B. N., 0=10006
- Dudko, G. V. The measurement of contact potential difference by the capacitor method, 2=22130
- Dudkowski, S. J. and Grossweiner, L. I. Sensitization of photoconduction in a zinc oxide film by eosin, 4=15570
- Dudkyn, S. Y. Effect of vibrations of a crystal lattice on internal conversion, 4=6268
- Dudley, D. See Forster, L. S., 2=15608
- Dudley, J. D. and Hall, H. T. Experimental fusion curves of indium and tin to 105 000 atmospheres, 0=9840
- Dudley, K. See Vaughn, J., 2=7642
- Dudley, R. A. and Scarpatetti, R. Stabilization of a gamma; scintillation spectrometer against zero and gain drifts, 4=15038
- Dudley, R. H. A nondestructive method for revealing stacking faults in epitaxial silicon, 4=20287
- Dudnik, E. F. See Sinyakov, E. V., 3=23003
- Dudnyk, V. P. See Gol'dman, O. G., 2=18881
- Dudziak, E., Łukaszewicz, M. and Zuczkowski, R. Cold cathodes with a polycrystalline layer of MgO , 4=16518
- Dueker, H. C. and Lippincott, E. R. Assembly and performance of a double-beam microscope spectrophotometer from commercial instruments, 4=27320

- Dueker, J. E. and Hensley, E. B. Photoelectric emission from barium oxide, 4=29964
- Duell, M. J. and Moss, R. L. Field-emission microscope observation of the influence of substrate topography on the coalescence of silver crystallites, 4=10614
- Duelli, B. See White, W. H., Jr., 3=5793
- Dueño, B. Measurement of ionospheric drift by radiostar observations, 1=20925
- Dueño, B. Interpretation of some sweep-frequency back-scatter echoes, 4=2276
- Duev, I. S., Némethy, L. and Peker, L. K. Decay of Er^{161} , 0=20383
- Duerdort, I. P. See Black, P. J., 4=22464
- Duerr, H. P. and Heisenberg, W. The quantum numbers of the ω -meson, 2=9911
- Duesterhoeft, W. C., Jr. See Ohkawa, T., 4=5648
- Duev, L. T. See Chupakhin, M. S., 4=25667
- Dufault, R. A. See Aargard, R. L., 3=16757
- Dufault, R. A. See Aargard, R. L., 4=16708
- Dufay, J. The central condensation of the galaxy, 0=18836
- Dufay, J. and Baranne, A. Spectrum of the Wilson-Hubbard comet (1961d), 2=19287
- Dufay, J. and Baranne, A. Spectrum of the comet Wilson-Hubbard (1961 d), 3=5246
- Dufay, J., Dufay, M. and Nguyen Huu-Doan. Fluctuations of intensity of the lines $\text{H}\alpha$ and $[\text{N II}]$ 6583 Å in the spectrum of the night sky, 1=21028
- Dufay, J. and Swings, P. Spectrum of the comet Mrkos (1957d) in the near infrared, 0=4886
- Dufay, J. and Weill, G. Spectrum of the night sky in the visible region observed in Antarctica, 3=6990
- Dufay, M. The emission of the H and K lines of ionized calcium in the spectrum of the twilight sky, 0=6482
- Dufay, M. A photoelectric study of night sky spectra in the near infrared, 0=18512
- Dufay, M. The presence of the $\text{H}\alpha$ line in the spectrum of the night sky, 2=9052
- Dufay, M. and Bilquey, M. Variation of the rotation temperature of OH bands in the spectrum of the night sky with respect to the latitude of the place of observation, 3=13783
- Dufay, M. See Dufay, J., 1=21028
- Duff, B. G. and Heymann, F. F. The quenching of ortho-positronium in helium, 3=2252
- Duff, B. G. and Heymann, F. F. An attempt to detect the positronium Lyman alpha spectral line, 3=7839
- Duff, G. F. D. The Cauchy problem for elastic waves in an anisotropic medium, 1=2810
- Duff, K. J. See Crouchley, J., 3=13681
- Duff, M. J. B. The Digiscat—a digitally controlled device for the measurement of multiple scattering in nuclear emulsions, 2=13714
- Duff, M. J. B. and Robinson, C. J. The design and construction of six digitised microscopes for the measurement of bubble chamber photographs, 4=14989
- Duff, R. E. Investigation of spinning detonation and detonation stability, 1=18457
- Duff, R. E. and Bauer, S. H. Equilibrium composition of the C/H system at elevated temperatures, 2=12348
- Duff, R. E. and Davidson, N. Calculation of reaction profiles behind steady state shock waves. II. The dissociation of air, 0=1957
- Duff, R. E., Harlow, F. H. and Hirt, C. W. Effects of diffusion on interface instability between gases, 2=9310
- Duff, R. E. and Young, J. L. III. Shock-wave curvature at low initial pressure, 1=10536
- Duff, R. E. See Rink, J. P., 1=10295
- Duffek, E. F. See Benjamini, E. A., 4=20833
- Duffey, G. H. See Canon, J. R., 1=19648
- Duffey, G. H. See Crossman, L. D., 3=6281
- Duffey, G. H. See Macek, J. H., 1=4946
- Duffey, G. H. See Wilson, R. L., 1=12299
- Duffield, J. J. See Cary, H., 4=14399
- Duffieux, P. M. The photon as wave or particle, 1=1804
- Duffieux, P. M. Spectral analysis. Types of integrals and convolutions, 1=18553
- Duffieux, P. M. Theory of images and radiation. III. Emission and extent of the photon, 2=21988
- Duffieux, P. M. The composition of a photon, 3=14933
- Duffieux, P. M. See Aebischer-Neoschil, 0=19370
- Duffieux, P. M. See Bulabois, J., 3=2997
- Duffin, W. J., Parthé, E. and Norton, J. T. The structure of $(\text{Ti, Re})\text{Si}_2$, 4=26676
- Duffin, W. J. See Goodyear, J., 2=10872
- Duffschmid, K. E. See Cless-Bernert, T., 2=20295
- Duffus, H. J. A connexion between P_α and the F region, 1=4128
- Duffus, H. J., Kinnear, J. K., Shand, J. A. and Wright, C. S. Spatial variations in geomagnetic micropulsations, 2=24057
- Duffus, H. J., Shand, J. A. and Wright, C. S. Short-range spatial coherence of geomagnetic micropulsations, 2=6961
- Duffy, J. See Mok, C. H., 4=20665
- Duffy, W., Jr. Magnetic moment of the triton in units of the magnetic moment of the proton, 0=387
- Duffy, W., Jr. Magnetic susceptibilities of crystalline stable free radicals in the 77-293°K temperature range, 2=4206
- Duffy, W. T., Jr., Lubbers, J., van Kempen, H., Haseda, T. and Miedema, A. R. Antiferromagnetic spin ordering below 1°K, 4=20560
- Duffy, W. T., Jr. See Van Kempen, H., 4=22494
- Duflo, J. Details of the construction of scintillation chambers, 1=7182
- Duflo, J. Complementary note on scintillation chambers, 1=10807
- Duflo, J. See Banaigs, J., 4=16774
- Duflo, M. Radial velocities obtained with the aid of a large objective prism of 40 cm diameter. Kinematic and photometric study of a galactic field, 2=13153
- Duflo-Augarde, R. The measurement of radial speeds of galaxies with the electron camera, 1=15521
- Duflo, R. See Chopinet, M., 0=6619
- Dufour, J., Gourdin, M. and Trotin, J. Photoproduction of pions on kaons, 1=525
- Dufour, L. Virtual temperature and virtual pressure of moist air, 4=7825
- Dufour, L. and Defay, R. Thermodynamics of clouds, 4=13789
- Dufour, L. See Defay, R., 3=1272
- Dufour, J. See Gourdin, M., 3=22203
- Dufournaud, J. Rapid coincidence circuit using transistors working in the saturated region, 4=9022
- Dufournaud, J. See Yuasa, T., 2=5540
- Duga, J. J. Plastic bending of InSb, 2=2323
- Duga, J. J., Freundlich, J. J. and Bate, R. T. Automatic data recording system for semiconductor research, 2=8394
- Duga, J. J., Willardson, R. K. and Beer, A. C. Plastic deformation of InSb by uniaxial compression, 0=1858
- Duga, J. J. See Maringer, R. E., 1=14859
- Duga, J. J. See Willardson, R. K., 0=6121
- Dugan, A. F. Contribution of anode emission to space charge in thermionic power converters, 0=15064
- Dugan, F. A., Floyd, J. J., Reeve, F. P. and Goland, A. N. A cooling facility for reactor irradiations, 2=16459
- Dugar-Zhabon, V. D. See Golovanivskii, K. S., 4=16479
- Dugas, H. A fast counter with tunnel diodes, 200 Mc/s, 4=24953
- Dugas, J., Durandeau, P. and Fert, C. Symmetric and asymmetric electromagnetic lenses, 2=9643
- Dugas, J. See Barthère, J., 0=12639
- Dugdale, D. S. Effect of internal stress on elastic stiffness, 3=7157
- Dugdale, J. S. Electrical resistivity at low temperatures, 1=19824
- Dugdale, J. S. and Franck, J. P. The thermodynamic properties of solid and fluid helium-3 and helium-4 above 3°K at high densities, 4=29816
- Dugdale, J. S. and Guban, D. The electrical resistivity of the two phases of sodium at low temperatures, 0=7914
- Dugdale, J. S. and Guban, D. Note on the scattering of electrons by stacking faults in lithium, 2=2085
- Dugdale, J. S. and Guban, D. The effect of the martensitic transformation on the electrical resistance of lithium and dilute lithium-magnesium alloys, 2=6411
- Dugdale, J. S. and Guban, D. The effect of pressure on the electrical resistance of lithium, sodium and potassium at low temperatures, 3=828
- Dugdale, J. S. and Guban, D. The effect of capillary constraints on the electrical resistivity of sodium and potassium 3=7410
- Dugdale, J. S. and Mundy, J. N. The pressure dependence of the thermoelectric power of the alkali metals at room temperature, 2=6507
- Dugdale, J. S., Guban, D. and Okumura, K. The electrical resistivity of lithium-6, 1=17608
- Dugdale, J. S. See Basinski, Z. S., 0=20870
- Dugdale, J. S. See Basinski, Z. E., 4=6843
- Dugdale, R. A., Maskrey, J. T. and McVickers, R. C. Arc initiation on heated molybdenum exposed to a toroidal hydrogen discharge, 2=17804
- Dugdale, R. A., McVickers, R. C. and Ford, S. D. The bursting of tubes containing gas discharges, 2=23782
- Dugdale, R. A., McVickers, R. C. and Ford, S. D. The behaviour of glasses and ceramics at high rates of heat transfer, 4=30779
- Dugdale, R. A. See Maskrey, J. T., 1=16293
- Dugdale, R. A. See Maskrey, J. T., 3=9756

- Duggal, S.P., Nagashima, K. and Pomerantz, M.A. Rigidity dependence of solar diurnal variation of cosmic ray intensity, 1=16947
- Duggal, S.P. and Pomerantz, M.A. The cosmic ray storm of July, 1961, 2=16266
- Duggal, S.P. and Pomerantz, M.A. Progressive rotation of cosmic-ray diurnal variation vector, 2=18219
- Duggal, S.P. See Pomerantz, M.A., 1=9784
- Duggal, S.P. See Pomerantz, M.A., 2=12047
- Duggal, S.P. See Pomerantz, M.A., 2=16271
- Duggal, S.P. See Sarabhai, V., 1=3351
- Duggal, V.P. Thermal neutron inelastic scattering effects in a single crystal neutron spectrometer, 0=15366
- Duggal, V.P. and Puri, S.M. Slowing down age of neutrons from a Ra- α -Be source to indium resonance in aluminium light water mixtures, 0=5569
- Duggal, V.P., Raghavendra Rao, K., Thapar, C.L. and Singh, V. Anomalous reflections in a single-crystal neutron spectrometer, 1=19215
- Duggal, V.P. and Thaper, C.L. Removal of higher orders in the thermal region from a neutron crystal spectrometer, 2=3357
- Duggan, J. L., Miller, P. D. and Gabbard, R. F. A study of the reactions $\text{Be}^9(\text{He}^3, n)\text{C}^{11}$, $\text{Li}^7(\text{He}^3, n)\text{B}^9$ and $\text{C}^{13}(\text{He}^3, n)\text{O}^{15}$, 4=3700
- Duggan, J. L. See Duncan, M. M., 4=15239
- Duggan, J. L. See Miller, P. D., 4=22008
- Duggel, V. P. See Kothari, L. S., 4=25455
- Duggin, M. J. and Rachinger, W. A. The nature of the martensite transformation in a copper-nickel-aluminium alloy, 4=17753
- Duggin, M. J. and Rachinger, W. A. A martensitic transformation in a gold-copper-zinc alloy, 4=29008
- Dugre, D. H. See Büchler, A., 1=11790
- du Gros, F. Teissier. See Teissier du Gros, F.
- Dugstad, I. A generalization of Richardson's criterion of turbulence, 0=2022
- Dugstad, I. A hypothesis about the energy transfer in isotropic turbulence, 3=5413
- DuHamel, R. H. Log-periodic antennas and circuits, 4=729
- Duhl, D., Hirano, K. and Cohen, M. Diffusion of iron, cobalt and nickel in gold, 3=8449
- Dühmke, M. A parallel testing interferometer for slip gauges up to four metres long, 0=4981
- Dühmke, M. Determination of parallelism of work pieces up to several metres in length with the help of optical interference, 0=5177
- Duhmke, M. Interferometric length measurements on long parallel endstandards, 2=7394
- Dühmke, M. Interference surface tester as device for film thickness measurement, 3=11746
- Duijvestijn, A. J. W. and Boonstra, B. P. A. Numerical evaluation of functions occurring in a study of domain configuration in thin layers of $\text{BaFe}_{12}\text{O}_{19}$, 1=14714
- Duimio, F. and Wolters, G. Investigation of the possibility of a π -A resonance in the case of different parities of Λ and Σ , 1=8495
- Duimio, F. See Ceolin, C., 2=22431
- Duk Hyun Whang. See Weizel, W., 0=9015
- Duk-Joo Kim and Nagaoka, Y. Localized magnetic states in dilute alloys, 4=9877
- Duk-Joo Kim. See Izuyama, T., 3=25540
- Dukarevich, Yu. V. and Dyumin, A. N. Collimation of neutrons from reaction $\text{T}(d, n)\text{He}^4$ by selection of α -n coincidences, 2=20371
- Dukarevich, Yu. V. and Dyumin, A. N. Elastic low-angle scattering of fast neutrons, 3=22398
- Dukarevich, Yu. V. and Dyumin, A. N. Efficient fast-neutron detector with low gamma-ray sensitivity, 4=16907
- Dukarevich, Yu. V., Dyumin, A. N. and Kaminker, D. M. Total cross-sections for interaction between fast neutrons and tin isotopes, 3=17483
- Dukarevich, Yu. V., Dyumin, A. N. and Kaminker, D. M. Total neutron cross-sections for isotopes of lead, 4=22160
- Duke, C. B. Optical-model analysis of elastic scattering of protons on oxygen at intermediate energies, 3=6235
- Duke, C. B. and Wigner, E. P. Approximation method in collision theory based on R-matrix theory, 4=21783
- Duke, C. B. See Nodvik, J. S., 2=3564
- Duke, F. R. and Bissell, L. Direct current measurement of fused salt conductivity. II. KCl-LiCl , 4=24232
- Duke, F. R. and Bowman, A. L. Transport numbers in pure fused salts. The alkali metal chlorides, 0=6412
- Duke, F. R. and Victor, G. Transport numbers of some pure fused nitrates and nitrites, 3=16172
- Duke, F. R. See King, L. A., 24231
- Duke, F. R. See King, L. A., 4=24233
- Duke, J. F. See Lambert, J. D., 0=8701
- Duke, M., Maynes, D. and Brown, H. The petrography and chemical composition of the Bruderheim meteorite, 2=2531
- Duke, P. J. The variation with time of the flux and energy spectrum of primary cosmic-ray alpha-particles, 0=20293
- Duke, P. J. Observations on the helium nuclei of the cosmic radiation, 1=3314
- Duke, P. J., Chadwick, G. B., Collins, G. B., Fujii, T., Hien, N. C. and Turkot, F. Inelastic proton-proton scattering at small angles, 2=22504
- Duke, P. J. See Barlow, J., 4=17034
- Duke, P. J. See Chadwick, G. B., 0=15350
- Duke, P. J. See Chadwick, G. B., 3=2261
- Duke, P. J. See Fujii, T., 3=2262
- Dukel'skii, V. M. and Sokolov, V. M. Negative ions of iron, cobalt, and nickel, 0=2320
- Dukel'skii, V. M. See Bukhteev, A. M., 2=11618
- Dukel'skii, V. M. See Khvostenko, V. I., 0=2319
- Dukel'skii, V. M. See Khvostenko, V. I., 0=8985
- Düker, H. Emission microscopy with ion-released electrons, 0=15080
- Düker, H. Vacuum cinematography in the electron microscope, 4=17828
- Düker, H. and Illenberger, A. Electrostatic immersion objective of high field strength, 3=5710
- Düker, H. and Illenberger, A. A new immersion objective lens for the emission electron microscope, 3=19354
- Düker, H. and Illenberger, A. Emission microscope images of flat metal surfaces with use of field electrons, 4=3022
- Dukhin, A. I. See Borisov, V. T., 2=8783
- Dukhin, A. I. See Borisov, V. T., 2=21472
- Dukhin, A. I. See Borisov, V. T., 3=16035
- Dukhin, S. S. The anomalous specific heat of, and nuclear resonance in, crystalline hydrogen in connection with new data concerning its structure, 0=11586
- Dukhin, S. S. Diffusional surface forces in the neighborhood of a liquid interface, 4=5163
- Dukhin, S. S. See Buikov, M. V., 4=2194
- Dukhin, S. S. See Deryagin, B. V., 4=10658
- Dukova, E. D. The role played by liquid-phase drops in crystal growth and evaporation, 0=13956
- Dukova, E. D. Observations on the variation in form of the steps on a crystal surface as a function of supersaturation, 1=14977
- Dukova, E. D. Problem of spiral-layer evaporation in crystals, 1=19798
- Dukova, E. D. and Chernov, A. A. Statistical description of the stepped surface relief of β -methyl naphthalene crystals, 4=20733
- Dukova, E. D. See Bartini, G. R., 4=20732
- Dukova, E. D. See Chernov, A. A., 1=14974
- Dukova, E. D. See Lemlein, G. G., 1=14975
- Dukure, R. See Branover, G., 1=7137
- Duk'yanychev, Yu. A. See Bikolaev, N. S., 2=19554
- Dulac, J. Spinels containing six-coordinated germanium, 2=12916
- Dulac, J. Spinel germanates with hexacoordinated germanium, 3=13479
- Dulac, J. See Bertaut, E. F., 2=4425
- Dulaney, E. N. and Brace, W. F. Velocity behavior of a growing crack, 1=1345
- Dulaney, E. N. and Brace, W. F. Velocity behavior of a growing crack: comments on a discussion by J. P. Berry, 2=8750
- Dulaney, H., Braden, C. H., Patronis, E. T., Jr and Wyly, L. D. Beta-gamma directional correlations in Re^{186} and Tm^{170} , 3=4600
- Dulaney, H., Jr, Braden, C. H. and Wyly, L. D. Beta-gamma directional correlation in the decay of Eu^{152} , 0=5705
- Dulaney, H., Braden, C. H. and Wyly, L. D. Investigation of the nuclear matrix element parameters for first-forbidden beta decay, 4=15192
- Dulaney, H. See Wyly, L. D., 2=406
- Dulaney, H. See Wyly, L. D., 3=4601
- Dulaney, S. H., Braden, C. H. and Wyly, L. D. Interpretation of experiments on the beta decay of Eu^{152} , 2=7945
- Dular, J., Kernel, G., Kregar, M., Mihalović, M. V., Pregl, G., Rosina, M. and Zupančič, Č. Nuclear absorption of gamma rays in Al, Si, P, S and Ca, 0=5767
- Dulfer, G. H. See Verheul, H., 4=17102

- Dulieu, P., Lanore, J.C., Rahmouni, O. and Schuttler, R. Measurement of the influence of neutron energy on the efficiency of primary collisions, 3=10423
- Dulin, V.A., Kazanskii, Yu.A., Kuznetsov, V.F. and Smirenkin, G.N. A single-crystal fast-neutron spectrometer: gamma-ray discrimination by means of the time course of the emission, 2=18139
- Dulin, V.A., Kazanskii, Yu.A., Mashkovich, V.P., Panov, E.A. and Tsypin, S.G. Attenuation functions in water for neutrons from isotropic and uni-directional fission sources, 3=2274
- Dulin, V.A., Kazanskii, Yu.A. and Shugar, I.V. Energy distribution of neutrons scattered in water, 4=3413
- Dulin, V.A., Kazanskii, Yu.A. and Shugar, I.V. Energy and angular distributions of neutrons at the boundary between two media, 4=6067
- Dulin, V.A., Kazanskii, Yu.A. and Shugar, I.V. Angular and energy distributions of neutrons at the boundary between two media, 4=27860
- Dulin, V.A., Mashkovich, V.P., Panov, E.A. and Tsypin, S.G. The energy distribution of fast fission neutrons in water, 3=7865
- Dulin, V.A. See Belov, S.P., 2=1692
- Dulk, G.A. Faraday rotation near the transverse region of the ionosphere, 4=13842
- Dul'kova, L.S. Polarization of deuterons elastically scattered on helium, 1=19290
- Dul'kova, L.S. See Balashko, Yu.G., 4=25211
- Dullemond, C., MacFarlane, A.J. and Sudarshan, E.C.G. Relative weights of the decays of certain resonances in theories with broken symmetry, 3=22073
- Dullemond, C. Coupled Schrödinger equations and statistical boundary conditions, 4=2571
- Dullemond, C. and de Swart, J.J. Bremsstrahlung in p-p collisions at an energy of 150 MeV, 1=7242
- Dullemond, C. and de Swart, J.J. On hyperon-nucleon scattering, 2=20428
- Dullemond, C. and Schnitzer, H.J. Applications of polology to stripping reactions, 3=6214
- Dullemond, C. See de Swart, J.J., 2=3408
- Dullemond, C. See de Swart, J.J., 2=22642
- Dullemond, C. See MacFarlane, A.J., 4=9114
- Duller, N.M. See Sheldon, W.R., 2=5772
- Duller, N.M. See Smith, J.A., 0=11276
- Dullien, F. Contributions to the theory of the volume radiator with particular reference to microtechniques [in Raman spectroscopy], 0=10765
- Dullien, F.A.L. Relationship between viscous flow and diffusion, 2=19546
- Dullien, F.A.L. New relationship between viscosity and the diffusion coefficients based on Lamm's theory of diffusion, 3=21326
- Dullien, F.A.L. and Shemilt, L.W. Equations for determining diffusion coefficients in liquid systems by the diaphragm cell technique, 0=19106
- Dullien, F.A.L. and Shemilt, L.W. Equations for calculations of liquid diffusivities from measurements in diaphragm cells, 2=7202
- Dulnev, G.N. The theory of thermal regular regime and its application to the determination of thermal characteristics, 1=18648
- Dumais, M.W. and Bonis, L.J. A rapid improved method of extraction replication, 3=18422
- Dumas, J.C., Aubret, C. and Benoit, P. Rapid transistorized coincidence [circuits], 3=12057
- Dumas, J.C., Mabboux, C. and Moch, R. On a velocity discriminator, which uses the Cherenkov effect, 1=7174
- Dumazert, M. See Leroy, J.L., 3=19654
- Dumbgen, G. See Haul, R., 2=14456
- Dumbgen, G. See Haul, R., 3=2831
- Dumin, D.J. Low impedance transmission system for driving cryogenic circuits, 2=17762
- Dumin, D.J. Highly sensitive static magnetic field detector, 3=468
- Dumin, D.J. and Gibbons, J.F. Application of quantized trapped flux in a superconducting memory, 3=24149
- Dumitrescu, O. Probabilities of isomeric transitions of uneven-uneven spherical atomic nuclei, 4=6213
- Dumitrescu, O. See Săndulescu, A., 4=25430
- Dumitrescu, O. See Săndulescu, A., 4=30354
- Dumitrescu, R. See Ivanov, E., 3=8098
- Dumitrescu, R. See Ivanov, E., 4=22035
- Dumitrescu, R. See Martalogu, N., 0=19995
- Dumitrescu, R. See Martalogu, N., 1=5412
- Dumitrescu, R. See Martalogu, N., 2=7689
- Dumitrescu, R. See Minzatu, I., 3=17462
- Dumitrescu, R. See Minzatu, I., 4=9503
- Dumitrescu, R. See Tinta, F., 2=3116
- Dumitrescu, S. See Savin, G., 0=21043
- Dumke, W.P. Two-phonon indirect transitions and lattice scattering in Si, 0=9871
- Dumke, W.P. Quantum theory of free carrier absorption, 2=2223
- Dumke, W.P. Interband transitions and maser action, 2=18671
- Dumke, W.P. Two-phonon indirect transitions and lattice scattering in Si and Ge, 2=23350
- Dumke, W.P. Optical transitions involving impurities in semiconductors, 4=6776
- Dumke, W.P. Properties and mechanisms of GaAs injection lasers, 4=19302
- Dumke, W.P. and Haering, R.R. Ultrasonic amplification in semimetals, 2=15683
- Dumke, W.P., Miller, P.B. and Haering, R.R. Theory of polar phonon assisted tunneling, 2=14560
- Dumke, W.P. See Laff, R.A., 4=5867
- Dumke, W.P. See Nathan, M.I., 3=7735
- Dummer, G. See Buckel, W., 3=7407
- Dummer, G. See Buckel, W., 3=9688
- Dummer, G.W.A. Microminiaturization by thin film and solid circuit techniques, 2=17743
- Du Mond, J.W.M. Present status of precise information on the universal physical constants. Has the time arrived for their adoption to replace our present arbitrary conventional standards? 0=859
- Du Mond, J.W.M. Present sources of precise information on the universal physical constants, 1=1674
- Du Mond, J.W.M. Absence of dispersive properties of space for electromagnetic radiation tested to $\pm 14 \times 10^{-8}$; comments on a proposal of Softky and Squire, 1=16574
- Dumond, J.W.M. and Everitt, J. A circular-arc-shaped slit with fixed center and continuously adjustable radius for the analysis of circularly symmetric low-angle X-ray diffraction patterns, 1=1391
- Dumond, J.W.M. See Edwards, W.F., 1=16738
- Du Mond, J.W.M. See Merrill, J.J., 1=8819
- Du Mond, J.W.M. See Merrill, J.J., 1=14615
- Dumond, J.W.M. See Seppi, E.J., 2=20292
- Du Mond, J.W.M. See Seppi, E.J., 3=14940
- Dumont, B. Separation of extraterrestrial and atmospheric components of the light of the night sky at the pole and in different regions of the sky, 3=16279
- Dumont, M. and Durand, G. Fluctuations in the polarization and frequency stability of a helium-neon laser, 4=8980
- Dumont, M. and Durand, G. Polarization of the light of a He-Ne laser in a magnetic field, 4=14937
- Dumont, M. See Decomps, B., 3=22017
- Dumont, R. Description of a mirror system with 120° of field, for the photographic photometry of extended celestial sources, 1=5122
- Dumont, R. The elimination of atmospheric luminescence in photoelectric photometry of the zodiacal light, 2=21660
- Dumont, R. Photometric measurements of zodiacal light and gegenschein corrected for atmospheric luminescence, 4=4897
- Dumont, R. and Rousseau, M. Photoelectric photometry of the solar corona during the eclipse of 15 February 1961, 1=12751
- Dumont, S. Notes on the approximations of Eddington, 1=15398
- Dumont, S. Comments on the use of Eddington's approximation, 2=4808
- Dumont, S. The source function: difficulties and partial solutions, 4=4902
- Dumont, S. Equilibrium population of the excited state of an atom in a layer of gas in thermal equilibrium, 4=19972
- Dumont, S., Laloux, R., Mouellic, L. and Pecker, J.C. Depth of formation in the solar spectrum. II. Tables of depth of formation and iso- τ^* curves, 2=17271
- Dumont, S. and Pecker, J.C. Depth of formation in the solar spectrum. I. The application of inversion to the Laplace relation, 0=14432
- Dumontet, P. and David, J.P. Study of a theoretical structural model to represent a very thin metallic film, 0=6392
- Dumontet, P. See Ballot, J.L., 4=15230
- Dumontet, P. See Blanc-Lapierre, A., 0=6544
- Dumontet, P. See Blanc-Lapierre, A., 0=6691
- Dumoulin, E. See Michels, A., 0=14639
- Dumoulin, E. See Michels, A., 1=18673
- Dunaev, F.N. Magnetic texture of ferromagnets subjected to external stresses, 3=8663

- Dunaev, F. N. Thermomagnetic treatment of ferro-magnetics, 4=23187
- Dunaev, F. N. and Kalinin, V. M. Longitudinal and transverse magnetostriction in electrical engineering steels, 2=23672
- Dunaev, F. N. and Kalinin, V. M. Longitudinal and transverse shape effect of ellipsoidal specimens of ferro-silicon alloy, 3=3116
- Dunaev, F. N. and Kalinin, V. M. The effect of shape in linear magnetostriction, 3=6712
- Dunaev, F. N. and Kalinin, V. M. Influence of the longitudinal and transverse shape effect on the magnetostriction of iron ellipsoids, 4=4360
- Dunaev, F. N. and Kalinin, V. M. Volume magnetostriction of iron and iron-silicon alloys, 4=15647
- Dunaev, F. N., Kalinin, V. M. and Serikov, V. V. Anisotropy of volume magnetostriction, 4=10284
- Dunaev, F. N. and Kuznetsova, M. K. Temperature dependence of magnetostriction in electrical engineering steels, 3=3114
- Dunaev, F. N. and Yakovlev, G. P. Internal friction in ordering an iron-nickel alloy, 3=11137
- Dunaev, F. N. and Yaroshenko, Yu. N. Volume magnetostriction in ferrosilicon alloys, 2=23673
- Dunaev, N. M. See Pil'shchikov, A. I., 3=3131
- Dunaev, Yu. A., Tumakaev, G. K. and Shukhtin, A. M. Application of Roshdestvenskii's hook method in the investigation of gasdynamic processes in shock tubes, 2=9309
- Dunaev, Yu. A. See Donskoi, K. V., 3=24156
- Dunaeva, S. M. See Boyarskaya, Yu. S., 1=4001
- Dunaevskaya, N. D. See Vil'dgrube, G. S., 3=9837
- Dunaevskaya, N. V. See Vil'dgrube, G. S., 3=2020
- Dunaisky [Dunajský], L. The phase shift of the p-component of reflected light, 3=16784
- Dunaitsev, A. F. Nanosecond multiple coincidence and anticoincidence circuit on tunnel diodes and transistors, 4=30127
- Dunaitsev, A. F., Pantuev, V. S., Prokoshkin, Yu. D., Tang Syao-Wei and Khachaturyan, M. N. Measurement of the Panofsky ratio by the method of gamma-gamma coincidences, 3=24769
- Dunaitsev, A. F., Petrukhin, V. I., Prokoshkin, Yu. D. and Rykalin, V. I. Experimental estimate of the probability of β -decay of the π^+ meson, 2=11973
- Dunaitsev, A. F., Petrukhin, V. I., Prokoshkin, Yu. D. and Rykalin, V. I. Experimental evaluation of the $\pi^+ \rightarrow \pi^0 + e^+ + \nu$ decay probability, 2=11974
- Dunaitsev, A. F., Petrukhin, V. I., Prokoshkin, Yu. D. and Rykalin, V. I. Check of the conserved vector current hypothesis, 2=20383
- Dunaitsev, A. F., Petrukhin, V. I., Prokoshkin, Yu. D. and Rykalin, V. I. Probability of the decays $\pi^+ \rightarrow \pi^0 + e^+ + \nu$ and $\pi^+ \rightarrow \gamma^- + e^+ + \nu$, 2=20384
- Dunaitsev, A. F., Petrukhin, V. I., Prokoshkin, Yu. D. and Rykalin, V. I. Discovery of charge transfer from π^- -mesons stopped on nuclei of bound hydrogen, 2=22587
- Dunaitsev, A. F., Petrukhin, V. I., Prokoshkin, Yu. D. and Rykalin, V. I. Discovery of charge transfer from π^- -mesons stopped on nuclei of bound hydrogen, 2=22588
- Dunaitsev, A. F., Petrukhin, V. I., Prokoshkin, Yu. D. and Rykalin, V. I. Probability of the decays $\pi^+ \rightarrow \pi^0 + e^+ + \nu$ and $\pi^+ \rightarrow \gamma^- + e^+ + \nu$, 3=6030
- Dunaitsev, A. F., Petrukhin, V. I., Prokoshkin, Yu. D. and Rykalin, V. I. Experimental estimate of the probability of β -decay of the π^+ -meson, 3=6031
- Dunaitsev, A. F., Petrukhin, V. I., Prokoshkin, Yu. D. and Rykalin, V. I. Discovery of charge transfer from π^- -mesons stopped on nuclei of bound hydrogen, 3=7884
- Dunaitsev, A. F., Petrukhin, V. I., Prokoshkin, Yu. D. and Rykalin, V. I. Meson stop detector, 3=12495
- Dunaitsev, A. F., Petrukhin, V. I., Prokoshkin, Yu. D. and Rykalin, V. I. Detector of stopping mesons, 3=24754
- Dunaitsev, A. F., Petrukhin, V. I., Prokoshkin, Yu. D. and Rykalin, V. I. Pion beta-decay, 4=25130
- Dunaitsev, A. F. and Prokoshkin, Yu. D. The reaction $p + p \rightarrow p + p + \pi^0$ in the energy range from threshold to 665 MeV, 0=11163
- Dunaitsev, A. F. and Prokoshkin, Yu. D. The $pn \rightarrow p\pi n^0$ reaction in the energy range from the threshold up to 665 MeV, 0=12934
- Dunaitsev, A. F. and Prokoshkin, Yu. D. π^0 -meson production by protons on complex nuclei, 4=28027
- Dunaitsev, A. F., Prokoshkin, Yu. D., Seanaev, A. N., Tang Syao-Wei and Naura, J. High-energy gamma-ray spectrometer, 4=875
- Dunaitsev, A. F., Prokoshkin, Yu. D. and T'ang Hsiao-pei. Measurement of the energy of negative π -mesons using a star detector, 4=16949
- Dunaitzev, A. F., Prokoshkin, Yu. D. and Tang Syao-Wei. π^- star detector, 1=5773
- Dunaisky, L. Invariance of Maxwell's equations and the principles of reversibility for a plane harmonic wave, 2=9397
- Dunajsky, L. Energy flux through a thin dielectric film near total reflection, 2=5479
- Dunajský, L. Problem of the phase shifts of reflected light, 3=3865
- Dunajský, L. Amplitude and energy coefficients of reflected and refracted light, 3=1789
- Dunajský, L. Invariant description of light reflection and sense of transformation of such a description, 4=14379
- Dunajský, L. How do particles pass through the potential barrier in the tunnel effect? 3=17837
- Dunand, R. See Janin, J., 3=18020
- Dunavant, B. G. and Christian, J. E. A large-volume 4π liquid scintillation detector, 1=13218
- Dunayeva, T. N. See Voitenko, R. M., 0=8284
- Duncan, A. B. F. See Donovan, J. W., 1=17330
- Duncan, A. B. F. See Goodfriend, P. L., 0=17827
- Duncan, A. B. F. See Hernandez, G. J., 2=8104
- Duncan, A. B. F. See Kato, Y., 4=28188
- Duncan, A. B. F. See La Paglia, S. R., 1=3548
- Duncan, A. B. F. See La Paglia, S. R., 1=6024
- Duncan, A. B. F. See La Paglia, S. R., 1=8846
- Duncan, A. B. F. See Zung, J. T., 2=14313
- Duncan, G. I., Fraser, J. C. and Valachovic, B. The effects of nuclear radiation on the electrical strength of air, 0=14987
- Duncan, J. See Wolfe, W. L., 3=16736
- Duncan, J. F. and Sitharama Rao, D. N. Photoconduction in cadmium sulphide, 1=14502
- Duncan, J. F. See Baulch, D. L., 2=15106
- Duncan, J. F. See Sitharamarao, D. N., 4=5196
- Duncan, J. L. Force constants of the boron trihalides—a survey, 4=28207
- Duncan, M. M., Duggan, J. L. and Purrington, R. D. Direct interactions with three-particle final states, 4=15239
- Duncan, M. M. See Miller, P. D., 4=22008
- Duncan, R. A. Photometric observations of subvisual red auroral arcs at middle latitudes, 0=6470
- Duncan, R. A. The equatorial F-region of the ionosphere, 0=16451
- Duncan, R. A. Polarization of the red oxygen auroral line, 1=6638
- Duncan, R. A. Photometric observations of 5577 Å and 6300 Å airglow during the I.G.Y., 1=9201
- Duncan, R. A. The cause of magnetic storms and bays, 1=15347
- Duncan, R. A. Some studies of geomagnetic micro-pulsations, 1=21090
- Duncan, R. A. Universal-time control of the Arctic and Antarctic F region, 2=17169
- Duncan, R. A. Luni-solar variations in the ionosphere, 4=17955
- Duncan, R. A. See Roach, F. E., 3=11454
- Duncan, R. C., Jr., Kiss, Z. J. and Wittke, J. P. Direct observation of longitudinal modes in the output of optical masers, 2=19700
- Duncan, R. C., Jr. and Rosenblum, B. Theory of cyclotron resonance absorption by negative-mass holes in germanium, 2=4022
- Duncan, R. C., Jr. See Dousmanis, G. C., 2=23131
- Duncan, R. C., Jr. and Kiss, Z. J. Continuously operating $\text{CaF}_2 : \text{Tm}^{3+}$ optical maser, 3=22016
- Duncan, R. C., Jr. See Kiss, Z. J., 2=23546
- Duncan, R. C., Jr. See Kiss, Z. J., 3=17088
- Duncan, R. C., Jr. See Rosenblum, B., 2=23132
- Duncan, R. H. Theory of the infinite cylindrical antenna including the feedpoint singularity in antenna current, 2=16038
- Duncan, R. H. Interpretation of antenna impedance, 4=5822
- Duncan, R. H. See Ferguson, T. R., 1=10659
- Duncan, T. R. See Hamilton, J. H., 3=2411
- Duncan, W. and Schneider, E. E. Electron spin resonance in n-type GaAs, 4=4406
- Duncanson, L. A. See Chatt, J., 1=869
- Duncumb, P. The X-ray scanning microanalyser, 0=4761
- Duncumb, P. Electron probe methods of X-ray micro-analysis, 0=8345
- Duncumb, P. Enhanced X-ray emission from extinction contours in a single-crystal gold film, 3=6903
- Duncumb, P. An electron-optical bench for microscopy, diffraction and X-ray microanalysis, 3=21886
- Duncumb, P. and Shields, P. K. The present state of quantitative X-ray microanalysis. I. Physical basis, 3=25855
- Duncumb, P. See Emley, E. E., 2=17056
- Dundas, P. H. High temperature induction furnaces, 1=18669
- Dundas, P. H. See Blackman, L. C. F., 0=7970

- Dundas, P.H. See Blackman, L.C.F., 1=16163
- Dundurs, J. and Mura, T. Interaction between an edge dislocation and a circular inclusion, 4=25934
- Duneer, A.G., Jr. Angular correlation of Cd^{114} gamma rays in single crystals of indium, 0=2656
- Dunegan, H. L. High temperature dynamic modulus measurements by use of ultrasonics, 4=26463
- Dunegan, H. L. Grain size measurements in uranium by use of ultrasonics, 4=29166
- Dungey, J.W. Convective diffusion in the equatorial F region, 0=768
- Dungey, J.W. Effect of a magnetic field on turbulence in an ionized gas, 0=12169
- Dungey, J.W. Strong hydromagnetic disturbances in a collision-free plasma, 0=19679
- Dungey, J.W. Torque on a plasma in terms of magnetic stress, 2=19949
- Dunell, B.A. See Shaw, D.J., 1=20265
- Dunfee, B.L. Method for calibrating a standard volt box, 3=14472
- Dunford, H.B. The half-life of $\text{A}^3\Sigma_u^+$ nitrogen, 3=19940
- Dunford, H.B. See Milton, E.R.V., 1=4093
- Dunford, H.B. See Milton, E.R.V., 1=17311
- Dungan, R. H. and Golding, R. D. Metastable ferroelectric sodium niobate, 4=20421
- Dungan, R.H. See Golding, R.D., 3=892
- Dungey, J.W. Interplanetary magnetic field and the auroral zones, 1=6635
- Dungey, J.W. The steady state of the Chapman-Ferraro problem in two dimensions, 1=16538
- Dungey, J.W. The origin of irregularities in the F-region, 2=15239
- Dungey, J.W. The interplanetary field and auroral theory, 2=15255
- Dungey, J.W. Loss of Van Allen electrons due to whistlers, 4=2244
- Dungey, J.W. Hydromagnetic waves and the ionosphere, 3=13742
- Dungey, J.W. Interactions of solar plasma with the geomagnetic field, 3=13819
- Dunham, J. A probe for measuring fluctuating flows in axial compressors, 2=15626
- Dunham, R. W. Diffraction by a circular aperture, 4=27649
- Dunina, A.A. See Shamovskii, L.M., 1=994
- Dunitz, J.D. The nature of orientational defects in ice, 3=12996
- Dunitz, J.D. The interpretation of pseudo-orthorhombic diffraction patterns, 4=30835
- Dunitz, J.D. See Brown, I.D., 0=4641
- Dunitz, J.D. See Tracy, J.W., 2=15023
- Dunjić, B.V. See Sevarac, I.F., 0=19797
- Dunkel, D. The use of ion-exchange methods for the extraction of radioactive fission products from fall-out, 1=13677
- Dunkelman, L. Ultraviolet photodetectors, 3=7337
- Dunkelman, L., Fowler, W.B. and Hennes, J. Spectrally selective photodetectors for the middle and vacuum ultraviolet, 3=14306
- Dunkelman, L. See Carpenter, M.S., 3=11445
- Dunken, H. and Fischer, H. A contribution to photoelectric refractometry, 2=5153
- Dunken, H. See Krausse, J., 4=30511
- Dunkin, J.W. A study of two-dimensional head waves in fluid and solid systems, 3=23961
- Dunkle, R.V. See Bevans, J.T., 0=2184
- Dunlap, J.L. The Oak Ridge thermonuclear program—recent advances on the DCX, 1=4887
- Dunlap, J.L., Barnett, C.F., Dandl, R.A. and Postma, H. Radiation and ion energy distributions of the DCX-1 plasma, 3=12196
- Dunlap, J.L. See Barnett, C.F., 1=16349
- Dunlap, J.L. See Barnett, C.F., 2=15929
- Dunlap, J. L. See Postma, H., 4=5687
- Dunlap, P.M. and Wilkinson, J.D. Retention of carbon dioxide bubbles on calcite etch-peaks, 1=12618
- Dunlap, R.D., Hempstead, C. F. and Kim, Y. B. Magnetic field stabilization with a superconducting tube, 4=3088
- Dunlap, R.D. See Scott, R.L., 2=15642
- Dunlap, W.C., Jr. Impurities in germanium, 0=20830
- Dunlap, W.C., Jr. See Ruth, R.P., 0=11693
- Dunlop, J. M. and Gillard, R. D. Tetragonal splittings in cobalt (III) complexes, 4=22399
- Dunlop, P.J. See Kirkwood, J.G., 0=19105
- Dunlop, P. J. Frictional coefficients for binary and ternary isothermal diffusion, 4=8119
- Dunmyre, G.R. See Aarajs, S., 3=15757
- Dunn, A.F. A note on the capacitance between loops of wire, 3=19159
- Dunn, A. F. Determination of an absolute scale of capacitance, 4=8585
- Dunn, A. F. The dielectric constants of argon, carbon dioxide, nitrogen, and oxygen determined at an audio frequency, 4=27227
- Dunn, B. See Dieke, G.H., 1=11071
- Dunn, B.J. See Braddock, J.V., 1=13454
- Dunn, B.J. See McDonald, D.F., 1=2765
- Dunn, C. G. On an effect of silicon on recrystallization textures in cold-rolled high-purity iron-silicon alloys, 4=7673
- Dunn, C.G. and McHargue, C.J. On a complex recrystallization texture in 3% silicon iron, 0=18291
- Dunn, C.G. and Walter, J.L. Synthesis of a (110) [001] type torque curve in silicon iron, 0=3020
- Dunn, C.G. and Walter, J.L. Orientation density and its use in quantitative texture studies, 0=8146
- Dunn, C.G. and Walter, J.L. On the thermal etching of silicon iron, 0=18329
- Dunn, C.G. and Walter, J.L. Discussion of "experimental evidence of boundary migration", 0=20829
- Dunn, C.G. See Walter, J.L., 1=1424
- Dunn, C.G. See Walter, J.L., 1=3661
- Dunn, D.A. and Holaday, R.E. Electron trajectories in a nonuniform axially symmetric magnetic field, 1=11974
- Dunn, D.A. and Holaday, R.E. A high area-convergence hollow-beam gun, 3=5701
- Dunn, D.A., Luebke, W.R. and Wada, G. A low potential collector employing an asymmetrical electrode in an axially-symmetric magnetic field, 0=3801
- Dunn, D. A. and Self, S. A. Static theory of density and potential distribution in a beam-generated plasma, 4=8677
- Dunn, D. A. See Borghi, R.P., 3=9856
- Dunn, F. Temperature and amplitude dependence of acoustic absorption in tissue, 3=1549
- Dunn, F. and Breyer, J.E. Generation and detection of ultrahigh-frequency sound in liquids, 2=13401
- Dunn, F. See Fry, W.J., 2=5103
- Dunn, F. See Hawley, S.A., 3=1862
- Dunn, F. See Hawley, S.A., 3=20036
- Dunn, G.B. See Meleka, A.H., 1=20360
- Dunn, G.H. Anisotropies in angular distributions of molecular dissociation products, 2=20879
- Dunn, G. H. Studies of photodissociation of molecular ions, 4=25751
- Dunn, G.H., Geballe, R. and Pretzer, D. Production of Lyman alpha radiation in ion-atom collisions, 3=6366
- Dunn, G. H. and Kieffer, L. J. Dissociative ionization of H_2 : A study of angular distributions and energy distributions of resultant fast protons, 4=6656
- Dunn, H.K. Methods of measuring vowel formant bandwidths, 2=4891
- Dunn, H.M. See Cole, H., 2=10818
- Dunn, J.R. and Scanlan, J. Changes in the stress-strain properties of natural rubber vulcanizates during ageing, 1=2505
- Dunn, J.R. See Scanlan, J., 1=1468
- Dunn, J.W. See Kay, H.F., 3=6619
- Dunn, M. G., Wark, K., Jr. and Agnew, J. T. Determination of the equilibrium constant for the gas-phase dissociation of nitrogen tetroxide by infrared absorption techniques, 3=2666
- Dunn, M.H. and Maitland, A. Energy obtainable from a Carnot engine with a thermally ionized gas as the working fluid, 3=5558
- Dunn, M.H. See Maitland, A., 3=12075
- Dunn, P.D., Rice, G., Sanders, L.G., Watt, D.A., Adam, J., Hill, R.J., Purchas, J.G., Wheatley, C.C.H. and McWilliams, J.A. Direct conversion of fission heat to electric power, 2=19886
- Dunn, P.D., Rice, G., Sanders, L.G., Watt, D.A., Hardiman, M., McWilliams, J.A. and Powell, B. Experiments with a fission-heated plasma diode, 4=5548
- Dunn, P. D. and Wright, J. K. Unconventional methods of electricity generation, 4=2936
- Dunn, R.B. Solar limb darkening near $\lambda 6563$ from 0.9 to 1.00R, 0=10509
- Dunn, R.B., Jefferies, J.T. and Orrall, F.Q. The line and continuous emission observed in two limb flares, 1=1649
- Dunn, T.M. Spin-orbit coupling in the first and second transition series, 1=17254
- Dunn, W. See Ammar, R.G., 3=4558
- Dunn, W. See Ammar, R.G., 3=10229

- Dunne, B.B. Mach reflection of detonation waves in condensed high explosives, 1=10538
- Dunne, B.B. Mach reflection of 700-kbar shock waves in gases, 2=5046
- Dunne, T.G. and Burns, G. Unit cell volume effects in some isomorphous ferroelectric systems, 2=8462
- Dunne, T.G. and Stemple, N.R. Ferroelectric properties of $\text{BaLi}_2\text{Al}_2\text{-}_2\text{F}_4\text{O}_4\text{-}_4$, 1=1137
- Dunne, T.G. and Wang, M.L. Ferroelectric properties of the system $(\text{NH}_4\text{CH}_2\text{COOH})_x\text{H}_2(\text{SO}_4)_{1-x}$, 1=5038
- Dünner, P. and Müller, S. Thermomagnetic investigations of iron carbides, 4=7499
- Dunning, J.R., Jr., Chen, K.W., Ramsey, N.F., Rees, J.R., Schlaer, W., Walker, J.K. and Wilson, R. Electron-proton elastic scattering at 1 and 4 BeV, 3=19613
- Dunning, J.R., Smith, A.M. and Steigert, F.E. Elastic scattering of alpha particles from helium, 1=2107
- Dunning, J.R., Jr. See Chen, K.W., 4=9172
- Dunning, J.R., Jr. See Chen, K.W., 4=27840
- Dunning, K.L. and Butler, J.W. Neutrons and gamma rays from the bombardment of O^{16} by He^3 , 1=12218
- Dunning, K.L. See Ajzenberg-Selove, F., 0=15581
- Dunning, K.L. See Butler, J.W., 1=4850
- Dunning, W.J. Nucleation processes and aerosol formation, 1=11626
- Dunning, W.J. Crystallographic studies of plastic crystals, 2=10901
- Dunning, W.J. Adsorption thermodynamics and the structure of crystal surfaces, 4=7719
- Dunning, W.J. See Albon, J., 2=10788
- Dunsbee, J. A slide rule for decibel addition, 3=11672
- Dunsmore, H.S. and Speakman, J.C. The crystallography of the hydrates of sodium carbonate and of sodium sulphite, 3=20854
- Dunsmore, H.S. and Speakman, J.C. The crystal data for sodium carbonate decahydrate, 4=23481
- Dunsmuir, R. Theory of relaxation oscillations in optical masers, 2=3158
- Dunstan, W. Electrolytic coloration of potassium bromide, 0=6054
- Dunstan, W. Variation of photovoltaic response with magnetic field for a germanium p-n junction, 1=7672
- Dunstan, W. Absorption bands associated with anionic impurities in potassium bromide containing stoichiometric excess of metal, 3=25464
- Dunstetter, R. Polyphase systems invariant under a transformation to symmetric components in the general case, 4=27446
- DuPont, K.C. and Rosen, P. Solution of the Stokes flow of a sphere by minimization of the dissipation of energy, 3=9424
- Dupont, M. See Ducros, P., 3=23261
- Dupont, P. The Lagrangian procedure for the integration of systems of linear differential equations in the theory of vibrations in the light of the criticism of L.F. Menabrea, 3=18697
- Dupont, P. See Gaume, F., 1=9003
- Dupont-Bourdelet, F., Tillieu, J. and Guy, J. The variational calculation of molecular properties, 1=14072
- Dupont-Bourdelet, F., Tillieu, J. and Guy, J. Calculation of perturbation energies of any order, 1=15673
- Dupouy, G. and Perrier, F. Some aspects of fringes of magnesium oxide crystals observed in the electron microscope, 1=20714
- Dupouy, G. and Perrier, F. Study of the structure of metals and alloys by means of an electron microscope operating at 1 million volts, 2=4434
- Dupouy, G. and Perrier, F. Electron microscope working under a voltage of 1 million volts, 3=19348
- Dupouy, G. and Perrier, F. Principal results obtained with an electron microscope working under a million volts, 3=20953
- Dupouy, G. and Perrier, F. A very high-voltage electron microscope, 4=3049
- Dupouy, G. and Perrier, F. Observation of metals and alloys at one million volts, 4=29158
- Dupouy, G., Perrier, F. and Durrieu, L. Observations of objects in a gaseous environment. Application to the study of contamination in the electron microscope, 2=23941
- Dupouy, G., Perrier, F. and Durrieu, L. Electron diffraction at voltages reaching 1200 kV, 3=3372
- Dupouy, G., Perrier, F. and Durrieu, L. Diffraction of electrons under voltages attaining 1200 kilovolts, 3=20951
- Dupouy, G., Perrier, F. and Fabre, R. An electron microscope working at a very high voltage, 1=7050
- Dupouy, G., Perrier, F. and Trinquier, J. Contribution to the correction of chromatic aberration in the magnetic electron microscope, 4=11710
- Dupouy, G., Perrier, F. and Takahashi, N. Study of the precipitates in Al-Ag (25%) alloy using a very high voltage electron microscope, 3=16110
- Dupouy, G., Perrier, F. and Trinquier, J. An automatic curve tracer for the magnetic induction and its derivatives on the axis of symmetry of an electromagnetic lens, 3=19343
- Dupouy, G., Perrier, F. and Verdier, P. Microscopy with X-rays, 0=11138
- Dupouy, G., Perrier, F., Verdier, P. and Arnal, F. Transmission of monoenergetic electrons through thin metal foils, 4=21571
- Dupouy, J.M. and Averbach, B.L. Atomic arrangements in titanium-molybdenum solid solutions, 1=20617
- Dunstetter, R. and Gudefin, E. Eigenvalues and vectors of matrices for the transformation to symmetrical components, 4=18031
- Dunstetter, R. and Gudefin, E. Polyphase systems invariant to the transition to symmetrical components, 4=18027
- Duntley, S.Q., Culver, W.H., Richey, F. and Preisendorfer, R.W. Reduction of contrast by atmospheric boil, 3=6962
- Duntley, S.Q. Light in the sea, 3=6952
- Duong, H.N. See Duboc, J., 4=12060
- Duong Hong Tuan. See Connes, P., 2=11492
- Duong Hong Tuan. See Connes, P., 2=15740
- Duong Hong Tuan. See Jackson, D.A., 3=22477
- Duong Hong Tuan. See Jackson, D.A., 4=25496
- Duong, N.H. See Berley, D., 4=9281
- Duong, N.H. See Boldt, E., 4=9276
- Duorah, H. Equilibrium abundances of stable isotopes, 2=6982
- Duorah, H.L. Helium burning reactions in stars, 3=1531
- Duorah, H.L. and Kushwaha, R.S. Technetium in sun, 2=9071
- Duorah, H.L. and Kushwaha, R.S. Neutron-capturing processes in stars, 3=1532
- Duorah, H.L. and Kushwaha, R.S. Helium-burning reaction products and the rate of energy generation, 3=11563
- Duorah, H.L. and Kushwaha, R.S. An astrophysical application of the 7.20 (4+) MeV state of ^{20}Ne , 3=11568
- Duorah, H.L. and Kushwaha, R.S. Nucleo-synthesis due to helium burning in stars, 4=3720
- Duparc, D.M. and Buckingham, R.A. Very short-range interaction of a hydrogen atom and a helium atom, 4=19993
- Duparc, D.M. See Buckingham, R.A., 3=12811
- Dupas, L., Leroy, J. and Consoli, T. Theory of betatronic electron acceleration in an azimuthal pinch as a function of initial conditions: comparison of experimental results, 4=8742
- Dupas, L. See Consoli, T., 2=1418
- Dupas, L. See Consoli, T., 2=19958
- Dupas, L. See Consoli, T., 4=18876
- Dupeyrat, M. Contribution to the study of cells with non-miscible liquids. I. Generalities. Study of concentration effect, 4=26755
- Dupeyrat, M. Contribution to the study of cells with non-miscible liquids. II. Study of cells opposing Na^+ and K^+ ions, 4=26756
- Dupeyrat, M. and Ménétrier, M.C. Application and study of thin fatty substance membranes showing an affinity for K^+ ions with respect to Na^+ ions, 4=26757
- Dupeyrat, R. Recent determinations of the velocity of light in vacuum, 0=8762
- Dupeyrat, R. The speed of light in air and in vacuum, 0=10746
- Dupeyrat, R. The use of a recording interferometer complete with a prism-monochromator for the study of the structures of Raman lines, 0=16842
- Dupeyrat, R. A study of electrical scanning methods for recording interferometers, 0=16877
- Dupeyrat, R. An interferometer whose mirrors are transparent interference filters for one and the same radiation σ_0 , 0=16884
- Dupeyrat, R. See Rivoire, G., 3=12769
- Dupeyrat, R. See Rivoire, G., 3=14373
- Dupin, M. and Courty, C. Viscosity of aqueous solutions of copper sulphate, 4=27162
- Dupin, P., Bajon, J. and Jossierand, P. Study of ionospheric self-demodulation in the neighbourhood of the gyrofrequency, 2=1606
- Du Plessis, I.D., De Lange, P.W. and Weidemann, W. Multirange delay line for application in beta-gamma coincidence studies, 0=20007
- du Plooy, N.F., Kühn, G.J., Maree, J.F., Stoker, P.H. and van der Walt, A.J. Cosmic-ray intensity distributions at 640 grams per square centimeter atmospheric depth around Cape Town, 3=22251

- Dupré, A. Measurements of the coercive force of thin films of the ferromagnetic metals, 0=8054
- Dupré, A. and van Itterbeek, A. The coercive force of cold-rolled nickel-, iron- and cobalt strips, 0=1786
- Dupré, A., van Itterbeek, A. and Brandt, G. On the increase of the boiling temperature of liquid oxygen in a magnetic field, 2=9456
- Dupré, A., van Itterbeek, A. and Brandt, G. Experiment on nuclear demagnetization, 4=5484
- Dupré, A., Van Itterbeek, A. and Michiels, L. Heat conductivity of copper below 1°K, 4=9874
- Dupré, A. See Van Itterbeek, A., 0=16139
- Dupré, A. See Van Itterbeek, A., 0=19568
- Dupré, A. See Van Itterbeek, A., 3=13041
- Dupré, A. See Van Itterbeek, A., 4=5486
- Dupré, F. See Careri, G., 2=1327
- du Pré, F.K. See Bady, I., 1=14779
- Dupré, M., Elston, J. and Sicard, L. Calorimetry at high temperatures, 3=9648
- Dupré, M.-F. See Bellier, M., 3=18612
- Dupré, M.F. See Lallemand, A., 0=18591
- Dupree, A. K. See Goldberg, L., 4=29445
- Dupree, R. See Cousins, J.E., 3=19405
- Dupree, T.H. Dynamics of ionized gases, 1=10665
- Dupree, T.H. Electron scattering in a crystal lattice, 1=14198
- Dupree, T.H. Kinetic theory of plasma and the electro-magnetic field, 4=8692
- Dupree, T. H. Theory of radiation emission and absorption in plasma, 4=24649
- Dupree, T. H. See Wingerson, R. C., 4=29995
- duPreez, W. H. See Moak, C. D., 4=19138
- Dupuis, J. See Berthet, G., 1=12569
- Dupuis, M., Mazo, R. and Onsager, L. Surface specific heat of an isotropic solid at low temperatures, 0=20748
- Dupuis, M. See Onsager, L., 0=16652
- Dupuis, T., Duval, C. and Lecomte, J. On the structure of some hexahydrostannates determined by infrared absorption, 4=10196
- Dupuis, T. and Viltange, M. Study of the infrared absorption spectra of sodium pyrovanadate, pyromolybdate and pyrotungstate containing the X_2O_7 group, 3=4974
- Dupuy, C. Observations of the deformation of crystals of lithium fluoride in media of various electrical resistivities, 3=6773
- Dupuy, C., Saucier, H. and Schaeffer, B. The Bauschinger effect in certain ionic crystals deformed in bending, 4=13422
- Dupuy, C. See Saucier, H., 1=7827
- Dupuy, F., Lochet, R. and Rousset, A. Mechanism of the delayed fluorescence of aromatic carbon compounds in the case of solid solution, 4=30700
- Dupuy, J. The influence of temperature on the thermoelectric potential of fused media, 4=15846
- Dupuy, J. See Abraham, M., 2=19776
- Dupuy, M.G. The cyclotron of the "Ecole Supérieure de Physique et de Chimie", Paris, 0=19840
- Dupuy, O. Study of the precision of longitudinal focal setting, 0=6914
- Dupuy, O. A new method of longitudinal positioning of great precision, 0=6915
- Dupuy, O. Theoretical study of the precision of longitudinal focal setting by means of the Foucault knife-edge system, 2=9378
- Dupuy, O. A precise method of longitudinal settings and its application to the determination of surface profiles, 4=30875
- Dupuy, O. See Arnulf, A., 1=1617
- Dupuy, O. See Arnulf, A., 1=21136
- Dupuy, O. See Marechal, A., 2=7342
- Duquesne, H., Govaerts, J., Guébin and Putzeys, J. V. Research on liquid scintillators used for the measurement of soft beta rays, 4=12168
- Duquesne, H. See Dreze, C., 4=30102
- Duquesne, M. Study of the emission of electrons accompanied by β - and α -radioactivity by the coincidence technique, 1=13708
- Duquesne, M., Grégoire, R. and Lefort, M. Experimental nuclear physics and radiochemistry. Detection of radiations and methods of study of nuclear structure, 1=4744
- Duquesne, M. and Kaplan, I. Measurement of luminescence induced by Po^{210} alpha-rays in air and in water, 1=9420
- Duquesne, M. and Kaplan, I. The distribution of luminescent photons emitted along an α -trajectory in a gas, 1=9421
- Duquesne, M. See Adamson, A.M., 3=7998
- Duquesne, R. See Calvet, E., 4=27367
- Duracz, A. See Porowski, S., 4=1699
- Duraffourg, G. See Batifol, E., 1=17553
- Duraffourg, G. See Bernard, M., 2=10590
- Duraffourg, G. See Bernard, M., 4=5864
- Duraffourg, G. See Bernard, M.G.A., 2=2137
- Durand, E. Derivation of an equation for the potential in the neighbourhood of the edge of a thin conductor having rotational symmetry, 1=18741
- Durand, E. Derivation of an equation for the potential in the neighbourhood of the edge of a solid conductor having rotational symmetry, 1=18742
- Durand, E. Development in series of the potential in the neighbourhood of curves which limit the surface charge distributions having rotational symmetry, 2=2993
- Durand, E. Potential and flux of a charge distribution along a semi-infinite straight line, 3=1923
- Durand, E. Series development of the potential near an infinite line charge distribution, 3=3989
- Durand, E. Potential of a uniform distribution of charge on an infinite cone, 3=16896
- Durand, F. See Bonnier, E., 4=29801
- Durand, G. Method permitting the direct measurement by mass spectrometer of the isotopic relations of lead contained in traces of pitch-blende without previous chemical treatment, 2=10998
- Durand, G. Coherence and coupling effects between modes in a gas laser, 4=14933
- Durand, G. See Brachet, C., 2=20140
- Durand, G. See Decomps, B., 3=22017
- Durand, G. See Dumont, M., 4=8980
- Durand, G. See Dumont, M., 4=14937
- Durand, H. Some aspects of nuclear particle detection by scintillation, 0=9233
- Durand, H. and Habert, P. Enriched boron scintillators for slow neutrons, 0=17360
- Durand, I., III and Sandweiss, J. Spin correlation phenomena in the reaction $N_a + N_b \rightarrow \bar{Y}_e + Y_d$, 4=25085
- Durand, J. Making spheres of crystals with anisotropy of hardness, 0=703
- Durand, J. Quantitative investigation of the energy balance of a fully ionized helium plasma, 4=531
- Durand, J.L. See Geller, S., 0=8219
- Durand, L., III. Inelastic electron-deuteron scattering cross sections at high energies, 0=350
- Durand, L., III. Inelastic electron-deuteron scattering and the electromagnetic structure of the neutron, 1=12079
- Durand, L., III. Inelastic electron-deuteron scattering cross-sections at high energies. II. Final-state interactions and relativistic corrections, 1=12080
- Durand, L., III. Pionic contributions to the magnetic moment of the muon, 2=22547
- Durand, L., III. Remarks on the electromagnetic interactions of massless particles, 3=551
- Durand, L., III. Spin correlation phenomena in the reaction $\bar{N}_a + N_b \rightarrow \bar{Y}_e + Y_d$, 4=25085
- Durand, L., III. Electron screening corrections to beta-decay spectra, 4=25340
- Durand, L., III, De Celles, P.C. and Marr, R.B. Lorentz invariance and the kinematic structure of vertex functions, 2=13732
- Durand, L., III and Greider, K.R. High-energy diffraction scattering, 4=3402
- Durand, L., III, Landovitz, L.F. and Marr, R.B. Electromagnetic corrections to the decays of the muon, O^{14} , and the neutron, 0=15379
- Durand, L., III, Landovitz, L.F. and Marr, R.B. Electromagnetic corrections to weak interactions. The beta decays of the muon, neutron, and O^{14} , 3=12404
- Durand, L., III and Yam Tsi Chiu. Unitarity, absorptive processes and single-particle exchange models at high energies, 4=19517
- Durand, L., III and Yam Tsi Chiu. Erratum: unitarity, absorptive processes, and single particle exchange models at high energies, 4=27857
- Durand, L., III. See Bremermann, H.J., 1=4177
- Durand, M. See Borie, J.C., 2=4125
- Durand, M. See Borie, J.C., 3=14336
- Durand, P. Series expansion of a cylindrical potential in the vicinity of the boundary of a surface distribution of charges; development of series and its determination by means of finite differences, 0=5253
- Durand, P. Series expansion of a cylindrical potential in the vicinity of a boundary containing volume distribution of charges and derivation of the finite difference equation, 0=8971

- Durand, P. Development in series of the potential in the vicinity of a rectangular corner of a dielectric, and application to the setting up of a finite-difference equation, 0=8972
- Durand, R. See Margotin, P., 2=2965
- Durandau, P. A study of magnetic electron lenses, 0=10956
- Durandau, P., Fagot, B., Barthère, J. and Laudet, M. Determination of induction and its derivatives on the axis of magnetic electron lenses, 0=19745
- Durandau, P. See Barthère, J., 0=12639
- Durandau, P. See Dugas, J., 2=9643
- Durant, J., Klüber, O. and Wulff, H. An arrangement for producing pulsed, steady and strong magnetic fields, 0=19876
- Durante, C. and Lailheugue, J. Contribution to the study of the reversal of a ferromagnetic core under the action of a constant current source, 0=7189
- Durasova, Yu. A. and Rybak, E. N. Apparatus for the determination of the thickness of thin films, 3=23826
- Durbin, K. A. Nonsimultaneous measurement of the coordinates used to obtain the length of a uniformly moving body, 4=27041
- Durbin, L. and Kobayashi, R. Diffusion of krypton-85 in dense Durbin, W. G. and White, G. D. Measurements of the vertical distribution of atmospheric chloride particles, 2=2468
- Durbin, W. G. See Singleton, F., 2=21635
- Durdaller, C. G., Robinson, W. H. and Pound, G. M. Nucleation rates in the alpha to beta transformation of tin, 4=15745
- Duré, A. See Van Neste, A., 3=15970
- Dureau, L. D. See Boudreaux, E. A., 3=20560
- Durelli, A. J. and Ferrer, L. New methods to determine elastic constants, 4=7365
- Durelli, A. J. and Riley, W. F. Stress distribution on the boundary of an elliptical hole in a large plate during passage of a stress pulse of long duration (major axis normal to the wave front, 1=10458
- Düren, R. and Pauly, H. Numerical calculations of the resonance behaviour of the scattering cross-section in atomic collisions. I, 3=22612
- Düren, R. and Pauly, H. Numerical calculations of the resonance behaviour of the scattering cross-section in atomic collisions. II, 4=6508
- Duret, M. R. See Bayly, J. G., 1=17178
- Durga Prasad, N., Menon, M. G. K. and Sharma, O. P. An experiment to investigate the existence of charged particles of mass $\sim 550 m_e$, 0=13004
- Durgaprasad, N. See Daniel, R. R., 2=9950
- Durham, E. W. See Chasmar, R. P., 2=23084
- Durham, D. E., Rester, D. H. and Class, C. M. Electric monopole enhanced $2+ \rightarrow 2+$ transitions, 1=8661
- Durham, F. E., Rester, D. H. and Class, C. M. Electric-monopole-enhanced $2^{+1} \rightarrow 2^{+}$ transitions in Th^{232} and U^{238} , 0=20398
- Durham, F. E. See Halbert, M. L., 4=1110
- Durham, F. E. See Halbert, M. L., 4=22225
- Durham, F. E. See Halbert, M. L., 4=22226
- Durham, F. E. See Rester, D. H., 1=3425
- Durham, R. J. Notch strength of some aluminium alloys at low temperatures, 2=19010
- Durham, R. W. and Girardi, F. Effective neutron activation cross-sections of some chlorine and sulphur reactions in NRX, 1=13819
- Durie, R. A. and Herzberg, G. Forbidden transitions in diatomic molecules. V. The rotation-vibration spectrum of the hydrogen-deuteride (HD) molecule, 0=11523
- Durie, R. A., Legay, F. and Ramsay, D. A. An emission system of the IO molecule, 0=5947
- Durier, R. See Cotte, M., 1=4692
- Durieux, M. and van Dijk, H. Recent results from measurements of magnetic temperatures between 1 and 24°K , 0=10103
- Durieux, M. See van Dijk, H., 0=7036
- Durieux, M. See van Dijk, H., 0=8878
- Durif, A. See Cohen-Addad, C., 4=29093
- Durif, A. See Do Dinh, C., 4=23473
- Durif, A. See Huart, J., 4=2082
- Durif, A. See Huart, J., 4=23458
- Durif, A. See Joubert, J. C., 4=2080
- Durif, A. See Joubert, J. C., 4=13593
- Durif, A. See Joubert, J. C., 4=26656
- Durif, A. See Martin, C., 4=29119
- Durif, A. and Joubert, J. C. The study of two germanate spinels, 3=5112
- Durif, S. See Alexanian, C., 0=21222
- Durif-Varambon, A. Study of the substitution of silicon in several types of orthosilicates, 0=1905
- Durif-Varambon, A. and Joubert, J. C. A study of certain compounds of the types FeO_2Na and FeO_2Cu , 3=8856
- Durif-Varambon, A. See Cohen-Addad, 4=4594
- Durif-Varambon, A. See Joubert, J. C., 4=2079
- Durif-Varambon, A. See Montmory, M. C., 4=13501
- Durig, J. R., Lord, R. C., Gardner, W. J. and Johnston, L. H. Infrared transmittance and reflectance of beryllium oxide, 2=23536
- During, G., Jansson, R. and Starfelt, N. Experimental fast neutron spectra in Al and Fe, 4=30233
- Durisch, J., Gleyvod, R., Huber, P. and Baumgartner, E. Measurement of polarization power of copper and zirconium for 3.4 MeV neutrons, 3=22392
- Durisch, J. See Baumgartner, E., 2=20632
- Durisch, J. See Gleyvod, R., 3=22393
- Durisch, J. See Huber, P., 2=20631
- Durivault, J., Garrigue, C., Lazare, F., Salvinien, J. and Viallet, P. Physicochemical study of concentrated salt solutions. Resistance measurements under ordinary pressure of solutions of certain halogen compounds with bivalent ions, 2=11385
- Durivault, J., Garrigues, C., Lazarre, F., Salvinien, J. and Viallet, P. Apparatus for the measurement of resistivity of concentrated saline solutions under conditions of variable temperature and pressure, 3=11352
- Durlach, N. I. Note on the equalization and cancellation theory of binaural masking level differences, 0=14338
- Durlach, N. I. Note on the creation of pitch through binaural interaction, 2=21757
- Durlach, N. I. Equalization and cancellation theory of binaural masking-level differences, 3=21162
- Durney, A. C., Elliot, H., Hynds, R. J. and Quenby, J. J. Satellite observations of the energetic particle flux produced by the high-altitude nuclear explosion of July 9, 1962, 3=6967
- Durney, A. C., Elliot, H., Hynds, R. J. and Quenby, J. J. The energy spectrum of the heavy primary cosmic rays, 4=29354
- Durney, B. Electronic conduction in polar semiconductors, 2=6439
- Durney, B. Momentum transfer between charged and neutral particles in a weakly ionized gas, 3=21718
- Durney, B. Conductivity of a slightly ionized gas, 4=462
- Durney, B. The magnetogasdynamic constant Mach number duct equations, 4=16644
- Duro, C. A. See Zubieta, R., 4=26024
- Durovic, S. See Kupcik, V., 0=3257
- Đurovič, S. See Kupčík, V., 1=9138
- Dürr, H. P. Isospin and parity in nonlinear spinor theory, 1=8418
- Dürr, H. P. and Geheniau, J. A spurion model of the Ξ -particle, 3=12510
- Durr, H. P. and Heisenberg, W. The theory of "strange" particles, 1=16671
- Durr, H. P. and Heisenberg, W. Theory of the strange particles, 2=22645
- Durr, L. B. See Mowbray, G. H., 4=23977
- Durr, W. The efficiency of selenium photocells for low intensity illumination, 2=10545
- Durrieu, L. See Dupouy, G., 2=23941
- Durrieu, L. See Dupouy, G., 3=3372
- Durrieu, L. See Dupouy, G., 3=20951
- Dürschnabel, W. and Hörz, G. Some properties of homogeneous niobium-nitrogen mixed crystals, 4=10032
- Dürschnabel, W. See Gebhardt, E., 2=3983
- Dürschnabel, W. See Gebhardt, E., 2=4459
- Dürschnabel, W. See Gebhardt, E., 2=4472
- Durso, J. W. and Signell, P. Regge poles and potentials with cores, 4=11944
- Durso, J. W. and Signell, P. Pole and continuum contributions to proton-proton scattering, 4=27853
- Durston, C. See Codd, J., 2=20708
- Durup, J. and Heitz, F. Study of the kinetic energy distribution of ions formed by electron bombardment. 1. General principles. Apparatus and preliminary results, 4=27473
- Durup, J. and Platzman, R. L. Role of the Auger effect in the displacement of atoms in solids by ionizing radiation, 2=12480
- Dušek, H. The determination of the sign of the void coefficients of reactor zones, 1=13891
- Dušek, H. and Oldekop, W. On reactor physics perturbation theory of higher order and the range of validity of the perturbation theory of first order in the case of the treatment of cavities, 0=13347
- Dušek, J. Measurement of the Hall coefficient and electrical conductivity in semi-conductors by the method of an alternating magnetic field and alternating current, 0=2854
- Dušek, J. A new method of measuring paramagnetic and ferromagnetic resonance, 1=16601
- Dushin, L. A. See Adamov, I. Yu., 4=16443

- Dushin, L.A. See Azovskii, Yu.S., 4=5630
- Dushin, L.A. See Pavlichenko, O.S., 2=22181
- Dushin, L.A. See Pavlichenko, O.S., 4=19048
- Dushkov, I. I., Ishkhanov, B. S., Kapitonov, I. M., Yur'ev, B. A. and Shevchenko, V. G. Photoprotons from Zr, 4=25376
- Dushyn, L. O., Kononenko, V. I., Kovtun, R. I., Skýbenko, A. I., Synel'nykov, K. D. and Tolok, V. T. Investigation of a plasma by means of a microwave interferometer, 4=524
- Dusterhoft, H., Fritze, G. and Link, R. The effect of annealing on the conductivity of tellurium, 2=2113
- Dutchak, Ya. I. On the problem of the structure of liquid antimony, 0=19111
- Dutchak, Ya. I. Fluctuations of coordination number in liquid lead, 1=4320
- Dutchak, Ya. I. X-ray investigation of short-range order in Sn-Bi alloys in a liquid state, 1=12862
- Dutchak, Ya. I. Coordination number and the structure of liquid metals, 1=15845
- Dutchak, Ya. I. Temperature dependence of short-range order in liquid lead, 2=1134
- Dutchak, Ya. I. X-ray diffraction study of the structure of molten aluminium, 2=2704
- Dutchak, Ya. I. Short-range order and properties of liquid bismuth, 2=7194
- Dutchak, Ya. I. Short-range order and the properties of molten bismuth, 2=19539
- Dutchak, Ya. I. and Bondar, N. M. Nature of atomic ordering in Cd-Sn system, 1=15141
- Dutchak, Ya. I., Klym, M. M. and Mykolaichuk, O. H. Viscosity of some complex metal liquids, 2=17421
- Dutchak, Ya. I., Klym, N. M. and Mykolaichuk, A. G. Structure and properties of the alloy In-Bi in the molten state, 4=8167
- Dutchak, Ya. I., Mykolaichuk, A. G. and Klym, N. M. X-ray diffraction analysis of the structure of certain liquid metals, 4=2651
- Dutchak, Ya. I. and Panasyak, P. V. Viscosity and electrical conductivity of Bi-Sb alloys in the molten state, 4=21110
- Dutchak, Ya. I., Stets'kev, O. P. and Prokhorenko, V. Ya. Thermo-e. m. f. of molten couples, 4=8219
- Dutchak, Ya. I., Stets'kiv, O. P. and Fanasyuk, P. V. Thermo-e. m. f. of liquid alloys of the lead-tin system, 4=21153
- Dutchak, Ya. I. See Mikolaichuk, A. G., 4=30881
- Dutchak, Ya. I. See Mikolaichuk, O. H., 2=4495
- Dutcher, C. H. Jr. and Scott, T. A. Frequency modulated, low level, r.e. spectrometer for nuclear resonance, 1=10800
- Duteil, P. See Dowell, J. D., 3=17110
- Duteil, P. See Meunier, R., 3=2164
- Dutescu, G. See Dragomirescu, D., 2=22369
- Dutescu, N. See Ilescu, C. C., 3=24429
- Dutescu, N. See Mateescu, N., 2=5666
- Dutheil, C. See Calvet, E., 1=18670
- Dutheil, R. See Dognon, A., 4=24179
- Duthie, J., Fisher, C. M., Fowler, P. H., Kaddoura, A., Perkins, D. H., and Pinkau, K. Spectrum of γ -rays and nuclear-active component of air-showers at 11 000 metres. I, 1=3257
- Duthie, J., Fisher, C., Fowler, P. H., Kaddoura, A., Perkins, D. H. and Pinkau, K. Spectrum of γ -rays and nuclear-active component of air-showers at 11 000 metres. II, 1=3258
- Duthie, J., Fowler, P. H., Kaddoura, A., Perkins, D. H. and Pinkau, K. The flux of γ -rays at high altitudes, and comparison with the muon flux at sea-level, 2=12102
- Duthie, J. See Bowler, M., 3=4537
- Duthie, J. G., Fisher, C. M., Fowler, P. H., Kaddoura, A., Perkins, D. H. and Pinkau, K. The study of high-energy γ -rays produced by cosmic radiation at 40 000 feet. I. Experimental disposition, and determination of energy and nature of electromagnetic cascades, 1=3364
- Duthie, J. G., Fisher, C. M., Fowler, P. H., Kaddoura, A., Perkins, D. H., Pinkau, K. and Wolter, W. The study of high-energy γ -rays produced by cosmic radiation at 40 000 feet. II. The energy spectrum of cascades and its interpretation, 1=3365
- Duthie, J. G., Hafner, E. M., Kaplon, M. F. and Fazio, G. G. Gamma rays at high altitudes, 3=17363
- Duthie, J. G. See Bowler, M. G., 3=4536
- Duthie, J. G. M. See Aly, H. H., 0=20186
- Duthie, T. See Barr, A. D. S., 4=29685
- Duthil, R. See Carlino, L., 4=30133
- Dutilloy, D. See Donze, G., 2=12455
- Dutilloy, D. See Donze, G., 2=19088
- Du Toit, S. J. and Bollinger, L. M. Lifetimes of energy levels in Al^{26} , Mn^{56} , Cu^{64} , Rh^{104} , and I^{128} , excited by slow neutron capture, 1=10994
- du Toit, S. J. See Burgerjon, J. J., 0=19842
- Dutov, G. G. Electron optics of probe systems, 3=2030
- Dutova, K. P. See Kas'yankov, P. P., 3=2029
- Dutreix, A. See Dutreix, J., 2=5603
- Dutreix, J., Dutreix, A. and Bernard, M. Variation of ionization near the interface between two media exposed to the γ -rays of Co^{60} , 2=5603
- Dütsch, H. U. Vertical distribution of atmospheric ozone. Comparison of vertical methods. C. Vertical ozone distribution from the Umkehr effect, 1=1504
- Dutt, I. and Mukherjee, P. Equilibrium deformation of Ra^{226} , 0=20320
- Dutt, I. and Mukherjee, P. Stability of nuclear octupole deformation, 2=356
- Dutt, I. and Mukherjee, P. Axial asymmetry in even rare earth nuclei, 2=5778
- Dutt, I. See Mukherjee, P. N., 1=5860
- Dutt, P. K. Heavy-water electrolysis unit for generation of deuterium gas provided with automatic switch-off and safety devices, 0=16380
- Dutt, P. K. Theory of "ion-bunching" in relation to the development of an electrostatic time-of-flight mass spectrometer, 2=3100
- Dutt, P. K. and Mukherjee, S. K. Investigations on the working of a palladium Pirani gauge, 0=5062
- Dutt, P. K., Patro, A. P., Basu, B. and Chatterjee, A. Characteristics of the ion-source of the Calcutta 37 in cyclotron, 2=20036
- Dutt, S. B. Stress concentrations around a small inclusion (formed by the revolution of a cardioid about its axis) on the axis of a circular cylinder under torsion, 0=4968
- Dutt, S. B. Note on the torsion of a curved rod of circular cross-section with transverse isotropy, 0=16655
- Dutt, S. B. Stresses in an aeolotropic paraboloid of revolution due to frictional force acting on its surface, 0=19014
- Dutt, S. B. Torsional stresses in a large thick plate with rigidity varying exponentially with depth, 0=19021
- Dutt, S. B. See Chattarji, P. P., 0=19007
- Dutt, T. L., Cavenor, M. C. and Knott, R. G. A. Analysis of an afterglow plasma in argon, 4=11641
- Dutt, T. L. and Nicholls, M. J. Experimental investigation of the dielectric constant of an afterglow plasma, 3=7550
- Dutt, T. L. See Gallop, J. W., 1=1906
- Dutt, T. L. See Gallop, J. W., 2=5339
- Dutta, A. K. An analysis of the soft X-ray emission spectroscopy of graphite and an appropriate electronic picture of it, 0=1545
- Dutta, A. K. Soft X-ray emission spectroscopy of graphite and the suggestion of a suitable Brillouin zone for it, 0=6007
- Dutta, A. K. Periodicity in nuclear binding energy and correlation between the isotopes of different nuclei, 2=7921
- Dutta, A. K. On nuclear binding energy, 4=987
- Dutta, A. K. and Pal, B. Correlation between structural energy and the properties of the naturally radioactive nuclei, 4=3590
- Dutta, A. K., Pal, B., Das Gupta, A. and Chaudhury, N. Periodicity and structural development in nuclei, 3=10202
- Dutta, A. K., Pal, B., Ganguly, P. and Banerjee, D. On the binding energies of the most strongly bound nuclei of different mass numbers, 4=25259
- Dutta, A. K., Pal, B., Ganguly, P. and Banerjee, D. On nuclear binding energies, 4=25260
- Dutta, A. K., Subudhi, M. and Samal, K. Propagation of ultrasonic waves in liquids, 0=3525
- Dutta, B. C. and Ghosh, A. K. Thermoluminescence and phosphorescence spectra of some pure and impurity activated alkali halides, 0=6208
- Dutta, B. C. See Butt, D. K., 3=6181
- Dutta, B. C. See Ghosh, A. K., 0=8028
- Dutta, B. N. Lattice constants and thermal expansion of silicon up to 900°C by X-ray method, 2=18535
- Dutta, B. N. and Dayal, B. Lattice constants and thermal expansion space of gold up to 878°C by X-ray method, 3=10605
- Dutta, B. N. and Dayal, B. The presence of anti-Schottky defects in silicon, 3=12963
- Dutta, B. N. and Dayal, B. Lattice constants and thermal expansion of palladium and tungsten up to 878°C by X-ray method, 4=6753
- Dutta, B. N. and Dayal, B. Lattice constants and thermal expansion of AgCl up to 878°C by X-ray method, 4=20223
- Dutta, B. N. See Sharan, B., 4=10523
- Dutta, C. On the verification of the extended Kar formula for minimum bowing pressure, 0=19244

- Dutta, C. On the work done during bowing, 1=191
 Dutta, C. On the theory of "statical displacement" of a bowed string, 2=1221
 Dutta, C. See Kar, K.C., 0=16750
 Dutta, C. See Kar, K.C., 0=19035
 Dutta, M. An essentially statistical approach to thermodynamic problem—II, 0=2279
 Dutta Roy, S. On the transfer relation of a manometer for liquid level measurements, 2=1117
 Dutta, S. Note on the propagation of Love waves in a certain type of heterogeneous layer lying on homogeneous medium, 4=10684
 Dutta, S. Love waves in a nonhomogeneous internal stratum lying between two semi-infinite isotropic media, 3=16688
 Dutta, S. Rayleigh waves in a two-layer heterogeneous medium, 3=18471
 Dutta, S. Note on the vibration of a thin transversely isotropic circular plate with a central hole, 3=21467
 Dutta, S.K. A general treatment of penetration factor in alpha-decay, 1=13698
 Dutta, S.K., Mitra, T.K. and Sil, N.C. Penetration factor in alpha-decay, 1=13697
 Dutta, S.K. and Sil, N.C. Elastic scattering of fast protons by deformed nucleus, 3=2441
 Dutta, S.K. and Sil, N.C. Elastic scattering of fast protons by spheroidal nuclear potential with diffuse boundary, 3=12660
 Dutta, S.K. See Ghosh, A., 2=5647
 Dutta, S.N. See Mitra, M.N., 0=18238
 Dutta Roy, S.C. Some exact steady-state sine wave solutions of non-uniform RC lines, 3=14487
 Dutta-Roy, S.K., Chakravarty, A.S. and Bose, A. Studies on the magnetic susceptibility of some V^{3+} alums and Ti^{3+} caesium alum in the range $300^{\circ}K$ to $100^{\circ}K$, 0=18167
 Dutta Roy, S.K. See Mitra, S., 4=26258
 Dutta Roy, S.K. See Bose, A., 4=21612
 Dutta-Roy, S.K. See Mitra, S., 4=28761
 Dutta Roy, S.K. See Mitra, S., 4=29006
 Dutton, D., Givens, M.P. and Hopkins, R.E. Some demonstration experiments in optics using a gas laser, 4=18378
 Dutton, D. See Kristianpoller, N., 4=13099
 Dutton, D. See Smith, A., 2=8429
 Dutton, D.B. See Eby, J.E., 0=2937
 Dutton, E.J. See Bean, B.R., 2=5480
 Dutton, E.J. See Bean, B.R., 4=3183
 Dutton, H.M. See Keys, J.D., 3=12998
 Dutton, H.M. See Keys, J.D., 3=17781
 Dutton, J., Harcombe, D. and Jones, E. (Conf. Rep.). Ionization phenomena in gases, 0=2314
 Dutton, J. and Harris, F.M. The spatial growth of ionization in air at high pressure, 3=7428
 Dutton, J., Harris, F.M. and Llewellyn Jones, F. The determination of attachment and ionization coefficients in air, 3=4017
 Dutton, J., Harris, F.M. and Llewellyn Jones, F. The influence of the three-body process of electron attachment on the growth of ionization in air at high pressure, 3=24215
 Dutton, J., Harris, F.M. and Llewellyn-Jones, F. The determination of ionization and attachment coefficients from measurements of ionization currents, 4=18672
 Dutton, J., Harris, F.M. and Llewellyn-Jones, F. The three-body process of electron attachment in air, 4=24560
 Dutton, J., Llewellyn-Jones, F. and Morgan, G.B. Electron attachment in oxygen, 3=19174
 Dutton, J., Llewellyn Jones, F. and Palmer, R.W. Electrical breakdown of gases: ionization growth in air at high pressures, 1=18757
 Dutton, J., Llewellyn-Jones, F. and Rees, D.B. Ionization coefficients in helium at high pressures, 4=14576
 Dutton, J. and Williams, E.M. Note on diffusion and drift of
 Dutton, J. See Davies, P.G., 3=7437
 Dutton, J. See Davies, P.G., 4=24591
 Dutton, J.A. An addition to the paper "Albedo variations measured from an airplane over several types of surface", 3=11383
 Dutton, J.A. The rate of change of the kinetic energy spectrum of flow in a compressible fluid, 3=14106
 Dutton, W.L. and Hirt, R.C. Time-lapse emission spectra using a rotating slotted disc and stationary emulsion, 0=2239
 Duval, C. and Lecomte, J. Observations on the infrared absorption spectra and structure of metallic selenates, 0=20625
 Duval, C. See Dupuis, T., 4=10196
 Duval, C. See Lecomte, J., 4=1716
 Duval, C. See Wadier, C., 4=10169
 Duval, E. and Koidé, S. Long-range interaction between nuclear spins, 4=15381
 Duval, E. See Béné, G., 3=20021
 Duval, E. See Béné, G.J., 4=3915
 Duval, E. See Koide, S., 4=25735
 Duval, M. See Herman, R., 2=4812
 Duval, X. and Schuller, D. Investigation of the correlation between the accommodation coefficient and the physisorption, 2=21573
 DuVall, B.W. See Jenkins, A.W., Jr., 3=13844
 DuVall, G.E. Concepts of shock wave propagation, 3=200
 DuVall, G.E. See Band, W., 1=15935
 DuVaut, G. Application of the principle of material indifference to a materially polarised elastic medium, 4=27127
 Duvaux, Y., Dubois, F., Stickel, P. and Penet, F. The proton synchrotron "Saturne". Shielding walls, 0=2412
 Duverney, R. Polarization study of thin selenium films, 0=20970
 Duverney, R. Transmission of monochromatic infra-red radiation by a prismatic film of very small angle, 1=18602
 Duverney, R. Residual infrared rays of sodium chlorate and sodium bromate single crystals, 2=14648
 Duverney, R. and Vergnoux, A.M. Infrared polarimetry, 0=6952
 Duwell, E.J. Friction and wear of single-crystal sapphire sliding on steel, 2=21452
 Duwell, E.J. Erratum: friction and wear of single-crystal sapphire sliding on steel, 3=11191
 Duwez, P., Willens, R.H. and Klement, W., Jr. Continuous series of metastable solid solutions in silver-copper alloys, 0=14077
 Duwez, P., Willens, R.H. and Klement, W., Jr. Metastable electron compound in Ag-Ge alloys, 0=14078
 Duwez, P., Willens, R.H. and Klement, W., Jr. Metastable solid solutions in the gallium antimonide-germanium pseudobinary system, 0=18402
 Duwez, P. See Chao, C.C., 3=18336
 Duwez, P. See Chao, C.C., 4=10559
 Duwez, P. See Luo Huey-Lin, 3=16121
 Duwez, P. See Luo, H.L., 3=20877
 Duykers, L.R.B. See Goodman, R.R., 2=17552
 Duyvesteyn, A.J.W. See Casimir, H.B.G., 0=13742
 Dvinskikh, V.A. Noise proof bridge-measuring circuits, 4=16389
 Dvir, M. and Low, W. Paramagnetic resonance spectra of impurities in calcium fluoride, 0=11937
 Dvir, M. and Low, W. Paramagnetic resonance and optical spectrum of iron in beryl, 0=16169
 Dvir, M. and Low, W. Microwave attenuation by shocked heated air, 4=16173
 Dvir, M. and Low, W. Microwave measurements on shock waves in air, 4=18333
 Dvořáček, Z. See Brdička, M., 1=15985
 Dvořáček, Z. See Brdička, M., 1=15986
 Dvořák, V. On surface layers on $BaTiO_3$ single crystals, 0=4293
 Dvořák, V. Colour centre in $BaTiO_3$ single crystals, 1=17571
 Dvořák, V. Group analysis of lattice vibrations of cubic perovskites ABO_3 , 4=6704
 Dvorak, V. and Janovec, V. On the interpretation of infra-red spectra and the lattice dynamics of cubic $BaTiO_3$, 2=20918
 Dvořák, V., Málek, Z., Mastner, J., Janovec, V. and Glanc, A. Temperature autostabilizing nonlinear dielectric element (Tandel). II. Explanation of its function, 4=22789
 Dvořák, V. See Glanc, A., 4=7052
 Dvořák, V. See Janovec, V., 4=12612
 Dvořák, V. See Muzikář, Č., 3=8559
 Dvoretzki, A.S., Kazakov, V.A., Kolesov, I.V., Oravets, Yu., Skril, I.I., Sikolenko, V.F., Silvestrov, L.V., Frolov, N.S. and Khvastunov, M.S. System for the registration of particle entrance coordinates for an emulsion chamber, 3=17159
 Dvoretzki, V.N. See Bednyakov, A.A., 4=21852
 Dvoretzky, A., Erdős, P. and Kakutani, S. Points of multiplicity c of plane Brownian paths, 0=10611
 Dvoretzky, A., Erdős, P. and Kakutani, S. Points of multiplicity c of plane Brownian paths, 0=12370
 Dvorovenko, V.K. Some peculiarities of the phosphorescence of cement luminophors, 2=18873
 Dvoryankin, V.F. The low temperature method in electron diffraction analysis, 0=18337
 Dvoryankin, V.F. Effects of thermal motion on the potential distribution for an atom, 4=30829
 Dvoryankin, V.F. and Brusentsev, F.A. Corrections to the normal equations in the least-squares method of refining crystal structures, 3=23431

- Dvoryankin, V. F. and Kolomiichuk, V. N. Effects of thermal motion on the potential distribution for the hydrogen atom, 4=30830
- Dvoryankin, V. F. and Vainshtein, B. K. Low-temperature crystal holder for the EG electron-diffraction camera, 0=16293
- Dvoryankin, V. F. and Vainshtein, B. K. An electron-diffraction study of the low-temperature ferroelectric form of thiourea, 3=18330
- Dvoryankin, V. F. See Brusentsev, F. A., 4=4588
- Dvoryankin, V. F. See Kolomiichuk, V. N., 4=30845
- Dvoryankin, V. F. See Vainshtein, B. K., 2=667
- Dvoryankin, V. F. See Vainshtein, B. K., 2=8463
- Dvoryankina, G. G. and Pinsker, Z. G. An investigation of the structure of Fe_4N , 0=14014
- Dvoryankina, G. G. and Pinsker, Z. G. An investigation of Fe_3O_4 by electron diffraction, 0=18344
- Dvoryashin, A., Levitskii, L. S. and Pankratov, A. K. A study of flares in the X-ray spectral region, 2=24124
- Dvoryashin, A. S. The statistics of geomagnetic disturbances and active solar regions, 1=1590
- Dvoryashin, A. S. Ejection of plasma with the magnetic field and low-energy solar cosmic rays from the region of chromospheric flares, 2=12053
- Dvoryashin, A. S., Levitskii, L. S. and Pankratov, A. K. Active solar regions and their corpuscular emission, 1=18093
- Dvorzhak, V., Muzikarzh, Ch. and Yanovets, V. The Mössbauer effect and the ferroelectric properties of ionic crystals, 4=28622
- Dvorzhetskaya, L. A., Khlebnikova, L. Ya. and Shvaneva, M. K. Spectroscopic analysis of some luminescence-pure materials and luminophors, 3=941
- Dwarakadasa, E. S. and Krishnan, A. A. Interface energy studies in some copper alloys containing a liquid phase, 3=13499
- Dwarakadasa, E. S. and Krishnan, A. A. Interface energy studies in some copper alloys containing lead, 4=20693
- Dwiggins, C. Jr. See Willett, R. D., 3=18314
- Dwight, A. E. The uranium-molybdenum equilibrium diagram below 900°C , 0=18378
- Dwight, K., Germann, R. W., Menyuk, N. and Wold, A. Magnetic properties of Cr_2S_3 in chromium sulphides, 2=12732
- Dwight, K. and Menyuk, N. Magnetic properties of Mn_3O_4 and the canted spin problem, 0=16146
- Dwight, K., Menyuk, N., Arnott, R., Cohen, M., Goodenough, J. B., Huber, E. E., Jr., Smith, D. O., Soohoo, R. F., Weiss, G. P., Wold, A. and Wickham, D. G. Digest of literature on dielectrics. Ferromagnetic materials, 0=2300
- Dwight, K. See Kaplan, T. A., 1=6349
- Dwight, K. See Lyons, D. H., 3=11100
- Dwight, K. See Menyuk, N., 0=3082
- Dwight, K. See Menyuk, N., 0=6246
- Dwight, K. See Menyuk, N., 2=12671
- Dwight, K. See Menyuk, N., 2=21341
- Dwight, K. See Menyuk, N., 4=28835
- Dwight, K. See Menyuk, N., 4=30701
- Dwight, K. See Wickham, D. G., 2=4234
- Dwivedi, C. P. D. Near ultraviolet absorption spectrum of o-ethylaniline vapour, 4=17303
- Dworkin, A. S. and Bredig, M. A. The heats of fusion and transition of alkaline earth and rare earth metal halides, 3=19065
- Dworkin, A. S., Bronstein, H. R. and Bredig, M. A. Miscibility of metals with salts. VI. Lithium-lithium halide systems, 2=15577
- Dworkin, A. S., Bronstein, H. R. and Bredig, M. A. The electrical conductivity of solutions of metals in their molten halides. Rare earth metal systems. Electron exchange between adjacent oxidation states, 4=8220
- Dworkin, A. S., Sallach, R. A., Bronstein, H. R., Bredig, M. A. and Corbett, J. D. The electrical conductivity of solutions of metals in their molten halides. VI. Lanthanum, cerium, praseodymium, and neodymium in their molten iodides, 3=21404
- Dworkin, A. S. See Bronstein, H. R., 1=9406
- Dworkin, A. S. See Bronstein, H. R., 2=21921
- Dwornik, E. J. See Adler, I., 2=10996
- Dworschak, F. Investigation of the colouring of CaF_2 , 2=10417
- Dworschak, F. The measurement of coloration in some non-transparent and optically cloudy minerals (fluorite, amazonite, microcline and fibrous salt), 2=23517
- Dworschak, F., Herschbach, K. and Koehler, J. S. Experiments on Stage III annealing in the noble metals, 4=10011
- Dworschak, F., Herschbach, K. and Witt, F. E. L. Liquid nitrogen cryostat to facilitate isothermal annealing studies on metals after heavy-particle bombardment, 4=8468
- Dwyer, O. E. Equations for bilateral heat transfer to a fluid flowing in a concentric annulus, 3=7365
- Dwyer, O. E. and Tu, P. S. Unilateral heat transfer to liquid metals flowing in annuli, 3=7366
- D'yachenko, M. N. The effect of high-temperature annealing on luminescence and coloration of X-ray irradiated quartz crystals, 0=16089
- D'yachenko, N. G. High-speed photoelectric spectrometer for the 0.4-0.9 region, 0=14820
- D'yachenko, N. G. See Belous, V. M., 2=713
- D'yachenko, N. G. See Belous, V. M., 2=14731
- D'yachenko, P. P., Kuz'minov, B. D., Kutsaeva, L. S., Okolovich, V. N., Smirenkin, G. N. and Utyuzhnikov, A. N. Kinetic energy of fragments produced in the symmetric fission of U^{235} , 4=3714
- D'yachenko, P. P., Kuz'minov, B. D., Kutsaeva, L. S., Sergachev, A. I. and Utyuzhnikov, A. N. Investigation of the correlation between mass distribution of fission fragments and quantum characteristics of the nucleus at the saddle point, 4=6399
- D'yachenko, R. A. See Suetin, P. E., 1=15921
- D'yachenko, V. F. and Imshennik, V. S. Converging cylindrical shock wave in a plasma with a consideration of the wave-front structure, 4=18841
- D'yachkov, B. A. and Oparin, E. M. Low-voltage generator of monochromatic neutrons, 3=24743
- Dyachkov, E. I. See Belonogov, A. V., 3=17127
- D'yachkov, I. G. See Aleksandrov, B. N., 3=2852
- Dyad'kin, I. G. and Batalina, E. P. Time variation of the space-energy distribution of neutrons from a pulsed source, 2=9855
- D'yakonov, Yu. S. The use of Fourier analysis techniques in the interpretation of X-ray photographs of layered minerals with a mixed-layer structure, 3=20832
- D'yakonov, Yu. S. Layer sequences in mixed-layer vermiculite-biotite structures, 3=20858
- D'yakonova, T. S. See Likhter, A. I., 0=584
- D'yakov, B. B. and Rogachev, I. M. Intensities of the K Auger electron groups from rare-earth elements, 3=10468
- D'yakov, G. P. A new method for determining single-crystal magnetostriction constants, 0=1802
- D'yakov, G. P. and Kozlov, A. A. Calculation of magnetostriction in strong magnetic fields, 1=6331
- D'yakov, G. P. See Yugov, V. A., 2=14865
- D'yakov, I. G. and Khvedchuk, I. R. Zone-refining of lithium, 4=17787
- Dyakov, I. G., Lazarev, B. G., Matsakova, A. A. and Ovcharenko, O. N. The critical magnetic fields of superconducting niobium films, 4=16354
- D'yakov, I. G. See Aleksandrov, B. N., 3=23487
- D'yakov, V. V. See Synorov, V. F., 4=20794
- D'yakov, Yu. E. See Akhmanov, S. A., 2=22147
- D'yakova, M. A. and Bogachev, I. N. The composition of the β solid solution in Ti-Mn alloys, 1=10270
- Dyal, P. and Hummel, J. P. Excitation function for the $\text{V}^{51}(\gamma, \alpha)\text{Sc}^{47}$ reaction, 0=1437
- Dyal, P. and Hummel, J. P. Cross sections for the $\text{B}^{10}(\gamma, \pi^-)\text{C}^{11}$ and $\text{B}^{11}(\gamma, \pi^+)\text{Be}^{11}$ reactions, 2=20598
- Dyal, P. See O'Connell, J., 0=1432
- D'yang D'yih-Shang. See Dzhan Dzhi-Min'.
- Dyatlov, I. T. Expansion of the amplitude of a reaction involving formation of three low-energy particles in powers of threshold momentum, 0=9612
- Dyatlov, I. T. See Anisovich, V. V., 3=2199
- Dyatlov, I. T. See Ansel'm, A. A., 1=19111
- Dyatlov, I. T. See Ansel'm, A. A., 2=22456
- Dyatlov, I. T. See Gribov, V. N., 1=19152
- Dyatlov, I. T. See Gribov, V. N., 2=269
- Dyatlov, I. T. See Gribov, V. N., 2=7833
- Dyatlov, I. T. See Gribov, V. N., 2=16176
- Dyatlov, I. T. See Gribov, V. N., 2=22424
- Dyatlov, I. T. See Gribov, V. N., 3=569
- Dyatlov, I. T. See Gribov, V. N., 3=5969
- Dyatlov, I. T. See Gribov, V. N., 3=5970
- Dyben, J. See Piper, T. C., 4=2877
- Dybovski, K. See Khvashchevskaya, Ya., 2=7911
- Dyce, R. B. Some radio reflection and transmission properties of the aurora, 0=8409
- Dyce, R. B. Faraday rotation observations of the electron content of the exosphere, 1=15324
- Dyce, R. B., Dolphin, L. T., Leadabrand, R. L. and Long, R. A. Aurora-like radar echoes observed from 17° latitude, 0=10443
- Dyce, R. B. and Horowitz, S. Measurements of synchrotron radiation at Central Pacific sites, 3=16227

- Dyce, R.B. and Nakada, M.P. On the possibility of detecting synchrotron radiation from electrons in the Van Allen belts, 0=10426
- Dyce, R.B. See Basler, R.P., 3=16267
- Dyce, R.B. See Fredriksen, A., 0=14207
- Dyce, R.B. See Fredriksen, A., 3=5869
- Dyce, R.B. See Hill, R.A., 0=11060
- Dyce, R.B. See Jaye, W.E., 1=9302
- Dyce, R.B. See Leadabrand, R.L., 0=10442
- Dyce, R.B. See Leadabrand, R.L., 0=16526
- Dyce, R.B. See Leadabrand, R.L., 1=15556
- Dyce, R.B. See Leadabrand, R.L., 1=21062
- Dyce, R.B. See Presnell, R.I., 0=10440
- Dyce, R.B. See Schlobohm, J.C., 0=10441
- Dyck, R.H. and McClure, D.S. Ultraviolet spectra of stilbenes, p-monohalogen stilbenes, and azobenzene the trans to cis photoisomerization process, 2=14375
- Dyck, S.R. van. See van Dyck, S.R.
- Dye, J.L. See Dewald, R.R., 4=7746
- Dye, J.L. See Karl, D.J., 2=10984
- Dye, J.L. See Potter, R.L., 2=2731
- Dye, J.L. See Vos, K.D., 3=16640
- Dyer, A.J. Heat transport anemometer of high stability, 0=8685
- Dyer, A.J. Southern hemisphere fall-out and the meridional circulation, 1=9824
- Dyer, A.J. Measurements of evaporation and heat transfer in the lower atmosphere by an automatic eddy-correlation technique, 2=2473
- Dyer, A.J. The adjustment of profiles and eddy fluxes, 3=21031
- Dyer, D.O. See Westcott, E.M., 0=10448
- Dyer, G.L. See Love, H.M., 3=7626
- Dyer, I. Moment impedance of plates, 0=19245
- Dyer, I. Acoustic instability of burning gases, 4=14428
- Dyer, I. See Watters, B.G., 3=16722
- Dyer, J., Heckmann, H.H., Smith, F.M., Eisenberg, Y., Koch, W., Nikolic, M., Schneeberger, M. and Winzler, H. Interactions of antiprotons in nuclear emulsion, 0=5562
- Dyer, J.N. See Barkas, W.H., 2=314
- Dyer, J.N. See Barkas, W.H., 3=24800
- Dyer, L.D. Rolling friction on single crystals of copper in the plastic range, 2=2340
- Dyer, L.D. Design and use of an acid polishing machine, 4=4992
- Dyer, R.F. See Bacon, G.E., 0=3199
- Dyer, R.H. and Edmunds, D.E. On the instability of Taylor and Dean flows under the influence of a circular magnetic field, 2=3138
- Dyett, M.J. See Barson, F., 0=15933
- Dyke, F.H., Jr. Methods of storing, retrieving and correlating infrared spectral data, 4=13753
- Dyke, W.P., Charbonnier, F.M., Strayer, R.W., Floyd, R.L., Barbour, J.P. and Trolan, J.K. Electrical stability and life of the heated field emission cathode, 0=9068
- Dyke, W.P. See Barbour, J.P., 0=7839
- Dyke, W.P. See Martin, E.E., 0=9067
- Dykhne, A.M. Quantum transitions in the adiabatic approximation, 0=8557
- Dykhne, A.M. Accuracy of adiabatic invariant of a particle in a high-density plasma, 1=18831
- Dykhne, A.M. Quasiclassical particles in a one-dimensional periodic potential field, 1=19108
- Dykhne, A.M. Adiabatic perturbation of discrete spectrum states, 2=29
- Dykhne, A.M. Adiabatic perturbation of discrete spectrum states, 3=43
- Dykhne, A.M. Quasiclassical particles in a one-dimensional periodic potential field, 3=4331
- Dykhne, A.M. and Chaplik, A.V. Normalization of the wave-functions of quasistationary states, 1=18274
- Dykhne, A.M. and Chaplik, A.V. Variation of the adiabatic invariant of a particle in a magnetic field. II, 1=18988
- Dykhne, A.M. and Chaplik, A.V. Theory of inelastic atomic collisions, 3=2574
- Dykhne, A.M. and Chaplik, A.V. Normalization of the wave-functions of quasistationary states, 3=3750
- Dykhne, A.M. and Pokrovskii, V.L. Variation of the adiabatic invariant of a particle in a magnetic field. I, 1=2013
- Dykhne, A.M. and Rumer, Yu.B. Thermodynamics of a plane Ising-Onsager dipole lattice, 3=21252
- Dykhne, A.M. See Pokrovskii, V.L., 1=3600
- Dykhne, A.M. See Velikhov, E.P., 4=19051
- Dykmán, D.G. See Zhukovskii, V.I., 2=16990
- Dykmán, I.M. and Pekar, S.I. Light waves in crystals in the exciton absorption region and the impurity photo-effect, 0=9988
- Dykmán, I.M. and Tolpýgo, E.I. Magnetoresistance and the Hall effect in semiconductors with hot electrons and in plasma, 2=18659
- Dykmán, I.M. and Tolpýgo, E.I. Magnetoresistance and the Hall effect in semiconductors with hot electrons and in plasma, 2=21120
- Dykmán, I.M. and Tomchuk, P.M. The effect of an electric field on the electron temperature, electrical conductivity and thermionic emission of semiconductors. I. Elemental semiconductors. Theory, 1=14419
- Dykmán, I.M. and Tomchuk, P.M. The effect of electric field on the electron temperature, electrical conductivity and the thermionic emission of electrons in semiconductors. III. Thermionic emission, 1=14421
- Dykmán, I.M. and Tomchuk, P.M. The effect of an electric field on the electron temperature, electrical conductivity and thermionic emission of semiconductors. V, 2=18660
- Dykmán, I.M. and Tomchuk, P.M. The effect of an electric field on the electron temperature, electrical conductivity and thermionic emission of semiconductors. V, 2=23289
- Dykmán, I.M. and Tomchuk, P.M. Electrical conductivity of polar semiconductors with electron interactions taken into account, 3=22912
- Dykmán, I.M. and Tomchuk, P.M. Influence of electric field on electron temperature, electrical conductivity, and thermionic emission of semiconductors. IV. Low lattice temperatures, 2=10451
- Dykmán, I.M., Zingerman, Ya.P., Ishchuk, V.A. and Morozovskii, V.A. Nonequilibrium electron emission from a p-n junction in silicon, 3=14621
- Dyląg, Z. See Orłowski, Z., 4=116
- Dýlgerov, V.D. and Degtyarev, I.F. Peculiarities in the detection of domain structure of ferromagnetic crystals by different methods, 1=17960
- Dýlgerov, V.D. and Drokin, A.I. Domain structure in a single crystal of yttrium-iron garnet, 2=751
- Dýlgerov, V.D. See Drokin, A.I., 1=17977
- Dýlgerov, V.D. See Drokin, A.I., 3=13269
- Dýlgerov, V.D. See Drokin, A.I., 3=18101
- Dýlgerov, V.D. See Drokin, A.I., 4=13238
- Dýlgerov, V.D. See Kirenskii, L.V., 3=13273
- Dymanus, A. Power saturation of the $J = 1 \rightarrow 2$ rotational transition of OCS, 0=1500
- Dymanus, A. Intensity measurements in microwave spectroscopy the "antimodulation" method, 0=15176
- Dymanus, A. and Bouwknecht, A. Measurements on power-conversion gain and noise ratio of the 1N26 crystal rectifiers, 1=5580
- Dymanus, A. and Dijkerman, H.A. The α -Stark effect of rotational transitions. I. Experimental aspects, 1=12282
- Dymanus, A., Dijkerman, H.A. and Zijderveld, G.R.D. New method for the measurement of microwave integrated line intensities and line widths, 0=5428
- Dymanus, A. and Kaminow, I.P. Ferromagnetic resonance in piezoelectric $\text{Ga}_{1-x}\text{Fe}_x\text{O}_3$, 1=6395
- Dymanus, A. See Dijkerman, H.A., 3=734
- Dymant, A. and Gontier, G. Influence of viscosity and capillarity on experiments on the analogy between flow with a free surface and the flow of a gas, 3=9431
- Dymant, D. and Gontier, G. Determination of conditions on both sides of a shock wave by means of stationary probes, 4=24299
- Dymant, F. See Libanati, C.M., 4=1518
- Dýmnikov, A. See Yavor, S.Ya., 4=16537
- Dýmnikov, A.D., Ovsyannikova, L.P. and Yavor, S.Ya. Systems of quadrupole lenses, 3=24363
- Dymant, F. See Murarka, S.P., 4=30579
- Dýmnikov, A.D., Fishkova, T.J. and Yavor, S.Ya. Spherical aberration in two-dimensional electrostatic quadrantal lenses which are without planes of antisymmetry, 4=16538
- Dýmnikov, A.D. and Yavor, S.Ya. Four quadrupole lenses as an analogue of an axially symmetric system, 4=8837
- Dýmnikov, A.D. See Yavor, S.Ya., 4=14761
- Dýmnikov, A.D. See Yavor, S.Ya., 4=16553
- Dymond, J. H. and Smith, E. B. Off-centre dipole model and the second virial coefficients of polar gases, 4=27211
- Dymshits, E.R. See Guseva, E.K., 4=28454
- Dymus, S. See Werle, J., 4=904
- Dýnkin, E.B. Brownian motion with a decreasing μ measure and with ν measure of velocity, 2=19447

- Dyring, E. Statistical studies of the performance of cosmic ray recording instruments, 2=9945
- Dyring, E. and Lindgren, S. Standard errors of cosmic ray data corrected for atmospheric effects, 2=16282
- Dyring, E. and Rosén, B. Standard errors at harmonic analysis on cosmic ray data, 1=10947
- Dyring, E. See Bachelet, F., 4=16988
- Dyring, E. See Sandström, A.E., 0=20289
- Dyring, E. See Sandström, A.E., 1=3373
- Dyring, E. See Sandström, A.E., 2=9968
- Dyring, E. See Sandström, A.E., 2=13909
- Dyson, A.E. Follow-through plate holder for nuclear track microscopes, 0=3903
- Dyson, D.J. and Andrews, K.W. The structure and metallurgical significance of the iron-molybdenum carbide Fe_2MoC (M_aC_b), 4=17809
- Dyson, D.J. and Andrews, K.W. Unit cell and space group of the carbide Fe_2MoC , 4=26652
- Dyson, D.J. and Slifkin, M.A. The observation of absorption spectra of short-lived species, 4=2842
- Dyson, D.J. See Birks, J.B., 1=11834
- Dyson, D.J. See Birks, J.B., 3=23892
- Dyson, D.J. See Jackets, B.P., 3=2737
- Dyson, F.J. Stability of an idealized atmosphere. II. Zeros of the confluent hypergeometric function, 0=8680
- Dyson, F.J. Search for artificial stellar sources of infrared radiation, 0=12330
- Dyson, F.J. Statistical theory of the energy levels of complex systems. I, 2=4950
- Dyson, F.J. Statistical theory of the energy levels of complex systems. II, 2=4951
- Dyson, F.J. Statistical theory of the energy levels of complex systems. III, 3=4952
- Dyson, F.J. The threefold way. Algebraic structure of symmetry groups and ensembles in quantum mechanics, 3=5359
- Dyson, F.J. A Brownian-motion model for the eigenvalues of a random matrix, 3=5368
- Dyson, F.J. and Mehta, L.L. Statistical theory of the energy levels of complex systems. IV, 3=14046
- Dyson, F.J. See Mehta, M.L., 3=14047
- Dyson, J. Circular and spiral diffraction gratings, 0=2250
- Dyson, J. An image-splitting microscope for accurate measurement, 0=5148
- Dyson, J. Optical diffusing screens of high efficiency, 0=8782
- Dyson, J. Precise measurement by image-splitting, 0=14806
- Dyson, J. Optical alignment devices based on a two-mirror system, 1=16062
- Dyson, J. The rapid measurement of photographic records of interference fringes, 3=14362
- Dyson, J. Very stable common-path interferometers and applications, 3=14364
- Dyson, J. Very precise thickness measurement of thin films, 3=18772
- Dyson, J. Image position measurement by polarimetry, 3=21572
- Dyson, J. Techniques in interference microscopy, 4=5376
- Dyson, J. and Noble, P. J. W. Electrical read-out from optical alignment devices, 4=18017
- Dyson, J., Williams, R.V. and Young, K.M. Interferometric measurement of electron density of Sceptre IV, 3=5679
- Dyson, J., Williams, R.V. and Young, K.M. Interferometric measurement of electron density in a high-current discharge, 4=16444
- Dyson, J. See Waters, R.T., 2=15762
- Dyson, J.D. A survey of the very wide band and frequency independent antennas - 1945 to the present, 2=16032
- Dyson, N.A. The continuous X-ray spectrum from electron-opaque targets, 0=3951
- Dyson, N.A. Efficiency of characteristic K_α X-ray production in copper between 9 and 15 kV, 0=5878
- Dyson, N.A. The Debye temperature of iron-57 in copper from observations of the Mossbauer effect, 2=18533
- Dyson, N.A. and Fremlin, J.H. An upper limit to the electric dipole moment of photons, 2=5597
- Dyson, N.A. See Cordey-Hayes, M., 0=15518
- Dysthe, K. See Bakken, J.A., 4=18334
- Dysthe, K.B. Note on the invariance of the action integral, 4=658
- Dyson, N.A. Temperature effects using Fe-57 in iron and in copper, 4=12584
- Dyson, P.M., Kennedy, J.M. and Vogt, E. The angular distribution of photofission fragments. Appendix: Calculation of angular resolution corrections, 0=1451
- Dyumin, A.N. See Dukarevich, Yu.V., 2=20371
- Dyumin, A.N. See Dukarevich, Yu.V., 3=17483
- Dyumin, A.N. See Dukarevich, Yu.V., 3=22398
- Dyumin, A.N. See Dukarevich, Yu.V., 4=16907
- Dyumin, A.N. See Dukarevich, Yu.V., 4=22160
- Dyurovich, S. A statistical model for the crystal structure of mullite, 3=20857
- Dyuzhev, G.A. See Frisman, E.V., 4=22444
- Dyuzhev, G.A. See Frisman, E.V., 4=25788
- Dzeganovskii, V.P. See Samsonov, G.V., 0=14012
- Dzeganovskii, V.P. See Zhurakovskii, E.A., 4=4272
- Dželepov, B. See Absurazakov, A., 1=646
- Dželepov, B.S., Medvedev, A.I., Shestopalova, S.A. and Uchevatkin, I.F. Spectrum of Lu^{172} conversion electrons with energies higher than 750 keV, 4=27999
- Dželepov, B.S., Medvedev, A.I., Shestopalova, S.A. and Uchevatkin, I.F. Spectrum of $\text{Lu}^{180} + \text{Lu}^{170}$ conversion electrons with energies higher than 1000 keV, 4=28000
- Dželepov, B.S. See Bonch-Osmolovskaya, N.A., 1=19393
- Dželepov, B.S. See Vitman, V.D., 3=12602
- Dželepov, V.P. See Danilov, V.I., 1=344
- Džen Fu. See Sanin, A.A., 4=16758
- Dzendolet, E. Standing potentials of the frog's eye, 0=8456
- Dzendolet, E. Effect of preparation and electrode placement on the frog E.R.G., 0=14357
- Dzhafarov, T.A. See Gurov, S.V., 4=21479
- Dzhafarov, T.D. See Boltaks, B.I., 4=6871
- Dzhafarov, T.D. See Boltaks, B.I., 4=28484
- Dzhagatspanyan, R.V., Maksimov, M.P. and Esel'son, M.P. Arrangement for recording of fast processes, 2=19768
- Dzhakov, E., Stamenov, K. and Grigorov, G. Integrator for measuring nonlinear variables, 4=29844
- Dzhamagidze, Sh.Z. See Shvangiradze, R.R., 1=19636
- Dzhamagidze, Sh.Z. See Shvagiradze, R.R., 2=18431
- Dzhan Dzhi-Min'. See Sanin, A.A., 4=16758
- Dzhan EB-Tsin. See Sandulova, A.V., 0=11640
- Dzhanbusinov, E.A. See Presnyakov, A.A., 4=29108
- Dzhanelidze, G.Yu. See Blekhan, I.I., 2=17393
- Dzhanelidze, L.P., Kopylova, D.K., Korolevich, Yu.B., Kostanashvili, N.I., Mandritskaya, K.V., Petukhova, N.I., Podgoretskii, M.I., Tuvdendorzh, D., Shakhulashvili, O.A. and Chzhen Pu-in [Cheng P'u-ying]. Production of charged hyperons by 9 BeV protons interacting with photographic emulsion nuclei, 1=19282
- Dzhanelidze, L.P., Kostanashvili, N.I., Lebedevich, G.I., Mandritskaya, K.V. and Shakhylashvili, O.A. Transverse momentum of charged Σ^+ hyperons produced by 9 GeV protons in photographic emulsions, 4=958
- Dzhanelidze, L.P., Mandritskaya, K.V., Shakhulashvili, O.A., Kopylova, D.K., Korolevich, Yu.B., Petukhova, N.I., Tuvdendorzh, D., Chzhen Pu-In [Cheng P'u-Ying] and Kostanashvili, N.I. The angular distribution of the decay products of the Σ^+ -hyperons formed by protons in a nuclear emulsion, 0=15445
- Dzhanelidze, R.B. and Kurdiani, N.I. Temperature dependence of the yield of antimony and indium from indium antimonide, 4=1969
- Dzhangirov, A.Yu. See Aliev, M.I., 4=9870
- Dzhaparidze, K.G. See Kokochashvili, V.I., 3=24538
- Dzhasybekova, E.K., Kazachevskii, V.M. and Kharitonov, A.V. Determination of the earth's albedo, 0=21390
- Dzhaugashtin, K.E. Some problems in the theory of the boundary layer of a conducting liquid, 4=8916
- Dzhaugashtin, K.E. A case of motion of a conducting liquid in a plane channel, 4=11781
- Dzhavadov, D.M. and Selisskii, Ya.P. Kinetics and some regularities of the change in the electrical resistance on ordering ternary solid solutions of iron-cobalt-vanadium, 4=1992
- Dzhavadov, D.M. and Selisskii, Ya.P. Regularities in the variation of electrical resistivity of low-alloy iron-cobalt α solid solutions as a result of heat treatment. I. FeCo alloyed with vanadium, 4=22676
- Dzhavakhishvili, L.Ya. See Almanov, G.A., 3=20657
- Dzhavirishvili, A.K. See Andronikashvili, E.L., 3=19731
- Dzhelepov, B. See Abdumalikov, A., 3=22345
- Dzhelepov, B. See Van Fu-tszyun', 3=8045
- Dzhelepov, B. See Vizi, I., 3=10298
- Dzhelepov, B.D. See Gromov, K.Ya., 3=10304
- Džhelepov, B.S. and Dolgoborodova, M.A. Resonance fluorescence in Ce^{140} excited by La^{140} gamma-rays, 2=14072
- Dzhelepov, B.S., Emel'yanov, B.A., Kupriyanova, K.P. and Podkopaev, Yu.N. γ -spectrum of La^{140} in the energy range 2300-3900 keV, 0=9602

- Dzhelepov, B.S., Emel'yanov, B.A., Kupriyanova, K.P. and Podkopaev, Yu.N. Beta-decay of La^{140} , 2=14026
- Dzhelepov, B.S., Gromov, K., Kudryavtseva, A., Van Fu-Tsin, Vizi, I., Yazvitsky, Yu. and Zhelev, Zh. On the scheme of the $\text{Eu}^{149} \rightarrow \text{Sm}^{149}$ decay, 2=5865
- Dzhelepov, B.S., Gromov, K., Kudryavtseva, A.V. and Zhelev, Zh.T. Study of the Tb^{152} position and conversion electron spectrum, 2=5867
- Dzhelepov, B.S., Gromov, K., Vizi, I., Yazvitsky, Yu. and Zhelev, Zh. On the Eu^{147} decay scheme, 2=5866
- Dzhelepov, B.S., Ivanov, R.B. and Moskvina, L.N. α -decay of Ac^{225} , 3=17446
- Dzhelepov, B.S., Ivanov, R.B. and Nedovesov, V.G. α -decay of Pu^{239} , 2=3503
- Dzhelepov, B.S., Ivanov, R.B., Nedovesov, V.G. and Puzynovich, Yu.T. Alpha-radiation from U^{233} , 2=14015
- Dzhelepov, B.S., Ivanov, R.B. and Nedovesov, V.G. α -decay of Pu^{239} , 3=4606
- Dzhelepov, B.S., Ivanov, R.B. and Nedovesov, V.G. α -decay of Pu^{241} , 4=19739
- Dzhelepov, B.S., Ivanov, R.B., Nedovesov, V.G. and Chechev, V.P. Investigation of α -decay of curium isotopes, 4=6299
- Dzhelepov, B.S., Katkhin, G.S., Maidanyuk, V.K. and Feoktistov, A.I. Internal conversion electrons and positrons emitted in the decay of Re^{184} , 3=24910
- Dzhelepov, B.S. and Khol'nov, Yu.V. The photoriton (a gamma-spectrometer for the low-energy region), 2=13764
- Dzhelepov, B.S. and Khol'nov, Yu.V. Gamma-spectrum of $\text{Eu}^{152, 154}$ in the 245 to 500 and 1450 to 2000 keV energy intervals, 2=14063
- Dzhelepov, B.S., Medvedev, A.I., Uchevatkin, I.F. and Shestopalova, S.A. Conversion electron spectrum of the lutetium fraction from proton-bombarded tantalum in the energy region above 1000 keV, 3=12641
- Dzhelepov, B.S., Rozhin, E.N. and Sergienko, V.A. Coincidences between the conversion electrons emitted in the decay of Lu^{174m} , 4=6242
- Dzhelepov, B.S., Rumyantsev, V.L., Khol'nov, Yu.V. and Shchukin, G.E. Gamma spectrum of W^{187} , 2=14064
- Dzhelepov, B.S., Uchevatkin, I.F. and Shestopalova, S.A. $0^+ \rightarrow 0^+$ transition in the $\text{Pr}^{140} - \text{Ce}^{140}$ decay, 0=11355
- Dzhelepov, B.S., Uchevatkin, I.F. and Shestopalova, S.A. Conversion electron spectrum of neutron-deficient lutetium isotopes in the 1000 to 3500 keV region, 2=16364
- Dzhelepov, B.S., Voikhanskiy, M.E., Medvedev, A.I. and Uchevatkin, I.F. Nature of the 531.8 keV level in Er^{167} , 3=4578
- Dzhelepov, B.S., Zvol'skii, I., Nikitin, M.K. and Sergienko, V.A. Coincidences between conversion electrons of the dysprosium fraction from proton bombarded tantalum, 3=8047
- Dzhelepov, B.S., Zvol'skii, I., Nikitin, M.K. and Sergienko, V.A. Coincidences between conversion electrons emitted in the decay of Dy^{153} to Tb^{153} , 3=17443
- Dzhelepov, B.S., Zvol'skii, I. and Sergienko, V.A. Coincidences between conversion electrons emitted in the decay of Ho^{160} to Dy^{160} , 3=15154
- Dzhelepov, B.S. See Abdurazakov, A.A., 2=14025
- Dzhelepov, B.S. See Abdurazakov, A.A., 2=18302
- Dzhelepov, B.S. See Abdurazakov, A.A., 3=10307
- Dzhelepov, B.S. See Anton'eva, N.M., 1=13750
- Dzhelepov, B.S. See Anton'eva, N.M., 3=8007
- Dzhelepov, B.S. See Antonieva, N.M., 0=4060
- Dzhelepov, B.S. See Balalaev, V.A., 3=17415
- Dzhelepov, B.S. See Balalaev, V.A., 4=22078
- Dzhelepov, B.S. See Baranov, V.I., 2=14053
- Dzhelepov, B.S. See Basina, A.S., 2=14050
- Dzhelepov, B.S. See Basina, A.S., 2=16365
- Dzhelepov, B.S. See Basina, A.S., 3=6208
- Dzhelepov, B.S. See Baskova, K.A., 1=19755
- Dzhelepov, B.S. See Bonch-Osmolovskaya, N.A., 2=14035
- Dzhelepov, B.S. See Bonch-Osmolovskaya, N.A., 3=10303
- Dzhelepov, B.S. See Bonch-Osmolovskaya, N.A., 3=24912
- Dzhelepov, B.S. See Gan Men-khua, 3=10309
- Dzhelepov, B.S. See Grigor'ev, E.P., 1=2191
- Dzhelepov, B.S. See Grigor'ev, E.P., 1=10975
- Dzhelepov, B.S. See Grigor'ev, E.P., 3=8049
- Dzhelepov, B.S. See Grigor'ev, E.P., 3=8052
- Dzhelepov, B.S. See Gromov, K.Ya., 2=14049
- Dzhelepov, B.S. See Gromov, K.Ya., 4=1027
- Dzhelepov, B.S. See Vitman, V.D., 1=17046
- Dzhelepov, B.S. See Vitman, V.D., 2=14051
- Dzhelepov, B.S. See Vitman, V.D., 3=8012
- Dzhelepov, B.S. See Vitman, V.D., 3=8054
- Dzhelepov, B.S. See Vitman, V.D., 4=3603
- Dzhelepov, B.S. See Vitman, V.D., 4=9420
- Dzhelepov, B.S. See Vitman, V.D., 4=22066
- Dzhelepov, B.S. See Voinova, N.A., 2=14057
- Dzhelepov, B.S. See Voinova, N.A., 2=14062
- Dzhelepov, B.S. See Voinova, N.A., 2=14068
- Dzhelepov, B.S. See Voinova, N.A., 3=12601
- Dzhelepov, V.P. Investigation of the properties of μ -mesic atoms and μ -mesic molecules of hydrogen and deuterium in the 680 MeV synchrocyclotron at Dubno, 4=20001
- Dzhelepov, V.P., Ermolov, P.F., Katyshev, Yu. V., Moskaev, V.I., Fil'chenkov, V.V. and Friml, M. Catalysis of the $d + d \rightarrow \text{He}^3 + n$ fusion reaction by negative muons, 4=27909
- Dzhelepov, V.P., Ermolov, P.F., Kushnirenko, E.A., Moskaev, V.I. and Gershtein, S.S. Experimental investigation of μ^- -mesic atom processes in gaseous hydrogen, 2=10231
- Dzhelepov, V.P., Ermolov, P.F., Kushnirenko, E.A., Moskaev, V.I. and Gershtein, S.S. Experimental investigation of μ^- -mesic atom processes in gaseous hydrogen, 3=6371
- Dzhelepov, V.P., Filchehkov, V.V., Friml, M., Katyshev, Yu. V., Moskaev, V.I. and Yermolov, P.F. Negative muon catalysis of the nuclear fusion reaction $d + d \rightarrow {}^3\text{He} + n$, 4=25205
- Dzhelepov, V.P., Gershtein, S.S., Kushnirenko, E.A., Moskaev, V.I. and Yermolov, P.F. μ^- -mesic atomic processes in gaseous hydrogen, 2=14231
- Dzhelepov, V.P. and Pontecorvo, B.M. High energy particle research with the synchrocyclotron of the Laboratory of Nuclear Problems at the Joint Institute of Nuclear Studies, 0=15305
- Dzhelepov, V.P. See Budagov, Yu.A., 0=2532
- Dzhelepov, V.P. See Budagov, Yu.A., 0=7402
- Dzhelepov, V.P. See Budagov, Yu.A., 0=9399
- Dzhelepov, V.P. See Budagov, Yu.A., 0=13017
- Dzhelepov, V.P. See Budagov, Yu.A., 0=13018
- Dzhelepov, V.P. See Budagov, Yu.A., 1=5766
- Dzhelepov, V.P. See Budagov, Yu.A., 3=17131
- Dzhelepov, V.P. See Denisov, Yu.N., 3=9887
- Dzhelepov, V.P. See Glazov, A.A., 4=5727
- Dzhelepov, V.P. See Glazov, A.A., 4=30003
- Dzhelepov, V.P. See Golovin, B.M., 1=19200
- Dzhelepov, V.P. See Golovin, B.M., 2=3361
- Dzhelepov, V.P. See Golovin, B.M., 2=22518
- Dzhelepov, V.P. See Golovin, B.M., 3=22124
- Dzhelepova, N.B. See Arsen'eva-Geil', A.N., 3=18176
- Dzheordzhesku, P. See Purika, I., 3=25011
- Dzherpetov, Kh.A. The effect of the temperature of an auxiliary electrode on the ignition of a high-frequency discharge in helium, 0=2353
- Dzhibuti, R.I. and Tagviashvili, A.V. Photodisintegration of He^4 at high energies, 1=16918
- Dzhibuti, R.I. See Kopaleshvili, T.I., 3=6093
- Dzhibuti, R.I. See Mamasakhlisov, V.I., 2=3554
- Dzhibuti, R.I. See Mamasakhlisov, V.I., 3=2435
- Dzhmukhadze, D.F. See Fedulov, S.A., 3=20767
- Dzhmukhadze, D.F. See Fedulov, S.A., 3=20852
- Dzhorbenadze, N.P. and Sharikadze, D.V. The flow of a conducting, viscous liquid between two porous plates, 0=19899
- Dzhorbenadze, N.P. and Sharikadze, D.V. The flow of a conducting, viscous liquid between two porous plates, 1=5538
- Dzhordzhio, N.V. See Krasovskii, V.I., 4=26820
- Dzhrbashyan, V.A. Angular correlation of circularly polarized gamma-quanta from a μ -mesic atom, 0=2718
- Dzhrbashyan, V.A. Angular distribution and angular correlation of the radiations from nuclei with oriented electron shells, 0=9544
- Dzhrbashyan, V.A. A possible method for the determination of the direction of polarization of μ^- -mesons, 0=11197
- Dzhrbashyan, V.A. Excitation of nuclei by slow charged particles, 3=22288
- Dzhumakuliev, R. and Devyatov, A.M. Temperature of the high-frequency corona and brush discharges in the region of their transition, 3=1947
- Dzhurakulov, Kh. See Arifov, U.A., 2=13591
- Dzhurakulov, Kh. See Arifov, U.A., 2=17876
- Dzhardzha, M., Kharadzha, S. and Tsopa, V. Investigations of the dispersion of light in mono-dispersing suspensions of mastic, 0=16900
- Dzhurova, V. See Nadzhakov, G., 1=12372
- Dzhurova, V. See Nadzhakov, G., 2=6401
- Dziedzie, J.N. See Ashkin, A., 3=21507

- Dziesiaty, J. Breakdown of CdS crystals with impulse voltages, 1=17846
- Dziesiaty, J. Photoconductivity investigation of single crystal CdS and CdSe with a contact free microwave method, 4=30661
- Dziesiaty, J., Gutsche, E. and Rohde, H.J. Some characteristics of plasma-type space-charge oscillations in CdS single crystals, 3=783
- Dziesiaty, J. See Boer, K.W., 2=6464
- Dziuba, Z. A thermoelectric method of cutting semiconducting mercury compounds, 4=10996
- Dziwoki, A. Term representation of the K-series of X-ray spectra, 1=5972
- Dzkuya, M.I. See Demirkhanov, R.A., 1=19612
- Dzkuya, M.I. See Demirkhanov, R.A., 3=4727
- Dzkuya, M.I. See Demirkhanov, R.A., 3=4728
- Dzoanh, Nguyen-Trinh. Initiation of the bipolar self-maintained discharge in an ionization chamber by α -particles, 3=4038
- Dzon-mou, L. Equivalent circuit of a vibrating system magnetostriuctive transducer-concentrator-sample, 4=259
- Dzong, T.K. See Richter, G., 2=2148
- Dzubay, T.G. and Blair, J.M. Differential cross sections for the reaction $\text{Li}^7(\text{Li}^7, \alpha)\text{Be}^{10}$, 4=17206
- Dzuiba, A. See Giriat, W., 0=16272
- Dzung, L.S. A cooling problem of pebble-bed nuclear reactors, 1=19568
- Dzyaloshinskii, I.E. Diagram technique for calculating transport coefficients in statistical physics at finite temperatures, 3=5391
- Dzyaloshinskii, I.E. Magneto-electrical effect in antiferromagnets, 0=11907
- Dzyaloshinskii, I.E. Diagram technique for calculating transport coefficients in statistical physics at finite temperatures, 2=13283
- Dzyaloshinskii, I.E. A general relation in the theory of ferromagnetic Fermi fluids, 4=18101
- Dzyaloshinsky, I.E. Theory of helicoidal structures in antiferromagnetics. I. Nonmetals, 4=20564
- Dzyaloshinskii, I.E. Theory of helicoidal structures in antiferromagnetics. II. Metals, 4=26346
- Dzyaloshinskii, I.E., Lifshitz, E.M. and Pitaevskii, L.P. Van Der Waals forces in liquid films, 0=8641
- Dzyaloshinskii, I.E., Lifshitz, E.M. and Pitaevskii, L.P. The general theory of Van Der Waals forces, 1=15706
- Dzyaloshinskii, I.E., Lifshitz, E.M. and Pitaevskii, L.P. General theory of Van Der Waals forces, 2=6243
- Dzyaloshinsky, I.E. and Manko, V.I. Nonlinear effects in antiferromagnetics. "Latent" antiferromagnetism, 4=20563
- Dzyaloshinskii, I.E. and Pitaevskii, L.P. Van der Waals forces in an inhomogeneous dielectric, 0=10861
- Dzyaloshinskii, I.E. See Gor'kov, L.P., 3=25262
- Dzyub, I.P. Application of the Green's function method in solid state theory, 0=9836
- Dzyub, I.P. A contribution to the theory of exciton states in semiconductors, 1=3747
- Dzyub, I.P. Sum rules in the theory of exciton absorption of light, 3=20461
- Dzyub, I.P. and Lubchenko, A.F. Contribution to the theory of the Mössbauer effect, 1=3389
- Dzyub, I.P. and Lubchenko, A.F. Scattering of γ -quanta by nuclei of solids, 1=17393
- Dzyub, I.P. and Lubchenko, A.F. Scattering of γ -quanta by nuclei of solids, 2=3821
- Dzyub, I.P. and Lubchenko, A.F. The resonant scattering of light by impurity centres in the solid state, 2=8493
- Dzyub, I.P. and Lubchenko, A.F. The resonant scattering of light by impurity centres in the solid state, 2=14699
- Dzyub, I.P. and Lubchenko, A.F. Emission, absorption and reabsorption of gamma-rays by impurity nuclei in solid solutions, 3=8337
- Dzyub, I.P. and Lubchenko, A.F. Resonance scattering of gamma-rays by nuclei in a solid, 3=8338
- Dzyub, I.P. and Lubchenko, A.F. The Mössbauer effect of impurity nuclei at low temperatures, 3=8339
- Dzyub, I.P. and Lubchenko, A.F. Emission and scattering of γ -quanta by nuclei in solids in the presence of a time-dependent external perturbation, 3=15414
- Dzyub, I.P. and Lubchenko, A.F. Method of temperature Green functions and the theory of the Mössbauer effect on impurity nuclei, 3=25173
- Dzyub, I.P. and Lubchenko, A.F. The Green's-function method in the theory of the Mössbauer effect on impurity atoms. Temperature shift of the Mössbauer line, 4=28322
- Dzyub, I.P., Lubchenko, A.F. and Tsin' Yun' -ven'. Resonance scattering of gamma-rays by impurity nuclei located in a solid, 2=23040
- Dzyub, I.P. See Vertebnyi, V.P., 4=24166
- Dzyuba, A.S. See Geguzin, Ya.E., 3=25767
- Dzyuba, A.S. See Geguzin, Ya.E., 4=1970
- Dzyuba, A.S. See Geguzin, Ya.E., 4=15486
- Dzyubenko, G.M. See Baranskii, P.I., 1=12435
- Dzyubenko, G.M. See Baranskii, P.I., 1=14439

- E Lyan-Suy. See Violina, G. N., 4=26220
- Eades, J. See Allaby, J.V., 0=7347
- Eades, J. See Allaby, J.V., 1=5725
- Eades, J. See Allaby, J.V., 2=10126
- Eades, J. See Allaby, J.V., 3=7855
- Eades, R.G., Jenks, G.J. and Bradbury, A. Nuclear resonance magnetic field stabilizer, 1=7160
- Eades, R.G. See Andrew, E.R., 1=6430
- Eades, R.G. See Andrew, E.R., 1=10187
- Eades, R.G. See Andrew, E.R., 1=10197
- Eades, R.G. See Andrew, E.R., 2=10724
- Eades, R.G. See Andrew, E.R., 3=14791
- Eades, R.G. See Andrew, E.R., 3=20683
- Eades, R.G. See Hennel, J.W., 1=14838
- Eager, R. L. and Mahadevappa, D.S. The electric spin resonance spectra of gamma-irradiated thiosulphate, 4=1887
- Eagles, D.M. Optical absorption and recombination radiation in semiconductors due to transitions between hydrogen-like acceptor impurity levels and the conduction band, 1=7635
- Eagles, D.M. The phonon-assisted Auger effect in semiconductors, 1=14412
- Eagles, D.M. Optical absorption in ionic crystals involving small polarons, 3=13162
- Eagles, D.M. See Allen, J.W., 1=7835
- Eaglesfield, C.C. The angular dependence of scattering by nearly polished surfaces. II, 3=21568
- Eaglesfield, C.C. The angular dependence of scattering by nearly polished surfaces. II, 3=21568
- Eaglesfield, C.C. Mode-conversion loss in a sequential confocal lens system, 4=14902
- Eaglesfield, C. C. Backscatter of sound from the sea bottom, 4=23714
- Eakins, G.W. See Daniel, H., 0=7515
- Eakins, G.W. See Schupp, G., 0=17546
- Eakins, R. E. See McAdams, R. E., 4=3615
- Eales, W.T. See Sutton, A.L., 2=23831
- Eames, A.R. See Blake, L.R., 1=16209
- Eanes, E.D. and Ondik, H.M. The structure of lithium dipotassium trimetaphosphate monohydrate, 3=8858
- Eargle, D.H., Jr. and Weissman, S.I. Spin and charge exchange in anions of biphenyl ether, 1=10183
- Eargle, D.H., Jr. See Kaiser, E.T., 4=3906
- Earl, J. See Clark, G.W., 1=7297
- Earl, J.A. Cloud-chamber observations of primary cosmic-ray electrons, 1=8524
- Earl, J.A. Balloon measurement of solar cosmic rays at Fort Churchill, Canada, during July 1959, 2=1749
- Earl, J.A. Cloud-chamber observations of solar cosmic rays
- Earl, J.A. Spark chamber for cosmic-ray demonstrations, 3=22221
- Earle, E.D. See Tanner, N.W., 2=1864
- Earle, E.D. See Tanner, N.W., 2=1865
- Earle, E.D. See Tanner, N.W., 4=15143
- Earle, E.D. See Tanner, N.W., 4=15144
- Earley, K. See Wiggins, C.S., 3=1863
- Earleywine, E. See Currin, C. G., 4=26028
- Earls, J.C. Generation of low-frequency sinusoidal voltages of given phase, amplitude and frequency by means of a two-integrator loop, 2=3156
- Earls, J.C. A bridge method for the measurement of water-wave profiles, 2=17425
- Early, J.M. Semiconductor devices, 2=16734
- Earnshaw, A.W. and Sproson, J.C. Rheological properties of Barytes suspensions, 0=8596
- Earnshaw, K.B. and Benedict, C.M. An ultra-high speed image dissecting camera for photographing strong shock waves, 3=3904
- Earnshaw, K. B. See Boublil, Y., 4=19184
- Earnshaw, K. B. See Nakagawa, Y., 4=18830
- Earwaker, L. G. and Hebbard, D. F. States in N^{14} near the proton threshold, 4=19673
- Earwaker, L.G., Jenkin, J.G. and Titterton, E.W. Half-lives of carbon 10 and neon 19, 2=22754
- Earwaker, L.G., Jenkin, J.G. and Titterton, E.W. The $B^{10}(p,n)C^{10}$ excitation function from threshold to 10.6 MeV, 3=12871
- Earwaker, L. G., Jenkin, J. G. and Titterton, E. W. Energy levels of B^8 , 4=9391
- Earwaker, L.G. See Jenkin, J.G., 3=17463
- Earwaker, L.G. See Jenkin, J.G., 3=17466
- Earwaker, L. G. See Jenkin, J. G., 4=12220
- Eash, D. T. See Smith, M. C., 4=20659
- Easlea, B.R. Proton scattering by copper at 10 MeV, 2=5909
- Easlea, B.R. The dipole state in C^{13} , 2=16318
- Easley, J.W. Radiation effects in semiconductor devices, 2=21183
- Easley, J.W. and Blair, R.R. Fast neutron bombardment of germanium and silicon esaki diodes, 0=18029
- Easley, J.W. and Dooley, J.A. On the neutron bombardment reduction of transistor current gain, 0=11678
- Eason, G. and Shield, R.T. The plastic indentation of a semi-infinite solid by a perfectly rough circular punch, 1=6459
- Eason, G. and Sneddon, I.N. The dynamic stresses produced in elastic bodies by uneven heating, 0=4970
- Eason, H.O. See Ard, W.B., 3=19913
- Eason, H.O., Jr. See Becker, M.C., 3=12209
- Eason, R.G. See White, C.T., 2=7075
- East, L.V. and Roys, P.A. Decade scaler for college laboratory use, 1=7009
- East, L.V. and Roys, P.A. Classical approach to Mott scattering, 1=15698
- East, L.V. and Parker, W.E. Simple logarithmic d.c. amplifier, 0=19584
- East, L.V. See Parker, W.E., 1=2828
- Eastabrook, J. See Brown, A. R. G., 4=23295
- Easterday, H.T. and Smith, R.L. Balanced ion chamber measurement of half-lives of several radioisotopes, 1=2199
- Easterling, K.E. High temperature resistance strain gauges, 3=6771
- Easterling, K.E. Alloys for high temperature strain gauges, 3=11747
- Easterling, V.J. and Bohm, H.V. Magnetoacoustic measurements in silver at 230 Mc/s and 4.2°K, 2=3834
- Easterling, V.J. See Bohm, H.V., 3=2759
- Eastman, D.P. See Rank, D.H., 0=155
- Eastman, D.P. See Rank, D.H., 0=5926
- Eastman, D.P. See Rank, D.H., 0=5928
- Eastman, D.P. See Rank, D.H., 0=7756
- Eastman, D.P. See Rank, D.H., 0=14819
- Eastman, D.P. See Rank, D.H., 0=15726
- Eastman, D.P. See Rank, D.H., 0=15727
- Eastman, D.P. See Rank, D.H., 0=17710
- Eastman, D.P. See Rank, D.H., 0=17745
- Eastman, D.P. See Rank, D.H., 0=17751
- Eastman, D.P. See Rank, D.H., 1=842
- Eastman, D.P. See Rank, D.H., 1=12985
- Eastman, D.P. See Rank, D.H., 2=3728
- Eastman, D.P. See Rank, D.H., 3=7244
- Eastman, J.W., Androes, G.M. and Calvin, M. Electron spin resonance absorption and other properties of some solid hydrocarbon-quinone complexes, 2=8669
- Eastman, P.C. and Datars, W.R. Thermal origin of nonohmic magnetoresistance effects in semimetals, 3=8512
- Eastman, P.C. and Datars, W.R. Film boiling in liquid helium, 3=21643
- Eastman, P.C. See Datars, W.R., 2=12524
- Eastman, P.C. See Datars, W.R., 3=13308
- Eastman, P.C. See Lerner, L.S., 4=4138
- Eastman, P.C. See Sodha, M.S., 0=13584
- Eastman, P.C. See Sodha, M.S., 0=20884
- Eastmond, E. J. See Bassett, I. G., 4=21246
- Easton, D.S. See Kneip, G.D., Jr. 2=11563
- Easton, W.B. See Glang, R., 1=6149
- Eastwood, E., Isted, G.A. and Bell, J.D. Radar echoes from the aurora at 1300 Mc/s, 1=6632
- Eastwood, H.K. See Cameron, J.A., 2=18242
- Eastwood, H.K. See King, H.J., 1=5820
- Eastwood, T.A. Specific-activity nomograms, 1=13666
- Eastwood, T.A., Brown, F. and Werner, R. D. The gamma branching ratio of Kr^{85} , 4=12149
- Eastwood, T. A., Matyas, E. and Hnatowich, D. J. Correction factors for neutron flux measurements with cadmium-covered cobalt wires, 4=3760
- Eastwood, T.A. and Werner, R.D. The thermal neutron capture cross section and resonance capture integral of protactinium-233, 0=11447
- Eastwood, T.A. and Werner, R.D. Resonance and thermal neutron self-shielding in cobalt foils and wires, 2=20644
- Eastwood, T.A. and Werner, R.D. The cobalt resonance capture integral, 3=22400
- Eastwood, T. A. See Astill, C. J., 4=25330
- Eastwood, T.A. See Beckner, E.H., 1=13798
- Eastwood, T.A. See Browne, C.P., 2=394
- Eastwood, T.A. See Cabell, M.J., 0=7620
- Eastwood, T.A. See Howe, L.M., 2=7871
- Eastwood, T.A. See Millar, C.H., 0=426
- Eastwood, W.S. The design of caesium sources for teletherapy, 0=8436

- Easwaran, K. R. K. See Raghavendra Rao, C., 4=10550
- Eather, R. H. The cold cathode arc, 3=4081
- Eather, R. H. The silent and hissing d.c. electric arc, 3=16918
- Eaton, D. R. Infrared temperature and line strength measurements on carbon monoxide excited in a radio-frequency discharge, 0=5923
- Eaton, D. R. Line strength measurements in vibration bands of deuterium cyanide, 0=9797
- Eaton, D. R., Josey, A. D., Phillips, W. D. and Benson, R. E. Spin-density distributions in conjugated ligands of paramagnetic chelates from n.m.r. contact interaction shifts, 2=18466
- Eaton, D. R., Josey, A. D., Phillips, W. D. and Benson, R. E. Proton spin-spin coupling constants from the n.m.r. spectra of paramagnetic molecules, 4=6649
- Eaton, D. R. and Thompson, H. W. Pressure broadening studies in vibration-rotation bands. I. The determination of line widths, 0=9795
- Eaton, D. R. and Thompson, H. W. Pressure broadening studies on vibration-rotation bands. II. The effective collision diameters, 0=9796
- Eaton, G. H. See Homer, R. J., 2=9844
- Eaton, G. H. See Jarvis, O. N., 4=11993
- Eaton, G. H. See Jarvis, O. N., 4=19510
- Eaton, G. H. See McFarlane, W. K., 3=17276
- Eaton, G. K., King, R. E. J., Morten, F. D., Partridge, A. T. and Smith, J. G. Surface conductance on p-type InSb at 77°K, 3=2917
- Eaton, J. R. and Long, R. L. An electrical analogy of nuclear reactor neutron flux, 2=5996
- Eaton, J. R. P. and Walker, J. The response of $^6\text{Li}(\text{Eu})$ to neutrons as a function of temperature, 4=9225
- Eaton, W. See Cohen, J., 0=8724
- Eatwell, A. J. and Smith, B. L. Density and expansivity of solid xenon, 1=9982
- Ebara, Y. See Terada, J., 3=529
- Ebashi, S. The role of "relaxation factor" in contraction-relaxation cycle of muscle, 2=7049
- Ebata, T. Isobar production in boson-nucleon collision, 4=19499
- Ebata, T. and Takahashi, A. Application of the dispersion relation to the K^+-p scattering, 2=12001
- Ebata, T. See Azuma, M., 1=13505
- Ebata, T. See Itabashi, K., 3=7895
- Ebata, T. See Itabashi, K., 4=3447
- Ebben, G. J. and Lawson, G. J. Electron microscopy of tin plate alloy layers, 3=18426
- Ebbing, D. D. Configuration interaction study of the lithium hydride molecule, 2=8116
- Ebdon, R. A. Evidence of the permanency of the tropical stratospheric wind fluctuation, 3=13666
- Ebel, G. See Hohler, G., 3=2306
- Ebel, G. See Hohler, G., 4=6112
- Ebel, H. A method of measuring rapidly changing temperatures, 2=9436
- Ebel, H. High temperature chamber for X-ray goniometer, 2=17003
- Ebel, H. Effect of sample eccentricity in the measurement of X-ray reflections with a counter-tube goniometer, 3=25692
- Ebel, H. A demonstration experiment of the Curie temperature of ferromagnetic materials, 4=7225
- Ebel, H. Debye-Scherrer method with focusing arrangement, 4=10520
- Ebel, H. Linewidths of X-ray interference lines of thin films, 4=10604
- Ebel, H. Determination of the integral width of an unresolved $K\alpha$ reflection. I, 4=13560
- Ebel, H. Determination of the half-peak width of an unresolved $K\alpha$ reflection. II, 4=13561
- Ebel, H. The determination of lattice constants using X-ray diffractometers with particular reference to high temperature methods, 4=15778
- Ebel, H. The determination of lattice constants with an automatically recording X-ray goniometer, 4=26634
- Ebel, H., Andres, G. and Sturm, F. Experimental determination of the effect of the device in [X-ray] linewidth studies with a counter tube goniometer, 4=24780
- Ebel, H., Heinrich, J. and Wilfert, H. Ordering phenomena in iron-rich Al-Fe alloys, 3=20888
- Ebel, H. and Jax, J. Influence of recorder inertia in X-ray interference measurements with a recording counter goniometer, 3=19394
- Ebel, H. and Stahl, G. Experimental investigation of instrumental effects in lattice constant determinations with a counting tube goniometer, 4=2055
- Ebel, M. E. Causality and the R matrix, 2=5580
- Ebel, M. E. and Ernst, F. J. On the role of the intermediate boson in $\mu \rightarrow e + \gamma$ decay, 0=13008
- Ebel, M. E. and Walker, W. D. Photodissociation of the μ meson, 1=8470
- Ebeling, V. See Klimontovich, Yu. L., 2=22218
- Ebeling, W. Statistical mechanics of irreversible processes in solutions of interacting particles. II, 4=21116
- Ebeling, W. Statistical mechanics of irreversible process in solutions of interacting particles. I, 4=24172
- Ebeling, W. See Falkenhagen, H., 4=492
- Ebeling, W. See Falkenhagen, H., 4=13732
- Ebenstein, R. and Harrand, M. Influence of temperature on the Raman spectrum of glycerin, 1=14043
- Ebeoglu, D. B. See Daitch, P. B., 4=6444
- Eberhagen, A. The alteration of the work function of metals by adsorption of gas, 1=4631
- Eberhagen, A., Jaeckel, R. and Strier, F. Measurement of contact potential variations during gas adsorption at metal surfaces with constant capacity of the measuring condenser, 0=2303
- Eberhagen, A. and Keilhacker, M. Radial- and time-resolved measurements of the emission from neutral hydrogen in ϕ -pinch, 4=18956
- Eberhagen, A. See Delchar, T., 3=9824
- Eberhard, P. and Good, M. L. Method for determining the K^0 spin, 0=20226
- Eberhard, P., Good, M. L. and Ticho, H. K. Separated 1.17-BeV/c K^- meson beam, 0=20234
- Eberhard, P. and Pripstein, M. Technique for eliminating interference effects and biases from overlapping resonances, 3=14931
- Eberhard, P. See Alston, M., 1=3240
- Eberhard, P. See Alston, M., 1=8502
- Eberhard, P. See Alston, M. H., 1=12126
- Eberhard, P. See Berley, D., 2=22633
- Eberhard, P. See Berley, D., 4=9281
- Eberhard, P. See Boldt, E., 4=9276
- Eberhard, P. See Banaigs, J., 0=9656
- Eberhard, P. See Button, J., 0=13067
- Eberhard, P. See Button, J., 1=5727
- Eberhard, P. See Duboc, J., 4=12060
- Eberhard, P. See Fowler, W. B., 1=5788
- Eberhard, P. See Goldzahl, L., 0=344
- Eberhard, P. See Kalbfleisch, G. R., 4=27891
- Eberhard, P. See Lynch, G. R., 3=19634
- Eberhardt, A., Delwiche, R. and Geiss, J. Isotopic effects in single filament thermal ion sources, 4=24749
- Eberhardt, A. See Eberhardt, P., 1=7932
- Eberhardt, M. The breakdown voltage of epoxy resins in an inhomogeneous field, 1=17850
- Eberhardt, N. Possible energy sources of ion oscillations in high and ultrahigh vacuum, 2=7635
- Eberhardt, N. Ion relaxation oscillations in bunched electron currents, 4=14764
- Eberhardt, P. and Eberhardt, A. Ne in some stone meteorites, 1=7982
- Eberhardt, P. and Geiss, J. Comment on the age of the elements, 0=14405
- Eberhardt, P., Geiss, J. and Lutz, H. Neutrons in meteorites, 2=4750
- Eberhardt, P. and Hess, D. C. Helium in stone meteorites, 0=6580
- Eberhardt, W. H., Cheng Wu-chieh and Renner, H. The magnetic rotation spectrum of ICI and IBr, 0=5932
- Eberhardt, W. H. and Renner, H. The magnetic rotation spectrum of singlet-triplet transitions, 1=14038
- Eberhardt, W. H. See Haaland, A., 2=14300
- Eberhart, J. G. See Katorski, A., 1=12267
- Eberhart, J. P. Study of the transformations of muscovite mica on heating between 700 and 1200°C, 4=7501
- Eberhart, J. P. See Nikitine, S., 4=26187
- Eberle, E. Baryon- π -meson couplings and unitary symmetry, 4=24992
- Eberle, E. and Iwao, S. Pole approximation model in hyperon decays and unitary symmetry, 4=3481
- Eberle, E. and Iwao, S. Pole approximation model in τ , τ' and decay and $K-\pi$ direct coupling constant, 4=12058
- Eberle, E. and Iwao, S. Pole approximation model in τ , τ' and η decay and $K-\pi$ direct coupling constant, 4=16968
- Eberle, E., Nagasaki, M. and Sertorio, L. Independent particle model and photonuclear giant resonance, 0=15586
- Eberle, E. See Agodi, A., 1=5880
- Eberle, H. See Stein, R., 2=20211

- Ebersole, S. J. See Shapiro, B. L., 4=9773
- Eberspächer, O. Incorporation of antimony into barium titanate, BaTiO_3 , 2=15034
- Eberspacher, O. X-ray study of depth-dependent concentration gradient, 2=21504
- Ebert, F. Displacement of the centre of gravity of X-ray reflections from the equatorial measuring plane as a source of error in the accurate measurement of lattice constants, 2=17010
- Ebert, G. Dielectric relaxation and resonance phenomena of water molecules sorbed on $\gamma\text{-Al}_2\text{O}_3$, 3=22975
- Ebert, H. and Albrand, K. R. The applicability of gas flows in the molecular range, 4=8265
- Ebert, H. G. On measurements of dose build-up factors for radiation protection purposes, 1=9818
- Ebert, H. G. See Booz, J., 2=7560
- Ebert, H. G. See Booz, J., 2=15886
- Ebert, H. G. See Booz, J., 4=5566
- Ebert, H. G. See Lenkeit, S., 4=24252
- Ebert, I. Electron paramagnetic resonance in silver halides containing bivalent anions, 0=11949
- Ebert, I. Electron paramagnetic resonance of silver halides containing bivalent anions, 1=9057
- Ebert, I. and Seifert, G. The effect on the spin-lattice relaxation time in ionic crystals of the nuclear quadrupole interaction, 1=3948
- Ebert, M. and Šedivý, J. The crystallographic basic parameters of normal thallium phosphide Tl_2HPO_3 , 1=20566
- Ebert, M. and Šedivý, J. Determination of the unit cell of lithium di-hydrogen phosphite LiH_2PO_3 , 4=7625
- Ebert, W. Demonstration and effects of the electron pressure in the positive column of a low pressure discharge, 3=21748
- Eberth, E. and Oldekop, W. Exact two-group diffusion theory of a finite heterogeneous "sandwich" reactor, 2=10177
- Ebhardt, R., Hofmeister, E. and Groschwitz, E. Effect of surface currents of the characteristics of formed point-contact rectifiers, 1=11319
- Ebhardt, R. See Groschwitz, E., 0=2883
- Ebhardt, R. See Groschwitz, E., 1=3745
- Ebina, A. See Shionoya, S., 4=28713
- Ebina, Y. Temperature dependence of the spontaneous magnetization in holmium nitride, 3=13245
- Ebina, Y. Energy diagrams of Dy^{+3} , Er^{+3} and Yb^{+3} ions in cubic potentials and exchange field, 4=6696
- Ebina, Y. and Tsuya, N. Electronic structures of rare-earth ions in both cubical crystalline field and external magnetic field. II. Dy^{+3} and Er^{+3} , 3=8377
- Ebina, Y. and Tsuya, N. Electronic structures of rare-earth ions in both cubical crystalline field and external magnetic field. III. Ho^{+3} , 3=8378
- Ebina, Y. and Tsuya, N. Electronic structures of rare-earth ions in both cubical crystalline field and external magnetic field. IV. Yb^{+3} , 3=8379
- Fbina, Y. and Tsuya, N. Energy diagrams of Ho^{+3} , Tb^{+3} and Tm^{+3} ions in cubic potentials and exchange field, 4=6695
- Ebina, Y. See Tsuya, N., 2=3861
- Ebina, Y. See Tsuya, N., 3=13292
- Ebina, Y. See Tsuya, N., 4=13219
- Ebisuzaki, R. See Jarman, W. R., 0=7776
- Ebisuzaki, Y. Preparation of monocrystalline cuprous oxide, 1=15016
- Ebisuzaki, Y. See O'Keeffe, M., 3=22735
- Ebsworth, E. A. V., Frankiss, S. and Roblette, A. G. Proton resonance spectra of some derivatives of monogermene, 4=17315
- Ebsworth, E. A. V. and Turner, J. J. Nuclear magnetic resonance spectra of silicon hydrides and derivatives. I. Coupling constants involving hydrogen, 2=14330
- Ebsworth, E. A. V. and Turner, J. J. N.M.R. spectra of silicon hydride derivatives. II. Chemical shifts in some simple derivatives, 3=22603
- Ebsworth, E. A. V. and Turner, J. J. The n. m. r. spectra of silicon hydrides and derivatives. IV. Disilane and trisilane, 4=16129
- Eby, J. E., Teegarden, K. J. and Dutton, D. B. Ultraviolet absorption of alkali halides, 0=2937
- Eby, R. K. Thermal generation of vacancies and substitutional sites in crystalline polymers, 2=14430
- Eby, R. K. Empirical relations of thermodynamic "constants" to the activation parameters of polymer relaxations, 3=6780
- Eby, R. K. First-order transition temperatures in crystalline polymers, 3=23495
- Eby, R. K. Determination of the propagation constants for ultrasonic waves in melting and molten polyethylene, 4=27175
- Eby, R. K. Diffusion in a polymer with lamellar morphology, polyethylene, 4=28481
- Eby, R. K. and Sinnott, K. M. Transitions and relaxations in polytetrafluoroethylene, 1=12563
- Eby, R. K. and Williams, A. O. Acoustic propagation in a two-layered model—transverse waves in bottom, 1=16024
- Eby, R. K., Williams, A. O., Jr., Ryan, R. P. and Tamarkin, P. Study of acoustic propagation in a two-layered model, 0=2196
- Eby, R. K. and Wilson, F. C. Relaxations in copolymers of tetrafluoroethylene and hexafluoropropylene, 2=23903
- Eby, R. K. See Brown, R. G., 4=15809
- Eby, R. K. See Williams, A. O., Jr., 2=13409
- Eccles, D. See King, J. W., 4=29331
- Eccles, P. J. Singly-scattered delayed electrons in extensive cosmic-ray air showers, 1=576
- Eccles, P. J. See Linsley, J., 2=13930
- Eccles, S. F. Gamma ray spectroscopy of ^{176}Cd , ^{106}Pd and ^{111}Pd , 2=19072
- Eccles, S. F. See Lutz, H. F., 4=9351
- Eccleshall, D., Hinds, B. M. and Yates, M. J. L. Coulomb excitation of Pd^{108} , Pd^{110} , Ru^{102} and Ru^{104} using oxygen ions, 2=12140
- Eccleshall, D., Hinds, B. M., Yates, M. J. L. and Macdonald, N. Coulomb excitation of collective states in medium mass nuclei using 45 MeV oxygen ions, 2=22740
- Eccleshall, D. and Yates, M. J. L. The 0^+ , $T = 1$ level in ^{18}F , 1=5841
- Eccleshall, D. See Adams, B. M., 2=1818
- Eccleshall, D. See Allen, K. W., 0=5669
- Eccleshall, D. See Bygrave, W., 4=19689
- Eccleshall, D. See Douglas, A. C., 4=22029
- Eccleshall, D. See Litherland, A. E., 3=17402
- Eccleshall, D. See Yates, M. J. L., 2=1819
- Eccleston, B. H., See Whisman, M. L., 2=21604
- Echard, R. See Cagnard, R., 4=767
- Echard, R. See der Agobian, R., 4=12383
- Echard, R. See der Agobian, R., 4=21681
- Echard, R. See Der Agobian, R., 4=28130
- Echard, R. See Der Agobian, R., 4=28131
- Echard, R. See Otto, J. L., 4=16696
- Eck, R. E., Scalapino, D. J. and Taylor, B. N. Self-detection of the a.c. Josephson current, 4=29837
- Eck, T. G., Foldy, L. L. and Weider, H. Observation of "anti-crossings" in optical resonance fluorescence, 3=17526
- Eck, T. G. See Gordon, W. L., 1=17456
- Eck, T. G. See Joseph, A. S., 1=19737
- Eck, T. G. See Stark, R. W., 2=14409
- Eck, T. G. See Stark, R. W., 4=6795
- Eckard, J. D. See Profio, A. E., 4=25113
- Eckardt, A. and Burger, E. A simple measuring procedure for determining the energy limits of bremsstrahlung in the presence of strong electromagnetic disturbing fields, 1=5523
- Eckardt, A., Dietel, W. and Prager, R. A source of nanosecond current and light pulses, 4=18652
- Eckardt, A., Görlich, P., Pohl, H. J. and Prager, R. Dependence of time and amplitude properties of a new millimicrosecond-photomultiplier upon the operating parameters, 2=22254
- Eckardt, A., Götz, G., Mittenbacher, J. and Prager, R. Ripple measurements on a cascade generator by means of (p, γ) reactions, 4=3064
- Eckardt, A. and Heinecke, V. Change of the spectral yield curve of counter-tube cathodes during operation, 0=9229
- Eckardt, A. and Kashchik, K. Measurements with halogen-quenched counter tubes, 3=24536
- Eckardt, A. and Prager, R. Time-behaviour of the short-time photo-multiplier K 14 FS 50, 4=8817
- Eckardt, J. Investigations on thin nickel-iron-molybdenum films, 2=12781
- Eckardt, J. Magnetic hysteresis of thin nickel-iron films, 4=26323
- Eckardt, J. and Zehler, V. Combined measurement of the thickness and the saturation magnetization of thin films, 4=3084
- Eckart, C. Variation principles of hydrodynamics, 0=10636
- Eckart, C. Internal waves in the ocean, 1=12686
- Eckart, C. Some transformations of the hydrodynamic equations, 3=21293
- Eckart, C. Extension of Howard's circle theorem to adiabatic jets, 3=21294
- Eckart, D. W. See Kohn, J. A., 0=6356
- Eckart, D. W. See Kohn, J. A., 3=23458
- Eckart, D. W. See Kohn, J. A., 4=13581
- Eckart, F. Conductivity behaviour of polycrystalline selenium, 2=626

- Eckart, F. Effect of oxygen on the behaviour of the conductivity of polycrystalline selenium, 2=8278
- Eckart, F. The (electrical) conductivity of polycrystalline selenium, 2=8373
- Eckart, F. The influence of oxygen upon the conductivity ratio of polycrystalline selenium, 3=17893
- Eckart, F. and Henrion, W. Optical investigations on hexagonal selenium single crystals, 2=16801
- Eckart, F. and Henrion, W. Etch studies on hexagonal selenium single crystals, 3=23385
- Eckart, F. and Henrion, W. Optical studies of the absorption edge of hexagonal selenium single crystals, 4=10190
- Eckart, F. and Henrion, W. Optical transmittance of hexagonal selenium single crystals in the wavelength range 1.5-4.0 μ , 4=10191
- Eckart, F. and Jungk, G. Hall effect and conductivity of evaporated germanium films, 1=3748
- Eckart, F. and Jungk, G. Hall effect and conductivity of thin germanium layers, 2=21140
- Eckart, F. and Lemke, H. On the crucible-free preparation of silicon single crystals, 3=18275
- Eckart, F. and Ludwig, W. Dielectric relaxation phenomena in highly purified selenium, 2=6516
- Eckart, F. and Ludwig, W. Dielectric relaxation phenomena in highly purified selenium, 2=12559
- Eckart, F. and Schulz, H. Contact potential measurements on CdS single crystals, 1=15180
- Eckart, F. and Schulz, H. Measurements of contact potential on single crystals of CdS, 2=12526
- Eckart, F. and Tetsch, H. Field-effect measurements on single crystals of CdS, 1=17799
- Eckart, F. and Tetsch, H. Field-effect measurements on single crystals of CdS, 2=12542
- Eckart, F. and Vogel, C. H. Influence of chlorine doping on the crystallization behaviour of amorphous selenium, 4=2033
- Eckart, F. See Asche, M., 2=648
- Eckart, F. See Asche, M., 2=649
- Eckart, F. See Ludwig, W., 1=10073
- Eckelmann, W. R., Broecker, W. S. and Kulp, J. L. Half-life of Pb^{210} , 0=9553
- Eckelmann, W. R. See Nier, A. O., 3=1407
- Eckels, A. See O'Keefe, J. A., 0=6627
- Eckener, U. See Dengel, O., 4=22775
- Ecker, G. Enhanced interaction in the positive column, 1=2964
- Ecker, G. Electrode components of the arc discharge, 1=5434
- Ecker, G. Theory of a column without self-propagation power in a magnetic field, 3=4035
- Ecker, G. Theory of the fully ionized plasma column with external particle production, 3=9768
- Ecker, G. and Hölling, J. Limits of collective description and their consequences for Landau damping, 3=7618
- Ecker, G. and Kanne, H. Hall-effect in a cylindrical plasma column, 4=18825
- Ecker, G. and Kröll, W. Lowering of the ionization energy for a plasma in thermodynamical equilibrium, 3=7604
- Ecker, G. and Kröll, W. Lowering of the ionization energy for a plasma with different temperatures of the particle components, 4=11574
- Ecker, G., Kröll, W. and Zöller, O. Thermal instability of the plasma column, 4=11672
- Ecker, G., Kröll, W. and Zöller, O. Thermal instability of the plasma column, 4=14725
- Ecker, G., Kröll, W. and Zöller, O. Thermally inhomogeneous plasma column, 4=18811
- Ecker, G. and McClure, J. J. On the "stability" of the plasma boundary layer, 2=22214
- Ecker, G., Masterson, K. S. and McClure, J. J. The influence of diffusion loss on probe measurements in plasma, 3=7573
- Ecker, G. and Müller, K. G. Electron emission from the arc cathode under the influence of the individual field component, 0=262
- Ecker, G. and Voslamber, D. The cut-off parameter, 1=15735
- Ecker, G. and Müller, K. C. Run-aways in neutral gas, 1=7022
- Ecker, G. See Albrecht, G., 3=1951
- Ecker, G. See Albrecht, G., 3=1971
- Ecker, G. See Albrecht, G., 3=7495
- Ecker, G. See Albrecht, G., 4=473
- Ecker, J., Le Peintre, M. and Poulain, P. Measurement of the maximum temperature of a hydrocarbon-air flame by suppression of the fuel, 2=2915
- Ecker, V. G., Kröll, W. and Zöller, O. Error evaluation for measurements with a magnetic probe, 3=9804
- Eckler, K. L. See Berg, H. F., 4=15284
- Eckert, P. See Stegherr, A., 1=10269
- Eckert, A. C. and Shrader, E. F. Nuclear resonant absorption of gamma rays by Ca^{40} , 2=352
- Eckert, C. A. and Prausnitz, J. M. On the vapor-liquid equilibrium for the helium-hydrogen system, 3=24112
- Eckert, E. R. G., Hartnett, J. P., Irvine, T. F. Jr. and Sparrow, E. M. Heat transfer, 0=12507
- Eckert, E. R. G., Hartnett, J. P., Irvine, T. F., Jr. and Sparrow, E. M. A review of heat transfer literature 1959, 0=16906
- Eckert, E. R. G., Irvine, T. F., Jr., Sparrow, E. M. and Ibele, W. E. Heat transfer, a review of current literature, 2=7424
- Eckert, E. R. G., Irvine, T. F. Jr., Sparrow, E. M. and Ibele, W. E. Heat transfer, a review of current literature, 3=275
- Eckert, E. R. G., Schoeck, P. A. and Winter, E. R. F. Thermal investigation of a high intensity electric arc with a porous transpiration-cooled anode, 2=15904
- Eckert, E. R. G. and Sparrow, E. M. Radiative heat exchange between surfaces with specular reflection, 2=5211
- Eckert, E. R. G., Sparrow, E. M., Ibele, W. E. and Goldstein, R. J. Heat transfer bibliography, 3=7364
- Eckert, E. R. G., Sparrow, E. M., Ibele, W. E. and Goldstein, R. J. Heat transfer bibliography, 3=11971
- Eckert, E. R. G., Sparrow, E. M., Ibele, W. E. and Goldstein, R. J. Heat transfer: A review of current literature, 3=24071
- Eckert, E. R. G., Sparrow, E. M., Ibele, W. E. and Goldstein, R. J. Heat transfer bibliography, 4=2860
- Eckert, E. R. G., Sparrow, E. M., Ibele, W. E. and Goldstein, R. J. Heat transfer bibliography, 4=11381
- Eckert, E. R. G., Sparrow, E. M., Ibele, W. E. and Goldstein, R. J. Heat transfer, a review of current literature, 4=29780
- Eckert, E. R. G., Sparrow, E. M., Ibele, W. E. and Goldstein, R. J. Heat transfer bibliography, 4=29781
- Eckert, E. R. G. See Schoeck, P., 3=7483
- Eckert, E. R. G. See Simon, H. A., 3=21589
- Eckert, E. R. G. See Sparrow, E. M., 3=273
- Eckert, H. U. Diffusion theory of the electrodeless ring discharge, 2=19916
- Eckert, H. U. Transition from free to ambipolar diffusion in an electrodeless discharge, 3=5636
- Eckert, H. U. Formation and decay times of diffusion controlled electrodeless ring discharges, 4=18698
- Eckert, K. See Wilkins, M., 4=22596
- Eckertová, L. and Mašek, K. Time dependence of the field-emission current from a tungsten point, 0=3783
- Eckertová, L. See Hájek, Z., 2=15944
- Eckertová, L. See Partlová, M., 0=5338
- Eckertová, L. See Schürer, P., 0=5059
- Eckhardt, D., Lerner, K. and Madden, T. Long-period magnetic fluctuations and mantle electrical conductivity estimates, 4=13771
- Eckhardt, D. H. Geomagnetic induction in a concentrically stratified earth, 4=13770
- Eckhardt, G. Precipitates in gallium arsenide single crystals, 2=12428
- Eckhardt, G., Bortfeld, D. P. and Geller, M. Stimulated emission of Stokes and anti-Stokes Raman lines from diamond, calcite, and α -sulfur single crystals, 4=7105
- Eckhardt, G., Hellwarth, R. W., McChung, F. J., Schwarz, S. E., Weiner, D. and Woodbury, E. J. Stimulated Raman scattering from organic liquids, 3=5445
- Eckhardt, G. See Bortfeld, D. P., 4=20094
- Eckhardt, W. Spectral investigations in the region near 1 mm wavelengths. V. A comparative measure for optico-spectroscopic systems, 0=19420
- Eckhardt, W. Spectral investigations in the region 1 mm wavelength. VI. The construction of a pulse mass radiator and its properties as a spectroscopic radiation source, 0=19421
- Eckhardt, D. Effect of a transverse magnetic field on magnetic surfaces in a Stellarator with helical windings, 4=19066
- Eckhardt, D. See D'Angelo, N., 4=11660
- Eckhaus, W. Non linear problems of stability in a space of two dimensions. I. Periodic solutions, 3=23834
- Eckhaus, W. Nonlinear problems in the theory of [hydrodynamic] stability, 2=21877
- Eckhause, M., Filippas, T. A., Sutton, R. B. and Welsh, R. E. Measurements of negative-muon lifetimes in light isotopes, 4=1096
- Eckhause, M., Filippas, T. A., Sutton, R. B., Welsh, R. E. and Romanowski, T. A. Experimental tests of the Fermi-Teller "Z-law", 2=13837
- Eckling, R. See Chiltz, G., 3=11356
- Ecklund, E. T. See Burck, B. F., 1=18011

- Eckman, B. See Brueschke, E.E., 3=25647
- Eckman, P.K. and Williams, E.M. Plasma dynamics in an arc formed by low-voltage sparkover of a liquid dielectric, 1=16292
- Eckstein, B.H. and Forman, R. Preparation and some properties of tantalum carbide, 2=2448
- Eckstein, J., Holas, M., Jindra, J., Uchytlova, A. and Wachtl, Z. On the yellow colouring of lithium fluoride crystals, 1=9120
- Eckstein, J., Kuhn, A., Jindra, J. and Holas, M. Some physical properties of large CdS single crystals, 3=17704
- Eckstein, M.C. An investigation of the discrepancy of values of the astronomical unit, 3=16312
- Eckstein, S.G. Negative pion capture in helium, 3=4476
- Eckstein, S.G. Resonant amplification of sound by conduction electrons, 3=20093
- Eckstein, S.G. Acoustoelectric effect, 4=28516
- Eckstein, S.G. Nonextremal orbits in magnetoacoustic geometric resonances, 4=25847
- Eckstein, S.G. and Pratt, R.H. Radiative muon decay, 0=5576
- Eckstein, S.G. See Eckstein, Y., 4=25846
- Eckstein, Y. Ultrasonic attenuation in antimony. I. Geometric resonance, 3=4817
- Eckstein, Y., Ketterson, J.B. and Eckstein, S.G. Observation of magnetoacoustic geometric resonances for magnetic field at arbitrary direction, 4=25846
- Eckstein, Y., Lawson, A.W. and Reneker, D. Elastic constants of bismuth, 0=16199
- Eckstein, Y. See Ketterson, J., 4=6945
- Ecollan, J., Hieblot, J. and Rocard, Y. Contribution to the study of silent zones and to the distant focusing of sound, 0=14303
- Ecollan, J. and Rocard, Y. Electromagnetic signal of subterranean explosions, 3=11380
- Economou, N.A. Dielectric loss of potassium chloride, 4=28619
- Economou, N.A. and Sastry, P.V. High-temperature dielectric constant of NaCl and KBr, 4=26106
- Economou, N.A. See Heller, W., 1=5360
- Economou, N.A. See Pangonis, W.J., 1=5359
- Economy, J. See Matkovich, V.I., 4=26640
- Edagawa, H., Ishikawa, H., Motria, Y. and Inuishi, Y. γ -ray irradiation effect on thermally oxidized Si p-n junction, 3=4930
- Edagawa, H., Morita, Y. and Inuishi, Y. Al redistribution in thermally oxidized Si surface, 3=17866
- Edagawa, H., Morita, Y. and Inuishi, Y. Optical absorption of thermally oxidized silicon oxide film, 3=13189
- Edagawa, H., Morita, Y., Maekawa, S. and Inuishi, Y. Slow decay of reverse current and noise in field effect on Ge p⁺-n junction, 1=17776
- Edagawa, H., Morita, Y., Maekawa, S. and Inuishi, Y. N-type conversion of thermally oxidized Si surface, 2=21164
- Edagawa, H., Morita, Y., Maekawa, S. and Inuishi, Y. Growth and structure of Si oxide films on Si surface, 4=7564
- Edagawa, H., Morita, Y., Maekawa, S. and Inuishi, Y. The quantitative evaluation of n-type conversion of thermally oxidized Si surface, 4=12911
- Edagawa, H., Shibaika, T., Mobita, Y., Matsumoto, F. and Inuishi, Y. Surface field effect on the breakdown of Ge grain boundary, 4=4155
- Edagawa, H. See Komatsubara, K., 1=14485
- Edakova, V.A., Neudachin, V.G. and Romanovskii, E.A. The possibility of appearance of second-order processes in inelastic scattering of deuterons by nuclei, 0=13242
- Eddy, C.R. Computation of the spatial locations of atoms of a chain molecule undergoing intramolecular rotations, 3=12885
- Eddy, D.S. See Bockemuehl, R.R., 1=10059
- Eddy, D.S. See Bockemuehl, R.R., 3=13052
- Eddy, J.A., House, L.L. and Zirin, H. Oscillation strength for the $3s3p^2\ ^2S-3s^23p^2\ ^2P$ transition in Al I, 1=2287
- Eddy, J.A. See Newkirk, G.A., 2=15195
- Eddy, J.A. See Newkirk, G., Jr., 4=17921
- Eddy, N. See Jones, P.R., 4=24588
- Edeleanu, C. and Forty, A.J. Some observations on the stress-corrosion cracking of α -brass and similar alloys, 0=21148
- Edeleanu, C. and Gibson, J.G. Influence of crystal structure on corrosion, 3=6919
- Edeleanu, C. and Law, T.J. Fracture of oxide films on strained aluminium, 2=23784
- Edeleanu, C. See Bassett, G.A., 0=21173
- Edeleanu, C. See Bassett, G.A., 1=2520
- Edelen, D.G.B. Extended functional variation. I. Invariance transformations, 2=21783
- Edelen, D.G.B. Extended functional variation. II. On the Lagrangian class admitting a given invariance collection, 2=21784
- Edelen, D.G.B. On the foundations of relativistic energy mechanics, 4=2543
- Edelen, D.G.B. Relativistic surface dynamics of an isolated world tube of perfect fluid, 4=2546
- Edelen, D.G.B. Material momentum-energy tensors and the calculus of variations, 4=18026
- Edelman, F.H. See Kriessman, C.J., 0=3055
- Edelman, G.M. See Eisenberg, L., 3=5605
- Edelman, S. See Jones, E., 1=18500
- Edelman, S. See Jones, E., 2=9348
- Edelman, S. See Schmidt, V.A., 1=9454
- Edelman, S. See Schmidt, V.A., 2=9331
- Edel'man, V.S. See Khaikin, M.S., 3=17697
- Edel'man, V.S. See Khaikin, M.S., 4=4029
- Edel'man, V.S. See Khaikin, M.S., 4=9927
- Edel'mann, V.S. and Khaikin, M.S. Standing magnetoplasma waves in Bismuth connected with hybrid resonance, 4=6811
- Edels, H. and Craggs, J.D. The coefficients of thermal and electrical conductivity in high-temperature gases, 4=236
- Edels, H. and Gambling, W.A. Excitation temperature measurements in glow and arc discharges in hydrogen, 0=2348
- Edels, H., Halder, A.K., Shaw, A.B. and Whittaker, D. Convection-free post-arc gap recovery, 2=9552
- Edels, H., Shaw, A.B. and Whittaker, D. Arc reignition with gas flow, 3=4080
- Edels, H. See Allan, J.W.S., 2=174
- Edels, H. See Ettinger, Y., 0=3727
- Edels, H. See Hearne, K.R., 4=18705
- Edel'shtein, V.M. See Chizhikov, D.M., 0=13942
- Edelson, D., Griffiths, J.E. and McAfee, K.B., Jr. Audodetachment of electrons in sulfur hexafluoride, 2=22178
- Edelson, D. and McAfee, K.B., Jr. Improved pulsed Townsend discharge experiment, 4=8615
- Edelson, D., Morrison, J.A. and McAfee, K.B., Jr. Ion distributions in a pulsed Townsend discharge, 4=24604
- Edelson, D. See McAfee, K.B., 4=11535
- Edelson, D. See McAfee, K.B., Jr., 3=16905
- Edelson, D. See Morrison, J.A., 2=11625
- Edelson, E. See Korneff, T., 4=18350
- Edelson, S. Calculations of a slowly varying component at 4.3 mm, 2=13172
- Edelstein, A.S. Linear Ising models and the antiferromagnetic behavior of certain crystalline organic free radicals, 4=10295
- Edelstein, A.S. and Mandel, M. Antiferromagnetic to ferromagnetic transitions in organic free radicals, 1=17564
- Edelstein, A.S. See Burgess, J.H., 2=12738
- Edelstein, A.S. See Rhodes, R.S., 1=11483
- Edelstein, L.A. On the one centre expansion of scattered distorted spherical and hyperspherical waves, 3=3758
- Edelstein, L.A. On the one-region two-centre expansions of a generalised Coulomb field in spherical polar and parabolic coordinates, 4=19515
- Edelstein, N., Kwok, A. and Maki, A.H. Effects of hydrostatic pressure on linewidths of free radicals in solution. I. Anisotropic region, 4=24242
- Edelstein, R.M., Baker, W.F. and Rainwater, J. π^- scattering from complex nuclei, 1=7394
- Edelstein, R.M. See Maier, E., 1=9871
- Edelstein, R.M. See Maier, E.J., 4=9545
- Eden, C. A circulation pump for vacuum systems, 4=27232
- Eden, D.D. and Thiess, G.H. Measurement of the direct electro-optic effect in quartz at u.h.f., 4=1743
- Eden, G.E. and Melbourne, K.V. Radioactive tracers for measuring the periods of retention in percolating filters, 1=15831
- Eden, H.F. and Richardson, E.G. The propagation of ultrasonics in organic liquids under pressure. Variation of specific heat ratio and viscosity with pressure, 1=15873
- Eden, M. See Noble, F.W., 0=4839
- Eden, R.C. and Coleman, P.D. Proposal for microwave modulation of light employing the shift of optical absorption edge with applied electric field, 4=16198
- Eden, R.J. Analytic structure of collision amplitudes in perturbation theory, 0=15295
- Eden, R.J. Nuclear models, 0=20316
- Eden, R.J. Problem of proving the Mandelstam representation, 1=448
- Eden, R.J. Proof of the Mandelstam representation in perturbation theory, 1=449

- Eden, R.J. Proof of the Mandelstam representation for every order in perturbation theory, 1=5680
- Eden, R.J. Legendre transforms and Khuri representations of scattering amplitudes, 4=3339
- Eden, R.J. Legendre transforms of scattering amplitudes and a crossing-symmetric representation, 4=11936
- Eden, R.J. and Emery, V.J. The binding energies of atomic nuclei. I. Introduction and general method, 0=1351
- Eden, R.J., Emery, V.J. and Sampanthar, S. The binding energies of atomic nuclei. III. Nuclear forces and the ground state of oxygen 16, 0=9512
- Eden, R.J., Emery, V.J. and Sampanthar, S. The binding energies of atomic nuclei. II. Self-consistency and the definition of the t -matrix, 0=9511
- Eden, R.J. and Goldstone, J. Dispersion theory and the nuclear many-body problem, 4=9343
- Eden, R.J., Landshoff, P.V., Polkinghorne, J.C. and Taylor, J.C. Mandelstam representation with anomalous thresholds, 1=7213
- Eden, R.J., Landshoff, P.V., Polkinghorne, J.C. and Taylor, J.C. Acnodes and cusps on Landau curves, 1=16696
- Eden, R.J. and Taylor, J.R. Resonance multiplets and broken symmetry, 4=9078
- Eden, R.J. and Taylor, J.R. Poles and shadow poles in the many-channel S matrix, 4=11943
- Eden, R.J. See Challifour, J., 3=10044
- Eden, R.J. See Challifour, J., 3=12412
- Eden, R.J. See Challifour, J.L., 3=10050
- Eder, F.X. Measurement of thermal conductivity of solids at low temperatures with the aid of temperature waves, 1=18641
- Eder, F.X. and Dänert, U. Electro-dynamic extensometer with electrical registration, 0=8097
- Eder, F.X. and Haefner, H. An electromagnetic torsion apparatus for the measurement of internal attenuation in metals, 0=11970
- Eder, F.X. and Haefner, H. The internal friction of iron-carbon-nitrogen alloys and of Al-1% Mg alloy, 2=4312
- Eder, F.X. and Meyer, V. Tensile properties of Cu whiskers, 0=18254
- Eder, F.X. See Herrendörfer, G., 1=9077
- Eder, G. The sigma-neutron interaction, 0=15452
- Eder, G. The two meson approximation for the real nucleon, 1=5719
- Eder, G. Two-pion force and three-pion system, 2=20397
- Eder, G. Pion-Lambda scattering, 3=17320
- Eder, G. See Baumann, K., 2=1047
- Eder, G. See Weinzierl, P., 4=17105
- Eder, H. I. Investigation of the super linear luminescence yield of ZnCdS phosphors and its dependence on excitation intensity and temperature, 2=6624
- Eder, H. Determination of the trapping centre concentration, binding energies, and recombination constants from the luminescence efficiency of ZnCdS phosphors, 2=23607
- Ederer, D. L. and Tomboulia, D. H. The performance of a Geiger-Mueller counter in the 100-300 Å region, 4=30205
- Ederer, D. L. and Tomboulia, D. H. Photoionization cross section of neon in the 80 to 600 Å region, 4=12390
- Edeskuty, F.J. See Hammel, E.F., 0=8873
- Edeskuty, F.J. See Sherman, R.H., 0=10821
- Edge, C. K. See Pipkorn, D. N., 4=28327
- Edge, D. O., Shakeshaft, J. R., McAdam, W. B., Baldwin, J. E. and Archer, S. A survey of radio sources at a frequency of 159 Mc/s, 0=829
- Edge, D. O. See Archer, S., 1=18135
- Edge, J. and Oldfield, L. F. The effects of leaching and silicones on the surface conductivities of sealing glasses, 0=11651
- Edge, P. M., Jr. See Mayes, W. H., 2=15705
- Edge, P. M., Jr. See Modlin, C. T., Jr., 3=14286
- Edge, P. M., Jr. See Regier, A. A., 3=16438
- Edge, R. D. Cross section for the reaction $C^{13}(\gamma, n)$ at 6.4 MeV, 0=15590
- Edge, R. D. The period of standing axisymmetric gravity waves on water, 3=11376
- Edge, R. D. and Peterson, G. A. Nuclear excitation by 180° electron scattering, 3=4625
- Edge, R. D. See Bair, J. K., 0=17583
- Edgecombe, F. H. C. and Norrish, R. G. W. A study of the mechanism of photochemical electron transfer processes in solution, 0=10357
- Edgecumbe, J., Rosner, L. G. and Anderson, D. E. Preparation and properties of thin-film hard superconductors, 4=24501
- Edgell, W. F., Helm, C. C. and Anacreon, R. E. Low-frequency infrared spectrum of $Fe(CO)_5$, 3=23883
- Edgell, W. F. See Bayer, R. W., 3=4770
- Edgell, W. F. See Richardson, J. W., 2=6084
- Edgerton, H. E. Electronic flash illumination of a large Wilson cloud chamber, 4=5908
- Edgerton, H. E. and Cousteau, J. Y. Underwater camera positioning by sonar, 0=6900
- Edgerton, H. E. See Miles, P. A., 1=10788
- Edgerton, H. E. See Rogers, G. T., 2=19908
- Edgerton, R. and Teegarden, K. Emission spectra of $KCl:Ti$, $KBr:Ti$ and $KI:Ti$ at 300, 80, and 12°K, 3=4984
- Edgeworth, K. E. On the origin of the solar nebula, 3=9250
- Edie, J. W. and Rohrlach, F. Negative atomic ions. II, 2=5298
- Edelman, D. Neutron slow down: study by distribution theory, 4=21872
- Edin, K. See Ericsson, U., 1=1765
- Eding, H. See Cubicciotti, D., 4=14156
- Edington, J. M. and Molyneaux, L. Portable water velocity meter, 1=128
- Edington, J. W., Lindley, T. C. and Smallman, R. E. Strain-ageing of vanadium, 4=29021
- Edington, J. W. See Beagley, B., 3=25683
- Edison, A. R. An acoustical modeling experiment for wave propagation in a random medium, 4=30066
- Edkie, R. G. Heat transfer from fine wires to surrounding water under the influence of ionic currents, 4=8200
- Edkie, R. G., Rao, R. D. and Gogate, D. V. Heat transfer under ionic currents, 2=5199
- Edlén, B. Isoelectronic extrapolation of electron affinities, 0=15636
- Edlén, B. Wavelength measurements in the vacuum ultra-violet, 3=21538
- Edlén, B. See Toresson, Y. G., 3=2569
- Edlow, M. H. See Cataland, G., 1=16185
- Edlund, M. C. and Schutt, P. F. Nuclear power plants; the future of thermal breeders, 4=6409
- Edmiston, C. Relation of Sinanoğlu's theory of "exact pairs" to the first iteration, beyond s.c.f., in separated-pair theory, 4=6450
- Edmiston, C. and Ruedenberg, K. Localized atomic and molecular orbitals, 4=12433
- Edmiston, C. and Ruedenberg, K. Chemical binding in the water molecule, 4=30446
- Edmond, J. T. Heat treatment of gallium arsenide, 0=13611
- Edmond, J. T., Anderson, A. and Gebbie, H. A. Far infra-red study of As_2Se_3 -type glasses, 3=10930
- Edmond, J. T. and Hilsun, C. Heat treatment effects in $InAs$, 0=13613
- Edmond, J. T. and Redfearn, M. W. Infra-red study of As_2Se_3 -type glasses in the wavelength range 1.25 to 25 μm , 3=10931
- Edmonds, A. R. Unitary symmetry in theories of elementary particles: the reduction of products of representations of the groups $U(3)$ and $SU(3)$, 2=18064
- Edmonds, A. R. Computers, 4=21011
- Edmonds, D. See Arp, V., 0=517
- Edmonds, D. T. Measurement of the crystal field gradient at the nucleus of three lanthanum salts, 4=23048
- Edmonds, D. T. See Betts, D. S., 4=24465
- Edmonds, D. T. See Cooke, A. H., 0=8040
- Edmonds, D. T. See Cooke, A. H., 0=10094
- Edmonds, D. T. See Cooke, A. H., 0=13734
- Edmonds, D. T. See Cooke, A. H., 3=1056
- Edmonds, D. T. See Donaldson, R. H., 2=23092
- Edmonds, F. N., Jr. On solar granulation, 0=6585
- Edmonds, F. N. Jr. A coherence analysis of Fraunhofer line fine structure and continuum brightness fluctuations near the center of the solar disk, 3=3567
- Edmonds, F. N., Jr. On the calculation of equivalent widths from spectral-line profiles, 3=11482
- Edmonds, F. N., Jr. Source-function and temperature fluctuations in the solar photosphere I. The isotropic approximation, 4=23912
- Edmonds, F. N., Jr. On the calculation of equivalent widths from spectral line profiles. II, 4=26894
- Edmonds, G. D. See Bishop, A. E., 3=349
- Edmonds, P. D. On correlating the loss factors of cylindrical and spherical resonators, 1=6917
- Edmonds, P. D., Pearce, V. F. and Andreae, J. H. 1.5 to 28.5 Mc/s pulse apparatus for automatic measurement of sound absorption in liquids and some results for aqueous and other solutions, 3=230
- Edmonds, P. D. and Sittig, E. Experimental investigation of the natural elastic vibrations of isotropic circular cylinders, 0=14708

- Edmonds, P.D. See Kendig, A.P., 4=14162
- Edmonds, P.H. and Hasted, J.B. A near-resonance charge transfer process, 4=22325
- Edmonds, P.H. and Hasted, J.B. A charge transfer collision involving accidental resonance, 4=24553
- Edmonds, T. See Hobson, J.P., 3=16669
- Edmonds, T. See Hobson, J.P., 3=18844
- Edmondson, B. The effect of composition and structure on the tensile properties of high-purity iron single crystals, with particular reference to the question of brittle fracture, 1=20381
- Edmondson, B. and Williamson, G.K. On the determination of the nature of dislocation loops, 4=12758
- Edmund, C.E. See Barkow, A.G., 3=17312
- Edmunds, D.E. The uniqueness of solutions of the magneto-hydrodynamic equations, 2=11766
- Edmunds, D.E. On the differential equations of magneto-hydrodynamics, 2=20114
- Edmunds, D.E. See Dyer, R.H., 2=3138
- Edmunds, I.G. See Harburn, G., 2=14425
- Edmunds, P.D. See Andreae, J.H., 2=1240
- Edneral, N.V. See Skakov, Yu. A., 4=25950
- Edöcsény, L. Calculation of the voltage and power received by the antennae in the case of an arbitrary incident wave, 4=712
- Edsall, J.T. See Ghazanfar, S.A.S., 4=22403
- Edse, R., Narahari Rao, K., Strauss, W.A. and Mickelson, M.E. Emission spectra excited in metal powder-oxygen flames, 3=10504
- Edse, R. See Fishburne, E.S., 4=29216
- Edstrom, C.R. See Thomas, T.Y., 1=10535
- Edvarson, K., Löw, K. and Sisefsky, J. Fractionation phenomena in nuclear weapons debris, 0=7650
- Edvi-Illes, C.A. The role of virtual excitations in the scattering of nucleons by nuclei, 3=12685
- Edvi-Illes, C.A. See Mohr, C.B.O., 2=5876
- Edvinsson, G., Kopp, I., Lindgren, B. and Aslund, N. Rotational analysis of an ultraviolet system of the hydrides and deuterides of Ca, Sr and Ba, 4=1258
- Edvinsson, G. and Selin, L.E. The band spectrum of thorium oxide, 4=22368
- Edwards, A.J. See Lambert, J.D., 3=6434
- Edwards, A.L. and Drickamer, H.G. Effect of pressure on the absorption edges of some III-V, II-VI, and I-VII compounds, 1=8986
- Edwards, A.L., Slykhouse, T.E. and Drickamer, H.G. The effect of pressure on zinc blende and wurtzite structures, 0=4408
- Edwards, A.R. The thermoelectric anomaly at 35°C in chromium, 3=10897
- Edwards, B.D. Confirmation of the origin of the luminosity behind the shock wave in an electromagnetically driven shock tube, 3=7282
- Edwards, C. A transistor probe unit for nuclear counters, 3=4287
- Edwards, C. See Boyle, A.J.F., 1=3604
- Edwards, C. See Boyle, A.J.F., 1=5831
- Edwards, C. See Boyle, A.J.F., 1=6273
- Edwards, C. See Boyle, A.J.F., 1=9806
- Edwards, C. See Boyle, A.J.F., 2=5790
- Edwards, C. See Boyle, A.F.J., 4=12588
- Edwards, C. See Boyle, A.J.F., 4=19693
- Edwards, D.F. and Lazazzera, V.J. Exciton and magneto-optical effect in strained and unstrained germanium, 0=18119
- Edwards, D.F., Lazazzera, V.J. and Peters, C.W. Exciton and magneto-optical effect in unstrained germanium, 2=23528
- Edwards, D.F. and Maker, P.D. Quantitative measurement of semi-conductor homogeneity from plasma edge, 2=16686
- Edwards, D.F. and Mercado, M. Ultimate sensitivity and practical performance of the tellurium photoconductive detector, 2=7460
- Edwards, D.F. See Lax, B., 2=16637
- Edwards, D.H., Davies, L. and Lawrence, T.R. The application of a piezoelectric bar gauge to shock tube studies, 4=29703
- Edwards, D.H., Job, E.M. and Lawrence, T.R. Observations on gaseous detonation waves using a microwave interferometer, 3=198
- Edwards, D.H. and Jones, T.G. Vibration phenomena in detonation waves in hydrogen-oxygen mixtures, 0=6862
- Edwards, D.K. Absorption by infrared bands of carbon dioxide gas at elevated pressures and temperatures, 0=8717
- Edwards, D.K., Gier, J.T., Nelson, K.E. and Roddick, R.D. Integrating sphere for imperfectly diffuse samples, 1=16053
- Edwards, D.K. and Menard, W.A. Comparison of models for correlation of total band absorption, 4=18399
- Edwards, D.K. and Menard, W.A. Correlations for absorption by methane and carbon dioxide gases, 4=27221
- Edwards, D.K. See Bevans, J.T., 0=2184
- Edwards, D.L. See Horgan, J.D., 1=16239
- Edwards, D.M. Spin waves in ferromagnetic metals, 2=21301
- Edwards, D.M. and Wohlfarth, E.P. Electron interactions and ferromagnetism in metals, 0=13754
- Edwards, D.M. See Callaway, J., 0=9885
- Edwards, D.N., Frank, S.G.F. and Holt, J.R. The elastic scattering of 98 MeV negative pions by hydrogen, 0=3991
- Edwards, D.N. and Rose, B. An extension of the transfer matrix method to a beam transport system containing a solenoid, 1=2026
- Edwards, D.N. See Barlow, J., 4=25123
- Edwards, D.N. See Bird, L., 0=11166
- Edwards, D.N. See Birds, L., 1=15412
- Edwards, D.N. See Bird, L., 3=12456
- Edwards, D.N. See Ghesquiere, C., 4=19575
- Edwards, D.N. See Noyes, H.P., 0=11207
- Edwards, D.O. and Daunt, J.G. Phase separation in He³-He⁴ mixtures near absolute zero, 1=18689
- Edwards, D.O., McWilliams, A.S. and Daunt, J.G. Calorimetric measurements on He³ near the melting curve, 2=15834
- Edwards, D.O., McWilliams, A.S. and Daunt, J.G. Lattice imperfections, isotopic ordering and nuclear spin interaction in solid helium as shown by specific heat measurements, 2=17719
- Edwards, D.O., McWilliams, A.S. and Daunt, J.G. Phase separation in solid He³-He⁴ mixtures as shown by specific heat measurements, 3=323
- Edwards, D.O., McWilliams, A.S. and Daunt, J.G. Phase separation in solid ³He-⁴He mixtures, as shown by specific heat measurements, 4=14504
- Edwards, D.O. See Brewer, D.F., 2=1325
- Edwards, D.O. See Brewer, D.F., 3=310
- Edwards, D.O. See Brewer, D.F., 0=8864
- Edwards, D.O. See Brewer, D.F., 1=15035
- Edwards, D.O. See Brewer, D.F., 4=18509
- Edwards, E. See Primak, W., 3=4899
- Edwards, E. See Primak, W., 3=10708
- Edwards, E. See Primak, W., 4=6889
- Edwards, G.R. and Evans, L.F. Requirements of an ice nucleus, 2=2477
- Edwards, G.R. and Evans, L.F. Effect of surface charge on ice nucleation by silver iodide, 2=21490
- Edwards, G.R., Evans, L.F. and La Mer, V.K. Ice nucleation by monodisperse silver iodide particles, 3=8806
- Edwards, H.D., Cooksey, M.M., Justus, C.G., Fuller, R.N., Albritton, D.L. and Rosenberg, N.W. Upper-atmosphere wind measurements determined from twelve rocket experiments, 3=21045
- Edwards, H.D., Justus, C.G. and Kurts, D.C. Evening twilight winds from 68 to 140 kilometers for May 21, 1963
- Edwards, H.D. See Cooksey, M.M., 4=17917
- Edwards, H.D. See Frentress, Z., 4=11322
- Edwards, H.H. and Newhouse, V.L. Superconducting film geometry with strong critical current asymmetry, 2=7503
- Edwards, H.H. See Sherrill, M.D., 1=9514
- Edwards, J., Lane, W.R. and Stone, B.R.D. Wide-angle photo-electric integrating flashmeter, 1=227
- Edwards, J.E. See Boster, T.A., 2=14696
- Edwards, J.G. A controlled transformer for use in magnetic film logic, 4=24793
- Edwards, J.I. and Schafer, K. Vapour pressure and activation coefficients of the system acetone-isooctane, 4=16143
- Edwards, J.O. See Bray, P.J., 1=12568
- Edwards, J.W. and Kington, G.L. Low temperature adiabatic calorimeter and the heat capacity of α -alumina, 2=22081
- Edwards, J.W. See Johns, I.B., 1=20398
- Edwards, K.L. See Martin, A.J., 0=4765
- Edwards, K.W. Mandelstam representation for Dirac potential scattering, 1=19139
- Edwards, L.C. and Thome, G.D. Sudden frequency shift observed at high frequency during ionospheric disturbances, 2=20163
- Edwards, M.H. Refractive index of ³He, 0=8898
- Edwards, M.H. and Woodbury, W.C. Condensation of super-saturated He⁴ vapor in a cloud chamber, 0=7018
- Edwards, M.H. and Woodbury, W.C. Compressibility of liquid He⁴, 2=1323
- Edwards, M.H. and Woodbury, W.C. Saturated He⁴ near its critical temperature, 3=9669
- Edwards, M.H. See Blank, C., 0=12550
- Edwards, M.H. See Dacey, J.R., 4=13690
- Edwards, M.P. See Cuninghame, J.G., 3=19895

- Edwards, P.J., Fenton, A.G., Fenton, K.B., Greenhill, J.G. and Parsons, N.R. Radiation enhancement following Johnston Island thermonuclear explosion, 3=6191
- Edwards, P.L. Magnetic properties of the manganese chromite-aluminates, 0=1777
- Edwards, P.L. Rolling o-ring seal, 1=2798
- Edwards, P.L. and Happel, R.J., Jr. Alumina whisker growth on a single-crystal alumina substrate, 2=6786
- Edwards, P.L. and Happel, R.J., Jr. Beryllium oxide whiskers and platelets, 2=6787
- Edwards, P.L. and Svager, A. Spiral copper whiskers, 4=13550
- Edwards, R.A. See Davis, H.L., 2=20717
- Edwards, R.K. and Veleckis, E. Thermodynamic properties and phase relations in the system hydrogen-hafnium, 2=23808
- Edwards, R.S. See Barnett, C.F., 1=16349
- Edwards, R.S. See Barnett, C.F., 2=15929
- Edwards, S. Exchange terms in direct nuclear reaction theories, 4=3627
- Edwards, S. See Zdanis, R.A., 2=1920
- Edwards, S.F. The statistical thermodynamics of a gas with long and short-range forces, 0=18965
- Edwards, S.F. The charge correlation function of a plasma in a magnetic field, 1=4595
- Edwards, S.F. The electronic structure of disordered systems, 1=12364
- Edwards, S.F. The electronic structure of liquid metals, 2=11349
- Edwards, S.F. The concept of a wave function of a disordered system, 3=9349
- Edwards, S.F. and Gulyaev, Y.B. The density of states of a highly impure semiconductor, 4=12872
- Edwards, S.F. and Halsall, M.J. A variational calculation of the ground state energy of liquid helium, 2=17714
- Edwards, S.F. and Kanaris, A.D. Pion production by proton bombardment of He³ and H³ near threshold, 2=16220
- Edwards, S.F. and Lenard, A. Exact statistical mechanics of a one-dimensional system with Coulomb forces. II. The method of functional integration, 2=19445
- Edwards, S.F. and Naqvi, M.A. Integrable many body wave functions for a system of Bose particles, 1=5688
- Edwards, S.F. and Parrent, G.B., Jr. The form of the general unimodal analytic signal, 0=19359
- Edwards, S.F. and Sanderson, J.J. A new approach to transport problems in fully ionized plasmas, 1=4599
- Edwards, S.F. and Sanderson, J.J. A new approach to transport problems in fully ionized plasmas. II, 3=7510
- Edwards, S.F. See Beeby, J.L., 3=21384
- Edwards, T.H. Multiple-traverse absorption cell design, 1=2869
- Edwards, T.H. See Brown, R.G., 2=20853
- Edwards, T.H. See Brown, R.G., 2=20854
- Edwards, T.H. See Brown, R.G., 4=20091
- Edwards, T.H. See Hill, R.A., 3=6380
- Edwards, T.H. See Hill, R.A., 4=9689
- Edwards, T.W. and Van Bladel, J. Electrostatic dipole moment of a dielectric cube, 1=16233
- Edwards, W.B. See Sakuntala, M., 0=1129
- Edwards, W.D. Liquid-solid interface shape observed in silicon crystals grown by the Czochralski method, 0=6326
- Edwards, W.D. Interaction between oxygen and aluminum in germanium, 4=1606
- Edwards, W.D. See Barry, A.L., 2=7530
- Edwards, W.D. See Cox, C.D., 3=19050
- Edwards, W.F. Special relativity in anisotropic space, 3=21216
- Edwards, W.F. and Boehm, F. Decay of Hf^{180m}, 1=4849
- Edwards, W.F. and Boehm, F. Anomalous conversion coefficients in Hf^{180m}, W¹⁸², and Re¹⁸⁷, 1=8662
- Edwards, W.F., Dumond, J.W.M. and Boehm, F. An intensity calibration of the two metre curved-crystal spectrometer, 1=16738
- Edwards, W.F. and Gallagher, C.J., Jr. The decay of Se⁷⁸, 1=17056
- Edwards, W.F. See Gallagher, C.J., Jr., 0=20388
- Ee, H. van. See van Ee, H.
- Eeles, W.T. Small-angle X-ray scattering by pile-irradiated graphite, 0=20857
- Eeles, W.T. and Sutton, A.L. X-ray determination of the atomic positions in α -uranium at 22°C and 600°C, 3=25705
- Eeles, W.T. and Turnbull, J.A. Electron and X-ray diffraction applied to brominated graphite, 4=4647
- Eeles, W.T. See Ashbee, K.H.G., 3=11241
- Efendiev, G.A. and Ivanova, I.V. Phase transformations in thin Ni-Se layers, 2=12879
- Efendiev, G.A. and Ivanova, I.V. Phase transformations in thin Ni-Se layers, 2=19027
- Efendiev, G.A. and Ivanova, I.V. Electron-diffraction investigation of phase formation and phase transformations in thin Ni-Se layers, 4=7505
- Efendiev, G.A. and Shafizade, R.B. Electron diffraction investigation of phase formation in double layers of Bi-Se, 2=4355
- Efendiev, G.A. and Shafizade, R.B. Electron diffraction investigation of phase formation in double layers of Bi-Se, 2=6759
- Efendiev, G.A. and Shafizade, R.B. Kinematic electron-diffraction measurements, 3=25788
- Efendiev, K.I. See Zaitsev, A.A., 0=2350
- Efetdinov, G.A. See Akhundov, G.A., 4=1622
- Effenberger, D. State of instrument development in transmission electron microscopy, 4=598
- Effer, D. Preparation of high-purity indium arsenide, 1=7848
- Effer, D. and Etter, P. J. An investigation into the apparent purity limit in GaSb, 4=23339
- Efimchik, M.K. See Izokh, V.V., 3=3985
- Efimenko, B.A. See Zolotukhin, V.G., 4=6077
- Efimenko, L.N., Nechiporenko, E.P. and Pavlov, V.N. Oxidation of tungsten disilicide, 4=13715
- Efimov, A.A. A photoelectric spiral micrometer for limb readings, 4=26943
- Efimov, A.A. and Otryashenkov, Yu.M. Photoelectric method for recording circle readings of meridian instruments, 0=18583
- Efimov, B.V., Danelyan, L.S., Kuznetsov, A.S. and Pevzner, M.I. A mechanical monochromator for neutrons in the energy range 0.001 to 2 eV, 2=18140
- Efimov, B.V. and Mityaev, Y.I. The activation cross-section of U²³⁶, 0=5803
- Efimov, B.V. See Danelyan, L.S., 4=3679
- Efimov, B.V. See Danelyan, L.S., 4=9540
- Efimov, B.V. See Pevzner, M.I., 3=24956
- Efimov, E.A. and Erusalimchik, I.G. On peculiarities of the electro-oxidizing reaction at the germanium anode, 0=6411
- Efimov, E.A. and Erusalimchik, I.G. On the characteristics of electrochemical solution of N-type silicon, 0=10353
- Efimov, G.V. The Kemmer scalar symmetric model, 2=18071
- Efimov, G.V. The development of a local quantum field theory without ultraviolet divergences, 4=793
- Efimov, G.V. The Kemmer scalar symmetric model, 3=5936
- Efimov, G.V. On local quantum field theory without ultraviolet divergences, 3=19583
- Efimov, G.V. On local quantum field theory without ultraviolet divergences. Third order, 4=19353
- Efimov, G.V. See Barbashov, B.M., 0=5505
- Efimov, G.V. See Barbashov, B.M., 0=20015
- Efimov, G.V. See Barbashov, B.M., 1=19086
- Efimov, G.V. See Barbashov, B.M., 2=9804
- Efimov, G.V. See Barbashov, B.M., 3=2184
- Efimov, G.V. See Barbashov, B.M., 3=5964
- Efimov, I.A. Investigation of the switching time of ferromagnetic film elements, 2=18908
- Efimov, N.N., Krasilnikov, D.D., Nifontov, M.A. and Shamsutdinova, F.K. Number spectrum of extensive air showers at sea-level, 3=4503
- Efimov, N.N. See Krasilnikov, D.D., 3=4502
- Efimov, N.N. See Krasilnikov, D.D., 4=6160
- Efimov, O.N. Integral characteristics of anomalous transmission of X-rays in germanium crystals containing dislocations, 3=20947
- Efimov, O.N. and Elistratov, A.M. Effect of dislocation density on the anomalous transmission of X-rays through germanium, 3=20196
- Efimov, O.N. and Elistratov, A.M. Effect of impurities on the anomalous X-ray transmission of germanium, 4=2077
- Efimov, O.N. and Elistratov, A.M. Effect of distortions produced by the precipitation of supersaturated solid solutions of nickel and copper in germanium on the anomalous X-ray transmission, 4=2084
- Efimov, O.N. See Efremov, A.I., 2=19297
- Efimov, O.N. See Efremov, A.I., 2=19298
- Efimov, O.N. See Efremov, A.I., 3=9151
- Efimov, O.N. See Efremov, A.I., 3=9189
- Efimov, O.N. See Elistratov, A.M., 3=18307
- Efimov, V.A. See Alad'ev, I.T., 4=5170
- Efimov, V.N. See Wang Nai-yen, 4=9537
- Efimov, Yu.S. See Boyarchuk, A.A., 2=984
- Efimov, Yu.V. See Alekseevskii, N.E., 3=335
- Efimov, Yu.V. See Savitskii, E.M., 3=5137
- Efimova, A.M. The fast component of the magnetic viscosity of rare-earth ferrite garnets as a function of the magnetic field intensity and temperature, 3=18102

- Efimova, A.M. See Telesnin, R.V., 2=16920
- Efimova, B.A., Del'man, E.V. and Stil'bans, L.S. The mechanism of scattering on impurity ions in Bi_2Te_3 , 2=12525
- Efimova, B.A., Del'man, E.V. and Stil'bans, L.S. The mechanism of scattering on impurity ions in Bi_2Te_3 , 2=14546
- Efimova, B.A., Korenblit, I.Ya., Novikov, V.I. and Ostroumov, A.G. Anisotropy of the galvanomagnetic properties of p-type Bi_2Te_3 , 1=19869
- Efimova, B.A., Korenblit, I.Ya., Novikov, V.I. and Ostroumov, A.G. Anisotropy of the galvanomagnetic properties of p-type Bi_2Te_3 , 2=6462
- Efimova, B.A., Novikov, V.I. and Ostroumov, A.G. Anisotropy of the galvanomagnetic properties of n-type Bi_2Te_3 , 2=14547
- Efimova, B.A., Novikov, V.I. and Ostroumov, A.G. Anisotropy of the galvanomagnetic properties of n-type Bi_2Te_3 , 2=18694
- Efimova, B.A., Novikov, V.I. and Ostroumov, A.G. Anisotropy of galvanomagnetic properties in Bi_2Te_3 , 3=10804
- Efimova, B.A., Stavitskaya, T.S., Stil'bans, L.S. and Sysoeva, L.M. The mechanism of the scattering of carriers in certain solid solutions based on the tellurides of lead and bismuth, 0=2890
- Efimova, B.A. See Vinogradova, M.N., 0=6089
- Efimova, I.S. See Davidenkov, N.N., 0=6317
- Efinger, H. J. The spherically-symmetric case of a static charge distribution in strongly compressed matter in general relativity, 4=24050
- Efremov, A.I., Podmoshenskii, A.L., Efimov, O.N. and Lebedev, A.A. Study of short-wave solar radiation, 2=19297
- Efremov, A.I., Podmoshenskii, A.L., Efimov, O.N. and Lebedev, A.A. Study of short-wave solar radiation, 3=9189
- Efremov, A.I., Podmoshenskii, A.L., Ivanov, M.A., Nikiforov, V.N. and Efimov, O.N. Filter apparatus for studying short-wave solar radiation, 2=19298
- Efremov, A.I., Podmoshenskii, A.L., Ivanov, M.A., Nikiforov, V.N. and Efimov, O.N. Filter apparatus for studying short-wave solar radiation, 3=9151
- Efremov, A.V., Chzhu Khun-yuan [Tzu Hung-yuan] and Shirkov, D.V. A neutral model for investigation of $\pi-\pi$ scattering, 1=19252
- Efremov, A.V., Chzhu Khun-yuan [Tzu Hung-yuan] and Shirkov, D.V. A neutral model for investigation of $\pi-\pi$ scattering, 2=22603
- Efremov, A.V., Meshcheryakov, V.A. and Shirkov, D.V. Pion-nucleon scattering at low energies. II, 1=19256
- Efremov, A.V., Meshcheryakov, V.A., Shirkov, D.V. and Tzu, H.Y. On deriving equations from the Mandelstam representation, 1=5679
- Efremov, A.V., Meshcheryakov, V.A. and Shirkov, D.V. Pion-nucleon scattering at low energies. I, 0=20202
- Efremov, A.V. and Shirkov, D.V. Higher partial waves in low energy $\pi-\pi$ scattering, 2=16233
- Efremov, A.V. and Shirkov, D.V. Higher partial waves in low energy $\pi-\pi$ scattering, 3=6052
- Efremov, A.V., Shirkov, D.V. and Tzu, H.Y. The pion-pion scattering at low energy, 2=7894
- Efremov, D.V. See Veksler, V.I., 0=5369
- Efremov, Yu.P. and Kanevskii, Yu.P. A correction for the dimensions of the exit diaphragm in photoelectric recording of equal-inclination interference bands, 0=16895
- Efremova, G.D. See Krichevskii, I.R., 4=24442
- Efremova, K.A. See Skorniyakov, G.P., 0=7998
- Efremova, M.V. See Borisova, L.A., 3=18343
- Éfros, A.L. Potential distribution under a cylindrical probe, 0=19594
- Éfros, A.L. Approximate calculation of the vibrational spectrum of lead sulphide and telluride crystals, 2=10313
- Éfros, A.L. Oscillations of transverse electrical conductivity in strong magnetic fields, caused by scattering by optical phonons in metals and semimetals, 2=18639
- Éfros, A.L. See Gurevich, L.E., 2=3987
- Éfros, A.L. See Gurevich, L.E., 3=844
- Éfros, A.L. See Gurevich, L.E., 3=4901
- Éfros, A.L. See Gurevich, V.L., 2=21119
- Éfros, A.L. See Gurevich, V.L., 3=6569
- Éfros, A.L. See Gurevich, V.L., 4=1547
- Éfros, A.L. See Moizhes, B.Ya., 2=10312
- Éfros, A.L. See Natadze, A.L., 3=20290
- Éfros, A.L. See Oskotskii, V.S., 1=14158
- Éfros, A.L. See Shal'ft, S.S., 2=16683
- Éfros, A.L. See Shal'ft, S.S., 2=23246
- Éfros, D.A. Permeability of porous media during filtration of aerated liquids, 0=14060
- Éfros, D.A. and Kuranov, I.F. The calculation of flow of a gasified liquid with two-parameter permeability characteristics, 0=14587
- Efros, I.A. See Ziv, D.M., 0=12100
- Efrussi, M.M. Modern audiometers and hearing aids, 2=17317
- Efrussi, M.M. See Naumkina, N.I., 0=1013
- Éfrussi, M.M. See Naumkina, N.I., 1=2804
- Eftimiu, C. The forward elastic scattering of photons by bound electrons, 0=9325
- Eftimiu, C. On the photoproduction of pions on pions, 2=5707
- Eftimiu, C. and Klarsfeld, S. On the integral representation of the double commutator, 0=20014
- Éftimiu, K. and Vrezhoiu, K. [Vrehoiu, C.] On the elastic scattering of photons by the Coulomb field of the nucleus, 0=20096
- Egami, F. Approach to the determination of nucleotide sequence in nucleic acids, 2=7049
- Égamkulov, A. See Atakhodzhaev, A.K., 4=25694
- Egan, J.J. Thermodynamics of liquid Mg-Bi alloys, 0=14644
- Egan, J.J. See Gucker, F.T., 1=9486
- Egan, J.P., Greenberg, C.Z. and Schulman, A.I. Operating characteristics, signal detectability, and the method of free response, 1=12709
- Egan, J.P., Greenberg, Z. and Schulman, A.I. Interval of time uncertainty in auditory detection, 1=9222
- Egan, J.P., Schulman, A.I. and Greenberg, G.Z. Memory for waveform and time uncertainty in auditory detection, 1=9223
- Egan, R.D. Anisotropic field-aligned ionization irregularities in the ionosphere near the magnetic equator, 0=16434
- Egan, R.D. and Peterson, A.M. Auroral noise at h.f., 2=9020
- Egardt, L. Some remarks on the Δ_{13} decay, 2=22648
- Egardt, L. Angular correlations in $\Lambda\beta$ -decay, 3=7928
- Egardt, L. On the Λ_{63} decay, 3=7930
- Egardt, L. Λ_{63} decay as a test of V-A theory, 3=19701
- Egardt, L. Polarization of hyperons in the reaction $\nu + N \rightarrow Y + l$, 4=955
- Egardt, L. and Lundqvist, S.O. Inelastic scattering of protons by ^{16}O , 0=7564
- Egardt, L. See Brene, N., 1=5779
- Egardt, L. See Brene, N., 2=7897
- Egeland, A. Very low-frequency radio wave propagation over a long high-latitude path, 2=1605
- Egeland, A. Fading rate of auroral reflections at 92.8 Mc/s, 2=9013
- Egeland, A. Studies of auroral reflections in the v.h.f. band. I. Experimental investigations, with special regard to time variations, fading rate, azimuthal distributions, and polarization characteristics, 3=13803
- Egeland, A. Studies of auroral reflections in the v.h.f. band. II. Comparison of experimental results with theoretical models, 3=13804
- Egeland, A. Studies of auroral reflections in the v.h.f. band. I. Experimental investigations, with special regard to time variations, fading rate, azimuthal distributions, and polarization characteristics, 3=25934
- Egeland, A. Studies of auroral reflections in the v.h.f. band. II. Comparison of experimental results with theoretical models, 3=25935
- Egeland, A., Hultqvist, B. and Ortner, J. A daytime maximum of oblique auroral reflexions observed in the auroral zone, 0=10444
- Egeland, A., Hultqvist, B. and Ortner, J. Influence of polar cap absorption events on v.l.f. propagation, 1=20953
- Egeland, A., Ortner, J. and Hultqvist, B. A study of the statistics of VHF oblique auroral reflections, 2=19243
- Egeland, A. See Arons, J., 0=10437
- Egeland, A. See Gustafsson, G., 1=15317
- Egeland, A. See Hultqvist, B., 2=4678
- Egeland, A. See Riedler, W., 4=3188
- Egelkraut, K. and Leutz, H. β -spectrum of Ti^{204} , 0=17534
- Egelkraut, K. and Leutz, H. β -spectrum and half-life of Rb^{87} , 1=642
- Egelstaff, P.A. The absorption cross-section of the Harwell boron standard for neutrons of 2200 m/sec, 0=5794
- Egelstaff, P.A. The slow-neutron cross-section of graphite, 0=7363
- Egelstaff, P.A. On the correlation of the nuclear energy levels of uranium-236 and plutonium-240, 0=7480
- Egelstaff, P.A. Solid and liquid state research with cold neutrons, 0=7840
- Egelstaff, P.A. Glass scintillators for prompt detection of intermediate energy neutrons, 0=17145
- Egelstaff, P.A. The scattering of thermal neutrons by moderators, 2=11948
- Egelstaff, P.A. Neutron scattering studies of liquid diffusion, 2=19548

- Egelstaff, P.A. The scattering of thermal neutrons by moderators, 2=20345
- Egelstaff, P.A. The Doppler broadening of slow neutron resonances, 2=20657
- Egelstaff, P.A. Neutron scattering studies of liquid diffusion, 2=21899
- Egelstaff, P.A. Progress of the scattering law experiment, 2=22526
- Egelstaff, P.A. The scattering of cold neutrons by metals, 3=4823
- Egelstaff, P.A. Symposium on inelastic scattering of neutrons in solids and liquids, Chalk River, Canada, September 1962, 3=6456
- Egelstaff, P.A., Gayther, D.B. and Nicholson, K.P. The slow-neutron resonance behaviour of plutonium isotopes, 0=7615
- Egelstaff, P.A. and Harris, D.H.C. High-energy modes in the frequency distribution of graphite, 4=6711
- Egelstaff, P.A. and Schofield, P. On the evaluation of the thermal neutron scattering law, 2=11946
- Egelstaff, P.A. and Wraight, L.A. Summary of the creep properties of a magnesium cadmium alloy used for neutron chopper rotors, 3=8772
- Egelstaff, P.A. See Beckurts, K.H., 3=24744
- Egelstaff, P.A. See Hay, H.J., 0=7469
- Egelstaff, P.A. See Turberfield, K.C., 2=18523
- Eger, M. and Gross, E.P. Point transformations and the many body problem, 4=5094
- Egerov, V.I. See Sobolev, N.D., 3=8779
- Egerton, A. See Callendar, G.S., 0=10695
- Egerton, L. See Van Uitert, L.G., 1=10075
- Eggen, J.B. See French, R.L., 0=9719
- Eggen, O.J. Space motions of the subdwarfs, 0=18783
- Eggen, O.J. The astrophysics of visual binaries, 3=16409
- Eggen, O.J. Luminosities, colors, and motions of the brightest A-type stars, 4=4866
- Eggen, O.J. The angular momentum in visual binaries, 4=26916
- Eggen, O.J., Lynden-Bell, D. and Sandage, A.R. Evidence from the motions of old stars that the galaxy collapsed, 3=3607
- Eggenberger, J.S. Influence of nearby conductors on thin film switching, 0=11860
- Egger, H. See Blinks, H., 4=25929
- Eggers, D.F., Jr and Emerson, M.T. Automatic slit drive for infrared spectrometers, 0=156
- Eggers, D.F., Jr, Wright, H.E. and Robinson, D.W. Infrared spectrum of CF_3SF_5 , 1=17318
- Eggers, D.F., Jr. See Berney, C.V., 4=12477
- Eggers, D.F., Jr. See Bottger, C.L., 4=17585
- Eggers, D.F., Jr. See Emerson, M.T., 2=18454
- Eggers, D.F., Jr. See Lovejoy, R.W., 2=6161
- Eggers, F. Measurement of amplitude and phase distribution on conical loudspeaker diaphragms, 0=5107
- Eggers, F. Investigation of body-vibrations in the cello, 1=209
- Eggers, F.G. Fundamental operation of quartz transducers in the v.h.f. range, using silicate bonds, 4=2780
- Eggers, F.G. and Strauss, W. A u.h.f. delay line using single-crystal yttrium iron garnet, 3=14778
- Eggers, F.G. See Rowen, J.H., 1=5577
- Eggert, J. Photographic layers with unusual reciprocity failures, 3=5543
- Eggert, J. Mysterious crystallites, 3=14386
- Eggimann, W.H. Higher-order evaluation of dipole moments of a small circular disk, 1=7149
- Eggimann, W.H. See Collin, R.E., 1=8295
- Eggler, C., Huddleston, C.M., Krohn, V.E. and Ringo, G.R. Measurement of neutron spectra of the Experimental Breeder Reactor, 0=12999
- Eggleton, A.E.J. See Bishop, K.F., 2=2467
- Eggleton, A.E.J. See Chamberlain, A.C., 1=11635
- Eggleton, R.E. See Shoemaker, E.M., 4=13917
- Egrian, K.Sh. See Khirmian, A.V., 2=12081
- Egiazarov, M.B. See Mostovoi, V.I., 3=25029
- Egidi, A. See Conversi, M., 1=7260
- Egidi, A. See Conversi, M., 1=7261
- Egidi, A. See Conversi, M., 1=7395
- Egidi, A. See Conversi, M., 1=8474
- Egidi, C. Phantasies on a natural unity of mass, 4=2504
- Egidy, T.v. See v. Egidy, T.
- Egiyan, K.A. See Pogosyan, Ya.M., 4=17640
- Egiyan, K.Sh. See Alikhanov, A.I., 0=9454
- Egiyan, K.Sh. See Khirmian, A.V., 2=13924
- Egiyan, K.Sh. See Khirmian, A.V., 3=2158
- Egiyan, K.Sh. See Khirmian, A.V., 3=6097
- Egiyan, K.Sh. See Khirmian, A.V., 4=968
- Egiyan, K.Sh. See Khirmian, A.V., 4=5994
- Egiyan, K.Sh. See Khirmian, A.V., 4=5995
- Egli, P. See Breitenlohner, F., 4=6046
- Egli, P. See Cvijanovich, G., 1=16778
- Egli, P. See Cvijanovich, G., 2=22515
- Egli, P. See Cvijanovich, G.B., 2=5638
- Egli, P.H. Progress in thermoelectricity, 2=11604
- Eglit, M.E. See Sedov, L.I., 2=11312
- Egolaev, V.F. See Bogachev, I.N., 4=10426
- Egolaev, V.F. See Bogachev, I.N., 4=20712
- Egorov, A.M. See Zagorodnov, O.G., 0=5410
- Egorov, A.M. See Zagorodnov, O.G., 2=237
- Egorov, B.N. See Rivkin, S.L., 2=5000
- Egorov, E.A. See Slutsker, A.I., 2=2438
- Egorov, E.A. See Zhurkov, S.N., 4=23617
- Egorov, E.V. See Gol'danskii, V.I., 3=10920
- Egorov, G.A. and Yablokov, Yu.V. Paramagnetic resonance in the quasi single crystal CrCl_3 , 0=21072
- Egorov, K.E. Contact problem for an elastic layer under the action of an eccentric vertical force on a circular rigid punch, 0=19011
- Egorov, K.E. Contact problem for an elastic layer under the action of an eccentric vertical force on a circular rigid punch, 1=5238
- Egorov, K.N. Methods of determining the absolute value of gravity by interference measurements of a free-fall length, 4=13762
- Egorov, L.B., Ignatenko, A.E. and Chultem, D. Investigation of the effect of the hyperfine structure on polarization of μ^- -mesons in mesic atoms, 0=7704
- Egorov, L.B., Ignatenko, A.E., Kuptsov, A.V. and Petrashku, M.G. Search for anomalies of μ^- -meson decay in paramagnetic metals, 3=2593
- Egorov, L.B., Ignatenko, A.E., Kuptsov, A.V. and Petrashku, M.G. Anomaly in the decay of μ^- -mesons in mesic atoms of iron-group transition metals, 3=15312
- Egorov, L.B., Zhuravlev, G.V., Ignatenko, A.E., Kuptsov, A.V., Syuan-min, L. [Hsuang-ming, L.] and Petrashku, M.G. Investigation of the spin dependence of weak interaction in the process $\mu^+ + p \rightarrow n + \nu$, 1=19226
- Egorov, L.B., Zhuravlev, G.V., Ignatenko, A.E., Kuptsov, A.V., Syuan-min, L. [Hsuang-ming, L.] and Petrashku, M.G. Investigation of the spin dependence of weak interaction in the process $\mu^- + p \rightarrow n + \nu$, 2=22548
- Egorov, L.B., Zhuravlev, G.V., Ignatenko, A.E., Li Syuan-Min [Li Hsuang-Ming], Petrashku, M.G. and Chultem, D. An investigation of the paramagnetism of μ -mesic atoms, 1=17298
- Egorov, L.B., Zhuravlev, G.V., Ignatenko, A.E., Li Syuan-Ming, Petrashku, M.G. and Chultem, D. Investigation of the paramagnetism of μ -mesic atoms, 1=5988
- Egorov, M.M. See Ganichenko, L.G., 0=12114
- Egorov, N.N. Attenuation of Rayleigh waves in an elastic layer above a half-space, 1=18507
- Egorov, N.N. Attenuation of Rayleigh waves in an elastic layer above a half-space, 2=7280
- Egorov, V.A. Solution of a degenerate variational problem and optimal climb of a space rocket, 1=1668
- Egorov, V.A., Karetnikov, D.V. and Popov, S.N. Measurement of ion currents in ion-acceleration systems, 4=16551
- Egorov, V.D. The recombination of charge carriers in semi-conductors for a large trap concentration, 0=574
- Egorov, V.N. Hyperfine structure of the atomic spectrum and nuclear moments of the thorium isotope ^{230}Th , 4=28139
- Egorov, V.N. See Vernyi, E.A., 1=4906
- Egorov, V.S. The measurement of the electron-gas temperature and the charged-particle concentration in a pulsed discharge in neon, 2=165
- Egorov, V.S., Koslov, Yu. G. and Shukhtin, A.M. The concentration of excited atoms in a helium-neon pulsed discharge, 4=21469
- Egorov, V.S. and Shukhtin, A.M. Afterglow and its relationship with the gas density in a pulse discharge in neon, 1=4576
- Egorov, V.S. See Alekseevskii, N.E., 3=4909
- Egorov, V.S. See Alekseevskii, N.E., 4=2928
- Egorov, V.S. See Alekseevskii, N.E., 4=4123
- Egorov, V.S. See Alekseevskii, N.E., 4=6920
- Egorov, V.S. See Alekseevskii, N.E., 4=20325
- Egorov, V.S. See Shukhtin, A.M., 0=16865
- Egorov, Yu.A. Scintillation spectrometer for fast neutrons, 1=4802

- Egorov, Yu. A. and Kucheryaev, V. A. The possibility of using certain organic scintillators for dosimetry, 2=11838
- Egorov, Yu. A. and Khukhorev, D. S. Use of light guides in scintillation counters, 4=16738
- Egorov, Yu. A. and Pankrat'ev, Yu. V. A fast neutron spectrometer with one data unit, 2=5684
- Egorov, Yu. A. and Panov, E. A. The measurement of a dose of gamma radiation with a scintillation dosimeter, 2=9816
- Egorov, Yu. A. and Panov, E. A. Scintillation gamma dosimeter, 2=20298
- Egorov, Yu. A. See Avaev, V. N., 4=21867
- Egorov, Yu. A. See Veselkin, A. P., 4=12312
- Egorov, Yu. M. On registering variations of the geomagnetic field on the range 0.1-10 c/s, 3=18572
- Egorov, Yu. S. See Sergienko, V. A., 3=24679
- Egorov, Yu. S. See Zhernovoi, A. I., 2=1548
- Egorov, Yu. S. See Zhernovoi, A. I., 2=1549
- Egorov, Yu. V. Some problems in the theory of optimal control, 4=18446
- Egorova, A. V. Influence of lunar and solar attraction on the motion of an artificial earth satellite, 2=11178
- Egorova, A. V. Influence of lunar and solar attraction on the motion of an artificial earth satellite, 2=21745
- Egorova, T. M. Observations of the radio source Sgr A at 21 cm, 3=16430
- Egorova, V. F., Isaenko, V. I., Mak, A. A. and Sadykova, A. I. Distribution of temperature and electron density in a spark discharge channel, 2=22185
- Egorova, V. F. See Anan'ev, Yu. A., 4=3230
- Egorov, W. D. See Thiessen, K., 3=8571
- Egorshina, T. V. See Estulin, G. V., 3=11287
- Eguchi, I. See Nishiyama, Z., 1=14281
- Eguchi, I. See Sakaki, Y., 3=20969
- Eguchi, T. Nuclear radiations from solids, 2=6253
- Eguchi, T. and Nagata, S. Isotopic spin selection rule in Σ^- decays, 0=13062
- Egupova, L. M. See Shimanskaya, N. P., 0=10073
- Egyed, L. Dirac's cosmology and the origin of the solar system, 0=14392
- Egyed, L. Palaeomagnetism and the ancient radii of the earth, 1=21110
- Ehara, S. Magnetic resonance studies in dilute ferromagnetic alloys, 4=28892
- Ehara, S. and Tomono, Y. Nuclear magnetic resonance of Co⁵⁹ in dilute cobalt-palladium alloys, 2=18960
- Ehara, S. and Tomono, Y. Hyperfine structure in paramagnetic resonance on Mn in Pd metal, 3=15945
- Ehara, S. See Miyatani, K., 4=7343
- Ehhalt, D., Israel, G., Roether, W. and Stich, W. Tritium and deuterium content of atmospheric hydrogen, 3=25892
- Ehhalt, D., Knott, K., Nagel, J. F. and Vogel, J. C. Deuterium and oxygen 18 in rain water, 3=25897
- Ehhalt, D., Münnich, K. O., Roether, W., Schölch, J. and Stich, W. Artificially produced radioactive noble gases in the atmosphere, 3=25901
- Ehhalt, D. See Gonsior, B., 3=25893
- Ehinger, P. See Cauchois, Y., 0=19821
- Ehlback, H. W. See Schuetz, H. J., 4=20811
- Ehler, A. W. Proposed method for the production of a magnetically confined hot, dense plasma, 4=21543
- Ehler, A. W. Proposed lossless dissociating plasma for use with a DCX-type device, 4=24714
- Ehler, A. W. Fraction of H₂⁺ ions which produce free protons by striking a metal surface, 4=28270
- Ehlers, F. E. Method for measuring bulk modulus of a liquid using a Helmholtz resonator, 0=8593
- Ehlers, F. E. Response of internally damped beams on vibrating supports, 2=2807
- Ehlers, H. and Moll, J. A metal apparatus for experiments in ultra-high vacuum, 0=16739
- Ehlers, H. H. and Kolesar, D. F. Method for fabricating strain-free gallium surfaces, 3=25772
- Ehlers, H. H. See Turnbull, T. P., 2=23924
- Ehlers, J. Contributions to the relativistic mechanics of continuous media, 4=41
- Ehlers, J. See Jordan, P., 2=7127
- Ehlers, J. See Jordan, P., 2=7128
- Ehlers, J. See Jordan, P., 4=18038
- Ehlers, K. W. Design and development of the ion source for the Berkeley 88-inch cyclotron, 3=5790
- Ehlers, K. W., Gavin, B. F. and Hubbard, E. L. High-intensity negative ion sources, 3=14667
- Ehlers, K. W. See Hubbard, E. L., 1=10749
- Ehlers, V. J., Nierenberg, W. A. and Shugart, H. A. Nuclear spin of gallium-70, 2=9991
- Ehlers, V. J. and Shugart, H. A. Hyperfine-structure separations and nuclear moments of gallium-68, 2=18418
- Ehlers, V. J. See Petersen, F. R., 0=1353
- Ehlotzky, F. Small-angle Delbrück scattering, 4=3370
- Ehlotzky, F. Small-angle Delbrück scattering, 4=11884
- Ehlotzky, F. and Sheppey, G. C. Numerical calculations of the Delbrück scattering amplitude, 4=30204
- Ehmann, W. D. and Setser, J. L. Zirconium and hafnium in stone meteorites, 3=11527
- Ehmert, A. On the modulation of the primary cosmic ray spectrum by solar activity, 0=11252
- Ehmert, A. On the correction of meson intensities for atmospheric temperatures, 1=3334
- Ehmert, A. Cosmic ray modulation and geomagnetism, 2=13905
- Ehmert, A. and Erbe, H. Balloon measurements on time variations of primary cosmic radiation, 0=11250
- Ehmert, A., Erbe, H., Pfozter, G., Anger, C. D. and Brown, R. R. Observations of solar flare radiation and modulation effects at balloon altitudes, July 1959, 1=13583
- Ehmert, A., Erbe, H., Pfozter, G., Anger, C. D. and Brown, R. R. Cosmic and solar particle radiation at balloon altitudes during the period of enhanced solar activity in July 1959, 1=19310
- Ehmert, A. See Frisius, J., 4=17944
- Ehmert, A. See Keppler, E., 3=11471
- Ehmert, A. See Pfozter, G., 2=9023
- Ehrenberg, H. and Murtz, H. J. Mass spectrometric investigations on lead minerals, 0=12144
- Ehrenberg, W. and Hidden, N. J. Electron bombardment conductivity in zinc sulphide, 2=18652
- Ehrenberg, W. and King, D. E. N. The penetration of electrons into luminescent materials, 3=10701
- Ehrenberg, W. See Billington, E. W., 2=638
- Ehrenberg, W. See Billington, E. W., 2=23359
- Ehrenborg, J. and Sigdell, J. Magnetic eddy current fields calculated by complex successive overrelaxation, 3=20277
- Ehrenburg, D. O. Short cut for grain-size analysis, 4=10590
- Ehrenreich, H. Electron mobility of indium arsenide phosphide [In(As_yP_{1-y})], 0=11716
- Ehrenreich, H. Band structure and electron transport of GaAs, 1=1073
- Ehrenreich, H. Band structure and transport properties of some 3-5 compounds, 1=17742
- Ehrenreich, H. Band structure and transport properties of GaAs, 2=23106
- Ehrenreich, H. and Cohen, M. H. Self-consistent field approach to the many-electron problem, 0=516
- Ehrenreich, H. and Philipp, H. R. Optical properties of Ag and Cu, 3=2986
- Ehrenreich, H. and Philipp, H. R. Optical properties of semiconductors in the ultra-violet, 3=10908
- Ehrenreich, H. and Philipp, H. R. Band-theoretic view of ferromagnetic nickel, 4=12682
- Ehrenreich, H., Philipp, H. R. and Olechna, D. J. Optical properties and Fermi surface of nickel, 3=25331
- Ehrenreich, H., Philipp, H. R. and Phillips, J. C. Interband transitions in Groups IV, III-V, and II-VI semiconductors, 2=18673
- Ehrenreich, H., Philipp, H. R. and Segall, B. Optical properties of aluminum, 4=7108
- Ehrenreich, H. See Carlson, E. O., 2=16722
- Ehrenreich, H. See Hall, R. N., 0=13628
- Ehrenreich, H. See Marple, T. D. F., 2=14602
- Ehrenreich, H. See Olechna, D. J., 3=2871
- Ehrenreich, H. See Philipp, H. R., 2=16809
- Ehrenreich, H. See Philipp, H. R., 2=18799
- Ehrenreich, H. See Philipp, H. R., 3=8584
- Ehrenreich, H. See Philipp, H. R., 3=25433
- Ehrenreich, H. See Philipp, H. R., 4=20439
- Ehrenreich, H. See Silverman, S. J., 3=10819
- Ehrenreich, H. See Woodruff, T. O., 1=12354
- Ehrenson, S. A closed form analysis of the LCAO-MO ω -technique. I. Ionization potentials and electron-affinities, 2=16498
- Ehrenson, S. A closed form analysis of the LCAO-MO ω -technique. II. Mechanics of the technique, 2=16499
- Ehrenson, S. Photo- and spectroscopic ionization potentials in the ω -technique framework, 2=20763
- Ehrenson, S. and Phillipson, P. E. Theoretical molecular transition probabilities. I. The V-N transition in H₂, 1=6038
- Ehrenstein, D. von. See von Ehrenstein, D.

- Ehrenstein, G. Hyperfine structure in O^17H and the OH dipole moment, 3=12828
- Ehrenstein, G., Townes, C.H. and Stevenson, M.J. Ground state Λ -doubling transitions of OH radical, 0=1534
- Ehret, G. The determination of epithermal neutron spectra by means of resonance probes (sandwich method), 3=12476
- Ehrett, W.E., Weber, J.H. and Hoffman, D.S. Method for predicting vapour-liquid equilibrium relationship in multicomponent systems, 0=1064
- Ehrhardt, C. See Simonsohn, G., 2=23915
- Ehrhardt, H. and Erbse, U. Scattering of low energy electrons by molecules. I, 3=15397
- Ehrhardt, H. and Osberghaus, O. Temperature dependence of the mass spectra of hydrocarbon molecules and its significance for the statistical theory, 0=20711
- Ehrhardt, H. See Meisel, A., 2=5424
- Ehrhardt, H. See Stebbings, R.F., 3=24224
- Ehrhart, J. and Marraud, A. On the structure of thin metallic films as a function of the substrate temperature during evaporation, 4=26712
- Ehrhart, J. See Croce, P., 4=30571
- Ehrlich, A. C., Dreesen, J. A. and Pugh, E. M. Hall effects and magnetoresistance in some nickel-copper-iron alloys, 4=10031
- Ehrlich, A.C. See Sanford, E.R., 1=14363
- Ehrlich, G. Molecular dissociation and reconstitution on solids, 0=1968
- Ehrlich, G. Kinetic and experimental basis of flash desorption, 1=4083
- Ehrlich, G. Low-temperature chemisorption. I. Flash desorption of nitrogen, 1=4100
- Ehrlich, G. Low-temperature chemisorption. II. Flash desorption of carbon monoxide, 1=4101
- Ehrlich, G. Adsorption and electrical conduction in thin films, 2=3984
- Ehrlich, G. Energy parameters in adsorption, 2=8890
- Ehrlich, G. Structure and surface binding: N and CO on tungsten, 2=8917
- Ehrlich, G. An atomic view of adsorption, 4=13697
- Ehrlich, G., Gerbatsch, R., Jaetsch, K. and Scholze, H. Use of a high-resolution spectrograph for spectrochemical determination of trace impurities without pre-concentration, 2=23984
- Ehrlich, G. and Hudda, F.G. Surface migration of nitrogen on tungsten, 0=7838
- Ehrlich, G. and Hudda, F.G. Observation of adsorption on an atomic scale, 1=1456
- Ehrlich, G. and Hudda, F.G. Low-temperature chemisorption. III. Studies in the field emission microscope, 1=20742
- Ehrlich, G. and Hudda, F.G. Erratum: Low-temperature chemisorption. III. Studies in the field emission microscope, 2=6885
- Ehrlich, G. and Hudda, F.G. Direct observation of individual adatoms: nitrogen on tungsten, 2=17072
- Ehrlich, G. and Hudda, F.G. Promoted field desorption and the visibility of adsorbed atoms in the ion microscope, 4=613
- Ehrlich, G. See McCarroll, B., 3=8923
- Ehrlich, H.W. A simple method for the determination of $\partial^2\rho/\partial x^2$ at atomic positions, 1=15047
- Ehrlich, M. and McLaughlin, W.L. Photographic response to successive exposures of different types of radiation, 1=16129
- Ehrlich, M., McLaughlin, W. L. and Zeitler, E. Rate dependence in a solarizing commercial X-ray emulsion: sensitometric properties, number, and structure of developed grains, 4=11378
- Ehrlich, M.P. See Wetstone, D.M., 0=15032
- Ehrlich, W. See Boersch, H., 3=19226
- Ehrman, J.B. Boltzmann equation for an electron guide field accelerator. I. Quasi-stationary solutions for an electron beam, 0=3817
- Ehrman, J.B. Boltzmann equation for an electron guide field accelerator. II. Stability analysis for an electron beam, 0=9111
- Ehrman, J.R., Fosdick, L.D. and Handscomb, D.C. Computation of order parameters in an Ising lattice by the Monte Carlo method, 1=5064
- Ehrman, J.R. See Margulies, S., 2=3470
- Éi Iti Takizawa and Kobayasi, K. Heat flow in a system of coupled harmonic oscillators, 4=16047
- Eiben, K. See Schulte-Frohlinde, D., 2=19151
- Eiben, K. See Schulte-Frohlinde, D., 3=23233
- Eiber, H. The behaviour of positive and negative ions in pure oxygen and oxygen-water vapour mixtures, 3=12080
- Eiber, H. Determination of ion mass at gas pressures up to a few torr using a high-frequency fed filter, 3=19183
- Eiber, H. Identification of ions in rarefied gases by a new kind of high-frequency mass filter, 4=11510
- Eiber, H. Negative and positive ions in pure oxygen, 3=7438
- Eibschutz, M., Gorodetsky, G., Shtrikman, S. and Treeves, D. Differential thermal analysis and Mössbauer studies in rare-earth orthoferrites, 4=13179
- Eichbaum, B.R. Evaluation of new high-speed magnetic ferrite system for use in computer components, 0=3085
- Eichbaum, B.R. The dielectric behavior of solids embedded in a homogeneous medium, 0=3723
- Eichbaum, B.R. Development of high-speed coincident current memory cores, 0=9136
- Eichenauer, W. and Lievscher, D. Measurement of the diffusion rate of hydrogen in gold, 2=14459
- Eichenauer, W. and Schulze, M. The atomic heat of gallium between 6 and $21^\circ K$, 0=4269
- Eichenauer, W. See Heinzinger, K., 4=171
- Eichenbaum, A. L. and Moi, M. E. Cesium vapor dispenser, 4=21544
- Eichenbaum, A. L., Norman, F. H. and Sobol, H. Use of silver chloride seals for cesium vapor devices, 4=27236
- Eichenbaum, A.L. and Hernqvist, K.G. Space charge instabilities in synthesized plasmas, 1=3007
- Eichenberg, J.D. See Cohen, I., 2=3860
- Eicher, H. The hyperfine structure of the nuclear energy levels in ionic crystals of the rare earths, 2=20910
- Eicher, H. The electric quadrupole moment of the 14.4 keV level of Fe^{57} , 3=6142
- Eicher, H. The effective magnetic field and electric field gradient at Eu-nucleus in europium-iron-garnet, 4=25805
- Eicher, H. See Dobler, H., 4=27978
- Eicher, H. See Hüfner, S., 3=24841
- Eicher, H. See Kalvius, M., 2=5811
- Eicher, H. See Kalvius, M., 2=18245
- Eicher, H. See Kalvius, M., 3=2416
- Eicher, H. See Kalvius, M., 3=8006
- Eicher, H. See Kienle, P., 4=12589
- Eicher, H. See Wagner, F. E., 2=5812
- Eicher, H. See Zahn, U., 2=3773
- Eichhorn, E.L. Refinements of least-squares and differential synthesis algorithms, 3=8833
- Eichhorn, E.L. and Holm, M.W. Atomic scattering factors for ytterbium, 2=10862
- Eichhorn, E.L. and MacGillavry, C.H. The crystal structure of the trans isomer of β -ionylidene crotonic acid, 0=4654
- Eichhorn, E.L. See Holm, M.W., 3=8197
- Eichhorn, H. On the use of panoramic cylindrical projection in photographic astrometry, 3=13849
- Eichhorn, H. The relations between standard coordinates of stars and the measured coordinates of their images, 3=7011
- Eichhorn, H. and Alden, H.L. Parallax, proper motion, and mass ratio of $\Sigma 2398$ (ADS 11632), 0=12316
- Eichhorn, H. and Voitlander, J. Dark and photo-conductive properties of ferrocene, 4=17532
- Eichhorn, J.L. See Sackmann, L., 3=9318
- Eichhorn, R. Effects of a modification to Ångström's method for the determination of thermal conductivity, 4=22512
- Eichhorn, R. Measurement of low speed gas flows by particle trajectories: A new determination of free convection velocity profiles, 3=153
- Eichinger, R. and Krempl, H. On the effects of the discharge gas on the temporal development of the current (I), the voltage (V) and the spectral line intensity (S) in spark discharges, 1=283
- Eichis, A. Yu. and Skornyakov, G. P. Optical properties of gallium in the visible region of the spectrum, 4=26189
- Eichkorn, G. See Borgstedt, H.-U., 3=18819
- Eichler, E. Plate-edge admittances, 4=8291
- Eichler, E. Acoustic circuits with steady flow, 4=8331
- Eichler, E. Calculation of coupling effects in Pritchard's array, 4=24317
- Eichler, E. A survey of some properties of even-even nuclei, 4=30306
- Eichler, E., O'Kelley, G.D., Robinson, R.L., Marinsky, J.A. and Johnson, N.R. Nuclear levels of Ge^{74} , 2=16321
- Eichler, E. See Johnson, N.R., 1=8640
- Eichler, E. See Johnson, N.R., 4=22068
- Eichler, E. See Lyon, R. H., 4=24282
- Eichler, E. See Robinson, R.L., 1=9847
- Eichler, E. See Robinson, R.L., 2=22767
- Eichler, E. See Sonnino, T., 4=22065
- Eichler, E. See Wolke, R.L., 3=10180

- Eichler, E.G. and Lambert, R.F. Acoustic (0, 1) wave transmission through thin rectangular plates, 0=14720
- Eichler, J. Double conversion, 0=17550
- Eichler, J. Extension of the Siegert theorem for β -transitions, 3=4588
- Eichler, J. Second-order Coulomb excitation via the giant dipole resonance, 4=12129
- Eichler, J. and Jacob, G. Two-quantum transitions in isomeric nuclei, 0=1366
- Eichler, J. and Wahlborn, S. Analysis of the data for the beta decays $\text{Rb}^{86} \rightarrow \text{Sr}^{86}$ and $\text{Rb}^{84} \rightarrow \text{Kr}^{84}$, 3=17435
- Eichmann, U. Photoeffect on nuclei of mass 3, 3=22365
- Eichorn, H. and Williams, C.A. On the systematic accuracy of photographic astrometric data, 3=16311
- Eick, H.A. The crystal structure and lattice parameters of some rare earth mono-seleno oxides, 0=8221
- Eick, H. A. and Mulford, R. N. R. Vapor pressure of neptunium, 4=27385
- Eicke, H.R. Improvement of a method for the experimental determination of transition probabilities and its application to the spectrum of barium, 2=12287
- Eickel, K. See Bartsch, J., 4=21920
- Eickel, K. See Bartsch, J., 4=30264
- Eickhoff, C. P. and Sykes, B. J. An adjustable burner mount for use in atomic absorption spectroscopy, 4=8433
- Eidel'berg, M.I. Luminescence in castor oil under the action of an alternating voltage, 3=16634
- Eidel'berg, M. I. Cathodic flash of galvanoluminescence from the anodic oxide film on aluminium in diethylphthalate, 4=20478
- Eidel'man, L.G. See Dobrovinsk'ka, O.R., 2=8588
- Éidel'man, L.G. See Dobrovinskaya, E.R., 1=14976
- Eidens, J. See Hovestadt, D., 4=17092
- Eidman, V. Ya. Radiation of a plasma wave by a charge moving in a magnetoactive plasma, 2=3062
- Eidman, V. Ya. Radiation of a plasma wave by a charge moving in a magnetoactive plasma, 3=4173
- Éidman, V. Ya. Attenuation of electromagnetic waves in an inhomogeneous medium related to transient radiation, 3=14769
- Éidman, V. Ya. See Ginzburg, V.L., 0=11017
- Eidman, V. Ya. See Ginzburg, V.L., 2=7847
- Eidman, V. Ya. See Ginzburg, V.L., 3=14033
- Eidmana, Ya. V. Correction to the paper by V. Ya. Eidmana "Radiation of an electron moving in a magnetoactive plasma", 0=10919
- Eido, R. Graphical recording of the wave functions of the molecule N_2 with the aid of an analogue computer, 2=6204
- Eido, R. See Grandmontagne, R., 0=489
- Eidson, J.C. See Auld, B.A., 3=9935
- Eidson, W. W. and Bent, R.D. Gamma decay of the 7.57 MeV level on N^{15} , 2=18260
- Eidson, W. W. and Bent, R.D. Study of the reaction $\text{Ne}^{20}(\alpha, \alpha')\text{Ne}^{20}$, 3=2498
- Eidson, W. W. and Cramer, J.G., Jr. Production of unnatural-parity states by inelastic alpha-particle scattering, 3=15229
- Eidson, W. W., Cramer, J. G., Jr., Blatchley, D. E. and Bent, R. D. Angular correlation studies of nuclear polarization following inelastic scattering of alpha particles from C^{12} and Mg^{24} , 4=28062
- Eidson, W. W. See Bent, R.D., 1=8618
- Eidson, W. W. See Bent, R.D., 2=20510
- Eidson, W. W. See Cramer, J. G., Jr., 4=28061
- Eidson, W. W. See LaSalle, R. A., 4=3562
- Éidukas, D. and Barshauskas, K. Transient phenomena in semiconductor diodes for pulse operation, 4=1631
- Éidukas, D. and Barshauskas, K. Equipment for transient phenomena measurements in semiconductor devices, 4=1640
- Éidukas, D. Yu. and Barshauskas, K.I. Measurement-type pulse generators for the investigation of the transient characteristics of semiconductor diodes, 3=24194
- Eidule, O.N. See Ivensen, V.A., 3=6775
- Eidus, Ya. A. See Bobovich, Ya. S., 4=26170
- Eiermann, K. and Knappe, W. Simple plate apparatus for the determination of the thermal conductivity of plastics in addition to a contribution to the question of thermal contact at low temperatures, 2=19746
- Eiffert, R.C. See Harp, W.R., Jr., 0=18453
- Éig, L. S. See Lobov, S. I., 4=14585
- Eigen, M. and de Maeyer, L. Comment on the letter of B.E. Conway and J.O'M. Bockris, 0=4722
- Eigen, M. and De Maeyer, L. Self-dissociation and protonic charge transport in water and ice, 0=7738
- Eigen, M., De Maeyer, L. and Spatz, H.-Ch. Kinetic behaviour of protons and deuterons in ice crystals, 4=15844
- Eigen, M. and Tamm, K. Sound absorption in electrolyte solutions due to chemical relaxation. I. Relaxation theory of multi-stage dissociation, 2=10985
- Eigen, M. and Tamm, K. Sound absorption in electrolyte solutions due to chemical relaxation. II. Experimental results and relaxation mechanisms for 2-2 valent electrolytes, 2=10986
- Eigen, M. See Bergmann, K., 4=5202
- Eigenson, M.S. Similarity of structure of the solar system, the galaxy and other spirals, 3=11509
- Eigne, M. See Dewald, R. R., 4=7746
- Eijkelenboom, L.C.H. See Bosman, A.J., 1=6118
- Eijkman, E. and Vendrik, A.J.H. Dynamics of the vibration sense at low frequency, 0=16499
- Eijnsbergen, B. Van. See Van Eijnsbergen, B.
- Eikum, A. and Thomas, G. Effect of solute atoms upon vacancy climb of prismatic dislocations in Al-5% Mg alloy, 3=22748
- Eikum, A. and Thomas, G. Formation of diamond-shaped prismatic loops in quenched f.c.c. metals, 4=4048
- Eikum, A. and Thomas, G. Precipitation and dislocation nucleation in quench-aged Al-Mg alloys, 4=17750
- Eilenberger, G. Internal field emission theory, 1=17467
- Eilenberger, G. Abrikosov's theory for periodic solution of the GL equations for type II superconductors, 4=24490
- Eilenberger, G. Analytic behaviour of one-dimensional Bloch waves in the cases of connected energy bands and missing inversion symmetry, 4=28408
- Eilenberger, G. Choice of phases in the Wannier functions and simple derivation of the substitute operator for lattice electrons in a magnetic field, 3=25224
- Eimer, M. See Taurel, L., 3=8563
- Éinasto, Ya. See Liigant, M., 1=18230
- Einaudi, F. See Boella, M., 3=24464
- Einbinder, H. See Fleishman, H., 0=5030
- Einbinder, I. See Minkoff, I., 2=14945
- Einfeld, K. The delayed light emission of scintillator materials in the microsecond region, 0=4429
- Einhorn, F. See Cabicar, J., 3=23119
- Einhorn, H.D. and Naudé, D.E.H. Stray light in a monochromator (analysis and prediction based on measurements by means of discharge lamps and filters), 3=14354
- Einhorn, H.D. and Nieuwmeyer, H. An a.c. analog computer for evaluating chromaticity from spectral data, 4=29727
- Eins, S. and Unangst, D. A new construction of a Kratky-type small-angle X-ray camera of high resolving power, 2=14970
- Einspruch, N.G. Anisotropy in ultrasonic attenuation in single crystal aluminum, 0=17885
- Einspruch, N.G. The effects of dried O_2 on the surface conductance of silicon, 2=6459
- Einspruch, N.G. A.C. field effect measurements on silicon, 2=10480
- Einspruch, N.G. Ultrasonic loss in yttrium iron garnet, 2=23056
- Einspruch, N.G. Effects of a magnetic field on the surface conductance of germanium, 3=13059
- Einspruch, N.G. Generation of circularly polarized transverse elastic waves, 4=21221
- Einspruch, N.G. and Barlow, C.A., Jr. Scattering of a compressional wave by a prolate spheroid, 2=2837
- Einspruch, N.G. and Claiborne, L.T. Elastic constants of silicon carbide, 3=18160
- Einspruch, N. G. and Claiborne, L. T. Elastic constants of a (73.8% Ni-26.2% Fe) ferromagnetic alloy, 4=7442
- Einspruch, N.G. and Csavinsky, P. Electronic effect in the elastic constant C' of silicon, 3=18162
- Einspruch, N.G. and Manning, R.J. Elastic constants of compound semiconductors—ZnS, PbTe, GaSb, 3=8751
- Einspruch, N. G. and Manning, R. J. Third-order elastic moduli of anisotropic solids, 4=13359
- Einspruch, N.G. and Truell, R. Scattering of a plane longitudinal wave by a spherical fluid obstacle in an elastic medium, 0=2211
- Einspruch, N.G. and Truell, R. Results of an ultrasonic measurement survey, 2=23728
- Einspruch, N.G., Witterholt, E.J. and Truell, R. Scattering of a plane transverse wave by a spherical obstacle in an elastic medium, 0=8754
- Einspruch, N.G. See Claiborne, L.T., 3=12035
- Einspruch, N. G. See Claiborne, L. T., 4=411
- Einspruch, N.G. See Claiborne, L. T., 4=10356
- Einspruch, N.G. See Hasty, T.E., 3=15826
- Einspruch, N.G. See Stein, F., 0=1843

- Einspruch, N.G. See West, F.G., 0=18243
- Einstein, J.R. Humidity control device for the Buerger precession camera, 1=20456
- Einstein, F.W.B. and Penfold, B.R. The crystal structure of hydrated potassium tetraperoxy-ditungstate (VI), $K_2W_2O_{11} \cdot 4H_2O$, 4=29134
- Einstein, P.A., Harvey, D.R. and Simmons, P.J. The design of an experimental electron beam machine, 4=3047
- Einstein, P.A. See Haine, M.E., 0=7159
- Einstein, P.A. See Vine, J., 4=21570
- Eisberg, R., Mayo, S. and Schimmerling, W. Nuclear interaction correction for deuteron scintillation counting, 3=12518
- Eisberg, R. See Nonaka, I., 3=8100
- Eisberg, R.M. Nucleon induced direct interactions, 1=8704
- Eisberg, R.M. and Porter, C.E. Scattering of alpha particles, 1=13530
- Eisberg, R.M. See Carlson, R.F., 2=20616
- Eisberg, R.M. See Makino, M.Q., 4=9501
- Eisberg, R.M. See Makino, M.Q., 4=22138
- Eisberg, R.M. See Meyer, V., 0=7552
- Eisberg, R.M., Yennie, D.R. and Wilkinson, D.H. A bremsstrahlung experiment to measure the time delay in nuclear reactions, 0=17576
- Eischens, R.P. Infrared methods applied to surface phenomena, 1=4102
- Eisele, J.A. and McClary, J.F. A method of polymerizing and fabricating large plastic scintillators, 4=30106
- Eisele, J.A. See McClary, J.F., 4=30217
- Eisenberg, Y., Yekutieli, G., Abrahamson, P. and Kessler, D. Y^* effects in the reaction $K^- + p \rightarrow \Sigma + \pi$ on complex nuclei, 1=16889
- Eisen, C.L. See Schock, A., 2=1479
- Eisen, F.H. Recovery of electron radiation damage in n-type InSb, 1=11244
- Eisen, F.H. Cryostats for irradiating at 4.2°K, 4=11440
- Eisen, F.H. Orientation dependence of electron radiation damage in InSb, 4=28510
- Eisenberg, A. Sound damping measurements in glass sheets as a function of angle of incidence, 0=1019
- Eisenberg, A. Measurement under load of structure-Borne sound damping by isolating materials, 0=19315
- Eisenberg, A. The multi-dimensional glass transition, 3=25766
- Eisenberg, A. Equilibrium polymerization under pressure: the case of sulfur, 4=2152
- Eisenberg, D. and Coulson, C.A. Energy of formation of D-defects in ice, 4=4043
- Eisenberg, H. Multicomponent polyelectrolyte solutions, I. Thermodynamic equations for light scattering and sedimentation, 2=11366
- Eisenberg, H. and Woodside, D. Multicomponent polyelectrolyte solutions. II. Excluded volume study of polyvinylsulfonate alkali halide systems, 2=11367
- Eisenberg, J.M. Direct electrodisintegration and photo-effect of nuclei, 4=6327
- Eisenberg, J.M. and Rose, M.E. Isospin selection rules for high-energy electron scattering, 3=19837
- Eisenberg, J.M. See Bolen, L.N., 4=17045
- Eisenberg, J.M. See Weigert, L.J., 4=19761
- Eisenberg, L. and Ratliff, F. Gating system for photographic printout of counts in neurophysiological research, 0=12216
- Eisenberg, L., Rosen, P. and Edelman, G.M. A.G.C. amplifier to correct for effects of light source variations in spectrofluorometric measurements, 3=5605
- Eisenberg, L. See Schwartz, M., 4=28575
- Eisenberg, Y. Annihilation of antibaryons, 3=10067
- Eisenberg, Y., Friedmann, M., Alexander, G. and Kessler, D. Search for $S = -2$ negative heavy meson in nuclear emulsions, 0=20219
- Eisenberg, Y., Friedmann, M., Alexander, G. and Kessler, D. On the multi-nucleon capture of K^- -mesons, 2=319
- Eisenberg, Y. and Kessler, D. Remarks on the hyperon-pion resonances (Y^*) mesons by complex nuclei, 2=22632
- Eisenberg, Y. and Kessler, D. On the μ -mesonic atoms, 1=9921
- Eisenberg, Y. and Kessler, D. X-ray deficiency in mesonic atoms, 1=12269
- Eisenberg, Y. and Kessler, D. Remarks on the present status of the problem of the X-ray deficiency in μ -mesonic atoms, 3=15310
- Eisenberg, Y. and Kessler, D. K^- -mesonic atoms, 3=17547
- Eisenberg, Y. See Alexander, G., 0=15438
- Eisenberg, Y. See Dyer, J., 0=5562
- Eisenberg, Y. See Koch, W., 0=17414
- Eisenberg, Y. See Nikolić, M., 0=17413
- Eisenbrown, C.M. See Scharfstein, L.R., 1=1485
- Eisendrath, H. See Jeener, J., 4=7209
- Eisenhart, C. Realistic evaluation of the precision and accuracy of instrument calibration systems, 3=21187
- Eisenhart, L.P. The paths of rays of light in general relativity, 0=18924
- Eisenhart, L.P. The paths of rays of light in general relativity of the nonsymmetric field V_4 , 2=9178
- Eisenhart, L.P. The paths of rays of light in generalized general relativity of the nonsymmetric field V_4 , 2=19418
- Eisenhauer, C. Some results on the energy-dependent Milne problem for thermal neutrons and light gases, 4=19895
- Eisenkolb, F. Investigations of the sintering ability of austenitic
- Eisenman, W.L. Modifications to the EMR model 33 amplifier, 4=14545
- Eisenman, W.L., Bates, R.L. and Merriam, J.D. Black radiation detector, 3=14414
- Eisenman, W.L. See Caringella, P.C., 2=17774
- Eisenman, W.L. See Potter, R.F., 2=22086
- Eisenmenger, W. Theoretical and experimental investigation of the frequency dependence of the electrokinetic effect (streaming current) in porous glass filter-plates with ultrasound, 0=5267
- Eisenmenger, W. Dynamic properties of the surface tension of water and aqueous solutions of surface active agents' with standing capillary waves in the frequency range from 10 kc/s to 1.5 Mc/s, 1=130
- Eisenmenger, W. Test sound source of pressure impulses in liquids for measurement by broad-band microphones, 2=19659
- Eisenmenger, W. Production and measurement of short electrical and acoustical pulses, 2=19835
- Eisenmenger, W. Electromagnetic generation of plane pressure pulses in liquids, 2=21930
- Eisenmenger, W. Determination of the thickness of shock-wave fronts in liquids from the acoustic spectrum, 4=5290
- Eisenmenger, W. Experimental determination of the shock front thickness from the acoustic frequency spectrum of electromagnetically produced shock waves in liquids for a shock pressure region from 10 to 100 atm., 4=24300
- Eisenschitz, R. See Sah, P., 0=10648
- Eisenschitz, R. and Boot, A.R. The thermal conductivity of monatomic dielectric liquids, 0=5206
- Eisenschitz, R. and Wilford, M.J. Force correlations and collective movement in classical liquids, 3=129
- Eisenstadt, M. Nuclear magnetic relaxation in LiF at high temperatures, 4=1905
- Eisenstadt, M. Nuclear magnetic relaxation in NaCl at high temperatures, 4=10345
- Eisenstadt, M. and Redfield, A.G. Nuclear spin relaxation by translational diffusion in solids, 4=1895
- Eisenstadt, M. See Harris, C.M., 3=23988
- Eisenstein, J.C. Spectrum of K_2ReCl_6 , 0=17761
- Eisenstein, J.C. Spectrum of ReF_6 , 0=20624
- Eisenstein, J.C. Absorption spectrum and magnetic properties of osmium hexafluoride, 1=3543
- Eisenstein, J.C. Magnetic properties and optical absorption spectrum of K_2ReCl_6 , 1=8988
- Eisenstein, J.C. Analysis of the absorption spectrum of $YbCl_3 \cdot 6H_2O$, 1=19977
- Eisenstein, J.C. Eigenfunctions of the f^3 configuration, 4=3764
- Eisenstein, J.C. Spectrum of Er^{3+} in $LaCl_3$, 4=4259
- Eisenstein, J.C. Spectrum of Nd^{3+} in $LaCl_3$, 4=4260
- Eisenstein, J.C. Erratum: Spectrum of Nd^{3+} in $LaCl_3$, 4=17572
- Eisenstein, J.C. The validity of crystal field theory as applied to rare earth ions: an analysis of the spectrum of praseodymium trichloride, 4=25809
- Eisenstein, J.C. and Pryce, M.H. Theory of the magnetic and spectroscopic properties of neptunium hexafluoride, 0=7768
- Eisenstein, J.C. See Ambler, E., 2=4913
- Eisenstein, J.C. See Ambler, E., 2=19367
- Eisenthal, K.B. and Siegel, S. Influence of resonance transfer on luminescence decay, 4=25773
- Eisenthal, K.B. See Siegel, S., 3=22595
- Eisenthal, K.B. See Murashige, R., 4=4315
- Eisfeld, D. See Meyer, E., 3=12310
- Eisinger, J. Proton relaxation measurements as a means of studying ion binding and certain biological systems, 4=25790
- Eisinger, J., Shulman, R.G. and Szymanski, B.M. Transition metal binding in DNA solutions, 2=11393
- Eisinger, J. See Bederson, D., 0=15672
- Eisinger, J. See Blumberg, W.E., 0=18228
- Eisinger, J. See Blumberg, W.E., 0=19561

- Eisinger, J. See Blumberg, W.E., 1-1283
 Eisinger, J. See Blumberg, W.E., 1-14824
 Eisinger, J. See Blumberg, W.E., 3-13300
 Eisinger, J. See Blumberg, W.E., 4-26393
 Eisler, F., Gaillard, J.M., Keren, J., Schwartz, M. and Wolf, S.E. The $\pi^- + p \rightarrow \Lambda^0 + K^0$ reaction at the thresholds of the $\pi + p \rightarrow \Sigma^0 + K^0$ reactions (cusp), 2-22568
 Eisler, J.D. See Beardsley, G.F., Jr., 3-14126
 Eisler, F., Franzini, P., Gaillard, J.M., Garfinkel, A., Keren, J., Plano, R., Prodell, A. and Schwartz, M. Progress report on an experiment to study $\Lambda^0 \rightarrow K^0$ production at
 Eisler, F., Gaillard, J.M., Keren, J., Schwartz, M. and Wolf, S. Example of the decay $\Lambda^0 \rightarrow p + \mu^- + \bar{\nu}$, 1-19271
 Eisler, F.R. See Bertanza, L., 2-13854
 Eismont, V.P. Symmetry of nuclear fission, 2-8013
 Eismont, V.P. Symmetry of nuclear fission, 3-6305
 Eismont, V.P. Two types of fission and the nuclear charge distribution, 3-22432
 Eismont, V.P. See Baranov, I.A., 2-509
 Eismont, V.P. See Baranov, I.A., 2-14154
 Eismont, V.P. See Baranov, I.A., 2-22859
 Eismont, V.P. See Blinov, M.V., 2-8014
 Eismont, V.P. See Blinov, M.V., 3-6308
 Eismont, V.P. See Marov, G.I., 3-24993
 Eismont, V.P. See Protopopov, A.N., 0-11454
 Eismont, V.P. See Protopopov, A.N., 0-11460
 Eismont, V.P. See Protopopov, A.N., 0-13304
 Eismont, V.P. See Protopopov, A.N., 0-15606
 Eismont, V.P. See Protopopov, A.N., 1-744
 Eismont, V.P. See Selitskii, Yu.A., 3-2503
 Eisner, E. Fatigue straining of copper whisker, 1-6481
 Eisner, E. Brighter spectrographic images by the use of anamorphic optics, 3-18985
 Eisner, E. Design of sonic amplitude transformers for high magnification, 3-23980
 Eisner, E. Resonant vibration of a cone, 4-8293
 Eisner, E. Torsionally resonant amplitude transformers for high magnification, 4-11271
 Eisner, H.S., Quince, B.W. and Slack, C. The stabilization of water mists by insoluble monolayers, 1-11631
 Eisner, I. Ya. Some electrical characteristics of ammonium dihydrogen phosphate single crystals, 2-18766
 Eisner, I. Ya. The domain structure in monocystals of Rochelle salt, 4-30652
 Eisner, L., Bell, E.E., Young, J. and Oetjen, R.A. Spectral radiance of sky and terrain at wavelengths between 1 and 20 μ . III. Terrain measurements, 2-4590
 Eisner, L. See Bell, E.E., 1-1512
 Eisner, L. See Oetjen, R.A., 1-1511
 Eisner, M. See Carroll, H.B., 4-2501
 Eisner, M. See Harmon, G.S., 4-11616
 Eisner, M. See Henson, R.M., 3-16950
 Eisner, M. See Kattawar, G.W., 2-12344
 Eisner, M. See Mitchell, R.W., 0-14664
 Eisner, M. See Mitchell, P.W., 1-4359
 Eisner, R.L. Apparatus for accurate measurement of thermoelectric power, 0-8982
 Eisner, R.L., Mazelsky, R. and Tiller, W.A. Growth of ZnSb single crystals, 1-14991
 Eisner, S. and Ottlyk, A.A. Electrocapillary effect on the modulus of elasticity of metals, 4-4438
 Eizner, Yu.E. See Ptitsyn, O.B., 0-12405
 Eizner, Yu.I. See Ptitsyn, O.B., 2-11330
 Eissa, N. See Plajner, Z., 3-10312
 Eissner, W. Calculations for excitation of the M shell of H near the threshold, 4-25522
 Ejima, T. See Straumanis, M.E., 0-6355
 Ejima, T. See Straumanis, M.E., 1-5662
 Ejima, T. See Straumanis, M.E., 1-963
 Ejima, T. See Straumanis, M.E., 2-6811
 Ejima, T. See Straumanis, M.E., 2-10375
 Ejiri, A. See Onaka, R., 1-14585
 Ejiri, A. See Onaka, R., 3-18993
 Ejiri, H. See Ohmura, H., 1-13801
 Ejiri, H. Structure of excited states in P^{29} , 4-17047
 Ejiri, H., Nakajima, Y., Horie, K., Matsumoto, S. and Nogami, Y. Gamma rays from the reaction $Si^{29}(p, \gamma)P^{30}$, 4-15212
 Ejiri, H., Ohmura, H., Nakajima, Y., Horie, K., Hashimoto, Y., Matsumoto, S., Nogami, Y. and Eto, K. Excited states in P^{29} by the reaction $Si^{28}(p, \gamma)P^{29}$, 4-17046
 Ejiri, H. See Sakai, M., 4-15161
 Ejiri, H. See Yagi, K., 4-25305
 Ek, F., Kahalas, S.L. and Tidman, D.A. Instability of contra-streaming plasmas with resonance distribution functions, 2-7599
 Ek, F. See Ziering, S., 1-10534
 Ek, F. See Ziering, S., 1-11775
 Ekaterinin, V.V. See Vishnevskii, V.F., 2-18036
 Ekaton, A.B. and Tishechkin, A.S. Device for readout from amplitude time analysers, 2-22143
 Ekhlakov, A.D. Variation of the state of stress in a solid under hydrostatic pressure, 0-16228
 Ekhlakov, A.D. and Rodionov, K.P. Hydrostatic method of measuring the compressibility of a liquid under high pressure, 1-9365
 Eklund, H. Fresh water: temperature of maximum density calculated from compressibility, 4-8178
 Eklund, K. Inexpensive high resolution Wheatstone bridge, 1-263
 Eklund, K.E. See Kellogg, E.M., 3-5717
 Eklund, K.E. See Nessin, M., 2-3529
 Ekman, C., Hoh, F.C. and Lehnert, B. Behavior of the positive column in a magnetic field, 0-19668
 Ekman, G. and Lindman, R. Measurement of the underlying Eknadiosyants, O.K. On interaction of aerosol particles in an acoustic field, 4-7781
 Eknadioryants, O.K. The kinetics of ultrasonic fog formation, 4-8160
 Eknadioryants, O.K. See Buravov, L.I., 2-17105
 Eknadioryants, O.K. See Rozenberg, L.D., 1-6573
 Ekserova, D. See Sheludko, A., 0-12420
 Ekspong, A.G. On the scattering of antiprotons in nuclear matter, 0-5748
 Ekspong, A.G., Frisk, A., Nilsson, S. and Ronne, B.E. Antiproton annihilations in complex nuclei, 1-5728
 Ekspong, A.G. See Frisk, A., 3-6089
 Ekspong, G. See Allan, J., 4-21903
 Ekstein, H. Time reversal and superselection, 2-9787
 Ekstig, B. See Nikiforov, I. Ia., 4-19955
 Ekstig, B. See Noreland, E., 3-25472
 Ekstig, B. See Noreland, E., 4-15288
 Ekstrom, L. and Weisberg, L.R. Sources of contamination in GaAs crystal growth, 2-10801
 Ekstrom, L. and Weisberg, L.R. Sources of contamination in GaAs crystal growth, 4-29052
 Ekstrom, L. See Abrahams, M.S., 1-2516
 Ekstein, H. Equivalent Hamiltonians in scattering theory, 0-7299
 Ekstein, H. Geometric theory of charge, 1-418
 Ekvall, R.A. See Brown, N., 2-23750
 Ekvall, R.A. See Neugebauer, C.A., 4-11481
 El Agib, A.A.R. The pair ratio method of measuring small temperature difference, 4-29794
 El Agib, A.A.R. A hydraulic bridge for measuring small temperature difference, 4-29795
 Elagin, Ju. P., Nemirovsky, P.E., Stokov, Ju. F. Nucleon-antinucleon interaction at low energies, 4-9188
 Elagin, Yu.P. Polarization of nucleons scattered on non-zero spin nuclei, 1-4862
 Elagin, Yu.P. Polarization of inelastically scattered nucleons, 3-17267
 Elagin, Yu.P. Comparison of the strength functions and polarization of neutrons in various optical models, 3-22260
 Elagin, Yu.P., Lul'ka, V.A. and Nemirovskii, P.E. Neutron force function in the optical model, 1-19485
 Elagin, Yu.P., Lul'ka, V.A. and Nemirovskii, P.E. Neutron force function in the optical model, 2-22825
 Elagin, Yu.P. See Nemirovskii, P.E., 3-24647
 Elagina, E.I. Investigation of the PbSe-Sb₂Se₃ system, 3-25741
 Elagina, E.I. Investigation of the PbSe-Bi₂Se₃ system, 3-25742
 Elagina, L.G. Optical device for measuring the turbulent pulsations of humidity, 3-7253
 Eland, A.J. See Ottens, E., 0-557
 Eland, A.J. See Ottens, E., 0-558
 Eland, A.J. Etch pits on cadmium-sulphide crystals, 1-12619
 El-Bakkal, J.M. and Loeb, L.B. Electrical breakdown of argon in glass cells with external electrodes at constant and at 60-cycle alternating potential, 2-9554
 El-Bakkal, J.M. See Loeb, L.B., 3-4092
 Elbaum, C. Dislocations in metal crystals grown from the melt, 0-13540
 Elbaum, C. Temperature gradient grain boundary migration, 0-17948
 Elbaum, C. On dislocations formed by the collapse of vacancy discs, 0-20814

- Elbaum, C. Vacancy precipitation and the origin of dislocations, 3=22743
- Elbaum, C. See Basu, B. K., 4=20280
- Elbaum, C. See Hikata, A., 2=21436
- Elbaum, C. See Hikata, A., 3=17762
- Elbaum, C. See Hikata, A., 3=23320
- Elbaum, C. See Hikata, A., 4=9842
- Elbaum, C. See Howe, S., 1=3975
- Elbaum, C. See Howe, S., 1=12383
- Elbaum, C. See Howe, S., 1=19780
- Elbaum, C. See Suzuki, T., 4=20275
- Elbaum, C. See Suzuki, T., 4=28915
- Elbaum, C. See Truell, R., 4=20199
- El-Bayoumi, M. A. and Kearns, D. R. Comparison of localized and delocalized models for $n \rightarrow \pi^*$ transitions: a possible interpretation of the observed sym-tetrazine fluorescence, 2=16503
- El-Bayoumi, M. A. See Kearns, D. R., 3=12804
- El-Bayoumi, M. A. See O'Dwyer, M. F., 2=10628
- El-Bayoumi, M. A. See Ramsey, B., 1=19641
- El-Baz, E. Angular distribution of stripping reactions on Si^{29} and O^{17} , 3=22420
- El-Baz, E. Calculation of the polarization of protons from a particular type of stripping reaction, 4=16896
- Elbaz, E. and Lafoucrière, J. The result of calculations without distorted wave effects on the angular distribution from Si^{29} , 3=6286
- El-Baz, E. See Lafoucrière, J., 4=1055
- El-Baz, E. See Massot, J. N., 4=1087
- El-Baz, E. See Pigeon, J., 4=25428
- Elbeck, B. See Bjerregård, J., 3=17458
- El Bedewi, F. A. and Tadros, S. Energy levels in chromium isotopes, 1=2171
- El Bedewi, F. A. and El Wahab, M. A. Stripping analysis of the reaction $\text{Na}^{23}(\text{d}, \text{p})\text{Na}^{24}$, 1=721
- El-Bedewi, F. A. and El-Wahab, M. A. Analysis of energy levels in Na^{24} , 1=8572
- El-Behay, A. Z., Farouk, M. A., Gontchar, V. J., Loutsik, V. A., Nassef, M. H. and Zaloubovsky, I. I. Studies of proton groups from the reaction $\text{F}^{19}(\text{d}, \text{p})\text{F}^{20}$, 4=28057
- Elbek, B. On the correlation between the nuclear deformation and the moment of inertia, 1=8550
- Elbek, B. Coulomb excitation of vibrational levels, 1=8594
- Elbek, B. and Nakamura, M. Multichannel detector for use in particle spectrometers, 2=3203
- Elbek, B., Olesen, M. C. and Skilbreid, O. Inelastic scattering from even rare earth isotopes, 1=689
- Elbek, B. See Borggreen, J., 4=22223
- Elbek, B. See Borggreen, J., 3=24383
- Elbek, B. See Diamond, R. M., 3=15120
- Elbek, B. See Hansen, O., 1=13787
- Elbek, B. See Hansen, G. B., 4=3580
- Elbek, B. See Olesen, M. C., 0=7559
- Elbek, B. See Skurnik, E. Z., 1=5908
- Elbek, B. See Stephens, F. S., 4=22043
- Elbek, B. See Yoshizawa, Y., 4=22040
- Elbel, F. See Baier, O., 4=29858
- Elbel, M. The hyperfine structure of the SPD^1 configuration in atomic spectra, 4=25509
- Elbel, M. and Fischer, W. On the isotope shift in copper I and II spectrum, 2=6094
- Elbel, M. and Fischer, W. The isotope shift in the silver I and II spectrum, 2=10211
- Elbel, M., Fischer, W. and Hartmann, M. Hyperfine structure and isotope shift in Cu II-spectrum, 4=9640
- Elberg, S. Measurement of the velocity of sound in water as a function of the temperature up to 300°C and pressure up to 150 kg/cm^2 , 0=19274
- Elberg, S. See Bessouat, R., 3=19072
- Elberg, S. See Bessouat, R., 4=4
- Elberg, S. See Bessouat, R., 4=18151
- Elbert, D. D. See Chandrasekhar, S., 1=16527
- Elbert, D. D. See Chandrasekhar, S., 1=18999
- Elbert, D. D. See Chandrasekhar, S., 2=15538
- El Bialy, A. See Barakat, N., 3=9395
- El Bindari, A. and Litvak, M. M. Upper critical field of Nb-Zr and Nb-Ti alloys, 4=5521
- Elbinger, G. Preparation of ferrite single crystals by the Verneuil process, 0=6327
- Elbinger, G. The determination of the magnetic crystal anisotropy constant K_1 in the systems nickel ferrite-magnetite and magnesium ferrite-magnetite, 1=20141
- Elbinger, G. Magnetic crystalline anisotropy in the systems nickel ferrite-magnetite and magnesium ferrite-magnetite, 2=12789
- Elbinger, G. Magnetic crystalline anisotropy of the systems nickel ferrite-magnetite and magnesium ferrite-magnetite, 2=18920
- Elbinger, G. Existence of the magnetic crystal anisotropy constant K_2 in ferrites with spinel structure, 4=20553
- Elbinger, G. and Rösler, U. The growth orientation of ferrite single crystals, 1=6484
- Elbinger, G. See Gerber, R., 4=10292
- Elbinger, G. See Rösler, U., 1=1374
- Elbrus, D. T. Calibration of a neutron source, 1=10892
- Elco, R. A. and Hughes, W. F. Acoustic waveguide mode interference and damping in viscous fluids, 4=14287
- Elco, R. A., Hughes, W. F. and Young, F. J. Theoretical analysis of the radical field-vortex magneto-gas dynamic generator, 2=16009
- Elder, E. See McGlynn, S. P., 0=4434
- Elder, F., Giese, C., Steiner, B. and Inghram, M. Photo-ionization of alkyl free radicals, 2=17781
- Elder, F. A. See Hall, K. L., 0=4731
- Elder, M. E. See Maron, S. H., 4=4716
- Elder, T. Interactions between the corona discharge and a zinc oxide electrode, 2=19913
- Elder, T. and Barte, W. Dynamic magnetic measurements by use of damped oscillatory fields, 3=5804
- Elder, T. and Barte, W. Eddy-current effects with rapidly varied high magnetic fields, 3=15790
- Eldering, H. G. Method for the complete description of infrared sky backgrounds, 1=20841
- Eldering, H. G. Criteria for background discrimination, 3=16832
- Eldred, K. McK. Base pressure fluctuations, 1=2803
- Eldred, R. A., Lassitter, H. A. and Roberts, J. Electromagnetic scattering coefficients for concentric spheres and the problem of interference free enclosures, 4=30055
- Eldredge, D. H., Bilger, R. C., Davis, H. and Covell, W. P. Factor analysis of cochlear injuries and changes in electrophysiological potentials following acoustic trauma in the guinea pig, 1=4152
- Eldredge, D. H. See Teas, D. C., 3=3662
- Eldreth, L. F., Herget, W. F. and Lovell, R. J. Vibration-rotation interaction in the fundamental band of HF, 4=20045
- Eldridge, D. C., Skinner, E. M. and Tsepas, J. Strobe photography with the general radio 1531-A strobotac, 3=3905
- Eldridge, D. F. Quantitative determination of the interaction fields in aggregates of single-domain particles, 1=6313
- Eldridge, H. B. See Birkhoff, R. D., 1=18947
- Eldridge, H. B. See Ritchie, R. H., 1=16809
- Eldridge, H. B. See Ritchie, R. H., 2=14751
- Eldridge, J. and Komarek, K. L. Thermodynamic properties of solid iron-aluminum alloys, 4=15441
- Eldridge, J. S. and Lyon, W. S. Promethium 148, 1=5878
- Eldridge, J. S. See Lyon, W. S., 1=12185
- Eldridge, O. and Feix, M. Fokker-Planck coefficients for a one dimensional plasma, 3=4115
- Eldridge, O. C. and Feix, M. One-dimensional plasma model at thermodynamic equilibrium, 2=20111
- Eldridge, O. C. and Feix, M. Numerical experiments with a plasma model, 3=9770
- Eldridge, O. C. See Harrison, H., 3=10090
- Eldridge, O. C., Jr. See Scott, F. R., 2=1439
- Eldridge, R. G. A few fog drop-size distributions, 2=2476
- Eldridge, R. G. and Johnson, J. C. Distribution of irradiance in haze and fog, 2=15198
- Elek, T. Position and meaning of measurement and experimental observation in physical knowledge, 2=7109
- Elema, R. J., de Boer, J. L. and Vos, A. The refinement of the crystal structure of $\text{KICl}_4 \cdot \text{H}_2\text{O}$, 3=13476
- Eleman, F. On solar flares and geomagnetic solar flare effects (s.f.e.), 2=9078
- Elena, A. See Bossolasco, M., 1=6610
- Elena, A. See Bossolasco, M., 3=25927
- Elenbaas, W. Rate of evaporation and heat dissipation of a heated filament in a gaseous atmosphere, 4=372
- Elenetskaya, N. B. The region of convergence of series expansions of the coordinates of unperturbed motion, 3=23658
- Eleonskii, V. M. Excitation spectrum of a particle system in an external field, 1=18303
- Eleonskii, V. M. and Zyryanov, P. S. Possible effect of electromagnetic radiation on the electrical conductivity of electronic conductors, 0=3729

- Eleonskii, V.M., Zýryanov, P.S. and Silin, V.P. Collision integral for charged particles [in solids] in a magnetic field, 2=8199
- Eleonskii, V.M., Zýryanov, P.S. and Silin, V.P. Collision integral for charged particles in a magnetic field, 2=13660
- Eleonskii, V.M., Zýryanov, P.S. and Silin, V.P. Collision integral of charged particles in a magnetic field, 3=5654
- Eleonskii, V.M., Zýryanov, P.S. and Silin, V.P. Collision integral for charged particles in a magnetic field, 3=5829
- Eleonskii, V.M. See Polyak, Yu. Ya., 4=2972
- Eley, D.D., Inokuchi, H. and Willis, M.R. The semiconductivity of organic substances. IV. Semi-quinone type molecular complexes, 1=7655
- Eley, D.D. and Wilkinson, P.R. Adsorption and oxide formation on aluminium films, 0=8335
- Eley, D.D. See Cardew, M.H., 1=7654
- Eley, D.D. See Dear, D.J.A., 3=16131
- Elfant, R.F. Direct observation of rotational switching in polycrystalline ferrite materials, 3=15865
- Elfant, R.F. and Friedlaender, F.J. Approximate solution of the equations of magnetization reversal by coherent rotation, 2=13638
- Elfant, R.F. and Friedlaender, F.J. Flux reversal in square loop ferrite cores, 3=1084
- El-Farrash, A.H. See Bashandy, E., 4=15167
- Elfner, L. Systematic shifts in the judgment of octaves of high frequencies, 4=10965
- Elfner, L.F. See Thurlow, W.R., 0=2053
- Elfner, L.F. See Thurlow, W.R., 1=21124
- Elford, M.T. See Crompton, R.W., 0=1103
- Elford, M.T. See Crompton, R.W., 4=11254
- Elford, M.T. See White, G.K., 0=20754
- Elford, W.G. Winds in the upper atmosphere, 0=8367
- Elford, W.G. A study of winds between 80 and 100 km in medium latitudes, 1=6605
- Elford, W.G. See Mainstone, J.S., 1=1633
- Elford, W.G. See Roper, R.G., 3=13693
- Elford, W.G. See Weiss, A.A., 4=4935
- Él'gard, A.M. A study of the dependence of the permittivity and the loss-angle tangent of ferroelectrics on the electric field intensity in the range 50 c/s-100 kc/s, 2=664
- Él'gard, A.M. A study of the dependence of the permittivity and the loss-angle tangent of polarized ferroelectrics on the 50 c/s-100 kc/s, 2=665
- Él'gard, A.M. Investigation of the dielectric properties of polarized ferroelectrics in strong electric fields, 2=18776
- Él'gard, A.M. Investigation of the strong-field anisotropy of dielectric properties of ferroelectrics subjected to a preliminary treatment with an electric field, 2=18777
- Él'gard, A.M. Measurement of the specific dielectric capacitance and the losses in strong electric fields of ultrasonic range, 2=19875
- Él'gard, A.M. Investigation of the dielectric properties of polarized ferroelectrics in strong electric fields, 2=23502
- Él'gard, A.M. Investigation of the strong-field anisotropy dielectric properties of ferroelectrics subjected to a preliminary treatment with an electric field, 2=23503
- Él'gard, A.M. See Velyukhanova, G.A., 2=14627
- Él'gard, A.M. See Zaitseva, V.I., 2=14626
- Elgarby, O. Observations of the fine structure of enhanced solar radio radiation with a narrow-band spectrum analyser, 0=4859
- Elgarøy, Ø. Frequency drift and fine structure of 200 Mc/s solar bursts, 1=6738
- Elgarøy, O. High-resolution spectrometry of enhanced solar radio emission, 2=2564
- Elgarøy, O., Morris, D. and Rowson, B. A radio interferometer for use with very long baselines, 3=3616
- Elgarøy, Ø. and Rødberg, H. Frequency drift and time profile of 200 Mc/s bursts of type III and the electron temperature of the corona, 4=4951
- El Gazzy, E.M. See Meligy, A.S., 2=19430
- El Gazzy, E.M. See Meligy, A.S., 3=3757
- El-Hanany, U. See Cohen, E., 4=26241
- Eliañ, V.V. See Ado, I.M., 1=16459
- Elias, C., Françon, M. and Lostis, P. Adaptation of the Jobin-Yvon [electronic] spectrophotometer to microscopy, 0=14824
- Elias, D.P. See Anastassiadis, M., 4=23929
- Elias, L. Reinvestigation of some absolute rate measurements of O-atom reactions with olefins, 3=11341
- Elias, L., Ogryzlo, E.A. and Schiff, H.I. The study of electrically discharged O₂ by means of an isothermal calorimetric detector, 0=2332
- Elias, L. See Morgan, J.E., 0=18429
- Eliashberg, G.M. Interaction between electrons and lattice vibrations in a superconductor, 0=12558
- Éliashberg, G.M. Temperature Green's function for electrons in a superconductor, 1=18705
- Éliashberg, G.M. Kinetic equation for a degenerate system of Fermi particles, 2=39
- Éliashberg, G.M. A microscopic theory of damping of zero sound in a Fermi liquid, 2=17461
- Eliashberg, G.M. Kinetic equation for a degenerate system of fermi particles, 3=80
- Eliashberg, G.M. Low temperature heat capacities of metals, 3=3950
- Éliashberg, G.M. A microscopic theory of damping of zero sound in a Fermi liquid, 3=5438
- Eliashberg, G.M. See Ipatova, I.P., 3=14435
- Eliashberg, G.M. See Perel', V.I., 1=18867
- Eliashberg, G.M. See Perel', V.I., 3=405
- Eliashberg, M.B. See Stekhanov, A.I., 1=1172
- Eliashberg, M.B. See Stekhanov, A.I., 1=17903
- Éliashberg, M.B. See Stekhanov, A.I., 2=702
- Éliashberg, M.B. See Stekhanov, A.I., 2=18850
- Éliashberg, M.B. See Stekhanov, A.I., 2=23577
- Éliashberg, M.B. See Stekhanov, A.I., 4=6713
- Eliassen, A. See Charney, J.G., 4=17883
- Eliassen, E. Investigation of the dynamic properties of an electronic manometer and pressure transducer used in blood pressure measurements, 3=1548
- Elie, G. See Pikor, A., 3=20359
- Eliezer, C.J. and Roy, S.K. The effect of a magnetic pole on the energy levels of a hydrogen-like atom, 2=12281
- Eliezer, J. See Hayman, H.J.G., 1=12333
- Elinson, M.I., Stepanov, G.V. and Pokalyakin, V.I. The emission of hot electrons from p-n-junctions in SiC crystals, 1=17756
- Elinson, M.I., Vasil'ev, G.F. and Zhdan, A.G. Field emission from dielectrics containing impurities, 1=13099
- Elinson, M.I. and Zhdan, A.G. Novel properties of electron emission systems containing thin dielectric layers, 1=5490
- Elinson, M.I. See Stepanov, G.V., 2=2182
- Elinson, M.I. See Zhdan, A.G., 3=21851
- Elioff, T., Agnew, L., Chamberlain, O., Steiner, H., Wiegand, C. and Ypsilantis, T. p-p cross sections from 534 to 1068 MeV, 0=361
- Elioff, T., Agnew, L., Chamberlain, O., Steiner, H.M., Wiegand, C. and Ypsilantis, T. Antiproton-nucleon cross sections from 0.5 to 1.0 BeV, 3=586
- Elioff, T. See Agnew, L.E., Jr., 0=11172
- Elioff, T. See Auerbach, L.B., 2=20393
- Elioff, T. See Bacastow, R., 3=17307
- Elioff, T. See Wiegand, C.E., 2=11962
- Elion, H.A. Electron diffraction camera for use with a variable convergence electron microanalyzer beam, 3=23530
- Eliopoulos, H.A. Geometric interpretation of the mechanics of a 3-dimensional continuous isotropic medium, 2=19406
- Eliseev, A.A. See Gliki, N.V., 2=15809
- Eliseev, A.A. See Gliki, N.V., 2=19775
- Eliseev, A.A. See Gliki, N.V., 4=2028
- Eliseev, A.A. See Kuznetsov, V.G., 3=25734
- Eliseev, G.A. See Arsen'ev, Yu.I., 3=12136
- Eliseev, G.P. See Alikhanov, A.I., 0=2644
- Eliseev, G.P. See Alikhanov, A.I., 0=20176
- Eliseev, G.P. See Alikhanov, A.I., 1=3411
- Eliseev, P.G. and Kalashnikov, S.G. Recombination properties of nickel in germanium, 3=17847
- Eliseev, P.G., Kan Chan-Khé [K'ang Ch'ang-ho] and Nakhodnova, I. "Inborn" dislocations and recombination in p-type germanium, 3=20179
- Eliseev, P.G. See Alekseeva, V.G., 0=1583
- Eliseev, S.A. See Livshits, B.G., 3=6812
- Eliseev, V.S. The bremsstrahlung due to β -particles and the shielding from it, 4=3586
- Eliseev, V.V. See Striganov, A.R., 2=16483
- Eliseeva, I.I. See Zakharova, M.I., 1=10273
- Eliseevnin, V.A. See Brekhovskikh, L.M., 1=4405
- Eliseyev, G.P. See Alikhanov, A.I., 0=4050
- Elistratov, A.M. and Efimov, O.N. Effect of departures from periodicity on the anomalous transmission of x-rays integral characteristics of anomalous x-ray transmission, 3=18307
- Elistratov, A.M. and Kamadzhiev, P.R. The X-ray investigation of the decomposition of supersaturated solid solutions of small solubility, 0=21192

- Elistratov, A.M. and Kamadzhiev, P.R. Investigation of decomposition of supersaturated solid solutions of copper in germanium, 1=1519
- Elistratov, A.M. and Kamadzhiev, P.R. X-ray investigation of the decomposition of the supersaturated solid solution of Ni in Ge, 3=23486
- Elistratov, A.M. and Zvinchuk, R.A. Formation and liquation of heterogeneous regions in single crystals of solid (K, Na)Cl solutions, 1=1357
- Elistratov, A.M. and Zvinchuk, R.A. Calculations of the transforms for the forms of a crystal polyhedron, 3=16053
- Elistratov, A.M. See Efimov, O.N., 3=20196
- Elistratov, A.M. See Efimov, O.N., 4=2077
- Elistratov, A.M. See Efimov, O.N., 4=2084
- Elistratov, A.M. See Zvinchuk, R.A., 4=20784
- Elistratov, N.P. See Gusev, V.M., 0=19807
- Elistratov, N.P. See Gusev, V.M., 2=13606
- Elizarov, L.I. and Zharinov, A.V. Transverse motion of a plasma in magnetic fields, 3=12127
- El-Kareh, A.B. High speed oscilloscope with electron optical magnification using four-pole lenses, 1=8351
- El-Khalafawy, T. Spectroscopic measurements on an electrodeless ring discharge, 2=11639
- El-Khalafawy, T. See Beerwald, H., 2=15909
- El-Khalafawy, T. See Beerwald, H., 3=12164
- Elkholy, H. A method for measuring the Hall coefficient at high temperature, 2=6419
- Elkholy, H. Relaxation of the long-range order parameter in the domains of order of the alloy Cu_3Au , 3=20889
- Elkholy, H. Kinetics of order-disorder transformation of Cu_3Au alloy, 4=7489
- Elkholy, H. and Nagy, E. Ordering in alloy Cu_3Au . II, 3=3331
- Elkholy, H. and Zsoldos, L. X-ray investigations of the kinetics of ordering in the alloy Cu_3Au , 3=13529
- El'kin, A.I. See Bartenev, G.M., 4=7398
- El'kina, I.A. See Belousova, I.M., 4=3208
- Elkina, T.A. and Koroleva, L.I. Anomalous magnetic properties of the ferroxdure type ferrites with a hexagonal structure, 4=23022
- Elkina, T.A. See Bol'shova, K.M., 1=20132
- Elkina, T.A. See Bol'shova, K.M., 3=5023
- Elkina, T.A. See Bol'shova, K.M., 3=6724
- El'kind, A.I. Determination of waveguide probe parameters, 2=20147
- El'kind, S.A. See Banashek, E.I., 4=16280
- Elkington, R.W. The effect of substructure on the stress-corrosion of commercial Al-Zn-Mg alloys, 2=16968
- Elkins, P.G. See Straka, R.M., 3=7721
- Elkishem, M. See Marx, G., 1=13390
- Elkishem, M. Absorption of neutrinos in the Coulomb field of the nuclei, 3=10086
- Elkomoss, S.G. The oscillator strength for the first peak exciton in some alkali halide crystals, 2=12601
- Elkomoss, S.G. and Magee, J.L. Parent-ion recapture in gases, 2=1396
- Elkomoss, S.G. See Lorquet, J.C., 3=2664
- Elkomoss, S.G. See Willet, R.A., 4=21457
- Elleman, D.D. and Hildebrandt, A.F. The generation of intense magnetic fields with superconductors using induction, 4=16620
- Elleman, D.D. and Manatt, S.L. An n.m.r. study of indene using a proton-proton decoupling technique, 2=14327
- Ellemann, D.D. and Manatt, S.L. Fluorine-fluorine nuclear spin-spin decoupling, 2=18482
- Elleman, D.D. and Manatt, S.L. N.M.R. double resonance techniques for the determination of relative signs of spin spin coupling constants, 3=21995
- Elleman, D.D. See Hildebrandt, A.F., 2=11556
- Elleman, T.D. See Hildebrandt, A.F., 2=15850
- Elleman, T.S., Howes, J.E., Jr and Sunderman, D.N. A technique for the resolution of complex gamma spectra using a single-channel gamma-ray spectrometer, 2=5607
- Elleman, T.S. See Morrison, D.L., 4=20293
- Ellenkamp, L.A. Instrument for recording coercive force as a function of temperature, 2=9673
- Ellenkamp, L.A. and Zijlstra, H. Magnetization measurements in magnetic fields up to 70 000 Oe, 4=14850
- Ellenton, H.K. See Csanady, G.T., 3=7187
- Eller, G. von. See von Eller, G.
- Ellerbeck, L.D., Shanks, H.R., Sidles, P.H. and Danielson, G.C. Electrical resistivity of cubic sodium tungsten bronze, 1=11259
- Ellerböck, W. List of monochromatic corona rays, 1957-1958, 2=11131
- Ellerböck, W. See Haupt, H., 1=9276
- Ellett, M.R. See Cuff, K.F., 1=17748
- Ellett, M.R. See Cuff, K.F., 3=10830
- Ellett, M.R. See Kuglin, C.D., 1=6182
- Ellett, W.H. and Brownell, G.L. A total absorption gamma ray spectrometer combining sodium iodide and plastic scintillators, 1=2034
- Ellett, W.H. See Wächter, M.H., 0=11133
- Elly, M. The GeS-S-SnS system, 4=26552
- Ellinger, F.H., Elliott, R.O. and Cramer, E.M. The plutonium-uranium system, 0=8276
- Ellinger, F.H., Land, C.C. and Struebing, V.O. The plutonium-gallium system, 4=29015
- Ellinger, F.H. See Zachariasen, W.H., 3=13448
- Ellinger, F.H. See Zachariasen, W.H., 3=25706
- Ellingham, B. See Onions, W.J., 0=4978
- Ellington, J.P. Temperatures, thermal stresses and displacements in solid uranium dioxide rods, 0=6962
- Ellion, H.A. and Ogilvie, R.E. Reflecting variable bent crystal spectrometer, 2=20086
- Elliot, A.G. See Cherniack, G.B., 4=23279
- Elliot, F. and Pearson, G.W. Gamma monitor to rapidly assay plutonium in process wastes, 3=21021
- Elliot, H. Cosmic-ray intensity variations and the interplanetary magnetic field, 0=17452
- Elliot, H. Modulation of the cosmic ray intensity by the interplanetary magnetic field, 2=13915
- Elliot, H. The Van Allen particles, 3=23642
- Elliot, H. Cosmic ray measurements in the U.S./U.K. satellite S-51, 4=25220
- Elliot, H. Motion of cosmic ray particles in the geomagnetic field, 4=25239
- Elliot, H. The nature of solar flares, 4=29465
- Elliot H., Hynds, R.J., Quenby, J.J. and Wenk, G.J. The cosmic ray time variations and the solar magnetic field, 1=3357
- Elliot, H. See Durney, A.C., 3=6967
- Elliot, H. See Durney, A.C., 4=29354
- Elliot, R.C. See Gschneidner, K.A., Jr, 3=22669
- Elliot, R.J. Phenomenological discussion of magnetic ordering in the heavy rare earth metals, 3=973
- Elliot, R.T. See Baglin, C., 4=3487
- Elliott, A. See Bradbury, E.M., 2=17653
- Elliott, B.J., Schaug-Petersen, T. and Shaw, H.J. Pulsed ferrimagnetic microwave generator, 0=12693
- Elliott, B.J. See Shaw, H.J., 3=24463
- Elliott, D. A method for the numerical integration of the one-dimensional heat equation using Chebyshev series, 1=18652
- Elliott, D. See Cook, J.L., 0=13216
- Elliott, D. See Robertson, D.S., 0=19878
- Elliott, D.D. See Mozer, F.S., 3=16288
- Elliott, D.N., Sheposh, J. and Frazier, L. Effect of monaural fatigue upon pitch matching and discrimination, 4=20970
- Elliott, D.N., Stein, L. and Harrison, M.J. Determination of absolute-intensity thresholds and frequency-difference thresholds in cats, 0=6505
- Elliott, D.N. See Lukaszewski, J.S., 2=7064
- Elliott, D.N. See Riach, W., 3=3681
- Elliott, D.N. See Riach, W.D., 4=23973
- Elliott, D.W. See Heseltine, J.C.W., 4=10645
- Elliott, G.A. The Barieau-Li controversy and its significance for general thermodynamics, 4=7740
- Elliott, G.A. Partial differentiation with special reference to thermodynamics, 4=2901
- Elliott, G.E.P. and Riddiford, A.C. Dynamic contact angles and rates of adsorption, 3=1672
- Elliott, I., Ellison, M.A. and Reid, J.H. Spectra of a bright coronal prominence associated with a class 3 flare, 1=12752
- Elliott, J.A. See Bunbury, D.St.P., 4=165
- Elliott, J.F. Thermomagnetic generator, 0=1793
- Elliott, J.F., Hysell, R.E. and Meikleham, V. Laboratory sun, 0=10759
- Elliott, J.F. See Benz, M.G., 4=24176
- Elliott, J.F. See Weinstein, M., 4=5157
- Elliott, J.F. See Wilder, T.C., 4=21122
- Elliott, J.H. Thick junction radiation detectors made by ion drift, 2=3215
- Elliott, J.H. and Pehl, R.H. Thin semiconductor transmission-counter system for nuclear particle detection, 2=18029
- Elliott, J.H. See Harvey, B.G., 4=17201
- Elliott, J.O. and Young, F.C. Half lives of N^{16} , Mg^{27} , Al^{28} , S^{37} , and $\text{Rh}^{104\text{m}2}$, 0=13179

- Elliott, J.P. The shell model and its effective nuclear forces, 1=8546
- Elliott, J.P. and Harvey, M. Collective motion in the nuclear shell model. III. the calculation of spectra, 3=10212
- Elliott, K.W.T., Wilson, D.C., Mason, F.C.P. and Bigg, P.H. Primary standard barometer of range 0 to 1200 mb, 0=8677
- Elliott, L.A. Similarity methods in radiation hydrodynamics, 0=19049
- Elliott, L.A. Shock fronts in two-dimensional flow, 2=11401
- Elliott, L.L. Backward and forward masking of probe tones of different frequencies, 2=21758
- Elliott, L.L. Backward masking: monotonic and dichotic conditions, 2=24200
- Elliott, L.L. Tonal thresholds for short-duration stimuli as related to subject hearing level, 3=13952
- Elliott, L.L. Apparent change of repetitive noise bursts, 4=10957
- Elliott, L.L. Backward masking: different durations of the masking stimulus, 4=10969
- Elliott, M.J. Extraction of tritium present in helium-3, 0=20575
- Elliott, N. Interatomic distances in FeS_2 , CoS_2 , and NiS_2 , 0=16322
- Elliott, N. X-ray scattering factor of nitrogen in Fe_4N , 3=8846
- Elliott, N. Paramagnetism of tetraphenanthroline dihydroxyl diferric chloride, 1=17934
- Elliott, N. and Hastings, J. Neutron diffraction investigation of KCN, 2=10891
- Elliott, N. See Corliss, L.M., 0=6248
- Elliott, N. See Corliss, L.M., 1=9042
- Elliott, R.J. Speculation on the centres formed by nitrogen in diamond, 1=14258
- Elliott, R.J. Phenomenological discussion of magnetic ordering in the heavy rare-earth metals, 1=14669
- Elliott, R.J. Symmetry of excitons in Cu_2O , 1=17476
- Elliott, R.J. Some properties of concentrated and dilute Heisenberg magnets with general spin, 1=20060
- Elliott, R.J. Theory of the exciton spectra in Cu_2O , 3=3004
- Elliott, R.J. Summary — Theoretical aspects, 3=13047
- Elliott, R.J. Effects in non-metals at high magnetic fields, 4=1426
- Elliott, R.J. Rare earth magnetism in relation to the Mössbauer effect, 4=22946
- Elliott, R.J. and Heap, B.R. Theory of random dilute magnets with application to MnZnF_2 , 2=2292
- Elliott, R.J., Heap, B.R., Morgan, D.J. and Rushbrooke, G.S. Equivalence of the critical concentrations in the Ising and Heisenberg models of ferromagnetism, 1=1200
- Elliott, R.J. and Loudon, R. Group theory of scattering processes in crystals, 1=17392
- Elliott, R.J. and Loudon, R. Theory of the absorption edge in semiconductors in a high magnetic field, 1=19985
- Elliott, R.J. and Loudon, R. The possible observation of electronic Raman transitions in crystals, 3=8588
- Elliott, R.J. and Taylor, D.W. Theory of correlations and scattering of lattice vibrations by defects using double-time Green's functions, 4=9829
- Elliott, R.J. and Wedgwood, F.A. Theory of the resistance of Elliott, R.J. and Wedgwood, F.A. The temperature dependence of magnetic ordering in the heavy rare earth metals, 4=23008
- Elliott, R.J. See Chudley, C.T., 1=5271
- Elliott, R.J. See Cooper, B.R., 2=14816
- Elliott, R.J. See Cooper, B.R., 3=20635
- Elliott, R.J. See Dawber, P.G., 3=10581
- Elliott, R.J. See Dawber, P.G., 3=12916
- Elliott, R.O. and Olsen, C.E. Comparison of self-irradiation effects in alpha plutonium enriched and unenriched in ^{238}Pu , 4=22651
- Elliott, R.O., Olsen, C.E. and Bronisz, S.E. Effect of preferred orientation on the electrical resistivity of alpha plutonium at low temperatures, 4=20335
- Elliott, R.O., Olsen, C.E. and Louie, J. Electrical behavior below 300°K of plutonium-rich delta-phase solid solution alloys containing cerium, aluminum and zinc, 2=21094
- Elliott, R.O., Olsen, C.E. and Vineyard, G.H. Self-irradiation and annealing of plutonium and plutonium-aluminum alloys, 4=1537
- Elliott, R.O. See Ellinger, F.H., 0=8276
- Elliott, R.O. See Gschneidner, K.A., Jr, 2=17041
- Elliott, R.O. See Gschneidner, K.A., Jr, 2=23878
- Elliott, R.O. See Gschneidner, K.A., Jr, 2=23879
- Elliott, R.O. See Kempter, C.P., 0=15817
- Elliott, R.O. See McDonald, R.R., 1=7551
- Elliott, R.O. See Olsen, C.E., 2=23237
- Elliott, R.S. The potential utility of scanning microwave beams in plasma diagnostics, 1=18889
- Elliott, R.S. See Bellanca, T.J., 2=1469
- Elliott, R.S. See Flock, W.L., 2=13687
- Elliott, S.B. Effects of polishing imperfections on specular reflection of X-rays, 4=30007
- Elliott, S.D., Jr. See Fairbank, H.A., 0=8885
- Elliott, S.D., Jr. See Moore, J.G., 3=16726
- Elliott, W.G. See Pritchard, B.S., 0=4783
- Ellis, A.J. Measurement of high pressures by electrolyte conductance, 2=19500
- Ellis, B. See Moss, T.S., 3=10816
- Ellis, B. See Moss, T.S., 4=10162
- Ellis, B. See Walton, A.K., 2=10492
- Ellis, C.E. Effect of temperature during irradiation on the behaviour of helium in aluminum, 2=8261
- Ellis, C.E. The effect of helium on recrystallization and grain boundary movement in aluminum, 3=11222
- Ellis, C.P. The variation of gaseous viscosity with temperature, 2=13355
- Ellis, D.M. and Bader, C.J. Measurement of magnetic thin film rotational properties and uniformity, 4=3086
- Ellis, D.M. See Bader, C.J., 3=6709
- Ellis, G.R. Measurement of the gyro-frequency in the F region, 0=772
- Ellis, G.R. Low-frequency radio emission from aurorae, 0=796
- Ellis, G.R. The trapping of cosmic radio waves beneath the ionosphere, 0=2015
- Ellis, G.R.A. Observations of atmospheric radio noise, 0=12206
- Ellis, G.R.A. Geomagnetic disturbances and 5 kilocycles per second electromagnetic radiation, 0=14174
- Ellis, G.R.A. Gyro splitting of ionospheric echoes, 0=14220
- Ellis, G.R.A. Directional observations of 5 kc/s radiation from the earth's outer atmosphere, 0=14315
- Ellis, G.R.A. Low frequency electromagnetic radiation associated with magnetic disturbances, 1=6591
- Ellis, G.R.A. Geomagnetic micropulsations, 1=9208
- Ellis, G.R.A. Spaced observations of the low-frequency radiation from the Earth's upper atmosphere, 1=15264
- Ellis, G.R.A. Extra-galactic radio emissions at 4.8 Mc/s, 2=11169
- Ellis, G.R.A. Radiation from Jupiter at 4.8 Mc/s, 2=15404
- Ellis, G.R.A. Use of Z-mode propagation for observing cosmic radio noise from earth satellites, 3=1537
- Ellis, G.R.A. Cyclotron radiation from Jupiter, 3=3621
- Ellis, G.R.A. The radio emissions from Jupiter and the density of Jovian exosphere, 3=11593
- Ellis, G.R.A. The F_2 component of cosmic radio noise absorption, 3=25988
- Ellis, G.R.A. The v.l.f. radio emissions from the earth's outer atmosphere, 4=7895
- Ellis, G.R.A. On external radio emission from the earth's outer atmosphere, 4=17919
- Ellis, G.R.A., Cartwright, D.G. and Groves, J.R.V. Spaced observations of radio noise from the outer atmosphere, 0=4793
- Ellis, G.R.A. and Cartwright, D.G. Directional observations of radio noise from the outer atmosphere, 0=4790
- Ellis, G.R.A. and Green, R.J. High resolution observations of the galactic radiation at 4.7 Mc/s, 3=9283
- Ellis, G.R.A., Green, R.J. and Hamilton, P.A. Observations of galactic radiation at 4.7 Mc/s, 4=10918
- Ellis, G.R.A. and McCulloch, P.M. Decametric radio emissions of Jupiter, 3=18658
- Ellis, G.R.A. and McCulloch, P.M. The decametric radio emissions of Jupiter, 3=25981
- Ellis, G.R.A., Waterworth, M.D. and Bessell, M. Spectrum of the galactic radio emission between 10 Mc/s and 1.5 Mc/s, 3=9281
- Ellis, G.R.A. See Hoyle, F., 3=11601
- Ellis, J.R. The fields of an arbitrarily moving dipole, 4=664
- Ellis, J.M. See Dixon, J.R., 1=12487
- Ellis, J.W. Wavelength of plane waves in a dissipative medium, and of spherical waves in a nondissipative and in a dissipative medium, 0=5077
- Ellis, R.A., Goldberg, L.P. and Gorman, J.G. Loss of charged particles in a stellerator during ohmic heating, 0=11475
- Ellis, R.A., Jr, Goldberg, L.P. and Gorman, J.G. Possibility of an electrostatic instability in a stellerator, 0=17001
- Ellis, R.A., Jr. See Stodieck, W., 1=2979
- Ellis, R.A., Jr. See Stodieck, W., 3=12153
- Ellis, R.C., Jr. See Deutsch, T., 3=17913
- Ellis, R.C., Jr. See Rindner, W., 2=19046

- Ellis, R.E. and Carlson, N.W. Calibrated scintillator probe for determining energy distribution, density, and mean energy of the electronic component of a pyrotron plasma, 2=1452
- Ellis, R.E. See Post, R.F., 0=7122
- Ellis, S.C. and Barrett, J.H. A proportional counter for examining the longitudinal distribution of radioactivity on threads or wires, 3=7742
- Ellis, W.C. See Greiner, E.S., 2=806
- Ellis, W.C. See Wagner, R.S., 4=17792
- Ellis, W.P. Immersion spectrophotometry of interference films: refractive indices of fluoride films on uranium dioxide and anodic oxide films on uranium metal, 3=11917
- Ellis, W.P. Fluoride interference films on uranium dioxide. I. The kinetically derived optical equation, 3=24042
- Ellis, W.P. Criterion of surface roughness applied to reflection by fluoride interference films on uranium dioxide. Refractive index of uranium dioxide, 4=11350
- Ellis, W.P. Determination of the optical constants of interference films of anodic oxide on tantalum substrates by immersion and spectrophotometry, 4=22896
- Ellis, W.P. and Megarity, E.D. Optical properties of anodic-oxide interference films on uranium immersed in refractive media, 4=13060
- Ellis, W.P. and Roberts, B.W. Fluoride interference films on uranium dioxide. II. Kinetics of the hydrofluorination reaction, 3=24043
- Ellison, A.J. See Bundell, J.H., 4=24539
- Ellison, F.O. Role of exchange energy in intermediate-range interactions, 1=11135
- Ellison, F.O. Intensities of vibrational and rotational spectra of charged diatomic molecules, 2=3723
- Ellison, F.O. Calculation of atomic valence state energies of B^+ , C , and N^+ in BH_n^+ , CH_n^+ , and NH_n^+ , $n = 1$ to 4 , 2=16522
- Ellison, F.O. Semiempirical valence bond calculations of electronic energies of CH , CH_2 , CH_3 , and CH_4 , 2=16534
- Ellison, F.O. Approximating two-electron atomic energies using scaled eigenfunctions: semiempirical Coulomb-repulsion integrals, 2=22887
- Ellison, F.O. Some applications of semi-empirical valence bond theory to small molecules, 3=12805
- Ellison, F.O. A method of diatomics in molecules. I. General theory and application to H_2O , 4=6550
- Ellison, F.O. Nuclear magnetic shielding constants for two, three and four-electron atoms and ions, 4=22287
- Ellison, F.O. Properties of first-row atoms and ions calculated from "empirical" nonrelativistic energies, 4=30368
- Ellison, F.O. and Huff, N.T. New method for determining semiempirical one-center Coulomb repulsion integrals, 3=17560
- Ellison, F.O. and Huff, N.T. Use of rescaled eigenfunctions as variational wavefunctions in calculations on atoms and ions, 4=1178
- Ellison, F.O., Huff, N.T. and Patel, J.C. A method of diatomics in molecules. II. H_2 and H_3^+ , 4=6551
- Ellison, F.O. and Patel, J.C. A method of diatomics in molecules. III. H_2X and X_2H ($X = H, F, Cl, Br$, and I), 4=26738
- Ellison, F.O. See Companion, A.L., 0=7812
- Ellison, J.M. See Coulson, J., 4=7822
- Ellison, J.McK. and Peetz, C.V. The forward scattering of light by spheres according to geometrical optics, 0=5135
- Ellison, M.A. The sun, 1=7987
- Ellison, M.A. Energy release in solar flares, 3=16381
- Ellison, M.A. Solar flares and associated phenomena, 4=2446
- Ellison, M.A., McKenna, S.M.P. and Reid, J.H. The solar flare of June 1, 1960, 0=18764
- Ellison, M.A., McKenna, S.M.P. and Reid, J.H. The solar flare of 1960 April 1, 0=18765
- Ellison, M.A., McKenna, S.M.P. and Reid, J.H. Cape Lyot Heliograph results. I. Light curves of 30 solar flares in relation to sudden ionospheric disturbances, 1=7996
- Ellison, M.A., McKenna, S.M.P. and Reid, J.H. Cape Lyot Heliograph results. II. The 3^+ flare of 1960 June 1 and its influence of the Ha Striation pattern, 1=7997
- Ellison, M.A., McKenna, S.M.P. and Reid, J.H. Flares associated with the 1960 November event and the flare nimbus phenomenon, 1=15479
- Ellison, M.A., McKenna, S.M.P. and Reid, J.H. Cosmic ray flares. A description and discussion of the ten great solar flares which have generated cosmic rays recorded at ground level, 2=9962
- Ellison, M.A., McKenna, S.M.P. and Reid, J.H. Cosmic ray flares associated with the 1961 July event, 2=24126
- Ellison, M.A. See Elliott, I., 1=12752
- Ellison, R.D. See Burns, J.H., 4=4628
- Ellison, R.D. See Levy, H.A., 0=10298
- Ellison, R.J. and Dickinson, B. On the excited states of ^{10}B near 7.5 MeV, 2=16315
- Ellison, T.H. Laboratory measurements of turbulent diffusion in stratified flows, 2=24009
- Ellison, W.D. and Borowitz, S. A model for charge transfer in near adiabatic collisions, 4=24552
- Ellist, P.R., Troup, G.J. and Hutton, D.R. A novel millimetre wave magnetic resonance spectrometer, 4=3189
- Ells, C.E. Irradiation of metals at controlled elevated temperatures in the M.I.T. cyclotron, 1=1942
- Ellsworth, L.D. See Bornemeier, D.D., 4=19692
- Ellyett, C. and Keay, C.S.L. All-sky meteor rates in the southern hemisphere, 2=4845
- Ellyett, C. and Keay, C.S.L. Southern hemisphere meteor rates, 3=13873
- Ellyett, C., Keay, C.S.L., Roth, K.W. and Bennett, R.G.T. The identification of meteor showers with application to southern hemisphere results, 1=18064
- Ellyett, C. and Watts, J.M. Stratification in the lower ionosphere, 0=3351
- Ellyett, C. See Keay, C.S.L., 2=4844
- Ellyett, C.D. and Fraser, B.J. On the correlation of meteors with micropulsations, 4=10773
- Ellyett, C.D. See Hunten, D.M., 4=10742
- Elmer, T.H., Chapman, I.D. and Nordberg, M.E. Near infrared spectrum of "small pore" 96% SiO_2 glass, 4=22889
- El'messov, A.M. On the problem of viscosity of a snow cover, 3=3440
- Elmgren, J.A. and Hudson, D.E. Imperfection photoconductivity in diamond, 3=2975
- Elmore, W.C. See Boyer, K., 0=13385
- Él'Mosli, M. See Danilov, A.V., 4=1677
- El Naby, H.M. See Mayer, H., 3=22897
- El Naby, M.H. Optical constants of potassium in the wavelength region 3650 to 20 000 Å, 3=17974
- El Naby, M.H. See Mayer, H., 3=17975
- El Naby, M.H. See Mayer, H., 3=17976
- El Nadi, A. and Farag, N. Thermal diffusion in gaseous mixtures, 0=959
- El-Nadi, A. and Aly, F.M. Characteristics of spark counters, 0=3885
- El Nadi, A.F. and Farag, N. The effect of light on the mobility and concentration of large ions in air mixed with N_2O gas, 1=16273
- El-Nadi, L.M. See Antoufiev, Y.P., 3=19811
- El-Nadi, L.M. See Antoufiev, Y.P., 4=22020
- El-Nadi, L.M. See Antoufiev, Y.P., 4=30311
- El Nadi, M. Two-nucleon stripping process, 0=13221
- El Nadi, M. Single and multiple stripping of α particles, 0=20464
- El Nadi, M., Fahmy, H. and Abou-Hadid, L. Direct inelastic scattering of nucleons, 3=12659
- El Nadi, M. and Farag, N. Thermal diffusion in gaseous mixtures, 1=15946
- El-Nadi, M., Rabie, A. and Sherif, H. Analysis of the $Li^6(d, \alpha)He^4$ reaction, 4=6370
- El Nadi, M. and Riad, F. The structure of three and four nucleon projectiles from stripping reactions, 4=9565
- El Nadi, M. and Salam, E. The variations of thermal conductivity of gases and vapours with both temperature and pressure, 0=19202
- El Nadi, M. and Sherif, H. Stripping on heavy projectiles, 2=3542
- El Nadi, M. and Sherif, H. Analysis of $(^3He, p)$ and (α, n) reactions, 2=22853
- El-Nadi, M. and Sherif, H. The three-nucleon stripping process, 4=19823
- El Nadi, M. and Sherif, H. Two-nucleon stripping reactions on deformed nuclei, 4=25434
- El-Nadi, M. and Wafik, M. The direct inelastic scattering of deuterons, 1=713
- El-Nadi, M. and Wafik, M. On the (d, α) reactions, 1=7397
- El-Nady, L. See Mahmoud, K.A., 3=10077
- El-Nesr, M.S. and Bashandy, E. On the decay of Hf^{181} , 2=5845
- El-Nesr, M.S. and Bashandy, E. Energy dependence of beta-gamma directional correlation in the decay of Lu^{177} , 2=7947
- El-Nesr, M.S. and Bashandy, E. The decay of Lu^{177} to Hf^{177} , 2=10041
- El-Nesr, M.S. and Bashandy, E. Lifetime measurement of the 84 keV transition in Yb^{170} , 2=14005
- El-Nesr, M.S. and Bashandy, E. Studies of the decay scheme of Yb^{169} by means of an electron-electron and electron-gamma coincidence techniques, 2=14040

- El Nesr, M.S. and Bashandy, E. The half life of the 57 keV first excited state in Pr^{143} , 3=4575
- El-Nesr, M.S. and Bashandy, E. Internal conversion coefficients of the $2^+ \rightarrow 0^+$ pure E2 transitions in ^{166}Er , ^{170}Yb and ^{186}Os , 3=4598
- El-Nesr, M.S. and Bashandy, E. Study of ^{182}Ta decay scheme by coincidence method, 4=9457
- El-Nesr, M.S., Bashandy, E., Gerholm, T.R. and Lindqvist, T. Experimental evidence for anomalous beta-gamma directional correlation in Au^{186} , 2=3522
- El-Nesr, M.S., Gabrowski, Z. and Bashandy, E. Gamma-gamma directional correlation in W^{182} , 3=4599
- El-Nesr, M.S. and Mahmoud, K.A. Penetration of gamma rays in paraffin, 4=21823
- El-Nesr, M.S. and Othaz, R. A study of beta-gamma directional correlation in the decay of Au^{199} , 1=19404
- El-Nesr, M.S. See Bashandy, E., 2=5852
- El-Nesr, M.S. See Bashandy, E., 2=5863
- El-Nesr, M.S. See Bashandy, E., 2=10059
- El-Nesr, M.S. See Bashandy, E., 2=13986
- El-Nesr, M.S. See Bashandy, E., 2=14043
- El-Nesr, M.S. See Bashandy, E., 2=16325
- El-Nesr, M.S. See Bashandy, E., 3=657
- El-Nesr, M.S. See Bashandy, E., 3=10272
- El-Nesr, M.S. See Bashandy, E., 4=3616
- El-Nesr, M.S. See Bashandy, E., 4=6296
- El-Nesr, M.S. See Bashandy, E., 4=15167
- El-Nesr, M.S. See Bashandy, E., 4=22045
- El-Nesr, M.S. See Gerholm, T.R., 2=10032
- El-Nesr, M.S. See Gerholm, T.R., 2=10060
- El-Nesr, M.S. See Grabowski, Z., 2=7953
- El-Nesr, M.S. See Mahmoud, K.A., 1=7330
- El-Nesr, M.S. See Thun, J.E., 2=3459
- El-Nesr, M.S. See Thun, J.E., 2=3524
- Eloranta, J. and Linschitz, H. Photo-ionization and electron-capture processes in solution: the flash photolysis of ether solutions of potassium metal and of naphthalene dianion, 3=16180
- El'perin, I. T. Characteristics of the effectiveness of the transport process, 4=2601
- Elpern, B. S. and Naunton, R. F. Lateralizing effects of interaural phase differences, 4=26993
- Elpidinskii, A.V. and Fetisov, I.N. Thin-window scintillation alpha-detector, 1=10808
- Elpidinskii, A.V. and Fetisov, I.N. Characteristics of alpha-particle scintillation detector in relation to grain size of ZnS , 2=20443
- Elpidinskii, A.V. and Fetisov, I.N. Photoneutron yield and problems in the shielding of cyclic high-energy electron accelerators, 3=455
- Elpidinskii, A. V. and Roslik, S. F. Determination of the concentration of beta-active gases in air, 4=1032
- El'piner, I.E. Ultrasonic luminescence: a survey, 0=19164
- El'piner, I.E. See Sokol'skaya, A.V., 0=1964
- El'piner, I.E. See Sokol'skaya, A.V., 1=20759
- El'piner, I.E. See Sokol'skaya, A. V., 4=7772
- Elrick, D.E. Transient two-phase capillary flow in porous media, 1=6848
- Elrick, D.E. Source functions for diffusion in uniform shear flow, 3=3797
- Elrod, H.G. A derivation of the basic equations for hydrodynamic lubrication with a fluid having constant properties, 0=3499
- El-Sabeh, S.H.M. The relation between dipole orientation and viscous flow, 3=21399
- El Sadek El Meligy, A. and El Sherbini, M.A. Energy levels for the Coulomb potential with cut-off, 1=2275
- El-Saden, M.R. Theory of the Ettinghausen cooler, 2=11529
- El-Saden, M.R. Irreversible thermodynamics and the theoretical bound on the thermomagnetic figure of merit, 3=358
- El Saffar, Z. See Spence, R. D., 4=13262
- El Saffar, Z.M. Nuclear magnetic resonance in hexamethylbenzene at low temperatures, 2=8684
- El Saffar, Z.M. See Andrew, E.R., 1=10197
- El Saffar, Z.M. See Spence, R.D., 2=8609
- Elsakov, N. V. and Petrov, A. A. Investigation of H bonds formed by acetylene compounds, by means of n.m.r. spectroscopy. IV. Interaction of (ene-yne) ethers and their sulphur and selenium analogs with solvents, 4=29648
- Elsas, A. See Sedlatschek, K., 3=17014
- Elsässer, H. The scintillation of the stars, 0=4903
- Elsässer, H. Theory of astronomical scintillation. II, 0=16548
- Elsässer, H. The zodiacal light, 4=7981
- Elsässer, H. and Siedentopf, H. Theory of astronomical scintillation. I, 0=2085
- Elsässer, H. See Schmidt, T., 3=1509
- Elsasser, W.M. Max Born's analysis of mechanical predictability and theoretical biology, 3=3650
- El-Sayed, M.A. Radiationless processes involving change of multiplicity in the diazenes, 2=6185
- El-Sayed, M.A. Effect of reducing the symmetry on the spectra of benzene in the 1500-2000 Å region: Spectra of pyridine, pyrimidine, and pyrazine, 2=6176
- El-Sayed, M.A. Perturbational enhancement of the coupling between the lowest two electronic π, π^* states in naphthalene, 2=18469
- El-Sayed, M.A. Intramolecular resonance interaction between fundamental vibrations in polyatomic molecules, 2=22937
- El-Sayed, M.A. Proposed effect of high pressures on the radiationless processes, 3=3059
- El-Sayed, M.A. Polarization of molecular luminescence in plastic media by the method of photoselection, 3=15370
- El-Sayed, M.A. Spin-orbit coupling and the radiationless processes in nitrogen heterocyclics, 3=17604
- El-Sayed, M.A. Comments on contaminating the ground state with triplet character, 3=22588
- El-Sayed, M.A. and Bhaumik, M. L. Inter- and intra-(inter) molecular energy transfer to rare-earth ions in chelates, 4=2694
- El-Sayed, M.A. and Brewer, R. G. Polarization of the $\pi^* \rightarrow \pi$ and $\pi^* \rightarrow n$ phosphorescence spectra of N-heterocyclics, 4=1296
- El-Sayed, M.A. and Pavlopoulos, T. Polarization of the triplet-triplet absorption spectrum of some polyacenes by the method of photoselection, 3=23082
- El-sayed, M.A. and Pavlopoulos, T. Intramolecular heavy-atom effect on the polarization of naphthalene phosphorescence, 4=4314
- El-Sayed, M.A. and Robinson, G.W. Excitation transfer splitting in the $n \rightarrow \pi^*$ transitions of the diazenes, 1=12292
- El-Sayed, M.A., Wauk, M.T. and Robinson, G.W. Retardation of singlet and triple excitation migration inorganic crystals by isotopic dilution, 2=12630
- El-Sayed, M.A. See Pavlopoulos, T., 4=28249
- El-Sayed, M.A. See Roy, J. K., 4=22931
- El-Sayed, M.F.A., Kasha, M. and Tanaka, Y. Ionization potentials of benzene, hexadeuterobenzene, and pyridine from their observed Rydberg series in the region 600-2000 Å, 1=7478
- El Sayed M.Hassan. See Munk, W., 1=9180
- Elschner, B. Electron paramagnetic resonance in manganese-doped fluorspar, 1=1260
- Elsenaar, W.H. See Born, P., 3=15146
- Elsenaar, W.H. See Born, P., 3=15147
- Elsenaar, W.H. See Born, P., 3=22305
- El-Sherbini, M. See Nassef, A., 0=20297
- El Sherbini, M.A. See El Sadek El Meligy, A., 1=2275
- El-Shesheni, M.M. See Antoufiev, Y. P., 4=3690
- Elsmore, B. Radio observations of the lunar atmosphere, 0=18620
- Elsmore, B. The accurate positions of 17 intense radio sources, 1=18180
- Elsmore, B., Ryle, M. and Leslie, P.R.R. The positions, flux densities and angular diameters of 64 radio sources observed at a frequency of 178 Mc/s, 0=830
- Elsmore, B. See Archer, S., 1=18135
- Elsmore, B. See Long, R.J., 0=18639
- Elsmore, B. See Leslie, P.R.R., 1=9293
- Elsmore, B. See Long, R.J., 3=13931
- Elsner, B. See Bleuler, E., 3=24565
- Elsner, B. See Caldwell, D.O., 2=22611
- Elsner, B. See Cadwell, D.O., 4=15091
- Elste, G. Arrangement for the computation of mean intensities and fluxes in an atmosphere given on log τ -scale, 4=2353
- Elste, G. See David, K.H., 2=7004
- Elste, G. See ten Bruggencate, P., 0=6597
- El'sting, O.G. A device for investigating electron paramagnetic resonance at meter-band frequencies, 4=16674
- Elston, J. and Labbe, C. Effect of heat treatment and neutron irradiation on the physical and mechanical properties of hot pressed beryllium oxide, 2=4337
- Elston, J. See Dupré, M., 3=9648
- Elston, J. See Fraissard, J., 4=4720
- Elston, J. See Roux, A., 4=15439
- Elston, J. See Roux, A., 4=18473
- Elston, J. See Salesse, M., 4=4093
- Elston, J. See Sicard, L., 0=548
- Elston, J. See Sicard, L., 1=8252

- Elsworth, L., Holland, L. and Laurenson, L. Further experiences with aluminium wire seals for bakeable vacuum systems, 1=183
- Elsworth, L. and Holland, L. Sorption of nitrogen by titanium films evaporated in ultra-high vacuum, 3=23520
- Él'tekov, V.A. On the influence of the Pauli principle and of short-range nuclear forces on the absorption of photons by nuclei in the oscillator model, 0=15588
- El'tekov, V.A. and Ryabukhin, Yu.S. Absorption of neutrons from a source of fast neutrons by cadmium and indium plates set in an aqueous medium, 3=4405
- El'tekov, V.A., Terent'ev, B.M. and Golenko, D.I. Use of the Monte-Carlo method for calculation of energy absorption of gamma-rays in a lattice system, 4=15034
- Él'tekov, V.A., Terent'ev, B.M. and Panchvidze, M.V. Spectrum of γ -radiation and partial values of the absorbed energy in any arbitrary homogeneous mixture, 4=21824
- Eltekov, V.A. See Balashov, V.V., 0=11283
- El'tekov, V.A. See Terent'ev, B.M., 4=870
- Él'tekov, V.A. See Terent'ev, B.M., 4=9159
- El'tekov, V.A. See Terent'ev, B.M., 4=27825
- Elterman, L. A representative vertical ozone distribution for atmospheric transmission studies, 4=23729
- Elterman, L. Parameters for attenuation in the atmospheric windows for fifteen wavelengths, 4=23762
- Elton, G.A.H. See Benton, D.P., 1=11630
- Elton, L.R.B. The scattering of nucleons by nuclei at very high energies, 1=5918
- Elton, L.R.B. An isomeric state of the ${}^7\text{He}$ hyperfragment, 3=630
- Elton, L.R.B. Erratum: An isomeric state of the ${}^7\text{He}$ hyperfragment, *Physics Letters* 2 (1962) p.41, 3=22278
- Elton, L.R.B. and Jackson, D.F. Wave distortion in direct interactions, 1=19480
- Elton, L.R.B. and Jackson, D.F. Wave distortion in direct interactions, 2=16415
- Elton, L.R.B. and Swift, A. Form factors for medium and heavy nuclei, 4=21939
- Elton, L.R.B. See Jackson, D.F., 3=15183
- Elton, R.C., Kolb, A.C., Austin, W.E., Tovsey, R. and Widing, K.G. Origin of certain solar emission lines between 170 and 220 Å, 4=29439
- Elton, R.C. and Griem, H.R. Measurement of Stark profiles of the Lyman- α and Lyman- β lines of hydrogen in an electro-magnetic shock tube, 4=28109
- Elvey, C.T. Auroral morphology, 4=29318
- Elvey, C.T. See Romick, G.J., 0=2038
- Elving, P.J. See Bauer, H.H., 0=14119
- Elving, P.J. See Bauer, H.H., 0=14120
- Elvius, A. Absorption of radio radiation in M82 and other galaxies, 4=23951
- Elvius, A. and Herlofson, N. On the dynamics of galaxies with large-scale magnetic fields, 0=6615
- Elvius, A. and Lindblad, P.O. Numerical computations on the ejection of stars into spiral arms from gas rings containing magnetic fields, 0=10473
- Elvius, T., Eriksson, P.I., Lindén, H. and Ljunggren, B. The new photoelectric photometer of the Uppsala observatory. Preliminary results for a field in Cassiopeia (SA 19), 4=10801
- El-Wahab, M.A. and Kane, J.V. An analytic treatment for scintillation counter time resolution functions, 2=13706
- El Wahab, M.A. See El Bedewi, F.A., 1=721
- El-Wahab, M.A. See El-Bedewi, F.A., 1=8572
- El-Wahab, M.A. See Meligy, A.S., 0=11507
- Elwell, D. F^{19} nuclear magnetic resonance in some paramagnetic fluorides, 4=28896
- Elwell, D., Kumar, D. and Williams, D. Magnetic resonance of protons in glasses, 1=6436
- Elwell, D., Parker, R. and Sharkey, A. The influence of manganese on the electrical conductivity of nickel ferrite, 4=6982
- Elwert, G. The distribution of X-rays emitted by the solar corona and the residual intensity during solar eclipses, 0=836
- Elwert, G. The 21 cm line of hydrogen and the spiral structure of the Milky Way system, 1=4218
- Elwert, G. Theory of X-ray emission of the sun, 1=15488
- Elwert, G. Comparison between theory and measurements of the X-ray emission of the sun, 3=13895
- Elwyn, A.J., Kane, J.V., Ofer, S. and Pixley, R. Reactions $\text{N}^{14}(\text{d}, \text{n})\text{O}^{15}(\text{g.s.})$ and $\text{N}^{14}(\text{d}, \text{n})\text{O}^{15*}$ (6.79 and 6.86 MeV), 1=720
- Elwyn, A.J. and Lane, R.O. Polarization of neutrons in scattering from light nuclei and in the $\text{Li}^7(\text{p}, \text{n})\text{Be}^7$ reaction, 2=10101
- Elwyn, A.J., Lane, R.O. and Langsdorf, A., Jr. Polarization and differential cross sections in n-d scattering, 3=587
- Elwyn, A.J., Lane, R.O., Langsdorf, A., Jr. and Monahan, J.E. Nonlocal optical-model analysis of neutron scattering from nuclei near $A = 100$ at energies below 1 MeV, 4=9521
- Elwyn, A.J. See Lane, R.O., 1=7380
- Elwyn, A.J. See Lane, R.O., 2=12198
- Elwyn, A.J. See Lane, R.O., 4=9519
- Elwyn, A.J. See Monahan, J.E., 2=9835
- Elwyn, A., Kane, J.V., Ofer, S. and Wilkinson, D.H. Reaction $\text{C}^{12}(\text{d}, \text{n})\text{N}^{13}$, 0=4100
- Ely, P.P., Powell, W.M., Ceolin, M.B., Salimani, E., Ciampolillo, S., Fabbri, O., Farini, F., Filippi, C., Huzita, H., Miari, G., of the selection rule $\Delta Q = \Delta S$, 2=22613
- Ely, R. See Fowler, W.B., 1=5788
- Ely, R.P. and Frisch, D.H. Search for $\pi_{10}^0 \rightarrow 3\gamma$, 0=3983
- Ely, R.P., Fung, S.-Y., Gidal, G., Pan, Y.-L., Powell, W.M. and White, H.S. Spin of Y_1^* , 2=5747
- Ely, R.P., Gidal, G., Kalmus, G.E., Oswald, L.O., Powell, W.M., Singleton, W.J., Bullock, F.W., Henderson, C., Miller, D.J. and Stannard, F.R. Beta-decay branching ratio of the lambda hyperon, 3=19703
- Ely, R.P., Powell, W.M., White, H., Baldo-Ceolin, M., Calimani, E., Ciampolillo, S., Fabbri, O., Farini, F., Filippi, C., Huzita, H., Miari, G., Camerini, U., Fry, W.F. and Natali, S. Experimental test of the selection rule $\Delta S = \Delta Q$, 2=18173
- Ely, R.P. See Birge, R., 3=22192
- Ely, R.P. See Camerini, U., 2=22624
- Ely, R.V. See Nixon, W.C., 3=19330
- Elyan, V.V. See Ado, Yu.M., 3=14948
- Elyard, C.A., Baynton, P.L. and Rawson, H. The properties of binary phosphate glasses, 0=21216
- Él'yasberg, P.E. Determination of the density of the upper atmosphere from secular changes in the orbit elements of the first two artificial earth satellites, 2=13014
- Él'yasberg, P.E. and Yastrebov, V.D. Determination of the density of the upper atmosphere from the results of observations of the flight of Sputnik III, 2=8983
- El'yashevich, A.M. See Vol'kenshtein, M.V., 0=15794
- El'yashevich, A.M., See Vol'kenshtein, M.V., 0=21276
- El'yashevich, M.A. The interaction of electronic and vibrational motions in complex molecules, 1=3555
- El'yashevich, M.A. See Borisevich, N.A., 1=2450
- Elyutin, V.P., Mozhukhin, E.I., Panov, A.V. and Khalil, R.V. Investigation of internal friction of copper samples prepared by powder-metallurgy techniques, 3=25612
- El-Zaiki, M.I. See Abuzeid, M.A., 4=9490
- El-Zaiki, M.I. See Abuzeid, M.A., 4=22177
- Eman, B. and Tadić, D. On the deviations from the allowed shape in the allowed β -decay spectra, 2=5841
- Eman, B. and Tadić, D. Some theoretical aspects of the anomalous shape in the allowed beta decay spectra, 3=2400
- Eman, B. and Tadić, D. Is the beta decay of Pr^{144} a $1^- \rightarrow 0^+$ transition? 3=12632
- Eman, B. and Tadić, D. G-nonconserving terms in the beta decay interaction, 3=17425
- Eman, B. See Cindro, N., 1=2225
- Eman, B. See Strohal, P., 1=19484
- Eman, B. See Strohal, P., 2=5930
- Emara, S.H. Spiral formation on natural crystalline sulphur, 1=9112
- Emara, S.H. Comparison of lens response for sinusoidal and square-wave targets at several focal positions, 2=5141
- Emara, S.H. Wavelength shifts in Hg^{198} as a function of temperature, 2=5169
- Emara, S.H. and Teele, R.P. Development of filters for a thermoelectric colorimeter, 4=8371
- Ember, G., Ferron, J.R. and Wohl, K. Self-diffusion coefficients of carbon dioxide at $1180^\circ\text{--}1680^\circ\text{K}$, 2=19609
- Emberson, D.L. See Wilcock, W.L., 0=7142
- Emberson, D.L. See Wilcock, W.L., 1=3000
- Emberson, R.M. See Struve, O., 1=5252
- Embleton, T.F.W. Relation of mechanical power of a propeller to radiated power of the resulting acoustic sources, 2=17542
- Embleton, T.F.W. Mutual interaction between two spheres in a plane sound field, 3=1766
- Embleton, T.F.W. Helium-tracing as a tool for aerodynamic studies, 3=14198
- Embleton, T.F.W. Experimental study of noise reduction in centrifugal blowers, 3=14288
- Embleton, T.F.W. Sound propagation in homogeneous deciduous and evergreen woods, 3=18926
- Embleton, T.F.W. Reciprocity couplers without effects of wave motion to 10 kc/sec, 4=2798

- Embleton, T.F.W. and Dagg, I.R. Accurate coupler pressure calibration of condenser microphones at middle frequencies, 0-5106
- Embleton, T.F.W. and Dagg, I.R. Sound radiation from a rectangular array of incoherent sources, 2-15712
- Embleton, T.F.W. and Thiessen, G.J. Mechanical pressure-gradient-to-pressure sound transducer, 1-10565
- Embleton, T.F.W. and Thiessen, G.J. Efficiency of circular sources and circular arrays of point sources with linear phase variation, 2-13403
- Embleton, T.F.W. and Thiessen, G.J. Train noises and use of adjacent land, 2-15710
- Embury, J.D. and Nicholson, R.B. Heterogeneous nucleation of precipitates in an aluminium-magnesium alloy, 3-10666
- Embury, J.D. and Nicholson, R.B. Dislocation sources in an aluminium alloy, 3-12974
- Embury, J.D. and Nicholson, R.B. Dislocation sources in an aluminium-magnesium alloy, 3-17742
- Embury, J.D., Sargent, C.M. and Nicholson, R.B. The effect of quench deformation on the defect structure of quenched metals and alloys, 3-6515
- Emch, G. Quaternionic quantum mechanics and special relativity. I, 4-5059
- Emch, G. Quaternionic quantum mechanics and special relativity. II, 4-5060
- Emch, G. Generality of quantum master equations, 4-24102
- Emch, G. and Lacroix, R. Paramagnetic resonance of the $\text{Cr}(\text{H}_2\text{O})_6^{3+}$ complex in a single crystal of $\text{Al}(\text{H}_2\text{O})_6\text{Cl}_3$, 0-13869
- Emch, G. and Lacroix, R. Paramagnetic resonance of Cr^{3+} in a single crystal of $\text{AlCl}_3 \cdot 6\text{H}_2\text{O}$, 1-11476
- Emch, G. and Piron, C. Note on symmetries in quantum theory, 3-9344
- Emch, G. and Piron, C. Symmetry in quantum theory, 3-11687
- Emch, G. See Lacroix, R., 3-8705
- Emeleus, K.G. Plasma studies survey of experiments. I. Mainly optical studies, 1-9554
- Emeleus, K.G. Plasma studies survey of experiments. II. Mainly probe studies, 1-9555
- Emeleus, K.G. and Ahmad, N. Cathode glow (erste kathodenschicht) spectra and surface neutralization of ions, 4-18722
- Emeleus, K.G. and Garscadden, A. The problem of radiation from plasmas, 1-298
- Emeleus, K.G. and Garscadden, A. Plasma electron oscillation and concentration patterns, 2-17850
- Emeleus, K.G. and Garscadden, A. Notes on plasma-electron oscillations, 3-14608
- Emeleus, K.G. and Mahaffey, D.W., Plasma oscillations, 1-9631
- Emeleus, K.G. See Armstrong, N.H.K., 3-7479
- Emeleus, K.G. See Coulter, J.R.M., 1-5432
- Emeleus, K.G. See Garscadden, A., 1-18898
- Emeleus, K.G. See Garscadden, A., 2-9598
- Emeleus, K.G. See Garscadden, A., 2-9605
- Emeleus, K.G. See Garscadden, A., 3-7609
- Emeleus, K.G. See Johnston, A.R., 1-4583
- Emeleus, K.G. See Leckey, R.C.G., 4-2964
- Emeleus, K.G. See McConkey, J.W., 4-18708
- Emeleus, K.G. See Mahaffey, D.W., 2-1464
- Emeleus, K.G. See Woolsey, G.A., 1-18796
- Emeleus, K.G. See Woolsey, G.A., 4-8649
- Emel'ianov, I.Y. See Feinberg, S.M., 3-10421
- Emelin, V.I. and Chuprov, K.S. The ultrasonic method for determining the dynamic elastic parameters of rocks under field conditions, 3-3427
- Emel'yanenko, O.V., Justi, E. and Schneider, G. The electrical transport properties of zinc antimonide at low temperatures, 2-4042
- Emel'yanenko, O.V. and Kesamanly, F.P. A method for rapid precision measurements of the thermoelectric power of semiconductors, 0-18075
- Emel'yanenko, O.V., Kesamanly, F.P. and Nasledov, D.N. Dependence of the effective electron mass in n-InSb on the carrier density, 2-2164
- Emel'yanenko, O.V., Kesamanly, F.P. and Nasledov, D.N. The Nernst-Ettingshausen thermomagnetic effect in degenerate indium antimonide, 2-18706
- Emel'yanenko, O.V., Lagunova, T.S. and Nasledov, D.N. The scattering of current carriers in gallium arsenide with strong degeneracy, 0-13612
- Emel'yanenko, O.V. and Lagunova, T.S. A simple laboratory thermostat with a small thermal inertia, 1-9503
- Emel'yanenko, O.V., Lagunova, T.S. and Nasledov, D.N. An impurity band in p- and n-type crystals of gallium arsenide, 1-14467
- Emel'yanenko, O.V. and Nasledov, D.N. The Nernst-Ettingshausen effect in gallium arsenide, 0-608
- Emel'yanenko, O.V., Nasledov, D.N. and Petrov, R.V. The Nernst-Ettingshausen effect in p-type gallium arsenide, 1-1266
- Emel'yanenko, O.V. and Trishin, N.V. An instrument for studying kinetic effects in semiconductors, 4-15532
- Emel'yanenko, O.V., Zotova, N.V. and Nasledov, D.N. Thermomagnetic Nernst-Ettingshausen effects in indium arsenide, 0-6124
- Emel'yanenko, O.V. See Agaev, Ya., 1-11267
- Emel'yanenko, O.V. See Andronik, I.K., 2-641
- Emel'yanenko, O.V. See Andronik, I.K., 2-8355
- Emel'yanenko, O.V. See Galavanov, V.V., 4-1613
- Emel'yanenko, O.V. See Nasledov, D.N., 3-10814
- Emel'yanenko, O.V. See Nasledov, D.N., 3-17970
- Emel'yanov, A.A. Viscosity in the hydrodynamic theory of multiple particle production, 0-9322
- Emel'yanov, A.A. On the theory of heavy nuclei-nucleon collisions, 2-3560
- Emel'yanov, A.A. Interpretation of the two-centre model [of cosmic-ray showers] within the framework of the hydrodynamic theory, 2-7915
- Emel'yanov, A.A. On the theory of heavy nuclei-nucleon collisions, 3-2439
- Emel'yanov, A.A. Interpretation of the two-centre model of cosmic-ray showers within the framework of the hydrodynamic theory, 3-6107
- Emel'yanov, A.A. and Chernavskii, D.S. Effect of viscosity in multiple production on the energy distribution of secondary particles, 0-11129
- Emel'yanov, A.A. and Dovzhenko, O.I. Spatial distribution of high-energy nuclear-active particles in the core of extensive air showers, 1-3367
- Emel'yanov, A.A. and Rozenthal, I.L. Two-centre model and hydrodynamic theory of multiple particle production, 0-5528
- Emel'yanov, A.A. and Rosental, I.L. Interpretation of the two-centre model within the hydrodynamical theory, 3-4544
- Emel'yanov, B.A. See Dzhelepov, B.S., 0-9602
- Emel'yanov, B.A. See Dzhelepov, B.S., 2-14026
- Emel'yanov, V.A. The possibility of interferometric investigation of disturbances in gases with discontinuous density distributions, 4-214
- Emel'yanov, V.S., Godin, Yu.G. and Evstyukhin, A.I. An investigation of the zirconium-tantalum system, 0-6384
- Emel'yanova, E.N., Karlov, N.V., Manenkov, A.A., Milyaev, V.A., Prokhorov, A.M., Smirnov, S.P. and Shirokov, A.V. EPR spectrum and spin-lattice relaxation of chromium $[\text{Cr}^{3+}]$ and iron $[\text{Fe}^{2+}]$ ions in single crystal zinc tungstate, 3-25569
- Emel'yanova, E.N. and Zigareva, T.A. Production of tourmaline under hydrothermal conditions, 1-14997
- Emendörfer, D. Boundary conditions for neutron flux in a finite cylinder in the P_L -approximation to transport theory, 4-1133
- Emendörfer, D. Effect of large cavities on the neutron distribution and the reactivity in nuclear reactors, 4-3744
- Emendörfer, D. and Ritzl, M. The reactivity effect of cavities between the fission zone and reflector by the P_L approximation of the transport equation, 1-13893
- Emendörfer, D. See Glöckle, W., 4-25300
- Emendörfer, E. and Hinze, C. On the dynamics of a water-boiler reactor (K.E.W.B.) at high power excursions, 4-3748
- Emeric, A. See Rasigni, G., 2-11488
- Emeric, N. See Rasigni, G., 2-11488
- Emersleben, O. The electrostatic energy of some space charges, 0-14947
- Emerson, K. and Britton, D. The crystal and molecular structure of arsenic tricyanide, 3-8849
- Emerson, K. and Britton, D. The crystal and molecular structure of phosphorus tricyanide, 4-29128
- Emerson, L.C. See Arakawa, E.T., 3-20536
- Emerson, L.C. See Arakawa, E.T., 4-22552
- Emerson, L.C. See Ritchie, R.H., 4-25913
- Emerson, M.T. and Eggers, D.F., Jr. Effect of centrifugal distortion of the shape of the hydrogen sulfide fundamental infrared bands, 2-18454
- Emerson, M.T., Grunwald, E. and Kromhout, R.A. Proton-transfer studies by nuclear magnetic resonance. I. Diffusion control in the reaction of ammonium ion in aqueous acid, 0-14117
- Emerson, M.T. See Eggers, D.F., Jr., 0-156
- Emerson, M.T. See Howard, B.B., 2-3780
- Emerson, M.T. See Jumper, C.F., 2-2703

- Émery, B. and Gabano, J. P. Contribution to the study of the surface properties of manganese dioxide, 4=7701
- Emery, G.T. and Kane, W.R. Gamma-ray intensities in the thorium active deposit, 0=9607
- Emery, G.T., Kane, W.R., McKeown, M., Perlman, M. L. and Scherrf-Goldhaber, G. Studies of decay schemes in the osmium-iridium region. III. Decay of 15.8 hour Ir^{188} , 3=10313
- Emery, G. T. See Crasemann, B., 4=3618
- Emery, G.T. See Kane, W.R., 0=17564
- Emery, G. T. See Schmorak, M., 2=383
- Emery, G. T. See Schwarzschild, A., 4=9444
- Emery, V.J. Reaction matrix singularities and the energy gap in an infinite system of fermions, 0=17270
- Emery, V. J. Spin diffusion in gases at low temperatures, 4=8244
- Emery, V. J. Theories of liquid helium three, 4=21383
- Emery, V. J. A generalized susceptibility and Hartree-Fock approach to the many-body problem, 4=27092
- Emery, V.J., Gammel, J.L. and Hopgood, F.R.A. Ground-state energy and sound velocity of a system of interacting bosons, 3=23802
- Emery, V.J. and Sessler, A.M. Possible phase transition in liquid He^3 , 0=12548
- Emery, V.J. and Sessler, A.M. Energy gap in nuclear matter, 0=13101
- Emery, V.J. See Eden, R.J., 0=1351
- Emery, V.J. See Eden, R.J., 0=9511
- Emery, V.J. See Eden, R.J., 0=9512
- Eminzade, T.A. The cause of novae outbursts, 2=24147
- Eminzade, T.A. The cause of novae outbursts, 3=3586
- Emley, E.F. and Duncumb, P. The maximum solid solubility of Zirconium in magnesium, 2=17056
- Emlyaninov, A.S. See Bondar, A.P., 2=17978
- Emlyaninov, A.S. See Bondar, A.D., 4=16715
- Emma, V., Milone, C., Jannelli, S. and Mezzaneres, F. Energy spectrum of photoneutrons from phosphorus, 3=6220
- Emma, V., Milone, C. and Rinzivillo, R. Photoneutrons from K and Ca, 0=5774
- Emma, V., Milone, C., Rinzivillo, R. and Rubbino, A. Charged photo-particles from argon, 0=1431
- Emma, V., Milone, C. and Rubbino, A. Energy spectra and angular distribution of photoneutrons from carbon, 0=11435
- Emma, V., Milone, C., Rubbino, A. and Malvano, R. Photoneutrons from bismuth, 0=17616
- Emma, V., Milone, C., Rubbino, A., Jannelli, S. and Mezzaneres, F. Energy spectrum of photoneutrons from cobalt, 2=423
- Emmanuel, C. B. See Kulander, J. L., 4=8621
- Emmer, T.L. Nuclear instrumentation for scintillation and semiconductor spectroscopy, 2=17992
- Emmerson, G.S. Heat transmission with boiling, 0=20527
- Emmerson, J.McL. and Middlemas, N. Symmetry properties in beam transport systems, 3=24381
- Emmerson, W.C. See Green, A.E., 1=15760
- Emmett, J.L. and Schawlow, A.L. Enhanced ultraviolet output from double-pulsed flash lamps, 3=24013
- Emmett, J. L., Schawlow, A. L. and Weinberg, E. H. Direct measurement of xenon flashtube opacity, 4=27308
- Emmons, H.W. and Land, R.I. Poiseuille plasma experiment, 3=7587
- Emmons, H.W. See Petersen, R.E., 1=7907
- Emmons, R. B. See Lucovsky, G., 4=12935
- Emmony, D.C. See Berz, F., 2=23345
- Emmony, D. C. See Flinn, I., 4=1602
- Emoto, S. Dynamical investigation of stellar motion perpendicular to the galactic plane, 3=9251
- Emoto, S. Galactic rotation of weak stars in higher galactic latitudes. II, 3=11582
- Empleton, T.R.W. and Dagg, I.R. Statistical detection of errors in microphone calibrations, 3=9568
- Emrich, R.J. and Gion, E.J. Comments on "transition in shock-tube boundary layers", 3=7283
- Emrich, R.J. See Che Jen Chen, 3=7285
- Emrick, R.M. Pressure effect on vacancy migration rate in gold, 1=8904
- Emrick, R. M. High-temperature anneals of quenched gold, 4=25925
- Emschermann, H.H., Flossmann, R. and Rühl, K.H. Quantitative determination of the dynamic stress conditions in transversely impacted bent beams with the aid of spark cinematography and [photoelastic] stress optics, 1=11720
- Emschwiler, G., Henry, L., Rabot, R. and Mounier, M. On the infrared spectra of hydrated calcium aluminates, 3=13165
- Emschwiler, M., Hahn, E.L. and Kaplan, D. Pulsed nuclear resonance spectroscopy, 0=9226
- Emsley, J.W. See Boden, N., 4=30480
- Emslie, A.G. and Blau, H.H., Jr. On the measurement of the temperatures of unenclosed objects by radiation methods, 0=2273
- Emslie, A.G. See Büchler, A., 2=14255
- Emslie, A.G. See Klemperer, W., 0=20620
- Emslie, A.G. See Glaser, P.E., 2=2907
- Emtage, P.R. Electrical conduction and the photovoltaic effect in semiconductors with position-dependent band gaps, 2=14519
- Emtage, P.R. and Tantraporn, W. Schottky emission through thin insulating films, 2=13582
- Enander, B. See Agdur, B., 2=7736
- Enander, B. See Westermark, T., 0=15527
- Enck, F.D. Behavior of the principal elastic moduli and specific heat at constant volume of KCl at elevated temperatures, 0=16207
- Enck, F.D., Engle, D.G. and Marks, K.L. Thermal expansion of KCl at elevated temperatures, 2=14387
- Enck, R.C. See Cheroff, G., 0=2907
- En Kuo-kuan. See Sung Yung-chün., 3=17418
- Enatsu, H. Relativistic Hamiltonian formalism in quantum field theory and micro-noncausality, 3=24580
- Enchevich, I. B. See Danilov, V. I., 4=14792
- Endeman, H. J. See Bierskens-Kerssen, G., 4=23479
- Enderby, C. See Coleman, P.D., 0=17098
- Enderby, J.E. The Hall effect in liquid metals, 3=16636
- Enderby, J.E. See Cusack, N., 0=7909
- Enderby, J.E. See Cusack, N.E., 0=933
- Enderby, J.E. See Titman, J.M., 3=5450
- Enderlein, R. Quantum mechanical transport theory, 3=12938
- Enderlein, R. A new method in the quantum mechanical transport theory and the dissipation-fluctuation theorem for thermal disturbances, 4=8111
- Endo, H. The temperature dependence of the resistivity of liquid alkali metals at constant volume, 3=18828
- Endo, H. and Suekane, S. The effect of the electron correlation on the electrical resistivity of liquid metals, 3=23903
- Endo, K. See Kimura, R., 1=20114
- Endo, K. See Kimura, R., 2=21551
- Endô, S. See Susuki, Y., 0=20949
- Endo, T. See Kurata, K., 4=7552
- Endow, N. See Ford, H.W., 0=8315
- Endow, N. See Gibson, R., 4=26718
- Endrényi, A. R. Mollier and the i - x diagram, 4=8530
- Endt, P.M. Resonance reactions, 2=5879
- Endt, P.M. and van der Leun, C. Energy levels of light nuclei ($Z = 11$ to $Z = 20$). III, 2=12131
- Endt, P.M. See Glaudemans, P.W.M., 2=5912
- Endt, P.M. See Glaudemans, P.W.M., 3=12670
- Endt, P.M. and Heyligers, A. Energy levels in ^{28}Si from the $^{27}\text{Al}(p,\gamma)^{28}\text{Si}$ reaction, 0=17505
- Endt, P.M., Hoogenboom, A.M. and Suffert, M. Measurement of the linear polarization of gamma-rays arising from certain reactions, 1=13799
- Endt, P.M. See Kuperus, J., 0=9627
- Endt, P.M. See Kuperus, J., 4=9509
- Endt, P.M. See Leenhouts, H.P., 3=19776
- Endt, P.M. See Smulders, P.J.M., 1=8772
- Endt, P.M. See Smulders, P.J.M., 3=2499
- Endt, P.M. See Suffert, M., 0=15574
- Endt, P.M. See van der Kooij, J.B., 3=7999
- Endt, P.M. See van der Leun, C., 0=7565
- Endt, P.M. See van der Leun, C., 3=24933
- Endt, P. M. See Van Der Leun, C., 4=19771
- Endt, P. M. See Van Rinsvelt, H. A., 4=22022
- Enemark, D.C. See Anderson, K.A., 1=13581
- Enemark, D.C. See Anderson, K.A., 1=15307
- Endtinger, F. See Clusius, K., 3=19073
- Endzheets, G., Molchanov, V. A., Tel'kovskii, V.G. and Faruk, M.A. Angular distributions of particles scattered as a result of irradiation of monocrystals with ionic beams, 3=13020
- Ener, C. and Tasköprülü, N.S. Temperature coefficient of ultrasonic velocity in liquids with carboxyl group (methyl-formate), 1=18408
- Enescu [Enesku], D. Determination of the energy of earthquakes occurring in the carpathian region by means of the dislocation theory, 4=23704
- Enflo, B. Construction of wave equations by Eriksson's spinor formalism, 0=12841
- Enflo, B. On the anomalous threshold of the deuteron vertex function, 2=22653

- Enflo, B.O. A dispersion-theoretical equation for the two-nucleon bound state, 4=12075
- Enge, H.A. Ion-focusing properties of a three-element quadrupole lens system, 1=10742
- Enge, H.A. Achromatic magnetic mirror for ion beams, 3=14672
- Enge, H.A. Effect of extended fringing fields on ion-focusing properties of deflecting magnets, 4=16554
- Enge, H.A. and Buechner, W.W. Multiple-gap magnetic spectrograph for charged-particle studies, 3=9871
- Enge, H.A., Irwin, E.J., Jr and Weaner, D.H. Results of stripping analysis of the reaction $K^{39}(d,p)K^{40}$, 0=441
- Enge, H.A., Jarrell, D.L. and Angleman, C.C. Results of stripping analysis of the $Co^{59}(d,p)Co^{60}$ reaction, 0=13238
- Enge, H.A. See Erskine, J.R., 3=681
- Enge, H.A. See Kashy, E., 4=27966
- Engelbretson, A.M. See Miller, J.D., 4=27271
- Engel, A., Koppen, G. and Wolff, O. Experiments to improve the high-voltage measuring technique in electron microscopy, 3=20957
- Engel, A. von. See von Engel, A.
- Engel, H. See Bagge, V.E., 4=1139
- Engel, J.R. and Schröder, R. Measurements of reactivity in the Berlin reactor B.E.R., 1=3482
- Engel, N. Device to control the temperature profile in tubular furnaces, 4=2878
- Engel, O.G. Pits in metals caused by collision with liquid drops and rigid steel spheres, 0=8142
- Engel, O.G. Note on particles velocity in collisions between liquid drops and solids, 1=15827
- Engel, O.G. Resistance of white sapphire and hot-pressed alumina to collision with liquid drops, 1=20395
- Engel, T. K., Jordan, K. C., Otto, G. W. and Scott, D. M. High temperature differential resistance bridge calorimeter, 4=21349
- Engelbrecht, C.A. The excited states of Nb^{93} , 3=15110
- Engelbrecht, C.A. Photoproduction of neutral pions from complex nuclei, 4=15087
- Engelbrecht, C.A. See Reitmann, D., 4=6348
- Engelbrecht, C.A. See Smith, A.B., 4=22148
- Engelen, M. See Audran, R., 2=7414
- Engeler, W., Levinstein, H. and Stannard, C. Oscillatory photoconductivity in InSb, 1=12461
- Engeler, W., Levinstein, H. and Stannard, C., Jr. Photoconductivity in p-type indium antimonide with deep acceptor impurities, 2=8418
- Engeler, W. See Bratt, P., 2=7454
- Engeler, W.E. Magnetoabsorption and the band gap of Bi, 3=8592
- Engeler, W.E. and Garfinkel, M. Temperature effects in coherent GaAs diodes, 3=22962
- Engeler, W.E. and Garfinkel, M. Characteristics of a continuous high-power GaAs junction laser, 4=24914
- Engeler, W.E. See Garfinkel, M., 4=5863
- Engeler, W.E. See Garfinkel, M., 4=24909
- Engelhard, E. and Terrien, J. Determination of the wavelength of the $2p_{1/2}-5d$ line of Kr^{86} for non-perturbed atoms, 1=16085
- Engelhard, E. and Vieweg, R. On the new definition of the metre in terms of a light wavelength, 2=7108
- Engelhardt, A.G. and Dougal, A.A. Dispersion of ion cyclotron waves in magnetoplasmas, 2=1435
- Engelhardt, A.G. and Phelps, A.V. Elastic and inelastic collision cross sections in hydrogen and deuterium from transport coefficients, 3=23942
- Engelhardt, A.G. and Phelps, A.V. Transport coefficients and cross sections in argon and hydrogen-argon mixtures, 4=11257
- Engelhardt, A.G., Phelps, A.V. and Risk, C.G. Determination of momentum transfer and inelastic collision cross sections for electrons in nitrogen using transport coefficients, 4=27228
- Engelhardt, E.H. See Pohl, H.A., 3=10837
- Engelhardt, H., Hauser, I. and Kreckler, U. Apparatus and laboratory for processing nuclear emulsion stacks, 1=5620
- Engelhardt, H. See Hauser, I., 2=13715
- Engelhardt, W.V., Haussühl, S. and Zinnow, K.P. Relationship between cleavage planes and growth faces in potassium sulphate crystals, 2=21469
- Engelhardt, W.v. See v. Engelhardt, W.
- Engelke, B.A. The pressure variation of the electron temperature in the plasma of a positive column in molecular gas glow discharges, 0=9018
- Engelke, B.A. On the effect of the ionization of molecules on the pressure variation of electron temperature in the plasma of a glow discharge positive column, 0=19685
- Engelke, C.E. High pressure gas scintillators, 1=3077
- Engelke, C.E., Benenson, R.E., Melkonian, E. and Lebowitz, J.M. Precision measurements of the n-p total cross section at 0.4926 and 3.205 MeV, 3=4399
- Engelke, J.L. See Berkowitz-Mattuck, J.B., 4=4695
- Engelke, J.L. See Brewer, L., 2=6166
- Engelkemeir, D. See Halley, J.W., 4=15307
- Engelkemeir, D.W., Flynn, K.F. and Glendenin, L.E. Positron emission in the decay of K^{40} , 2=14036
- Engelkemeir, D.W. See Gindler, J.E., 0=15541
- Engell, H.J. See Wever, F., 0=17969
- Engelmann, F. Possible spins for elementary particles, 0=12888
- Engelmann, F. Quantum mechanical treatment of electric microfield problems in plasmas, 3=394
- Engelmann, F. Solution of Milne's equation for general line profiles by power series expansion, 4=27309
- Engelmann, F., Feix, M. and Minardi, E. Connection between shielding and stability in a collisionless plasma, 4=8679
- Engelmann, F., Feix, M., Minardi, E. and Oxenius, J. On the diffusion of an electric field in a collisionless plasma, 2=3058
- Engelmann, F., Feix, M., Minardi, E. and Oxenius, J. Nonlinear effects from Vlasov's equation, 3=9817
- Engelmann, F. and Fick, E. Quantum theory of time measurement. II, 4=18070
- Engelmann, F. See Cuperman, S., 2=22206
- Engelmann, F. See Cuperman, S., 3=7605
- Engelmann, F. See Cuperman, S., 4=14653
- Engelmann, F. See Cuperman, S., 4=18851
- Engelmann, F. See Fick, E., 3=21242
- Engelmann, J.J. A graphite 4π gamma ionization chamber, 0=2455
- Engelmann, J.J. and Roquefort, H. Instrumentation for measurement of β - and γ -activity using an ionization chamber, 1=8399
- Engelmann, R. Scattering and absorption of β -rays in plane geometry. I. Measurement of transmission and back-scattering, 1=16754
- Engelmann, R. Scattering and absorption of β -rays in plane geometry. II. Theoretical models of Schmidt and Odeblad, 1=16755
- Engelmann, R., Hepp, V., Kluge, E., Krehbiel, H. and Meyer-Berkhout, U. Production of new nuclear isomeric states by photonuclear reactions on antimony and thallium, 2=18250
- Engels, E., Jr, Bowen, T., Cronin, J.W., McIlwain, R.L. and Pondrom, L.G. Measurement of spin correlation in proton-proton scattering at 400 and 450 MeV, 3=7852
- Engels, E., Roth, D., Cronin, J. and Pyka, M. Ionization density effects in spark chambers, 2=18048
- Engels, E. See Cronin, J.W., 2=22489
- Engels, W., Delang, W., Wehmann, U. and Bodenstedt, E. The q-factor in the 248 keV state of Se^{77} , 4=27968
- Engels, W. See Bodenstedt, E., 4=3568
- Engels, W. See Brückmann, H., 3=4945
- Engels, W. See Günther, C., 4=25320
- Engels, W. See Günther, C., 4=27979
- Engelsberg, S. Energy losses in a many-body system, 1=11712
- Engelsberg, S. Energy losses and collective excitations in a crystal, 2=12410
- Engelsberg, S. Functional derivative techniques in the theory of superconductivity, 2=13506
- Engelsberg, S. and Schrieffer, J.R. Coupled electron-phonon system, 3=20084
- Engelsberg, S. See Calame, G., 0=19853
- Engel'sht, V.S. and Spektorov, L.A. Transport processes in a d.c. arc, 3=24256
- Engel'sht, V.S. See Spektorov, L.A., 3=24261
- Engelsman, J.J. See Koelmans, H., 0=8011
- Engewald, K. See Witzmann, H., 4=28737
- Engfer, R. Analysis of γ -pulse-height spectra with several adjacent components, 4=25058
- Engfer, R. and v. Buttler, H. Experiments on the response efficiency of continuous-flow methane counters, 3=7741
- Engfer, R. See Brix, P., 2=14230
- Engfer, R. See Quitmann, D., 4=15310
- Enginol, T. B. Control rod efficiency in multiregion reactors, 4=1141
- England, A.C., Gibson, W.A., Gotow, K., Heer, E. and Tinlot, J. Proton-proton triple scattering parameters R and A at 213 MeV, 1=16781
- England, A.C. See Ard, W.B., 3=19913
- England, A.H. and Green, A.E. Steady-state thermoelasticity for initially stressed bodies, 1=10460

- England, A.C. See Becker, M.C., 3=12209
 England, A.C. See Ward, W.B., 4=18929
 England, B.J. See Bradbury, B.T., 3=20958
 England, J.B.A., McKeague, R. and Hodgson, P.E. The elastic scattering of 19 MeV deuterons by krypton and xenon, 0=11419
 England, J.B.A. See Aguilar, J., 0=7583
 England, J.B.A. See Aguilar, J., 0=20463
 England, J.B.A. See Aguilar, J., 1=12216
 England, J.B.A. See Aguilar, J., 3=12699
 England, J.B.A. See Bredin, D.J., 0=20250
 England, J.B.A. See Hodgson, P.E., 1=2228
 England, J.B.A. See Garcia, A., 3=2493
 England, J.B.A. See Sen Gupta, H.M., 3=2492
 England, J.B.A. See Sen Gupta, H.M., 4=12277
 England, J.L. See Boyd, F.R., 0=14041
 England, J.L. See Boyd, F.R., 3=9657
 England, R.E. See Croft, W.J., 4=15793
 Englander, M. and Stohr, J.A. The characteristics of various metallic nuclear fuels and their behaviour under irradiation, 2=20723
 Englander, M. See Laniessse, J., 0=6394
 Englander, M. See Laniessse, J., 0=18416
 Englander, P. See Perel, J., 3=2582
 Englander-Golden, P. See Rapp, D., 4=9789
 Englander-Golden, P. See Rapp, D., 4=16432
 Englander-Golden, P. See Rapp, D., 4=22443
 Engle, D.G. See Enck, F.D., 2=14387
 Engle, L.B. See Fisher, P.C., 4=19842
 Engle, R.J. See Stickler, R., 4=2104
 Englefield, M.J. Use of Racah algebra in evaluating commutators, 0=2069
 Englefield, M.J. Scattering by potentials with an inverse-square attraction, 4=14053
 Englefield, M.J. and Margolis, B. Electromagnetic scattering of hyperons, 1=5785
 Engler, A., Foster, F., Green, T.L. and Mulvey, J. Primary cosmic ray α -particles. II, 1=13544
 Engler, A., Jones, P.B. and Mulvey, J.H. Interactions of anti-protons with nuclei, 0=7348
 Engler, A., Kaplon, M.F., Kernan, A., Klarmann, J., Fichtel, C.E. and Friedlander, M.W. Primary cosmic-ray α -particles, I, 1=8522
 Engler, A. See Bacon, T.C., 4=21854
 Engler, A. See Blackie, R.F., 1=520
 Engler, A. See Leitner, J., 1=16901
 Engler, A. See Pevsner, A., 2=5719
 Engler, A. See Shafer, J.B., 3=15028
 Engler, C. See Margulies, S., 4=9440
 Engler, G. See Burde, J., 2=16329
 Engler, G. See Burde, J., 2=22741
 Engler, H.D. Individual detection of β -particles with germanium and silicon junction diodes, 0=7493
 Engler, H.D. Alloyed silicon diodes as particle counters, 1=3092
 Engler, H.D. See Czulius, W., 2=16093
 Engler, H.D. See Czulius, W., 4=3250
 Englert, A. and Tompa, H. The energy and the configuration of the atoms in a simple model of an edge dislocation, 2=10392
 Englert, A. and Tompa, H. Energy and configuration of atoms in a simple model of an edge dislocation. II. Morse potential, 4=1480
 Englert, A. See Erginsoy, C., 4=6890
 Englert, F. Behaviour of a small quantized system in a weakly dissipative medium: some applications to Coulomb interactions, 0=3459
 Englert, F. Renormalization of the mass of an electron in a black body, 0=9335
 Englert, F. Theory of a Heisenberg ferromagnet in the random phase approximation, 0=18173
 Englert, F. Effective Hamiltonian formalism in the exciton problem and in superconductivity, 2=23121
 Englert, F. Linked cluster expansions in the statistical theory of ferromagnetism, 3=6698
 Englert, F. and Antonoff, M.M. Band theory of ferromagnetism: qualitative aspects, 4=15633
 Englert, F. and Brout, R. Dielectric formulation of quantum statistics of interacting particles, 0=18988
 Englert, F. and Brout, R. A possible theoretical argument which eliminates the (hitherto) unrealized representations of SU(3), 4=24986
 Englert, F. See Brout, R., 1=77
 Englert, F. See Horwitz, G., 3=9370
 Englert, F. See Stinchcombe, R.B., 3=11046
 Englert, G. and Saupe, A. Highly resolved proton resonance spectra with direct magnetic dipole-dipole interaction. II, 4=18180
 Englert, G. See Dischler, B., 2=6220
 Englert, G. See Saupe, A., 4=9776
 English, A.C. Directions of growth striations in germanium crystals, 0=16260
 English, A.C. Mesoplasmas and "second breakdown" in silicon junctions, 4=1628
 English, A.C. and Thomas, R.W. Creep and forming in selenium rectifiers, 2=10511
 English, A.T. and Backofen, W.A. Recrystallization in hot-worked silicon-iron, 4=23343
 English, F. and Gossick, B. TiO₂ rectifying barriers, 4=17525
 English, G.E. See Collins, J.L., 4=24318
 English, R.L. The mean free path for α -particles in nuclear photographic emulsion, 1=9780
 Engلمان, R. On the escape of impurities from solids, 0=555
 Engلمان, R. Mechanism for the optical absorption in some paramagnetic salts, 0=5939
 Engلمان, R. A method for the determination of the impurity distribution in a semi-infinite solid, 0=9914
 Engلمان, R. Some temperature dependent effects on the optical absorption line shape of paramagnetic ions, 0=20637
 Engلمان, R. Charge transfer states and optical absorption in octahedrally hydrated paramagnetic salts, 0=20638
 Engلمان, R. Localized modes in crystals and sharp details of the optical absorption spectra, 0=20976
 Engلمان, R. The discontinuities in the solutions of the transport equation and the variational principle, 1=1710
 Engلمان, R. Charge transfer states and optical absorption in octahedrally hydrated paramagnetic salts. II. Intensities in the manganous ion, 1=14016
 Engلمان, R. Suggestions for the dependence of some of the results of Jaffe and co-workers, 2=16508
 Engلمان, R. A suggested adiabatic approximation for vibronic problems with electronic near-degeneracy, 2=23052
 Engلمان, R. Adiabatic approximations and superconductivity theories, 3=5580
 Engلمان, R. Intensity ratios of some complexes, 3=15333
 Engلمان, R. Charge-transfer states and optical absorption. III. Some 4d and 5d hexahalide complexes, 3=19972
 Engلمان, R. Vibrational frequency sum rules for distorted complexes, 4=20017
 Engلمان, R. and Horn, D. Anomalies of g-factor due to vibrational coupling, 4=25826
 Engلمان, R. and Levi, P. The line shape in a harmonic lattice, 3=8345
 Engلمان, R. See Benedek, G.B., 4=6646
 Engmann, R. and de Wolff, P.M. The crystal structure of γ -UO₃, 3=25713
 Engström, A. See Pattee, H.H., 4=24773
 Engström, H., Ades, H.W. and Hawkins, J.E., Jr. Structure and functions of the sensory hairs of the inner ear, 3=3657
 Engstrom, J.R. See Bostwick, K.V., 3=14287
 Engstrom, R.W. Absolute spectral response characteristics of photosensitive devices, 0=15054
 Engstrom, R.W. and Matheson, R.M. Multiplier-phototube development program at R.C.A.-Lancaster, 1=2993
 Enig, J.W. Method for solving fluid flow problems by following the motion of energy cells, 2=15536
 Enig, J.W. A complete E, P, V, T, S thermodynamic description of metals based on the (P, u) mirror-image approximation, 3=9547
 Enig, J.W. Erratum: a complete E, P, V, T, S thermodynamic description of metals based on the P, u mirror-image approximation, 4=17358
 Enikeev, E. Kh. Kinetics of oxygen chemisorption on semiconductors, 4=20832
 Enikeev, E. Kh., Margolis, L.Ya. and Roginskii, S.Z. Variation of the work function of oxide semiconductors by alloying additions, 0=11710
 Enikeev, E. Kh., Roginsky, C.Z. and Rufov, J.H. Study of the influence of the adsorption of gases on the work-function of Enikeeva, K.Sh. See Vergunas, F.I., 3=15614
 Enikiev, E. Kh. See Vladimirova, V.I., 0=11718
 Enikolopov, N.S. See Barkalov, I.M., 3=6925
 Enjōji, H. and Okamoto, K. Helical instability of a linear discharge plasma produced by a large capacity condenser bank, 3=12088

- Enjōji, H., Okamoto, K., Ishibe, Y., Sakamoto, Y., Furuichi, A., Mori, K. and Andou, K. A hot plasma produced by a linear discharge device with a large capacity condenser bank, 3=5656
- Enjōji, H. See Tsuge, K., 3=6781
- Enjō, T. See Murakami, Y., 2=19090
- Enke, C. G. See Weir, W. D., 4=21440
- Ennos, A. E. Preparation of phase diffraction gratings by vacuum evaporation, 0=176
- Ennos, A. E. Optical properties of evaporated lead monoxide films, 2=6537
- Ennos, A. E. A simple variable retardation plate for polarized light, 3=14379
- Ennos, A. E. High-precision tunable retardation plate for use with visible and ultra-violet polarized light, 3=21571
- Enoch, J. Equivalence of the Landau and Fokker-Planck collision terms, 0=10869
- Enoch, J. Nonlinearized theory of transverse plasma oscillations, 2=9607
- Enoch, J. Kinetic model for high velocity ratio near free molecular flow, 2=17511
- Enoch, J. See Mjolsness, R. C., 4=5677
- Enoch, J. See Sampson, D. H., 3=7441
- Enoch, J. M. Response of a model retinal receptor as a function of wavelength, 0=6525
- Enoch, J. M. Waveguide modes: are they present, and what is their possible role in the visual mechanism? 0=18557
- Enoch, J. M. Nature of the transmission of energy in the retinal receptors, 1=12724
- Enoch, J. M. and Stiles, W. S. The colour change of monochromatic light with retinal angle of incidence, 1=21144
- Enoch, J. M. Optical properties of the retinal receptors, 3=5292
- Enokiya, H. See Nakamura, S., 3=12336
- Enomoto, S., Furuta, T. and Mori, C. Analytical applications of beta-rays backscattering. III. Improvement of the sensitivity by the pulse height analyzing method, 4=10668
- Enomoto, S. and Mori, C. X-ray spectroscopic analysis using radioisotopes, 3=16186
- Enomoto, S. and Mori, C. Nondispersive X-ray spectrochemical analysis using nuclear beta ray source, 3=21017
- Enomoto, S. See Narita, S., 0=2764
- Enomoto, Y. See Hashizume, A., 1=12179
- Enseev, T. M., Platonov, A. K. and Kazakova, R. K. Determination of the orbit parameters of artificial satellites from ground-measurement data, 2=9119
- Enslow, G. M. See Cuff, K. F., 3=22938
- Ensminger, D. Solid cone in longitudinal half-wave resonance, 0=2194
- Enstone, C. A. G. Modes of an auxiliary discharge thermionic generator, 4=21452
- Enstrom, R. E., Pearsall, G. W. and Wulff, J. Superconductivity of two-phase Nb-Nb₃Sn sintered compacts, 4=406
- Enteman, E. A. See Craig, N. G., 2=1996
- Entin, R. I. See Sarraf, V. I., 3=5065
- Entin, R. I. See Suvorova, S. O., 4=13415
- Entwistle, F. Thermal expansion of pyrolytic graphite, 3=774
- Entwistle, F. See Martin, W. H., 4=1402
- Entwistle, K. M. Studies of ageing and precipitation in metals using anelastic damping measurements, 1=12649
- Entwistle, K. M. On the decay of vacancies in aluminium-copper alloys measured by an internal friction method, 2=20996
- Entwistle, K. M., Fell, J. H. and Kang Il Koo. The effect of vacancy/impurity interaction on the rate of quench-age-hardening in aluminium-copper alloys, 3=6796
- Entwistle, K. M. See Bradley, D., 2=1306
- Entwistle, K. M. See Sumner, G., 0=6852
- Enüstün, B. V. and Turkevich, J. Coagulation of colloidal gold, 4=7787
- Enz, C. P. Theory of the magnetic susceptibility of crystals, 0=18156
- Enz, C. P. Temperature dependence of magnetic susceptibility, 0=18157
- Enz, C. P. and Thellung, A. Zero-point energy and arrangement of non-commuting factors in the Hamiltonian, 1=5197
- Enz, G. P. Magnetic susceptibility of semiconductors, 4=26260
- Enz, U. Magnetization process of a helical spin configuration, 1=6251
- Enz, U. Spin configuration and magnetization in dysprosium, 1=11423
- Enz, U. Discrete mass, elementary length, and a topological invariant as a consequence of a relativistic invariant variational principle, 3=18767
- Enz, U. The dynamics of the Bloch wall, 4=30706
- Enz, U., Fast, J. F., van Houten, S. and Smit, J. Magnetism of EuS, EuSe and EuTe, 3=11050
- Enz, U. and Liebertz, J. Magnetic properties of Ni-ferrite single crystals, 4=15655
- Enz, U. See Casimir, H. B. G., 0=13742
- Enz, U. See Kooy, C., 0=8049
- Enz, U. See Lotgering, F. K., 2=8658
- Enz, U. See Smit, J., 0=10179
- Epain, R. See Susse, C., 4=24437
- Epanechnikov, V. A. A functional converter, 4=16405
- Epaneshnikov, M. M. and Fan Chzhi-Fyn [Fan Chih-Fen]. Criteria for estimating discomfort, 2=24223
- Epe'boin, I. and Loric, G. Resonance phenomena observed at low frequencies during electrolyses accompanied by strong anodic overvoltage, 1=12679
- Epelboin, I. See Bosio, L., 0=9930
- Epelboin, I. See Bosio, L., 2=4447
- Epelboin, I. See Bosio, L., 3=8836
- Epelboin, I. See Dabosi, F., 2=8635
- Epelboin, I. See Defrain, A., 1=11527
- Epelboin, I. See Delcroix, S., 3=13527
- Epelboin, I. See Lestrade, J. C., 3=23201
- Epherre, M. See Gardsztajn, E., 3=15199
- Epherre, M. See Klapisch, R., 4=17130
- Epifanov, G. I. The role of adhesion in the establishment of frictional forces on pure surfaces, 0=16245
- Epifanov, G. I. The role of adhesion in the establishment of frictional forces on pure surfaces, 1=9097
- Epifanov, G. I. See Rostovtsev, N. M., 1=9241
- Epifanov, G. I. See Rostovtsev, N. M., 1=10:58
- Epifanov, M. V. See Tolstoi, N. A., 3=1808
- Epifanov, M. V. See Tolstoi, N. A., 3=3050
- Epifanov, M. V. See Tolstoi, N. A., 4=29748
- Epofeev, V. I. See Tal'roze, V. L., 4=16563
- Epp, E. R. and Weiss, H. Investigation of narrow well in NaI (Tl) for reduction of iodine K X-ray escape when measuring continuous X-ray spectra with collimated photon beams, 1=10110
- Eppers, W. C., Jr and Morrow, R. B. Measurement of localized densities in an argon glow discharge, 4=18724
- Epperson, J. E. See Cathcart, J. V., 2=17066
- Eppler, R. A. and Drickamer, H. G. Effect of pressure on the spectra of color centers, 0=9906
- Eppler, R. A. and Drickamer, H. G. Effect of pressure on color centres in Ag⁺-doped alkali halides, 0=13555
- Eppler, R. A. and Drickamer, H. G. The effect of pressure on the absorption spectra of alkali halide phosphors, 1=19984
- Eppling, F. J. See Michael, I., 0=2405
- Epprecht, W., Bas, E. B. and Aeschlimann, R. Electron emission microscopic investigation of the β - α transformation of zircaloy-2 for repeated temperature cycles, 4=7520
- Épshtein, É. M. Scattering of high energy electrons on electrons and the dipole structure of the electron, 2=13770
- Epshtein, E. M. Scattering of high energy electrons on electrons and the dipole structure of the electron, 3=5989
- Epshtein, I. A. See Rozenberg, V. M., 0=13912
- Épshtein, M. I. Use of luminescence for measurements of spectral response of energy receivers in ultraviolet region, 2=17618
- Epshtein, M. I. See Kirsanov, V. P., 3=16760
- Epstein, A. and Wildi, B. S. Electrical properties of poly-copper phthalocyanine, 0=4358
- Epstein, A. S. Thermoelectric figure of merit in silver selenide powders, 4=7088
- Epstein, A. S. Electrical and thermal properties of electron-bombarded silver selenide powders, 4=10070
- Epstein, A. S. and Caldwell, J. F. Degradation in zinc-doped GaAs tunnel diodes, 4=26084
- Epstein, D. J. and Frackiewicz, B. Temperature-dependent lag in polycrystalline yttrium-iron garnet, 0=3092
- Epstein, D. J., Frackiewicz, B. and Hunt, R. P. Uniaxial anisotropy in polycrystalline garnets, 1=6366
- Epstein, D. J. See Lovell, B. W., 3=15868
- Epstein, E. E. Anomalous continuum radiation from Jupiter, 0=832
- Epstein, E. E. Atomic hydrogen in galaxies, 4=30990
- Epstein, E. E. Preliminary investigations of model distributions of atomic hydrogen in galaxies, 4=30991
- Epstein, E. M. See Guliev, N. A., 0=20132

- Epstein, E.S. See Adel, A., 0=12145
 Epstein, E.S. See Young, C., 3=9018
 Epstein, H. Generalization of the "edge-of-the-wedge" theorem, 1=4174
 Epstein, H. On the Borchers class of a free field, 3=7757
 Epstein, H. See Bros, J., 4=15024
 Epstein, H. See Wightman, A.S., 1=2021
 Epstein, J.H. and Epstein, S.T. Some applications of hypervirial theorems to the calculation of average values, 2=9201
 Epstein, J.H. See Weymouth, J.W., 2=16979
 Epstein, L. A classical analog for relativistic contraction, 4=5029
 Epstein, L. A mechanical model for Fitzgerald contraction, 4=14036
 Epstein, L.F. Correlation and prediction of explosive metal-water reaction temperatures, 2=4540
 Epstein, L.F. An equation of state involving the critical ratio, 2=15637
 Epstein, L.M. Mössbauer spectra of some iron complexes, 2=14235
 Epstein, L.M. Mössbauer isomer shifts of ferrous phenanthroline and related complexes, 4=9816
 Epstein, L.M. See Gardner, D.G., 1=8920
 Epstein, L.M. See Ruby, S.L., 0=9524
 Epstein, L.M. See Wallace, W.E., 2=3816
 Epstein, L.M. See Zito, R., 3=24681
 Epstein, M. Nonlinear behavior of the electrical conductivity of a slightly ionized gas, 1=271
 Epstein, M. Electromagnetic-wave propagation in a plasma with nonlinear electrical conductivity, 2=9590
 Epstein, M. Reply to comments of M.S. Sodha and C.J. Palumbo, 3=9793
 Epstein, M. Microwave-plasma interaction in a thermally ionized plasma, 4=8716
 Epstein, M. Strong microwave-plasma interaction, 4=18877
 Epstein, M., Sachs, H.M. and Greenstein, L.J. Multiple-element Hall-effect sensor, 0=7184
 Epstein, M. See Greenstein, L.J., 4=30014
 Epstein, N. and Young, M.J. Random loose packing of binary mixtures of spheres, 3=11781
 Epstein, S. A simple technique for seeding and growing oriented, relatively unstrained, single crystal antimony, square-sectioned rods, 3=3264
 Epstein, S. and Juretschke, H.J. Galvanomagnetic effects and band structure of pure and tin-doped single-crystal antimony, 3=8513
 Epstein, S. An electrical spectrographic calculator, 0=6933
 Epstein, S. See Taylor, H.P., Jr., 3=9014
 Epstein, S.T. Application of the Rayleigh-Schrödinger perturbation theory to the delta function potential, 0=7302
 Epstein, S.T. Time-dependent impulse approximation, 0=12868
 Epstein, S.T. On the origin of super-selection rules, 0=15227
 Epstein, S.T. On the anisotropy of inertia, 0=16611
 Epstein, S.T. Hypervirial theorems and variational calculations in classical mechanics, 2=13284
 Epstein, S.T. A note on gauge theories of vector particles, 2=18052
 Epstein, S.T. Hypervirial theorems for variational calculations in statistical mechanics, 4=11095
 Epstein, S.T. General solutions of the Hamilton-Jacobi equation, 4=27015
 Epstein, S.T. Hartree-Fock Hamiltonians and separable nonlocal potentials, 4=29531
 Epstein, S.T. Some remarks on quantum mechanics and the principle of equivalence, 4=29553
 Epstein, S.T. and Hirschfelder, J.O. Hypervirial theorems for variational wave functions, 1=11705
 Epstein, S.T. and Robinson, P.D. Hypervirial theorems for variational wave functions in scattering theory, 3=7128
 Epstein, S.T. See Epstein, J.H., 2=9201
 Equer, B. See Astier, A., 2=22614
 Era, K. See Shionoya, S., 3=22705
 Era, K. See Shionoya, S., 4=28740
 Erämettä, O. The principles of visual measurements, 3=5296
 Eramjian, R.A. See Balashov, V.V., 4=22163
 Eramzhyan, R.A. See Gershtein, S.S., 3=17244
 Eramzhyan, R.A. See Korenman, G.Ya., 4=6144
 Eras, J. See Becker, J., 2=21992
 Érastov, L.N. Inversion of the thermoelectric power in the region of welded contacts between metals, 0=16000
 Érastov, L.N. Detection of the formation of chemical compounds in binary alloys using the resistance-welding method, 0=16354
 Erastov, L.N. See Sokolov, S.N., 1=2911
 Érastov, L.N. See Sokolov, S.N., 1=3470
 Erath, E.H. Crystal field parameters for erbium in $\text{Er}(\text{C}_2\text{H}_5\text{SO}_4)_3 \cdot 9\text{H}_2\text{O}$, 1=9867
 Erath, E.H. Erratum: Crystal field parameters for erbium in $\text{Er}(\text{C}_2\text{H}_5\text{SO}_4)_3 \cdot 9\text{H}_2\text{O}$, 3=12900
 Erath, E.H. See Wong, E.Y., 4=1364
 Erb, E. See Uebersfeld, J., 0=16717
 Erba, E., Facchini, U. and Menichella, E.S. On the level density of atomic nuclei deduced from p, α -reactions, 2=12128
 Erba, E., Facchini, U. and Menichella, E.S. Statistical models in nuclear reactions and nuclear level density, 3=2426
 Erba, E., Facchini, U. and Saetta Menichella, E. Statistical emission in nuclear level density, 2=5875
 Erba, E., Facchini, U., Saetta-Menichella, E., Tonolini, F. and Tonolini Severgnini, L. Statistical model in fission of U^{235} induced by thermal neutrons, 4=3713
 Erbe, H. See Ehmert, A., 0=11250
 Erbe, H. See Ehmert, A., 1=13583
 Erbe, H. See Ehmert, A., 1=19310
 Erbe, H. See Pfozter, G., 2=9023
 Erbeia, A. Indirect interaction between different nuclear spins in very weak fields, 4=1307
 Erbeia, A. See Hochstrasser, G., 4=2316
 Erber, T. The photoelectric effect at high energies, 0=4177
 Erber, T. Velocity of light in a magnetic field, 1=9465
 Erber, T. The Cerenkov self-excitation of the electron, 1=16753
 Erber, T. The classical theories of radiation reaction, 3=17163
 Erbighausen, E.G. An instrument for measuring broad-line spectrograms, 3=16315
 Erbs, H. Experimental investigations of the heating of the wall in a toroidal discharge, 3=19202
 Erbs, U. See Ehrhardt, H., 3=15397
 Erbslöh, F.D. See Zwicker, H., 1=9586
 Erchenkov, V.V. See Panchenkov, G.M., 3=21329
 Ercoles, A.M. Red and Blue electroretinograms at various luminances, 3=11641
 Ercoles, A.M. and Fiorentini, A. Visibility of a steadily fixated or stabilized test object as a function of eccentricity, 3=11631
 Ercoles, A.M. and Masci, E. On the variability of the rates of rise and decay of the scotopic B-wave, 3=3688
 Ercoles, A.M. See Bittini, M., 0=8449
 Ercoles, A.M. See Ronchi, L., 2=15430
 Erdal, A. and Graue, A. An investigation of neutrons from the reaction $\text{Mg}^{25}(\text{d}, \text{n})\text{Al}^{26}$ at 2.00 and 6.54 MeV deuteron energy, 1=9876
 Erdal, A. See Graue, A., 2=13817
 Erdas, F. and v.Gehlen, G. Spin correlation in muon-pair production, 3=10137
 Erdei, M. Duality of non-planar electric circuits without the use of ideal transformers, 2=19822
 Erdélyi, A. Asymptotic solutions of differential equations with transition points or singularities, 0=4838
 Erdélyi, I. Chapters on the mechanical theory of heat, 0=7012
 Erdélyi, I. Influence of centrifugal fields on the heat-state of gases. Explanation of the Ranque phenomenon, 2=15645
 Erdélyi, I. The Gibbs' theorem and paradox, 3=21442
 Erdélyi, I. See Greguss, P., 2=7292
 Erdik, E. The Experimental determination of fast fission factors in light water-moderated, slightly enriched uranium rod lattices, 2=3639
 Erdik, E. The experimental determination of the correction factors $k(t)$ for the fast fission factors measurements, 2=20684
 Erdman, K. See Bloom, M., 2=6112
 Erdman, K.L. See Robertson, L.P., 2=3338
 Erdmann, J. The symmetry of wave-functions in hexagonal close-packed crystals, 0=17873
 Erdmann, J.C. and Jahoda, J.A. Apparatus for low-temperature tensile deformation and simultaneous measurements of thermal properties of metals, 3=9667
 Erdman, K.L., Axen, D., MacDonald, J.R. and Robertson, L.P. Simple electron bombardment apparatus for evaporating boron, 4=14224
 Erdman, K.L., MacDonald, J.R., Beer, G.A. and Axen, D.A. Simple gas circulation pump, 4=21164
 Erdman, K.L., Robertson, L.P., Axen, D. and MacDonald, J.R. Removal of tritium from He^3 , 4=5491
 Erdman, K.L. See Warren, J.B., 4=3496
 Erdman, K.L. See White, B.L., 3=4208

- Erdőkürti, Z. Remote controlled Fabry-Perot interferometer, 4=24382
- Erdőkürti, Z. and Kántor, K. On the order of interference in Michelson interferometers in case of circular light sources centred on the optical axis, 3=19009
- Erdőkürti, Z. and Kántor, K. Visibility and order of interference in Michelson interferometers in the case of rectangular light sources centred on the optical axis, 3=19010
- Erdőkürti, Z. and Kántor, K. Visibility and order of interference in Michelson interferometers in the case of excentric light sources, 3=21562
- Erdőkürti, Z. See Bakos, J., 2=11233
- Erdős, P. Ultrasonic absorption in dielectric ferromagnetics, 3=13278
- Erdős, P. Multiple cavity molecular beam maser, 4=24875
- Erdős, P. See Dvoretzky, A., 0=10611
- Erdős, P. See Dvoretzky, A., 0=12370
- Érő, Ya. See Zimani, I., 1=19519
- Eremenko, V. N. [Ed.]. The role of surface phenomena in metallurgy, 4=7690
- Eremenko, V. N. and Fesenko, V. V. Rate of infiltration of titanium carbide with copper-nickel alloys, 4=8145
- Eremenko, V. N., Ivashchenko, Yu. N. and Bogatyrenko, B. B. Surface tension of pure iron and of alloys of the iron-carbon system, 4=8186
- Eremenko, V. N. and Lesnik, N. D. The kinetics of the infiltration of porous materials with liquid metals, 4=8144
- Eremenko, V. N. and Naidich, Yu. V. Surface activity of oxygen in the silver-oxygen system, 4=11190
- Eremenko, V. N. and Nizhenko, V. I. Effects of titanium and titanium carbide on the surface properties of nickel and cobalt, 4=8190
- Eremenko, V. N. See Fesenko, V. V., 4=8185
- Eremenko, V. N. See Naidich, Yu. V., 2=7188
- Eremenko, V. N. See Naidich, Yu. V., 2=19532
- Eremenko, V. N. See Naidich, Yu. V., 4=8187
- Eremenko, V. V. Luminescence of cadmium sulphide crystals, 0=11776
- Eremenko, V. V. Investigation of the spectral dependence of the photoconductivity of monocrystalline CdSe at 77° and 20°K, 1=1103
- Eremenko, V. V. Investigation of the spectral distribution of the photoconductivity of mixed single crystals of CdS_x-CdSe_{1-x} at 77°K and 20°K, 1=1104
- Eremenko, V. V. and Chuiko, L. L. The effect of deformation on the absorption spectrum of cuprous oxide crystals at 20°K, 1=11365
- Eremenko, V. V. and Belyaeva, A. I. Special features of the absorption spectrum of manganese fluoride crystals, 4=7143
- Eremenko, V. V. and Medvedev, V. S. The variation of photoconductivity and intensity of luminescence of anthracene crystals with wavelength of the stimulating, 1=6175
- Eremenko, V. V. and Popkov, Yu. A. Magneto-optical investigation of crystals in strong magnetic fields. I. Experimental pulse method, 4=7101
- Eremenko, V. V. See Belyaeva, A. I., 3=25461
- Eremenko, V. V. See Belyaeva, A. I., 4=17574
- Eremin, A. A. See Golovanov, Yu. N., 4=5469
- Eremin, A. A. See Golovanov, Yu. N., 4=5470
- Eremin, D. M. The effect of cathode surface treatment on the spectral sensitivity of a photon counter, 1=16377
- Eremin, L. V. See Shorin, K. N., 2=1544
- Eremina, I. V. See Bondarenko, N. G., 4=21688
- Eremina, I. V. See Gen, M. Ya., 0=14144
- Erez, G. The solubility limit of zinc in copper between 260 and 153°C, 2=15072
- Erez, G. and Rosen, N. The gravitational field of a particle possessing a multipole moment, 0=3439
- Erez, G. and Rudman, P. S. Long-range order in Fe-Al alloys. II. Thermoelectric power, 1=20592
- Erez, G. See Casselton, R. E. W., 4=8496
- Erezhepov, M. E. and Pekar, S. I. Theory of the electrical conductivity of semiconductors with an allowance for the field of charged impurity centres, 3=20288
- Ergakov, V. A., Levin, G. E., Melamid, A. E., Trebukhovskii, Yu. V. and Khlebnikov, N. S. Electron multiplier with an axially symmetric entrance window of 24 cm², 2=20196
- Ergakov, V. A. and Trebukhovskii, Yu. V. Proton detector with a film cathode, 4=903
- Ergakov, V. A. See Trebukhovskii, Yu. V., 0=11175
- Ergakov, V. A. See Vladimirovskii, V. V., 3=7861
- Ergen, W. K., Callihan, A. D., Mills, C. B. and Scott, D. The aircraft reactor experiment — physics, 0=13313
- Ergen, W. K. and Nohel, J. A. Stability of a continuous-medium reactor, 1=765
- Erginsoy, C. The resonance absorption integral of ²³⁸U, 0=7623
- Erginsoy, C. The effective resonance absorption integral of ²³⁸U in heavy-atom mixtures, 1=710
- Erginsoy, C. Anomalous penetration of rare gas atoms in lattice channels, 4=27579
- Erginsoy, C., Vineyard, G. H. and Englert, A. Dynamics of radiation damage in a body-centered cubic lattice, 4=6890
- Ergun, A. N. Axisymmetric solutions of the incompressible magnetohydrodynamic equations, 1=12004
- Ergun, S. and Alexander, L. E. Crystalline forms of carbon: A possible hexagonal polymorph of diamond, 3=3298
- Ergun, S., McCartney, J. T. and Walline, R. E. Absorption of ultra-violet and visible light by ultra-thin sections of vitrinite from a high-volatile bituminous coal, 0=20992
- Ergun, S. and Tiensuu, V. H. Tetrahedral structures in amorphous carbons, 0=6371
- Ergun, S. See McCartney, J. T., 2=4115
- Ergun, S. See Tiensuu, V. H., 4=23384
- Erhard, K. The unsymmetrical broadening of the lead resonance line, 3=2568
- Erhardt, H. See Stebbings, R. F., 4=24593
- Erhardt, P. F. See LeGrand, D. G., 3=10914
- Erickson, C. E. See Riebling, E. F., 3=18827
- Erickson, E. F. and Schaefer, C. Determination of the deuteron D-wave from coherent π^0 photoproduction, 4=9303
- Erickson, E. F. See Kendall, H. W., 2=325
- Erickson, G. F. See Grover, G. M., 4=27349
- Erickson, G. F. See Pidd, R. W., 0=1139
- Erickson, J. S. Mobility of edge dislocations on {112} slip planes in 3.25% silicon iron, 2=18581
- Erickson, K. E. Long-path interferometry through an uncontrolled atmosphere, 2=15197
- Erickson, K. E. Investigation of the invariance of atmospheric dispersion with a long-path refractometer, 2=15196
- Erickson, N. See Craig, P., 4=12590
- Erickson, R. See Buck, A., 3=19217
- Erickson, W. C. Radio emission in the outer corona, 0=4
- Erickson, W. C. Observations of 26.3 Mc/s solar radio noise during August 1959, 1=15545
- Erickson, W. C. High-resolution studies of type III solar emission at 11.4-meter wavelength, 3=21125
- Erickson, W. C. The radio-wave scattering properties of the solar corona, 4=23927
- Erickson, W. C. and Brissenden, P. A search for decametric radiation from the Comet Wilson 1961D, 3=5277
- Erickson, W. C. and Helfer, H. L. H-line profiles at high galactic latitudes, 0=12261
- Erickson, W. C., Helfer, H. L. and Tatel, H. E. A survey of neutral hydrogen at high galactic latitudes, 1=18012
- Erickson, W. C. See Brissenden, P., 3=5272
- Erickson, W. C. See Christiansen, W. N., 4=4936
- Erickson, W. C. See Stone, R. G., 4=30977
- Ericson, L. G. and Tomlin, S. G. Further studies of low-angle X-ray diffraction patterns of collagen, 0=14038
- Ericson, M. Confinement of plasmas by radiofrequency field, 2=11670
- Ericson, M. Calculation of absorption rates of π -mesons by nuclei, 4=17269
- Ericson, M. Energy levels of mesic atoms, 4=12415
- Ericson, M. and Jacrot, B. A neutron scattering study of the kinetics of magnetic moments in iron in the region of the Curie point, 0=13804
- Ericson, M. and Jacrot, B. Experimental study of the critical scattering of neutrons in iron, 0=16137
- Ericson, M., Ward, C. S., Brown, S. C. and Buchsbaum, S. J. Confinement of plasmas by high-frequency electric fields, 2=17842
- Ericson, T. Classical theory of compound nucleus reactions, 0=17572
- Ericson, T. Fluctuations of nuclear cross-sections in the "continuum" region, 1=672
- Ericson, T. The compound nucleus, 1=8677
- Ericson, T. The statistical model and nuclear level densities, 1=10962
- Ericson, T. A new technique in the statistical model of particle production, 1=16725
- Ericson, T. Pion capture as a tool for shell model studies, 3=4657
- Ericson, T. On probability distributions of nuclear cross sections, 3=24916

- Ericson, T. A theory of fluctuations in nuclear cross-sections, 4=6305
- Ericson, T. The compound nucleus and the random phase approximation, 4=9465
- Ericson, T. and Glashow, S. L. Six-Fermion weak interactions, 4=9106
- Ericson, T., Selleri, F. and van de Walle, R. T. Low momentum transfer reactions in complex nuclei at high energy, 2=20574
- Ericson, T. See Czyz, W., 0=3979
- Ericson, W. B. and Bazer, J. On certain properties of hydro-magnetic shocks, 0=15133
- Ericson, W. B. See Radlow, J., 3=2105
- Ericsson, J. and Sjöfall (Johansson), L. P. Spectral line broadening measured by shearing interferometric methods, 0=19414
- Ericsson, U. and Edin, K. On complete blast scaling, 1=1765
- Ericsson, U. See Wüchner, H., 3=13667
- Eriksen, E. Transformations of relativistic two-particle equations, 1=12803
- Eriksen, E. A sum formula for Gegenbauer polynomials, 3=1576
- Eriksen, E. and Kolsrud, M. Canonical transformations of Dirac's equation to even forms. Expansion in terms of the external fields, 1=16660
- Eriksen, E. and Kolsrud, M. Charge distributions of the electron in various types of two-component representations of Dirac's equation, 2=20309
- Eriksen, G. Oscillation broadening of lines from ionized elements in stellar spectra, 1=9283
- Eriksen, G. Oscillation broadening of lines from ionized elements in stellar spectra, 2=2547
- Eriksen, G. and Maltby, P. Position of the radio sources Cassiopeia A and Cygnus A, 4=2463
- Eriksen, K. W., Gillmor, C. S. and Hargreaves, J. K. Some observations of short-duration cosmic noise absorption events in nearly conjugate regions at high magnetic latitude, 4=15888
- Eriksen, K. W., Holt, O. and Landmark, B. A note on the polar absorption event of 11-18 May, 1959, 1=1544
- Eriksen, K. W. and Landmark, B. Some results concerning the behaviour of long distance v.l.f. circuits during polar cap absorption events, 1=20954
- Eriksen, W. T. See Zallen, R., 0=11793
- Erikson, T. The 2^- and 0^- levels in O^{16} and their excitation by inelastic proton scattering, 4=25294
- Erikson, T. A. and Tykodi, R. J. Thermodynamics, stationary states, and steady-rate processes. VI. Forced vaporization of selected liquids, 0=14908
- Erikson, T. A. See Tykodi, R. J., 0=3692
- Erikson, T. A. See Tykodi, R. J., 0=3694
- Eriksson, B., Hulthén, L. and Johansson, N. Phenomenological eigenfunctions for the deuteron ground state, 4=12076
- Eriksson, B. J. Swedish heavy-water process, 3=4688
- Eriksson, E. Possible fluctuations in atmospheric carbon dioxide due to changes in the properties of the sea, 3=25866
- Eriksson, G. Intersections between the different boundary curves for the four point function without local commutativity, 2=16111
- Eriksson, G. and Möller, N. H. Phenomenological analysis of proton Compton scattering for polarized photons and protons, 4=11960
- Eriksson, H. A. S. On an attempt to reduce the number of basic constants in elementary particle physics by introducing pseudoscalar parameters. I. The mass spectrum of fermions, 3=17167
- Eriksson, H. A. S. On an attempt to reduce the number of basic constants in elementary particle physics by introducing pseudoscalar parameters. II. Nuclear forces, 4=30223
- Eriksson, K. B. S. Pair coupling in p^2f with application to $O II$, 2=3688
- Eriksson, K. B. S. and Isberg, H. B. S. The spectrum of atomic aluminium, $Al I$, 3=8179
- Eriksson, K. B. S. and Isberg, H. B. S. $O I$ quintet and triplet terms below the ionization limit, 3=22487
- Eriksson, K. B. S. and Johansson, I. The spectrum of the neutral nitrogen atom in the lead-sulfide region, 1=19592
- Eriksson, K. E. Statistical time moments and an asymptotic formula for the time-energy distribution of slowed-down neutrons, 0=363
- Eriksson, K. E. On radiative corrections due to soft photons, 1=7188
- Eriksson, K. E. High-energy behaviour of electromagnetic scattering cross-sections, 1=7214
- Eriksson, K. E. Radiative corrections to muon-electron scattering, 1=7250
- Eriksson, K. E. Low-energy radiation in collision processes at very high energies, 2=20229
- Eriksson, K. E. Partial summation of the perturbation expansion in high-energy quantum electrodynamics, 3=7764
- Eriksson, K. E. A unifying principle of interactions? 4=5015
- Eriksson, K. E. A simple derivation of Schwarzschild's metric, 4=5037
- Eriksson, K. E. On the connection between renormalization and the renormalization group in quantum electrodynamics, 4=9054
- Eriksson, K. E., Larsson, B. and Rinander, G. A. Radiative corrections to muon-electron scattering, 4=9234
- Eriksson, K. E. and Peterman, A. High energy behavior of cross sections in quantum electrodynamics, 1=422
- Eriksson, K. E. and Yngström, S. A simple approach to the Schwarzschild solution, 3=18718
- Eriksson, K. E. and Yngström, S. A. Possible test of the vector nature of strong interactions, 3=24627
- Eriksson, K. E. and Yngström, S. A simple approach to the Schwarzschild solution, 4=44
- Eriksson, K. E. See Thun, J. E., 2=20547
- Eriksson, L. See Astner, G., 3=19798
- Eriksson, L. See Glaudemans, P. W. M., 4=28031
- Eriksson, P. I. See Elvius, T., 4=10801
- Eriksson, T. A. and Rinander, G. A. A comparison of the semi-classical approximation and the exact solution of the optical model scattering problem, 3=12658
- Eringen, A. C. Irreversible thermodynamics and continuum mechanics, 0=6689
- Eringen, A. C. Simple microfluids, 4=24132
- Eringen, A. C. and Suhubi, E. S. Nonlinear theory of simple micro-elastic solids. I, 4=24120
- Eringen, A. C. See Jordan, N. F., 4=24118
- Eringen, A. C. See Jordan, N. F., 4=24119
- Eringis, K. K., Fridberg, P. Sh. and Shugurov, V. K. The extended Fok [Fock] method in a multi-configuration approximation for the helium atom, 2=8058
- Eringis, K. K., Vizbaraitė, Ya. and Yutsis, A. P. Extended method of calculation in the case of atoms with $1s$ and $2p$ electrons, 4=1179
- Éringis, K. K. See Vizbaraitė, Ya. I., 1=2271
- Erkman, J. O. Smooth spalls and the polymorphism of iron, 1=7830
- Erkovich, S. P. Coefficient of continuous absorption of radiation by quasi-molecules of hydrogen, 0=15741
- Erkovich, S. P. and Pisarevskii, Yu. V. The transition probability in the γ - and β -systems of NO bands, 0=15753
- Erkovich, S. P. and Pisarevskii, Yu. P. The oscillator strength of the δ -bands of NO, 1=2334
- Erlandsson, B. and Valli, K. An investigation of the gamma-ray decay from five resonances in the reaction $Sc^{44}(p, \gamma)Ti^{46}$, 3=10344
- Erlandsson, B. and Valli, K. An investigation of the gamma-ray decay of the $Ca^{44}(p, \gamma)Sc^{45}$ 1.660 MeV resonance, 4=6278
- Erlandsson, B. See Ask, L., 1=19064
- Erlandsson, G. Computer program for centrifugal distortion in asymmetric top rotational spectra, 0=7747
- Erlbach, E. New hot-electron negative resistance effect, 4=6905
- Erlbach, E. and Gunn, J. B. Noise temperature of hot electrons in germanium, 2=12516
- Erlbach, E., Garwin, R. L. and Sarachik, M. P. Measurement of magnetic-field attenuation by thin superconducting films, 0=10853
- Erlbach, E. and Gunn, J. B. Noise of hot electrons in germanium, 3=10770
- Erlbach, E. See Sarachik, M. P., 0=7034
- Erler, H. All-transistorized pulse density meter and some fields of application, 2=1355
- Erler, H. See Burkhardt, W., 2=16091
- Erler, W. Determination of secondary paths for airborne sound [in buildings] by the method of structure sound measurement and structure sound excitation, 0=1018
- Erler, W. Elastic properties of short cylindrical rubber samples, 1=12577
- Erley, D. S., Blake, B. H. and Potts, W. H. Small volume long path infrared cells for liquids, 1=7923
- Erlinger, J. J. See Bellanca, T. J., 2=1469
- Erlykin, A. D. See Goryunov, N. N., 1=2128
- Erlykina, M. E. See Tatevskii, V. M., 4=20025
- Erma, V. A. Extension of the statistical model of the atom, 4=3770
- Erma, V. A. Perturbation approach to the electrostatic problem for irregularly shaped conductors, 4=5537
- Ermachenko, V. M. See Gandel'man, G. M., 4=4195

- Ermachenko, V.M. See Gandel'man, G.M., 4=6928
- Ermakov, A.E. See Nazarov, N.I., 1=5487
- Ermakov, A.E. See Nazarov, N.I., 1=11959
- Ermakov, A.I. See Dolgoplov, V.V., 4=5667
- Ermakov, A.I. See Nazarov, N.I., 3=7622
- Ermakov, A.I. See Nazarov, N.I., 4=8780
- Ermakov, B.A. and Mak, A.A. Application of the method of storage in the photoelectric recording of the time-resolved spectra of light flashes, 0=3631
- Ermakov, D.S. See Maleev, E.M., 3=9644
- Ermakov, O.N. See Abov, Yu.G., 4=16903
- Ermakov, S.M., Kolesov, V.I. and Marchuk, G.I. A numerical method for solving the Schrödinger equation with a diffuse potential, 4=11071
- Ermakov, S.V. See Bondarenko, B.V., 2=1481
- Ermakov, V. See Bzranova, G., 3=8140
- Ermakov, V.A. See Donets, E.D., 4=19740
- Ermakov, V.I. and Platonov, V.M. An apparatus for observing spin echo, 2=17975
- Ermakov, V.S., Kondrashov, N.G., Perel'man, T.L., Romashko, E.A. and Ryvkin, V.B. Temperature field in cylindrical heat-producing elements of a reactor, cooled by a turbulent flow of liquid, 3=10411
- Ermakova, L.A. See Koptsik, V.A., 0=11739
- Ermakova, L.A. See Kopstik, V.A., 2=7483
- Ermakova, N.E. See Nekrashevich, I.G., 3=25845
- Erman, P., Bonacalza, E. C. O. and Rossi, J. The K Auger effect in Br⁷⁹, 4=12363
- Erman, P. and Parker, W. Vacuum deposition of uranium on thin organic backings for nuclear spectroscopic use, 0=17288
- Erman, P., Rossi, J., Bonacalza, E. C. O. and Miskel, J. The K Auger group intensities in Cl³⁷, 4=12366
- Erman, P. and Sujkowski, Z. Gamma transition probabilities and the Auger effect in the β -decay of Xe¹³³, 2=3516
- Ermanis, F. and Miller, E. The semiconducting properties of CdSb, 2=8356
- Ermatov, S.E. See Starodubtsev, S.V., 0=4745
- Ermich, W. See Klopfer, A., 2=2789
- Ermilova, N.I. See Alekseev, A.S., 4=26779
- Erminy, D.E. Scheme for obtaining integral and fractional multiples of a given radian, 4=8372
- Ermisch, W. See Seiwert, R., 0=5871
- Ermisch, W. See Seiwert, R., 0=5872
- Ermolaev, A.M., Minkov, I.M. and Vlasov, A.G. Method of calculation of a multi-layer coating with the given reflectivity, 3=1827
- Ermolaev, A.M. and Sochilin, G.B. Precise variational method of calculation of the S-states of two-electron atoms, 4=19930
- Ermolaev, A.M. and Sochilin, G.B. Ground state of two electron atoms and ions, 4=22292
- Ermolaev, M.A. See Morozov, V.M., 3=1787
- Ermolaev, V.L. Dependence of the probability of energy transfer in sensitized phosphorescence on the oscillator strength of a triplet-singlet transition in the molecule of an energy acceptor, 0=944
- Ermolaev, V.L. The sphere of influence for quenching in the case of energy transfer in triplet levels, 1=18416
- Ermolaev, V.L. The sphere of influence for quenching in the case of energy transfer in triplet levels, 2=1155
- Ermolaev, V.L. The luminescence of simple derivatives of benzene. I. The aromatic amines, 2=6629
- Ermolaev, V.L. Energy transfer in organic systems involving the triplet state. III. Rigid solutions and crystals, 4=17391
- Ermolaev, V.L., Kotlyar, I.P. and Svtashev, K.K. Internal conversion from the fluorescence to the phosphorescence level in naphthalene derivations, 2=14746
- Ermolaev, V.L. and Sveshnikova, E.B. The inductive resonance transfer of energy from aromatic molecules in the triplet level, 4=1283
- Ermolaev, V.L. and Sveshnikova, E.B. Use of triplet-singlet transfer for the study of the internal degradation of electronic energy in organic molecules, 4=30421
- Ermolaev, V.L. and Svtashev, K.K. Quantum yields of phosphorescence and fluorescence of certain mono-derivatives of naphthalene in solutions at -196°C, 0=10070
- Ermolaev, V.L. and Terenin, A.N. Intramolecular energy transfer between triplet levels, 1=3576
- Ermolaev, V.L. See Terenin, A.N., 3=11799
- Ermolaev, V.N. See Lybchenko, A.P., 3=22813
- Ermol'chik, S.Z. See Rybakova, I.M., 1=14911
- Ermolenko, A.S. and Shur, Ya.S. Mechanism of thermomagnetic treatment of high-coercivity alloys of AlNi and AlNiCo types, 3=25524
- Ermolenko, A.S. and Shur, Ya.S. Magnetic and structural analysis of the high-coercivity alloy alnico, 4=13166
- Ermolenko, A.S. See Shur, Ya.S., 4=1830
- Ermolenko, I.N. and Gavrilov, M.Z. Effect of light scattered by an SF⁴ spectrometer on optical density measurements in the short wavelength ultraviolet region, 4=27313
- Ermolenko, V.D. A new method for determining the moisture diffusion coefficient of moist materials, 3=8448
- Ermolin, V.K. Local and average heat transfer coefficients at an air stream in a tube with a pointed inlet, 1=18647
- Ermolina, T.D. See Kotel'nikov, N.V., 2=14791
- Ermolina, T.D. See Kotel'nikov, N.V., 3=5013
- Ermolov, I.N. Scalar acoustic field theory application to the analysis of the acoustic path of an ultrasonic flaw detector, 0=1009
- Ermolov, I.N. Diffraction of sound in the acoustic path of a pulse-type flaw detector, 1=16035
- Ermolov, P.F. and Moskalev, V.I. A search for bremsstrahlung produced in elastic scattering of negative π -mesons by protons, 1=16780
- Ermolov, P.F. See Budagov, Yu.A., 0=2532
- Ermolov, P.F. See Budagov, Yu.A., 0=9399
- Ermolov, P.F. See Budagov, Yu.A., 0=13017
- Ermolov, P.F. See Budagov, Yu.A., 0=13018
- Ermolov, P.F. See Budagov, Yu.A., 1=19297
- Ermolov, P.F. See Budagov, Yu.A., 2=16228
- Ermolov, P.F. See Budagov, Yu.A., 3=4474
- Ermolov, P.F. See Budagov, Yu.A., 3=6039
- Ermolov, P.F. See Dzhelepov, V.P., 2=10231
- Ermolov, P.F. See Dzhelepov, V.P., 3=6371
- Ermolov, P.F. See Dzhelepov, V.P., 4=27909
- Ermrich, W. See Klopfer, A., 1=11795
- Ermrich, W. See Klopfer, A., 2=67
- Ermschauer, R. See Reichardt, H., 2=15775
- Erné, F.C. and Van Der Leun, C. Energy levels of ³⁶Ar and ³⁸Ar from alpha capture in sulphur and proton capture in chlorine, 4=17048
- Ernest, L.E. See Allen, J.S., 0=15096
- Ernest, L.E. See Brussel, M.K., 3=5787
- Ernsberger, F.M. Structural effects in the chemical reactivity of silica and silicates, 0=16376
- Ernst, B.M. See Lend'el, V.I., 3=2265
- Ernst, B.M. See Lendyel, V.I., 3=19625
- Ernst, B.M. See Lomsadze, Yu.M., 0=9349
- Ernst, B.M. See Lomsadze, Yu.M., 1=16871
- Ernst, B.M. See Lomsadze, Yu.M., 2=7880
- Ernst, D.W. See Wang, F.E., 4=23443
- Ernst, F., Preining, O. and Sedlacek, M. Sizing of the fall-out at Vienna, 3=5207
- Ernst, F. See Sedlacek, M., 3=25913
- Ernst, F.J. Reaction $\mu + N \rightarrow e + N$: intermediate boson theory, 1=2073
- Ernst, F.J., Sachs, R.G. and Wali, K.C. Electromagnetic form factors of the nucleon, 0=12915
- Ernst, F.J. See Ebel, M.E., 0=13008
- Ernst, G. and Flugge, S. Deuteron-deuteron [elastic] scattering with allowance for their mutual distortion, 1=8519
- Ernst, J. See Von Brentano, P., 4=17'34
- Ernst, L. Long time-constant decay effect of oxide-coated cathodes, 0=9070
- Ernst, L. Examination of tantalum monocrystal tips by means of a field emission microscope, 1=20662
- Ernst, L. On the observation of the dissociation of adsorbed CO on tantalum in a field-emission microscope, 4=26726
- Ernst, M.H.J.J. See Cohen, E.G.D., 3=18850
- Ernst, R. and Anderson, J.M. Symmetry properties of double-resonance spectra. II. Additional comments and errata, 4=24871
- Ernst, R. and Primas, H. High resolution n.m.r.-instrumentation: recent advances and prospects, 3=14789
- Ernst, R. See Primas, H., 0=7236
- Ernst, R.R. and Primas, H. Current state and development trends in the instrumentation of high-resolution nuclear resonance spectrometers, 3=24498
- Ernst, R.R. and Pripas, H. Nuclear magnetic resonance with stochastic high-frequency fields, 4=3200
- Erß, J. Radiofrequency modulation in the Thoneman ion source, 0=19774
- Erő, J. See Zimányi, J., 2=16426
- Ero, J.W. See Van der Ziel, A., 4=20397
- Erofeev, I.A. See Grigor'ev, V.K., 4=30256
- Erofeev, R.S. See Mittel'man, M.G., 2=12156
- Erofeev, V.I., Rubtsov, V.K. and Usagin, S.I. New demonstration apparatus, 1=4231

- Erofeev, V.S. and Sanochkin, Yu.V. Certain questions in the magnetohydrodynamics of quasi-one-dimensional plasma flow. II, 3=21791
- Erofeev, V.S. See Sanochkin, Yu.V., 3=7514
- Erofeeva, I. N. See Grigorov, N. L., 4=969
- Erofeichev, V.G. Temperature dependence of the photoconductivity and lifetime in PbS films at a frequency of 10^{10} c/s, 2=6500
- Erofeichev, V.G. Temperature dependence of the photoconductivity and lifetime in PbS films at a frequency of 10^{10} c/s, 2=10533
- Erofeichev, V.G. and Kurbatov, L.N. The electrical conductivity and permittivity of lead sulphide layers at 10^{10} c/s, 0=18050
- Erofeichev, V.G. and Kurbatov, L.N. Temperature dependence of conductivity of layers of lead sulphide at the frequency of 10^{10} c/s, 1=11269
- Erofeichev, V.G. and Kurbatov, L.N. Temperature dependence of conductivity of layers of lead sulphide at the frequency of 10^{10} c/s, 1=12422
- Erokhin, V.M. See Belov, S.V., 2=20533
- Erokhina, E.I. See Andreyev, D.S., 1=2243
- Erokhina, K.I. and Lemberg, I.Kh. Coulomb excitation of nuclear levels in copper, germanium, molybdenum and palladium nuclides, 3=10260
- Erokhina, K.I. See Alkhazov, D.G., 0=2567
- Erokhina, K.I. See Alkhazov, D.G., 0=2622
- Erokhina, K.I. See Alkhazov, D.G., 0=7587
- Erokhina, K.I. See Andreev, D.S., 2=13982
- Erokhina, K.I. See Andreev, D.S., 2=13993
- Erokhina, K.I. See Andreev, D.S., 2=16334
- Erokhina, K.I. See Andreev, D.S., 2=18267
- Erokhina, K.I. See Vasil'ev, V.D., 4=1002
- Erokhina, K.I. See Vasil'ev, V.D., 4=1015
- Erokhina, K.I. See Vasil'ev, V.D., 4=1021
- Erokhina, K.I. See Andreev, D.S., 3=10237
- Erokhina, N.A. See Galavanov, V.V., 0=11726
- Error, N. G. and Wagner, J. B., Jr. On the thermodynamics of the cobalt-selenium system, 4=7480
- Eros, S. and Smith, C.S. Low-temperature elastic constants of magnesium alloys, 1=20296
- Eroshenko, E.G. See Dolginov, S.Sh., 2=11082
- Eroshenko, V.M. See Motulevich, V.P., 4=16271
- Erozolimsky, B.G., Kutikov, I.E., Dobrynin, Y.P., Pevzner, M.I., Danelyan, L.S. and Moskalev, S.S. Measurements of η for Pu^{239} specimens containing some Pu^{240} and of the effective resonance-absorption integral for Pu^{240} , 0=4135
- Erozolimsky, B.G. and Spivak, P.E. The standardization of neutron sources using the graphite stack of a reactor, 0=7383
- Erozolimsky, B.G. See Spivak, P.E., 0=4133
- Erozolimsky, B.G. See Spivak, P.E., 0=4134
- Erpenbeck, J.J. Two-reaction steady detonations, 1=7909
- Erpenbeck, J.J. Stability of steady-state equilibrium detonations, 2=11403
- Erpenbeck, J.J. Stability of step shocks, 3=1760
- Erpenbeck, J.J. Reply to comments by C.S. Gardner, 4=5293
- Erpenbeck, J.J. Stability of idealized one-reaction detonations, 4=18349
- Erpenbeck, J.J. Steady detonations in idealized two-reaction systems, 4=30899
- Erramuspe, H.J. and Slobodrian, R.J. Scattering and stripping of 27.0 MeV deuterons on nitrogen, 2=16423
- Erramuspe, H.J. and Slobodrian, R.J. Scattering and stripping of deuterons on He^4 between 21 and 28 MeV, 4=9310
- Ershin, S.A. and Sakipov, Z.B. A study of the initial section of a turbulent jet of compressed air, 0=8682
- Ershkovich, A.I. On the possibility of heating the upper atmosphere by hydromagnetic waves, 3=25919
- Ershkovich, A.I. Electrons with energy higher than 1600 keV in radiation belts of the earth, 4=15880
- Ershkovich, A.I. On the role of solar cosmic rays in the formation of the electron component of the earth's radiation belts, 4=26834
- Ershkovich, A.I. and Pletnev, V.D. Angular anisotropy of radiation in the earth's radiation belts, 3=9110
- Ershler, B.V., Torlin, B.Z. and Suvorov, L.Ya. On the stability of homogeneous boiling nuclear reactors, 3=10429
- Ershler, E.V. See Myasishcheva, G.G., 0=7616
- Ershler, E.V. See Anikina, M.P., 0=11363
- Ershler, B.V. See Ivanov, R.N., 0=11455
- Ershler, V. and Lapteva, F.S. The evaporation of metals by fission fragments, 0=5812
- Ershov, A.G. Determination of the amplitudes of betatron and synchrotron oscillations of electrons by rapid moving picture photography, 2=9666
- Ershov, A.G. Determination of the amplitudes of betatron and synchrotron oscillations of electrons by rapid moving picture photography, 3=5798
- Ershov, A.G., Korolev, F.A., Kulikov, O.F. and Shkurskii, B.I. An experimental investigation of the compression of an electron bunch in a 280 MeV synchrotron, 1=5517
- Ershov, A.G. See Grigor'ev, B.A., 1=12969
- Ershov, A.G. See Grigor'ev, B.A., 1=18564
- Ershov, A.G. See Korolev, F.A., 2=212
- Ershov, A.G. See Korolev, F.A., 3=4193
- Ershov, L.V. and Ivlev, D.D. Stability of a strip during compression, 2=1091
- Ershov, N.A. See Sidorenko, V.V., 2=20301
- Ershov, O.A. See Lukirskii, A.P., 4=22846
- Ershov, R.E. See Drokin, A.I., 3=11061
- Ershova, A.D. See Zolina, Z.K., 0=14037
- Ershova, L.S. Kinetics of ϵ -phase formation in ferromanganese alloys, 4=23272
- Ershova, L.S. and Bogachev, I.N. Influence of previous plastic deformation on the $\gamma \rightarrow \epsilon$ transformation in manganese steel, 2=23876
- Ershova, N.N. See Kochenov, I.S., 3=2513
- Ershova, T. P. and Ponyatovskii, E. G. The effect of high pressures upon the phase boundaries in the eutectoid part of the equilibrium diagram of the iron-carbon system, 4=23238
- Erskine, J. R. Level structure of Bi^{208} as observed at high resolution with the $\text{Bi}^{209}(\text{d}, \text{t})\text{Bi}^{208}$ reaction, 4=22179
- Erskine, J.R. and Browne, C.P. Isotopic-spin selection rule violation in the $\text{B}^{10}(\text{d}, \alpha)\text{Be}^8$ reaction, 1=11033
- Erskine, J.R. and Browne, C.P. Inexpensive target chamber with port movable through zero degrees under vacuum, 2=5534
- Erskine, J.R., Buechner, W.W. and Enge, H.A. $\text{Bi}^{209}(\text{d}, \text{p})\text{Bi}^{210}$ reaction at low bombarding energies and with high resolution, 3=681
- Erskine, J. R. and Buechner, W. W. The $\text{Ta}^{181}(\text{d}, \text{p})\text{Ta}^{182}$ reaction and a band-mixing analysis of the observed energy levels, 4=9561
- Erskine, J. R. and Gemmell, D. S. The preparation of thin self-supporting boron films, 4=7706
- Erskine, J.R. See Browne, C.P., 0=20378
- Erskine, J.R. See Browne, C.P., 2=3617
- Erskine, J.R. See Gemmell, D.S., 4=15231
- Erskine, J. R. See Gemmell, D. S., 4=22171
- Ersov, A.G. See Korolev, F.A., 1=7112
- Ertas, I. The determination of the constants of the relaxation mechanism of MnSO_4 solutions at various temperatures and concentrations, 0=6792
- Ertaud, A. See Bonpas, M., 0=7496
- Ertel, D. and Zimen, K. E. Nuclear recoil in solids. III. The reaction $\text{Al}^{27}(\text{n}, \alpha)\text{Na}^{24}$, 4=6355
- Ertel, D. See Zimen, K.E., 3=6270
- Ertel, H. Simple proof of a theorem on two-dimensional potential flow of incompressible liquids, 1=18368
- Ertel, H. Non-stationary state of the direction of motion in a field of flow as a function of geometrical properties of the streamlines and trajectories, 1=18369
- Ertel, H. A proposition in the theory of two-dimensional potential flow fields, 3=16580
- Ertel, H. A system of identities and its application to the transformation of vorticity equations in hydrodynamics, 3=16592
- Ertel, H. Differential operations of hydrodynamics in the form of Lagrange bracket symbols, 4=8133
- Ertel, H. Hydrodynamic equations of motion and vortex equations in corresponding form, 4=8139
- Ertel, H. The geodetic curvature of trajectories [of particles] in steady flow, 4=14102
- Ertel, H. Equivalent differential equations for vorticity in hydrodynamics, 4=18145
- Értelis, U. On the effects of dislocations on the form of the fusion boundary of indium in germanium, 4=25962
- Értelis, U. See Feltyn', I., 4=25961
- Erteza, A. and Newman, J.J. Čerenkov radiation from an electron traveling in a circle through a dielectric medium, 2=11929
- Erteza, A. See Wunsch, D. C., 4=21443
- Ertl, G. and Gerischer, H. A discontinuous temperature method for the investigation of rapid dissociation reactions by means of microwave impulses, 2=6882
- Ertl, M.E., Hazelden, D. W. and Goldsmid, H.J. Thermomagnetic effects in bismuth-antimony alloys, 3=10806

- Ertl, M.E., Pfister, G.R. and Goldsmid, H.J. Size dependence of the magneto-Seebeck effect in bismuth-antimony alloys, 3=10896
- Erusalimchik, I.G. See Efimov, E.A., 0=6411
- Erusalimchik, I.G. See Efimov, E.A., 0=10353
- Erwin, A.R., Hoyer, G.A., March, R.H., Walker, W.D. and Wangler, T.P. Experimental cross section for $\pi\pi \rightarrow K\bar{K}$, 2=20391
- Erwin, A.R., Hoyer, G.A., March, R.H., Walker, W.D. and Wangler, T.P. Erratum: Experimental cross section for $\pi\pi \rightarrow K\bar{K}$, 3=17317
- Erwin, A.R., March, R.H. and Walker, W.D. Preliminary results on Y^* and K^* production in π -p collisions, 2=11982
- Erwin, A.R., March, R.H. and Walker, W.D. Inelastic hyperon production with 1.89 BeV/c π^- , 2=22640
- Erwin, A.R., March, R., Walker, W.D. and West, E. Evidence for π - π resonance in the $I = 1$, $J = 1$ state, 1=12103
- Erwin, A.R., March, R.H., Walker, W.D. and West, E. Further work on $\pi\pi$ interactions, 2=22569
- Erwin, A.R. See Kopp, J.K., 1=10907
- Erwin, A.R. See March, R.H., 3=6087
- Erwin, A.R. See Satterblom, P.H., 4=15088
- Erwin, A.R. See Walker, W.D., 4=15097
- Erwin, A.R. See Wangler, T.P., 4=16956
- Esakadze, D.S. Determination of the coefficient of mutual friction between the superfluid and normal components along vortex lines, 3=5571
- Esaki, L. New phenomenon in magnetoresistance of bismuth at low temperature, 2=6417
- Esaki, L. A proposed new bismuth device utilizing the electron-phonon interaction, 2=21112
- Esaki, L. and Haering, R.R. Magnetic field effects on InSb tunnel diodes, 2=14571
- Esaki, L. and Heer, J. Non-linear magnetoresistance due to electron-phonon interaction in Bi and Bi-Sb alloys at low temperature, 3=10803
- Esaki, L. and Heer, J. Direct determination of the scattering time in bismuth and antimony-bismuth crystals at low temperatures, 3=10809
- Esaki, L., Howard, W.E. and Heer, J. The field-effect interface conductance in Ge-GaAs N-N heterojunctions, 4=12926
- Esaki, L. and Miyahara, Y. A new device using the tunneling process in narrow p-n junctions, 1=14490
- Esbitt, A.S. and Wilson, E.B., Jr. Relative intensity measurements in microwave spectroscopy, 3=22000
- Esbitt, A.S. See Cox, A.P., 3=12854
- Escaig, B. Internal friction at high temperature and vacancy diffusion between dislocations, 2=21414
- Escaig, B. Emission and absorption of point defects by extended dislocations, 3=20158
- Escande, L., Claria, J. and Longerinas, C. Amplitude of maintained oscillations in equilibrium chimneys with throttling at the section lower than the limiting section of Thoma, 0=6763
- Escarfail, J.P. See Preuss, L.G., 1=18592
- Esch, L.J. Temperature dependence of the neutron transport cross section in polyethylene and paraffin, 3=19648
- Eschbach, E.A. Utilization of plutonium in fast and thermal reactors, 4=17278
- Eschbach, E.A. and Goldsmith, S. Using plutonium in thermal reactors, 3=22459
- Eschbach, E.L. and Jaekel, R. Layered walls for ultra high vacuum containers, 0=8725
- Eschbach, H.L., Jaekel, R. and Müller, D. Diffusion of neon through glass, 4=4073
- Eschbach, H.L. See Van Audenhove, J., 4=10611
- Esche, R. The behaviour of barium titanate tubular oscillators which radiate externally in [the region of] radial resonance, 1=205
- Eschenbrenner, R. C., Bryson, D. A., Sargent, H. B., Sarlito, R. J. and Troue, H. H. Characteristics of high voltage vortex-stabilized arc heaters, 4=14622
- Eschenbrenner, S., Ferrieux, L., Godivier, R., Lachaux, R., Larzillié, H., Lebeau, A., Schlich, R. and Seizer, E. Analysis of the magnetic and telluric effects of the "Argus Experiment" recorded by French stations, 1=1582
- Eschenroeder, A. Q. Entropy changes in nonequilibrium flows, 4=217
- Eschenroeder, A. Q., Boyer, D. W. and Hall, J. G. Nonequilibrium expansions of air with coupled chemical reactions, 2=11395
- Eschke, W. An integrating u.v. radiation meter employing a photoelectric principal, 0=12472
- Eschrich, D. See Frieser, H., 2=9412
- Escobar, I., Maldonado, E., Nerurkar, N. W. and Romero, R. Cosmic-ray characteristics registered in Chacaltaya during unusually high solar activity, 0=15485
- Escobar, I., Nerurkar, N. W., Troncoso, O. and Zubieta, M. On a short-lived cosmic ray decrease on November 13, 1960, 2=5769
- Escobar, I., Nerurkar, N. W., Troncoso, O. and Zubieta, M. The recovery characteristics of Forbush decreases and the configuration of the associated solar emission, 2=13907
- Escobar, I. See Hersil, J., 1=3368
- Escobar, I. See Hersil, J., 3=4507
- Escobar, I. See Suga, K., 1=19060
- Escobar, I. See Suga, K., 2=12066
- Escobar, V., I. International Conference on Cosmic Radiation, 1=562
- Escobar, V., I., Nerurkar, N. and Weil, R. Sidereal anisotropy of high energy cosmic rays, 0=11258
- Escobar V., I., Nerurkar, N. and Weil, R. Sidereal anisotropy in cosmic rays of high energy, 1=7305
- Escobar V., I., Uriá, C. and Weil, R. Daily variations in the intensity of cosmic rays measured with directional telescopes at Chacaltaya, 1=7306
- Escoffery, C. A. Improved Knudsen-cell vapor source for vacuum depositions, 4=26090
- Escoffery, C. A. Cubic phase in vapor-deposited CdS films, 4=29099
- Escoubès, B., Fedrighini, A., Goldschmidt-Clermont, Y., Guinea-Moorehead, M., Hofmök, T., Lewisch, R., Morrison, D. R. O., Schneeberger, M., de Unamuno, S., Dehne, H. C., Lohrmann, E., Raubold, E., Söding, P., Teucher, M. W. and Wolf, G. Elastic scattering and polarization in 3.0 and 3.6 GeV/c antiproton-proton collisions, 3=19630
- Escudé, B., Chéry, R. and Gréa, J. On the possibility of the application of the theory of optimum filtering to the idea of precision detector chains for nuclear spectrometry, 4=9018
- Escudé, B., Morgue, M. and Chéry, R. Electrical simulator for analysing complex measurements by increasing the resolving power, 4=14010
- Esdaille, R. J. See Fox, P. G., 4=5471
- Esel'son, B. N., Ivantsov, V. G. and Shvets, A. D. λ -point of concentrated He³-He⁴ solutions, 2=13498
- Esel'son, B. N., Ivantsov, V. G. and Shvets, A. D. λ -point of concentrated He³-He⁴ solutions, 3=5567
- Esel'son, B. N., Ivantsov, V. G. and Shvets, A. D. Surface tension of He³-He⁴ solutions, 3=24131
- Esel'son, B. N., Kovdrya, Yu. Z. and Lazarev, B. G. Direct measurements of the linear flow velocity of a He II film, 4=2910
- Esel'son, B. N., Lazarev, B. G. and Shvets, A. D. Obtaining temperatures below 1°K by evacuating liquid helium vapour with absorption pumps, 2=19791
- Esel'son, B. N., Lazarev, B. G. and Shvets, A. D. A simple cryostat with He³, 3=3936
- Esel'son, B. N. and Shvets, A. D. The use of a superconducting ring for registering the phase transition in liquid helium, 0=10829
- Esel'son, B. N., Shvets, A. D. and Berezhnyak, N. G. An apparatus for obtaining the temperatures down to 0° 3°K by means of He³, 3=1879
- Esel'son, B. N., Shvets, A. D. and Berezhnyak, N. G. An apparatus for obtaining temperatures down to 0.3°K using helium-3, 3=12012
- Esel'son, B. N. See Berezhnyak, N. G., 3=16854
- Esel'son, B. N. See Berezhnyak, N. G., 4=2912
- Esel'son, B. N. See Bogoyavlenskii, I. V., 4=29823
- Esel'son, M. P. See Dzhagatspanyan, R. V., 2=19768
- Esel'son, M. P. See Mal'nev, A. F., 1=4465
- Esel'son, M. P. See Mal'nev, A. F., 2=7462
- Esel'son, M. P. See Mal'nev, A. F., 2=7358
- Esenski, B. and Khartmann, E. Growth and mechanical properties of NaCl whiskers, 3=20804
- Esenwein, A. and Preis, H. Application of the counter-tube goniometer to X-ray fine-structure determination, 0=4610
- Esenwein, A. See Preis, H., 0=4763
- Eshaya, A. M. See Salzanó, F. J., 2=6855
- Eshbach, J. R. Spin-wave propagation and the magnetoelastic interaction in yttrium iron garnet, 2=21338
- Eshbach, J. R. Spin-wave propagation and the magneto-elastic interaction in yttrium iron garnet, 3=15889
- Eshbach, J. R. and Damon, R. W. Surface magnetostatic modes and surface spin waves, 0=11817

- Eshbach, J.R. See Damon, R.W., 0=10193
 Eshbach, J.R. See Damon, R.W., 2=1593
 Eshelby, J.D. The elastic field outside an ellipsoidal inclusion, 0=10625
 Eshelby, J.D. Appendix. Stress induced ordering and strain-ageing in low carbon steels, 0=16220
 Eshelby, J.D. Dislocations in viscoelastic materials, 1=19776
 Eshelby, J.D. The interaction of kinks and elastic waves, 2=6341
 Eshelby, J.D. The distortion and electrification of plates and rods by dislocations, 2=18584
 Eshelby, J.D. The distribution of dislocations in an elliptical glide zone, 4=4049
 Eshelby, J.D. See Chou, Y.T., 2=6328
 Eshleman, V.R., Barthle, R.C. and Gallagher, P.B. Radar echoes from the sun, 0=4871
 Eshleman, V.R. and Gallagher, P.B. Radar studies of the 15th magnitude meteors, 2=17307
 Eshleman, V.R., Gallagher, P.B. and Barthle, R.C. Radar methods of measuring the cislunar electron density, 1=15331
 Eshleman, V.R. and Peterson, A.M. Radar astronomy, 2=15394
 Eshleman, V.R. See Colin, L., 4=2281
 Eshelman, V.R. See Gallagher, P.B., 0=18711
 Esin, O.A. Isotherms of surface tension, 4=8183
 Esin, O.A. See Chuchmarev, S.K., 4=2654
 Esin, O.A. See Dubinin, E.L., 3=20912
 Esin, O.A. See Dubinin, E.L., 3=23905
 Esin, O.A. See Manakov, A.I., 2=14564
 Esin, O.A. See Mysikhin, V.I., 3=5431
 Esin, O.A. See Vatolin, N.A., 4=11156
 Esin, O.A. See Vatolin, N.A., 4=14150
 Esin, O.A. See Vostryakov, A.A., 4=8181
 Esin, S.K. See Alikhanyan, A.I., 4=14772
 Esin, V.A. See Dubinin, E.L., 3=3816
 Esin, V.O. Directions of preferential growth of metal crystals from melt, 1=4019
 Esin, V.O. The effect of small alloying additions on the preferred growth orientation of metal crystals, 4=17783
 Esin, V.O. The crystal orientation of dendrites in the columnar crystal zone of a high-purity tin ingot, 4=20740
 Esin, V.O. Lamellar ribbon impurity structure in aluminium single crystals grown from the melt, 4=23309
 Esin, V.O. and Kralina, A.A. The effect of the initial purity of tin on the preferred direction of crystal growth, 0=18304
 Esin, V.O. and Kralina, A.A. The lamellar character of crystallization and sub-structure of tin of various degrees of purity, 0=18305
 Esin, V.O. and Kralina, A.A. X-ray diffraction analysis of the influence of crystallite growth rate and orientation on the degree of perfection of aluminium bicrystals, 3=11223
 Esipov, V.F. Increasing the sensitivity of emulsions used in photography with long exposures, 2=930
 Esipov, V.F. See Shklovskii, I.S., 0=18889
 Esipov, V.F. See Volkov, I.V., 0=6957
 Esipov, V.F. See Volkov, I.V., 2=19737
 Eskenazi, M. The conceptual aspect of dimensions, allowing the logical interpretation of operations encountered in the equations of physics and engineering, 1=5305
 Eskin, L.D. See Valiev, K.A., 3=15329
 Eskin, V.E. and Nesterov, E. Anomalous scattering of light in non-stratifying solutions and the fluctuation level, 4=24216
 Eskin, V.E. See Tsvetkov, V.N., 3=21353
 Eskind, N.A. and Mark, H. Mesh size effects in alpha-particle backscattering, 3=8991
 Espagnat, B.D. See D'Espagnat, B.
 Espagne, H. Direct observation of crystal lattices of copper and platinum phthalocyanates with an electron microscope, 1=9142
 Espagno, L. See Blanc, C., 4=19997
 Espe, W. Rhenium-production, properties and applications in high vacuum technology, 4=18297
 Espenscheid, W.F. See Matijevic, E., 3=13626
 Espi, G. and Monsonego, G. Calculation of the first levels of three isotopes of lead, Pb^{202} , Pb^{204} and Pb^{206} Quadrupole transitions, 2=3483
 Espi, G. and Monsonego, G. Introduction of anharmonic terms in the study of vibrations of spherical nuclei, 2=12106
 Espiard, J. See Bayle, A., 3=7341
 Espinosa, A.F., Sutton, G.H. and Miller, H.J. A transient technique for seismograph calibration, 3=1414
 Espinosa, G.P. Crystal chemical study of the rare-earth iron garnets, 3=3282
 Espinosa, G.P. See Geller, S., 2=12690
 Espinosa, G.P. See Geller, S., 3=3129
 Espinosa, G.P. See Geller, S., 3=20320
 Espinosa, G.P. See Geller, S., 3=23191
 Esposito, R.J. See Johnson, K.H., 4=15587
 Espinosa, G.P. and Geller, S. Growth in single-crystal garnets of the system $\{Bi_{1-2x}Ca_{2x}\}[Fe_2](Fe_{3-x}V_x)O_{12}$, 4=29043
 Espinosa, G.P. See Geller, S., 4=4376
 Espinosa, G.P. See Geller, S., 4=13233
 Espinosa, G.P. See Geller, S., 4=13234
 Espinosa, G.P. See Geller, S., 4=23023
 Espinosa, G.P. See Geller, S., 4=26343
 Esquivel, A., Fung, A.-I., Rhoads, H.U. and Weber, A.H. Electron optical investigation of thin films of lithium on tantalum, platinum, and carbon substrates, 2=17068
 Essam, J.W. and Fisher, M.E. Padé approximant studies of the lattice gas and Ising ferromagnet below the critical point, 3=11041
 Essam, J.W. and Sykes, M.F. The crystal statistics of the diamond lattice, 3=12898
 Essam, J.W. See Fisher, M.E., 1=10426
 Essam, J.W. See Sykes, M.F., 3=11734
 Essam, J.W. See Sykes, M.F., 4=8081
 Essam, J.W. See Sykes, M.F., 4=27081
 Essen, L. Accurate measurement of time, 0=14480
 Essen, L. The international coordination of time signals and standard frequency transmissions, 0=18894
 Essen, L. Atomic clocks, 2=17409
 Essen, L. Basic concepts of measurement and the Michelson-Morley experiment, 4=32
 Essen, L., Hope, E.G. and Sutcliffe, D. Hyperfine splitting of Rubidium-87, 1=7438
 Essen, L. and Parry, J.V.L. An improved caesium frequency and time standard, 0=6635
 Essen, L., Parry, J.V.L. and Steele, J.McA. Frequency variations of quartz oscillators and the earth's rotation in terms of the N.P.L. caesium standard, 0=21
 Essen, L., Parry, J.V.L. and Steele, J.McA. Frequency variations of quartz oscillators and the earth's rotation in terms of the N.P.L. caesium standard, 0=10547
 Essen, L. See Hill, J.J., 3=9689
 Essenhigh, R.H. and Fells, I. Combustion of liquid and solid aerosols, 1=11639
 Essig, S.F. Phototubes capable of high current output, 1=2997
 Esslinger, P. See Schubert, K., 1=5098
 Essmann, U. Dislocation array in plastically deformed copper single crystals, 3=15496
 Essmann, U. and Kronmüller, H. Statistical determination of "dislocation arrangement from surface relics of slip lines" as applied to work hardening theories, 3=20720
 Essmann, U. and Seeger, A. Work hardening behaviour of neutron-irradiated metals. II. Temperature change studies and slip line observations on copper single crystals, 4=10395
 Essmann, U. and Wilkens, M. Electron microscope contrast experiments on defect agglomerates in neutron irradiated copper, 4=17425
 Essmann, U. See Buck, O., 4=10378
 Essmann, U. See Buck, O., 4=29032
 Essmann, U. See Seeger, A., 4=30760
 Esten, M.J., Griffith, T.C., Lush, G.J. and Metheringham, A.J. Fast neutrons from p-d collisions at 135 MeV, 1=19192
 Esten, M.J. See Jauneau, L., 3=12511
 Esten, M.J. See Jauneau, L., 3=19708
 Esterling, R.J. See Astbury, A., 4=28052
 Esterling, R.J. See Auerbach, L.B., 3=22160
 Esterling, R.J. See Rose, D.J., 3=406
 Esterlis, M.Kh. See Azimov, S.A., 1=19227
 Esterlis, M.Kh. See Azimov, V.S., 2=22550
 Esterlund, R.A. See Hurwitz, C., 4=22190
 Estermann, I. See McFee, J.H., 0=19521
 Esterowitz, L. Rotational transitions and centrifugal distortion in the u.h.f. spectrum of formaldehyde, 3=25124
 Esterowitz, L. and Rosenthal, J. Dipole moment of $^{15}N^{16}O$, 4=17294
 Esteve Pastor, A. and Garcia Moliner, F. Galvanomagnetic tensors of cubic crystals, 1=14371
 Esteve, A. and Sona, P.G. Conformal group in Minkowsky space. Unitary irreducible representations, 4=19366
 Esteve, A. See Amar, V., 4=9113
 Esteve Pastor, A. See Garcia Moliner, F., 2=4543
 Estill, W.B. See Karnowsky, M.M., 4=30761
 Estin, A. See Maryott, A.A., 0=10700
 Estin, A.J. High mode tunable cavity for microwave-gas interactions, 2=9709

- Estin, A.J. See Bussey, H.E., 0=7216
 Estin, A.J. See Barger, R.L., 3=6290
 Estival, J. See Surchamp, Y., 4=24538
 Estle, T. L., Walters, G. K. and DeWit, M. Paramagnetic resonance of Cr in CdS, 4=26389
 Estle, T. L. See de Wit, M., 4=1879
 Estle, T. L. See Holton, W. C., 4=13323
 Estle, T. L. See Schneider, J., 4=1892
 Estle, T. L. See Walters, G. K., 1=14787
 Estoque, M.A. Vertical and radial motions in a tropical cyclone, 3=6956
 Estoque, M.A. A numerical model of the atmospheric boundary layer, 3=13655
 Estrada, L. and Feshbach, H. Resonance and direct gamma ray interactions, 3=22362
 Estrade-Szwarckopf, H. See Auvray, J., 4=16677
 Estrin, E.I., Zueva, O.M., Maksimova, O.P. and Piguzov, Yu. V. The problem of damping effects due to direct and reverse martensitic transformation, 2=23873
 Estrin, M.I. Dynamical equation for a compressed plastic medium, 1=3972
 Estrin, M.I. Dynamical equation for a compressed plastic medium, 1=10210
 Estrup, P. J. Energy degradation of energetic atoms and hot atom reactions, 4=25583
 Estrup, P.J. See Preiss, I.L., 0=20394
 Estulin, G.V., Egorshina, T.V. and Burova, N.N. Phase composition of oxides niobium-base alloys, 3=11287
 Estulin, G.V. See Maslenkov, S.B., 3=18351
 Estulin, I.V., Kalinkin, L.F. and Melioranskii, A.S. Measurement of γ - γ coincidences in the reaction $\text{Ag}^{107}(n, \gamma)\text{Ag}^{108}$, 3=15215
 Estulin, I.V., Kalinkin, L.F. and Melioranskii, A.S. Energy levels of Rh^{104} nucleus, 4=17060
 Estulin, I.V., Melioransky, A.S. and Kalinkin, L.F. Low-lying energy levels of Cs^{134} , 0=11325
 Estulin, I.V., Melioransky, A.S. and Kalinkin, L.F. Transitions between low-lying excited states of Mn^{55} and Ho^{165} , 1=8648
 Estulin, I.V. and Petushkov, A.A. Measurement of circular polarization of γ -quanta accompanying La^{140} β -decay, 2=18288
 Estulin, I.V. See Kalinkin, L.F., 0=11381
 Estulin, I.V. See Kalinkin, L.F., 2=16420
 Estulin, I.V. See Kalinkin, L.F., 3=6272
 Estulin, I.V. See Kalinkin, L.F., 3=12600
 Estulin, I.V. See Melioranskii, A.S., 0=13149
 Estulin, I.V. See Melioranskii, A.S., 1=13659
 Estulin, I.V. See Melioranskii, A.S., 4=16524
 Estulin, I.V. See Petushkov, A.A., 1=13715
 Estulin, I.V. See Petushkov, A.A., 2=16354
 Estulin, I.V. See Petushkov, A.A., 3=6207
 Esveldt, C. J. See van Driel, G. A. H., 4=24794
 Eswaran, M. A. and Broude, C. Lifetime measurements of states in O^{18} and Ne^{22} , 4=22016
 Eswaran, M. A., Gove, H. E., Litherland, A. E. and Broude, C. Measurement of lifetimes of nuclear excited states by Doppler shift attenuation method, 4=15139
 Eswaran, M. A. See Broude, C., 4=22018
 Eswaran, M. A. See Varma, J., 2=3533
 Eswaran, M. A. See Varma, J., 2=18090
 Etherington, E. W. See Paterson, W. J., 4=6061
 Etienne, J. Propagation of waves in the exterior or interior of a circle on a sphere, 2=13693
 Etienne, J. and Thiry, F. Green's function of the metaharmonic operator for Dirichlet's or Neumann's problems in the interior of a circle or of a sphere, 1=17978
 Etienne-Amberg, L. See Schneider, W., 4=10343
 Etievant, C. An experiment in electron beam-plasma interaction in the presence of a magnetic field, 4=8776
 Etievant, C. and Perulli, M. Instabilities and decay of an electron beam-plasma system, 2=22199
 Etievant, C. and Perulli, M. Presenting evidence of an interaction between two interpenetrating beams in a magnetic field, 3=7641
 Etievant, C. and Perulli, M. Stationary cyclotron waves in the collision of two beams of electrons, 4=584
 Etievant, C. and Perulli, M. Excitation of cyclotron oscillations by the collision of two electron beams, 4=19013
 Eto, K. See Ejiri, H., 4=17046
 Etoh, K., Hisatake, K., Kobayashi, T., Horie, K., Ohmura, H. and Nogami, Y. Angular distributions of high energy gamma rays from the $\text{F}^{19}(\text{p}, \gamma)\text{Ne}^{20}$ reaction, 2=1888
 Etoh, K. See Ohmura, H., 1=13801
 Etter, D. E. See Rhinehammer, T. E., 4=30800
 Etter, D. E. See Selle, J. E., 4=29802
 Etter, P. J. See Effer, D., 4=23339
 Ettinger, K.W. and Mościcki, W. Observation of thermoelectrons by means of Geiger-Müller counters, 3=2015
 Ettinger, R. Infrared spectrum of diazirine, 4=17301
 Ettinger, R. Infrared spectrum of chlorodifluoramine, ClNF_2 , 3=17585
 Ettinger, R., Blume, P., Patterson, A., Jr and Lauterbur, P.C. C^{13} chemical shifts in CO and CO_2 , 1=2250
 Ettinger, R., Johnson, F.A. and Colburn, C.B. On the structure of the isomers of N_2F_4 , 1=12326
 Ettinger, R. See Paulett, G.S., 3=24216
 Ettinger, S.Y. and Venezia, A.C. High voltage pulse measuring system based on Kerr effect, 3=12044
 Ettinger, Y. and Edels, H. Time-controlled unit-function, constant-voltage generator, 0=3727
 Ettre, L.S., Brenner, N. and Cieplinski, E.W. Surface determination in a continuous gas flow. Development and comparative studies of the apparatus, 2=12942
 Etzel, H.W. Colloids in additively colored sodium chloride, 0=9911
 Etzel, H.W. and Allard, J.G. Optical detection of vacancies created by high-energy radiation in sodium chloride, 0=1594
 Etzion, M. See Rozen, S., 3=5614
 Eubank, H. P. Impurity content of plasma produced by a coaxial plasma gun, 4=3015
 Eubank, H.P. and Wilkerson, T.D. Plasma motion in a curved magnetic field, 1=18848
 Eubank, H.P. and Wilkerson, T.D. Ion energy analyzer for plasma measurements, 3=7588
 Eubank, H.P. and Wilkerson, T.D. Further studies of plasma motion in a curved magnetic field, 3=19267
 Eubank, H.P. See Peck, R.A., Jr, 0=1443
 Eugène-Praderie, F. and Pecker, J.C. Charts of the balance and abundances in the stellar and solar photospheres. III. Charts of local thermodynamic equilibrium in the 4300 band of CH (the solar case), 0=14416
 Euler, J. Characteristics curves for the electrical resistance of galvanic cells, 0=10352
 Euling, R. Statistics of time in photomultiplication, 4=19086
 Eulitz, G.W. Sensitive tritium counting with a propane proportional counting system, 3=25857
 Euthymiou, P. and Axel, P. Photoproduction of a 100 μsec isomer and its tentative assignment to Hg^{201} , 2=22734
 Euwema, R. N. Neutrino absorption in dense matter, 4=11974
 Euwema, R. N. and Smoluchowski, R. Electron tunneling and Schottky ionization from excited F centers in an electric field, 4=12808
 Euwema, R. N. See Royce, B.S.H., 3=22730
 Evan-Iwanowski, R.M. On tracking of space vehicles by the Doppler effect, 1=18228
 Evan-Iwanowski, R.M. Mechanical dislocations and steady state processes, 2=4302
 Evangelisti, R., Pasotti, G. and Sacerdoti, G. A pulsed magnet for high magnetic fields, 2=20100
 Evangelisti, R. and Sacerdoti, G. Proposal for a storage ring for relativistic charged particles, 2=5415
 Evans, B. A. and Richards, R. E. Temperature-controlled permanent magnet for high-resolution nuclear magnetic resonance, 0=15108
 Evans, B. L. Optical properties of antimony triiodide, 4=1720
 Evans, C. J. See Davies, A. J., 4=29886
 Evans, D. Observations on the heavy nuclei of the cosmic radiation at very low energies, 1=3315
 Evans, D., Hossain, A., Votruba, F.M., Wataghin, A., Fisher, C.M., Mason, A., Venus, W., Pelosi, V., Tallone, L., Ahmed, I., Ghani, A., Kasim, M.M., Shaikat, M.A., Baldassare, F., Caforio, A. and Ferraro, D. Production of electron-pairs by 16 GeV/c pions, 2=22492
 Evans, D., Hassan, F., Naipaul, K.K. and Shafi, N. On the interaction of (200-300) MeV K^+ -mesons in emulsion, 0=15431
 Evans, D. and Hillier, R.R. Remarks upon the densitometry of the tracks of heavy nuclei in nuclear emulsion, 1=13254
 Evans, D. and Jones, B.D. On the emission of fast Σ -hyperons from disintegrations due to the capture of K^- -mesons by light nuclei, 1=13521
 Evans, D., Jones, B.D., Sanjeevaiah, D., Zakrzewski, J., Beniston, M.J., Bull, V.A., Davis, D.H., Lasich, W.B., Raina, N.N., Amerighi, M., di Corato, M., Fedrighini, A., Sichirollo, A. and Vegni, G. Emission of fast deuterons and tritons from K^- -mesons captured at rest in nuclear emulsion and a search

- for the hypernucleus (Σ^+n), 1=19267
- Evans, D., Jones, B.D. and Zakrzewski, J. A non-mesonic decay of a Λ hyperfragment, 0=20359
- Evans, D. See Baldassarre, F., 2=22562
- Evans, D. See Bredin, D.J., 0=9447
- Evans, D. See Bredin, D.J., 0=20250
- Evans, D. See Caforio, A., 4=21891
- Evans, D. See Deka, G.C., 1=5930
- Evans, D. See Fisher, C.M., 3=8060
- Evans, D. See Hossain, A., 2=5554
- Evans, D. See K⁻-collaboration, 0=1308
- Evans, D. See K⁻-Collaboration, 0=15430
- Evans, D.A. and Landsberg, P.T. Recombination-generation noise theory for semiconductors in equilibrium, 2=12509
- Evans, D.A. and Landsberg, P.T. Recombination statistics for Auger effects with applications to p-n junctions, 3=13090
- Evans, D.A. See Landsberg, P.T., 2=8311
- Evans, D.A. See Landsberg, P.T., 4=9890
- Evans, D.E. The energy distribution below 1 GeV/nucleon of the multiply charged particles of the cosmic rays, 3=7957
- Evans, D.E. and Hillier, R.R. Energy-dependence of fragmentation parameters, 2=9977
- Evans, D.E. See Black, P.J., 2=23038
- Evans, D.E. See Black, P.J., 4=17113
- Evans, D.E. See Bradley, D.J., 4=3219
- Evans, D.F. The relative signs of fluorine N.M.R. spin coupling constants by double irradiation, 2=11392
- Evans, D.F. Relative signs of fluorine n.m.r. spin coupling constants by double irradiation, 3=15377
- Evans, D.G. and Hutchinson, W.C.A. The electrification of freezing water droplets and of colliding ice particles, 4=2202
- Evans, D.M. The temperature dependence of the low-level lifetime and conductivity mobility of carriers in silicon, 0=2885
- Evans, D.S. The great meteor of 11th October, 1960, 1=1636
- Evans, D.S. An experiment with a Lyot heliograph at a transit of Mercury, 1=15429
- Evans, D.S. Geodetic applications of artificial satellites, 2=19359
- Evans, D.S. A pulsating auroral-zone x-ray event in the 100-second period range, 3=11455
- Evans, D.S. and Raynor, G.V. The lattice spacing of thorium, with reference to contamination, 0=10311
- Evans, D.S. and Raynor, G.V. Lattice spacings in thorium-yttrium alloys, 1=20578
- Evans, D.S. and Raynor, G.V. The solubility of zirconium in α -thorium, 2=4475
- Evans, D.S., Raynor, G.V. and Weiner, R.T. The lattice spacings of thorium-lanthanum alloys, 1=20577
- Evans, D.S. and Stoy, R.H. On the identification of sub-dwarfs, 2=24144
- Evans, D.S. See Anderson, K.A., 3=16237
- Evans, D.S. See Anger, C.D., 3=13813
- Evans, D.S. See Anger, C.D., 3=23631
- Evans, D.S. See Atkins, G.R., 3=3564
- Evans, D.S. See Brown, R.R., 3=23630
- Evans, E.H. See Swanson, H.E., 1=15066
- Evans, E.H. See Swanson, H.E., 1=15067
- Evans, E.H. See Swanson, H.E., 2=10899
- Evans, E.H. See Swanson, H.E., 3=18324
- Evans, E.J. and Bazley, E.N. Sound absorbing materials, 1=12957
- Evans, E.J. and Parkin, P.I. Sound absorption of a stone wall, 0=14775
- Evans, E.W. See Bryant, R.T., 1=20040
- Evans, F. and Kirsten, F.A. An 1800-bit buffer store and readout system, 2=2990
- Evans, F. and Smith, W. Cross-current transfer processes in the non-steady state, 3=7307
- Evans, F.P., Gibson, R., Hutcheson, C.G. and Jones, P.M.S. Permeation and diffusion of hydrogen isotopes and helium through polymeric materials, 4=6877
- Evans, G.C. Radio echo observations of meteor activity between 1954 December and 1958 December, 1=2661
- Evans, G.R. and Watson, A.A. Production of hypersensitive condensation nuclei, 3=3933
- Evans, H.C. Photoproduction of negative pions in deuterium, 3=4424
- Evans, I.C. and Bellamy, E.H. The response of plastic scintillators to protons, 0=6204
- Evans, I.C. See Miller, D., 1=5070
- Evans, H.L. Mass transfer through laminar boundary layers. VII. Further similar solutions to the b-equation for the case $B = 0$, 2=11321
- Evans, H.T.Jr. Weighting factors for single-crystal X-ray diffraction intensity data, 1=20511
- Evans, H.T., Jr. An X-ray diffraction study of tetragonal barium titanate, 2=10888
- Evans, I. See Jordan, D.W., 2=2665
- Evans, J. The design of transistors to operate at high frequencies, 0=20888
- Evans, J.A. See Bolsterli, M., 2=1753
- Evans, J.A. See Brown, G.E., 1=8560
- Evans, J.A. See Brown, G.E., 3=19746
- Evans, J.A. See Woolley, J.C., 0=6120
- Evans, J.A. See Woolley, J.C., 1=7652
- Evans, J.A. See Woolley, J.C., 1=10026
- Evans, J.A. See Woolley, J.C., 1=19880
- Evans, J.A. See Woolley, J.C., 1=19996
- Evans, J.C. Absorption spectrum of formamide vapor in the 2700-3700 cm^{-1} region, 0=4195
- Evans, J.C. The Raman spectrum of antimony tribromide, 0=13688
- Evans, J.C. A comparison of the widths of liquid-phase infrared absorption bands and of the corresponding Raman bands, 1=2758
- Evans, J.C. Infrared spectrometry, 2=17607
- Evans, J.C. See Scherer, J.R., 0=17753
- Evans, J.C. See Swindells, B., 1=6816
- Evans, J.E. Polarization in $\text{C}^{12}(\text{p}, \text{p})$ scattering from 5 to 10.5 MeV, 2=5900
- Evans, J.E. Proton polarization in the reaction $\text{O}^{16}(\text{d}, \text{p})\text{O}^{17*}$ (0.87 MeV), 3=22421
- Evans, J.E. and Fluharty, R.G. Evaluation of low-energy cross section data for U^{233} , 1=17162
- Evans, J.E. and Grace, M.A. Polarization in $\text{C}^{12}(\text{pp})$ scattering, 0=7554
- Evans, J.E., Kuehner, J.A. and Almqvist, E. Study of the $\text{C}^{12}(\text{d}, \text{p})\text{C}^{13}$ reaction mechanism: polarization and (d, py) correlations, 3=22422
- Evans, J.E., Kuehner, J.A., Litherland, A.E. and Almqvist, E. Spin-parity combinations for levels in Mg^{24} and Si^{28} , 3=19771
- Evans, J.E. See Bent, R.D., 4=22017
- Evans, J.E. See Brugger, R.M., 0=12940
- Evans, J.E. See Brugger, R.M., 2=3360
- Evans, J.E. See Morrison, G.C., 1=19506
- Evans, J.E. See Paul, E.B., 2=1793
- Evans, J.E. See Simpson, F.B., 2=10122
- Evans, J.H. and Venables, J.H. Remote metallography in the metallurgy division at A.E.R.E., 3=1360
- Evans, J.L. Method for the determination of the bulk densities of granular materials, 4=23540
- Evans, J.P. and Mardon, P.G. Some physical properties of neptunium metal. I. A determination of the specific heat of α -neptunium, 0=2789
- Evans, J.P. See Lee, J.A., 0=11657
- Evans, J.V. The electron content of the ionosphere, 0=760
- Evans, J.V. Bandwidth of a moon communication circuit, 1=16576
- Evans, J.V. "A lunar theory reasserted"—a rebuttal, 3=9263
- Evans, J.V. Diurnal variation of the temperature of the F region, 3=11443
- Evans, J.V., Evans, S. and Thomson, J.H. The rapid fading of moon echoes at 100 Mc/s, 0=18616
- Evans, J.V. and Pettengill, G.H. The radar cross-section of the moon, 4=4939
- Evans, J.V. and Pettengill, G.H. The scattering behavior of the Moon at wavelengths of 3.6 and 784 centimeters, 3=11598
- Evans, J.V. and Taylor, G.N. Radio echo observations of Venus, 0=4872
- Evans, J.V. and Taylor, G.N. The electron content of the ionosphere in winter, 1=15260
- Evans, J.V. See Pettengill, G.H., 2=13174
- Evans, J.V. See Davies, J.G., 0=8528
- Evans, J.W. A birefringent monochromator for isolating high orders in grating spectra, 3=7345
- Evans, J.W., Main, P., Michard, R. and Servajean, R. Correlations in the time variations of macroscopic inhomogeneities in the solar atmosphere, 3=11532
- Evans, J.W. and Michard, R. Observational study of macroscopic inhomogeneities in the solar atmospheres. I. Velocity displacements on Fraunhofer lines as a function of line strength and position on disk, 2=15332

- Evans, J.W. and Michard, R. Observational study of macroscopic inhomogeneities in the solar atmosphere. II. Brightness fluctuations in Fraunhofer lines and the continuum, 3=3565
- Evans, J.W. and Michard, R. Observational study of macroscopic inhomogeneities in the solar atmosphere. III. Vertical oscillatory motions in the solar photosphere, 3=3566
- Evans, J.W., Michard, R. and Servajean, R. Observational study of macroscopic inhomogeneities in the solar atmosphere V. Statistical study of the time variations of solar inhomogeneities, 4=2437
- Evans, J.W. and Waddell, J. The elimination of scattered light in solar spectrographs, 2=9046
- Evans, J.W. See Aly, M.K., 3=3577
- Evans, J.W. See Aly, M.K., 3=18638
- Evans, J.W. See Smith, H.J., 2=15717
- Evans, L., Feldman, G. and Matthews, P.T. Gauge invariance and renormalization constants, 1=12043
- Evans, L. B., Chen, J. C. and Churchill, S. W. Scattering of electromagnetic radiation by infinitely long, hollow, and coated cylinders, 4=27653
- Evans, L.E. High energy theorem in quantum electrodynamics, 0=17218
- Evans, L.E. The Dalitz-pair spectrum in $\Sigma^0 \rightarrow \Lambda + e^+ + e^-$, 2=18189
- Evans, L.E. and Fulton, T. Asymptotic conditions in quantum electrodynamics, 1=4761
- Evans, L.F. See Edwards, G.R., 2=2477
- Evans, L.F. See Edwards, G.R., 2=21490
- Evans, L.F. See Edwards, G.R., 3=8806
- Evans, M.D. See Gabrysh, A.F., 3=3072
- Evans, M.H. and Pierson, G. Some modifications to an oscilloscope camera, and the construction of a control unit, 0=16903
- Evans, M. V. and Afremow, L. C. Conversion of a double-beam infrared spectrometer to grating operation, 4=14361
- Evans, M.W. Detonation sensitivity and failure diameter in homogeneous condensed materials, 2=1225
- Evans, M. W., Beyer, R. B. and McCulley, L. Initiation of deflagration waves at surfaces of ammonium perchlorate-copper chromite-carbon pellets, 4=23656
- Evans, M.W., Harlow, F.H. and Meixner, B.D. Interaction of shock or rarefaction with a bubble, 2=13361
- Evans, M. W. See Beyer, R. B., 4=8491
- Evans, M.W. See Goettelman, R.C., 3=20091
- Evans, N. T. A discrete subgroup for higher-symmetry models, 4=9115
- Evans, P.B.F. See Bishop, J., 1=5986
- Evans, P.B.F. See Bentley, P.G., 0=3812
- Evans, P.E. Electrical resistance measurements in inhomogeneous lamellae, 3=22900
- Evans, P.E. and Davies, T.J. Aluminium nitride whiskers, 3=8812
- Evans, P. E. and Davies, T. J. Uranium nitrides, 4=2093
- Evans, P.E. and Wildsmith, G. Carbon arc image furnace: design, construction and evaluation, 2=2922
- Evans, P.P.V., Weinberg, A.F. and Van Thyne, R.J. Irradiation hardening in columbium niobium, 3=1169
- Evans, P.R. The decay of neodymium-147, 0=427
- Evans, P. R. V. The dependence of the lower yield stress on grain size in niobium, 4=4482
- Evans, P. R. V. See Koppelaar, T. J., 4=23192
- Evans, R.B., III, Watson, G.M. and Mason, E.A. Gaseous diffusion in porous media at uniform pressure, 2=1193
- Evans, R.B., III, Watson, G.M. and Mason, E.A. Gaseous diffusion in porous media, II. Effect of pressure gradients, 2=11409
- Evans, R.B., III, Watson, G.M. and Truitt, J. Interdiffusion of gases in a low permeability graphite at uniform pressure, 2=19610
- Evans, R.B., III, Watson, G.M. and Truitt, J. Interdiffusion of gases in a low-permeability graphite. II. Influence of pressure gradients, 3=16652
- Evans, R.B., III. See Mason, E.A., 3=14200
- Evans, R. D. See Kraner, H. W., 4=30329
- Evans, R. J. See Revesz, A. G., 4=23357
- Evans, R. W. See Davies, P. W., 4=28953
- Evans, S. Horizontal movements of visual auroral features, 1=1561
- Evans, S. Systematic movements of aurora at Halley Bay, 1=2571
- Evans, S. Polar ionospheric spread echoes and radio frequency properties of ice shelves, 2=4589
- Evans, S. and Thomas, G.M. The southern auroral zone in geomagnetic longitude section 20°E. 0=10433
- Evans, S. See Davies, J.G., 0=8528
- Evans, S. See Evans, J.V., 0=18616
- Evans, T. Decomposition of calcium fluoride and strontium fluoride in the electron microscope, 3=21004
- Evans, T. Graphitization of diamond, 4=4507
- Evans, T. and James, P. F. A study of the transformation of diamond to graphite, 4=7492
- Evans, T. and Phaal, C. Dislocation loops in diamond, 2=23180
- Evans, T. and Phaal, C. Imperfections in type I and type II diamonds, 3=2783
- Evans, T. and Phaal, C. Transmission electron microscopy of diamond, 3=17731
- Evans, T. and Sauter, D.H. Etching of diamond surfaces with gases, 1=9106
- Evans, T. and Schwarzenberger, D.R. The effect of surface films on the slip of substrates, 0=21113
- Evans, T.L. See Simmons, D.A.R., 2=17265
- Evans, W. See Tuxworth, R.H., 0=8150
- Evans, W. A. B. and Rickayzen, G. The critical magnetic field of a superconductor, 4=8563
- Evans, W.H., Hadley, D.W., Morgan, T.D.N., Williams, P.R. and Kirk, A. Measurement of systematic track distortion in a propane bubble chamber, 0=3897
- Evans, W. H. and Hall, S. J. A liquid deuterium target, 4=9003
- Evans, W. H. and Walker, R. L. High-speed photographs of lightning at close range, 4=2206
- Evans, W.H. See Alston, M.H., 0=15200
- Evans, W.H. See Cundy, D.C., 0=15201
- Evans, W.H. See Cundy, D.C., 2=5716
- Evans, W.H. See Meese, A.D., 2=17147
- Evans, W.L. Sliding photometer head for the microspectrophotometer, 4=16235
- Evans, W.W. See Hunt, S.E., 0=7557
- Evans, W.W. See Hunt, S.E., 1=690
- Evans, W.W. See Hunt, S.E., 3=9885
- Evans, W.W. See Pope, R.A., 1=9859
- Evarestov, R. A. Origin of F(M) bands in the absorption spectrum of alkali-halide crystals, 4=22635
- Evarestov, R. A. See Adamov, M. N., 4=20043
- Evdokimenko, V.I. See Kripyakevich, P.I., 3=20837
- Evdokimenko, V. L. and Kripyakevich, P. I. The crystal structures of magnesium-rich compounds in the systems La-Mg, Ce-Mg and Nd-Mg, 4=2081
- Evdokimov, G.S., Kaplan, B.L., Kogarko, S.M., Lovlya, S.A., Novikov, A.S. and Solodilov, L.N. [Contribution] to the problem of generating elastic waves by underwater detonation of gas mixtures, 2=15673
- Evdokimov, N.A. See Verevkin, V.M., 0=8760
- Evdokimov, V.D. The abrasion of unequal sized frictional surfaces, 1=4003
- Evdokimov, V.D. The effect of the direction of sliding on the [friction-induced] work hardening of the surface layers, 1=6465
- Evdokimov, V.D. On work-hardening of rock salt, 1=9094
- Evdokimov, V.D. The effect of the direction of sliding on the [friction-induced] work hardening of the surface layers, 1=10220
- Evdokimov, V.D. Resistance to wear of the surface layer for sliding friction under conditions of marked variation of shearing deformation, 2=14912
- Evdokimov, V.D., Radchik, V.S. and Radchik, A.S. Frictional forces and surface deformation, 0=4571
- Evdokimov, V.D. See Radchik, A.S., 0=21111
- Evdokimov, V. M. See Vasil'ev, A. M., 4=18252
- Evdokimov, Yu. V. The motion of the Comet Jacobini-Zinner during 1933-1949, 4=2403
- Evdokimova, G.K. See Zhukova, N.V., 2=16856
- Evdokimova, V.V. and Vereshchagin, L.F. Determination of interatomic separation in solids subjected to pressure. I. Compressibility of barium and strontium, 0=20721
- Evdokimova, V.V. and Vereshchagin, L.F. A polymorphic transition in NaCl, 2=23804
- Evdokimova, V.V. See Vereshchagin, L.F., 1=5094
- Evdokimova, V.V. and Vereshchagin, L.F. Polymorphic transition in sodium chloride under pressure, 3=16015
- Evdokimova, V.V. and Vereshchagin, L.G. A polymorphic transition in NaCl, 3=6811
- Eve, J. A theoretical study of the fluorine molecule, 0=7782
- Eve, J. See Rushbrooke, G.S., 0=2771
- Eve, J. See Rushbrooke, G.S., 2=4954
- Even, U. See Oppenheim, U.P., 2=21237
- Everett, A. Corrections to the impulse approximation in scattering from deuterons, 2=12016
- Everett, A.E. Pion hyperon resonances and possible nonconservation of isotopic spin, 2=18162

- Everett, A.E. One-pion exchange model and evidence that the spin of the ζ is even, 3=605
- Everett, A.E. Erratum: One-pion-exchange model and evidence that the spin of the ζ is even, 3=7915
- Everett, A.E. Unitary symmetry and proton-antiproton interactions, 4=6052
- Everett, C.J. See Cashwell, E.D., 1=2585
- Everett, D.H. Entropy production in a spontaneous, adiabatic (non-isothermal) chemical reaction, 0=744
- Everett, D.H. See Barker, J.A., 2=21572
- Everett, D.H. See Counsell, J.F., 1=1769
- Everett, G., Lawson, A.W. and Smith, G.E. Microwave behavior of Debye-Hückel clouds in AgBr, 1=12469
- Everett, G.E. Cyclotron resonance measurements in bismuth, 3=4852
- Everhart, E. Analysis of the He⁺ on He collision, 4=5564
- Everhart, E., Helbig, H. F. and Lockwood, G. J. Differential and total cross sections for charge transfer in 1 keV He⁺ on He collisions, 4=24573
- Everhart, E. and Kantorski, J.W. Diffraction patterns produced by obstructions in reflecting telescopes of modest size, 0=10471
- Everhart, E. See Lane, G.H., 0=5865
- Everhart, E. See Lane, G.H., 1=818
- Everhart, E. See Lockwood, G.J., 2=3715
- Everhart, E. See Lockwood, G.J., 4=5663
- Everhart, E. See Morgan, G.H., 3=709
- Everhart, E. See Ziemba, F.P., 0=13407
- Everhart, T.E. Simple theory concerning the reflection of electrons from solids, 0=15081
- Everhart, T.E. and Thornley, R.F.M. Wide-band detector for micro-microampere low-energy electron currents, 0=12567
- Everhart, T.E. See Bevc, V., 3=2129
- Evering, F. C., Jr. See Palmer, C. H., 4=21315
- Everingham, I.B. See Doyle, H.A., 0=4768
- Everitt, C.W.F. The magnetic properties of three carbon-iferous sills, 1=12702
- Everitt, C.W.F. Thermoremanent magnetization. I. Experiments on single domain grains, 1=14704
- Everitt, C.W.F. Thermoremanent magnetization. II. Experiments on multidomain grains, 2=24065
- Everitt, C.W.F. Thermoremanent magnetization. III. Theory of multidomain grains, 2=24066
- Everitt, C.W.F. Self-reversal of magnetization in a shale containing pyrrhotite, 2=24067
- Everitt, C.W.F., Atkins, K.R. and Denenstein, A. Detection of third sound in liquid helium films, 3=318
- Everitt, C.W.F. and Belshé, J.C. Palaeomagnetism of the British carboniferous system, 0=21307
- Everitt, J. See DuMond, J.W.M., 1=1391
- Everling, F. Linear relationships connecting some nucleon separation energies and the mass number, 0=4017
- Everling, F. On the appearance of definite excitation energies in different nuclei, 0=7471
- Everling, F. Adjustment of double focussing mass spectrographs, 1=334
- Everling, F. Nuclear beta-decay energy systematics including excited states, 2=18286
- Everling, F. Relationships between states of nuclei with constant neutron excess, 3=10242
- Everling, F. Mass and level systematics of $M_{7/2}$ Shell nuclei, 4=3559
- Everling, F., König, L.A., Mattauch, J.H.E. and Wapstra, A.H. Atomic masses of nuclides for A = 70, 0=9509
- Everling, F., König, L.A., Mattauch, J.H.E. and Wapstra, A.H. Relative nuclidic masses, 0=20570
- Everling, F., König, L.A., Mattauch, J.H.E. and Wapstra, A.H. Adjustment of relative nuclidic masses. I. A \leq 70, 1=12266
- Everling, F. See Mattauch, J., 0=20569
- Evers, E.C. On the structure of dilute solutions of metals, 0=16690
- Eversdijk Smulders, M.C. See Postma, H., 1=8643
- Evershed, A.V. See Meleka, A.H., 1=20356
- Eversteijn, F.C., Stevels, J.M. and Waterman, H.I. The density, refractive index and specific refraction of vitreous boron oxide and of sodium borate glasses as functions of composition, method of preparation and rate of cooling, 2=10573
- Eversteijn, F.C., Stevels, J.M. and Waterman, H.I. The diamond pyramid hardness of sodium borate glasses as a function of their composition and heat treatment, 2=10773
- Everton, J.C. See Koga, T., 1=16318
- Eveson, G.F., Hall, E.W. and Ward, S.G. Interaction between two equal-sized equal-settling spheres moving through a viscous liquid, 0=6731
- Eveson, G.F. See Matthews, H.W., 0=8592
- Evett, A.A. Comparison of exact and approximate energy levels for a hindered rotator, 0=4183
- Evett, A.A. Second-order perturbation calculation of the hindered rotator model for adsorbed hydrogen, 0=16392
- Evett, A.A. Static gravitational fields in general relativity, 2=2606
- Evett, A.A. Coordinate conditions from variational principles, 2=15452
- Evett, A.A. Relativistic rigid-body translations, 3=14005
- Evett, A.A. Examples of relativistic rigid-body translations, 3=14006
- Evett, A.A. and Fried, D.C. Speed of light in flowing dispersive liquids, 0=19356
- Evett, A.A. and Wangness, R.K. Note on the separation of relativistically moving rockets, 0=16580
- Evkina, Z. F. See Butra, F. P., 4=23222
- Evlanova, N. F. See Pokrovskii, N. L., 4=7515
- Evleth, E.M. and Peticolas, W. L. Two-photon capture cross sections of pyrene and benzpyrene from SCF-MO calculations, 4=28250
- Evrard, R. Note on short range interactions in KH_2PO_4 crystals, 2=12363
- Evrard, P. See Waelbroeck, F., 3=12207
- Évrard, R. See Boutry, G. A., 4=11697
- Evrard, R. See Devreese, J., 4=4025
- Evseev, A.M. The radial distribution function of the atoms in a liquid, 0=12413
- Evseev, A.M. See Alekseev, N.V., 0=16691
- Evseev, A.M. See Alekseev, N.V., 1=143
- Evseev, A.M. See Guérassimov, J.I., 0=1956
- Evseev, A.M. See Voronin, G.F., 3=15399
- Evseev, V.S., Komarov, V.I., Kush, V.Z., Roganov, V.S., Chernogorova, V.A. and Shimchak, M.M. The asymmetry in the angular distribution of neutrons emitted in the capture of μ^- -mesons in calcium, 1=19499
- Evseev, V.S., Komarov, V.I., Kush, V.Z., Roganov, V.S., Chernogorova, V.A. and Shimchak, M.M. A multi-layer scintillation detector for the recording of fast neutron in the presence of gamma rays, 2=7872
- Evseev, V.S., Komarov, V.I., Kush, V.Z., Roganov, V.S., Chernogorova, V.A. and Shimchak, M.M. The asymmetry in the angular distribution of neutrons emitted in the capture of μ^- -mesons in calcium, 2=22832
- Evseev, V.S., Roganov, V.S., Chernogorova, V.A., Chang Run-Hwa and Szymczak, M. Angular distribution of neutrons due to capture in calcium for various energy thresholds, 4=3684
- Evseev, V.S. See Yovnovich, M. L., 4=6091
- Evseev, Z.Ya. The band structure of the polaron energy spectrum, 0=15836
- Evseev, Z.Ya. Wave function and energy of an NaCl crystal with an excess (band) electron, 4=1429
- Evseev, Z.Ya. and Tolpygo, K.B. Wave function and energy of a NaCl crystal with an excess electron, 3=22679
- Evstrop'ev, K.K. and Tsekhomskii, V.A. Effect of an alkali oxide on the electronic conductivity of glasses containing iron, 3=22936
- Evstrop'ev, K.K. See Tsekhomskii, V.A., 4=1645
- Evstyukhin, A.I. See Emelyanov, V.S., 0=6384
- Evtcev, V.L. See Demina, N.V., 3=22162
- Evtuhov, V. Valence bands of germanium and silicon in an external magnetic field, 2=8346
- Evtuhov, V. Landau levels in the valence bands of diamond-type semiconductors, 3=10761
- Evtuhov, V. and Neeland, J.K. Observations relating to the transverse and longitudinal modes of a ruby laser, 2=18814
- Evtuhov, V., Smith, G. F. and Yaggy, L.S. Method of measuring the normal velocity distribution of secondary electrons at low primary bombarding energies, 2=1490
- Evtuhov, V. See Maiman, T.H., 1=11391
- Evtushenko, L.A. and Levitin, R.Z. Anomalies in the modulus of elasticity in shear of the antiferromagnetic materials MnO , CoO and Cr_2O_3 , 3=6774
- Evtushenko, V.A. See Brekhovskikh, L.M., 1=5327
- Ewald, A.H. The effect of pressure on the quenching of fluorescence, 4=189
- Ewald, A.H. and Hamann, S.D. Double refraction of water and some other liquids in strong shock waves, 3=7205
- Ewald, A.H. See David, H.G., 0=19127
- Ewald, A.W. See Hinkley, E.D., 4=20379
- Ewald, A.W. See Lindquist, R.E., 3=6640
- Ewald, A.W. See Lindquist, R.E., 4=22898
- Ewald, A.W. See Tufte, O.N., 1=8960
- Ewald, A.W. See Wolfson, R.G., 0=18307

- Ewald, H. Photographic and electronic methods of measurement in high-precision mass spectrographs, 0=12806
- Ewald, H., Konecny, E., OPOWER, H. and Rösler, H. A mass spectrometer for the analysis of fission product radiation, 4=28078
- Ewald, H. See Burlefing, R., 1=9711
- Ewald, H. See Burlefing, E., 4=9037
- Ewald, H. See Konecny, E., 4=28079
- Ewald, H. See Liebl, H., 0=1167
- Ewald, H. See Neumann, S., 2=20048
- Ewald, H. See Seibt, W., 4=17265
- Ewald, H. See Urbach, W., 2=20761
- Ewald, H. See Wachsmuth, H., 0=1169
- Ewald, H. See Wachsmuth, H. W., 4=616
- Ewald, H. See Wollnik, H., 0=9105
- Ewald, P.P. William Henry Bragg and the new crystallography, 2=23830
- Ewald, P.P. The origin of the dynamical theory of X-ray diffraction, 3=3287
- Ewald, P.P. See Bienenstock, A., 3=8816
- Ewald, P.P. See Bienenstock, A., 3=13426
- Ewan, G.T. Structure of thorium A-line, 4=6248
- Ewan, G.T., Geiger, J.S., Graham, R.L. and MacKenzie, D.R. Conversion electron spectrum of Np^{239} and level scheme of Pu^{239} , 0=2647
- Ewan, G.T., Graham, R.L. and Geiger, J.S. M1/E2 mixing ratio in the Fe^{57} 14.41 keV γ -transition, 0=17555
- Ewan, G.T., Graham, R.L. and Geiger, J.S. Negative parity levels in the even-even nucleus Dy^{160} , 1=5840
- Ewan, G.T., Graham, R.L. and Geiger, J.S. Relative transition probabilities in Dy^{160} , 1=8663
- Ewan, G.T., Graham, R.L. and Geiger, J.S. Energy levels of Gd^{156} , 2=1801
- Ewan, G.T., Graham, R.L. and Gieger, J.S. Levels in Gd^{156} fed in the β -decay of Eu^{156} , 2=3481
- Ewan, G.T., Graham, R.L. and Grodzins, L. The K-LL Auger spectrum of $^{62}\text{Sm}^{132}$, 0=2642
- Ewan, G.T. and Merritt, J.S. Relative intensities of K-LL Auger lines in $^{64}\text{Gd}^{156}$, 0=5709
- Ewan, G. T. and Tavendale, A. J. Application of high resolution lithium-drift germanium gamma-ray spectrometers to high energy gamma-rays, 4=19477
- Ewan, G.T. See Baba, C.V.K., 3=8043
- Ewan, G.T. See Baba, C.V.K., 3=15116
- Ewan, G.T. See Baba, C.V.K., 3=15117
- Ewan, G. T. See Bertelsen, U., 4=12186
- Ewan, G.T. See Brown, F., 1=10991
- Ewan, G.T. See Geiger, J.S., 0=11368
- Ewan, G.T. See Geiger, J.S., 1=8601
- Ewan, G.T. See Geiger, J.S., 2=3523
- Ewan, G.T. See Geiger, J.S., 2=7939
- Ewan, G.T. See Graham, R.L., 2=1511
- Ewan, G.T. See Graham, R.L., 2=1846
- Ewan, G.T. See McKenzie, J.M., 1=3166
- Ewan, G. T. See Tavendale, A. J., 4=19476
- Ewanizky, T. Color center production in $\text{CaF}_2\text{Sm}^{3+}(\text{Y}^{3+})$ by ultraviolet irradiation, 4=22627
- Ewanizky, T. See Theissing, H.H., 3=19476
- Ewanizky, T. See Theissing, H. H., 4=30078
- Eward, M. E. See Moore, F. L., Jr., 4=8432
- Ewart, A. See Blann, M., 4=19826
- Ewart, R.W. See Dalgarno, A., 2=20741
- Ewart, T.E. See Davis, H.F., 3=24757
- Ewart, T.E. See Masek, G.E., 3=10140
- Ewbank, W.B., Marino, L.L., Nierenberg, W.A., Shugart, H.A. and Silsbee, H.B. Nuclear spins of six neutron-deficient gold isotopes, 0=20327
- Ewbank, W.B. and Shugart, H.A. Hyperfine-structure measurements on silver-105, 3=8191
- Ewbank, W. B. and Shugart, H. A. Hyperfine-structure separations of Au^{191} and Au^{193} , 4=25499
- Ewbank, W.B. See Chan, Y.W., 2=18241
- Ewbank, W.B. See Petersen, F.R., 0=1353
- Ewbank, W. B. See Yau Wa Chan, 4=12116
- Ewen, H. I. See Dieter, N. H., 4=20950
- Ewertz, H. Obtaining the radiation-dose-level at the water surface in the tank of the research-reactor Merlin, 3=4690
- Ewing, B. See Pierce, C., 3=6888
- Ewing, C.T. See Walker, B.E., 3=1861
- Ewing, G.E. Infrared spectra of liquid and solid carbon monoxide, 3=1693
- Ewing, G. E. Infrared absorption of the ν_3 fundamental of liquid and solid CH_4 and CD_4 , 4=12506
- Ewing, G.E. and Pimentel, G.C. Infrared spectrum of solid carbon monoxide, 1=14600
- Ewing, G.E., Thompson, W.E. and Pimentel, G.C. Infrared detection of the formyl radical HCO , 0=5930
- Ewing, G. E. and Trajmar, S. Infrared induced absorption of dilute solutions of H_2 and D_2 in liquid argon, 4=27177
- Ewing, G. E. See Leroy, G. E., 4=20039
- Ewing, G.E. See Trajmar, S., 4=17286
- Ewing, J.L. See Bryan, G.M., 3=11386
- Ewing, M. See Brune, J., 1=6565
- Ewing, M. See Donn, W.L., 2=15187
- Ewing, M. See Oliver, J., 0=14158
- Ewing, M. See Satô, Y., 4=258
- Ewing, M. See Talwani, M., 0=6715
- Ewing, R.I. Response of silicon surface barrier detectors to hydrogen ions of energies 25 to 250 keV, 2=18022
- Ewing, R.I. See Bramblett, R.L., 1=16813
- Ewing, V.C. and Sutton, L.E. Investigation by electron diffraction of the molecular structures of sulphur hexafluoride, sulphur tetrafluoride, selenium hexafluoride and selenium tetrafluoride, 3=25113
- Ewing, V.C. See Chantry, G.W., 2=16533
- Ewles, J. and Dawson, J.B. Micromosaic patterns in single crystals of potassium chloride containing barium chloride, 0=11627
- Ewles, J. and Joshi, R.V. The luminescence of thallium-activated potassium chloride phosphors, 0=8016
- Exell, R.H.B. See Croft, A.J., 1=14672
- Exner, G. An advance in methods of photometry of structured microscopic preparations, 1=4426
- Exner, G. and Schreiber, W. Microphotometric studies of test-objects, 2=22005
- Extermann, R. See Boolsky, R., 2=7715
- Exton, R.J. See Jefimenko, O., 3=22478
- Eycott, A.J. See Howlett, B.W., 3=25764
- Eyer, J.A. A limit on the accuracy of photographic radiometry, 0=6931
- Eyfrig, R. A critical discussion about special ionospheric characteristics, 0=762
- Eyfrig, R. Ambiguity in the relationship between the maximum density of the ionosphere and solar activity, 2=2506
- Eyfrig, R. Influence of magnetic declination on the behaviour of the F_2 layer, 2=9002
- Eyfrig, R. The geographical distribution of ionization and the equator of the F_2 layer, 2=19225
- Eyfrig, R. Non-seasonal variation in the E-layer ionization, 3=6984
- Eyfrig, R. See Argence, E., 4=13845
- Eyfrig, R.W. The effect of the magnetic declination on the F_2 layer, 3=23622
- Eyfrig, R.W. The effect of the magnetic declination on the F_2 layer, 3=23623
- Eyges, L. Quantum-mechanical three-body problem, 0=886
- Eyges, L. Quantum mechanical three-body problem. II, 1=5202
- Eyges, L. Solution of Schrödinger equation for a periodic lattice, 1=12362
- Eyges, L. Solution of Schrödinger equation for a periodic lattice. II, 2=10345
- Eyges, L. New method for calculating molecular orbitals with application to cyclic systems, 3=2601
- Eyges, L. Exchange energy to an electron gas in a periodic potential, 3=15474
- Eykelenboom, L.C.H. See Bosman, A.J., 1=6546
- Eymann, C. See Mesnard, G., 4=22725
- Eyraud, C., Bricout, J. and Grillet, G. New method of determination of the hydrodynamic characteristics of a permeable solid, 4=7686
- Eyraud, C. and Rouais, J. C. The movement of grain boundaries in metals by strong electric currents, 4=25954
- Eyraud, C. See Chevreton, M., 4=1549
- Eyraud, C. See Joubert, J., 4=19131
- Eyraud, C. See Maurat, M., 2=12496
- Eyraud, C. See Sicard, L., 1=8252
- Eyraud, L., Malécot, G., Richard, M. and Goutte, R. Elastic energy and ferroelectric transition, 3=6816
- Eyraud, L., Malecot, G., Richard, M. and Goutte, R. Elastic energy in a sintered material undergoing a phase transformation, 3=20769
- Eyraud, L., Petit, J.L. and Fétiveau, M. Enthalpy of the tetragonal-cubic transition of mixed barium strontium titanate ferroelectric ceramics, 2=20933
- Eyraud, L. See Fétiveau, M., 2=670

- Eyraud, L. See Petit, J.L., 1=5504
 Eyraud, L. See Richard, M., 3=8792
 Eyraud, L. See Roux, A., 4=15439
 Eyraud, L. See Roux, A., 4=18473
 Eyraud, L. See Sicard, L., 0=548
 Eyraud, L. See Sicard, L., 1=8252
 Eyraud, P. Effect of the shape of the pores on the discharge of a vapour through porous material, 1=18442
 Eyre, B.L. The solid solubility of antimony in tin, 1=15160
 Eyre, B.L. Observations of slip bands in irradiated pure iron, 3=809
 Eyre, B.L. Direct observations of neutron irradiation damage in α -iron, 3=8477
 Eyre, B.L. and Williamson, G.K. Neutron irradiation damage in pure iron, 3=17702
 Eyrich, W. Two high efficiency neutron generators for pulse and continuous operation, 2=20364
 Eyring, E.M. and Wahrenhaftig, A.L. Dependence of calculated and experimental propane mass spectra upon electron voltage, 1=3575
 Eyring, E.M. See Kropf, A., 0=3741
 Eyring, H. The transmission coefficient in reaction rate theory, 3=6909
 Eyring, H. See Caldwell, D.J., 4=12328
 Eyring, H. See Fueno, T., 0=19617
 Eyring, H. See Gabrysh, A.F., 0=17979
 Eyring, H. See Gabrysh, A.F., 2=2102
 Eyring, H. See Gabrysh, A.F., 2=15539
 Eyring, H. See Gabrysh, A.F., 3=3072
 Eyring, H. See Gabrysh, A.F., 3=11362
 Eyring, H. See Gabrysh, A.F., 3=23129
 Eyring, H. See Gabrysh, A.F., 4=6298
 Eyring, H. See Gabrysh, A.F., 4=13510
 Eyring, H. See Henderson, D., 2=19534
 Eyring, H. See Henderson, D., 3=11783
 Eyring, H. See Kim, W.K., 0=4988
 Eyring, H. See Kropf, A., 0=3741
 Eyring, H. See Kwun Sook-II, 4=22413
 Eyring, H. See Lin, S.H., 4=62
 Eyring, H. See Marchi, R.P., 4=16090
 Eyring, H. See Ree, T.S., 2=2445
 Eyring, H. See Ree, T.S., 4=24158
 Eyring, H. See Thomson, T.R., 4=8166
 Eyring, H. See Watanabe, T., 4=22407
 Eyring, H. See Woodbury, H.A., 2=10634
 Eyring, L. and Baenzinger, N.C. On the structure and related properties of the oxides of praseodymium, 2=4418
 Eysel, W. See Hahn, T., 3=23373
 Ezawa, H. A note on the Van Hove-Miyatake catastrophe, 4=3318
 Ezawa, H. Some examples of the asymptotic field—in the sense of weak convergence, 4=5936
 Ezawa, H. The representation of canonical variables as the limit of infinite space volume: the case of the BCS model, 4=27739
 Ezawa, H., Kamei, O., Mori, K., Shimoida, H. and Yoneyama, T. Impact parameter and perturbation treatment of the distant collision of nucleons with pion emission, 1=3170
 Ezawa, H., Kamei, O., Mori, K., Shimoida, H. and Yoneyama, T. Pion-nucleon interaction and the multiple-production experiment, 1=13481
 Ezawa, H., Kikkawa, K. and Umezawa, H. Potential representation in quantum field theory, 2=9796
 Ezawa, H., Kikkawa, K. and Umezawa, H. A formulation for the bound-state problems, 2=20237
 Ezawa, H., Muta, T. and Umezawa, H. An approach to the elementarity of particles, 3=19544
 Ezawa, H. and Umezawa, H. Green's functions for elementary particles, 0=1249
 Ezawa, H. See Mito, I., 0=11148
 Ezawa, H. See Nakamura, K., 4=19442
 Ezawa, H. See Watanabe, K., 1=13284
 Ezer, D. Models of massive pure hydrogen stars, 1=2628
 Ezerskii, V.I. See Barabashov, N.P., 0=18695
 Ezvik, I.I. Infrared luminescence of F-centres in X-ray irradiated fluorite crystals, 2=23596
 Ezvik, I.I. and Shovlo, S.T. Role of M, R and F' colour centres in infrared fluorescence of F-centres in alkali-halide crystals, 1=4997
 Ezhkova, Z.I., Zhdanov, G.S. and Umanskii, M.M. An X-ray method of determining the tensor of thermal expansion in low-symmetry crystals, 0=13492
 Ezhov, N.M. See Altaiskii, Yu.M., 2=2800
 Ezoe, H., Hayashi, T. and Nagai, K. Industrial mass spectrometer, 3=2054
 Ezoe, H., Hayashi, T. and Nagai, K. Industrial mass spectrometer, 3=12260
 Ezoe, H., Hayashi, T., Shikata, T., Yamane, K. and Kuniyoshi, Y. Design of second-order double-focusing mass spectrometers, 4=5725
 Ezoe, H., Hayashi, T., Shikata, T., Yamane, K. and Kuniyoshi, Y. Design of second-order double-focusing mass spectrometers, 4=21588
 Ezoe, H. and Nakagawa, S. A method to measure or control magnetic field intensity by means of a cathode-ray tube. II, 3=2077
 Ezratty, J. See Combrisson, J., 4=13340
 Ezratty, J. See Solomon, I., 2=14849
 Ezrow, D.H. Measurement of the thermal-noise spectrum of water, 2=13420

